

TEMPE CELL TEST - LABORATORY DATA SHEET
SAMPLE AND APPARATUS DETAILS



PROJECT Mt Nansen TA5 2013 SI
 CLIENT Government of Yukon
 PROJECT No. VM00605E.523.20
 LAB No. S-9985
 PROJECT ENGINEER Renata Wood
 SOIL DESCRIPTION Silty clay, trace sand
 COMMENTS _____

PROJECT LOCATION Yukon
 BOREHOLE No. TP-T-13-04 GS5
 DEPTH (m) 3.0-3.1 m
 SAMPLE NUMBER GS5
 SAMPLE TYPE Silt
 DATE ORDERED 07-Dec-13

PRE-TEST MEASUREMENTS

Reported By <u>SH/CR</u>	START DATE <u>12-Jan-14</u>
CELL No. <u>4</u>	TARGET SPECIMEN DRY DENSITY <u>1428</u> kg/m ³
RING HEIGHT <u>59.6</u> mm	PRE-TEST WEIGHT OF SPECIMEN <u>242.4</u> g
RING DIAMETER <u>54.0</u> mm	PRE-TEST MOISTURE CONTENT <u>24.0</u> %
RING VOLUME <u>136.5</u> ml	
WEIGHT OF RING <u>140.0</u> g	
TARE + INITIAL WT OF SOIL + RING <u>382.4</u> g	BULK DENSITY OF SPECIMEN <u>1776</u> kg/m ³
TARE <u>0.0</u> g	DRY DENSITY OF SPECIMEN <u>1432</u> kg/m ³
WEIGHT OF CELL (with stone saturated, etc.) <u>899.80</u> g	
SPECIFIC GRAVITY <u>2.80</u>	<input type="checkbox"/> assumed <input checked="" type="checkbox"/> measured


TRIMMINGS/INITIAL SAMPLE

TARE <u>0</u> g	
TARE AND SOIL (wet) <u>85</u> g	MOISTURE CONTENT (trimmings) <u>25.2</u> %
TARE AND SOIL (dry) <u>67.9</u> g	

METHOD OF SPECIMEN PREPARATION Compacted to 86% SPDD in three layers

POST-TEST MEASUREMENTS

TARE <u>140.00</u> g	
TARE AND SOIL (wet) <u>382.80</u> g	WEIGHT OF WATER <u>47.30</u> g
TARE AND SOIL (dry) <u>335.50</u> g	WEIGHT OF DRY SOIL <u>195.50</u> g
FINAL MOISTURE CONTENT <u>24.2</u> %	

	PROJECT Mt Nansen TA5 2013 SI Program				PROJECT LOCATION Yukon											
	CLIENT Government of Yukon				BOREHOLE No. TP-T-13-04 GS5											
	PROJECT No. VM00605E.523.20				Cell No. 4											
	LAB No. S-9985				SAMPLE NUMBER GS5											
	PROJECT ENGINEER Renata Wood				SAMPLE TYPE Silt											
Capillary-Moisture Relationship of Soils by Tempe Cell																
SOIL DESCRIPTION:		Silty clay, trace sand														
Pre-Test Wet Density		1776	kg / m ³	Porosity of compacted sample				0.49		(A) Post-Test Weight of Water				47.30	g	
Initial Dry Density		1432	kg / m ³	Pre-Test Moisture content of sample				24.0	%	Post-Test Moisture Content (% weight) of Sample				24.2	%	
		Saturated	DRYING CURVE													
(B) Matric Suction Applied (kPa)		0	0.5	1	2	3	5	7	10	20	40	80	110			
(C) Weight of soil + water + cell (g)		899.80	899.80	899.60	899.50	899.20	899.10	898.20	895.80	893.50	891.00	887.00	882.80			
(D) Weight of Cell (g)		899.80														
(E) Weight of soil + water (g)		259.80	259.80	259.60	259.50	259.20	259.10	258.20	255.80	253.50	251.00	247.00	242.80			
E = F + G																
(F) Weight of dry soil (g)		195.50														
(G) Weight of water (g)		64.30	64.30	64.10	64.00	63.70	63.60	62.70	60.30	58.00	55.50	51.50	47.30			
G _n = G _(n+1) + (C _n - C _(n+1)), G _(final) = A																
(H) Moisture Content (percent weight)		32.9	32.9	32.8	32.7	32.6	32.5	32.1	30.8	29.7	28.4	26.3	24.2			
H = G/F																
Wet Density of sample (kg/m ³)		1903	1903	1902	1901	1899	1898	1892	1874	1857	1839	1810	1779			
Dry Density of sample (kg/m ³)		1432														
Moisture Content (percent volume)		47.1	47.1	47.0	46.9	46.7	46.6	45.9	44.2	42.5	40.7	37.7	34.7			
(Volume Water / Total Volume)																
Porosity ^{note 1}		0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49			
Void Ratio ^{note 1}		0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95			
Specific Gravity		2.80														
Saturation ^{note 1}		0.96	0.96	0.96	0.96	0.96	0.95	0.94	0.90	0.87	0.83	0.77	0.71			

Note 1. Calculated using a specific gravity of 2.8


Reporting of these test results constitutes a testing service only. Engineering interpretation or evaluation of the test results is provided only on written request.



PROJECT Mt Nansen TA5 2013 SI Program
CLIENT Government of Yukon
PROJECT No. VM00605E.523.20
LAB No. S-9985
PROJECT ENGINEER Renata Wood

PROJECT LOCATION Yukon
BOREHOLE No. TP-T-13-04 GS5
Cell No. 4
SAMPLE NUMBER GS5
SAMPLE TYPE Silt

Capillary-Moisture Relationship of Soils by Tempe Cell



SOIL DESCRIPTION: Silty clay, trace sand

VOID RATIO, e : 0.95

POROSITY, n : 0.49

Reporting of these test results constitutes a testing service only.
Engineering interpretation or evaluation of the test results is provided only on written request.