

88-031

1988
GEOCHEMICAL, GEOPHYSICAL & TRENCHING REPORT

On the TIM CLAIM GROUP
Watson Lake Mining District, Y.T.
NTS: 105/B-1; Lat 60 03'N; Long 130 05'W

FEBRUARY, 1989. (YT'88 ASSESSMENT)

1 9 8 8

GEOCHEMICAL, GEOPHYSICAL & TRENCHING REPORT
ON THE TIM CLAIM GROUP

Watson Lake Mining District, Y.T.
Latitude 60 degrees 03'N; Longitude 130 degrees 05'W.
NTS: 105/B-1

For

FAIRFIELD MINERALS LTD.
Vancouver, British Columbia

and

CHEVRON MINERALS LTD.
Vancouver, British Columbia

By

Paul Donkersloot, B.Sc.
Geologist

CORDILLERAN ENGINEERING LTD.
1980-1055 W. Hastings St.
Vancouver, B.C. V6E 2E9

Date Submitted: February, 1989
Field Period: June 18 to September 29, 1988

TABLE OF CONTENTS

Tab		Page
1.0	SUMMARY AND CONCLUSIONS	1
2.0	RECOMMENDATIONS	3
3.0	INTRODUCTION	4
	3.1 Location and Access	4
	3.2 Physiography and Climate	4
	3.3 Exploration History	4
	3.4 1988 Exploration Program	6
	3.5 Claim Data	7
4.0	REGIONAL GEOLOGY	9
5.0	PROPERTY GEOLOGY	11
	5.1 Lithologies	11
	5.2 Structural Geology	12
	5.3 Mineralization	12
6.0	ROAD CONSTRUCTION	13
7.0	SOIL GEOCHEMISTRY	14
	7.1 Sampling Procedures	14
	7.2 Results	14
8.0	GEOPHYSICS	16
9.0	TRENCHING	17
	9.1 Trench Operations	17
	9.2 Trench Results	19
	9.2.1 North Zone	19
	9.2.2 South Zone	21
10.0	EXPLORATION POTENTIAL	23
11.0	BIBLIOGRAPHY	24
12.0	STATEMENT OF EXPENDITURES	25

APPENDICES

Appendix "A" Analytical Results

TABLE OF CONTENTS Continued

Page

FIGURES

Figure 1	Location Map	5
Figure 2	Claim Map	8
Figure 3	Regional Geology	10

TABLES

Table 1	Claim Status	7
Table 2	Tim Claims - 1988 Trenching	18

PLATES

(in pockets)

		<u>Scale</u>
Plate 1	Compilation Map	1:5,000
Plate 2	Trench Map, North Zone-West half (trenches 1-5,15,18)	1:1,000
Plate 3	" " " " -East half (trenches 7,10-12,16)	1:1,000
Plate 4	" " South Zone (trenches 6,8,9,13,14)	1:1,000
Plate 5	Silver Soil Geochemistry	1:5,000
Plate 6	Lead Soil Geochemistry	1:5,000
Plate 7	Zinc Soil Geochemistry	1:5,000

The Tim property consists of 98 contiguous mineral claims in the Watson Lake Mining District, (NTS: 105/B-1) located 72 kilometres west of Watson Lake, Yukon Territory. Staking of the property was initiated in September 1983 and completed in July 1986. Acquisition and subsequent exploration work have been conducted by Cordilleran Engineering Ltd. on behalf of Regional Resources Ltd. and, following claim ownership transfer in May 1986, for Fairfield Minerals Ltd. The Tim property is under option to Chevron Minerals Ltd. of Vancouver, B.C.

The claims, assessible by road, primarily cover forested terrain with poor exposure of rock units.

Work conducted from 1983 to 1986 consisted of reconnaissance stream sediment sampling, soil geochemistry, prospecting and geological mapping.

A program comprising road construction, linecutting, soil sampling, I.P. geophysical surveys and excavator trenching was undertaken during the 1988 field season. Eighteen trenches totalling 2712 linear metres were excavated in the North and South Zones.

The claims are underlain by a succession of northwest trending, fold repeated sedimentary rocks. Three principal map units have been outlined. They include Lower Cambrian and earlier quartzite, siltstone and mudstone; Lower Cambrian limestone; and Cambrian phyllite and siltstone.

Geochemical soil sampling conducted in 1988 covered in greater detail those anomalous areas indicated by sampling completed in 1984 and 1986. Two large west-northwest trending coincident silver-lead-zinc anomalies approximately 1500 metres long and 300 metres wide were outlined. Geochemical values of up to 20.8 ppm Ag, 1700 ppm Zn and 6660 ppm Pb are contained within these anomalies. Most of the trenches were located along these two zones to test for bedrock mineralization.

An induced polarization and resistivity survey outlined two areas of interest that correlate with soil geochemical anomalies and oxide mineralization. A third I.P. anomaly may indicate the presence of a carbonaceous phyllite unit.

Trenching exposed silver, lead and zinc-bearing iron and manganese oxides in 7 of the 18 trenches completed. An oxide zone up to 30 metres wide was traced over a strike length of 1000 metres in the northwestern portion of the property. Values returned from this zone include a 4.0 metre chip sample from trench 3 averaging 10.28 oz/ton Ag, 9.12% Pb and grab samples taken from the muck

SUMMARY AND CONCLUSIONS Continued)

pile from trench 1 that returned values of 36.41 oz/ton Ag, 49.50% Pb and 28.55 oz/ton Ag, 32.00% Pb. The mineralized zone occurs at or near a limestone-phyllite interface. Two separate, 2 and 5 metre wide, carbonate hosted intercepts of oxide mineralization were found north and south of the main oxide zone.

The potential for locating a replacement-type, carbonate-hosted Ag-Pb-Zn deposit on the Tim property, similar to that of the nearby Midway property, is very good. Mineralization of this style is commonly oxidized near surface but massive sulphide mineralization may predominate at depth. Geochemical and geophysical anomalies indicate that the mineralized zones outlined by trenching may continue along strike. A diamond drill program to test for sulphide mineralization beneath the surface oxide zones is recommended.

2.0


R E C O M M E N D A T I O N S

A twenty hole, 2000 metre NQ wireline diamond drill program is proposed for the Tim property. Sixteen holes, on 13 sections at 100 metre intervals, totalling 1600 metres are suggested to test the main oxide zone in the northwestern portion of the property. Four holes, totalling 400 metres are proposed to test two other oxide zones in the north and south parts of the property. Drilling beneath the oxide zones is required to test for the presence and continuity of sulphide mineralization. Similar lead-zinc-silver mineralization is located at Regional Resources Ltd's Midway deposit, 12 km to the southwest.

Additional mapping and prospecting of the area is also recommended.

Respectfully submitted

CORDILLERAN ENGINEERING LTD.



P. Donkersloot, B.Sc.
Geologist

PD/z

February, 1989

3.0

I N T R O D U C T I O N

This report describes a program of road construction, geochemical and geophysical surveys and excavator trenching carried out on the Tim claim group during the period June 18, 1988 to September 29, 1988.

3.1 LOCATION AND ACCESS (Figure 1)

The Tim property, located 72 km west of Watson Lake, Yukon at latitude 60 degrees 03'N and longitude 130 degrees 05' W (Figure 1), is situated 15 km southeast of kilometre 1128 of the Alaska Highway. Four-wheel drive access (6 km) originates at kilometre 18.8 on the Midway road.

3.2 PHYSIOGRAPHY AND CLIMATE


The property covers forested terrain with minor subalpine and valley marsh conditions. Vegetation consists of spruce, balsam, fir, pine, poplar, dwarf alder and willow. Relief is gentle to moderate with elevations ranging from 1000 to 1410 metres above sea level.

Climate in the area is characterized by short, warm summers and long, cold winters. Precipitation is light to moderate year round. The area is basically snow free from early June until mid September.

3.3 EXPLORATION HISTORY

The Tim 1-160 claims were staked in September 1983 to cover lead-zinc-silver stream sediment geochemical anomalies and a favourable geological environment with potential to contain carbonate-hosted massive sulphide deposits similar to that on the nearby Midway property.

Work conducted on the claims in 1983 included stream sediment silt sampling, reconnaissance soil sampling and prospecting. In 1984, linecutting, soil sampling and geological mapping were undertaken.



Scale - 1" = 400 Miles

NOVEMBER 1988

FIGURE 1

INTRODUCTION Continued)

In 1986, 40 mineral claims were added to cover oxide mineral showings containing high silver values. In addition, 102 claims in the south and east property areas were allowed to lapse. Soil sampling, prospecting and geological mapping were conducted during the 1986 field season.

The Tim claims are bounded on the southwest by the Hot claims of Canamax Resources Inc. Canamax has completed linecutting, trenching and some diamond drilling on this tungsten-skarn prospect.

3.4 1988 EXPLORATION PROGRAM

A program comprising road construction, linecutting, soil sampling, I.P. geophysical surveys and excavator trenching was completed over the Tim claim group during the period June 18, 1988 to September 29, 1988. Work was performed by Cordilleran Engineering Ltd. on behalf of Fairfield Minerals Ltd. (owner/operator) and Chevron Minerals Ltd. (optionee).

A four-wheel-drive access road was constructed, extending 6.37 km to the Tim base camp from Km 18.8 on the Midway road. An additional 6.97 km was built from the base camp to the trench sites.

Grid preparation included 12.8 km of cut line and 9.2 km of flag and compass line. A total of 477 soil samples was collected.

Fourteen days of geophysical I.P. surveys were completed and included 14.4 km of 100 metre dipole, 2.0 km of 50 metre dipole and 2.6 km of 25 metre dipole surveys.

Eighteen trenches (2712 linear metres, 15,873.0 cubic metres) were completed utilizing a Caterpillar 215LC excavator. Site preparation was aided by a D65A Komatsu bulldozer. A total of 508 rock geochemical samples, 60 rock assay samples and 416 soil samples were collected from the trenches. Detailed mapping was completed at 1:200 scale.

INTRODUCTION Continued)

3.5 CLAIM DATA (Figure 2)


The Tim property consists of 98 Quartz Mineral Claims located in the Watson Lake Mining District, Yukon Territory, owned by Fairfield Minerals Ltd. (Figure 2). The claims are under option to Chevron Minerals Ltd.

Table 1:

CLAIM DATA

<u>Claim(s) Name</u>	<u>Record Number(s)</u>	<u>Expiry date(s)</u>
TIM 47- 60	YA 70459 - 70472	31 DEC. 1993*
TIM 69- 82	YA 70481 - 70494	31 DEC. 1993*
TIM 91-100	YA 70503 - 70512	31 DEC. 1993*
TIM 111-120	YA 70523 - 70532	31 DEC. 1993*
TIM 131-140	YA 70543 - 70552	31 DEC. 1993*
TIM 161-200	YA 91101 - 91140	31 DEC. 1993*

*Pending receipt of Certificates of Work (1988 Assessment).



FAIRFIELD MINERALS LTD.
 CHEVRON MINERALS LTD.
 TIM PROPERTY
 CLAIM MAP

WOLF LAKE MAP AREA, N.T.S. 105B/1
 WATSON LAKE MINING DISTRICT, YUKON TERRITORY

SCALE: 1 : 50,000
 CORDILLERAN ENGINEERING LTD.
 1980-1055 W. HASTINGS STREET
 VANCOUVER, B.C. V6E 2E9

4.0

R E G I O N A L G E O L O G Y

(Figure 3)


The regional geology is compiled from mapping in the Wolf Lake Sheet (NTS 105/B) by Poole (1951-1955) and Roddick and Green (1959) of the Geological Survey of Canada, and recent mapping by Lowey and Lowey (1985) in NTS map sheet 105/B-2 (Figure 3).

The property is underlain by a succession of northwest trending, fold-repeated Cambrian sedimentary rocks. They are part of a package of Paleozoic sedimentary rocks of the Cassiar Platform deposited in a shallow marginal marine basin on the western edge of North America (Lowey and Lowey, 1986). The sedimentary sequence on the property includes quartzite, phyllite, siltstone and limestone of the Cambrian Atan Group.

The stratigraphy trends northwest and dips gently to the southwest. The northwest trending Kechika fault separates Cambrian sediments on the property from Cambro-Ordovician sediments of the Kechika group to the west.

Granite rocks of the Cretaceous Cassiar Batholith outcrop 15 kilometres to the west.

Lead-zinc-silver mineralization is common in the Rancheria district and is often characterized by an association with northwest and northeast trending fault structures that are associated with large Late Cretaceous and Early Tertiary lateral faults such as the Kechika fault (Lowey and Lowey, 1986).



DEVONIAN and MISSISSIPPIAN	
uDIM	uDIMqt,mc interbedded quartzite and metaconglomerate
	uDIMph phyllite
DEVONIAN	
mD	mDls limestone
SILURIAN and DEVONIAN	
mSD	mSDls limestone
	mSDqt quartzite
	mSDds,st dolostone and siltstone
CAMBRIAN and ORDOVICIAN	
uCO	uEOph phyllite
	uCOhs hornfels
CAMBRIAN	
ICc	ICma marble
	ICds dolostone
	ICls limestone
	ICls-ph interbedded limestone and phyllite
	unsubdivided siliciclastics
ICs	ICph phyllite
	ICqt quartzite

F ₁ structures	bedding (S ₁), inclined	
	slaty cleavage (S ₁), inclined	
F ₂ structures	crenulation cleavage (S ₂)	
	inclined, vertical	
	multiple folds, arrows indicate fold axis (f ₂)	
F ₃ structures	jointing (S ₃), inclined	
	small-scale folds, arrow indicates plunge of fold axis (f ₃)	
	anticline	
	syncline	
	jointing (in plutonic rocks), inclined	

After G.W. Lowey, J.F. Lowey, O.F. Map 1986-1

SYMBOLS	
area of bedrock outcrop	
float	
geological boundary, observed	
geological boundary, interpreted	
fault, observed	
fault, assumed	
(dot indicates down thrown side, arrows indicate horizontal movement)	
thrust fault, assumed	
lineament, from air photographs	

FAIRFIELD MINERALS LTD.
 CHEVRON MINERALS LTD.
 TIM PROPERTY
REGIONAL GEOLOGY

Scale 1:100,000

CORDILLERAN ENGINEERING LTD.
 1980-1055 W. HASTINGS STREET
 VANCOUVER, B.C. V6E 2E9

5.0

PROPERTY GEOLOGY

(Plate 1)

Outcrop exposure is restricted to a few resistant weathering knobs and bluffs. The distribution of lithologies on the compilation map (Plate 1) is based on trench, float and outcrop mapping and interpretation of geophysical results.

The three main lithologic units on the property include: Lower Cambrian and earlier quartzite, siltstone, mudstone and shale; Lower Cambrian limestone; and Cambrian phyllite and siltstone. These rocks are occasionally cut by fault breccias, veins and limonite bodies.

Brief descriptions of the lithologic units follow.

5.1 LITHOLOGIES

Lower Cambrian and earlier:

This unit was mapped in the central and eastern claims but is not found in the areas of the 1988 trenching program. The unit contains quartzite, siltstone, mudstone and shale. The quartzite is massive and weathers light grey to tan, while the clastic sediments are finely laminated and weather light brown.

Lower Cambrian:

A light grey limestone and a black limestone compose this unit. These lithologies are resistant to weathering and hence are the most common exposures on the property.

The light grey limestone is medium bedded to massive and frequently cut by quartz and calcite stringers. It occasionally weathers grey-brown due to iron and manganese alteration, and is rarely dolomitized. Trace amounts of calc-silicate minerals were found at some locations in the limestone.

The light grey limestone in trench 6, located in the south area of trenching, hosts a 28 metre wide, light grey, matrix-supported breccia with a calcareous siltstone matrix and subangular, 5mm-20cm diameter, limestone clasts. This is possibly a karst related solution collapse breccia.

Black, medium-bedded, hematite stained limestone is found in the eastern portions of the two trench areas. The black limestone is frequently cut by quartz and calcite stringers and rarely dolomitized.

PROPERTY GEOLOGY Continued)

Cambrian:

This unit, found in the western claims, includes brown-grey to green-grey muscovite phyllite, dark grey carbonaceous phyllite and light grey thin-bedded siltstone. These rocks contain minor quartz and calcite veins that occasionally include trace amounts of sulphides. The siltstone contains minor amounts of carbonaceous material along partings and occasional interbeds of chert.

5.2 STRUCTURAL GEOLOGY

Bedding on the property strikes in a northwest to west-northwest direction and dips 15 to 60 degrees to the southwest. The majority of the faults seen in the trenches strike in a northwesterly direction and are steeply dipping. Minor small scale folds with northwest trending axes are found in the phyllite units. Property mapping in 1986 indicated fold repetition of the Lower Cambrian limestone unit along a northwest trending recumbent anticline. Two or more phases of foliation are found within the phyllite; and at least two sets of joints are apparent in most of the lithologies on the property.

5.3 MINERALIZATION

The Tim property hosts a series of newly discovered, silver-lead-zinc-gold-bearing oxide mineral occurrences of undetermined size and tenor. Preliminary work, including trenching, soil geochemistry and Induced Polarization surveys suggest that significant massive sulphide deposits may lie beneath the North Zone showing area.

Mineralization on the property consists of massive orange, brown and black, iron and manganese oxides, including goethite, pyrolusite and hematite. Some sulphide minerals including galena, pyrite and rare chalcocite have resisted oxidation and occur as isolated cobbles or as discreet grains within the oxides and wall rock material. North Zone oxide bodies as exposed by trenching, range in size from four to 30 metres and occur mainly in the limestone unit at or near an inferred, major fault contact with overlying phyllite rocks. It is postulated that this fault may have acted as a conduit for mineralizing fluids which deposited as replacement sulphide bodies in the limestone. Subsequent weathering and groundwater movement may have altered massive pyrite-galena-sphalerite(?) to the silver-lead-zinc-iron bearing oxides now present on surface.

6.0

R O A D C O N S T R U C T I O N

Road construction included 6.4 km of four-wheel-drive access road, extending from Km 18.8 on the Midway road to the Tim property base camp and 7.0 km to provide access from the camp to the trench sites. A D65A Komatsu bulldozer was leased with operator from Joe Corcoran Construction of Watson Lake and a Caterpillar 215LC excavator was leased with operator from W. Dobbin Construction Ltd. of Kelowna. Erosion control measures and grooming were completed on the roads in order to meet standard environmental requirements.

7.0 SOIL GEOCHEMISTRY

7.1 SAMPLING PROCEDURE

A total of 477 grid soil samples was collected on the Tim property. Samples were taken from "B" horizon soil every 50 metres on lines 200 metres apart and placed in grid-numbered kraft bags. The corresponding sample location was marked in the field by grid numbered plastic flagging tape, or lath picket on cut lines. Notes were made concerning sample depth, colour and texture.

After partial drying the samples were shipped to Bondar-Clegg and Company Ltd., North Vancouver, for sample preparation and analytical treatment. One half gram of minus 80 mesh fraction of each sample was digested in hot HNO₃-HCL solution and silver-lead-zinc analyses were performed using standard atomic absorption techniques.

7.2 RESULTS (Plates 5 to 7)

Silver, lead and zinc geochemical results are plotted on Plates 5 to 7. Anomalous values which have been contoured are based on statistical categories compiled from 1984 and 1986 soil data, which covered the entire property. These categories are presented on the plates.

The 1988 soil grid covers, in more detail, those anomalous areas indicated by geochemical surveys completed in 1984 and 1986. Results of the 1988 survey are encouraging, with three coincident lead-zinc-silver soil anomalies outlined.

The first anomaly is situated between lines 3400W and 2000W and stations 7000N and 6500N. The anomaly has a west-northwest trending axis and is approximately 1500 metres long and 300 metres wide. Values up to 1682 ppm Pb, 1790 ppm Zn and 15.4 ppm Ag were obtained. The southeastern corner of the anomaly is underlain by Cambrian phyllite and siltstone while the rest of the anomaly is underlain by Lower Cambrian limestone.

SOIL GEOCHEMISTRY (Continued)

The second anomaly is located between lines 3000W and 1600W and stations 5900N and 5300N. It also has a west-northwest trending axis and is approximately 1500 metres long by 200 metres wide. Maximum values returned include 6660 ppm Pb, 1430 ppm Zn and 20.8 ppm Ag. This area is underlain by Lower Cambrian limestone with minor exposures of Cambrian phyllite in the southern portion.

The third anomaly is smaller, 200 metres long by 100 metres wide, but contains high values. It has an east-west trending axis and is located between lines 2800W and 2600W and stations 7200N and 7300N. Values up to 2.7 ppm Ag, 1725 ppm Pb and 10360 ppm Zn were obtained from soils in this area, which is underlain by Cambrian limestone.

Several small isolated anomalies were also defined.

8.0

G E O P H Y S I C S

An induced polarization (I.P.) and resistivity survey was carried out between August 5 and August 19, 1988. A report prepared by Pacific Geophysical Ltd. is appended (Appendix "B").

A reconnaissance survey using 100 metre dipole separation covered the portions of the property which were trenched during 1988. Surveys with dipole spreads of 50 and 25 metres were conducted over selected anomalous intervals indicated by the initial survey. A total of 14.4 km of 100 metre dipole, 2.0 km of 50 metre dipole and 2.6 km of 25 metre dipole surveys were completed.

I.P. anomaly A indicated on Dwg.No. I.P.P.-3017 (Appendix "B") appears to correlate with the northwest trending main oxide zone exposed by trenching. Line 3400W returned 50 metre dipole data that suggests the possibility of a sulphide-bearing source approximately 75 metres beneath the surface. An area with slightly lower than background resistivities, indicated by 25 metre dipole data on line 3400W, could be caused by oxide mineralization found on surface.

Anomaly B has the highest magnitude on the property and may be caused by carbonaceous material within the Cambrian phyllite unit.

Anomaly C is a weak northwest trending anomaly on the northern portion of the South Zone. The exact location of the source of the anomaly is uncertain due to large dipole spacings (100 metres).

9.0

TRENCHING

9.1 TRENCH OPERATIONS (Plates 1-4)

Eighteen trenches totalling 2712 metres were excavated in two target areas, the North and South Zones, utilizing a Caterpillar 215 excavator. Trench site preparation was aided by a D65A Komatsu bulldozer. Bedrock was attained easily in some locations while permafrost and excessive overburden depth presented problems in others. Bedrock was not reached in trenches 7 and 17 and in only portions of trenches 4, 5, 8, 11 and 12. The depth of the trenches varied from less than 0.5 metres to in excess of 7.0 metres. The average depth for all trenches was 2.23 metres.

Each trench was mapped in detail at 1:200 scale, and compiled at 1:1,000 scale (Plates 2, 3 and 4). Continuous chip samples, usually one metre in length were taken across mineralized or altered zones and sent for analysis. Soil samples were collected every 10 metres at the bedrock-overburden interface. At selected locations soil profiles were taken at 50cm or 100cm intervals on trench walls. Anomalous results from trench soil samples, taken at the bedrock overburden interface or at the maximum depth of overburden penetration, are plotted on plates 2, 3 and 4. All soil and rock samples were shipped to Bondar-Clegg and Company Ltd.'s North Vancouver laboratory for standard preparation and analysis. Copies of all analytical results are appended to this report (Appendix "A"). All trenches were photographed. Non-mineralized trenches were back-filled, seeded and groomed to meet standard environmental requirements.

Table 2 summarizes the trench data. Plate 1 is a compilation map showing the areas of trenching.

Trenches 1 to 3 were excavated to test areas where float mineralization appears on surface. Trenches 15 and 17 were excavated to test projections of mineralized structures. The remainder were dug to test soil anomalies.

Table 2
TIN CLAIMS - 1988 TRENCHING

TRENCH #	GRID CO-ORDINATES		LENGTH (m)	AV. DEPTH (m)	AVERAGE WIDTH		VOLUME (m ³)	TOTAL NUMBER OF SAMPLES TAKEN				
	(North End)	(South End)			Top (m)	Bottom (m)		FOR ANALYSIS			FOR ASSAY	
								SOILS Pb/Zn/Ag	ROCK Pb/Zn/Ag	Cu	ROCK Pb/Zn/Ag	Au
1	3902W 7477N	3995W 7422N	110.0	0.57	2.7	1.8	141.0	21	34	-	12	2
2	3959W 7590N	4175W 7440N	258.0	0.48	2.0	1.1	192.0	25	48	-	9	-
3	3760W 7353N	3893W 7256N	157.0	4.85	4.2	1.3	2094.0	21	32	-	2	3
4	3434W 7095N	3434W 6868N	228.0	3.47	4.1	1.2	2097.0	42	40	-	19	2
5	3181W 7001N	3187W 6778N	224.0	2.94	3.6	1.1	1548.0	23	26	-	5	-
6	2997W 5863N	2995W 5649N	214.0	0.99	2.2	1.3	371.0	22	80	-	1	-
7	3021W 6772N	3023W 6516N	87.0	4.80	6.8	1.2	1670.0	37	-	-	-	-
8	2577W 5739N	2577W 5554N	185.0	2.74	3.3	1.0	1090.0	19	47	-	-	-
9	2427W 5577N	2414W 5423N	155.0	0.56	1.9	1.3	139.0	16	37	-	1	-
10	2579W 7023N	2577W 6827N	190.0	0.71	1.8	1.2	202.0	19	23	-	-	1
11	2579W 6646N	2575W 6479N	101.0	7.20	5.0	1.3	2291.0	37	12	-	-	-
12	2781W 6649N	2777W 6475N	158.0	1.94	3.1	1.2	659.0	21	31	-	-	-
13	2817W 5771N	2821W 5647N	120.0	1.96	2.9	1.1	470.0	13	15	-	-	-
14	1573W 5464N	1573W 5323N	141.0	0.57	1.9	1.4	133.0	15	24	-	-	-
15	3579W 7223N	3576W 7079N	147.0	1.68	2.5	1.2	457.0	15	31	2	2	-
16	2806W 7250N	2778W 7146N	110.0	0.41	1.8	1.4	72.0	12	13	-	1	-
17	3080W 5940N	3340W 5550N	110.0	5.75	5.8	1.2	2214.0	58	-	-	-	-
18	4007W 7378N	4007W 7361N	17.0	1.29	1.8	1.2	33.0	-	10	3	-	-
TOTALS:			<u>2712.0 m</u>				<u>15873.0 m³</u>	<u>416</u>	<u>503</u>	<u>5</u>	<u>52</u>	<u>8</u>

TRENCHING Continued)

9.2 TRENCH RESULTS (Plate 1)

9.2.1 North Zone (Plates 2 and 3)

Twelve trenches were completed over geochemical and geological targets in the North Zone. Approximately 1700 metres of favourable strike length was tested with nine trenches roughly 200 metres apart. Results from this area are very encouraging with the discovery of bedrock occurrences of silver-lead-zinc bearing iron and manganese oxides. Trenches are described separately below in the order they occur from northwest to southeast.

Trench 2 revealed a long interval of interbedded phyllite and siltstone in contact with limestone. Two separate, banded limonite intervals, two and eight metres wide, were exposed within phyllite near the limestone contact. Chip samples returned 0.67 oz/ton Ag, 1018 ppm Pb and 0.30% Zn over one metre. Soil results reflect the underlying mineralized bedrock and include values of 1.5 ppm Ag, 1540 ppm Pb and 1360 ppm Zn.

Trench 1, underlain by phyllite, breccia, gouge and limestone, intersected several zones of moderately oxidized material. A 26 metre wide, iron-oxide bearing breccia and gouge zone located at the limestone-phyllite contact returned anomalous assays up to 0.22 oz/ton Ag and 1.07% Pb over one metre. Several cobbles of massive galena discovered in the excavated material assayed up to 49.50% Pb and 34.41 oz/ton Ag. Three smaller limonite bands in phyllite near the south end of the trench returned values to 16.4 ppm Ag and 7600 ppm Pb over 0.5 metre. Trench soil samples near areas of bedrock mineralization returned values up to 9.6 ppm Ag, 7100 ppm Pb and 681 ppm Zn.

Trench 18, only 13 metres long and located immediately southwest of Trench 1 exposed phyllite, siltstone and siliceous breccia. Two siliceous breccia zones, one and two metres wide respectively, contain minor pyrite, chalcocite and malachite. No significant results were returned and no soil samples were taken.

Trench 3 encountered permafrost and thick overburden in the southern portion. The northern quarter of the trench exposed a sequence of rocks similar to those in trenches 1 and 2, and included a two metre intersection of phyllite-hosted, limonite rich material which assayed 0.15 oz/ton Ag over 1.0 m. A second zone of massive iron and manganese oxides was discovered at the south end of the bedrock exposure, from which a 4.0 metre chip sample returned values of 10.28 oz/ton Ag and 9.12% Pb. This oxide zone remains untested to the south. Strongly anomalous soil samples near the oxide mineralization include values of 8.6 ppm Ag, 3140 ppm Pb and 1450 ppm Zn.

TRENCHING Continued)

Trench 15 intersected a 10-metre interval of limonite boulders in red clay overlying carbonate bedrock. It is believed that the material originated upslope where an eight metre wide section of orange sand and clay was exposed, but no bedrock. A selected sample of the limonite assayed 3.92 oz/ton Ag, 1.29% Pb and 1.05% Zn. Additional mineralization in this area included chalcocite-malachite bearing quartz veins which returned up to 3770 ppm Cu. Strongly anomalous values from the majority of trench soil samples included 11.5 ppm Ag, 7680 ppm Pb and 1.99% Zn.

Trench 4, located east of trenches 1 through 3 is underlain by limestone and contains the largest exposure of massive oxide mineralization on the property. The 30-metre, mineralized intercept is bounded to the north by a 6.0 metre wide zone of fault gouge and the southern 9.0 metres are composed of crumbly, regolith-like oxide material. Sample results are moderately anomalous including 11.0 metres averaging 1.0 oz/ton Ag and individual values to 2.14 oz/ton Ag, 0.31% Pb, 0.96% Zn and 0.045 oz/ton Au. Sampling of the 9.0 metres of regolith returned similar values, including 19.7 ppm Ag, 1.36% Pb and 2.86% Zn. Soil samples taken along the trench were highly anomalous over the oxide zone and included values to 15.9 ppm Ag, 1300 ppm Pb and 4200 ppm Zn. Twenty percent of the trench failed to reach bedrock.

Trench 5, underlain by limestone, exposed bedrock over about 80% of its length. An 8.0 metre interval of subcrop(?) and permafrost in the southern portion of the trench contained a mix of massive oxide boulders, limestone and fine red-brown clay. A grab sample from an oxide boulder assayed 0.19 oz/ton Ag, 7.80% Pb and 0.88% Zn. It is postulated that this interval is the strike extension of the large oxide zone found in trench 4. Trench soil samples taken over the oxide zone included highly anomalous values of 1.5 oz/ton Ag, 5.90% Pb and 4800 ppm Zn.

Trench 7 failed to reach bedrock. Several test pits were excavated to depths of up to ten metres and soil sampled. Most of the results were anomalous and a sample collected from the bottom of the north test pit returned values of 14.4 ppm Ag, 2.70% Pb and 5550 ppm Zn. This pit lies on strike with oxides found in trenches 1, 3, 4 and 5 and similar mineralization could be nearby.

Trench 12 contains interbedded limestone, phyllite and siltstone in the north half and limestone in the south which hosts a 35 cm wide quartz vein containing trace galena. A selected sample of vein material ran 2.4 ppm Ag, 2270 ppm Pb and 1371 ppm Zn. Most of the trench soil samples were anomalous with values to 1.3 ppm Ag, 1780 ppm Pb and 1797 ppm Zn.

Trench 11 is underlain by limestone in contact with siltstone. The southern three-quarters of the trench failed to reach bedrock. No significant mineralization was found. Trench soil samples from the northern end returned anomalous values to 1.5 ppm Ag, 4090 ppm Pb and 2085 ppm Zn.

TRENCHING Continued)

Trench 10 tested a geochemical target located north and east of the main mineralized trend. It exposed Cambrian limestone with no significant mineralization. A limonite boulder found on surface adjacent to the south end of the trench assayed 1.23 oz/ton Ag. Many of the trench soil samples were anomalous with values to 10.4 ppm Ag, 2330 ppm Pb and 3570 ppm Zn.

Trench 16, also located north of the main mineralized trend tested a strong, isolated soil anomaly and local oxide float boulders. The trench is underlain by limestone and contains a 2.0 metre wide body of massive oxide mineralization which ran 13.2 ppm Ag, 1.86% Pb and 5.07% Zn across the 2.0 metres. Trench soil samples were all anomalous with values to 49 ppm Ag, 1490 ppm Pb and 1190 ppm Zn.

9.2.2 South Zone (Plate 4)

In the South Zone, a total of six trenches were completed over a 1700 metre long geochemical anomaly. Trenches 6, 8, 9, 13 and 17 located 200 m apart, tested 800 metres of favourable strike length in the western portion and trench 14, located 900 metres east of trench 9, tested the eastern end of the Ag-Pb-Zn soil anomaly. Results of trenching in the South zone were mixed, with only trench 6 intersecting significant mineralization. Trenches are discussed in the order they occur from northwest to southeast.

Trench 17, consisting of a series of test pits in the valley bottom along the main access road failed to reach bedrock. No anomalous soil results were returned from these pits.

Trench 6, underlain by Lower Cambrian limestone and limestone breccia, intersected a 5 metre wide zone of massive oxide mineralization composed of red-brown clay and limonite. Chip sampling returned values of 4.7 ppm Ag, 0.66% Pb and 0.95% Zn over one metre. All of the trench soil samples were anomalous with values to 5.3 ppm Ag, 1.86% Pb and 2400 ppm Zn.

Trench 13 is underlain by limestone in contact with siltstone to the south. No significant mineralization was identified. Trench soil samples included values to 5.3 ppm Ag, 1379 ppm Pb and 3680 ppm Zn.

Trench 8 is underlain by limestone and minor phyllite. No mineralization was encountered. Trench soil sample results were correspondingly lower and included values to 3.0 ppm Ag, 442 ppm Pb and 587 ppm Zn.

Trench 9 cut limestone, with minor interbeds of phyllite. No mineralization was intersected in the trench despite nearby surface occurrences of limonite cobbles. Oxide float material assayed 0.42% Pb and 0.49% Zn. Soil results were evaluated with values to 3.6 ppm Ag, 1741 ppm Pb and 2105 ppm Zn.

TRENCHING Continued)

Trench 14, located 900 metres west of trench 9, is underlain by Lower Cambrian limestone. No mineralization was discovered. Trench soil values to 2.9 ppm Ag, 836 ppm Pb and 1246 ppm Zn were returned.

10.0

E X P L O R A T I O N P O T E N T I A L

The North Zone mineralized trend that extends 1200 metres from trench 7 to trench 1 is the most favourable area on the Tim property to be systematically explored in more detail. To date trenching has exposed oxidized mineralization at or near a phyllite-carbonate interface. It occurs in structures or as replacement bodies within favourable horizons of the gently dipping carbonate unit. Solution channels in karst structures (a possible example was found in trench 6) and the limestone-phyllite contact are favourable locations to explore for replacement bodies. The 30 metre wide, carbonate-hosted, limonite interval in trench 4 is a possible example of replacement-type mineralization which has undergone surface oxidation.

The style and grade of the oxide mineralization, as well as the geological setting, are similar to some oxide zones found in the nearby Midway silver-lead-zinc deposit. The chance of locating massive sulphide mineralization at Tim below the oxides is very good. The reserve potential of this type of mineral deposit at Midway is estimated to be in the order of one to five million tons of 10 to 15 oz/ton silver and 15% to 20% combined lead-zinc.

Good potential exists for laterally and vertically extending the defined mineralized zones and for finding new zones. The geochemical anomalies in the areas of trenching are large in size and magnitude in comparison to the background values over the entire property. Untested portions of these anomalies hold considerable promise for the discovery of additional mineralization.

11.0

B I B L I O G R A P H Y

CORDILLERAN ENGINEERING LTD.:

- 1983: Summary Report on the Tim Silver, Lead, Zinc Property, Watson Lake Mining District, Yukon, for Regional Resources Ltd.
- 1984: Geological and Geochemical Report on the Tim 1-160 Mineral Claims, 1984 Assessment Report, Watson Lake Mining District, Yukon, for Regional Resources Ltd.
- 1985: 1984 Diamond Drilling & Physical Report on the Way 1-35, Bull 1-27, Climax 1-16, Post 1-16, Beth 1-4, Star 2-3, Reenee 1 and Toots 4 Claims, 1984 Assessment Report, Watson Lake Mining District, Yukon, for Regional Resources Ltd. and Canamax Resources Inc.
- 1986: Geological, Geochemical and Prospecting Report on the Tim Claim Group, 1986 Assessment Report, Watson Lake Mining District, Yukon, for Fairfield Minerals Ltd.
- 1987: 1986 Summary Report of Exploration on the Meister River Property, Watson Lake Mining District, Yukon, for Fairfield Minerals Ltd. and Getty Resources Limited.

LOWEY, G.W., LOWEY, J.F.:

- 1986: Geology of Spencer Creek (105 B/1) and Daughney Lake (105 B/2) Map-areas, Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, Open File 1986-1.

MURPHY, D.C.

- 1988 Geology of Gravel Creek (105 B/10) and Irvine Lake (105 B/11) Map-areas, Southeastern Yukon, Indian and Northern Affairs Canada, Open File 1988-1.

POOLE, W.H., RODDICK, J.A., GREEN, L.H.:

- 1960 Geology, Wolf Lake, Yukon Territory, Sheet 105 B, Geological Survey of Canada, Map 10-1960.

12.0 STATEMENT OF EXPENDITURES

The following costs were incurred pursuant to Exploration Incentives Program grant EIP 88-031.

		Total Rounded
<u>Geochemistry:</u>		
Sampling labour	15 man days, salaries	\$1,276.50
Camp support	15 man days x \$112.03/man day	1,680.45
Analyses	455 soil samples x \$5.50 each	<u>2,502.50</u>
		\$ 5,560
<u>Geology:</u>		
Property mapping	15 mandays, salaries	5,500.00
Camp support	15 man days x \$112.03/man day	1,680.45
Base Map preparation	<u>2,950.00</u>
		10,130
<u>Trenching:</u>		
Equipment cost	to contractors, 15,873m ³	88,506.72
Camp support	81 man days x \$112.03/man day	<u>9,074.43</u>
		97,581
Sampling labour	187 man days, salaries	16,432.90
Mapping labour	76 man days, salaries	27,200.00
Camp support	263 man days x \$112.03/man day	<u>29,351.86</u>
		72,985
Analyses	Geochemical, 947 samples	6,605.00
	Assay, 80 samples	<u>1,817.50</u>
		<u>8,423</u>
		<u>\$194,679</u>

Geochemistry:	15 man days @ \$ 3,056.94 =	\$203.80/man day
Geology:	15 man days @ 7,180.45 =	478.70/man day
Trenching:	15,873m ³ @ 97,581.15 =	6.15/m ³
	263 man days @ 72,984.76 =	277.51/man day

	<u>Grant Amount</u>	<u>Survey Cost</u>	<u>Amount Claimed</u>
Geochemistry	\$ 30,000	\$ 5,560	\$ 5,560
Geology	45,000	10,130	10,130
Trenching	<u>225,000</u>	<u>178,989</u>	<u>164,310</u>
	<u>\$300,000</u>	<u>\$194,679</u>	<u>\$180,000</u>

Camp Support Cost: (Mobilization, demobilization operating)

	<u>Project Total</u>	<u>Prorated to E.I.P.</u>
Food	\$ 7,403	\$ 5,967
Helicopter	34.3 hrs x \$588.40/hr	20,220
Rentals:	Truck	6,294
	Camp equipment	9,030
	Radios	2,217
Labour:	General	2,970
	Geologists	<u>3,850</u>
	<u>\$51,984</u>	<u>\$41,900</u>


Total camp man days = 464; man days claimed for E.I.P. = 374
 Cost/man day = \$51,984 divided by 464 = \$112.03

A P P E N D I X " A "

A N A L Y T I C A L R E P O R T S

NOTE:

Sample numbers with prefix "TR-" indicates trench soil samples. A sample labelled TR-4-120 means that the sample was taken 120 metres from the start of trench 4. The start of the trench, with respect to taking samples, is marked on the trench maps included in this report.




REPORT: V88-06330.4

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag OPT	Au OPT	Ag OPT	Pb PCT	Zn PCT	As PCT
R2 I 03-70041		0.02		0.04	0.05	0.01	
R2 I 03-70042		0.03		0.03	0.01	0.01	
R2 I 03-70043		0.10	<0.002	0.09	0.04	0.03	
R2 I 03-70044		0.08	0.002	0.10	0.08	0.04	
R2 I 03-70045		0.08	<0.002	0.10	0.16	0.05	
R2 I 03-70046		0.08	0.003	0.08	0.13	0.09	
R2 I 03-70047		0.24	<0.002	0.22	0.65	0.01	
R2 I 03-70048		0.11	<0.002	0.09	0.18	0.05	
R2 I 03-70049		0.06	<0.002	0.06	0.11	<0.01	
R2 I 03-70050		0.04	<0.002	0.04	0.05	<0.01	
R2 I 03-70051		0.04		0.04	0.03	<0.01	
R2 I 03-70052		0.04		0.05	<0.01	<0.01	
R2 I 03-70072			0.025	28.55	33.14	0.02	1.18
R2 I 03-70073			0.010	36.41	49.57	0.02	0.40

T
R
E
N
C
H
1
R
O
C
K
S



AUG 15 1985


REPORT: V88-06330.0

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	
S1 T 03 TR-1 0-A		2.7	502	459	20	R2 T 03-70057		0.4	24	8	T R E N C H
S1 T 03 TR-1 10A		13.5	2650	451	10	R2 T 03-70058		0.4	27	19	
S1 T 03 TR-1 10B		14.8	2890	681	60	R2 T 03-70059		0.5	60	93	
S1 T 03 TR-1 20A		2.1	710	255	10	R2 T 03-70060		0.5	38	23	
S1 T 03 TR-1 20B		9.6	3300	454	60	R2 T 03-70061		0.3	22	6	
S1 T 03 TR-1 30A		1.0	147	23	20	R2 T 03-70062		0.5	20	9	1
S1 T 03 TR-1 40A		0.6	256	154	30	R2 T 03-70063		0.7	27	31	
S1 T 03 TR-1 40B		1.5	404	36	80	R2 T 03-70064		0.6	274	9	
S1 T 03 TR-1 40C		3.0	2470	86	140	R2 T 03-70065		0.2	63	3	
S1 T 03 TR-1 50A		0.4	132	59	25	R2 T 03-70066		0.4	47	4	
S1 T 03 TR-1 60A		0.3	150	15	10	R2 T 03-70067		16.4	7600	29	R O C K S
S1 T 03 TR-1 70A		0.5	7100	142	20	R2 T 03-70068		2.7	1406	23	
S1 T 03 TR-1 80A		1.6	314	49	15	R2 T 03-70069		0.1	349	26	
S1 T 03 TR-1 90A		0.5	439	55	40	R2 T 03-70070		0.1	185	11	
S1 T 03 TR-1 100A		0.3	113	61	10	R2 T 03-70071		0.9	4330	24	
S1 T 03 TR-1 100B		0.5	95	47	60						
S1 T 03 TR-1 100C		0.4	140	57	110						
S1 T 03 TR-1 100D		0.6	160	74	160						
S1 T 03 TR-1 110A		0.5	843	37	10						
S1 T 03 TR-1 110B		0.6	688	54	60						
S1 T 03 TR-1 110C		0.5	650	34	110						
R2 T 03-70026		<0.1	53	120							T R E N C H
R2 T 03-70027		<0.1	52	158							
R2 T 03-70028		0.9	387	384							
R2 T 03-70029		0.5	146	340							
R2 T 03-70030		0.4	88	178							1
R2 T 03-70031		0.5	110	305							
R2 T 03-70032		0.1	101	198							
R2 T 03-70033		0.1	110	157							
R2 T 03-70034		0.5	145	166							
R2 T 03-70035		1.7	886	646							R O C K S
R2 T 03-70036		0.8	30	62							
R2 T 03-70037		0.9	138	89							
R2 T 03-70038		7.5	>10000	1717							
R2 T 03-70039		9.1	2730	190							
R2 T 03-70040		3.3	3610	111							
R2 T 03-70053		1.0	572	54							
R2 T 03-70054		0.4	22	28							
R2 T 03-70055		0.3	26	6							
R2 T 03-70056		0.4	36	8							

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
Canada V7P 2R5
Phone: (604) 983-0681
Telex: 04-352667



BONDAR-CLEGG

Certificate
of Analysis


AUG 19 80

REPORT: V88-06330.6

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Pb PCT	
R2 I 03-7003B	1.07		TRENCH 1 ROCKS



REPORT: V88-06461.4

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag OPT	Pb PCT	Zn PCT
---------------	---------------	--------	--------	--------

R2 I 04-70100		0.05	0.06	0.24
R2 I 04-70101		0.03	0.01	0.15
R2 I 04-70102		0.20	<0.01	0.30
R2 I 04-70103		0.60	0.03	0.28
R2 I 04-70104		0.67	0.02	0.20

R2 I 04-70105		0.19	<0.01	0.14
R2 I 04-70106		0.06	<0.01	0.09
R2 I 04-70111		0.02	0.01	<0.01
R2 I 04-70112		0.02	0.03	<0.01

T
R
E
N
C
H

2

R
O
C
K
S




REPORT: V88-06461.0

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	
S1 T 04 TR-2 0A		0.1	52	229	10	R2 T 04-70089		1.3	107	194	T R E N C H
S1 T 04 TR-2 0B		0.3	44	113	60	R2 T 04-70090		0.8	58	200	
S1 T 04 TR-2 10A		1.3	726	400	20	R2 T 04-70091		0.5	43	67	
S1 T 04 TR-2 20A		0.6	119	184	10	R2 T 04-70092		0.9	74	520	
S1 T 04 TR-2 20B		0.8	164	212	60	R2 T 04-70093		1.3	3000	1885	
S1 T 04 TR-2 30A		1.1	227	324	20	R2 T 04-70094		1.7	5760	1110	
S1 T 04 TR-2 30B		1.3	186	266	70	R2 T 04-70095		2.0	2460	540	
S1 T 04 TR-2 40A		1.3	168	218	30	R2 T 04-70096		1.4	884	640	
S1 T 04 TR-2 40B		1.5	562	1360	90	R2 T 04-70097		1.5	716	445	
S1 T 04 TR-2 50A		1.0	700	600	20	R2 T 04-70098		0.1	186	118	
S1 T 04 TR-2 50B		1.2	1540	870	70	R2 T 04-70099		1.4	1018	1385	2
S1 T 04 TR-2 60A		0.3	212	176	15	R2 T 04-70107		2.3	16	395	R O C K S
S1 T 04 TR-2 60B		0.1	47	95	65	R2 T 04-70108		0.3	12	280	
S1 T 04 TR-2 70A		0.2	73	92	10	R2 T 04-70109		0.1	19	21	
S1 T 04 TR-2 80A		1.3	44	151	10	R2 T 04-70110		0.5	328	43	
S1 T 04 TR-2 90A		0.5	36	163	5	R2 T 04-70113		0.1	64	7	
S1 T 04 TR-2 100A		0.1	388	279	15	R2 T 04-70114		0.2	38	24	
S1 T 04 TR-2 110A		0.2	137	50	10	R2 T 04-70115		<0.1	30	7	
S1 T 04 TR-2 110B		0.2	286	86	60	R2 T 04-70116		0.1	77	17	
S1 T 04 TR-2 120A		0.1	65	61	10	R2 T 04-70117		0.2	10	7	
S1 T 04 TR-2 120B		0.2	40	74	60	R2 T 04-70118		0.2	6	11	
S1 T 04 TR-2 120C		0.1	51	55	110	R2 T 04-70119		0.3	8	10	
S1 T 04 TR-2 130A		0.1	103	54	15	R2 T 04-70120		0.3	6	7	
S1 T 04 TR-2 140A		0.1	31	82	20	R2 T 04-70121		0.9	20	136	
S1 T 04 TR-2 150A		<0.1	39	74	15	R2 T 04-70122		0.4	29	35	
R2 T 04-70074		0.2	466	155		R2 T 04-70123		0.4	31	19	T R E N C H
R2 T 04-70075		0.4	150	182		R2 T 04-70124		0.5	28	20	
R2 T 04-70076		1.3	2620	485		R2 T 04-70125		0.4	67	15	
R2 T 04-70077		0.5	683	560		R2 T 04-70126		0.5	36	18	
R2 T 04-70078		0.6	237	344		R2 T 04-70127		0.6	39	10	
R2 T 04-70079		1.4	406	353		R2 T 04-70128		1.0	48	9	
R2 T 04-70080		0.4	95	125		R2 T 04-70129		4.6	362	67	
R2 T 04-70081		0.2	208	120		R2 T 04-70130		3.5	686	282	
R2 T 04-70082		0.1	102	132							
R2 T 04-70083		0.7	165	349							
R2 T 04-70084		0.8	163	430							R O C K S
R2 T 04-70085		0.7	298	1380							
R2 T 04-70086		1.1	401	375							
R2 T 04-70087		0.5	321	230							
R2 T 04-70088		0.2	251	262							

Bondar-Clegg & Company Ltd.
 130 Pemberton Ave.
 North Vancouver, B.C.
 Canada V7P 2R5
 Phone: (604) 985-0681
 Telex: 04-352667



BONDAR-CLEGG

Certificate
 of Analysis

SEPT 07

CC JWS

REPORT: V88-06781.4

PROJECT: TIM


PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Ag OPT	Pb PCT	Zn PCT	
R2 05-70146			0.12	0.06	0.01	T
R2 05-70147			0.15	0.05	0.01	R
R2 05-70155		0.028	5.22	12.09	0.31	E
R2 05-70156		0.016	1.63	10.10	0.60	N
R2 05-70157		0.012	28.66=	6.30	0.79	C

H
3

R
O
C
K
S

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
Canada V7P 2R5
Phone: (604) 985-0681
Telex: 04-352667



BONDAR-CLEGG

Certificate
of Analysis

SEPT 09 88

cc JWS

REPORT: V88-06781.6


PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag OPT	Pb PCT
------------------	------------------	-----------	-----------

R2 T 05-70154		5.60	8.00
---------------	--	------	------

TRENCH 3 ROCKS


Registered Assayer, Province of British Columbia




REPORT: V88-06781.0

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	
S1 T 05-TR-3 0A		0.4	153	285	10	R2 T 05-70152		4.3	805	575	T R E N C H
S1 T 05-TR-3 0B		0.5	172	172	60	R2 T 05-70153		0.1	83	100	
S1 T 05-TR-3 10A		1.3	156	240	10	R2 T 05-70154		>50.0	>10000	2650	
S1 T 05-TR-3 10B		0.2	116	210	60	R2 T 05-70158		11.6	2940	355	
S1 T 05-TR-3 20A		0.8	180	90	15	R2 T 05-70159		13.0	1048	305	
S1 T 05-TR-3 20B		0.3	211	89	65	R2 T 05-70160		3.0	223	285	
S1 T 05-TR-3 30A		6.7	4110	320	5	R2 T 05-70161		4.4	153	139	3
S1 T 05-TR-3 30B		8.6	3140	1450	55	R2 T 05-70162		3.2	99	300	
S1 T 05-TR-3 40A		1.4	262	195	20	R2 T 05-70163		2.2	98	1100	
S1 T 05-TR-3 50A		1.3	373	190	20	R2 T 05-70164		1.7	96	890	R
S1 T 05-TR-3 60A		0.6	125	141	15	R2 T 05-70165		2.0	33	275	O C K S
S1 T 05-TR-3 70A		0.7	179	205	5	R2 T 05-70166		2.2	30	158	
S1 T 05-TR-3 80A		0.6	118	142	15	R2 T 05-70167		2.9	28	260	
S1 T 05-TR-3 90A		0.7	96	107	5						
S1 T 05-TR-3 100A		0.4	69	79	5						
S1 T 05-TR-3 110A		0.4	101	98	5						
S1 T 05-TR-3 110B		1.0	428	191	55						
S1 T 05-TR-3 120A		0.9	186	580	10						
S1 T 05-TR-3 130A		0.3	146	230	15						
S1 T 05-TR-3 140A		0.2	140	166	5						
S1 T 05-TR-3 150A		0.4	98	180	5						
R2 T 05-70131		0.2	34	139							
R2 T 05-70132		0.4	14	255							
R2 T 05-70133		<0.1	19	58							
R2 T 05-70134		0.4	94	510							
R2 T 05-70135		0.5	41	500							T R E N C H
R2 T 05-70136		0.1	51	430							
R2 T 05-70137		0.1	37	320							
R2 T 05-70138		0.1	18	205							
R2 T 05-70139		0.1	49	290							
R2 T 05-70140		0.7	50	1150							3 R O C K S
R2 T 05-70141		0.6	31	750							
R2 T 05-70142		0.2	8	140							
R2 T 05-70143		0.4	23	335							
R2 T 05-70144		0.5	18	106							
R2 T 05-70145		0.6	106	111							K S
R2 T 05-70148		2.1	437	175							
R2 T 05-70149		1.0	265	68							
R2 T 05-70150		1.4	314	111							
R2 T 05-70151		7.7	2500	1200							



SEPT 06 88

CC JWS


REPORT: V88-06725.4

PROJECT: TIM PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Ag OPT	Pb PCT	Zn PCT	
R2 T 06-70198			0.07	<0.01	0.01	
R2 T 06-70199			0.20	0.02	0.04	
R2 T 06-70200			0.15	0.03	0.04	
R2 T 06-70201			0.07	<0.01	0.01	
R2 T 06-70202			0.08	<0.01	0.02	TRENCH
R2 T 06-70203			0.28	0.02	0.08	
R2 T 06-70204			0.24	0.01	0.05	
R2 T 06-70205			0.32	0.03	0.13	
R2 T 06-70206			0.26	0.02	0.05	
R2 T 06-70210			0.67	0.05	0.03	4
R2 T 06-70211			0.49	0.08	0.06	
R2 T 06-70212			0.32	0.08	0.09	ROCKS
R2 T 06-70213			1.60	0.31	0.52	
R2 T 06-70214			0.30	0.07	0.49	
R2 T 06-70215			0.50	0.04	0.33	
R2 T 06-70216			1.12	0.06	0.25	
R2 T 06-70217			1.26	0.02	0.44	
R2 T 06-70218			1.27	0.16	0.36	
R2 T 06-70219			2.14	0.05	0.38	
R2 T 06-70220		0.014	0.75	0.26	0.96	
R2 T 06-70221		0.045	0.38	0.24	0.75	

Paul Paul

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
Canada V7P 2R5
Phone: (604) 985-0681
Telex: 04-352667



BONDAR-CLEGG

SEPT Certificate
of Analysis

CC JWS

REPORT: V88-06725.6

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag OPT
------------------	------------------	-----------

R2 T 06-70209		1.51
---------------	--	------

TRENCH 4 ROCKS


Registered Assayer, Province of British Columbia



406 3 1 11
 CC JWS

REPORT: V88-06725.D

PROJECT: TIM

PAGE: 1


SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM
S1 T 06-TR-4 60A		0.4	114	272	10	R2 T 06-70178		0.3	76	136
S1 T 06-TR-4 60B		1.2	118	180	60	R2 T 06-70179		1.2	91	156
S1 T 06-TR-4 60C		1.4	400	1120	115	R2 T 06-70180		0.5	54	158
S1 T 06-TR-4 80A		2.4	678	3000	20	R2 T 06-70181		1.1	179	348
S1 T 06-TR-4 80B		3.4	581	2400	70	R2 T 06-70182		1.2	1280	420
S1 T 06-TR-4 80C		4.7	580	3200	120	R2 T 06-70183		1.4	196	316
S1 T 06-TR-4 80D		1.7	359	1330	160	R2 T 06-70184		0.8	87	182
S1 T 06-TR-4 90A		1.7	83	990	05	R2 T 06-70185		0.5	42	160
S1 T 06-TR-4 90B		3.9	520	1010	55	R2 T 06-70186		1.3	73	400
S1 T 06-TR-4 90C		5.0	1030	1890	105	R2 T 06-70187		1.1	57	272
S1 T 06-TR-4 90D		4.7	1049	2900	155	R2 T 06-70188		0.8	106	288
S1 T 06-TR-4 100A		2.5	392	1200	10	R2 T 06-70189		0.5	30	116
S1 T 06-TR-4 100B		1.1	339	730	60	R2 T 06-70190		1.2	24	134
S1 T 06-TR-4 100C		3.1	1300	2400	115	R2 T 06-70191		2.0	37	360
S1 T 06-TR-4 110A		1.3	326	1230	10	R2 T 06-70192		0.9	46	250
S1 T 06-TR-4 110B		1.7	560	1690	60	R2 T 06-70193		0.2	36	90
S1 T 06-TR-4 110C		0.7	379	680	110	R2 T 06-70194		0.5	36	114
S1 T 06-TR-4 110D		0.8	297	570	160	R2 T 06-70195		0.6	73	540
S1 T 06-TR-4 110E		4.1	1310	3500	550	R2 T 06-70196		0.7	96	306
S1 T 06-TR-4 110F		2.4	658	1790	600	R2 T 06-70197		1.0	180	334
S1 T 06-TR-4 110G		2.9	512	1780	650	R2 T 06-70207		40.2	947	380
S1 T 06-TR-4 110H		11.3	528	1880	700	R2 T 06-70208		19.0	743	140
S1 T 06-TR-4 120A		2.0	393	1400	10	R2 T 06-70209		>50.0	675	334
S1 T 06-TR-4 120B		1.0	268	630	60	R2 T 06-70222		0.9	40	220
S1 T 06-TR-4 120C		1.8	382	710	110	R2 T 06-70223		0.4	26	172
S1 T 06-TR-4 120D		1.3	360	800	160	R2 T 06-70224		0.9	28	248
S1 T 06-TR-4 120E		7.5	2550	12800	550	R2 T 06-70225		0.7	28	220
S1 T 06-TR-4 120F		17.2	1720	8800	600	R2 T 06-70226		0.8	35	104
S1 T 06-TR-4 120G		9.1	990	5900	650	R2 T 06-70227		0.9	22	160
S1 T 06-TR-4 120H		15.8	898	4200	700	R2 T 06-70228		1.3	15	172
R2 T 06-70168		0.4	121	304						
R2 T 06-70169		0.9	170	490						
R2 T 06-70170		1.4	796	1150						
R2 T 06-70171		0.2	249	154						
R2 T 06-70172		0.8	219	420						
R2 T 06-70173		0.5	95	152						
R2 T 06-70174		0.1	39	60						
R2 T 06-70175		0.4	139	140						
R2 T 06-70176		0.4	94	150						
R2 T 06-70177		0.3	55	100						

T
R
E
N
C
H

4

R
O
C
K
S

T
R
E
N
C
H
4




REPORT: V98-07257.6

NOV 04 1988

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag OPT	Pb PCT	SAMPLE DEPTH (cm)
S1 T 07-TR-5 170C		1.34	4.90	105
S1 T 07-TR-5 170D		1.50	5.90	155
S1 T 07-TR-5 180C			5.00	105
S1 T 07-TR-5 180D		0.45	3.72	150




REPORT: V88-07257.4

PROJECT: TJM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag OPT	Pb PCT	Zn PCT
R2 T 07-70239		0.04	0.04	0.09
R2 T 07-70246		<0.02	0.05	0.05
R2 T 07-70247		<0.02	0.01	0.02
R2 T 07-70258		0.34	0.30	0.52
R2 T 07-70259		0.19	7.80	0.88

TRENCH 5 ROCKS


Registered Assayer, Province of British Columbia

Bondar-Clegg & Company Ltd.
 130 Pemberton Ave.
 North Vancouver, B.C.
 V7P 2R5
 (604) 985-0681 Telex 04-352667



Geochemical
 Lab Report

SEPT 13. 88


cc JWS

REPORT: V88-07257.0

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	
S1 T 07-TR-5 120A		2.6	340	1000	5	R2 T 07-70249		1.0	170	152	T R E N C H
S1 T 07-TR-5 120B		3.0	667	1450	60	R2 T 07-70250		1.0	204	119	
S1 T 07-TR-5 120C		2.1	615	1250	110	R2 T 07-70251		0.5	29	57	
S1 T 07-TR-5 120D		4.6	1660	2700	170	R2 T 07-70252		1.1	169	270	
S1 T 07-TR-5 130A		4.4	489	1300	10	R2 T 07-70253		1.9	106	340	
S1 T 07-TR-5 130B		2.8	859	1600	70	R2 T 07-70254		1.6	136	320	
S1 T 07-TR-5 140A		3.6	521	1150	5	R2 T 07-70255		1.2	53	220	
S1 T 07-TR-5 140B		2.5	423	900	60	R2 T 07-70256		0.9	75	158	
S1 T 07-TR-5 140C		1.6	602	1100	110	R2 T 07-70257		1.7	383	480	
S1 T 07-TR-5 140D		1.8	721	1300	170						
S1 T 07-TR-5 170A		2.4	326	1000	5						
S1 T 07-TR-5 170B		2.8	611	1700	55						
S1 T 07-TR-5 170C		>50.0	>10000	4400	105						
S1 T 07-TR-5 170D		>50.0	>10000	4200	155						
S1 T 07-TR-5 180A		5.9	3010	2500	5						
S1 T 07-TR-5 180B		2.4	579	1900	55						
S1 T 07-TR-5 180C		8.5	>10000	11000	105						
S1 T 07-TR-5 180D		17.9	>10000	4800	150						
S1 T 07-TR-5 190A		3.4	346	1500	16						
S1 T 07-TR-5 190B		6.4	2750	2800	60						
S1 T 07-TR-5 190C		4.7	4320	2400	110						
S1 T 07-TR-5 200A		3.9	518	1150	15						
S1 T 07-TR-5 200B		6.6	700	1220	65						
R2 T 07-70229		0.5	28	40							
R2 T 07-70230		1.0	34	136							
R2 T 07-70231		1.3	127	260							T R E N C H
R2 T 07-70232		0.5	14	33							
R2 T 07-70233		1.6	104	1350							
R2 T 07-70234		1.1	253	820							
R2 T 07-70235		1.1	165	360							
R2 T 07-70236		0.9	73	240							
R2 T 07-70237		1.6	99	265	5						
R2 T 07-70238		1.2	178	380							
R2 T 07-70240		1.0	49	375							R O C K S
R2 T 07-70241		1.2	46	280							
R2 T 07-70242		0.9	27	137							
R2 T 07-70243		1.4	104	390							
R2 T 07-70244		1.1	61	430							
R2 T 07-70245		0.6	40	129							
R2 T 07-70248		0.8	34	111							



REPORT: V88-07453.6


NOV 02 88

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Pb PCT	SAMPLE DEPTH (cm.)
S1 T 09-TR-6 40A		1.86	140

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
Canada V7P 2R5
Phone: (604) 985-0681
Telex: 04-352667



BONDAR-CLEGG

Certificate
of Analysis

SEP 27 88


REPORT: V88-07453.4

PROJECT: TIM

PAGE: 1

SAMPLE NUMBER	ELEMENT UNITS	Ag OPT	Pb PCT	Zn PCT
R2 1 09-70373		0.17	0.66	0.95

TRENCH 6 ROCKS


Registered Assayer, Province of British Columbia



SEPT 21 88

cc JWS

REPORT: V88-07453.11

PROJECT: GTM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	
S1 T 09-TR-6 11A		0.5	495	780	165	R2 T 09-70324		0.3	122	360	
S1 T 09-TR-6 11A		0.5	867	1150	155	R2 T 09-70325		0.5	68	346	
S1 T 09-TR-6 21A		0.7	871	910	110	R2 T 09-70326		0.5	67	336	
S1 T 09-TR-6 31A		1.1	2020	2400	125	R2 T 09-70327		0.3	67	340	
S1 T 09-TR-6 41A		2.3	>100000	12200	140	R2 T 09-70328		0.3	53	235	
S1 T 09-TR-6 51A		0.7	899	910	110	R2 T 09-70329		0.4	67	265	
S1 T 09-TR-6 61A		1.2	1061	1920	160	R2 T 09-70330		0.5	246	352	T
S1 T 09-TR-6 71A		0.9	931	1760	130	R2 T 09-70331		0.4	197	333	R
S1 T 09-TR-6 81A		1.0	723	1080	140	R2 T 09-70332		0.2	73	254	E
S1 T 09-TR-6 91A		5.3	973	1200	50	R2 T 09-70333		0.4	155	230	N
S1 T 09-TR-6 101A		3.8	2670	1580	5	R2 T 09-70334		0.5	166	245	C
S1 T 09-TR-6 111A		4.8	1720	800	5	R2 T 09-70335		1.1	135	400	H
S1 T 09-TR-6 121A		1.9	506	720	5	R2 T 09-70336		1.0	295	395	
S1 T 09-TR-6 131A		1.2	835	840	40	R2 T 09-70337		1.0	138	380	6
S1 T 09-TR-6 141A		0.9	841	1500	90	R2 T 09-70338		1.4	290	400	
S1 T 09-TR-6 151A		0.8	735	1160	120	R2 T 09-70339		2.1	600	500	R
S1 T 09-TR-6 161A		0.9	891	1200	230	R2 T 09-70340		1.7	399	600	O
S1 T 09-TR-6 171A		1.0	945	1300	50	R2 T 09-70341		2.0	412	505	C
S1 T 09-TR-6 181A		1.6	755	760	30	R2 T 09-70342		4.0	1043	760	K
S1 T 09-TR-6 191A		1.9	569	800	60	R2 T 09-70343		1.2	343	224	S
S1 T 09-TR-6 201A		2.1	1160	2400	100	R2 T 09-70344		0.8	196	165	
S1 T 09-TR-6 211A		2.4	1250	2200	150	R2 T 09-70345		0.1	72	99	
R2 T 09-70306		0.4	523	720		R2 T 09-70346		0.4	170	192	
R2 T 09-70307		0.3	243	230		R2 T 09-70347		0.2	106	189	
R2 T 09-70308		0.5	872	580		R2 T 09-70348		0.2	135	145	
R2 T 09-70309		0.3	343	395	T	R2 T 09-70349		0.5	211	201	
R2 T 09-70310		4.7	5130	3800	R	R2 T 09-70350		0.1	153	370	
R2 T 09-70311		4.3	5190	4500	E	R2 T 09-70351		0.3	108	201	
R2 T 09-70312		4.4	7370	7100	N	R2 T 09-70352		0.1	129	220	
R2 T 09-70313		4.5	6030	6800	C	R2 T 09-70353		0.1	143	192	
R2 T 09-70314		1.7	4400	6800	H	R2 T 09-70354		0.3	96	158	
R2 T 09-70315		1.4	3740	5200	6	R2 T 09-70355		0.2	140	134	
R2 T 09-70316		3.4	2930	5400		R2 T 09-70356		0.2	163	300	
R2 T 09-70317		1.5	2030	1980	R	R2 T 09-70357		0.2	93	140	
R2 T 09-70318		0.7	668	635	O	R2 T 09-70358		0.4	57	160	
R2 T 09-70319		0.7	598	720	K	R2 T 09-70359		0.7	98	122	
R2 T 09-70320		0.2	118	203	S	R2 T 09-70360		0.3	57	143	
R2 T 09-70321		0.2	102	148		R2 T 09-70361		0.3	71	172	
R2 T 09-70322		0.1	149	102		R2 T 09-70362		0.6	43	240	
R2 T 09-70323		0.4	250	180		R2 T 09-70363		0.4	121	360	

Bondar-Clegg & Company Ltd.
 130 Pemberton Ave.
 North Vancouver, B.C.
 V7P 2R5
 (74) 985-0681 Telex 04-352667



Geochemical
 Lab Report


REPORT: V88-117453.0

PROJECT: TJM

PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM		SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM
R2 T 09-70364		0.3	136	212	T R E N C H					
R2 T 09-70365		0.3	160	228						
R2 T 09-70366		0.4	269	430						
R2 T 09-70367		0.6	102	216						
R2 T 09-70368		0.6	210	400						
R2 T 09-70369		0.3	103	181	6 R O C K S					
R2 T 09-70370		0.4	141	204						
R2 T 09-70371		0.6	162	400						
R2 T 09-70372		0.6	253	420						

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
Canada V7P 2R5
Phone: (604) 985-0681
Telex: 04-352667



BONDAR-CLEGG

Certificate
of Analysis

SEPT 23 1988

cc JWS

REPORT: V88-07844.4

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag OPT	Pb PCT	Zn PCT	
R2 T 10-70449		0.07	0.42	0.49	TRENCH 9 ROCKS



SEPT 26 88
 cc JWS


REPORT: V88-07844.0

PROJECT: TTM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	
S1 T 10-TR-9 0A		1.6	281	546	30	R2 T 10-70436		<0.1	7	69	T R E N C H
S1 T 10-TR-9 10A		1.4	352	700	50	R2 T 10-70437		<0.1	9	71	
S1 T 10-TR-9 20A		1.7	388	756	50	R2 T 10-70438		<0.1	7	70	
S1 T 10-TR-9 30A		0.2	151	268	150	R2 T 10-70439		0.1	9	85	
S1 T 10-TR-9 40A		0.6	296	531	80	R2 T 10-70440		0.1	10	76	
S1 T 10-TR-9 50A		0.8	289	443	90	R2 T 10-70441		0.2	19	169	9 R O C K S
S1 T 10-TR-9 60A		1.3	392	700	50	R2 T 10-70442		0.3	45	401	
S1 T 10-TR-9 70A		2.1	655	1132	20	R2 T 10-70443		0.1	50	323	
S1 T 10-TR-9 80A		1.9	700	1172	50	R2 T 10-70444		<0.1	46	192	
S1 T 10-TR-9 90A		1.9	604	1260	60	R2 T 10-70445		<0.1	23	109	
S1 T 10-TR-9 100A		2.1	741	1517	80	R2 T 10-70446		<0.1	13	46	T R E N C H
S1 T 10-TR-9 110A		2.9	1158	2105	40	R2 T 10-70447		<0.1	23	81	
S1 T 10-TR-9 120A		1.2	401	467	50	R2 T 10-70448		<0.1	18	71	
S1 T 10-TR-9 130A		1.2	594	1228	50						
S1 T 10-TR-9 140A		3.6	737	1966	20						
S1 T 10-TR-9 150A		2.9	621	1577	20						9 R O C K S
R2 T 10-70412		0.4	23	627							
R2 T 10-70413		0.3	39	387							
R2 T 10-70414		0.2	38	771							
R2 T 10-70415		0.2	26	703							
R2 T 10-70416		<0.1	86	322							T R E N C H
R2 T 10-70417		<0.1	119	684							
R2 T 10-70418		<0.1	31	75							
R2 T 10-70419		0.3	185	364							
R2 T 10-70420		<0.1	23	43							
R2 T 10-70421		<0.1	13	33							9 R O C K S
R2 T 10-70422		<0.1	10	23							
R2 T 10-70423		<0.1	7	12							
R2 T 10-70424		0.1	13	87							
R2 T 10-70425		0.1	11	78							
R2 T 10-70426		<0.1	22	130							T R E N C H
R2 T 10-70427		<0.1	14	137							
R2 T 10-70428		0.2	57	256							
R2 T 10-70429		0.2	84	348							
R2 T 10-70430		<0.1	119	241							
R2 T 10-70431		<0.1	20	65							T R E N C H
R2 T 10-70432		<0.1	13	31							
R2 T 10-70433		<0.1	8	53							
R2 T 10-70434		<0.1	11	57							
R2 T 10-70435		<0.1	8	70							

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
Canada V7P 2R3
Phone: (604) 983-0681
Telex: 04-332667



BONDAR-CLEGG

Certificate
of Analysis

REPORT: V88-08114.6

NOV 0 2. 88


PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Pb PCT	SAMPLE DEPTH (cm.)
S1 T 11-TR7 18-F		2.70	600
S1 T 11-TR7 18-G		2.19	660

Registered Assayer, Province of British Columbia

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
Canada V7P 2R5
Phone: (604) 985-0681
Telex: 04-352667



BONDAR-CLEGG

Certificate
of Analysis

OCT 03.
cc JWS

REPORT: V88-08114.4


PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Ag OPT	Pb PCT	Zn PCT
------------------	------------------	-----------	-----------	-----------	-----------

R2 111-70473		0.004	1.23	0.58	0.14
--------------	--	-------	------	------	------

TRENCH 10 ROCKS


Registered Assayer, Province of British Columbia



**Geochemical
 Lab Report**

SEPT 3 0. 88
 CC JWS

REPORT: V88-118114.11

PROJECT: IIM

PAGE: 11

SAMPLE NUMBER	FILAMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	FILAMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)
S1 T 11-1200W 5200N		11.9	1108	198		S1 T 11-1R7 1104-C		1.4	1210	982	300
S1 T 11-1200W 5250N		1.6	302	499		S1 T 11-1R7 1104-D		3.7	6090	1543	400
S1 T 11-1200W 5300N		0.2	67	334		S1 T 11-1R7 1104-F		2.8	5590	1687	500
S1 T 11-1200W 5350N		11.2	92	271		S1 T 11-1R7 1104-F		1.11	1690	746	600
S1 T 11-1200W 5400N		0.2	48	230		S1 T 11-1R7 139-A		2.1	1886	900	100
S1 T 11-1200W 5450N		11.3	64	190		S1 T 11-1R7 139-B		3.11	2180	1014	200
S1 T 11-1200W 5500N		0.1	41	191		S1 T 11-1R7 175-A		11.7	675	998	0
S1 T 11-1200W 5550N		11.5	137	334		S1 T 11-1R7 175-B		11.9	960	887	100
S1 T 11-1200W 5600N		0.5	139	230		S1 T 11-1R7 175-C		1.11	11154	920	200
S1 T 11-1200W 5650N		11.2	114	197		S1 T 11-1R7 175-D		0.9	1113	900	300
S1 T 11-1200W 5700N		0.5	93	175		S1 T 11-1R7 214-A		1.11	296	452	0
S1 T 11-1400W 5200N		1.8	343	823		S1 T 11-1R7 214-B		0.8	480	554	100
S1 T 11-1400W 5250N		0.7	144	757		S1 T 11-1R7 214-C		0.6	514	515	200
S1 T 11-1400W 5300N		1.2	151	400		S1 T 11-1R7 214-D		0.8	678	623	300
S1 T 11-1400W 5350N		0.5	214	417		S1 T 11-1R7 241-A		0.9	876	1146	0
S1 T 11-1400W 5400N		11.9	182	410		S1 T 11-1R7 241-B		1.2	615	609	100
S1 T 11-1400W 5450N		0.4	49	163		S1 T 11-1R7 241-C		0.8	596	622	200
S1 T 11-1400W 5500N		0.5	48	173		S1 T 11-1R7 241-D		0.5	380	497	300
S1 T 11-1400W 5550N		0.5	65	164		S1 T 11-1R7 241-F		0.5	336	415	400
S1 T 11-1400W 5600N		<11.1	54	214		S1 T 11-TR10 0-A		1.4	387	787	50
S1 T 11-1400W 5650N		0.1	55	140		S1 T 11-TR10 10-A		3.3	556	1796	90
S1 T 11-1400W 5700N		11.3	76	162		S1 T 11-TR10 20-A		11.9	119	169	15
S1 T 11-TR7 11-A		3.8	11021	1356	0	S1 T 11-TR10 30-A		11.5	141	218	5
S1 T 11-TR7 11-B		3.7	2480	1978	100	S1 T 11-TR10 40-A		11.6	119	182	80
S1 T 11-TR7 11-C		2.6	1953	1566	200	S1 T 11-TR10 50-A		0.5	121	272	5
S1 T 11-TR7 11-D		1.6	1231	1449	300	S1 T 11-TR10 60-A		11.5	84	138	5
S1 T 11-TR7 11-E		1.4	1275	1357	400	S1 T 11-TR10 70-A		11.4	110	149	5
S1 T 11-TR7 18-A		4.8	1149	1593	100	S1 T 11-TR10 80-A		0.6	144	251	5
S1 T 11-TR7 18-B		1.5	869	1250	200	S1 T 11-TR10 90-A		11.4	156	193	55
S1 T 11-TR7 18-C		11.9	728	1214	300	S1 T 11-TR10 100-A		1.4	434	546	90
S1 T 11-TR7 18-D		0.9	1046	1118	400	S1 T 11-TR10 110-A		3.4	1363	1454	65
S1 T 11-TR7 18-E		2.3	2031	11154	500	S1 T 11-TR10 120-A		4.6	1573	2199	70
S1 T 11-TR7 18-F		11.4	>1111111	5550	600	S1 T 11-TR10 130-A		11.4	2330	3130	90
S1 T 11-TR7 18-G		14.4	>1111111	3900	660	S1 T 11-TR10 140-A		5.2	2130	3570	60
S1 T 11-TR7 54-A		1.5	1478	964	0	S1 T 11-TR10 150-A		4.1	1180	2250	80
S1 T 11-TR7 54-B		1.1	2400	997	100	S1 T 11-TR10 160-A		2.5	1521	2410	70
S1 T 11-TR7 54-C		1.3	3140	1036	200	S1 T 11-TR10 170-A		2.5	1287	2380	240
S1 T 11-TR7 54-D		2.11	4860	1465	300	S1 T 11-TR10 180-A		3.4	1752	2410	200
S1 T 11-TR7 1104-A		1.7	2114	11008	100	S1 T 11-TR12 0-A		1.11	349	578	320
S1 T 11-TR7 1104-B		2.7	2010	1005	200	S1 T 11-TR12 10-A		1.3	378	458	140



REPORT: V88-118114.0

PROJECT: TJM

PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	
S1 T 11-TR12 20-A		0.7	491	422	120	R2 T 11-70471		2.3	314	262	T-10
S1 T 11-TR12 30-A		0.6	516	477	120	R2 T 11-70472		1.4	180	171	
S1 T 11-TR12 40-A		1.1	784	508	110	R2 T 11-70474		0.6	43	61	
S1 T 11-TR12 50-A		1.3	1505	938	120	R2 T 11-70475		1.4	86	113	
S1 T 11-TR12 60-A		1.6	791	605	100	R2 T 11-70476		0.1	57	77	
S1 T 11-TR12 70-A		1.1	201	292	040	R2 T 11-70477		0.1	29	32	TRENCH
S1 T 11-TR12 80-A		2.3	1781	1797	170	R2 T 11-70478		<0.1	17	25	
S1 T 11-TR12 90-A		0.8	1050	709	165	R2 T 11-70479		0.1	91	83	
S1 T 11-TR12 100-A		0.7	911	556	170	R2 T 11-70480		<0.1	3	13	
S1 T 11-TR12 110-A		0.7	807	618	175	R2 T 11-70481		0.9	24	99	
S1 T 11-TR12 120-A		0.7	1096	628	190	R2 T 11-70482		0.6	57	138	ROCKS
S1 T 11-TR12 130-A		0.3	238	265	230	R2 T 11-70483		0.4	18	74	
S1 T 11-TR12 140-A		0.1	85	138	420	R2 T 11-70484		0.7	33	148	
S1 T 11-TR12 164-A		0.8	487	521	010	R2 T 11-70485		0.5	78	206	
S1 T 11-TR12 164-B		1.2	466	463	110	R2 T 11-70486		0.4	99	137	
S1 T 11-TR12 164-C		0.4	227	461	210	R2 T 11-70487		<0.1	35	78	ROCKS
S1 T 11-TR12 164-D		0.3	133	178	310	R2 T 11-70488		<0.1	39	73	
S1 T 11-TR12 164-F		0.4	216	259	410	R2 T 11-70489		<0.1	33	59	
S1 T 11-TR12 164-F		0.1	66	137	510	R2 T 11-70490		<0.1	91	118	
R2 T 11-70450		<0.1	<2	26		R2 T 11-70491		<0.1	32	44	
R2 T 11-70451		<0.1	9	89	TRENCH	R2 T 11-70492		0.2	59	103	
R2 T 11-70452		<0.1	2	34		R2 T 11-70493		<0.1	24	52	
R2 T 11-70453		<0.1	3	28		R2 T 11-70494		<0.1	41	64	
R2 T 11-70454		<0.1	<2	12		R2 T 11-70495		0.3	45	112	
R2 T 11-70455		0.5	13	63		R2 T 11-70496		2.4	2270	1371	
R2 T 11-70456		1.1	49	182	10	R2 T 11-70497		0.3	69	113	
R2 T 11-70457		0.2	14	51		R2 T 11-70498		0.4	112	149	
R2 T 11-70458		0.3	19	75		R2 T 11-70499		0.1	36	84	
R2 T 11-70459		1.1	63	159		R2 T 11-70500		<0.1	13	20	
R2 T 11-70460		<0.1	13	37		R2 T 11-70501		<0.1	13	30	
R2 T 11-70461		<0.1	6	22	ROCKS	R2 T 11-70502		<0.1	12	40	
R2 T 11-70462		0.1	35	69		R2 T 11-70503		0.2	49	159	
R2 T 11-70463		<0.1	8	28		R2 T 11-70504		<0.1	27	61	
R2 T 11-70464		1.7	55	128							
R2 T 11-70465		1.6	107	163							
R2 T 11-70466		1.7	132	276							
R2 T 11-70467		4.2	121	293							
R2 T 11-70468		4.7	2013	890							
R2 T 11-70469		1.8	136	198							
R2 T 11-70470		3.9	719	733							



cc JWS

REPORT: V88-118181.11

PROJECT: TTM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM		SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	
R2 T 12-70374		<0.1	5	11		R2 T 12-70507		<0.1	15	70	T R E N C H
R2 T 12-70375		<0.1	20	35		R2 T 12-70508		<0.1	15	123	
R2 T 12-70376		<0.1	8	13		R2 T 12-70509		<0.1	12	40	
R2 T 12-70377		<0.1	7	43		R2 T 12-70510		<0.1	8	142	
R2 T 12-70378		<0.1	18	57		R2 T 12-70511		<0.1	20	179	
R2 T 12-70379		0.1	35	185		R2 T 12-70512		<0.1	17	157	8 T R E N C H
R2 T 12-70380		<0.1	38	135		R2 T 12-70513		0.3	388	612	
R2 T 12-70381		<0.1	16	46		R2 T 12-70514		1.6	536	423	
R2 T 12-70382		<0.1	33	103		R2 T 12-70515		1.3	454	266	
R2 T 12-70383		<0.1	49	92	T	R2 T 12-70516		1.6	301	372	
R2 T 12-70384		<0.1	47	94	R	R2 T 12-70517		0.9	550	226	N C H
R2 T 12-70385		0.2	55	183	E	R2 T 12-70518		0.9	339	175	
R2 T 12-70386		<0.1	24	81	N	R2 T 12-70519		2.2	322	210	
R2 T 12-70387		0.6	82	818	C	R2 T 12-70520		0.8	268	161	
R2 T 12-70388		<0.1	43	250	H	R2 T 12-70521		5.2	2340	1778	
R2 T 12-70389		<0.1	55	202		R2 T 12-70522		2.7	991	501	6 R O C K
R2 T 12-70390		<0.1	18	82	8	R2 T 12-70523		1.0	400	345	
R2 T 12-70391		<0.1	18	103		R2 T 12-70524		0.4	197	250	
R2 T 12-70392		<0.1	12	80		R2 T 12-70525		0.3	156	238	
R2 T 12-70393		<0.1	11	66	R	R2 T 12-70526		0.2	138	144	
R2 T 12-70394		<0.1	15	195	O	R2 T 12-70527		<0.1	35	105	T R E N C H
R2 T 12-70395		<0.1	12	81	C	R2 T 12-70528		<0.1	51	108	
R2 T 12-70396		<0.1	13	57	K	R2 T 12-70529		<0.1	68	257	
R2 T 12-70397		<0.1	56	279	S	R2 T 12-70530		0.3	62	642	
R2 T 12-70398		<0.1	15	43		R2 T 12-70531		0.2	30	321	
R2 T 12-70399		<0.1	11	27		R2 T 12-70532		0.1	23	153	13 R O C K S
R2 T 12-70400		<0.1	27	52		R2 T 12-70533		0.1	24	80	
R2 T 12-70401		<0.1	165	376		R2 T 12-70534		0.1	20	116	
R2 T 12-70402		<0.1	69	121		R2 T 12-70535		0.2	73	298	
R2 T 12-70403		0.5	269	744		R2 T 12-70536		<0.1	17	61	
R2 T 12-70404		0.5	185	665		R2 T 12-70537		0.5	33	146	K S
R2 T 12-70405		0.2	156	420		R2 T 12-70538		<0.1	22	84	
R2 T 12-70406		0.6	313	798		R2 T 12-70539		0.2	73	135	
R2 T 12-70407		0.2	165	522		R2 T 12-70540		0.1	46	109	
R2 T 12-70408		0.8	359	769		R2 T 12-70541		1.7	379	940	
R2 T 12-70409		0.8	383	683		R2 T 12-70542		<0.1	17	54	T R E N C H
R2 T 12-70410		0.2	156	420		R2 T 12-70543		<0.1	11	42	
R2 T 12-70411		<0.1	88	125		R2 T 12-70544		<0.1	9	34	
R2 T 12-70505		0.1	13	88		R2 T 12-70545		<0.1	9	38	
R2 T 12-70506		<0.1	13	42		R2 T 12-70546		<0.1	9	25	




REPORT: V88-118181.11

PROJECT: TTM

PAGE 2

SAMPLF NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM	SAMPLI NUMBER	ELEMENT UNITS	Ag PPM	Pb PPM	Zn PPM
R2 T 12-70547		<0.1	11	35					
R2 T 12-70548		<0.1	74	43					
R2 T 12-70549		<0.1	180	95					
R2 T 12-70550		<0.1	184	176					
R2 T 12-70551		<0.1	213	212					
R2 T 12-70552		<0.1	93	96					
R2 T 12-70553		<0.1	512	295					
R2 T 12-70554		<0.1	291	356					
R2 T 12-70555		<0.1	40	80				14	
R2 T 12-70556		<0.1	22	41					
R2 T 12-70557		<0.1	18	27					
R2 T 12-70558		<0.1	12	117					
R2 T 12-70559		<0.1	13	103					
R2 T 12-70560		<0.1	21	193					
R2 T 12-70561		<0.1	23	175					
R2 T 12-70562		<0.1	12	117					
R2 T 12-70563		<0.1	20	267					
R2 T 12-70564		<0.1	17	245					
R2 T 12-70565		<0.1	8	182					



REPORT: V88-08612.5

NOV 0 2. 88

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Pb PCT	Zn PCT	SAMPLE DEPTH (cm)
S1 T 13-TR4 131A		1.36		10.30
S1 T 13-TR4 138A			2.47	7.50
S1 T 13-TR4 139A			2.86	8.50
S1 T 13-TR15 90A			1.99	280
S1 T 13-TR16 10A			3.82	75

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
V7P 2R5
(4) 985-0681 Telex 04-352667



Geochemical Lab Report

REPORT: V88-08612.1


PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Cu PPM
R2 T 13-70635		46
R2 T 13-70636		42
R2 T 13-70638		85

TRENCH 18 ROCKS |

Bondar-Clegg & Company Ltd.
130 Pemberton Ave.
North Vancouver, B.C.
Canada V7P 2R5
Phone: (604) 985-0681
Telex: 04-352667



BONDAR-CLEGG

OCT 20

Certificate
of Analysis

REPORT: V88-08612.6

PROJECT: TIM

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Pb PCT	Zn PCT
R2 T 13-70620		1.88	4.16
R2 T 13-70621		1.76	5.98

TRENCH 16 ROCKS .


Registered Assayer, Province of British Columbia

cc PO
 OCT 14 88

REPORT: V88-08612.0

PROJECT: TIM

PAGE 1

SAMPLE DEPTH (cm)

SAMPLE DEPTH (cm)

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM
S1 T 13-TR4 129A		19.7		226	6440 820	S1 T 13-IR11 76D		0.7		857	492 500
T 13-TR4 130A		0.8		173	1069 950	S1 T 13-TR11 76F		1.1		2500	800 600
S1 T 13-TR4 131A		8.4		>10000	16120 1030	S1 T 13-IR11 76F		0.3		715	408 700
S1 T 13-TR4 132A		11.4		1100	6710 1020	S1 T 13-TR11 76G		0.2		397	250 800
T 13-TR4 133A		16.4		863	5950 1000	S1 T 13-IR11 76H		0.4		652	346 900
S1 T 13-TR4 134A		12.8		430	9620 920	S1 T 13-TR11 76I		0.1		175	185 1000
T 13-TR4 135A		8.7		3540	15860 880	S1 T 13-IR11 121A		1.7		1569	600 0
T 13-TR4 136A		6.3		1580	18900 840	S1 T 13-TR11 121B		0.7		757	410 100
S1 T 13-TR4 137A		9.5		6810	8000 770	S1 T 13-IR11 121C		0.6		754	407 200
S1 T 13-TR4 138A		7.8		4390	>20000 750	S1 T 13-IR11 121D		0.8		782	444 300
T 13-TR4 139A		10.6		2840	>20000 850	S1 T 13-TR11 121E		0.8		779	465 400
S1 T 13-TR4 139.50A		8.0		2130	17310 850	S1 T 13-TR11 121F		0.2		387	288 500
T 13-IR8 0A		1.1		202	358 90	S1 T 13-IR11 121G		0.4		738	431 600
T 13-IR8 10A		3.0		296	535 50	S1 T 13-IR11 121H		0.7		900	460 700
S1 T 13-IR8 20A		0.1		118	205 235	S1 T 13-TR11 121I		0.6		815	443 800
T 13-IR8 30A		0.3		344	531 330	S1 T 13-IR11 121J		0.7		808	415 900
S1 T 13-IR8 40A		0.2		352	534 420	S1 T 13-TR11 121K		0.3		249	249 1000
S1 T 13-IR8 50A		0.4		278	410 575	S1 T 13-IR11 121L		0.2		207	228 1100
T 13-IR8 60A		0.2		210	362 620	S1 T 13-IR11 170A		0.8		397	235 0
T 13-IR8 70A		0.2		199	349 270	S1 T 13-TR11 170B		0.5		823	329 100
T 13-IR8 80A		0.2		184	386 210	S1 T 13-TR11 170C		0.4		563	343 200
T 13-IR8 90A		0.9		442	527 240	S1 T 13-IR11 170D		0.3		576	284 300
S1 T 13-IR8 100A		0.8		373	558 160	S1 T 13-TR11 170E		1.6		2930	903 400
S1 T 13-IR8 110A		0.3		269	427 180	S1 T 13-TR11 170F		1.8		2350	794 500
T 13-IR8 120A		0.3		289	479 210	S1 T 13-IR11 170G		0.3		492	307 600
S1 T 13-TR8 130A		0.4		303	550 350	S1 T 13-TR11 170H		0.4		711	301 700
T 13-TR8 140A		0.6		338	587 170	S1 T 13-IR11 170I		0.2		330	303 800
T 13-TR8 150A		0.4		351	567 120	S1 T 13-TR11 170J		0.4		391	275 900
S1 T 13-TR8 160A		0.7		334	667 210	S1 T 13-IR11 170K		0.3		462	247 1000
T 13-TR8 170A		0.3		248	416 350	S1 T 13-TR13 0A		0.1		75	260 220
S1 T 13-IR8 180A		0.3		280	436 420	S1 T 13-IR13 10A		0.2		107	332 310
S1 T 13-IR11 0A		1.2		1350	1626 600	S1 T 13-TR13 20A		0.6		245	627 270
T 13-IR11 10A		0.8		1050	1197 350	S1 T 13-TR13 30A		0.4		170	689 230
S1 T 13-TR11 20A		1.2		4090	2085 400	S1 T 13-IR13 40A		1.2		1379	3680 220
S1 T 13-IR11 30A		0.5		544	642 520	S1 T 13-TR13 50A		1.6		909	1630 25
T 13-IR11 40A		0.2		2000	1113 900	S1 T 13-TR13 60A		5.3		610	1451 30
T 13-IR11 50A		1.5		1450	814 800	S1 T 13-IR13 70A		1.0		818	1368 240
T 13-IR11 76A		1.3		728	666 0	S1 T 13-TR13 80A		3.1		796	1194 120
T 13-IR11 76B		1.6		2440	834 300	S1 T 13-TR13 90A		2.8		1100	1495 190
S1 T 13-IR11 76C		0.6		1534	637 400	S1 T 13-TR13 1000A		2.9		1000	1969 240



REPORT: V88-D8612.0

PROJECT: TIM

PAGE 2

SAMPLE
 DEPTH (cm)

SAMPLE
 DEPTH (cm)

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	SAMPLE DEPTH (cm)
S1 T 13-TR13	11UA	2.5		1000	1890	230	S1 T 13-TR16	80A	4.2	746	1818	30
S1 T 13-TR13	120A	1.4		751	1534	230	S1 T 13-TR16	90A	4.1	874	3020	55
S1 T 13-TR14	0A	1.6		237	453	15	S1 T 13-TR16	100A	1.4	338	1800	40
S1 T 13-TR14	10A	1.5		425	993	70	S1 T 13-TR16	110A	4.4	837	3030	30
S1 T 13-TR14	20A	2.9		479	1153	50	S1 T 13-TR17	0A	0.3	54	134	0
S1 T 13-TR14	30A	0.9		220	502	10	S1 T 13-TR17	0B	0.2	25	88	200
S1 T 13-TR14	40A	1.4		223	588	50	S1 T 13-TR17	0C	<0.1	21	83	300
S1 T 13-TR14	50A	1.5		608	1110	50	S1 T 13-TR17	0D	0.1	19	90	400
S1 T 13-TR14	60A	2.2		614	1062	70	S1 T 13-TR17	0E	0.1	23	93	500
S1 T 13-TR14	70A	1.6		311	559	60	S1 T 13-TR17	0F	<0.1	20	98	600
S1 T 13-TR14	80A	1.5		443	832	10	S1 T 13-TR17	0G	0.1	25	98	700
S1 T 13-TR14	90A	1.4		453	795	90	S1 T 13-TR17	34A	0.1	22	103	0
S1 T 13-TR14	100A	1.6		298	555	90	S1 T 13-TR17	34B	<0.1	15	84	100
S1 T 13-TR14	110A	1.3		836	1246	80	S1 T 13-TR17	34C	<0.1	21	91	200
S1 T 13-TR14	120A	1.7		310	1106	50	S1 T 13-TR17	34D	<0.1	18	83	300
S1 T 13-TR14	130A	1.6		247	865	70	S1 T 13-TR17	34E	<0.1	22	91	400
S1 T 13-TR14	140A	1.1		298	509	90	S1 T 13-TR17	34F	0.1	43	110	500
S1 T 13-TR15	0A	0.8		146	140	75	S1 T 13-TR17	34G	<0.1	43	109	550
S1 T 13-TR15	10A	0.5		177	144	60	S1 T 13-TR17	78A	<0.1	18	91	0
S1 T 13-TR15	20A	0.2		125	147	80	S1 T 13-TR17	78B	<0.1	19	94	100
S1 T 13-TR15	30A	0.4		422	543	60	S1 T 13-TR17	78C	<0.1	17	82	200
S1 T 13-TR15	40A	0.8		105	374	40	S1 T 13-TR17	78D	<0.1	21	80	300
S1 T 13-TR15	50A	0.4		126	302	140	S1 T 13-TR17	78E	<0.1	18	79	400
S1 T 13-TR15	60A	0.4		132	184	50	S1 T 13-TR17	78F	<0.1	22	92	500
S1 T 13-TR15	70A	0.7		207	626	250	S1 T 13-TR17	78G	0.1	23	88	600
S1 T 13-TR15	80A	1.7		285	1088	225	S1 T 13-TR17	169A	<0.1	32	90	0
S1 T 13-TR15	90A	11.5		7680	>20000	280	S1 T 13-TR17	169B	<0.1	21	87	200
S1 T 13-TR15	100A	1.2		228	339	155	S1 T 13-TR17	169C	<0.1	42	109	300
S1 T 13-TR15	110A	1.4		338	1324	45	S1 T 13-TR17	169D	<0.1	26	80	400
S1 T 13-TR15	120A	2.6		2820	4660	350	S1 T 13-TR17	169E	<0.1	25	84	500
S1 T 13-TR15	130A	1.2		1710	1880	360	S1 T 13-TR17	201A	<0.1	30	97	200
S1 T 13-TR15	140A	1.3		869	2008	350	S1 T 13-TR17	201B	<0.1	65	132	300
S1 T 13-TR16	0A	5.4		3060	12070	30	S1 T 13-TR17	254A	0.2	134	168	0
S1 T 13-TR16	10A	15.3		5750	>20000	75	S1 T 13-TR17	254B	0.1	38	88	300
S1 T 13-TR16	20A	1.9		602	2160	30	S1 T 13-TR17	254C	0.1	38	98	400
S1 T 13-TR16	30A	0.9		506	1843	25	S1 T 13-TR17	254D	0.1	40	109	500
S1 T 13-TR16	40A	3.1		873	1361	30	S1 T 13-TR17	254E	<0.1	21	77	600
S1 T 13-TR16	50A	4.9		1440	11190	70	S1 T 13-TR17	254F	<0.1	17	76	700
S1 T 13-TR16	60A	2.3		573	4210	65	S1 T 13-TR17	299A	0.4	312	514	0
S1 T 13-TR16	70A	2.5		911	2560	15	S1 T 13-TR17	299B	<0.1	19	81	400



REPORT: V88-08612.0

PROJECT: TIM PAGE 4

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM
R2 T 13-70627		3.8		64	111						
R2 T 13-70628		7.9		122	476	T					
R2 T 13-70629		4.9		54	17	R					
R2 T 13-70630		2.7		81	19	E					
R2 T 13-70631		2.3		152	25	N					
						C					
R2 T 13-70632		1.4		365	328	H					
R2 T 13-70633		1.2		170	399						
R2 T 13-70634		0.9		84	17						
R2 T 13-70635		0.6		63	27	18					
R2 T 13-70636		0.4		62	23						
						B					
R2 T 13-70637		0.7		57	21	O					
R2 T 13-70638		0.7		43	56	C					
R2 T 13-70639		0.6		58	94	K					
						S					



REPORT: V88-08617.0


PROJECT: TIM

PAGE 3

SAMPLE
 DEPTH (cm)

SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	SAMPLE NUMBER	ELEMENT UNITS	Ag PPM	Cu PPM	Pb PPM	Zn PPM	
S1 T 13-TR17 299C		<0.1		500	113	R2 T 13-70584		1.7		1330	1427	
S1 T 13-TR17 340A		0.4		436	754	R2 T 13-70585		0.1		249	400	
S1 T 13-TR17 340B		0.2		109	211	R2 T 13-70586		0.9		313	789	T
S1 T 13-TR17 340C		<0.1		26	90	R2 T 13-70587		<0.1		101	173	R
S1 T 13-TR17 340D		0.1		34	99	R2 T 13-70588		<0.1		74	147	E
S1 T 13-TR17 340E		<0.1		44	108	R2 T 13-70589		<0.1		26	47	N
S1 T 13-TR17 340F		<0.1		23	79	R2 T 13-70590		<0.1		21	86	C
S1 T 13-TR17 340G		<0.1		19	79	R2 T 13-70591		<0.1		14	26	H
S1 T 13-TR17 340H		<0.1		19	76	R2 T 13-70592		<0.1		16	47	
S1 T 13-TR17 340I		<0.1		18	83	R2 T 13-70593		<0.1		14	32	15
S1 T 13-TR17 376A		0.1		93	204	R2 T 13-70594		<0.1		11	15	
S1 T 13-TR17 376B		<0.1		19	80	R2 T 13-70595		<0.1		23	104	R
S1 T 13-TR17 376C		<0.1		20	72	R2 T 13-70596		<0.1		15	60	O
S1 T 13-TR17 376D		<0.1		24	79	R2 T 13-70597		<0.1		16	42	C
S1 T 13-TR17 376E		<0.1		19	82	R2 T 13-70598		<0.1	3940	26	75	K
S1 T 13-TR17 376F		<0.1		27	80	R2 T 13-70599		<0.1	3770	27	98	S
S1 T 13-TR17 416A		0.2		49	142	R2 T 13-70600		0.2		83	106	
S1 T 13-TR17 416B		0.1		27	94	R2 T 13-70601		0.1		51	131	
S1 T 13-TR17 416C		0.1		24	94	R2 T 13-70602		0.5		19	317	
S1 T 13-TR17 416D		<0.1		21	80	R2 T 13-70603		0.6		17	220	
S1 T 13-TR17 416E		<0.1		17	87	R2 T 13-70604		0.4		15	22	
S1 T 13-TR17 416F		<0.1		15	81	R2 T 13-70605		1.9		213	135	
R2 T 13-70566		0.1		492	602	R2 T 13-70606		1.0		47	207	
R2 T 13-70567		<0.1		33	37	R2 T 13-70607		1.7		49	590	
R2 T 13-70568		<0.1		204	378	R2 T 13-70608		0.4		29	113	
R2 T 13-70569		<0.1		834	507	R2 T 13-70609		0.8		78	231	
R2 T 13-70570		<0.1		347	1036	R2 T 13-70610		5.3		265	582	
R2 T 13-70571		<0.1		84	684	R2 T 13-70613		4.1		352	605	
R2 T 13-70572		<0.1		49	116	R2 T 13-70614		0.6		70	316	T
R2 T 13-70573		<0.1		85	276	R2 T 13-70615		1.8		387	640	R
R2 T 13-70574		<0.1		88	170	R2 T 13-70616		0.9		254	689	E
R2 T 13-70575		<0.1		44	523	R2 T 13-70617		<0.1		35	83	N
R2 T 13-70576		<0.1		70	308	R2 T 13-70618		<0.1		60	210	C
R2 T 13-70577		0.1		61	218	R2 T 13-70619		13.4		3190	5470	H
R2 T 13-70578		<0.1		25	16	R2 T 13-70620		13.3		>10000	>20000	16
R2 T 13-70579		<0.1		16	17	R2 T 13-70621		13.1		>10000	>20000	R
R2 T 13-70580		<0.1		14	9	R2 T 13-70622		2.8		1600	17780	O
R2 T 13-70581		<0.1		12	17	R2 T 13-70623		1.1		372	1125	C
R2 T 13-70582		<0.1		10	9	R2 T 13-70624		1.4		164	711	K
R2 T 13-70583		<0.1		13	14	R2 T 13-70625		<0.1		27	160	S

PROPERTY BOUNDARY



LEGEND

- CAMBRIAN**
- 4 Phyllite, Sillstone;
Phyllite is green grey with local silver grey carbonaceous intervals.
Sillstone is brown grey and thin bedded.
- LOWER CAMBRIAN**
- 3 Limestone; light grey to black, medium to thick bedded to massive.
- LOWER CAMBRIAN AND EARLIER**
- 2 Quartzite, Sillstone, Mudstone, Shale.
- OXIDES**
- 1 Orange brown iron and manganese oxides with local matrix supported or quartz cemented breccias.

SYMBOLS


- APPROXIMATE GEOLOGICAL CONTACT
- OUTCROP
- FAULT (APPROXIMATE)
- BEDDING; ATTITUDE
- JOINT; ATTITUDE
- TRENCH LOCATION AND NUMBER
- CUT LINE
- CLAIM POST
- ROAD

FAIRFIELD MINERALS LTD.
CHEVRON MINERALS LTD.

TIM PROJECT
WATSON LAKE MINING DISTRICT, YUKON TERRITORY

COMPILATION MAP

Scale = 1:5000



CORDILLERAN ENGINEERING LTD.
1980-1055 W. HASTINGS STREET
VANCOUVER, B.C. V6E 2E9

OCTOBER 1988


PLATE I

GEOCHEMISTRY

- > 0.80 ppm SILVER CONTOUR
- > 215 ppm LEAD CONTOUR
- > 291 ppm ZINC CONTOUR
- oz/ton Ag, % Pb, % Zn
Sample Length in Metres
- ASSAY AVERAGE

NOTE:

6800 N CUT BASELINE RUNS AT 272° AZIMUTH.





LEGEND

LITHOLOGY

- Overburden
- Orange brown iron and manganese oxides with local matrix supported or quartz cemented breccias
- Light grey matrix supported breccias with calcareous siliceous matrix and fracture clasts
- CAMBRIAN**
- Green grey muscovite + chlorite phyllite
- Dark grey carbonaceous phyllite
- Light grey fine bedded siltstone with minor carbonaceous material along partings
- LOWER CAMBRIAN**
- Light grey medium to thick bedded to massive siltstone with carbonaceous material
- Black medium bedded limestone with hematite staining on surface

SYMBOLS

- Fault
- Bedding, attitude
- Small outcrop
- Schistosity, attitude
- Quartz or calcite vein (unless otherwise noted), attitude
- Structure
- Approximate geological contact
- Access road
- Contact Interval 100 meters

MAP INFORMATION

- Scale 1:1000
- Projection UTM
- Zone 18N
- Grid Easting 500000
- Grid Northing 6000000

FAIRFIELD MINERALS LTD.
CHEVRON MINERALS LTD.

TIM PROJECT
WATSON LAKE MINING DISTRICT, YUKON TERRITORY

TRENCH MAP
NORTH ZONE - WEST HALF
TRENCHES
88-T-1, 88-T-2, 88-T-3, 88-T-4
88-T-5, 88-T-15, 88-T-18

Scale 1:1000

COILLIER & ASSOCIATES LTD.
1000-10100-10100-10100

DECEMBER 1988

PLATE 2



LEGEND

- LITHOLOGY**
- OB Overburden
 - Orange brown iron and manganese oxides with local matrix supported or quartz cemented breccias
 - Light grey matrix supported breccia with calcareous siltstone matrix and limestone clasts

- CAMBRIAN**
- Green grey muscovite + chlorite phyllite
 - Dark grey carbonaceous phyllite
 - Light grey thin bedded siltstone with minor carbonaceous material along partings

- LOWER CAMBRIAN**
- Light grey medium to thick bedded to massive partially recrystallized limestone
 - Black medium bedded limestone with hematite staining on surface

- SYMBOLS**
- Fault
 - Bedding, attitude
 - Joint, attitude
 - Schistosity, attitude
 - Quartz or calcite vein (unless otherwise noted); attitude
 - Anticline
 - Approximate geological contact
 - Access road
 - Contour Interval = 20 metres






7

12

11

10



LEGEND

LITHOLOGY

- OB Overburden
- Orange brown iron and manganese oxides with local matrix supported or quartz cemented breccias
- Light grey matrix supported breccia with calcareous siltstone matrix and limestone clasts

CAMBRIAN

- Green grey muscovite + chlorite phyllite
- Dark grey carbonaceous phyllite
- Light grey thin bedded siltstone with minor carbonaceous material along partings

LOWER CAMBRIAN

- Light grey medium to thick bedded to massive partially recrystallized limestone
- Black medium bedded limestone with hematite staining on surface

SYMBOLS

- Fault
- Bedding, attitude
- Joint, attitude
- Schistosity, attitude
- Quartz or calcite vein (unless otherwise noted), attitude
- Anticline
- Approximate geological contact
- Access road
- Contour Interval = 20 metres

FAIRFIELD MINERALS LTD.
CHEVRON MINERALS LTD.


TIM PROJECT
WATSON LAKE MINING DISTRICT, YUKON TERRITORY


TRENCH MAP
SOUTH ZONE
TRENCHES
88-T-6, 88-T-8, 88-T-9
88-T-13, 88-T-14

Scale = 1:1000

CORDILLERAN ENGINEERING LTD.
1980-1985 W. HASTINGS STREET
VANCOUVER, B.C. V6E 2E9

DECEMBER 1988 PLATE 4






LEGEND

- no sample
- less than 0.2
- 0.22 to less than 0.38
- 0.38 to less than 0.89
- ⊙ greater than or equal to 0.89
- 0.9 ppm Silver contour


Cordilleran Engineering Ltd.

FAIRFIELD MINERALS LTD.
CHEVRON MINERALS LTD.

TIM PROPERTY
SOIL GEOCHEMISTRY
SILVER IN PPM



Date: 31-OCT-88 Scale: 1:5000 Plate: 5
Plotted by Bondar-Clegg Computer Services



LEGEND

- no sample
- less than 33
- 33 to less than 95
- 95 to less than 215
- greater than or equal to 215

— 215 ppm Lead contour


Cordilleran Engineering Ltd.

FAIRFIELD MINERALS LTD.
CHEVRON MINERALS LTD.

TIM PROPERTY
 SOIL GEOCHEMISTRY
 LEAD IN PPM

0 100 200 300 metres

Date: 31-OCT-88 Scale: 1:5000 Plate: 6
 Plotted by: Bonder-Clegg Computer Services



LEGEND


- no sample
- less than 97
- 97 to less than 170
- 170 to less than 291
- greater than or equal to 291

— 291 ppm Zinc contour

Cordilleran Engineering Ltd.

**FAIRFIELD MINERALS LTD.
CHEVRON MINERALS LTD.**

**TIM PROPERTY
SOIL GEOCHEMISTRY
ZINC IN PPM**



Date: 31-OCT-88 Scale: 1:5000 Plate: 7
Plotted by: Bender-Clegg Computer Services