

SUMMARY REPORT ON THE ROB CLAIMS

Whitehorse Mining District, Yukon

YMIP Contribution Agreement 93-89

Location: 1. **55 km S of Whitehorse, Yukon**
 2. **NTS 105 D/3**
 3. **Latitude 60° 15' N**
 Longitude 135° 15' W

For: **Adda Minerals Company Limited**
P.O. Box 24140 APO
5000 Miller Road
Richmond, B.C.
V7B 1Y3

By: **R. Allan Doherty, P.Geo.**
Jean-Pierre Londero, B.Sc.
Jo-Anne vanRanden, B.Sc.
Aurum Geological Consultants Inc.
205-100 Main Street
P.O. Box 4367
Whitehorse Y.T.
Y1A 3T5

December 20, 1993

Aurum Geological Consultants Inc.

SUMMARY

Adda Minerals Company Limited's Rob Claims consist of 58 contiguous mineral claims located in the Wheaton River area, Yukon. They are accessible by road from Whitehorse. The ground was staked as a gold property in 1984. The staking was initiated when high-grade gold occurrences at nearby Mt. Skukum were identified in a geological environment similar to that on the Rob Claims.

The property is located at the eastern margin of the Coast Plutonic Complex. Granitoid rocks, of various ages, underlie most of the property and intrude older metasediments. Eocene hypabyssal and volcanic intermediate to felsic rocks, related to the Mt. Skukum Caldera Complex, intrude and overlie all other lithologies.

The 1992 work program consisted of geological mapping, geochemical sampling, geophysics, prospecting, and trenching. Geological, geophysical and geochemical results collected to date have identified the following exploration targets contained within the property: (1) the Skarn Zone, where rock samples returned up to 7,068 ppb gold and 5.9% zinc, (2) the Ridge Zone with quartz vein-type mineralization at or near the southwestern claim boundary, represented by float which assayed up to 6.27 opt gold and 15.21 opt silver; (3) gold-bearing quartz veins in Eocene felsic dikes on the north face of Mt. Anderson near the central portion of the claim group; and (4) the IHG Zone with elevated gold values in granitic gneiss ranging up to 1104 ppb gold. Additional targets requiring further exploration are provided by geological and geochemical anomalies on other parts of the ground.

The 1993 work program included establishing a 2.5 km surveyed base line, trenching on the Skarn Zone and three soil geochemical anomalies, fill in soil geochemistry and rock geochemistry on the north side of the baseline, reconnaissance rock and soil geochemistry, a Proton Magnetometer survey and a VLF-EM-31 survey. No significant new results were obtained from the areas investigated. The Molly Zone on the southeast side of the Rob Claims consists of molybdenum in quartz stockwork and as disseminations in megacrystic Bennet Granite. The ADD 1-5 Claims were located to cover this zone.

Based on these results, it is recommended that the Skarn Zone and associated geophysical anomalies be tested with diamond drilling and that limited follow-up geochemical soil and rock sampling be completed. The estimated costs of this program is \$ 130,000.

TABLE OF CONTENTS

SUMMARY	i
TABLE OF CONTENTS	ii
INTRODUCTION	1
LOCATION AND ACCESS	1
HISTORY	3
PROPERTY	4
CLIMATE, TOPOGRAPHY, AND VEGETATION	4
GEOLOGY	6
Regional Geology and Mineralization	6
Property Geology	8
MINERALIZATION	10
Skarn Zone	10
Ridge Zone	12
Molly Zone	12
IHG Zone	12
Other Mineralization	13
GEOCHEMISTRY	14
Skarn Zone	15
Ridge Zone	16
IHG Zone	16
GEOPHYSICS	17
CONCLUSIONS AND RECOMMENDATIONS	20
REFERENCES	22
STATEMENT OF QUALIFICATIONS (RAD)	24
STATEMENT OF QUALIFICATIONS (JPL)	25
STATEMENT OF QUALIFICATIONS (JvR)	26
STATEMENT OF COSTS	27

List of Figures

Figure 1; Location,	1:1,000,000	2
Figure 2; Claim Map,	1:30,000	5
Figure 3; Regional Geology,	1:150,000	7
Figure 4; Property Geology,	1:25,000	9
Figure 5; Total Magnetic Field	as shown	18
Figure 6; VLF EM-31	as shown	19
Figure 7; 1993 Rock Samples & Trenching	1:3,000	pocket
Figure 8; Soil Geochemistry (ppb Au)	1:2,500	pocket

List of Tables

Table I; Rob Claim data	4
Table II; Comparison of Gold Statistics 1985-1993	15

List of Appendices

Appendix A 1993 Analytical Procedures and Reports	
---	--

INTRODUCTION

This report was prepared at the request of the directors of Adda Minerals Company Limited. Its purpose is to assess the economic potential of the Rob Claims through a description of exploration data acquired during the 1993 field season and a compilation of previous results. This report expands on and clarifies the results of work on the Rob Claims reviewed in a report by Zbeetnoff and Smith (1992).

The claims are located about 55 kilometres south of Whitehorse, Yukon and are accessible by road.

Gold and silver were first sought in the Wheaton River area in the late 1800's. No documentation of exploration work prior to 1985 is available for the ground now covered by the Rob Claims. The ground is considered an attractive exploration target. Gold ore bodies at nearby Mt. Skukum and Skukum Creek both occur in a similar geological environment to that located on the Rob Claims.



Exploration programs completed on the property since 1985 have included claim staking, prospecting, grid establishment, geological mapping, geophysical surveying, geochemical sampling, claim surveying, and trenching.

The 1993 exploration program on the Rob claims included grid establishment, soil and rock geochemistry, mapping, prospecting, geophysical surveys including a Proton Magnetometer survey and a VLF-EM-31 survey, and trenching. The cost of the 1993 work program was \$80,000. Partial funding of the 1993 exploration program was provided through the Yukon Territorial Government's Mining Incentive Program under Contribution Agreement Number 93-089.

LOCATION AND ACCESS

The Rob Claims are located in southwestern Yukon, about 55 kilometres south of Whitehorse (Figure 1). The property is centred on the north flank of Mt. Anderson at 60° 13' N latitude and 135° 09' W longitude (NTS 105D/3).

Access is by the Annie Lake Road, a good quality gravel road leading from the paved Klondike Highway to the Mount Skukum and Skukum Creek properties. This road follows the south side of the Wheaton River and crosses the northern part of the Rob Claims, a total distance of about 75 kilometres from Whitehorse. Access onto the claims is provided by 4WD roads in the Partridge Creek and Becker Creek valleys.



ADDA MINERALS COMPANY LIMITED

ROB CLAIMS

WHITEHORSE MINING DISTRICT - YUKON TERRITORY



LOCATION

Aurum Geological Consultants Inc. June 1993

Drawn by NH Checked by GS Scale 1:1,000,000 FIGURE I

HISTORY

Considerable prospecting was carried out in the Wheaton River area starting in the early 1900's, culminating in the discovery of numerous occurrences of gold and silver (and related metals). Gold-silver mineralization has been previously located in the vicinity of the Rob Claims at Mt. Anderson (adjoining Rob 6-12 Claims), Gold Hill (eight km north), Tally-Ho (six km northeast), Mt. Wheaton (nine km east) Goddell (seven km southwest), Mt Skukum, and Skukum Creek (17 km west, Figure 3). There is no record of exploration on ground now covered by the Rob Claims prior to 1985.

In 1981 AGIP Canada Ltd. discovered a gold orebody at Mount Skukum, 16 km west of the Rob Claims. This deposit produced 80,000 ounces of gold from 220,000 tons of ore between March 1986 and August 1988 at which time the mine was closed (Basnett, 1989).

A second potential gold-silver orebody was discovered in 1985 by Omni Resources Inc. at Skukum Creek, seven kilometres southeast of Mount Skukum and 14 kilometres west of the Rob Claims. Reserves are reported at 745,000 tonnes (821,000 tons) grading 7.9 g/t (0.23 opt) gold and 305 g/t (8.9 opt) silver, including 166,000 tonnes (183,000 tons) averaging 19.7 g/t (0.575 opt) gold and 566 g/t (16.5 opt) silver (Omni 1988 Annual Report).

Walhala Exploration Ltd. acquired the Rob Claims by staking in June 1984 and transferred them to Anina Resources Inc. in January 1985. Preliminary geophysics and soil geochemistry were carried out in 1984 and 1985 (Rogers, 1985 and Nelles, 1985). Geological mapping, geochemistry and prospecting were carried out in 1986 (Keyser, 1987). Surveying and fraction staking were completed by Anina Resources Inc. and JBD Management Services Inc. during the period 1985-1987.

JBD Management Svc., Inc. acquired the Rob Claims from Anina Resources Inc. in 1987, and subsequently transferred them to Adda Minerals Company Limited in 1989. Adda carried out a program of geological mapping, geochemical sampling, and hand trenching in 1989 (Keyser, 1990). Bulldozer trenching was completed in 1991 (Hulstein, 1991), and excavator trenching in the spring of 1992 (Hulstein, 1992). Adda's fall 1992 program consisted of claim staking, geological mapping, geochemical sampling, geophysics, and hand trenching.

The Skarn Zone, Ridge Zone, Molly Zone, IHG Zone, and other Zones identified between 1989 and 1993 are described in this report.

PROPERTY

The property consists of 47 two-post mineral claims and 16 fractional claims (Figure 2) staked under the Yukon Quartz Mining Act totalling approximately 1730 hectares (4255 acres). Claim data are as follows:

TABLE 1. ROB CLAIM DATA			
CLAIM NAME	NUMBER OF CLAIMS	GRANT NO.'S	EXPIRY DATE*
Rob 1-38	38	YA 82113-150	June 07, 1994
Rob 39-44 fr.	6	YA 93399-404	Sept. 10, 1994
Rob 47-54 fr.	8	YA 97117-124	Apr. 14, 1994
Rob 55-58	4	YB 37003-006	Sept. 09, 1994
Rob 59-60 fr.	2	YB 37007-008	Sept. 09, 1994
Add 1-5	5	YB 46511-515	Oct. 18, 1994

* subject to approval of 1993 assessment work.


The claims are 100% owned by Adda Minerals Company Limited. They are shown on Yukon Quartz and Placer Sheet 105 D-3 and are known collectively as the Rob Claims. A legal survey of claim boundaries was completed by Thompson and Iles (Canada Land Surveyors) of Whitehorse in 1986-1987, and is filed with the Whitehorse Mining Recorder. Staking completed in 1992 and 1993 was tied into previously surveyed claim posts.

CLIMATE, TOPOGRAPHY, AND VEGETATION

The climate in the area of the Rob Claims is variable with hot summers and long cold winters. Precipitation averages about 150 cm annually, with moderate snowfalls during the winter months.

The property is situated at the eastern flank of the Coast Mountains in an area of moderate to rugged topography. Elevations range from 915 m (3000 ft) to 1720 m (5650 ft) above sea level. The area has been greatly modified by Pleistocene glaciation, and such glacial features as U-shaped valleys, aretes and cirques are common.

Vegetation consists mainly of alpine shrubs and grasses with some stunted spruce and poplar in lower valleys. Ridge tops are typically covered with felsenmeier. The upper north flank of Mt. Anderson consists mainly of rock outcrop and talus.



LEGEND

- claim boundary
- claim number
- tag number

Notes - adapted from D.I.A.N.D.
map sheet 105D-3

gravel road

river, creek


lake

elevation contour ; interval 500 ft

SCALE IN METRES

ADD A MINERALS COMPANY LIMITED

ROB CLAIMS
WHITEHORSE MINING DISTRICT



CLAIM MAP

Aurum Geological Consultants Inc. DEC 1993

NTS 105D/3 Drawn by NH Scale 1:30,000 FIGURE 2

GEOLOGY

Regional Geology and Mineralization


The Rob Claims are situated near the eastern flank of the Coast Plutonic Complex. The regional geology (Figure 3) has been described by Cairnes (1912), Wheeler (1961), Doherty et al. (1988), and Hart et al. (1990).

The Coast Plutonic Complex is composed of foliated and non-foliated granitoid rocks of mid-Jurassic to Tertiary age flanked by older metamorphosed and unmetamorphosed sedimentary and volcanic strata. Granodiorite, granite and quartz diorite are characteristic of the composite plutons. Gabbro and syenite are rare. Over 14 petrologically distinct phases of the Coast Plutonic Complex have been recognized in the Wheaton River area (Doherty et al. 1988). Irregular belts of intrusive, metasedimentary and metavolcanic rocks of the Nisling Terrane form roof pendants in granites of the Coast Plutonic Complex. These metamorphic rocks are believed to be derived from Proterozoic and early Paleozoic depositional material interpreted to have come from the western margin of Ancestral North America.

Subaerial rhyolite to andesite flows and pyroclastics of the Tertiary Skukum Group cut and overlie all older rocks. The Rob Claims are situated near the eastern margin of the Mt. Skukum Caldera Complex, which has been interpreted to represent a paleovolcanic centre (Pride and Clark, 1985).

The Wheaton River District is a geochemically anomalous area. Regional stream sediment surveys conducted by the Geological Survey of Canada (Hornbrook & Fiske 1985) and data collected by exploration companies indicate that the area is, on a regional basis, highly anomalous in Au, Ag, Hg, Sb, and As.

Faulting, lithologic attitudes, and other regional trends are generally northwest, with some younger northeast structures. Most structurally controlled epithermal mineral deposits in the area are associated with pre-existing northeast (030°-050°) and east (100°-115°) trending fault zones now occupied by intermediate to felsic dikes. The Tally-Ho Shear Zone is a major brittle and ductile shear zone that trends 135° and is the locus for a number of mesothermal gold-silver vein occurrences. Gold veins associated with the Tally-Ho Shear Zone have strong Au-Ag-As-Cu-Pb geochemical signatures. Mineralogically these veins contain galena, pyrite, chalcopyrite and rare free gold and tellurides.



Property Geology

The oldest rocks exposed on the Rob Claims are the Proterozoic to Paleozoic Nisling Assemblage (Figure 4) consisting of foliated quartz-feldspar-biotite gneiss, biotite schists, and marbles (map unit PPNS). They are found as roof pendants in granodiorite over the entire property. Some exposures show evidence of contact metamorphism, including the development of skarn mineral assemblages. Nisling Assemblage rocks are the most commonly exposed lithology on the Rob Claims.


Nisling Assemblage rocks are intruded by, and are in fault contact with, mid-Jurassic Bennett granite (map unit mJBg). This unit consists of leucocratic, medium-grained, equigranular to porphyritic (feldspar megacrysts) granitoid rocks. Based on an overall mineralogy of: feldspar, 60% (% plagioclase > % orthoclase); quartz, 25%; and mafic minerals, 15%, they are most commonly granodiorite. Hornblende usually predominates over biotite, and both are variably chloritized.

Cretaceous granite and granodiorite (Kgd) intrudes all older units and underlies a small portion of the southwest corner of the property. This unit is much more extensive immediately south of the Rob Claims.

Light coloured, locally rusty weathered, rhyolite (map unit Er) intrudes all pre-Tertiary rocks at the western and central parts of the property. Characterized by near-vertical plug-like structures, these rhyolite units are associated with the collapse of the Mt. Skukum Caldera Complex (Doherty et al., 1988). Steeply dipping dikes of a similar composition have been mapped over the entire property. Although sometimes difficult to recognize, wall rock alteration adjacent to the plugs consists of a narrow zone (less than 5 m) of silicification.

Andesitic rocks (map unit Ea) have been mapped as dikes over most of the property, although many are too small to be shown at 1:25,000 scale. They are typically porphyritic with variable propylitic alteration. These dykes may be older than the Tertiary rhyolites.

Dikes, faults, and air photo lineaments mapped to date on the Rob Claims follow a predominant northeast trend, discordant with regional structures, which dominantly trend northwest.



MINERALIZATION

Previous exploration in the area of the Rob Claims has identified significant mineral occurrences on adjoining ground (Figure 3 & 4). Mineralization includes: 1) the Whirlwind lead-silver-gold vein where quartz veins associated with rhyolite dikes assay up to 35.3 g/t gold and 148.1 g/t silver over one metre (INAC, 1989); 2) the "Mt. Anderson Occurrence", located on the south side of Mt. Anderson, where numerous quartz-sulphide veins have been trenched and diamond-drilled with results up to 69 g/t gold and 1714 g/t silver (INAC, 1987); and 3) Fleming copper skarn (three km west) where long, narrow pods of sulphide-rich skarn contain highly anomalous levels of copper, zinc, silver, and gold (INAC, 1989).

There is no record of mineral discoveries on the Rob Claims prior to 1985. Prospecting and geological mapping, in 1986, culminated in the discovery of vein-type gold-silver mineralization at the Ridge Zone and skarn-type gold-zinc mineralization at the Skarn Zone (Keyser, 1987 and 1990). Epithermal veins associated with Skukum Group rhyolite dikes and plugs have been located on the North side of Mt. Anderson but appear to be limited in strike and width. Rock and soil geochemistry completed in 1992 outlined the IHG Zone, an area underlain by granite gneiss with gold in soils greater than 15 ppb. Re-sampling in this area, in 1993, has failed to duplicate these anomalous gold in soil results. This problem is reviewed under the Geochemistry Section.

Skarn Zone

Mineralization at the Skarn Zone (Figure 4) is contained within contact metamorphosed Nisling Assemblage marble along an irregular intrusive contact with Mid-Jurassic Bennet granodiorite. Bulldozer and excavator trenches (completed in 1989, 1991, 1992) exposed irregular pod-shaped skarn bodies of marble, with garnet, actinolite, tremolite, quartz, diopside, and rhodochrosite. Sulphide mineralization is dominated by sphalerite, but pyrite, pyrrhotite, molybdenite, chalcopyrite, and bismuthinite have also been recognized. The distribution of sulphides appears to be restricted to areas of skarn rocks and is controlled by strong northwest trending joints.

The largest mineralized skarn body found, to date, is exposed in Trench 92-1 (Figure 7). It is approximately 24 m long and 0.5 to 2.25 m wide. Mineralogy is complex and highly variable. Chip sampling returned a weighted average of 2.17% zinc and 841 ppb gold over a strike length of 16.0 m and an average width of 1.87 m. Gold and zinc values ranged up to 3644 ppb and 5.9% respectively. Copper values were less than 8240 ppm.

The second trench completed in 1992, Trench 92-2 (Figure 7), exposed a quartz-rich skarn which contained 61 ppb gold, 1.44% zinc, and 1918 ppm copper over 1.2 m. Previous trenching at the Skarn Zone was concentrated east and south of trench

92-1. Shallow bulldozer trenching in 1991 returned values up to 1365 ppb gold, 66640 ppm zinc, and 2972 ppm copper in the area of Trench 92-1. Limited backhoe trenching in 1989 exposed skarn material containing up to 7068 ppb gold, 4.5% zinc, 1.1% copper, 4244 ppm bismuth, and 1478 ppm tungsten 30 m south of Trench 92-1.

Nine rock chip samples (0.5 m width or greater), collected approximately 70 m east of trench 92-1, returned three values between 772 ppb and 6180 ppb gold. All nine samples returned zinc values between 793 ppm and 2.1 %.

One hundred metres west of Trench 92-1 a grab sample of bleached weakly clay-altered quartz-feldspar gneiss, near outcrops of megacrystic granodiorite, returned 2806 ppb gold. Less than 10 m to the east a 1.0 m chip sample of gneiss intruded by megacrystic granodiorite returned 974 ppm copper and 26 ppb gold.

East of the Skarn Zone, rock chip samples of weakly silicified, bleached, and limonitic stained quartz-feldspar granitic gneiss and quartzite returned a weighted average of 476 ppb gold over 9.0 m. This interval includes a 1.25 m chip sample that returned 1528 ppb gold from argillically-altered granitic gneiss and quartzite cut by a clay-filled shear.

Backhoe trenching in 1993 targeted areas of previously defined gold anomalies in both rock and soil samples (Figure 7). Trench 93-4 was located upslope and northeast of Trench 92-1.

Trench 93-4, located above and to the northeast of the Skarn Zone, attempted to extend to the east the anomalous gold values reported in Trench 92-1. A Kaboda 41 backhoe was used to build trails toward the eastern end of Trench 92-1 and later exposed silicified and locally pyritized granitic gneiss in a 122 m continuous trench. Gold values, for chip samples collected on the trench floor, range from a high of 25 ppb Au to below the detection limit for 104 of the 110 samples taken. Arsenic, bismuth, zinc, and copper also returned values at or near their respective detection limits. The highest value for zinc was 902 ppm Zn and the highest for copper was 2350 ppm Cu.

To the north and east of trench 93-4, a second trench within the Skarn Zone was excavated to test the eastern extension of known mineralization found in previous rock chip sampling and trenching. Intensely silicified and locally sheared granitic gneiss was exposed over a total length of 30 m. Analytical results from 23 continuous chip samples yielded 4 specimens with values above the detection limit, of which two are considered to be anomalous. One rock chip of silicified granitic gneiss reported 25 ppb Au while an other, consisting of limonitic fault gouge with 5% silicified granitic gneiss fragments, contained 45 ppb Au.

Ridge Zone

Mineralized float was discovered in 1986 near the southwestern boundary of the Rob Claims (Figure 4). The mineralized float is concentrated on the ridge-top west of Mount Anderson, immediately south of the property boundary. Rock and soil anomalies as well as the associated rhyolite structure extend on to the Rob Claims for at least 1000 m. Float consists of vuggy quartz vein-type material with traces of pyrite and galena, manganese and limonitic staining is evident. Selected samples of this float have returned up to 6.27 opt gold and 15.21 opt silver (Keyser, 1987).

A 1989 hand trenching program did not expose bedrock in the steep scree-covered slopes of the Ridge Zone. Mineralized float and geochemically anomalous soil samples were collected from all of the trenches. The source of the mineralized float is believed to be a recessive-weathering vein-shear zone, associated with the northeast-trending rhyolite dike.

Molly Zone

Molybdenite has been located in out crop exposure along a creek in the southwest corner of the property. This showing consists of flat-lying quartz veins in megacrystic granodiorite with up to 2% molybdenite occurring as coarse rosettes within veins. Molybdenite also occurs as fracture fillings and as disseminated grains within the intrusive. These types of occurrences are indicative of porphyry-style mineralization. In 1992 a sample from the showing returned up to 875 ppm molybdenum and 96 ppb gold over 1.00 m. A grab sample of a limonite-stained saccharoidal quartz vein, collected 500 m north, returned 2588 ppb gold. Approximately 100 m southwest of this sample, a 0.5 m chip sample of limonitic, foliated, feldspar-quartz diorite, containing 1% disseminated pyrite, returned 563 ppb gold. During the 1993 exploration program numerous samples were taken up-stream from the showing but failed to outline further mineralization. The best result from the present survey is 65 ppb gold and 2 ppm molybdenum.

IHG Zone

Variably-silicified, megacrystic granodiorite and adjacent granitic gneiss were thought to contain highly anomalous concentrations of gold. Variable potassiac, phylllic, and argillic alteration is present within the intrusive. Quartz veins are associated with potassium feldspar, sericite, and clay minerals found within or as thin selvages along the veins. Gold is associated with elevated tungsten, bismuth, molybdenum, copper, and arsenic. Sulphide content averages 1-3% within a range from <1% to 15%. Pyrite predominates with lesser amounts of pyrrhotite, chalcopyrite and arsenopyrite.

Rock and soil sampling have produced anomalous values over an area approximately 1000 m x 600 m. Thirteen of 25 rock samples, collected in 1992, returned over 50 ppb gold. Results of chip sampling include 1104 ppb gold over one meter, 236

ppb gold over 1.0 m, and 1483 ppb gold over a 0.1 m width. Gold occurrences at the IHG Zone exist within veins and along fractures in the granitic gneiss.

Trenching the IHG Zone in 1993, focussed on two anomalous 1987 geochemical sites and on further exposing a quartz vein structure with elevated gold assays located in 1992. Trench 93-1 was designed to expose the bedrock source for the 320 ppb Au in soil and trench 93-2 for the 25 ppb Au in soil, neither Trench encountered bedrock. Two grab samples of rusty granite with local quartz stockwork were collected from Trench 93-1 and one sample from Trench 93-2 but all three samples reported gold values below the detection limit. Trench 93-3 exposed the granitic gneiss unit which hosts a white quartz vein parallel to 60 cm wide mafic dykes. Best results from 16 continuous rock chip samples collected along the trench floor were 15 ppb Au reported for 2 samples while all others were at or below the detection level. The highest zinc value reported was 2490 ppm Zn and the high copper analyses was 149 ppm Cu. A sample of quartz vein material collected in 1992 just west of the location of Trench 93-3 returned 1483 ppb Au over 0.1 m. No vein material was intersected in Trench 93-3. Fill in soil sampling across the previously defined IHG anomalies failed to reproduce the high values. It is believed that the 1992 soil and rock samples were contaminated in the laboratory processing.

Other Mineralization

Rock samples anomalous in gold were taken in several locations on the north slope of Mt. Anderson. One of these, collected by Doherty et al. (1988) returned 1300 ppb gold, with 26 ppm silver, and 1028 ppm lead, from a 50 cm wide quartz vein. Re-examination in 1992 located quartz veins and quartz stockwork cutting felsic to intermediate Eocene dikes that intrude Nisling Assemblage metamorphic rocks. Samples collected in 1992 returned up to 774 ppb gold over a 0.4 m width. A grab sample, collected 800 m east of the above area, from a sheared mafic dike, returned 870 ppb gold. No other anomalous metal values were returned from the above two areas.

Prospecting and sampling up-slope from the Skarn Zone was also completed during the 1993 program. A total of 80 samples were collected from two large outcrop areas. The predominant rock type encountered in the area consisted of a weakly pyritized granitic gneiss, locally intruded by narrow felsic to intermediate dikes. Figure 7 shows all gold values above the detection limit. In this area, the highest value reported is 35 ppb gold over 1.00 m.

GEOCHEMISTRY

Over 1,250 rock, soil, talus fine, and stream sediment samples have been collected to date from the Rob Claims (Nelles, 1985; Keyser, 1987 & 1990; Hulstein 1991 & 1992). Samples have been taken from three grids, three reconnaissance contour lines, and virtually all creeks and drainages. Significant lithogeochemical results are discussed under 'Mineralization'. Results have been compiled on Figures 7&8.

Grid soil sampling in 1985 was done at 25 m intervals along lines spaced 100 m apart. A small north-south gold anomaly was identified at the southwest end of the grid. A soil geochemical survey was completed in 1986 at 50 m spacings along lines 100 m apart. The 1986 soil survey outlined the IHG Zone and the Skarn Zone. Fill-in sampling in 1989 at the Skarn Zone was at 12.5 m on lines 50 m apart. The IHG Zone was sampled with fill-in lines in 1992. Samples collected in 1985, 1989, and 1992 were analyzed for 30 elements by ICP and 10 g fire assay for gold. Samples collected in 1986 have been analyzed for total gold, silver and lead content.

A total of 291 soil samples were collected during the 1993 geochemistry survey. The samples were submitted to Chemex Lab. in Vancouver and analyzed for 32 elements by ICP-AES and gold by FA-AAS methods. Certificate of analysis and sample locations are located in Appendix A.

The purpose of the 1993 survey was to extend and to confirm the previous anomalies encountered over the IHG Zone and the Skarn Zone. Samples were collected every 50 m along lines spaced 50 m apart. The 1993 geochemistry survey failed to outline the extension or duplicate results from the anomalies encountered during previous surveys. The difference in highly elevated values from the 1992 survey compared with the 1993 results can be attributed to numerous factors including: the sample preparation, calibration of the instruments, and probable contamination of the samples during laboratory preparation, (Table II).

Of 291 collected during the 1993 program, twenty-three contained values greater than 15 ppb gold (see Figure 8). A soil geochemistry anomaly has been outlined on the southwest corner of the 1993 grid, between line 2200E and 2400E. The attitude of the anomaly trend is southwest-northeast with an average width of 100 m and it remains open to the southwest. This anomaly straddles a creek which drains the Mt. Anderson gold-silver occurrence and is directly down-slope of a quartz vein with reported gold in rock up to 1483 ppb Au in 1992. The remaining soil geochemical anomalies are mainly isolated single values located within the IHG and the Skarn Zones which were previously outlined during the 1992 geochemistry survey.

Table II displays mean, standard deviation and anomalous thresholds for various geochemical batches from the Rob claims that were analyzed by different laboratories. The mean and standard deviations for soil and rock samples processed by Northern Analytical Laboratory in 1992 are exceedingly high. It would be reasonable to presume that there has been systematic contamination during sample processing.

TABLE II COMPARISON OF GOLD STATISTICS 1985-1993

SAMPLE BATCH	LAB	ANALYSES TYPE	No. (n)	AVG (x) ppb	STD (s) ppb	ANOMALOUS (x+2s) ppb Au
1985 SOIL	ACME	10 g FA-AAS	373	10.79	34.96	80.71
1987 SOIL	BONDAR CLEGG	20 g FA-AAS	253	28.06	29.83	87.73
1989 SOIL	ACME	10 g FA-AAS	138	19.53	65.78	151.09
1992 SOIL	NAL	15 g FA-AAS	98	44.27	102.5	251.39
1993 SOIL	CHEMEX	30 g FA-AAS	291	4.44	9.51	23.46
1992 ROCK	NAL	15 g FA-AAS	124	185.7	446.9	1032.0
1993 ROCK (TRENCH)	CHEMEX	30 g FA-AAS	164	3.6	7.4	18.4
1993 ROCK (RECONN)	CHEMEX	30 g FA-AAS	175	4.3	8.8	22.03

Skarn Zone

Soil sampling surveys in the Skarn Zone area have been carried out during 1986 and 1989 exploration programs. Samples collected from a detailed grid over the Skarn Zone have yielded results up to 580 ppb gold, 3.1 ppm silver, 478 ppm copper, and 28,361 ppm zinc. A zinc-in-soil anomaly exists at the Skarn Zone and extends for 600 m averaging 75 m in width. This zinc anomaly is well defined by zinc in soil greater than 500 ppm. Copper values within this zinc anomaly are typically greater than 200 ppm Cu and gold values are greater than 25 ppb.

Limited soil sampling in 1993, up-slope from the Skarn Zone area, returned few anomalous gold values, (Figure 8). The highest gold value encountered during the 1993 program is 25 ppb Au. These results are single anomalies and are considered to reflect a potential gold target located up-slope from the Skarn Zone.

Ridge Zone

The Ridge Zone anomaly straddles the southwest claim boundary and only samples located on the Rob Claims will be discussed. In 1985 a geochemical survey outlined a coincident gold, silver, and lead anomaly ranging up to 1410 ppb Au, 9.8 ppm Ag, and 3200 ppm Pb extends from the ridge to the valley bottom for approximately 1100 m. This anomaly is associated with mineralized vein-type float at the Ridge Zone where limited hand-trenching has been unsuccessful in exposing in-situ mineralization. Topography in this part of the property is rugged and down-slope dispersion is suspected to cause some of the anomalous results.

An eleven soil sample contour line was completed in 1992. This line traverses the central portion of the claims and tested the area at the base of the Ridge Zone hill. Gold values along this contour line average 23 ppb Au and range up to 47 ppb.

No additional work has been performed on the Ridge Zone during the 1993 field program.

IHG Zone

During the 1992 geochemistry survey, two large grater than 15 ppb gold-in-soil anomalies, located in the south-central part of the property, were outlined. These anomalies were used to define the IHG Zone.

The 1992 soil analytical data for the IHG Zone indicates: i) gold values >6667 ppb with an average of 35 ppb ii) arsenic values up to 160 ppm with an average of 47 ppm, iii) tungsten values up to 647 ppm, with an average of 28 ppm, iv) bismuth values up to 48 ppm with an average of 5 ppm, v) molybdenum values up to 26 ppm with an average of 5 ppm, and vi) copper values up to 742 ppm and averaging 123 ppm.


Soil sampling completed during the 1993 program did not confirm the gold-in-soil anomalies previously outlined during the 1992 survey. The 1993 returned few samples with anomalous levels of gold. The highest gold value from 1993 is 50 ppb Au compared to >6667 ppb Au obtained during the 1992 survey.


GEOPHYSICS

A total field magnetic and a EM-31 survey was carried out over the Skarn Zone and the IHG Zone in 1993 by Amerok Geophysics of Whitehorse.

The magnetic survey, (Figure 5), was carried out on lines from 2000E to 3500E from station 4200N to 5000N at 12.5 m spacing on each line. Results of the survey show two discrete magnetic domains separated by the 56020 gamma contour line. The moderate high magnetic domain located in the north-west portion is related to the granitic gneiss. The moderate low magnetic domain situated in the south-east portion of the survey is unexplained or possibly related to extensive overburden in the valley bottom. The overall trend of the total magnetic field data suggests that there may be a ENE trending contact, fault, or an alteration zone.

An EM-31 survey was conducted on lines 3100E to line 3500E and between stations 4500N and 5000N, (Figure 6). All readings were taken at 12.5 m intervals. According to M.A. Power of Amerok Geophysics; "A discontinuous north-south trending resistivity low occurs between lines 3200E and 3300E. The grid is poorly oriented with respect to this structure and the survey may not have accurately defined it. Immediately east of this feature, there is a strong gradient in apparent resistivity between relatively conductive rock and overburden to the west (~ 280 ohm-m) and resistive material to the east (~450 ohm-m). This could be a geological contact." These axis are interpreted to be caused by relatively conductive rock (increase in sulphides ?) or a geological contact. Field observations, to date, do not confirm either hypothesis.





CONCLUSIONS AND RECOMMENDATIONS

The Rob Claims are underlain by Paleozoic and older metasediments which have been intruded by mid-Jurassic and Cretaceous granodiorite. All of these rocks have been intruded and overlain by felsic volcanic and hypabyssal lithologies related to the Mt. Skukum Caldera Complex. Steeply dipping block faults cut all rock units.

The property is a gold prospect. Surface exploration has identified at least four separate gold-bearing zones: (1) skarn-type mineralization exposed in trenches at the Skarn Zone, (2) vein-type gold-sulphide bearing boulders at the Ridge Zone, (3) gold-bearing quartz veins in Eocene felsic dikes along the north face of Mt. Anderson, central to the claims; and (5) the IHG Zone, defined in 1992, in an area of elevated (> 15 ppb) gold values underlain by granitic gneiss. Other areas on the property that warrant future work include the Molly Zone in the southeast corner of the property where disseminated and stockwork molybdenum mineralization has been located.

The gold in soil anomalies on the IHG zone were not reproduced by infill sampling on the 1993 grid. It is suspected that the samples were contaminated during laboratory preparation.

The most advanced exploration target presently identified on the Rob Claims is a gold-bearing skarn located in the eastern part of the property. Gold is closely associated with zinc and copper sulphides in irregular skarnified pods. Both soil and rock samples have returned variable analytical results, typical of skarn-type mineralization. Soil geochemistry has outlined areas anomalous in gold and zinc located northwest and east (both up-slope) of known mineralization, indicating that additional gold-zinc mineralization remains to be found.

Results of surface exploration work carried out to date on the Rob claims warrant additional precious metal exploration. The following exploration program is warranted and recommended:


- 1.) Further explore the Skarn Zone by diamond drilling to test for extensions of the Zone and to test geophysical anomalies near the Skarn Zone.
- 2.) Follow-up work consisting of prospecting, fill in geochemical sampling and geophysical surveys, geological mapping is required at the Molly Zone and on the North face of Mt. Anderson.
- 3.) Check rock samples should be collected from bedrock samples that returned > 1000 ppb gold from the 1992 program.

It is estimated that this work program can be completed for \$130,000.


The costs for the recommended work program are estimated as follows:

Geology, Prospecting & Geophysics:	\$20,000
Trenching:	\$15,000
Drill pad preparation:	\$10,000
Diamond Drilling 500 @ \$100/m:	\$50,000
Analytical	\$12,000
Support Costs (camp, truck, supplies, etc.):	\$15,000
Contingencies	\$8,000
 Total estimated Cost:	 \$130,000

Respectfully submitted,
Aurum Geological Consultants Inc.



R. Allan Doherty, P.Geo.



Jo-Anne vanRanden

Jo-Anne vanRanden, B.Sc.,

Jean-Pierre Londero, B.Sc.,

December 20, 1993

REFERENCES

- Basnett, R., 1989; Epithermal gold veins of the Mount Skukum Gold Mine, South-western Yukon Territory in Conference Juneau, April 20-21, 1989, Abstracts of Professional Papers, Alaska Mines Association, p.17.
- Cairnes, D.D., 1912; Wheaton District, Yukon Territory. G.S.C. Memoir 31.
- DIAND 1993. Yukon Minfile, WP 5.1 Version, 15 Feb/93. Exploration and geological Services Division, Indian and Northern Affairs Canada.
- Doherty, R.A., C. Hart, J. Wegenast, and J. Hunt, 1988; Preliminary Geology of Fenwick Creek (105 D/3) and Alligator Lake (105 D/6) Map Areas. D.I.A.N.D. Open File 1988-2 by Aurum Geological Consultants Inc.
- Hart, C.J.R. and J. Radloff, 1990; Geology of Whitehorse, Alligator Lake, Fenwick Creek, Carcross, and part of Robinson Map Areas (105 D/11,6,3,2,& 7). Open File 1990-4 by Aurum Geological Consultants Inc., for DIAND.
- Hornbrook, E.H.W. and P. Fiske, 1985: Regional Stream Geochemical survey 105 D, GSC Open File 1812.
- Hulstein, R.W., 1991; 1991 Trenching Program on the Rob Claims, Assessment Report for Adda Minerals Co. Ltd. by Aurum Geological Consultants Inc.
- Hulstein, R.W., 1992; 1992 Trenching Program on the Rob Claims, Assessment Report for Adda Minerals Co. Ltd. by Aurum Geological Consultants Inc.
- INAC, 1987; Yukon Exploration 1986, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp. 160-162.
- INAC, 1989; Yukon Exploration 1988, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp. 46-47.
- Keyser, H.J., 1987; Geological and Geochemical Assessment Report on the Rob Claims. Assessment report for Anina Resources Inc. by Aurum Geological Consultants Inc. in D.I.A.N.D. Yukon Exploration, 1987.
- Keyser, H.J., 1990; Report on the 1989 Assessment Work on the Rob Claims. Assessment report for Adda Minerals Company Limited by Aurum Geological Consultants Inc.

Nelles, D.M., 1985; Assessment Report on the Rob Claims. Assessment report #091852 for Anina Resources Inc. in D.I.A.N.D. Yukon Exploration 1985-1986.

Omni Resources Inc. 1988. Company Annual Report.

Power M.A. 1993; Geophysical Surveys - Rob Claims, by Amerok Geophysics.

Pride, M.J. and G.S. Clark, 1985; An Eocene Rb-Sr Isochron for Rhyolite Plugs, Skukum Area, Yukon Territory. C.J.E.S. Vol. 22, pp. 1747-1753.

Rogers, R.S., 1985; Anina Resources Inc. - Rob Property; Geological Report and Recommendations. Report for Anina Resources Inc. by Rogers Exploration Services Ltd. in Yukon Exploration, 1985-1986.

Wheeler, J.O., 1961; Whitehorse Map-Area, Yukon Territory. 105D. G.S.C. Memoir 312.

Zbeetnoff, J.A. and Smith, G.F., 1993. Summary Report on the Rob Claims, private report for Adda Minerals Ltd.

STATEMENT OF QUALIFICATIONS (RAD)


I, R. Allan Doherty, hereby certify that:

1. I am a geologist with AURUM GEOLOGICAL CONSULTANTS INC., 205 - 100 Main Street, P.O. Box 4367, Whitehorse, Yukon, Y1A 3T5.
2. I am a graduate of the University of New Brunswick, with a degree in geology (Hons. B.Sc., 1977) and that I attended graduate school at Memorial University of Newfoundland, 1978-80. I have been involved in geological mapping and mineral exploration continuously since then.
3. I am a member of the Association of Professional Engineers and Geoscientists of the Province of British Columbia, Registration No. 20564 and of the CIMM.
4. I am a co-author of this report based on information collected during property work completed on October 6-25, 1993, and on referenced sources.
5. I have no direct or indirect interest in the properties or securities of Adda Minerals Company Limited.
6. I consent to the use of this report by Adda Minerals Company Limited provided that no portion is used out of context in such a manner as to convey a meaning differing materially from that set out in the whole.

December 20, 1993



R. Allan Doherty, B.Sc.



STATEMENT OF QUALIFICATIONS (JPL)

I, Jean-Pierre Londero, hereby certify that:

1. I am a self-employed geologist on contract with AURUM GEOLOGICAL CONSULTANTS INC. The Aurum business address is 205-100 Main Street, Whitehorse, Yukon.
2. I am a graduate of the University of Quebec at Montreal P.Q., with a degree in geology (B.Sc., 1984), and have been involved in geology and mineral exploration continuously since 1980.
3. I am a member of the Prospector's Development Association of Canada.
4. I have no direct or indirect interest in the properties or securities of Adda Minerals Company Limited.
5. I am the co-author of this report on the Rob Claims, Yukon, which is based My property visits October 23-28, 1993 and on information supplied to me by Aurum Geological Consultants Inc. and Adda Minerals Company Limited, and publicly available literature.
6. I consent to the use of this report by Adda Minerals Company Limited, for any purpose deemed necessary, provided that no portion may be used out of context in such a manner as to convey a meaning differing materially from that set out in the whole.




December 10, 1993

Jean-Pierre Londero, B.Sc.

STATEMENT OF QUALIFICATIONS (JvR)

I, Jo-Anne vanRanden, hereby certify that:

1. I am a geologist with AURUM GEOLOGICAL CONSULTANTS INC., 205 - 100 Main Street, P.O. Box 4367, Whitehorse, Yukon, Y1A 3T5.
2. I am a graduate of the University of British Columbia, with a degree in geology (B.Sc., 1989). I have been involved in mineral exploration continuously since 1982.
3. I am a co-author of this report on the Rob Claims of Adda Minerals Company Limited, which is based on my examination of the property (October 4-29, 1993) and on referenced sources.
4. I have no direct or indirect interest in the properties or securities of Adda Minerals Company Limited.
5. I consent to the use of this report by Adda Minerals Company Limited provided that no portion is used out of context in such a manner as to convey a meaning differing materially from that set out in the whole.



December 20, 1993

Jo-Anne vanRanden, B.Sc.

STATEMENT OF COSTS

1993 Assessment Work Valuation: Rob Claims & Add Claims, 105 D /3

Geological and Geochemical

A. Fieldwork

R. A. Doherty, P.Geo	13 days @ \$350	\$4,550.00
J. vanRanden, B.Sc.,	32.5 days @ \$350	\$11,375.00
J. P. Londero, B.Sc.,	19 days @ \$350	\$6,650.00
B. Sauer, Prospector,	28 days @ \$300	\$8,400.00
C. Fox, Assistant,	28 days @ \$200	\$5,600.00

B. Expenses

Drafting:	\$360.00
Gasoline:	\$1,201.43
Truck rental:	\$651.58
Field Supplies:	\$819.59
Contract Trenching:	\$9,725.00
Contract geophysics:	\$4,300.00
Geochemical Analyses:	\$13,521.93

C. Rentals & Camp Costs

Camp Food & Supply:	\$6,000.00
Truck rental:	\$2,100.00
ATV Rental:	\$680.00


D. Goods Services Tax

GST @ 7% of \$75,934.53	\$5,315.42
-------------------------	------------

Total Valuation of 1993 Assessment Work:	\$81,249.95
--	-------------

APPENDIX A

1993 Analytical Procedures and Reports



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

A9325071

Comments:

CERTIFICATE

A9325071

ADDA MINERALS COMPANY LTD.

Project: 29
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 25-NOV-93.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	12	Geochem ring to approx 150 mesh
274	12	0-15 lb crush and split
229	12	ICP - AQ Digestion charge

* NOTE: 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	12	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	12	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	12	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	12	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	12	Be ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	12	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	12	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	12	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	12	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	12	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	12	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	12	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	12	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	12	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	12	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	12	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	12	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	12	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	12	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	12	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	12	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	12	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	12	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	12	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	12	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	12	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	12	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	12	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	12	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	12	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	12	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	12	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	12	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000
	18	W ppm: K pyrosulfate fusion	COLORIMETRIC	2	1000
	54	Te ppm: HBr-Br ₂ digest, extract	AAS-BKGD CORR	0.1	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 25-NOV-93
 Invoice No. : I9325071
 P.O. Number :
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325071

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JVR93-100	205 274	75	6.6	0.60	4	130	< 0.5	170	1.24	2.0	2	168	1835	0.84	< 10	< 1	0.26	< 10	0.14	145
JVR93-101	205 274	10	0.8	0.93	10	160	< 0.5	< 2	0.22	< 0.5	4	138	277	2.11	< 10	< 1	0.15	< 10	0.43	250
JVR93-102	205 274	< 5	< 0.2	1.22	2	170	< 0.5	< 2	0.48	6.5	3	118	35	1.30	< 10	< 1	0.26	< 10	0.35	275
JVR93-103	205 274	< 5	0.2	1.29	8	200	< 0.5	< 2	0.53	7.5	3	119	34	1.51	< 10	< 1	0.27	< 10	0.38	280
JVR93-104	205 274	< 5	< 0.2	0.64	6	160	< 0.5	< 2	0.17	< 0.5	1	186	27	1.16	< 10	< 1	0.28	< 10	0.17	145
JVR93-105	205 274	< 5	42.6	1.25	10	80	0.5	132	1.01	25.0	4	115	149	2.25	< 10	< 1	0.39	10	0.32	385
JVR93-106	205 274	15	11.0	0.85	260	80	< 0.5	40	0.61	9.5	6	134	70	1.73	< 10	< 1	0.39	< 10	0.15	165
JVR93-107	205 274	< 5	1.2	1.25	48	70	0.5	4	0.43	4.5	6	102	44	2.01	< 10	< 1	0.34	< 10	0.35	335
JVR93-108	205 274	5	0.6	1.16	74	60	1.0	< 2	0.25	5.0	4	93	34	2.01	< 10	< 1	0.41	10	0.23	250
JVR93-109	205 274	15	0.8	0.88	146	90	< 0.5	< 2	0.25	3.0	3	88	31	3.32	< 10	< 1	0.47	10	0.13	130
JVR93-110	205 274	< 5	13.6	1.59	28	60	< 0.5	26	0.60	14.0	4	93	139	2.67	< 10	< 1	0.29	< 10	0.99	450
JVR93-111	205 274	< 5	0.8	0.81	16	70	< 0.5	< 2	0.68	7.5	3	128	46	1.03	< 10	< 1	0.31	< 10	0.27	265

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

**
 Page Number : 1-B
 Total Pages : 1
 Certificate Date: 25-NOV-93
 Invoice No. : 19325071
 P.O. Number :
 Account : LIH

Project : 29
 Comments:


CERTIFICATE OF ANALYSIS

A9325071

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
JVR93-100	205 274	11	0.07	4	210	30	< 2	1	91	< 0.01	< 10	< 10	9	< 10	74	< 2	2.3
JVR93-101	205 274	8	0.10	6	370	12	< 2	2	39	0.05	< 10	< 10	32	< 10	50	< 2	0.2
JVR93-102	205 274	< 1	0.12	3	380	20	< 2	1	47	0.08	< 10	< 10	22	< 10	206	< 2	< 0.1
JVR93-103	205 274	< 1	0.13	3	370	20	< 2	2	52	0.08	< 10	< 10	24	< 10	240	< 2	< 0.1
JVR93-104	205 274	1	0.07	4	230	6	< 2	1	27	0.06	< 10	< 10	18	< 10	30	< 2	< 0.1
JVR93-105	205 274	2	0.03	7	510	550	2	1	42	< 0.01	< 10	< 10	9	< 10	668	10	2.8
JVR93-106	205 274	3	< 0.01	4	330	264	14	1	31	< 0.01	< 10	< 10	7	< 10	166	8	1.2
JVR93-107	205 274	1	0.04	5	550	28	2	2	20	< 0.01	< 10	< 10	16	< 10	184	7	1.4
JVR93-108	205 274	< 1	< 0.01	7	570	58	< 2	1	18	< 0.01	< 10	< 10	6	< 10	180	4	0.2
JVR93-109	205 274	3	0.01	2	320	34	6	1	51	< 0.01	< 10	< 10	6	< 10	124	6	0.2
JVR93-110	205 274	< 1	0.03	4	470	200	< 2	2	23	< 0.01	< 10	< 10	41	60	1860	100	0.4
JVR93-111	205 274	1	0.04	5	390	22	< 2	1	24	< 0.01	< 10	< 10	13	< 10	272	8	< 0.2

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave, North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

A9325152

CERTIFICATE

A9325152

ADDA MINERALS COMPANY LTD.

Project: 29

P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 1-DEC-93.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	9	Geochem ring to approx 150 mesh
274	9	0-15 lb crush and split
229	9	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	9	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	9	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	9	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	9	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	9	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	9	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	9	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	9	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	9	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	9	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	9	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	9	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	9	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	9	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	9	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	9	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	9	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	9	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	9	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	9	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	9	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	9	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	9	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	9	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	9	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	9	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	9	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	9	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	9	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	9	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	9	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	9	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	9	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000
18	9	W ppm: K pyrosulfate fusion	COLORIMETRIC	2	1000
54	9	Te ppm: HBr-Br2 digest, extract	AAS-BKGD CORR	0.1	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 01-DEC-93
 Invoice No : I9325152
 P.O. Number :
 Account : LIH

Project : 29
 Comments:


CERTIFICATE OF ANALYSIS

A9325152

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JVR93-112	205 274	< 5	1.2	1.01	20	60	< 0.5	2	0.45	7.0	4	189	68	1.64	< 10	< 1	0.24	< 10	0.48	295
JVR93-113	205 274	< 5	2.2	0.23	22	20	< 0.5	10	2.69	>100.0	3	453	22	0.91	< 10	< 1	0.04	< 10	0.05	425
JVR93-114	205 274	< 5	0.2	0.96	6	60	< 0.5	< 2	1.71	4.0	2	164	42	1.09	< 10	< 1	0.28	< 10	0.42	305
JVR93-115	205 274	< 5	0.2	1.37	26	100	< 0.5	< 2	0.46	4.5	5	196	46	2.14	< 10	< 1	0.21	10	0.67	415
JVR93-116	205 274	< 5	< 0.2	1.09	4	90	< 0.5	< 2	0.79	0.5	2	129	22	1.71	< 10	< 1	0.19	< 10	0.50	450
JVR93-117	205 274	< 5	< 0.2	1.15	8	110	< 0.5	< 2	0.85	0.5	3	153	24	1.70	< 10	< 1	0.23	< 10	0.48	455
JVR93-118	205 274	< 5	0.4	1.52	16	90	< 0.5	< 2	0.28	4.5	5	114	112	3.14	< 10	< 1	0.25	10	0.87	395
JVR93-119	205 274	< 5	0.2	1.66	76	70	< 0.5	< 2	0.66	2.0	6	179	66	2.77	< 10	< 1	0.25	10	0.89	565
JVR93-120	205 274	< 5	0.2	0.52	8	40	< 0.5	< 2	2.14	1.0	1	185	16	0.57	< 10	< 1	0.22	< 10	0.13	245

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :1-B
 Total Pages :1
 Certificate Date: 01-DEC-93
 Invoice No. :I9325152
 P.O. Number :
 Account :LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325152

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	8r ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
JVR93-112	205	274	2	0.02	6	410	162	2	1	18 < 0.01	< 10	< 10	23	< 10	406	7	< 0.1	
JVR93-113	205	274	< 1	< 0.01	9	40	68	< 2	< 1	55 < 0.01	< 10	< 10	4	< 10	2490	< 2	< 0.1	
JVR93-114	205	274	1	0.03	5	440	30	< 2	1	55 < 0.01	< 10	< 10	22	< 10	96	7	< 0.1	
JVR93-115	205	274	< 1	0.11	8	620	16	< 2	3	43 0.01	< 10	< 10	40	< 10	156	5	< 0.1	
JVR93-116	205	274	< 1	0.08	6	470	14	< 2	2	54 < 0.01	< 10	< 10	29	< 10	68	2	< 0.1	
JVR93-117	205	274	1	0.09	6	460	8	< 2	2	61 < 0.01	< 10	< 10	28	< 10	68	4	< 0.1	
JVR93-118	205	274	3	0.06	7	780	14	2	3	29 < 0.01	< 10	< 10	48	< 10	186	7	< 0.1	
JVR93-119	205	274	2	0.10	8	730	18	< 2	5	34 < 0.01	< 10	< 10	59	< 10	108	5	< 0.1	
JVR93-120	205	274	< 1	0.03	3	110	6	< 2	< 1	43 < 0.01	< 10	< 10	7	< 10	28	2	< 0.1	

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

A9325075

CERTIFICATE

A9325075

ADDA MINERALS COMPANY LTD

Project: 29
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 1-DEC-93.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	118	Gecchem ring to approx 150 mesh
274	118	0-15 lb crush and split
229	118	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	118	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	118	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	118	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	118	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	118	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	118	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	118	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	118	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	118	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	118	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	118	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	118	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	118	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	118	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	118	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	118	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	118	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	118	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	118	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	118	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	118	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	118	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	118	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	118	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	118	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	118	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	118	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	118	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	118	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	118	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	118	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	118	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	118	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000
18	118	W ppm: K pyrosulfate fusion	COLORIMETRIC	2	1000
54	118	Te ppm: HBr-Br ₂ digest, extract	AAS-BKGD CORR	0.1	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 1-A
 Total Pages : 3
 Certificate Date: 01-DEC-93
 Invoice No : I9325075
 P.O. Number :
 Account : LIH


Project . 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325075

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JVR93-175	205 274	15	0.8	1.12	12	150	< 0.5	< 2	1.05	1.5	1	119	436	1.41	< 10	< 1	0.38	10	0.24	320
JVR93-176	205 274	< 5	0.4	1.11	4	160	< 0.5	2	0.70	2.0	2	129	223	1.69	< 10	< 1	0.32	20	0.34	370
JVR93-177	205 274	< 5	< 0.2	1.23	8	140	< 0.5	2	0.73	5.5	2	122	87	1.42	< 10	< 1	0.26	10	0.28	400
JVR93-178	205 274	< 5	0.6	1.08	< 2	150	< 0.5	< 2	0.47	3.0	1	143	180	1.04	< 10	< 1	0.34	10	0.16	430
JVR93-179	205 274	< 5	< 0.2	0.86	6	170	< 0.5	< 2	1.46	3.5	1	169	48	0.65	< 10	< 1	0.37	< 10	0.10	235
JVR93-180	205 274	< 5	0.4	1.04	44	170	< 0.5	6	0.84	2.5	2	201	181	1.03	< 10	< 1	0.34	< 10	0.14	265
JVR93-181	205 274	< 5	0.6	1.56	8	200	< 0.5	2	0.89	1.5	1	169	95	1.23	< 10	< 1	0.22	10	0.26	435
JVR93-182	205 274	< 5	0.2	1.43	8	160	< 0.5	< 2	0.81	2.0	1	179	124	1.06	< 10	< 1	0.21	< 10	0.21	360
JVR93-183	205 274	< 5	2.0	2.45	< 2	150	< 0.5	26	2.01	5.5	2	179	374	1.61	< 10	< 1	0.15	< 10	0.18	785
JVR93-184	205 274	< 5	< 0.2	0.81	2	90	< 0.5	4	0.50	1.5	2	149	186	1.09	< 10	< 1	0.04	10	0.19	275
JVR93-185	205 274	< 5	< 0.2	1.20	8	90	< 0.5	< 2	0.66	0.5	2	139	109	1.23	< 10	< 1	0.07	< 10	0.24	340
JVR93-186	205 274	< 5	< 0.2	2.09	6	90	< 0.5	< 2	1.14	< 0.5	2	89	70	1.50	< 10	< 1	0.14	< 10	0.38	235
JVR93-187	205 274	< 5	< 0.2	1.47	4	140	< 0.5	2	0.73	< 0.5	1	142	65	1.60	< 10	< 1	0.16	10	0.37	240
JVR93-188	205 274	< 5	< 0.2	1.02	4	100	< 0.5	< 2	0.52	0.5	2	194	107	1.51	< 10	< 1	0.13	10	0.30	385
JVR93-189	205 274	< 5	< 0.2	0.95	6	190	< 0.5	< 2	0.49	0.5	2	199	73	0.87	< 10	< 1	0.43	< 10	0.11	215
JVR93-190	205 274	< 5	< 0.2	1.03	4	150	< 0.5	< 2	0.47	1.5	1	178	35	0.81	< 10	< 1	0.37	< 10	0.13	280
JVR93-191	205 274	< 5	< 0.2	0.91	2	140	< 0.5	< 2	1.56	4.5	< 1	159	41	0.43	< 10	< 1	0.41	< 10	0.04	210
JVR93-192	205 274	< 5	< 0.2	1.04	< 2	200	< 0.5	2	1.11	1.0	< 1	190	50	0.49	< 10	< 1	0.48	< 10	0.06	180
JVR93-193	205 274	< 5	< 0.2	1.04	< 2	180	< 0.5	2	0.60	1.0	1	181	65	0.68	< 10	< 1	0.43	< 10	0.07	180
JVR93-194	205 274	< 5	< 0.2	0.81	< 2	120	< 0.5	2	0.49	0.5	1	159	49	1.01	< 10	< 1	0.20	10	0.21	250
JVR93-195	205 274	< 5	< 0.2	1.14	12	130	< 0.5	4	0.53	< 0.5	2	173	37	1.44	< 10	< 1	0.15	10	0.29	325
JVR93-196	205 274	< 5	< 0.2	0.89	10	140	< 0.5	2	0.51	< 0.5	< 1	183	41	1.08	< 10	< 1	0.25	10	0.19	225
JVR93-197	205 274	< 5	< 0.2	0.95	6	120	< 0.5	< 2	0.45	< 0.5	3	155	76	1.58	< 10	< 1	0.13	10	0.31	270
JVR93-198	205 274	< 5	< 0.2	0.91	8	150	< 0.5	2	0.42	< 0.5	1	162	23	1.36	< 10	< 1	0.19	10	0.23	260
JVR93-199	205 274	< 5	< 0.2	0.93	8	120	< 0.5	< 2	0.46	< 0.5	2	141	46	1.23	< 10	< 1	0.22	10	0.26	295
JVR93-200	205 274	< 5	< 0.2	1.05	10	130	< 0.5	< 2	0.42	0.5	1	134	44	1.74	< 10	< 1	0.18	10	0.35	390
JVR93-201	205 274	< 5	< 0.2	1.07	< 2	130	< 0.5	< 2	0.63	< 0.5	1	168	18	1.60	< 10	< 1	0.17	10	0.32	400
JVR93-202	205 274	< 5	< 0.2	0.99	< 2	120	< 0.5	2	0.56	< 0.5	2	145	37	1.66	< 10	< 1	0.15	20	0.32	355
JVR93-203	205 274	< 5	< 0.2	1.04	8	120	< 0.5	2	0.50	< 0.5	3	117	87	1.87	< 10	< 1	0.15	10	0.40	420
JVR93-204	205 274	< 5	0.2	0.82	12	200	< 0.5	< 2	0.51	< 0.5	1	147	118	1.58	< 10	< 1	0.12	10	0.24	200
JVR93-205	205 274	< 5	< 0.2	0.87	< 2	150	< 0.5	< 2	0.64	< 0.5	3	168	106	1.61	< 10	< 1	0.14	10	0.25	275
JVR93-206	205 274	< 5	< 0.2	0.88	< 2	120	< 0.5	2	0.57	0.5	4	157	80	1.76	< 10	< 1	0.14	20	0.30	335
JVR93-207	205 274	< 5	0.2	0.78	< 2	90	< 0.5	2	0.44	0.5	3	152	114	1.47	< 10	< 1	0.14	10	0.23	235
JVR93-208	205 274	< 5	< 0.2	0.63	6	90	< 0.5	< 2	0.30	< 0.5	1	177	40	0.80	< 10	< 1	0.11	< 10	0.15	170
JVR93-209	205 274	< 5	< 0.2	0.86	< 2	120	< 0.5	4	0.40	1.0	2	184	33	1.22	< 10	< 1	0.15	10	0.24	300
JVR93-210	205 274	< 5	< 0.2	1.24	6	110	< 0.5	2	0.62	< 0.5	2	171	50	0.96	< 10	< 1	0.17	< 10	0.20	230
JVR93-211	205 274	< 5	< 0.2	0.79	< 2	130	< 0.5	6	0.35	0.5	1	147	29	0.88	< 10	< 1	0.18	< 10	0.17	220
JVR93-212	205 274	< 5	< 0.2	1.16	6	120	< 0.5	< 2	0.78	0.5	1	195	36	0.99	< 10	< 1	0.16	< 10	0.16	265
JVR93-213	205 274	< 5	< 0.2	0.88	< 2	100	< 0.5	2	0.41	0.5	2	131	51	0.95	< 10	< 1	0.17	< 10	0.22	225
JVR93-214	205 274	< 5	< 0.2	0.68	< 2	90	< 0.5	2	0.31	0.5	1	139	35	0.71	< 10	< 1	0.12	< 10	0.13	175

CERTIFICATION: *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221


To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5


Page Number : 1-B
 Total Pages : 3
 Certificate Date: 01-DEC-93
 Invoice No. : I9325075
 P.O. Number :
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS A9325075

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
JVR93-175	205	274	3	0.08	3	440	16	< 2	2	69	0.02	< 10	< 10	18	< 10	70	5	0.1
JVR93-176	205	274	5	0.08	3	520	14	< 2	3	57	0.04	< 10	< 10	29	< 10	74	7	0.1
JVR93-177	205	274	5	0.10	1	420	8	< 2	3	63	0.06	< 10	< 10	27	< 10	102	4	< 0.1
JVR93-178	205	274	6	0.06	1	280	24	< 2	2	34	0.01	< 10	< 10	15	< 10	60	7	< 0.1
JVR93-179	205	274	2	0.09	1	130	8	< 2	1	95	0.01	< 10	< 10	9	< 10	62	3	< 0.1
JVR93-180	205	274	2	0.11	2	190	16	< 2	2	69	0.04	< 10	< 10	13	< 10	90	2	< 0.1
JVR93-181	205	274	3	0.17	3	280	16	< 2	3	102	0.07	< 10	< 10	24	< 10	86	7	0.2
JVR93-182	205	274	3	0.17	3	220	6	< 2	2	83	0.04	< 10	< 10	17	< 10	108	4	< 0.1
JVR93-183	205	274	12	0.24	4	290	22	< 2	2	162	0.05	< 10	< 10	19	10	210	55	1.0
JVR93-184	205	274	3	0.13	4	290	< 2	< 2	2	90	0.04	< 10	< 10	19	130	150	270	< 0.1
JVR93-185	205	274	3	0.15	3	240	2	< 2	2	104	0.04	< 10	< 10	18	< 10	82	4	< 0.1
JVR93-186	205	274	4	0.15	2	440	6	< 2	3	95	0.07	< 10	< 10	31	< 10	46	4	< 0.1
JVR93-187	205	274	6	0.14	1	420	8	< 2	4	78	0.09	< 10	< 10	31	< 10	46	3	< 0.1
JVR93-188	205	274	3	0.17	3	290	6	< 2	3	68	0.07	< 10	< 10	26	< 10	58	4	< 0.1
JVR93-189	205	274	2	0.15	2	120	12	< 2	1	55	0.02	< 10	< 10	8	< 10	50	2	< 0.1
JVR93-190	205	274	1	0.12	2	150	12	2	1	41	0.02	< 10	< 10	10	< 10	66	3	< 0.1
JVR93-191	205	274	2	0.10	1	90	14	< 2	1	71	< 0.01	< 10	< 10	4	< 10	54	3	< 0.1
JVR93-192	205	274	1	0.14	1	110	12	< 2	< 1	77	< 0.01	< 10	< 10	4	< 10	36	< 2	< 0.1
JVR93-193	205	274	1	0.14	2	130	16	< 2	1	56	0.01	< 10	< 10	6	< 10	38	3	< 0.1
JVR93-194	205	274	2	0.10	2	240	8	< 2	1	53	0.04	< 10	< 10	14	< 10	50	2	< 0.1
JVR93-195	205	274	2	0.13	3	370	4	< 2	3	78	0.08	< 10	< 10	28	< 10	52	2	< 0.1
JVR93-196	205	274	2	0.10	3	250	10	< 2	2	49	0.05	< 10	< 10	17	< 10	40	3	< 0.1
JVR93-197	205	274	5	0.12	4	430	6	< 2	3	59	0.09	< 10	< 10	29	< 10	48	2	< 0.1
JVR93-198	205	274	2	0.11	1	290	< 2	< 2	2	61	0.06	< 10	< 10	19	< 10	46	2	< 0.1
JVR93-199	205	274	1	0.10	2	250	6	< 2	2	59	0.06	< 10	< 10	20	< 10	46	2	< 0.1
JVR93-200	205	274	3	0.09	2	500	8	< 2	3	45	0.08	< 10	< 10	26	< 10	94	2	< 0.1
JVR93-201	205	274	4	0.15	3	430	< 2	< 2	3	88	0.09	< 10	< 10	30	< 10	56	2	< 0.1
JVR93-202	205	274	5	0.12	3	520	< 2	< 2	3	68	0.09	< 10	< 10	32	< 10	56	2	< 0.1
JVR93-203	205	274	5	0.10	3	620	12	< 2	4	57	0.10	< 10	< 10	35	< 10	74	2	< 0.1
JVR93-204	205	274	7	0.11	2	600	2	< 2	3	65	0.11	< 10	< 10	32	< 10	24	2	< 0.1
JVR93-205	205	274	2	0.14	5	550	6	< 2	3	74	0.11	< 10	< 10	32	< 10	48	2	< 0.1
JVR93-206	205	274	6	0.13	5	570	8	< 2	4	61	0.13	< 10	< 10	38	< 10	70	2	< 0.1
JVR93-207	205	274	3	0.14	2	430	10	< 2	2	46	0.10	< 10	< 10	26	< 10	42	< 2	< 0.1
JVR93-208	205	274	1	0.14	1	150	8	< 2	2	53	0.06	< 10	< 10	13	< 10	30	< 2	< 0.1
JVR93-209	205	274	2	0.14	2	260	14	< 2	3	62	0.08	< 10	< 10	24	< 10	54	< 2	< 0.1
JVR93-210	205	274	1	0.13	3	170	18	< 2	2	90	0.06	< 10	< 10	16	< 10	44	< 2	< 0.1
JVR93-211	205	274	1	0.14	3	160	8	< 2	2	61	0.06	< 10	< 10	16	< 10	48	2	< 0.1
JVR93-212	205	274	1	0.16	3	160	10	< 2	1	83	0.05	< 10	< 10	17	< 10	44	2	< 0.1
JVR93-213	205	274	1	0.13	3	180	16	< 2	2	67	0.06	< 10	< 10	21	< 10	36	2	< 0.1
JVR93-214	205	274	1	0.09	2	100	12	< 2	1	51	0.03	< 10	< 10	11	< 10	28	2	< 0.1

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :2-A
 Total Pages :3
 Certificate Date: 01-DEC-93
 Invoice No.: I9325075
 P.O. Number :
 Account : LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325075

SAMPLE	PREP CODE	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
		FA+AA																		
JVR93-215	205 274	< 5	< 0.2	1.19	4	80	< 0.5	4	0.67	0.5	2	88	74	0.89	< 10	< 1	0.08	< 10	0.20	220
JVR93-216	205 274	< 5	< 0.2	0.98	< 2	70	< 0.5	4	0.55	0.5	3	88	57	0.81	< 10	< 1	0.08	< 10	0.15	190
JVR93-217	205 274	< 5	< 0.2	0.90	6	50	< 0.5	< 2	0.60	0.5	2	131	47	1.02	< 10	< 1	0.04	< 10	0.23	280
JVR93-218	205 274	< 5	< 0.2	0.80	< 2	90	< 0.5	2	0.41	1.0	1	136	92	1.03	< 10	< 1	0.09	< 10	0.23	310
JVR93-219	205 274	< 5	0.6	1.14	< 2	240	< 0.5	6	0.97	4.0	10	56	153	2.13	< 10	< 1	0.20	30	0.75	415
JVR93-220	205 274	< 5	0.2	1.10	< 2	100	< 0.5	< 2	0.80	2.0	5	88	96	1.49	< 10	< 1	0.12	10	0.36	270
JVR93-221	205 274	< 5	8.4	2.20	< 2	200	< 0.5	32	2.11	27.5	27	35	2350	3.98	< 10	< 1	0.29	40	2.15	555
JVR93-222	205 274	< 5	1.2	0.96	< 2	150	< 0.5	< 2	1.18	7.0	8	106	273	1.62	< 10	< 1	0.13	20	0.56	625
JVR93-223	205 274	< 5	0.6	1.01	6	120	< 0.5	4	0.60	6.5	4	118	141	1.76	< 10	< 1	0.22	20	0.43	580
JVR93-224	205 274	< 5	0.4	1.09	< 2	100	< 0.5	< 2	0.50	5.5	3	121	121	1.59	< 10	< 1	0.16	10	0.30	530
JVR93-225	205 274	< 5	< 0.2	1.13	8	70	< 0.5	2	0.59	2.5	1	83	56	0.91	< 10	< 1	0.12	< 10	0.21	310
JVR93-226	205 274	10	1.2	0.75	4	90	< 0.5	18	0.46	1.5	2	122	64	0.99	< 10	< 1	0.15	10	0.20	300
JVR93-227	205 274	< 5	< 0.2	0.60	2	80	< 0.5	< 2	0.40	< 0.5	1	106	51	1.04	< 10	< 1	0.14	10	0.20	280
JVR93-228	205 274	< 5	< 0.2	0.76	< 2	70	< 0.5	< 2	0.35	0.5	1	134	47	1.46	< 10	< 1	0.09	10	0.29	320
JVR93-250	205 274	< 5	< 0.2	0.63	6	80	< 0.5	2	0.34	< 0.5	1	103	90	1.38	< 10	< 1	0.06	10	0.22	250
JVR93-251	205 274	< 5	0.2	0.98	6	80	< 0.5	< 2	0.46	< 0.5	2	135	159	1.51	< 10	< 1	0.07	< 10	0.30	270
JVR93-252	205 274	< 5	1.0	0.77	2	80	< 0.5	26	0.37	0.5	2	119	116	1.46	< 10	< 1	0.08	10	0.30	285
JVR93-253	205 274	< 5	0.6	0.82	2	60	< 0.5	20	0.45	4.0	2	140	100	1.58	< 10	< 1	0.07	10	0.27	360
JVR93-254	205 274	< 5	1.0	0.70	< 2	60	< 0.5	28	0.34	2.5	2	103	153	1.27	< 10	< 1	0.06	10	0.20	305
JVR93-255	205 274	< 5	< 0.2	0.77	2	100	< 0.5	2	0.38	< 0.5	1	158	69	1.42	< 10	< 1	0.11	10	0.23	260
JVR93-256	205 274	< 5	0.4	1.12	< 2	100	< 0.5	4	0.53	< 0.5	2	158	138	1.91	< 10	< 1	0.13	10	0.37	290
JVR93-257	205 274	< 5	< 0.2	0.80	< 2	90	< 0.5	4	0.22	< 0.5	2	141	42	1.17	< 10	< 1	0.11	< 10	0.28	285
JVR93-258	205 274	< 5	0.2	0.92	< 2	120	< 0.5	6	0.31	0.5	2	190	105	1.46	< 10	< 1	0.15	10	0.27	315
JVR93-259	205 274	< 5	0.2	1.26	6	110	< 0.5	4	0.59	< 0.5	1	138	182	1.63	< 10	< 1	0.14	< 10	0.24	210
JVR93-260	205 274	20	1.6	1.15	< 2	130	< 0.5	30	0.51	1.0	1	138	226	1.43	< 10	< 1	0.17	10	0.28	280
JVR93-261	205 274	< 5	< 0.2	0.81	< 2	90	< 0.5	< 2	0.26	0.5	2	137	39	1.08	< 10	< 1	0.11	< 10	0.25	335
JVR93-262	205 274	< 5	< 0.2	0.79	2	50	< 0.5	2	0.31	0.5	< 1	129	58	0.74	< 10	< 1	0.09	< 10	0.12	225
JVR93-263	205 274	< 5	< 0.2	1.33	< 2	90	< 0.5	2	0.67	0.5	2	123	44	1.13	< 10	< 1	0.11	10	0.25	280
JVR93-264	205 274	< 5	< 0.2	0.74	< 2	30	< 0.5	2	0.34	< 0.5	1	153	24	0.62	< 10	< 1	0.06	< 10	0.14	180
JVR93-265	205 274	< 5	< 0.2	1.16	< 2	60	< 0.5	4	0.58	0.5	2	144	29	1.00	< 10	< 1	0.04	< 10	0.20	420
JVR93-266	205 274	< 5	< 0.2	1.31	< 2	80	< 0.5	< 2	0.81	1.0	2	144	63	1.43	< 10	< 1	0.05	10	0.25	440
JVR93-267	205 274	< 5	< 0.2	1.98	18	60	< 0.5	< 2	2.01	0.5	1	152	62	1.89	< 10	< 1	0.03	10	0.23	580
JVR93-268	205 274	< 5	< 0.2	1.14	36	150	< 0.5	< 2	0.67	< 0.5	2	139	77	1.23	< 10	< 1	0.18	10	0.28	380
JVR93-269	205 274	< 5	< 0.2	1.26	< 2	140	< 0.5	2	0.61	0.5	2	135	47	1.34	< 10	< 1	0.16	10	0.27	385
JVR93-270	205 274	< 5	< 0.2	1.01	< 2	120	< 0.5	12	0.51	0.5	2	144	116	1.50	< 10	< 1	0.14	10	0.29	255
JVR93-271	205 274	< 5	< 0.2	0.91	< 2	70	< 0.5	< 2	0.51	0.5	3	139	78	1.55	< 10	< 1	0.07	10	0.28	220
JVR93-272	205 274	< 5	0.4	1.26	< 2	120	< 0.5	< 2	0.77	3.0	3	91	339	2.11	< 10	< 1	0.14	10	0.32	255
JVR93-273	205 274	< 5	0.2	1.36	< 2	90	< 0.5	2	0.93	1.0	2	128	117	1.53	< 10	< 1	0.09	10	0.27	360
JVR93-274	205 274	< 5	< 0.2	1.00	< 2	80	< 0.5	< 2	0.63	0.5	2	128	67	1.40	< 10	< 1	0.07	10	0.26	310
JVR93-275	205 274	< 5	< 0.2	1.26	< 2	90	< 0.5	2	0.75	0.5	2	131	94	1.44	< 10	< 1	0.09	10	0.25	250

CERTIFICATION: *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5


Page Number : 2-B
 Total Pages : 3
 Certificate Date: 01-DEC-93
 Invoice No. : I9325075
 P.O. Number :
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS A9325075

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
JVR93-215	205 274	2	0.04	3	250	18	< 2	1	78	0.04	< 10	< 10	17	< 10	54	2	< 0.1
JVR93-216	205 274	1	0.05	2	210	12	< 2	1	69	0.03	< 10	< 10	13	< 10	40	2	< 0.1
JVR93-217	205 274	2	0.07	2	220	10	< 2	1	93	0.04	< 10	< 10	17	< 10	40	11	< 0.1
JVR93-218	205 274	1	0.11	3	220	8	< 2	2	72	0.06	< 10	< 10	19	< 10	50	2	< 0.1
JVR93-219	205 274	5	0.06	8	2100	46	< 2	4	181	0.10	< 10	< 10	61	< 10	100	3	< 0.1
JVR93-220	205 274	4	0.08	4	700	24	< 2	4	122	0.09	< 10	< 10	37	< 10	66	3	< 0.1
JVR93-221	205 274	< 1	0.08	38	3490	76	< 2	3	596	0.13	< 10	< 10	98	< 10	852	4	0.3
JVR93-222	205 274	2	0.06	11	2170	30	< 2	2	245	0.10	< 10	< 10	43	70	188	120	0.1
JVR93-223	205 274	8	0.06	7	680	30	< 2	4	54	0.07	< 10	< 10	34	< 10	224	9	< 0.1
JVR93-224	205 274	4	0.06	3	430	22	< 2	3	55	0.06	< 10	< 10	30	< 10	158	14	< 0.1
JVR93-225	205 274	1	0.04	2	250	16	< 2	2	71	0.03	< 10	< 10	18	< 10	82	8	< 0.1
JVR93-226	205 274	22	0.06	1	260	64	< 2	2	55	0.03	< 10	< 10	18	< 10	52	5	0.7
JVR93-227	205 274	2	0.04	2	280	12	< 2	2	37	0.02	< 10	< 10	18	< 10	50	2	< 0.1
JVR93-228	205 274	3	0.07	2	410	16	< 2	3	47	0.06	< 10	< 10	27	< 10	52	3	< 0.1
JVR93-250	205 274	9	0.05	2	410	2	< 2	2	34	0.04	< 10	< 10	21	< 10	44	2	< 0.1
JVR93-251	205 274	5	0.09	1	340	20	< 2	2	50	0.04	< 10	< 10	28	< 10	36	4	< 0.1
JVR93-252	205 274	8	0.05	1	430	26	< 2	3	97	0.05	< 10	< 10	37	< 10	52	3	0.5
JVR93-253	205 274	4	0.07	2	430	36	< 2	3	53	0.06	< 10	< 10	32	< 10	152	2	0.4
JVR93-254	205 274	6	0.07	2	290	42	< 2	2	33	0.04	< 10	< 10	20	< 10	124	3	0.6
JVR93-255	205 274	3	0.10	1	360	14	< 2	3	49	0.07	< 10	< 10	23	< 10	36	2	< 0.1
JVR93-256	205 274	8	0.11	3	500	10	< 2	3	62	0.11	< 10	< 10	31	< 10	36	2	0.1
JVR93-257	205 274	1	0.10	2	240	8	< 2	2	45	0.03	< 10	< 10	20	< 10	46	< 2	0.1
JVR93-258	205 274	4	0.11	2	290	16	< 2	3	64	0.04	< 10	< 10	24	< 10	52	< 2	0.2
JVR93-259	205 274	8	0.10	2	250	20	< 2	2	84	0.03	< 10	< 10	26	< 10	32	2	0.2
JVR93-260	205 274	4	0.13	2	280	118	< 2	2	66	0.06	< 10	< 10	26	< 10	166	47	1.8
JVR93-261	205 274	1	0.10	3	270	10	< 2	2	45	0.04	< 10	< 10	20	< 10	44	3	0.1
JVR93-262	205 274	2	0.17	2	140	8	< 2	1	57	0.03	< 10	< 10	10	< 10	36	3	< 0.1
JVR93-263	205 274	3	0.10	2	290	10	< 2	2	79	0.05	< 10	< 10	21	< 10	64	4	< 0.1
JVR93-264	205 274	< 1	0.16	2	280	6	< 2	2	49	0.04	< 10	< 10	13	< 10	20	2	0.1
JVR93-265	205 274	1	0.15	2	180	8	< 2	2	76	0.04	< 10	< 10	17	< 10	42	3	< 0.1
JVR93-266	205 274	1	0.16	2	340	4	< 2	3	104	0.07	< 10	< 10	27	< 10	56	4	< 0.1
JVR93-267	205 274	1	0.11	2	390	2	< 2	2	236	0.07	< 10	< 10	36	< 10	46	5	< 0.1
JVR93-268	205 274	2	0.12	2	400	14	< 2	3	50	0.08	< 10	< 10	26	< 10	40	3	< 0.1
JVR93-269	205 274	2	0.13	2	300	10	< 2	3	72	0.08	< 10	< 10	26	< 10	56	3	< 0.1
JVR93-270	205 274	8	0.13	2	430	8	< 2	4	66	0.10	< 10	< 10	30	10	48	42	1.1
JVR93-271	205 274	6	0.13	2	510	4	< 2	3	62	0.09	< 10	< 10	29	< 10	38	3	< 0.1
JVR93-272	205 274	22	0.11	3	590	14	< 2	2	69	0.08	< 10	< 10	29	< 10	76	20	0.1
JVR93-273	205 274	3	0.12	4	470	10	< 2	3	95	0.08	< 10	< 10	28	20	68	70	0.1
JVR93-274	205 274	4	0.12	2	520	8	< 2	3	84	0.09	< 10	< 10	26	< 10	40	19	< 0.1
JVR93-275	205 274	8	0.14	2	400	4	< 2	2	75	0.09	< 10	< 10	26	< 10	44	11	< 0.1

CERTIFICATION: Hart Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5


Page Number :3-A
 Total Pages :3
 Certificate Date: 01-DEC-93
 Invoice No.: I9325075
 P.O. Number :
 Account : LIH

Project: 29
 Comments:

CERTIFICATE OF ANALYSIS A9325075

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JVR93-276	205 274	< 5 < 0.2	0.87	8	70 < 0.5	4	0.43 < 0.5	2	139	35	1.16 < 10	< 1	0.06	10	0.23	215				
JVR93-277	205 274	< 5 < 0.2	0.95	< 2	120 < 0.5	4	0.36 < 0.5	2	154	51	1.59 < 10	< 1	0.15	10	0.30	220				
JVR93-278	205 274	< 5 < 0.2	0.65	4	90 < 0.5	< 2	0.34 < 0.5	1	141	42	1.19 < 10	< 1	0.13	< 10	0.22	195				
JVR93-279	205 274	< 5 < 0.2	0.83	4	110 < 0.5	2	0.39 < 0.5	2	152	25	1.27 < 10	< 1	0.11	< 10	0.28	215				
JVR93-280	205 274	< 5 < 0.2	0.92	2	110 < 0.5	< 2	0.46 < 0.5	1	164	36	1.27 < 10	< 1	0.14	< 10	0.25	190				
JVR93-281	205 274	< 5 < 0.2	1.08	8	110 < 0.5	< 2	0.55 < 0.5	1	153	50	1.36 < 10	< 1	0.17	< 10	0.28	210				
JVR93-282	205 274	< 5 < 0.2	1.60	12	60 < 0.5	< 2	0.72 1.5	4	179	270	1.87 < 10	< 1	0.07	< 10	0.23	190				
JVR93-283	205 274	< 5 < 0.2	0.97	2	90 < 0.5	< 2	0.43 < 0.5	< 1	188	59	1.10 < 10	< 1	0.10	< 10	0.20	145				
JVR93-284	205 274	< 5 < 0.2	1.14	6	120 < 0.5	< 2	0.44 < 0.5	1	173	56	1.19 < 10	< 1	0.19	< 10	0.26	180				
JVR93-285	205 274	< 5 < 0.2	0.91	< 2	110 < 0.5	< 2	0.30 < 0.5	1	159	30	1.03 < 10	< 1	0.16	< 10	0.26	235				
JVR93-286	205 274	< 5 < 0.2	0.98	6	110 < 0.5	< 2	0.34 < 0.5	2	180	44	1.25 < 10	< 1	0.17	< 10	0.31	240				
JVR93-287	205 274	< 5 < 0.2	1.19	< 2	110 < 0.5	< 2	0.46 < 0.5	1	143	37	1.30 < 10	< 1	0.16	10	0.33	275				
JVR93-288	205 274	< 5 < 0.2	0.76	2	100 < 0.5	< 2	0.26 < 0.5	< 1	135	22	0.91 < 10	< 1	0.15	< 10	0.19	165				
JVR93-289	205 274	< 5 < 0.2	0.93	8	90 < 0.5	< 2	0.50 < 0.5	1	150	46	1.12 < 10	< 1	0.13	< 10	0.18	160				
JVR93-290	205 274	< 5 < 0.2	1.95	16	50 < 0.5	< 2	1.14 < 0.5	4	117	82	1.25 < 10	< 1	0.08	10	0.18	185				
JVR93-291	205 274	< 5 < 0.2	1.19	26	110 < 0.5	< 2	0.29 < 0.5	6	110	52	1.76 < 10	< 1	0.13	< 10	0.56	455				
JVR93-292	205 274	< 5 < 0.2	1.61	40	130 < 0.5	< 2	0.46 < 0.5	7	186	75	2.40 < 10	< 1	0.13	< 10	0.79	560				
JVR93-293	205 274	< 5 < 0.2	0.96	12	110 < 0.5	< 2	0.22 < 0.5	3	177	28	1.33 < 10	< 1	0.15	< 10	0.42	335				
JVR93-294	205 274	< 5 < 0.2	1.05	4	150 < 0.5	< 2	0.23 < 0.5	1	119	10	1.30 < 10	< 1	0.19	< 10	0.42	320				
JVR93-295	205 274	< 5 < 0.2	1.19	2	130 < 0.5	< 2	0.37 < 0.5	2	147	41	1.51 < 10	< 1	0.16	< 10	0.44	300				
JVR93-296	205 274	< 5 < 0.2	0.83	8	120 < 0.5	6	0.21 < 0.5	1	147	25	0.99 < 10	< 1	0.15	< 10	0.28	205				
JVR93-297	205 274	< 5 < 0.2	1.44	2	220 < 0.5	< 2	0.34 < 0.5	6	274	27	2.36 < 10	< 1	0.22	10	0.85	385				
JVR93-298	205 274	< 5 < 0.2	0.59	4	90 < 0.5	< 2	0.15 < 0.5	1	160	13	0.90 < 10	< 1	0.14	< 10	0.24	165				
JVR93-299	205 274	< 5 < 0.2	1.36	18	170 < 0.5	< 2	0.26 < 0.5	6	245	21	1.82 < 10	< 1	0.18	10	0.70	350				
JVR93-300	205 274	< 5 < 0.2	1.09	14	160 < 0.5	2	0.32 < 0.5	5	101	41	1.51 < 10	< 1	0.17	10	0.43	345				
JVR93-301	205 274	15 < 0.2	1.02	20	180 < 0.5	20	0.18 1.0	2	102	45	1.46 < 10	< 1	0.18	< 10	0.44	305				
JVR93-302	205 274	< 5 < 0.2	0.66	4	150 < 0.5	2	0.12 < 0.5	1	95	28	0.87 < 10	< 1	0.18	< 10	0.22	140				
JVR93-303	205 274	< 5 < 0.2	0.89	8	140 < 0.5	< 2	0.15 < 0.5	3	124	28	1.31 < 10	< 1	0.16	< 10	0.40	245				
JVR93-304	205 274	25 < 0.2	1.28	20	280 < 0.5	6	0.53 < 0.5	7	213	63	2.09 < 10	< 1	0.20	< 10	0.52	335				
JVR93-305	205 274	< 5 < 0.2	0.79	8	90 < 0.5	< 2	0.19 < 0.5	< 1	113	13	0.91 < 10	< 1	0.19	< 10	0.24	225				
JVR93-306	205 274	< 5 < 0.2	0.81	10	110 < 0.5	< 2	0.21 0.5	2	117	13	0.90 < 10	< 1	0.24	< 10	0.25	225				
JVR93-307	205 274	< 5 < 0.2	1.08	16	80 < 0.5	< 2	0.17 1.0	4	161	23	1.32 < 10	< 1	0.21	< 10	0.34	245				
JVR93-308	205 274	< 5 < 0.2	1.30	26	140 < 0.5	< 2	0.28 4.0	3	184	32	1.63 < 10	< 1	0.26	10	0.44	390				
JVR93-309	205 274	< 5 < 0.2	1.22	30	80 < 0.5	< 2	0.33 3.0	2	189	30	1.29 < 10	< 1	0.29	10	0.28	305				
JVR93-310	205 274	< 5 < 0.2	1.50	72	130 < 0.5	< 2	0.58 3.0	4	161	50	2.17 < 10	< 1	0.25	10	0.47	375				
JVR93-311	205 274	< 5 < 0.2	0.99	26	120 < 0.5	< 2	0.46 1.0	1	126	32	0.95 < 10	< 1	0.20	< 10	0.25	385				
JVR93-312	205 274	45 < 0.2	1.78	702	140 < 0.5	< 2	0.32 3.0	6	97	53	2.51 < 10	< 1	0.28	20	0.64	305				
JVR93-313	205 274	5 < 0.2	2.27	112	180 < 0.5	< 2	0.66 3.5	15	57	58	3.91 < 10	< 1	0.33	20	0.75	790				

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :3-B
 Total Pages :3
 Certificate Date: 01-DEC-93
 Invoice No. :I9325075
 P.O. Number :
 Account :LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325075

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
JVR93-276	205 274	3	0.14	3	290	2	< 2	2	69	0.07	< 10	< 10	20	< 10	28	< 2	< 0.1
JVR93-277	205 274	8	0.14	3	340	6	< 2	3	54	0.09	< 10	< 10	29	< 10	32	< 2	< 0.1
JVR93-278	205 274	6	0.11	2	310	6	< 2	2	41	0.07	< 10	< 10	21	< 10	26	< 2	< 0.1
JVR93-279	205 274	3	0.15	4	320	2	< 2	2	50	0.09	< 10	< 10	25	< 10	34	< 2	< 0.1
JVR93-280	205 274	4	0.15	3	380	6	< 2	2	61	0.08	< 10	< 10	24	< 10	26	4	0.1
JVR93-281	205 274	6	0.17	2	460	4	< 2	2	67	0.09	< 10	< 10	27	< 10	26	3	0.1
JVR93-282	205 274	7	0.20	6	140	6	< 2	1	121	0.04	< 10	< 10	25	10	106	9	0.1
JVR93-283	205 274	6	0.20	4	310	6	< 2	2	75	0.08	< 10	< 10	23	< 10	32	2	0.1
JVR93-284	205 274	3	0.16	5	310	6	< 2	2	73	0.08	< 10	< 10	22	< 10	30	2	0.1
JVR93-285	205 274	2	0.14	4	170	6	< 2	2	59	0.07	< 10	< 10	21	< 10	42	< 2	0.1
JVR93-286	205 274	4	0.12	6	190	12	< 2	2	54	0.08	< 10	< 10	25	< 10	40	7	0.1
JVR93-287	205 274	3	0.14	6	290	8	< 2	2	65	0.08	< 10	< 10	26	< 10	52	3	< 0.1
JVR93-288	205 274	2	0.11	2	150	8	< 2	1	42	0.05	< 10	< 10	16	< 10	26	2	< 0.1
JVR93-289	205 274	10	0.13	3	310	10	< 2	1	58	0.07	< 10	< 10	19	< 10	30	2	0.1
JVR93-290	205 274	8	0.22	6	340	8	< 2	2	131	0.06	< 10	< 10	18	< 10	68	3	0.2
JVR93-291	205 274	1	0.12	10	320	14	< 2	4	31	0.07	< 10	< 10	60	< 10	50	3	< 0.1
JVR93-292	205 274	4	0.11	17	550	16	< 2	8	42	0.11	< 10	< 10	91	< 10	64	7	< 0.1
JVR93-293	205 274	2	0.08	8	360	8	< 2	2	27	0.05	< 10	< 10	33	< 10	34	4	0.2
JVR93-294	205 274	< 1	0.11	4	260	12	< 2	3	41	0.06	< 10	< 10	24	< 10	42	< 2	0.3
JVR93-295	205 274	1	0.12	5	330	8	< 2	3	46	0.08	< 10	< 10	33	< 10	54	3	0.2
JVR93-296	205 274	1	0.11	5	280	8	< 2	2	33	0.05	< 10	< 10	20	< 10	48	< 2	0.1
JVR93-297	205 274	2	0.11	22	350	12	< 2	8	40	0.19	< 10	< 10	88	< 10	48	3	< 0.1
JVR93-298	205 274	< 1	0.10	4	150	8	< 2	2	28	0.06	< 10	< 10	20	< 10	20	3	< 0.1
JVR93-299	205 274	2	0.10	25	330	12	< 2	3	32	0.04	< 10	< 10	52	< 10	62	4	< 0.1
JVR93-300	205 274	3	0.09	8	620	16	< 2	3	30	0.03	< 10	< 10	43	< 10	66	3	< 0.1
JVR93-301	205 274	2	0.06	8	350	18	< 2	2	22	< 0.01	< 10	< 10	28	< 10	102	4	0.1
JVR93-302	205 274	2	0.07	4	230	26	< 2	1	20	< 0.01	< 10	< 10	18	< 10	54	< 2	0.4
JVR93-303	205 274	3	0.06	10	350	26	< 2	2	18	< 0.01	< 10	< 10	42	< 10	70	< 2	< 0.1
JVR93-304	205 274	11	0.02	38	1290	6	< 2	3	27	0.02	< 10	< 10	237	< 10	66	7	1.5
JVR93-305	205 274	1	0.06	7	240	14	< 2	1	16	< 0.01	< 10	< 10	10	< 10	40	< 2	< 0.1
JVR93-306	205 274	1	0.07	6	190	12	< 2	1	18	< 0.01	< 10	< 10	11	< 10	60	2	< 0.1
JVR93-307	205 274	3	0.04	13	280	12	< 2	1	12	< 0.01	< 10	< 10	17	< 10	108	2	0.1
JVR93-308	205 274	4	0.03	20	460	24	< 2	2	16	< 0.01	< 10	< 10	32	< 10	184	3	< 0.1
JVR93-309	205 274	2	0.06	17	310	36	< 2	1	21	< 0.01	< 10	< 10	15	< 10	292	5	< 0.1
JVR93-310	205 274	3 < 0.01	20	330	34	2	2	31	< 0.01	< 10	< 10	21	< 10	234	9	< 0.1	
JVR93-311	205 274	1	0.03	13	120	24	< 2	1	26	< 0.01	< 10	< 10	4	< 10	60	2	< 0.1
JVR93-312	205 274	3 < 0.01	20	410	24	2	3	17	< 0.01	< 10	< 10	20	< 10	84	9	< 0.1	
JVR93-313	205 274	5 < 0.01	7	1090	14	< 2	9	29	< 0.01	< 10	< 10	60	< 10	142	42	< 0.1	

CERTIFICATION: *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

A9325074

Comments:

CERTIFICATE

A9325074

ADDA MINERALS COMPANY LTD.

Project: 29
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 1-DEC-93.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	200	Geochem ring to approx 150 mesh
274	200	0-15 lb crush and split
229	200	ICP - AQ Digestion charge

* NOTE: 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	200	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	200	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	200	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	200	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	200	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	200	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	200	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	200	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	200	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	200	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	200	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	200	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	200	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	200	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	200	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	200	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	200	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	200	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	200	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	200	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	200	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	200	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	200	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	200	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	200	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	200	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	200	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	200	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	200	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	200	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	200	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	200	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	200	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000
18	200	W ppm: K pyrosulfate fusion	COLORIMETRIC	2	1000
54	200	Te ppm: HBr-Br ₂ digest, extract	AAS-BKGD CORR	0.1	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5


Page Number : 1-A
 Total Pages : 5
 Certificate Date: 01-DEC-93
 Invoice No. : 19325074
 P.O Number :
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS A9325074

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
ADR93-040	205 274	< 5 < 0.2	1.21	4	70 < 0.5	< 2	1.32	< 0.5	1	226	4	0.35	< 10	< 1	0.47	< 10	0.07	95		
ADR93-041	205 274	< 5 2.8	0.94	4	80 < 0.5	38	0.42	7.0	4	104	37	1.67	< 10	< 1	0.12	< 10	0.45	300		
ADR93-042	205 274	25 0.8	0.78	4	110 < 0.5	18	0.29	< 0.5	3	133	76	1.28	< 10	< 1	0.13	< 10	0.28	280		
ADR93-043	205 274	< 5 0.2	0.84	< 2	100 < 0.5	2	0.50	< 0.5	3	119	79	1.49	< 10	< 1	0.15	< 10	0.25	265		
ADR93-044	205 274	10 1.2	0.97	< 2	110 < 0.5	20	0.53	3.0	3	101	127	1.38	< 10	< 1	0.18	< 10	0.23	265		
ADR93-045	205 274	< 5 < 0.2	1.34	16	70 < 0.5	2	0.91	1.0	5	72	29	1.79	< 10	< 1	0.25	< 10	0.60	445		
ADR93-046	205 274	< 5 < 0.2	0.52	< 2	90 < 0.5	10	0.19	0.5	1	120	68	0.81	< 10	< 1	0.14	< 10	0.15	115		
ADR93-047	205 274	< 5 < 0.2	0.72	4	40 < 0.5	< 2	0.21	< 0.5	3	91	14	0.80	< 10	< 1	0.10	< 10	0.34	200		
ADR93-048	205 274	< 5 < 0.2	0.94	2	90 < 0.5	< 2	0.30	< 0.5	3	138	14	1.11	< 10	< 1	0.14	< 10	0.42	240		
ADR93-049	205 274	< 5 < 0.2	1.41	< 2	80 < 0.5	2	0.59	1.0	8	204	43	1.85	< 10	< 1	0.10	< 10	0.63	320		
ADR93-050	205 274	< 5 < 0.2	0.95	< 2	70 < 0.5	2	0.36	0.5	3	106	28	1.59	< 10	< 1	0.13	< 10	0.33	295		
ADR93-051	205 274	< 5 < 0.2	0.97	< 2	90 < 0.5	< 2	0.42	0.5	2	101	27	1.65	< 10	< 1	0.17	< 10	0.35	350		
ADR93-052	205 274	< 5 < 0.2	0.88	2	60 < 0.5	2	0.35	1.0	4	102	43	1.46	< 10	< 1	0.13	< 10	0.31	275		
ADR93-053	205 274	< 5 < 0.2	0.83	2	60 < 0.5	< 2	0.38	< 0.5	2	102	13	1.16	< 10	< 1	0.15	< 10	0.26	275		
ADR93-054	205 274	< 5 < 0.2	0.77	< 2	60 < 0.5	< 2	0.32	< 0.5	2	106	22	1.17	< 10	< 1	0.17	< 10	0.23	255		
BSR93-001	205 274	< 5 1.8	2.42	< 2	30 < 0.5	8	0.68	2.0	13	132	787	8.07	10	< 1	0.13	< 10	0.85	505		
BSR93-002	205 274	< 5 < 0.2	0.75	18	150 < 0.5	2	1.11	< 0.5	2	114	70	1.04	< 10	< 1	0.24	< 10	0.23	245		
BSR93-005	205 274	10 3.6	0.84	2	220 < 0.5	8	0.34	4.0	5	89	807	1.88	< 10	< 1	0.16	< 10	0.43	305		
BSR93-006	205 274	< 5 3.2	0.68	2	150 < 0.5	30	0.30	0.5	2	132	462	0.86	< 10	< 1	0.18	< 10	0.17	155		
BSR93-008	205 274	10 0.6	0.85	8	200 < 0.5	6	0.64	3.0	5	86	334	1.48	< 10	< 1	0.16	< 10	0.39	225		
BSR93-009	205 274	< 5 0.2	0.70	2	160 < 0.5	8	0.25	1.0	3	94	87	1.29	< 10	< 1	0.14	< 10	0.30	195		
BSR93-010	205 274	10 1.4	0.67	4	150 < 0.5	14	0.32	3.5	3	96	302	1.37	< 10	< 1	0.14	< 10	0.27	270		
BSR93-011	205 274	< 5 0.4	0.50	2	120 < 0.5	10	0.21	0.5	2	84	111	0.98	< 10	< 1	0.13	< 10	0.19	185		
BSR93-013	205 274	< 5 < 0.2	1.55	< 2	80 < 0.5	< 2	0.83	4.0	11	56	26	2.41	< 10	< 1	0.14	< 10	0.88	385		
CFR93-001	205 274	< 5 < 0.2	0.47	4	70 < 0.5	2	0.35	2.0	2	95	24	0.72	< 10	< 1	0.18	< 10	0.14	235		
CFR93-002	205 274	< 5 6.4	0.50	12	120 < 0.5	292	0.02	0.5	1	79	40	0.51	< 10	< 1	0.32	< 10	0.01	95		
CFR93-003	205 274	< 5 0.6	0.57	< 2	200 < 0.5	12	1.20	0.5	1	97	121	0.38	< 10	< 1	0.32	< 10	0.05	95		
CFR93-004	205 274	< 5 0.2	0.52	4	160 < 0.5	6	0.28	0.5	1	106	30	0.38	< 10	< 1	0.28	< 10	0.03	80		
CFR93-005	205 274	< 5 5.0	0.61	6	170 < 0.5	24	0.53	1.0	1	111	39	0.43	< 10	< 1	0.38	< 10	0.03	85		
CFR93-006	205 274	< 5 0.2	0.79	6	220 0.5	< 2	0.39	0.5	1	147	55	0.48	< 10	< 1	0.46	< 10	0.06	125		
CFR93-007	205 274	< 5 0.4	0.68	40	170 < 0.5	2	0.66	0.5	1	118	91	0.49	< 10	< 1	0.41	< 10	0.04	120		
CFR93-008	205 274	10 0.2	0.70	10	180 < 0.5	2	0.49	0.5	1	113	76	0.53	< 10	< 1	0.37	< 10	0.08	110		
CFR93-009	205 274	< 5 0.2	0.65	4	180 < 0.5	4	0.28	0.5	1	110	75	0.53	< 10	< 1	0.34	< 10	0.09	110		
CFR93-010	205 274	< 5 0.6	0.92	24	220 0.5	22	0.42	0.5	1	138	110	0.64	< 10	< 1	0.52	< 10	0.07	110		
CFR93-011	205 274	50 0.4	3.15	534	140 0.5	< 2	1.84	< 0.5	8	89	137	1.96	10	< 1	0.27	< 10	0.53	385		
CFR93-012	205 274	65 0.4	3.04	60	150 0.5	38	1.86	3.5	7	121	197	2.10	10	< 1	0.23	< 10	0.54	330		
CFR93-013	205 274	< 5 0.2	1.34	2	140 < 0.5	2	0.64	1.0	4	93	82	1.40	< 10	< 1	0.18	< 10	0.43	355		
CFR93-014	205 274	< 5 0.2	0.82	10	100 < 0.5	< 2	0.34	0.5	4	100	64	1.36	< 10	< 1	0.17	< 10	0.35	245		
CFR93-015	205 274	< 5 0.2	1.19	< 2	160 < 0.5	4	0.58	0.5	6	118	101	2.04	< 10	< 1	0.14	< 10	0.54	335		
CFR93-016	205 274	< 5 < 0.2	1.17	6	150 < 0.5	2	0.45	0.5	6	124	52	2.28	< 10	< 1	0.20	< 10	0.58	395		

CERTIFICATION: *Hart Buehler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To. ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :1-B
 Total Pages :5
 Certificate Date: 01-DEC-93
 Invoice No. : I9325074
 P.O. Number :
 Account : LIH

Project: 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325074

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
ADR93-040	205 274	< 1	< 0.01	2	10	4	2	< 1	6	< 0.01	< 10	< 10	15	< 10	14	< 2	0.2
ADR93-041	205 274	< 1	0.07	5	420	38	< 2	3	31	0.11	< 10	< 10	32	< 10	224	< 2	0.2
ADR93-042	205 274	8	0.08	6	310	16	< 2	3	42	0.04	< 10	< 10	26	< 10	48	2	0.7
ADR93-043	205 274	7	0.11	3	430	6	< 2	3	55	0.08	< 10	< 10	51	< 10	40	< 2	< 0.1
ADR93-044	205 274	6	0.13	3	350	32	< 2	3	66	0.06	< 10	< 10	25	< 10	120	< 2	0.8
ADR93-045	205 274	< 1	0.04	5	530	8	< 2	2	30	< 0.01	< 10	< 10	32	< 10	72	< 2	< 0.1
ADR93-046	205 274	1	0.07	2	200	10	< 2	1	31	0.06	< 10	< 10	16	50	46	70	0.4
ADR93-047	205 274	< 1	0.08	22	70	8	< 2	1	31	0.02	< 10	< 10	10	< 10	34	< 2	0.1
ADR93-048	205 274	< 1	0.12	11	190	6	< 2	2	38	0.07	< 10	< 10	24	< 10	42	< 2	< 0.1
ADR93-049	205 274	< 1	0.09	38	340	8	< 2	5	56	0.12	< 10	< 10	75	< 10	116	< 2	< 0.1
ADR93-050	205 274	< 1	0.10	4	410	2	< 2	2	53	0.07	< 10	< 10	30	< 10	54	< 2	< 0.1
ADR93-051	205 274	< 1	0.10	2	500	8	< 2	3	56	0.08	< 10	< 10	32	< 10	62	< 2	0.1
ADR93-052	205 274	< 1	0.07	7	340	8	< 2	2	38	0.07	< 10	< 10	28	< 10	80	< 2	< 0.1
ADR93-053	205 274	< 1	0.09	3	340	4	< 2	3	47	0.05	< 10	< 10	21	< 10	44	< 2	< 0.1
ADR93-054	205 274	< 1	0.09	2	290	4	< 2	2	49	0.06	< 10	< 10	21	< 10	48	< 2	< 0.1
BSR93-001	205 274	< 1	0.10	37	520	6	< 2	5	57	0.12	< 10	< 10	83	110	466	130	< 0.1
BSR93-002	205 274	< 1	0.07	2	240	6	< 2	2	75	0.01	< 10	< 10	20	< 10	52	< 2	0.1
BSR93-005	205 274	3	0.07	6	530	12	< 2	4	40	0.08	< 10	< 10	47	< 10	168	3	0.1
BSR93-006	205 274	1	0.12	3	170	20	< 2	1	54	0.04	< 10	< 10	15	< 10	62	< 2	1.2
BSR93-008	205 274	3	0.08	6	390	6	< 2	2	53	0.02	< 10	< 10	21	< 10	106	6	< 0.1
BSR93-009	205 274	2	0.08	4	340	6	< 2	2	37	0.03	< 10	< 10	20	< 10	62	< 2	0.2
BSR93-010	205 274	3	0.07	2	360	12	< 2	3	39	0.03	< 10	< 10	27	< 10	122	3	0.2
BSR93-011	205 274	2	0.07	3	210	8	< 2	2	35	0.02	< 10	< 10	18	< 10	56	< 2	< 0.1
BSR93-013	205 274	< 1	0.10	6	800	14	< 2	4	40	0.16	< 10	< 10	74	< 10	138	< 2	< 0.1
CFR93-001	205 274	< 1	0.09	2	190	14	< 2	1	19	< 0.01	< 10	< 10	19	< 10	100	4	< 0.1
CFR93-002	205 274	1	0.05	1	20	152	2	< 1	11	< 0.01	< 10	< 10	2	< 10	32	2	3.0
CFR93-003	205 274	6	0.07	3	70	24	< 2	< 1	107	< 0.01	< 10	< 10	2	< 10	32	< 2	0.2
CFR93-004	205 274	2	0.09	1	20	20	< 2	< 1	41	< 0.01	< 10	< 10	1	< 10	42	< 2	0.2
CFR93-005	205 274	44	0.08	3	80	304	< 2	< 1	53	< 0.01	< 10	< 10	2	< 10	64	4	0.4
CFR93-006	205 274	2	0.10	3	120	14	< 2	< 1	42	< 0.01	< 10	< 10	4	< 10	34	3	< 0.1
CFR93-007	205 274	3	0.08	4	100	16	< 2	< 1	60	< 0.01	< 10	< 10	3	< 10	40	2	< 0.1
CFR93-008	205 274	2	0.08	2	80	18	< 2	< 1	51	< 0.01	< 10	< 10	4	< 10	42	2	< 0.1
CFR93-009	205 274	3	0.09	3	120	18	< 2	< 1	38	< 0.01	< 10	< 10	5	< 10	36	< 2	< 0.1
CFR93-010	205 274	10	0.11	3	130	26	< 2	< 1	51	< 0.01	< 10	< 10	5	< 10	52	8	0.5
CFR93-011	205 274	4	0.35	5	970	14	4	7	149	0.09	< 10	< 10	59	< 10	92	8	< 0.1
CFR93-012	205 274	2	0.39	11	710	24	4	7	167	0.09	< 10	< 10	56	80	156	180	0.9
CFR93-013	205 274	1	0.16	6	390	6	< 2	3	62	0.06	< 10	< 10	30	< 10	72	7	< 0.1
CFR93-014	205 274	1	0.10	4	420	6	< 2	3	40	0.08	< 10	< 10	32	< 10	52	3	< 0.1
CFR93-015	205 274	4	0.13	8	600	6	< 2	4	62	0.11	< 10	< 10	48	< 10	70	4	< 0.1
CFR93-016	205 274	6	0.10	8	590	14	2	3	40	0.13	< 10	< 10	54	< 10	80	2	< 0.1

CERTIFICATION: *Hanns Beckler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :2-A
 Total Pages :5
 Certificate Date: 01-DEC-93
 Invoice No. :19325074
 P.O. Number :
 Account :LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325074

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
CFR93-017	205 274	< 5	0.2	0.87	< 2	120	< 0.5	8	0.37	0.5	2	154	93	1.72	< 10	< 1	0.17	10	0.38	280
CFR93-018	205 274	< 5	0.2	1.35	2	140	< 0.5	6	0.50	1.0	6	151	156	2.57	< 10	< 1	0.16	10	0.76	440
CFR93-019	205 274	< 5	< 0.2	1.02	< 2	90	< 0.5	2	0.54	< 0.5	4	109	53	1.81	< 10	< 1	0.16	10	0.53	310
CFR93-020	205 274	< 5	< 0.2	0.67	< 2	90	< 0.5	18	0.24	0.5	2	134	41	1.05	< 10	< 1	0.13	< 10	0.25	190
CFR93-021	205 274	< 5	0.2	0.66	12	140	< 0.5	8	0.22	0.5	1	142	62	0.93	< 10	< 1	0.19	< 10	0.18	170
CFR93-022	205 274	< 5	< 0.2	0.98	2	140	< 0.5	4	0.40	1.0	1	180	91	1.76	< 10	< 1	0.17	10	0.38	315
CFR93-023	205 274	< 5	< 0.2	0.70	12	150	< 0.5	4	0.17	0.5	2	185	43	0.91	< 10	< 1	0.25	< 10	0.18	200
CFR93-024	205 274	< 5	0.2	0.64	2	120	< 0.5	2	0.20	0.5	1	156	78	1.04	< 10	< 1	0.19	< 10	0.18	165
CFR93-025	205 274	30	< 0.2	0.67	< 2	120	< 0.5	< 2	0.24	0.5	< 1	133	78	1.13	< 10	< 1	0.13	< 10	0.25	205
CFR93-027	205 274	10	0.2	0.77	4	120	< 0.5	4	0.41	1.0	3	123	84	1.51	< 10	< 1	0.12	10	0.27	250
CFR93-028	205 274	10	0.2	0.67	4	80	< 0.5	16	0.31	1.5	2	84	116	1.25	< 10	< 1	0.12	10	0.20	185
CFR93-029	205 274	< 5	< 0.2	0.91	< 2	90	< 0.5	4	0.40	0.5	1	102	97	1.26	< 10	< 1	0.13	10	0.28	210
CFR93-030	205 274	< 5	< 0.2	1.13	2	110	< 0.5	6	0.53	0.5	2	104	83	1.43	< 10	< 1	0.12	10	0.34	270
CFR93-031	205 274	< 5	0.2	0.85	4	130	< 0.5	6	0.31	0.5	2	109	127	1.47	< 10	< 1	0.16	10	0.28	260
CFR93-032	205 274	< 5	< 0.2	0.90	< 2	110	< 0.5	2	0.50	1.0	3	93	84	1.58	< 10	< 1	0.13	10	0.29	305
CFR93-033	205 274	70	< 0.2	0.78	6	140	< 0.5	8	0.31	< 0.5	2	145	44	1.15	< 10	< 1	0.15	< 10	0.25	210
CFR93-034	205 274	< 5	< 0.2	0.57	< 2	160	< 0.5	4	0.19	< 0.5	< 1	164	35	0.64	< 10	< 1	0.17	< 10	0.11	100
CFR93-035	205 274	< 5	< 0.2	0.56	< 2	140	< 0.5	8	0.24	< 0.5	1	146	35	0.79	< 10	< 1	0.15	< 10	0.13	145
CFR93-036	205 274	< 5	0.2	0.77	< 2	110	< 0.5	6	0.37	0.5	4	119	85	1.53	< 10	< 1	0.15	10	0.28	230
CFR93-037	205 274	15	< 0.2	0.89	6	100	< 0.5	18	0.48	< 0.5	2	136	73	1.50	< 10	< 1	0.13	10	0.25	285
CFR93-038	205 274	< 5	< 0.2	0.61	< 2	100	< 0.5	< 2	0.24	0.5	2	146	84	1.30	< 10	< 1	0.12	< 10	0.19	155
CFR93-039	205 274	< 5	< 0.2	0.69	< 2	90	< 0.5	6	0.35	0.5	1	135	83	1.42	< 10	< 1	0.12	10	0.24	225
CFR93-040	205 274	< 5	< 0.2	0.74	< 2	120	< 0.5	10	0.40	0.5	3	149	53	1.37	< 10	< 1	0.14	10	0.23	255
CFR93-041	205 274	< 5	< 0.2	0.60	2	80	< 0.5	6	0.23	0.5	1	109	60	1.06	< 10	< 1	0.12	< 10	0.21	220
CFR93-042	205 274	< 5	0.2	0.72	12	90	< 0.5	18	0.28	0.5	2	93	63	1.32	< 10	< 1	0.12	10	0.22	265
CFR93-043	205 274	10	< 0.2	0.84	< 2	120	< 0.5	8	0.42	1.0	2	114	53	1.42	< 10	< 1	0.16	10	0.28	275
CFR93-044	205 274	< 5	< 0.2	0.73	2	110	< 0.5	12	0.34	0.5	2	98	47	1.32	< 10	< 1	0.13	10	0.22	245
CFR93-045	205 274	< 5	< 0.2	0.68	< 2	80	< 0.5	< 2	0.39	0.5	1	113	32	1.14	< 10	< 1	0.13	10	0.21	250
CFR93-046	205 274	< 5	< 0.2	0.71	< 2	80	< 0.5	2	0.37	0.5	2	94	41	1.13	< 10	< 1	0.13	10	0.22	230
CFR93-047	205 274	< 5	< 0.2	1.00	6	80	< 0.5	< 2	0.61	0.5	2	105	75	1.53	< 10	< 1	0.12	10	0.30	330
CFR93-048	205 274	< 5	< 0.2	0.84	2	90	< 0.5	6	0.44	0.5	1	113	42	1.09	< 10	< 1	0.13	10	0.21	225
CFR93-049	205 274	< 5	< 0.2	0.77	< 2	90	< 0.5	10	0.33	0.5	1	114	57	1.05	< 10	< 1	0.13	< 10	0.23	190
CFR93-050	205 274	< 5	< 0.2	0.87	< 2	120	< 0.5	6	0.37	0.5	2	130	25	1.22	< 10	< 1	0.14	< 10	0.26	240
CFR93-051	205 274	< 5	< 0.2	1.12	4	160	< 0.5	4	0.49	0.5	2	126	45	1.36	< 10	< 1	0.20	10	0.27	260
CFR93-052	205 274	< 5	< 0.2	1.23	< 2	110	< 0.5	< 2	0.68	0.5	2	100	38	1.43	< 10	< 1	0.15	10	0.30	290
CFR93-053	205 274	< 5	< 0.2	0.93	4	100	< 0.5	6	0.33	0.5	1	74	46	1.10	< 10	< 1	0.20	< 10	0.41	270
CFR93-054	205 274	< 5	< 0.2	0.83	4	150	< 0.5	16	0.24	0.5	< 1	134	50	1.12	< 10	< 1	0.18	< 10	0.25	210
CFR93-055	205 274	< 5	0.2	1.11	6	120	< 0.5	6	0.61	0.5	3	101	58	1.74	< 10	< 1	0.13	30	0.39	345
CFR93-056	205 274	< 5	< 0.2	1.34	< 2	100	< 0.5	2	0.59	0.5	1	96	36	1.40	< 10	< 1	0.11	10	0.36	270
CFR93-057	205 274	< 5	0.2	1.29	< 2	90	< 0.5	8	0.59	1.0	2	123	78	1.56	< 10	< 1	0.11	10	0.38	280

CERTIFICATION: Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :2-B
 Total Pages :5
 Certificate Date: 01-DEC-93
 Invoice No. :I9325074
 P.O. Number :
 Account :LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325074

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
CFR93-017	205 274	5	0.11	3	440	10	< 2	3	39	0.08	< 10	< 10	35	< 10	62	< 2	< 0.1
CFR93-018	205 274	5	0.12	9	690	2	< 2	7	47	0.12	< 10	< 10	72	< 10	100	3	0.1
CFR93-019	205 274	4	0.12	11	510	2	< 2	3	42	0.09	< 10	< 10	46	< 10	70	< 2	< 0.1
CFR93-020	205 274	3	0.09	2	200	4	< 2	1	29	0.05	< 10	< 10	21	< 10	46	< 2	0.2
CFR93-021	205 274	2	0.09	2	180	16	< 2	1	38	0.03	< 10	< 10	16	< 10	56	< 2	< 0.1
CFR93-022	205 274	3	0.11	2	390	8	< 2	3	46	0.10	< 10	< 10	32	< 10	66	4	< 0.1
CFR93-023	205 274	2	0.11	3	140	12	< 2	2	40	0.04	< 10	< 10	15	< 10	46	< 2	0.1
CFR93-024	205 274	4	0.10	2	180	12	< 2	2	37	0.04	< 10	< 10	18	< 10	46	< 2	< 0.1
CFR93-025	205 274	2	0.11	1	220	4	< 2	2	35	0.05	< 10	< 10	22	< 10	50	< 2	< 0.1
CFR93-027	205 274	4	0.10	1	470	6	< 2	2	46	0.07	< 10	< 10	27	< 10	72	< 2	< 0.1
CFR93-028	205 274	4	0.07	1	360	12	< 2	2	38	0.05	< 10	< 10	21	< 10	78	5	0.3
CFR93-029	205 274	2	0.10	1	330	6	< 2	2	54	0.06	< 10	< 10	23	20	52	48	0.1
CFR93-030	205 274	1	0.12	3	340	8	< 2	2	83	0.08	< 10	< 10	25	< 10	56	< 2	< 0.1
CFR93-031	205 274	3	0.09	2	350	16	< 2	3	43	0.07	< 10	< 10	27	< 10	72	< 2	< 0.1
CFR93-032	205 274	2	0.11	2	490	4	< 2	3	54	0.09	< 10	< 10	29	< 10	62	6	< 0.1
CFR93-033	205 274	2	0.10	4	210	4	< 2	2	51	0.07	< 10	< 10	21	< 10	50	13	< 0.1
CFR93-034	205 274	1	0.11	2	40	6	< 2	1	44	0.02	< 10	< 10	8	< 10	32	< 2	< 0.1
CFR93-035	205 274	1	0.09	1	170	2	< 2	1	37	0.03	< 10	< 10	12	< 10	32	7	< 0.1
CFR93-036	205 274	2	0.10	4	420	4	< 2	2	40	0.06	< 10	< 10	25	< 10	52	13	< 0.1
CFR93-037	205 274	2	0.11	2	380	4	< 2	3	53	0.08	< 10	< 10	26	< 10	48	14	1.0
CFR93-038	205 274	41	0.09	3	170	2	< 2	2	39	0.06	< 10	< 10	16	< 10	38	5	0.1
CFR93-039	205 274	17	0.09	2	400	6	< 2	2	40	0.07	< 10	< 10	25	< 10	48	3	< 0.1
CFR93-040	205 274	7	0.11	3	370	4	< 2	2	46	0.07	< 10	< 10	24	< 10	52	< 2	< 0.1
CFR93-041	205 274	1	0.08	2	280	2	< 2	2	33	0.04	< 10	< 10	21	< 10	50	< 2	< 0.1
CFR93-042	205 274	2	0.09	1	340	6	< 2	2	44	0.06	< 10	< 10	24	< 10	66	3	0.3
CFR93-043	205 274	3	0.11	1	350	8	< 2	2	49	0.07	< 10	< 10	25	< 10	72	< 2	< 0.1
CFR93-044	205 274	3	0.10	3	340	2	< 2	2	53	0.07	< 10	< 10	24	< 10	50	2	0.5
CFR93-045	205 274	1	0.10	2	330	10	< 2	2	50	0.07	< 10	< 10	22	< 10	40	3	0.1
CFR93-046	205 274	1	0.10	3	340	6	< 2	2	52	0.07	< 10	< 10	21	< 10	44	< 2	< 0.1
CFR93-047	205 274	3	0.10	4	540	2	< 2	3	80	0.09	< 10	< 10	30	< 10	56	< 2	< 0.1
CFR93-048	205 274	1	0.10	1	200	8	< 2	1	57	0.06	< 10	< 10	20	< 10	38	< 2	< 0.1
CFR93-049	205 274	1	0.11	2	210	4	< 2	1	50	0.06	< 10	< 10	17	< 10	42	< 2	< 0.1
CFR93-050	205 274	1	0.12	3	200	8	< 2	2	56	0.08	< 10	< 10	19	< 10	50	< 2	< 0.1
CFR93-051	205 274	2	0.17	2	330	4	< 2	2	81	0.07	< 10	< 10	23	< 10	54	4	< 0.1
CFR93-052	205 274	1	0.12	4	430	8	< 2	2	82	0.07	< 10	< 10	27	< 10	60	< 2	< 0.1
CFR93-053	205 274	< 1	0.16	5	440	12	< 2	3	36	0.07	< 10	< 10	34	< 10	70	< 2	< 0.1
CFR93-054	205 274	2	0.12	2	170	8	< 2	2	53	0.06	< 10	< 10	20	< 10	54	6	0.2
CFR93-055	205 274	2	0.14	6	670	4	< 2	2	72	0.10	< 10	< 10	45	< 10	76	5	< 0.1
CFR93-056	205 274	1	0.12	4	280	4	< 2	2	80	0.08	< 10	< 10	25	< 10	72	< 2	< 0.1
CFR93-057	205 274	1	0.12	4	370	< 2	< 2	3	74	0.09	< 10	< 10	33	< 10	78	< 2	0.1

CERTIFICATION: *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 3-A
 Total Pages : 5
 Certificate Date: 01-DEC-93
 Invoice No.: 19325074
 P O Number :
 Account : LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS A9325074

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
CFR93-058	205 274	< 5 < 0.2	0.93	4	80 < 0.5	< 2	0.53	1.0	2	104	48	1.47	< 10	< 1	0.09	20	0.35	300		
CFR93-059	205 274	< 5 < 0.2	1.09	< 2	100 < 0.5	8	0.49	0.5	1	134	45	1.37	< 10	< 1	0.11	10	0.34	260		
CFR93-060	205 274	< 5 0.4	1.12	8	100 < 0.5	6	0.62	1.0	2	124	146	1.68	< 10	< 1	0.11	10	0.40	300		
JLR93-001	205 274	< 5 < 0.2	0.88	12	100 < 0.5	< 2	0.36	< 0.5	6	104	109	1.76	< 10	< 1	0.11	10	0.59	265		
JLR93-002	205 274	< 5 < 0.2	1.11	< 2	90 < 0.5	< 2	0.67	< 0.5	8	178	41	1.57	< 10	< 1	0.22	< 10	0.68	275		
JLR93-003	205 274	< 5 < 0.2	0.71	2	60 < 0.5	< 2	0.26	0.5	2	99	46	1.26	< 10	< 1	0.08	< 10	0.27	170		
JLR93-004	205 274	< 5 < 0.2	0.69	4	80 < 0.5	2	0.26	< 0.5	1	129	11	0.88	< 10	< 1	0.13	< 10	0.20	215		
JLR93-005	205 274	< 5 < 0.2	0.54	< 2	40 < 0.5	< 2	0.21	< 0.5	< 1	97	3	0.84	< 10	< 1	0.08	< 10	0.23	205		
JLR93-006	205 274	< 5 < 0.2	1.02	< 2	60 < 0.5	2	0.48	< 0.5	1	110	11	1.58	< 10	< 1	0.11	10	0.38	360		
JLR93-007	205 274	< 5 < 0.2	0.80	< 2	30 < 0.5	2	0.35	< 0.5	1	104	14	1.16	< 10	< 1	0.07	< 10	0.36	285		
JLR93-008	205 274	< 5 < 0.2	0.98	2	60 < 0.5	< 2	0.45	< 0.5	1	132	7	1.34	< 10	< 1	0.12	10	0.36	315		
JLR93-009	205 274	< 5 < 0.2	0.76	< 2	40 < 0.5	2	0.43	< 0.5	1	104	4	1.06	< 10	< 1	0.08	10	0.27	330		
JLR93-010	205 274	< 5 < 0.2	0.83	< 2	40 < 0.5	< 2	0.36	< 0.5	1	102	3	1.05	< 10	< 1	0.10	< 10	0.31	310		
JLR93-011	205 274	< 5 < 0.2	0.73	6	40 < 0.5	2	0.45	< 0.5	1	99	14	1.15	< 10	< 1	0.08	10	0.24	235		
JLR93-012	205 274	< 5 < 0.2	0.79	4	50 < 0.5	2	0.37	0.5	< 1	106	57	1.49	< 10	< 1	0.09	10	0.29	205		
JLR93-013	205 274	< 5 < 0.2	1.37	< 2	40 < 0.5	< 2	1.25	1.5	3	76	24	1.70	< 10	< 1	0.07	10	0.25	510		
JLR93-014	205 274	< 5 < 0.2	1.01	< 2	40 < 0.5	4	0.79	0.5	4	141	62	1.63	< 10	< 1	0.08	10	0.24	440		
JLR93-015	205 274	< 5 < 0.2	0.74	6	70 < 0.5	4	0.33	< 0.5	1	113	28	1.36	< 10	< 1	0.10	10	0.27	215		
JLR93-016	205 274	< 5 < 0.2	1.11	2	70 < 0.5	< 2	0.44	4.5	3	133	34	1.70	< 10	< 1	0.21	10	0.35	335		
JLR93-017	205 274	< 5 < 0.2	0.88	< 2	40 < 0.5	6	0.42	4.0	< 1	92	60	1.45	< 10	< 1	0.10	10	0.28	285		
JLR93-018	205 274	< 5 < 0.2	0.72	< 2	60 < 0.5	2	0.23	0.5	1	116	16	1.36	< 10	< 1	0.12	10	0.31	290		
JLR93-019	205 274	15 < 0.2	0.85	< 2	80 < 0.5	6	0.29	0.5	1	92	20	1.63	< 10	< 1	0.18	10	0.36	320		
JLR93-020	205 274	< 5 < 0.2	0.92	< 2	120 < 0.5	2	0.28	0.5	1	126	19	1.47	< 10	< 1	0.25	10	0.35	295		
JLR93-021	205 274	< 5 < 0.2	0.67	< 2	90 < 0.5	2	0.21	0.5	1	92	12	1.17	< 10	< 1	0.13	< 10	0.28	245		
JLR93-022	205 274	< 5 < 0.2	0.74	< 2	80 < 0.5	2	0.24	0.5	1	121	26	1.32	< 10	< 1	0.16	10	0.32	300		
JLR93-023	205 274	< 5 < 0.2	0.92	< 2	60 < 0.5	< 2	0.38	0.5	1	91	23	1.57	< 10	< 1	0.12	10	0.36	375		
JLR93-024	205 274	< 5 < 0.2	0.94	< 2	50 < 0.5	8	0.43	0.5	1	127	23	1.23	< 10	< 1	0.12	10	0.26	270		
JLR93-025	205 274	< 5 < 0.2	0.65	< 2	40 < 0.5	< 2	0.24	0.5	1	100	6	0.95	< 10	< 1	0.11	< 10	0.22	235		
JLR93-026	205 274	< 5 < 0.2	0.70	2	40 < 0.5	2	0.30	< 0.5	2	115	33	1.18	< 10	< 1	0.12	< 10	0.25	175		
JLR93-027	205 274	< 5 < 0.2	0.40	2	40 < 0.5	4	0.17	< 0.5	< 1	95	6	0.52	< 10	< 1	0.09	< 10	0.10	105		
JLR93-028	205 274	< 5 < 0.2	0.54	< 2	70 < 0.5	< 2	0.20	< 0.5	1	126	8	0.55	< 10	< 1	0.14	< 10	0.11	120		
JLR93-029	205 274	< 5 < 0.2	1.27	< 2	50 < 0.5	< 2	0.46	0.5	2	94	27	1.69	< 10	< 1	0.14	10	0.41	340		
JLR93-030	205 274	< 5 < 0.2	0.66	< 2	60 < 0.5	4	0.19	0.5	2	115	11	1.10	< 10	< 1	0.16	< 10	0.24	215		
JLR93-031	205 274	< 5 < 0.2	0.69	< 2	30 < 0.5	6	0.23	< 0.5	< 1	87	12	1.00	< 10	< 1	0.09	< 10	0.24	210		
JLR93-032	205 274	< 5 < 0.2	1.01	< 2	40 < 0.5	2	0.37	0.5	1	105	46	1.49	< 10	< 1	0.11	10	0.32	270		
JLR93-033	205 274	< 5 < 0.2	0.65	4	30 < 0.5	4	0.22	< 0.5	1	94	21	1.08	< 10	< 1	0.07	< 10	0.26	185		
JLR93-034	205 274	< 5 < 0.2	1.00	< 2	40 < 0.5	2	0.41	0.5	2	95	20	1.59	< 10	< 1	0.10	10	0.39	350		
JLR93-035	205 274	< 5 0.6	0.79	< 2	40 < 0.5	20	0.31	0.5	1	82	74	1.57	< 10	< 1	0.09	10	0.29	210		
JLR93-036	205 274	< 5 < 0.2	0.68	2	40 < 0.5	< 2	0.23	< 0.5	< 1	109	27	1.22	< 10	< 1	0.10	< 10	0.27	190		
JLR93-037	205 274	< 5 < 0.2	0.66	< 2	30 < 0.5	< 2	0.32	1.0	1	102	30	1.13	< 10	< 1	0.07	< 10	0.25	260		

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :3-B
 Total Pages :5
 Certificate Date: 01-DEC-93
 Invoice No. :19325074
 P.O. Number :
 Account :LIH


Project: 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325074

SAMPLE	PREP CODE	Mo ppm	Na %	Mg ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
CFR93-058	205 274	2	0.09	4	520	6	< 2	2	51	0.09	< 10	< 10	34	< 10	86	< 2	< 0.1
CFR93-059	205 274	1	0.14	3	330	< 2	2	2	65	0.08	< 10	< 10	27	< 10	60	< 2	< 0.1
CFR93-060	205 274	2	0.09	6	420	6	2	2	66	0.11	< 10	< 10	34	< 10	86	3	< 0.1
JLR93-001	205 274	< 1	0.04	12	480	12	< 2	4	24	0.12	< 10	< 10	41	< 10	60	< 2	< 0.1
JLR93-002	205 274	1	0.11	19	470	8	< 2	3	54	0.16	< 10	< 10	47	< 10	42	< 2	< 0.1
JLR93-003	205 274	1	0.06	2	350	8	< 2	3	29	0.07	< 10	< 10	25	< 10	38	2	< 0.1
JLR93-004	205 274	< 1	0.09	1	160	6	< 2	1	41	0.04	< 10	< 10	15	< 10	38	< 2	< 0.1
JLR93-005	205 274	1	0.06	1	170	4	< 2	2	32	0.04	< 10	< 10	14	< 10	34	< 2	< 0.1
JLR93-006	205 274	1	0.08	3	430	4	< 2	3	48	0.09	< 10	< 10	33	< 10	66	< 2	< 0.1
JLR93-007	205 274	< 1	0.06	3	340	2	< 2	2	162	0.07	< 10	< 10	23	< 10	40	< 2	< 0.1
JLR93-008	205 274	1	0.09	3	330	2	2	3	64	0.08	< 10	< 10	29	< 10	48	< 2	< 0.1
JLR93-009	205 274	< 1	0.05	1	380	4	2	2	55	0.06	< 10	< 10	20	< 10	38	< 2	< 0.1
JLR93-010	205 274	1	0.08	< 1	260	8	< 2	2	56	0.05	< 10	< 10	18	< 10	42	< 2	< 0.1
JLR93-011	205 274	1	0.06	1	320	2	< 2	2	29	0.05	< 10	< 10	20	< 10	54	< 2	< 0.1
JLR93-012	205 274	1	0.05	< 1	430	8	< 2	2	39	0.08	< 10	< 10	26	< 10	64	2	< 0.1
JLR93-013	205 274	< 1	0.09	2	450	6	< 2	2	65	0.06	< 10	< 10	30	< 10	112	2	< 0.1
JLR93-014	205 274	< 1	0.09	4	430	8	< 2	2	45	0.08	< 10	< 10	31	< 10	74	< 2	< 0.1
JLR93-015	205 274	1	0.06	3	400	< 2	< 2	2	35	0.08	< 10	< 10	27	< 10	46	< 2	< 0.1
JLR93-016	205 274	< 1	0.10	3	420	12	< 2	4	41	0.10	< 10	< 10	33	< 10	190	43	< 0.1
JLR93-017	205 274	2	0.08	1	310	14	< 2	2	32	0.07	< 10	< 10	27	10	156	54	0.3
JLR93-018	205 274	< 1	0.06	2	360	8	< 2	3	27	0.07	< 10	< 10	28	< 10	68	3	< 0.1
JLR93-019	205 274	< 1	0.06	4	460	< 2	< 2	3	31	0.09	< 10	< 10	38	< 10	64	< 2	0.8
JLR93-020	205 274	1	0.08	4	370	2	< 2	3	35	0.08	< 10	< 10	31	< 10	66	< 2	< 0.1
JLR93-021	205 274	< 1	0.05	1	310	2	< 2	2	25	0.06	< 10	< 10	24	< 10	50	< 2	0.3
JLR93-022	205 274	1	0.06	3	370	4	< 2	3	27	0.07	< 10	< 10	27	< 10	68	2	< 0.1
JLR93-023	205 274	1	0.07	3	440	12	< 2	3	36	0.08	< 10	< 10	30	< 10	82	< 2	< 0.1
JLR93-024	205 274	< 1	0.08	2	320	2	< 2	2	44	0.06	< 10	< 10	22	< 10	56	< 2	0.1
JLR93-025	205 274	< 1	0.06	3	250	4	< 2	2	30	0.04	< 10	< 10	17	< 10	44	< 2	< 0.1
JLR93-026	205 274	< 1	0.06	3	300	6	< 2	2	33	0.07	< 10	< 10	22	< 10	28	< 2	< 0.1
JLR93-027	205 274	1	0.04	1	60	8	< 2	< 1	25	0.02	< 10	< 10	6	< 10	26	< 2	< 0.1
JLR93-028	205 274	< 1	0.08	2	80	6	2	< 1	33	0.02	< 10	< 10	7	< 10	22	< 2	< 0.1
JLR93-029	205 274	2	0.10	3	450	8	2	3	55	0.10	< 10	< 10	36	< 10	70	< 2	< 0.1
JLR93-030	205 274	1	0.06	2	230	2	< 2	3	32	0.06	< 10	< 10	28	< 10	48	< 2	< 0.1
JLR93-031	205 274	1	0.05	2	220	6	2	2	32	0.06	< 10	< 10	19	< 10	48	2	0.1
JLR93-032	205 274	1	0.07	4	390	8	< 2	2	53	0.08	< 10	< 10	28	< 10	62	2	< 0.1
JLR93-033	205 274	< 1	0.04	3	230	6	2	2	32	0.06	< 10	< 10	25	< 10	36	2	< 0.1
JLR93-034	205 274	< 1	0.07	2	420	< 2	2	3	41	0.09	< 10	< 10	35	< 10	66	3	< 0.1
JLR93-035	205 274	2	0.04	< 1	340	22	< 2	3	30	0.06	< 10	< 10	30	< 10	40	2	0.2
JLR93-036	205 274	1	0.06	3	270	6	< 2	2	32	0.06	< 10	< 10	24	< 10	30	< 2	< 0.1
JLR93-037	205 274	< 1	0.06	2	260	6	< 2	2	36	0.06	< 10	< 10	19	< 10	72	< 2	< 0.1

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :4-A
 Total Pages :5
 Certificate Date: 01-DEC-93
 Invoice No. : I9325074
 P.O. Number :
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325074

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JLR93-038	205 274	< 5 < 0.2	0.73	6	30 < 0.5	2	0.35	< 0.5	1	91	40	1.51	< 10	< 1	0.09	10	0.32	280		
JLR93-039	205 274	< 5 < 0.2	0.73	2	40 < 0.5	< 2	0.30	0.5	1	153	18	1.08	< 10	< 1	0.11	< 10	0.30	295		
JLR93-040	205 274	< 5 < 0.2	0.54	< 2	40 < 0.5	2	0.41	0.5	1	96	17	1.10	< 10	< 1	0.09	10	0.22	185		
JLR93-041	205 274	< 5 < 0.2	0.67	10	90 < 0.5	4	0.93	1.0	4	156	80	1.54	< 10	< 1	0.16	20	0.45	270		
JLR93-042	205 274	< 5 < 0.2	0.96	10	120 < 0.5	< 2	1.05	1.5	7	179	58	1.65	< 10	< 1	0.26	10	0.83	420		
JLR93-043	205 274	< 5 0.2	0.89	18	90 < 0.5	2	0.56	0.5	3	144	78	1.65	< 10	< 1	0.20	10	0.55	395		
JLR93-044	205 274	< 5 < 0.2	0.65	6	30 < 0.5	< 2	0.41	< 0.5	< 1	99	25	1.28	< 10	< 1	0.06	10	0.23	275		
JLR93-045	205 274	< 5 < 0.2	0.89	6	30 < 0.5	2	0.47	1.0	2	105	43	1.47	< 10	< 1	0.07	< 10	0.30	325		
JLR93-046	205 274	< 5 < 0.2	0.84	2	40 < 0.5	2	0.32	< 0.5	1	130	23	1.52	< 10	< 1	0.11	10	0.35	340		
JLR93-047	205 274	< 5 < 0.2	0.94	2	50 < 0.5	2	0.41	< 0.5	1	123	48	1.46	< 10	< 1	0.10	10	0.40	280		
JLR93-048	205 274	< 5 < 0.2	0.65	4	50 < 0.5	4	0.57	< 0.5	3	113	31	0.87	< 10	< 1	0.07	10	0.40	170		
JLR93-049	205 274	< 5 < 0.2	0.95	< 2	130 < 0.5	2	0.22	< 0.5	4	221	25	1.62	< 10	< 1	0.23	10	0.48	215		
JLR93-050	205 274	< 5 < 0.2	0.48	< 2	80 < 0.5	< 2	0.13	< 0.5	4	195	20	0.96	< 10	< 1	0.07	< 10	0.30	130		
JLR93-051	205 274	< 5 < 0.2	1.02	< 2	150 < 0.5	2	0.14	< 0.5	5	257	23	2.00	< 10	< 1	0.33	10	0.57	265		
JLR93-052	205 274	< 5 < 0.2	0.94	< 2	90 < 0.5	6	0.21	< 0.5	3	147	20	1.62	< 10	< 1	0.31	10	0.53	250		
JLR93-053	205 274	< 5 < 0.2	0.93	< 2	70 < 0.5	2	0.21	< 0.5	4	205	49	1.85	< 10	< 1	0.26	10	0.53	250		
JLR93-054	205 274	< 5 < 0.2	1.17	6	100 < 0.5	4	0.19	< 0.5	5	202	45	2.28	< 10	< 1	0.52	10	0.61	260		
JLR93-055	205 274	< 5 < 0.2	0.88	4	120 < 0.5	2	0.25	< 0.5	3	228	29	1.50	< 10	< 1	0.30	10	0.53	250		
JLR93-056	205 274	< 5 < 0.2	1.12	8	50 < 0.5	< 2	0.30	< 0.5	3	205	39	1.96	< 10	< 1	0.16	10	0.66	285		
JLR93-057	205 274	< 5 < 0.2	0.69	6	40 < 0.5	4	0.32	< 0.5	1	137	68	1.71	< 10	< 1	0.09	10	0.27	305		
JLR93-058	205 274	< 5 < 0.2	0.53	< 2	80 < 0.5	8	0.22	< 0.5	1	108	57	1.29	< 10	< 1	0.10	10	0.22	245		
JLR93-059	205 274	< 5 < 0.2	0.62	6	80 < 0.5	2	0.25	< 0.5	1	159	53	1.34	< 10	< 1	0.10	10	0.22	230		
JLR93-060	205 274	< 5 < 0.2	0.69	< 2	60 < 0.5	2	0.26	0.5	3	133	81	1.56	< 10	< 1	0.15	10	0.27	295		
JLR93-061	205 274	< 5 < 0.2	0.64	2	50 < 0.5	4	0.27	< 0.5	1	152	70	1.38	< 10	< 1	0.12	10	0.23	230		
JLR93-062	205 274	< 5 < 0.2	0.62	< 2	50 < 0.5	2	0.19	< 0.5	1	134	19	1.08	< 10	< 1	0.14	< 10	0.28	180		
JLR93-063	205 274	< 5 < 0.2	0.71	< 2	30 < 0.5	< 2	0.19	< 0.5	3	279	26	1.50	< 10	< 1	0.07	< 10	0.34	215		
JLR93-064	205 274	< 5 < 0.2	1.12	2	60 < 0.5	2	0.41	< 0.5	4	201	24	2.02	< 10	< 1	0.12	10	0.73	275		
JLR93-065	205 274	< 5 < 0.2	0.58	2	40 < 0.5	4	0.19	< 0.5	3	241	25	1.15	< 10	< 1	0.13	< 10	0.27	160		
JLR93-066	205 274	< 5 < 0.2	0.77	6	70 < 0.5	4	0.32	< 0.5	2	165	59	1.38	< 10	< 1	0.19	10	0.38	195		
JLR93-067	205 274	< 5 < 0.2	0.33	4	90 < 0.5	6	0.44	0.5	1	82	42	0.47	< 10	< 1	0.15	< 10	0.07	120		
JLR93-068	205 274	< 5 < 0.2	0.38	8	120 < 0.5	2	0.14	< 0.5	< 1	108	50	0.69	< 10	< 1	0.11	< 10	0.11	140		
JLR93-069	205 274	< 5 < 0.2	0.50	6	110 < 0.5	< 2	0.48	1.5	2	100	110	0.97	< 10	< 1	0.18	< 10	0.18	205		
JLR93-070	205 274	< 5 < 0.2	0.14	2	10 < 0.5	2	0.04	< 0.5	1	306	34	0.58	< 10	< 1	0.01	< 10	0.03	60		
JLR93-071	205 274	< 5 < 0.2	0.60	< 2	100 < 0.5	< 2	0.30	0.5	2	127	111	1.66	< 10	< 1	0.09	10	0.22	250		
JLR93-072	205 274	< 5 < 0.2	1.15	< 2	110 < 0.5	2	0.34	< 0.5	4	181	70	2.49	< 10	< 1	0.37	10	0.74	290		
JLR93-073	205 274	< 5 < 0.2	1.42	2	40 < 0.5	< 2	0.59	< 0.5	7	115	105	3.21	< 10	< 1	0.14	20	0.92	460		
JLR93-074	205 274	< 5 < 0.2	0.71	4	40 < 0.5	< 2	0.25	< 0.5	2	127	36	1.00	< 10	< 1	0.10	< 10	0.28	155		
JLR93-075	205 274	< 5 < 0.2	0.53	2	30 < 0.5	4	0.28	< 0.5	1	89	59	1.31	< 10	< 1	0.08	10	0.15	140		
JLR93-076	205 274	< 5 < 0.2	0.90	2	60 < 0.5	< 2	0.13	< 0.5	4	215	22	1.73	< 10	< 1	0.34	< 10	0.47	210		
JLR93-077	205 274	< 5 < 0.2	0.57	< 2	50 < 0.5	6	0.46	< 0.5	3	153	15	0.87	< 10	< 1	0.07	< 10	0.37	140		

CERTIFICATION: HartBuchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :4-B
 Total Pages :5
 Certificate Date: 01-DEC-93
 Invoice No.: I9325074
 P.O. Number:
 Account : LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325074

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
JLR93-038	205 274	1	0.06	2	450	6	< 2	3	41	0.08	< 10	< 10	28	< 10	48	< 2	< 0.1
JLR93-039	205 274	< 1	0.09	2	250	< 2	< 2	2	31	0.07	< 10	< 10	19	< 10	64	< 2	< 0.1
JLR93-040	205 274	< 1	0.06	1	460	6	< 2	1	30	0.08	< 10	< 10	18	< 10	58	2	< 0.1
JLR93-041	205 274	< 1	0.07	21	1910	6	< 2	3	45	0.09	< 10	< 10	27	< 10	78	2	< 0.1
JLR93-042	205 274	< 1	0.07	41	1960	10	< 2	2	47	0.09	< 10	< 10	35	< 10	118	2	< 0.1
JLR93-043	205 274	< 1	0.06	13	610	66	< 2	2	43	0.09	< 10	< 10	35	< 10	158	2	0.1
JLR93-044	205 274	1	0.05	3	420	10	< 2	2	29	0.07	< 10	< 10	24	< 10	80	2	< 0.1
JLR93-045	205 274	1	0.09	2	460	10	< 2	2	42	0.08	< 10	< 10	23	< 10	90	2	< 0.1
JLR93-046	205 274	1	0.07	3	380	10	< 2	3	36	0.08	< 10	< 10	27	< 10	52	2	< 0.1
JLR93-047	205 274	< 1	0.07	2	500	6	< 2	3	48	0.07	< 10	< 10	26	< 10	52	2	< 0.1
JLR93-048	205 274	1	0.04	15	1140	6	< 2	1	35	0.04	< 10	< 10	19	< 10	44	< 2	< 0.1
JLR93-049	205 274	2	0.06	18	270	6	< 2	3	21	0.07	< 10	< 10	48	< 10	52	2	< 0.1
JLR93-050	205 274	2	0.01	15	270	4	< 2	2	9	0.03	< 10	< 10	30	< 10	28	3	< 0.1
JLR93-051	205 274	3	0.03	20	290	< 2	< 2	4	15	0.09	< 10	< 10	59	< 10	66	4	< 0.1
JLR93-052	205 274	1	0.04	13	240	< 2	< 2	4	19	0.12	< 10	< 10	51	< 10	60	3	< 0.1
JLR93-053	205 274	3	0.04	15	260	6	< 2	4	25	0.13	< 10	< 10	56	< 10	52	2	< 0.1
JLR93-054	205 274	4	0.04	17	260	< 2	< 2	7	19	0.18	< 10	< 10	82	< 10	58	2	< 0.1
JLR93-055	205 274	1	0.07	11	290	4	< 2	4	24	0.11	< 10	< 10	50	< 10	54	2	< 0.1
JLR93-056	205 274	2	0.04	17	320	< 2	< 2	6	27	0.16	< 10	< 10	63	< 10	58	2	< 0.1
JLR93-057	205 274	8	0.07	2	470	6	< 2	3	24	0.07	< 10	< 10	32	< 10	54	3	< 0.1
JLR93-058	205 274	1	0.04	3	350	14	< 2	2	21	0.03	< 10	< 10	23	< 10	46	2	< 0.1
JLR93-059	205 274	2	0.07	2	320	2	< 2	2	42	0.06	< 10	< 10	23	< 10	38	2	< 0.1
JLR93-060	205 274	2	0.05	2	410	12	< 2	3	23	0.05	< 10	< 10	26	< 10	62	8	< 0.1
JLR93-061	205 274	4	0.06	2	370	2	< 2	2	25	0.06	< 10	< 10	26	< 10	40	< 2	< 0.1
JLR93-062	205 274	< 1	0.05	4	190	2	< 2	2	17	0.08	< 10	< 10	24	< 10	38	< 2	< 0.1
JLR93-063	205 274	2	0.03	12	170	4	< 2	3	14	0.08	< 10	< 10	37	< 10	46	< 2	< 0.1
JLR93-064	205 274	2	0.03	21	470	2	< 2	6	34	0.15	< 10	< 10	64	< 10	62	< 2	< 0.1
JLR93-065	205 274	2	0.03	10	190	6	< 2	2	14	0.06	< 10	< 10	29	< 10	34	< 2	< 0.1
JLR93-066	205 274	2	0.05	8	270	2	< 2	3	24	0.08	< 10	< 10	38	< 10	42	< 2	< 0.1
JLR93-067	205 274	< 1	0.03	1	110	16	< 2	< 1	48	< 0.01	< 10	< 10	4	< 10	44	4	< 0.1
JLR93-068	205 274	1	0.05	1	140	4	< 2	1	25	0.01	< 10	< 10	9	< 10	52	4	< 0.1
JLR93-069	205 274	2	0.03	3	240	14	< 2	1	40	< 0.01	< 10	< 10	17	< 10	102	6	< 0.1
JLR93-070	205 274	1	0.01	3	60	< 2	< 2	< 1	4	< 0.01	< 10	< 10	5	< 10	22	4	< 0.1
JLR93-071	205 274	2	0.05	1	450	6	< 2	2	25	0.06	< 10	< 10	29	< 10	56	10	< 0.1
JLR93-072	205 274	1	0.07	10	540	2	< 2	6	28	0.15	< 10	< 10	66	< 10	46	2	0.1
JLR93-073	205 274	1	0.06	10	910	< 2	< 2	11	34	0.12	< 10	< 10	95	< 10	76	2	< 0.1
JLR93-074	205 274	1	0.07	3	190	6	< 2	2	22	0.05	< 10	< 10	19	< 10	26	2	< 0.1
JLR93-075	205 274	6	0.06	1	450	4	< 2	1	31	0.07	< 10	< 10	19	< 10	28	< 2	0.2
JLR93-076	205 274	4	0.03	20	200	2	< 2	4	15	0.10	< 10	< 10	55	< 10	46	2	0.1
JLR93-077	205 274	1	0.02	9	190	6	< 2	1	25	0.03	< 10	< 10	21	< 10	30	2	0.2

CERTIFICATION: Hart Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :5-A
 Total Pages :5
 Certificate Date: 01-DEC-93
 Invoice No. :I9325074
 P.O. Number :
 Account :LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325074

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
JLR93-078	205 274	< 5 < 0.2	1.16	4	130 < 0.5	< 2	0.41	< 0.5	4	186	24	2.04	< 10	< 1	0.33	< 10	0.70	355		
JLR93-079	205 274	< 5 < 0.2	1.24	< 2	60 < 0.5	< 2	0.50	< 0.5	4	108	49	1.87	< 10	< 1	0.30	10	0.62	200		
JLR93-080	205 274	< 5 < 0.2	1.25	6	50 < 0.5	2	0.58	< 0.5	3	140	71	2.45	< 10	< 1	0.18	10	0.69	245		
JLR93-081	205 274	15 < 0.2	0.92	< 2	20 < 0.5	4	0.45	< 0.5	1	112	60	1.88	< 10	< 1	0.12	10	0.34	205		
JLR93-082	205 274	< 5 < 0.2	1.83	< 2	100 < 0.5	6	0.98	< 0.5	6	150	70	3.14	< 10	< 1	0.48	10	1.03	390		
JLR93-083	205 274	< 5 < 0.2	1.44	14	70 < 0.5	2	0.52	< 0.5	4	174	48	2.41	< 10	< 1	0.35	10	0.92	270		
JLR93-084	205 274	< 5 < 0.2	1.61	6	80 < 0.5	< 2	0.72	< 0.5	11	129	40	2.67	< 10	< 1	0.25	10	1.09	410		
JLR93-085	205 274	< 5 < 0.2	1.38	4	10 < 0.5	< 2	1.11	< 0.5	14	96	111	3.34	< 10	< 1	0.12	< 10	1.20	355		
JLR93-086	205 274	< 5 < 0.2	1.61	6	70 < 0.5	6	0.58	< 0.5	8	187	50	2.52	< 10	< 1	0.45	10	1.18	360		
JLR93-087	205 274	< 5 < 0.2	0.53	< 2	20 < 0.5	2	0.36	< 0.5	3	76	40	1.57	< 10	< 1	0.08	10	0.24	185		
JLR93-088	205 274	15 < 0.2	1.28	< 2	90 < 0.5	10	0.74	< 0.5	10	222	72	2.23	< 10	< 1	0.47	20	0.83	265		
JLR93-089	205 274	35 < 0.2	1.66	8	80 < 0.5	12	0.70	< 0.5	10	256	81	2.95	< 10	< 1	0.42	30	1.24	355		
JLR93-090	205 274	< 5 < 0.2	1.17	8	20 < 0.5	2	0.39	< 0.5	4	131	100	2.40	< 10	< 1	0.08	10	0.67	260		
JLR93-091	205 274	< 5 < 0.2	1.00	2	30 < 0.5	2	0.40	< 0.5	2	106	56	1.90	< 10	< 1	0.11	10	0.46	260		
JLR93-092	205 274	< 5 < 0.2	1.11	6	20 < 0.5	2	0.38	< 0.5	3	145	54	2.13	< 10	< 1	0.10	10	0.55	295		
JVR93-150	205 274	< 5 < 0.2	0.97	6	40 < 0.5	6	0.59	0.5	1	113	167	1.17	< 10	< 1	0.06	10	0.25	220		
JVR93-151	205 274	< 5 < 0.2	0.82	6	40 < 0.5	4	0.36	< 0.5	1	122	127	1.90	< 10	< 1	0.08	20	0.44	335		
JVR93-152	205 274	< 5 < 0.4	1.22	6	40 < 0.5	2	0.50	0.5	3	79	347	2.58	< 10	< 1	0.08	30	0.69	395		
JVR93-153	205 274	< 5 < 0.2	1.88	4	40 < 0.5	< 2	1.27	1.0	3	108	221	1.58	< 10	< 1	0.10	10	0.41	465		
JVR93-154	205 274	< 5 < 0.2	1.29	6	50 < 0.5	2	0.71	1.0	3	102	159	2.07	< 10	< 1	0.07	20	0.42	455		
JVR93-155	205 274	< 5 < 0.4	1.88	6	80 < 0.5	4	1.14	37.5	8	122	478	3.49	< 10	< 1	0.06	10	0.38	1060		
JVR93-156	205 274	< 5 < 0.2	0.74	10	50 < 0.5	2	0.50	1.0	2	95	68	1.38	< 10	< 1	0.07	10	0.20	310		
JVR93-157	205 274	< 5 < 0.2	0.67	6	60 < 0.5	< 2	0.42	0.5	2	110	65	1.44	< 10	< 1	0.07	10	0.24	300		
JVR93-158	205 274	< 5 < 0.2	1.15	12	40 < 0.5	4	0.54	< 0.5	3	115	144	1.90	< 10	< 1	0.05	10	0.56	385		
JVR93-159	205 274	< 5 < 0.8	1.06	10	50 < 0.5	< 2	0.51	1.0	3	122	209	1.77	< 10	< 1	0.09	10	0.37	320		
JVR93-160	205 274	< 5 < 0.2	0.91	< 2	40 < 0.5	6	0.53	0.5	3	92	87	1.46	< 10	< 1	0.06	10	0.28	290		
JVR93-161	205 274	< 5 < 0.4	0.66	< 2	40 < 0.5	2	0.41	< 0.5	3	123	143	1.81	< 10	< 1	0.07	10	0.27	230		
JVR93-162	205 274	< 5 < 0.2	0.83	4	40 < 0.5	< 2	0.35	< 0.5	2	94	78	1.43	< 10	< 1	0.07	< 10	0.34	300		
JVR93-163	205 274	< 5 < 0.2	0.92	< 2	70 < 0.5	< 2	0.40	< 0.5	2	141	113	1.45	< 10	< 1	0.12	< 10	0.30	240		
JVR93-164	205 274	< 5 < 0.2	1.03	2	70 < 0.5	2	0.42	< 0.5	2	140	91	1.67	< 10	< 1	0.13	10	0.39	300		
JVR93-165	205 274	< 5 < 0.2	1.33	22	90 < 0.5	2	0.56	< 0.5	1	159	76	1.79	< 10	< 1	0.22	10	0.32	440		
JVR93-166	205 274	< 5 < 0.2	1.19	12	100 < 0.5	2	0.55	0.5	1	127	89	1.50	< 10	< 1	0.25	10	0.28	415		
JVR93-167	205 274	< 5 < 0.2	0.96	12	70 < 0.5	2	0.43	< 0.5	2	126	60	1.87	< 10	< 1	0.13	10	0.31	405		
JVR93-168	205 274	< 5 < 0.2	0.93	< 2	90 < 0.5	< 2	0.29	< 0.5	1	124	37	1.34	< 10	< 1	0.24	10	0.25	315		
JVR93-169	205 274	< 5 < 0.2	1.12	2	110 < 0.5	4	0.35	0.5	2	162	57	1.59	< 10	< 1	0.31	10	0.27	385		
JVR93-170	205 274	< 5 < 0.2	0.88	4	80 < 0.5	< 2	0.46	0.5	2	144	34	1.20	< 10	< 1	0.25	10	0.22	385		
JVR93-171	205 274	10 1.2	1.58	40	90 < 0.5	8	0.69	2.0	2	125	191	2.05	< 10	< 1	0.16	10	0.38	410		
JVR93-172	205 274	25 1.2	2.33	118	90 < 0.5	20	1.47	12.0	3	170	695	1.68	< 10	< 1	0.12	< 10	0.19	460		
JVR93-173	205 274	5 0.2	1.53	2	70 < 0.5	< 2	0.69	1.0	2	112	154	1.87	< 10	< 1	0.14	10	0.39	445		
JVR93-174	205 274	< 5 0.2	1.13	4	120 < 0.5	4	0.56	1.0	2	111	178	1.48	< 10	< 1	0.23	10	0.29	350		

CERTIFICATION: Hart Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :5-B
 Total Pages :5
 Certificate Date: 01-DEC-93
 Invoice No. :I9325074
 P.O. Number :
 Account :LIH

Project: 29
 Comments:

CERTIFICATE OF ANALYSIS A9325074

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
JLR93-078	205 274	1	0.05	12	420	2	< 2	7	34	0.13	< 10	< 10	64	< 10	72	2 < 0.1	
JLR93-079	205 274	1	0.09	6	670	< 2	< 2	3	39	0.12	< 10	< 10	53	< 10	32	2 < 0.1	
JLR93-080	205 274	1	0.09	7	870	2	2	4	36	0.14	< 10	< 10	62	< 10	34	< 2 < 0.1	
JLR93-081	205 274	3	0.07	3	620	< 2	2	2	25	0.11	< 10	< 10	35	< 10	26	2 < 0.1	
JLR93-082	205 274	2	0.11	13	1240	2	2	6	49	0.20	< 10	< 10	82	< 10	52	2 < 0.1	
JLR93-083	205 274	2	0.08	18	720	< 2	< 2	6	35	0.16	< 10	< 10	84	< 10	46	2 < 0.1	
JLR93-084	205 274	< 1	0.08	19	670	< 2	< 2	6	32	0.20	< 10	< 10	90	< 10	60	< 2 < 0.1	
JLR93-085	205 274	< 1	0.10	30	670	< 2	< 2	10	17	0.28	< 10	< 10	106	< 10	40	< 2 0.1	
JLR93-086	205 274	4	0.09	28	680	2	2	6	29	0.19	< 10	< 10	88	< 10	80	< 2 0.3	
JLR93-087	205 274	< 1	0.06	2	420	4	< 2	3	18	0.09	< 10	< 10	38	< 10	48	< 2 < 0.1	
JLR93-088	205 274	1	0.06	34	1170	< 2	< 2	3	31	0.15	< 10	< 10	59	100	46	170 0.5	
JLR93-089	205 274	1	0.05	34	1110	< 2	< 2	4	35	0.17	< 10	< 10	80	< 10	64	4 0.2	
JLR93-090	205 274	2	0.07	11	520	6	< 2	4	31	0.13	< 10	< 10	56	< 10	50	2 < 0.1	
JLR93-091	205 274	4	0.05	7	590	4	< 2	3	24	0.09	< 10	< 10	39	< 10	40	2 0.2	
JLR93-092	205 274	1	0.06	10	560	4	< 2	3	26	0.11	< 10	< 10	43	< 10	56	4 0.3	
JVR93-150	205 274	1	0.10	1	460	6	< 2	2	69	0.06	< 10	< 10	21	< 10	68	< 2 < 0.1	
JVR93-151	205 274	6	0.06	2	510	2	2	4	27	0.10	< 10	< 10	35	< 10	62	2 < 0.1	
JVR93-152	205 274	9	0.06	5	700	2	< 2	7	34	0.14	< 10	< 10	57	< 10	84	3 < 0.1	
JVR93-153	205 274	2	0.04	3	390	8	< 2	3	109	0.06	< 10	< 10	26	< 10	66	2 < 0.1	
JVR93-154	205 274	7	0.09	3	570	< 2	< 2	4	80	0.11	< 10	< 10	37	< 10	78	3 < 0.1	
JVR93-155	205 274	4	0.19	2	560	4	< 2	4	106	0.09	< 10	< 10	34	260	902	480 0.4	
JVR93-156	205 274	2	0.06	3	370	10	< 2	2	26	0.04	< 10	< 10	19	< 10	66	12 < 0.1	
JVR93-157	205 274	3	0.06	3	450	8	< 2	2	26	0.06	< 10	< 10	20	< 10	52	3 < 0.1	
JVR93-158	205 274	6	0.07	9	670	2	< 2	4	39	0.09	< 10	< 10	38	< 10	52	4 < 0.1	
JVR93-159	205 274	8	0.09	2	510	14	< 2	3	39	0.08	< 10	< 10	30	10	82	22 < 0.1	
JVR93-160	205 274	3	0.04	3	470	8	< 2	2	34	0.08	< 10	< 10	29	< 10	52	3 < 0.1	
JVR93-161	205 274	8	0.05	2	650	4	2	2	20	0.09	< 10	< 10	29	< 10	38	4 < 0.1	
JVR93-162	205 274	4	0.04	2	290	8	2	3	28	0.07	< 10	< 10	30	< 10	38	3 0.1	
JVR93-163	205 274	7	0.08	1	310	6	2	2	40	0.07	< 10	< 10	26	< 10	26	2 < 0.1	
JVR93-164	205 274	8	0.11	2	460	4	< 2	3	48	0.11	< 10	< 10	34	< 10	44	2 < 0.1	
JVR93-165	205 274	3	0.08	3	430	14	< 2	3	53	0.06	< 10	< 10	29	< 10	84	4 < 0.1	
JVR93-166	205 274	6	0.06	3	420	22	< 2	3	38	0.04	< 10	< 10	25	< 10	104	6 < 0.1	
JVR93-167	205 274	4	0.08	2	460	36	< 2	3	52	0.09	< 10	< 10	32	< 10	72	2 < 0.1	
JVR93-168	205 274	3	0.08	1	290	14	< 2	2	31	0.05	< 10	< 10	22	< 10	46	2 < 0.1	
JVR93-169	205 274	5	0.09	3	380	16	< 2	3	34	0.04	< 10	< 10	24	< 10	58	4 < 0.1	
JVR93-170	205 274	2	0.09	2	300	14	< 2	2	35	0.04	< 10	< 10	18	< 10	56	4 < 0.1	
JVR93-171	205 274	8	0.09	3	520	88	< 2	4	75	0.10	< 10	< 10	36	< 10	194	4 0.1	
JVR93-172	205 274	5	0.25	3	410	26	2	2	154	0.07	< 10	< 10	29	20	344	60 1.8	
JVR93-173	205 274	4	0.11	3	480	14	< 2	4	63	0.08	< 10	< 10	35	30	74	65 0.1	
JVR93-174	205 274	5	0.08	3	400	6	< 2	3	51	0.05	< 10	< 10	25	< 10	66	6 < 0.1	

CERTIFICATION: *Hart Bechler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

A9325048

CERTIFICATE

A9325048

ADDA MINERALS COMPANY LTD.

Project: 29
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 26-NOV-93.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	107	Dry, sieve to -80 mesh
203	162	Dry, sieve to -35 mesh
205	162	Geochem ring to approx 150 mesh
217	22	Geochem ring entire sample
229	291	ICP - AQ Digestion charge


* NOTE: 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

Comments:

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	291	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
18	291	W ppm: K pyrosulfate fusion	COLORIMETRIC	2	1000
54	291	Te ppm: HBr-Br ₂ digest, extract	AAS-BKGD CORR	0.1	100.0
2118	291	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	291	Al ‰: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	291	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	291	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	291	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	291	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	291	Ca ‰: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	291	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	291	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	291	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	291	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	291	Fe ‰: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	291	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	291	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	291	K ‰: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	291	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	291	Mg ‰: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	291	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	291	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	291	Na ‰: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	291	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	291	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	291	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	291	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	291	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	291	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	291	Ti ‰: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	291	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	291	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	291	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	291	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	291	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 1-A
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No.: 19325048
 P.O. Number :
 Account : LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE	Au ppb FA+AA	W ppm	Te ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L2000E 4200N	201 229	< 5	4	< 0.1	0.4	2.51	24	170	< 0.5	2	0.35	1.0	8	88	40	3.35	< 10	< 1	0.14	10
L2000E 4250N	203 205	< 5	4	< 0.1	< 0.2	2.20	14	180	< 0.5	< 2	0.43	1.0	8	113	28	3.27	< 10	< 1	0.16	10
L2000E 4300N	203 205	90	3	< 0.1	1.0	2.32	10	150	< 0.5	< 2	0.39	1.5	7	91	24	2.89	< 10	< 1	0.14	20
L2000E 4350N	203 205	< 5	4	< 0.1	< 0.2	1.82	6	140	< 0.5	2	0.38	0.5	4	172	32	2.94	< 10	< 1	0.19	10
L2000E 4400N	203 205	10	8	< 0.1	< 0.2	1.74	2	130	< 0.5	4	0.30	2.0	6	108	31	2.61	< 10	< 1	0.13	10
L2000E 4450N	203 205	< 5	7	< 0.1	< 0.2	1.88	10	280	< 0.5	2	0.37	1.5	8	87	30	2.89	< 10	< 1	0.21	10
L2000E 4500N	203 205	55	7	< 0.1	0.2	1.87	22	100	< 0.5	< 2	0.22	1.5	8	30	48	3.03	< 10	< 1	0.14	10
L2000E 4550N	201 229	< 5	7	< 0.1	< 0.2	1.72	18	90	< 0.5	4	0.20	2.0	6	115	34	2.58	< 10	< 1	0.10	10
L2000E 4600N	201 229	< 5	7	< 0.1	< 0.2	2.02	14	90	< 0.5	2	0.30	0.5	6	75	45	3.05	< 10	< 1	0.11	10
L2000E 4650N	203 205	< 5	8	< 0.1	< 0.2	2.15	8	100	< 0.5	6	0.42	0.5	7	107	40	3.21	< 10	< 1	0.16	10
L2000E 4700N	203 205	< 5	5	< 0.1	< 0.2	2.09	6	130	< 0.5	< 2	0.37	1.0	6	74	30	2.98	< 10	< 1	0.12	10
L2050E 4200N	201 229	< 5	8	< 0.1	< 0.2	2.65	8	120	< 0.5	2	0.33	1.5	7	28	35	3.16	< 10	< 1	0.11	10
L2050E 4250N	203 205	< 5	3	< 0.1	< 0.2	1.83	8	130	< 0.5	4	0.28	1.0	7	82	22	2.91	< 10	< 1	0.14	< 10
L2050E 4300N	203 205	< 5	3	< 0.1	< 0.2	1.98	22	100	< 0.5	< 2	0.29	0.5	7	117	26	2.76	< 10	< 1	0.15	10
L2050E 4350N	203 205	< 5	8	< 0.1	< 0.2	1.75	8	130	< 0.5	2	0.39	1.0	7	110	34	2.87	< 10	< 1	0.17	10
L2050E 4400N	203 205	< 5	7	< 0.1	< 0.2	1.63	10	130	< 0.5	2	0.28	1.5	3	90	30	2.68	< 10	< 1	0.11	10
L2050E 4450N	203 205	< 5	5	< 0.1	< 0.2	1.85	18	90	< 0.5	2	0.23	1.0	6	108	32	2.51	< 10	< 1	0.12	10
L2050E 4500N	203 205	< 5	9	< 0.1	< 0.2	1.69	4	80	< 0.5	< 2	0.31	1.0	6	84	37	2.79	< 10	< 1	0.12	10
L2050E 4550N	203 205	< 5	9	< 0.1	0.2	2.43	< 2	120	< 0.5	4	0.36	1.5	10	108	53	3.30	< 10	< 1	0.23	10
L2050E 4600N	203 205	< 5	10	< 0.1	< 0.2	2.02	2	130	< 0.5	< 2	0.43	0.5	6	102	40	3.15	< 10	< 1	0.19	10
L2050E 4650N	203 205	< 5	7	< 0.1	< 0.2	1.81	< 2	130	< 0.5	6	0.39	1.5	7	107	34	2.65	< 10	< 1	0.12	10
L2050E 4700N	203 205	< 5	6	< 0.1	< 0.2	2.07	10	130	< 0.5	< 2	0.37	3.0	15	143	40	2.97	< 10	< 1	0.14	10
L2100E 4200N	203 205	10	7	< 0.1	0.4	2.73	14	130	< 0.5	2	0.36	1.0	7	84	40	3.12	< 10	< 1	0.13	10
L2100E 4250N	203 205	< 5	6	< 0.1	< 0.2	1.98	< 2	90	< 0.5	2	0.27	1.0	3	84	29	2.67	< 10	< 1	0.12	10
L2100E 4300N	203 205	< 5	5	< 0.1	< 0.2	2.01	< 2	220	< 0.5	< 2	0.42	1.5	14	156	25	2.84	< 10	< 1	0.17	10
L2100E 4350N	203 205	< 5	7	< 0.1	0.2	2.18	18	130	< 0.5	< 2	0.29	2.0	7	77	56	2.82	< 10	< 1	0.11	10
L2100E 4400N	203 205	< 5	10	< 0.1	< 0.2	1.68	20	110	< 0.5	2	0.20	1.5	7	54	29	2.32	< 10	< 1	0.09	10
L2100E 4450N	203 205	< 5	6	< 0.1	< 0.2	1.74	8	100	< 0.5	2	0.35	0.5	6	104	39	2.60	< 10	< 1	0.11	10
L2100E 4500N	203 205	< 5	7	< 0.1	< 0.2	2.05	< 2	90	< 0.5	4	0.48	1.0	7	135	52	3.17	< 10	< 1	0.17	10
L2100E 4550N	203 205	5	18	< 0.1	< 0.2	1.83	8	90	< 0.5	4	0.39	0.5	5	95	40	2.92	< 10	< 1	0.16	10
L2100E 4600N	203 205	< 5	8	< 0.1	< 0.2	1.95	6	80	< 0.5	< 2	0.30	0.5	6	74	32	2.55	< 10	< 1	0.07	10
L2100E 4650N	203 205	5	9	< 0.1	< 0.2	1.93	18	90	< 0.5	4	0.32	1.5	6	68	37	2.68	< 10	< 1	0.13	10
L2100E 4700N	203 205	< 5	6	< 0.1	< 0.2	1.66	12	120	< 0.5	< 2	0.33	1.0	5	106	24	2.59	< 10	< 1	0.12	10
L2150E 4200N	203 205	< 5	5	< 0.1	0.2	2.02	6	130	< 0.5	4	0.40	1.0	10	90	26	3.11	< 10	< 1	0.15	10
L2150E 4250N	203 205	< 5	6	< 0.1	< 0.2	1.73	6	130	< 0.5	6	0.28	1.0	6	111	24	2.97	< 10	< 1	0.18	10
L2150E 4300N	203 205	< 5	7	< 0.1	< 0.2	1.74	12	150	< 0.5	4	0.41	0.5	5	187	27	2.74	< 10	< 1	0.16	10
L2150E 4350N	203 205	< 5	8	< 0.1	< 0.2	2.11	26	140	< 0.5	< 2	0.29	0.5	6	54	30	3.19	< 10	< 1	0.10	10
L2150E 4400N	203 205	< 5	7	< 0.1	< 0.2	2.47	8	130	< 0.5	< 2	0.39	1.5	11	93	29	2.82	< 10	< 1	0.15	10
L2150E 4450N	203 205	< 5	6	< 0.1	< 0.2	2.18	8	160	< 0.5	2	0.44	1.0	4	88	49	2.38	< 10	< 1	0.11	10
L2150E 4500N	203 205	< 5	9	< 0.1	< 0.2	1.84	12	100	< 0.5	4	0.40	1.0	8	164	52	2.86	< 10	< 1	0.18	10

CERTIFICATION: *Hans Buehler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 1-B
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No.: I9325048
 P.O. Number:
 Account : LIH

Project : 29
 Comments:


CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L2000E 4200N	201 229	0.83	510	1	0.02	11	470	42	< 2	6	31	0.12	< 10	< 10	75	< 10	120
L2000E 4250N	203 205	0.82	735	1	0.03	14	490	28	< 2	6	32	0.16	< 10	< 10	77	< 10	124
L2000E 4300N	203 205	0.67	455	1	0.02	11	580	30	< 2	5	38	0.11	< 10	< 10	63	< 10	98
L2000E 4350N	203 205	0.65	445	1	0.05	10	520	22	< 2	4	32	0.12	< 10	< 10	60	< 10	122
L2000E 4400N	203 205	0.60	530	2	0.02	9	620	20	< 2	4	28	0.09	< 10	< 10	52	< 10	140
L2000E 4450N	203 205	0.61	860	2	0.02	13	920	36	< 2	3	46	0.07	< 10	< 10	61	< 10	144
L2000E 4500N	203 205	0.79	445	2	< 0.01	13	480	38	< 2	6	18	0.12	< 10	< 10	63	< 10	152
L2000E 4550N	201 229	0.57	365	1	0.02	15	610	24	< 2	3	23	0.04	< 10	< 10	46	< 10	126
L2000E 4600N	201 229	0.72	390	1	0.01	32	720	24	< 2	5	22	0.14	< 10	< 10	68	< 10	114
L2000E 4650N	203 205	0.77	435	2	0.03	10	630	16	< 2	5	34	0.15	< 10	< 10	70	< 10	116
L2000E 4700N	203 205	0.66	365	3	0.02	12	570	8	< 2	4	33	0.12	< 10	< 10	62	< 10	98
L2050E 4200N	201 229	0.73	485	2	0.01	12	900	22	< 2	4	30	0.09	< 10	< 10	65	< 10	148
L2050E 4250N	203 205	0.61	610	2	0.02	10	410	24	< 2	3	28	0.09	< 10	< 10	58	< 10	112
L2050E 4300N	203 205	0.57	490	1	0.03	8	650	20	< 2	4	23	0.08	< 10	< 10	58	< 10	102
L2050E 4350N	203 205	0.67	495	2	0.02	11	680	16	2	4	29	0.09	< 10	< 10	58	< 10	140
L2050E 4400N	203 205	0.55	355	1	0.02	10	540	12	< 2	3	24	0.08	< 10	< 10	51	< 10	118
L2050E 4450N	203 205	0.61	405	2	0.03	10	630	24	< 2	4	21	0.06	< 10	< 10	53	< 10	102
L2050E 4500N	203 205	0.60	335	1	0.02	10	500	20	2	4	26	0.10	< 10	< 10	56	< 10	128
L2050E 4550N	203 205	0.85	565	< 1	0.03	14	740	22	< 2	7	37	0.14	< 10	< 10	75	< 10	134
L2050E 4600N	203 205	0.73	545	1	0.03	8	820	18	< 2	4	33	0.13	< 10	< 10	64	< 10	150
L2050E 4650N	203 205	0.57	610	< 1	0.03	9	680	20	< 2	4	34	0.09	< 10	< 10	53	< 10	128
L2050E 4700N	203 205	0.57	1415	2	0.03	11	1070	36	< 2	3	38	0.06	< 10	< 10	55	< 10	150
L2100E 4200N	203 205	0.84	545	2	0.02	13	640	38	< 2	6	34	0.10	< 10	< 10	68	< 10	118
L2100E 4250N	203 205	0.64	330	1	0.02	10	520	16	< 2	4	27	0.08	< 10	< 10	54	< 10	104
L2100E 4300N	203 205	0.59	1830	3	0.03	13	670	40	< 2	4	47	0.11	< 10	< 10	58	< 10	134
L2100E 4350N	203 205	0.64	710	2	0.01	10	690	22	< 2	4	27	0.07	< 10	< 10	58	< 10	126
L2100E 4400N	203 205	0.51	715	2	0.01	8	650	42	< 2	2	23	0.03	< 10	< 10	46	< 10	82
L2100E 4450N	203 205	0.64	415	1	0.03	12	600	20	< 2	4	27	0.10	< 10	< 10	57	< 10	96
L2100E 4500N	203 205	0.78	485	2	0.04	14	760	14	< 2	6	33	0.15	< 10	< 10	72	< 10	112
L2100E 4550N	203 205	0.67	435	3	0.03	9	670	18	< 2	4	27	0.13	< 10	< 10	61	< 10	120
L2100E 4600N	203 205	0.53	475	1	0.02	10	840	26	< 2	2	22	0.07	< 10	< 10	51	< 10	98
L2100E 4650N	203 205	0.61	450	< 1	0.02	10	780	14	2	3	23	0.08	< 10	< 10	54	< 10	140
L2100E 4700N	203 205	0.55	380	1	0.03	10	340	12	< 2	3	34	0.09	< 10	< 10	52	< 10	110
L2150E 4200N	203 205	0.86	620	< 1	0.02	12	820	36	< 2	4	34	0.11	< 10	< 10	74	< 10	104
L2150E 4250N	203 205	0.66	415	2	0.03	10	440	12	< 2	4	27	0.14	< 10	< 10	63	< 10	116
L2150E 4300N	203 205	0.65	425	1	0.03	14	620	16	< 2	4	38	0.09	< 10	< 10	54	< 10	108
L2150E 4350N	203 205	0.72	510	3	0.01	8	360	18	< 2	4	24	0.12	< 10	< 10	72	< 10	120
L2150E 4400N	203 205	0.58	710	2	0.02	11	1210	40	< 2	3	39	0.06	< 10	< 10	54	< 10	130
L2150E 4450N	203 205	0.50	330	2	0.02	10	780	16	2	3	49	0.08	< 10	< 10	43	< 10	194
L2150E 4500N	203 205	0.65	550	2	0.06	10	420	16	< 2	5	37	0.12	< 10	< 10	61	< 10	126

CERTIFICATION:

Hans Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 2-A
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No.: 19325048
 P.O. Number :
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS A9325048

SAMPLE	PREP CODE	Au ppb FA+AA	W ppm	Te ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L2150E 4550N	201 229	< 5	6	< 0.1	0.2	2.11	14	100	< 0.5	2	0.27	1.0	8	21	33	2.87	< 10	< 1	0.08	10
L2150E 4600N	201 229	< 5	14	< 0.1	< 0.2	2.33	2	110	< 0.5	2	0.26	2.0	7	24	50	3.23	< 10	< 1	0.11	10
L2150E 4700N	201 229	< 5	32	< 0.1	< 0.2	2.33	< 2	100	< 0.5	8	0.29	1.0	7	21	49	2.97	< 10	< 1	0.09	10
L2200E 4200N	201 229	50	7	< 0.1	< 0.2	2.40	2	140	< 0.5	4	0.30	0.5	10	28	31	3.47	< 10	< 1	0.10	10
L2200E 4250N	201 229	< 5	6	< 0.1	0.2	2.55	14	120	< 0.5	2	0.29	1.0	10	27	31	3.64	< 10	< 1	0.08	10
L2200E 4300N	201 229	< 5	5	< 0.1	< 0.2	1.59	2	130	< 0.5	4	0.30	1.5	6	25	27	2.56	< 10	< 1	0.13	10
L2200E 4350N	201 229	< 5	7	< 0.1	< 0.2	2.31	50	100	< 0.5	4	0.46	0.5	6	26	31	3.12	< 10	< 1	0.10	10
L2200E 4400N	201 229	< 5	14	< 0.1	0.8	2.46	58	100	< 0.5	4	0.45	1.5	13	23	36	3.11	< 10	< 1	0.09	10
L2200E 4450N	201 229	< 5	12	< 0.1	0.6	3.05	38	120	< 0.5	6	0.52	3.0	11	77	51	3.04	< 10	< 1	0.08	10
L2200E 4500N	201 229	50	17	< 0.1	< 0.2	2.20	2	140	< 0.5	< 2	0.34	4.5	15	25	29	2.83	< 10	< 1	0.13	10
L2200E 4550N	201 229	< 5	17	< 0.1	< 0.2	1.96	< 2	180	< 0.5	4	0.33	3.0	30	18	33	2.62	< 10	< 1	0.12	10
L2200E 4600N	201 229	< 5	21	< 0.1	0.4	2.11	2	210	< 0.5	2	0.58	16.0	20	19	53	2.34	< 10	< 1	0.14	20
L2200E 4650N	201 229	< 5	22	< 0.1	< 0.2	2.21	22	110	< 0.5	12	0.47	1.0	7	20	63	3.26	< 10	< 1	0.13	10
L2200E 4700N	201 229	40	7	< 0.1	0.2	2.07	8	100	< 0.5	4	0.16	1.5	7	18	26	2.29	< 10	< 1	0.05	< 10
L2250E 4200N	201 229	15	4	< 0.1	0.2	2.42	2	160	< 0.5	2	0.22	0.5	9	20	31	3.05	< 10	< 1	0.08	10
L2250E 4250N	203 205	30	12	< 0.1	0.2	2.08	44	140	< 0.5	2	0.54	1.5	8	47	43	2.95	< 10	< 1	0.08	20
L2250E 4300N	203 205	< 5	3	< 0.1	< 0.2	1.55	< 2	130	< 0.5	2	0.32	1.0	7	125	19	2.84	< 10	< 1	0.17	< 10
L2250E 4400N	203 205	< 5	16	< 0.1	0.2	1.55	< 2	90	< 0.5	4	0.37	2.5	8	72	38	2.54	< 10	< 1	0.18	10
L2250E 4450N	203 205	< 5	20	< 0.1	0.6	2.27	44	170	< 0.5	16	0.39	4.0	12	80	140	4.40	< 10	< 1	0.27	10
L2250E 4500N	203 205	< 5	10	< 0.1	0.2	2.14	14	90	< 0.5	6	0.30	1.5	9	54	52	2.75	< 10	< 1	0.14	10
L2250E 4550N	203 205	< 5	11	< 0.1	0.2	1.58	14	130	< 0.5	4	0.51	4.0	9	113	39	2.66	< 10	< 1	0.21	20
L2250E 4600N	203 205	< 5	12	< 0.1	0.2	2.00	8	140	< 0.5	2	0.43	1.5	7	100	45	3.28	< 10	< 1	0.32	20
L2250E 4650N	203 205	< 5	22	< 0.1	0.2	2.01	28	130	< 0.5	4	0.33	1.0	7	106	49	2.64	< 10	< 1	0.21	10
L2250E 4700N	203 205	< 5	10	< 0.1	0.2	1.93	12	200	< 0.5	6	0.44	3.0	21	87	32	2.40	< 10	< 1	0.18	10
L2300E 4200N	203 205	< 5	5	< 0.1	0.8	3.04	20	250	< 0.5	< 2	0.46	1.0	12	83	44	3.37	< 10	< 1	0.17	20
L2300E 4300N	203 205	< 5	4	< 0.1	0.2	1.44	14	120	< 0.5	< 2	0.22	1.0	6	70	16	2.04	< 10	< 1	0.16	10
L2300E 4350N	203 205	< 5	5	< 0.1	0.4	1.70	16	90	< 0.5	< 2	0.30	0.5	6	70	24	2.05	< 10	< 1	0.12	10
L2300E 4400N	203 205	< 5	13	< 0.1	< 0.2	1.99	32	90	< 0.5	4	0.20	0.5	7	95	43	2.39	< 10	< 1	0.13	10
L2300E 4450N	203 205	< 5	9	< 0.1	0.2	1.85	14	120	< 0.5	2	0.37	2.0	8	144	39	2.40	< 10	< 1	0.17	20
L2300E 4500N	203 205	< 5	12	< 0.1	0.2	1.77	4	130	< 0.5	2	0.61	2.0	6	114	31	2.42	< 10	< 1	0.15	20
L2300E 4550N	203 205	< 5	16	< 0.1	0.2	1.71	16	210	< 0.5	< 2	0.37	9.0	17	91	27	2.67	< 10	< 1	0.24	10
L2300E 4600N	203 205	< 5	14	< 0.1	0.2	1.48	12	100	< 0.5	4	0.39	1.5	6	78	25	2.54	< 10	< 1	0.17	10
L2300E 4650N	203 205	< 5	16	< 0.1	< 0.2	1.91	12	100	< 0.5	4	0.27	0.5	6	90	44	2.77	< 10	< 1	0.15	10
L2300E 4700N	203 205	< 5	17	< 0.1	0.2	1.55	16	100	< 0.5	2	0.31	0.5	5	114	38	2.47	< 10	< 1	0.13	10
L2350E 4200N	203 205	5	4	< 0.1	0.2	1.91	16	130	< 0.5	2	0.40	0.5	10	103	27	2.68	< 10	< 1	0.14	20
L2350E 4300N	203 205	20	8	< 0.1	0.2	1.86	30	120	< 0.5	2	0.39	1.0	8	68	25	2.54	< 10	< 1	0.13	20
L2350E 4350N	203 205	50	7	< 0.1	0.6	2.28	44	120	0.5	2	0.70	1.0	7	118	35	2.35	< 10	< 1	0.12	30
L2350E 4400N	203 205	< 5	11	< 0.1	0.4	2.02	26	120	0.5	< 2	0.34	2.5	7	74	45	2.52	< 10	< 1	0.14	20
L2350E 4450N	203 205	< 5	14	< 0.1	0.2	1.76	32	210	< 0.5	2	0.42	2.0	11	92	55	2.71	< 10	< 1	0.24	10
L2350E 4500N	203 205	< 5	18	< 0.1	< 0.2	1.83	16	130	< 0.5	6	0.43	0.5	12	85	53	2.93	< 10	< 1	0.22	20

CERTIFICATION: *Hart Biebler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 2-B
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No.: 18325048
 P.O. Number:
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L2150E 4550N	201 229	0.62	460	2	0.01	10	610	22	< 2	3	30	0.09	< 10	< 10	55	< 10	144
L2150E 4600N	201 229	0.71	445	2	0.01	10	650	16	< 2	4	30	0.11	< 10	< 10	66	< 10	154
L2150E 4700N	201 229	0.69	440	2	0.01	10	810	20	< 2	4	25	0.10	< 10	< 10	63	< 10	134
L2200E 4200N	201 229	0.92	615	3	0.01	12	700	30	< 2	4	36	0.10	< 10	< 10	76	< 10	110
L2200E 4250N	201 229	0.91	525	2	0.01	10	450	24	< 2	6	26	0.14	< 10	< 10	63	< 10	114
L2200E 4300N	201 229	0.65	685	1	0.01	10	750	20	2	3	30	0.09	< 10	< 10	53	< 10	130
L2200E 4350N	201 229	0.79	550	1	0.01	12	1240	20	< 2	4	34	0.10	< 10	< 10	69	< 10	132
L2200E 4400N	201 229	0.70	675	2	0.01	10	790	50	< 2	4	39	0.11	< 10	< 10	62	< 10	150
L2200E 4450N	201 229	1.06	465	1	0.01	44	730	48	< 2	4	66	0.08	< 10	< 10	60	< 10	296
L2200E 4500N	201 229	0.59	1475	1	0.01	11	610	36	2	3	39	0.09	< 10	< 10	55	< 10	200
L2200E 4550N	201 229	0.56	3520	2	0.01	10	880	46	< 2	3	40	0.09	< 10	< 10	53	< 10	188
L2200E 4600N	201 229	0.51	1760	1	0.01	10	1160	32	< 2	3	84	0.06	< 10	< 10	47	< 10	246
L2200E 4650N	201 229	0.75	460	2	0.01	8	770	18	< 2	4	58	0.15	< 10	< 10	70	< 10	186
L2200E 4700N	201 229	0.38	560	3 < 0.01	8	1120	32	< 2	< 1	29	0.02	< 10	< 10	44	< 10	112	
L2250E 4200N	201 229	0.68	1015	3	0.01	11	1290	44	< 2	1	24	0.03	< 10	< 10	62	< 10	100
L2250E 4250N	203 205	0.75	935	4	0.01	9	780	36	< 2	6	38	0.05	< 10	< 10	62	< 10	118
L2250E 4300N	203 205	0.75	365	1	0.03	8	430	10	< 2	3	35	0.13	< 10	< 10	65	< 10	92
L2250E 4400N	203 205	0.56	485	3	0.02	8	450	18	< 2	3	33	0.09	< 10	< 10	51	< 10	114
L2250E 4450N	203 205	0.58	585	4	0.05	9	1020	62	< 2	4	71	0.04	< 10	< 10	51	< 10	456
L2250E 4500N	203 205	0.68	605	2	0.02	11	950	36	< 2	3	24	0.07	< 10	< 10	54	< 10	156
L2250E 4550N	203 205	0.54	875	< 1	0.03	10	800	22	< 2	3	54	0.09	< 10	< 10	54	< 10	192
L2250E 4600N	203 205	0.75	495	< 1	0.03	10	630	12	2	6	41	0.16	< 10	< 10	70	< 10	180
L2250E 4650N	203 205	0.56	510	1	0.03	7	270	16	2	3	45	0.08	< 10	< 10	58	< 10	138
L2250E 4700N	203 205	0.58	1725	1	0.02	11	1080	34	< 2	2	68	0.08	< 10	< 10	47	< 10	184
L2300E 4200N	203 205	0.89	740	1	0.02	14	860	32	2	6	48	0.10	< 10	< 10	73	< 10	136
L2300E 4300N	203 205	0.35	720	2	0.02	7	860	42	2	1	33	0.03	< 10	< 10	48	< 10	96
L2300E 4350N	203 205	0.51	355	1	0.07	9	780	32	2	2	26	0.06	< 10	< 10	49	< 10	104
L2300E 4400N	203 205	0.53	520	1	0.02	10	680	22	< 2	2	20	0.04	< 10	< 10	46	< 10	124
L2300E 4450N	203 205	0.60	580	1	0.03	14	970	30	2	2	35	0.04	< 10	< 10	48	< 10	158
L2300E 4500N	203 205	0.55	395	< 1	0.03	12	520	14	< 2	3	49	0.09	< 10	< 10	47	< 10	120
L2300E 4550N	203 205	0.50	3120	2	0.02	10	510	46	2	3	45	0.09	< 10	< 10	49	< 10	162
L2300E 4600N	203 205	0.57	320	1	0.02	8	420	10	< 2	3	50	0.10	< 10	< 10	54	< 10	146
L2300E 4650N	203 205	0.64	390	1	0.03	9	280	14	< 2	4	35	0.12	< 10	< 10	57	< 10	132
L2300E 4700N	203 205	0.59	355	1	0.03	9	290	12	< 2	3	37	0.13	< 10	< 10	53	< 10	106
L2350E 4200N	203 205	0.75	590	< 1	0.02	11	630	26	< 2	4	37	0.10	< 10	< 10	60	< 10	96
L2350E 4300N	203 205	0.60	825	1	0.02	9	810	32	< 2	2	31	0.05	< 10	< 10	53	< 10	166
L2350E 4350N	203 205	0.66	395	2	0.06	14	920	30	4	4	48	0.06	< 10	< 10	54	< 10	152
L2350E 4400N	203 205	0.61	565	1	0.02	13	1000	26	2	1	33	0.04	< 10	< 10	49	< 10	180
L2350E 4450N	203 205	0.60	750	1	0.02	10	450	26	< 2	4	37	0.06	< 10	< 10	52	< 10	252
L2350E 4500N	203 205	0.63	850	1	0.02	11	520	22	< 2	4	42	0.12	< 10	< 10	61	< 10	150

CERTIFICATION:

Hans Biehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5


Page Number :3-A
 Total Pages :8
 Certificate Date: 26-NOV-93
 Invoice No.: I9325048
 P.O. Number:
 Account :LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS A9325048

SAMPLE	PREP CODE	Au ppb FA+AA	W ppm	Te ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L2350E 4550N	203 205	< 5	22	< 0.1	0.4	1.56	8	130	< 0.5	2	0.38	3.0	9	110	38	2.40	< 10	< 1	0.20	20
L2350E 4600N	203 205	< 5	24	< 0.1	0.4	1.55	4	100	< 0.5	< 2	0.36	1.5	6	115	47	2.58	< 10	< 1	0.29	10
L2350E 4650N	203 205	< 5	17	< 0.1	0.6	1.67	12	100	< 0.5	< 2	0.25	5.0	9	110	38	2.37	< 10	< 1	0.13	10
L2350E 4700N	203 205	< 5	13	< 0.1	0.2	1.64	20	100	< 0.5	< 2	0.18	0.5	6	69	38	2.46	< 10	< 1	0.11	10
L2400E 4200N	203 205	< 5	6	< 0.1	< 0.2	1.42	2	140	< 0.5	< 2	0.23	0.5	12	66	20	2.69	< 10	< 1	0.11	10
L2400E 4250N	203 205	30	4	< 0.1	0.2	2.02	2	220	< 0.5	< 2	0.35	< 0.5	9	116	28	2.50	< 10	< 1	0.19	20
L2400E 4300N	203 205	< 5	3	< 0.1	0.2	1.39	4	120	< 0.5	< 2	0.29	< 0.5	7	74	16	1.66	< 10	< 1	0.12	10
L2400E 4350N	203 205	20	9	< 0.1	0.4	2.16	44	120	< 0.5	< 2	0.63	3.0	10	159	52	2.94	< 10	< 1	0.18	30
L2400E 4400N	203 205	< 5	15	< 0.1	0.2	1.55	30	100	< 0.5	< 2	0.23	2.5	8	83	32	1.88	< 10	< 1	0.15	10
L2400E 4450N	203 205	< 5	16	< 0.1	0.6	1.71	48	270	0.5	4	0.48	3.5	10	144	63	2.00	< 10	< 1	0.39	20
L2400E 4500N	203 205	< 5	18	< 0.1	0.2	1.76	4	190	< 0.5	< 2	0.43	3.0	12	98	35	2.96	< 10	< 1	0.30	20
L2400E 4550N	203 205	15	45	< 0.1	0.4	1.66	20	150	< 0.5	4	0.44	1.5	10	105	47	2.43	< 10	< 1	0.24	20
L2400E 4650N	203 205	< 5	27	< 0.1	0.2	1.91	14	90	< 0.5	< 2	0.30	1.0	8	121	35	2.97	< 10	< 1	0.33	20
L2400E 4700N	203 205	< 5	19	< 0.1	0.4	2.05	26	110	< 0.5	8	0.29	0.5	6	107	59	2.83	< 10	< 1	0.16	10
L2450E 4250N	203 205	< 5	4	< 0.1	0.6	1.65	16	170	< 0.5	< 2	0.38	1.5	11	93	24	2.53	< 10	< 1	0.15	20
L2450E 4300N	203 205	< 5	17	< 0.1	0.2	1.80	14	130	< 0.5	< 2	0.42	2.0	10	114	35	2.75	< 10	< 1	0.15	20
L2450E 4350N	203 205	< 5	26	< 0.1	0.2	1.66	12	170	< 0.5	< 2	0.60	1.0	9	132	26	2.37	< 10	< 1	0.18	20
L2450E 4400N	203 205	< 5	11	< 0.1	< 0.2	1.45	14	330	< 0.5	< 2	0.42	1.5	10	187	30	2.39	< 10	< 1	0.25	20
L2450E 4450N	203 205	< 5	9	< 0.1	< 0.2	1.75	28	160	< 0.5	< 2	0.53	3.5	9	103	39	2.32	< 10	< 1	0.21	20
L2450E 4500N	203 205	< 5	12	< 0.1	< 0.2	1.97	26	140	< 0.5	< 2	0.53	0.5	8	94	40	2.73	< 10	< 1	0.21	20
L2450E 4550N	203 205	< 5	22	< 0.1	0.6	1.62	20	160	< 0.5	4	0.43	0.5	10	98	40	2.72	< 10	< 1	0.29	10
L2450E 4600N	203 205	< 5	29	0.1	0.2	1.97	20	90	< 0.5	18	0.42	< 0.5	7	83	50	2.51	< 10	< 1	0.15	10
L2450E 4650N	203 205	< 5	45	< 0.1	0.4	2.40	6	100	< 0.5	14	0.28	0.5	9	58	77	3.05	< 10	< 1	0.19	10
L2450E 4700N	203 205	< 5	22	< 0.1	0.2	1.69	8	130	< 0.5	8	0.28	3.0	8	100	44	2.45	< 10	< 1	0.22	10
L2450E 4750N	203 205	< 5	23	< 0.1	0.6	1.65	38	160	< 0.5	8	0.41	0.5	8	144	52	2.57	< 10	< 1	0.25	10
L2450E 4800N	203 205	< 5	13	< 0.1	0.4	2.26	28	180	< 0.5	6	0.21	0.5	9	118	37	2.64	< 10	< 1	0.12	10
L2500E 4350N	203 205	< 5	5	< 0.1	0.4	1.87	18	180	< 0.5	< 2	0.36	1.5	9	152	24	2.57	< 10	< 1	0.18	20
L2500E 4400N	203 205	< 5	10	< 0.1	0.4	2.10	24	220	< 0.5	2	0.47	5.0	11	122	43	3.13	< 10	< 1	0.24	20
L2500E 4450N	203 205	< 5	11	< 0.1	0.2	1.50	16	80	< 0.5	4	0.43	0.5	8	72	31	2.23	< 10	< 1	0.15	10
L2500E 4500N	203 205	< 5	12	0.1	0.4	1.83	36	170	< 0.5	2	0.39	0.5	9	92	52	2.66	< 10	< 1	0.16	10
L2500E 4550N	203 205	< 5	8	< 0.1	0.2	1.35	12	130	< 0.5	< 2	0.42	0.5	9	64	19	2.32	< 10	< 1	0.18	20
L2500E 4600N	203 205	< 5	12	< 0.1	0.2	1.82	20	90	< 0.5	2	0.36	< 0.5	8	105	44	2.62	< 10	< 1	0.18	20
L2500E 4650N	203 205	< 5	10	< 0.1	0.2	1.46	14	60	< 0.5	2	0.27	0.5	6	91	32	2.08	< 10	< 1	0.14	10
L2500E 4700N	203 205	< 5	17	< 0.1	0.4	1.60	32	80	< 0.5	8	0.28	2.5	9	141	57	2.56	< 10	< 1	0.22	10
L2500E 4750N	203 205	< 5	16	0.1	0.2	1.25	28	70	< 0.5	8	0.25	1.0	5	75	40	2.23	< 10	< 1	0.19	10
L2550E 4800N	203 205	15	12	< 0.1	0.2	1.39	20	130	< 0.5	2	0.36	0.5	11	132	26	2.02	< 10	< 1	0.15	10
L2550E 4350N	203 205	< 5	4	< 0.1	0.2	1.34	12	90	< 0.5	< 2	0.27	< 0.5	9	73	23	2.26	< 10	< 1	0.11	10
L2550E 4400N	203 205	< 5	10	< 0.1	0.2	1.52	12	70	< 0.5	< 2	0.22	0.5	7	122	23	2.14	< 10	< 1	0.13	10
L2550E 4500N	201 229	< 5	4	< 0.1	0.2	1.26	16	100	< 0.5	< 2	0.27	< 0.5	7	93	23	2.05	< 10	< 1	0.17	10
L2550E 4550N	201 229	< 5	7	0.2	0.4	1.38	16	170	< 0.5	28	0.40	8.0	9	101	113	2.29	< 10	< 1	0.24	10

CERTIFICATION: *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :3-B
 Total Pages :8
 Certificate Date: 26-NOV-93
 Invoice No. :19325048
 P.O. Number :
 Account :LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L2350E 4550N	203	205	0.51	660	< 1	0.04	9	390	16	2	4	43	0.11	< 10	< 10	49	< 10	152
L2350E 4600N	203	205	0.50	360	1	0.03	9	610	16	< 2	3	57	0.12	< 10	< 10	54	< 10	164
L2350E 4650N	203	205	0.47	415	1	0.02	8	310	16	2	3	40	0.08	< 10	< 10	43	< 10	128
L2350E 4700N	203	205	0.57	285	< 1	0.02	10	330	6	2	3	25	0.07	< 10	< 10	46	< 10	106
L2400E 4200N	203	205	0.59	1310	1	0.02	9	380	30	< 2	2	29	0.08	< 10	< 10	60	< 10	88
L2400E 4250N	203	205	0.74	450	1	0.04	11	900	34	2	4	39	0.06	< 10	< 10	52	< 10	82
L2400E 4300N	203	205	0.46	475	< 1	0.11	7	570	14	< 2	2	28	0.07	< 10	< 10	37	< 10	62
L2400E 4350N	203	205	0.78	550	1	0.04	17	580	30	4	6	47	0.09	< 10	< 10	66	< 10	170
L2400E 4400N	203	205	0.49	595	1	0.06	11	610	20	< 2	2	23	0.06	< 10	< 10	41	< 10	116
L2400E 4450N	203	205	0.40	560	< 1	0.02	9	460	36	2	3	44	< 0.01	< 10	< 10	29	< 10	188
L2400E 4500N	203	205	0.67	555	< 1	0.03	11	740	16	< 2	4	52	0.13	< 10	< 10	62	< 10	186
L2400E 4550N	203	205	0.55	815	1	0.03	11	780	16	2	3	44	0.09	< 10	< 10	50	< 10	152
L2400E 4650N	203	205	0.66	430	1	0.04	12	520	20	< 2	4	43	0.15	< 10	< 10	63	< 10	146
L2400E 4700N	203	205	0.60	310	< 1	0.02	12	320	14	2	4	44	0.09	< 10	< 10	56	< 10	122
L2450E 4250N	203	205	0.68	915	< 1	0.03	9	640	40	< 2	3	38	0.08	< 10	< 10	57	< 10	100
L2450E 4300N	203	205	0.72	470	< 1	0.02	11	620	24	2	4	38	0.08	< 10	< 10	60	< 10	136
L2450E 4350N	203	205	0.66	555	< 1	0.03	9	650	34	< 2	4	50	0.09	< 10	< 10	52	< 10	100
L2450E 4400N	203	205	0.59	1175	1	0.04	12	940	18	2	3	43	0.06	< 10	< 10	51	< 10	180
L2450E 4450N	203	205	0.51	555	1	0.02	11	440	20	4	3	47	0.06	< 10	< 10	45	< 10	164
L2450E 4500N	203	205	0.73	390	< 1	0.02	15	660	18	4	3	63	0.08	< 10	< 10	56	< 10	156
L2450E 4550N	203	205	0.58	780	< 1	0.03	11	430	18	< 2	4	47	0.12	< 10	< 10	55	< 10	158
L2450E 4600N	203	205	0.62	395	< 1	0.03	10	290	16	< 2	3	59	0.07	< 10	< 10	45	< 10	108
L2450E 4650N	203	205	0.75	540	2	0.02	10	410	24	< 2	4	43	0.12	< 10	< 10	56	< 10	172
L2450E 4700N	203	205	0.49	610	1	0.02	10	480	18	< 2	3	45	0.07	< 10	< 10	43	< 10	182
L2450E 4750N	203	205	0.58	510	2	0.03	11	480	18	< 2	3	60	0.08	< 10	< 10	50	< 10	126
L2450E 4800N	203	205	0.43	1075	1	0.03	11	1030	26	4	1	34	0.04	< 10	< 10	52	< 10	124
L2500E 4350N	203	205	0.57	765	1	0.07	11	760	24	2	3	42	0.09	< 10	< 10	57	< 10	108
L2500E 4400N	203	205	0.81	790	1	0.03	18	1050	20	4	3	46	0.07	< 10	< 10	64	< 10	234
L2500E 4450N	203	205	0.71	405	< 1	0.02	13	500	12	2	4	34	0.08	< 10	< 10	47	< 10	98
L2500E 4500N	203	205	0.79	485	2	0.02	19	510	14	2	4	35	0.08	< 10	< 10	59	< 10	132
L2500E 4550N	203	205	0.82	445	< 1	0.02	11	550	8	2	3	36	0.09	< 10	< 10	50	< 10	74
L2500E 4600N	203	205	0.72	405	< 1	0.04	10	490	8	< 2	4	34	0.13	< 10	< 10	54	< 10	106
L2500E 4650N	203	205	0.51	445	< 1	0.03	9	590	16	< 2	2	24	0.08	< 10	< 10	42	< 10	128
L2500E 4700N	203	205	0.62	450	1	0.03	11	520	16	2	3	32	0.07	< 10	< 10	52	< 10	198
L2500E 4750N	203	205	0.62	315	1	0.02	9	420	8	< 2	3	21	0.08	< 10	< 10	46	< 10	100
L2500E 4800N	203	205	0.52	965	< 1	0.04	10	280	20	< 2	3	39	0.09	< 10	< 10	43	< 10	94
L2550E 4350N	203	205	0.62	515	< 1	0.02	9	390	16	< 2	3	25	0.08	< 10	< 10	49	< 10	84
L2550E 4400N	203	205	0.55	440	1	0.03	8	590	14	< 2	2	20	0.06	< 10	< 10	42	< 10	88
L2550E 4500N	201	229	0.72	360	1	0.03	12	380	4	2	3	25	0.07	< 10	< 10	44	< 10	82
L2550E 4550N	201	229	0.68	780	1	0.03	12	580	18	< 2	4	34	0.09	< 10	< 10	50	< 10	148

CERTIFICATION:

Hart Bischler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 4-A
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No.: 19325048
 P.O. Number:
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE	Au ppb	W	Te	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La
		FA+AA	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	
L2550E 4600N	201 229	< 5	3	< 0.1	0.2	1.96	8	100	< 0.5	< 2	0.34	0.5	12	87	23	2.90	< 10	< 1	0.11	20
L2550E 4700N	201 229	< 5	8	< 0.1	0.2	1.36	2	90	< 0.5	2	0.28	1.5	9	52	24	2.15	< 10	< 1	0.14	10
L2550E 4750N	201 229	< 5	9	< 0.1	0.4	1.53	32	60	< 0.5	6	0.30	0.5	8	68	54	2.43	< 10	< 1	0.16	10
L2550E 4800N	201 229	< 5	11	< 0.1	0.6	1.51	46	90	< 0.5	2	0.27	1.5	7	57	43	2.12	< 10	< 1	0.12	10
L2600E 4350N	201 229	< 5	12	< 0.1	0.6	2.51	20	150	< 0.5	< 2	0.56	2.0	12	92	64	3.20	< 10	< 1	0.14	20
L2600E 4400N	201 229	< 5	6	< 0.1	0.2	1.42	10	90	< 0.5	< 2	0.22	0.5	7	62	28	2.25	< 10	< 1	0.12	10
L2600E 4450N	201 229	< 5	7	0.1	0.2	1.54	20	80	< 0.5	2	0.26	0.5	7	95	40	2.36	< 10	< 1	0.13	10
L2600E 4500N	201 229	< 5	14	0.4	4.8	2.76	138	70	< 0.5	124	0.87	9.0	15	105	332	3.55	< 10	< 1	0.17	30
L2600E 4550N	201 229	< 5	8	0.1	0.2	1.30	18	100	< 0.5	4	0.19	0.5	9	77	37	2.29	< 10	< 1	0.16	10
L2600E 4600N	201 229	< 5	9	< 0.1	0.4	1.59	20	110	< 0.5	6	0.29	0.5	8	129	49	2.51	< 10	< 1	0.17	10
L2600E 4650N	201 229	< 5	4	< 0.1	0.2	1.49	14	280	< 0.5	< 2	0.48	2.0	10	108	26	2.36	< 10	< 1	0.18	20
L2600E 4700N	201 229	< 5	14	< 0.1	0.2	1.79	36	140	< 0.5	2	0.45	1.5	11	107	55	2.89	< 10	< 1	0.29	20
L2600E 4750N	201 229	< 5	9	< 0.1	0.2	1.39	46	90	< 0.5	< 2	0.42	1.0	9	73	53	2.57	< 10	< 1	0.26	10
L2600E 4800N	201 229	< 5	8	< 0.1	0.4	1.71	50	120	< 0.5	2	0.38	0.5	10	108	52	2.90	< 10	< 1	0.27	20
L2600E 4850N	201 229	< 5	12	< 0.1	0.2	1.49	40	70	< 0.5	2	0.21	0.5	6	68	42	2.19	< 10	< 1	0.11	10
L2650E 4350N	201 229	< 5	11	< 0.1	0.4	1.92	18	160	< 0.5	< 2	0.25	1.0	10	80	36	2.72	< 10	< 1	0.14	20
L2650E 4400N	201 229	< 5	9	< 0.1	0.8	3.11	28	280	< 0.5	< 2	0.44	1.0	16	67	63	3.79	< 10	< 1	0.19	30
L2650E 4450N	201 229	< 5	6	< 0.1	0.4	1.62	14	180	< 0.5	< 2	0.46	0.5	7	236	43	2.27	< 10	< 1	0.27	20
L2650E 4500N	201 229	20	5	< 0.1	0.2	1.39	22	110	< 0.5	4	0.21	0.5	8	76	41	2.24	< 10	< 1	0.12	10
L2650E 4550N	201 229	< 5	7	< 0.1	0.2	1.21	22	100	< 0.5	6	0.29	0.5	7	82	45	2.06	< 10	< 1	0.18	10
L2650E 4600N	201 229	< 5	9	< 0.1	0.4	2.18	26	130	< 0.5	2	0.21	1.0	11	83	67	2.79	< 10	< 1	0.18	20
L2650E 4650N	201 229	< 5	7	< 0.1	0.2	1.43	40	100	< 0.5	18	0.37	1.0	9	104	62	2.44	< 10	< 1	0.32	10
L2650E 4700N	201 229	< 5	17	< 0.1	0.4	1.60	32	140	< 0.5	8	0.50	2.0	13	72	84	3.06	< 10	< 1	0.38	20
L2650E 4750N	201 229	< 5	4	< 0.1	0.4	1.53	32	160	< 0.5	2	0.42	0.5	11	101	38	2.75	< 10	< 1	0.31	20
L2650E 4800N	201 229	< 5	12	< 0.1	0.4	1.67	38	130	< 0.5	2	0.66	2.0	12	161	76	2.90	< 10	< 1	0.38	20
L2650E 4850N	217 229	< 5	6	< 0.1	0.4	1.46	34	190	< 0.5	2	0.69	2.0	10	182	67	2.81	< 10	< 1	0.32	20
L2700E 4900N	201 229	< 5	6	0.1	0.4	1.89	60	90	< 0.5	2	0.34	< 0.5	9	82	52	2.53	< 10	< 1	0.15	10
L2700E 4350N	201 229	< 5	11	< 0.1	0.2	1.86	6	130	< 0.5	< 2	0.44	1.0	9	80	42	2.59	< 10	< 1	0.14	20
L2700E 4400N	201 229	40	17	< 0.1	0.2	1.63	16	100	< 0.5	2	0.38	0.5	9	75	39	2.81	< 10	< 1	0.12	10
L2700E 4450N	201 229	5	16	< 0.1	0.4	1.84	108	100	< 0.5	2	0.27	1.0	10	111	68	2.83	< 10	< 1	0.18	10
L2700E 4500N	201 229	< 5	7	< 0.1	0.2	1.35	14	150	< 0.5	10	0.22	0.5	6	92	37	2.40	< 10	< 1	0.19	10
L2700E 4600N	201 229	< 5	6	0.2	0.2	1.66	18	210	< 0.5	6	0.28	0.5	11	128	54	2.74	< 10	< 1	0.29	10
L2700E 4650N	201 229	< 5	11	< 0.1	0.2	1.46	38	110	< 0.5	4	0.29	< 0.5	9	91	56	2.58	< 10	< 1	0.27	10
L2700E 4700N	201 229	15	10	< 0.1	0.4	1.65	68	120	< 0.5	8	0.45	0.5	14	107	80	3.09	< 10	< 1	0.34	20
L2700E 4750N	201 229	< 5	9	< 0.1	0.2	1.33	38	140	< 0.5	2	0.44	3.0	10	83	63	2.54	< 10	< 1	0.30	20
L2700E 4800N	201 229	< 5	16	0.4	0.6	2.31	126	70	< 0.5	12	0.37	0.5	23	130	189	3.97	< 10	< 1	0.31	20
L2700E 4850N	201 229	< 5	9	< 0.1	0.4	1.34	86	140	< 0.5	4	0.53	1.0	9	93	52	2.32	< 10	< 1	0.25	20
L2700E 4900N	201 229	< 5	3	< 0.1	0.2	1.23	12	120	< 0.5	< 2	0.34	0.5	10	72	20	2.11	< 10	< 1	0.14	10
L2750E 4550N	201 229	< 5	9	< 0.1	< 0.2	1.63	24	90	< 0.5	4	0.16	0.5	8	87	47	2.67	< 10	< 1	0.23	10
L2750E 4600N	201 229	< 5	3	< 0.1	0.4	1.41	12	160	< 0.5	14	0.50	1.5	6	91	79	1.66	< 10	< 1	0.17	10

CERTIFICATION:

Mark Bischler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 4-B
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No. : I9325048
 P.O. Number :
 Account : LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L2550E 4600N	201 229	1.33	515	< 1	0.03	32	630	12	2	5	34	0.11	< 10	< 10	63	< 10	88
L2550E 4700N	201 229	0.64	575	< 1	0.02	9	540	12	< 2	3	28	0.06	< 10	< 10	43	< 10	100
L2550E 4750N	201 229	0.69	415	1	0.02	14	490	14	2	4	31	0.06	< 10	< 10	50	< 10	124
L2550E 4800N	201 229	0.52	425	1	0.02	11	430	12	2	3	33	0.04	< 10	< 10	41	< 10	106
L2600E 4350N	201 229	0.96	740	< 1	0.02	16	430	24	2	6	48	0.10	< 10	< 10	72	< 10	182
L2600E 4400N	201 229	0.59	435	1	0.03	10	410	14	< 2	3	19	0.07	< 10	< 10	50	< 10	90
L2600E 4450N	201 229	0.71	430	1	0.02	15	380	12	2	4	23	0.08	< 10	< 10	55	< 10	102
L2600E 4500N	201 229	0.92	725	2	0.01	26	560	72	2	8	71	0.07	< 10	< 10	73	< 10	446
L2600E 4550N	201 229	0.51	845	1	0.02	9	460	14	2	2	22	0.06	< 10	< 10	48	< 10	98
L2600E 4600N	201 229	0.61	585	1	0.04	15	490	16	< 2	4	33	0.09	< 10	< 10	55	< 10	120
L2600E 4650N	201 229	0.69	945	1	0.05	11	790	14	2	4	46	0.09	< 10	< 10	54	< 10	134
L2600E 4700N	201 229	0.77	580	1	0.03	15	700	10	< 2	5	41	0.11	< 10	< 10	62	< 10	130
L2600E 4750N	201 229	0.68	465	1	0.03	16	560	6	< 2	4	36	0.10	< 10	< 10	54	< 10	112
L2600E 4800N	201 229	0.70	480	< 1	0.03	15	570	14	2	5	43	0.11	< 10	< 10	60	< 10	122
L2600E 4850N	201 229	0.48	345	1	0.02	10	320	14	< 2	3	21	0.08	< 10	< 10	42	< 10	80
L2650E 4350N	201 229	0.68	635	1	0.02	12	620	20	2	4	26	0.07	< 10	< 10	58	< 10	96
L2650E 4400N	201 229	0.98	975	1	0.02	21	560	26	6	6	45	0.07	< 10	< 10	81	< 10	176
L2650E 4450N	201 229	0.71	435	1	0.11	16	520	12	< 2	4	49	0.09	< 10	< 10	50	< 10	96
L2650E 4500N	201 229	0.60	520	2	0.02	14	570	18	2	3	20	0.06	< 10	< 10	46	< 10	124
L2650E 4550N	201 229	0.55	345	2	0.03	13	420	12	2	3	24	0.04	< 10	< 10	42	< 10	102
L2650E 4600N	201 229	0.69	670	2	0.02	14	600	30	2	4	22	0.07	< 10	< 10	55	< 10	144
L2650E 4650N	201 229	0.63	500	15	0.02	17	530	14	< 2	4	35	0.04	< 10	< 10	54	< 10	124
L2650E 4700N	201 229	0.82	605	2	0.02	16	660	10	2	6	41	0.12	< 10	< 10	65	< 10	176
L2650E 4750N	201 229	0.74	540	< 1	0.03	14	460	8	2	4	42	0.11	< 10	< 10	60	< 10	106
L2650E 4800N	201 229	0.77	610	< 1	0.04	19	740	16	2	6	60	0.12	< 10	< 10	62	< 10	154
L2650E 4850N	217 229	0.71	555	< 1	0.05	18	880	24	4	6	56	0.12	< 10	< 10	61	< 10	152
L2650E 4900N	201 229	0.62	655	< 1	0.03	12	430	12	2	4	39	0.09	< 10	< 10	49	< 10	94
L2700E 4350N	201 229	0.79	560	< 1	0.02	14	500	14	< 2	5	34	0.12	< 10	< 10	60	< 10	128
L2700E 4400N	201 229	0.78	495	< 1	0.02	12	520	20	2	5	25	0.11	< 10	< 10	65	< 10	112
L2700E 4450N	201 229	0.79	570	1	0.03	17	610	18	2	6	23	0.09	< 10	< 10	65	< 10	174
L2700E 4500N	201 229	0.51	540	2	0.02	12	710	18	2	3	27	0.07	< 10	< 10	50	< 10	140
L2700E 4600N	201 229	0.69	930	4	0.03	19	640	18	< 2	4	28	0.05	< 10	< 10	61	< 10	200
L2700E 4650N	201 229	0.66	310	9	0.01	22	460	10	< 2	4	27	0.05	< 10	< 10	57	< 10	98
L2700E 4700N	201 229	0.72	635	3	0.02	18	510	20	2	5	38	0.08	< 10	< 10	60	< 10	146
L2700E 4750N	201 229	0.62	575	1	0.02	14	650	20	2	4	44	0.08	< 10	< 10	50	< 10	152
L2700E 4800N	201 229	1.05	730	3	0.02	35	680	12	4	7	50	0.08	< 10	< 10	74	< 10	182
L2700E 4850N	201 229	0.58	535	< 1	0.02	13	550	12	2	4	52	0.06	< 10	< 10	42	< 10	130
L2700E 4900N	201 229	0.66	570	< 1	0.02	8	800	10	2	3	39	0.05	< 10	< 10	41	< 10	92
L2750E 4550N	201 229	0.60	420	3	0.02	12	500	12	< 2	3	18	0.07	< 10	< 10	56	< 10	124
L2750E 4600N	201 229	0.35	455	3	0.03	7	480	18	2	3	53	0.03	< 10	< 10	27	< 10	114

Hart Bichler
 CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 5-A
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No.: 19325048
 P.O. Number:
 Account : LIH

Project : 29
 Comments:


CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE	Au ppb FA+AA	W ppm	Te ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L2750E 4650N	201 229	< 5	8	0.1	< 0.2	1.30	28	100	< 0.5	6	0.32	2.0	7	77	70	2.02	< 10	1	0.28	< 10
L2750E 4700N	201 229	5	4	< 0.1	< 0.2	1.13	46	50	< 0.5	< 2	0.26	< 0.5	3	23	85	1.33	< 10	< 1	0.17	10
L2750E 4750N	201 229	10	11	0.6	< 0.2	1.72	36	70	< 0.5	2	0.31	1.0	13	69	76	3.19	< 10	< 1	0.22	10
L2750E 4800N	201 229	5	14	0.1	< 0.2	2.64	66	110	< 0.5	< 2	0.61	1.0	30	102	143	4.67	10	1	0.31	10
L2750E 4850N	201 229	< 5	10	0.1	< 0.2	1.86	54	110	< 0.5	< 2	0.33	1.0	18	75	99	3.84	< 10	< 1	0.40	10
L2750E 4900N	201 229	< 5	11	< 0.1	< 0.2	1.76	24	80	< 0.5	< 2	0.49	0.5	9	43	50	2.29	< 10	< 1	0.13	10
L2750E 4950N	201 229	10	4	< 0.1	< 0.2	1.49	12	120	< 0.5	< 2	0.40	0.5	7	85	27	2.37	< 10	< 1	0.16	10
L2750E 5000N	201 229	< 5	4	< 0.1	< 0.2	1.66	46	80	< 0.5	< 2	0.36	0.5	9	64	53	2.90	< 10	< 1	0.14	< 10
L2800E 4650N	201 229	< 5	7	0.2	< 0.2	1.22	24	170	< 0.5	< 2	0.27	0.5	6	79	57	1.95	< 10	< 1	0.22	< 10
L2800E 4700N	201 229	< 5	14	0.4	< 0.2	1.82	40	120	< 0.5	2	0.23	1.0	12	68	103	2.97	< 10	< 1	0.24	10
L2800E 4750N	201 229	< 5	28	0.2	0.4	1.92	32	90	< 0.5	< 2	0.52	1.0	17	124	132	4.14	< 10	1	0.27	10
L2800E 4800N	201 229	< 5	22	0.3	< 0.2	1.95	84	70	< 0.5	< 2	0.44	3.5	24	74	165	4.08	< 10	1	0.27	10
L2800E 4850N	201 229	< 5	7	0.4	0.2	1.31	36	130	< 0.5	4	0.36	0.5	8	71	63	2.36	< 10	1	0.18	10
L2800E 4900N	201 229	< 5	14	0.2	0.2	1.79	46	140	< 0.5	< 2	0.51	1.0	10	60	78	2.83	< 10	1	0.19	10
L2800E 4950N	201 229	< 5	8	0.1	0.2	1.77	52	160	< 0.5	< 2	0.47	1.5	9	94	48	2.62	< 10	1	0.16	10
L2800E 5000N	201 229	< 5	11	< 0.1	0.2	1.59	26	100	< 0.5	< 2	0.25	0.5	5	85	38	2.24	< 10	< 1	0.15	10
L2850E 4500N	201 229	5	6	< 0.1	0.6	2.74	98	140	< 0.5	< 2	0.46	1.5	14	115	164	3.31	10	1	0.13	30
L2850E 4600N	203 205	< 5	9	0.3	0.2	2.00	32	130	< 0.5	< 2	0.35	1.5	13	138	89	3.57	< 10	< 1	0.26	10
L2850E 4700N	203 205	< 5	8	0.1	0.2	1.39	72	330	< 0.5	4	0.32	1.5	6	116	240	2.59	< 10	< 1	0.37	20
L2850E 4750N	203 205	15	17	1.1	1.8	1.01	78	300	< 0.5	46	0.41	5.0	4	100	285	2.32	< 10	< 1	0.28	10
L2850E 4800N	217 229	< 5	14	0.1	0.4	1.91	50	160	< 0.5	4	0.58	2.0	13	127	108	3.03	< 10	1	0.28	10
L2850E 4850N	203 205	< 5	13	< 0.1	0.4	1.94	34	200	< 0.5	< 2	0.60	3.5	14	122	83	3.46	< 10	< 1	0.38	10
L2850E 4900N	201 229	< 5	8	< 0.1	0.4	1.53	32	130	< 0.5	< 2	0.63	2.5	7	79	70	2.37	< 10	1	0.23	10
L2850E 4950N	201 229	< 5	8	0.1	0.4	1.45	30	140	< 0.5	< 2	0.28	1.5	8	92	45	2.46	< 10	< 1	0.18	10
L2850E 5000N	201 229	< 5	8	< 0.1	0.2	2.16	26	240	< 0.5	< 2	0.44	1.0	13	110	36	3.08	< 10	< 1	0.26	10
L2900E 4500N	201 229	< 5	6	< 0.1	0.2	1.25	14	80	< 0.5	< 2	0.27	0.5	5	71	34	1.96	< 10	1	0.11	10
L2900E 4550N	201 229	< 5	4	< 0.1	0.2	1.30	4	80	< 0.5	< 2	0.35	0.5	7	59	25	2.23	< 10	< 1	0.12	10
L2900E 4600N	201 229	< 5	9	0.1	0.6	1.20	20	120	< 0.5	4	0.44	0.5	6	89	59	2.20	< 10	1	0.16	10
L2900E 4700N	201 229	< 5	15	0.2	0.4	1.48	86	170	< 0.5	< 2	0.39	6.0	9	59	114	3.05	< 10	1	0.25	10
L2900E 4750N	201 229	< 5	8	0.2	0.4	1.15	48	160	< 0.5	6	0.35	3.0	6	43	126	2.67	< 10	< 1	0.19	10
L2900E 4800N	201 229	< 5	9	0.1	0.2	1.48	40	160	< 0.5	< 2	0.41	1.5	10	81	94	2.66	< 10	< 1	0.23	10
L2900E 4850N	201 229	30	8	0.1	0.4	1.61	22	120	< 0.5	< 2	0.47	3.0	15	75	88	2.88	< 10	1	0.23	10
L2900E 4900N	201 229	< 5	9	< 0.1	0.2	1.49	20	110	< 0.5	< 2	0.25	1.5	7	116	39	2.50	< 10	< 1	0.24	10
L2900E 4950N	201 229	< 5	9	< 0.1	0.4	1.95	14	140	< 0.5	< 2	0.45	2.0	13	85	46	3.21	< 10	< 1	0.26	10
L2900E 5000N	201 229	< 5	16	0.1	0.4	1.95	16	110	< 0.5	< 2	0.53	2.5	16	51	67	3.40	< 10	< 1	0.16	10
L2950E 4500N	201 229	< 5	3	< 0.1	< 0.2	1.25	6	70	< 0.5	< 2	0.23	0.5	8	86	18	2.25	< 10	< 1	0.13	< 10
L2950E 4550N	201 229	< 5	4	< 0.1	< 0.2	1.50	8	80	< 0.5	< 2	0.44	1.0	7	130	37	2.40	< 10	< 1	0.16	10
L2950E 4600N	201 229	< 5	3	< 0.1	< 0.2	0.96	6	110	< 0.5	< 2	0.42	0.5	3	130	45	1.63	< 10	< 1	0.15	10
L2950E 4750N	201 229	< 5	4	< 0.1	0.4	1.57	14	120	< 0.5	12	0.71	13.0	7	90	183	2.59	< 10	< 1	0.18	10
L2950E 4800N	201 229	< 5	9	< 0.1	0.2	1.70	36	90	< 0.5	6	0.41	4.0	12	66	123	2.81	< 10	< 1	0.20	10

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 5-B
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No. : 19325048
 P.O. Number : LIH
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L2750E 4650N	201	229	0.38	600	5	0.02	8	340	28	< 2	2	32	0.02	< 10	< 10	32	< 10	172
L2750E 4700N	201	229	0.25	250	1	0.01	5	110	14	< 2	1	24	< 0.01	< 10	< 10	6	< 10	72
L2750E 4750N	201	229	0.91	630	2	0.02	16	640	10	< 2	7	27	0.08	< 10	< 10	64	< 10	144
L2750E 4800N	201	229	1.26	815	6	0.02	45	880	12	< 2	9	49	0.20	< 10	< 10	111	< 10	222
L2750E 4850N	201	229	0.78	580	4	0.03	19	800	6	< 2	6	29	0.16	< 10	< 10	75	< 10	172
L2750E 4900N	201	229	0.51	460	1	0.04	10	300	12	< 2	3	58	0.07	< 10	< 10	39	< 10	82
L2750E 4950N	201	229	0.68	395	1	0.04	10	540	12	< 2	3	36	0.09	< 10	< 10	51	< 10	86
L2750E 5000N	201	229	0.60	540	1	0.03	9	630	14	< 2	3	33	0.08	< 10	< 10	52	< 10	110
L2800E 4650N	201	229	0.38	430	2	0.02	8	370	22	< 2	2	25	0.02	< 10	< 10	33	< 10	102
L2800E 4700N	201	229	0.65	590	3	0.02	20	570	20	< 2	4	25	0.07	< 10	< 10	56	< 10	172
L2800E 4750N	201	229	0.90	660	3	0.05	22	1020	6	< 2	7	35	0.16	< 10	< 10	82	< 10	162
L2800E 4800N	201	229	0.99	675	4	0.03	28	590	6	< 2	7	68	0.11	< 10	< 10	72	< 10	200
L2800E 4850N	201	229	0.52	490	2	0.03	13	360	26	< 2	4	33	0.06	< 10	< 10	42	< 10	126
L2800E 4900N	201	229	0.81	530	2	0.04	21	460	20	< 2	6	44	0.09	< 10	< 10	55	< 10	148
L2800E 4950N	201	229	0.78	505	2	0.03	16	500	20	< 2	4	43	0.06	< 10	< 10	45	< 10	130
L2800E 5000N	201	229	0.51	435	1	0.03	9	470	16	< 2	2	21	0.04	10	< 10	39	< 10	128
L2850E 4500N	201	229	0.92	1030	3	0.01	32	970	38	< 2	8	32	0.04	< 10	< 10	66	< 10	236
L2850E 4600N	203	205	0.85	685	3	0.03	18	710	12	< 2	6	38	0.11	< 10	< 10	74	< 10	218
L2850E 4700N	203	205	0.28	660	4	0.03	8	310	44	< 2	2	38	< 0.01	< 10	< 10	21	< 10	126
L2850E 4750N	203	205	0.19	610	4	0.01	8	250	90	< 2	2	46	< 0.01	< 10	< 10	13	< 10	208
L2850E 4800N	217	229	0.63	690	3	0.04	25	440	24	< 2	5	83	0.07	< 10	< 10	54	< 10	178
L2850E 4850N	203	205	0.80	720	4	0.03	23	620	26	< 2	6	59	0.10	< 10	< 10	68	< 10	230
L2850E 4900N	201	229	0.56	485	2	0.06	14	470	24	< 2	4	50	0.07	< 10	< 10	45	< 10	166
L2850E 4950N	201	229	0.51	645	1	0.04	10	590	18	< 2	2	30	0.06	< 10	< 10	45	< 10	146
L2850E 5000N	201	229	0.89	715	1	0.04	23	390	18	< 2	5	43	0.16	< 10	< 10	69	< 10	162
L2900E 4500N	201	229	0.54	360	3	0.03	9	420	12	< 2	3	22	0.07	< 10	< 10	42	< 10	82
L2900E 4550N	201	229	0.64	360	1	0.03	10	480	4	< 2	3	27	0.09	< 10	< 10	54	< 10	68
L2900E 4600N	201	229	0.59	355	2	0.04	11	540	8	< 2	4	35	0.08	< 10	< 10	47	< 10	80
L2900E 4700N	201	229	0.47	635	3	0.02	10	470	42	< 2	4	43	0.05	< 10	< 10	42	< 10	278
L2900E 4750N	201	229	0.37	675	4	0.02	8	330	26	< 2	3	29	0.01	< 10	< 10	28	< 10	180
L2900E 4800N	201	229	0.55	610	4	0.03	10	500	22	< 2	4	48	0.06	< 10	< 10	47	< 10	196
L2900E 4850N	201	229	0.67	665	4	0.02	19	730	28	< 2	4	41	0.10	< 10	< 10	56	< 10	248
L2900E 4900N	201	229	0.67	670	2	0.03	34	400	16	< 2	3	26	0.08	< 10	< 10	47	< 10	212
L2900E 4950N	201	229	0.83	775	2	0.02	18	720	18	< 2	6	36	0.16	< 10	< 10	70	< 10	170
L2900E 5000N	201	229	0.75	1140	1	0.02	15	510	32	< 2	8	64	0.08	< 10	< 10	65	< 10	218
L2950E 4500N	201	229	0.60	530	1	0.04	9	410	8	< 2	3	19	0.09	< 10	< 10	60	< 10	76
L2950E 4550N	201	229	0.72	390	1	0.04	12	490	6	< 2	4	34	0.09	< 10	< 10	55	< 10	108
L2950E 4600N	201	229	0.43	270	1	0.06	7	410	4	< 2	2	33	0.05	< 10	< 10	33	< 10	60
L2950E 4750N	201	229	0.38	865	3	0.04	8	560	74	< 2	3	62	0.04	< 10	< 10	41	< 10	452
L2950E 4800N	201	229	0.56	680	3	0.02	14	450	32	< 2	4	45	0.06	< 10	< 10	52	< 10	258

CERTIFICATION:

HartlBachler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 6-A
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No. : 19325048
 P.O. Number :
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE	Au ppb FA+AA	W ppm	Te ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	X %	La ppm
L2950E 4850N	201 229	< 5	5	< 0.1	0.2	1.47	74	140	< 0.5	6	0.32	5.0	7	64	87	2.45	< 10	< 1	0.19	10
L2950E 4900N	201 229	< 5	23	< 0.1	1.8	3.66	136	190	< 0.5	< 2	0.57	9.5	53	131	512	6.41	10	< 1	0.22	20
L2950E 4950N	201 229	< 5	12	< 0.1	< 0.2	1.73	34	210	< 0.5	8	1.24	14.0	13	22	125	2.57	< 10	< 1	0.26	10
L2950E 5000N	201 229	< 5	26	< 0.1	0.2	1.93	42	430	< 0.5	6	0.51	5.5	10	26	71	2.64	< 10	< 1	0.16	10
L3000E 4500N	201 229	< 5	17	< 0.1	< 0.2	1.36	< 2	60	< 0.5	< 2	0.20	1.0	8	29	24	2.65	< 10	< 1	0.10	< 10
L3000E 4550N	201 229	< 5	6	< 0.1	< 0.2	2.33	12	60	< 0.5	6	0.63	1.0	9	33	38	2.50	< 10	< 1	0.08	10
L3000E 4650N	201 229	< 5	4	< 0.1	0.2	1.71	16	140	< 0.5	< 2	0.23	1.0	6	19	42	2.88	< 10	< 1	0.07	10
L3000E 4700N	203 205	< 5	12	0.1	0.4	1.61	34	140	< 0.5	10	0.42	2.5	9	71	109	2.88	< 10	< 1	0.14	10
L3000E 4750N	203 205	< 5	14	0.2	1.6	2.12	36	120	< 0.5	16	0.53	5.5	10	100	287	2.85	< 10	< 1	0.15	10
L3000E 4800N	203 205	< 5	12	0.1	0.2	1.59	30	80	< 0.5	4	0.31	2.0	12	63	163	2.92	< 10	< 1	0.12	10
L3000E 4850N	201 229	< 5	14	0.1	< 0.2	2.13	64	230	< 0.5	4	0.33	3.0	14	36	85	4.07	< 10	1	0.28	10
L3000E 4900N	203 205	< 5	10	< 0.1	0.4	2.39	148	230	< 0.5	< 2	0.80	7.5	25	136	206	4.12	< 10	< 1	0.42	10
L3000E 4950N	203 205	50	14	< 0.1	0.8	2.57	44	160	< 0.5	6	1.05	22.0	17	79	112	2.92	< 10	< 1	0.27	10
L3000E 5000N	203 205	< 5	18	< 0.1	0.2	1.99	38	320	< 0.5	4	0.60	5.5	11	104	75	2.63	< 10	< 1	0.26	20
L3000E 5050N	217 229	< 5	5	< 0.1	0.2	1.86	30	280	< 0.5	2	0.40	3.5	6	115	40	2.22	< 10	< 1	0.17	20
L3000E 5100N	217 229	< 5	3	< 0.1	< 0.2	1.17	8	110	< 0.5	< 2	0.31	0.5	3	159	20	1.76	< 10	< 1	0.15	10
L3000E 5150N	217 229	< 5	4	< 0.1	< 0.2	1.23	20	60	< 0.5	< 2	0.35	0.5	6	125	22	2.06	< 10	1	0.13	10
L3000E 5200N	201 229	< 5	3	< 0.1	0.4	1.45	20	170	< 0.5	4	0.21	3.0	8	22	43	2.11	< 10	1	0.07	10
L3000E 5250N	217 229	< 5	4	< 0.1	0.2	1.34	18	220	< 0.5	< 2	0.38	4.0	20	146	34	2.12	< 10	< 1	0.16	10
L3000E 5500N	203 205	< 5	6	< 0.1	< 0.2	1.64	46	250	< 0.5	< 2	0.42	1.5	8	82	39	2.15	< 10	1	0.16	10
L3050E 4500N	203 205	< 5	7	< 0.1	< 0.2	2.19	4	60	< 0.5	< 2	0.76	0.5	6	151	42	2.13	< 10	< 1	0.13	10
L3050E 4550N	203 205	< 5	6	< 0.1	< 0.2	1.79	8	80	< 0.5	< 2	0.32	0.5	8	163	30	3.31	< 10	1	0.09	< 10
L3050E 4600N	203 205	< 5	8	< 0.1	< 0.2	0.97	12	110	< 0.5	< 2	0.44	0.5	4	140	40	1.72	< 10	1	0.14	10
L3050E 4650N	203 205	< 5	3	< 0.1	< 0.2	1.06	18	120	< 0.5	< 2	0.45	0.5	7	106	44	1.96	< 10	< 1	0.20	10
L3050E 4700N	203 205	< 5	9	0.1	0.8	1.84	28	270	< 0.5	16	0.45	2.5	10	152	75	2.64	10	< 1	0.18	10
L3050E 4750N	203 205	< 5	5	0.6	1.4	2.12	20	160	< 0.5	32	0.78	1.5	7	64	167	2.28	10	< 1	0.13	10
L3050E 4800N	203 205	< 5	10	0.2	0.4	1.84	34	110	< 0.5	8	0.31	1.0	9	160	77	2.63	10	< 1	0.19	10
L3050E 5000N	203 205	< 5	42	0.1	0.6	2.34	74	160	< 0.5	22	0.71	11.5	13	76	144	2.55	10	< 1	0.18	20
L3100E 4500N	217 229	< 5	5	0.1	0.2	1.38	< 2	90	< 0.5	2	0.39	0.5	7	113	29	2.32	10	< 1	0.14	10
L3100E 4550N	203 205	< 5	5	< 0.1	0.2	1.78	2	170	< 0.5	4	0.31	0.5	9	73	69	2.34	10	< 1	0.12	20
L3100E 4650N	217 229	< 5	6	0.1	0.2	1.20	12	110	< 0.5	8	0.41	0.5	6	141	58	1.85	< 10	< 1	0.14	10
L3100E 4700N	203 205	< 5	6	< 0.1	< 0.2	1.05	16	200	< 0.5	2	0.42	2.5	10	121	25	2.04	< 10	< 1	0.16	10
L3100E 4750N	203 205	< 5	20	< 0.1	0.4	2.22	54	260	< 0.5	8	0.42	2.5	12	156	82	3.38	10	< 1	0.25	10
L3100E 4800N	217 229	< 5	9	< 0.1	0.2	1.27	24	150	< 0.5	4	0.41	2.0	7	90	52	2.28	< 10	< 1	0.13	10
L3100E 4850N	203 205	< 5	10	0.1	0.6	3.18	18	180	< 0.5	16	0.98	2.0	43	183	225	5.00	10	< 1	0.63	20
L3100E 4900N	203 205	< 5	6	< 0.1	0.2	1.63	98	170	< 0.5	8	0.27	2.0	9	86	104	2.66	< 10	< 1	0.21	10
L3100E 5050N	203 205	< 5	5	< 0.1	0.2	1.81	26	150	< 0.5	4	0.48	1.5	9	160	46	2.37	< 10	< 1	0.19	10
L3100E 5100N	217 229	< 5	3	< 0.1	0.4	1.35	22	80	< 0.5	2	0.23	1.5	6	104	37	2.11	< 10	< 1	0.12	< 10
L3100E 5150N	217 229	< 5	4	< 0.1	0.4	1.55	16	90	< 0.5	12	0.33	3.0	7	153	40	2.38	< 10	< 1	0.13	< 10
L3100E 5200N	217 229	< 5	5	0.1	0.2	1.17	6	80	< 0.5	4	0.27	2.0	8	98	27	1.84	< 10	< 1	0.10	< 10

CERTIFICATION: *Brent Bechler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE. 604-984-0221

To ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :6-B
 Total Pages :8
 Certificate Date: 26-NOV-93
 Invoice No :I9325048
 P.O Number :
 Account :LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L2950E 4850N	201 229	0.48	490	2	0.02	13	320	28	< 2	3	35	0.06	< 10	< 10	43	< 10	270
L2950E 4900N	201 229	1.46	1695	10	0.01	108	680	98	< 2	10	78	0.09	< 10	< 10	97	10	1135
L2950E 4950N	201 229	0.48	1060	2	0.01	14	700	38	< 2	4	77	0.02	< 10	< 10	41	10	424
L2950E 5000N	201 229	0.45	845	2	0.01	14	650	40	< 2	4	57	0.03	< 10	< 10	43	10	366
L3000E 4500N	201 229	0.56	500	2	0.01	9	330	8	< 2	3	19	0.12	< 10	< 10	70	10	80
L3000E 4550N	201 229	0.70	510	2	0.01	16	770	14	< 2	4	63	0.09	< 10	< 10	59	10	144
L3000E 4650N	201 229	0.46	410	3	0.01	9	420	16	< 2	3	27	0.08	< 10	< 10	62	< 10	120
L3000E 4700N	203 205	0.52	450	4	0.02	12	410	38	< 2	3	56	0.06	< 10	< 10	49	10	268
L3000E 4750N	203 205	0.50	535	6	0.02	15	460	52	< 2	3	56	0.05	< 10	< 10	43	10	310
L3000E 4800N	203 205	0.51	395	13	0.02	11	530	22	< 2	3	35	0.06	< 10	< 10	49	10	132
L3000E 4850N	201 229	0.71	990	7 < 0.01	18	610	42	< 2	4	46	0.08	< 10	< 10	71	10	428	
L3000E 4900N	203 205	1.45	1365	7	0.01	101	620	44	< 2	7	70	0.04	< 10	< 10	50	< 10	332
L3000E 4950N	203 205	0.61	1150	2	0.02	24	780	96	< 2	4	115	0.06	< 10	< 10	46	10	662
L3000E 5000N	203 205	0.53	930	3	0.03	16	580	30	< 2	4	70	0.06	< 10	< 10	49	10	300
L3000E 5050N	217 229	0.45	630	1	0.04	7	700	94	< 2	3	43	0.03	< 10	< 10	37	< 10	264
L3000E 5100N	217 229	0.44	305	1	0.06	9	250	8	< 2	3	38	0.07	< 10	< 10	39	< 10	84
L3000E 5150N	217 229	0.56	465	2	0.04	11	290	12	< 2	3	34	0.09	< 10	< 10	52	< 10	90
L3000E 5200N	201 229	0.36	620	2	0.02	14	850	78	< 2	1	29	0.03	< 10	< 10	46	< 10	142
L3000E 5250N	217 229	0.49	2290	2	0.03	19	790	32	< 2	3	66	0.07	< 10	< 10	55	< 10	152
L3000E 5500N	203 205	0.39	685	2	0.02	11	450	40	< 2	3	41	0.03	< 10	< 10	42	< 10	152
L3050E 4500N	203 205	0.49	375	1	0.04	8	650	8	< 2	3	75	0.06	< 10	< 10	48	< 10	92
L3050E 4550N	203 205	1.05	355	3	0.02	35	630	8	< 2	4	31	0.11	< 10	< 10	89	< 10	114
L3050E 4600N	203 205	0.40	290	1	0.06	8	530	8	< 2	3	40	0.06	< 10	< 10	43	< 10	56
L3050E 4650N	203 205	0.47	380	2	0.04	9	520	12	< 2	3	33	0.07	< 10	< 10	45	< 10	86
L3050E 4700N	203 205	0.48	810	4	0.04	12	490	32	< 2	3	51	0.07	< 10	< 10	49	< 10	198
L3050E 4750N	203 205	0.46	425	10	0.02	9	520	36	< 2	3	57	0.06	< 10	< 10	39	< 10	248
L3050E 4800N	203 205	0.48	450	5	0.07	14	660	30	< 2	3	33	0.08	< 10	< 10	50	10	180
L3050E 5000N	203 205	0.41	925	2	0.04	17	730	50	< 2	3	83	0.03	< 10	< 10	34	30	716
L3100E 4500N	217 229	0.56	415	1	0.04	8	430	12	< 2	4	33	0.11	< 10	< 10	54	10	86
L3100E 4550N	203 205	0.55	955	32	0.03	10	470	28	< 2	4	34	0.07	< 10	< 10	50	< 10	88
L3100E 4650N	217 229	0.44	400	3	0.04	8	620	14	< 2	3	31	0.06	< 10	< 10	38	< 10	102
L3100E 4700N	203 205	0.39	805	2	0.03	8	600	12	< 2	2	39	0.06	< 10	< 10	43	< 10	176
L3100E 4750N	203 205	0.66	665	3	0.04	21	650	32	< 2	4	50	0.07	< 10	< 10	59	10	386
L3100E 4800N	217 229	0.56	485	3	0.03	11	550	16	< 2	3	42	0.06	< 10	< 10	46	10	138
L3100E 4850N	203 205	1.13	1265	13	0.04	53	1000	22	< 2	11	135	0.18	< 10	< 10	105	20	258
L3100E 4900N	203 205	0.42	705	6	0.02	13	470	38	< 2	3	28	< 0.01	< 10	< 10	22	< 10	160
L3100E 5050N	203 205	0.50	515	1	0.05	12	470	26	< 2	3	51	0.06	< 10	< 10	49	< 10	158
L3100E 5100N	217 229	0.53	325	2	0.02	22	270	42	< 2	3	23	0.07	< 10	< 10	44	< 10	130
L3100E 5150N	217 229	0.58	405	3	0.04	17	340	22	< 2	3	32	0.08	< 10	< 10	56	< 10	124
L3100E 5200N	217 229	0.48	420	2	0.03	13	200	18	< 2	3	27	0.07	< 10	< 10	44	< 10	146

CERTIFICATION: *Hart Bachler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 7-A
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No : I9325048
 P.O. Number : LIH
 Account : LIH

Project . 29
 Comments:

CERTIFICATE OF ANALYSIS A9325048

SAMPLE	PREP CODE	Au ppb FA+AA	W ppm	Te ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L3100E 5250N	217 229	< 5	4	0.1	0.2	1.34	12	170	< 0.5	6	0.46	4.5	13	116	53	2.22	< 10	< 1	0.12	10
L3100E 5450N	217 229	< 5	6	< 0.1	0.4	1.05	6	100	< 0.5	4	0.29	0.5	7	142	14	1.73	< 10	< 1	0.12	< 10
L3100E 5500N	217 229	< 5	4	< 0.1	0.2	1.40	16	160	< 0.5	4	0.42	1.0	8	143	27	2.19	< 10	< 1	0.20	10
L3150E 4500N	203 205	< 5	5	0.2	0.2	1.05	6	70	< 0.5	4	0.32	< 0.5	5	129	24	1.53	< 10	< 1	0.09	10
L3150E 4550N	203 205	< 5	5	< 0.1	0.2	2.02	< 2	100	< 0.5	2	0.30	0.5	7	90	20	2.77	< 10	< 1	0.10	10
L3150E 4700N	203 205	< 5	12	< 0.1	0.6	2.05	24	230	< 0.5	10	0.42	2.5	12	122	62	3.23	< 10	< 1	0.16	10
L3150E 4750N	203 205	< 5	4	< 0.1	0.2	1.57	10	310	< 0.5	8	0.55	10.5	11	112	78	2.38	< 10	< 1	0.15	10
L3150E 4800N	203 205	< 5	9	< 0.1	0.2	1.38	10	120	< 0.5	6	0.43	1.0	9	92	104	2.32	< 10	< 1	0.15	10
L3150E 4850N	203 205	< 5	8	0.1	0.4	1.73	26	260	< 0.5	6	0.58	5.0	18	156	79	2.76	< 10	< 1	0.15	10
L3150E 4900N	203 205	25	45	0.4	1.2	3.00	52	180	< 0.5	40	1.20	8.0	23	86	219	3.46	10	< 1	0.24	10
L3150E 5000N	203 205	< 5	9	< 0.1	1.0	2.36	18	90	< 0.5	12	0.82	3.0	11	115	103	2.51	10	< 1	0.15	10
L3200E 4800N	203 205	20	14	0.1	0.4	1.52	34	110	< 0.5	6	0.48	3.0	9	145	66	2.30	< 10	< 1	0.18	10
L3200E 4950N	203 205	10	4	< 0.1	0.8	3.47	36	140	< 0.5	12	1.72	1.5	10	77	160	2.44	10	< 1	0.21	20
L3200E 5000N	203 205	< 5	6	< 0.1	0.4	1.67	46	210	< 0.5	12	0.59	2.5	11	116	64	2.75	10	< 1	0.20	10
L3200E 5100N	203 205	< 5	9	< 0.1	0.4	2.02	8	270	< 0.5	6	0.31	4.0	11	162	52	2.42	10	< 1	0.18	20
L3200E 5150N	203 205	< 5	8	< 0.1	0.4	1.35	8	90	< 0.5	6	0.24	1.0	4	141	27	1.92	10	< 1	0.11	10
L3200E 5200N	203 205	< 5	6	< 0.1	0.4	1.56	4	90	< 0.5	4	0.34	1.5	7	132	37	2.06	10	< 1	0.11	10
L3200E 5250N	203 205	< 5	7	< 0.1	0.6	2.01	10	100	< 0.5	4	0.45	1.5	9	152	51	2.67	10	< 1	0.13	10
L3200E 5300N	217 229	< 5	3	0.1	0.2	1.45	72	100	< 0.5	6	0.34	1.0	9	139	51	3.00	10	< 1	0.14	10
L3200E 5400N	203 205	< 5	10	< 0.1	0.2	1.27	16	120	< 0.5	6	0.38	1.0	7	127	22	1.99	10	< 1	0.11	10
L3200E 5450N	217 229	< 5	4	< 0.1	< 0.2	1.00	2	80	< 0.5	< 2	0.28	1.0	4	141	16	1.75	< 10	< 1	0.11	< 10
L3200E 5500N	203 205	< 5	7	< 0.1	0.2	1.06	18	110	< 0.5	< 2	0.40	0.5	3	173	20	1.57	< 10	< 1	0.09	10
L3300E 5050N	217 229	< 5	19	0.5	0.2	1.38	92	150	< 0.5	4	0.32	1.5	6	98	73	2.47	< 10	< 1	0.19	10
L3300E 5100N	203 205	< 5	6	< 0.1	< 0.2	1.16	6	120	< 0.5	< 2	0.27	1.0	7	138	17	2.01	< 10	< 1	0.14	< 10
L3300E 5200N	203 205	< 5	6	< 0.1	0.4	1.96	18	110	< 0.5	< 2	0.42	2.0	9	170	48	2.33	< 10	< 1	0.12	10
L3300E 5250N	203 205	< 5	7	< 0.1	0.2	1.29	< 2	90	< 0.5	< 2	0.37	1.5	4	152	34	1.78	< 10	< 1	0.09	10
L3300E 5300N	217 229	< 5	6	< 0.1	0.2	1.28	10	90	< 0.5	< 2	0.37	2.0	10	123	45	1.77	< 10	< 1	0.08	10
L3300E 5350N	203 205	< 5	6	< 0.1	0.2	1.62	16	340	< 0.5	< 2	0.58	3.0	9	110	74	1.98	< 10	< 1	0.07	20
L3300E 5400N	201 229	< 5	5	< 0.1	0.2	1.17	< 2	120	< 0.5	< 2	0.39	0.5	6	132	28	2.09	< 10	< 1	0.08	10
L3300E 5450N	203 205	< 5	4	< 0.1	0.2	1.25	8	160	< 0.5	< 2	0.47	< 0.5	6	202	21	1.98	< 10	< 1	0.08	10
L3300E 5500N	203 205	< 5	3	< 0.1	0.2	0.98	2	110	< 0.5	2	0.65	1.0	5	156	17	1.54	< 10	< 1	0.10	10
L3400E 5050N	203 205	< 5	4	< 0.1	0.4	1.06	2	90	< 0.5	4	0.33	1.5	4	108	13	2.02	10	< 1	0.11	< 10
L3400E 5100N	203 205	< 5	7	< 0.1	0.4	1.02	12	110	< 0.5	4	0.46	0.5	6	148	22	2.24	10	< 1	0.16	10
L3400E 5150N	203 205	< 5	9	0.1	0.2	1.06	< 2	150	< 0.5	4	0.27	3.0	7	124	30	1.83	< 10	< 1	0.09	10
L3400E 5200N	203 205	< 5	8	< 0.1	0.2	1.20	14	120	< 0.5	6	0.25	1.5	7	125	49	1.94	< 10	< 1	0.09	10
L3400E 5250N	203 205	< 5	3	< 0.1	0.2	0.90	< 2	70	< 0.5	2	0.23	1.0	3	111	15	1.35	< 10	< 1	0.08	< 10
L3400E 5300N	203 205	< 5	3	< 0.1	0.6	1.42	< 2	120	< 0.5	4	0.30	2.0	8	146	58	2.37	10	< 1	0.09	10
L3400E 5350N	203 205	< 5	2	< 0.1	0.2	0.97	< 2	110	< 0.5	2	0.33	0.5	4	137	18	1.68	< 10	< 1	0.08	< 10
L3400E 5400N	203 205	< 5	3	< 0.1	0.4	1.53	14	120	< 0.5	2	0.40	0.5	10	119	38	2.07	< 10	< 1	0.07	10
L3400E 5450N	203 205	< 5	4	< 0.1	0.4	1.20	10	120	< 0.5	2	0.42	0.5	6	162	11	1.66	< 10	< 1	0.12	10

CERTIFICATION: Hartl Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number : 7-B
 Total Pages : 8
 Certificate Date: 26-NOV-93
 Invoice No. : I9325048
 P.O. Number :
 Account : LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L3100E 5250N	217	229	0.51	735	2	0.04	20	480	18	< 2	4	40	0.07	< 10	< 10	54	< 10	184
L3100E 5450N	217	229	0.44	495	1	0.04	11	290	14	< 2	2	28	0.08	< 10	< 10	45	< 10	88
L3100E 5500N	217	229	0.51	500	2	0.04	15	550	30	< 2	3	33	0.04	< 10	< 10	43	< 10	154
L3150E 4500N	203	205	0.32	215	1	0.03	8	460	8	< 2	2	24	0.04	< 10	< 10	34	< 10	54
L3150E 4550N	203	205	0.53	265	2	0.03	10	250	14	< 2	3	27	0.09	< 10	< 10	56	< 10	70
L3150E 4700N	203	205	0.62	910	3	0.02	15	690	34	< 2	4	46	0.06	< 10	< 10	60	< 10	286
L3150E 4750N	203	205	0.46	1145	4	0.03	12	780	26	< 2	3	55	0.06	< 10	< 10	44	< 10	268
L3150E 4800N	203	205	0.52	450	5	0.02	13	570	18	< 2	4	37	0.07	< 10	< 10	50	< 10	96
L3150E 4850N	203	205	0.58	1885	6	0.04	18	660	26	< 2	4	63	0.08	< 10	< 10	55	< 10	184
L3150E 4900N	203	205	0.48	1080	12	0.02	30	740	54	< 2	4	98	0.06	< 10	< 10	40	30	536
L3150E 5000N	203	205	0.42	525	5	0.02	19	670	36	< 2	3	83	0.04	< 10	< 10	37	< 10	344
L3200E 4800N	203	205	0.46	445	3	0.04	14	520	20	< 2	3	46	0.06	< 10	< 10	40	< 10	180
L3200E 4950N	203	205	0.57	855	4	0.02	13	630	36	< 2	7	152	0.03	< 10	< 10	42	< 10	178
L3200E 5000N	203	205	0.60	645	5	0.02	17	560	34	< 2	4	62	0.02	< 10	< 10	41	< 10	256
L3200E 5100N	203	205	0.61	890	5	0.04	20	690	28	< 2	3	44	0.07	< 10	< 10	48	< 10	214
L3200E 5150N	203	205	0.33	220	2	0.03	7	380	16	< 2	2	29	0.06	< 10	< 10	41	< 10	86
L3200E 5200N	203	205	0.49	360	2	0.04	11	390	24	< 2	3	42	0.08	< 10	< 10	47	< 10	144
L3200E 5250N	203	205	0.58	340	3	0.03	20	300	22	< 2	4	51	0.10	< 10	< 10	61	< 10	188
L3200E 5300N	217	229	0.45	375	6	0.03	28	430	84	< 2	3	56	0.07	< 10	< 10	61	< 10	236
L3200E 5400N	203	205	0.44	425	2	0.04	11	350	32	< 2	3	47	0.07	< 10	< 10	51	< 10	134
L3200E 5450N	217	229	0.40	300	1	0.04	7	310	20	< 2	2	27	0.06	< 10	< 10	40	< 10	104
L3200E 5500N	203	205	0.34	180	1	0.06	9	260	14	< 2	2	36	0.06	< 10	< 10	38	< 10	72
L3300E 5050N	217	229	0.36	430	4	0.01	9	330	24	< 2	3	26	< 0.01	< 10	< 10	23	< 10	258
L3300E 5100N	203	205	0.31	390	1	0.04	7	350	18	< 2	2	29	0.06	< 10	< 10	42	< 10	140
L3300E 5200N	203	205	0.45	435	3	0.03	15	360	58	< 2	3	39	0.06	< 10	< 10	48	< 10	370
L3300E 5250N	203	205	0.39	265	2	0.04	10	240	26	< 2	2	34	0.07	< 10	< 10	41	< 10	144
L3300E 5300N	217	229	0.40	580	3	0.04	10	300	26	< 2	2	32	0.07	< 10	< 10	41	< 10	116
L3300E 5350N	203	205	0.40	700	4	0.03	12	760	28	< 2	3	47	0.04	< 10	< 10	45	< 10	150
L3300E 5400N	201	229	0.43	280	1	0.04	9	320	14	< 2	3	34	0.09	< 10	< 10	54	< 10	52
L3300E 5450N	203	205	0.59	285	1	0.04	22	240	12	< 2	3	38	0.10	< 10	< 10	52	< 10	66
L3300E 5500N	203	205	0.41	195	2	0.07	15	270	8	< 2	3	48	0.08	< 10	< 10	46	< 10	56
L3400E 5050N	203	205	0.25	210	1	0.04	6	200	8	< 2	2	33	0.08	< 10	< 10	53	< 10	104
L3400E 5100N	203	205	0.36	215	1	0.04	8	240	8	< 2	3	43	0.08	< 10	< 10	57	< 10	74
L3400E 5150N	203	205	0.38	320	5	0.04	10	140	12	< 2	3	28	0.08	< 10	< 10	49	< 10	184
L3400E 5200N	203	205	0.35	515	2	0.04	10	250	18	< 2	2	27	0.04	< 10	< 10	42	< 10	142
L3400E 5250N	203	205	0.24	130	1	0.04	5	120	12	< 2	2	26	0.07	< 10	< 10	40	< 10	50
L3400E 5300N	203	205	0.37	290	2	0.04	10	310	24	< 2	2	30	0.06	< 10	< 10	49	< 10	114
L3400E 5350N	203	205	0.37	180	1	0.06	13	120	6	< 2	2	34	0.09	< 10	< 10	49	< 10	54
L3400E 5400N	203	205	0.36	395	3	0.03	13	460	20	< 2	3	33	0.07	< 10	< 10	51	< 10	56
L3400E 5450N	203	205	0.61	265	1	0.06	15	190	10	< 2	4	40	0.12	< 10	< 10	53	< 10	58

CERTIFICATION: *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE. 604-984-0221

To. ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :8-A
 Total Pages :8
 Certificate Date: 26-NOV-93
 Invoice No. :I9325048
 P.O. Number :
 Account :LIH


Project : 29
 Comments:

CERTIFICATE OF ANALYSIS A9325048

SAMPLE	PREP CODE	Au ppb FA+AA	W ppm	Te ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
L3400E 5500N	217 229	< 5	2	< 0.1	0.2	1.10	4	80	< 0.5	< 2	0.44	< 0.5	7	127	13	1.75	< 10	< 1	0.13	< 10
L3500E 5050N	217 229	< 5	7	< 0.1	0.4	1.29	< 2	140	< 0.5	6	0.72	6.5	8	130	97	1.78	< 10	< 1	0.14	10
L3500E 5100N	203 205	< 5	5	< 0.1	0.6	1.42	6	200	< 0.5	6	0.32	1.0	16	113	61	2.30	10	< 1	0.11	10
L3500E 5150N	217 229	< 5	3	< 0.1	0.6	1.18	4	130	< 0.5	2	0.43	1.0	10	160	26	2.20	< 10	< 1	0.11	10
L3500E 5200N	203 205	< 5	3	0.1	0.4	1.15	2	110	< 0.5	2	0.65	0.5	6	138	193	1.84	< 10	< 1	0.09	20
L3500E 5250N	203 205	< 5	7	< 0.1	0.6	1.91	< 2	170	< 0.5	4	0.59	1.0	12	100	127	2.65	< 10	< 1	0.26	20
L3500E 5300N	201 229	< 5	2	< 0.1	0.4	0.99	< 2	70	< 0.5	< 2	0.35	< 0.5	5	104	17	1.67	< 10	< 1	0.08	10
L3500E 5350N	203 205	< 5	4	< 0.1	0.4	1.41	< 2	90	< 0.5	2	0.44	1.0	9	101	24	1.99	< 10	< 1	0.08	10
L3500E 5400N	201 229	< 5	6	< 0.1	< 0.2	0.99	< 2	90	< 0.5	2	0.42	< 0.5	4	110	14	1.49	< 10	< 1	0.07	10
L3500E 5450N	203 205	< 5	5	< 0.1	< 0.2	0.81	2	70	< 0.5	2	0.32	< 0.5	6	118	18	1.52	< 10	< 1	0.09	< 10
L3500E 5500N	203 205	< 5	4	< 0.1	< 0.2	0.63	< 2	80	< 0.5	2	0.31	< 0.5	4	125	8	1.26	< 10	< 1	0.12	< 10

CERTIFICATION: _____

Mark Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ADDA MINERALS COMPANY LTD.
 C/O AURUM GEOLOGICAL CONSULTANTS INC.
 P.O. BOX 4367
 WHITEHORSE, YUKON
 Y1A 3T5

Page Number :8-B
 Total Pages :8
 Certificate Date: 26-NOV-93
 Invoice No. :19325048
 P.O. Number :
 Account :LIH

Project : 29
 Comments:

CERTIFICATE OF ANALYSIS

A9325048


SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L3400E 5500N	217	229	0.56	295	1	0.06	16	370	4	< 2	3	38	0.10	< 10	< 10	51	< 10	42
L3500E 5050N	217	229	0.42	410	1	0.04	11	690	20	< 2	2	52	0.06	< 10	< 10	41	< 10	352
L3500E 5100N	203	205	0.31	875	8	0.04	10	230	24	< 2	3	33	0.09	< 10	< 10	53	< 10	190
L3500E 5150N	217	229	0.48	365	3	0.05	13	380	16	< 2	3	46	0.10	< 10	< 10	58	< 10	106
L3500E 5200N	203	205	0.41	260	3	0.06	13	430	8	< 2	3	44	0.06	< 10	< 10	48	< 10	86
L3500E 5250N	203	205	0.80	555	4	0.04	16	690	10	< 2	7	44	0.14	< 10	< 10	70	< 10	126
L3500E 5300N	201	229	0.38	180	1	0.06	8	120	4	< 2	3	33	0.09	< 10	< 10	50	< 10	46
L3500E 5350N	203	205	0.48	360	4	0.04	8	330	10	< 2	3	38	0.09	< 10	< 10	51	< 10	76
L3500E 5400N	201	229	0.38	205	1	0.05	7	210	6	< 2	2	33	0.08	< 10	< 10	42	< 10	36
L3500E 5450N	203	205	0.37	260	1	0.04	7	200	6	< 2	2	28	0.06	< 10	< 10	41	< 10	58
L3500E 5500N	203	205	0.24	200	1	0.06	5	100	4	< 2	2	30	0.06	< 10	< 10	36	< 10	40

CERTIFICATION: Hart Buehler

SYMBOLS

× 50 1993 rock sample site, ppb Au
 □ 14 pre-1993 rock sample site, ppb Au
 □ 10,15,19 continuous chip sample sites,
 ppb Au, (at this scale, appear
 at one station)


- ~~~~~ area of detailed sampling
- trench outline
- Trench 93-4 → year, trench number
- 1993 grid lines
- 1350 elevation contour interval,
 (50m)
- - - stream, creek
- - - cat trail
- access road



ADDA MINERALS COMPANY LTD.

ROB CLAIMS
Rock Geochemistry, ppb Au
Trench Locations

Aurum Geological Consultants Inc.	DATE: December 1993
SCALE: 1 : 2500	N.T.S.: 105 D/3
DRAWN: R.S.	FIGURE 7



SYMBOLS

- \times 50 1993 soil geochemistry site, ppb Au
- \square 14 1992 soil geochemistry site, ppb Au
- \triangle 10 1989 soil geochemistry site, ppb Au
- \circ 5 1987 soil geochemistry site, ppb Au

where sample locations coincide;
14 50
 \square previous year sample
 \times latest year sample

15 1993 geochemical contour, (15 ppb Au)

1993 grid lines

elevation contour interval, (50m)

stream, creek

cat trail


access road

0 50 100 150 200
METRES

ADDA MINERALS COMPANY LTD.

ROB CLAIMS

Soil Geochemistry
ppb Au



Aurum Geological Consultants Inc.

SCALE: 1 : 2500 DATE: December 1993

N.T.S.: 105 D/3 DRAWN: R.S. FIGURE 8