

**Overland Resources Ltd.**

**2008 YMIP TECHNICAL REPORT ON THE  
ANDREW NORTH**

Located in the Clearwater Creek Area, Mayo Mining Division

105K/105N/105N/01

65° 00' N Latitude; 134° 05' W Longitude

62° 55' 33" 132° 13' 07"

-prepared for-

**OVERLAND RESOURCES LTD.**

Suite 1158, 409 Granville Street

Vancouver, BC, Canada

V6C 1T2

-prepared by-

Darcy Baker

**EQUITY EXPLORATION CONSULTANTS LTD.**

Suite 700, 700 West Pender Street

Vancouver, British Columbia, Canada, V6C 1G8

February, 2009

## TABLE OF CONTENTS

TABLE OF CONTENTS .....	1
LIST OF APPENDICES .....	1
LIST OF TABLES .....	1
LIST OF FIGURES .....	1
1.0 INTRODUCTION .....	2
2.0 PROPERTY DESCRIPTION AND LOCATION .....	2
2.1 Access .....	2
2.2 Climate .....	2
2.3 Local Resources .....	2
2.4 Infrastructure .....	3
2.5 Physiography .....	3
3.0 HISTORY .....	3
4.0 REGIONAL GEOLOGY AND MINERALIZATION .....	5
4.1 Regional Geology .....	5
4.2 Local and Property Geology .....	6
4.3 Lad Zone Geology .....	7
5.0 DIAMOND DRILLING .....	8
5.1 LD08-01 .....	8
5.2 LD08-02 .....	9
6.0 DISCUSSION AND CONCLUSIONS .....	9

## LIST OF APPENDICES

- Appendix A: Bibliography
- Appendix B: Statement of Expenditures
- Appendix C: Diamond Drill Logs
- Appendix D: Drill Core Assay Certificates
- Appendix E: Geologist's Certificates

## LIST OF TABLES

Table 1: Summary of Yukon Base Metal Project Diamond Drill Holes .....	5
Table 2: Summary of Lad Zone Diamond Drill Holes .....	8

## LIST OF FIGURES

Figure 1: Andrew Project Location Map .....	10
Figure 2: Andrew Project Tenure and Regional Geology .....	11
Figure 3: Andrew North Drill Hole Locations .....	12

## 1.0 INTRODUCTION

This report summarizes and describes diamond drilling conducted on the Andrew North area in 2008 in fulfilment of YMIP grant requirements. The Andrew North area forms part of a larger land package known as the Andrew Base Metal Project owned by Overland Resources Ltd. and 18526 Yukon Inc. For the 2008 exploration season Overland was awarded three YMIP grants occurring within the limits of the Yukon Base Metal Project, the Scott claims, Andrew North (topic of this report), and Andrew South. In 2008 Overland Resources conducted a large scale exploration program over the entire property including the aforementioned areas and beyond and the reader is referred to the Andrew 2008 assessment report for details on areas not included in this report.

## 2.0 PROPERTY DESCRIPTION AND LOCATION

The Yukon Base Metal Project comprises 570 quartz mineral claims totaling 115 km<sup>2</sup> located within the South Fork Range of the Yukon Plateau, east of the Tintina Trench and west of the MacKenzie Mountains. The property falls within the Mayo Mining District, situated 100 km north of the town of Faro, Yukon. The area is covered by NTS map sheet 105K/16 (Figure 1). The coordinates of the approximate center of the property are 62° 55' 33" N latitude and 132° 13' 7" W longitude (NAD 83, UTM Zone 8, 641 070 mE and 6 980 155 mN).

### 2.1 Access

The Yukon Base Metal Project is accessible by helicopter and short take off and landing-capable fixed-wing aircraft via a 400 m unsealed airstrip located at 132°14'20" W and 62°56'20" N (UTM NAD83; 640 090 mE and 6 982 690 mN). The nearest road accessible airstrip is at Twin Creeks, located approximately 80 km south of the Yukon Base Metal Project and 112 km by road from Ross River. Twin Creeks is accessible by the North Canal Road from June to October only when the road is open and actively maintained. Both Faro and Ross River maintain year-round lighted airstrips of 4000' and 5000' respectively.

A 110 km winter trail was re-established in March and April of 2008 from the North Canal Road at Dragon Lake, and used to bring heavy equipment, diamond drills and drilling supplies to the Yukon Base Metal Project. Construction of this trail was completed under Land Use permit YA7F345. This permit is valid until January 25, 2010. The route was originally established in the 1960s for exploration of the Yukon Base Metal Project and adjacent areas.

Areas of work covered in this report were accessed by quad trail from the Andrew Camp adjacent to the 400 m long unsealed airstrip described above.

### 2.2 Climate

Temperatures at the Yukon Base Metal Project typically range from 8 to 26 °C in the summer and from -30 to +6 °C in the winter. Annual precipitation ranges from 120 to 200 mm, including 0.8 to 1.5 m of snow accumulation in the winter months. The Yukon Base Metal Project is typically snow covered from October to late May. Fieldwork can be carried out from May to September, with drilling possible from March to October.

### 2.3 Local Resources

Personnel for construction, mining, exploration, labour and support are available in the nearby communities of Faro and Ross River, as well as the Territorial capital of Whitehorse. Faro and Ross River are 100 km southwest and 115 km south of the property respectively. It is an approximately 3.5 hour drive from Whitehorse to Faro and 4 hours from Whitehorse to Ross River along the Klondike Highway and Robert

Campbell Highway. Whitehorse has an international airport serviced by several airlines that run daily flights to and from Vancouver while airstrips in Faro and Ross River are serviced by chartered flights only.

## 2.4 Infrastructure

Infrastructure near the Yukon Base Metal Project includes the seasonal Canol Road and year-round Robert Campbell Highway. The Canol Road extends for 458 km from the Yukon-Northwest Territories border to Johnson's Crossing on the Alaska Highway south of Whitehorse. Northeast of the Pelly River at Dragon Lake, the Canol road comes to within 60 km of the Yukon Base Metal Project where the winter trail into the property begins. From this point it is approximately 100 km to Ross River where the Canol Road intersects the Robert Campbell Highway. During operation of the Faro Mine, concentrate was trucked to the port of Skagway, Alaska via the Robert Campbell and Klondike highways for a distance of 536 km. This longer route was chosen over the shorter Canol road due to the poor conditions of the Canol Road.

Both Ross River and Faro are serviced by electrical transmission lines sourced from the Aishihik hydroelectric facility to the west.

## 2.5 Physiography

The Yukon Base Metal Project is located within the South Fork Range of the Yukon Plateau, east of the Tintina Trench and west of the MacKenzie Mountains. The property occupies the west side of a wide valley, where elevations range from 1000 to 1800 m above sea level. Mount Selous is the highest peak in the area at an elevation of 2176 m and is located 10 km to the west of the property. The Yukon Base Metal Project is located north of the South MacMillan River, near its confluence with the Riddell River. Several east flowing creek valleys cut moderate slopes across the Yukon Base Metal Project.

The vegetation at the Yukon Base Metal Project is alpine to sub-alpine with lower elevations being dominated by black and white spruce stands, typical of the Northern Boreal Forest.

## 3.0 HISTORY

The earliest large scale exploration program in the area was in response to the discovery of the Faro ore body in 1965 near the present day town of Faro 100 km to the south. An extensive exploration program, undertaken by a syndicate comprised of Atlas Exploration, Quebec Cartier Manufacturing Co. and Phillips Brothers Ltd. under the moniker *Hess River Syndicate* was conducted in the Hess River region, including the area covered by the current Yukon Base Metal Project, from 1967-1969 (Adamson, 1968, 1969; Smith, 1967). Following preliminary exploration in 1967, 162 claims centered on mineral showings underlying the LAD claims were staked. Throughout 1968 to 1969, Atlas (the principle operator) undertook line-cutting (63 km), geophysical surveys (ground magnetic, air magnetic, and EM), geochemical surveys, geological mapping (1:400 and 1:200 scales), and trenching (hand and bulldozer). It was during this period that the winter trail and airstrip were first established on the property.

Results from the early work identified 23 showings occurring in clusters around the property including showing J adjacent to the Andrew Zinc Deposit. The final assessment report submitted by Atlas exploration in 1969 concluded "the extent of the sulphide mineralization was shown, in every case, to be much too limited to have any economic potential" (Adamson, 1969). Atlas Exploration did no further work in the area and all but 42 of the claims lapsed.

Interest in the remaining claims was transferred to CIMA Resources and in 1977 they drilled two short holes totaling 15.32 m on the LAD showing (formerly showing L). These holes intersected mineralization near surface with the best results from drill hole 77-1 returning 5.3 % Pb, 4.7 % Zn and 3.9 oz/t Ag over 1.2 m (Soloviev et al., 2003). The claims were subsequently allowed to lapse.

In 1968 Hudson Bay Mining and Smelting staked the SOLO claims roughly four kilometers to the north of the LAD claims, comprising the north central portion of the present day Myschka claim group located

at the north end of the Yukon Base Metal Project. From 1968 to 1969 Hudson Bay Mining and Smelting conducted grid soil sampling and geological mapping but the claims were allowed to lapse. An area covering the southern portions of the present day Myschka claims was staked in 1990 by Noranda Exploration Co. Ltd. as the RUSH claims. Select grab sampling on these claims returned values up to 3017 g/t Ag, 75 % Pb, 0.2 % Zn and 0.9 % Sb (Yukon Minfile #105k/090, 1996) but the claims were allowed to lapse once again.

Anomalous drainages identified in a Geological Survey of Canada regional geochemical survey (Open File #2174) released in 1989 prompted 18526 Yukon Ltd., of Whitehorse, Yukon to further investigate the area. They staked the ANDREW 1-10 claims in 1996 after encountering a large devegetated ("kill") zone near Atlas's Showing J. These claims cover an area of four by one kilometers in a northwest trend centered on the Showing J kill zone and the Andrew Zinc Deposit. Grab samples taken from several showings associated with the kill zone yielded up to 19.2 % Zn and 74.6 % Pb (Berdahl, 1997).

The MYSCHKA 1-16 claims were staked in 1998 by Viceroy Resource Corporation, transferred to NovaGold Resources Inc. in 1999 and subsequently allowed to lapse. As the MYSCHKA claims were lapsing, 18526 Yukon Ltd. re-staked the LAD 24 and 26 claims as SCOTT 1 and 2 and conducted more geochemical sampling and trenching on the ANDREW claims. In September 2000 18526 Yukon Ltd. staked the SCOTT 3-34 claims and conducted soil and rock geochemical surveys on the newly staked ground (Berdahl, 2002).

Noranda Inc. optioned the ANDREW claims from Berdahl in August 2000 and staked AMB 1-68, 70 and 72-104 claims adjoining the ANDREW claims to cover historic showings to the north. In the winter of 2000/2001, Noranda carried out airborne magnetic and electromagnetic surveys over the area, covering the newly staked AMB claims as well as the ANDREW and previously staked SCOTT claims to the west. From July to October 2001, Noranda undertook an extensive exploration program, including drilling 15 holes totaling 2,717.7 m (Huard and Savell, 2002). Noranda then staked AMB 115-162 claims, on the NE and SE side of the ANDREW claim block to cover a Zn-in-soil geochemical anomaly extending up to 2 km to the southeast from the Andrew Zinc Deposit. In 2001 the present day SOPHIA claims were staked by 18526 Yukon Ltd. and optioned to Klad Enterprises Ltd. who re-staked the MYSCHKA 1-16 as well as the MYSCHKA 17-96 surrounding the Sophia Claims.

The 2002 summer field season resulted in further soil geochemical sampling and diamond drilling of 8 holes totaling 1838.3 m by Noranda (Huard and Savell, 2003). Meanwhile Klad Enterprises Ltd. undertook a campaign of geological mapping concurrent with collecting rock silt and soil specimens on the MYSCHKA property.

Results of the two drilling campaigns by Noranda were interpreted to suggest that the extent of the mineralization was limited and did not warrant further work. Subsequently, Noranda terminated its option agreement on the property in 2003, coincident with the takeover of Noranda by Falconbridge Inc. Similarly, Klad Enterprises Ltd. allowed its interest to lapse in the MYSCHKA property.

In February 2007, Overland Resources Yukon Ltd. secured an option to acquire 90 % interest in the Yukon Base Metal Project.

Table 1 contains a summary of all the known drilling on the Yukon Base Metal Project to date. From May through November 2007, Overland carried out an extensive exploration program on the Andrew Base Metal Project. This included reprocessing geophysical data, regional geological mapping, the collection of over 1300 soil samples, 200 rock chip samples, several regional stream sediment samples, and 2,867 m of diamond drilling in 10 drill holes. The surface sampling constrained the extent of the Zn soil geochemical anomaly at the Adrian zone and identified a new zone subsequently named the Darin zone. Additionally, the surface program identified mineralization at the Gentian and Scott zones.

The 2007 drill program confirmed the high grade, shallow and continuous nature of the Andrew mineralization, and extended the Andrew Zinc Deposit laterally and vertically. A composite 40 kg sample of mineralized drill core from two drill holes at different vertical and horizontal locations within the Andrew Zinc Deposit was submitted for metallurgical test work.

Table 1: Summary of Yukon Base Metal Project Diamond Drill Holes

Year	# of holes	Hole Numbers	Core Size	Total Metres	# of Samples	Operator
1977	2	77-1, 77-2	unknown	15.32	4	CIMA
2001	15	AN01-01 - AN01-15	NQ2	2,717.7	337	Noranda
2002	8	AN02-16 - AN02-23	NQ2	1,838.3	266	Noranda
2007	10	AN07-24 - AN07-33	HQ/NQ2/BQ2	2,979.0	850	Overland
2008	134	AN08-034 - AN08-126 AD08-001 - AD08-005 DN08-001 - DN08-013 DY08-001 - DY08-016 GT08-001 - GT08-002 LD08-01 - LD08-02 RB08-001 - RB08-003	NTW/BTW	23,424.7	4562	Overland
<b>Total</b>	<b>169</b>	-	-	<b>30,975.02</b>	<b>6015</b>	-

## 4.0 REGIONAL GEOLOGY AND MINERALIZATION

### 4.1 Regional Geology

The Andrew Zinc Deposit is located within marine and deep water derived clastic rocks of the western Selwyn Basin. The definition of the Selwyn Basin in this report follows that of Gordey and Anderson (1993) in reference to Late Precambrian to Middle Devonian off-shelf deposition of sediments restricted by the Cassiar platform to the southwest and the Mackenzie shelf to the east. The basin is considered part of Ancestral North America and records several episodes of pericratonic rifting with subsequent subsidence. Generally, the basin fill comprises shale, limestone, chert and grit that have been subdivided across the basin into many formations and distinct facies that may or may not be time-equivalent. Regional geological mapping of the area (Gordey, 2008; Gordey and Makepeace, 2001) provides a framework for the regional and property-scale descriptions below.

The western portion of the basin (where the Andrew Zinc Deposit is located) is underlain by Precambrian (Hyland Group; Yusezyu and Narchilla formations), Lower-Middle Cambrian (Gull Lake Formation), Cambrian-Ordovician (Rabbitkettle-Menzie Creek formations), Ordovician-Silurian (Road River Group; Duo Lake and Steel formations), and Devonian to Mississippian (Earn Group; Prevost Formation) sequences. The sedimentary rocks were subsequently intruded by Cretaceous granite, quartz monzonite and granodiorite plugs assigned to the Selwyn Plutonic Suite. Collectively, they record a quiescent, subsiding continental margin punctuated by transgressive and regressive cycles, rifting, a receptacle for orogenic detritus from the north, collision of allochthonous terranes, mountain building and magmatism (Gordey and Anderson, 1993). Figure 2 shows the compiled regional geology with the Overland Resources Yukon Ltd claim boundaries for reference.

The lower Hyland Group (Yusezyu Formation., PCH1) comprises quartz-rich sandstones ranging from medium grained sand to pebble conglomerate sized clasts. Distinct, opalescent blue spherical quartz grains are common. The bottom of the formation is not exposed in the basin but the formation is estimated to be greater than 3 km thick (Gordey and Anderson, 1993). At the top of the Yusezyu Formation a crystalline limestone or calcareous sandstone unit is generally present. This unit marks the transition from Yusezyu

Formation sandstones to fine grained red and green mudstones of the Narchilla Formation (**PCH3**). The limestone and Narchilla mudstones are locally interfingered.

Middle to Upper Cambrian rocks conformably overlie the Hyland Group which comprises the Rabbitkettle Formation (**COR1**, dark grey shaly limestone to calcareous phyllite, quartzose siltstone, chert, black shale, strikingly laminated tuffaceous siltstone, greenstone, thin-bedded locally nodular limestone, and green shale) overlain by the Menzie Creek Formation (andesite to basalt and tuff breccia).

The Ordovician to Silurian is represented by the Road River Group (**ODR, ODR1, ODR2**) which is divided into the Duo Lake and overlying Steel formations. The Duo Lake Formation comprises green, grey and black thin- to medium-bedded chert with lesser graphitic shale. The Steel Formation comprises dolomitic mudstone, siltstone, chert and rare graphitic shale.

Overlying the Road River Group are rocks assigned to the Devono-Mississippian Earn Group (**DME1, DME2**). This group comprises chert-quartz sandstone, chert-quartz pebble conglomerate, black siltstone and black limestone, which typically occurs in stratigraphic contact with the underlying Road River Group. Locally, however, it lies unconformably on rocks assigned to the Hyland Group where pre- to syn-Earn group block faulting is prevalent.

Devonian to Mississippian extension resulted in subvertical normal faults of varying orientation juxtaposing deeper basinal rocks against younger lithologies. This geometry effectively preserved Ordovician to Silurian rocks locally and resulted in unconformable relationships between the Hyland and Earn group rocks elsewhere. The occurrence of abundant debris flows containing car sized clasts of underlying lithologies are a product of this block faulting (Steve Gordey, pers comm. 2008).

Mesozoic docking of allochthonous terranes to the southwest of the Selwyn Basin resulted in thin-skinned thrusting and folding with eastward displacements upwards of 200 km (Gabrielse, 1991). Concurrent with the crustal thickening numerous calc-alkaline plutons were emplaced into the sedimentary package described above. Locally, emplacement of plutons has been interpreted to have been forcible with nearly consolidated diapirs pushing their way into the crust (Woodsworth et al., 1991). The nearest igneous body to the Andrew Zinc Deposit is the Mount Selous Pluton (**mKqS**) which crops out 6-8 km west of the Yukon Base Metal Project.

Low-grade (sub-greenschist) metamorphism is typical of the Selwyn Basin but within contact aureoles of the Selwyn Plutonic suite amphibolite facies metamorphism occurs. Deformation in the Selwyn Basin is dominated by the interplay of less competent quartz-poor and competent quartz-rich layered rocks. Large-scale structures consist of thrust-faults, open to tight folds, locally intense small scale folds and zones of closely spaced imbricate thrust sheets. These structures are attributed to Early Cretaceous northeast directed compression pre-dating the extensive plutonism in the basin. Typically a well developed phyllitic to slaty cleavage is present and is most prevalent in mudstone and siltstone. The dominant fabric in the basin trends northwest and generally dips steeply to the northeast but in places may be shallowly south-dipping. Locally, however, structural trends vary and commonly parallel the arcuate Paleozoic shale-carbonate boundary within the Mackenzie Mountains to the east. This results in structural trends that may vary from east-northeast to east-west with northerly, easterly, or westerly vergence of major structures (Gabrielse, 1991).

#### 4.2 Local and Property Geology

The Andrew Zinc Deposit and surrounding lithologies comprise the upper sheet of the Sheldon Thrust exposed to the east. The thrust places the older Hyland group over the younger Road River and Earn groups. Although not exposed at surface at the Yukon Base Metal Project the Sheldon Thrust was encountered in drill core where the older over younger relationship was observed. Younger rocks (Road River and Earn groups) occur at surface within fault-bounded blocks through the central portion of the property. The bounding faults are typically steeply dipping to the north and east. These blocks are interpreted to be uplifted portions of the Sheldon Thrust footwall.

Even within the Sheldon Thrust sheet context, assigning rock units at the Yukon Base Metal Project to stratigraphic formations is problematic due to the similarity of rock types among groups, lack of exposure

below tree-line and abundant structural complication. Exceptions to this are the distinctive maroon and green laminated mudstones of the Narchilla Formation, and carbonaceous to graphitic, locally pyritic mud-matrix turbidites of the Earn Group that contain distinctive chert clasts sourced from the underlying Road River Group. Description of the local geology is based on Gordey (2008) and data collected during the 2008 exploration program.

Lithologies in the immediate area have been assigned to the Hyland, Road River, and Earn Groups and to the Selwyn Plutonic Suite. Absent from the stratigraphic sequence are the Middle to Upper Cambrian rocks, namely the Rabbitkettle and Menzie Creek formations (Gordey and Makepeace, 2001).

Rocks of the Hyland Group are the most abundant rocks at surface and are comprised of tightly folded thin- to medium-bedded maroon, green, grey and black mudstone of the Narchilla Formation. Colour variation is commonly bedding parallel but cuts across bedding locally, attributed to migrating redox fluids during lithification. The mudstone is underlain by, and locally interbedded with, massive to medium bedded quartz sandstone of the Yusezyu Formation. A calcareous horizon that ranges from moderately calcareous clastic rock to stylolitic crystalline limestone is concentrated near the transition from the Yusezyu to Narchilla formations and may be interfingered with either. This package is best exposed at the head of Showing J Creek west of the Andrew Zinc Deposit where the three lithologies are folded by a northwest trending anticline. Rheological differences between the mudstone and quartz sandstone result in an overrepresentation of quartz sandstone outcrops at surface. Hyland Group rocks crop out immediately north, west and east of the Andrew Zinc Deposit.

Road River Group chert crops out to the east where they are present in the footwall of the Sheldon Thrust. On the property, chert outcrops occur within a kilometre west of the Andrew Zinc Deposit, on the hillside south of the Andrew Zinc Deposit and further south several kilometres west of the Darin Zone but is everywhere in faulted contact with adjacent lithologies or contacts are not exposed. Typically, the chert is thin-bedded and grey but locally it is massive and pervasively fractured.

Earn Group rocks on the property consist of black graphitic mudstone, coarse quartz sandstone, and medium- to very coarse-grained debris flows with black mud matrix and clasts of sandstone, mudstone, chert and quartzite. They are not well exposed on the property except locally where weak to moderate silicification has made them more resistant.

To the west, two-mica granite, quartz monzonite and granodiorite of the Mt Selous Pluton is exposed. At the contact between the Mt Selous Pluton and the Narchilla formation the mudstone is black and displays a strong cleavage with 1-2 mm diameter andalusite (?) porphyroblasts. A granite plug in the northeastern side of the property is interpreted to be the same age and cogenetic with the Mt. Selous pluton to the west.

Mineralized and unmineralized quartz +/- carbonate stockwork cuts all lithologies but is less common in mudstone than in the coarser sedimentary rocks. Outcrops are generally resistant due to moderate to intense silica flooding. The stockwork forms tabular to irregular bodies but is typically associated with late structures that cut the Sheldon Thrust where it is most intense, presumably acting as the fluid conduit. Locally where the stockwork intersects coarse sandstone horizons, silicification and mineralization can extend laterally into the porous rocks for several kilometres. This is most evident within the Darcy, Adrian and Darin zones where quartz +/- carbonate stockwork cuts Hyland group rocks at the Darcy zone and silicification with mineralization can be traced along strike through the other two zones where it is bounded above by the Narchilla mudstone. De-vegetated zones are common on the Andrew and Darcy zones where stockwork is most intense and are attributed to the presence of sulphide mineralization.

Stratified rocks on the property typically strike northwesterly with local variation due to folding at all scales. Fold tightness ranges from open to tight. Fold axes trend northwest and southeast and plunge are generally shallow. Plunge variation in fold axes is attributed to block rotation across steeply dipping faults.

#### **4.3 Lad Zone Geology**

The Lad (or "L") showing is located approximately 500 meters west of the Andrew airstrip along old Atlas trails and south east of Clearwater Creek. Several mineralized zones have been identified by previous



workers (mainly Atlas Exploration and Noranda) in terrain typified by poor outcrop exposure and relatively subdued topography.

The Lad showing is characterized by two separate styles of mineralization with similar mineralogy: semi-massive sulphide replacement and fracture-filling chalcopyrite, pyrrhotite and pyrite with lesser coarse-grained galena and sphalerite. 1960s era trenches expose replacement style mineralization comprising a three-meter (true thickness) zone of semi-massive sphalerite, galena, pyrite and pyrrhotite with minor disseminated chalcopyrite blebs. It is exposed for 30 meters along strike and is oriented 130°/53°SW. Minor replacement of axial planar cleavage in fold noses is present and the zone contains several isolated, metre-scale blocks of semi-massive sulphide thought to be replaced fault blocks indicating that mineralization post-dates deformation.

The second style of mineralization at the Lad ("L") showing consists of fractures that cross-cut the massive sulphide zone and the footwall sandstones with a consistent orientation averaging 003°/65°E. Locally, fractures contain chalcopyrite, pyrrhotite, pyrite with lesser coarse-grained galena and sphalerite. Several sandstone beds contain the same fracture set but they are unmineralized and strongly bleached, possibly by a strongly acidic fluid.

The fracture-hosted mineralisation is quite extensive in the footwall, with evidence of high fluid flow observed in numerous outcrops exposed in the Atlas trenches. Several sandstone beds contain the same fracture set though they are barren and strongly bleached (possibly by a strongly acidic fluid?). This bleaching, coupled with the chalcopyrite mineralisation is indicative of a high temperature fluid as the emplacement mechanism, possibly sourced from the neighbouring Mt. Selous pluton. In addition, given the fact that the fracture set cross-cuts all structure in the vicinity, it is likely that fracturing is a structural artefact of the intrusion of Mt. Selous.

## 5.0 DIAMOND DRILLING

In 2008, a drilling program was undertaken to test the Lad prospect. Two holes were collared approximately 25 m apart along strike of the mineralization observed at surface (Figure 3). Rationale and results are briefly described below. Drill logs are presented in Appendix C and laboratory certificates are presented in Appendix D.

Table 2: Summary of Lad prospect Diamond Drill Holes

Year	# of holes	Hole Numbers	Core Size	Total metres	# of Samples	Operator
1977	2	77-1, 77-2	unknown	15.32	4	CIMA
2001	1	AN01-01	NQ2	141.7		Noranda
2008	2	LD08-01 - LD08-02	NTW	214.89		Overland
<b>Total</b>	<b>5</b>	-	-	<b>371.91</b>		-

### 5.1 LD08-01

LD08-01 was drilled to test the subsurface extent of replacement style and fractured hosted vein style galena and sphalerite mineralization observed on surface. The hole was drilled down-dip of the surface showing, 40 m to the south-west.

This hole intersected 120.40 m of interbedded mudstone and sandstone hosting pyrite and pyrrhotite veins, trace sphalerite veins, but no massive or semi-massive sulphide mineralization. The rock showed moderate silica flooding and chlorite alteration. The most significant geochemical result is a 1 m-wide sample that returned 1570 ppm Pb at 34.14 m down hole.

## 5.2 LD08-02

LD08-002 was drilled 15 m to the north-east of LD08-001. Drilling proceeded through highly fractured mudstone, chert and rare interbedded sandstone. The mudstone showed moderate silica flooding and local reduction patches proximal to quartz veins. Fractures had a common vein assemblage of pyrrhotite-pyrite-quartz, minor chalcopyrite, and trace galena and sphalerite. Geochemical results from this hole are generally low, although a 2 m wide zone from 24.38 m returned 0.40 % Zn and 0.42 % Pb.

## 6.0 DISCUSSION AND CONCLUSIONS

In addition to surface outcrop, there is a strong magnetic anomaly (Noranda ground magnetic survey) associated with the massive sulphide zone, and soil data indicate very strong zinc and lead values along strike of the zone. During the 2008 field season, detailed mapping at 1:100 scale was carried out after three days of hand trenching and washing the old Atlas trench, to determine why all previous drilling was unsuccessful. It was determined that both the Cima drill holes (77-1 and 77-2) and the Noranda hole (AN01-01) were testing a structure that was thought to dip to the northeast rather than the southwest. All structural data on the massive sulphide zone indicate a southwest rather than a northeast dip.

Shallow drill-testing at the Lad prospect intersected minor base metal mineralization. The distribution of mineralization could be highly irregular and podiform resulting in drill holes missing the strongly mineralized areas. Induced Polarization geophysics could be useful to delineate regions of increased sulphide concentration proximal to the Lad and would provide additional targets for further drill testing.

Respectfully submitted,




---

Darcy Baker, Ph.D.

EQUITY ENGINEERING LTD.

Vancouver, British Columbia


February 6, 2009



# OVERLAND RESOURCES

## Yukon Base Metal Project Location Map

	Date:	OCT 2008	Scale:	1:7,000,000	Figure	1
	UTM Zone	8 - NAD83	Mining District	MAYO		
	N.T.S.	109K/16	State/Province	Yukon		



**Lithology**

**Quaternary**

Q silt/sand/gravel

**mid-Cretaceous**

mKgS quartz monzonite/granodiorite/  
quartz diorite/syenite

mKqS granite/quartz monzonite/  
granodiorite

KSF crystal tuff

**Middle to Upper Triassic**

TrJ shale/argillite/sandstone/  
limestone

**Mississippian**

MK shale/quartzite

**Carboniferous to Permian**

CPMC chert/shale/siltstone

**Devonian to Mississippian**

DME1 siltstone/sandstone/conglo

DME2 chert/shale/argillite

**Ordovician to Lower Devonian**

ODR2 shale/chert/siltstone

ODR1 shale/chert

ODR shale/chert/siltstone/limestone/conglomerate

**Upper Cambrian and Ordovician**

COR1 chert/siltstone/phyllite/limestone/conglo

**Upper Proterozoic to Lower Cambrian**

ICG1 mudstone/shale/siltstone/phyllite/schist

PCH2 limestone

PCH1 phyllite/shale/sandstone/grit/conglomerate/  
limestone

PCH3 slate


- Geological boundary (defined, approx., assumed)
- - - Fault, steeply dipping (defined, approx., assumed)
- ▲▲▲▲▲ Thrust Fault, upright (defined, approx., assumed)
- ↕ Anticline, Syncline

**OVERLAND RESOURCES**


**Yukon Base Metal Project  
Regional Geology**

Date:	OCT 2008	Scale:	1:300,000	Figure	2
U.T.M. Zone	UTM 8 - NAD83	Mining District	MAYO		
N.T.S.	105K/16	State/Province	Yukon		

YC02435ad



- ★ Zones
- Quartz claims
- Trails
- ▬ Airstrip
- ▲ Exploration Camp
- Drill Hole Collar with Trace
- Zinc Soil Geochemistry



# OVERLAND RESOURCES

## Yukon Base Metal Project Drill hole location map

	Date:	OCT 2008	Scale:	1:125,000	Figure
	U.T.M. Zone:	UTM 8 - NAD83	Mining District:	MAYO	3
	N.T.S.:	105K/16	State/Province:	Yukon	

**Appendix A: Bibliography**

- Adamson, T. J., 1968, Assessment Report on the Geological work done on the Lad 3-12, 19-34, 45-62 Claims, Yukon: Atlas Exploration Ltd. Assessment Report 019016, p. 15.
- Adamson, T. J., 1969, Assessment Report of Geological work done on the Lad 65-102 Claims, Yukon in 1968: Atlas Exploration Ltd. Assessment Report 019009, p. 19.
- Berdahl, R. S., 1997, Assessment Report on Prospecting and Geochemical Results obtained on the Andrew 1-10 Claims, Yukon in 1996: self-employed prospector Assessment Report 093881, p. 23.
- Berdahl, R. S., 2002, Assessment Report of Prospecting and Geophysical work done on Scott 3-34 Claims, Yukon in 2000: self-employed prospector Assessment Report 094378, p. 100.
- Gabrielse, H., 1991, Chapter 17, Structural styles *in* Gabrielse, H., and Yorath, C. J., eds., *Geology of the Cordilleran Orogen in Canada*, 4, Geological Survey of Canada, p. 571-675.
- Gordey, S. P., 2008, *Geology, Selwyn Basin (105J and 105K), Yukon*, Geological Survey of Canada.
- Gordey, S. P., and Anderson, R. G., 1993, Evolution of the Northern Cordilleran Miogeocline, Nahanni Map Area (105I), Yukon and Northwest Territories, *in* Canada, G. S. o., ed., *Memoir 428: Vancouver, BC*, Geological Survey of Canada, p. 214.
- Gordey, S. P., and Makepeace, A. J., 2001, *Bedrock Geology, Yukon Territory*, Geological Survey of Canada.
- Huard, A., and Savell, M., 2002, Assessment Report of Exploration conducted on the Andrew Property, Yukon in 2001: Noranda Inc. Assessment Report 094274, p. 453.
- Huard, A., and Savell, M., 2003, Assessment Report of Geochemistry and Diamond Drilling conducted on the Andrew Property, Yukon in 2002 Noranda Inc. Assessment Report 094363, p. 218.
- Smith, C. L., 1967, Assessment Report on the Hess River Project, Yukon: Atlas Exploration Ltd. Assessment Report 019032, p. 54.
- Soloviev, S. G., C.M.Schulze, and O.E.Baklyukov, 2003, Structural settings and geochemistry of the Myschka gold prospect, Tintina Gold Belt, Mt. Selous area (105K/16, 105N/1), Yukon, *in* L.L.Lewis, D. S. E. a., ed., *Yukon Exploration and Geology 2002*, Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada, p. 295-306.
- Woodsworth, G. J., Anderson, R. G., and Armstrong, R. L., 1991, Chapter 15, Plutonic regimes *in* Gabrielse, H., and Yorath, C. J., eds., *Geology of the Cordilleran Orogen in Canada*, 4, Geological Survey of Canada, p. 491-531.

**Appendix B: Statement of Expenditures**



STATEMENT OF EXPENDITURES


Andrew North

17 field days

1. Daily Living					
		Rate/per day	ManDays	Cost	
		\$35	53	\$1,855	
2. Travel (state method: road, air, etc.)					
Air					
Helicopter					
(Travel from camp to area)					
Contract	Aircraft	Rate/per hour	Hours	Cost	
Transnorth	Bell 206	\$ 990.00	13	\$ 12,870.00	
Fixed Wing					
(Travel from Whitehorse to camp: max 2 per 30 days)					
Contract	Aircraft	Rate/per return trip	No of Trips	Cost	
Alkan Air	Otter	\$ 3,572.00	2	\$ 7,144.00	
3. Analyses					
Contract	Analysis Type	Rate/ per sample	No. of Samples	Cost	
ALS Chemex	Rock	24.36	0	\$ -	
ALS Chemex	Drill Core	27.5	150	\$ 4,125.00	
ALS Chemex	Soil	20.53	0	\$ -	
Total				\$ 4,125.00	
4. Equipment Rentals/Supplies					
		Rate Unit	Rate	Units	Cost
Iridium satphone		(monthly project avg x1)	\$ 1.89	360	\$680.40
Camp		mandays	40.00	53	\$2,120.00
Chainsaw		days	30.00	2	\$60.00
Iridium satphone		weeks	75.00	2	\$150.00
Toughbook		days	40.00	17	\$680.00
Core Saw (Gas)		days	60.00	2	\$120.00
Field Computer		days	40.00	17	\$680.00
First Aid (Level III)		days	30.00	17	\$510.00
Generator (12kVA)		(monthly project avg x1)	80.00	67	\$5,360.00
PDA		days	20.00	2	\$40.00
NWTeI Satphone		(monthly project avg x1)	90.00	22	\$1,980.00
Hand-held radios (non-EEL)		days	2.80	288	\$806.40
Downhole survey tools (Reflex)		month	2499	1	\$2,499.00
Total					\$15,685.80
5. Contractors (state name and type of work)					
7. Geochemical Survey					
Contract	Analysis Type	\$/ per km	No. of km	Cost	
ALS Chemex	Rock	475	0	\$ -	
ALS Chemex	Soil	300	0	\$ -	
Total				\$ -	
10. Drilling					
Contractor Name	Drill Equipment Size	Drill m Cost (all-in)	Meters	Cost	
Kluane Drilling	NTW	\$ 167.00	214.89	\$ 35,886.63	
11. Reclamation					
				Cost	
				\$ 7,500.00	
12. Report Preparation					
				Cost	
				\$ 5,000.00	

IN YUKON	\$ 65,255.63
OUT YUKON	\$ 24,810.80
TOTAL	\$ 90,066.43

**Appendix C: Diamond Drill Logs**




## DRILL LOG

<b>Project:</b> Andrew	<b>Collar elevation:</b> 1136.0 m
<b>Hole:</b> LD08-001	<b>Azimuth:</b> 42.7°
<b>Proposed:</b> LD08-A	<b>Dip:</b> -46.2°
<b>Location:</b> 639536 m East      6982350 m North	<b>Length:</b> 120.40 m
<b>Area:</b> Lad_zone	<b>Date started:</b> 2008/07/13
<b>Claim:</b> AMB84	<b>Date completed:</b> 2008/07/15
<b>Logged by:</b> M.Eckfeldt	<b>Objective:</b>  LD08-01 was drilled to test the subsurface extent of replacement style and fractured hosted vein style galena and sphalerite mineralization observed on surface. The hole was drilled down-dip of the surface showing, 40m to the south-west.
<b>Drilled by:</b> Kluane	
<b>Assayed by:</b> ALS_Chemex	
<b>Core size:</b> NTW	
<b>Dip tests by:</b> Reflex_MS	

**SUMMARY LOG:**

0.00-3.35m-Overburden  
 3.35-26.01m-Sandstone and Mudstone  
 26.01-26.74m-Shear Zone  
 26.74-27.80m-Sandstone  
 27.80-30.14m-Shear Zone  
 30.14-60.96m-Sandstone and Mudstone. Trace Galena and Sphalerite  
 60.96-64.29m-Sedimentary Breccia  
 64.29-92.98m-Sandstone and Mudstone  
 92.98-94.43m-Barren Quartz Vein Breccia  
 94.43-120.40m-Sandstone and Mudstone



DRILL LOG

Project: Andrew

Hole ID: LD08-001

*Downhole surveys:*

Depth	Dip	Azimuth
0.00	-45.00	45.00
7.01	-46.20	42.70
22.25	-46.50	42.40
37.49	-46.80	41.80
52.73	-46.80	43.70
67.97	-46.80	43.40
83.21	-46.80	43.90
98.45	-46.60	43.60
113.69	-46.50	42.50

Project: Andrew

Hole Number: LD08-001

From	To	Rocktype & Description	Spl	Sh	ccp	cal	qtz	Sil	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm
0.00	3.35	Ogv Overburden	0	0	0	0	0	0									
3.35	16.76	Sst SANDSTONE  Fine sandstone with interbedded grey mudstone. The sandstone is variable from a quartz rich sandstone to a nearly mud supported sandstone with 25% or more feldspar grains with some larger 1-2mm quartz grains. The unit shows a moderate green colouration suggesting a chloritic alteration. Some intervals appear to have a silica and chlorite alteration due to the hardness of the greenish veins and fracture coatings. The unit has common pyrite and pyrrhotite. The pyrrhotite appears with quartz stringers less than 2mm commonly cross-cutting bedding. The unit is very broken possibly due to its proximity to the surface. More obvious fault planes show slickensides.  < @ 13.23 Sa 75.00° > < @ 14.90 Ft 35.00° 1.00mm > < @ 15.58 S0 45.00° > < @ 15.72 Ft 42.00° 22.00mm > « chl 2.00% » « qtz 1.00% » « ccp 1.00% » « pyr 0.50% »	0	0	0	0	0	0	3.35	5.18	1.83	G0674914	0.01	4.6	0.10	16.7	0.05
									5.18	6.18	1.00	G0674915	0.01	7.6	0.20	29.2	0.10
									6.18	7.62	1.44	G0674916	0.02	131.0	0.61	59.2	0.10
									7.62	13.11	5.49	G0674917	0.01	5.1	0.23	46.3	0.08
									13.11	14.11	1.00	G0674918	0.00	3.6	0.06	42.3	0.10
									14.11	15.11	1.00	G0674919	0.01	5.2	0.10	58.2	0.11
									15.11	16.11	1.00	G0674921	0.01	9.7	0.11	27.3	0.13
									16.11	16.76	0.65	G0674922	0.02	6.1	0.11	28.0	0.12
16.76	21.59	Sms_gy GREY MUDSTONE  The grey mudstone is dark in appearance with a dark green tint. The unit is somewhat sheared possibly parallel to bedding. Sericitic fracture coatings are	0	0	0	0	0	0	16.76	17.76	1.00	G0674923	0.01	16.9	0.16	46.5	0.14
									17.76	18.76	1.00	G0674924	0.01	43.1	0.20	36.0	0.14
									18.76	19.76	1.00	G0674926	0.01	47.5	0.18	52.3	0.14
									19.76	20.76	1.00	G0674927	0.01	10.2	0.04	24.9	0.14
									20.76	21.59	0.83	G0674928	0.01	13.4	0.06	56.8	0.17

Project: Andrew

Hole Number: LD08-001

From	To	Rocktype & Description	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm
		occasional in occurrence. The unit appears conformable with the above and below sandstone, as the transition is gradational.									
		« ser 1.00% »									
		« qtz 1.00% »									
		« chl 2.00% »									
		< @ 17.35 parallel to S0, quartz vein V 30.00° 4.00 >									
		< @ 17.35 Cross-cuts S0, qtz-chl-pyo vein V 125.00° 1.00 >									
		< @ 17.62 S0 55.00° >									
		< @ 18.30 Ft 30.00° 2.00mm >									
		< @ 18.92 possibly S0 S1 35.00° >									
21.59	26.01	Sst	21.59	22.59	1.00	G0674929	0.01	29.7	0.07	17.0	0.07
		SANDSTONE	21.59	22.59	1.00	G0674930	0.01	18.4	0.06	17.3	0.08
		The sandstone unit is as seen above.	22.59	23.59	1.00	G0674931	0.01	18.8	0.17	28.3	0.07
		« chl 2.00% »	23.59	24.59	1.00	G0674932	0.01	61.8	1.19	93.2	0.07
		« qtz 1.00% »	24.59	26.01	1.42	G0674933	0.01	31.3	0.16	54.5	0.10
		« pyr 1.00% »									
		« pyo 0.50% »									
		< @ 23.43 Flame structure Y up hole, moderate S 270.00° >									
		< @ 23.43 S0 75.00° >									
26.01	26.74	Xsz	26.01	26.74	0.73	G0674934	0.01	24.1	0.20	51.3	0.08
		SHEAR ZONE									
		The unit appears to be a sheared interval of dominantly mudstone with some sandstone. The chloritic alteration is still present, as is the pyrrhotite and pyrite veining, which appear roughly parallel to the foliation.									
		< @ 26.38 S1 24.00° >									
		« pyo 0.50% »									
		« pyr 0.50% »									
		« chl 2.00% »									
26.74	27.80	Sst	26.74	27.80	1.06	G0674935	0.00	8.2	0.08	13.9	-0.05
		SANDSTONE									
		As seen above.									

Project: Andrew

Hole Number: LD08-001

From To Rocktype & Description

From	To	Rocktype & Description	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm
		« qtz 1.00% » « chl 2.00% »									
27.80	30.14	Xsz SHEAR ZONE	27.80	28.80	1.00	G0674936	0.01	62.5	0.26	58.1	0.09
		The unit is as seen above. Some minor fold axis are present, but irregular and curved in orientation. Mineralization of pyrite and pyrrhotite appear to be within the axial plane, and parallel to the first foliation.	28.80	30.14	1.34	G0674937	0.01	18.0	0.18	49.5	0.10
		< @ 30.07 Sa 58.00° >									
30.14	38.25	Sst SANDSTONE	30.14	31.14	1.00	G0674938	0.03	309.0	0.63	74.8	0.13
		The unit is as seen above. Moderate calcite veining cross-cuts the unit. Calcite blebs up to 4mm across are also frequent within a narrow interval around 32m depth. Trace galena and trace sphalerite are found in a narrow interval from 34.49 to 35.05. The narrow interval appears to have a higher chloritic alteration.	31.14	32.14	1.00	G0674939	0.01	8.5	0.14	37.2	0.23
		< @ 31.93 cal V 23.00° 6.00 >	32.14	33.14	1.00	G0674941	0.01	11.4	0.25	65.8	0.13
		< @ 33.09 S0 62.00° >	33.14	34.14	1.00	G0674942	0.02	101.5	0.37	66.7	0.09
		« ser 1.00% » « chl 2.00% » « cal 2.00% » « qtz 1.00% » « gln 0.10% » « spl 0.10% »	34.14	35.14	1.00	G0674943	0.11	1570.0	5.23	278.0	0.10
		< @ 33.97 Ft 11.00° 1.00mm >	35.14	37.19	2.05	G0674944	0.01	41.3	0.69	81.0	0.05
		« pyr 2.00% » « pyo 1.00% »	37.19	38.25	1.06	G0674946	0.01	45.4	0.35	112.0	0.07
38.25	45.33	Sms_gy GREY MUDSTONE	38.25	39.25	1.00	G0674947	0.05	220.0	1.84	226.0	0.13
		The unit is as seen above. Some interbedded light grey green mudstone is common, however the green colour is likely due to chloritic alteration. The unit is often fractured and true faults are difficult to identify. Some calcite	39.25	40.25	1.00	G0674948	0.01	9.4	0.07	21.4	0.08
			40.25	41.33	1.08	G0674949	0.01	12.0	0.18	40.6	0.09
			40.25	41.33	1.08	G0674950	0.00	7.3	0.10	41.7	0.09
			41.33	43.33	2.00	G0674951	0.01	5.4	0.21	82.2	0.11
			43.33	44.33	1.00	G0674952	0.01	7.7	0.08	15.2	0.15

Project: Andrew

Hole Number: LD08-001

From	To	Rocktype & Description	sp	sh	cp	cal	qtz	sil	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm
		on fracture faces. Trace sphalerite and minor pyrrhotite in fractures.  < @ 43.33 Sa 65.00° > < @ 45.18 possibly colour alteration along cleavage S0 55.00° > « chl 2.00% » « cal 1.00% » « qtz 1.00% » « pyo 0.50% » « spl 0.10% »							44.33	45.33	1.00	G0674953	0.01	8.2	0.09	40.0	0.10
45.33	49.03	Sst  SANDSTONE  The sandstone is quartz rich with larger coarse grained quartz grains up to 3mm. The unit appears to be silicified and have a moderate chloritic alteration. There are rare black grains in the unit which are very soft, possibly lithics replaced by chlorite. Pyrite and pyrrhotite are common.  < @ 47.68 some slickensides Ft 40.00° 10.00mm > « pyo 0.50% » « pyr 0.10% » « chl 2.00% »							45.33	46.33	1.00	G0674954	0.01	16.7	0.17	33.9	0.05
									46.33	47.33	1.00	G0674955	0.00	6.1	0.08	31.9	0.06
									47.33	49.03	1.70	G0674956	0.01	7.5	0.11	35.6	0.09
49.03	60.96	Sms_gy  GREY MUDSTONE  As seen above with light green mudstone interbeds. Pyrrhotite appears to be more common in veins than fractures. The unit is often broken but evidence for faulting is limited. Trace chalcopyrite. Some interbedded sandstone that appears the same as the above unit.  < @ 50.02 Ft 43.00° 1.00mm > < @ 53.12 Ft 39.00° > < @ 55.51 Ft 50.00° 2.00mm > < @ 55.56 Ft 155.00° 2.00mm > < @ 60.14 S1 28.00° > < @ 60.07 With slicken-fibers Ft 32.00° 1.00mm >							49.03	50.62	1.59	G0674957	0.01	23.5	0.20	45.3	0.15
									50.62	51.82	1.20	G0674958	0.01	11.1	0.12	42.6	0.17
									51.82	52.80	0.98	G0674959	0.01	25.5	0.17	36.2	0.15
									52.80	53.77	0.97	G0674961	0.01	8.7	0.10	39.1	0.15
									53.77	54.77	1.00	G0674962	0.01	11.6	0.12	36.8	0.15
									54.77	55.77	1.00	G0674963	0.01	11.2	0.19	44.1	0.14
									55.77	57.96	2.19	G0674964	0.01	26.8	0.30	50.8	0.09
									57.96	58.96	1.00	G0674966	0.01	5.5	0.09	46.8	0.12
									58.96	59.96	1.00	G0674967	0.01	2.5	0.09	41.0	0.18
									59.96	60.96	1.00	G0674968	0.01	33.2	0.19	42.6	0.13
60.96	64.28	Sbx							60.96	61.96	1.00	G0674969	0.01	41.6	0.21	22.4	0.10



Project: Andrew

Hole Number: LD08-001

From	To	Rocktype & Description	spg	sh	ccp	cal	qtz	sil	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm						
<b>SEDIMENTARY BRECCIA</b>  The unit is a black mudstone supported sedimentary breccia. Some rip-up type clasts of black mudstone are present as are less than 1mm quartz grains. The breccia is slightly sheared apparent in the fabric. Possibly some trace sphalerite, extremely small.  < @ 61.63 S0 40.00° > « spl 0.01% » « chl 1.00% »			0	20	0	20	0	3	0	4	0	4	0	4	60.96	61.96	1.00	G0674970	0.01	10.5	0.09	26.5	0.10
			61.96	62.96	1.00	G0674971	0.01	8.8	0.09	22.8	0.10												
			62.96	64.29	1.33	G0674972	0.01	3.0	0.06	16.4	0.08												
			64.29	65.29	1.00	G0674973	0.01	7.4	0.13	43.4	0.15												
<b>GREY MUDSTONE</b>  The unit is as seen above.  < @ 64.60 S1 46.00° > « spl 0.10% »			5	64.29	65.29	1.00	G0674974	0.01	39.6	0.76	194.0	0.12											
			65.29	66.29	1.00	G0674975	0.01	8.2	0.14	54.3	0.16												
			66.29	67.84	1.55	G0674976	0.00	3.0	0.08	58.9	0.08												
<b>SANDSTONE</b>  Fine grained to silty sandstone with a muddy matrix. The unit is generally grain supported. Some interbedded sedimentary breccia as seen above. Quartz-pyrrhotite veins are common in the sandier intervals.  < @ 68.06 V 25.00° 3.00 > < @ 70.03 Sa 17.00° > < @ 71.62 qtz-pyo V 33.00° 7.00 > « qtz 1.00% » « pyo 0.50% »			70	67.84	68.84	1.00	G0674977	0.01	2.8	0.07	40.1	0.12											
			68.84	70.67	1.83	G0674978	0.01	2.9	0.05	27.6	0.11												
			70.67	71.40	0.73	G0674979	0.01	14.2	0.21	55.1	0.07												
			71.40	72.63	1.23	G0674981	0.01	10.7	0.07	26.1	0.11												
<b>GREY MUDSTONE</b>  As seen above. Slickensides are visible on faults.  « qtz 1.00% » « pyo 0.50% »			75	72.63	73.63	1.00	G0674982	0.01	15.0	0.10	44.3	0.10											
			73.63	74.63	1.00	G0674983	0.01	3.5	0.06	30.8	0.13												
			74.63	76.62	1.99																		

Project: Andrew

Hole Number: LD08-001

From	To	Rocktype & Description	Lithology Column							From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm
<p>&lt; @ 74.17 Slickensides Ft 25.00° 1.00mm &gt;</p>																		
76.62	92.98	Sst SANDSTONE								76.62	77.62	1.00	G0674984	0.00	4.7	0.05	22.1	0.05
<p>Silicified quartz rich sandstone with coarse quartz grains and dark soft lithics as seen before. Chloritic alteration appears irregular and can be locally moderately strong. Some intervals are unsilicified quartz rich to silty sandstone with interbedded dark grey mudstone. The rock is often broken with calcite and chlorite on fracture faces. Pyrrhotite is associated with quartz-chlorite-pyrrhotite veins.</p>										77.62	78.62	1.00	G0674986	0.00	2.7	0.04	22.6	-0.05
<p>&lt; @ 79.45 S0 55.00° &gt; &lt; @ 80.42 Ft 50.00° 1.00mm &gt; « qtz 2.00* » « chl 2.00* » « cal 1.00* » « pyo 0.50% » &lt; @ 85.55 S0 55.00° &gt;</p>										78.62	79.62	1.00	G0674987	0.01	3.5	0.06	21.3	0.06
<p>BARREN QUARTZ VEIN BRECCIA</p> <p>The unit is a sandy to silty light grey-green sandstone, cross-cut by moderate to strong quartz veining. The veining is often random except for a few short intervals where the veining has a preferred orientation of 30 degrees to core axis.</p> <p>&lt; @ 93.52 quartz V 30.00° 3.00 &gt; &lt; @ 94.13 Ft 30.00° 4.00mm &gt; « chl 1.00* »</p>										79.62	80.62	1.00	G0674988	0.01	6.6	0.11	48.1	0.09
92.98	94.43	Zbxv								80.62	81.62	1.00	G0674989	0.01	3.6	0.06	30.0	0.05
<p>SANDSTONE</p> <p>The unit is a silicified quartz rich sandstone with coarse quartz grains as seen above. The unit also has interbeds of light grey green mudstone. Pyrrhotite and pyrite on fracture faces are often smeared indicating mineralization before faulting. Some sericitic fracture coatings. Some</p>										81.62	81.62	1.00	G0674990	0.00	3.5	0.05	21.8	0.05
										81.62	82.62	1.00	G0674991	0.01	4.3	0.09	41.8	0.06
										82.62	83.62	1.00	G0674992	0.00	4.5	0.07	42.6	0.07
										83.62	84.62	1.00	G0674993	0.00	4.4	0.11	52.8	0.07
										84.62	85.62	1.00	G0674994	0.00	4.8	0.15	48.4	0.05
										85.62	86.62	1.00	G0674995	0.01	5.6	0.06	24.5	0.07
										86.62	87.62	1.00	G0674996	0.00	9.5	0.16	102.0	0.08
										87.62	88.62	1.00	G0674997	0.01	5.3	0.18	107.5	0.08
										88.62	91.74	3.12	G0674998	0.01	5.6	0.10	45.6	0.08
										91.74	92.98	1.24	G0674999	0.01	3.0	0.75	168.5	-0.05
										92.98	93.74	0.76	G0675001	0.03	14.9	0.33	39.2	0.07
										93.74	94.43	0.69	G0675002	0.02	7.1	0.22	34.6	0.06
										94.43	95.43	1.00	G0675003	0.01	4.6	0.11	33.6	0.10
										95.43	96.43	1.00	G0675004	0.00	1.9	0.09	18.2	-0.05
										96.43	97.43	1.00	G0675006	0.01	3.9	0.14	44.1	-0.05
										97.43	98.43	1.00	G0675007	0.01	1.3	0.14	10.8	-0.05
										98.43	99.43	1.00	G0675008	0.01	4.1	0.17	33.1	-0.05
										99.43	100.43	1.00	G0675009	0.01	21.3	0.27	38.9	0.12
										99.43	100.43	1.00	G0675010	0.01	18.7	0.32	39.6	0.12

Project: Andrew


Hole Number: LD08-001

From	To	Rocktype & Description	sp	gh	cp	cl	htz	sil	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm	
		opalescent quartz grains are found within the silicified sandstone. Some quartz veins have an outer dark green irregular rim, possibly chlorite, with internal pyrrhotite.	0	20	0	20	0	3	0	4	0	4	0	4				
		« ser 1.00* »																
		« qtz 1.00* »																
		« chl 1.00* »																
		« pyo 0.50% »																
		« pyr 0.50% »																
		< @ 104.28 S0 45.00° >																
		< @ 104.10 Ft 65.00° 47.00mm >																
105.78	110.95	Sms MUDSTONE																
		The mudstone unit is of a light green to a pink tan colour as seen previously as interbeds within other units. Due to alteration throughout the hole, the true colour of the unit is not known. The unit is often cross-cut by pyrrhotite-quartz veins. Fractures possibly parallel to cleavage are often replaced by pyrrhotite and chlorite. Pinkish discolouration appear to appear in halo's around minor pyrrhotite and quartz stringers.																
		« qtz 1.00* »																
		« pyo 0.50% »																
		« chl 2.00* »																
110.95	120.40	Sst SANDSTONE																
		The unit is a silicified quartz rich sandstone as seen above. Some intervals have a dark pinkish-grey discolouration which fades in and out. Intervals without the discolouration have a higher amount of chloritic alteration, and often contain dark grey lithic grains. Pyrrhotite appears much less comon however there is some trace chalcopyrite. Some veining appears to have an argillic alteration, as they are soft and milky coloured.																
		« qtz 2.00* »																
		« chl 1.00* »																
100.43	101.43											G0675011	0.00	4.4	0.08	15.3	0.06	
101.43	103.98											G0675012	0.00	2.2	0.08	26.8	-0.05	
103.98	104.78											G0675013	0.01	6.1	0.10	33.6	0.07	
104.78	105.78											G0675014	0.01	12.7	0.11	28.4	0.08	
105.78	106.78											G0675015	0.01	23.4	0.19	46.5	0.11	
106.78	107.78											G0675016	0.01	19.2	0.15	37.2	0.11	
107.78	108.78											G0675017	0.01	25.0	0.24	68.5	0.10	
108.78	109.78											G0675018	0.01	8.9	0.09	47.8	0.10	
109.78	110.95											G0675019	0.01	8.4	0.19	150.0	0.10	
110.95	111.95											G0675021	0.01	3.3	0.35	141.0	-0.05	
111.95	112.95											G0675022	0.00	7.1	0.43	61.2	-0.05	
112.95	113.95											G0675023	0.01	3.9	0.13	98.6	-0.05	
113.95	114.95											G0675024	0.01	34.1	0.28	76.5	0.06	
114.95	115.95											G0675026	0.01	10.0	0.18	85.7	0.06	
115.95	116.95											G0675027	0.02	20.0	0.45	90.9	-0.05	
116.95	117.95											G0675028	0.00	1.7	0.24	93.6	-0.05	
117.95	118.95											G0675029	0.00	5.5	0.22	103.0	0.06	
117.95	118.95											G0675030	0.00	6.2	0.22	102.5	0.07	
118.95	120.40											G0675031	0.00	6.1	0.16	96.8	0.05	

Project: Andrew

Hole Number: LD08-001

From	To	Rocktype & Description	sp	sh	cp	cal	tz	sil	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm
		< @ 119.37 S0 59.00° >															
120.40	120.40	EOH															




## DRILL LOG

<b>Project:</b> Andrew	<b>Collar elevation:</b> 1136.0 m
<b>Hole:</b> LD08-002	<b>Azimuth:</b> 42.4°
<b>Proposed:</b> LD08-B	<b>Dip:</b> -45.2°
<b>Location:</b> 639519 m East      6982364 m North	<b>Length:</b> 94.49 m
<b>Area:</b> Lad_zone	<b>Date started:</b> 2008/07/15
<b>Claim:</b> AMB84	<b>Date completed:</b> 2008/07/17
<b>Logged by:</b> M.Eckfeldt	<b>Objective:</b>  As with LD08-01, the hole was drilled to test the subsurface extent of replacement and of fracture hosted vein style, galena and sphalerite mineralization. Both of which were observed in a surface showing 40m to the north-east.
<b>Drilled by:</b> Kluane	
<b>Assayed by:</b> ALS_Chemex	
<b>Core size:</b> NTW	
<b>Dip tests by:</b> Reflex_MS	

**SUMMARY LOG:**

0.00-4.57m-Overburden  
 4.57-44.41m-Mudstone and Sandstone. Trace Galena and Sphalerite  
 44.41-52.82m-Chert  
 52.82-94.49m-Mudstone and Sandstone



DRILL LOG

Project: Andrew

Hole ID: LD08-002

*Downhole surveys:*

Depth	Dip	Azimuth
0.00	-45.00	45.00
11.58	-45.20	42.40
26.82	-44.20	45.20
42.06	-44.30	41.00
57.30	-44.00	44.10
72.54	-43.90	44.80

Project: Andrew

Hole Number: LD08-002

From	To	Rocktype & Description	sp	ph	cp	cl	qtz	sil	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm
0.00	4.57	Ogv Overburden															
4.57	8.58	Sms_gy GREY MUDSTONE  The grey mudstone is semi-massive, dark grey with a very dark maroon tinge to it. Some interbedded tan coloured mudstone, possibly reduced, with a moderate silicification. Quartz-pyrite-chlorite veins are weak. Trace sphalerite.  « qtz 1.00% » « chl 1.00% » « pyr 0.10% » « spl 0.10% »															
8.58	8.92	Sst SANDSTONE  Quartz rich sandstone with moderate chloritic alteration and silica flooding. The unit is weakly fractured. Fractures are filled by quartz-pyrrhotite and pyrite veins and stringers.  « qtz 2.00% » « pyo 0.50% » « pyr 0.10% » « chl 2.00% »							0.00	14.35	14.35	LD08-002					
8.92	24.38	Sms_gy GREY MUDSTONE  The mudstone is as seen above. The unit is strongly fractured with fracture filling quartz stringers. Fracturing is chaotic for the most part, but larger veins appear to have a preferred orientation of 25 degrees to core-axis. Some tan coloured reduction patches can be found within the unit. The reduction patches are both irregular in shape and form halo's around some quartz and sulphide veins. The common vein assemblage is pyrrhotite-pyrite-quartz, possibly galena and sphalerite, and rare							14.35	15.35	1.00	G0675032	0.01	9.0	0.27	30.5	0.09
									15.35	16.35	1.00	G0675033	0.01	9.5	0.19	36.0	0.12
									16.35	17.35	1.00	G0675034	0.01	19.5	0.18	55.6	0.12
									17.35	18.78	1.43	G0675035	0.02	257.0	0.66	164.0	0.11
									18.78	19.78	1.00	G0675036	0.11	1590.0	2.95	279.0	0.10
									19.78	20.78	1.00	G0675037	0.06	234.0	0.94	194.5	0.09
									20.78	21.78	1.00	G0675038	0.07	1180.0	1.52	131.5	0.07
									21.78	22.78	1.00	G0675039	0.06	251.0	1.21	220.0	0.09
									22.78	23.78	1.00	G0675041	0.05	5140.0	8.24	360.0	0.09
									23.78	24.38	0.60	G0675042	0.06	525.0	1.43	162.5	0.08

Project: Andrew

Hole Number: LD08-002

From	To	Rocktype & Description	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm	
		<p>chalcopyrite. The core is often crumbly and blocky.</p> <p>Overall galena is minor and sphalerite is minor to trace.</p> <p>&lt; @ 9.12 Ft 55.00° 40.00mm &gt;                      « ccp 0.10% »</p> <p>&lt; @ 15.31 Ft 65.00° 140.00mm &gt;                      &lt; @ 18.32 V 25.00° 10.00 &gt;</p> <p>« 18.78- 19.28 qtz 3.00° »                      « gln 0.50% »                      « chl 2.00° »</p> <p>« 18.78- 20.78 qtz 2.00° »                      « spl 0.50% »                      « pyo 1.00% »                      « pyr 1.00% »</p> <p>« 23.78- 24.38 gln 0.50% »</p>										
24.38	28.91	Sst										
		<p><b>SANDSTONE</b></p> <p>The unit is a strongly silicified sandstone with faintly visible medium to coarse grained quartz. The unit is interbedded with some dark grey mudstone with a dark maroon tinge. Overall the unit is heavily cross-cut by fracture filling, chaotic quartz veins and sulphide veins. The unit has moderate chlorite alteration. Sulphide veins are clotty and generally comprised of pyrrhotite-pyrite and possibly galena and rare sphalerite.</p> <p>« qtz 3.00° »</p> <p>« 24.38- 25.38 spl 0.50% »                      « gln 0.50% »</p> <p>« 25.38- 26.38 gln 0.50% »                      « spl 0.50% »                      « chl 2.00° »</p>										
			24.38	25.38	1.00	G0675043	0.26	3540.0	6.83	169.0	0.09	
			25.38	26.38	1.00	G0675044	0.54	4760.0	8.58	173.5	0.08	
			26.38	27.43	1.05	G0675046	0.05	381.0	1.18	164.5	0.08	
			27.43	28.91	1.48	G0675047	0.04	490.0	1.63	116.5	0.09	



Project: Andrew

Hole Number: LD08-002

From To Rocktype & Description

From	To	Rocktype & Description	spl	gln	pyo	pyr	qtz	chl	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm	
< @ 25.30	pyr-pyo-spl-gln V 31.00° 11.00 >		0	20	0	20	0	3	0	4	0	4	0	4				
< @ 26.00	S0 11.00° >																	
28.91	44.41	Sms_gy GREY MUDSTONE																
		The grey mudstone is as seen above with dark maroon colouration. The unit is interbedded with short strongly silicified sandstone intervals. The mudstone intervals are occasionally reduced to a tan colour. The unit is well bedded and highly fractured. Quartz veins and minor sulphide veins are chaotic and fracture filling. Sulphide veins are generally pyrrhotite-pyrite. Galena and sphalerite are trace. Major veins have an approximate preferred orientation of 15 degrees to core-axis.																
		« qtz 3.00% »																
		« pyo 1.00% »																
		« pyr 1.00% »																
		« 37.91- 38.91 spl 0.50% »																
		« gln 0.10% »																
		« 28.91- 44.41 chl 2.00% »																
		< @ 35.05 S0 43.00° >																
		< @ 38.43 V 45.00° 12.00 >																
44.41	52.82	Sct CHERT																
		The unit is a dark grey to black chert with interbedded light grey to white chert. The unit is moderately cross-cut by quartz and pyrrhotite veins often parallel to bedding, pyrrhotite is often clotty and irregular parallel to bedding.																
		« pyr 1.00% »																
		« pyo 1.50% »																
		« qtz 2.00% »																
		< @ 47.48 Sa 80.00° >																
		< @ 47.38 S0 16.00° >																
		< @ 47.58 S0 160.00° >																
		< @ 49.38 S0 49.00° >																

Project: Andrew

Hole Number: LD08-002

From	To	Rocktype & Description	sp	gh	cp	cal	qtz	sil	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm	
		< @ 49.87 S0 22.00° >	0	20	0	20	0	3	0	4	0	4	0					
52.82	76.21	Sms_gy GREY MUDSTONE  The dark grey with dark maroon mudstone is as seen above, and rare sandstone interbeds. The unit is much less fractured than before with only weak to moderate quartz and sulphide veining. The unit has frequent tan coloured reduction patches surrounding some quartz veins and possibly bedding. Minor chlorite in the quartz veins.  « chl 1.00° » « qtz 2.00° » < @ 57.79 S0 22.00° >																
76.21	76.81	Sst SANDSTONE  Medium grained quartz sandstone with approximately 2-3% coarse to pebble sized quartz grains. Weak cross-cutting quartz veining, and some fracture coating pyrite.																
76.81	89.00	Sms MUDSTONE  Tan mudstone with a slight green tinge. The unit appears the same in colour as the reduction patches in the grey mudstone. Some short intervals of interbedded sandstone. The unit is moderately fractured and weakly deformed. As seen in																

Project: Andrew

Hole Number: LD08-002

From	To	Rocktype & Description	spyl	spth	scpp	sccl	scqtz	scsl	From	To	Width	Sample	Zn %	Pb ppm	Ag ppm	Cu ppm	Ge ppm		
		<p>other units, the fractures are filled by quartz and sulphide veins. Sulphide veins are characterized by pyrrhotite-pyrite veins, and rarely some chalcopyrite.</p> <p>« pyo 1.00% »                      « pyr 0.50% »                      « ccp 0.10% »                      « qtz 2.00% »                      « chl 2.00% »                      &lt; @ 79.47 qtz-pyo-ccp-py, typical orientation V 14.00° 5.00 &gt;                      &lt; @ 87.94 S0 55.00° &gt;                      &lt; @ 89.53 Ft 48.00° 90.00mm &gt;</p>	0	20	0	21	0	3	0	4	0	4	0						
89.00	94.49	<p>Sst                      SANDSTONE</p> <p>The unit is a fine to coarse grained poorly sorted quartz rich sandstone. The unit has some dark grey to black specs, possibly lithics making up approximately 5% of the rock. The unit appears to be moderately silicified however quartz grains are easily identified and silicification could be weak and interstitial only. The unit has some short intervals of tan coloured mudstone as seen directly above.</p> <p>« qtz 1.00% »                      &lt; @ 89.53 S0 31.00° &gt;</p>	5																
94.49	94.49	EOH																	

**Appendix D: Drill Core Assay Certificates**



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 11-AUG-2008

Account: EIAOVR

## CERTIFICATE TR08104055

Project: Andrew

P.O. No.: OVR08-01

This report is for 118 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-JUL-2008.

The following have access to data associated with this certificate:

HENRY AWMACK  
ADRIAN BRAY  
COL GEOBASE

DARCY BAKER  
HUGH BRESSER

ROBIN BLACK  
GENERAL EQUITY ENGINEERING

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.  
ATTN: ROBIN BLACK  
700 - 700 WEST PENDER ST.  
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.02	0.1	1	0.05	
G0674914		1.54	0.1	1.35	6	<0.2	<10	120	0.2	0.23	0.09	0.17	25.1	6.7	31	1.53
G0674915		2.26	0.2	2.45	14	<0.2	<10	140	1.05	0.29	0.15	0.03	87.5	14.7	29	6.43
G0674916		2.76	0.61	2.38	9.3	<0.2	<10	160	0.82	1.39	0.79	0.14	80.2	13.7	28	4.74
G0674917		5.09	0.23	1.33	7	<0.2	<10	90	0.54	0.44	0.19	0.03	41.2	10.4	21	3.4
G0674918		2.49	0.06	1.5	7.7	<0.2	<10	100	0.72	0.47	0.11	0.04	56.4	11.3	23	4.42
G0674919		3.13	0.1	1.82	13.6	<0.2	<10	110	0.76	0.36	0.12	0.04	61.2	13.4	23	4.67
G0674920		0.03	0.03	0.14	<2	<0.2	<10	20	0.08	0.01	>25.0	0.46	3.2	1.1	7	0.07
G0674921		3.97	0.11	1.97	14.9	<0.2	<10	140	1.13	0.32	0.21	0.06	91.3	13.3	28	7.65
G0674922		2.60	0.11	2.45	12.9	<0.2	<10	130	0.92	0.42	0.18	0.24	67.6	13	31	6.65
G0674923		3.28	0.16	2.51	20.8	<0.2	<10	170	1.33	0.49	0.28	0.05	91.8	18.4	29	9.15
G0674924		2.52	0.2	2.26	16	<0.2	<10	210	1.61	0.63	0.28	0.08	105.5	20.5	27	10
G0674925		0.05	5.94	1.84	99	1.4	<10	40	0.27	2.82	0.9	9.4	18.2	36.9	102	0.75
G0674926		3.53	0.18	2.34	9.9	<0.2	<10	200	1.37	0.62	0.27	0.08	92.5	16.7	26	9.3
G0674927		2.75	0.04	2.52	5.8	<0.2	<10	230	1.23	0.45	0.23	0.01	103	12.9	28	9.06
G0674928		3.19	0.06	3.27	5.9	<0.2	<10	260	1.52	0.55	0.43	0.02	108	24.5	31	12.55
G0674929		1.55	0.07	2.15	6	<0.2	<10	160	0.8	0.24	0.16	0.02	26.1	11.1	28	9.3
G0674930		1.67	0.06	2.1	5.7	<0.2	<10	140	0.78	0.18	0.17	0.02	24.1	10.7	28	8.68
G0674931		3.73	0.17	2.01	8	<0.2	<10	180	0.83	0.43	0.19	0.05	28.1	12.6	30	10.95
G0674932		2.09	1.19	1.19	5.8	<0.2	<10	150	0.57	2.86	0.41	0.92	36.4	9.9	23	3.86
G0674933		3.69	0.16	2.07	9.4	<0.2	<10	150	0.92	0.44	0.54	0.16	45.6	11.9	31	8
G0674934		2.85	0.2	2.24	31.1	<0.2	<10	160	1.74	0.47	0.48	0.06	32	22.2	30	14.35
G0674935		3.57	0.08	1	3	<0.2	<10	60	0.26	0.18	0.25	0.09	15.45	3	36	1.81
G0674936		3.24	0.26	2.97	12.1	<0.2	<10	340	1.51	0.54	0.58	0.7	25.7	18.1	37	12.3
G0674937		4.84	0.18	4.14	11	<0.2	<10	290	2.07	0.37	1.24	0.27	25.5	20.4	45	17.3
G0674938		3.33	0.63	4.61	35.7	<0.2	<10	200	1.4	0.64	2.28	2.28	29.4	34	82	12.5
G0674939		2.78	0.14	4.16	42.3	<0.2	<10	120	0.67	0.06	5.24	0.1	54.6	39	173	17.75
G0674940		0.06	0.45	0.13	<2	<0.2	<10	20	0.09	<0.01	>25.0	0.65	2.97	1.3	8	0.07
G0674941		2.82	0.25	4.27	27.3	<0.2	<10	250	1.28	0.19	2.55	0.25	40.9	23.8	92	11.7
G0674942		3.40	0.37	3.75	25.2	<0.2	<10	170	1.95	0.35	1.35	1.09	26.2	19.9	43	17.95
G0674943		3.27	5.23	2.66	12.5	<0.2	<10	40	0.66	10.7	0.76	17.2	12.3	18	43	6.37
G0674944		2.22	0.69	1.61	14.4	<0.2	<10	290	0.63	2.13	0.89	2.56	11.3	9.5	39	5.39
G0674945		0.05	8.34	1	182.5	5	<10	120	0.3	1.93	0.73	160	137	49.9	16	1.07
G0674946		3.86	0.35	2.19	3.7	<0.2	<10	140	0.64	0.73	0.67	0.77	17.9	14.8	47	12.45
G0674947		3.59	1.84	3	11.9	<0.2	<10	110	0.84	4.59	1.44	9.15	31.3	21.1	38	19.2
G0674948		3.80	0.07	1.87	36.6	<0.2	<10	250	0.81	0.56	0.48	0.12	48.7	24.8	19	9.09
G0674949		1.24	0.18	2.13	8.2	<0.2	<10	260	0.93	0.7	2.5	0.19	51.1	10.8	18	12.6
G0674950		1.40	0.1	2.2	8.8	<0.2	<10	290	0.93	0.59	3.37	0.03	47	12	17	12.35
G0674951		3.82	0.21	2.02	6.8	<0.2	<10	400	1.04	0.49	0.78	0.06	74.9	18.7	19	14.7
G0674952		2.29	0.08	2.17	2.6	<0.2	<10	190	1.22	0.32	0.36	0.01	104.5	19.9	21	13.95
G0674953		3.78	0.09	1.82	8.5	<0.2	<10	280	1	0.44	0.8	0.03	58	19.9	18	9.09



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
700 - 700 WEST PENDER ST.  
VANCOUVER BC V6C 1G8

Page: 2 - B  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 11-AUG-2008  
Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
G0674914		16.7	3.14	3.73	0.05	0.14	0.04	0.01	0.09	12	22.6	0.59	1070	1.47	<0.01	0.07
G0674915		29.2	4.84	7.13	0.1	0.25	0.01	0.022	0.27	41.2	34.3	1.04	1825	0.52	0.01	0.12
G0674916		59.2	4.58	6.94	0.1	0.25	0.02	0.043	0.23	37.9	39.7	1.04	1780	0.38	0.01	0.13
G0674917		46.3	3.3	4.28	0.08	0.19	0.03	0.005	0.18	20.5	21.6	0.58	742	0.73	0.01	0.13
G0674918		42.3	3.29	4.61	0.1	0.19	0.04	0.005	0.27	27.6	22	0.6	564	0.5	0.01	0.07
G0674919		58.2	3.85	5.64	0.11	0.22	0.02	0.011	0.3	29.9	24.4	0.65	713	0.48	0.01	0.11
G0674920		5.3	0.06	0.66	<0.05	0.12	0.05	<0.005	0.03	2.3	2.1	0.45	37	0.29	0.02	0.37
G0674921		27.3	3.68	5.94	0.13	0.26	0.03	0.014	0.34	45.1	22.7	0.68	971	0.3	0.01	0.19
G0674922		28	5.17	7.33	0.12	0.24	0.02	0.018	0.35	32.3	29.9	0.78	1590	0.47	0.01	0.2
G0674923		46.5	4.91	7.89	0.14	0.33	0.02	0.025	0.42	44	35.2	0.93	2010	0.6	0.01	0.27
G0674924		36	3.98	6.95	0.14	0.34	0.03	0.025	0.44	47.4	30.2	0.93	1220	0.65	0.01	0.22
G0674925		1480	6.35	8.06	0.14	0.81	0.22	0.661	0.09	8.3	5.8	0.88	810	68	0.16	0.23
G0674926		52.3	4.44	7.24	0.14	0.23	0.01	0.026	0.4	40.5	31.3	0.92	645	0.86	0.01	0.2
G0674927		24.9	4.87	8.2	0.14	0.22	0.01	0.021	0.44	45	26.8	0.81	256	0.32	0.02	0.28
G0674928		56.8	6.94	10.4	0.17	0.23	0.01	0.028	0.49	48.3	34.6	1.03	332	0.37	0.01	0.26
G0674929		17	4.18	6.67	0.07	0.37	0.02	0.012	0.36	12.8	28.4	0.77	1385	0.47	0.02	0.27
G0674930		17.3	4.3	6.7	0.08	0.34	0.01	0.01	0.3	11.7	28.7	0.79	1415	0.42	0.02	0.24
G0674931		28.3	3.97	6.01	0.07	0.33	0.02	0.012	0.37	14	26	0.74	841	0.61	0.02	0.24
G0674932		93.2	2.95	3.9	0.07	0.26	0.02	0.027	0.19	18.1	19	0.53	558	0.76	0.01	0.16
G0674933		54.5	3.8	6.53	0.1	0.33	0.01	0.013	0.35	22.1	30.2	0.9	949	0.48	0.03	0.18
G0674934		51.3	3.89	6.79	0.08	0.33	0.01	0.017	0.42	15.4	33.6	0.94	765	0.49	0.05	0.13
G0674935		13.9	2.25	3.28	<0.05	0.16	0.03	<0.005	0.08	7.3	15.3	0.4	649	0.41	0.03	0.13
G0674936		58.1	4.2	9.22	0.09	0.33	<0.01	0.025	0.49	12.2	46.6	1.38	1030	0.57	0.09	0.14
G0674937		49.5	4.43	12.2	0.1	0.32	0.01	0.026	0.7	11.4	48.2	1.49	1250	0.78	0.27	0.17
G0674938		74.8	5.43	15.5	0.13	0.28	0.01	0.062	0.48	14	63.1	1.93	1465	1.51	0.35	0.29
G0674939		37.2	7.06	19.2	0.23	0.1	<0.01	0.062	0.51	24.9	63.9	2.99	1585	2.07	0.08	0.33
G0674940		8.4	0.06	0.76	<0.05	0.12	0.04	<0.005	0.02	2.1	2.4	0.6	36	0.25	0.02	0.38
G0674941		65.8	5.03	15.75	0.13	0.18	<0.01	0.036	0.37	18.9	48.9	1.82	1510	2.38	0.34	0.27
G0674942		66.7	4.45	11.45	0.09	0.39	0.02	0.049	0.59	12	53.9	1.52	1105	1.88	0.14	0.21
G0674943		278	5.66	9.01	0.1	0.18	<0.01	0.422	0.17	6.4	41.4	1.23	670	0.58	0.1	0.25
G0674944		81	2.75	5.04	0.05	0.17	<0.01	0.07	0.16	5.7	22.8	0.65	442	0.55	0.04	0.19
G0674945		7750	3.2	5.7	0.17	0.41	0.77	2.42	0.61	82.5	7.3	0.64	318	25.2	0.05	1.11
G0674946		112	4.14	8.87	0.07	0.34	<0.01	0.027	0.35	9.3	34.2	1.02	617	0.49	0.08	0.25
G0674947		226	5.61	11.2	0.13	0.28	<0.01	0.245	0.45	16.4	43	1.64	794	1.57	0.16	0.27
G0674948		21.4	3.3	5.89	0.08	0.13	<0.01	0.021	0.38	23.7	32.6	0.86	675	0.27	0.03	0.16
G0674949		40.6	3.88	6.13	0.09	0.13	<0.01	0.026	0.36	24.7	33.2	0.92	1315	1.53	0.02	0.24
G0674950		41.7	4	6.22	0.09	0.13	0.01	0.02	0.39	23	33.6	0.94	1590	1.43	0.02	0.26
G0674951		82.2	3.65	5.99	0.11	0.15	<0.01	0.038	0.51	37.9	28.3	0.82	619	1.03	0.02	0.12
G0674952		15.2	4.42	7.03	0.15	0.16	<0.01	0.026	0.41	54	31	0.84	845	0.32	0.01	0.17
G0674953		40	3.92	5.35	0.1	0.28	<0.01	0.015	0.42	29.1	24.9	0.65	1055	0.5	0.01	0.42



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
G0674914		16.1	140	4.6	4.9	0.001	0.08	0.39	1.6	0.2	0.5	10.7	<0.01	0.01	5.2	0.023	
G0674915		31.9	430	7.6	14.6	0.001	0.16	1.14	2.9	0.3	0.5	21.8	<0.01	0.02	12.4	0.058	
G0674916		29.5	420	131	12.1	0.001	0.08	0.82	3.1	0.4	0.4	41	0.01	0.05	11.4	0.052	
G0674917		22	190	5.1	9.5	0.001	0.71	8.25	2	0.5	1	19.6	<0.01	0.02	8.1	0.02	
G0674918		26.8	250	3.6	12.7	0.001	0.64	2.53	2.2	0.4	0.8	18.1	<0.01	0.01	10.3	0.012	
G0674919		28.3	250	5.2	14.1	0.001	0.47	1.26	2.5	0.5	1	18.8	0.01	0.01	11	0.023	
G0674920		1.9	120	13.9	0.7	0.002	0.07	0.13	1.7	0.5	0.4	254	0.01	0.01	0.4	0.006	
G0674921		28.8	300	9.7	17.2	0.001	0.06	1.61	2.7	0.3	0.6	23.8	0.01	0.02	13.5	0.056	
G0674922		27.8	610	6.1	19.1	0.001	0.18	0.85	3.3	0.4	1.2	23.3	0.01	0.01	11.2	0.069	
G0674923		36.7	910	16.9	22.6	0.001	0.31	1.06	3.6	0.6	1.4	35.6	0.01	0.01	15.7	0.101	
G0674924		37.5	590	43.1	26.3	0.001	0.22	2.06	3.6	0.5	0.5	32.4	0.01	0.02	14.6	0.091	
G0674925		50.7	400	501	8.2	0.001	1.96	8.12	6.9	4.9	1.2	34.7	0.01	0.09	2.2	0.172	
G0674926		33.4	360	47.5	25.5	0.001	0.19	1.33	3.8	0.4	0.5	31.4	0.01	0.03	12.4	0.07	
G0674927		35.4	300	10.2	30.9	0.001	0.07	0.72	4.6	0.4	0.7	30	0.01	0.04	10.5	0.098	
G0674928		46.7	320	13.4	32.2	<0.001	0.18	0.9	6.2	0.4	0.8	38.2	0.01	0.06	13.5	0.084	
G0674929		26.9	230	29.7	25.7	0.002	0.09	0.4	2.9	0.3	0.5	21	0.01	0.01	10.7	0.097	
G0674930		26.6	240	18.4	23.1	<0.001	0.09	0.41	2.8	0.2	0.5	20.3	0.01	0.01	10.3	0.088	
G0674931		28.7	310	18.8	27.1	<0.001	0.18	0.49	2.7	0.3	0.9	23.8	0.01	0.02	10.3	0.072	
G0674932		19.9	230	61.8	12	0.001	0.69	0.61	1.7	0.7	3.7	30	<0.01	0.03	10.8	0.03	
G0674933		27.8	470	31.3	25.2	<0.001	0.49	0.52	3.1	0.4	3.7	40.9	<0.01	0.01	11.8	0.052	
G0674934		44.1	650	24.1	32.9	0.001	0.69	1.07	3.7	0.7	0.7	57.5	<0.01	0.07	12.8	0.046	
G0674935		11.2	130	8.2	5.2	0.002	0.23	0.17	1.3	0.2	0.6	19.7	<0.01	0.01	6.6	0.024	
G0674936		35.2	420	62.5	32.7	0.002	0.45	0.55	5.1	0.6	2.8	76	<0.01	0.07	10.6	0.071	
G0674937		38.8	500	18	52.6	0.001	1.04	1.06	6.8	0.6	2.2	153.5	<0.01	0.1	10.2	0.107	
G0674938		67	690	309	34.9	0.004	1.38	1.38	8.9	0.7	12.3	232	0.01	0.1	9.3	0.161	
G0674939		124.5	1920	8.5	48.4	0.001	0.21	0.43	14.7	0.7	1	223	0.01	0.01	2	0.204	
G0674940		3	120	20.6	0.7	0.002	0.07	0.11	1.8	0.6	0.8	266	0.01	0.02	0.3	0.006	
G0674941		66.1	1000	11.4	36.6	0.003	1.2	0.98	9	0.7	1.3	196	0.01	0.11	7.4	0.148	
G0674942		47.5	560	101.5	43.8	0.004	1.5	1.25	6.4	1	3.6	119.5	0.01	0.16	11.8	0.106	
G0674943		28.5	170	1570	16	<0.001	3.33	4.45	3.6	3.8	14	86.3	<0.01	0.56	6.4	0.053	
G0674944		21.8	120	41.3	13.2	<0.001	0.85	1.15	2.7	0.7	8.6	62	<0.01	0.1	7.7	0.036	
G0674945		34.9	1030	1820	44.6	0.041	2.74	29.7	2	4.1	17.6	35.2	0.01	0.31	27	0.178	
G0674946		36.1	270	45.4	36.8	<0.001	1.2	0.78	4.7	0.6	8.6	76.1	<0.01	0.03	8.6	0.092	
G0674947		30.9	630	220	53.8	<0.001	2.17	1.96	6.1	1.9	24.5	112	<0.01	0.07	8.1	0.079	
G0674948		36.5	250	9.4	29.5	<0.001	0.42	1.06	3.7	0.3	0.8	45.8	<0.01	0.06	7.5	0.052	
G0674949		25	240	12	32.2	<0.001	0.42	1.78	3.6	0.5	1.5	59.1	<0.01	0.03	7.3	0.071	
G0674950		25.8	230	7.3	34.1	<0.001	0.59	2.65	3.6	0.5	1.3	67.8	<0.01	0.03	6.8	0.067	
G0674951		34.6	330	5.4	44.5	<0.001	0.27	27.8	4.8	0.4	0.6	54.7	<0.01	0.03	9.8	0.021	
G0674952		40.3	380	7.7	32.7	<0.001	0.06	11.85	3.8	0.4	0.5	44.4	0.01	0.03	12.3	0.042	
G0674953		35.6	310	8.2	24.1	<0.001	0.9	13.35	3.1	0.4	0.7	35.5	0.01	0.03	11.3	0.102	





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46	Cu-OG46
		Tl	U	V	W	Y	Zn	Zr	Zn	Cu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.02	0.05	1	0.05	0.05	2	0.5	0.01	0.01
G0674914		0.02	0.34	13	0.11	2.76	65	4.4		
G0674915		0.08	0.83	22	0.12	8.07	81	9		
G0674916		0.06	0.75	19	0.13	9.35	158	8.6		
G0674917		0.17	0.6	12	0.1	4.89	50	6.8		
G0674918		0.1	0.81	13	0.06	5.59	48	8.1		
G0674919		0.1	0.76	16	0.07	6.01	58	8.9		
G0674920		<0.02	0.66	3	0.05	3.52	64	4.4		
G0674921		0.14	0.94	17	0.13	6.68	87	9.6		
G0674922		0.18	0.84	23	0.17	9.45	179	9.5		
G0674923		0.22	1.28	23	0.25	15.4	90	12.2		
G0674924		0.25	1.16	18	0.2	12.6	120	12.9		
G0674925		0.49	0.52	59	1.05	10.4	5020	33.3		
G0674926		0.24	0.73	18	0.18	9.72	139	8.4		
G0674927		0.3	0.68	24	0.35	9.14	81	7.6		
G0674928		0.44	0.95	35	0.35	11.35	88	8.1		
G0674929		0.29	1.06	20	0.25	6.46	87	13.3		
G0674930		0.25	1.03	19	0.25	6.25	83	12.5		
G0674931		0.32	1.04	17	0.23	7.43	83	12.3		
G0674932		0.12	0.82	12	0.13	7.55	103	9.2		
G0674933		0.29	1.1	21	0.18	9.51	82	12		
G0674934		0.41	1.08	21	0.14	8.3	101	12.7		
G0674935		0.04	0.45	11	0.09	3.48	39	6.1		
G0674936		0.49	1.18	36	0.3	8.32	108	13.5		
G0674937		0.84	1.03	45	0.38	9.73	98	12.9		
G0674938		0.64	0.98	68	0.63	10.35	314	11.5		
G0674939		0.84	0.26	144	0.15	14.5	129	2.9		
G0674940		<0.02	0.65	3	0.05	3.49	146	4.4		
G0674941		0.53	0.59	88	0.24	11.6	115	6.1		
G0674942		0.73	1.64	49	0.34	12.05	160	15.9		
G0674943		0.36	0.65	32	0.21	4.98	1120	6.2		
G0674944		0.11	0.75	23	0.23	4.88	147	5.6		
G0674945		0.67	2.46	37	2.54	20.5	>10000	11.9	3.01	
G0674946		0.48	1.05	41	0.34	6.18	117	12.6		
G0674947		0.62	1.51	50	0.3	9.26	525	10.2		
G0674948		0.29	0.36	19	0.17	6.62	58	4.4		
G0674949		0.36	0.63	19	0.29	7.26	56	4.8		
G0674950		0.37	0.72	19	0.26	7.77	49	4.9		
G0674951		0.5	0.86	19	0.09	8.87	90	5.4		
G0674952		0.3	0.75	19	0.11	11.05	97	5.7		
G0674953		0.24	1.45	19	0.34	8.18	56	10.1		



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 3 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
G0674954		3.08	0.17	0.9	2.3	<0.2	<10	50	0.16	0.47	0.24	0.1	15.75	9.7	17	2.11
G0674955		1.65	0.08	1.08	6.6	<0.2	<10	60	0.24	0.31	0.14	0.02	29.4	10	16	2.15
G0674956		4.10	0.11	1.88	10.5	<0.2	<10	80	0.46	0.3	0.1	0.09	49.3	13	19	4.57
G0674957		3.75	0.2	1.97	15.7	<0.2	<10	100	0.97	0.48	0.12	0.14	95.1	18.1	23	7.94
G0674958		3.78	0.12	2.6	14.1	<0.2	<10	130	1.01	0.41	0.21	0.05	112	16.4	24	9.34
G0674959		3.18	0.17	2.38	28.2	<0.2	<10	130	1.14	0.49	0.17	0.11	98.1	20.1	22	8.64
G0674960		0.05	0.05	0.12	<2	<0.2	<10	20	<0.05	0.01	>25.0	0.5	2.8	0.7	7	<0.05
G0674961		4.96	0.1	2.33	18.9	<0.2	<10	110	1.15	0.34	0.29	0.07	99.5	17	24	8.41
G0674962		3.85	0.12	2	16.2	<0.2	<10	100	1.1	0.41	0.14	0.05	103.5	15.5	21	7.63
G0674963		3.57	0.19	2.15	13.8	<0.2	<10	100	1.08	0.48	0.17	0.04	90.5	16.7	24	8.54
G0674964		3.69	0.3	1.78	13.6	<0.2	<10	90	0.84	0.81	0.18	0.03	49.4	15.6	16	6.76
G0674965		0.04	5.83	1.86	89.5	1.5	<10	40	0.19	3.36	0.9	10.1	16.8	35.5	102	0.8
G0674966		3.32	0.09	1.99	23.4	<0.2	<10	100	1.19	0.76	0.18	0.02	78.8	18.3	21	8.65
G0674967		3.63	0.09	2.36	25.7	<0.2	<10	120	1.39	0.48	0.15	0.02	133.5	20.8	31	9.63
G0674968		3.54	0.19	2.16	30.9	<0.2	<10	140	0.99	0.63	0.13	0.05	80.4	26.8	24	9.13
G0674969		1.57	0.21	1.74	9.9	<0.2	<10	120	0.69	0.54	0.1	0.12	61.4	12.2	20	7.09
G0674970		1.82	0.09	1.58	10.9	<0.2	<10	100	0.82	0.23	0.11	0.02	63.7	12.3	17	7.85
G0674971		3.50	0.09	1.75	10.9	<0.2	<10	130	0.99	0.25	0.15	0.03	60.6	13.5	20	10.75
G0674972		4.17	0.06	1.46	6.6	<0.2	<10	110	0.38	0.13	0.14	<0.01	40.6	9.3	19	4.96
G0674973		3.65	0.13	2.24	19.2	<0.2	<10	190	1.13	0.69	0.28	0.1	99.5	17.8	24	12.7
G0674974		3.69	0.76	2.13	11.9	<0.2	<10	120	1.02	3.13	0.34	0.15	60.6	23.2	22	9.22
G0674975		3.74	0.14	2.53	13.1	<0.2	<10	130	1.28	1.25	0.16	0.06	107.5	17.9	26	10.8
G0674976		3.63	0.08	1.47	7	<0.2	<10	70	0.46	0.53	0.19	0.01	37	11.8	15	4.66
G0674977		3.72	0.07	1.75	21.5	<0.2	<10	120	1	0.48	0.13	0.03	72.1	16.1	21	11.6
G0674978		2.83	0.05	1.57	14.6	<0.2	<10	100	0.84	0.39	0.12	0.04	62.2	13.8	21	11.1
G0674979		3.48	0.21	1.4	2.9	<0.2	<10	160	0.53	0.83	0.16	0.07	43.3	10.7	18	7.27
G0674980		0.04	0.27	0.12	<2	<0.2	<10	20	0.07	<0.01	>25.0	0.62	2.48	0.9	7	<0.05
G0674981		3.31	0.07	2.11	13.3	<0.2	<10	270	0.81	0.45	0.21	0.02	88	18.9	23	14.05
G0674982		3.68	0.1	1.78	15.1	<0.2	<10	210	0.86	0.58	0.23	0.02	76.6	20.1	18	12.45
G0674983		4.06	0.06	2.38	7.8	<0.2	<10	210	0.85	0.36	0.24	0.03	78.7	13.8	25	13.8
G0674984		4.39	0.05	0.78	2.5	<0.2	<10	120	0.19	0.14	0.72	0.05	23	5.2	22	1.12
G0674985		0.05	9.76	0.96	175	>25.0	<10	100	0.29	1.74	0.7	150	128	44.7	15	0.89
G0674986		3.49	0.04	0.83	1.4	<0.2	<10	800	0.15	0.05	0.82	0.04	19.8	3.1	22	1.09
G0674987		2.73	0.06	1.37	10.2	<0.2	<10	190	0.51	0.23	0.22	0.09	39.9	7.9	20	5.96
G0674988		3.43	0.11	2.06	22.5	<0.2	<10	170	1.84	0.34	0.27	0.25	84.4	18.4	22	15.45
G0674989		1.58	0.06	1.45	7.7	<0.2	<10	120	0.39	0.17	0.3	0.07	27.1	9.5	22	4.1
G0674990		1.70	0.05	1.36	6.2	<0.2	<10	130	0.31	0.13	0.31	0.04	26.9	7.5	24	3.38
G0674991		2.74	0.09	1.78	6	<0.2	<10	140	0.53	0.22	0.76	0.07	35.8	10	27	4.64
G0674992		3.62	0.07	1.38	4.2	<0.2	<10	90	0.45	0.46	0.45	0.04	34.3	9	27	6.44
G0674993		3.45	0.11	1.14	3.3	<0.2	<10	100	0.4	0.46	0.43	0.05	36.7	7.3	21	4.95



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 3 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.01	0.05	0.01
G0674954		33.9	2.47	2.64	0.05	0.07	<0.01	0.006	0.08	8.2	19.9	0.5	425	1.14	0.01	0.09
G0674955		31.9	2.73	3.09	0.06	0.11	<0.01	<0.005	0.11	15.6	20.7	0.52	560	1.17	0.01	0.06
G0674956		35.6	4.13	5.33	0.09	0.2	<0.01	0.012	0.19	26.5	31.2	0.83	1005	0.81	0.01	0.11
G0674957		45.3	4.45	7.88	0.15	0.29	<0.01	0.034	0.3	51.9	39.4	0.9	1650	0.58	<0.01	0.34
G0674958		42.6	5.09	7.68	0.17	0.26	<0.01	0.03	0.32	59.5	32.7	0.98	2130	0.46	0.01	0.32
G0674959		36.2	4.4	7.17	0.15	0.32	<0.01	0.026	0.3	50.6	36.1	1.04	1930	17.35	0.01	0.29
G0674960		3.9	0.05	0.44	<0.05	0.11	0.01	<0.005	0.02	2.3	1	0.71	33	0.29	0.02	0.29
G0674961		39.1	4.78	7.55	0.15	0.26	<0.01	0.027	0.25	52.2	38.6	0.93	1590	0.47	0.01	0.3
G0674962		36.8	3.85	6.37	0.15	0.24	<0.01	0.025	0.25	57.1	32.9	0.78	1100	0.81	0.01	0.24
G0674963		44.1	4.41	6.46	0.14	0.23	<0.01	0.025	0.26	50.8	32.2	0.88	1075	0.7	0.01	0.22
G0674964		50.8	4.09	5.35	0.09	0.23	<0.01	0.01	0.25	26.4	31.5	0.8	871	0.83	0.01	0.13
G0674965		1490	6.33	7.44	0.12	0.81	0.23	0.698	0.09	8.5	4.7	0.87	805	68.4	0.16	0.26
G0674966		46.8	4.33	5.94	0.12	0.28	<0.01	0.015	0.27	43.6	31.4	0.89	880	0.54	0.01	0.17
G0674967		41	4.6	7.62	0.18	0.24	<0.01	0.028	0.3	74.6	33.9	0.94	960	0.34	0.01	0.27
G0674968		42.6	4.16	6.82	0.13	0.3	<0.01	0.029	0.28	43.5	33.8	0.88	1605	1.09	0.01	0.31
G0674969		22.4	3.44	5.45	0.1	0.21	<0.01	0.016	0.23	33.4	25.3	0.62	934	0.28	0.01	0.23
G0674970		26.5	3.16	5.1	0.1	0.22	<0.01	0.015	0.21	34.6	24	0.57	876	0.22	0.01	0.23
G0674971		22.8	3.47	5.54	0.1	0.22	<0.01	0.018	0.28	32.9	25.3	0.57	938	0.24	0.01	0.41
G0674972		16.4	3.13	4.66	0.08	0.17	<0.01	0.009	0.15	21.4	24.9	0.56	781	0.22	0.01	0.22
G0674973		43.4	4.34	6.95	0.15	0.32	<0.01	0.028	0.34	54.1	33.4	0.85	857	0.39	0.01	0.27
G0674974		194	5.64	6.05	0.12	0.29	<0.01	0.025	0.31	33.8	31.9	0.87	738	0.5	0.01	0.18
G0674975		54.3	5.15	7.52	0.16	0.27	<0.01	0.03	0.36	60.4	33.5	0.97	904	0.35	0.01	0.25
G0674976		58.9	3.62	4.37	0.08	0.16	<0.01	0.008	0.2	19.9	24	0.67	546	0.28	0.01	0.1
G0674977		40.1	3.54	5.6	0.12	0.24	<0.01	0.02	0.32	39.3	25.8	0.63	614	0.33	0.01	0.29
G0674978		27.6	3.31	5.02	0.11	0.25	<0.01	0.016	0.26	33	25.6	0.57	593	0.36	0.01	0.25
G0674979		55.1	3.22	4	0.07	0.21	<0.01	0.016	0.26	20.1	21.5	0.6	387	0.48	0.01	0.12
G0674980		8.1	0.05	0.52	<0.05	0.09	0.03	0.006	0.02	1.9	1.1	0.57	32	0.23	0.02	0.24
G0674981		26.1	4.04	5.79	0.11	0.23	<0.01	0.024	0.38	36.7	28.4	0.92	268	0.27	0.01	0.16
G0674982		44.3	3.38	5.22	0.1	0.25	<0.01	0.019	0.4	32.2	25.6	0.74	181	0.41	0.01	0.17
G0674983		30.8	4.65	7.15	0.13	0.18	<0.01	0.024	0.41	33.9	35.2	0.89	333	0.36	0.01	0.27
G0674984		22.1	1.65	2.89	0.05	0.11	<0.01	0.005	0.08	10.7	13.3	0.35	399	0.98	0.02	<0.05
G0674985		7110	3.12	5.48	0.15	0.36	0.74	2.12	0.57	67.8	6.4	0.62	315	20.6	0.04	0.85
G0674986		22.6	1.7	3.53	<0.05	0.08	<0.01	0.006	0.05	9.8	13.3	0.42	521	1.09	0.03	<0.05
G0674987		21.3	2.62	3.43	0.06	0.22	<0.01	0.011	0.29	19.5	19.9	0.52	630	0.91	0.01	0.17
G0674988		48.1	3.85	7.14	0.09	0.39	0.01	0.035	0.44	40.3	30.8	0.76	885	0.52	0.01	0.27
G0674989		30	3.18	4.27	0.05	0.19	<0.01	0.011	0.19	13.4	24.1	0.66	689	0.64	0.01	0.12
G0674990		21.8	2.94	3.82	0.05	0.16	<0.01	0.009	0.18	13.2	22	0.62	641	0.48	0.01	0.1
G0674991		41.8	3.39	5.75	0.06	0.18	<0.01	0.013	0.23	18.1	26.5	0.8	794	0.38	0.01	0.07
G0674992		42.6	2.97	5.19	0.07	0.21	<0.01	0.011	0.24	16.8	23.3	0.67	584	0.29	0.01	0.08
G0674993		52.8	2.53	4.06	0.07	0.18	<0.01	0.012	0.22	17	17	0.49	462	0.33	0.02	0.08



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 3 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
G0674954		12.2	100	16.7	8.1	<0.001	0.58	3.52	1.2	0.3	0.3	20.5	<0.01	0.02	4.7	0.008	
G0674955		19.8	160	6.1	5.7	<0.001	0.52	1.23	1.5	0.2	0.4	14.7	<0.01	<0.01	6.9	0.006	
G0674956		25	230	7.5	9.3	<0.001	0.61	2.78	2.5	0.2	0.4	19.6	<0.01	0.01	10.4	0.019	
G0674957		38.2	420	23.5	16.3	<0.001	0.32	3.38	3.7	0.4	0.5	39	0.01	0.02	16.2	0.092	
G0674958		37	770	11.1	14.1	<0.001	0.28	1.45	3.9	0.5	0.6	51.7	0.01	0.02	15.6	0.091	
G0674959		38.4	510	25.5	13	<0.001	0.27	2.21	4.1	0.4	0.5	40.6	0.01	0.02	16.1	0.08	
G0674960		3	110	17.1	0.6	<0.001	0.06	0.11	0.9	0.4	0.4	266	0.01	0.02	0.3	0.005	
G0674961		38.2	800	8.7	15.8	<0.001	0.15	1.5	4.1	0.4	0.5	38.6	0.01	0.02	16.8	0.065	
G0674962		33.5	500	11.6	12.8	<0.001	0.11	1.24	3.5	0.3	0.5	35.1	0.01	0.02	16.7	0.054	
G0674963		33.4	470	11.2	14	<0.001	0.24	2.08	3.6	0.4	0.5	34.2	0.01	0.02	15.6	0.048	
G0674964		33	390	26.8	13.3	<0.001	0.92	2.09	2.9	0.3	0.6	28.8	<0.01	0.02	13.9	0.021	
G0674965		46.8	400	499	9.6	<0.001	1.95	9.44	5.8	4.7	1.2	32.9	0.01	0.1	2.1	0.173	
G0674966		38.4	670	5.5	13.5	<0.001	0.82	0.94	3.2	0.4	0.8	31.9	0.01	0.02	19.8	0.033	
G0674967		45.6	590	2.5	15.6	<0.001	0.12	1.32	3.5	0.4	0.5	34.1	0.01	0.03	20.6	0.064	
G0674968		37.4	450	33.2	14.7	<0.001	0.14	1.22	3.5	0.3	0.5	30.7	0.01	0.02	16.6	0.08	
G0674969		24.5	240	41.6	14.8	<0.001	0.04	0.41	2.5	0.2	0.3	23.1	0.01	0.01	11.7	0.059	
G0674970		24.8	260	10.5	15	<0.001	0.05	0.47	2.6	0.2	0.4	24.1	0.01	0.01	12.4	0.054	
G0674971		27.8	310	8.8	18.7	<0.001	0.03	0.53	3	0.3	0.4	28	0.01	0.01	12.4	0.089	
G0674972		20.3	200	3	11	<0.001	0.03	0.3	2.2	0.2	0.3	20.9	0.01	<0.01	8.4	0.047	
G0674973		37.4	1000	7.4	20.3	<0.001	0.2	0.73	3.8	0.5	0.7	45.1	0.01	0.02	18	0.066	
G0674974		45.2	480	39.6	15.9	<0.001	1.62	1.72	3.1	1.3	1.1	37.7	0.01	0.04	16.4	0.032	
G0674975		40.6	520	8.2	17.2	<0.001	0.34	1.01	4	0.4	0.8	35.8	0.01	0.02	19.4	0.063	
G0674976		23.7	230	3	11.7	<0.001	0.74	0.46	2.1	0.4	0.8	18.4	<0.01	0.01	10.5	0.015	
G0674977		34.1	350	2.8	20.8	<0.001	0.24	0.78	2.9	0.4	0.8	28.7	0.01	0.01	15	0.063	
G0674978		27.5	350	2.9	17	<0.001	0.2	0.6	2.7	0.3	0.7	27.6	0.01	0.01	12.8	0.055	
G0674979		25.2	250	14.2	15.2	<0.001	0.58	1.47	2.3	0.4	1.3	26.2	<0.01	0.02	11.3	0.026	
G0674980		1.5	110	30.5	0.6	<0.001	0.06	0.16	1.7	0.4	0.9	255	0.01	0.03	0.3	0.005	
G0674981		31.7	260	10.7	29.1	<0.001	0.26	1.25	3.7	0.3	0.6	33.4	0.01	0.03	12.2	0.057	
G0674982		32	250	15	30	<0.001	0.41	0.84	3.6	0.4	1.2	39.6	0.01	0.03	11.6	0.054	
G0674983		35.6	280	3.5	34.6	<0.001	0.21	0.56	4.1	0.4	0.7	42.2	0.01	0.02	11.8	0.11	
G0674984		9.6	500	4.7	4.8	<0.001	0.15	0.32	1.6	0.2	0.7	70.5	<0.01	0.02	6.7	<0.005	
G0674985		34.9	1010	1710	41.3	0.035	2.5	26.2	2.1	4.9	14.4	32	0.01	0.28	26.3	0.161	
G0674986		8.6	110	2.7	4	<0.001	0.08	1.33	1.7	0.2	0.4	124.5	<0.01	0.02	6.7	0.005	
G0674987		17.6	300	3.5	15.8	<0.001	0.2	0.94	2	0.3	0.7	32.2	<0.01	0.02	9.6	0.04	
G0674988		36.6	460	6.6	35.5	<0.001	0.37	5.9	4.5	0.3	1.3	54.9	0.01	0.02	15.9	0.073	
G0674989		17.8	170	3.6	9	<0.001	0.41	0.71	2	0.2	0.5	38.9	<0.01	0.01	7.1	0.033	
G0674990		14.7	270	3.5	8	<0.001	0.35	0.59	1.9	0.3	0.4	37.3	<0.01	0.01	6.5	0.03	
G0674991		21.6	370	4.3	11.2	<0.001	0.48	1.24	2.8	0.3	0.7	72.4	<0.01	0.01	9.2	0.013	
G0674992		22	210	4.5	15.6	<0.001	0.54	0.98	2.4	0.3	1.1	54	<0.01	0.02	9.7	0.016	
G0674993		17	800	4.4	14.2	<0.001	0.46	0.37	2	0.4	0.8	49.9	<0.01	0.02	8.8	0.012	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 3 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46	Cu-OG46
		Tl	U	V	W	Y	Zn	Zr	Zn	Cu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.02	0.05	1	0.05	0.05	2	0.5	0.01	0.01
G0674954		0.06	0.36	8	0.06	2.44	52	2.7		
G0674955		0.04	0.54	10	<0.05	2.82	30	4.3		
G0674956		0.08	0.78	17	0.07	4.2	74	7.6		
G0674957		0.1	1.4	22	0.23	7.84	123	10.8		
G0674958		0.1	1.3	23	0.22	9.52	107	9.9		
G0674959		0.09	1.4	20	0.21	8.6	113	12.1		
G0674960		<0.02	0.64	2	0.05	3.07	69	4.5		
G0674961		0.09	1.53	20	0.21	10.35	102	10		
G0674962		0.08	1.18	16	0.17	7.92	87	9.3		
G0674963		0.14	1.13	18	0.32	8.02	89	8.6		
G0674964		0.15	1.31	14	0.3	7.03	52	9		
G0674965		0.48	0.55	59	1.06	10.2	4980	32.3		
G0674966		0.1	1.74	15	0.12	9.93	72	11		
G0674967		0.11	1.58	18	0.19	10.15	96	10		
G0674968		0.12	1.48	19	0.22	8.34	109	11		
G0674969		0.11	0.96	15	0.13	5.67	134	8.1		
G0674970		0.1	0.99	14	0.13	5.75	64	8.1		
G0674971		0.2	0.89	16	0.24	6.05	78	8.7		
G0674972		0.07	0.64	14	0.11	4.12	51	6.8		
G0674973		0.19	1.78	18	0.22	13.1	102	12		
G0674974		0.15	1.63	17	0.11	8.56	84	11		
G0674975		0.14	1.55	21	0.17	9.2	118	10.6		
G0674976		0.08	0.88	13	0.05	3.68	42	6.3		
G0674977		0.21	1.3	15	0.16	7.13	63	9.9		
G0674978		0.17	1.23	14	0.15	7	56	9.5		
G0674979		0.13	0.89	12	0.1	5.29	51	7.6		
G0674980		<0.02	0.7	3	0.07	2.93	109	3.6		
G0674981		0.35	0.82	16	0.17	5.98	87	8.2		
G0674982		0.33	0.87	14	0.2	6.71	51	9.5		
G0674983		0.43	0.62	21	0.35	6.11	71	6.1		
G0674984		0.03	0.62	11	0.07	4.58	26	3.9		
G0674985		0.63	2.44	35	2.27	17.9	>10000	10.9	3.06	
G0674986		0.03	0.49	14	0.06	3.54	49	2.9		
G0674987		0.15	0.92	12	0.28	4.76	52	8.1		
G0674988		0.37	1.64	17	0.25	9.88	87	14.8		
G0674989		0.07	0.77	15	0.11	3.68	52	6.9		
G0674990		0.06	0.68	15	0.09	3.64	43	5.8		
G0674991		0.1	1.05	22	0.12	6.36	51	6.7		
G0674992		0.13	0.88	16	0.13	4.78	38	7.3		
G0674993		0.11	1.02	12	0.1	6.59	33	6.8		



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 4 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
G0674994		3.72	0.15	1.09	7.7	<0.2	<10	130	0.41	0.68	0.52	0.11	29.1	9.4	22	4.53
G0674995		3.70	0.06	1.5	10.1	<0.2	<10	140	0.57	0.48	0.23	0.09	46.8	10.2	22	12.95
G0674996		2.40	0.16	1.6	4.1	<0.2	<10	210	0.36	0.72	0.53	0.08	43.8	11.3	43	4.28
G0674997		3.52	0.18	1.39	5.2	<0.2	<10	130	0.52	0.64	0.72	0.24	46.3	13.2	30	6.04
G0674998		5.06	0.1	1.17	11.9	<0.2	<10	130	0.67	0.43	0.43	0.3	59.8	11.1	19	8.31
G0674999		4.63	0.75	0.33	5.1	<0.2	<10	60	0.16	0.23	0.8	1.06	20.7	5.4	19	0.83
G0675000		0.07	0.06	0.15	<2	<0.2	<10	30	0.08	<0.01	>25.0	0.6	2.79	0.8	7	0.14
G0675001		2.43	0.33	0.87	17.5	<0.2	10	140	0.34	0.68	2.99	2.7	41.3	7.7	8	2.04
G0675002		2.28	0.22	0.89	13.9	<0.2	<10	110	0.48	0.71	1.79	1.63	38.9	7.5	9	3.86
G0675003		3.85	0.11	0.98	19.4	<0.2	<10	170	0.87	0.4	0.42	0.16	82.3	13.2	12	11
G0675004		3.79	0.09	0.45	4.2	<0.2	<10	40	0.16	0.09	0.31	0.19	21.4	2.9	20	0.84
G0675005		0.05	16.6	0.8	354	5.4	<10	60	0.33	3.32	0.56	333	133	83.9	18	0.75
G0675006		2.39	0.14	0.29	5.1	<0.2	<10	30	0.14	0.08	0.73	1.05	14.95	2.3	19	0.69
G0675007		3.59	0.14	0.33	2	<0.2	<10	40	0.16	0.04	0.79	1.1	23.1	1.9	19	0.87
G0675008		2.88	0.17	0.53	4.7	<0.2	<10	60	0.25	0.25	0.47	0.73	31.4	4.5	19	2.02
G0675009		2.01	0.27	1.08	14.6	<0.2	<10	210	0.9	0.58	0.17	0.05	98.2	17.1	15	11.3
G0675010		1.50	0.32	1.01	15.5	<0.2	<10	290	0.88	0.52	0.17	0.05	97.7	18.1	14	11.2
G0675011		3.26	0.08	0.75	8.5	<0.2	<10	100	0.42	0.16	0.07	0.02	54.1	7.3	15	4.18
G0675012		3.16	0.08	0.66	1.9	<0.2	<10	50	0.33	0.09	0.26	0.02	22.8	4.4	19	1.39
G0675013		3.26	0.1	1.06	15.5	<0.2	<10	150	0.71	0.32	0.35	0.04	60.9	12.1	16	6.78
G0675014		3.43	0.11	1.37	11.7	<0.2	<10	320	0.62	0.25	0.41	0.05	62.5	11.6	17	6.29
G0675015		3.07	0.19	1.48	26.7	<0.2	<10	180	1.55	0.92	0.17	0.14	108.5	24.7	16	15.15
G0675016		3.51	0.15	1.66	11.7	<0.2	<10	250	1.22	0.65	0.32	0.04	118.5	17	16	17.55
G0675017		3.39	0.24	1.71	20	<0.2	<10	220	0.97	1.03	0.27	0.16	98.1	27.1	27	20.7
G0675018		3.51	0.09	1.46	68.1	<0.2	<10	220	1.06	1.05	0.24	0.03	100	47.7	17	20.4
G0675019		3.90	0.19	1.4	18.8	<0.2	<10	210	0.72	1.47	0.52	0.1	77.2	26.9	41	20.9
G0675020		0.07	0.04	0.18	2	<0.2	<10	40	0.06	0.02	>25.0	0.8	3.65	1.2	7	0.39
G0675021		3.69	0.35	0.39	2.7	<0.2	<10	60	0.17	0.24	1.16	0.51	23.7	6.9	18	1.55
G0675022		2.70	0.43	0.66	3.8	<0.2	10	80	0.3	0.42	0.94	0.35	38.1	5.3	14	2.04
G0675023		3.67	0.13	0.76	3.5	<0.2	<10	90	0.22	0.41	0.68	0.05	28.5	5.7	24	4.23
G0675024		3.55	0.28	0.83	5.3	<0.2	<10	90	0.33	1.02	0.38	1.86	26.9	5.6	31	7.5
G0675025		0.05	6.11	1.85	98.5	1.3	<10	40	0.26	3.1	0.91	9.6	18.25	38.1	103	0.74
G0675026		3.33	0.18	1.07	2.9	<0.2	<10	100	0.51	0.76	0.54	1.03	47.5	7.6	26	10.3
G0675027		3.50	0.45	0.72	1	<0.2	<10	70	0.26	1.53	0.68	3.42	33.4	3.6	19	3.78
G0675028		3.41	0.24	0.39	1.4	<0.2	<10	110	0.18	0.2	1.44	0.31	18.5	2.4	13	1.02
G0675029		1.23	0.22	0.79	4.2	<0.2	10	100	0.4	0.58	1.42	0.28	52.2	6.6	10	2.87
G0675030		1.64	0.22	0.8	4.1	<0.2	10	200	0.4	0.48	1.55	0.3	57.6	6.3	10	3.03
G0675031		4.73	0.16	0.83	3.8	<0.2	10	100	0.53	0.75	0.8	0.1	48.8	9.1	15	6.18



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 4 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR															
	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	
	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	
G0674994	48.4	2.64	3.72	0.05	0.16	<0.01	0.014	0.23	14.7	18.3	0.54	584	0.35	0.02	0.05	
G0674995	24.5	3.09	4.87	0.07	0.27	<0.01	0.016	0.37	21.7	23.5	0.57	569	0.29	0.02	0.17	
G0674996	102	3.72	7.71	0.08	0.21	<0.01	0.017	0.21	21	26.2	0.86	631	0.49	0.02	0.1	
G0674997	107.5	3.72	6.5	0.08	0.18	<0.01	0.023	0.27	21.6	19.4	0.78	740	0.62	0.03	<0.05	
G0674998	45.6	2.62	3.73	0.08	0.21	<0.01	0.023	0.32	28.8	16.2	0.44	478	0.68	0.01	0.07	
G0674999	168.5	1.41	0.7	<0.05	0.06	0.01	0.141	0.11	10.1	2	0.22	352	0.7	0.01	<0.05	
G0675000	6.4	0.12	0.54	<0.05	0.09	0.04	<0.005	0.03	2	1.2	0.62	42	0.29	0.02	0.26	
G0675001	39.2	3.26	1.18	0.07	0.13	0.01	0.152	0.25	20.3	5.5	0.84	1140	0.35	0.01	<0.05	
G0675002	34.6	3.07	1.45	0.06	0.15	0.01	0.102	0.22	19.2	7.6	0.54	756	0.46	0.01	<0.05	
G0675003	33.6	3.04	2.92	0.1	0.18	<0.01	0.034	0.33	40.3	10.7	0.41	1190	0.35	0.01	0.06	
G0675004	18.2	1.3	0.73	<0.05	0.09	<0.01	0.017	0.08	10.3	4.2	0.21	184	0.57	0.01	<0.05	
G0675005	>10000	3.71	5.29	0.18	0.26	1.55	4.44	0.57	71.4	6.6	0.56	294	44.6	0.03	1.24	
G0675006	44.1	1.04	0.63	<0.05	0.06	0.01	0.078	0.08	7.1	2.6	0.21	308	0.67	0.01	<0.05	
G0675007	10.8	1.1	0.79	<0.05	0.07	0.01	0.08	0.12	11.3	2.6	0.26	348	0.61	0.01	0.06	
G0675008	33.1	1.76	1.34	<0.05	0.11	0.01	0.055	0.15	14.3	5	0.26	418	0.58	0.01	<0.05	
G0675009	38.9	4.62	3.67	0.12	0.13	0.01	0.034	0.34	48	13.6	0.72	2140	0.4	0.01	0.05	
G0675010	39.6	4.57	3.67	0.12	0.14	<0.01	0.034	0.32	47.2	13.8	0.72	2090	0.45	0.01	0.05	
G0675011	15.3	2.19	2.36	0.06	0.11	<0.01	0.012	0.2	25.7	9.7	0.31	511	0.38	0.01	<0.05	
G0675012	26.8	2.06	1.46	<0.05	0.1	<0.01	0.007	0.11	10.7	7.8	0.23	313	0.57	0.01	<0.05	
G0675013	33.6	2.75	3.36	0.07	0.12	<0.01	0.019	0.27	30.2	13.3	0.35	931	0.42	0.01	0.05	
G0675014	28.4	3.71	4.33	0.08	0.14	<0.01	0.018	0.25	30.2	19.3	0.53	1630	0.33	0.01	0.05	
G0675015	46.5	4	5.09	0.11	0.17	0.01	0.033	0.41	50.2	23.8	0.65	1200	2.49	0.01	0.06	
G0675016	37.2	4	5.23	0.11	0.14	0.01	0.035	0.46	50	26.8	0.72	636	1.3	0.01	0.06	
G0675017	68.5	4.19	7.36	0.1	0.23	<0.01	0.034	0.55	37.1	34.9	0.86	434	0.31	0.02	0.11	
G0675018	47.8	3.26	4.94	0.1	0.14	<0.01	0.024	0.48	41	24.7	0.74	312	0.25	0.02	0.07	
G0675019	150	3.71	8.26	0.1	0.28	<0.01	0.025	0.62	32.5	30.5	0.77	375	0.48	0.05	0.16	
G0675020	8.6	0.12	0.62	<0.05	0.1	0.05	0.005	0.04	2.3	1.2	0.62	38	0.28	0.02	0.28	
G0675021	141	1.72	0.96	<0.05	0.09	<0.01	0.033	0.14	11.2	1.9	0.29	318	0.38	0.02	0.05	
G0675022	61.2	1.69	1.19	<0.05	0.09	<0.01	0.015	0.14	18.1	4.6	0.38	269	1.87	0.01	<0.05	
G0675023	98.6	2.1	2.98	<0.05	0.13	0.01	0.011	0.18	14.1	7.9	0.43	355	0.52	0.02	0.08	
G0675024	76.5	2.03	4.32	0.06	0.25	<0.01	0.028	0.21	13	18.1	0.43	231	0.46	0.04	0.34	
G0675025	1500	6.32	8.09	0.12	0.83	0.22	0.658	0.08	8	6.1	0.87	801	70.3	0.15	0.21	
G0675026	85.7	2.45	4.96	0.06	0.22	<0.01	0.026	0.26	20.5	26.4	0.5	324	0.61	0.03	0.12	
G0675027	90.9	1.87	2.69	<0.05	0.1	<0.01	0.048	0.11	15.6	10.9	0.42	236	0.35	0.02	<0.05	
G0675028	93.6	1.27	0.8	<0.05	0.05	<0.01	0.036	0.13	8.8	2.8	0.2	811	0.37	0.01	0.05	
G0675029	103	2.22	1.39	0.06	0.1	<0.01	0.027	0.18	22.8	4.9	0.47	494	0.57	0.01	<0.05	
G0675030	102.5	2.21	1.4	0.07	0.11	0.01	0.029	0.18	25.1	5.3	0.49	493	0.67	0.01	<0.05	
G0675031	96.8	2.15	1.96	0.05	0.16	<0.01	0.017	0.24	23.6	8.1	0.38	408	0.58	0.01	<0.05	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 4 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
Units		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
G0674994		19.5	210	4.8	12.7	<0.001	0.41	0.41	2.1	0.4	0.8	49.4	<0.01	0.02	7.8	0.007
G0674995		23.8	550	5.6	33.1	<0.001	0.35	0.88	2.5	0.3	0.7	38.6	<0.01	0.01	10	0.045
G0674996		27	330	9.5	17	<0.001	0.74	0.82	4.6	0.6	0.7	71.5	<0.01	0.01	11.3	0.022
G0674997		30.7	610	5.3	18.2	<0.001	0.89	0.88	4.4	0.7	1.1	82.5	<0.01	0.01	12.5	0.006
G0674998		23.6	290	5.6	24.8	<0.001	0.5	1.94	2.9	0.4	0.9	62.9	<0.01	0.02	12.1	0.005
G0674999		10.5	140	3	7.9	<0.001	0.21	3.86	1.1	0.3	1.2	68.5	<0.01	0.01	7.1	<0.005
G0675000		2.4	120	28.5	1.2	<0.001	0.07	0.17	1.6	0.3	0.6	266	0.01	0.01	0.4	0.006
G0675001		34.9	440	14.9	14.5	<0.001	0.23	21.2	3.9	0.6	1.5	361	<0.01	0.02	15.1	<0.005
G0675002		24.1	280	7.1	14.1	<0.001	0.32	7.92	2.7	0.4	1.6	188.5	<0.01	0.02	12.2	<0.005
G0675003		28.6	410	4.6	23.3	<0.001	0.24	2.35	3.6	0.5	0.6	57.9	<0.01	0.02	13.6	<0.005
G0675004		7	110	1.9	5.1	<0.001	0.12	1.74	0.9	<0.2	0.6	35.6	<0.01	0.01	6.5	<0.005
G0675005		50.9	920	3790	38.4	0.074	4.93	52.6	1.7	10.3	29.1	32.6	0.01	0.61	28.2	0.111
G0675006		6.2	110	3.9	6.4	<0.001	0.15	3.1	0.8	0.2	1.1	47.6	<0.01	0.01	5.4	<0.005
G0675007		7.5	90	1.3	9.9	<0.001	0.03	4.7	1	0.2	1.7	53	<0.01	0.01	7	<0.005
G0675008		11.6	340	4.1	10.4	<0.001	0.21	2.39	1.6	0.3	0.8	37	<0.01	0.01	6.9	<0.005
G0675009		33.7	430	21.3	21.9	<0.001	0.13	1.33	4.5	0.5	0.4	41	<0.01	0.03	13.6	<0.005
G0675010		36.7	400	18.7	21.1	<0.001	0.12	1.43	4.8	0.4	0.4	42.9	<0.01	0.02	13.9	<0.005
G0675011		15.6	200	4.4	10.5	<0.001	0.12	1.36	1.9	0.2	0.3	17.2	<0.01	0.01	8.9	<0.005
G0675012		9.9	90	2.2	6.8	<0.001	0.29	1.15	1.2	0.2	0.5	22.4	<0.01	0.01	6.8	<0.005
G0675013		25	240	6.1	15.2	<0.001	0.38	3.47	2.9	0.3	0.4	34.7	<0.01	0.02	10.8	<0.005
G0675014		26.4	330	12.7	14.9	<0.001	0.29	2.35	3.2	0.3	0.5	34.1	<0.01	0.01	10.4	<0.005
G0675015		42.6	360	23.4	29.6	<0.001	0.41	3.04	4.9	0.4	0.9	42.5	<0.01	0.05	14	<0.005
G0675016		32.6	240	19.2	41.2	<0.001	0.39	2.59	5.6	0.3	0.5	50.3	<0.01	0.04	13	0.008
G0675017		38.2	240	25	59.2	<0.001	0.88	1.39	7.5	0.5	0.9	49.6	<0.01	0.03	11.6	0.025
G0675018		42.1	240	8.9	40.8	<0.001	0.51	1.4	4.7	0.4	1	46.9	<0.01	0.03	11.4	0.01
G0675019		37.1	260	8.4	84.3	<0.001	1.14	0.77	8.6	0.8	2.6	59.5	<0.01	0.02	11.2	0.058
G0675020		2.2	110	28.2	2.1	<0.001	0.07	0.13	1.8	0.4	0.4	258	0.01	0.01	0.5	0.006
G0675021		12.7	110	3.3	11.5	<0.001	0.43	2.86	1.5	0.5	1.3	86.3	<0.01	<0.01	9.2	<0.005
G0675022		14.5	140	7.1	10	<0.001	0.2	5.43	2	0.4	0.6	119	<0.01	0.01	9	<0.005
G0675023		14.2	140	3.9	19.3	<0.001	0.54	2.03	2.2	0.5	1.1	71.2	<0.01	0.01	8.2	0.012
G0675024		14.3	160	34.1	26.4	<0.001	0.61	0.71	2.8	0.4	7.7	38.6	<0.01	0.01	8.4	0.057
G0675025		52.9	400	485	8.3	0.001	1.9	9.22	6.8	5.3	1.1	34.5	0.01	0.12	2.1	0.173
G0675026		19.4	580	10	31.7	<0.001	0.77	2.45	3.1	0.5	2.5	81.8	<0.01	<0.01	9.2	0.022
G0675027		11.7	220	20	14.8	<0.001	0.58	6.05	1.9	0.5	1.9	96.3	<0.01	0.01	7.9	0.006
G0675028		6.4	100	1.7	10.4	<0.001	0.34	7.58	1	0.4	1	69.2	<0.01	0.01	6.5	<0.005
G0675029		16.7	610	5.5	13.3	<0.001	0.49	15.45	2.8	0.7	0.9	186.5	<0.01	0.01	9.1	<0.005
G0675030		17	1010	6.2	13.7	<0.001	0.41	16.65	2.9	0.6	0.9	200	<0.01	<0.01	9.3	<0.005
G0675031		21.8	160	6.1	18.4	<0.001	0.64	24.1	2.7	0.5	1	141	<0.01	0.02	9.5	<0.005





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 4 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104055

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46	Cu-OG46
		Tl	U	V	W	Y	Zn	Zr	Zn	Cu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.02	0.05	1	0.05	0.05	2	0.5	0.01	0.01
G0674994		0.1	0.73	16	0.05	3.93	44	5.9		
G0674995		0.38	1.29	14	0.12	6.66	57	10.1		
G0674996		0.18	1	36	0.12	6.84	49	7.4		
G0674997		0.17	1.18	28	0.09	7.7	58	6.9		
G0674998		0.27	1.18	11	0.09	6.58	64	7.8		
G0674999		0.06	0.47	3	0.07	2.99	91	2		
G0675000		<0.02	0.66	3	0.06	2.64	128	3.5		
G0675001		0.12	1.16	6	0.08	8.52	251	5.3		
G0675002		0.12	0.99	5	0.09	6.28	158	5.6		
G0675003		0.24	1.43	9	0.08	9.07	74	6.7		
G0675004		0.04	0.35	2	0.05	1.82	30	3.2		
G0675005		0.98	2.65	20	4.87	17.8	>10000	7	6.44	1.71
G0675006		0.07	0.36	2	0.11	1.87	143	2.2		
G0675007		0.07	0.38	2	0.07	2.49	102	2.5		
G0675008		0.08	0.69	4	0.06	3.44	84	4.1		
G0675009		0.22	1.07	13	<0.05	8.54	101	4.9		
G0675010		0.2	1.17	12	<0.05	8.54	92	5.1		
G0675011		0.08	0.67	8	0.05	3.72	33	4.2		
G0675012		0.06	0.51	4	<0.05	2.22	17	3.7		
G0675013		0.14	0.89	11	0.07	4.87	60	4.8		
G0675014		0.14	1.15	13	0.05	6.06	66	5		
G0675015		0.26	1.02	13	0.09	8.03	81	5.9		
G0675016		0.46	0.9	14	0.06	6.56	101	4.9		
G0675017		0.67	0.75	28	0.07	6.34	91	8		
G0675018		0.42	0.51	14	<0.05	6.16	53	4.7		
G0675019		0.86	0.8	48	0.12	7.2	50	8.8		
G0675020		0.02	0.74	3	0.06	2.86	160	3.7		
G0675021		0.09	0.66	5	0.05	3.15	55	3.2		
G0675022		0.08	0.51	4	0.07	3.71	44	3.3		
G0675023		0.2	0.59	16	0.09	4.06	55	4.4		
G0675024		0.26	0.69	21	0.26	4.72	102	7.4		
G0675025		0.48	0.53	60	1.1	10.5	5140	30.6		
G0675026		0.32	0.85	22	0.18	7.58	70	7.9		
G0675027		0.14	0.6	11	0.1	3.81	159	3.6		
G0675028		0.12	0.37	2	0.07	2.17	29	1.8		
G0675029		0.1	0.73	5	0.21	7.16	37	3.7		
G0675030		0.11	0.77	5	0.22	8.75	44	4.3		
G0675031		0.15	0.92	7	0.2	5.14	24	5.9		



**ALS Chemex**

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 11-AUG-2008

Account: EIAOVR

Project: Andrew

**CERTIFICATE OF ANALYSIS TR08104055**

<b>Method</b>	<b>CERTIFICATE COMMENTS</b>
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
700 - 700 WEST PENDER ST.  
VANCOUVER BC V6C 1G8

Page: 1  
Finalized Date: 16-AUG-2008  
Account: EIAOVR

## CERTIFICATE TR08104056

Project: Andrew

P.O. No.: OVR08-01

This report is for 32 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-JUL-2008.

The following have access to data associated with this certificate:

HENRY AWMACK  
ADRIAN BRAY  
COL GEOBASE

DARCY BAKER  
HUGH BRESSER

ROBIN BLACK  
GENERAL EQUITY ENGINEERING

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um


## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.  
ATTN: DARCY BAKER  
700 - 700 WEST PENDER ST.  
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104056

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
G0675032		3.63	0.27	2.2	14.1	<0.2	<10	130	1.2	0.8	0.92	0.35	75.9	16.7	24	6.16
G0675033		3.19	0.19	2.61	21.1	<0.2	<10	220	2.05	0.63	0.35	0.19	116	20.5	25	13.3
G0675034		4.06	0.18	2.37	10.9	<0.2	<10	190	1.42	0.37	0.41	0.1	98.6	15.6	23	12
G0675035		3.75	0.66	2.42	7.2	<0.2	<10	80	1.08	0.47	0.35	1.93	68.6	20.9	27	12.15
G0675036		3.75	2.95	1.77	2.2	<0.2	<10	90	0.71	3.16	0.36	23.1	44.8	20.9	28	10.15
G0675037		3.08	0.94	1.67	6.4	<0.2	<10	110	0.69	1.59	0.53	13.35	53.1	17	40	8.26
G0675038		2.97	1.52	1.75	10.8	<0.2	<10	170	0.74	0.99	0.35	13.15	35.5	17.9	29	15.65
G0675039		3.68	1.21	1.82	3.6	<0.2	<10	60	1.05	0.55	0.28	11.8	37.3	18.7	29	15.5
G0675040		0.05	0.06	0.13	3	<0.2	<10	20	<0.05	0.01	>25.0	0.54	2.31	1.2	7	0.06
G0675041		2.90	8.24	1.68	2.1	<0.2	<10	90	1.09	4.4	0.43	11.75	33.9	21.5	20	12
G0675042		3.30	1.43	1.77	1.9	<0.2	<10	120	0.81	0.94	0.43	11.95	21.9	9	25	11.15
G0675043		3.56	6.83	1.58	2.1	<0.2	<10	100	0.75	6.06	0.44	54	21.7	10.5	27	4.8
G0675044		3.43	8.58	1.18	1.7	<0.2	<10	90	0.28	5.44	0.32	118.5	26.3	9.2	33	0.95
G0675045		0.04	9.19	1.13	194.5	2.2	<10	70	0.43	2.11	0.85	173.5	141	55.1	18	0.99
G0675046		2.72	1.18	1.51	8.9	<0.2	<10	170	0.56	0.7	0.48	7.18	32.7	13	39	11.5
G0675047		7.19	1.63	1.54	2.9	<0.2	<10	150	0.72	1.98	0.47	7.78	28.3	8.4	28	11.4
G0675048		3.18	1.84	1.92	10.5	<0.2	<10	100	0.61	1.14	0.59	33.1	42.5	17.3	42	21.7
G0675049		1.50	0.27	1.59	15.6	<0.2	<10	180	0.61	0.84	0.38	0.45	29.3	19.9	40	19.6
G0675050		1.75	0.22	1.59	11.3	<0.2	<10	170	0.5	0.69	0.36	0.23	29.3	15.6	38	18.3
G0675051		3.46	0.23	1.83	9.4	<0.2	<10	280	0.85	0.28	0.31	0.24	27.6	11.3	31	23
G0675052		3.38	0.18	1.18	4	<0.2	<10	140	0.47	0.18	0.24	0.26	21.9	6.3	26	10.05
G0675053		3.79	0.22	1.89	5.5	<0.2	<10	290	1.05	0.27	0.23	0.16	28.3	9.2	22	20.1
G0675054		4.22	0.35	1.82	8.1	<0.2	<10	190	0.98	0.22	0.62	0.59	44.2	8.8	20	12.65
G0675055		2.63	1.53	1.45	28.9	<0.2	<10	100	0.59	2.33	0.58	2.38	36.2	9.4	19	3.19
G0675056		3.38	1.27	1.55	6.8	<0.2	<10	90	0.75	4.18	0.6	1.28	40.2	10.7	19	4.67
G0675057		2.39	2.35	1.41	19	<0.2	<10	100	0.72	4.75	0.87	18.9	33.7	9.7	29	3.82
G0675058		3.08	0.38	1.71	34.1	<0.2	<10	120	0.96	1.57	0.82	0.75	30.9	12.6	36	6.65
G0675059		3.54	0.33	1.18	9.8	<0.2	<10	120	0.96	1.44	0.92	0.15	39.1	12.9	27	6.54
G0675060		0.04	0.06	0.14	9	<0.2	<10	30	<0.05	0.02	>25.0	0.63	2.55	1.3	8	0.06
G0675061		5.23	0.74	1.62	7.3	<0.2	<10	110	0.61	4.27	0.75	1.43	31.6	12	35	9.07
G0675062		4.32	0.9	1.17	2.1	<0.2	<10	130	0.44	5.93	1.28	1.16	25.5	12.6	57	6.41
G0675063		5.84	1.93	1.06	4.5	<0.2	<10	100	0.31	3.74	0.99	1.45	19.65	17.4	75	6.29



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104056

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
G0675032		30.5	4.13	6.92	0.09	0.2	0.01	0.031	0.28	33	39.6	0.94	1315	0.37	0.01	0.07
G0675033		36	4.58	8.42	0.12	0.29	0.01	0.036	0.47	55.1	36.6	0.95	1685	0.46	0.01	0.12
G0675034		55.6	4.76	7.4	0.12	0.3	0.01	0.028	0.48	47.4	29.1	0.97	1600	0.41	0.01	0.18
G0675035		164	5.85	8.27	0.11	0.32	0.01	0.039	0.5	33.6	32.5	1.23	1365	0.52	0.01	0.19
G0675036		279	5.81	7.26	0.1	0.34	0.01	0.236	0.51	21.3	25.6	0.87	617	0.7	0.02	0.19
G0675037		194.5	4.38	8.84	0.09	0.38	0.01	0.204	0.43	24.2	26.4	0.88	595	0.99	0.02	0.41
G0675038		131.5	3.67	7.74	0.07	0.35	0.01	0.144	0.67	16.4	26.3	0.95	586	0.47	0.02	0.27
G0675039		220	5.14	7.13	0.09	0.29	0.01	0.141	0.71	17.3	22.6	0.77	477	0.6	0.02	0.43
G0675040		6.3	0.06	0.48	<0.05	0.09	0.03	0.005	0.02	1.7	1	0.65	34	0.22	0.02	0.18
G0675041		360	6.13	6.12	0.09	0.34	<0.01	0.133	0.59	15.8	22.3	0.67	440	0.74	0.01	0.39
G0675042		162.5	4.06	7.33	0.08	0.17	0.01	0.139	0.48	11.2	29.2	1	684	1.31	0.04	0.44
G0675043		169	4.06	7.25	0.09	0.21	0.01	0.572	0.2	11.1	29.9	0.99	572	2.29	0.03	0.65
G0675044		173.5	3.94	7.13	0.08	0.11	0.01	1.205	0.08	13.7	22.6	0.84	566	0.58	0.01	0.42
G0675045		8360	3.55	6.17	0.16	0.41	0.79	2.44	0.66	76.9	8.4	0.72	358	29.1	0.05	0.98
G0675046		164.5	3.49	7.65	0.08	0.06	0.01	0.075	0.39	17.5	28.4	0.97	619	0.67	0.01	0.29
G0675047		116.5	3.27	6.59	0.09	0.16	<0.01	0.114	0.45	14.8	27.6	0.93	748	0.71	0.02	0.53
G0675048		150	4.61	11.8	0.16	0.28	0.01	0.349	0.79	22	34.5	1.36	770	0.92	0.02	0.76
G0675049		93.7	3.5	8.82	0.12	0.28	0.01	0.027	0.7	14.9	25.8	1	638	1.08	0.03	0.88
G0675050		73.4	3.35	9.08	0.14	0.25	0.01	0.022	0.64	14.9	25.8	1.03	673	0.75	0.03	0.9
G0675051		49.3	3.16	7.42	0.09	0.23	<0.01	0.031	0.96	14.2	24.3	0.92	923	0.63	0.04	0.44
G0675052		39.7	2.51	5.55	0.06	0.14	0.01	0.014	0.41	11.1	20.5	0.73	577	0.51	0.03	0.6
G0675053		48.2	3.25	6.23	0.08	0.2	0.01	0.027	0.85	15.3	23.7	0.87	1415	0.63	0.02	0.5
G0675054		82.6	3.62	6.99	0.08	0.17	0.01	0.028	0.58	24.6	30.6	1	856	0.48	0.01	0.24
G0675055		138.5	3.49	6.36	0.07	0.16	0.01	0.033	0.18	20.7	27.6	1.09	492	2.42	0.01	0.05
G0675056		130.5	3.78	6	0.08	0.14	0.01	0.035	0.22	22.3	29.8	1.13	429	2.38	0.01	0.05
G0675057		204	4.14	5.9	0.08	0.52	0.01	0.506	0.21	18.7	28.3	0.94	346	16.65	0.01	0.07
G0675058		110.5	3.68	6.47	0.08	0.26	0.01	0.026	0.27	15.8	34.4	1.08	324	26.8	0.01	0.14
G0675059		102	3.3	4.48	0.08	0.62	0.01	0.01	0.26	21	21.3	0.82	293	10.25	0.01	0.05
G0675060		14.7	0.06	0.55	<0.05	0.1	0.04	0.006	0.03	1.9	1.2	0.62	34	0.28	0.03	0.31
G0675061		263	4.57	6.25	0.1	0.94	<0.01	0.04	0.37	16.4	31.3	0.92	412	22.3	0.02	0.12
G0675062		414	2.81	4.6	0.11	0.06	<0.01	0.109	0.22	13.3	23.4	0.57	548	10.6	0.01	0.11
G0675063		550	3.29	4.56	0.1	0.07	<0.01	0.137	0.24	11.3	23.1	0.53	449	30.3	0.01	0.14



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104056

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
Units		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
G0675032		28.8	240	9	19.7	0.001	0.29	1.26	3.9	0.5	1.9	44.9	<0.01	0.02	11.8	0.023
G0675033		32.6	570	9.5	39.1	0.001	0.38	2.87	5.4	0.5	1.2	39.6	<0.01	0.03	16.9	0.086
G0675034		32.1	490	19.5	38.6	0.001	0.73	3.42	4.4	0.5	2	28.5	0.01	0.02	14.5	0.099
G0675035		39.3	430	257	38	<0.001	1.95	3.27	4.2	0.6	4.1	27.8	0.01	0.02	13.9	0.096
G0675036		39	400	1590	44.5	0.001	2.89	2.5	4.1	1.9	8.2	25.2	<0.01	0.06	12.8	0.06
G0675037		34.9	420	234	37.2	0.001	1.58	1.1	6.8	1.1	12.3	25.3	0.01	0.02	13.9	0.133
G0675038		31	290	1180	66.9	0.001	1.11	1.86	5.9	1	5.1	24.7	<0.01	0.05	9.4	0.117
G0675039		40.3	420	251	60.2	0.001	2.28	1.24	5.2	1.1	8.6	23.8	<0.01	0.03	13.5	0.135
G0675040		2.5	120	37.5	0.7	0.001	0.07	0.15	1.3	0.4	0.6	277	0.01	0.09	0.3	0.006
G0675041		41.9	400	5140	52.9	0.001	2.93	4.72	4	6.2	11.8	25.5	<0.01	0.24	14.5	0.105
G0675042		19.3	370	525	47.3	0.002	1.46	2.15	4	1.1	5.8	40.4	<0.01	0.04	4.6	0.091
G0675043		20.7	450	3540	21.2	0.003	1.82	4.48	4.1	3.1	8.7	38.2	0.01	0.18	3.9	0.096
G0675044		15.3	320	4760	6.1	0.001	1.88	4.65	3.5	4.2	11.2	21.4	<0.01	0.21	2.6	0.064
G0675045		37.9	1100	1945	46	0.043	3	30.8	2.7	5.7	17.2	41.6	0.01	0.44	28.9	0.212
G0675046		29.3	580	381	52.5	0.001	1.14	1.95	4.2	0.7	4.9	39.4	<0.01	0.03	2.8	0.079
G0675047		20.6	680	490	53.9	0.001	1.07	4.34	4.3	1.1	6.7	41.5	<0.01	0.08	3.4	0.108
G0675048		26.7	670	955	94.5	0.002	1.87	4.4	6.6	1.8	7.8	39.9	<0.01	0.05	4.3	0.203
G0675049		29.7	550	18.1	83.6	0.007	0.96	1.48	6	0.8	4.2	34.8	<0.01	0.03	4.4	0.171
G0675050		26	580	18.8	78	0.005	0.75	0.88	5.8	0.7	4.5	35.8	<0.01	0.02	4.3	0.171
G0675051		19.3	570	13.5	99.5	0.002	0.52	0.52	5.3	0.5	1.5	40.1	<0.01	0.06	4.8	0.143
G0675052		12.9	320	18.7	46.5	0.001	0.55	0.54	3.5	0.3	2	25.8	<0.01	0.02	4	0.074
G0675053		17	440	8.5	79.7	0.004	0.4	0.92	3.9	0.4	1	27.6	<0.01	0.09	5.6	0.106
G0675054		17	340	45.2	52.4	0.001	0.96	1.56	3.7	0.5	1.8	41.6	<0.01	0.05	5.6	0.055
G0675055		18.8	350	338	14.7	0.002	1.55	18.45	2.6	1.3	5.1	33	<0.01	0.07	3.7	0.006
G0675056		21.5	390	68	20.4	0.002	1.73	12.25	3.1	1.6	3	40.6	<0.01	0.11	4.1	0.008
G0675057		34.8	980	792	18.5	0.016	1.98	18	3.2	3.2	4.4	56.3	<0.01	0.11	4.4	0.011
G0675058		46.1	1030	21.7	27.9	0.029	1.45	8.32	4.3	2	4.6	67.6	<0.01	0.07	7.2	0.033
G0675059		35.9	470	18.7	23.8	0.024	1.47	13	3.5	1.5	1.5	86.1	<0.01	0.04	6.5	0.008
G0675060		<0.2	140	35.7	0.8	0.001	0.16	0.19	1	0.6	2.2	295	0.01	0.01	0.2	0.006
G0675061		39.4	530	83.8	36.4	0.027	2.21	6.88	3.8	2.7	2.9	53.3	<0.01	0.09	5.7	0.023
G0675062		29.3	2070	19.5	30.5	0.035	0.67	10.85	3.2	1.8	5.2	59.7	<0.01	0.12	3	0.024
G0675063		58.7	1720	70.1	33	0.088	1.03	13.35	3.3	2.8	7	50.8	<0.01	0.07	3.2	0.029



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-AUG-2008

Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104056

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
		Tl	U	V	W	Y	Zn	Zr	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.02	0.05	1	0.05	0.05	2	0.5	0.01
G0675032		0.11	1.17	20	0.05	10.4	88	7.3	
G0675033		0.32	1.53	28	0.15	13.7	97	11.2	
G0675034		0.35	1.23	23	0.19	11.75	82	11.1	
G0675035		0.46	1.16	26	0.24	10.75	161	12.1	
G0675036		0.37	1.14	30	0.32	10.3	1120	12.8	
G0675037		0.3	1.07	46	0.87	11.6	635	12.6	
G0675038		0.7	1.29	41	0.46	8.79	671	13.1	
G0675039		0.68	0.9	33	0.8	9.52	587	9.7	
G0675040		<0.02	0.6	2	0.07	2.95	87	3.8	
G0675041		0.54	1.14	21	0.71	9.75	531	11.6	
G0675042		0.58	0.64	38	0.57	5.85	595	6.5	
G0675043		0.22	0.86	51	0.62	6.48	2550	7.9	
G0675044		0.06	0.34	51	0.37	5.87	5410	3.8	
G0675045		0.65	2.79	43	2.18	24	>10000	13.3	3.21
G0675046		0.58	0.31	62	0.18	6.8	530	2.3	
G0675047		0.6	0.64	47	0.48	7.42	398	5.8	
G0675048		1.12	0.9	128	0.81	8.11	1595	10.3	
G0675049		0.93	0.81	93	0.84	6.85	72	11.1	
G0675050		0.87	0.71	88	0.95	6.82	59	9.6	
G0675051		1.15	0.63	55	0.5	6.82	61	9.1	
G0675052		0.5	0.33	31	0.55	4.56	45	5.6	
G0675053		0.98	0.63	36	0.61	6.04	57	8.1	
G0675054		0.55	0.92	32	0.2	6.9	74	6.9	
G0675055		0.28	1.61	44	0.07	5.13	148	7.4	
G0675056		0.2	1.78	41	0.07	6.04	98	6.5	
G0675057		0.17	9.48	95	0.14	11.65	1155	22.8	
G0675058		0.22	13.2	108	0.2	15.1	70	20	
G0675059		0.18	5.67	85	0.08	10.9	33	30.1	
G0675060		<0.02	0.51	11	<0.05	3.77	114	4.4	
G0675061		0.44	8.61	110	<0.05	11.45	104	42.6	
G0675062		0.36	5.7	179	0.19	17.25	113	5.1	
G0675063		0.39	14.45	367	0.32	14.3	143	8.5	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
700 - 700 WEST PENDER ST.  
VANCOUVER BC V6C 1G8

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 16-AUG-2008  
Account: EIAOVR

Project: Andrew

## CERTIFICATE OF ANALYSIS TR08104056

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



**Appendix E: Geologist's Certificates**

GEOLOGIST'S CERTIFICATE  
Darcy E.L. Baker  
114 / 2635 Prince Edward Street,  
Vancouver, BC  
Canada


I, Darcy Baker, am President of Equity Exploration Consultants Ltd., with offices at Suite 700-700 West Pender Street in the City of Vancouver, B.C., in the Province of British Columbia.

I am a graduate of Dalhousie University (1997) with an Honours Bachelor of Science degree in Geology, and am a graduate of the University of Newcastle, Australia (2003) with a Doctor of Philosophy degree in Geology, and I have practiced my profession continuously since 1997.

Since 1997 I have been involved in mineral exploration for gold, silver, copper, uranium, lead and zinc in Canada, Alaska and Australia.

I am presently a Consulting Geologist and have been so since May 2003.

Dated at Vancouver, British Columbia, this 6<sup>th</sup> day of February, 2009.



---

Darcy Baker, Ph.D.