

**GEOCHEMICAL / GEOPHYSICAL REPORT**

**YMIP # 09-143**

**WOLF 1 - 42 CLAIMS  
GRANT # YC83707 - YC83748**

**CU 1 - 8 CLAIMS  
GRANT # YC08871 - YC08878**

**NTS # 115 N \ 01**

**LAT: 63, 03  
LONG: 140, 12**

**WHITEHORSE MINING DISTRICT**

**AUTHOR OF REPORT SHAWN RYAN  
WORK PERFORMED AUG 3 - AUG 7, 2009  
DATE OF REPORT FEBRUARY 15, 2010**

## Table of Content

Summary	P.3
1.0 Introduction	P.3
2.0 Locations and Access	P.3
3.0 Property Description	P.3
4.0 Physiographic	P.3
Location Map	P.4
5.1 Regional Geology	P.5
YTG Geology Map	P.6
6.0 Work Methods	P.7
7.0 Interpretation	P.8
8.0 Recommendation	P.8
9.0 References Cited	P.8
10.0 Cost	P.9
11.0 Qualification	P.10
Claim Location Map	P.11
Soil Location Map	Figure 1
Gold Soil Anomaly Map	Figure 2
Arsenic Soil Anomaly Map	Figure 3
Antimony Soil Anomaly Map	Figure 4
Bismuth Soil Anomaly Map	Figure 5
Magnetic Survey Map	Figure 6
Assay Data/ GPS Soil Location Data	Appendix

## **SUMMARY**

The Wolf 2009 field work consists of collecting 542 soils and running 16 kilometers of ground magnetic survey. The work was undertaken by Ryanwood Exploration which employees consist of Joe McCann (Crew Chief), Ben McGrath, Tom Witty, Graeme Scott, Aaron Woroniuk, David Newell, and Dan Smeby.

The work program started on August 3, 2009 and finished on August 7, 2009.

### **1.0 INTRODUCTION**

The Wolf claims were staked to cover anomalous gold, arsenic, antimony GSC silts that are draining the Wolf - CU property. The 2009 soil survey gathered soil from a deeper soil horizon and highlighted a nice gold, arsenic, antimony and bismuth soil anomaly.

### **2.0 LOCATIONS AND ACCESS**


The Wolf - Cu claims are located 117 kilometers south west of Dawson City. Access is via helicopter from Beaver Creek or Dawson City.

### **3.0 PROPERTY DESCRIPTION**

The Wolf - Cu Claim block consists of 50 full Yukon Quartz Mining claims that are registered in the Whitehorse Mining district to Shawn Ryan.

### **4.0 PHYSIOGRAPHY**

The Wolf - Cu claims are covered with mostly white spruce and aspen on southern slopes and black spruce, alders and willows on northern aspects. The northern ridge on the claim block is located at the edge of the tundra with only lichens and moss covering the hill tops. The elevations of the claims are in the range of 2700 ft to 4700 feet.



## 5.0 REGIONAL GEOLOGY

The area is located at the northwest end of the Yukon portion of the Yukon-Tanana terrane. The region has been remapped by Ryan and Gordey (2002, 2003) as part of the Ancient Pacific Margin NATMAP Project initiated by the Geological Survey of Canada, Yukon Geological Survey and British Columbia Geological Survey Branch.

The Wolf Claims are mostly underlain by EJgd early Jurassic granodiorite. Parts of the northern part of the Wolf claims are also underlain by Cretaceous Carmacks Group volcanics.

### CRETACEOUS

#### UPPER CRETACEOUS

uKcv

*CARMACKS GROUP: rhyodacite and dacite, commonly biotite and hornblende phytic, dominated by lesser andesite and basalt; minor rhyolite*

### JURASSIC


#### EARLY JURASSIC

EJgd

*GRANODIORITE: chlorite-altered hornblende and biotite-bearing granodiorite, monzogranite, quartz monzonite and quartz monzodiorite*

PKs

*KLONDIKE SCHIST: muscovite-chlorite-quartz-feldspar schist, chlorite schist, chlorite phyllonite; local cleaved lapilli tuff with preserved primary texture, probably derived from Pv*



GSC Geology Map

## **6.0 WORK PERFORMED / METHODS**

The 2009 soil survey (figure 1) was designed to follow up on the 2008 regional soil survey. Two grids totaling 19.2 kilometers were laid out on 100 meter line spacing on the northern grid and 200 meters line spacing on the southern grid, both grids were sample on 50 meters station spacing. A total of 12.7 kilometers of regional soil lines were run on four separated traverse, sample were collected on 100 meter station spacing. A total of 542 soils were collected during the 2009 field program.

### **Soil sampling Description**

All soil samples are taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil samples are gathered from an average depth of 60-70 centimeter. Soil sample locations are marked in the field with pink flagging and aluminum tags. The sample number is inscribed on the aluminum tag and tied to a tree or shrub at shoulder height above sample site.

The sample number is recorded with a Garmin Map76 GPS in UTM NAD 83.

Sample description such as color, depth, slope, sample quality, ground vegetation, tree cover and GPS coordinates (backup) are recorded in a Palm PDA data recorder.

A total of 400-500 grams of soil is collected and place in well mark kraft soil bags.

The GPS and PDA are downloaded every night and stored in the crew chief personal computer. A second backup copy of the data is transferred to a memory stick and the memory stick is relocated to a secondary tent (in case of fire).

All samples are brought back to Dawson City and air dried, repacked in rice bags, and sent to Acme Labs in Vancouver.

Samples are process with Aqua Regia ICP-MS for 36 elements (Acme Labs 1DX-15 gram).

## **7.0 INTERPRETATION**

### **SOIL SURVEY**

The 2009 soil survey outlined three distinct gold anomalies (Figure 2), and two distinct arsenic anomalies (Figure 3), the antimony anomaly (figure 4) appears to be one large soil anomaly running in a North West direction, bismuth is following the gold pattern and may also be a touch broader.

Values from the 2009 soil survey reached a high of 167 ppb Au, 534 ppm As, 97.7 ppm Sb, and 25.4 ppm Bi.

## **8.0 RECOMMENDATION**

I would recommend staking another row of 12 claims along the north boundary. I would also extend the soil grid to the north east into the Cu claim block. The soil grid should also fill in in-between the 2009 soil grids. A small trenching program would also shed some light as to what is causing the soil anomalies.

## **9.0 REFERENCES CITED**

YTG Minefile 115N021

Deltango Gold , Greg Jilson 200 assessment report number 094173.

Jim Ryan and Steve Gordey GSC geology Map Open File 4970.



## 10.0 Cost

### Soil sampling Cost

Assay Cost 542 soil at \$24.00 per sample  
(includes Shipping, Soil drying, bagging, soil bags, tags) \$13,008.00

Wages 17 man days at \$325.00 per day \$5,525.00

Mobe / Demode Wages 6 man days at \$325.00 per day \$1,800.00

Fix Wing Dawson - Thistle (2 trips IN, 3 trips OUT) \$2,500.00

Helicopter travel 7.5 hours at \$1334.00 \$10,005.00

Food 17 man Days @ \$50.00 per day \$850.00

Camp Cost 5 Days @ \$115.00 per day \$575.00

Sat Phone \$100.00

### Magnetic Survey Cost

Magnetic Survey 16 KM @ \$250.00 per KM \$4,000.00

Report \$1000.00

Total \$39,363.00

## **11.0 QUALIFICATION**

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 13 years as a local prospector for myself.


I have overseen the Wolf Project.

I own 100 % of the Wolf claims.

Dated this 15 of February 2010 in Dawson City, Yukon.

Respectfully submitted


Shawn Ryan




**Claim Location Map**

NTS 115N01

Claim Location Map







**Wolf 2009 Soils**  
**Au ppb**


- 24 to 167 (19)
- 20 to 24 (14)
- 12 to 20 (54)
- 8 to 12 (71)
- 0 to 8 (408)

**RyanWood Exploration**

By : S.Ryan      Wolf - Cu Project  
 NTS : 115N / 01      Gold Map  
 Date : 10/2/2010      Figure 2  
 Scale: 1:30000      UTM Zone 7 (NAD 83)








**Wolf 2009 Soils  
Sb ppm**

- 12 to 97.7 (43)
- 8 to 12 (39)
- 5 to 8 (72)
- 3 to 5 (94)
- 0.2 to 3 (318)

<b>RyanWood Exploration</b>	
By : S.Ryan	Wolf - Cu Project
NTS : 115N / 01	Antimony Map
Date : 10/2/2010	Figure 4
Scale: 1:30000	UTM Zone 7 (NAD 83)




**Wolf 2009 Soils  
Bi ppm**

- 5 to 25.4 (14)
- 3 to 5 (23)
- 2 to 3 (51)
- 1 to 2 (112)
- 0 to 1 (366)

**RyanWood Exploration**

By : S.Ryan	Wolf - Cu Project
NTS : 115N / 01	Bismuth Map
Date : 10/2/2010	Figure 5
Scale: 1:30000	UTM Zone 7 (NAD 83)





540,500 mE

541,000 mE

541,500 mE

542,000 mE



### RyanWood Exploration

By : S.Ryan

Wolf - Cu Project

NTS : 1:15N / 01


Magnetic Map

Date : 10/2/2010

Figure 6

Scale : 1:10000

UTM Zone 7 (NAD 83)



6,992,500 mN

6,992,500 mN

6,992,000 mN

6,992,000 mN

6,991,500 mN

6,991,500 mN

6,991,000 mN

6,991,000 mN

500 mN

6,990,500 mN


540,500 mE

541,000 mE


541,500 mE

542,000 mE

### MAG nT



### Wolf 2009 Soils Au ppb



SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55837	541127	6990908	NAD83-07V	14.9	79.9	25	64	0.4	29.2	12.1	404	3.1	29.2	5.7
WLF55838	541096	6990947	NAD83-07V	8.3	60.8	17.3	49	0.6	18.5	7.2	250	2.06	17.7	5.1
WLF55839	541068	6990988	NAD83-07V	6.9	56.4	36.3	76	0.4	23.9	11.3	465	2.89	27	4.7
WLF55840	541037	6991027	NAD83-07V	8	55.6	40.6	90	0.8	18.2	8.7	345	2.59	54	5.9
WLF55841	541037	6991027	NAD83-07V	8.2	54.7	40	87	0.8	18	8.7	331	2.64	51.8	5.8
WLF55842	541008	6991067	NAD83-07V	7.7	41.5	32.4	78	0.7	14.3	6.1	215	2.31	43.9	3.8
WLF55844	539840	6989716	NAD83-07V	0.6	25.1	19.2	50	0.2	24.3	10.6	359	2.72	9.1	0.7
WLF55845	539739	6989725	NAD83-07V	0.3	28.7	105.5	50	0.05	15.6	4.9	176	1.56	7.1	0.7
WLF55846	539642	6989721	NAD83-07V	1.5	21.1	40.2	75	0.6	24.9	10.7	243	3.23	11.9	0.4
WLF55847	539544	6989696	NAD83-07V	2	35.6	18.3	55	0.2	22.2	12.7	251	3.02	15.3	1.1
WLF55848	539441	6989680	NAD83-07V	3.1	49.6	23	58	0.1	16.2	10.3	318	3.78	33.9	1.4
WLF55848	539441	6989680	NAD83-07V	2.9	46.2	21.5	55	0.1	16.7	10	320	3.69	31.3	1.3
WLF55849	539339	6989667	NAD83-07V	1.6	57.8	9	14	0.05	2.7	3.6	81	2.07	16.4	4.1
WLF55850	539239	6989645	NAD83-07V	2	108.2	17.7	59	0.05	10.1	12.2	308	5.94	34.3	1.6
WLF55851	539136	6989635	NAD83-07V	1.1	31	13.1	83	0.05	19.9	23.6	725	5.74	32.7	0.8
WLF55852	539038	6989671	NAD83-07V	0.7	35.5	12.5	67	0.05	20.6	17.3	432	4.25	22.8	0.9
WLF55853	538949	6989713	NAD83-07V	1.4	37.5	10.9	61	0.05	18	18.3	448	4.26	15	0.8
WLF55854	538852	6989740	NAD83-07V	0.6	25.7	4.2	58	0.05	66	12.4	307	2.92	4.4	2.2
WLF55855	538755	6989777	NAD83-07V	1.2	38.6	11.6	45	0.2	29.6	12.3	280	3.32	10.3	0.9
WLF55856	538662	6989813	NAD83-07V	1.1	57.1	15.5	49	0.1	29.3	11.8	294	3.37	8.4	1.4
WLF55857	538605	6989906	NAD83-07V	0.4	28.4	7.9	42	0.05	26	10.2	279	2.79	6.3	1.1
WLF55857	538605	6989906	NAD83-07V	0.5	29.5	8.4	43	0.05	26.3	10.4	295	2.9	6.4	1.1
WLF55858	538533	6989980	NAD83-07V	0.5	25.3	7.5	41	0.05	22.5	10.3	272	2.56	6.1	0.8
WLF55859	538451	6990039	NAD83-07V	1.4	19.9	14.3	54	0.05	29.3	13	273	3.66	8.9	0.8
WLF55860	538353	6990060	NAD83-07V	0.7	29.3	11.8	64	0.05	24.7	16.4	441	4.51	13.3	0.8
WLF55861	538262	6990107	NAD83-07V	0.6	31.7	12.9	68	0.05	19.3	17	569	4.52	12.8	0.7
WLF55862	538161	6990113	NAD83-07V	0.6	27.5	9.7	69	0.05	21	16.5	502	4.66	9.8	0.6
WLF55863	538056	6990089	NAD83-07V	0.6	30	8.6	68	0.05	17.5	17	425	4.58	9.9	0.6
WLF55864	537957	6990072	NAD83-07V	0.6	25.7	7.3	46	0.05	22.5	12	369	3.28	16.2	0.8
WLF55865	537859	6990066	NAD83-07V	1.2	20.9	12.9	61	0.05	19.5	15	435	3.8	7.8	0.5
WLF55866	537765	6990103	NAD83-07V	1	17.5	29.7	74	0.05	16.5	15.4	496	4.03	8.1	0.7
WLF55867	537672	6990143	NAD83-07V	0.5	17.8	6	41	0.05	14.9	10.2	292	2.66	5.5	0.9
WLF55868	537585	6990193	NAD83-07V	0.5	20.2	6.3	43	0.05	16.7	9.9	252	2.62	6.1	1.1
WLF55869	537585	6990193	NAD83-07V	0.5	20.1	5.7	42	0.05	15.8	9.6	256	2.6	6	1.1
WLF55870	537496	6990245	NAD83-07V	0.5	19	6.5	49	0.05	15.9	9.9	318	2.69	5.1	1.2
WLF55871	537397	6990253	NAD83-07V	0.7	22.2	6.2	49	0.05	18.3	11.8	472	2.89	6.4	2.2
WLF55872	537301	6990232	NAD83-07V	0.8	18.5	5.7	48	0.05	19.6	11.3	510	2.77	5.9	0.9
WLF55873	537202	6990216	NAD83-07V	0.8	19.4	5.6	47	0.05	17.9	11.4	492	2.77	6.3	1.2
WLF55874	537202	6990216	NAD83-07V	0.8	19.2	5.6	44	0.05	17.7	10.2	455	2.51	6.6	1.3
WLF55875	537106	6990185	NAD83-07V	0.6	22.6	6.3	50	0.05	20.9	11.8	448	2.82	7.5	1.6
WLF55876	537014	6990141	NAD83-07V	0.5	40.6	6.1	53	0.05	28.5	12.3	474	2.87	8	0.6
WLF55877	536917	6990115	NAD83-07V	0.6	31.5	6.9	48	0.05	22.3	11.3	383	2.71	7.1	1.2
WLF55877	536917	6990115	NAD83-07V	0.6	31.5	7.1	51	0.05	22.3	11	380	2.81	7.4	1.3
WLF55886	540228	6990612	NAD83-07V	4	32.4	33.9	52	0.6	12.8	5.8	195	1.83	16.8	6.6
WLF55887	540248	6990570	NAD83-07V	7.5	48.3	56.3	67	0.8	19.3	8.1	255	2.52	23.9	10
WLF55888	540285	6990528	NAD83-07V	3.2	48.3	75.6	84	1	15.7	7.9	337	2.15	28.3	9.3
WLF55889	540313	6990492	NAD83-07V	4.9	39.5	37.9	84	0.4	21.4	10.9	475	3.43	22.2	3.3
WLF55890	540342	6990451	NAD83-07V	4.6	69.5	25.1	71	0.6	24.4	11	440	3.7	17.8	9.3
WLF55891	540373	6990412	NAD83-07V	4.7	43.2	28.4	61	0.3	24.1	9.8	404	3.23	18.4	7.3
WLF55892	540403	6990372	NAD83-07V	2.8	64.3	24.3	55	0.4	23.6	10.3	332	2.88	19.7	7.8
WLF55893	540434	6990330	NAD83-07V	4.7	46.4	33.7	69	0.5	27.3	11.6	391	3.53	23.6	9.7
WLF55894	540464	6990291	NAD83-07V	3	28.9	35.5	59	0.7	24.5	11.4	320	3.13	17.3	2.4
WLF55895	540493	6990252	NAD83-07V	4.4	54.1	26.3	35	0.7	14.1	4.8	118	2.05	8.1	2.6

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55837	10.2	12	27	0.3	1.6	0.8	78	0.35	0.064	17	43	0.69	118	0.12	0.5
WLF55838	4.7	4.4	28	0.3	1.1	2	51	0.25	0.066	12	30	0.38	88	0.067	0.5
WLF55839	7.6	12.9	38	0.5	4.1	1.3	71	0.41	0.075	15	36	0.64	110	0.106	0.5
WLF55840	4.9	13.3	32	0.3	8.9	1.1	60	0.36	0.096	21	30	0.57	99	0.089	0.5
WLF55841	5.1	13	30	0.4	9.1	1.1	59	0.36	0.093	20	31	0.58	101	0.089	0.5
WLF55842	3	9.9	36	0.4	7.3	0.8	52	0.35	0.08	17	28	0.54	84	0.084	0.5
WLF55844	9.8	3.5	29	0.2	0.4	0.3	75	0.36	0.028	11	41	0.58	134	0.102	0.5
WLF55845	4.5	4.9	51	0.1	0.5	0.5	50	0.32	0.044	8	23	0.31	72	0.066	0.5
WLF55846	3.2	2.1	21	0.7	0.5	0.3	82	0.23	0.03	6	36	0.4	145	0.08	0.5
WLF55847	2.3	3.6	26	0.3	1.5	0.3	75	0.28	0.041	9	37	0.64	142	0.118	0.5
WLF55848	4.6	4.2	20	0.3	2.8	0.4	86	0.16	0.083	8	34	0.54	94	0.124	0.5
WLF55848	6.9	4.2	20	0.3	2.5	0.4	81	0.16	0.079	7	34	0.49	94	0.119	0.5
WLF55849	28.8	9.6	28	0.1	7.3	0.5	74	0.13	0.065	17	30	0.8	94	0.179	0.5
WLF55850	46.5	11.1	54	0.2	3.1	1.2	199	0.22	0.048	18	31	2.08	348	0.529	0.5
WLF55851	5.6	7.6	62	0.1	2	0.9	165	0.2	0.064	8	35	1.5	254	0.393	0.5
WLF55852	3.2	5.7	24	0.1	1.6	0.5	129	0.3	0.029	16	37	1.04	283	0.253	0.5
WLF55853	5.1	8.1	35	0.05	1.8	0.4	120	0.34	0.022	13	32	1.2	273	0.242	0.5
WLF55854	0.5	13.8	23	0.05	0.4	0.2	82	0.38	0.087	24	93	1.16	131	0.245	0.5
WLF55855	4.1	10.9	30	0.1	0.8	0.2	81	0.31	0.024	12	47	0.77	128	0.107	0.5
WLF55856	3.7	12.3	28	0.1	0.7	0.4	87	0.41	0.067	14	50	0.73	135	0.13	0.5
WLF55857	1.7	6.3	33	0.05	0.4	0.2	74	0.45	0.034	15	43	0.6	141	0.119	0.5
WLF55857	4.8	6.5	35	0.05	0.5	0.2	76	0.45	0.036	15	46	0.63	148	0.125	0.5
WLF55858	11.8	4.8	31	0.05	0.3	0.2	69	0.46	0.053	12	37	0.58	141	0.111	0.5
WLF55859	1.3	9.5	21	0.2	0.7	0.2	85	0.25	0.039	9	50	0.63	140	0.107	0.5
WLF55860	5.7	7.3	34	0.05	0.9	0.3	133	0.48	0.017	15	46	1.06	204	0.25	0.5
WLF55861	2.6	8.1	50	0.1	1.1	0.2	126	0.47	0.03	11	36	1.21	187	0.285	0.5
WLF55862	0.7	10.2	43	0.2	0.7	0.1	118	0.46	0.019	11	39	1.14	236	0.285	0.5
WLF55863	1.5	7.8	38	0.1	1.1	0.1	138	0.61	0.023	10	35	1.13	235	0.304	0.5
WLF55864	2.6	4.5	32	0.05	1	0.1	86	0.55	0.029	13	39	0.77	157	0.162	0.5
WLF55865	0.8	4.5	31	0.2	0.9	0.1	113	0.4	0.024	8	35	0.76	236	0.199	0.5
WLF55866	0.5	5.1	38	0.3	1.2	0.3	105	0.58	0.055	8	32	0.9	264	0.205	0.5
WLF55867	2.7	4	34	0.05	0.8	0.05	71	0.5	0.044	11	31	0.59	144	0.151	0.5
WLF55868	2.1	3.8	33	0.05	0.7	0.1	74	0.52	0.046	11	32	0.59	143	0.142	0.5
WLF55869	5.5	3.7	33	0.05	0.7	0.05	71	0.54	0.045	12	32	0.58	151	0.141	0.5
WLF55870	1.1	3.2	35	0.05	0.8	0.05	71	0.62	0.054	10	30	0.58	155	0.144	0.5
WLF55871	4.1	3.6	37	0.2	0.7	0.1	76	0.66	0.06	12	31	0.6	186	0.132	0.5
WLF55872	3.2	2.9	34	0.05	0.6	0.1	71	0.61	0.059	10	29	0.57	170	0.129	0.5
WLF55873	4	3.2	37	0.05	0.5	0.1	73	0.65	0.064	11	31	0.58	176	0.133	0.5
WLF55874	2	3.3	37	0.1	0.7	0.2	68	0.57	0.059	11	27	0.57	174	0.122	2
WLF55875	3.8	3.5	40	0.05	0.7	0.1	76	0.58	0.055	13	31	0.63	215	0.124	2
WLF55876	6.9	3.8	56	0.1	0.6	0.2	77	1.49	0.073	12	33	0.77	173	0.13	3
WLF55877	2	3.9	47	0.05	0.6	1.4	67	0.9	0.066	12	31	0.64	174	0.113	3
WLF55877	3.3	4.1	49	0.05	0.6	1.2	71	0.95	0.071	12	32	0.66	182	0.113	2
WLF55886	3.8	7.4	26	0.6	6.6	1	46	0.26	0.053	17	22	0.36	92	0.068	2
WLF55887	5.1	5.1	33	0.9	7	1.2	65	0.36	0.071	24	27	0.42	134	0.065	2
WLF55888	22.9	9.8	28	1.2	8.5	1	48	0.33	0.087	27	28	0.39	118	0.062	2
WLF55889	2.3	13.7	27	0.3	10	1.1	90	0.33	0.059	14	37	0.63	99	0.12	2
WLF55890	4.6	20.9	44	0.3	15.2	2.8	95	0.54	0.113	27	54	0.61	144	0.118	2
WLF55891	5.1	14.4	36	0.3	13.2	1.6	84	0.37	0.08	19	41	0.62	131	0.116	2
WLF55892	4.6	16.1	43	0.3	10.4	6.6	77	0.49	0.08	26	46	0.62	110	0.137	2
WLF55893	2.5	17.4	35	0.4	5.9	1.4	90	0.43	0.063	22	47	0.68	171	0.133	2
WLF55894	3.2	12.1	29	0.3	5.9	3.1	79	0.36	0.067	13	43	0.61	139	0.114	2
WLF55895	1.7	4.7	21	0.3	5.5	1.1	56	0.21	0.022	10	26	0.35	98	0.094	1

SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF55837	2.23	0.014	0.05	0.4	0.03	3.5	0.2	0.025	7	0.7	1DX15	VAN09004136
WLF55838	1.49	0.016	0.04	0.3	0.03	2.3	0.1	0.06	5	0.5	1DX15	VAN09004136
WLF55839	1.82	0.016	0.07	0.9	0.02	3.5	0.2	0.025	7	0.5	1DX15	VAN09004136
WLF55840	1.64	0.017	0.08	1.2	0.04	3.8	0.3	0.07	7	1.5	1DX15	VAN09004136
WLF55841	1.62	0.017	0.08	1.3	0.04	3.6	0.3	0.08	7	0.25	1DX15	VAN09004136
WLF55842	1.49	0.015	0.07	1.6	0.06	3.2	0.3	0.07	7	0.6	1DX15	VAN09004136
WLF55844	1.79	0.026	0.03	0.1	0.02	5.6	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55845	1.29	0.014	0.02	0.3	0.01	2.4	0.05	0.025	3	0.25	1DX15	VAN09004136
WLF55846	2.44	0.013	0.02	0.1	0.03	2.6	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF55847	2.33	0.019	0.03	0.7	0.005	3.5	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55848	2.1	0.013	0.04	0.2	0.01	3.2	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF55848	2	0.013	0.04	0.2	0.005	3.2	0.1	0.025	7	0.7	1DX15	VAN09004136
WLF55849	1.23	0.013	0.27	0.1	0.005	4	0.4	0.05	5	0.25	1DX15	VAN09004136
WLF55850	3.26	0.031	1.31	0.2	0.005	15.3	1.7	0.4	10	1.1	1DX15	VAN09004136
WLF55851	3.21	0.019	0.62	0.5	0.005	8.7	1	0.025	9	0.25	1DX15	VAN09004136
WLF55852	2.7	0.015	0.23	0.1	0.01	6.3	0.7	0.025	7	0.25	1DX15	VAN09004136
WLF55853	2.6	0.018	0.29	0.2	0.01	8.8	0.5	0.025	7	0.25	1DX15	VAN09004136
WLF55854	1.38	0.013	0.37	0.3	0.005	3.7	0.4	0.025	6	0.25	1DX15	VAN09004136
WLF55855	2.58	0.02	0.05	0.1	0.01	3.7	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55856	2.22	0.013	0.05	0.2	0.005	3.4	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF55857	1.98	0.021	0.03	0.1	0.01	5.5	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55857	2	0.021	0.04	0.2	0.01	5.7	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF55858	1.78	0.021	0.03	0.2	0.005	4.3	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55859	2.98	0.013	0.05	0.1	0.01	3.5	0.1	0.025	9	0.25	1DX15	VAN09004136
WLF55860	2.69	0.022	0.09	0.3	0.005	7.7	0.1	0.025	9	0.25	1DX15	VAN09004136
WLF55861	3.03	0.023	0.12	0.3	0.005	5	0.2	0.025	9	0.25	1DX15	VAN09004136
WLF55862	3.18	0.018	0.23	0.1	0.005	5.3	0.3	0.025	9	0.25	1DX15	VAN09004136
WLF55863	2.91	0.023	0.21	0.2	0.01	5.9	0.3	0.025	9	0.25	1DX15	VAN09004136
WLF55864	2.18	0.038	0.09	0.1	0.02	6.5	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55865	2.62	0.026	0.28	0.1	0.01	6.8	0.3	0.025	8	0.25	1DX15	VAN09004136
WLF55866	2.94	0.019	0.23	0.2	0.005	4.3	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF55867	1.78	0.026	0.06	0.2	0.01	4.3	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF55868	1.8	0.027	0.05	0.2	0.01	4.9	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF55869	1.81	0.026	0.05	0.2	0.01	4.9	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF55870	1.86	0.031	0.06	0.2	0.02	4.2	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF55871	1.89	0.035	0.06	0.2	0.03	4.5	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF55872	1.67	0.032	0.05	0.2	0.01	3.6	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55873	1.74	0.033	0.06	0.2	0.02	4	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55874	1.58	0.035	0.06	0.3	0.02	3.5	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55875	1.84	0.039	0.05	0.2	0.02	4.1	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55876	1.42	0.049	0.07	0.2	0.02	3.9	0.05	0.025	4	0.25	1DX15	VAN09004136
WLF55877	1.68	0.035	0.05	0.2	0.02	4.1	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55877	1.62	0.037	0.05	0.2	0.02	4.2	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55886	1.28	0.015	0.04	0.8	0.05	2.6	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF55887	1.71	0.014	0.05	0.5	0.04	3	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55888	1.59	0.017	0.05	0.9	0.06	3.4	0.2	0.025	5	0.25	1DX15	VAN09004136
WLF55889	1.82	0.016	0.07	0.7	0.02	3.1	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55890	2.09	0.019	0.1	3.8	0.04	4.2	0.3	0.025	7	0.25	1DX15	VAN09004136
WLF55891	2.04	0.015	0.07	0.7	0.04	3.5	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55892	1.78	0.02	0.07	1.8	0.03	4.2	0.3	0.025	6	0.25	1DX15	VAN09004136
WLF55893	2.33	0.019	0.07	0.5	0.04	4.6	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF55894	2.18	0.015	0.05	0.6	0.02	3.2	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55895	1.17	0.016	0.05	0.4	0.02	2	0.1	0.025	7	0.25	1DX15	VAN09004136

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55896	540521	6990210	NAD83-07V	3.4	66.7	34.8	58	0.8	27.8	11.2	356	3.34	18.3	3.8
WLF55897	540552	6990170	NAD83-07V	3	151.6	22.7	59	0.5	18.1	8.4	278	3.1	36	2.4
WLF55898	540552	6990171	NAD83-07V	2.7	137	22.5	58	0.6	19.4	8.3	272	3.26	31.5	2.2
WLF55899	540583	6990130	NAD83-07V	5.3	173.4	29.7	63	1.7	16.1	6.7	251	2.78	33.9	3.8
WLF55900	540613	6990091	NAD83-07V	7.8	134.9	28.2	82	1.7	15.5	13.2	731	2.76	71	5.8
WLF55901	540643	6990049	NAD83-07V	6.3	64.6	16.8	63	0.4	18.9	9.1	347	3.02	62.9	2.9
WLF55902	540674	6990012	NAD83-07V	22.1	223.8	33.3	111	0.9	15.2	11.3	463	4.1	245.7	7.3
WLF55903	540701	6989969	NAD83-07V	25.9	159.8	26.1	70	1.2	21.1	13.6	641	3.03	49.5	6
WLF55904	540543	6989849	NAD83-07V	2.7	41.5	22.6	55	0.5	15	6.9	309	2.06	28.1	2.8
WLF55905	540516	6989892	NAD83-07V	1.9	38.6	23.3	48	0.5	11.6	9.1	347	1.93	13	2.2
WLF55906	540486	6989932	NAD83-07V	2	66.9	28.7	73	0.3	22.5	11.1	355	2.95	25.4	2.8
WLF55907	540457	6989974	NAD83-07V	9.3	95.9	31.5	65	0.4	14.2	8.1	255	4.94	197.5	3.1
WLF55908	540426	6990010	NAD83-07V	11.5	213.1	24.8	44	0.8	12.3	6	145	2.45	34.9	6.8
WLF55909	540395	6990052	NAD83-07V	9.8	298.1	22.1	45	0.5	18.6	11.7	239	3.49	35.3	3.5
WLF55909	540395	6990052	NAD83-07V	9	303.8	22.2	46	0.5	18.9	11.6	241	3.55	35.2	3.4
WLF55910	540365	6990091	NAD83-07V	4.6	209.6	13.8	38	0.7	11.9	8	191	2.01	24.9	13.6
WLF55911	540334	6990132	NAD83-07V	3.6	57.9	24.4	55	0.3	19.9	9	287	3.04	16.9	2
WLF55912	540308	6990171	NAD83-07V	6.3	61.9	25.1	57	0.7	18.3	7.3	390	2.28	13.2	5.1
WLF55913	540275	6990211	NAD83-07V	6.7	29	25.2	52	0.4	21.1	7.9	279	3.06	11.2	2.9
WLF55914	540246	6990251	NAD83-07V	9	30.4	21.8	56	0.4	23.6	9.2	320	3.4	16.6	5.1
WLF55915	540217	6990293	NAD83-07V	7.5	37.6	21.8	45	1	16.9	5.8	193	2.09	9.3	10.5
WLF55916	540186	6990332	NAD83-07V	15.3	42	134.8	119	1	24	10.3	457	3.26	55.7	9.8
WLF55917	540154	6990371	NAD83-07V	2.8	45.6	29.7	49	0.7	17.7	6.6	221	2.05	9.7	12.2
WLF55918	540125	6990409	NAD83-07V	5	17.8	24.2	43	0.4	8.3	3.6	117	1.62	8.9	4.7
WLF55919	540095	6990450	NAD83-07V	7.4	29.3	119.2	110	0.2	17.7	11.6	579	3.34	25.1	5.4
WLF55920	540066	6990489	NAD83-07V	11.5	28.5	55.3	84	0.3	18.2	13.9	753	3.34	25.6	4.3
WLF55925	538280	6992615	NAD83-07V	1.5	61.5	3.2	101	0.05	37.3	21.3	1037	5.99	20	0.8
WLF55926	538210	6992688	NAD83-07V	1.2	58.1	4.7	90	0.05	52.9	23	616	5.26	153.5	0.4
WLF55926	538210	6992688	NAD83-07V	1	59	4.8	86	0.05	51.7	22.6	590	5.16	151.6	0.5
WLF55927	538115	6992725	NAD83-07V	1.4	60.5	2.9	87	0.05	9.9	16.7	797	5.17	24.9	0.8
WLF55928	538016	6992750	NAD83-07V	0.9	47.7	6.9	90	0.05	38.8	11.5	515	4.76	54.8	1.1
WLF55929	537915	6992755	NAD83-07V	1	61.3	5.7	47	0.1	26.1	15.2	340	3.03	22.7	0.6
WLF55930	537813	6992769	NAD83-07V	0.7	50.4	4	50	0.05	29.9	16.6	301	3.64	18.8	0.4
WLF55931	537710	6992757	NAD83-07V	2.7	19.4	7.9	84	0.1	17.5	8.5	348	3.31	24.3	0.9
WLF55932	537604	6992756	NAD83-07V	1.9	18.6	11.4	58	0.05	20.7	10.4	284	3.18	41.7	0.5
WLF55933	537502	6992750	NAD83-07V	1.1	30	5.7	67	0.05	51.4	22.2	382	4.28	18.5	0.5
WLF55934	537404	6992778	NAD83-07V	1	33.2	4.4	69	0.05	31.7	19.7	472	4.95	12.5	0.6
WLF55935	537301	6992783	NAD83-07V	0.6	22.8	8.6	50	0.05	16.7	7.9	372	2.49	14.2	1.2
WLF55936	537301	6992783	NAD83-07V	0.6	21.7	8.5	46	0.05	16.1	8.3	318	2.4	13.2	1.1
WLF55937	537201	6992784	NAD83-07V	1.1	21.6	13.5	69	0.05	23	12.9	708	3.77	11.8	2
WLF55938	537101	6992789	NAD83-07V	1.1	18.5	7.5	74	0.05	21.9	13.3	903	3.51	7.2	0.4
WLF55939	537000	6992766	NAD83-07V	0.8	18.3	10.1	67	0.05	18.9	15.8	633	4.47	6.9	0.6
WLF55940	539388	6992133	NAD83-07V	1.4	24.7	8.7	48	0.05	22.7	9.7	288	2.83	43.3	1.3
WLF55941	539292	6992100	NAD83-07V	1.8	24.4	11	55	0.2	23.1	11.1	337	3.36	55.1	1
WLF55942	539194	6992074	NAD83-07V	1.3	23.2	14.5	50	0.1	19.1	11.3	401	3.24	44.2	0.6
WLF55943	539098	6992046	NAD83-07V	1.3	33.7	9.5	48	0.05	27.6	11.6	341	3.04	17.2	1.1
WLF55944	538996	6992064	NAD83-07V	0.9	51.4	6.3	53	0.3	19.8	11.5	361	3.29	11.9	1.4
WLF55945	538904	6992112	NAD83-07V	0.4	28.9	7.5	50	0.05	11.1	9.6	453	2.99	9.5	1.7
WLF55946	538817	6992166	NAD83-07V	1	23.3	7.9	58	0.05	17.9	13	424	3.43	8.3	0.7
WLF55947	538751	6992240	NAD83-07V	1.1	92.5	5.1	63	0.05	5.2	14.3	688	3.81	9.4	2.2
WLF55948	538685	6992318	NAD83-07V	2.5	18.4	12.8	40	0.05	13.5	6.4	357	1.96	6.4	1.1
WLF55949	538610	6992388	NAD83-07V	0.9	27.7	9.3	49	0.05	23.2	10.8	381	2.99	8.2	0.9
WLF55950	538525	6992444	NAD83-07V	0.9	25.3	7.2	42	0.05	22.3	8.8	295	2.57	7.2	1

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55896	8.4	11.3	30	0.3	5.9	0.8	85	0.32	0.044	14	41	0.68	135	0.118	1
WLF55897	11.9	8.9	46	0.3	13.4	0.8	80	0.38	0.078	15	39	0.69	126	0.151	1
WLF55898	7.1	8.6	45	0.3	13	0.8	80	0.37	0.073	14	40	0.68	121	0.151	0.5
WLF55899	11.6	6.3	43	0.5	8.7	1.8	73	0.36	0.042	15	28	0.58	121	0.113	1
WLF55900	9.3	4.8	48	1.2	11.6	1.1	75	0.38	0.047	16	28	0.53	129	0.123	2
WLF55901	3.2	4.2	37	0.7	8.4	1.6	89	0.34	0.041	11	32	0.67	132	0.146	2
WLF55902	6.9	7.1	55	0.6	74.2	1.7	119	0.52	0.051	15	29	0.99	178	0.24	2
WLF55903	9.9	5.5	48	0.9	5.2	1.4	81	0.57	0.054	14	33	0.61	145	0.129	2
WLF55904	63.4	2.4	43	0.8	2	0.6	53	0.37	0.063	10	24	0.4	111	0.084	2
WLF55905	3.9	2.1	33	0.6	1.5	0.8	49	0.23	0.053	9	22	0.37	90	0.094	0.5
WLF55906	11.6	4.7	44	0.5	5.3	0.9	67	0.35	0.059	12	33	0.57	108	0.125	1
WLF55907	19.1	6.5	53	0.5	97.7	2.7	72	0.21	0.087	10	29	0.56	87	0.1	2
WLF55908	20.5	3.8	65	0.3	8.7	1.2	53	0.36	0.069	12	21	0.51	76	0.105	1
WLF55909	19.5	7.6	47	0.3	9.4	1	76	0.25	0.063	13	32	0.7	141	0.166	1
WLF55909	23.8	7.8	47	0.3	9.7	1	79	0.26	0.065	13	34	0.7	141	0.176	1
WLF55910	18.5	4.6	40	0.4	7.1	0.7	51	0.31	0.091	22	23	0.42	125	0.102	2
WLF55911	15.5	8.8	27	0.2	6.7	1	83	0.27	0.041	11	40	0.57	99	0.127	0.5
WLF55912	6.1	9.2	49	0.5	24.2	1.6	61	0.45	0.071	19	35	0.49	125	0.095	1
WLF55913	2.4	15.3	34	0.2	4.3	1.2	85	0.4	0.081	17	48	0.57	92	0.131	2
WLF55914	7.8	14.3	33	0.1	3.3	2.1	87	0.39	0.067	16	44	0.63	130	0.131	1
WLF55915	3	6.2	35	0.3	2.5	1.6	51	0.36	0.087	16	28	0.39	117	0.08	2
WLF55916	4.6	12.6	47	1.3	4.3	2.4	84	0.46	0.078	19	39	0.55	167	0.107	2
WLF55917	4.7	6.4	29	0.6	1.6	0.8	49	0.34	0.077	17	31	0.39	124	0.076	1
WLF55918	5.7	6.6	15	0.3	1.4	0.5	46	0.16	0.029	10	20	0.24	68	0.075	2
WLF55919	10.5	20.9	39	0.6	12	0.7	73	0.47	0.103	23	33	0.67	103	0.085	2
WLF55920	4.6	18.6	26	0.4	8.7	0.9	84	0.34	0.064	16	33	0.67	87	0.119	2
WLF55925	1.7	5.2	17	0.05	0.2	0.05	174	0.51	0.147	17	97	2.05	577	0.451	2
WLF55926	4.9	4.2	28	0.05	3.6	0.4	155	0.35	0.045	9	90	1.33	320	0.206	3
WLF55926	3.2	4.2	29	0.05	3.6	0.3	152	0.34	0.046	9	89	1.36	315	0.211	2
WLF55927	2	2.9	21	0.05	1.1	0.05	155	0.47	0.124	10	13	1.52	335	0.301	1
WLF55928	7.2	9.4	30	0.05	2.9	0.3	104	0.41	0.059	18	77	0.89	199	0.184	0.5
WLF55929	3.2	1.7	26	0.05	0.5	0.4	77	0.4	0.037	8	44	0.61	153	0.077	1
WLF55930	1.4	1.6	23	0.2	0.7	0.2	97	0.49	0.045	7	42	1.01	152	0.158	0.5
WLF55931	0.7	4.5	32	0.2	1.9	0.2	71	0.23	0.021	13	28	0.9	218	0.137	2
WLF55932	1.2	3.3	26	0.2	1.1	0.2	71	0.39	0.027	9	33	0.66	159	0.078	0.5
WLF55933	0.25	3.8	29	0.05	1.3	0.1	105	0.7	0.091	15	64	1.73	210	0.218	1
WLF55934	1.4	2.4	30	0.05	1.1	0.1	142	0.71	0.095	11	52	1.48	180	0.278	1
WLF55935	5.5	6.4	28	0.05	0.8	0.2	53	0.44	0.046	14	24	0.49	127	0.074	3
WLF55936	1.5	5.6	28	0.05	0.8	0.2	57	0.45	0.045	13	26	0.49	125	0.085	0.5
WLF55937	5.9	11.7	25	0.1	0.7	0.2	76	0.3	0.023	13	42	0.61	209	0.088	2
WLF55938	0.25	2.5	28	0.1	0.6	0.1	84	0.44	0.023	8	38	0.69	223	0.111	3
WLF55939	1.9	8.5	25	0.05	0.5	0.1	106	0.5	0.026	12	35	1.17	144	0.156	1
WLF55940	2.7	3.9	26	0.05	1.3	0.3	71	0.34	0.029	9	38	0.63	152	0.1	2
WLF55941	3.8	3.6	24	0.2	1.4	1	82	0.3	0.022	8	40	0.64	170	0.102	3
WLF55942	2.7	1.9	26	0.1	2	0.6	81	0.28	0.029	7	33	0.62	138	0.088	0.5
WLF55943	5.7	3.6	24	0.05	0.9	0.6	73	0.29	0.028	10	38	0.58	168	0.103	2
WLF55944	6.6	8.6	32	0.05	0.8	0.2	88	0.41	0.04	15	31	0.79	228	0.147	1
WLF55945	0.25	10.3	583	0.05	3	0.1	85	0.8	0.043	19	21	0.85	310	0.093	0.5
WLF55946	2	4.8	30	0.05	0.7	0.05	78	0.31	0.023	8	29	0.74	177	0.112	0.5
WLF55947	0.25	12.5	59	0.05	1.1	0.05	101	0.53	0.081	16	13	1.06	292	0.159	1
WLF55948	4.1	3.2	17	0.1	0.9	0.1	51	0.22	0.032	8	24	0.37	72	0.088	3
WLF55949	2.8	3.4	29	0.1	1	0.2	74	0.33	0.023	11	41	0.54	156	0.098	0.5
WLF55950	2.8	3.2	27	0.05	0.7	0.2	64	0.36	0.027	12	35	0.54	160	0.102	1

SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF55896	2.4	0.02	0.05	0.2	0.04	3.9	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55897	2.01	0.015	0.09	0.3	0.02	3.1	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55898	2.07	0.018	0.07	0.3	0.02	3.1	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF55899	1.87	0.015	0.06	0.2	0.04	3.5	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55900	1.82	0.018	0.07	0.3	0.05	3.9	0.4	0.025	8	0.25	1DX15	VAN09004136
WLF55901	1.8	0.016	0.06	0.6	0.03	3.4	0.3	0.025	7	0.25	1DX15	VAN09004136
WLF55902	2.64	0.019	0.27	5.7	0.02	5.9	0.6	0.025	9	0.25	1DX15	VAN09004136
WLF55903	2.45	0.02	0.08	1	0.05	4.7	0.3	0.025	8	0.25	1DX15	VAN09004136
WLF55904	1.52	0.017	0.06	0.3	0.03	2.4	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55905	1.36	0.019	0.05	0.2	0.02	2	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF55906	2.11	0.019	0.05	0.4	0.02	3.6	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55907	1.97	0.017	0.06	0.4	0.02	3	0.3	0.05	8	0.25	1DX15	VAN09004136
WLF55908	1.52	0.021	0.05	0.3	0.03	3.3	0.2	0.025	5	0.6	1DX15	VAN09004136
WLF55909	1.93	0.017	0.11	0.2	0.02	3.5	0.2	0.025	6	0.6	1DX15	VAN09004136
WLF55909	1.91	0.016	0.11	0.2	0.02	3.7	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55910	1.52	0.016	0.08	0.2	0.04	4.7	0.3	0.025	5	0.25	1DX15	VAN09004136
WLF55911	1.85	0.014	0.05	0.2	0.02	2.7	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55912	1.63	0.017	0.06	0.4	0.04	2.8	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF55913	1.62	0.016	0.07	0.7	0.02	2.5	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF55914	2.07	0.019	0.06	0.5	0.02	3.2	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55915	1.56	0.02	0.05	0.3	0.05	2.9	0.2	0.06	5	0.25	1DX15	VAN09004136
WLF55916	2.45	0.016	0.08	0.6	0.06	3.7	0.2	0.025	9	0.25	1DX15	VAN09004136
WLF55917	1.6	0.017	0.06	0.3	0.05	2.8	0.2	0.025	5	0.25	1DX15	VAN09004136
WLF55918	1.01	0.015	0.04	0.4	0.03	2.1	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF55919	1.74	0.014	0.11	1.1	0.03	3.5	0.3	0.025	7	0.6	1DX15	VAN09004136
WLF55920	1.66	0.014	0.09	1.2	0.02	3.6	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF55925	2.76	0.01	1.61	0.3	0.01	17	0.5	0.025	11	0.8	1DX15	VAN09004136
WLF55926	4.07	0.027	0.54	0.3	0.03	12.5	0.6	0.025	12	0.5	1DX15	VAN09004136
WLF55926	4.16	0.029	0.52	0.4	0.03	12.4	0.6	0.025	11	0.5	1DX15	VAN09004136
WLF55927	2.4	0.01	0.83	0.4	0.03	11.8	0.3	0.025	10	0.25	1DX15	VAN09004136
WLF55928	2.9	0.013	0.8	0.5	0.1	9.1	0.5	0.025	9	0.7	1DX15	VAN09004136
WLF55929	2.28	0.02	0.05	0.2	0.06	5.1	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF55930	2.3	0.019	0.05	0.6	0.01	5.4	0.05	0.025	7	0.25	1DX15	VAN09004136
WLF55931	2.17	0.016	0.32	0.4	0.02	5.3	0.3	0.025	8	0.25	1DX15	VAN09004136
WLF55932	2.24	0.017	0.08	0.3	0.01	3.9	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55933	2.9	0.015	0.34	0.3	0.01	5.5	0.3	0.025	11	0.5	1DX15	VAN09004136
WLF55934	2.76	0.016	0.38	1.2	0.02	7.3	0.4	0.025	12	0.6	1DX15	VAN09004136
WLF55935	1.57	0.026	0.1	0.2	0.02	4.3	0.05	0.025	5	0.9	1DX15	VAN09004136
WLF55936	1.62	0.025	0.08	0.2	0.02	4.1	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55937	2.31	0.019	0.16	0.1	0.02	4.5	0.05	0.025	8	0.25	1DX15	VAN09004136
WLF55938	2.36	0.019	0.04	0.1	0.02	4.3	0.05	0.025	7	0.25	1DX15	VAN09004136
WLF55939	2.75	0.021	0.05	0.2	0.01	8.3	0.05	0.025	9	0.25	1DX15	VAN09004136
WLF55940	2.08	0.021	0.03	0.1	0.02	3.6	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55941	2.55	0.016	0.04	0.2	0.02	4.2	0.1	0.025	7	0.5	1DX15	VAN09004136
WLF55942	2.4	0.014	0.06	0.3	0.02	3.6	0.4	0.025	7	0.25	1DX15	VAN09004136
WLF55943	2.5	0.017	0.04	0.3	0.03	5	0.05	0.025	7	0.6	1DX15	VAN09004136
WLF55944	2.64	0.02	0.13	0.7	0.02	4.5	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55945	2.7	0.038	0.24	0.3	0.01	8.6	0.3	0.025	7	0.25	1DX15	VAN09004136
WLF55946	2.96	0.02	0.14	0.1	0.02	4.4	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55947	2.68	0.049	0.52	0.7	0.005	5.6	0.5	0.025	10	0.5	1DX15	VAN09004136
WLF55948	1.41	0.016	0.04	0.1	0.02	2.9	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF55949	2.1	0.017	0.04	0.1	0.03	5.1	0.05	0.025	6	0.6	1DX15	VAN09004136
WLF55950	1.78	0.019	0.04	0.1	0.02	5	0.05	0.025	5	0.25	1DX15	VAN09004136

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55951	538446	6992501	NAD83-07V	4.7	69.5	4.2	97	0.05	13.6	6.9	714	3.98	139.1	3.3
WLF55952	538359	6992551	NAD83-07V	2.3	259.2	12.4	106	0.05	13.6	19	1101	5.58	97.8	1.1
WLF55953	540999	6991249	NAD83-07V	1.8	25.5	11.2	49	0.2	19.9	10.5	326	2.68	56.1	2.8
WLF55953	540999	6991249	NAD83-07V	1.9	27.8	11.1	50	0.2	20.4	10.9	325	2.68	58	3
WLF55954	540968	6991287	NAD83-07V	1.9	29.7	15.1	59	0.4	17.8	13.7	367	3.13	47.3	1.2
WLF55955	540939	6991329	NAD83-07V	0.8	19.1	11.5	54	0.05	20.9	12.3	371	2.95	50.5	0.8
WLF55956	540910	6991368	NAD83-07V	1.7	24.4	11.2	51	0.1	25.3	16	401	3.35	101.3	1.1
WLF55957	540881	6991409	NAD83-07V	1.7	26.3	19.1	62	0.1	24.5	12.3	268	3.74	144.9	1.1
WLF55958	540851	6991450	NAD83-07V	1.5	23.6	14.2	54	0.1	28.2	14	326	3.46	124.2	0.9
WLF55959	540819	6991488	NAD83-07V	1.6	22.5	14	50	0.2	24.5	11.8	300	3.42	102.9	0.9
WLF55960	540791	6991528	NAD83-07V	1.8	21.2	15	57	0.2	20.4	10.3	273	3.81	53.3	0.7
WLF55962	540730	6991609	NAD83-07V	1	22.4	10.4	51	0.05	27.7	13.2	404	3.72	17.7	0.5
WLF55963	540700	6991649	NAD83-07V	0.9	21.4	8.8	47	0.05	24.9	11.4	351	3.08	18.8	0.5
WLF55964	540670	6991688	NAD83-07V	1	21.6	9.6	57	0.05	25.2	12.3	425	3.42	36.7	0.6
WLF55965	540641	6991730	NAD83-07V	1.2	27.3	15.7	68	0.05	28.9	15.5	591	4.14	122.7	0.8
WLF55966	540611	6991769	NAD83-07V	0.7	27.8	8.6	60	0.05	31.9	14.5	391	3.1	13.1	0.5
WLF55967	540608	6991771	NAD83-07V	0.7	27.3	8.6	60	0.05	30.5	13.7	395	3.04	12.4	0.5
WLF55968	540580	6991810	NAD83-07V	0.3	35.5	7.2	51	0.05	28.3	12.6	312	3.4	9.8	0.5
WLF55969	540551	6991852	NAD83-07V	1	19	8.1	47	0.05	22.8	10.4	294	3.05	12.5	0.4
WLF55970	540629	6991913	NAD83-07V	1.6	20.3	9	54	0.05	21.8	9.7	333	3.2	12.9	0.6
WLF55971	540662	6991875	NAD83-07V	0.8	22.3	8.6	43	0.05	22.9	12.3	330	3.09	12.2	0.4
WLF55972	540691	6991834	NAD83-07V	1.4	24.1	8.8	54	0.05	23.6	12	608	3.51	15.1	0.5
WLF55973	540725	6991792	NAD83-07V	1.6	18.8	11.3	45	0.05	24.5	11.6	277	3.88	16.7	0.6
WLF55974	540752	6991754	NAD83-07V	1.2	19.9	11.2	44	0.05	21.6	9.6	310	3.03	12.2	0.6
WLF55975	540782	6991713	NAD83-07V	0.8	21.9	11.4	52	0.05	27.6	12.4	410	3.29	20.1	0.5
WLF55976	540811	6991673	NAD83-07V	0.8	24.1	8.7	54	0.05	29.5	12.8	430	3.26	23.3	0.6
WLF55977	540840	6991631	NAD83-07V	1.8	17	13.1	43	0.2	16.6	11.2	265	3.22	131.1	0.6
WLF55978	540870	6991594	NAD83-07V	1.7	16.5	12.1	46	0.1	20.1	9.4	282	3.63	62.4	0.5
WLF55979	540900	6991550	NAD83-07V	1.8	18.3	11.8	44	0.1	19.4	10.2	328	3.85	33.6	0.5
WLF55980	540929	6991511	NAD83-07V	1.4	23.4	10.9	51	0.1	24.5	13.4	392	3.83	25	0.6
WLF55981	540958	6991470	NAD83-07V	1.4	21.4	19.7	58	0.1	20.8	12.5	409	3.15	52.4	1.2
WLF55982	540988	6991430	NAD83-07V	1.5	17.2	12.6	59	0.2	19.1	11.1	523	3.33	28.4	0.5
WLF55982	540988	6991430	NAD83-07V	1.6	18.3	13.4	63	0.2	19.9	11.6	527	3.42	28.6	0.5
WLF55983	541019	6991390	NAD83-07V	2.1	14.5	15.3	48	0.05	15.7	8.5	355	3.39	33.4	0.4
WLF55984	541050	6991350	NAD83-07V	2	22.1	13.7	49	0.2	20.2	11	328	3.59	29.6	1.2
WLF55985	541078	6991310	NAD83-07V	1.9	22.5	13.4	41	0.2	15.1	9	264	2.44	31.6	1.1
WLF55991	541288	6991029	NAD83-07V	4.9	84.6	49.6	95	1.2	23.8	13.6	420	3.18	60.3	10.3
WLF55992	541257	6991068	NAD83-07V	3.2	65.4	67.5	93	1	22.4	11.8	350	3.21	72.1	8.1
WLF55993	541257	6991068	NAD83-07V	3.2	61.3	68	88	1	20.4	10.6	334	3.03	69	8
WLF55994	541228	6991107	NAD83-07V	1.6	35.4	92.2	81	0.6	17.9	7.2	257	2.22	32	4.6
WLF55995	541197	6991148	NAD83-07V	3.4	41.6	28.9	98	0.3	21.3	11.6	665	3.27	40.4	3.4
WLF55996	541167	6991189	NAD83-07V	4.2	84.9	51.9	91	0.9	18.8	10.9	563	3.35	59	5.1
WLF55997	541139	6991229	NAD83-07V	2.8	25.3	16.5	54	0.4	17.5	16.2	397	3.07	48.3	2.9
WLF55998	541106	6991270	NAD83-07V	2.8	24.3	14.6	53	0.3	18.1	12.4	511	2.69	41.1	1.9
WLF55999	539583	6992196	NAD83-07V	2.8	18.7	12	54	0.2	15.7	8.2	360	2.73	335	1.2
WLF56000	539480	6992175	NAD83-07V	3.1	28.3	13.9	68	0.1	20.2	9.6	517	2.8	155.8	1.9
WLF60502	539965	6990293	NAD83-07V	4.7	27.6	44.6	64	0.2	19.3	10.3	418	3.17	12.1	4.5
WLF60503	539965	6990293	NAD83-07V	4.4	27.4	61.7	72	0.1	19.1	11.5	529	3.32	12.8	4.4
WLF60504	539994	6990254	NAD83-07V	5.2	27.4	18	38	0.5	12.3	5.6	231	2	8.1	7.2
WLF60505	540025	6990212	NAD83-07V	5.2	27	24.9	63	0.4	20.3	8.7	273	3.21	13.3	5.7
WLF60506	540055	6990173	NAD83-07V	5	16.9	20.8	55	0.2	19.9	8.4	305	3.09	9.8	1.8
WLF60507	540084	6990134	NAD83-07V	4.9	32.5	23.4	45	0.7	16.3	6.3	221	2.13	7.9	6.9
WLF60508	540114	6990093	NAD83-07V	6.3	33.7	31.7	50	0.5	14.7	11.1	567	2.5	9.7	4.3



SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55951	5.4	4.3	20	0.1	3	0.4	89	0.33	0.062	13	43	1.07	300	0.229	2
WLF55952	3	5.5	22	0.4	5.8	0.1	148	0.43	0.108	16	34	1.18	382	0.254	2
WLF55953	6.4	2.1	52	0.2	29.9	0.8	76	0.65	0.066	11	34	0.6	185	0.127	2
WLF55953	5.6	2.3	53	0.1	30.9	0.8	75	0.65	0.064	11	35	0.6	188	0.127	1
WLF55954	16.1	2.4	23	0.4	30.1	1.2	84	0.24	0.045	8	31	0.51	117	0.131	3
WLF55955	16.9	2.9	35	0.2	16.6	0.6	89	0.46	0.091	10	37	0.78	183	0.189	1
WLF55956	3.7	2.8	24	0.2	41.1	0.7	93	0.24	0.035	9	39	0.65	160	0.138	3
WLF55957	6.6	2.2	37	0.4	13.9	1	95	0.28	0.052	9	39	0.66	160	0.135	2
WLF55958	4.8	2.9	29	0.2	12.8	0.7	86	0.24	0.033	7	41	0.63	148	0.119	2
WLF55959	11.5	2.7	26	0.2	22	1	90	0.22	0.027	8	38	0.6	143	0.124	2
WLF55960	2.4	2	22	0.7	6.9	0.5	87	0.18	0.048	8	35	0.48	118	0.1	2
WLF55962	1.6	2.2	27	0.2	1.7	0.2	90	0.23	0.032	7	39	0.66	184	0.142	1
WLF55963	1.7	2.4	29	0.2	1.4	0.2	78	0.27	0.032	7	39	0.66	141	0.119	1
WLF55964	6	1.5	26	0.3	3.2	0.2	84	0.28	0.045	8	40	0.66	149	0.111	2
WLF55965	7.5	2.5	35	0.4	4	0.2	97	0.31	0.049	10	48	0.75	167	0.133	2
WLF55966	18.4	2.4	20	0.4	0.5	0.2	75	0.24	0.029	7	38	0.7	119	0.122	2
WLF55967	1.1	2.4	20	0.3	0.5	0.1	73	0.24	0.028	7	37	0.69	126	0.118	2
WLF55968	1.5	2.6	51	0.1	0.6	0.1	85	0.57	0.074	11	55	0.81	158	0.146	1
WLF55969	2.7	1.1	22	0.1	0.5	0.2	74	0.21	0.048	6	38	0.58	99	0.105	1
WLF55970	1.6	0.7	20	0.2	0.7	0.2	74	0.19	0.058	8	36	0.53	92	0.077	2
WLF55971	4.7	1.9	32	0.2	0.5	0.4	81	0.33	0.05	7	40	0.59	116	0.136	2
WLF55972	6.3	1	33	0.2	0.7	0.2	83	0.31	0.061	7	40	0.56	147	0.102	2
WLF55973	3.2	1.9	23	0.2	0.7	0.2	97	0.2	0.041	8	41	0.52	133	0.113	1
WLF55974	6	1.1	29	0.1	0.5	0.3	76	0.27	0.038	7	32	0.51	166	0.093	2
WLF55975	7.7	1.8	37	0.2	0.8	0.2	90	0.32	0.049	7	47	0.71	196	0.172	2
WLF55976	3.9	2.6	28	0.2	0.6	0.2	85	0.25	0.03	8	45	0.71	152	0.14	2
WLF55977	1.8	1.4	27	0.3	17.2	0.3	87	0.26	0.039	6	31	0.47	123	0.102	1
WLF55978	4.8	1.5	28	0.3	12.6	0.3	102	0.26	0.043	7	35	0.5	116	0.134	1
WLF55979	1	1.7	26	0.4	6.7	0.3	100	0.26	0.034	8	34	0.49	150	0.121	0.5
WLF55980	1.6	2.6	18	0.3	7	0.3	100	0.18	0.027	8	44	0.57	158	0.131	1
WLF55981	2.8	2.8	77	0.1	20.3	0.6	93	0.51	0.081	11	36	0.72	177	0.15	2
WLF55982	3.1	1.8	27	0.5	4.9	0.3	91	0.29	0.048	6	34	0.49	156	0.125	0.5
WLF55982	1.6	1.7	27	0.5	4.6	0.3	94	0.3	0.052	7	34	0.5	162	0.132	1
WLF55983	2.5	1.3	24	0.5	7.9	0.4	91	0.24	0.044	6	29	0.42	99	0.125	1
WLF55984	2.9	2	17	0.4	3	0.3	96	0.2	0.038	8	36	0.41	144	0.124	0.5
WLF55985	1.6	1.8	40	0.4	6	0.9	76	0.37	0.047	9	26	0.51	148	0.138	1
WLF55991	8.7	17.3	29	0.8	5	4.9	72	0.39	0.088	33	37	0.64	152	0.094	1
WLF55992	5	18.4	30	0.9	5.3	3	70	0.42	0.087	30	35	0.59	149	0.089	2
WLF55993	15.2	18.5	29	0.8	5	2.8	73	0.4	0.083	31	34	0.58	150	0.087	2
WLF55994	4.9	10.7	26	0.8	8.3	2.6	56	0.38	0.062	14	32	0.51	121	0.097	2
WLF55995	10.6	12.8	39	0.7	5.8	1.8	75	0.51	0.088	16	35	0.66	137	0.105	2
WLF55996	2.9	19.2	45	0.7	10.3	25.4	75	0.57	0.121	27	32	0.67	129	0.087	2
WLF55997	4.2	2.6	54	0.4	9	0.6	87	0.44	0.077	12	43	0.68	197	0.132	1
WLF55998	4	2.2	57	0.2	6	2	82	0.64	0.067	10	33	0.68	184	0.129	2
WLF55999	6.7	2.8	25	0.3	2.8	0.5	63	0.22	0.038	8	27	0.42	120	0.092	1
WLF56000	3	3.8	29	0.5	3.4	0.6	69	0.31	0.039	9	33	0.55	146	0.098	2
WLF60502	3.4	18.7	35	0.3	2.7	0.8	80	0.51	0.072	18	36	0.66	112	0.134	2
WLF60503	2.4	22.5	38	0.3	3.3	0.8	79	0.55	0.083	20	35	0.69	116	0.129	2
WLF60504	3	11.1	29	0.5	1.4	0.9	55	0.32	0.053	14	26	0.37	89	0.095	2
WLF60505	3.9	14.8	29	0.4	2.3	1	81	0.35	0.051	13	38	0.58	111	0.13	1
WLF60506	2.2	12.3	27	0.3	2.1	0.8	90	0.35	0.066	14	43	0.62	77	0.147	2
WLF60507	5.1	16.7	44	0.4	4.4	0.6	50	0.47	0.058	17	31	0.5	112	0.088	2
WLF60508	4.2	12.6	37	0.3	4.9	0.6	69	0.36	0.044	13	30	0.45	89	0.117	1

SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF55951	2.53	0.012	0.87	0.5	0.01	11.2	1.5	0.025	9	0.7	1DX15	VAN09004136
WLF55952	2.63	0.01	0.85	8.4	0.01	12.9	1	0.025	11	0.7	1DX15	VAN09004136
WLF55953	1.87	0.023	0.08	0.2	0.03	4	0.2	0.025	6	0.6	1DX15	VAN09004136
WLF55953	1.84	0.024	0.08	0.2	0.03	4.1	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55954	2.03	0.018	0.07	0.2	0.03	3.1	0.2	0.025	7	0.6	1DX15	VAN09004136
WLF55955	1.73	0.02	0.17	0.2	0.01	3.2	0.2	0.025	5	0.25	1DX15	VAN09004136
WLF55956	2.5	0.015	0.06	0.1	0.02	4	0.2	0.025	8	0.5	1DX15	VAN09004136
WLF55957	2.55	0.016	0.07	0.2	0.04	3.5	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF55958	2.62	0.022	0.05	0.2	0.03	3.2	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55959	2.47	0.016	0.04	0.2	0.02	3.3	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF55960	2.2	0.012	0.06	0.1	0.02	2.7	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF55962	2.51	0.017	0.05	0.1	0.02	3	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF55963	2.49	0.018	0.05	0.1	0.02	2.9	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55964	2.55	0.018	0.05	0.2	0.03	2.9	0.2	0.025	7	0.6	1DX15	VAN09004136
WLF55965	2.84	0.017	0.08	0.2	0.05	4.3	0.6	0.025	7	0.6	1DX15	VAN09004136
WLF55966	2.46	0.016	0.07	0.2	0.02	3.5	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55967	2.41	0.018	0.07	0.2	0.02	3.5	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF55968	2.26	0.033	0.12	0.1	0.02	6.2	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55969	2.47	0.016	0.05	0.1	0.05	2.6	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55970	2.5	0.012	0.05	0.1	0.05	2.2	0.1	0.06	7	0.25	1DX15	VAN09004136
WLF55971	2.12	0.02	0.07	0.2	0.03	3.1	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55972	2.27	0.017	0.05	0.1	0.06	2.5	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF55973	2.52	0.014	0.04	0.2	0.04	3.1	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF55974	2.08	0.015	0.04	0.1	0.03	2.7	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55975	2.46	0.02	0.07	0.05	0.02	2.4	0.2	0.07	7	0.25	1DX15	VAN09004136
WLF55976	2.62	0.018	0.05	0.1	0.03	3.8	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55977	2.07	0.014	0.04	0.05	0.04	2.4	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF55978	2.1	0.013	0.07	0.1	0.04	2.4	0.05	0.025	8	0.25	1DX15	VAN09004136
WLF55979	2.26	0.015	0.04	0.1	0.02	2.7	0.1	0.025	9	0.25	1DX15	VAN09004136
WLF55980	2.58	0.018	0.04	0.05	0.02	3.5	0.1	0.025	9	0.25	1DX15	VAN09004136
WLF55981	2.17	0.022	0.1	0.3	0.03	3.5	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55982	2.08	0.015	0.08	0.1	0.02	2.6	0.05	0.025	7	0.25	1DX15	VAN09004136
WLF55982	2.11	0.018	0.08	0.2	0.03	2.5	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF55983	1.71	0.014	0.06	0.1	0.02	2.2	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF55984	2.36	0.015	0.05	0.05	0.02	2.9	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF55985	1.57	0.019	0.06	0.2	0.02	2.6	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF55991	2.18	0.015	0.05	0.5	0.05	5.1	0.3	0.025	7	0.25	1DX15	VAN09004136
WLF55992	2.05	0.013	0.05	0.7	0.04	4.6	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55993	2.07	0.014	0.05	0.5	0.04	4.6	0.2	0.025	6	0.6	1DX15	VAN09004136
WLF55994	1.84	0.015	0.05	0.7	0.04	3.3	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF55995	1.73	0.014	0.06	0.6	0.02	3.8	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF55996	1.76	0.015	0.09	1.3	0.07	4.5	0.7	0.07	7	0.25	1DX15	VAN09004136
WLF55997	1.92	0.018	0.06	0.2	0.06	4.7	0.4	0.11	6	0.25	1DX15	VAN09004136
WLF55998	1.97	0.024	0.06	0.2	0.04	3.7	0.2	0.06	6	0.25	1DX15	VAN09004136
WLF55999	1.58	0.018	0.05	0.2	0.03	2.5	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF56000	2.02	0.017	0.05	0.2	0.02	3.2	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60502	1.83	0.025	0.06	0.6	0.02	3.3	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60503	1.83	0.031	0.08	0.7	0.02	3.4	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60504	1.24	0.019	0.06	0.5	0.03	2.6	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60505	1.93	0.018	0.05	0.5	0.02	3.3	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60506	1.68	0.02	0.08	0.7	0.01	2.5	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF60507	1.83	0.024	0.07	0.2	0.05	3	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60508	1.45	0.022	0.07	0.3	0.01	2.5	0.1	0.025	7	0.25	1DX15	VAN09004136

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF60509	540143	6990052	NAD83-07V	1.5	56	19.4	37	0.2	9.5	3.7	88	1.45	7.8	1.3
WLF60510	540174	6990012	NAD83-07V	1.6	51.9	18.2	42	0.2	9.6	3.6	91	1.66	10.9	1.9
WLF60510	540174	6990012	NAD83-07V	1.8	54	19	43	0.2	9.8	3.7	89	1.66	11.2	1.8
WLF60511	540204	6989973	NAD83-07V	3.3	68.4	22.5	52	0.3	13.1	6.3	121	2.71	16.9	2.8
WLF60512	540233	6989932	NAD83-07V	3.7	88.4	21.3	60	0.3	19.3	8.8	175	3.23	19.2	4
WLF60513	540263	6989892	NAD83-07V	5	71.9	19.2	42	0.3	16.5	10.3	185	3.85	23	2.5
WLF60514	540292	6989852	NAD83-07V	2.8	38.8	32.4	47	0.3	14.5	6.4	172	3	36.9	3.1
WLF60515	540323	6989812	NAD83-07V	1.7	24.1	27.5	56	0.2	13.9	7.9	236	2.91	29.7	2.2
WLF60516	540353	6989772	NAD83-07V	1.9	28	22.8	42	0.5	9.5	4.6	212	2.41	23	2.3
WLF60517	540383	6989731	NAD83-07V	1.5	28.3	26.9	65	0.2	11.7	7.2	271	2.75	110.4	2.3
WLF60518	540223	6989611	NAD83-07V	1.2	31.5	16.1	68	0.2	22.1	12.3	450	3.19	10.6	0.5
WLF60519	540192	6989651	NAD83-07V	2.7	38.5	34.5	86	0.3	30.2	15.3	813	3.41	18.7	2.9
WLF60520	540162	6989691	NAD83-07V	1.3	16.1	14.2	76	0.4	20	11.4	430	3.23	9.5	0.4
WLF60521	540133	6989731	NAD83-07V	1.5	19.6	12.1	58	0.2	25.6	13.2	219	3.69	9.7	0.5
WLF60522	540103	6989771	NAD83-07V	2.4	30.4	23.8	42	0.05	17.1	10.4	193	3.35	23.1	1.6
WLF60523	540073	6989812	NAD83-07V	7.4	62.6	25.1	63	0.3	14.3	9.8	277	3.36	20.5	2.8
WLF60524	540044	6989851	NAD83-07V	4.1	104.6	30.5	95	0.4	23.4	16.6	256	3.12	21.3	4.9
WLF60525	540013	6989891	NAD83-07V	2	84.7	41.9	92	0.4	20	19.2	319	2.58	13.9	1.9
WLF60526	539984	6989932	NAD83-07V	2.1	53.4	45.7	66	0.4	21	13.5	438	2.78	11.6	2.5
WLF60527	539954	6989972	NAD83-07V	1.5	30.5	22.5	52	0.2	19.4	6.1	180	2.11	6.9	1.6
WLF60528	539924	6990012	NAD83-07V	1.5	26.9	22	47	0.1	15.5	7.2	270	2.92	12	2
WLF60529	539893	6990053	NAD83-07V	0.7	15.9	22.1	60	0.05	17.1	7.2	211	2.41	7.8	1.3
WLF60530	539864	6990093	NAD83-07V	0.7	14.4	17.3	51	0.05	14.6	5.6	139	1.83	5.9	1
WLF60531	539834	6990132	NAD83-07V	1.4	21.1	12.7	53	0.2	24.7	11.4	316	3.06	7.9	2.7
WLF60532	539804	6990173	NAD83-07V	2.3	23.7	43.6	67	0.05	25.7	11.3	341	3.51	18.3	2.2
WLF60532	539804	6990173	NAD83-07V	2.3	23.3	42.7	68	0.05	24.8	11.2	331	3.49	18	2.2
WLF60533	539774	6990212	NAD83-07V	13	39.9	41.2	90	0.4	19.7	18.6	1517	3.36	58.8	22
WLF60534	539743	6990253	NAD83-07V	3.3	22	19.3	80	0.2	26.5	14.6	484	3.81	10.4	1.2
WLF60537	539823	6991326	NAD83-07V	0.6	24.2	12.4	60	0.05	22.9	11.4	356	2.85	12.2	1
WLF60538	539733	6991282	NAD83-07V	1.1	24	14.5	62	0.2	21.3	10.7	410	2.96	35.7	0.8
WLF60539	539642	6991238	NAD83-07V	0.9	25.4	13	58	0.1	20	10.7	447	2.88	135	1
WLF60540	539550	6991192	NAD83-07V	1.3	20.3	10.3	41	0.2	13.9	6.7	201	2.24	114.8	0.8
WLF60541	539458	6991148	NAD83-07V	0.8	19.7	11.5	52	0.2	17.5	8.4	322	2.34	41.2	1.6
WLF60542	539368	6991101	NAD83-07V	1.3	22.9	16	57	0.4	17.8	10.8	414	2.63	29.7	2.4
WLF60543	539273	6991055	NAD83-07V	1.2	21.7	14.2	55	0.2	17.8	9.6	374	2.76	30.2	1.2
WLF60543	539273	6991055	NAD83-07V	1.3	20.8	13.9	53	0.2	17	9.3	349	2.6	29.8	1.2
WLF60544	539187	6991012	NAD83-07V	1	28.9	17.8	59	0.4	19.7	9	292	2.97	34.8	1.8
WLF60545	539094	6990968	NAD83-07V	1.7	32.4	22.9	62	0.4	20.8	18.3	923	3.4	23.6	2.3
WLF60546	538996	6990942	NAD83-07V	1.6	28.6	22.6	66	0.2	21.1	13.5	593	3.64	24.4	1.7
WLF60547	538899	6990917	NAD83-07V	0.9	17.5	18.2	75	0.05	8.3	13.7	711	3.44	12.7	2.1
WLF60548	538799	6990895	NAD83-07V	1.2	25.1	13.6	62	0.2	14.9	12.9	493	3.35	12.5	2.3
WLF60549	538700	6990876	NAD83-07V	1	19	13.9	57	0.2	16.7	11	344	3.23	11.5	1.2
WLF60550	538601	6990854	NAD83-07V	0.6	19.9	12.8	56	0.2	13.3	9.8	309	2.9	10	0.8
WLF60551	538505	6990826	NAD83-07V	0.5	20.9	18.7	90	0.05	6.2	17.5	592	4.8	16.3	1.4
WLF60552	538409	6990794	NAD83-07V	3.1	20.3	11.1	53	0.2	14.8	8.9	327	2.59	9.1	34.9
WLF60553	538309	6990802	NAD83-07V	2.6	26.5	14.3	54	0.5	14.2	9.2	294	2.56	9.7	32.3
WLF60554	538209	6990828	NAD83-07V	0.5	34.4	25.8	71	0.2	11.1	15.1	725	3.91	176.6	4.1
WLF60555	538112	6990817	NAD83-07V	0.6	37.9	16.1	71	0.05	17.7	17.2	508	4.42	113.8	1
WLF60556	538012	6990824	NAD83-07V	0.4	36.8	8.7	55	0.05	25.2	11.1	402	2.88	8.4	0.4
WLF60557	537914	6990820	NAD83-07V	0.6	43.3	7.4	56	0.05	28.6	12	509	2.85	9.1	0.9
WLF60558	537812	6990812	NAD83-07V	0.5	27.3	16.8	79	0.05	9.6	15.9	636	4.44	52.1	1.7
WLF60559	537714	6990787	NAD83-07V	0.5	40.8	16	61	0.1	23.6	14.4	544	3.44	13.9	0.6
WLF60560	537615	6990773	NAD83-07V	0.6	26.2	14.3	57	0.05	20.9	14.2	514	3.77	9.9	0.5

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF60509	9.1	1.5	41	0.2	1.4	0.7	32	0.24	0.039	8	27	0.4	88	0.115	1
WLF60510	12.9	2.5	51	0.3	1.3	0.6	47	0.28	0.041	10	27	0.43	116	0.129	1
WLF60510	23.3	2.4	52	0.3	1.4	0.6	48	0.3	0.043	11	26	0.44	119	0.132	0.5
WLF60511	16.6	3.6	46	0.3	3.8	0.6	71	0.29	0.068	13	29	0.64	110	0.126	1
WLF60512	28.2	6	57	0.5	2	1.1	72	0.33	0.078	17	32	0.65	136	0.152	1
WLF60513	37.9	6.4	39	0.2	1.3	1.1	76	0.25	0.063	11	34	0.64	84	0.137	1
WLF60514	20.5	5.9	50	0.2	5.4	0.9	64	0.39	0.067	12	32	0.58	109	0.126	1
WLF60515	50.1	4.8	42	0.3	4.1	0.8	63	0.28	0.068	11	29	0.65	96	0.145	1
WLF60516	9.5	0.9	42	0.5	2.8	0.8	49	0.2	0.096	10	24	0.46	94	0.077	1
WLF60517	64.9	6.8	96	0.4	9.4	1.2	61	0.47	0.069	20	26	0.58	95	0.132	0.5
WLF60518	1.9	2.1	29	0.6	0.8	0.3	84	0.3	0.029	7	39	0.59	143	0.122	2
WLF60519	11.8	4	48	1.2	1	0.5	79	0.37	0.062	17	44	0.58	216	0.108	2
WLF60520	1.2	1.7	23	0.9	0.8	0.3	80	0.2	0.034	6	32	0.38	116	0.099	0.5
WLF60521	1.7	1.9	21	0.5	0.6	0.2	90	0.19	0.028	7	36	0.48	157	0.09	0.5
WLF60522	21.6	4.8	53	0.3	1.2	1	77	0.24	0.046	7	32	0.6	88	0.142	1
WLF60523	21.8	6.5	102	0.3	1	0.8	74	0.45	0.087	9	32	0.64	96	0.123	2
WLF60524	29.4	6	65	0.9	1	1.1	70	0.3	0.076	14	35	0.61	91	0.123	2
WLF60525	10.2	4.5	65	0.7	1	1	65	0.42	0.072	12	32	0.56	105	0.105	2
WLF60526	7.1	7.7	55	0.4	0.9	0.7	75	0.28	0.048	10	38	0.5	82	0.14	1
WLF60527	4	3.7	53	0.2	0.6	0.6	60	0.31	0.077	12	45	0.45	69	0.103	1
WLF60528	6	3.5	28	0.2	0.5	0.5	90	0.27	0.062	10	33	0.39	85	0.093	1
WLF60529	3.3	6.2	34	0.2	0.7	0.5	71	0.42	0.074	12	39	0.57	81	0.139	1
WLF60530	15.4	2.7	29	0.1	0.4	0.4	48	0.31	0.06	9	28	0.48	70	0.104	0.5
WLF60531	4.2	8	34	0.2	1.1	0.3	86	0.47	0.068	13	41	0.63	123	0.135	2
WLF60532	5.2	14.5	30	0.4	4.2	0.4	97	0.38	0.052	13	49	0.66	96	0.169	2
WLF60532	1.9	14.4	29	0.4	4.3	0.4	94	0.37	0.053	13	47	0.65	94	0.161	1
WLF60533	4.3	14	64	1.1	8.7	1.2	91	0.81	0.087	24	37	0.62	170	0.115	2
WLF60534	4.2	9.7	36	0.8	0.7	0.3	95	0.45	0.027	11	41	0.69	139	0.134	2
WLF60537	3.3	2.8	42	0.1	2.4	0.3	76	0.51	0.061	11	40	0.74	167	0.125	2
WLF60538	3.1	2.6	45	0.3	3.9	0.6	84	0.46	0.055	11	39	0.69	166	0.132	1
WLF60539	7.3	2.1	44	0.3	4	0.7	74	0.47	0.067	9	37	0.64	171	0.094	2
WLF60540	4.8	1.6	22	0.3	2.3	0.4	56	0.19	0.033	6	25	0.37	103	0.085	2
WLF60541	4.7	2.8	41	0.3	3.3	0.5	61	0.44	0.056	10	33	0.58	149	0.107	2
WLF60542	1.8	2.3	37	0.4	2.4	0.5	68	0.43	0.05	10	32	0.51	168	0.08	2
WLF60543	4.4	2.4	33	0.2	1.4	0.3	73	0.4	0.041	8	30	0.53	152	0.109	2
WLF60543	1.4	2.5	32	0.3	1.4	0.3	71	0.39	0.042	8	30	0.54	150	0.109	2
WLF60544	2.8	3.5	37	0.3	1.2	0.4	70	0.44	0.053	10	34	0.56	191	0.109	2
WLF60545	3.7	4.1	37	0.4	1.2	0.4	86	0.49	0.065	11	34	0.6	202	0.109	2
WLF60546	4.1	5.6	36	0.3	1.4	0.4	96	0.48	0.052	11	36	0.7	182	0.146	2
WLF60547	1.3	17	30	0.2	1.4	0.2	80	0.54	0.074	16	17	0.77	195	0.221	2
WLF60548	1.8	6.2	39	0.3	1.4	0.2	84	0.59	0.098	17	25	0.69	201	0.174	2
WLF60549	3.8	5.5	32	0.2	1	0.2	89	0.49	0.044	12	31	0.7	189	0.159	1
WLF60550	166.6	4.7	34	0.2	1.1	0.4	82	0.53	0.06	11	25	0.69	215	0.182	1
WLF60551	2	10.8	31	0.3	1.9	0.2	132	0.87	0.113	11	19	0.95	253	0.391	0.5
WLF60552	4	4.9	47	0.2	0.9	0.3	75	0.77	0.053	15	28	0.6	207	0.148	3
WLF60553	4.2	5.3	55	0.3	1.1	0.3	68	0.86	0.059	23	27	0.55	225	0.12	3
WLF60554	5.1	12.3	69	0.3	5.5	0.4	107	1.22	0.098	23	24	0.93	209	0.189	0.5
WLF60555	1.6	14.2	36	0.2	2.8	1.2	120	0.69	0.08	13	33	1.04	240	0.291	2
WLF60556	3.1	3.2	58	0.1	0.7	0.2	72	1.5	0.083	12	35	0.78	161	0.135	3
WLF60557	4.3	2.8	102	0.3	0.6	0.2	74	3.6	0.081	12	32	0.92	163	0.133	3
WLF60558	4	11.2	53	0.2	3.4	0.5	134	1.53	0.116	19	22	1.06	174	0.292	1
WLF60559	5.2	5.9	71	0.2	1.5	0.2	90	2.29	0.083	16	31	1.05	163	0.181	3
WLF60560	1.1	6.7	36	0.1	0.9	0.4	87	0.67	0.041	14	36	0.89	209	0.117	2

SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF60509	1.26	0.016	0.05	0.2	0.03	2.1	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60510	1.47	0.017	0.04	0.2	0.03	3	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60510	1.5	0.017	0.05	0.2	0.03	3	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60511	1.94	0.017	0.07	0.2	0.02	3.2	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60512	1.96	0.02	0.06	0.4	0.03	4.9	0.2	0.025	6	0.7	1DX15	VAN09004136
WLF60513	2.38	0.016	0.06	0.7	0.02	4.5	0.2	0.025	7	0.6	1DX15	VAN09004136
WLF60514	2.36	0.022	0.05	0.3	0.02	3.9	0.2	0.025	7	0.6	1DX15	VAN09004136
WLF60515	1.91	0.02	0.09	0.4	0.02	3.5	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60516	1.8	0.019	0.08	0.3	0.04	2.2	0.2	0.06	6	0.25	1DX15	VAN09004136
WLF60517	1.9	0.027	0.13	1.3	0.005	3.2	0.4	0.025	6	0.25	1DX15	VAN09004136
WLF60518	2.12	0.019	0.08	0.1	0.005	2.7	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60519	3.36	0.029	0.05	0.3	0.04	4.8	0.3	0.025	8	0.25	1DX15	VAN09004136
WLF60520	1.94	0.014	0.04	0.1	0.01	2	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF60521	2.53	0.015	0.03	0.05	0.02	2.6	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF60522	1.98	0.021	0.05	0.2	0.02	3.5	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60523	2.16	0.018	0.16	1.3	0.02	3.5	0.2	0.05	7	0.6	1DX15	VAN09004136
WLF60524	2.26	0.018	0.07	0.3	0.03	5.2	0.2	0.025	6	0.8	1DX15	VAN09004136
WLF60525	1.69	0.02	0.05	0.2	0.02	3.4	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60526	1.77	0.019	0.06	0.3	0.03	2.5	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60527	1.16	0.018	0.05	0.3	0.03	2.1	0.1	0.06	6	0.25	1DX15	VAN09004136
WLF60528	1.45	0.015	0.03	0.2	0.03	2.3	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF60529	1.5	0.019	0.06	0.5	0.02	2.8	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60530	1.27	0.016	0.04	0.3	0.04	2.2	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF60531	2.09	0.019	0.05	0.3	0.03	3.5	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF60532	2.04	0.021	0.08	0.3	0.02	3.4	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF60532	2.03	0.021	0.08	0.3	0.02	3.4	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF60533	1.73	0.026	0.09	1.6	0.05	4.4	0.3	0.05	6	0.7	1DX15	VAN09004136
WLF60534	2.37	0.021	0.1	0.3	0.01	3.7	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF60537	2.32	0.025	0.06	0.1	0.02	4.2	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60538	2.25	0.023	0.07	0.1	0.03	3.8	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60539	2.25	0.023	0.06	0.2	0.03	3.7	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60540	1.73	0.018	0.05	0.1	0.03	2.3	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60541	1.83	0.028	0.06	0.2	0.02	3.7	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF60542	2.06	0.019	0.05	0.1	0.03	3.9	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60543	2	0.023	0.06	0.3	0.03	3.5	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60543	2.08	0.02	0.06	0.4	0.02	3.4	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60544	2.76	0.022	0.06	0.4	0.04	4.5	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF60545	2.66	0.023	0.07	0.4	0.04	4.5	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF60546	2.66	0.023	0.07	0.6	0.03	4.5	0.1	0.025	8	0.25	1DX15	VAN09004136
WLF60547	2.5	0.035	0.45	0.4	0.01	5.2	0.3	0.025	8	0.25	1DX15	VAN09004136
WLF60548	2.24	0.032	0.1	0.4	0.02	4.8	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60549	2.26	0.025	0.07	0.2	0.02	3.8	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60550	2.03	0.028	0.11	0.4	0.01	3.2	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60551	2.92	0.036	0.44	0.4	0.005	4.1	0.2	0.025	11	0.25	1DX15	VAN09004136
WLF60552	1.87	0.033	0.08	0.2	0.03	4.2	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60553	1.94	0.033	0.07	0.2	0.03	4.3	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60554	3.93	0.034	0.55	0.05	0.01	8.7	0.5	0.025	11	0.25	1DX15	VAN09004136
WLF60555	3.45	0.027	0.47	0.3	0.01	5	0.4	0.025	11	0.25	1DX15	VAN09004136
WLF60556	1.69	0.05	0.1	0.2	0.02	4.4	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF60557	1.53	0.068	0.09	0.2	0.02	4.3	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF60558	3.05	0.034	0.32	0.5	0.01	6.8	0.1	0.025	10	0.25	1DX15	VAN09004136
WLF60559	2.15	0.046	0.16	0.3	0.02	5.3	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60560	2.54	0.026	0.23	0.2	0.01	7	0.2	0.025	7	0.25	1DX15	VAN09004136

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF60576			NAD83-07V	0.9	18.5	19.5	32	0.05	13.5	7.3	221	2.14	6.9	0.8
WLF60577	541402	6990352	NAD83-07V	0.9	64.3	27.4	65	0.4	29.2	15.5	398	3.27	27.3	1
WLF60577	541402	6990352	NAD83-07V	0.8	64	28.1	62	0.4	27.9	14.9	375	3.11	27.4	1.1
WLF60578	541465	6990275	NAD83-07V	1.4	81.8	15.7	57	0.1	25.4	14	363	3.2	28.5	1.6
WLF60579	541509	6990188	NAD83-07V	2.9	82	13.4	62	0.1	22.5	15.7	362	3.65	10.4	1
WLF60580	541544	6990093	NAD83-07V	0.7	46.4	20.2	56	0.05	24.6	14.5	423	3.26	14.6	0.9
WLF60581	541597	6990008	NAD83-07V	1.3	41.8	19	53	0.2	21.7	10.8	345	3.05	24.1	1.2
WLF60582	541639	6989917	NAD83-07V	1.9	47.6	17.6	52	0.3	22.8	12.4	419	3.1	31.2	1.3
WLF60583	541663	6989819	NAD83-07V	1	82.6	12.6	52	0.3	24.3	11.6	381	3.32	14.2	1.4
WLF60584	541693	6989723	NAD83-07V	1.1	32.4	12.2	59	0.3	24.1	12.6	383	3.4	12.2	1.1
WLF60585	541712	6989625	NAD83-07V	0.5	34.5	7.4	53	0.05	27	11.8	428	3.05	8.2	0.7
WLF60586	541754	6989534	NAD83-07V	0.7	34.2	19.8	60	0.05	24.4	11.5	330	3.08	44.5	1
WLF60587	541797	6989443	NAD83-07V	4.6	129.4	83.2	84	2	19.2	15.4	543	3.51	68.9	3
WLF60588	541810	6989343	NAD83-07V	1.3	33.9	96.8	100	0.4	14.5	15.1	546	4.65	105.3	2.4
WLF60589	541803	6989243	NAD83-07V	1.2	130.3	60.8	243	0.9	25.1	37.6	760	7.85	66.8	1.5
WLF60590	541769	6989149	NAD83-07V	1.1	33.9	13.7	56	0.3	36	17.3	341	3.81	29.8	0.9
WLF60591	541763	6989049	NAD83-07V	1	34.8	15.3	52	0.2	27.4	15.4	460	3.25	49.9	0.6
WLF60592	541728	6988954	NAD83-07V	0.9	20.5	13.2	56	0.05	29	14.2	417	3.51	14.6	0.6
WLF60593	541685	6988863	NAD83-07V	0.8	19.9	9.3	50	0.05	24.1	11	340	3.33	21.2	0.6
WLF60594	541650	6988769	NAD83-07V	0.5	25.5	7	52	0.05	23.6	11.2	557	2.95	21.2	0.7
WLF60595	541620	6988672	NAD83-07V	0.6	28.7	20.1	60	0.1	22.4	10.7	462	2.92	47.6	1
WLF60595	541620	6988672	NAD83-07V	0.6	27.2	19.9	58	0.1	21.9	10.5	446	2.82	46.2	1
WLF60596	541537	6988614	NAD83-07V	0.6	22.4	13.9	53	0.05	21.2	11.4	413	3.07	31.9	0.7
WLF60597	541458	6988547	NAD83-07V	1	28.3	8.2	54	0.05	24.7	12.6	436	3.39	12.1	1.2
WLF60598	541392	6988471	NAD83-07V	0.7	36.3	9.1	56	0.05	24.9	13	486	3.01	11.5	0.9
WLF60599	541333	6988388	NAD83-07V	0.6	26.5	6.9	47	0.05	21	10.3	324	2.68	8.9	0.8
WLF60600	541258	6988319	NAD83-07V	0.7	23.2	8.3	49	0.05	22.4	12.3	344	3.17	9.5	0.5
WLF60601	541169	6988269	NAD83-07V	0.7	28.5	7.6	51	0.05	22.4	10.1	334	2.84	8.1	1.2
WLF60602	541081	6988219	NAD83-07V	0.7	20.3	7.5	53	0.05	20.7	11.4	347	2.98	6.8	0.6
WLF60603	541043	6988126	NAD83-07V	0.8	18.7	9	61	0.05	16.1	13.7	581	3.77	8.3	0.6
WLF60604	541016	6988030	NAD83-07V	0.6	23.8	10.6	58	0.05	16.6	13.5	490	3.48	6.8	0.9
WLF60605	540974	6987938	NAD83-07V	0.6	34	7.2	50	0.05	27	11.3	420	3.23	8.6	0.8
WLF60606	540884	6987894	NAD83-07V	0.3	16.2	7.8	62	0.05	8.5	12.9	677	3.85	5.6	1.7
WLF60607	540818	6987816	NAD83-07V	0.5	42.9	16.4	76	0.05	10.8	13.6	799	4.49	7.3	1.6
WLF60608	540790	6987717	NAD83-07V	0.5	13.9	8.4	72	0.05	11.3	13.6	931	3.97	6.4	1.4
WLF60609	540733	6987630	NAD83-07V	0.7	23.5	11	56	0.05	18.2	12.6	430	3.64	6.6	0.6
WLF60610	540694	6987535	NAD83-07V	1	24.8	7.9	65	0.05	25	17	530	4.05	8.9	0.8
WLF60612	541810	6989343	NAD83-07V	1.1	36.8	115.4	100	0.3	11.5	15.4	587	4.78	117.4	2.8
WLF42709	540318	6991648	NAD83-07V	0.3	27	10.1	48	0.05	22.2	8.6	247	2.73	9.5	0.7
WLF42710	540229	6991602	NAD83-07V	1.4	18.1	13.9	51	0.05	21.7	13	371	3.55	14.1	0.7
WLF42711	540133	6991570	NAD83-07V	1	16.1	12.9	43	0.05	17.6	8.1	260	3.47	15.3	0.6
WLF42712	540039	6991536	NAD83-07V	1.4	20.5	11.6	46	0.05	20.8	10.5	288	3.44	10.2	0.9
WLF42713	539960	6991475	NAD83-07V	1	18.7	11.6	49	0.05	23.1	10.9	306	3.42	11.8	0.6
WLF42713	539960	6991475	NAD83-07V	1	20.5	12.7	52	0.05	24	10.6	310	3.52	11.5	0.6
WLF42714	539897	6991395	NAD83-07V	0.7	21.5	17.3	56	0.1	20	9.8	418	2.87	10	0.8
WLF55501	541161	6991368	NAD83-07V	1.1	16	9.7	49	0.05	15.6	12.4	401	3.36	21	1
WLF55502	541129	6991408	NAD83-07V	1	15	11.2	49	0.1	13.7	11	349	3.25	18.1	0.7
WLF55503	541099	6991448	NAD83-07V	1.2	17.9	10.8	49	0.05	18	11.1	366	3.21	20.6	0.9
WLF55504	541070	6991488	NAD83-07V	2.9	16.9	12.2	47	0.05	17.9	10.6	313	3.33	21.9	1
WLF55505	541040	6991528	NAD83-07V	1	16.2	10.3	49	0.1	15.9	12.1	365	3.34	22.8	1.1
WLF55506	541009	6991569	NAD83-07V	1.2	19.5	13.1	51	0.05	20.5	11.7	390	3.56	24.9	1.1
WLF55507	540981	6991609	NAD83-07V	1.1	17.8	10.7	48	0.05	19.7	10.4	273	3.2	24.3	0.6
WLF55508	540950	6991649	NAD83-07V	1.2	17.7	14.9	48	0.05	19.7	12.2	378	3.48	43.2	0.7

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF60576	1.9	0.7	29	0.2	0.2	0.7	41	0.19	0.052	8	38	0.6	91	0.062	0.5
WLF60577	6	5.3	33	0.3	0.7	0.5	87	0.29	0.032	9	37	0.74	130	0.18	3
WLF60577	3.6	5.4	32	0.3	0.7	0.6	85	0.27	0.031	9	37	0.73	128	0.171	2
WLF60578	7.7	4.3	30	0.2	0.6	0.7	84	0.39	0.063	16	34	0.74	158	0.17	2
WLF60579	5.4	3.2	28	0.2	0.7	0.6	117	0.3	0.06	10	36	1.01	279	0.222	1
WLF60580	15.9	4.2	31	0.2	1	0.5	93	0.37	0.04	13	38	0.83	177	0.184	2
WLF60581	3.3	4.8	31	0.2	0.7	0.9	82	0.31	0.041	12	37	0.64	133	0.144	2
WLF60582	3.6	5.4	38	0.1	0.6	1	86	0.44	0.045	16	38	0.71	178	0.153	2
WLF60583	4.5	3.1	46	0.1	0.5	3	80	0.41	0.037	12	38	0.7	129	0.136	1
WLF60584	6.1	4.3	29	0.1	0.5	2.3	83	0.32	0.044	15	42	0.63	183	0.106	1
WLF60585	1.8	3.3	46	0.05	0.5	0.2	82	0.56	0.078	14	40	0.73	204	0.133	2
WLF60586	2.3	4.2	38	0.2	1.3	0.8	77	0.47	0.056	14	40	0.72	165	0.135	2
WLF60587	22.1	4.9	34	1.2	1.9	9.3	85	0.39	0.069	20	30	0.67	159	0.108	2
WLF60588	2	23.9	24	1.6	1.5	0.8	110	0.34	0.039	18	26	1.13	173	0.194	1
WLF60589	1	9.2	62	0.6	1.4	3.7	149	0.41	0.056	14	28	2.17	149	0.278	2
WLF60590	1.8	4.8	22	0.3	0.8	0.7	89	0.21	0.036	9	43	0.77	175	0.133	2
WLF60591	4.3	3.4	28	0.2	0.9	0.8	76	0.36	0.046	9	36	0.69	186	0.102	2
WLF60592	1.9	3.2	37	0.2	0.7	0.2	85	0.32	0.028	6	38	0.73	259	0.095	2
WLF60593	1.7	3.9	21	0.1	2.5	0.2	77	0.3	0.022	10	37	0.71	153	0.046	2
WLF60594	2.9	4.1	32	0.1	3.1	0.2	70	0.68	0.086	13	31	0.67	155	0.087	2
WLF60595	3.2	4	29	0.3	10.8	0.2	72	0.51	0.034	14	36	0.66	191	0.102	1
WLF60595	2.4	3.8	29	0.3	10.5	0.2	72	0.5	0.034	14	36	0.65	188	0.101	1
WLF60596	3.8	4.1	42	0.05	1.2	0.3	78	0.42	0.028	12	38	0.72	170	0.121	1
WLF60597	2.4	5.1	38	0.05	0.7	0.2	89	0.5	0.032	14	38	0.79	228	0.114	2
WLF60598	3.3	3.7	40	0.1	0.7	0.2	75	0.68	0.065	14	35	0.68	201	0.113	2
WLF60599	2.5	3.6	33	0.05	0.5	0.1	68	0.49	0.042	12	36	0.63	195	0.115	0.5
WLF60600	1.1	3.8	31	0.05	0.5	0.1	79	0.46	0.03	8	42	0.67	197	0.14	2
WLF60601	2	4.1	34	0.05	0.6	0.2	74	0.5	0.046	14	37	0.65	207	0.11	0.5
WLF60602	1.2	4	35	0.05	0.7	0.2	73	0.49	0.049	10	33	0.67	210	0.125	0.5
WLF60603	0.5	8.3	47	0.1	1.2	0.1	93	0.45	0.046	9	28	0.86	216	0.16	0.5
WLF60604	1	8.5	26	0.05	1	0.1	70	0.35	0.041	18	29	0.76	216	0.058	1
WLF60605	3.2	4.5	43	0.05	0.5	0.1	86	0.47	0.03	16	45	0.74	232	0.139	0.5
WLF60606	1	22.7	59	0.05	1.9	0.1	94	0.61	0.061	26	18	1.05	211	0.153	0.5
WLF60607	1.4	23.5	44	0.05	3	0.5	100	0.51	0.04	37	23	1.28	414	0.055	0.5
WLF60608	1	13.4	35	0.05	2.3	0.1	91	0.55	0.097	26	21	1.1	463	0.089	1
WLF60609	0.8	9	35	0.05	0.6	0.1	100	0.42	0.03	21	35	0.83	394	0.195	0.5
WLF60610	2	8.7	22	0.1	0.6	0.2	103	0.32	0.055	9	40	0.9	303	0.217	2
WLF60612	2.9	29	24	1.6	1.6	0.9	110	0.34	0.045	21	23	1.29	159	0.193	1
WLF42709	6.1	2.9	35	0.1	0.7	0.1	67	0.39	0.048	11	36	0.68	128	0.131	0.5
WLF42710	2	1.9	21	0.3	0.6	0.2	73	0.2	0.063	9	36	0.53	102	0.092	2
WLF42711	3	2	27	0.3	0.7	0.2	87	0.26	0.061	9	35	0.49	89	0.113	0.5
WLF42712	2.1	2.7	23	0.2	0.6	0.2	84	0.22	0.032	11	39	0.51	128	0.112	1
WLF42713	3.8	2.6	27	0.2	0.6	0.2	84	0.29	0.043	8	35	0.6	138	0.126	1
WLF42713	5.1	2.5	27	0.3	0.7	0.2	88	0.31	0.041	8	37	0.59	135	0.127	0.5
WLF42714	23.9	2.6	45	0.3	1.4	0.3	77	0.5	0.062	10	37	0.59	146	0.122	1
WLF55501	19.8	2.6	46	0.2	8.3	0.7	113	0.58	0.113	9	41	0.78	175	0.195	1
WLF55502	2.2	2.4	42	0.2	4.8	0.4	101	0.44	0.095	9	36	0.81	214	0.214	0.5
WLF55503	4	2.9	44	0.1	3.3	0.2	99	0.47	0.099	10	37	0.71	177	0.178	2
WLF55504	3.2	2.1	35	0.3	2.8	0.3	87	0.3	0.051	9	32	0.56	119	0.147	1
WLF55505	18.7	2.9	64	0.2	3.8	0.2	109	0.61	0.116	11	40	0.78	176	0.206	0.5
WLF55506	5.2	2.7	36	0.2	3.9	0.2	95	0.38	0.066	12	37	0.71	152	0.152	2
WLF55507	7.6	2.5	23	0.2	1.5	0.2	80	0.24	0.048	8	34	0.59	140	0.116	0.5
WLF55508	10	2.9	52	0.2	5.1	0.3	92	0.39	0.079	10	37	0.6	154	0.141	0.5

SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF60576	1.51	0.018	0.06	0.1	0.02	1.5	0.05	0.025	6	0.5	1DX15	VAN09004136
WLF60577	2.76	0.021	0.1	0.6	0.02	4.2	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60577	2.74	0.019	0.09	0.5	0.03	4.1	0.2	0.025	6	0.5	1DX15	VAN09004136
WLF60578	2.52	0.026	0.08	0.8	0.02	4.6	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60579	2.43	0.022	0.21	0.5	0.02	5.4	0.5	0.025	8	0.25	1DX15	VAN09004136
WLF60580	2.65	0.026	0.08	0.3	0.02	5.2	0.3	0.025	7	0.25	1DX15	VAN09004136
WLF60581	2.74	0.021	0.06	0.4	0.03	4.7	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60582	2.55	0.027	0.07	1.5	0.03	5.4	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60583	2.46	0.026	0.05	2	0.02	5.8	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60584	2.86	0.021	0.04	0.1	0.03	5.2	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60585	2.03	0.037	0.06	0.2	0.03	6	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60586	2.4	0.025	0.06	0.2	0.02	5.3	0.2	0.025	6	0.25	1DX15	VAN09004136
WLF60587	2.53	0.018	0.11	0.2	0.03	5.3	0.9	0.025	8	0.25	1DX15	VAN09004136
WLF60588	3.28	0.018	0.42	0.3	0.01	8.4	1.7	0.025	11	0.25	1DX15	VAN09004136
WLF60589	5.79	0.011	0.24	0.7	0.03	15.1	1.9	0.025	17	0.25	1DX15	VAN09004136
WLF60590	3.58	0.015	0.07	0.2	0.04	5.1	0.3	0.025	8	0.25	1DX15	VAN09004136
WLF60591	2.41	0.018	0.06	0.1	0.02	4.3	0.1	0.025	6	0.25	1DX15	VAN09004136
WLF60592	3.02	0.015	0.04	0.1	0.02	3.5	0.05	0.025	7	0.25	1DX15	VAN09004136
WLF60593	2.66	0.01	0.04	0.05	0.02	3.7	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60594	1.56	0.035	0.05	0.2	0.03	4.6	0.05	0.025	4	0.25	1DX15	VAN09004136
WLF60595	1.94	0.023	0.04	0.1	0.04	5.5	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF60595	1.9	0.025	0.04	0.1	0.02	5.5	0.1	0.025	5	0.25	1DX15	VAN09004136
WLF60596	2	0.021	0.03	0.1	0.01	4.9	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF60597	2.58	0.026	0.03	0.05	0.02	5.7	0.1	0.025	7	0.25	1DX15	VAN09004136
WLF60598	1.86	0.036	0.04	0.2	0.03	5.2	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF60599	1.94	0.023	0.03	0.2	0.01	5.1	0.05	0.025	5	0.25	1DX15	VAN09004136
WLF60600	2.46	0.022	0.03	0.1	0.01	4.1	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF60601	2.06	0.023	0.04	0.1	0.03	5	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF60602	2.24	0.024	0.04	0.1	0.02	3.8	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF60603	3.13	0.02	0.1	0.2	0.02	5.4	0.1	0.025	9	0.25	1DX15	VAN09004136
WLF60604	2.52	0.013	0.08	0.1	0.02	6.1	0.2	0.025	7	0.25	1DX15	VAN09004136
WLF60605	2.27	0.028	0.04	0.1	0.04	7.3	0.05	0.025	6	0.25	1DX15	VAN09004136
WLF60606	2.72	0.017	0.1	0.1	0.03	9.7	0.2	0.025	9	0.25	1DX15	VAN09004136
WLF60607	2.93	0.014	0.13	0.1	0.07	9.2	0.2	0.025	10	0.25	1DX15	VAN09004136
WLF60608	2.42	0.017	0.18	0.1	0.02	8.7	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF60609	2.92	0.02	0.12	0.1	0.02	5.6	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF60610	3.15	0.023	0.2	0.1	0.02	4.1	0.2	0.025	8	0.25	1DX15	VAN09004136
WLF60612	3.41	0.016	0.5	0.4	0.005	9.4	2.2	0.025	12	0.25	1DX15	VAN09004136
WLF42709	2.08	0.028	0.07	0.2	0.01	4.2	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF42710	3.46	0.018	0.05	0.2	0.04	3.6	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF42711	2.75	0.016	0.05	0.2	0.05	3.1	0.1	0.025	8	0.25	1DX15	VAN09004138
WLF42712	2.73	0.019	0.04	0.1	0.04	4.7	0.1	0.025	8	0.25	1DX15	VAN09004138
WLF42713	2.48	0.019	0.06	0.2	0.04	3.3	0.05	0.025	7	0.25	1DX15	VAN09004138
WLF42713	2.47	0.018	0.06	0.2	0.03	3.7	0.05	0.025	7	0.25	1DX15	VAN09004138
WLF42714	2.03	0.032	0.07	0.2	0.03	3.7	0.05	0.025	6	0.25	1DX15	VAN09004138
WLF55501	1.68	0.023	0.19	0.2	0.02	3.3	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55502	1.76	0.019	0.29	0.2	0.02	3.1	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55503	2.06	0.021	0.13	0.3	0.03	3.7	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55504	2.07	0.018	0.07	0.2	0.04	3.1	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55505	1.83	0.025	0.24	0.4	0.03	3.6	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55506	2.18	0.025	0.1	0.2	0.02	4.2	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55507	2.66	0.013	0.06	0.2	0.03	3.3	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55508	2.35	0.022	0.11	0.3	0.04	3.4	0.2	0.025	7	0.25	1DX15	VAN09004138



SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55509	540920	6991690	NAD83-07V	1.4	16.3	21.5	56	0.1	14.6	9.2	392	3.57	17.2	0.5
WLF55510	540891	6991729	NAD83-07V	1.7	14.7	10.8	44	0.05	16.7	12	457	3.47	16.2	0.5
WLF55511	540860	6991769	NAD83-07V	0.6	16.3	8.8	47	0.05	18.2	10.8	382	3.29	23.6	0.7
WLF55512	540831	6991810	NAD83-07V	0.7	24	9.5	54	0.05	24.6	10.9	370	3.17	15.3	1.1
WLF55513	540800	6991850	NAD83-07V	0.8	23	35.7	75	0.2	26.6	13.5	466	3.39	29.3	0.6
WLF55514	540771	6991890	NAD83-07V	1	23.1	18.9	49	0.1	21.7	15.7	307	3.31	18.6	0.7
WLF55515	540740	6991930	NAD83-07V	1.9	37.6	17.9	49	0.3	28.2	16.2	274	3.74	17.6	1.6
WLF55516	540711	6991970	NAD83-07V	1.2	29.5	8.3	45	0.05	22.9	13.7	253	3.29	12.5	1
WLF55517	540791	6992030	NAD83-07V	1	32.2	13	50	0.1	26.5	16.7	402	3.56	16.3	0.8
WLF55518	540820	6991989	NAD83-07V	0.7	22.6	7.5	51	0.05	24	12.5	439	3.42	13.7	0.6
WLF55519	540851	6991950	NAD83-07V	0.7	27.7	12.6	52	0.05	23.9	16.3	392	3.77	25.3	0.4
WLF55520	540879	6991909	NAD83-07V	0.9	24.9	11.9	55	0.1	23.8	15.2	534	3.75	28.6	0.6
WLF55521	540910	6991870	NAD83-07V	0.8	25.9	11.2	54	0.1	24.4	13.8	425	3.83	30.8	0.6
WLF55522	540940	6991829	NAD83-07V	1.2	23.8	12.2	61	0.1	24.3	16.6	711	3.71	30.3	0.6
WLF55523	540969	6991789	NAD83-07V	1.2	20.9	11.7	56	0.2	23.5	11.9	469	3.33	37.6	0.6
WLF55524	541000	6991748	NAD83-07V	1.3	21.2	11.4	58	0.2	23	12.6	522	3.22	25.5	0.7
WLF55525	541030	6991709	NAD83-07V	0.7	15.5	10.4	42	0.05	17.9	9.7	319	2.87	20.1	0.5
WLF55526	541060	6991668	NAD83-07V	0.8	17.8	12	51	0.1	19.7	10.5	409	2.97	20.6	0.8
WLF55527	541090	6991628	NAD83-07V	0.9	19.9	14.7	52	0.1	17	13.4	461	3.38	43.1	1
WLF55528	541120	6991588	NAD83-07V	1.5	15.5	13.9	43	0.1	12.4	8.1	364	2.83	17.8	0.6
WLF55529	541149	6991548	NAD83-07V	0.9	17.2	11.5	44	0.1	13.9	10.7	360	3.14	24.3	1
WLF55530	541179	6991508	NAD83-07V	0.8	13	11	42	0.05	13.4	9.9	325	3.15	19.8	0.7
WLF55531	541210	6991467	NAD83-07V	0.8	15.5	13.5	48	0.1	14.2	11.1	362	3.33	21.3	1.1
WLF55532	541239	6991428	NAD83-07V	0.7	14.9	10.4	45	0.1	13.8	9.2	265	2.72	16.8	1.3
WLF55533	541669	6991687	NAD83-07V	1.6	40.7	14.5	54	0.2	21.1	11	358	2.91	44.1	2.3
WLF55534	540860	6991769	NAD83-07V	0.6	17.1	9.3	48	0.05	19.3	11.6	393	3.36	23.3	0.7
WLF55535	541589	6991626	NAD83-07V	1.2	36.6	15.2	56	0.1	25	12.7	420	3.03	23.9	1.6
WLF55535	541589	6991626	NAD83-07V	1.2	37.7	15.9	57	0.1	26.6	12.6	412	3	23.8	1.5
WLF55536	541559	6991667	NAD83-07V	1.6	40.1	15.8	50	0.3	22.8	10.5	289	2.89	47.8	2.1
WLF55537	541530	6991707	NAD83-07V	1.2	38.1	20.7	68	0.2	22.5	11.3	403	3	64.6	2
WLF55538	541498	6991746	NAD83-07V	1.6	33.3	15.7	53	0.2	21.4	11.5	254	3.45	85.2	1.7
WLF55539	541469	6991786	NAD83-07V	1.1	32.1	12.8	53	0.1	20.8	14.4	320	4	70.5	1.2
WLF55540	541439	6991827	NAD83-07V	1.4	41.1	17.2	55	0.2	17.7	9.1	275	3.59	88.6	1.5
WLF55541	541412	6991867	NAD83-07V	1.4	36.9	17.4	62	0.2	16.4	10	252	3.39	47.7	1.3
WLF55542	541379	6991905	NAD83-07V	1.4	38.4	13.7	48	0.2	16.4	9.4	250	3.08	89.4	1.6
WLF55543	541351	6991950	NAD83-07V	1.7	32.8	13.9	53	0.2	22.2	10.2	328	2.76	97	1.1
WLF55544	541321	6991987	NAD83-07V	1.5	30.6	14.5	49	0.2	24.1	12.9	365	3.07	69.9	1.6
WLF55545	541291	6992026	NAD83-07V	1.8	27	23.7	57	0.2	21.4	13.9	613	3.18	120.2	1.4
WLF55547	541261	6992068	NAD83-07V	1.6	28.8	19.5	54	0.1	23	13.1	490	3.43	66.3	1.1
WLF55548	541233	6992106	NAD83-07V	2.2	41.9	39.9	63	0.5	25.4	14.3	530	3.07	56	2.8
WLF55549	541202	6992149	NAD83-07V	1.8	26.3	24.6	46	0.2	17.7	9.3	380	2.75	60.1	1.3
WLF55550	541172	6992188	NAD83-07V	2.1	36.6	63.2	64	0.5	22.3	17.4	766	3.27	97	2.3
WLF55551	541142	6992230	NAD83-07V	1.2	24	34.5	51	0.4	24.3	11.4	437	3.21	29.7	1.3
WLF55552	541113	6992269	NAD83-07V	1.4	19.6	13.2	49	0.1	20	9.3	356	3.22	24.3	0.9
WLF55553	541033	6992210	NAD83-07V	1	19.7	10.6	48	0.1	18.3	8.8	505	2.26	29.3	0.6
WLF55554	541061	6992170	NAD83-07V	1.1	24.6	15	51	0.2	21	10.5	389	2.93	22.1	1.1
WLF55555	541091	6992131	NAD83-07V	2.2	57	32.8	60	0.4	24	13.2	526	3	24.9	1.9
WLF55556	541122	6992091	NAD83-07V	2.4	40.5	26.9	55	0.2	26.1	14.6	481	3.21	19	1.2
WLF55557	541152	6992051	NAD83-07V	2	36.7	20.3	56	0.2	28.4	11.2	392	3.05	16.8	1.2
WLF55558	541181	6992010	NAD83-07V	2	35.7	20.3	53	0.3	31	12.3	375	3.13	18.1	2.1
WLF55559	541210	6991969	NAD83-07V	2	37.7	21.4	53	0.3	31.2	12.3	517	2.77	16.5	1.8
WLF55559	541210	6991969	NAD83-07V	2	37.2	21.9	52	0.4	29.2	12.2	514	2.74	16.8	1.8
WLF55560	541239	6991929	NAD83-07V	2.3	48.5	20.4	50	0.4	27.5	10.4	445	2.73	18.1	2.7

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55509	3.1	1.7	32	0.6	1.3	0.2	87	0.21	0.048	7	30	0.41	104	0.115	0.5
WLF55510	3.7	1.6	28	0.4	0.9	0.2	87	0.28	0.058	6	34	0.53	104	0.121	1
WLF55511	20.5	2.5	62	0.3	1.3	0.2	103	0.56	0.123	10	46	0.68	114	0.13	0.5
WLF55512	21.2	3.3	37	0.3	0.9	0.2	101	0.42	0.084	11	50	0.61	133	0.147	0.5
WLF55513	13.4	2.6	77	0.5	1.1	0.6	112	0.54	0.096	9	54	0.71	108	0.135	1
WLF55514	2.5	2	80	0.2	1.3	0.4	98	0.49	0.078	10	58	0.79	120	0.133	0.5
WLF55515	5	1.8	56	0.4	0.9	0.3	95	0.52	0.103	16	50	0.63	177	0.107	1
WLF55516	4.7	1.5	28	0.3	0.6	0.2	89	0.31	0.103	13	49	0.62	151	0.117	0.5
WLF55517	6	3.1	51	0.2	1	0.6	96	0.59	0.083	13	56	0.72	171	0.136	3
WLF55518	3.8	2.3	31	0.05	0.6	0.2	86	0.35	0.061	11	51	0.74	125	0.131	2
WLF55519	9.1	2.1	68	0.2	1.5	1	110	0.51	0.089	8	63	0.69	111	0.139	0.5
WLF55520	14	2.1	65	0.3	1.9	0.5	112	0.49	0.094	10	59	0.69	129	0.141	0.5
WLF55521	7.5	2.2	69	0.3	5.1	0.4	116	0.56	0.098	10	68	0.94	154	0.145	1
WLF55522	4.4	1.9	47	0.2	2.8	0.4	107	0.46	0.09	9	55	0.86	141	0.138	1
WLF55523	6.9	1.2	47	0.3	2.6	0.3	95	0.45	0.091	9	53	0.74	137	0.124	0.5
WLF55524	4.6	1.3	51	0.2	3	0.3	94	0.47	0.091	9	52	0.73	147	0.116	0.5
WLF55525	5.7	1.6	38	0.3	6.6	0.3	79	0.34	0.093	7	37	0.52	105	0.099	1
WLF55526	6.6	2	57	0.2	3.4	0.3	92	0.5	0.103	9	43	0.56	135	0.099	1
WLF55527	3.3	2.3	177	0.3	3.6	0.5	107	0.59	0.134	11	42	0.92	198	0.169	2
WLF55528	2.6	1.6	31	0.3	1.9	0.7	84	0.23	0.048	7	30	0.44	87	0.122	1
WLF55529	2.6	2.3	90	0.2	4.4	0.5	105	0.6	0.115	10	37	0.83	173	0.169	1
WLF55530	5.5	2.3	76	0.1	4	0.4	110	0.5	0.111	9	35	0.8	146	0.188	1
WLF55531	11.2	2.7	75	0.2	5	0.4	119	0.64	0.129	11	42	0.72	152	0.163	1
WLF55532	12.6	2.1	67	0.2	4.5	0.3	91	0.59	0.109	10	35	0.66	142	0.143	1
WLF55533	6.6	5.9	31	0.3	4.5	0.7	69	0.36	0.076	12	35	0.64	151	0.097	1
WLF55534	9.1	2.4	61	0.2	1.2	0.2	105	0.57	0.125	10	49	0.71	119	0.13	0.5
WLF55535	4.3	6.6	31	0.3	3.8	1	70	0.4	0.078	11	33	0.67	146	0.112	2
WLF55535	5.3	6.4	33	0.3	3.7	0.7	70	0.41	0.079	11	33	0.67	140	0.112	1
WLF55536	4.3	6.1	22	0.3	3.4	0.8	68	0.27	0.061	11	35	0.62	126	0.107	2
WLF55537	10.8	4	32	0.5	2.2	0.9	75	0.31	0.073	10	40	0.64	127	0.11	2
WLF55538	7.6	2.7	43	0.4	4.8	0.7	95	0.32	0.084	9	58	0.74	110	0.172	0.5
WLF55539	6.7	3.2	40	0.2	2.2	1	125	0.38	0.12	9	82	1.06	197	0.248	1
WLF55540	6.9	2.8	41	0.3	7.1	0.9	108	0.33	0.099	9	70	0.98	165	0.215	1
WLF55541	10.7	2.4	63	0.1	2.5	0.9	106	0.39	0.11	11	48	0.92	175	0.215	1
WLF55542	7.2	3	40	0.2	4.2	1.2	86	0.34	0.105	12	46	0.75	125	0.156	0.5
WLF55543	4.7	2	46	0.2	2.9	1.5	77	0.41	0.075	10	40	0.64	134	0.114	2
WLF55544	10	2.2	54	0.2	2	1	83	0.43	0.09	11	43	0.77	153	0.124	1
WLF55545	5.9	1.5	48	0.5	27	0.8	83	0.38	0.084	11	46	0.74	154	0.107	2
WLF55547	5.6	2.9	26	0.2	8.2	0.6	89	0.24	0.054	10	44	0.64	126	0.115	1
WLF55548	10.4	2.5	48	0.4	2.3	1.4	71	0.4	0.093	18	38	0.62	140	0.077	2
WLF55549	7.4	1.9	31	0.3	1.5	1.1	67	0.21	0.053	12	27	0.42	115	0.079	0.5
WLF55550	23.6	3.3	95	0.4	3.5	1.7	74	0.38	0.07	18	37	0.56	209	0.081	2
WLF55551	14.4	2.9	72	0.3	1.9	0.8	81	0.29	0.047	12	36	0.52	203	0.103	2
WLF55552	5.3	1.3	29	0.3	0.8	0.6	76	0.23	0.057	8	36	0.51	123	0.088	1
WLF55553	6	0.9	35	0.1	2.6	0.7	58	0.37	0.051	8	30	0.51	150	0.084	2
WLF55554	6.4	1.6	37	0.3	1	0.7	68	0.32	0.055	10	33	0.61	172	0.084	2
WLF55555	11.4	1.7	66	0.5	1.3	1.6	71	0.37	0.072	13	36	0.6	188	0.08	2
WLF55556	7.3	2.2	49	0.4	1	1.1	73	0.29	0.063	10	38	0.62	165	0.098	1
WLF55557	8	2.9	55	0.4	1.2	0.8	84	0.37	0.058	12	42	0.6	130	0.119	2
WLF55558	8.5	3.6	49	0.2	1.2	0.7	79	0.37	0.067	14	42	0.61	150	0.116	2
WLF55559	9.5	2.1	64	0.6	1.1	0.7	69	0.41	0.074	13	39	0.54	152	0.098	1
WLF55559	17.9	2.1	64	0.7	1.1	0.7	68	0.42	0.074	13	38	0.56	154	0.097	2
WLF55560	9.6	1.9	59	0.4	1.5	0.6	67	0.48	0.069	16	37	0.52	182	0.084	1

SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF55509	1.92	0.011	0.05	0.2	0.03	2.5	0.1	0.025	8	0.25	1DX15	VAN09004138
WLF55510	1.97	0.012	0.07	0.2	0.04	2.5	0.05	0.025	8	0.25	1DX15	VAN09004138
WLF55511	1.77	0.025	0.17	0.3	0.04	3.8	0.3	0.025	5	0.25	1DX15	VAN09004138
WLF55512	1.86	0.028	0.09	0.3	0.04	3.6	0.1	0.025	5	0.25	1DX15	VAN09004138
WLF55513	2.21	0.04	0.12	0.3	0.05	3.5	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55514	2.64	0.034	0.16	0.2	0.03	4.1	0.4	0.025	7	0.25	1DX15	VAN09004138
WLF55515	2.74	0.025	0.1	0.2	0.05	6	0.2	0.025	7	0.5	1DX15	VAN09004138
WLF55516	2.43	0.023	0.09	0.1	0.05	4.8	0.2	0.025	7	0.8	1DX15	VAN09004138
WLF55517	2.46	0.033	0.09	0.1	0.02	6.9	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55518	2.8	0.028	0.09	0.1	0.02	4.7	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55519	2.11	0.035	0.11	0.2	0.03	3.9	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55520	2.39	0.035	0.13	0.2	0.05	4.2	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55521	2.52	0.032	0.27	0.2	0.03	6	0.5	0.025	7	0.25	1DX15	VAN09004138
WLF55522	2.49	0.025	0.17	0.2	0.03	4.4	0.3	0.025	8	0.25	1DX15	VAN09004138
WLF55523	2.2	0.025	0.13	0.2	0.04	3.7	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55524	2.09	0.026	0.12	0.2	0.04	3.5	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55525	1.68	0.016	0.08	0.2	0.02	2.5	0.1	0.025	5	0.25	1DX15	VAN09004138
WLF55526	1.79	0.021	0.08	0.3	0.03	3.1	0.1	0.025	5	0.25	1DX15	VAN09004138
WLF55527	2.12	0.02	0.32	0.2	0.02	4.4	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55528	1.69	0.012	0.08	0.2	0.02	2.3	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55529	1.88	0.022	0.21	0.2	0.03	4	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55530	1.71	0.02	0.17	0.2	0.02	3.2	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55531	1.62	0.02	0.15	0.3	0.02	4	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55532	1.56	0.018	0.11	0.2	0.02	3.5	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55533	1.97	0.019	0.06	0.2	0.03	4.3	0.2	0.025	5	0.7	1DX15	VAN09004138
WLF55534	1.76	0.024	0.17	0.4	0.04	3.7	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55535	2.13	0.017	0.07	0.2	0.02	4	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55535	2.1	0.021	0.07	0.2	0.02	4.3	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55536	2.18	0.016	0.05	0.2	0.03	4.1	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55537	1.98	0.017	0.07	0.2	0.02	3.9	0.2	0.025	6	0.6	1DX15	VAN09004138
WLF55538	1.67	0.02	0.14	0.2	0.02	4.5	0.4	0.025	6	0.6	1DX15	VAN09004138
WLF55539	1.93	0.021	0.4	0.2	0.005	7.4	0.7	0.025	6	0.25	1DX15	VAN09004138
WLF55540	2.04	0.018	0.24	0.2	0.02	5.8	0.6	0.025	7	0.7	1DX15	VAN09004138
WLF55541	1.9	0.021	0.25	0.2	0.02	4.4	0.5	0.025	6	0.25	1DX15	VAN09004138
WLF55542	1.83	0.021	0.18	0.5	0.04	3.5	0.5	0.025	6	0.7	1DX15	VAN09004138
WLF55543	1.74	0.021	0.1	0.4	0.03	3.5	0.3	0.025	6	0.7	1DX15	VAN09004138
WLF55544	1.93	0.02	0.17	0.2	0.03	4.1	0.4	0.025	6	0.7	1DX15	VAN09004138
WLF55545	2.1	0.02	0.15	0.2	0.04	4.3	0.4	0.025	8	0.8	1DX15	VAN09004138
WLF55547	2.33	0.021	0.08	0.2	0.03	4.1	0.3	0.025	7	0.7	1DX15	VAN09004138
WLF55548	2.16	0.022	0.08	0.2	0.04	3.9	0.3	0.025	7	0.7	1DX15	VAN09004138
WLF55549	1.67	0.017	0.05	0.2	0.03	2.5	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55550	2.05	0.02	0.07	0.4	0.05	3.9	0.3	0.025	6	0.9	1DX15	VAN09004138
WLF55551	1.94	0.017	0.05	0.7	0.05	2.8	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55552	2.22	0.013	0.05	0.2	0.05	2.7	0.1	0.025	8	1.1	1DX15	VAN09004138
WLF55553	1.4	0.021	0.07	0.2	0.04	2.9	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55554	1.95	0.015	0.06	0.3	0.03	3.3	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55555	2.23	0.018	0.07	0.5	0.04	3.7	0.1	0.025	7	0.6	1DX15	VAN09004138
WLF55556	2.23	0.015	0.06	0.4	0.03	3.3	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55557	1.73	0.017	0.06	0.6	0.03	3.2	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55558	2.03	0.02	0.06	0.5	0.04	3.6	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55559	1.65	0.023	0.07	0.4	0.04	3.1	0.1	0.025	6	0.5	1DX15	VAN09004138
WLF55559	1.67	0.019	0.07	0.8	0.03	2.9	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55560	1.82	0.018	0.06	0.4	0.05	3.3	0.1	0.025	6	0.6	1DX15	VAN09004138

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55562	541300	6991849	NAD83-07V	1.6	25.3	13.5	45	0.2	16.8	8.5	258	2.61	75.4	1.1
WLF55563	541331	6991809	NAD83-07V	1.1	25.6	10.2	42	0.1	16.8	10.3	220	3.06	87.9	1
WLF55564	541360	6991768	NAD83-07V	0.9	29.7	10.1	44	0.1	18.1	19.7	400	3.5	63.3	0.9
WLF55565	541391	6991730	NAD83-07V	2	41.1	38.8	74	0.4	26.1	34.3	682	3.49	53.4	2.7
WLF55566	541419	6991686	NAD83-07V	1.2	28.9	10.7	50	0.2	18.4	13.2	329	3.49	31	1.1
WLF55567	541451	6991644	NAD83-07V	1.5	36.1	15.2	66	0.2	22	11.5	367	3.41	33.7	1.7
WLF55568	541481	6991608	NAD83-07V	2.8	61.3	25.7	72	0.3	21.5	10.7	351	3.11	54	2.2
WLF55569	541481	6991608	NAD83-07V	3	62.4	26.6	78	0.3	22.7	10.9	361	3.19	54.5	2.2
WLF55570	541509	6991568	NAD83-07V	1.3	46.1	25.1	68	0.2	22.7	10.4	357	3.04	48.8	2.5
WLF55571	540866	6991088	NAD83-07V	1.9	26.7	14.4	53	0.2	19.3	11.9	472	2.69	57	2.4
WLF55572	540897	6991049	NAD83-07V	8.2	35.3	77.2	146	0.2	19.6	12.3	780	3.57	127.7	4.3
WLF55573	540926	6991009	NAD83-07V	5.7	43.1	30.2	75	0.5	15.7	7.5	375	2.32	37.1	5
WLF55574	540956	6990963	NAD83-07V	5.1	78.8	27.9	71	1.1	18.6	8.6	351	2.16	31.5	11.1
WLF55575	540984	6990930	NAD83-07V	3	43	22.8	45	0.6	10.4	4.9	336	1.28	17.8	7.3
WLF55576	541015	6990889	NAD83-07V	10.4	51.1	116.3	104	1.2	20.4	9.6	407	3.56	147.4	6.5
WLF55577	541044	6990849	NAD83-07V	15.2	48.3	19.2	66	0.2	25.3	11.1	398	3.16	12.9	4.2
WLF55578	541074	6990809	NAD83-07V	14.4	76.7	23.7	66	0.3	27	11.3	396	2.91	9.2	8.1
WLF55579	541106	6990768	NAD83-07V	24.5	98.4	35.1	101	0.4	28.8	14.7	531	3.6	38.5	7.5
WLF55579	541106	6990768	NAD83-07V	25.7	99.5	36.2	100	0.5	30	15.1	544	3.62	38.9	8.1
WLF55580	541399	6991546	NAD83-07V	3.2	42.9	18.5	65	0.4	21.4	10.6	399	3.34	27.9	2.2
WLF55581	541370	6991586	NAD83-07V	5.9	52.8	31.5	113	0.6	23.4	13.3	661	3.52	91	2.9
WLF55582	541339	6991626	NAD83-07V	1.4	34	16.2	45	0.2	15.8	8.2	207	2.96	157.8	0.9
WLF55583	541280	6991707	NAD83-07V	2.1	17.4	13.9	47	0.1	14.2	14.5	415	3.78	32.1	0.9
WLF55583	541280	6991707	NAD83-07V	1.9	16.6	13	44	0.1	13.7	14.3	410	3.72	31.1	0.8
WLF55584	541250	6991747	NAD83-07V	1.2	19.8	13.2	47	0.2	14	13.3	339	3.06	32.2	1.2
WLF55585	541221	6991787	NAD83-07V	3.4	32.9	14.4	46	0.2	19.8	10.5	303	3.07	34.2	2.1
WLF55586	541191	6991827	NAD83-07V	3.1	32	16.2	56	0.2	23.3	14.2	504	3.28	33.5	1.9
WLF55587	541160	6991867	NAD83-07V	4.2	51.5	13.1	47	0.3	19.9	15.2	344	3.66	41.1	2.8
WLF55588	541130	6991908	NAD83-07V	3.8	55.6	20	57	0.3	31.1	13.8	504	3.4	25.7	2.2
WLF55589	541100	6991948	NAD83-07V	4.2	48.6	21.5	57	0.3	38	13.7	473	3.39	29.6	1.8
WLF55590	541071	6991988	NAD83-07V	5.7	54.2	41.1	62	0.5	35.6	13.3	430	3.29	34.4	2.5
WLF55591	541041	6992029	NAD83-07V	3	44.9	22.3	67	0.3	26.7	14.5	611	3.45	27.4	1.5
WLF55592	541011	6992069	NAD83-07V	2.5	48.7	23.4	64	0.4	29.1	14.4	548	3.44	27.2	1.8
WLF55593	540981	6992109	NAD83-07V	1	27.5	13.5	50	0.2	21.6	10.3	319	2.79	15.5	1
WLF55594	540950	6992148	NAD83-07V	0.9	24.1	14.8	54	0.2	26.1	14.3	413	3.39	16.9	0.9
WLF55595	540872	6992090	NAD83-07V	1	22.4	14	52	0.1	20.4	11.5	418	2.89	21.3	1.3
WLF55596	540900	6992049	NAD83-07V	1.3	27.6	20.8	62	0.2	24.9	12.6	512	3.29	28.3	1.6
WLF55597	540929	6992009	NAD83-07V	1.1	25.9	18.3	54	0.2	21.2	10.3	343	3.03	22.2	2
WLF55598	540960	6991969	NAD83-07V	2	36.2	31.7	74	0.2	24.2	29.3	1836	3.67	32.2	2.3
WLF55599	540989	6991929	NAD83-07V	1.1	28.4	15.8	55	0.2	25	13.8	542	3.05	16.3	2.1
WLF55600	541019	6991889	NAD83-07V	1.9	33.8	17.8	56	0.2	21.8	16.3	644	3.52	19.2	2.3
WLF55601	541050	6991848	NAD83-07V	1.6	25.2	14.3	49	0.2	22.3	14.7	482	3.44	25.6	1.4
WLF55602	541080	6991809	NAD83-07V	1.6	23	9	43	0.2	17	14.3	325	3.79	32.3	1.8
WLF55603	541109	6991767	NAD83-07V	1.2	19.8	8.8	41	0.1	17.9	10.9	308	3.39	27.6	0.9
WLF55604	541139	6991727	NAD83-07V	1.1	21.6	9	45	0.05	20.1	12.6	378	3.29	24.9	0.9
WLF55605	541168	6991688	NAD83-07V	1.3	23	9.8	48	0.2	20.5	14	368	3.07	22.1	1
WLF55606	541198	6991647	NAD83-07V	1.2	19	11	48	0.2	18.5	13.7	404	3.35	32.5	0.9
WLF55607	541230	6991608	NAD83-07V	1.2	16.8	9.9	44	0.1	17	13.4	417	3.31	28.8	0.7
WLF55607	541230	6991608	NAD83-07V	1.2	16.1	10	42	0.1	16.9	13.1	419	3.28	28.2	0.7
WLF55608	541319	6991487	NAD83-07V	3.7	39	20.3	77	0.2	20.8	10.2	465	3.14	31.3	4.2
WLF55609	541319	6991487	NAD83-07V	4	41	20.6	85	0.2	21.1	10.4	485	3.15	33.2	4.4
WLF55610	540164	6992362	NAD83-07V	1.4	18.6	12.2	54	0.05	24.9	11.5	398	3.46	12.1	0.5
WLF55611	540065	6992342	NAD83-07V	1.3	27.8	16.2	57	0.2	30.9	16.9	836	3.39	10.6	0.6

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55562	6.2	1.6	54	0.2	5.4	1	83	0.35	0.076	9	42	0.75	133	0.128	1
WLF55563	21.2	2	35	0.1	1.8	0.9	94	0.35	0.1	9	47	0.71	117	0.132	2
WLF55564	8.3	2.5	36	0.2	1.9	0.6	116	0.4	0.112	9	58	1	158	0.231	1
WLF55565	13.9	3.8	28	1.1	16.9	0.8	79	0.21	0.063	10	37	0.55	108	0.099	1
WLF55566	3.2	2	32	0.3	1.4	0.4	111	0.39	0.108	9	67	0.9	160	0.192	1
WLF55567	2.8	7.1	35	0.3	2.1	0.5	83	0.27	0.061	11	39	0.61	112	0.113	2
WLF55568	4.9	7.4	23	0.5	4.5	1.1	75	0.29	0.061	11	37	0.64	109	0.106	1
WLF55569	8	8.1	23	0.6	4.3	1.2	74	0.3	0.059	11	37	0.61	114	0.105	0.5
WLF55570	5.3	6.7	27	0.4	3.7	0.8	74	0.35	0.075	17	36	0.63	145	0.104	1
WLF55571	3.2	3.2	42	0.3	15.3	0.7	76	0.5	0.066	13	37	0.62	202	0.12	3
WLF55572	4	21.7	65	0.5	26.8	0.8	86	0.39	0.079	20	35	0.66	77	0.109	3
WLF55573	40.9	7.5	45	0.6	3.2	0.9	60	0.31	0.067	14	28	0.48	93	0.082	1
WLF55574	4.3	6	40	1	2.7	0.9	50	0.44	0.076	22	30	0.48	131	0.061	0.5
WLF55575	2.9	1.9	33	0.5	2.1	0.6	30	0.26	0.068	11	20	0.25	75	0.037	1
WLF55576	12.2	16.7	47	0.6	14.1	1.3	83	0.41	0.103	17	43	0.66	102	0.087	1
WLF55577	6.1	11.6	40	0.3	1.6	0.8	83	0.44	0.091	16	45	0.78	121	0.141	1
WLF55578	10.8	19	39	0.2	1.8	0.9	82	0.51	0.096	22	53	0.81	123	0.144	1
WLF55579	6	22.9	57	0.8	3.4	1.4	89	0.64	0.091	22	55	0.9	140	0.158	2
WLF55579	6	22	56	0.7	3.4	1.5	89	0.63	0.096	22	53	0.94	138	0.158	1
WLF55580	3.6	9.6	33	0.6	4.6	0.8	74	0.39	0.069	13	33	0.61	107	0.103	0.5
WLF55581	13	10.2	37	1	9.1	0.9	81	0.42	0.08	13	39	0.67	126	0.101	1
WLF55582	8.7	2	50	0.2	4.8	2.1	79	0.43	0.098	10	37	0.7	147	0.118	1
WLF55583	5.2	2.7	48	0.1	3.6	0.7	118	0.38	0.1	9	50	0.7	133	0.177	1
WLF55583	6.6	2.5	48	0.2	3.5	0.7	114	0.37	0.098	8	49	0.71	126	0.17	2
WLF55584	3	2.5	45	0.2	3.2	0.8	93	0.43	0.089	10	43	0.68	142	0.147	0.5
WLF55585	5.6	3.3	52	0.2	10.8	0.7	85	0.4	0.079	10	51	0.83	157	0.125	2
WLF55586	3.8	2.5	52	0.4	3.4	0.6	83	0.35	0.074	10	46	0.66	160	0.121	2
WLF55587	6.2	3.5	90	0.3	12.4	0.6	106	0.54	0.111	13	73	1.12	247	0.181	0.5
WLF55588	7.2	4.2	65	0.4	4	0.6	90	0.52	0.078	14	59	0.79	152	0.132	1
WLF55589	18.8	4.9	107	0.4	4.9	1	81	0.52	0.077	14	66	0.73	171	0.132	1
WLF55590	12.3	5.2	101	0.4	6.7	1.3	73	0.45	0.082	18	51	0.68	156	0.099	1
WLF55591	10.1	1.8	46	0.3	4	0.8	76	0.29	0.072	11	41	0.64	173	0.07	1
WLF55592	10	3	30	0.4	4.5	0.7	77	0.22	0.06	12	42	0.68	148	0.076	1
WLF55593	13.5	2.7	25	0.3	3.4	0.7	70	0.24	0.035	8	32	0.56	96	0.103	2
WLF55594	12.5	3.3	21	0.3	1.6	0.7	86	0.26	0.035	9	36	0.57	84	0.123	2
WLF55595	6.1	2.8	30	0.2	1.7	0.9	60	0.23	0.038	10	31	0.57	85	0.085	0.5
WLF55596	4.5	2.4	36	0.4	1.8	1	68	0.22	0.057	11	36	0.58	104	0.071	0.5
WLF55597	32.5	3.7	65	0.3	2.7	1.4	67	0.31	0.044	13	31	0.51	89	0.092	0.5
WLF55598	6.9	2.7	59	0.5	2.7	2	79	0.32	0.073	14	38	0.52	133	0.082	1
WLF55599	10.3	2.6	31	0.3	1.1	0.6	75	0.29	0.063	12	38	0.63	127	0.094	2
WLF55600	5.3	2.1	48	0.3	1.2	0.8	94	0.32	0.075	11	48	0.74	150	0.092	2
WLF55601	5.2	2.3	50	0.2	4.7	0.5	95	0.39	0.075	10	49	0.75	140	0.118	2
WLF55602	6.7	2.4	56	0.1	10.5	0.4	113	0.51	0.121	9	66	0.96	158	0.174	1
WLF55603	5.5	1.8	45	0.1	6.6	0.4	102	0.48	0.102	8	58	0.69	119	0.122	2
WLF55604	7.6	1.8	45	0.2	5.2	0.3	99	0.47	0.098	9	57	0.7	133	0.124	2
WLF55605	2.8	1.7	50	0.2	4.7	0.3	90	0.51	0.095	9	48	0.74	144	0.133	2
WLF55606	4.6	1.6	49	0.1	5.6	0.3	108	0.54	0.117	9	50	0.77	150	0.15	2
WLF55607	7.3	1.7	45	0.2	5.9	0.3	106	0.49	0.113	8	51	0.7	128	0.136	2
WLF55607	1.9	1.7	42	0.1	5.6	0.3	105	0.47	0.112	8	50	0.68	128	0.134	2
WLF55608	21.1	18	49	0.7	8	1	76	0.62	0.091	20	33	0.71	112	0.107	2
WLF55609	5.9	17.8	49	0.8	7.9	1.1	77	0.62	0.091	19	34	0.72	113	0.109	2
WLF55610	4.7	2	35	0.2	1	0.2	89	0.3	0.038	7	36	0.62	150	0.129	1
WLF55611	1.3	1.3	38	0.4	0.7	0.2	82	0.35	0.051	7	38	0.53	234	0.077	1

SampleID	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	JobNumber
WLF55562	1.82	0.02	0.09	0.2	0.03	3.8	0.4	0.025	6	0.9	1DX15	VAN09004138
WLF55563	1.62	0.022	0.13	0.3	0.04	3.6	0.4	0.025	6	0.25	1DX15	VAN09004138
WLF55564	1.93	0.019	0.34	0.2	0.03	5.4	0.5	0.025	6	0.25	1DX15	VAN09004138
WLF55565	2.34	0.016	0.05	0.2	0.05	3.5	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55566	1.6	0.017	0.26	0.2	0.03	5.6	0.4	0.025	6	0.25	1DX15	VAN09004138
WLF55567	2.57	0.021	0.05	0.2	0.02	4.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55568	2.26	0.019	0.06	0.3	0.03	3.8	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55569	2.42	0.02	0.05	0.3	0.04	4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55570	2.26	0.015	0.06	0.3	0.04	4.3	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55571	1.81	0.023	0.08	0.2	0.03	3.8	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55572	1.68	0.018	0.1	0.9	0.02	3.8	0.3	0.025	8	0.25	1DX15	VAN09004138
WLF55573	1.52	0.021	0.07	0.5	0.04	3	0.2	0.025	7	0.5	1DX15	VAN09004138
WLF55574	1.74	0.023	0.06	0.3	0.07	3.8	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55575	0.84	0.023	0.05	0.4	0.04	1.6	0.2	0.025	4	0.25	1DX15	VAN09004138
WLF55576	1.85	0.018	0.09	3	0.04	3.9	0.4	0.025	8	0.25	1DX15	VAN09004138
WLF55577	1.98	0.021	0.06	0.5	0.04	3.5	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55578	2.11	0.021	0.1	0.4	0.04	4.3	0.2	0.025	8	0.25	1DX15	VAN09004138
WLF55579	2.4	0.024	0.13	0.4	0.03	4.5	0.3	0.025	8	0.6	1DX15	VAN09004138
WLF55579	2.28	0.024	0.14	0.6	0.03	4.6	0.3	0.025	8	0.25	1DX15	VAN09004138
WLF55580	2.4	0.017	0.06	0.2	0.03	3.8	0.2	0.025	7	0.5	1DX15	VAN09004138
WLF55581	2.32	0.021	0.07	0.4	0.03	4.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55582	1.72	0.031	0.14	0.5	0.05	4.1	0.4	0.07	5	0.6	1DX15	VAN09004138
WLF55583	2.01	0.024	0.16	0.3	0.02	4.9	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55583	1.93	0.019	0.16	0.3	0.03	4.7	0.3	0.025	7	0.5	1DX15	VAN09004138
WLF55584	1.68	0.02	0.2	0.2	0.04	4.6	0.4	0.025	6	0.25	1DX15	VAN09004138
WLF55585	2.05	0.024	0.1	0.3	0.04	4.9	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55586	2.37	0.02	0.12	0.2	0.03	4.2	0.3	0.025	7	0.5	1DX15	VAN09004138
WLF55587	2.12	0.025	0.43	0.4	0.03	7.1	0.9	0.025	7	0.6	1DX15	VAN09004138
WLF55588	1.98	0.02	0.13	0.3	0.03	4.1	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55589	1.83	0.025	0.15	0.4	0.02	3.4	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55590	1.98	0.026	0.09	0.6	0.05	3.5	0.2	0.025	6	0.5	1DX15	VAN09004138
WLF55591	2.59	0.016	0.06	0.3	0.04	3.1	0.2	0.025	8	0.25	1DX15	VAN09004138
WLF55592	2.65	0.015	0.07	0.2	0.04	3.4	0.3	0.025	7	0.5	1DX15	VAN09004138
WLF55593	1.85	0.018	0.04	0.4	0.03	2.9	0.1	0.025	5	0.25	1DX15	VAN09004138
WLF55594	2.05	0.02	0.05	0.3	0.04	3.1	0.1	0.025	5	0.6	1DX15	VAN09004138
WLF55595	1.93	0.021	0.05	0.3	0.03	3.4	0.1	0.025	5	0.6	1DX15	VAN09004138
WLF55596	2.41	0.018	0.05	0.2	0.03	3.2	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55597	1.68	0.021	0.04	0.4	0.04	2.7	0.2	0.025	5	0.5	1DX15	VAN09004138
WLF55598	2.13	0.023	0.07	0.4	0.03	3	0.1	0.025	8	0.25	1DX15	VAN09004138
WLF55599	2.18	0.016	0.07	0.2	0.03	3.4	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55600	2.25	0.016	0.13	0.1	0.02	4.2	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55601	2.12	0.02	0.14	0.2	0.02	4.3	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55602	1.93	0.02	0.35	0.3	0.02	6.1	0.5	0.025	6	0.25	1DX15	VAN09004138
WLF55603	1.52	0.026	0.14	0.3	0.02	3.6	0.3	0.025	5	0.25	1DX15	VAN09004138
WLF55604	1.7	0.02	0.13	0.2	0.03	3.8	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55605	1.91	0.021	0.15	0.2	0.02	4	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55606	1.84	0.018	0.17	0.2	0.03	3.9	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55607	1.64	0.019	0.15	0.4	0.02	3.4	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55607	1.62	0.018	0.14	0.3	0.03	3.5	0.3	0.025	5	0.25	1DX15	VAN09004138
WLF55608	1.94	0.017	0.08	0.4	0.02	4.5	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55609	2.02	0.018	0.07	0.6	0.02	4.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55610	1.97	0.014	0.05	0.2	0.02	2.8	0.05	0.025	7	0.25	1DX15	VAN09004138
WLF55611	2.7	0.017	0.04	0.2	0.05	3	0.1	0.025	7	0.25	1DX15	VAN09004138

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55612	539967	6992315	NAD83-07V	2	17.3	12	48	0.2	13.6	8.6	527	2.83	11.1	0.4
WLF55613	539871	6992288	NAD83-07V	2.1	22.2	16.2	54	0.2	19.6	9.3	309	3.38	11.7	0.6
WLF55614	539772	6992266	NAD83-07V	1.4	38.2	15.8	55	0.1	23.3	12.1	358	2.82	39.8	2.5
WLF55615	541029	6991209	NAD83-07V	1.9	40.5	12.6	40	0.4	17.5	7.7	208	2.19	28.8	2.6
WLF55616	541059	6991169	NAD83-07V	2.2	24.4	15.2	50	0.3	16.5	11.3	250	2.2	28.5	2.9
WLF55617	541087	6991129	NAD83-07V	6.8	45.9	48.7	112	0.3	19.1	17.3	1761	3.28	68.4	6
WLF55618	541118	6991089	NAD83-07V	5.4	60.9	51.6	123	1	21.3	13.2	711	3.12	54.6	11.3
WLF55619	541147	6991047	NAD83-07V	4.4	78.8	38.7	108	1.1	24.4	10.3	401	2.87	53.6	8
WLF55620	541177	6991008	NAD83-07V	6.2	68.1	78.4	117	1.2	18.4	10.3	711	2.98	100.1	9.1
WLF55621	541206	6990968	NAD83-07V	5.2	49.2	60.8	116	1.3	22.6	11.3	375	3.14	86	7.7
WLF55622	541236	6990928	NAD83-07V	4.4	46.8	87.1	137	1	23.9	11.2	470	3.08	122.3	5.5
WLF55623	541266	6990888	NAD83-07V	4	40.4	97.3	115	0.6	21.7	11.1	456	2.97	96.5	5
WLF55624	541296	6990847	NAD83-07V	3.2	34	39	89	0.4	25.5	10.2	355	2.8	47.6	5
WLF55625	541327	6990808	NAD83-07V	4	44.6	55.7	117	0.8	23.8	9.7	279	2.77	65.3	7.9
WLF55627	541386	6990728	NAD83-07V	4.6	54.6	35.9	89	0.4	24.2	11.2	414	2.96	34.8	3.5
WLF55628	541416	6990686	NAD83-07V	15.2	107.5	23.6	69	0.7	30.3	13.9	394	3.2	16.8	10.5
WLF55629	541446	6990647	NAD83-07V	7.5	58	25.2	67	0.3	21	10	311	2.58	20.9	3
WLF55630	541476	6990607	NAD83-07V	3.9	118.8	18	71	0.5	20.9	10.4	326	2.75	20.4	3.4
WLF55631	541506	6990567	NAD83-07V	3.2	75.8	19.8	67	0.4	18.5	11	462	2.81	14.3	4.6
WLF55632	541587	6990626	NAD83-07V	2.8	33	13.8	38	0.2	11	5.3	152	1.95	8.2	1.6
WLF55633	541527	6990708	NAD83-07V	5.2	41.2	21.2	79	0.2	27	12.3	426	3.16	20.9	2.6
WLF55633	541527	6990708	NAD83-07V	5.6	40.5	20.7	81	0.2	26.3	12.2	422	3.2	20.7	2.7
WLF55634	541556	6990667	NAD83-07V	7.3	31.5	21.4	53	0.1	17.9	9.2	347	3.6	15.1	1.5
WLF55635	541497	6990747	NAD83-07V	6.1	74.3	26.3	64	0.5	23.4	10.7	281	2.67	37.4	9.8
WLF55636	541466	6990789	NAD83-07V	9.1	58.8	78	138	1.7	26.3	10.2	318	2.93	91	8.3
WLF55637	541437	6990827	NAD83-07V	2.6	33.1	181.6	217	1.9	27.1	9.7	491	2.85	492.4	5.8
WLF55638	541407	6990868	NAD83-07V	5.6	48.5	79.7	109	0.8	21.3	10	360	2.69	118.9	6.4
WLF55639	541377	6990907	NAD83-07V	5.8	45.2	75.9	135	0.7	21.3	12.8	645	3.21	151.7	4.6
WLF55640	541347	6990948	NAD83-07V	3.3	60.9	45.7	87	0.6	21.6	11	371	2.9	70.5	4.1
WLF55641	541317	6990987	NAD83-07V	3.2	88.3	69.5	101	0.6	17.5	9.2	355	2.74	96.7	4.6
WLF55642	541189	6991329	NAD83-07V	1.3	17	10.7	47	0.1	17	10.5	297	2.67	16.8	1.1
WLF55643	541217	6991290	NAD83-07V	2.3	18.1	14	49	0.2	14.8	10.9	261	3.08	32.3	2.2
WLF55644	541247	6991250	NAD83-07V	2.9	91.4	54.6	111	0.5	20.5	8.4	393	2.88	78.6	3.4
WLF55645	541247	6991250	NAD83-07V	3.1	92.6	63.3	112	0.7	21.1	9.1	386	2.9	76.9	4
WLF55646	541277	6991210	NAD83-07V	3.2	30.1	27.4	90	0.2	23.7	10.3	491	3.24	28.7	3.5
WLF55647	541307	6991170	NAD83-07V	1.6	42.9	37.3	68	0.3	23.6	10.8	354	2.78	51	3.5
WLF55648	541336	6991129	NAD83-07V	1.3	47.9	21.5	69	0.3	26.3	11.9	417	2.67	23.5	5.1
WLF55649	541367	6991089	NAD83-07V	3.7	79	40.3	68	0.9	18.9	8.2	297	2.6	44.1	3.9
WLF55649	541367	6991089	NAD83-07V	3.5	77.6	40.9	64	0.9	18.6	7.6	292	2.54	42.9	3.8
WLF55650	541396	6991049	NAD83-07V	2.5	140.8	51.8	81	1	28.5	12.7	402	3.05	46.6	6.2
WLF55651	541427	6991009	NAD83-07V	2.9	72.9	54.1	95	0.9	23.3	9.4	298	3.05	71.8	6.9
WLF55652	541456	6990969	NAD83-07V	3.1	75.1	66.1	110	1.4	23.3	8.9	272	2.77	178.6	7.8
WLF55653	541485	6990928	NAD83-07V	3.9	45.1	64.3	150	1	25.7	12.6	653	3.14	191.3	7.3
WLF55654	541516	6990889	NAD83-07V	7.2	73.7	50.3	112	0.8	26.1	11.3	454	3.03	68.3	5.3
WLF55655	541546	6990847	NAD83-07V	5.4	11.9	12.2	24	0.2	6.6	2.5	72	1.51	11	0.5
WLF55656	541576	6990808	NAD83-07V	9.2	79.1	28.3	67	0.8	23.9	11.3	479	2.57	24.8	12.9
WLF55657	541606	6990768	NAD83-07V	7.2	64.7	30.8	65	0.5	23.7	10.5	400	2.93	23.9	7.6
WLF55658	541635	6990728	NAD83-07V	6	86.8	23.7	56	0.6	23.5	10	299	2.97	16.4	15.6
WLF55659	541665	6990688	NAD83-07V	3	53.7	22	55	0.4	16.7	8.9	281	2.26	14.7	6.3
WLF55660	541745	6990746	NAD83-07V	4.5	57.1	21.4	65	0.5	20	11.3	540	2.5	15.1	9.2
WLF55661	541717	6990785	NAD83-07V	3.9	51.6	20.8	53	0.5	17.9	6.8	205	1.99	9.2	10.6
WLF55662	541686	6990826	NAD83-07V	5.2	45.4	16.8	61	0.3	22.2	10.5	411	2.9	11.5	5.2
WLF55663	541657	6990865	NAD83-07V	6.2	40.7	29.8	75	0.2	25.8	12.8	549	3.08	28.6	5.3

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55612	2.5	1.2	24	0.5	0.7	0.2	77	0.25	0.033	5	25	0.32	102	0.084	2
WLF55613	2	2.5	18	0.6	0.9	0.3	90	0.17	0.029	7	34	0.38	109	0.1	1
WLF55614	3.8	3.6	39	0.2	2.1	0.6	66	0.47	0.058	14	33	0.6	172	0.087	2
WLF55615	3.3	1.8	51	0.3	17.2	1	65	0.52	0.049	10	28	0.5	152	0.122	2
WLF55616	6.1	2.5	51	0.3	6.8	0.9	74	0.5	0.08	12	38	0.68	157	0.128	3
WLF55617	5	16.3	44	0.8	9.8	1.4	81	0.43	0.092	23	32	0.61	130	0.093	2
WLF55618	6.8	16.7	55	1.1	6.4	2.4	66	0.61	0.102	37	34	0.7	173	0.082	2
WLF55619	14.5	9.6	38	1.1	6.2	2.3	68	0.41	0.077	25	35	0.63	138	0.091	2
WLF55620	12.7	16.7	43	1.1	11.1	5.9	67	0.42	0.09	28	33	0.62	119	0.085	1
WLF55621	13.6	14.7	37	1.1	5.2	2.6	77	0.41	0.076	19	36	0.65	126	0.1	2
WLF55622	15.5	16	47	1.4	5.8	5.2	73	0.47	0.069	18	36	0.69	119	0.112	2
WLF55623	8.8	13.9	47	1.3	5.4	5	71	0.41	0.07	16	34	0.62	103	0.11	2
WLF55624	7.6	15.3	57	0.6	4.8	0.6	70	0.5	0.078	16	39	0.71	122	0.126	2
WLF55625	10.4	20.3	51	1.2	7.7	0.8	70	0.47	0.078	18	44	0.72	123	0.125	1
WLF55627	7.5	10	38	0.8	9.9	2	80	0.39	0.058	12	33	0.73	151	0.158	1
WLF55628	5	12.2	54	0.4	2.2	2	83	0.44	0.076	18	41	0.73	161	0.144	2
WLF55629	4.7	6.2	41	0.5	1.6	1.3	74	0.36	0.04	11	30	0.68	115	0.157	2
WLF55630	6.9	5.8	61	0.3	1.1	2.2	79	0.46	0.055	11	30	0.73	139	0.168	2
WLF55631	5.6	6	63	0.2	1.1	3.4	81	0.47	0.058	11	30	0.68	130	0.164	1
WLF55632	3.4	2.4	22	0.3	0.6	1.2	56	0.14	0.026	6	20	0.28	77	0.095	1
WLF55633	3.8	8.4	35	0.5	1.9	1.3	89	0.31	0.054	10	36	0.63	116	0.146	2
WLF55633	11.8	8.4	36	0.4	1.9	1.4	87	0.31	0.056	10	35	0.63	116	0.146	2
WLF55634	5.2	6.7	32	0.4	1.1	1.2	110	0.2	0.041	9	36	0.45	101	0.158	1
WLF55635	4.4	10.6	35	0.4	2.6	3.4	69	0.36	0.07	17	37	0.59	120	0.127	2
WLF55636	8.6	11	34	0.9	55.7	2.6	74	0.36	0.066	15	37	0.67	125	0.103	1
WLF55637	12.6	13.2	57	1.9	19.6	0.6	66	0.44	0.069	13	37	0.68	155	0.101	1
WLF55638	16.8	11.1	35	0.8	5	1.1	68	0.33	0.066	16	36	0.65	116	0.081	0.5
WLF55639	11	15.3	33	1.3	6.1	1.9	74	0.33	0.068	16	35	0.67	104	0.106	1
WLF55640	7.7	11.1	28	0.7	7.4	13.1	71	0.3	0.059	17	34	0.62	88	0.112	1
WLF55641	10.9	20.1	32	1	6.5	8.5	61	0.35	0.067	22	27	0.54	86	0.073	0.5
WLF55642	4.6	2.5	46	0.2	6.3	0.5	95	0.58	0.099	9	38	0.74	158	0.184	0.5
WLF55643	4.1	2.8	43	0.3	8.4	0.6	71	0.35	0.085	12	37	0.63	127	0.127	0.5
WLF55644	67.5	16	40	0.7	12.9	3.3	70	0.54	0.075	18	33	0.62	116	0.095	1
WLF55645	7.2	15.5	39	0.8	12.4	2.7	71	0.54	0.075	19	33	0.62	126	0.097	1
WLF55646	5	15.3	37	0.4	6.2	2.2	75	0.6	0.113	22	41	0.76	154	0.109	0.5
WLF55647	5.8	10.1	35	0.4	4.2	1.4	73	0.47	0.066	19	37	0.57	157	0.115	0.5
WLF55648	8.3	7.6	40	0.4	2.4	1.3	68	0.51	0.068	19	39	0.49	155	0.12	0.5
WLF55649	7.5	8.2	47	0.6	3.6	2.4	65	0.28	0.047	16	31	0.41	121	0.088	0.5
WLF55649	6.7	8.3	46	0.6	3.2	2.4	62	0.27	0.046	15	30	0.4	113	0.076	0.5
WLF55650	9	20.1	25	0.8	2.7	2.2	69	0.33	0.072	36	35	0.64	140	0.1	0.5
WLF55651	13.3	10.2	21	0.7	6.8	2.8	67	0.28	0.059	26	34	0.59	95	0.095	1
WLF55652	25.2	14.3	29	0.9	5.3	1.3	69	0.38	0.066	20	36	0.67	116	0.1	0.5
WLF55653	15.7	10.4	52	1.6	5.8	0.8	74	0.39	0.068	20	36	0.62	135	0.094	1
WLF55654	10.5	11	63	1.1	7	1.2	76	0.41	0.069	15	39	0.69	149	0.109	1
WLF55655	1.5	1.1	12	0.3	2.2	0.5	68	0.06	0.017	4	14	0.09	42	0.096	0.5
WLF55656	4.1	6.1	46	0.4	2.2	3.2	61	0.48	0.079	21	34	0.51	167	0.092	0.5
WLF55657	6.1	11.7	51	0.5	2	2	83	0.48	0.068	16	37	0.61	139	0.136	0.5
WLF55658	4.6	10.4	45	0.2	1.7	2.9	77	0.41	0.077	22	33	0.54	153	0.091	0.5
WLF55659	4	5.1	47	0.3	11.1	1.8	58	0.4	0.057	13	27	0.54	131	0.111	0.5
WLF55660	3.5	7.7	40	0.5	2.7	2	67	0.41	0.071	15	31	0.55	140	0.1	0.5
WLF55661	3.9	7.3	47	0.5	2	2.6	44	0.45	0.053	16	26	0.45	135	0.1	2
WLF55662	5.9	11.5	43	0.3	1.2	1.5	84	0.45	0.073	15	38	0.66	118	0.143	1
WLF55663	3.3	15.5	43	0.5	4.9	2.7	81	0.38	0.076	15	44	0.67	125	0.128	1



SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF55612	1.52	0.014	0.04	0.1	0.03	2	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55613	2.04	0.011	0.05	0.1	0.02	2.6	0.05	0.025	8	0.25	1DX15	VAN09004138
WLF55614	2.09	0.019	0.06	0.2	0.05	4.5	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55615	1.59	0.021	0.05	0.2	0.04	3.2	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55616	1.79	0.02	0.05	0.3	0.06	3.9	0.3	0.07	5	0.25	1DX15	VAN09004138
WLF55617	1.77	0.02	0.07	0.7	0.02	3.8	0.3	0.025	8	0.25	1DX15	VAN09004138
WLF55618	2.06	0.018	0.08	0.5	0.07	5.2	0.4	0.025	8	0.25	1DX15	VAN09004138
WLF55619	1.98	0.018	0.06	0.5	0.05	4.2	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55620	1.67	0.019	0.07	0.7	0.03	4.3	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55621	2.1	0.019	0.07	0.2	0.05	4.2	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55622	2.07	0.02	0.08	0.4	0.03	4	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55623	1.88	0.018	0.07	0.4	0.03	3.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55624	2.16	0.021	0.08	0.3	0.02	4	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55625	2.18	0.017	0.08	0.3	0.04	4.2	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55627	2.02	0.017	0.1	1.1	0.02	3.6	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55628	2.45	0.018	0.09	0.4	0.04	4.9	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55629	1.78	0.021	0.07	0.5	0.02	3.5	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55630	1.96	0.023	0.09	0.9	0.02	4.4	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55631	1.75	0.026	0.1	0.6	0.03	4.2	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55632	1.29	0.018	0.04	0.2	0.03	2.2	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55633	2.19	0.017	0.07	0.6	0.03	3.2	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55633	2.19	0.018	0.06	0.5	0.03	3.4	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55634	1.81	0.011	0.05	1	0.02	2.7	0.1	0.025	9	0.25	1DX15	VAN09004138
WLF55635	1.9	0.02	0.07	0.6	0.02	4	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55636	2.23	0.014	0.06	0.7	0.04	4.1	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55637	2.06	0.017	0.08	0.3	0.03	3.8	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55638	1.93	0.014	0.06	0.3	0.05	3.7	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55639	2.1	0.014	0.07	0.4	0.03	3.9	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55640	2.07	0.012	0.06	0.4	0.04	3.5	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55641	1.69	0.011	0.06	0.4	0.02	3.1	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55642	1.79	0.019	0.13	0.3	0.02	3.5	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55643	1.64	0.016	0.07	0.3	0.04	3.8	0.3	0.025	5	0.25	1DX15	VAN09004138
WLF55644	1.81	0.017	0.07	0.7	0.04	3.7	0.4	0.025	7	0.25	1DX15	VAN09004138
WLF55645	1.89	0.015	0.07	0.7	0.04	3.9	0.4	0.025	7	0.25	1DX15	VAN09004138
WLF55646	1.73	0.016	0.09	1	0.03	4	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55647	1.8	0.021	0.04	1.2	0.03	5.1	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55648	1.83	0.022	0.05	0.4	0.03	5.4	0.05	0.025	5	0.25	1DX15	VAN09004138
WLF55649	2.03	0.015	0.05	0.4	0.03	3.7	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55649	1.93	0.012	0.04	0.4	0.04	3.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55650	2.22	0.014	0.07	1.2	0.03	4.6	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55651	2.42	0.012	0.05	0.4	0.04	4.2	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55652	2.24	0.013	0.06	0.2	0.05	4.4	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55653	2.24	0.014	0.07	0.5	0.05	4.6	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55654	2.1	0.014	0.07	0.5	0.05	4.6	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55655	0.62	0.01	0.02	0.2	0.03	1.1	0.05	0.025	6	0.25	1DX15	VAN09004138
WLF55656	2.06	0.018	0.07	0.4	0.04	4.1	0.2	0.06	6	0.25	1DX15	VAN09004138
WLF55657	1.85	0.02	0.09	0.6	0.03	3.9	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55658	2.04	0.019	0.06	0.7	0.05	4.3	0.2	0.05	6	0.25	1DX15	VAN09004138
WLF55659	1.69	0.022	0.05	0.5	0.05	3.8	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55660	1.81	0.017	0.07	0.6	0.04	3.7	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55661	1.64	0.019	0.05	0.8	0.04	3.3	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55662	1.69	0.017	0.09	0.7	0.03	3.6	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55663	2.05	0.012	0.08	1.5	0.02	3.8	0.1	0.025	6	0.25	1DX15	VAN09004138

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55663	541657	6990865	NAD83-07V	6.4	39.6	30.4	76	0.3	25.5	12.7	563	3.12	29.4	5.4
WLF55664	541627	6990907	NAD83-07V	8.2	71.2	37.6	77	0.7	27	14.7	532	3.3	61.6	5
WLF55665	541597	6990946	NAD83-07V	3.4	48.9	35.7	80	0.5	18	8.5	351	2.63	54.8	3.9
WLF55666	541567	6990986	NAD83-07V	6.2	53.9	52.7	103	0.8	20.8	11.5	621	3.02	98.1	5.6
WLF55667	541537	6991026	NAD83-07V	6.9	77.3	80.6	151	1.3	22.7	10.2	651	3.08	133.3	9.3
WLF55668	541507	6991067	NAD83-07V	2.4	69.8	50.6	90	0.9	21.5	9.1	336	2.55	92.9	6.1
WLF55669	541478	6991107	NAD83-07V	1.8	80.6	82	73	1.4	23.1	7.7	269	2.56	107.1	6.7
WLF55670	541447	6991147	NAD83-07V	0.9	30.2	13	53	0.05	22.7	8.8	321	2.69	10.3	2.7
WLF55671	541418	6991187	NAD83-07V	2.1	23.8	35.1	62	0.2	16.5	8.3	192	2.66	90.6	1.4
WLF55672	541388	6991227	NAD83-07V	5.4	68.1	47.4	75	0.8	17.6	7.6	226	2.31	64.7	4.5
WLF55673	541358	6991267	NAD83-07V	1.5	85.3	25.3	58	0.4	19	8.6	261	2.45	25.2	2.7
WLF55674	541328	6991307	NAD83-07V	5.9	108.3	14.6	41	1	11.8	5.5	207	2.09	11.6	2.9
WLF55675	541298	6991348	NAD83-07V	3.3	21.8	16.4	48	0.3	15.8	12.9	396	3.33	47.7	2.3
WLF55676	541267	6991388	NAD83-07V	1	25.4	18.2	69	0.1	19.8	10.4	341	2.72	19.1	1.8
WLF55677	541429	6991506	NAD83-07V	1.9	48.7	21.8	78	0.3	23.8	10.3	411	2.91	46.7	3.4
WLF55678	541457	6991467	NAD83-07V	1.3	65.8	19.7	54	0.3	20.3	9.8	339	2.64	17.8	1.9
WLF55679	541488	6991429	NAD83-07V	1.4	41	19.8	54	0.2	16.7	8.5	237	2.78	19.6	1.5
WLF55680	541518	6991389	NAD83-07V	1	22.7	14.1	47	0.05	16.3	7.2	193	2.45	8.6	1.5
WLF55681	541548	6991347	NAD83-07V	1.5	69.3	19.5	60	0.4	26.4	14.3	578	3.15	18.4	3.3
WLF55681	541548	6991347	NAD83-07V	1.6	68.2	20.4	59	0.4	26.2	14.4	577	3.14	18.5	3.4
WLF55682	541577	6991308	NAD83-07V	5.1	114.5	42.6	82	0.8	21.1	9	309	3	94.5	4.8
WLF55683	541609	6991267	NAD83-07V	7.9	88.5	51.9	78	0.9	22.8	10.1	327	2.97	96.6	4.4
WLF55684	541638	6991228	NAD83-07V	12	124.3	92.7	185	2.3	26.1	17	1141	3.59	353	23
WLF55685	541668	6991186	NAD83-07V	4.7	47.1	62.9	123	0.7	19.9	9	445	2.72	149.9	6
WLF55686	541697	6991148	NAD83-07V	7	51.1	46.9	99	1	19.9	11.6	555	2.83	122	12.6
WLF55687	541730	6991106	NAD83-07V	5.4	67.4	31.3	64	0.9	17.8	7.6	226	2.09	77.5	67.5
WLF55688	541756	6991067	NAD83-07V	13.1	110.8	78.7	136	2.4	27.1	16.2	1233	3.09	214.1	71.9
WLF55689	541787	6991027	NAD83-07V	5.2	53.8	25.4	90	0.4	24.3	12.2	506	3.45	38.9	7.6
WLF55690	541817	6990988	NAD83-07V	14.5	92.6	29	75	0.4	24.5	14.5	746	3	34.8	6.1
WLF55691	541846	6990946	NAD83-07V	12.9	76.9	28.2	56	0.9	19.1	7.1	227	2.24	15.6	6.4
WLF55692	541877	6990906	NAD83-07V	9.6	32.5	29.2	57	0.4	20.1	7	194	2.47	20.2	3
WLF55693	541907	6990866	NAD83-07V	7.4	55	33.4	62	0.4	22.4	7.8	234	2.91	24.5	7.5
WLF55694	541828	6990806	NAD83-07V	5.5	41.4	20.4	53	0.5	17.7	6.8	167	2.1	10.2	6.5
WLF55695	541796	6990843	NAD83-07V	10.3	37.2	21.6	60	0.2	20.3	10.6	459	2.89	14.3	4.5
WLF55696	541766	6990885	NAD83-07V	11.8	38.5	30.3	72	0.5	24.4	13.5	692	2.88	20	7.1
WLF55697	541738	6990925	NAD83-07V	7.6	78.6	25.1	66	0.7	24.4	8.5	303	2.51	22.3	6.9
WLF55698	541708	6990966	NAD83-07V	8.5	68	39.1	74	1.3	22	18.5	743	3.22	48.7	6.2
WLF55699	541676	6991005	NAD83-07V	4.7	62.5	30.1	77	0.4	23.9	10.8	484	2.89	48.3	5.6
WLF55699	541676	6991005	NAD83-07V	4.9	61.1	30.6	77	0.4	24	10.8	476	2.88	48.7	5.7
WLF55700	541648	6991046	NAD83-07V	10	88	52.8	103	1.9	19.1	10.7	661	2.96	113.1	6.7
WLF55701	541618	6991087	NAD83-07V	2.2	45.4	59.9	92	0.6	22.5	10.5	377	2.86	57.6	4.3
WLF55702	541588	6991125	NAD83-07V	1.4	77.8	59	94	0.6	21.7	9.2	381	2.54	92.2	3.8
WLF55703	541557	6991165	NAD83-07V	1.3	49.9	38.7	77	0.6	25.5	9.8	308	2.68	101.4	3
WLF55704	541529	6991206	NAD83-07V	1.5	40.2	27	71	0.2	25.1	10.5	349	2.9	26.5	3.8
WLF55705	541499	6991246	NAD83-07V	1.2	36.9	19.6	56	0.1	23.5	10	261	2.73	18.4	2.2
WLF55706	541469	6991286	NAD83-07V	0.9	47.4	12.5	45	0.2	21.4	7.9	220	2.49	10.3	1.8
WLF55707	541468	6991287	NAD83-07V	0.9	45.3	13.1	47	0.2	22.3	7.8	219	2.5	10.2	1.7
WLF55708	541348	6991447	NAD83-07V	2.1	33.9	36.6	122	0.2	24.4	10.7	555	3.19	97.3	4.2
WLF55709	541378	6991407	NAD83-07V	5.4	218.2	72.6	223	2.9	17.4	13.3	1025	2.78	176.6	13.2
WLF55709	541378	6991407	NAD83-07V	5.1	224.1	73.5	231	3	17.3	13.2	1035	2.76	175.4	13.1
WLF55710	541407	6991366	NAD83-07V	2.5	23.4	30.1	76	0.2	18.1	11.2	445	3.25	43.6	2.2
WLF55711	541438	6991327	NAD83-07V	1	37	11.8	49	0.05	23.2	10.7	279	2.88	9.2	2.1
WLF55751	541750	6991746	NAD83-07V	2.3	38.3	16.6	46	0.3	20.4	10.8	322	3.75	41.4	2.2

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55663	3.6	15.7	44	0.5	5.2	2.9	81	0.37	0.079	15	45	0.67	130	0.125	1
WLF55664	7.8	14.3	48	0.6	3.6	5.1	84	0.28	0.053	15	44	0.66	135	0.124	1
WLF55665	6.9	8.6	36	1	2.4	5.3	67	0.3	0.058	14	30	0.53	97	0.093	2
WLF55666	12.6	10.7	30	1.1	3.2	1.5	72	0.32	0.071	19	33	0.58	115	0.088	2
WLF55667	17.4	16.3	29	1.4	6	2.1	68	0.38	0.074	28	37	0.64	134	0.082	0.5
WLF55668	19	8	21	1.1	6.8	1.3	57	0.27	0.059	19	28	0.51	99	0.074	0.5
WLF55669	12.3	7.9	42	0.3	10.2	4.8	61	0.39	0.054	22	36	0.59	149	0.083	1
WLF55670	6.2	8.1	38	0.2	0.9	0.4	65	0.4	0.059	17	36	0.6	147	0.102	0.5
WLF55671	3	6.9	19	0.4	3.6	1.3	65	0.2	0.037	10	27	0.41	94	0.083	0.5
WLF55672	10.7	8.4	35	0.7	4.9	5.8	52	0.35	0.065	18	27	0.52	94	0.092	2
WLF55673	4	7.7	21	0.4	3	2.4	57	0.27	0.06	13	28	0.5	91	0.077	1
WLF55674	8.2	2.2	38	0.3	2.8	0.6	53	0.32	0.051	14	23	0.37	90	0.082	1
WLF55675	4.9	2.7	49	0.2	7.6	0.7	76	0.4	0.075	12	35	0.63	149	0.097	1
WLF55676	2.9	7.1	22	0.4	2.6	0.7	66	0.29	0.058	12	30	0.55	96	0.101	2
WLF55677	5.5	11.5	36	0.5	6	0.9	73	0.44	0.092	17	36	0.62	91	0.112	2
WLF55678	5.3	5.3	33	0.4	2.7	1.3	64	0.32	0.062	11	28	0.58	115	0.106	1
WLF55679	4.7	4.7	23	0.3	1.7	0.6	72	0.24	0.047	9	28	0.54	84	0.116	2
WLF55680	1.5	2.7	24	0.2	0.7	0.4	62	0.26	0.056	9	29	0.52	81	0.096	1
WLF55681	6.6	9.3	38	0.3	2	1.3	73	0.36	0.078	16	39	0.66	118	0.107	2
WLF55681	6.6	9.6	38	0.3	2	1.2	73	0.39	0.078	16	40	0.67	120	0.11	2
WLF55682	8.5	7.5	27	0.7	7.6	1.8	71	0.27	0.065	20	33	0.56	88	0.094	2
WLF55683	14.5	8.2	36	0.5	4.5	0.8	68	0.38	0.065	16	32	0.61	117	0.093	1
WLF55684	24.8	15.5	53	1.7	10.5	2.8	73	0.55	0.106	48	40	0.61	166	0.068	2
WLF55685	5.5	13.1	44	1.3	5.8	2.9	63	0.45	0.072	19	31	0.6	106	0.091	2
WLF55686	7.9	5.1	31	1.2	4	2.2	67	0.26	0.052	17	32	0.42	148	0.076	2
WLF55687	5	2.3	35	2.4	2.3	2	46	0.33	0.048	35	25	0.3	123	0.058	1
WLF55688	12.6	12.4	59	2	5.7	4.3	64	0.58	0.077	50	38	0.59	166	0.078	3
WLF55689	7.4	12.1	47	0.6	2.1	2.4	96	0.49	0.116	22	43	0.66	144	0.134	1
WLF55690	4.3	16.7	57	0.6	2.1	2.9	85	0.46	0.085	18	43	0.74	104	0.141	1
WLF55691	5.7	9.2	41	0.5	1.9	3.1	51	0.4	0.087	16	34	0.52	106	0.087	2
WLF55692	4.5	15	30	0.3	3.1	3.2	70	0.32	0.046	13	41	0.62	72	0.145	2
WLF55693	3.9	15.2	24	0.3	2	3.8	81	0.32	0.094	17	48	0.64	80	0.135	2
WLF55694	4.6	5.4	33	0.2	1.7	2	47	0.33	0.067	12	30	0.5	113	0.115	2
WLF55695	8.1	13.2	36	0.3	1.6	2.1	87	0.33	0.072	16	40	0.63	100	0.153	2
WLF55696	3.1	15.5	46	0.5	4.2	1.5	75	0.46	0.09	16	47	0.63	129	0.109	2
WLF55697	3.4	5.2	51	0.8	2.6	1.7	61	0.45	0.076	17	42	0.57	133	0.09	2
WLF55698	6	8.1	38	1.1	1.9	3.3	75	0.25	0.062	19	35	0.5	128	0.103	2
WLF55699	6.2	12	51	0.5	2	1.4	72	0.43	0.072	21	37	0.68	115	0.117	1
WLF55699	8	11.9	51	0.6	2.1	1.4	70	0.42	0.072	21	38	0.67	117	0.114	1
WLF55700	9.2	9.4	26	1.2	6.8	5.6	66	0.29	0.059	24	31	0.52	115	0.08	2
WLF55701	10.1	7.2	30	0.7	3.4	2.2	69	0.34	0.065	14	35	0.61	101	0.105	2
WLF55702	15.7	8.5	79	0.7	5.3	5.3	66	0.4	0.06	21	33	0.54	112	0.099	1
WLF55703	17.7	4.6	37	0.5	3.3	0.8	63	0.34	0.067	16	36	0.58	139	0.086	2
WLF55704	7.1	8.6	30	0.5	1.6	0.5	69	0.38	0.073	18	36	0.63	146	0.103	2
WLF55705	3	9.3	28	0.3	1.5	0.7	70	0.37	0.062	15	35	0.61	120	0.116	0.5
WLF55706	2.3	6.2	23	0.3	1.1	0.5	62	0.29	0.059	11	31	0.51	105	0.107	2
WLF55707	4.6	5.9	24	0.3	1.1	0.4	63	0.3	0.059	12	31	0.54	107	0.113	2
WLF55708	4.5	16.3	40	1.2	7.4	0.7	76	0.45	0.074	19	34	0.63	98	0.11	2
WLF55709	13.9	11.9	55	5.1	26.3	1.3	56	0.74	0.098	47	28	0.47	117	0.055	3
WLF55709	19.4	13	57	4.8	28.5	1.4	58	0.75	0.104	47	29	0.47	114	0.068	3
WLF55710	10.4	10.8	31	0.4	4	1.9	78	0.33	0.071	14	32	0.52	85	0.1	2
WLF55711	1.3	5.9	30	0.2	0.8	0.4	72	0.33	0.071	14	37	0.57	112	0.121	2
WLF55751	3.9	6	32	0.1	1.7	1	72	0.3	0.062	12	48	0.71	125	0.138	2

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55752	541721	6991785	NAD83-07V	2.3	50.9	26.2	58	0.6	20.3	10.4	326	3.04	77.7	2.6
WLF55753	541691	6991825	NAD83-07V	3.6	72.9	25.2	60	0.5	17.1	11	332	3.51	85.4	2.7
WLF55754	541661	6991865	NAD83-07V	1.6	61.9	27.8	69	0.4	22.1	11.1	389	3.34	75.4	2.2
WLF55755	541631	6991906	NAD83-07V	2	59.2	24.7	68	0.3	23	11.1	401	3.23	88.1	1.7
WLF55756	541600	6991946	NAD83-07V	1.3	51.6	16.4	64	0.3	24.3	11.7	335	2.97	90.5	1.6
WLF55757	541571	6991986	NAD83-07V	1.3	52.9	17.4	69	0.2	17.6	10.3	482	3.78	83.5	1.1
WLF55758	541541	6992026	NAD83-07V	1.2	56.4	15.8	59	0.3	25.6	13	400	3.3	158.5	1.5
WLF55759	541512	6992066	NAD83-07V	2.8	134.9	21.3	52	0.5	23.4	11.5	332	4.13	140.6	2.5
WLF55760	541481	6992106	NAD83-07V	1.5	64.6	23.1	62	0.3	29	17.9	477	3.63	124.7	2.2
WLF55761	541451	6992146	NAD83-07V	1.6	70.5	34.6	66	0.4	26.7	13.3	388	3.71	278.9	2
WLF55762	541422	6992187	NAD83-07V	1.4	40.2	23.1	63	0.2	31.1	15.9	403	3.56	533.4	1.9
WLF55763	541391	6992227	NAD83-07V	2.3	27.2	25.6	57	0.2	22.6	14.2	509	3.52	285.9	0.9
WLF55764	541362	6992267	NAD83-07V	1.4	25.7	24.5	52	0.2	27.3	13.6	425	3.7	177.1	1
WLF55765	541332	6992307	NAD83-07V	1.2	23.7	21.2	63	0.1	23.4	11.2	385	3.42	399.3	0.8
WLF55766	541301	6992348	NAD83-07V	1.2	23.8	19.1	66	0.05	28.7	13.5	460	3.5	131.3	0.7
WLF55767	541272	6992387	NAD83-07V	0.8	24.3	14.5	55	0.05	29.4	13.1	399	3.19	40.7	0.5
WLF55768	541192	6992328	NAD83-07V	1.4	23.5	18.9	55	0.1	26.4	12.9	383	3.76	96.7	0.8
WLF55769	541221	6992288	NAD83-07V	1	24.8	14.5	53	0.05	30.3	15.4	437	3.26	25.6	0.8
WLF55769	541221	6992288	NAD83-07V	0.9	26.1	14.7	57	0.05	31.2	16.2	430	3.24	26.5	0.9
WLF55770	541252	6992248	NAD83-07V	2.6	38.4	35.5	58	0.2	31.1	23.5	522	4.58	91.7	1.8
WLF55771	541282	6992208	NAD83-07V	2.7	33.8	38.2	65	0.3	30.3	15.4	441	3.68	118.6	1.8
WLF55772	541311	6992168	NAD83-07V	1.8	28.6	29.6	64	0.2	30.7	17.1	550	3.55	136.3	1.3
WLF55773	541341	6992128	NAD83-07V	2.1	38.6	21.3	53	0.2	34	13.6	374	3.94	187.1	2.2
WLF55774	541371	6992088	NAD83-07V	1.9	36.4	24.7	59	0.2	30.9	14.7	471	3.49	219.8	1.4
WLF55775	541401	6992047	NAD83-07V	1.7	53	14.3	55	0.2	27.9	14.1	355	3.5	148.7	1.6
WLF55776	541431	6992007	NAD83-07V	1.5	41.7	20.1	59	0.3	22.2	17.3	558	3.03	205.1	1.6
WLF55777	541461	6991968	NAD83-07V	1.8	48.2	16.6	54	0.3	20.6	9.8	316	3.09	79.3	1.4
WLF55778	541491	6991927	NAD83-07V	1.6	50.9	15.3	50	0.3	22.5	11.2	295	3.06	73.4	1.4
WLF55779	541521	6991885	NAD83-07V	1.1	47.1	14.1	50	0.2	22	10.8	266	2.86	76.2	1.5
WLF55780	541550	6991847	NAD83-07V	1.2	38.8	15.5	55	0.2	22.1	10.2	304	3.03	84.9	1
WLF55781	541581	6991806	NAD83-07V	1.1	39.9	15.2	48	0.2	19	9.2	299	2.56	46.4	1.4
WLF55782	541610	6991767	NAD83-07V	1.5	46.1	22.9	64	0.3	23.7	11.6	386	3.2	59.9	2.8
WLF55783	541641	6991725	NAD83-07V	1.3	47.9	41	76	0.3	16.2	9.3	357	2.86	71.1	2.1
WLF55784	540840	6991129	NAD83-07V	1.8	19.4	20.2	49	0.2	17	8	304	2.25	52	2.1
WLF55785	540809	6991168	NAD83-07V	2.4	23.8	22.7	55	0.2	19.7	9.7	361	2.58	98.1	3.7
WLF55786	540779	6991208	NAD83-07V	3.9	28.9	28.5	53	0.3	21.8	10.9	476	2.57	55.3	3.5
WLF55787	540750	6991248	NAD83-07V	1.2	16.9	14	45	0.1	20.3	9.6	301	2.89	18.3	0.7
WLF55788	540719	6991290	NAD83-07V	1.4	17.6	23	59	0.05	25.4	12.1	434	3.4	15.5	0.5
WLF55789	540689	6991329	NAD83-07V	1.8	15.8	20.2	55	0.4	16.7	7.4	234	3.51	20.2	0.6
WLF55790	540660	6991369	NAD83-07V	1.4	17.3	12	35	0.1	14.7	11.1	897	2.66	9	0.4
WLF55791	540629	6991410	NAD83-07V	1	23.1	24	62	0.05	23.4	11	423	2.91	32.6	1.4
WLF55792	540629	6991410	NAD83-07V	1.1	23.1	25.9	63	0.05	22.8	11.3	426	2.88	33.2	1.4
WLF55793	540599	6991449	NAD83-07V	2.2	19	17	43	0.2	18	10.6	331	3.41	30	0.7
WLF55794	540568	6991490	NAD83-07V	2.3	19.8	14.1	43	0.2	20.5	9.7	240	4.07	29.6	0.7
WLF55795	540540	6991529	NAD83-07V	1.4	20	20.8	55	0.1	20.2	13.9	330	3.53	98.2	0.7
WLF55796	540509	6991570	NAD83-07V	0.9	23.2	9.5	48	0.05	29.6	14.2	340	3.35	18.6	0.6
WLF55797	540478	6991611	NAD83-07V	1	23.8	10.3	58	0.1	28.1	13.9	359	3.67	15.3	0.9
WLF55798	540450	6991650	NAD83-07V	1.2	22.2	10.4	57	0.05	25.5	15	478	3.21	35.8	0.6
WLF55798	540450	6991650	NAD83-07V	1.1	22.3	10.5	56	0.05	26.8	14.9	490	3.28	36.7	0.6
WLF55799	540419	6991690	NAD83-07V	1.1	25.4	14.8	62	0.1	27.2	14.6	559	3.1	73.2	0.6
WLF55800	540389	6991729	NAD83-07V	1.1	20.7	9.7	48	0.05	26.6	13.4	387	3.22	20.5	0.6
WLF55801	540470	6991798	NAD83-07V	0.6	16.8	7.8	47	0.05	23.5	11.4	302	2.83	12.4	0.4
WLF55802	540497	6991752	NAD83-07V	1.5	26.3	10	57	0.05	20.5	9.6	394	3.38	16.3	0.6

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55663	3.6	15.7	44	0.5	5.2	2.9	81	0.37	0.079	15	45	0.67	130	0.125	1
WLF55664	7.8	14.3	48	0.6	3.6	5.1	84	0.28	0.053	15	44	0.66	135	0.124	1
WLF55665	6.9	8.6	36	1	2.4	5.3	67	0.3	0.058	14	30	0.53	97	0.093	2
WLF55666	12.6	10.7	30	1.1	3.2	1.5	72	0.32	0.071	19	33	0.58	115	0.088	2
WLF55667	17.4	16.3	29	1.4	6	2.1	68	0.38	0.074	28	37	0.64	134	0.082	0.5
WLF55668	19	8	21	1.1	6.8	1.3	57	0.27	0.059	19	28	0.51	99	0.074	0.5
WLF55669	12.3	7.9	42	0.3	10.2	4.8	61	0.39	0.054	22	36	0.59	149	0.083	1
WLF55670	6.2	8.1	38	0.2	0.9	0.4	65	0.4	0.059	17	36	0.6	147	0.102	0.5
WLF55671	3	6.9	19	0.4	3.6	1.3	65	0.2	0.037	10	27	0.41	94	0.083	0.5
WLF55672	10.7	8.4	35	0.7	4.9	5.8	52	0.35	0.065	18	27	0.52	94	0.092	2
WLF55673	4	7.7	21	0.4	3	2.4	57	0.27	0.06	13	28	0.5	91	0.077	1
WLF55674	8.2	2.2	38	0.3	2.8	0.6	53	0.32	0.051	14	23	0.37	90	0.082	1
WLF55675	4.9	2.7	49	0.2	7.6	0.7	76	0.4	0.075	12	35	0.63	149	0.097	1
WLF55676	2.9	7.1	22	0.4	2.6	0.7	66	0.29	0.058	12	30	0.55	96	0.101	2
WLF55677	5.5	11.5	36	0.5	6	0.9	73	0.44	0.092	17	36	0.62	91	0.112	2
WLF55678	5.3	5.3	33	0.4	2.7	1.3	64	0.32	0.062	11	28	0.58	115	0.106	1
WLF55679	4.7	4.7	23	0.3	1.7	0.6	72	0.24	0.047	9	28	0.54	84	0.116	2
WLF55680	1.5	2.7	24	0.2	0.7	0.4	62	0.26	0.056	9	29	0.52	81	0.096	1
WLF55681	6.6	9.3	38	0.3	2	1.3	73	0.36	0.078	16	39	0.66	118	0.107	2
WLF55681	6.6	9.6	38	0.3	2	1.2	73	0.39	0.078	16	40	0.67	120	0.11	2
WLF55682	8.5	7.5	27	0.7	7.6	1.8	71	0.27	0.065	20	33	0.56	88	0.094	2
WLF55683	14.5	8.2	36	0.5	4.5	0.8	68	0.38	0.065	16	32	0.61	117	0.093	1
WLF55684	24.8	15.5	53	1.7	10.5	2.8	73	0.55	0.106	48	40	0.61	166	0.088	2
WLF55685	5.5	13.1	44	1.3	5.8	2.9	63	0.45	0.072	19	31	0.6	106	0.091	2
WLF55686	7.9	5.1	31	1.2	4	2.2	67	0.26	0.052	17	32	0.42	148	0.076	2
WLF55687	5	2.3	35	2.4	2.3	2	46	0.33	0.048	35	25	0.3	123	0.058	1
WLF55688	12.6	12.4	59	2	5.7	4.3	64	0.58	0.077	50	38	0.59	166	0.078	3
WLF55689	7.4	12.1	47	0.6	2.1	2.4	96	0.49	0.116	22	43	0.66	144	0.134	1
WLF55690	4.3	16.7	57	0.6	2.1	2.9	85	0.46	0.085	18	43	0.74	104	0.141	1
WLF55691	5.7	9.2	41	0.5	1.9	3.1	51	0.4	0.087	16	34	0.52	106	0.087	2
WLF55692	4.5	15	30	0.3	3.1	3.2	70	0.32	0.046	13	41	0.62	72	0.145	2
WLF55693	3.9	15.2	24	0.3	2	3.8	81	0.32	0.094	17	48	0.64	80	0.135	2
WLF55694	4.6	5.4	33	0.2	1.7	2	47	0.33	0.067	12	30	0.5	113	0.115	2
WLF55695	8.1	13.2	36	0.3	1.6	2.1	87	0.33	0.072	16	40	0.63	100	0.153	2
WLF55696	3.1	15.5	46	0.5	4.2	1.5	75	0.46	0.09	16	47	0.63	129	0.109	2
WLF55697	3.4	5.2	51	0.8	2.6	1.7	61	0.45	0.076	17	42	0.57	133	0.09	2
WLF55698	6	8.1	38	1.1	1.9	3.3	75	0.25	0.062	19	35	0.5	128	0.103	2
WLF55699	6.2	12	51	0.5	2	1.4	72	0.43	0.072	21	37	0.68	115	0.117	1
WLF55699	8	11.9	51	0.6	2.1	1.4	70	0.42	0.072	21	38	0.67	117	0.114	1
WLF55700	9.2	9.4	26	1.2	6.8	5.6	66	0.29	0.059	24	31	0.52	115	0.08	2
WLF55701	10.1	7.2	30	0.7	3.4	2.2	69	0.34	0.065	14	35	0.61	101	0.105	2
WLF55702	15.7	8.5	79	0.7	5.3	5.3	66	0.4	0.06	21	33	0.54	112	0.099	1
WLF55703	17.7	4.6	37	0.5	3.3	0.8	63	0.34	0.067	16	36	0.58	139	0.086	2
WLF55704	7.1	8.6	30	0.5	1.6	0.5	69	0.38	0.073	18	36	0.63	146	0.103	2
WLF55705	3	9.3	28	0.3	1.5	0.7	70	0.37	0.062	15	35	0.61	120	0.116	0.5
WLF55706	2.3	6.2	23	0.3	1.1	0.5	62	0.29	0.059	11	31	0.51	105	0.107	2
WLF55707	4.6	5.9	24	0.3	1.1	0.4	63	0.3	0.059	12	31	0.54	107	0.113	2
WLF55708	4.5	16.3	40	1.2	7.4	0.7	76	0.45	0.074	19	34	0.63	98	0.11	2
WLF55709	13.9	11.9	55	5.1	26.3	1.3	56	0.74	0.098	47	28	0.47	117	0.055	3
WLF55709	19.4	13	57	4.8	28.5	1.4	58	0.75	0.104	47	29	0.47	114	0.068	3
WLF55710	10.4	10.8	31	0.4	4	1.9	78	0.33	0.071	14	32	0.52	85	0.1	2
WLF55711	1.3	5.9	30	0.2	0.8	0.4	72	0.33	0.071	14	37	0.57	112	0.121	2
WLF55751	3.9	6	32	0.1	1.7	1	72	0.3	0.062	12	48	0.71	125	0.138	2

SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF55663	2	0.012	0.08	1.2	0.02	3.6	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55664	2.4	0.012	0.1	0.7	0.05	4.7	0.3	0.025	8	0.25	1DX15	VAN09004138
WLF55665	1.54	0.013	0.06	0.4	0.03	3.3	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55666	1.89	0.014	0.08	0.5	0.03	3.8	0.3	0.025	7	0.5	1DX15	VAN09004138
WLF55667	2.1	0.013	0.08	0.3	0.04	5.1	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55668	1.84	0.013	0.05	0.4	0.04	3.3	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55669	1.88	0.015	0.04	0.1	0.02	5.4	0.05	0.025	6	0.25	1DX15	VAN09004138
WLF55670	1.86	0.016	0.04	0.2	0.02	5.5	0.1	0.025	5	0.25	1DX15	VAN09004138
WLF55671	1.96	0.01	0.04	0.2	0.02	2.9	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55672	1.9	0.014	0.05	0.7	0.03	3.3	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55673	1.89	0.013	0.04	0.6	0.04	2.9	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55674	1.6	0.017	0.05	0.3	0.03	2.2	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55675	1.63	0.015	0.06	0.2	0.06	3.8	0.3	0.08	5	0.5	1DX15	VAN09004138
WLF55676	1.99	0.012	0.04	0.3	0.03	3.1	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55677	1.63	0.015	0.05	0.5	0.02	3.9	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55678	1.8	0.017	0.05	0.6	0.02	3.5	0.1	0.025	5	0.25	1DX15	VAN09004138
WLF55679	1.91	0.016	0.05	0.3	0.02	3.2	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55680	1.92	0.012	0.04	0.2	0.03	2.9	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55681	2.33	0.017	0.06	0.3	0.04	4.3	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55681	2.35	0.019	0.06	0.3	0.04	4.4	0.2	0.025	7	0.5	1DX15	VAN09004138
WLF55682	1.99	0.013	0.06	0.7	0.05	3.9	0.2	0.025	7	0.6	1DX15	VAN09004138
WLF55683	2.22	0.014	0.05	0.5	0.07	3.9	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55684	2.66	0.02	0.09	0.5	0.1	7.3	0.6	0.025	8	0.8	1DX15	VAN09004138
WLF55685	1.72	0.015	0.07	0.3	0.02	3.5	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55686	2.12	0.017	0.05	0.2	0.04	3.4	0.1	0.025	7	0.6	1DX15	VAN09004138
WLF55687	1.68	0.017	0.04	0.1	0.05	3.1	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55688	2.53	0.018	0.09	0.3	0.07	6.4	0.5	0.025	8	0.6	1DX15	VAN09004138
WLF55689	1.91	0.016	0.11	0.7	0.03	4.1	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55690	1.72	0.014	0.12	0.6	0.02	3.6	0.2	0.025	8	0.25	1DX15	VAN09004138
WLF55691	1.59	0.016	0.08	0.5	0.07	3.5	0.2	0.05	7	0.6	1DX15	VAN09004138
WLF55692	1.58	0.015	0.07	0.8	0.04	3	0.2	0.025	8	0.25	1DX15	VAN09004138
WLF55693	1.69	0.015	0.1	1.2	0.02	3.3	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55694	1.6	0.021	0.06	0.5	0.04	3.1	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55695	1.53	0.019	0.11	0.7	0.02	2.9	0.2	0.025	8	0.25	1DX15	VAN09004138
WLF55696	1.95	0.018	0.11	0.6	0.03	3.4	0.3	0.025	9	0.25	1DX15	VAN09004138
WLF55697	1.76	0.019	0.07	0.5	0.04	3.2	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55698	2.44	0.015	0.07	0.3	0.07	4.5	0.3	0.025	8	0.25	1DX15	VAN09004138
WLF55699	1.86	0.023	0.06	0.4	0.03	4.5	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55699	1.82	0.022	0.06	0.3	0.04	4.5	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55700	1.83	0.014	0.06	0.7	0.05	3.5	0.3	0.025	7	0.6	1DX15	VAN09004138
WLF55701	2.04	0.014	0.06	0.2	0.04	3.6	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55702	1.93	0.016	0.05	0.4	0.03	4.2	0.05	0.025	5	0.25	1DX15	VAN09004138
WLF55703	2.19	0.016	0.05	0.1	0.04	3.9	0.1	0.025	6	0.7	1DX15	VAN09004138
WLF55704	1.99	0.015	0.06	0.1	0.03	5	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55705	2.18	0.016	0.05	0.2	0.02	4.4	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55706	2.01	0.013	0.04	0.4	0.02	3.6	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55707	2.05	0.015	0.05	0.3	0.02	3.5	0.1	0.025	6	0.25	1DX15	VAN09004138
WLF55708	2.34	0.015	0.07	0.5	0.03	4.2	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55709	2.07	0.018	0.09	0.7	0.11	5.6	0.4	0.025	7	1.1	1DX15	VAN09004138
WLF55709	2.1	0.018	0.1	0.9	0.11	5.5	0.4	0.025	8	0.9	1DX15	VAN09004138
WLF55710	2	0.014	0.06	0.2	0.02	3.2	0.2	0.025	7	0.6	1DX15	VAN09004138
WLF55711	2.43	0.015	0.05	0.3	0.03	3.8	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55751	1.67	0.017	0.07	1.5	0.02	3.8	0.3	0.025	5	0.25	1DX15	VAN09004138

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55752	541721	6991785	NAD83-07V	2.3	50.9	26.2	58	0.6	20.3	10.4	326	3.04	77.7	2.6
WLF55753	541691	6991825	NAD83-07V	3.6	72.9	25.2	60	0.5	17.1	11	332	3.51	85.4	2.7
WLF55754	541661	6991865	NAD83-07V	1.6	61.9	27.8	69	0.4	22.1	11.1	389	3.34	75.4	2.2
WLF55755	541631	6991906	NAD83-07V	2	59.2	24.7	68	0.3	23	11.1	401	3.23	88.1	1.7
WLF55756	541600	6991946	NAD83-07V	1.3	51.6	16.4	64	0.3	24.3	11.7	335	2.97	90.5	1.6
WLF55757	541571	6991986	NAD83-07V	1.3	52.9	17.4	69	0.2	17.6	10.3	482	3.78	83.5	1.1
WLF55758	541541	6992026	NAD83-07V	1.2	56.4	15.8	59	0.3	25.6	13	400	3.3	158.5	1.5
WLF55759	541512	6992066	NAD83-07V	2.8	134.9	21.3	52	0.5	23.4	11.5	332	4.13	140.6	2.5
WLF55760	541481	6992106	NAD83-07V	1.5	64.6	23.1	62	0.3	29	17.9	477	3.63	124.7	2.2
WLF55761	541451	6992146	NAD83-07V	1.6	70.5	34.6	66	0.4	26.7	13.3	388	3.71	278.9	2
WLF55762	541422	6992187	NAD83-07V	1.4	40.2	23.1	63	0.2	31.1	15.9	403	3.56	533.4	1.9
WLF55763	541391	6992227	NAD83-07V	2.3	27.2	25.6	57	0.2	22.6	14.2	509	3.52	285.9	0.9
WLF55764	541362	6992267	NAD83-07V	1.4	25.7	24.5	52	0.2	27.3	13.6	425	3.7	177.1	1
WLF55765	541332	6992307	NAD83-07V	1.2	23.7	21.2	63	0.1	23.4	11.2	385	3.42	399.3	0.8
WLF55766	541301	6992348	NAD83-07V	1.2	23.8	19.1	66	0.05	28.7	13.5	460	3.5	131.3	0.7
WLF55767	541272	6992387	NAD83-07V	0.8	24.3	14.5	55	0.05	29.4	13.1	399	3.19	40.7	0.5
WLF55768	541192	6992328	NAD83-07V	1.4	23.5	18.9	55	0.1	26.4	12.9	383	3.76	96.7	0.8
WLF55769	541221	6992288	NAD83-07V	1	24.8	14.5	53	0.05	30.3	15.4	437	3.26	25.6	0.8
WLF55769	541221	6992288	NAD83-07V	0.9	26.1	14.7	57	0.05	31.2	16.2	430	3.24	26.5	0.9
WLF55770	541252	6992248	NAD83-07V	2.6	38.4	35.5	58	0.2	31.1	23.5	522	4.58	91.7	1.8
WLF55771	541282	6992208	NAD83-07V	2.7	33.8	38.2	65	0.3	30.3	15.4	441	3.68	118.6	1.8
WLF55772	541311	6992168	NAD83-07V	1.8	28.6	29.6	64	0.2	30.7	17.1	550	3.55	136.3	1.3
WLF55773	541341	6992128	NAD83-07V	2.1	38.6	21.3	53	0.2	34	13.6	374	3.94	187.1	2.2
WLF55774	541371	6992088	NAD83-07V	1.9	36.4	24.7	59	0.2	30.9	14.7	471	3.49	219.8	1.4
WLF55775	541401	6992047	NAD83-07V	1.7	53	14.3	55	0.2	27.9	14.1	355	3.5	148.7	1.6
WLF55776	541431	6992007	NAD83-07V	1.5	41.7	20.1	59	0.3	22.2	17.3	558	3.03	205.1	1.6
WLF55777	541461	6991968	NAD83-07V	1.8	48.2	16.6	54	0.3	20.6	9.8	316	3.09	79.3	1.4
WLF55778	541491	6991927	NAD83-07V	1.6	50.9	15.3	50	0.3	22.5	11.2	295	3.06	73.4	1.4
WLF55779	541521	6991885	NAD83-07V	1.1	47.1	14.1	50	0.2	22	10.8	266	2.86	76.2	1.5
WLF55780	541550	6991847	NAD83-07V	1.2	38.8	15.5	55	0.2	22.1	10.2	304	3.03	84.9	1
WLF55781	541581	6991806	NAD83-07V	1.1	39.9	15.2	48	0.2	19	9.2	299	2.56	46.4	1.4
WLF55782	541610	6991767	NAD83-07V	1.5	46.1	22.9	64	0.3	23.7	11.6	386	3.2	59.9	2.8
WLF55783	541641	6991725	NAD83-07V	1.3	47.9	41	76	0.3	16.2	9.3	357	2.86	71.1	2.1
WLF55784	540840	6991129	NAD83-07V	1.8	19.4	20.2	49	0.2	17	8	304	2.25	52	2.1
WLF55785	540809	6991168	NAD83-07V	2.4	23.8	22.7	55	0.2	19.7	9.7	361	2.58	98.1	3.7
WLF55786	540779	6991208	NAD83-07V	3.9	28.9	28.5	53	0.3	21.8	10.9	476	2.57	55.3	3.5
WLF55787	540750	6991248	NAD83-07V	1.2	16.9	14	45	0.1	20.3	9.6	301	2.89	18.3	0.7
WLF55788	540719	6991290	NAD83-07V	1.4	17.6	23	59	0.05	25.4	12.1	434	3.4	15.5	0.5
WLF55789	540689	6991329	NAD83-07V	1.8	15.8	20.2	55	0.4	16.7	7.4	234	3.51	20.2	0.6
WLF55790	540660	6991369	NAD83-07V	1.4	17.3	12	35	0.1	14.7	11.1	897	2.66	9	0.4
WLF55791	540629	6991410	NAD83-07V	1	23.1	24	62	0.05	23.4	11	423	2.91	32.6	1.4
WLF55792	540629	6991410	NAD83-07V	1.1	23.1	25.9	63	0.05	22.8	11.3	426	2.88	33.2	1.4
WLF55793	540599	6991449	NAD83-07V	2.2	19	17	43	0.2	18	10.6	331	3.41	30	0.7
WLF55794	540568	6991490	NAD83-07V	2.3	19.8	14.1	43	0.2	20.5	9.7	240	4.07	29.6	0.7
WLF55795	540540	6991529	NAD83-07V	1.4	20	20.8	55	0.1	20.2	13.9	330	3.53	98.2	0.7
WLF55796	540509	6991570	NAD83-07V	0.9	23.2	9.5	48	0.05	29.6	14.2	340	3.35	18.6	0.6
WLF55797	540478	6991611	NAD83-07V	1	23.8	10.3	58	0.1	28.1	13.9	359	3.67	15.3	0.9
WLF55798	540450	6991650	NAD83-07V	1.2	22.2	10.4	57	0.05	25.5	15	478	3.21	35.8	0.6
WLF55798	540450	6991650	NAD83-07V	1.1	22.3	10.5	56	0.05	26.8	14.9	490	3.28	36.7	0.6
WLF55799	540419	6991690	NAD83-07V	1.1	25.4	14.8	62	0.1	27.2	14.6	559	3.1	73.2	0.6
WLF55800	540389	6991729	NAD83-07V	1.1	20.7	9.7	48	0.05	26.6	13.4	387	3.22	20.5	0.6
WLF55801	540470	6991798	NAD83-07V	0.6	16.8	7.8	47	0.05	23.5	11.4	302	2.83	12.4	0.4
WLF55802	540497	6991752	NAD83-07V	1.5	26.3	10	57	0.05	20.5	9.6	394	3.38	16.3	0.6

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55752	8	4.5	35	0.2	16.5	1.5	88	0.36	0.082	12	40	0.7	143	0.129	2
WLF55753	10.4	9	37	0.2	22.1	1.9	93	0.4	0.086	12	38	0.83	142	0.158	2
WLF55754	8.1	5.9	46	0.2	14.6	1.1	91	0.44	0.094	14	46	0.78	160	0.167	2
WLF55755	5.4	3.5	49	0.2	16.8	0.9	92	0.45	0.095	13	53	0.76	171	0.174	1
WLF55756	6.2	2.2	32	0.2	2.4	0.9	91	0.34	0.083	10	61	0.83	176	0.162	1
WLF55757	5.1	2.9	41	0.1	2.1	0.8	126	0.38	0.116	10	79	1.04	213	0.25	0.5
WLF55758	13	2.6	39	0.2	2.3	1.6	102	0.35	0.087	11	56	0.76	148	0.165	2
WLF55759	17.3	4.5	48	0.2	3.5	3.3	121	0.3	0.126	11	63	1.09	203	0.218	2
WLF55760	7.4	2.4	31	0.3	11.9	1.6	99	0.24	0.067	13	42	0.74	141	0.145	2
WLF55761	16.5	2.8	68	0.4	7.4	7	111	0.38	0.085	13	57	0.77	124	0.147	1
WLF55762	18.7	2.9	77	0.3	4.2	3.9	95	0.39	0.075	12	46	0.65	119	0.117	1
WLF55763	5.5	1.6	40	0.4	1.7	1.8	91	0.28	0.07	10	41	0.53	133	0.107	1
WLF55764	3.6	2.3	40	0.2	2.1	0.8	97	0.35	0.046	12	47	0.71	135	0.126	2
WLF55765	3.3	1.8	37	0.2	4.5	2	86	0.4	0.039	10	42	0.65	124	0.115	2
WLF55766	6.4	3.6	32	0.2	1.8	0.5	87	0.26	0.031	9	46	0.73	116	0.129	3
WLF55767	6.9	2.1	21	0.2	1	0.6	86	0.27	0.039	8	42	0.68	115	0.141	2
WLF55768	5.5	2	18	0.2	1.2	1	96	0.19	0.037	9	42	0.6	100	0.115	2
WLF55769	3.9	2.9	22	0.2	1	0.6	79	0.24	0.038	9	44	0.74	111	0.13	2
WLF55769	4.9	2.9	22	0.05	1.1	0.6	80	0.23	0.036	9	44	0.73	117	0.125	1
WLF55770	113.5	3.3	74	0.2	3.7	1.7	119	0.33	0.054	12	61	0.92	116	0.14	2
WLF55771	11.1	1.7	64	0.4	13.9	1.2	91	0.45	0.083	11	50	0.7	119	0.099	2
WLF55772	5.5	2.5	72	0.3	3.9	1.1	88	0.36	0.071	15	48	0.72	157	0.111	1
WLF55773	9.6	4.1	123	0.2	4.3	1.3	103	0.47	0.095	13	64	0.98	148	0.151	0.5
WLF55774	7.7	2.6	56	0.2	2.4	2.7	93	0.42	0.093	10	51	0.76	145	0.122	1
WLF55775	9.5	2.5	53	0.1	3	2.2	84	0.36	0.085	12	41	0.65	129	0.113	1
WLF55776	10	2.4	42	0.4	4.2	2.4	86	0.38	0.085	12	37	0.67	146	0.117	1
WLF55777	5.9	2.2	45	0.3	6	2.2	93	0.33	0.081	10	51	0.82	151	0.164	1
WLF55778	6.4	2.8	36	0.05	2.3	1	90	0.32	0.084	10	46	0.78	133	0.159	1
WLF55779	6.1	2.2	30	0.1	1.6	1	79	0.31	0.075	10	48	0.71	138	0.136	1
WLF55780	6	2.3	31	0.1	1.7	0.9	85	0.32	0.071	9	47	0.71	138	0.147	2
WLF55781	2.9	1.7	27	0.3	1	0.7	69	0.27	0.057	10	37	0.5	124	0.114	1
WLF55782	36.1	5.5	37	0.2	3	0.9	83	0.37	0.076	13	46	0.69	147	0.13	2
WLF55783	42.6	9.7	66	0.4	7	3.8	73	0.4	0.076	13	32	0.69	146	0.1	2
WLF55784	9.4	2.5	36	0.3	12.3	0.8	68	0.4	0.05	9	31	0.46	140	0.114	2
WLF55785	9.7	2.6	56	0.3	19.4	0.8	80	0.57	0.063	10	38	0.61	167	0.135	1
WLF55786	4.2	2.1	77	0.2	15	0.7	76	0.89	0.071	15	37	0.61	222	0.105	2
WLF55787	7.4	2.6	26	0.3	6	0.4	89	0.35	0.066	8	36	0.51	101	0.126	2
WLF55788	5.5	2.2	37	0.4	1.8	0.3	88	0.41	0.035	6	36	0.49	170	0.106	2
WLF55789	11	2.2	30	0.7	2.2	0.3	94	0.26	0.03	7	34	0.38	112	0.104	0.5
WLF55790	2.5	1	30	0.3	0.5	0.2	75	0.23	0.028	5	24	0.34	188	0.085	0.5
WLF55791	40.4	3.4	50	0.4	1.4	0.4	94	0.52	0.109	12	39	0.56	159	0.138	0.5
WLF55792	25.9	3.1	52	0.5	1.2	0.3	91	0.53	0.103	12	39	0.56	165	0.13	0.5
WLF55793	5.5	1.3	42	0.4	0.6	0.2	95	0.32	0.059	7	34	0.47	120	0.116	0.5
WLF55794	3.2	2.1	31	0.2	0.7	0.2	105	0.25	0.032	10	37	0.46	140	0.126	1
WLF55795	12.8	2.7	85	0.3	1.2	0.3	98	0.44	0.066	10	34	0.67	151	0.154	0.5
WLF55796	5	2.6	27	0.1	0.6	0.2	89	0.25	0.029	8	41	0.75	168	0.15	0.5
WLF55797	1.8	3.1	20	0.2	0.6	0.2	91	0.18	0.029	11	45	0.7	154	0.114	0.5
WLF55798	1.1	2.1	27	0.2	0.5	0.2	75	0.26	0.039	7	37	0.62	238	0.095	0.5
WLF55798	4.2	1.9	28	0.3	0.5	0.2	77	0.27	0.035	7	38	0.63	240	0.1	1
WLF55799	4.2	0.9	25	0.4	0.6	0.2	74	0.22	0.069	7	34	0.5	129	0.083	1
WLF55800	1.2	1	23	0.3	0.5	0.2	78	0.2	0.068	7	34	0.59	99	0.1	1
WLF55801	2.2	1.3	26	0.2	0.5	0.1	68	0.27	0.045	5	33	0.7	116	0.123	0.5
WLF55802	2.1	0.7	20	0.4	0.6	0.2	78	0.2	0.061	7	33	0.43	120	0.07	1



SampleID	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Method	JobNumber
WLF55752	1.94	0.016	0.08	0.3	0.04	4.8	0.4	0.025	7	0.5	1DX15	VAN09004138
WLF55753	1.95	0.016	0.12	0.5	0.03	5.4	0.4	0.025	7	0.7	1DX15	VAN09004138
WLF55754	1.96	0.02	0.13	0.3	0.03	5.4	0.4	0.025	6	0.6	1DX15	VAN09004138
WLF55755	1.83	0.023	0.15	0.4	0.04	5	0.5	0.025	7	1	1DX15	VAN09004138
WLF55756	2.12	0.02	0.13	0.2	0.06	5.8	0.5	0.025	6	0.5	1DX15	VAN09004138
WLF55757	1.88	0.023	0.46	0.2	0.02	8.4	1	0.05	6	0.25	1DX15	VAN09004138
WLF55758	1.93	0.023	0.19	0.2	0.04	4.5	0.5	0.06	6	0.25	1DX15	VAN09004138
WLF55759	2.27	0.034	0.46	0.2	0.04	8.3	1	0.17	7	1.5	1DX15	VAN09004138
WLF55760	2.92	0.02	0.1	0.2	0.04	5.8	0.5	0.025	8	1	1DX15	VAN09004138
WLF55761	1.96	0.028	0.18	0.3	0.03	5.2	0.5	0.07	6	0.25	1DX15	VAN09004138
WLF55762	2.07	0.024	0.1	0.3	0.04	4.3	0.4	0.025	6	0.25	1DX15	VAN09004138
WLF55763	2.33	0.014	0.07	0.1	0.02	3.6	0.3	0.025	9	0.6	1DX15	VAN09004138
WLF55764	2.53	0.017	0.08	0.2	0.04	4.8	0.4	0.025	8	0.25	1DX15	VAN09004138
WLF55765	2.29	0.013	0.07	0.2	0.05	3.7	0.5	0.025	8	0.25	1DX15	VAN09004138
WLF55766	2.86	0.018	0.06	0.2	0.03	4.3	0.4	0.025	7	0.25	1DX15	VAN09004138
WLF55767	2.83	0.017	0.07	0.2	0.04	3.6	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55768	2.36	0.013	0.05	0.2	0.04	3.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55769	2.83	0.019	0.07	0.2	0.02	4.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55769	2.75	0.019	0.06	0.2	0.03	4.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55770	2.5	0.027	0.17	0.7	0.03	5.4	0.5	0.025	9	0.8	1DX15	VAN09004138
WLF55771	2.08	0.018	0.1	0.2	0.04	3.3	0.4	0.06	8	0.6	1DX15	VAN09004138
WLF55772	2.38	0.017	0.09	0.2	0.03	4	0.4	0.025	8	0.25	1DX15	VAN09004138
WLF55773	2.1	0.02	0.27	0.3	0.03	5.7	0.7	0.025	7	0.25	1DX15	VAN09004138
WLF55774	2.33	0.021	0.13	0.2	0.03	4.5	0.4	0.05	7	0.5	1DX15	VAN09004138
WLF55775	1.91	0.025	0.1	0.2	0.03	3.8	0.3	0.08	6	0.7	1DX15	VAN09004138
WLF55776	1.96	0.019	0.13	0.2	0.06	4.2	0.4	0.06	6	0.25	1DX15	VAN09004138
WLF55777	1.87	0.025	0.21	0.3	0.03	4.1	0.4	0.1	6	0.7	1DX15	VAN09004138
WLF55778	1.92	0.018	0.16	0.2	0.03	4.1	0.4	0.025	6	0.25	1DX15	VAN09004138
WLF55779	1.95	0.016	0.09	0.2	0.04	4.1	0.4	0.025	6	0.6	1DX15	VAN09004138
WLF55780	1.88	0.018	0.1	0.2	0.03	4	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55781	1.69	0.015	0.06	0.2	0.03	3.1	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55782	2.11	0.015	0.08	0.3	0.03	4.7	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55783	1.61	0.015	0.09	0.3	0.01	4.3	0.3	0.025	5	0.25	1DX15	VAN09004138
WLF55784	1.45	0.016	0.07	0.2	0.03	2.8	0.1	0.025	5	0.6	1DX15	VAN09004138
WLF55785	1.65	0.019	0.09	0.2	0.02	3.5	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55786	1.8	0.018	0.08	0.2	0.05	4.1	0.2	0.06	5	0.5	1DX15	VAN09004138
WLF55787	1.63	0.014	0.06	0.4	0.03	2.5	0.05	0.025	5	0.25	1DX15	VAN09004138
WLF55788	2.17	0.013	0.06	0.2	0.02	2.7	0.05	0.025	7	0.25	1DX15	VAN09004138
WLF55789	2.12	0.013	0.04	0.2	0.02	2.4	0.1	0.025	9	0.25	1DX15	VAN09004138
WLF55790	1.47	0.016	0.04	0.1	0.02	1.9	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55791	1.65	0.02	0.12	0.4	0.03	3	0.2	0.025	5	0.5	1DX15	VAN09004138
WLF55792	1.65	0.019	0.12	0.4	0.03	3.3	0.2	0.025	5	0.25	1DX15	VAN09004138
WLF55793	2.21	0.01	0.08	0.1	0.04	2.6	0.1	0.025	8	0.25	1DX15	VAN09004138
WLF55794	2.37	0.013	0.04	0.2	0.02	3	0.2	0.025	9	0.7	1DX15	VAN09004138
WLF55795	2.23	0.015	0.15	0.2	0.03	2.9	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55796	2.68	0.017	0.06	0.1	0.05	3.7	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55797	2.82	0.016	0.04	0.1	0.04	4.9	0.2	0.025	8	1	1DX15	VAN09004138
WLF55798	2.47	0.014	0.05	0.05	0.03	3.2	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55798	2.49	0.015	0.05	0.1	0.04	3	0.2	0.025	7	0.5	1DX15	VAN09004138
WLF55799	2.48	0.013	0.05	0.1	0.05	2.4	0.1	0.06	7	0.7	1DX15	VAN09004138
WLF55800	2.77	0.014	0.06	0.2	0.05	2.5	0.1	0.05	7	0.6	1DX15	VAN09004138
WLF55801	2.71	0.017	0.07	0.1	0.04	2.8	0.2	0.025	7	0.5	1DX15	VAN09004138
WLF55802	2.12	0.011	0.04	0.05	0.05	2.2	0.05	0.025	7	0.7	1DX15	VAN09004138

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
WLF55803	540528	6991712	NAD83-07V	1.2	20.1	8.3	50	0.05	22.7	10.7	440	2.85	18.2	0.6
WLF55803	540528	6991712	NAD83-07V	1.3	19.5	8.1	50	0.05	21.4	11	446	2.86	17.8	0.5
WLF55804	540559	6991672	NAD83-07V	1.2	22.2	8.8	59	0.05	24.7	12.8	456	3.45	10.8	0.6
WLF55805	540587	6991632	NAD83-07V	0.9	18.1	7.4	44	0.05	22.8	11.5	315	3.02	10.5	0.4
WLF55806	540618	6991592	NAD83-07V	1.6	17	22.6	54	0.05	20.6	10.3	320	3.01	19	0.6
WLF55807	540677	6991512	NAD83-07V	1.3	18.3	11.8	43	0.1	18.9	9.6	268	2.95	60.4	0.6
WLF55808	540708	6991472	NAD83-07V	1.5	23.3	11.7	50	0.2	27.6	13.1	363	3.7	37.8	0.8
WLF55809	540738	6991431	NAD83-07V	1.2	20.2	9.7	51	0.05	26.1	13.3	430	3.37	25.3	0.6
WLF55810	540767	6991391	NAD83-07V	1.6	17	12.2	44	0.05	22.2	12	454	3.12	77.2	0.4
WLF55811	540798	6991351	NAD83-07V	1.7	17.7	11.3	44	0.2	15.8	8.2	436	2.95	78.2	0.5
WLF55812	540827	6991310	NAD83-07V	1.4	20.7	11.6	54	0.1	25.1	13.2	379	3.52	52.9	0.5
WLF55813	540857	6991271	NAD83-07V	1.5	15.3	15	49	0.2	19	8.7	240	3.21	48.3	0.5
WLF55814	540887	6991230	NAD83-07V	1.1	41.6	23.2	56	0.4	22	10.1	315	2.53	68.8	1.8
WLF55815	540918	6991190	NAD83-07V	1.8	24.7	13.8	46	0.3	21.7	9.8	319	2.55	54.2	1.2
WLF55816	540948	6991149	NAD83-07V	1.6	21.8	13.6	47	0.2	21	10.6	362	2.61	44.5	1.5
WLF55817	539906	6990373	NAD83-07V	5.6	29	74.3	77	0.2	20.8	11.4	473	3.44	15.1	4.6
WLF55818	539935	6990335	NAD83-07V	8.9	52.7	96.7	98	0.5	17.7	13.8	735	3.37	41.2	11.2
WLF55819	541133	6990728	NAD83-07V	10.3	103.6	75.6	112	0.4	33.1	12.9	521	3.07	72	5
WLF55820	541165	6990688	NAD83-07V	10.3	125.4	34.4	61	0.4	28.3	8.9	298	2.89	23	5.3
WLF55821	541195	6990647	NAD83-07V	3.3	49	26.5	42	0.3	16.2	5.8	244	2.41	17.8	4.5
WLF55822	541225	6990608	NAD83-07V	4.2	60	58.1	90	0.4	22.1	9.7	363	2.58	76.4	3.1
WLF55823	541256	6990569	NAD83-07V	5.1	85.6	19.6	68	0.3	22.9	10.8	250	2.85	15.1	3.5
WLF55824	541285	6990528	NAD83-07V	13.4	150.4	15.5	63	0.4	25.5	11.8	276	3	12.6	3
WLF55825	541315	6990489	NAD83-07V	4.5	141.8	15.5	69	0.2	26.5	15.6	538	3.42	16.8	1.4
WLF55826	541344	6990450	NAD83-07V	3.9	314.5	24	65	0.6	24	14.8	472	3.36	30.7	1.5
WLF55827	541426	6990507	NAD83-07V	7.6	151.9	24.2	71	0.6	19.2	11.1	384	3.02	40.2	3
WLF55827	541426	6990507	NAD83-07V	7.1	149.4	23.2	71	0.6	19.7	11.4	376	3	40.1	2.9
WLF55828	541396	6990545	NAD83-07V	8	112.4	18.7	71	0.3	21.9	12.6	401	3.06	12.5	2.4
WLF55829	541365	6990586	NAD83-07V	12.4	103.2	20	68	0.5	19.1	14.8	608	3.05	20.6	1.9
WLF55830	541337	6990628	NAD83-07V	17	68.7	31.3	59	0.4	20.2	13.3	713	2.72	26.5	2.6
WLF55831	541306	6990666	NAD83-07V	7.8	71	18.5	57	0.4	23	8.9	225	2.68	11.1	3.6
WLF55832	541277	6990708	NAD83-07V	5.1	54.6	37.2	93	0.5	25	10.2	295	2.78	50.7	6.2
WLF55833	541247	6990747	NAD83-07V	5.8	49	104	119	0.3	18.9	9.1	565	2.5	204.1	3.7
WLF55834	541213	6990789	NAD83-07V	5.8	162.7	38.6	86	1	28.4	11.5	427	2.94	53.8	7.3
WLF55835	541186	6990828	NAD83-07V	7.2	80	30	78	0.2	27.7	10.9	364	3.07	27.4	3.5
WLF55836	541157	6990868	NAD83-07V	8.9	38.8	27	55	0.1	19.3	7.8	291	2.62	19.2	2

SampleID	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B
WLF55803	4	0.9	30	0.2	0.5	0.1	72	0.27	0.067	6	34	0.48	172	0.077	1
WLF55803	2.9	0.9	30	0.2	0.5	0.1	70	0.28	0.065	6	34	0.47	171	0.079	1
WLF55804	1.6	2.1	21	0.1	0.5	0.2	87	0.21	0.034	9	40	0.62	173	0.114	0.5
WLF55805	4.1	1.5	33	0.3	0.5	0.1	79	0.37	0.05	6	34	0.7	135	0.133	1
WLF55806	4.8	2.2	48	0.3	0.9	0.2	85	0.35	0.04	6	31	0.47	152	0.133	0.5
WLF55807	2.7	1.3	24	0.3	0.9	0.4	83	0.2	0.041	8	33	0.43	123	0.111	1
WLF55808	2.9	1.6	24	0.4	1	0.5	94	0.25	0.045	8	41	0.61	114	0.115	0.5
WLF55809	6	2	25	0.4	0.8	0.3	92	0.26	0.033	7	39	0.56	142	0.123	0.5
WLF55810	1.9	1.5	25	0.3	2.5	0.6	85	0.23	0.033	6	33	0.49	141	0.125	0.5
WLF55811	2.1	0.8	33	0.4	8.8	0.6	82	0.36	0.047	7	28	0.38	165	0.101	0.5
WLF55812	3.8	2	23	0.2	8.8	0.5	96	0.24	0.024	7	39	0.55	160	0.114	0.5
WLF55813	12.1	2.2	30	0.3	9.4	0.6	89	0.28	0.042	7	34	0.46	112	0.128	0.5
WLF55814	13.8	3.5	59	0.1	17.2	3	77	0.49	0.073	14	38	0.59	184	0.133	0.5
WLF55815	4.1	1.6	48	0.2	9.4	0.8	75	0.53	0.063	7	36	0.59	170	0.117	1
WLF55816	7	2.6	50	0.2	8.9	0.8	76	0.58	0.066	10	36	0.58	186	0.125	0.5
WLF55817	8.1	18.7	30	0.3	4.6	0.9	86	0.38	0.072	18	37	0.67	96	0.128	0.5
WLF55818	6	25.2	41	0.4	12.6	2.4	77	0.51	0.103	27	34	0.61	112	0.081	0.5
WLF55819	5.4	20.3	68	0.5	3.1	3	78	0.67	0.071	18	47	0.8	107	0.157	2
WLF55820	4.6	14.2	58	0.3	3.7	2.2	75	0.5	0.067	19	47	0.73	85	0.134	3
WLF55821	3.4	6.9	32	0.3	2.9	1.6	71	0.23	0.063	17	41	0.38	63	0.12	1
WLF55822	4.8	18.7	45	0.6	8.3	4.4	59	0.46	0.074	20	37	0.61	106	0.072	1
WLF55823	12.2	7	28	0.6	0.6	0.8	80	0.37	0.072	13	36	0.77	173	0.171	2
WLF55824	7.1	4.8	31	0.2	0.6	0.9	84	0.37	0.063	14	36	0.74	191	0.162	2
WLF55825	10.8	4.3	42	0.2	0.8	1	100	0.38	0.058	11	37	0.85	148	0.192	1
WLF55826	15.5	3.9	51	0.3	1	2.5	89	0.36	0.035	10	31	0.74	173	0.165	2
WLF55827	10.1	6.3	76	0.3	1.5	3.8	94	0.59	0.055	13	30	0.85	139	0.216	2
WLF55827	11.7	6.2	74	0.3	1.5	3.6	91	0.58	0.055	12	29	0.85	133	0.209	2
WLF55828	10.9	4.7	61	0.3	1.1	0.7	90	0.46	0.05	10	36	0.84	149	0.196	1
WLF55829	10.9	4.4	48	0.2	1	1.9	100	0.42	0.055	9	33	0.79	166	0.2	2
WLF55830	7.2	9.9	94	0.2	2.1	2.6	79	0.6	0.068	12	39	0.63	114	0.128	2
WLF55831	2.9	13.2	38	0.3	2.7	1.5	77	0.42	0.077	13	41	0.74	125	0.151	2
WLF55832	12.1	18.4	48	0.8	6.8	1.1	72	0.5	0.071	17	42	0.71	121	0.123	1
WLF55833	2.7	25.4	63	0.8	15.6	2.5	59	0.62	0.081	23	41	0.69	67	0.118	2
WLF55834	9.1	18.6	40	0.6	5.8	1.1	70	0.45	0.081	18	44	0.77	103	0.119	2
WLF55835	4.9	14.6	36	0.4	3.4	0.8	76	0.45	0.075	16	45	0.71	86	0.151	2
WLF55836	5	4.7	24	0.3	1.6	0.6	79	0.2	0.045	11	42	0.5	64	0.135	2

SampleID	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
WLF55803	2.22	0.014	0.05	0.1	0.04	2.4	0.1	0.06	6	0.25	1DX15	VAN09004138
WLF55803	2.2	0.015	0.05	0.1	0.05	2.4	0.1	0.07	6	0.7	1DX15	VAN09004138
WLF55804	2.61	0.014	0.04	0.05	0.03	3.7	0.2	0.025	8	0.7	1DX15	VAN09004138
WLF55805	2.44	0.015	0.09	0.1	0.03	2.5	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55806	1.78	0.016	0.12	0.2	0.02	2.4	0.2	0.025	6	0.25	1DX15	VAN09004138
WLF55807	1.79	0.013	0.07	0.2	0.02	2.4	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55808	2.51	0.013	0.06	0.05	0.04	3	0.1	0.025	8	0.25	1DX15	VAN09004138
WLF55809	2.28	0.012	0.06	0.05	0.03	2.8	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55810	1.85	0.015	0.11	0.1	0.03	2.3	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55811	1.43	0.012	0.05	0.2	0.03	1.9	0.05	0.025	7	0.25	1DX15	VAN09004138
WLF55812	2.44	0.023	0.05	0.1	0.02	3.1	0.1	0.025	8	0.25	1DX15	VAN09004138
WLF55813	1.79	0.012	0.06	0.2	0.02	2.5	0.05	0.025	7	0.25	1DX15	VAN09004138
WLF55814	1.77	0.021	0.09	0.4	0.05	4	0.2	0.025	6	0.6	1DX15	VAN09004138
WLF55815	1.7	0.017	0.08	0.2	0.04	3.3	0.1	0.07	6	0.5	1DX15	VAN09004138
WLF55816	1.75	0.019	0.09	0.2	0.03	3.8	0.2	0.025	5	0.6	1DX15	VAN09004138
WLF55817	1.8	0.015	0.08	0.7	0.02	3.5	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55818	1.92	0.019	0.09	1	0.05	3.9	0.3	0.025	8	0.25	1DX15	VAN09004138
WLF55819	2.28	0.019	0.12	1.1	0.02	3.7	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55820	1.98	0.016	0.11	1	0.02	3.4	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55821	1.7	0.012	0.05	0.3	0.05	2.2	0.1	0.025	9	0.25	1DX15	VAN09004138
WLF55822	2.1	0.01	0.09	0.4	0.03	3.3	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55823	2.1	0.017	0.09	0.5	0.04	4.3	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55824	2.18	0.016	0.1	0.8	0.03	5	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55825	1.87	0.025	0.13	1	0.02	4	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55826	2.32	0.022	0.11	0.3	0.03	4	0.4	0.025	6	0.25	1DX15	VAN09004138
WLF55827	1.96	0.027	0.13	0.7	0.02	5.3	0.3	0.025	6	0.6	1DX15	VAN09004138
WLF55827	1.92	0.027	0.12	0.9	0.02	5.3	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55828	2.19	0.023	0.15	0.7	0.03	4	0.3	0.025	6	0.25	1DX15	VAN09004138
WLF55829	1.88	0.02	0.11	2.5	0.03	3.7	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55830	1.84	0.019	0.1	0.6	0.02	2.9	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55831	2.11	0.015	0.06	0.4	0.02	3.6	0.2	0.025	7	0.25	1DX15	VAN09004138
WLF55832	2.24	0.016	0.06	0.4	0.04	4.1	0.2	0.025	8	0.25	1DX15	VAN09004138
WLF55833	1.85	0.01	0.11	1.1	0.02	3.2	0.2	0.025	9	0.25	1DX15	VAN09004138
WLF55834	2.13	0.015	0.07	0.5	0.04	4.2	0.3	0.025	7	0.25	1DX15	VAN09004138
WLF55835	1.86	0.015	0.08	1	0.02	3.1	0.1	0.025	7	0.25	1DX15	VAN09004138
WLF55836	1.43	0.011	0.07	0.5	0.02	2.1	0.2	0.025	9	0.25	1DX15	VAN09004138