

GEOCHEMICAL REPORT

YMIP # 09-157

KEY 1-20 CLAIMS

GRANT # YC11702 - YC11721

KEY 21 - 36 CLAIMS

GRANT# YC50788 - YC50803

KEY 37 - 48 CLAIMS

GRANT# YC56613 - YC56624

K 1 - 100 CLAIMS

GRANT# YC92901 - YC93000

K 101 - 152 CLAIMS

GRANT# YC93147 - YC93198

NTS # 105 M \ 14

MAYO MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

**WORK PERFORMED AUGUST 29 - SEPTEMBER 12,
2009**

DATE OF REPORT FEBRUARY 15, 2010

Table of Content

Summary	P.3
1.0 Introduction	P.3
2.0 Locations and Access	P.3
3.0 Property Description	P.3
4.0 Physiographic	P.3
Location Map	P.4
5.1 Regional Geology	P.5
YTG Geology Map	P.5
6.0 Work Methods	P.6
7.0 Interpretation	P.7
8.0 Recommendation	P.7
9.0 References Cited	P.7
10.0 Cost	P.8
11.0 Qualification	P.9
Claim Location Map	P.10
Soil Location Map	Figure 1
Gold Soil Anomaly Map	Figure 1
Arsenic Soil Anomaly Map	Figure 2
Antimony Soil Anomaly Map	Figure 3
Assay Data/ GPS Soil Location Data	Appendix

SUMMARY

The Keystone 2009 field work consists of Isaac Fage, Jessie Jewell, Andy Crowthers and Will White working on the property from August 29 and finishing up on September 12, 2009. A one week break was taken during the first week of September due to stormy weather that kept the crew from flying out. A total of 470 soils were collected in total and 152 new claims were staked.

1.0 INTRODUCTION

The Key claims were staked to cover anomalous arsenic and antimony silt sample detected from the GSC 1965 Regional Silt Survey. The 2009 soil survey extended the 2008 gold anomaly by another 800 meters, values range up to 2500 ppb Au in the new survey area.

2.0 LOCATIONS AND ACCESS


The Key claims are located 40 kilometers north east of Mayo. The claim block covers a small tributary creek of Keystone creek. Keystone creek drains into western end on the north side of Mayo Lake. Access is via helicopter from the nearest town of Mayo.

3.0 PROPERTY DESCRIPTION

The Key Claim block consists of 224 full Yukon Quartz Mining claims that are registered in the Mayo Mining district to Shawn Ryan.


4.0 PHYSIOGRAPHY

The Key claims are covered with mostly white spruce and aspen on southern slopes and black spruce, alders and willows on northern aspects. The northwest part of the claims is at the edge of the tundra with only lichens and moss covering the hill. The elevations of the claims are in the range of 3000 ft to 5100 feet.



5.0 REGIONAL GEOLOGY

The Keystone Claims are mainly covering (PYT) UPPER PROTEROZOIC TO LOWER CAMBRIAN Hyland group sediments.



YTG Geology Map

6.0 WORK PERFORMED / METHODS

The soil survey (figure 1) was designed to build on previous soil surveys. A total nine lines were added on to the 2008 soil grid. Lines ran in a north west, south east direction for 2000 meters. Another 9 lines were added to the south eastern part of the 2008 grid and extended for 500 meters. All samples were collected on 50 meters intervals. A total of 470 soils were collected.

Soil sampling Description

All soil samples are taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil samples are gathered from an average depth of 70 centimeter. Soil sample locations are marked in the field with pink flagging and aluminum tags. The sample number is inscribed on the aluminum tag and tied to a tree or shrub at shoulder height above sample site.

The sample number is recorded with a Garmin Map76 GPS in UTM NAD 83.

Sample description such as color, depth, slope, sample quality, ground vegetation, tree cover and GPS coordinates (backup) are recorded in a Palm PDA data recorder.

A total of 400-500 grams of soil is collected and place in well mark kraft soil bags.

The GPS and PDA are downloaded every night and stored in the crew chief personal computer. A second backup copy of the data is transferred to a memory stick and the memory stick is relocated to a secondary tent (in case of fire).

All samples are brought back to Dawson City and air dried, repacked in rice bags, and sent to Acme Labs in Vancouver.

Samples are process with Aqua Regia ICP-MS for 36 elements (Acme Labs 1DX-15 gram).

7.0 INTERPRETATION

SOIL SURVEY

The 2009 soil survey extended the 2008 gold anomaly (Figure 1), arsenic (Figure 2), and antimony (Figure 3) soil anomaly by another 800 meters in the northeast direction. The gold and multi element soil anomaly now measures 3200 meters long and up to 1500 meters wide. The soil anomaly is still open to the north east. Values from the 2009 soil survey reached a high of 2589 ppb Au, over 10,000 ppm As, and over 2000 ppm Sb.

8.0 RECOMMENDATION

I would recommend follow up work with continuing the soil survey to the north east and starting a regional soil survey to the south and west of the existing soil surveys. I also think we have enough data to begin a drilling program that would start on the eastern side of the main center ridge and work the drilling program down the hill towards the small creek. This is the tightest soil anomaly area so it should provide the best target to start drilling on.

9.0 REFERENCES CITED

GSC Open File Stream and Spring Sediments of the Keno Hill Area, Boyle, 1965

YTG Geology Map

10.0 Cost

Soil sampling Cost

Assay Cost 470 soil at \$24.00 per sample (includes Shipping, Soil drying, bagging)	\$11,280.00
Wages 23 man days at \$325.00 per day	\$7,475.00
Mobe / Demode Wages 6 man days at \$325.00 per day	\$1,800.00
Helicopter travel 7.3 hours at \$1334.00	\$9,738.00
Food 29 man Days @ \$50.00 per day	\$1,450.00
Camp Cost 29 man Days @ \$25.00 per day	\$725.00
1 trucks plus gas for 6 days @ \$200.00 per day	\$1,200.00
Sat Phone	\$100.00
Staking Cost	
Staking 151 Claims @ \$100.00 per claim (\$15,100.00) I am only using 20% of the total Budget of \$39,900. So the max amount I am putting against the staking cost is \$7,980.00	\$7,980.00
Report	\$1000.00
Total	\$42,748.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 13 years as a local prospector for myself.

I have overseen the whole Key Project.

I own 100 % of the Key claims.


Dated this 15 of February 2010 in Dawson City, Yukon.

Respectfully submitted

Shawn Ryan



Claim Location Map




**Keystone Soil Survey
Au ppb**


- 80 to 1,085 (44)
- 40 to 80 (35)
- 20 to 40 (53)
- 10 to 20 (76)
- 0 to 10 (733)

New 2019 Soil Samples

RyanWood Exploration


By : S.Ryan	Keystone Project
NTS : 105M/14	Gold Map
Date :3/12/2009	Figure 1
Scale : 1:25000	UTM Zone 8 (NAD 83)






RyanWood Exploration

By : S.Ryan	Keystone Project
NTS : 105W/14	Gold Map
Date : 3/12/2009	Figure 1
Scale : 1:25000	UTM Zone 8 (NAD 83)





**Keystone 2009 Soils
As ppm**

- 400 to 3,579 (25)
- 200 to 400 (22)
- 100 to 200 (55)
- 50 to 100 (78)
- 0 to 50 (310)


**Keystone Soil Survey
As ppm**

- 400 to 10,001 (47)
- 200 to 400 (67)
- 100 to 200 (78)
- 50 to 100 (96)
- 0 to 50 (653)

New 2009 Soil Samples

RyanWood Exploration

By : S.Ryan	Keystone Project
NTS : 105M/14	Arsenic Map
Date : 3/12/2009	Figure 2
Scale: 1:25000	UTM Zone 8 (NAD 83)



489,000 mE

490,000 mE

491,000 mE

492,000 mE

7,081,000 mN

7,080,000 mN

7,079,000 mN

7,078,000 mN

7,077,000 mN

7,076,000 mN

7,081,000 mN


7,080,000 mN

7,079,000 mN

7,078,000 mN

7,077,000 mN

7,076,000 mN



**Keystone 2009 Assays
Sb ppm**

- 32 to 891 (67)
- 16 to 32 (67)
- 8 to 16 (103)
- 4 to 8 (115)
- 0 to 4 (138)


**Keystone Soil Survey
Sb ppm**

- 32 to 2,001 (51)
- 16 to 32 (51)
- 8 to 16 (89)
- 4 to 8 (146)
- 0 to 4 (604)

New 2009 Soil Samples

RyanWood Exploration

By : S.Ryan	Keystone Project
NTS : 105M/14	Antimony Map
Date :3/12/2009	Figure 3
Scale: 1:25000	UTM Zone 8 (NAD 83)



489,000 mE 490,000 mE 491,000 mE 492,000 mE

7,081,000 mN
7,080,000 mN
7,079,000 mN
7,078,000 mN
7,077,000 mN
7,076,000 mN

7,081,000 mN
7,080,000 mN
7,079,000 mN
7,078,000 mN
7,077,000 mN
7,076,000 mN

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS00002	492349	7078677	NAD 83-08V	1.4	62.6	16	101	0.2	51.3	17.5	1030	3.07	129.6
KYS00003	492128	7078949	NAD 83-08V	1.7	84.9	22.3	136	0.4	59.9	14.6	964	3.54	15.2
KYS00095	491081	7079572	NAD 83-08V	5.7	149.7	23.8	136	0.3	57.1	16.2	515	3.65	19.3
KYS00096	491112	7079538	NAD 83-08V	8.2	44.3	28.8	115	0.2	41.5	15.1	432	3.1	15.3
KYS00097	491146	7079498	NAD 83-08V	5.7	74.5	48.6	145	0.4	48.4	17.4	643	4.1	35
KYS00098	491176	7079460	NAD 83-08V	10.9	59.6	30.9	224	0.3	79.7	20.9	766	4.27	13.8
KYS00099	491209	7079420	NAD 83-08V	14.5	132.9	58.3	209	1	57.6	14.4	685	3.94	297.5
KYS00100	491241	7079383	NAD 83-08V	10.3	73.9	32.9	139	0.7	50.2	20.5	610	3.39	67.2
KYS00101	491272	7079345	NAD 83-08V	10.5	64.1	36.1	156	0.6	43.6	17.8	472	3.53	72.1
KYS00102	491306	7079306	NAD 83-08V	3.2	57.2	29.2	121	0.2	38.1	18	506	3.94	185.5
KYS00103	491337	7079267	NAD 83-08V	0.8	50.9	39.5	106	0.3	36.7	14.8	451	3.84	378.7
KYS00104	491369	7079229	NAD 83-08V	0.8	43.8	29.1	111	0.2	33.5	14.1	453	3.33	235.3
KYS00105	491400	7079189	NAD 83-08V	0.8	44	23	108	0.1	32	13.8	470	3.36	140.5
KYS00105	491400	7079189	NAD 83-08V	0.8	45.3	23.3	105	0.2	32.6	14.1	461	3.25	138.2
KYS00106	491432	7079152	NAD 83-08V	0.8	51	59.2	189	0.3	30.2	15.5	569	3.37	423.3
KYS00107	491466	7079112	NAD 83-08V	0.8	59.9	44.1	79	0.2	24.1	9.9	303	4.45	52.2
KYS00108	491466	7079112	NAD 83-08V	1	58.4	47.4	85	0.2	24.5	10.6	326	4.41	55.6
KYS00109	491496	7079076	NAD 83-08V	0.4	53.6	28.2	92	0.05	42.7	21.1	352	3.48	42.6
KYS00110	491526	7079038	NAD 83-08V	0.6	48.4	29	85	0.1	32.7	12.4	479	3.55	82.4
KYS00111	491559	7079001	NAD 83-08V	0.4	30.4	36	88	0.05	30	20.8	704	3.38	10.8
KYS00112	491591	7078960	NAD 83-08V	0.5	19.6	24.8	54	0.05	16.9	7.5	249	3.04	12.4
KYS00113	491622	7078924	NAD 83-08V	0.3	45.7	27.2	71	0.05	42.3	19.5	724	3.32	128.6
KYS00114	491658	7078884	NAD 83-08V	0.8	26.8	24.8	56	0.05	25.2	11	437	2.93	302.9
KYS00115	491688	7078844	NAD 83-08V	1.8	148	22.5	89	0.2	49.8	24.7	1227	3.08	21.8
KYS00116	491719	7078807	NAD 83-08V	1.8	162.7	24.8	118	0.3	78.8	43.8	2985	3.51	125.3
KYS00117	491752	7078769	NAD 83-08V	1.5	131.2	20.1	81	0.3	35.6	15.2	2624	2.8	13.6
KYS00118	491783	7078729	NAD 83-08V	1.5	105.1	15.1	70	0.2	34.7	13.7	1911	3.31	181.2
KYS00119	491816	7078689	NAD 83-08V	1.4	63.3	13.5	73	0.2	34.7	12	1095	2.88	140.8
KYS00120	491848	7078653	NAD 83-08V	1.4	44.5	14.1	56	0.05	24.8	10.7	580	2.88	16.2
KYS00121	491880	7078614	NAD 83-08V	1.7	52.7	13.7	50	0.2	22	13.4	1312	2.84	14.4
KYS00122	491913	7078577	NAD 83-08V	1.8	156.5	22.8	88	0.2	55.3	18.1	1587	3.54	18
KYS00123	491944	7078536	NAD 83-08V	1.9	131.8	25.5	115	0.5	54.5	16.3	1995	3.49	15
KYS00124	491976	7078500	NAD 83-08V	2.2	181.6	27.7	106	0.2	55.2	27.7	5485	3.39	28.2
KYS00124	491976	7078500	NAD 83-08V	2.2	179.8	28.2	107	0.2	54.8	25.9	5520	3.46	28.8
KYS00125	492008	7078460	NAD 83-08V	1.4	84	26.1	127	0.4	57.5	14.1	1279	3.42	11.1
KYS00126	492039	7078423	NAD 83-08V	1.9	115.4	20.5	116	0.4	63.1	22.7	2621	3.59	25.7
KYS00146	492069	7078383	NAD 83-08V	2.5	118.3	25.6	278	0.5	163.5	59.5	5107	4.1	16.4
KYS00148	492025	7078282	NAD 83-08V	1.9	75.1	27.5	90	0.6	28.2	7.6	605	3.59	16.6
KYS01111	491004	7079510	NAD 83-08V	1.8	135.6	22.3	151	0.2	68.2	20.9	1359	3.66	29.2
KYS01112	491036	7079473	NAD 83-08V	0.8	61.5	34.2	112	0.1	47.9	22.2	781	4.17	12.6
KYS01113	491067	7079434	NAD 83-08V	12.1	57.3	42.2	192	1.9	26.4	5	265	4.9	87.5
KYS01114	491098	7079397	NAD 83-08V	1	53.6	27.8	117	0.1	54.5	26.6	597	3.28	11.4
KYS01115	491132	7079357	NAD 83-08V	4.4	155.8	37.2	255	0.7	116.1	38.8	2285	4.51	24.9
KYS01116	491165	7079318	NAD 83-08V	12.5	92.9	31.1	304	0.5	83.7	24.7	658	4.87	81.4
KYS01117	491195	7079281	NAD 83-08V	4.5	86.2	25.8	188	0.4	72	23.9	1470	4.11	23.1
KYS01118	491227	7079242	NAD 83-08V	6.9	79.6	33.1	234	0.5	70.9	20.5	1171	4.42	47.5
KYS01118	491227	7079242	NAD 83-08V	7.2	78.7	31.3	230	0.5	70.7	20.9	1153	4.37	48
KYS01119	491261	7079203	NAD 83-08V	2.3	60.3	20.6	126	0.2	35.9	11.6	337	3.36	42.7
KYS01120	491291	7079165	NAD 83-08V	0.7	46.4	44.6	114	0.3	32.7	12.7	549	3.48	377.2
KYS01121	491325	7079126	NAD 83-08V	5.7	54	62.6	139	0.5	43	15.4	612	3.36	494.6
KYS01122	491356	7079089	NAD 83-08V	0.7	32.6	27.5	103	0.2	27	9.2	306	3.17	216.8
KYS01123	491388	7079050	NAD 83-08V	2.7	32	165.8	160	0.8	24.5	10.1	380	3.18	656.4
KYS01124	491419	7079012	NAD 83-08V	1.1	36.6	67	129	0.3	22	9.3	459	3.16	233.5
KYS01125	491451	7078974	NAD 83-08V	0.8	35.3	104.2	142	0.6	20.8	7.9	339	3.09	574.4

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS00002	1.1	30.2	5.9	9	0.3	10.2	0.2	31	0.05	0.046	22	21	0.32	100	0.014
KYS00003	1.3	8.3	6.9	16	0.1	23.2	0.2	29	0.03	0.056	33	15	0.11	127	0.006
KYS00095	3.2	14.4	5.7	38	1.6	11.4	0.3	19	0.05	0.065	25	12	0.18	295	0.009
KYS00096	1.8	4.2	4.7	21	0.8	25.2	0.4	8	0.11	0.043	17	8	0.21	48	0.001
KYS00097	1.5	14	14.1	35	0.6	42.2	0.5	11	0.2	0.049	29	7	0.19	114	0.0005
KYS00098	1.5	6.4	13.2	56	0.9	18	0.4	6	2.17	0.056	22	3	0.15	41	0.003
KYS00099	3.2	152.6	6.7	42	1	891	0.5	14	0.1	0.063	23	6	0.06	190	0.0005
KYS00100	2.5	6.5	5.4	96	1.2	175.2	0.5	13	0.12	0.062	12	7	0.15	141	0.001
KYS00101	2.7	19.1	4.2	68	1.4	513.6	0.5	10	0.27	0.064	13	6	0.15	109	0.0005
KYS00102	2	21.5	9.4	17	0.3	15	0.4	8	0.24	0.05	22	8	0.26	41	0.002
KYS00103	2.5	65.4	10.7	20	0.2	116.3	0.4	5	0.25	0.039	23	9	0.26	51	0.002
KYS00104	1.5	28.4	12.8	18	0.3	44.2	0.3	7	0.27	0.042	31	10	0.34	39	0.002
KYS00105	1.5	21.8	12	24	0.2	11.3	0.3	12	0.45	0.068	28	14	0.59	79	0.005
KYS00105	1.5	21.5	11.3	23	0.2	11.5	0.3	11	0.44	0.064	27	14	0.56	80	0.005
KYS00106	1.2	59.3	9.4	9	0.5	107.8	0.3	8	0.12	0.038	24	9	0.26	76	0.002
KYS00107	1.9	8.5	14.5	11	0.1	16.9	0.5	7	0.07	0.04	24	15	0.42	58	0.003
KYS00108	2	10.6	15.3	11	0.1	17.7	0.5	8	0.07	0.037	27	14	0.38	56	0.003
KYS00109	1.3	4.2	18.5	20	0.05	12.5	0.4	5	0.55	0.048	23	10	0.44	24	0.002
KYS00110	1.4	6.2	11	20	0.1	7.1	0.4	16	0.42	0.057	22	23	0.82	76	0.005
KYS00111	1.4	1.1	15.9	6	0.1	1.8	0.4	10	0.1	0.05	29	17	0.62	28	0.004
KYS00112	0.9	0.25	9.9	3	0.05	1.2	0.4	12	0.04	0.046	28	14	0.41	31	0.006
KYS00113	1	23.7	15.4	9	0.05	4.9	0.3	16	0.15	0.058	35	31	0.87	48	0.005
KYS00114	1.3	32.1	8.3	12	0.05	5.6	0.3	29	0.11	0.037	28	20	0.34	97	0.014
KYS00115	1.2	18.5	3.8	15	0.2	4.7	0.3	42	0.08	0.067	23	26	0.53	127	0.024
KYS00116	1.1	47.1	7.7	14	0.1	7.9	0.4	23	0.05	0.048	33	22	0.57	162	0.002
KYS00117	0.8	11	3.2	7	0.2	3.5	0.3	28	0.02	0.085	22	20	0.36	129	0.004
KYS00118	0.6	32.9	2.7	14	0.1	15.3	0.3	38	0.1	0.063	20	22	0.55	87	0.018
KYS00119	0.7	28.5	3.9	9	0.1	11.1	0.2	38	0.05	0.056	18	23	0.3	91	0.014
KYS00120	0.8	6.7	4.3	10	0.2	5	0.3	50	0.08	0.056	17	26	0.33	139	0.021
KYS00121	0.6	15.9	2.8	8	0.1	2.7	0.2	46	0.04	0.057	20	23	0.24	88	0.013
KYS00122	1.2	54.3	8.2	20	0.2	5.1	0.3	36	0.07	0.073	25	27	0.55	100	0.008
KYS00123	0.8	24.5	3.7	17	0.1	2.4	0.4	31	0.05	0.108	23	24	0.44	104	0.004
KYS00124	0.8	14.2	3.1	6	0.2	3	0.4	36	0.02	0.105	20	20	0.4	176	0.003
KYS00124	0.8	16.2	3	6	0.1	3.1	0.4	37	0.01	0.112	22	21	0.43	188	0.004
KYS00125	0.6	14.5	6.1	10	0.05	1.5	0.3	31	0.02	0.056	23	29	0.73	101	0.003
KYS00126	0.9	22.1	1.3	12	0.1	4.9	0.4	40	0.04	0.091	20	27	0.39	74	0.01
KYS00146	2.2	40	7.7	12	0.6	1.5	0.4	38	0.02	0.071	31	34	0.56	188	0.002
KYS00148	1.2	9.9	1.3	10	0.1	1.1	0.5	46	0.02	0.139	16	28	0.22	107	0.004
KYS01111	1.6	61.2	8.2	13	0.7	24.6	0.3	24	0.09	0.056	32	17	0.61	150	0.003
KYS01112	1.4	7.9	18.8	12	0.2	5.8	0.4	10	0.28	0.045	33	16	0.89	46	0.001
KYS01113	4.2	7.5	13	64	0.6	8.4	0.5	32	0.16	0.167	28	17	0.26	225	0.001
KYS01114	1.9	3.7	11.3	37	0.5	4.7	0.4	5	1.45	0.106	20	9	0.89	35	0.001
KYS01115	3.3	12.8	13.8	44	2.2	4.5	0.5	26	0.43	0.099	25	19	0.68	81	0.002
KYS01116	3.2	10.4	13.6	51	2.3	16.3	0.5	12	1.22	0.118	22	7	0.42	57	0.001
KYS01117	2.6	11.4	12.1	53	1.5	6.6	0.4	15	0.67	0.113	20	14	0.65	60	0.002
KYS01118	2.3	14.6	7.2	55	1.8	12.1	0.5	13	0.66	0.118	23	10	0.38	114	0.001
KYS01118	2.2	10.4	6.5	56	2	12.5	0.5	12	0.66	0.113	22	10	0.37	110	0.001
KYS01119	1.6	4.5	3.5	25	0.5	13.3	0.4	6	0.36	0.072	11	7	0.23	70	0.001
KYS01120	1.9	55.5	8.3	28	0.2	42.3	0.4	6	0.45	0.061	14	9	0.32	66	0.001
KYS01121	1.8	83	5.1	25	1.5	419.3	0.4	8	0.02	0.034	15	7	0.19	49	0.0005
KYS01122	1.4	42.6	8.5	16	0.2	48.2	0.3	9	0.24	0.05	20	14	0.52	95	0.002
KYS01123	1.5	88.6	8	14	1	176	0.3	11	0.14	0.042	23	12	0.37	120	0.002
KYS01124	1.3	20.6	6.6	13	0.5	66	0.3	9	0.17	0.042	20	8	0.25	84	0.003
KYS01125	1.1	95.4	6.1	17	0.7	98.1	0.4	12	0.22	0.05	19	12	0.43	126	0.006

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS00002	0.5	1.33	0.003	0.04	0.05	0.06	2	0.05	0.025	3	0.9	1DX15	VAN09005496
KYS00003	0.5	0.63	0.005	0.04	0.05	0.09	2.1	0.05	0.025	2	1	1DX15	VAN09005496
KYS00095	0.5	0.83	0.003	0.05	0.05	0.1	1.3	0.05	0.025	2	1.9	1DX15	VAN09005496
KYS00096	0.5	0.68	0.002	0.04	0.05	0.06	1.3	0.05	0.025	2	1.6	1DX15	VAN09005496
KYS00097	0.5	0.83	0.012	0.06	0.05	0.08	2	0.05	0.06	2	1.1	1DX15	VAN09005496
KYS00098	0.5	0.43	0.002	0.04	0.1	0.1	1.8	0.05	0.025	0.5	1	1DX15	VAN09005496
KYS00099	0.5	0.39	0.002	0.04	0.05	0.12	1.8	0.05	0.025	0.5	4.4	1DX15	VAN09005496
KYS00100	0.5	0.45	0.003	0.06	0.05	0.1	1.6	0.1	0.11	1	2.8	1DX15	VAN09005496
KYS00101	0.5	0.57	0.003	0.05	0.05	0.09	1.4	0.1	0.07	1	3.1	1DX15	VAN09005496
KYS00102	0.5	0.83	0.002	0.05	0.05	0.04	1.8	0.05	0.025	2	1	1DX15	VAN09005496
KYS00103	1	0.83	0.003	0.06	0.05	0.04	1.6	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS00104	1	0.91	0.002	0.06	0.05	0.02	1.6	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS00105	2	1.16	0.003	0.06	0.05	0.02	1.7	0.05	0.025	3	0.8	1DX15	VAN09005496
KYS00105	0.5	1.15	0.002	0.06	0.05	0.03	1.8	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS00106	0.5	0.83	0.002	0.05	0.05	0.03	1.7	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS00107	0.5	1.06	0.005	0.06	0.05	0.03	1.1	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS00108	0.5	1.04	0.005	0.06	0.05	0.03	1	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS00109	0.5	0.89	0.002	0.06	0.05	0.02	1.3	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS00110	0.5	1.54	0.003	0.08	0.05	0.02	1.9	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS00111	0.5	1.52	0.002	0.06	0.05	0.02	1.1	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS00112	0.5	1.16	0.002	0.08	0.05	0.02	0.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS00113	2	1.51	0.005	0.11	0.05	0.005	1.5	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS00114	0.5	1.44	0.003	0.07	0.2	0.02	1.6	0.1	0.025	4	0.25	1DX15	VAN09005496
KYS00115	2	1.63	0.003	0.05	0.1	0.07	2.2	0.05	0.025	4	0.7	1DX15	VAN09005496
KYS00116	0.5	1.52	0.003	0.04	0.05	0.08	1.4	0.05	0.025	3	0.6	1DX15	VAN09005496
KYS00117	0.5	1.3	0.002	0.03	0.05	0.08	1	0.05	0.05	4	0.9	1DX15	VAN09005496
KYS00118	0.5	1.43	0.003	0.04	0.2	0.05	1.6	0.05	0.025	5	0.6	1DX15	VAN09005496
KYS00119	0.5	1.44	0.003	0.04	0.2	0.03	1.6	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS00120	0.5	1.74	0.004	0.03	0.2	0.04	2	0.1	0.025	5	0.6	1DX15	VAN09005496
KYS00121	0.5	1.46	0.003	0.03	0.2	0.05	1.2	0.05	0.025	5	0.6	1DX15	VAN09005496
KYS00122	0.5	1.99	0.005	0.05	0.05	0.08	1.5	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS00123	0.5	1.54	0.004	0.04	0.05	0.05	0.7	0.05	0.025	4	0.9	1DX15	VAN09005496
KYS00124	0.5	1.68	0.002	0.02	0.05	0.06	1.4	0.05	0.025	4	0.7	1DX15	VAN09005496
KYS00124	0.5	1.68	0.002	0.03	0.05	0.05	1.3	0.05	0.025	5	0.7	1DX15	VAN09005496
KYS00125	0.5	1.74	0.002	0.02	0.05	0.07	0.9	0.05	0.025	4	1.3	1DX15	VAN09005496
KYS00126	0.5	1.76	0.003	0.03	0.05	0.07	1.1	0.05	0.025	5	0.8	1DX15	VAN09005496
KYS00146	0.5	2.47	0.004	0.04	0.05	0.11	1.8	0.05	0.025	5	1.2	1DX15	VAN09005496
KYS00148	0.5	1.52	0.007	0.04	0.05	0.07	0.6	0.05	0.025	5	1.2	1DX15	VAN09005496
KYS01111	0.5	1.49	0.002	0.05	0.05	0.04	2.1	0.05	0.025	3	1	1DX15	VAN09005496
KYS01112	0.5	1.52	0.003	0.04	0.05	0.04	1.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01113	0.5	0.89	0.019	0.13	0.05	0.17	1.1	0.1	0.45	3	10.8	1DX15	VAN09005496
KYS01114	0.5	0.84	0.002	0.04	0.05	0.06	1	0.05	0.13	2	1.3	1DX15	VAN09005496
KYS01115	0.5	1.36	0.003	0.07	0.05	0.05	1.3	0.05	0.12	3	2.6	1DX15	VAN09005496
KYS01116	1	0.77	0.003	0.05	0.05	0.12	2	0.05	0.17	2	2.9	1DX15	VAN09005496
KYS01117	1	1.11	0.003	0.06	0.05	0.07	1.4	0.05	0.08	3	1.9	1DX15	VAN09005496
KYS01118	1	0.93	0.003	0.04	0.05	0.11	1.8	0.05	0.06	2	2	1DX15	VAN09005496
KYS01118	1	0.94	0.003	0.04	0.05	0.11	1.7	0.05	0.025	2	1.8	1DX15	VAN09005496
KYS01119	1	0.67	0.003	0.04	0.05	0.04	1.4	0.05	0.025	2	0.9	1DX15	VAN09005496
KYS01120	1	0.87	0.001	0.05	0.05	0.04	1.5	0.05	0.025	2	0.7	1DX15	VAN09005496
KYS01121	1	0.73	0.003	0.03	0.05	0.08	1.3	0.1	0.025	2	1.5	1DX15	VAN09005496
KYS01122	0.5	1.29	0.003	0.04	0.05	0.02	1.2	0.05	0.025	3	0.5	1DX15	VAN09005496
KYS01123	0.5	1.08	0.002	0.05	0.05	0.08	1.6	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01124	0.5	0.77	0.002	0.06	0.05	0.03	1.5	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS01125	1	1.02	0.002	0.06	0.05	0.04	1.5	0.05	0.025	3	0.25	1DX15	VAN09005496

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS01126	491483	7078935	NAD 83-08V	0.4	41.8	31.3	87	0.05	28.2	11.4	618	2.65	52
KYS01127	491515	7078896	NAD 83-08V	0.3	56.7	17.3	77	0.05	43.6	17.2	787	3.66	9.3
KYS01128	491548	7078858	NAD 83-08V	0.4	55.2	35.6	86	0.1	43.2	17.8	730	3.49	323.3
KYS01129	491579	7078820	NAD 83-08V	0.7	18.6	21.6	45	0.05	15.8	5.9	159	2.23	11
KYS01130	491611	7078781	NAD 83-08V	0.7	20.4	30.9	58	0.05	19.4	11.7	363	2.47	61.5
KYS01131	491643	7078742	NAD 83-08V	0.5	33.5	56.3	76	0.1	36.1	27.2	346	2.22	29.6
KYS01132	491677	7078703	NAD 83-08V	2.2	60.5	27.3	83	0.2	26.6	7.7	444	2.82	26.3
KYS01133	491708	7078666	NAD 83-08V	2	83.1	10.9	74	0.5	35	12.3	1399	3.29	554.7
KYS01134	491739	7078626	NAD 83-08V	1.7	61.9	12.7	74	0.1	28.1	8.2	670	2.82	98.2
KYS01135	491770	7078588	NAD 83-08V	1.4	58.9	16.1	87	0.2	37.3	16.6	1262	3.07	14.4
KYS01136	491804	7078550	NAD 83-08V	1.8	40.3	15.3	60	0.2	22	13.5	908	2.96	14.2
KYS01137	491835	7078511	NAD 83-08V	1.8	182.8	26.3	128	3.1	71	28.5	5719	3.88	1876.7
KYS01138	491835	7078511	NAD 83-08V	2	182.2	25.5	121	2	62.8	26.1	4049	3.84	1504.3
KYS01139	491867	7078473	NAD 83-08V	1.4	68.8	16.1	60	0.3	34.1	13.5	1832	2.79	22.8
KYS01140	491899	7078435	NAD 83-08V	1.3	110	35.9	183	0.5	105	32.4	2232	3.86	17.8
KYS01141	491930	7078397	NAD 83-08V	1.7	114.9	24.3	98	0.2	46.5	17.3	2441	3.58	318.3
KYS01142	491963	7078358	NAD 83-08V	1.5	99.4	20.4	80	0.4	42	14.2	1720	3.13	44.1
KYS01144	491918	7078256	NAD 83-08V	1.8	112.3	21.6	70	0.5	42.2	15.1	1293	3.26	48.5
KYS01152	492172	7077948	NAD 83-08V	0.8	71.1	76.4	134	0.2	46.4	22.6	904	4.19	105.5
KYS01166	491796	7078090	NAD 83-08V	0.6	85	24.5	88	0.05	48.1	19.2	966	4.6	56
KYS01169	491893	7077976	NAD 83-08V	1.6	117.7	20.9	78	0.2	50.8	17.9	1552	3.25	52.1
KYS01171	491956	7077897	NAD 83-08V	1.5	27.5	15.8	69	0.6	14.3	4.7	330	2.69	15.8
KYS01260	491159	7079637	NAD 83-08V	3	44.7	29.1	90	0.1	31.7	14.2	485	3.42	76.4
KYS01261	491189	7079599	NAD 83-08V	10.1	78.2	45.2	186	0.2	53.9	13.3	304	4.64	14.6
KYS01262	491222	7079561	NAD 83-08V	14.8	37.3	32.5	112	0.2	54.9	20.3	752	3.68	12.1
KYS01262	491222	7079561	NAD 83-08V	15.1	37.3	33.2	113	0.2	53	20.3	752	3.58	12.3
KYS01263	491254	7079524	NAD 83-08V	5.8	91.5	18.6	270	0.2	123.7	60.2	1227	4.51	23.8
KYS01264	491285	7079484	NAD 83-08V	18.4	75.8	40.4	114	0.3	26.6	7.8	220	2.4	31.7
KYS01265	491316	7079445	NAD 83-08V	0.5	43.6	34.4	61	0.2	23.6	14.5	568	1.95	139.4
KYS01266	491348	7079406	NAD 83-08V	16.1	75.2	34.2	154	0.4	49.2	14.6	385	3.73	201.2
KYS01267	491382	7079370	NAD 83-08V	1.1	54.4	29.7	104	0.1	41.6	17.7	506	3.79	113.8
KYS01268	491415	7079331	NAD 83-08V	0.6	52.2	33.3	110	0.05	40.5	19.3	516	3.87	218.7
KYS01269	491447	7079292	NAD 83-08V	0.8	69.5	429.7	461	2.5	37.4	20.5	623	4.25	2355.2
KYS01270	491477	7079255	NAD 83-08V	0.8	79.7	651	679	3.6	40.6	23.2	671	4.62	2850.2
KYS01271	491508	7079216	NAD 83-08V	1.6	88.1	70.3	441	0.4	46.6	17.2	621	5.99	972.7
KYS01272	491542	7079179	NAD 83-08V	0.5	34.8	30.8	113	0.05	30.2	13.5	668	3.08	199.1
KYS01273	491572	7079141	NAD 83-08V	0.4	83.3	21.8	82	0.05	39.8	19	934	3.4	43.4
KYS01274	491604	7079101	NAD 83-08V	0.5	52.6	43.7	102	0.05	44.4	19.4	1075	3.78	82
KYS01275	491637	7079062	NAD 83-08V	0.5	60.9	68.8	92	0.2	56	29.2	922	3.24	40.3
KYS01276	491669	7079025	NAD 83-08V	0.4	60.7	45.3	89	0.1	38.6	20.1	458	3.35	27.3
KYS01277	491701	7078986	NAD 83-08V	1.5	80.7	18.7	80	0.2	34.1	12.5	516	2.81	24
KYS01278	491732	7078947	NAD 83-08V	1.9	50.6	16.4	46	0.1	17.9	6.8	530	3.12	17.5
KYS01279	491764	7078909	NAD 83-08V	2.3	291.3	60.1	125	0.5	66	30.3	3775	4.42	145.9
KYS01279	491764	7078909	NAD 83-08V	2.4	294.5	60.7	120	0.5	65.7	30.9	3694	4.45	145.8
KYS01280	491796	7078871	NAD 83-08V	1.4	101.6	20.7	112	0.2	56.7	17.1	2050	3.07	11.9
KYS01281	491829	7078832	NAD 83-08V	1.3	70.7	12	50	0.1	26.1	9.3	1117	2.82	20.8
KYS01282	491862	7078794	NAD 83-08V	2	112	20.1	116	0.7	51.6	14.2	1709	4.68	196.4
KYS01283	491892	7078755	NAD 83-08V	1.6	120.3	23.7	101	0.2	54.6	17.4	2456	3.27	98.2
KYS01284	491924	7078718	NAD 83-08V	1.5	51.5	12.6	68	0.1	25.9	8.9	573	2.73	23.1
KYS01285	491958	7078679	NAD 83-08V	2.3	165	33.9	92	0.3	41.6	11.2	1373	4.08	21.7
KYS01286	491989	7078639	NAD 83-08V	2	226.8	28.9	106	0.2	69.7	29.9	3987	3.51	23.3
KYS01303	491868	7077691	NAD 83-08V	3.3	57	17	84	0.2	35.4	11.6	638	2.86	23.7
KYS01304	491835	7077731	NAD 83-08V	0.9	71.3	12.5	75	0.05	50.1	24	684	4.61	107.3
KYS01304	491835	7077731	NAD 83-08V	1	72.9	12.4	78	0.05	51.3	25	702	4.87	111.7

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS01126	1.6	1.8	4.6	48	0.2	8.4	0.3	7	1.23	0.066	11	11	0.39	54	0.004
KYS01127	0.7	6.1	14.3	9	0.05	1.3	0.3	36	0.19	0.055	25	52	1.79	63	0.02
KYS01128	2.4	43.7	18	18	0.05	16.6	0.4	10	0.26	0.053	32	20	0.65	54	0.004
KYS01129	0.9	0.25	2	12	0.05	0.7	0.3	28	0.1	0.049	21	16	0.31	97	0.011
KYS01130	1.1	2.2	10.2	10	0.1	2	0.3	25	0.09	0.054	33	14	0.28	77	0.012
KYS01131	2.2	2	16	20	0.05	1.7	0.4	8	0.1	0.05	39	9	0.34	58	0.006
KYS01132	1.4	21.9	1.7	12	0.2	5.3	0.4	29	0.04	0.056	20	19	0.36	124	0.009
KYS01133	0.9	57.9	0.5	8	0.1	37.8	0.3	34	0.02	0.074	17	17	0.15	108	0.008
KYS01134	0.9	11.9	0.4	10	0.2	8.8	0.3	44	0.04	0.067	18	23	0.32	122	0.015
KYS01135	0.8	26.8	3.8	13	0.2	4.5	0.3	37	0.06	0.069	20	25	0.39	91	0.023
KYS01136	0.7	4.9	3.3	10	0.1	2.1	0.3	54	0.07	0.051	14	30	0.35	109	0.03
KYS01137	1.4	774.2	5.6	39	0.3	268.1	0.4	22	0.03	0.061	27	13	0.17	298	0.004
KYS01138	1.4	590	5.1	29	0.3	249.4	0.4	25	0.02	0.058	29	13	0.13	231	0.005
KYS01139	0.6	346	2.8	9	0.2	2.8	0.3	49	0.05	0.046	18	27	0.33	169	0.02
KYS01140	2.1	56.3	6.8	24	0.1	7.2	0.4	31	0.05	0.066	38	28	0.58	139	0.002
KYS01141	0.7	40.8	5	10	0.1	28.3	0.4	29	0.01	0.066	32	21	0.44	97	0.003
KYS01142	0.7	24.1	6.1	12	0.1	5.3	0.3	37	0.05	0.057	32	24	0.45	124	0.009
KYS01144	1.5	18.1	8.1	11	0.2	6.9	0.4	47	0.05	0.044	26	30	0.57	172	0.023
KYS01152	2.2	10.1	15.5	28	0.3	57.6	0.5	14	0.44	0.055	24	20	0.65	75	0.003
KYS01166	0.6	2.9	12.7	22	0.2	23.6	0.5	15	0.4	0.086	29	14	0.76	138	0.001
KYS01169	0.9	21.1	7	12	0.1	9.2	0.4	43	0.06	0.044	23	27	0.47	153	0.018
KYS01171	0.5	2.4	2.9	15	0.2	1.5	0.3	52	0.08	0.055	20	22	0.28	235	0.012
KYS01260	2.7	8.9	7.2	27	0.2	4.8	0.4	8	0.26	0.04	17	8	0.29	46	0.002
KYS01261	6.1	3.9	4.6	27	1.4	11.2	0.7	13	0.05	0.07	14	13	0.37	55	0.003
KYS01262	1.7	0.25	4.6	30	1	5.6	0.5	6	1.4	0.046	9	3	0.1	48	0.0005
KYS01262	1.6	0.25	4.5	29	0.9	5.5	0.5	7	1.38	0.047	9	3	0.11	48	0.002
KYS01263	2.5	1.2	17.8	46	7	5.1	0.7	7	0.4	0.047	21	11	0.37	57	0.006
KYS01264	7.4	5.8	3.9	99	0.6	8.7	0.5	17	0.13	0.054	12	5	0.07	99	0.0005
KYS01265	0.7	20.6	11.8	33	0.2	17.2	0.3	3	1.1	0.052	17	2	0.47	32	0.0005
KYS01266	3.3	13.4	9.3	38	0.7	24.2	0.5	21	0.17	0.05	15	5	0.15	47	0.0005
KYS01267	2.3	11.3	19.3	29	0.2	7.7	0.4	8	0.51	0.06	25	13	0.57	47	0.003
KYS01268	1.2	17	16.6	19	0.1	14.2	0.3	19	0.27	0.068	24	16	0.83	57	0.021
KYS01269	2.3	364.8	12.6	58	7.9	475.6	0.4	6	0.27	0.057	15	7	0.33	76	0.001
KYS01270	1.6	284.4	9.7	30	12.4	502.1	0.6	4	0.09	0.042	18	7	0.22	115	0.001
KYS01271	3.3	34.1	21.7	17	1.5	286.9	0.7	8	0.14	0.056	29	13	0.32	69	0.005
KYS01272	1.9	6.4	8.6	20	0.3	59.2	0.3	14	0.29	0.043	18	17	0.5	74	0.007
KYS01273	0.7	3.2	17.2	33	0.2	5.1	0.3	19	1.9	0.079	19	18	1.82	34	0.037
KYS01274	2	1.7	20.7	8	0.05	9.3	0.5	13	0.12	0.054	43	19	0.71	55	0.006
KYS01275	3.4	1	27.2	8	0.05	8.6	0.5	6	0.11	0.054	44	11	0.55	43	0.005
KYS01276	3.2	2.5	25.1	17	0.05	5.5	0.6	7	0.13	0.052	27	13	0.63	35	0.006
KYS01277	1.1	6.7	4.2	11	0.3	3.9	0.3	38	0.1	0.069	18	24	0.43	128	0.029
KYS01278	0.6	30.7	3.4	9	0.05	2.3	0.3	55	0.04	0.044	18	23	0.26	82	0.022
KYS01279	1.4	71.9	9.8	45	0.2	14.1	0.8	28	0.14	0.122	33	23	0.71	120	0.006
KYS01279	1.5	75.9	9.4	44	0.2	13.9	0.8	28	0.15	0.121	34	23	0.7	124	0.006
KYS01280	0.9	13.9	6.2	12	0.1	4.1	0.4	27	0.04	0.059	31	22	0.55	110	0.005
KYS01281	0.5	13.9	1.8	13	0.05	3.3	0.2	42	0.09	0.058	24	17	0.38	118	0.011
KYS01282	0.9	71.5	5.3	9	0.05	9.9	0.4	33	0.02	0.099	32	28	0.37	89	0.005
KYS01283	0.9	33.3	7.1	19	0.1	10.8	0.3	31	0.08	0.063	30	22	0.48	129	0.011
KYS01284	0.9	7.9	0.8	11	0.2	4.4	0.2	49	0.07	0.056	16	24	0.39	103	0.025
KYS01285	1.5	10.1	3.6	23	0.05	12.4	0.5	42	0.02	0.13	24	26	0.48	138	0.007
KYS01286	1.2	40.4	7.7	33	0.1	5.5	0.3	31	0.13	0.078	29	21	0.83	97	0.005
KYS01303	1.1	23	6.2	19	0.1	3.4	0.3	33	0.12	0.039	22	20	0.5	182	0.012
KYS01304	0.7	1.2	7.5	66	0.1	5.7	0.2	56	0.85	0.109	15	26	1.36	355	0.089
KYS01304	0.7	1.1	7.2	68	0.2	5.9	0.2	56	0.88	0.114	16	26	1.37	370	0.093

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS01126	2	0.96	0.004	0.06	0.05	0.03	1.2	0.05	0.06	2	0.25	1DX15	VAN09005496
KYS01127	0.5	2.29	0.002	0.08	0.05	0.005	4	0.05	0.025	6	0.25	1DX15	VAN09005496
KYS01128	1	1.32	0.003	0.12	0.05	0.02	1.6	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01129	1	1.22	0.003	0.07	0.1	0.02	0.8	0.1	0.025	4	0.25	1DX15	VAN09005496
KYS01130	1	1.2	0.003	0.09	0.2	0.02	1	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01131	1	0.95	0.003	0.14	0.05	0.01	0.6	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS01132	1	1.22	0.003	0.05	0.1	0.02	0.8	0.05	0.025	4	0.7	1DX15	VAN09005496
KYS01133	0.5	1.01	0.003	0.04	0.05	0.03	0.8	0.05	0.025	4	0.8	1DX15	VAN09005496
KYS01134	1	1.34	0.005	0.04	0.2	0.03	0.8	0.05	0.025	5	0.5	1DX15	VAN09005496
KYS01135	2	1.49	0.005	0.04	0.2	0.07	1.3	0.05	0.025	4	0.9	1DX15	VAN09005496
KYS01136	1	1.83	0.004	0.05	0.2	0.06	1.9	0.1	0.025	5	0.9	1DX15	VAN09005496
KYS01137	1	0.93	0.003	0.04	0.05	0.13	2.2	0.05	0.025	2	1.1	1DX15	VAN09005496
KYS01138	1	0.88	0.003	0.04	0.1	0.11	2.1	0.05	0.025	3	1.3	1DX15	VAN09005496
KYS01139	1	1.71	0.004	0.04	0.2	0.05	1.7	0.05	0.025	5	0.6	1DX15	VAN09005496
KYS01140	1	2.01	0.005	0.05	0.05	0.09	1.3	0.05	0.025	4	0.9	1DX15	VAN09005496
KYS01141	0.5	1.3	0.002	0.03	0.05	0.03	1.2	0.05	0.025	4	0.6	1DX15	VAN09005496
KYS01142	0.5	1.53	0.004	0.04	0.05	0.05	1.4	0.05	0.025	5	0.7	1DX15	VAN09005496
KYS01144	2	2.14	0.004	0.05	0.1	0.08	3.3	0.1	0.025	5	1	1DX15	VAN09005496
KYS01152	0.5	1.51	0.006	0.05	0.05	0.04	2	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01166	1	1.37	0.003	0.09	0.05	0.03	3.7	0.05	0.025	4	0.7	1DX15	VAN09005496
KYS01169	1	1.72	0.004	0.05	0.1	0.07	2.3	0.05	0.025	5	1	1DX15	VAN09005496
KYS01171	2	1.35	0.004	0.04	0.1	0.03	1.1	0.05	0.025	6	0.5	1DX15	VAN09005496
KYS01260	1	0.74	0.003	0.05	0.05	0.04	1.4	0.05	0.025	2	0.6	1DX15	VAN09005496
KYS01261	1	1.23	0.003	0.04	0.05	0.04	1.7	0.1	0.025	3	3.7	1DX15	VAN09005496
KYS01262	1	0.26	0.003	0.04	0.05	0.05	1.9	0.2	0.07	0.5	2.3	1DX15	VAN09005496
KYS01262	1	0.28	0.003	0.04	0.05	0.07	2	0.2	0.09	0.5	2.6	1DX15	VAN09005496
KYS01263	2	0.91	0.005	0.06	0.05	0.06	2	0.2	0.09	2	1.8	1DX15	VAN09005496
KYS01264	1	0.38	0.004	0.06	0.05	0.09	1.6	0.2	0.13	0.5	3	1DX15	VAN09005496
KYS01265	2	0.22	0.004	0.04	0.05	0.04	1.5	0.05	0.07	0.5	0.25	1DX15	VAN09005496
KYS01266	2	0.45	0.003	0.06	0.1	0.18	2	0.1	0.09	1	2.4	1DX15	VAN09005496
KYS01267	1	1.15	0.007	0.07	0.05	0.03	1.5	0.05	0.025	3	0.5	1DX15	VAN09005496
KYS01268	0.5	1.47	0.002	0.07	0.05	0.03	2.6	0.05	0.025	5	0.6	1DX15	VAN09005496
KYS01269	0.5	0.75	0.006	0.07	0.05	0.3	1.8	0.05	0.11	2	0.6	1DX15	VAN09005496
KYS01270	0.5	0.63	0.006	0.06	0.05	0.3	1.7	0.05	0.06	2	0.25	1DX15	VAN09005496
KYS01271	1	0.79	0.006	0.06	0.05	0.04	2.4	0.05	0.05	2	0.5	1DX15	VAN09005496
KYS01272	1	1.23	0.003	0.05	0.05	0.02	1.3	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01273	0.5	1.55	0.002	0.16	0.05	0.01	2.1	0.1	0.025	4	0.25	1DX15	VAN09005496
KYS01274	0.5	1.67	0.004	0.06	0.05	0.02	1.3	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01275	0.5	1.24	0.002	0.07	0.05	0.03	1	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01276	0.5	1.36	0.003	0.07	0.05	0.04	1.1	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01277	0.5	1.46	0.004	0.04	0.2	0.04	2	0.05	0.025	4	0.6	1DX15	VAN09005496
KYS01278	0.5	1.32	0.003	0.03	0.2	0.05	1.5	0.05	0.025	6	0.25	1DX15	VAN09005496
KYS01279	0.5	1.7	0.006	0.05	0.05	0.09	2.1	0.05	0.025	5	1.3	1DX15	VAN09005496
KYS01279	1	1.68	0.006	0.06	0.05	0.11	2.1	0.05	0.07	4	1.2	1DX15	VAN09005496
KYS01280	0.5	1.41	0.004	0.03	0.05	0.07	1.4	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01281	0.5	1.28	0.003	0.03	0.05	0.03	1.2	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01282	0.5	1.23	0.003	0.03	0.05	0.08	1.2	0.05	0.025	5	1.1	1DX15	VAN09005496
KYS01283	0.5	1.24	0.003	0.04	0.05	0.05	1.6	0.05	0.025	4	0.5	1DX15	VAN09005496
KYS01284	1	1.51	0.004	0.04	0.2	0.04	1.3	0.05	0.025	5	0.6	1DX15	VAN09005496
KYS01285	0.5	1.82	0.005	0.05	0.05	0.07	0.9	0.05	0.07	5	0.7	1DX15	VAN09005496
KYS01286	0.5	1.83	0.003	0.04	0.05	0.1	1.7	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01303	0.5	1.4	0.004	0.04	0.05	0.05	1.9	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01304	1	1.67	0.006	0.17	0.05	0.03	6.8	0.05	0.025	9	0.25	1DX15	VAN09005496
KYS01304	2	1.77	0.004	0.18	0.05	0.03	6.9	0.05	0.025	9	0.25	1DX15	VAN09005496

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS01305	491802	7077767	NAD 83-08V	0.6	59	19.1	100	0.05	43.6	22.8	966	4.45	27.4
KYS01317	491694	7077744	NAD 83-08V	1	65.9	24.4	65	0.05	31.2	11.3	308	3.42	19.9
KYS01324	491727	7077705	NAD 83-08V	0.7	45.8	15.7	72	0.05	33.8	14.6	546	3.34	14.8
KYS01325	491312	7079765	NAD 83-08V	0.6	52.8	33.6	87	0.1	29.9	16.5	799	4.15	10.1
KYS01326	491346	7079727	NAD 83-08V	0.4	52.6	32.3	98	0.05	41.5	17.8	769	4.07	27.6
KYS01327	491377	7079689	NAD 83-08V	1.1	95.6	72.5	143	0.3	87.5	53	1139	7.8	16.1
KYS01328	491411	7079651	NAD 83-08V	1.1	94.4	40.9	256	0.6	85.9	46.3	1485	5.9	2420.2
KYS01329	491440	7079613	NAD 83-08V	1.2	99.6	45.5	141	0.1	60.7	31.6	1146	5.36	22.9
KYS01330	491475	7079574	NAD 83-08V	1.3	99.5	24.7	106	0.05	54.6	27	925	4.69	37.9
KYS01332	491538	7079496	NAD 83-08V	0.8	59.9	2247	486	21.9	8.4	2.9	71	5.07	
KYS01333	491569	7079456	NAD 83-08V	0.3	57.7	32.3	86	0.05	51.4	31.7	991	2.86	82.3
KYS01334	491602	7079419	NAD 83-08V	0.8	46.2	28.2	148	0.1	39.7	16.4	825	3.19	297.6
KYS01335	491632	7079382	NAD 83-08V	0.6	40.7	15.3	78	0.1	41.6	24.2	1038	3.7	73.5
KYS01336	491664	7079344	NAD 83-08V	0.4	60.7	30	94	0.05	41.4	19	1304	3.32	82
KYS01337	491697	7079308	NAD 83-08V	0.8	16.5	20.7	56	0.05	19	9	486	2.64	36.4
KYS01338	491727	7079268	NAD 83-08V	0.7	26.7	22.1	75	0.05	26.7	12	609	2.74	94.8
KYS01339	491760	7079229	NAD 83-08V	1.9	41.2	16.6	98	0.1	33.4	11	434	3.02	150.7
KYS01355	491541	7079958	NAD 83-08V	0.7	44.2	23.9	77	0.05	38.5	17.4	688	3.11	35.1
KYS01356	491573	7079918	NAD 83-08V	0.9	34.6	16.4	70	0.05	27	13.8	788	3.42	34.4
KYS01356	491573	7079918	NAD 83-08V	0.9	34.2	16.1	70	0.05	25.6	14	777	3.41	34
KYS01357	491603	7079879	NAD 83-08V	0.4	32.9	15.8	68	0.05	30.5	13.8	524	2.95	25.1
KYS01358	491636	7079841	NAD 83-08V	1.3	135.8	18.5	73	0.05	40.2	13.9	1529	2.88	25
KYS01359	491670	7079805	NAD 83-08V	1	174.9	23.7	76	0.2	41.5	19.9	2396	2.77	19.1
KYS01360	491700	7079764	NAD 83-08V	1.5	260	22.1	84	0.1	81.8	32.2	2190	2.83	24.8
KYS01361	491733	7079727	NAD 83-08V	1.2	164.4	23.5	101	0.1	55.2	20.1	2480	3.6	31.6
KYS01362	491765	7079690	NAD 83-08V	1.5	104.7	13.2	79	0.05	35.9	14.4	2470	2.81	23.2
KYS01363	491798	7079651	NAD 83-08V	4.4	80.7	25.5	202	0.5	56.6	13	1246	3.1	35.4
KYS01364	491828	7079612	NAD 83-08V	2.9	78.6	19.6	174	0.3	57.1	14.7	1311	3.2	53.4
KYS01365	491861	7079574	NAD 83-08V	2.4	39.1	19.4	116	0.2	28.3	9.7	899	2.75	23.9
KYS01366	491893	7079536	NAD 83-08V	1.5	44.9	12.1	76	0.1	25	9.5	933	2.47	16.8
KYS01367	491924	7079500	NAD 83-08V	1.5	81.7	20.8	91	0.4	48.4	20	1721	2.8	31.7
KYS01369	491989	7079421	NAD 83-08V	1.2	35.9	9.9	59	0.1	21	7.4	675	2.77	14.9
KYS01370	492021	7079383	NAD 83-08V	1	36.5	10.8	79	0.05	27.4	10.7	769	2.38	21.5
KYS01371	492052	7079346	NAD 83-08V	1.1	32.7	13.7	72	0.05	25.5	9	625	2.62	24
KYS01372	492085	7079305	NAD 83-08V	1.6	73	13.3	76	0.1	34.9	10.3	1206	2.7	18.2
KYS01373	492117	7079268	NAD 83-08V	1.6	81.2	19.7	115	0.4	53	18.5	1912	3.1	28.1
KYS01374	492148	7079228	NAD 83-08V	1.5	74	18	110	0.4	49.1	23.1	1589	3.21	18.9
KYS01375	492180	7079190	NAD 83-08V	1.6	94	18.1	146	0.3	92.8	29.3	2217	3.25	75.3
KYS01376	492213	7079152	NAD 83-08V	1.4	66.7	20.7	128	0.2	65	20.2	1503	2.93	32.4
KYS01376	492213	7079152	NAD 83-08V	1.3	65.8	20.6	129	0.2	64.3	20	1471	2.9	31.9
KYS01377	492246	7079115	NAD 83-08V	1.7	26.9	13.3	80	0.05	24	9.6	486	2.94	13.5
KYS01378	492278	7079077	NAD 83-08V	2.9	96.2	33.4	187	0.8	127.4	49.2	2507	4.36	67.3
KYS01379	492309	7079036	NAD 83-08V	2.3	89.3	33	131	0.3	72	34.9	1847	3.64	28.6
KYS01380	492342	7078999	NAD 83-08V	1.6	48.3	14.9	74	0.3	29.6	8.1	593	2.75	12.9
KYS01381	492374	7078960	NAD 83-08V	2.2	80.7	25.4	123	0.8	49.9	15.2	1046	3.46	14.8
KYS01382	492405	7078920	NAD 83-08V	3.8	61.3	32.5	106	0.3	42.7	20.6	1454	3.29	43.4
KYS01383	492437	7078882	NAD 83-08V	0.8	70.5	47.6	99	0.1	41.4	24.4	1516	3.54	56
KYS01384	492502	7078807	NAD 83-08V	2.6	65.3	41.4	101	0.2	38.8	20.6	1527	3.7	109.3
KYS01397	491603	7077541	NAD 83-08V	0.8	32.3	25.4	74	0.1	19.4	8.1	501	3.13	17.1
KYS01398	491575	7077577	NAD 83-08V	0.6	18.9	16.7	66	0.05	19.1	8.1	257	2.51	10.3
KYS01400	491509	7077655	NAD 83-08V	0.4	40.3	44.5	100	0.1	29.8	13	618	3.24	93.6
KYS01401	491476	7077690	NAD 83-08V	0.4	36	34.7	96	0.1	28	13.2	436	2.95	55
KYS01402	491443	7077730	NAD 83-08V	0.7	48.3	37.5	92	0.1	30.3	16	657	4.63	398.4
KYS01403	491412	7077767	NAD 83-08V	0.4	33.8	36.8	98	0.4	26.3	10.6	457	3.01	261

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS01305	0.6	1	11.3	43	0.2	1.4	0.3	45	0.76	0.103	23	27	1.67	175	0.061
KYS01317	0.6	5	8.4	10	0.05	1.4	0.3	36	0.1	0.037	23	24	0.53	111	0.024
KYS01324	0.8	3.8	9	23	0.05	1.3	0.2	44	0.31	0.055	20	28	1.04	232	0.057
KYS01325	2.6	2.3	5.5	15	0.1	1	0.5	9	0.11	0.065	17	11	0.36	60	0.008
KYS01326	2.1	3.1	14.9	15	0.05	0.6	0.4	9	0.16	0.054	30	14	0.58	53	0.006
KYS01327	4.4	14.7	31.1	38	0.2	4.9	1.6	4	0.76	0.061	11	5	0.37	53	0.002
KYS01328	3	217.3	15.3	61	1.5	88	0.6	9	0.48	0.066	23	8	0.3	138	0.008
KYS01329	3.8	3.7	18	48	0.2	8.6	0.5	14	0.22	0.07	44	14	0.83	99	0.011
KYS01330	1.2	2.2	12	52	0.2	4.2	0.4	43	0.63	0.101	23	26	1.5	253	0.08
KYS01332	1.4	2588.5	11	303	10.6	630.3	0.3	3	0.18	0.031	10	2	0.04	68	0.0005
KYS01333	0.9	6.7	18	12	0.05	44.8	0.3	9	0.16	0.046	22	12	0.7	35	0.003
KYS01334	1	3.2	5.9	16	0.5	35.8	0.3	13	0.27	0.08	13	14	0.36	114	0.006
KYS01335	1	2.1	6.7	10	0.05	15.9	0.2	48	0.17	0.061	14	31	1.34	122	0.049
KYS01336	0.7	1.9	12	15	0.3	18.5	0.3	21	0.71	0.08	18	19	1.05	103	0.018
KYS01337	0.6	1.6	3	6	0.1	3.6	0.2	34	0.07	0.043	14	19	0.3	53	0.021
KYS01338	1.1	11.1	5.1	10	0.2	10.4	0.2	32	0.13	0.058	18	22	0.49	98	0.019
KYS01339	2.7	10.9	7.4	10	0.4	15.5	0.2	18	0.12	0.074	17	14	0.43	57	0.018
KYS01355	1.4	4.4	12.6	10	0.2	3	0.3	16	0.16	0.057	32	15	0.54	129	0.01
KYS01356	0.7	2.3	4.8	12	0.05	2.3	0.3	27	0.16	0.084	20	19	0.7	161	0.011
KYS01356	0.7	2.8	5.1	12	0.05	2.4	0.3	26	0.17	0.084	19	19	0.69	159	0.009
KYS01357	0.6	4.8	7	6	0.05	3.3	0.2	21	0.09	0.053	25	21	0.62	96	0.012
KYS01358	0.9	98.2	1.8	11	0.2	5.1	0.3	37	0.06	0.073	17	21	0.36	82	0.015
KYS01359	0.9	39.5	2.6	13	0.1	8.9	0.3	29	0.08	0.086	15	18	0.4	103	0.011
KYS01360	1.1	28	3.4	17	0.2	19.1	0.2	38	0.12	0.064	16	23	0.34	134	0.025
KYS01361	0.9	20.7	1.3	18	0.1	16.6	0.3	31	0.07	0.131	16	17	0.6	99	0.008
KYS01362	0.9	30.7	0.9	13	0.2	5.5	0.2	38	0.11	0.102	14	23	0.3	100	0.017
KYS01363	2.5	11.5	3.4	57	1	8	0.3	25	0.74	0.108	11	11	0.13	662	0.007
KYS01364	1.7	14.9	5.1	31	0.8	4.3	0.3	27	0.23	0.076	17	15	0.25	333	0.01
KYS01365	0.9	11.6	0.7	43	0.5	3.1	0.3	34	0.35	0.108	11	15	0.16	238	0.009
KYS01366	0.7	44.7	0.5	12	0.2	1.6	0.2	37	0.12	0.064	11	21	0.23	142	0.015
KYS01367	1.5	26.1	1.6	18	0.2	4.4	0.3	34	0.09	0.056	18	25	0.36	189	0.017
KYS01369	0.9	4.9	0.5	8	0.2	1.6	0.2	44	0.05	0.048	13	23	0.21	73	0.025
KYS01370	0.8	13.4	2.3	13	0.3	2.3	0.2	34	0.16	0.08	13	21	0.3	92	0.034
KYS01371	0.9	6.8	0.8	10	0.2	2.4	0.2	42	0.09	0.056	13	24	0.33	101	0.028
KYS01372	0.9	15.6	1	8	0.2	5.2	0.3	36	0.05	0.067	18	22	0.28	68	0.016
KYS01373	1.2	35	2.1	10	0.3	16.8	0.3	35	0.05	0.075	22	24	0.31	90	0.016
KYS01374	1.3	11.3	2.1	11	0.2	4.4	0.3	39	0.07	0.088	16	26	0.37	86	0.021
KYS01375	1.3	12.3	6.3	11	0.3	11.9	0.3	34	0.08	0.067	23	21	0.29	114	0.022
KYS01376	1.2	10	7.6	13	0.3	12.4	0.2	32	0.09	0.073	23	19	0.23	139	0.019
KYS01376	1.2	7.8	7.7	12	0.3	12.1	0.2	33	0.09	0.073	23	19	0.23	120	0.02
KYS01377	0.8	5.5	0.8	9	0.3	4.2	0.3	54	0.07	0.063	11	29	0.28	87	0.026
KYS01378	2.5	12.7	4.6	22	0.5	100.3	0.4	20	0.03	0.085	20	11	0.09	151	0.007
KYS01379	3.9	10	4.4	16	0.5	10.4	0.4	27	0.06	0.072	17	21	0.36	87	0.013
KYS01380	0.9	8.4	0.8	9	0.05	6.3	0.2	28	0.02	0.082	16	21	0.21	69	0.008
KYS01381	1.3	29	5.5	21	0.2	7.4	0.3	28	0.02	0.086	28	24	0.27	105	0.003
KYS01382	1.9	4.2	5.9	19	0.5	40.2	0.4	12	0.49	0.084	20	11	0.31	82	0.005
KYS01383	0.7	2.9	13.4	17	0.2	72.2	0.5	12	0.88	0.061	20	15	0.97	90	0.005
KYS01384	1	2.2	6.2	18	0.5	83.9	0.4	17	0.62	0.097	21	14	0.64	84	0.009
KYS01397	0.9	0.25	13	10	0.05	0.7	0.4	18	0.06	0.031	26	14	0.49	85	0.007
KYS01398	0.8	0.9	9.9	8	0.05	1	0.2	17	0.06	0.03	23	13	0.43	86	0.004
KYS01400	1.1	12.3	11.5	19	0.3	22.8	0.3	19	0.28	0.054	24	20	0.7	136	0.007
KYS01401	1	6.9	11.4	15	0.3	14.8	0.2	18	0.2	0.062	21	18	0.75	112	0.007
KYS01402	1.3	12.9	13.2	13	0.2	54.7	0.5	9	0.03	0.04	22	17	0.46	35	0.001
KYS01403	1	34.3	9.9	17	0.5	23	0.3	10	0.25	0.052	24	15	0.56	112	0.002

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS01305	1	2.15	0.006	0.13	0.05	0.03	6.2	0.05	0.025	8	0.25	1DX15	VAN09005496
KYS01317	0.5	1.58	0.004	0.06	0.1	0.02	1.9	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01324	0.5	1.88	0.006	0.08	0.1	0.02	4.3	0.05	0.025	6	0.25	1DX15	VAN09005496
KYS01325	0.5	0.88	0.006	0.05	0.05	0.04	1.5	0.05	0.025	2	0.8	1DX15	VAN09005496
KYS01326	1	1.29	0.004	0.06	0.05	0.02	1.6	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01327	0.5	0.65	0.006	0.06	0.05	0.03	2.4	0.05	0.61	2	0.5	1DX15	VAN09005496
KYS01328	2	0.46	0.006	0.11	0.05	0.1	2.5	0.05	0.1	2	2.4	1DX15	VAN09005496
KYS01329	0.5	1.52	0.007	0.1	0.05	0.04	1.7	0.05	0.025	5	0.6	1DX15	VAN09005496
KYS01330	0.5	1.98	0.006	0.13	0.05	0.03	4.1	0.05	0.08	8	0.8	1DX15	VAN09005496
KYS01332	0.5	0.18	0.006	0.17	0.05	1.58	1.5	0.2	0.3	0.5	0.6	1DX15	VAN09005496
KYS01333	0.5	1.22	0.003	0.06	0.05	0.01	1.2	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01334	0.5	1.14	0.004	0.06	0.05	0.04	1.9	0.05	0.08	3	0.25	1DX15	VAN09005496
KYS01335	1	2.03	0.004	0.05	0.05	0.04	4.9	0.05	0.025	8	0.25	1DX15	VAN09005496
KYS01336	0.5	1.52	0.002	0.11	0.05	0.03	2.6	0.1	0.025	5	0.25	1DX15	VAN09005496
KYS01337	1	1.21	0.004	0.05	0.1	0.04	1.2	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01338	0.5	1.42	0.004	0.05	0.2	0.02	1.9	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01339	0.5	1.09	0.002	0.04	0.05	0.04	1.6	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01355	1	1.32	0.004	0.08	0.05	0.02	2.3	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01356	1	1.53	0.004	0.09	0.1	0.02	2.3	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01356	1	1.48	0.004	0.09	0.05	0.02	2.2	0.05	0.025	5	0.5	1DX15	VAN09005496
KYS01357	2	1.48	0.003	0.07	0.1	0.02	1.9	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01358	0.5	1.16	0.004	0.03	0.2	0.05	1.8	0.05	0.025	4	0.9	1DX15	VAN09005496
KYS01359	0.5	1.15	0.005	0.04	0.1	0.11	1.9	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01360	1	1.3	0.005	0.03	0.3	0.05	2	0.05	0.025	3	0.7	1DX15	VAN09005496
KYS01361	1	1.55	0.003	0.04	0.1	0.06	0.9	0.05	0.025	4	0.7	1DX15	VAN09005496
KYS01362	0.5	1.26	0.004	0.05	0.2	0.07	1.4	0.05	0.025	4	0.6	1DX15	VAN09005496
KYS01363	1	0.79	0.005	0.04	0.05	0.18	1.9	0.05	0.11	2	1.3	1DX15	VAN09005496
KYS01364	0.5	0.88	0.004	0.03	0.1	0.13	1.9	0.05	0.025	3	1	1DX15	VAN09005496
KYS01365	1	0.86	0.005	0.04	0.2	0.04	0.7	0.05	0.07	3	0.7	1DX15	VAN09005496
KYS01366	0.5	1.02	0.004	0.04	0.2	0.05	0.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01367	0.5	1.22	0.004	0.03	0.1	0.06	1.5	0.05	0.025	4	0.5	1DX15	VAN09005496
KYS01369	0.5	1.2	0.004	0.03	0.2	0.05	0.9	0.05	0.025	5	0.9	1DX15	VAN09005496
KYS01370	1	1.09	0.004	0.04	0.2	0.02	1.6	0.05	0.025	3	1.1	1DX15	VAN09005496
KYS01371	0.5	1.3	0.005	0.04	0.2	0.03	1.1	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01372	1	1.19	0.004	0.03	0.1	0.04	1.1	0.05	0.025	4	0.6	1DX15	VAN09005496
KYS01373	0.5	1.34	0.003	0.03	0.2	0.07	1.5	0.05	0.025	4	0.9	1DX15	VAN09005496
KYS01374	1	1.38	0.005	0.04	0.1	0.07	1.6	0.05	0.025	4	1.2	1DX15	VAN09005496
KYS01375	0.5	1.1	0.004	0.03	0.1	0.05	2.3	0.05	0.025	3	1.1	1DX15	VAN09005496
KYS01376	0.5	0.98	0.005	0.04	0.2	0.07	2.7	0.05	0.025	3	0.7	1DX15	VAN09005496
KYS01376	0.5	0.97	0.005	0.04	0.2	0.08	2.6	0.05	0.025	3	0.7	1DX15	VAN09005496
KYS01377	1	1.62	0.006	0.04	0.2	0.05	1.5	0.1	0.025	5	0.9	1DX15	VAN09005496
KYS01378	0.5	0.6	0.006	0.04	0.05	0.08	2.4	0.05	0.025	2	1.3	1DX15	VAN09005496
KYS01379	0.5	1.28	0.006	0.04	0.1	0.06	1.7	0.05	0.025	4	1.1	1DX15	VAN09005496
KYS01380	1	0.97	0.005	0.03	0.05	0.05	0.7	0.05	0.06	3	1.1	1DX15	VAN09005496
KYS01381	0.5	1.3	0.004	0.04	0.05	0.07	1.2	0.05	0.025	4	1.7	1DX15	VAN09005496
KYS01382	0.5	0.8	0.004	0.06	0.05	0.04	1.5	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS01383	1	1.29	0.004	0.05	0.05	0.02	1.7	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01384	0.5	0.97	0.004	0.03	0.05	0.04	2.2	0.05	0.025	3	0.6	1DX15	VAN09005496
KYS01397	1	1.28	0.004	0.07	0.05	0.02	1.2	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01398	2	1.24	0.005	0.06	0.05	0.03	0.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01400	0.5	1.55	0.005	0.05	0.05	0.02	2	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01401	0.5	1.45	0.004	0.04	0.05	0.03	1.9	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01402	0.5	1.39	0.005	0.06	0.05	0.01	0.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01403	0.5	1.4	0.005	0.06	0.05	0.03	1.1	0.05	0.025	3	0.25	1DX15	VAN09005496

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS01407	491379	7077806	NAD 83-08V	0.4	32.1	20.9	79	0.05	26.3	10.2	483	3.3	165.9
KYS01408	491301	7077739	NAD 83-08V	1.1	59.7	25.6	80	0.2	32.9	16.4	748	3.54	17.3
KYS01409	491331	7077703	NAD 83-08V	0.8	68.5	29	83	0.1	36.9	18	812	3.71	12.6
KYS01410	491366	7077666	NAD 83-08V	1.3	76.2	28.7	90	0.2	41.2	16.9	708	3.99	10.3
KYS01410	491366	7077666	NAD 83-08V	1.3	72.2	29.2	83	0.2	37.4	16.6	682	3.86	9.8
KYS01411	491399	7077628	NAD 83-08V	1.5	70.1	31.3	94	0.2	37.6	18.2	704	3.95	9.6
KYS01412	491431	7077587	NAD 83-08V	0.9	62.2	26.6	85	0.1	31.8	14.6	566	3.79	8.6
KYS01413	491462	7077550	NAD 83-08V	0.5	65.4	30.9	76	0.1	36.2	16.9	760	3.35	11.1
KYS01414	491494	7077512	NAD 83-08V	1.2	62.9	27.7	112	0.05	50.6	27.3	830	4.54	18.4
KYS01415	491526	7077474	NAD 83-08V	0.8	46.2	56.8	63	0.1	34	14.4	1566	4.46	12
KYS01614	491977	7079279	NAD 83-08V	2.1	110.7	21.4	107	0.2	45.1	20.4	3447	3.7	20.1
KYS01616	492039	7079203	NAD 83-08V	2	132.5	28	138	0.5	73.3	28.5	3517	3.95	37.8
KYS01617	492071	7079166	NAD 83-08V	1.8	133.5	23	161	0.4	95	32.3	4226	3.69	23
KYS01618	492103	7079129	NAD 83-08V	1.7	87.6	20.9	133	0.4	69.4	22.6	2470	3.25	31.7
KYS01621	492200	7079012	NAD 83-08V	1.4	68.5	22.1	88	0.5	40.1	10.1	691	2.81	13.6
KYS01622	492232	7078972	NAD 83-08V	1.7	114.1	27.6	166	0.4	72.1	21.4	1114	4.28	22
KYS01623	492264	7078934	NAD 83-08V	1.4	69.1	21	123	0.5	56.6	18.7	1706	3.18	82.2
KYS01625	492327	7078859	NAD 83-08V	1	55.8	41.7	106	0.2	43.5	22	1239	4.36	64.4
KYS01626	492360	7078820	NAD 83-08V	0.8	35.8	21	86	0.2	26.5	12.6	647	3.55	175.3
KYS01627	492392	7078780	NAD 83-08V	1.4	47.6	13.5	58	0.1	20.6	7	324	2.63	20.7
KYS01629			NAD 83-08V	1.1	43.6	31	90	0.05	34.5	17.4	613	3.65	36.4
KYS01629			NAD 83-08V	1	43.1	32.7	89	0.05	35.4	17.2	583	3.5	35.8
KYS01630	492379	7078640	NAD 83-08V	1.1	38	16.4	81	0.05	35.4	12.1	628	2.84	62.7
KYS01631	492410	7078600	NAD 83-08V	1.1	42.8	19.5	81	0.2	33.6	11.3	504	3	196.9
KYS01632	492441	7078561	NAD 83-08V	2.1	63.5	28.5	70	0.6	21	4.2	378	3.31	21
KYS01633	492474	7078523	NAD 83-08V	1.6	24.1	14.7	43	0.1	10.4	3.1	168	2.82	20.9
KYS01634	492508	7078485	NAD 83-08V	2	32.7	17.9	65	0.3	19.9	7.9	478	2.9	18.8
KYS01635	492541	7078446	NAD 83-08V	1.3	37.1	19.7	72	0.05	26.5	9.9	334	3.24	21.9
KYS01636	492571	7078409	NAD 83-08V	1.8	80.3	34.3	99	0.1	40.4	19.1	1286	4.47	16.5
KYS01637	492604	7078369	NAD 83-08V	0.8	43.5	30.3	83	0.05	30	14.2	535	4.9	19.3
KYS01638	492637	7078333	NAD 83-08V	0.4	39.6	20.3	89	0.05	39.4	18.1	698	3.66	28.2
KYS01639	492668	7078293	NAD 83-08V	2.3	58.3	30.8	96	0.1	42.7	17.7	1206	4.15	587
KYS01640	492514	7078164	NAD 83-08V	0.5	35.6	22	70	0.1	31.8	10.9	518	3.26	21.3
KYS01642	492450	7078241	NAD 83-08V	2.1	71.8	15.4	121	1.8	54	8.8	748	3.31	6.6
KYS01643	492417	7078281	NAD 83-08V	1.7	79	20.4	119	0.6	49.1	10.2	692	3.11	15.3
KYS01644	492389	7078313	NAD 83-08V	2.2	140.9	35.1	153	0.8	77	19.4	451	3.37	30.4
KYS01645	492356	7078359	NAD 83-08V	1.8	9.9	12.7	34	0.05	7.9	2.8	188	1.98	8.7
KYS01646	492291	7078435	NAD 83-08V	13.2	77.8	17.2	141	0.5	27.3	3.9	348	2.91	25.3
KYS01647	492260	7078473	NAD 83-08V	1.2	58.9	18.4	84	0.4	44.2	15.4	1297	2.82	14.3
KYS01648	492224	7078512	NAD 83-08V	1.5	39	17.9	59	0.2	22.9	7.5	509	4.04	17.5
KYS01649	492302	7078575	NAD 83-08V	1.7	97.1	29.4	111	0.6	44.4	17.7	2778	3.29	15.9
KYS01650	492334	7078536	NAD 83-08V	2.2	138.4	34.2	139	1.9	53.9	22.7	2634	5.11	28.4
KYS01651	492366	7078498	NAD 83-08V	1.3	48.9	15.7	77	0.2	27.3	10.7	1069	2.81	20.4
KYS01651	492366	7078498	NAD 83-08V	1.3	49.9	16	77	0.1	29.7	11	1072	2.94	20.9
KYS01652	492399	7078459	NAD 83-08V	1.5	36	10.3	54	0.6	18.1	3.6	176	1.62	10.4
KYS01653	492431	7078423	NAD 83-08V	1.4	59.4	17.7	49	1.5	22.4	3.9	203	2.34	15.1
KYS01654	492462	7078383	NAD 83-08V	2.3	28.1	13.6	58	0.05	17	5.2	685	3.45	7.6
KYS01655	492494	7078344	NAD 83-08V	4.5	67.3	24.6	121	0.2	37.2	16.8	1070	3.71	12.2
KYS01656	492529	7078306	NAD 83-08V	2.4	154	50.8	107	1.4	63.7	27.8	1378	3.69	18.9
KYS01657	492561	7078268	NAD 83-08V	1.3	48.3	31	79	0.1	33.9	14.9	1317	3.38	30.8
KYS01658	492592	7078231	NAD 83-08V	0.8	29.8	16.7	63	0.1	24.3	9.2	566	2.84	25.4
KYS01664	492379	7078640	NAD 83-08V	0.8	33.7	16.5	74	0.05	29.3	10.6	522	2.64	66.7
KYS01821	492292	7079216	NAD 83-08V	1.3	59.4	21.2	109	0.3	45.9	14.1	736	3.11	14.3
KYS01822	492321	7079177	NAD 83-08V	1.3	90.8	35.8	115	0.2	58.5	24.7	1497	3.59	28.8

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS01407	1	22.8	11.3	10	0.05	12.8	0.3	11	0.12	0.04	27	17	0.57	61	0.003
KYS01408	1.6	4.2	5.4	26	0.2	3.4	0.4	14	0.39	0.049	13	14	0.46	104	0.004
KYS01409	2.2	4.6	7.6	30	0.1	5.3	0.5	10	0.44	0.052	15	13	0.51	65	0.002
KYS01410	2.2	6.7	8	24	0.2	4	0.5	13	0.35	0.05	17	15	0.53	110	0.002
KYS01410	2	6	8	23	0.2	3.6	0.5	12	0.35	0.047	17	15	0.51	102	0.002
KYS01411	1.9	3.9	9	28	0.3	1.9	0.5	10	0.44	0.054	16	15	0.52	119	0.002
KYS01412	2.1	3.6	7	35	0.1	1.6	0.4	10	0.53	0.051	13	15	0.53	87	0.002
KYS01413	3.3	2.1	7.6	70	0.1	1.1	0.5	11	1.03	0.057	12	15	0.52	86	0.006
KYS01414	1.2	1.6	17.1	13	0.2	0.7	0.5	14	0.12	0.063	27	21	0.7	96	0.004
KYS01415	1.4	1.5	12.1	64	0.2	1	0.7	12	0.62	0.085	18	14	0.26	189	0.004
KYS01614	1.2	20.6	2.4	16	0.3	3.4	0.4	51	0.1	0.123	21	30	0.53	112	0.025
KYS01616	1.5	39.8	5.9	15	0.2	12	0.4	41	0.07	0.104	32	25	0.48	113	0.019
KYS01617	1.7	34.6	7.2	17	0.3	6.5	0.4	40	0.11	0.1	26	25	0.51	117	0.03
KYS01618	1.3	16.8	4.6	13	0.2	31.1	0.3	37	0.08	0.088	22	23	0.45	90	0.02
KYS01621	0.8	41.4	1.7	11	0.1	10	0.3	32	0.03	0.095	16	22	0.34	78	0.006
KYS01622	1.3	20.5	6.9	17	0.05	11.7	0.4	30	0.02	0.061	28	25	0.47	91	0.002
KYS01623	1.2	40.5	4.3	15	0.3	20.3	0.3	30	0.06	0.07	19	19	0.32	109	0.014
KYS01625	1.4	3.1	10.2	16	0.2	18.2	0.5	14	0.22	0.069	22	20	0.66	76	0.003
KYS01626	1.1	17.7	6.4	14	0.2	10.6	0.3	16	0.15	0.051	24	15	0.44	85	0.002
KYS01627	0.8	3.7	1.1	7	0.1	10.8	0.4	36	0.03	0.056	18	17	0.27	71	0.015
KYS01629	1	5.2	12.2	9	0.2	16.6	0.3	24	0.07	0.045	31	20	0.43	65	0.017
KYS01629	1	8.6	12.3	9	0.2	16.9	0.3	24	0.07	0.046	30	19	0.44	68	0.017
KYS01630	1.1	7.4	7.2	16	0.3	7.3	0.3	29	0.24	0.071	22	21	0.46	104	0.031
KYS01631	1.1	36.4	7.9	14	0.3	12	0.2	33	0.14	0.068	22	22	0.39	97	0.034
KYS01632	1.3	8.2	1.9	15	0.2	21.4	0.4	32	0.07	0.109	25	23	0.33	107	0.012
KYS01633	0.6	2.9	3.3	8	0.05	7.5	0.3	57	0.04	0.043	24	17	0.19	59	0.023
KYS01634	0.7	6.3	1.1	8	0.1	19.4	0.3	33	0.02	0.053	24	15	0.15	93	0.013
KYS01635	0.9	7.3	6.1	8	0.1	35.1	0.3	30	0.06	0.045	24	22	0.45	119	0.017
KYS01636	1.2	1.9	9.4	11	0.2	15.5	0.5	22	0.12	0.086	41	26	1.02	56	0.003
KYS01637	0.8	0.25	16.3	4	0.05	7.5	0.6	15	0.03	0.037	41	21	0.63	60	0.002
KYS01638	0.9	2.7	15.5	14	0.1	8.7	0.2	12	0.36	0.055	33	15	0.65	60	0.005
KYS01639	2.2	64.5	8.2	28	0.3	15.8	0.3	13	0.35	0.06	25	17	0.54	86	0.002
KYS01640	0.9	0.8	7.2	26	0.05	7	0.3	15	1.71	0.072	21	17	1.27	105	0.006
KYS01642	1	12.3	6.2	9	0.2	2.6	0.2	20	0.03	0.054	30	19	0.32	103	0.002
KYS01643	1.5	51.3	1.7	36	0.6	6.9	0.3	21	0.19	0.141	18	17	0.26	211	0.003
KYS01644	2	11.1	13.7	14	0.2	41.1	0.5	20	0.08	0.055	21	14	0.35	57	0.002
KYS01645	0.5	0.5	2.5	6	0.05	0.9	0.3	54	0.03	0.03	18	15	0.16	74	0.022
KYS01646	3.5	9.1	6.9	11	0.4	31	0.3	11	0.03	0.081	19	4	0.01	77	0.002
KYS01647	1	13.1	5.5	10	0.2	4.2	0.2	33	0.06	0.05	16	23	0.36	92	0.021
KYS01648	0.7	9.8	5.3	7	0.1	4.8	0.3	58	0.04	0.054	16	28	0.27	73	0.026
KYS01649	1.4	4.6	3.7	30	0.2	6.3	0.4	33	0.09	0.1	18	28	0.48	188	0.007
KYS01650	2.2	29.8	8.1	33	0.2	12.7	0.7	46	0.03	0.152	19	32	0.57	85	0.004
KYS01651	0.8	10.4	4.2	9	0.2	6.2	0.2	48	0.05	0.047	16	22	0.33	97	0.021
KYS01651	0.8	22.3	4	9	0.2	6.6	0.3	47	0.05	0.049	17	23	0.34	99	0.026
KYS01652	0.6	2.5	1.8	8	0.05	4.5	0.3	51	0.04	0.045	28	10	0.08	95	0.007
KYS01653	1.7	3.7	0.7	12	0.4	5.6	0.3	43	0.03	0.058	17	25	0.2	255	0.012
KYS01654	0.6	0.7	6.1	6	0.05	2.9	0.3	38	0.005	0.039	21	15	0.26	69	0.008
KYS01655	2.5	2.3	7.7	12	0.4	5	0.4	27	0.07	0.079	18	21	0.49	71	0.017
KYS01656	3	13	5.7	34	0.2	6	0.7	25	0.03	0.094	17	16	0.25	118	0.002
KYS01657	2.3	1.8	8	19	0.3	4.5	0.5	16	0.46	0.055	16	16	0.6	111	0.004
KYS01658	1.4	1.6	7.2	16	0.05	11.3	0.2	21	0.39	0.047	21	17	0.44	117	0.006
KYS01664	0.9	4	6.1	12	0.2	6.9	0.2	34	0.17	0.056	20	18	0.43	89	0.023
KYS01821	1.3	7.4	3.5	9	0.2	7.8	0.3	28	0.06	0.067	26	19	0.23	127	0.007
KYS01822	1.6	15.1	5.2	12	0.3	6.7	0.4	31	0.12	0.07	24	24	0.47	95	0.012

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS01407	0.5	1.41	0.004	0.04	0.05	0.01	1	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01408	0.5	1.11	0.007	0.05	0.05	0.03	1.3	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01409	1	1.15	0.006	0.04	0.05	0.04	1.2	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01410	0.5	1.34	0.005	0.05	0.05	0.05	1.5	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01410	0.5	1.27	0.005	0.05	0.05	0.03	1.5	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01411	1	1.34	0.005	0.05	0.05	0.04	1.4	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01412	2	1.28	0.006	0.05	0.05	0.03	1.3	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01413	2	1.18	0.007	0.05	0.05	0.04	1.6	0.05	0.06	3	0.25	1DX15	VAN09005496
KYS01414	1	1.88	0.004	0.04	0.05	0.03	1.5	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01415	0.5	1.34	0.006	0.05	0.05	0.04	3.5	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS01614	2	1.8	0.008	0.05	0.2	0.09	1.6	0.05	0.025	5	1	1DX15	VAN09005496
KYS01616	2	1.48	0.006	0.04	0.2	0.09	2	0.05	0.025	4	1.4	1DX15	VAN09005496
KYS01617	1	1.65	0.006	0.03	0.2	0.09	2.4	0.05	0.025	4	1.3	1DX15	VAN09005496
KYS01618	0.5	1.35	0.006	0.03	0.2	0.07	1.8	0.05	0.025	4	1	1DX15	VAN09005496
KYS01621	0.5	1.15	0.006	0.03	0.05	0.07	0.7	0.05	0.07	3	1	1DX15	VAN09005496
KYS01622	0.5	1.32	0.005	0.03	0.05	0.08	1.6	0.05	0.025	3	1.7	1DX15	VAN09005496
KYS01623	1	1.03	0.007	0.04	0.1	0.09	1.9	0.05	0.025	3	0.8	1DX15	VAN09005496
KYS01625	1	1.56	0.007	0.06	0.05	0.02	1.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01626	27	1.28	0.01	0.05	0.05	0.03	1	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01627	0.5	0.96	0.007	0.04	0.05	0.02	0.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01629	2	1.35	0.004	0.04	0.2	0.04	1.4	0.05	0.025	4	0.7	1DX15	VAN09005496
KYS01629	2	1.35	0.005	0.04	0.2	0.03	1.4	0.05	0.025	4	0.5	1DX15	VAN09005496
KYS01630	2	1.18	0.007	0.04	0.2	0.01	1.8	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01631	2	1.33	0.006	0.04	0.2	0.03	1.8	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01632	1	1.1	0.007	0.04	0.05	0.09	0.8	0.05	0.08	4	1.5	1DX15	VAN09005496
KYS01633	1	0.84	0.004	0.03	0.2	0.03	1.1	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01634	1	0.82	0.005	0.03	0.1	0.02	0.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01635	1	1.51	0.005	0.03	0.05	0.03	1.5	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01636	2	1.89	0.005	0.05	0.05	0.01	1.6	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01637	1	1.88	0.005	0.06	0.05	0.02	1.3	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01638	5	1.34	0.006	0.06	0.05	0.02	1.5	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01639	2	1.33	0.005	0.06	0.05	0.02	1.5	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01640	2	1.38	0.005	0.04	0.05	0.03	1.4	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01642	0.5	0.93	0.004	0.03	0.05	0.09	1	0.05	0.025	2	1.6	1DX15	VAN09005496
KYS01643	0.5	0.94	0.006	0.03	0.05	0.05	0.7	0.05	0.06	2	0.8	1DX15	VAN09005496
KYS01644	0.5	0.96	0.003	0.05	0.05	0.06	1.7	0.05	0.025	2	0.7	1DX15	VAN09005496
KYS01645	0.5	1.01	0.004	0.03	0.2	0.02	0.9	0.05	0.025	6	0.25	1DX15	VAN09005496
KYS01646	0.5	0.22	0.003	0.02	0.05	0.2	1.3	0.05	0.025	0.5	4.9	1DX15	VAN09005496
KYS01647	0.5	1.14	0.004	0.03	0.1	0.07	1.8	0.05	0.025	3	0.9	1DX15	VAN09005496
KYS01648	0.5	1.59	0.004	0.03	0.2	0.04	1.7	0.05	0.025	6	0.8	1DX15	VAN09005496
KYS01649	0.5	1.47	0.011	0.04	0.05	0.1	0.9	0.05	0.025	4	1.3	1DX15	VAN09005496
KYS01650	0.5	1.74	0.004	0.04	0.05	0.22	1.7	0.05	0.025	5	3.4	1DX15	VAN09005496
KYS01651	0.5	1.39	0.004	0.03	0.1	0.04	1.5	0.05	0.025	4	0.8	1DX15	VAN09005496
KYS01651	0.5	1.45	0.005	0.04	0.1	0.04	1.6	0.05	0.025	4	0.6	1DX15	VAN09005496
KYS01652	0.5	0.63	0.006	0.03	0.05	0.03	0.6	0.05	0.025	5	0.6	1DX15	VAN09005496
KYS01653	0.5	1.11	0.007	0.04	0.1	0.14	0.9	0.05	0.025	4	0.6	1DX15	VAN09005496
KYS01654	0.5	1.21	0.003	0.02	0.05	0.02	1	0.05	0.025	5	0.6	1DX15	VAN09005496
KYS01655	0.5	1.59	0.004	0.04	0.05	0.06	1.5	0.05	0.025	4	1	1DX15	VAN09005496
KYS01656	0.5	1.14	0.011	0.03	0.05	0.14	1.3	0.05	0.025	3	1.8	1DX15	VAN09005496
KYS01657	0.5	1.38	0.007	0.06	0.05	0.03	1.3	0.05	0.025	4	0.5	1DX15	VAN09005496
KYS01658	0.5	1.22	0.006	0.04	0.05	0.02	1.4	0.05	0.025	3	0.5	1DX15	VAN09005496
KYS01664	0.5	1.11	0.004	0.03	0.1	0.02	1.5	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01821	0.5	1.02	0.004	0.05	0.1	0.06	1.5	0.05	0.025	3	1.2	1DX15	VAN09005496
KYS01822	0.5	1.44	0.004	0.05	0.1	0.05	1.5	0.05	0.025	4	1	1DX15	VAN09005496

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS01823	492353	7079140	NAD 83-08V	1.4	52.5	21.9	103	0.05	40.1	17	990	3.16	11.9
KYS01824	492384	7079103	NAD 83-08V	1.4	25.4	20.4	61	0.05	18.9	8.6	357	2.74	8.2
KYS01825	492418	7079063	NAD 83-08V	6.9	67.3	59.8	125	0.4	58.6	33.5	4659	4.36	18.3
KYS01826	492449	7079023	NAD 83-08V	1.2	30.7	31.6	115	0.4	47	27.2	1559	2.88	132.6
KYS01828	492514	7078947	NAD 83-08V	3.7	68.7	30.2	95	0.1	44	23.1	888	3.36	18.4
KYS01830	492577	7078869	NAD 83-08V	0.8	41.5	25.8	77	0.05	32.1	15.8	521	3.19	63.2
KYS01832	492546	7078908	NAD 83-08V	1.5	49.9	26.2	81	0.05	32.5	16.2	605	3.55	53.9
KYS01843	492822	7078423	NAD 83-08V	0.8	23.6	19.8	50	0.1	16.9	6.3	236	2.4	115.4
KYS01844	492789	7078458	NAD 83-08V	1	17.5	20.4	55	0.1	16.8	9.4	475	2.73	182.1
KYS01845	492755	7078497	NAD 83-08V	1.2	18.6	17.5	56	0.1	16.2	6.2	205	2.61	85.9
KYS01846	492724	7078536	NAD 83-08V	1.1	21.8	17.6	53	0.05	15	7.4	302	2.57	96.6
KYS01849	492627	7078650	NAD 83-08V	2.4	50.7	33	87	0.1	26.4	14.3	1052	3.05	89.3
KYS01853	492455	7078704	NAD 83-08V	0.8	30.1	169.7	169	1.2	25.8	13.5	1099	2.68	488.4
KYS01856	492552	7078590	NAD 83-08V	1.3	30.2	15.7	61	0.2	23.3	7.1	211	2.66	16.9
KYS01857	492584	7078551	NAD 83-08V	1.3	18.3	12.2	66	0.05	14.2	5.9	187	2.21	37.7
KYS01857	492584	7078551	NAD 83-08V	1.2	18.1	11.2	69	0.05	13.5	5.7	193	2.15	38.1
KYS01861	492711	7078396	NAD 83-08V	1.8	21.5	24.9	45	0.1	13.7	6.3	345	2.3	73.1
KYS62274	492240	7078651	NAD 83-08V	1.1	42.7	12.4	65	0.1	28.9	10.8	366	2.56	30.5
KYS62275	492273	7078614	NAD 83-08V	1	28	11.2	54	0.05	25.7	9.8	522	2.58	14.7
KYS62276	491559	7077435	NAD 83-08V	1	29.7	21.8	54	0.05	26.5	13.5	262	3.42	10
KYS62277	491592	7077397	NAD 83-08V	1	40.1	22.1	88	0.1	31	13.1	457	3.09	16.5
KYS62282	492180	7079190	NAD 83-08V	1.5	81.1	19	133	0.2	73.4	23.4	1741	3.03	57.6
KYS62282	492180	7079190	NAD 83-08V	1.4	79.4	19.1	133	0.3	72.8	24.5	1802	3.04	57.3
KYS63797	492194	7078549	NAD 83-08V	1.5	24.2	19.9	60	0.2	20.7	8.1	452	3.65	17.5
KYS63831	491299	7079626	NAD 83-08V	0.6	29.1	27.8	70	0.05	36.2	16.1	607	3.25	29.9
KYS63832	491328	7079588	NAD 83-08V	1.1	60.7	37.6	102	0.1	45.3	26.1	868	4.52	36.6
KYS63836	491428	7079473	NAD 83-08V	0.7	53.6	31.1	89	0.05	38.3	20.4	563	3.76	67.3
KYS63839	491523	7079357	NAD 83-08V	0.6	58.1	26.2	88	0.05	43.3	19.6	648	3.72	116.2
KYS63880	491653	7079206	NAD 83-08V	0.7	76.5	81.7	105	0.05	41.3	30.3	1326	3.69	89.9
KYS63893	492253	7078795	NAD 83-08V	1.9	64.1	30.7	81	0.5	33	7.7	550	3.33	17.6
KYS63894	492285	7078755	NAD 83-08V	1.5	37.7	14.4	60	0.1	25.5	7	415	2.56	110.2
KYS63937	491389	7079829	NAD 83-08V	0.5	48.7	44.8	78	0.1	41.9	20.2	1047	4.26	7.4
KYS63938	491421	7079790	NAD 83-08V	1.2	54	27.3	79	0.1	35.1	18.8	1278	3.22	9.8
KYS63939	491452	7079753	NAD 83-08V	2.5	40.9	14.1	138	0.05	50.6	27.7	849	5.7	10.7
KYS63940	491485	7079715	NAD 83-08V	1.1	85.4	32.5	108	0.05	55.9	25.5	1204	4.21	4
KYS63983	491678	7079484	NAD 83-08V	0.8	43.8	110.3	184	1.1	36.7	15.6	770	3.44	1456.1
KYS63984	491709	7079445	NAD 83-08V	1.2	42.1	22.2	125	0.05	39.1	14.9	592	2.84	115.1
KYS63986	491773	7079366	NAD 83-08V	1.4	26.6	16.7	91	0.1	23.7	8.9	452	2.23	34.8
KYS63988	491837	7079291	NAD 83-08V	1	30.4	14.5	87	0.05	31.5	9.7	416	2.7	86.8
KYS63989	491869	7079253	NAD 83-08V	1.7	59.6	19.8	89	0.2	32.8	12.1	748	3.11	70.3
KYS63991	491935	7079177	NAD 83-08V	1.9	215.2	24.3	111	0.2	70.6	27.9	3906	3.49	22.1
KYS63992	491966	7079138	NAD 83-08V	2	150.7	23.8	108	0.3	60.1	27.2	4616	3.58	15.8
KYS63993	491998	7079101	NAD 83-08V	1.6	86.2	16	76	0.1	36.2	18.6	2221	3.13	20.3
KYS63994	492032	7079062	NAD 83-08V	2.3	125.8	39.1	164	0.7	69.4	23.1	1949	4.73	35.9
KYS63995	492063	7079027	NAD 83-08V	1.6	35.5	13.4	55	0.3	18.3	5.7	433	2.69	13.7
KYS63998	492158	7078911	NAD 83-08V	1.7	94.1	29.9	144	0.7	73.2	25.1	2207	3.6	241.4
KYS63999	492189	7078872	NAD 83-08V	1.7	101.2	20.6	179	0.4	93.5	35.3	1857	3.37	72.5
KYS00001	492317	7078718	NAD 83-08V	1.5	43.7	15.9	75	0.3	31.5	10.1	621	2.94	133
KYS00127	492149	7078446	NAD 83-08V	2.3	101.3	36.9	170	0.9	110.4	41.4	5031	3.96	16.8
KYS00128	492180	7078410	NAD 83-08V	1.5	46.5	17.2	73	0.7	37.8	11	453	3.09	12.4
KYS00129	492212	7078370	NAD 83-08V	1.6	62.2	24.7	103	0.2	37.7	21	967	3.69	12.8
KYS00130	492245	7078331	NAD 83-08V	1.7	31.5	15.5	79	0.2	27.9	7.4	392	3.28	39.1
KYS00131	492277	7078295	NAD 83-08V	0.5	42.8	36.9	83	0.05	31.2	21.1	643	3.73	14.4
KYS00132	492310	7078255	NAD 83-08V	1	39.9	19.3	87	0.05	38	13.4	675	3.76	15.7

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS01823	1.1	5.6	3.7	11	0.2	5.6	0.3	40	0.1	0.068	20	24	0.35	84	0.023
KYS01824	1	3	0.8	7	0.1	4.3	0.3	36	0.05	0.067	15	22	0.28	67	0.009
KYS01825	2.9	2	3.7	30	0.8	22.3	0.5	10	0.52	0.11	20	8	0.24	128	0.002
KYS01826	0.7	5.2	2.4	35	0.8	76.7	0.2	18	1.32	0.083	14	11	0.73	121	0.006
KYS01828	1.9	1.9	4.2	15	0.3	25.8	0.4	27	0.45	0.114	24	20	0.54	82	0.012
KYS01830	1.1	4.8	7.5	9	0.1	15.6	0.2	16	0.08	0.045	38	16	0.52	57	0.005
KYS01832	0.9	2	6.3	9	0.4	20.8	0.3	19	0.11	0.064	29	16	0.32	58	0.006
KYS01843	0.8	8	1.5	7	0.2	39.1	0.2	22	0.06	0.048	22	15	0.23	63	0.005
KYS01844	0.6	15.4	2.6	8	0.1	34.7	0.3	23	0.07	0.05	28	17	0.29	72	0.01
KYS01845	0.5	1.2	0.7	7	0.2	14.5	0.2	33	0.04	0.054	22	17	0.21	71	0.01
KYS01846	0.8	1.2	1.9	5	0.05	15.4	0.2	22	0.02	0.054	26	11	0.12	42	0.007
KYS01849	0.8	2.3	2.8	17	0.5	48	0.3	22	0.58	0.135	18	21	0.73	145	0.005
KYS01853	0.8	103.9	3.5	39	1	256.5	0.2	14	5.54	0.082	13	9	3.15	82	0.004
KYS01856	1	7.2	2.2	9	0.3	27.6	0.2	45	0.12	0.049	16	27	0.28	106	0.026
KYS01857	0.5	1.4	5.8	7	0.5	43.1	0.2	36	0.1	0.033	24	15	0.17	59	0.023
KYS01857	0.5	4.5	5.5	7	0.5	42.3	0.2	35	0.1	0.032	24	15	0.16	56	0.023
KYS01861	0.8	2	3.4	10	0.1	9.8	0.3	30	0.06	0.043	28	15	0.23	96	0.006
KYS62274	1	8.8	5.6	13	0.2	4.9	0.2	39	0.14	0.068	15	24	0.38	115	0.038
KYS62275	0.7	5.6	4.7	9	0.2	2.9	0.2	44	0.07	0.036	15	23	0.3	89	0.04
KYS62276	0.9	1.1	12.5	18	0.05	0.8	0.4	15	0.2	0.028	21	13	0.39	102	0.003
KYS62277	1	3.2	9.8	19	0.3	1.6	0.3	19	0.27	0.046	18	16	0.45	140	0.014
KYS62282	1.4	14.8	6.3	12	0.3	10.6	0.3	31	0.07	0.062	21	18	0.32	101	0.02
KYS62282	1.4	22.8	6.5	12	0.3	11	0.3	31	0.07	0.065	22	20	0.33	106	0.022
KYS63797	0.8	11.7	4.3	8	0.2	3	0.3	56	0.05	0.047	13	31	0.31	86	0.035
KYS63831	1.8	2.7	4.8	13	0.3	4.1	0.3	15	0.15	0.036	16	12	0.3	64	0.012
KYS63832	4.1	3.9	4.8	40	0.2	3.6	0.6	10	0.33	0.051	9	13	0.49	56	0.003
KYS63836	1.9	3	19.9	19	0.2	3.4	0.4	9	0.18	0.048	21	15	0.63	46	0.006
KYS63839	1.1	5.3	14.2	22	0.1	5.8	0.4	24	0.3	0.077	24	24	0.98	114	0.029
KYS63880	3.7	1.7	24.7	15	0.05	26.3	0.8	10	0.19	0.069	32	15	0.69	67	0.003
KYS63893	1	5.9	5.3	15	0.05	11.1	0.3	35	0.02	0.079	22	23	0.31	73	0.007
KYS63894	0.7	9.4	1.3	7	0.1	9.9	0.2	38	0.02	0.05	18	16	0.11	81	0.009
KYS63937	1.9	2.1	10.2	36	0.05	1.8	0.6	7	0.41	0.047	23	8	0.22	67	0.005
KYS63938	1.2	1.6	5	52	0.4	0.7	0.3	21	0.54	0.064	16	17	0.62	161	0.011
KYS63939	1.3	0.25	3.3	49	0.3	0.9	0.2	69	0.39	0.129	9	32	1.23	777	0.139
KYS63940	2	0.9	18.5	35	0.3	0.5	0.5	21	0.32	0.072	24	20	1.14	184	0.032
KYS63983	1.4	242.2	7.5	14	1.6	88.7	0.2	23	0.19	0.058	22	17	0.52	189	0.011
KYS63984	1.2	8.9	8.8	13	0.3	25	0.3	25	0.15	0.051	27	17	0.69	101	0.016
KYS63986	1	2.2	2.6	20	0.2	9.7	0.2	22	0.27	0.064	20	14	0.29	143	0.005
KYS63988	1.5	8	6.2	10	0.2	14.2	0.2	30	0.16	0.067	26	22	0.62	97	0.026
KYS63989	2.6	12.9	2.8	9	0.2	9.2	0.3	33	0.08	0.079	22	23	0.5	134	0.015
KYS63991	0.9	49.7	6.4	22	0.1	3.2	0.4	40	0.14	0.091	28	27	0.67	119	0.019
KYS63992	0.8	32.6	3	12	0.1	8.3	0.4	33	0.04	0.102	20	24	0.37	95	0.007
KYS63993	0.9	26.1	2	11	0.1	8.4	0.3	44	0.07	0.062	20	25	0.28	100	0.023
KYS63994	1.2	18.2	9.4	23	0.05	7.7	0.5	35	0.03	0.091	41	32	0.74	117	0.007
KYS63995	0.6	34.3	2.3	8	0.05	5.5	0.3	58	0.04	0.046	22	21	0.18	89	0.022
KYS63998	1.4	27.9	5.8	12	0.3	112.3	0.3	21	0.02	0.072	35	14	0.11	119	0.004
KYS63999	1.1	7.7	7.6	10	0.2	50.9	0.2	13	0.02	0.046	34	8	0.04	91	0.0005
KYS00001	1	18.1	2.4	10	0.2	10	0.3	40	0.05	0.057	17	22	0.29	119	0.017
KYS00127	1.1	15.5	7.7	14	0.5	6.2	0.5	43	0.08	0.081	22	36	0.46	326	0.002
KYS00128	1.2	11.2	6	21	0.4	2.9	0.3	38	0.07	0.055	21	26	0.41	178	0.017
KYS00129	1.2	3.7	8.4	14	0.2	2	0.4	30	0.03	0.057	29	22	0.45	127	0.006
KYS00130	0.7	7.6	3.1	10	0.2	13.6	0.3	43	0.04	0.046	23	20	0.21	122	0.02
KYS00131	0.6	0.25	18.2	4	0.05	2.3	0.5	11	0.04	0.031	33	17	0.65	47	0.0005
KYS00132	1.1	3.2	7.2	21	0.3	2	0.3	30	0.33	0.061	21	28	0.67	158	0.007

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS01823	0.5	1.47	0.004	0.05	0.1	0.03	1.4	0.05	0.025	4	0.9	1DX15	VAN09005496
KYS01824	0.5	1.44	0.005	0.04	0.1	0.05	0.9	0.1	0.08	5	0.6	1DX15	VAN09005496
KYS01825	0.5	0.57	0.003	0.05	0.05	0.07	2	0.05	0.06	2	0.9	1DX15	VAN09005496
KYS01826	0.5	0.62	0.006	0.06	0.05	0.07	1.2	0.05	0.15	1	0.25	1DX15	VAN09005496
KYS01828	0.5	1.23	0.003	0.06	0.1	0.05	1.5	0.05	0.025	3	0.9	1DX15	VAN09005496
KYS01830	0.5	1.26	0.003	0.06	0.05	0.02	1.2	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01832	0.5	1.09	0.004	0.05	0.05	0.02	1.3	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01843	0.5	1.03	0.003	0.04	0.05	0.03	0.7	0.05	0.025	4	0.6	1DX15	VAN09005496
KYS01844	0.5	1.18	0.003	0.05	0.05	0.02	0.9	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS01845	0.5	1.01	0.004	0.05	0.1	0.02	0.8	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS01846	0.5	0.81	0.003	0.05	0.1	0.02	0.6	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01849	0.5	1.39	0.005	0.03	0.05	0.02	1.4	0.05	0.05	4	0.25	1DX15	VAN09005496
KYS01853	4	0.53	0.005	0.04	0.2	0.07	1.4	0.05	0.07	1	0.25	1DX15	VAN09005496
KYS01856	0.5	1.38	0.004	0.04	0.1	0.06	1.7	0.05	0.025	4	0.7	1DX15	VAN09005496
KYS01857	0.5	0.69	0.003	0.04	0.2	0.02	1.1	0.05	0.025	3	0.5	1DX15	VAN09005496
KYS01857	0.5	0.68	0.003	0.04	0.2	0.01	1.1	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS01861	0.5	1.15	0.004	0.06	0.05	0.03	1.2	0.1	0.025	4	0.25	1DX15	VAN09005496
KYS62274	0.5	1.52	0.006	0.04	0.2	0.04	2.3	0.05	0.025	4	0.9	1DX15	VAN09005496
KYS62275	0.5	1.43	0.006	0.03	0.2	0.06	2.1	0.05	0.025	4	0.9	1DX15	VAN09005496
KYS62276	0.5	1.22	0.004	0.06	0.05	0.02	1.1	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS62277	0.5	1.12	0.005	0.04	0.05	0.05	2	0.05	0.025	3	0.8	1DX15	VAN09005496
KYS62282	0.5	1	0.004	0.03	0.2	0.05	2.2	0.05	0.025	3	1.5	1DX15	VAN09005496
KYS62282	0.5	1.05	0.004	0.03	0.1	0.06	2.3	0.05	0.025	3	1	1DX15	VAN09005496
KYS63797	0.5	1.72	0.005	0.04	0.2	0.05	2.1	0.05	0.025	5	1.1	1DX15	VAN09005496
KYS63831	0.5	0.95	0.005	0.04	0.05	0.03	1.6	0.05	0.025	2	0.25	1DX15	VAN09005496
KYS63832	1	1.09	0.008	0.07	0.05	0.03	1.6	0.05	0.07	3	1	1DX15	VAN09005496
KYS63836	0.5	1.31	0.004	0.08	0.05	0.01	1.2	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS63839	0.5	1.54	0.002	0.09	0.05	0.03	2.7	0.05	0.025	6	0.6	1DX15	VAN09005496
KYS63880	0.5	1.6	0.005	0.06	0.05	0.03	1.2	0.05	0.025	4	0.8	1DX15	VAN09005496
KYS63893	0.5	1.2	0.004	0.03	0.05	0.06	1	0.05	0.025	4	1.4	1DX15	VAN09005496
KYS63894	0.5	0.84	0.004	0.02	0.05	0.04	1	0.05	0.025	4	1.3	1DX15	VAN09005496
KYS63937	0.5	0.66	0.004	0.05	0.05	0.04	2.4	0.05	0.05	2	0.7	1DX15	VAN09005496
KYS63938	0.5	1.3	0.005	0.06	0.05	0.04	1.6	0.05	0.06	4	0.25	1DX15	VAN09005496
KYS63939	0.5	1.96	0.005	0.09	0.05	0.04	6.3	0.05	0.025	11	0.8	1DX15	VAN09005496
KYS63940	0.5	1.51	0.005	0.09	0.05	0.03	2.3	0.05	0.06	5	0.5	1DX15	VAN09005496
KYS63983	0.5	1.14	0.004	0.06	0.1	0.05	2.1	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS63984	0.5	1.37	0.003	0.06	0.05	0.02	1.8	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS63986	2	1.16	0.004	0.06	0.05	0.02	0.7	0.05	0.025	3	0.25	1DX15	VAN09005496
KYS63988	0.5	1.44	0.004	0.05	0.1	0.02	2	0.05	0.025	5	0.25	1DX15	VAN09005496
KYS63989	1	1.52	0.005	0.05	0.05	0.04	1.6	0.05	0.025	4	0.25	1DX15	VAN09005496
KYS63991	0.5	1.62	0.004	0.04	0.2	0.08	1.9	0.05	0.025	5	0.5	1DX15	VAN09005496
KYS63992	0.5	1.38	0.004	0.03	0.05	0.1	1.4	0.05	0.025	4	1.3	1DX15	VAN09005496
KYS63993	1	1.25	0.005	0.03	0.2	0.05	1.3	0.05	0.025	4	0.5	1DX15	VAN09005496
KYS63994	0.5	1.76	0.006	0.04	0.05	0.11	1.9	0.05	0.025	4	2.8	1DX15	VAN09005496
KYS63995	0.5	1.1	0.004	0.04	0.1	0.05	1.2	0.05	0.025	6	0.7	1DX15	VAN09005496
KYS63998	2	0.63	0.005	0.04	0.05	0.1	1.8	0.05	0.025	2	1.9	1DX15	VAN09005496
KYS63999	0.5	0.35	0.004	0.02	0.05	0.07	1.8	0.05	0.025	0.5	1.8	1DX15	VAN09005496
KYS00001	1	1.49	0.005	0.04	0.2	0.06	1.9	0.05	0.025	4	1	1DX15	VAN09005497
KYS00127	0.5	2.23	0.003	0.04	0.05	0.14	2.1	0.05	0.025	5	1	1DX15	VAN09005497
KYS00128	0.5	1.68	0.011	0.04	0.1	0.1	1.6	0.05	0.025	4	0.9	1DX15	VAN09005497
KYS00129	0.5	1.56	0.005	0.04	0.05	0.04	1.4	0.05	0.025	5	0.5	1DX15	VAN09005497
KYS00130	2	1.03	0.004	0.04	0.2	0.04	1.4	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS00131	0.5	1.93	0.003	0.05	0.05	0.01	1.1	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS00132	0.5	1.63	0.005	0.04	0.1	0.03	2.1	0.05	0.025	4	0.25	1DX15	VAN09005497

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS00133	492340	7078216	NAD 83-08V	2.8	69.8	44.4	98	0.3	38	18.2	1132	4.09	5.5
KYS00134	492372	7078179	NAD 83-08V	3.9	73.5	37.3	104	0.5	37.7	13.5	702	3.86	18.8
KYS00135	492404	7078141	NAD 83-08V	0.7	23.9	20.1	61	0.3	24	7.8	519	2.32	11.3
KYS00136	492436	7078099	NAD 83-08V	0.7	40.3	20.1	70	0.3	33.3	11.7	786	2.7	24.1
KYS00137	492360	7078039	NAD 83-08V	1.1	57.3	37.3	107	0.1	30.7	12.4	534	4.39	47.1
KYS00138	492329	7078074	NAD 83-08V	0.7	79.3	54.9	121	0.3	35	14.9	400	3.75	959.4
KYS00139	492297	7078113	NAD 83-08V	1	46.2	24	107	0.2	36.8	15.6	573	3.55	82.1
KYS00140	492266	7078150	NAD 83-08V	1.1	60	33.1	100	0.1	47.3	21.3	1748	3.94	53.2
KYS00141	492233	7078193	NAD 83-08V	0.7	60.9	38.6	90	0.1	38.5	19.8	737	3.85	48
KYS00142	492198	7078229	NAD 83-08V	0.9	24.1	14.5	72	0.05	21.6	10.8	1051	3.51	5.8
KYS00143	492166	7078268	NAD 83-08V	1.4	66	32.5	131	0.3	59.3	19.8	1207	3.58	18.9
KYS00143	492166	7078268	NAD 83-08V	1.5	66	32.4	127	0.3	58	19.8	1219	3.53	19.1
KYS00144	492136	7078305	NAD 83-08V	2.2	76.1	24.6	154	0.5	48.4	15.6	1386	4.06	24
KYS00145	492103	7078344	NAD 83-08V	1.9	129.9	25.9	225	1	146.8	66.4	3088	3.84	24.8
KYS00147	491996	7078320	NAD 83-08V	1.4	92	18	123	0.5	71.8	21.7	1832	2.94	22.8
KYS00149	492059	7078242	NAD 83-08V	1.6	38.2	15.8	65	0.4	20.5	4.6	322	2.46	12.1
KYS00150	492090	7078203	NAD 83-08V	2	37.6	14.8	73	0.5	17.8	5.9	484	3.39	10.2
KYS00151	492123	7078165	NAD 83-08V	2.2	59.2	38.7	112	0.1	48	26.4	1113	3.98	13.7
KYS00152	492155	7078127	NAD 83-08V	0.7	38.3	55	74	0.1	27.7	17	690	3.25	125.4
KYS00153	492219	7078052	NAD 83-08V	1	87.3	57.6	116	0.1	33.9	17.9	631	5.18	37.6
KYS00154	492252	7078015	NAD 83-08V	1.5	82.6	75.4	113	0.05	21.1	12.7	403	6	16
KYS00155	492283	7077973	NAD 83-08V	0.8	83.8	47.4	152	0.1	94.2	53.6	3059	4.78	39.7
KYS01143	491886	7078295	NAD 83-08V	1.9	147.6	21.2	77	0.2	54.9	25.8	4335	3.34	51.9
KYS01145	491949	7078218	NAD 83-08V	1.6	61.1	24.3	83	0.3	30.2	12.3	1306	3.38	162
KYS01146	491980	7078177	NAD 83-08V	2	87.6	20.6	80	0.4	30.1	8.2	518	3.69	16.6
KYS01147	492014	7078140	NAD 83-08V	2.3	88.1	18.2	128	0.4	72.3	21.6	1317	4.43	12.4
KYS01148	492046	7078103	NAD 83-08V	1.9	87.9	17.9	124	0.6	66.5	23.3	1171	3.34	15.8
KYS01149	492077	7078063	NAD 83-08V	0.8	39.6	22	87	0.05	36.8	16.2	712	3.3	55.7
KYS01150	492108	7078025	NAD 83-08V	0.8	46.9	44.2	103	0.05	36.3	26.5	816	3.91	61.8
KYS01150	492108	7078025	NAD 83-08V	0.8	47.5	42.7	104	0.05	38.7	26.1	830	3.94	61.9
KYS01151	492144	7077985	NAD 83-08V	0.9	69.8	56.2	135	0.2	50.7	34.7	1093	4.6	76.3
KYS01153	492205	7077910	NAD 83-08V	0.7	74	35.4	111	0.2	46	18.9	692	4.14	68
KYS01154	492132	7077847	NAD 83-08V	0.7	43.1	60.3	88	0.2	39.3	19.2	1059	3.49	125.2
KYS01155	492132	7077847	NAD 83-08V	0.5	42.1	68	91	0.2	38.4	19.1	995	3.44	124.4
KYS01156	492099	7077883	NAD 83-08V	0.5	42.9	61.7	89	0.2	37.9	18.3	924	3.5	119.8
KYS01157	492067	7077923	NAD 83-08V	0.4	42.7	28.5	85	0.1	31.2	15.8	806	3.29	13.3
KYS01158	492035	7077961	NAD 83-08V	1.7	88	18.7	94	0.3	41.1	15.8	1455	3.75	152.5
KYS01159	492004	7078001	NAD 83-08V	1.6	91.5	18.7	105	0.3	49.3	17	1854	3.42	114.3
KYS01160	491970	7078039	NAD 83-08V	2.3	126.8	28.6	105	0.5	45.7	13.2	1248	4.55	32.5
KYS01161	491941	7078075	NAD 83-08V	2.5	286.4	33.9	120	1	94.3	28.4	1380	4.49	52.8
KYS01162	491905	7078117	NAD 83-08V	1.7	263.7	44.2	115	0.6	64.5	23.2	3413	3.99	126.1
KYS01163	491878	7078151	NAD 83-08V	1.9	211.3	29.3	76	0.2	38.4	23.2	2509	3.61	104.1
KYS01164	491842	7078190	NAD 83-08V	1.6	40.8	15.3	53	0.2	19.2	12.9	1043	3.05	35.8
KYS01165	491764	7078129	NAD 83-08V	0.5	28.4	21.3	64	0.1	21.6	10.5	536	2.75	22
KYS01165	491764	7078129	NAD 83-08V	0.6	28.1	21.2	63	0.2	22.6	9.9	546	2.77	22.3
KYS01167	491830	7078052	NAD 83-08V	0.6	57.8	16.7	69	0.05	38.4	18.2	616	3.38	48.9
KYS01168	491861	7078015	NAD 83-08V	1	70	21	74	0.1	40.1	14.8	1028	3.32	74.5
KYS01170	491920	7077938	NAD 83-08V	1.6	51	15.7	100	0.3	37.3	13.5	1411	3.24	24.7
KYS01172	491989	7077860	NAD 83-08V	2.1	60.7	24.5	119	0.2	55.9	26.2	2881	3.57	88.2
KYS01173	492021	7077820	NAD 83-08V	1.1	20.5	13.7	53	0.05	19.3	6.5	270	3.25	21.8
KYS01174	492052	7077782	NAD 83-08V	1.1	25.8	16.8	75	0.05	30.2	13.4	440	3.25	20.3
KYS01287	492022	7078601	NAD 83-08V	1.1	43	12.3	52	0.1	18.9	5	486	2.33	17.2
KYS01288	492052	7078563	NAD 83-08V	1.3	61.6	16	81	0.3	38.1	11.2	1097	2.74	12.1
KYS01289	492084	7078524	NAD 83-08V	0.9	72.5	14.8	90	0.3	47.3	11.6	1281	2.74	8.9

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS00133	1.1	0.6	8.1	16	0.2	3.9	1	17	0.19	0.067	30	19	0.59	199	0.002
KYS00134	1.1	6.1	4.4	33	0.2	8.5	0.5	23	0.06	0.117	24	19	0.41	178	0.002
KYS00135	0.8	15	2.6	50	0.2	3.2	0.2	19	5.51	0.124	12	16	3.06	93	0.013
KYS00136	0.8	7.6	5.6	22	0.2	11.9	0.3	25	1.37	0.067	19	18	0.95	168	0.014
KYS00137	1.9	4.8	13.2	28	0.05	7.3	0.6	15	0.39	0.056	24	20	0.63	58	0.005
KYS00138	2.2	103.5	13.2	26	0.3	80.3	0.6	12	0.26	0.049	36	13	0.45	106	0.003
KYS00139	1.4	10.3	13.4	16	0.3	35.2	0.4	14	0.25	0.06	30	16	0.57	68	0.006
KYS00140	0.9	8.1	17.4	15	0.1	24.1	0.5	14	0.34	0.066	31	18	0.78	72	0.004
KYS00141	2.3	6.3	11.9	28	0.05	41.4	0.5	9	0.21	0.066	23	14	0.52	59	0.004
KYS00142	0.5	0.7	5.9	10	0.05	1.1	0.4	24	0.06	0.054	29	18	0.57	67	0.005
KYS00143	2	10.7	10	9	0.4	5.3	0.4	21	0.05	0.044	26	18	0.38	107	0.008
KYS00143	2.1	12.7	10.2	10	0.4	5	0.4	21	0.05	0.046	29	18	0.4	111	0.009
KYS00144	1.6	23.8	5.7	20	0.3	1.6	0.4	33	0.02	0.098	31	28	0.49	154	0.004
KYS00145	2.3	12.2	6.3	12	0.4	2.7	0.4	26	0.02	0.064	26	23	0.5	135	0.002
KYS00147	1.1	18.1	6.5	9	0.2	2.9	0.3	35	0.03	0.049	22	27	0.51	102	0.013
KYS00149	0.6	3.2	2.5	10	0.05	0.9	0.3	44	0.02	0.049	23	17	0.17	127	0.005
KYS00150	0.7	2.6	4.1	11	0.2	1.2	0.3	55	0.02	0.064	23	24	0.18	174	0.005
KYS00151	1.5	0.5	13.8	13	0.3	3.2	0.5	12	0.09	0.047	27	16	0.6	84	0.002
KYS00152	1	6.2	13	9	0.05	116.1	0.3	8	0.1	0.026	23	12	0.55	31	0.001
KYS00153	1.6	4.3	18.7	14	0.05	48.4	0.7	10	0.04	0.061	21	17	0.53	68	0.001
KYS00154	1.5	3.3	16.1	13	0.05	15.4	1.3	7	0.04	0.056	23	12	0.23	24	0.001
KYS00155	2.2	1.2	19.8	36	0.4	25	0.7	10	0.49	0.085	23	15	0.59	106	0.002
KYS01143	0.8	16.2	3.5	13	0.2	4	0.3	44	0.07	0.061	21	26	0.59	196	0.008
KYS01145	0.7	22.2	4	12	0.05	24.3	0.4	37	0.06	0.068	24	23	0.36	123	0.01
KYS01146	0.9	16	3.7	23	0.05	2.4	0.4	43	0.03	0.092	26	22	0.24	153	0.005
KYS01147	0.9	59.3	5.5	12	0.3	1.3	0.3	41	0.04	0.077	17	28	0.32	125	0.006
KYS01148	1	9.6	6.1	14	0.2	1.5	0.3	33	0.05	0.058	21	25	0.32	142	0.008
KYS01149	0.9	2.5	10.5	12	0.2	20.7	0.3	13	0.27	0.052	22	17	0.59	75	0.004
KYS01150	1.2	0.25	17.2	9	0.2	21.8	0.5	11	0.14	0.049	27	16	0.6	42	0.003
KYS01150	1.2	0.25	17.3	9	0.2	21.7	0.5	12	0.15	0.047	28	17	0.58	43	0.003
KYS01151	2.5	3.5	15.5	26	0.2	36.9	0.7	12	0.27	0.063	24	17	0.61	61	0.002
KYS01153	1.4	6.6	12.8	26	0.2	29.9	0.4	22	0.47	0.059	21	26	0.86	93	0.003
KYS01154	1.5	14.9	13.7	27	0.2	34.5	0.3	12	0.39	0.042	24	17	0.63	69	0.004
KYS01155	1.3	15.7	13.5	27	0.2	38	0.3	13	0.39	0.045	26	17	0.65	68	0.004
KYS01156	1.3	11.8	13.2	31	0.2	33.1	0.3	13	0.45	0.045	25	16	0.64	63	0.004
KYS01157	2.8	0.25	7.4	44	0.2	3.2	0.4	12	0.99	0.054	11	20	0.7	98	0.002
KYS01158	0.8	32.4	4.7	11	0.1	9.7	0.3	36	0.02	0.057	27	27	0.53	131	0.006
KYS01159	0.9	26.9	4.2	14	0.1	8.2	0.3	33	0.05	0.066	25	24	0.54	124	0.006
KYS01160	0.8	35.8	7.9	27	0.05	6.8	0.5	48	0.06	0.08	26	33	0.57	338	0.003
KYS01161	1.4	20.4	14.5	26	0.2	12.5	0.5	43	0.09	0.069	29	36	0.62	251	0.004
KYS01162	0.9	22.8	8	9	0.2	23.1	0.4	41	0.04	0.063	31	21	0.81	117	0.005
KYS01163	0.8	24.4	4.6	8	0.2	5.8	0.3	55	0.05	0.063	26	25	0.61	150	0.01
KYS01164	0.5	16.9	2.6	7	0.1	3.1	0.3	62	0.05	0.061	17	25	0.26	98	0.025
KYS01165	0.9	0.6	3.2	6	0.2	2	0.3	19	0.07	0.062	28	15	0.33	80	0.008
KYS01165	0.9	0.25	3.6	7	0.2	1.9	0.3	22	0.07	0.065	30	14	0.36	82	0.008
KYS01167	0.6	1.5	4.2	58	0.3	3.4	0.3	40	1.16	0.084	14	28	0.94	127	0.007
KYS01168	0.8	16.1	7.2	14	0.1	10.7	0.3	32	0.14	0.051	25	24	0.79	175	0.006
KYS01170	0.5	7.1	3.5	16	0.2	2.1	0.3	57	0.11	0.06	19	28	0.33	297	0.012
KYS01172	1.1	10.3	10.5	18	0.5	12.3	0.3	19	1.32	0.056	28	17	1.12	163	0.003
KYS01173	0.5	1.1	5.1	8	0.05	2.8	0.2	45	0.07	0.03	19	23	0.3	82	0.026
KYS01174	0.7	1.5	5.7	8	0.2	2.7	0.2	34	0.07	0.043	13	23	0.26	81	0.02
KYS01287	0.7	6.9	0.8	9	0.05	6.2	0.3	38	0.06	0.061	18	19	0.3	90	0.017
KYS01288	1	19.6	4.2	19	0.1	4.5	0.3	38	0.08	0.054	21	22	0.4	129	0.015
KYS01289	0.8	36.7	6.1	10	0.1	5.3	0.3	29	0.03	0.033	27	24	0.53	133	0.005

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS00133	0.5	1.75	0.004	0.06	0.05	0.01	1	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS00134	0.5	1.34	0.008	0.05	0.05	0.04	0.7	0.05	0.07	4	1.2	1DX15	VAN09005497
KYS00135	2	1.01	0.006	0.04	0.1	0.05	1.6	0.05	0.07	2	0.6	1DX15	VAN09005497
KYS00136	0.5	1.19	0.006	0.04	0.05	0.06	2.2	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS00137	1	1.51	0.005	0.04	0.05	0.03	1.4	0.05	0.025	5	0.8	1DX15	VAN09005497
KYS00138	2	1.12	0.006	0.05	0.05	0.05	1.7	0.05	0.025	3	0.6	1DX15	VAN09005497
KYS00139	0.5	1.22	0.005	0.05	0.05	0.03	1.7	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS00140	0.5	1.53	0.006	0.06	0.05	0.02	2	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS00141	0.5	1.19	0.004	0.07	0.05	0.03	1.2	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS00142	0.5	1.49	0.003	0.06	0.05	0.01	0.9	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS00143	0.5	1.42	0.006	0.05	0.05	0.04	1.9	0.05	0.025	3	0.6	1DX15	VAN09005497
KYS00143	1	1.47	0.005	0.05	0.05	0.03	1.9	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS00144	0.5	1.81	0.01	0.04	0.05	0.04	1.2	0.05	0.05	5	1.5	1DX15	VAN09005497
KYS00145	0.5	1.84	0.004	0.03	0.05	0.12	1.2	0.05	0.025	4	1.7	1DX15	VAN09005497
KYS00147	0.5	1.7	0.002	0.03	0.05	0.14	1.5	0.05	0.025	4	0.7	1DX15	VAN09005497
KYS00149	0.5	1.1	0.004	0.03	0.05	0.02	0.8	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS00150	0.5	1.4	0.005	0.03	0.05	0.04	1.1	0.05	0.025	6	0.6	1DX15	VAN09005497
KYS00151	0.5	1.39	0.002	0.05	0.05	0.03	1.5	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS00152	0.5	1.01	0.001	0.05	0.05	0.02	1	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS00153	0.5	1.48	0.004	0.04	0.05	0.05	1.8	0.05	0.05	4	0.25	1DX15	VAN09005497
KYS00154	0.5	0.77	0.004	0.04	0.05	0.02	1.3	0.05	0.025	3	0.6	1DX15	VAN09005497
KYS00155	0.5	1.52	0.003	0.06	0.05	0.03	2.5	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01143	0.5	1.91	0.003	0.05	0.1	0.05	1.8	0.05	0.025	5	0.8	1DX15	VAN09005497
KYS01145	0.5	1.31	0.002	0.04	0.05	0.04	1.2	0.05	0.025	4	0.6	1DX15	VAN09005497
KYS01146	0.5	1.31	0.003	0.04	0.05	0.06	0.9	0.05	0.025	5	1.9	1DX15	VAN09005497
KYS01147	0.5	2	0.003	0.04	0.05	0.05	1.4	0.05	0.025	5	1.1	1DX15	VAN09005497
KYS01148	0.5	1.68	0.005	0.03	0.05	0.06	1.1	0.05	0.025	4	1.3	1DX15	VAN09005497
KYS01149	1	1.32	0.002	0.05	0.05	0.03	1.5	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01150	0.5	1.42	0.002	0.06	0.05	0.01	1.5	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01150	0.5	1.38	0.003	0.07	0.05	0.01	1.6	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01151	0.5	1.46	0.003	0.06	0.05	0.03	1.7	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01153	0.5	1.76	0.002	0.04	0.05	0.03	2.5	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01154	1	1.29	0.003	0.05	0.05	0.02	1.5	0.05	0.025	3	0.7	1DX15	VAN09005497
KYS01155	0.5	1.28	0.002	0.05	0.05	0.02	1.4	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01156	1	1.27	0.002	0.05	0.05	0.02	1.6	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01157	2	1.58	0.003	0.06	0.05	0.03	1.4	0.05	0.025	4	0.9	1DX15	VAN09005497
KYS01158	0.5	1.58	0.002	0.03	0.1	0.05	1.3	0.05	0.025	5	0.9	1DX15	VAN09005497
KYS01159	0.5	1.49	0.002	0.04	0.05	0.05	1.4	0.05	0.025	4	0.8	1DX15	VAN09005497
KYS01160	0.5	2.14	0.004	0.08	0.05	0.07	1.9	0.05	0.025	6	1	1DX15	VAN09005497
KYS01161	0.5	2.37	0.006	0.14	0.05	0.11	2.4	0.05	0.025	6	1.4	1DX15	VAN09005497
KYS01162	0.5	2.31	0.001	0.04	0.05	0.13	2.8	0.05	0.025	6	1.1	1DX15	VAN09005497
KYS01163	2	2.13	0.002	0.06	0.05	0.05	2.7	0.05	0.025	7	0.8	1DX15	VAN09005497
KYS01164	0.5	1.48	0.002	0.04	0.2	0.03	1.8	0.05	0.025	6	0.6	1DX15	VAN09005497
KYS01165	1	1.22	0.002	0.07	0.05	0.02	0.8	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01165	0.5	1.22	0.003	0.07	0.05	0.02	0.9	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01167	2	1.74	0.004	0.08	0.05	0.03	3.7	0.05	0.06	6	0.25	1DX15	VAN09005497
KYS01168	0.5	1.73	0.002	0.04	0.05	0.03	2.3	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01170	1	1.75	0.003	0.07	0.05	0.05	2	0.1	0.025	6	0.5	1DX15	VAN09005497
KYS01172	0.5	1.2	0.003	0.05	0.05	0.05	1.8	0.05	0.025	3	0.8	1DX15	VAN09005497
KYS01173	1	1.22	0.003	0.05	0.2	0.01	1.6	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01174	1	1.41	0.004	0.05	0.1	0.02	2.1	0.05	0.025	3	0.5	1DX15	VAN09005497
KYS01287	0.5	1.07	0.004	0.03	0.1	0.04	0.9	0.05	0.05	4	1.1	1DX15	VAN09005497
KYS01288	0.5	1.38	0.004	0.04	0.1	0.08	1.8	0.05	0.025	4	0.6	1DX15	VAN09005497
KYS01289	0.5	1.57	0.003	0.04	0.05	0.1	1.4	0.05	0.025	4	1.1	1DX15	VAN09005497

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS01289	492084	7078524	NAD 83-08V	1	68.9	15	84	0.3	45.7	11.7	1265	2.65	8.8
KYS01290	492117	7078485	NAD 83-08V	1.3	17.8	12.7	23	0.2	8.4	2.4	176	1.79	7.2
KYS01291	491687	7078063	NAD 83-08V	0.6	38.6	240.3	247	0.8	30.9	18.6	657	4.44	1012.1
KYS01292	491720	7078026	NAD 83-08V	0.7	56.2	43	100	0.2	41.6	17	627	4.28	336.2
KYS01294	491751	7077987	NAD 83-08V	0.6	53.7	14.7	77	0.05	36.1	17.6	803	4	38.5
KYS01295	491784	7077947	NAD 83-08V	0.7	43.1	12	88	0.05	44	21.4	503	4.43	83.2
KYS01296	491815	7077910	NAD 83-08V	0.6	53.6	3.7	109	0.05	60.2	31.9	607	6.47	40.3
KYS01297	491847	7077871	NAD 83-08V	0.8	42.9	15.4	60	0.1	26.2	10.5	591	2.59	21.9
KYS01298	491880	7077833	NAD 83-08V	1.4	48.1	17.3	70	0.4	31.8	14	613	3.1	14.9
KYS01299	491912	7077793	NAD 83-08V	0.6	42.8	18.6	82	0.1	33	12.8	904	3.25	41.1
KYS01300	491942	7077756	NAD 83-08V	0.7	47.4	24.3	74	0.2	32.1	12.1	741	3.13	56.1
KYS01301	491976	7077718	NAD 83-08V	1	62.8	32.6	99	0.2	42.4	17.8	994	3.48	59.2
KYS01302	491897	7077654	NAD 83-08V	1	44.9	15.1	67	0.5	25.6	7.8	433	2.2	13.2
KYS01306	491771	7077805	NAD 83-08V	0.6	43	9.5	83	0.05	39.6	19.1	507	4.25	14.7
KYS01307	491739	7077845	NAD 83-08V	0.5	44	13.6	56	0.05	25.7	10.6	258	2.88	12
KYS01308	491708	7077884	NAD 83-08V	0.9	23.2	13.7	66	0.05	24.8	10.7	284	3.29	19.3
KYS01309	491674	7077921	NAD 83-08V	0.7	25.7	68.5	87	0.2	23.8	11	406	3.4	112.9
KYS01310	491645	7077959	NAD 83-08V	0.6	62.7	82.1	179	0.2	49.5	27	901	4.51	110.4
KYS01311	491611	7077999	NAD 83-08V	0.6	20.3	22.3	173	0.1	21.1	9.7	552	3.61	182.5
KYS01312	491530	7077934	NAD 83-08V	0.8	44.4	71.8	346	0.1	33.7	13.5	3283	3.11	55.3
KYS01313	491566	7077897	NAD 83-08V	0.7	38.8	17.4	79	0.2	30	9.9	411	3.5	26.7
KYS01314	491599	7077861	NAD 83-08V	0.5	36.9	48	109	0.2	32	11.2	432	3.19	104.9
KYS01315	491631	7077821	NAD 83-08V	0.5	48.2	28.6	89	0.05	38.2	18.4	794	3.99	32.4
KYS01316	491661	7077780	NAD 83-08V	1.1	16.1	24.8	58	0.1	14.4	6.9	326	3.35	5.4
KYS01318	491727	7077705	NAD 83-08V	0.6	42.6	15	65	0.05	32.4	13.4	471	3.21	13.4
KYS01319	491758	7077666	NAD 83-08V	0.5	38.7	13	69	0.05	32.9	14.1	503	3.32	14.5
KYS01320	491791	7077630	NAD 83-08V	0.6	43.1	12.8	80	0.05	32.7	13.3	460	3.26	16.5
KYS01321	491822	7077592	NAD 83-08V	0.5	70.4	15.6	86	0.05	41.8	17.9	1163	3.71	11.8
KYS01331	491505	7079535	NAD 83-08V	0.4	116.7	63.5	107	0.5	46.3	22.7	1419	3.73	789.3
KYS01331	491505	7079535	NAD 83-08V	0.5	114.4	65	106	0.5	45.3	22.3	1430	3.71	770.1
KYS01340	491792	7079190	NAD 83-08V	1.2	25.4	16.1	60	0.05	20.6	7.4	281	2.56	16.2
KYS01341	491823	7079151	NAD 83-08V	1.7	71.6	15.2	83	0.05	33.9	13.3	1112	2.82	17.3
KYS01342	491855	7079113	NAD 83-08V	2.4	168.8	46.8	101	0.2	59.9	33	2757	3.16	30.3
KYS01343	491887	7079073	NAD 83-08V	1.5	37.9	14.1	64	0.05	25.5	8.8	595	3.09	13.2
KYS01344	491919	7079036	NAD 83-08V	1.7	70.1	16.5	64	0.2	35	12.1	2161	3.52	19.9
KYS01345	491952	7078997	NAD 83-08V	1.7	149.7	26.5	122	0.3	60	20.7	3169	3.49	17.7
KYS01346	491983	7078959	NAD 83-08V	1.5	95.3	22.2	97	0.3	48.6	15.2	2282	3.1	16.7
KYS01347	492016	7078921	NAD 83-08V	1.7	150.3	31.3	134	0.5	69.2	22.4	2874	3.8	28.1
KYS01348	492048	7078881	NAD 83-08V	1.4	86.2	22.4	124	0.7	44.2	14.9	1870	3.61	32.3
KYS01349	492079	7078843	NAD 83-08V	1.6	124.7	28.5	164	0.4	78.8	24.3	2698	3.99	32.5
KYS01350	492113	7078805	NAD 83-08V	2	190.1	45.7	132	0.6	77.6	26.8	4262	3.66	25.9
KYS01351	492145	7078767	NAD 83-08V	1.3	52.9	17.5	121	0.4	45.2	11.3	852	3.42	72.4
KYS01352	492177	7078727	NAD 83-08V	1.4	67	20.3	127	0.4	46	14.1	1330	3.4	134.4
KYS01353	492208	7078687	NAD 83-08V	1.6	47.7	17.3	86	0.2	31.2	12.9	2192	2.52	90.6
KYS01354	491664	7079344	NAD 83-08V	0.4	56.1	30.4	101	0.05	40.1	18.3	1199	3.3	73.6
KYS01368	491957	7079460	NAD 83-08V	1.3	55.5	12.5	73	0.1	27.5	9.2	923	2.49	17.7
KYS01385	491457	7077872	NAD 83-08V	0.5	37.2	39.1	128	0.3	31	12	439	3.34	319.3
KYS01386	491490	7077833	NAD 83-08V	0.4	38.2	23.2	97	0.05	28.6	11.6	452	3.61	35.2
KYS01387	491521	7077796	NAD 83-08V	0.5	23.8	30.4	87	0.05	22.3	8.5	264	3.62	64.1
KYS01388	491551	7077755	NAD 83-08V	0.4	37.1	45	113	0.2	30.9	13.8	859	3.28	86.7
KYS01389	491584	7077718	NAD 83-08V	0.7	45.7	26.9	87	0.05	32.9	14.2	510	3.62	23.2
KYS01390	491620	7077680	NAD 83-08V	0.8	44.1	21.2	90	0.05	34.3	16.6	496	3.75	13.2
KYS01390	491620	7077680	NAD 83-08V	0.8	43.6	20.6	85	0.05	33.9	16.8	501	3.73	12.7
KYS01391	491651	7077642	NAD 83-08V	0.8	23.3	18.5	63	0.05	22.4	11.6	341	2.95	9.3

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS01289	0.7	18.8	6.1	9	0.1	5.1	0.3	30	0.03	0.035	23	23	0.52	120	0.003
KYS01290	0.5	3.8	1	7	0.05	1.8	0.4	51	0.03	0.03	17	16	0.14	91	0.025
KYS01291	1	146.9	1.5	74	3.1	120.5	0.1	56	0.98	0.11	6	23	0.95	214	0.033
KYS01292	1.3	47.1	18	10	0.2	42	0.4	14	0.08	0.024	39	16	0.62	114	0.002
KYS01294	1	3.7	8.9	30	0.1	9.9	0.3	41	0.41	0.084	23	25	1.23	287	0.026
KYS01295	0.7	2	4.9	24	0.2	4.3	0.2	57	0.31	0.094	12	31	1.71	144	0.045
KYS01296	0.2	0.6	1.3	65	0.05	1.2	0.05	115	0.55	0.195	4	41	2.44	1319	0.257
KYS01297	0.8	3.6	6	19	0.1	2.7	0.2	28	0.16	0.043	18	18	0.6	138	0.022
KYS01298	0.6	10.1	5.7	13	0.2	2	0.3	39	0.09	0.04	18	22	0.48	91	0.025
KYS01299	0.7	5.4	7.1	29	0.2	6.3	0.2	33	0.41	0.099	18	23	0.99	156	0.014
KYS01300	0.8	11	8	23	0.1	10.7	0.3	30	0.31	0.071	23	23	0.84	198	0.014
KYS01301	0.9	171.5	12.3	37	0.3	16.4	0.4	15	0.45	0.057	25	17	0.64	73	0.005
KYS01302	1.1	4.9	4	46	0.4	2.1	0.3	32	0.35	0.042	14	19	0.43	238	0.01
KYS01306	0.4	1.5	4.8	28	0.1	1.7	0.2	71	0.42	0.113	12	31	1.75	271	0.122
KYS01307	0.8	0.6	10	33	0.05	4.2	0.2	23	0.48	0.04	27	16	0.52	164	0.013
KYS01308	0.5	2.2	5.6	13	0.05	1.7	0.2	47	0.15	0.039	17	26	0.97	126	0.036
KYS01309	0.6	23.5	10.5	7	0.4	50.8	0.4	25	0.07	0.031	27	20	0.55	75	0.007
KYS01310	1.3	17.4	20	9	0.7	27.9	0.6	14	0.09	0.045	32	24	0.89	50	0.004
KYS01311	0.5	0.25	9.6	9	0.5	18.3	0.3	20	0.06	0.034	25	17	0.6	98	0.004
KYS01312	1	3.5	8	70	6.3	6.5	0.4	8	2.28	0.056	19	11	0.47	103	0.003
KYS01313	0.9	1	10	5	0.05	4.5	0.4	19	0.02	0.036	30	17	0.59	36	0.004
KYS01314	0.7	15.9	10.9	21	0.3	28.4	0.3	22	0.3	0.068	24	20	0.65	108	0.013
KYS01315	1	3.1	18.4	17	0.05	3.4	0.4	13	0.2	0.045	36	18	0.7	60	0.007
KYS01316	0.8	0.25	10.3	14	0.1	0.4	0.4	20	0.11	0.042	33	14	0.37	83	0.005
KYS01318	0.8	2.7	8.7	21	0.05	1.5	0.2	39	0.26	0.047	20	27	0.96	198	0.052
KYS01319	0.6	0.7	7.5	16	0.05	1.5	0.2	48	0.2	0.059	20	28	1.11	237	0.059
KYS01320	0.6	1.9	6.6	39	0.2	2.6	0.2	37	0.68	0.074	15	23	1.01	233	0.034
KYS01321	0.8	2.7	6.8	63	0.3	1.7	0.3	44	1.17	0.092	13	25	1.52	234	0.076
KYS01331	0.5	150.3	14	66	1	23.4	0.4	17	1.85	0.084	27	18	1.54	106	0.015
KYS01331	0.5	149.2	14.3	66	1	22.4	0.4	16	1.84	0.088	27	18	1.58	109	0.015
KYS01340	0.9	1.3	3.1	10	0.1	2.4	0.2	31	0.1	0.058	21	19	0.38	74	0.026
KYS01341	1.4	16.4	3.9	14	0.3	2.7	0.3	45	0.12	0.081	23	27	0.49	119	0.039
KYS01342	1.2	25.2	9.7	16	0.1	4.5	0.6	33	0.06	0.094	30	23	0.6	85	0.013
KYS01343	0.7	4.3	4.3	11	0.2	1.3	0.3	50	0.09	0.05	15	28	0.35	95	0.04
KYS01344	0.7	6.9	3.2	10	0.2	2.3	0.3	54	0.05	0.062	21	31	0.34	127	0.025
KYS01345	0.9	28.8	7.5	15	0.05	4.7	0.4	31	0.05	0.061	32	21	0.53	94	0.013
KYS01346	0.9	25.6	2.9	11	0.1	5.9	0.3	31	0.04	0.072	27	23	0.47	118	0.005
KYS01347	1.2	27.7	9.1	22	0.05	7.5	0.4	28	0.05	0.058	35	23	0.63	120	0.004
KYS01348	1	18.9	4.5	12	0.2	13.2	0.3	27	0.03	0.07	33	22	0.41	105	0.003
KYS01349	1.2	11.3	10.1	15	0.2	18.3	0.4	25	0.04	0.051	38	23	0.57	137	0.005
KYS01350	1.5	24.1	11.3	20	0.3	4.1	0.5	26	0.06	0.083	36	22	0.62	106	0.004
KYS01351	0.9	21.2	4.4	11	0.2	17.2	0.3	26	0.02	0.046	38	17	0.3	82	0.003
KYS01352	1.2	27	4.2	11	0.1	14.8	0.3	25	0.01	0.058	35	19	0.4	109	0.004
KYS01353	1.3	12.9	1.1	12	0.2	14.6	0.3	39	0.03	0.06	16	22	0.18	166	0.009
KYS01354	0.6	0.25	14.1	17	0.3	19.2	0.3	23	0.88	0.07	24	18	1.12	95	0.021
KYS01368	1.3	18.3	0.8	12	0.2	2.3	0.2	39	0.08	0.058	17	24	0.36	134	0.012
KYS01385	1.2	47.6	12.8	20	0.3	22.9	0.3	13	0.29	0.049	32	16	0.59	112	0.002
KYS01386	1.2	2.2	17.4	13	0.05	5.1	0.3	12	0.17	0.044	38	18	0.82	74	0.002
KYS01387	0.7	2	12	6	0.1	13.6	0.3	18	0.03	0.024	35	17	0.72	51	0.004
KYS01388	1.2	12.9	12.2	19	0.3	23.6	0.3	19	0.24	0.057	28	20	0.73	129	0.006
KYS01389	1.6	2.8	10.5	45	0.1	2.4	0.4	25	0.7	0.053	22	22	0.79	140	0.008
KYS01390	1.2	2.4	13.9	12	0.05	1.2	0.3	21	0.13	0.057	42	23	0.92	102	0.007
KYS01390	1.2	3	13.7	12	0.05	1.2	0.4	21	0.14	0.055	38	24	0.88	99	0.009
KYS01391	0.9	0.25	8.8	10	0.05	0.7	0.2	34	0.11	0.038	24	27	0.63	112	0.009

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS01289	0.5	1.55	0.002	0.03	0.05	0.09	1.3	0.05	0.025	3	0.9	1DX15	VAN09005497
KYS01290	0.5	1.02	0.005	0.02	0.1	0.02	1	0.1	0.025	6	1.2	1DX15	VAN09005497
KYS01291	1	1.62	0.004	0.05	0.1	0.07	5.7	0.05	0.025	8	0.25	1DX15	VAN09005497
KYS01292	0.5	1.58	0.003	0.07	0.05	0.03	2.4	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01294	0.5	1.92	0.005	0.07	0.05	0.03	5.7	0.05	0.025	7	0.8	1DX15	VAN09005497
KYS01295	0.5	2.49	0.004	0.05	0.05	0.01	4.6	0.05	0.025	10	0.5	1DX15	VAN09005497
KYS01296	0.5	3.16	0.004	0.57	0.05	0.02	11.5	0.2	0.025	18	0.25	1DX15	VAN09005497
KYS01297	0.5	1.29	0.005	0.05	0.05	0.03	2.5	0.05	0.025	4	1	1DX15	VAN09005497
KYS01298	0.5	1.48	0.004	0.06	0.1	0.03	1.8	0.05	0.025	5	1.2	1DX15	VAN09005497
KYS01299	0.5	1.67	0.006	0.06	0.05	0.03	3.6	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01300	0.5	1.62	0.003	0.06	0.05	0.03	3.6	0.05	0.025	5	0.6	1DX15	VAN09005497
KYS01301	4	1.36	0.004	0.06	0.05	0.03	1.7	0.05	0.025	4	1.5	1DX15	VAN09005497
KYS01302	0.5	1.28	0.005	0.05	0.05	0.06	2.2	0.05	0.025	4	1.2	1DX15	VAN09005497
KYS01306	0.5	2.24	0.005	0.15	0.05	0.02	6.7	0.05	0.025	11	0.6	1DX15	VAN09005497
KYS01307	1	1.31	0.005	0.1	0.05	0.03	2.5	0.05	0.025	4	0.9	1DX15	VAN09005497
KYS01308	0.5	1.87	0.004	0.04	0.1	0.01	3	0.05	0.025	7	0.8	1DX15	VAN09005497
KYS01309	0.5	1.59	0.003	0.05	0.1	0.02	1.6	0.05	0.025	4	0.7	1DX15	VAN09005497
KYS01310	0.5	1.98	0.003	0.06	0.05	0.04	1.8	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01311	0.5	1.52	0.004	0.09	0.05	0.01	1	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01312	2	1.03	0.003	0.05	0.05	0.18	2.2	0.05	0.06	3	0.7	1DX15	VAN09005497
KYS01313	0.5	1.52	0.003	0.05	0.05	0.02	1	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01314	0.5	1.34	0.004	0.06	0.1	0.04	2.3	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01315	0.5	1.54	0.003	0.08	0.05	0.02	2	0.05	0.025	4	0.5	1DX15	VAN09005497
KYS01316	1	1.24	0.003	0.07	0.05	0.02	0.8	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01318	1	1.8	0.006	0.08	0.05	0.03	3.7	0.1	0.025	5	0.9	1DX15	VAN09005497
KYS01319	0.5	1.91	0.005	0.09	0.1	0.02	4.2	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01320	0.5	1.63	0.005	0.09	0.05	0.02	3.8	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01321	1	1.87	0.006	0.13	0.05	0.02	4.7	0.1	0.025	7	0.25	1DX15	VAN09005497
KYS01331	1	1.45	0.004	0.11	0.05	0.03	2.8	0.05	0.025	4	0.6	1DX15	VAN09005497
KYS01331	1	1.46	0.004	0.11	0.05	0.03	2.9	0.05	0.025	4	0.8	1DX15	VAN09005497
KYS01340	2	1.23	0.005	0.04	0.2	0.02	1.2	0.05	0.025	4	0.6	1DX15	VAN09005497
KYS01341	0.5	1.56	0.005	0.04	0.3	0.05	2.5	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01342	0.5	1.69	0.006	0.04	0.05	0.06	1.9	0.05	0.025	4	0.6	1DX15	VAN09005497
KYS01343	3	1.82	0.005	0.04	0.2	0.05	2	0.1	0.025	5	0.6	1DX15	VAN09005497
KYS01344	1	1.66	0.004	0.05	0.1	0.09	1.7	0.05	0.025	6	1.2	1DX15	VAN09005497
KYS01345	0.5	1.38	0.004	0.03	0.05	0.09	1.5	0.05	0.025	4	0.8	1DX15	VAN09005497
KYS01346	0.5	1.42	0.003	0.03	0.05	0.08	1	0.05	0.025	4	0.9	1DX15	VAN09005497
KYS01347	0.5	1.48	0.003	0.03	0.05	0.08	1.8	0.05	0.025	4	1.9	1DX15	VAN09005497
KYS01348	0.5	1.15	0.004	0.03	0.05	0.06	1.1	0.05	0.025	3	1	1DX15	VAN09005497
KYS01349	0.5	1.24	0.005	0.03	0.05	0.1	2	0.05	0.025	3	1.7	1DX15	VAN09005497
KYS01350	0.5	1.38	0.004	0.03	0.05	0.07	1.9	0.05	0.025	4	1.5	1DX15	VAN09005497
KYS01351	0.5	0.97	0.004	0.03	0.05	0.04	1.2	0.05	0.025	3	0.8	1DX15	VAN09005497
KYS01352	0.5	1.2	0.004	0.04	0.05	0.04	1.5	0.05	0.025	3	1.1	1DX15	VAN09005497
KYS01353	0.5	1.19	0.006	0.05	0.05	0.06	1.4	0.1	0.025	5	0.9	1DX15	VAN09005497
KYS01354	0.5	1.51	0.002	0.11	0.05	0.02	2.5	0.1	0.025	5	0.25	1DX15	VAN09005497
KYS01368	0.5	1.44	0.004	0.03	0.2	0.05	1.1	0.05	0.025	5	0.7	1DX15	VAN09005497
KYS01385	0.5	1.54	0.005	0.06	0.05	0.02	1.7	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01386	0.5	1.74	0.004	0.06	0.05	0.02	1.6	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01387	0.5	1.63	0.003	0.05	0.05	0.01	1.3	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01388	0.5	1.51	0.004	0.05	0.05	0.03	2.3	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01389	0.5	1.9	0.005	0.06	0.05	0.03	2.7	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01390	0.5	1.82	0.005	0.06	0.05	0.005	1.9	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01390	0.5	1.85	0.005	0.05	0.05	0.01	1.9	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01391	0.5	1.74	0.004	0.05	0.05	0.02	2.1	0.05	0.025	5	0.25	1DX15	VAN09005497

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS01392	491683	7077601	NAD 83-08V	0.7	38.1	20.7	73	0.05	27.8	13.5	478	3.15	9.1
KYS01392	491683	7077601	NAD 83-08V	0.8	40	21.4	76	0.05	29.3	14.1	491	3.27	9.4
KYS01393	491712	7077563	NAD 83-08V	0.5	77.3	15.6	84	0.05	37.6	17.5	657	4.07	27.9
KYS01394	491745	7077524	NAD 83-08V	0.7	41.5	10	96	0.05	41.5	19.9	557	4.66	15.4
KYS01395	491667	7077462	NAD 83-08V	1.5	50.3	21.5	91	0.2	35	12.9	500	3.54	10.1
KYS01396	491637	7077501	NAD 83-08V	1.2	53.9	24	91	0.1	33.9	15	654	3.65	9.5
KYS01399	491541	7077616	NAD 83-08V	1	38.3	20.9	78	0.05	28.4	13.3	613	3.47	12.4
KYS01600	491529	7079818	NAD 83-08V	0.4	38.7	32.4	91	0.05	37.5	16	844	3.92	137.2
KYS01601	491562	7079779	NAD 83-08V	0.5	37.5	25.9	91	0.05	34	14.5	564	3.53	247.4
KYS01602	491593	7079742	NAD 83-08V	0.6	37.5	27.1	85	0.05	33	14.3	684	3.84	226.9
KYS01603	491625	7079702	NAD 83-08V	0.5	30.2	20.3	77	0.05	29.1	12.4	499	3.46	22.6
KYS01604	491657	7079664	NAD 83-08V	1.4	85.1	19.2	92	0.3	34.2	10	1195	2.6	12.8
KYS01605	491689	7079626	NAD 83-08V	1.4	129.6	21.5	97	0.1	49.5	20	2692	2.82	26.8
KYS01606	491722	7079587	NAD 83-08V	1.6	94	18.8	115	0.05	45.5	17.1	2570	3.29	28.4
KYS01607	491753	7079549	NAD 83-08V	1.7	75.3	14.9	92	0.2	29.1	10.8	1285	2.97	16.5
KYS01608	491786	7079509	NAD 83-08V	1.5	94.3	17.5	108	0.2	39.4	12.6	1140	3.02	32.4
KYS01609	491819	7079472	NAD 83-08V	1.4	86.4	14.5	96	0.1	39.6	11.8	1235	2.93	47.2
KYS01610	491850	7079432	NAD 83-08V	1.3	73.7	15.4	83	0.1	31.7	11.5	991	2.91	41.4
KYS01611	491882	7079394	NAD 83-08V	0.7	33.5	15.3	81	0.05	26.8	10.6	487	3.37	36.3
KYS01612	491913	7079355	NAD 83-08V	1.4	42	13.8	86	0.05	29.3	12.3	903	3.19	42.3
KYS01613	491943	7079320	NAD 83-08V	1	26.1	13.6	79	0.05	24.9	9.9	648	3.01	54.5
KYS01615	492007	7079242	NAD 83-08V	1.8	120.6	17.2	113	0.2	59.4	19.1	2392	3.37	27.1
KYS01619	492135	7079089	NAD 83-08V	1.5	58.1	16.6	111	0.2	54.2	18	1253	3.37	16.1
KYS01620	492168	7079050	NAD 83-08V	1.6	47.8	22	89	0.3	33.4	9.3	478	3.19	16.4
KYS01620	492168	7079050	NAD 83-08V	1.6	47.4	21.7	88	0.2	33.9	9.2	487	3.2	16.3
KYS01624	492295	7078896	NAD 83-08V	1.5	45.9	24.2	93	0.2	38.2	16.1	899	3.64	36.6
KYS01628	492424	7078742	NAD 83-08V	1.1	39.2	27.7	84	0.05	31.4	14.4	521	4.08	39.5
KYS01641	492483	7078204	NAD 83-08V	1.7	42.6	19	69	0.2	34.9	13	616	3.62	20.9
KYS01800	491619	7080024	NAD 83-08V	1.3	66.8	10.8	82	0.05	30.4	10.1	884	2.91	12.8
KYS01801	491651	7079985	NAD 83-08V	1.4	44	11.3	71	0.05	24.7	8.2	467	2.81	12.3
KYS01802	491686	7079948	NAD 83-08V	8.6	89.5	39.9	70	0.6	30.4	9.2	772	2.92	26.3
KYS01803	491711	7079904	NAD 83-08V	1.7	340.4	27.5	131	0.2	86.8	33.4	4852	3.98	30
KYS01804	491747	7079869	NAD 83-08V	2	191.4	25.2	121	0.2	84.4	27.2	4288	3.82	21.1
KYS01805	491782	7079830	NAD 83-08V	1.9	132.2	20.7	102	0.2	50.9	16.8	3589	3.68	21.4
KYS01806	491811	7079792	NAD 83-08V	6.2	126.4	23.2	104	0.5	55.6	17.8	2933	3.85	25.7
KYS01807	491844	7079754	NAD 83-08V	4.1	112.1	21.6	104	0.4	57.3	18.9	2471	3.64	26.8
KYS01808	491877	7079716	NAD 83-08V	4.8	92	21.7	104	0.4	49.4	14.4	1737	3.64	24.2
KYS01809	491908	7079677	NAD 83-08V	5.7	64.1	17.5	91	0.4	35.3	10.4	1381	3.16	23
KYS01810	491939	7079637	NAD 83-08V	5.9	65.1	18.4	95	0.4	35.3	9.9	1444	3.24	25.2
KYS01811	491972	7079599	NAD 83-08V	3.9	55.7	16.6	87	0.3	32.1	10.3	1217	3.23	37.6
KYS01812	492003	7079563	NAD 83-08V	1.9	33.2	11.3	66	0.1	21.5	7.8	656	2.7	19.2
KYS01813	492034	7079523	NAD 83-08V	1.4	40.9	11.2	68	0.05	26.2	8.7	643	2.77	21.1
KYS01814	492068	7079485	NAD 83-08V	1.7	27.2	13.7	64	0.1	19.2	7.7	525	3.35	16.4
KYS01815	492099	7079447	NAD 83-08V	1.5	32.4	11.7	68	0.2	21.9	8.4	561	2.7	14.3
KYS01816	492131	7079410	NAD 83-08V	3.6	100.2	23.5	150	0.5	68.2	14.9	886	3.36	77
KYS01817	492165	7079370	NAD 83-08V	1.3	46	12	81	0.1	30.7	9.3	663	2.83	77.6
KYS01817	492165	7079370	NAD 83-08V	1.3	45.1	11.4	79	0.1	29.3	9.2	672	2.78	77.5
KYS01818	492195	7079331	NAD 83-08V	3	171.2	29.9	163	0.8	86.3	30	1521	4.98	30.7
KYS01819	492229	7079293	NAD 83-08V	2	87.3	21.6	111	0.5	45.6	14	915	3.51	20.8
KYS01820	492260	7079256	NAD 83-08V	1.9	56.5	16.5	114	0.3	46.8	12.1	812	3.31	40.8
KYS01827	492482	7078985	NAD 83-08V	1.3	58.5	33.4	89	0.3	35.9	15.7	1574	3.41	98.7
KYS01829	492546	7078908	NAD 83-08V	1.4	47.8	25.9	82	0.05	32.5	16	654	3.68	62.6
KYS01833	492609	7078829	NAD 83-08V	0.9	57.4	47.9	105	0.3	49.5	29.4	1330	4	275.4
KYS01834	492640	7078793	NAD 83-08V	1.4	41.7	31.3	110	0.05	34.2	18.8	774	3.74	42.7

SampleID	U	Au	Th	Sr	CD	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYSO1392	1.3	1.4	12.6	29	0.05	0.7	0.2	17	0.23	0.066	21	16	0.72	92	0.007
KYSO1392	1.3	1.4	12.5	29	0.2	0.9	0.3	17	0.23	0.065	25	17	0.73	96	0.01
KYSO1393	1.1	4.7	7.7	51	0.2	2.7	0.2	47	0.77	0.098	16	28	1.58	206	0.048
KYSO1394	0.6	3.2	5.9	44	0.2	1.7	0.1	68	0.63	0.126	11	32	1.64	392	0.126
KYSO1395	2.2	0.25	11	41	0.2	1.3	0.3	23	0.42	0.078	24	21	0.81	140	0.006
KYSO1396	2.1	2.4	13.1	33	0.2	1.2	0.3	19	0.4	0.098	34	21	0.92	100	0.005
KYSO1399	1.3	2.6	10.9	18	0.05	1.1	0.3	23	0.27	0.062	33	24	0.74	125	0.008
KYSO1600	1	4.1	12.1	14	0.05	3.7	0.4	16	0.19	0.043	34	21	0.71	193	0.011
KYSO1601	1.4	16.6	13.8	18	0.2	21.1	0.3	13	0.28	0.062	35	14	0.48	115	0.008
KYSO1602	1.5	9.3	10.9	18	0.1	15.2	0.3	16	0.27	0.052	34	16	0.55	160	0.011
KYSO1603	0.9	1.8	10.3	19	0.05	2.4	0.2	23	0.23	0.071	31	17	0.79	160	0.025
KYSO1604	1	9.4	2	12	0.2	3	0.3	22	0.03	0.069	23	16	0.44	122	0.006
KYSO1605	1.3	38	3	17	0.2	6.4	0.3	35	0.11	0.086	27	21	0.44	106	0.023
KYSO1606	1.1	21.4	1.6	15	0.2	6.2	0.3	43	0.07	0.071	23	26	0.46	133	0.016
KYSO1607	1.7	16.5	1.3	15	0.3	2.5	0.3	48	0.08	0.082	20	30	0.45	120	0.019
KYSO1608	1.3	19.3	1.7	16	0.4	26.1	0.3	39	0.07	0.058	20	21	0.33	151	0.015
KYSO1609	1.1	96.8	3.1	15	0.2	5.7	0.2	40	0.09	0.049	22	23	0.42	147	0.021
KYSO1610	1.3	16.9	1.9	12	0.2	5.1	0.3	43	0.09	0.068	18	26	0.44	161	0.017
KYSO1611	1.2	5.6	4.4	12	0.05	3.4	0.2	25	0.13	0.059	27	19	0.71	191	0.012
KYSO1612	1	13	1.7	11	0.2	9.2	0.3	40	0.1	0.067	18	27	0.47	119	0.025
KYSO1613	1	3.2	1.9	13	0.2	8	0.2	39	0.15	0.079	19	26	0.56	176	0.022
KYSO1615	1.2	33.8	5.3	16	0.3	6.1	0.3	39	0.12	0.087	23	25	0.48	137	0.025
KYSO1619	1	10	5.5	18	0.4	7.2	0.3	43	0.2	0.085	18	28	0.46	117	0.045
KYSO1620	0.9	9.3	1.1	13	0.2	10.1	0.3	42	0.06	0.068	18	28	0.39	91	0.014
KYSO1620	0.9	6.1	1.2	12	0.2	9.9	0.3	42	0.05	0.069	18	28	0.4	96	0.014
KYSO1624	1.1	7.4	6	12	0.2	7.6	0.4	37	0.1	0.054	20	26	0.48	148	0.018
KYSO1628	0.9	2.9	11.5	9	0.2	16.6	0.3	25	0.06	0.042	29	21	0.42	65	0.011
KYSO1641	2	4.6	5.6	22	0.2	9	0.4	18	1	0.089	18	18	0.73	132	0.004
KYSO1800	1.2	9.7	3.9	16	0.3	1.4	0.2	45	0.16	0.083	21	26	0.48	129	0.045
KYSO1801	0.7	5.6	1.4	12	0.2	1.3	0.2	45	0.09	0.053	14	26	0.41	139	0.025
KYSO1802	1.2	14.2	3.3	32	0.2	4.7	0.3	30	0.09	0.052	16	19	0.28	211	0.033
KYSO1803	1.4	99.5	4.6	33	0.5	4.1	0.3	37	0.15	0.124	24	22	0.59	191	0.023
KYSO1804	1.1	27.8	2.3	29	0.2	2.7	0.4	35	0.11	0.095	26	24	0.53	157	0.012
KYSO1805	0.9	27.7	1	21	0.3	2.1	0.4	39	0.09	0.125	22	25	0.47	205	0.008
KYSO1806	1.5	14.8	1.9	28	0.2	4.2	0.3	44	0.1	0.104	22	25	0.47	471	0.006
KYSO1807	1.3	20.9	5.5	23	0.2	5.5	0.3	33	0.11	0.082	23	22	0.44	594	0.009
KYSO1808	1.5	9.2	3.4	25	0.3	4.3	0.3	38	0.14	0.086	20	23	0.42	582	0.007
KYSO1809	1.2	15.9	1.1	22	0.2	3.7	0.3	43	0.11	0.089	18	22	0.33	581	0.008
KYSO1810	1	9.9	0.8	20	0.2	4.1	0.3	42	0.09	0.098	18	22	0.31	614	0.006
KYSO1811	1.1	16	0.8	18	0.2	3.9	0.3	45	0.09	0.082	16	25	0.34	668	0.008
KYSO1812	0.9	4.4	0.5	10	0.2	1.7	0.3	45	0.07	0.067	13	25	0.32	175	0.013
KYSO1813	1	8.5	1.1	10	0.2	2	0.2	44	0.08	0.052	17	27	0.37	150	0.021
KYSO1814	0.8	9.2	0.5	10	0.2	1.3	0.3	60	0.07	0.057	14	29	0.34	143	0.017
KYSO1815	1	7.9	0.9	8	0.2	1.2	0.2	43	0.06	0.064	13	25	0.28	89	0.017
KYSO1816	2.1	35.2	1.9	19	0.3	8.8	0.4	28	0.14	0.082	19	19	0.27	98	0.009
KYSO1817	0.9	18.5	2	9	0.2	6.7	0.2	35	0.06	0.038	19	23	0.34	92	0.025
KYSO1817	0.9	24.1	2	9	0.2	6.7	0.2	35	0.06	0.04	19	23	0.33	93	0.024
KYSO1818	1.8	9.7	9.6	10	0.3	3.4	0.6	32	0.06	0.08	29	36	0.58	124	0.009
KYSO1819	1.2	14.9	3.2	16	0.2	5.4	0.3	36	0.07	0.09	22	27	0.4	104	0.014
KYSO1820	1.3	10	2.3	12	0.2	11.4	0.3	34	0.07	0.077	22	21	0.28	111	0.014
KYSO1827	2.4	6.5	3.5	20	0.3	69.8	0.3	21	0.39	0.091	21	17	0.38	121	0.007
KYSO1829	1	2.4	6.9	11	0.5	23.4	0.3	18	0.11	0.067	33	16	0.41	69	0.008
KYSO1833	2.2	18.3	11.2	18	0.2	20.7	0.4	14	0.19	0.055	34	18	0.6	94	0.005
KYSO1834	1.2	10.9	12	12	0.2	6.4	0.4	12	0.18	0.068	24	19	0.61	36	0.003

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS01392	1	1.43	0.006	0.08	0.05	0.03	1.8	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01392	0.5	1.48	0.004	0.09	0.05	0.02	1.9	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01393	1	2.22	0.006	0.11	0.1	0.04	5.5	0.1	0.025	9	0.25	1DX15	VAN09005497
KYS01394	1	2.35	0.006	0.15	0.05	0.02	7.1	0.1	0.025	11	0.25	1DX15	VAN09005497
KYS01395	1	1.67	0.005	0.07	0.05	0.03	2.1	0.05	0.025	5	0.6	1DX15	VAN09005497
KYS01396	1	1.71	0.007	0.08	0.05	0.03	2	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01399	0.5	1.75	0.006	0.06	0.05	0.02	1.8	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01600	1	1.6	0.006	0.07	0.05	0.02	1.9	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01601	1	1.14	0.005	0.07	0.05	0.03	1.9	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01602	2	1.22	0.006	0.07	0.05	0.03	2.3	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01603	1	1.41	0.005	0.08	0.05	0.01	2.3	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01604	1	1.2	0.005	0.04	0.05	0.05	1.1	0.05	0.025	3	0.7	1DX15	VAN09005497
KYS01605	1	1.3	0.006	0.04	0.2	0.08	1.9	0.05	0.025	4	1	1DX15	VAN09005497
KYS01606	0.5	1.58	0.006	0.05	0.2	0.05	1.4	0.05	0.025	5	0.6	1DX15	VAN09005497
KYS01607	1	1.56	0.006	0.05	0.1	0.05	1.5	0.05	0.025	5	0.9	1DX15	VAN09005497
KYS01608	0.5	1.07	0.005	0.04	0.2	0.05	1.4	0.05	0.025	4	0.8	1DX15	VAN09005497
KYS01609	1	1.34	0.007	0.04	0.2	0.05	1.9	0.05	0.025	4	0.6	1DX15	VAN09005497
KYS01610	2	1.62	0.005	0.05	0.2	0.05	1.8	0.1	0.025	5	0.6	1DX15	VAN09005497
KYS01611	0.5	1.51	0.004	0.06	0.05	0.02	2	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS01612	1	1.65	0.005	0.05	0.2	0.07	1.6	0.05	0.025	5	1	1DX15	VAN09005497
KYS01613	1	1.54	0.006	0.05	0.2	0.02	1.7	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01615	0.5	1.49	0.005	0.05	0.2	0.07	2.4	0.05	0.025	4	0.5	1DX15	VAN09005497
KYS01619	1	1.61	0.007	0.05	0.2	0.06	2.2	0.05	0.025	4	1.3	1DX15	VAN09005497
KYS01620	0.5	1.61	0.005	0.04	0.1	0.07	1	0.1	0.025	5	0.9	1DX15	VAN09005497
KYS01620	0.5	1.63	0.005	0.04	0.1	0.06	1	0.1	0.025	5	1.2	1DX15	VAN09005497
KYS01624	1	1.72	0.006	0.07	0.1	0.04	2	0.1	0.025	5	0.6	1DX15	VAN09005497
KYS01628	0.5	1.44	0.004	0.05	0.1	0.04	1.3	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01641	0.5	1.3	0.006	0.04	0.05	0.05	2	0.05	0.025	4	0.9	1DX15	VAN09005497
KYS01800	1	1.5	0.007	0.06	0.2	0.04	2.7	0.05	0.025	5	0.6	1DX15	VAN09005497
KYS01801	1	1.51	0.007	0.05	0.3	0.05	1.6	0.1	0.025	4	0.8	1DX15	VAN09005497
KYS01802	1	1.1	0.007	0.05	0.2	0.29	1.9	0.05	0.025	3	2.2	1DX15	VAN09005497
KYS01803	0.5	1.46	0.006	0.06	0.1	0.09	2.6	0.05	0.025	4	0.7	1DX15	VAN09005497
KYS01804	1	1.4	0.006	0.05	0.1	0.09	1.4	0.05	0.025	5	0.6	1DX15	VAN09005497
KYS01805	0.5	1.43	0.009	0.06	0.1	0.08	0.7	0.05	0.08	5	1	1DX15	VAN09005497
KYS01806	0.5	1.26	0.008	0.08	0.3	0.2	1.4	0.05	0.13	4	1.8	1DX15	VAN09005497
KYS01807	0.5	1.1	0.006	0.07	0.2	0.19	2	0.05	0.08	3	1.1	1DX15	VAN09005497
KYS01808	0.5	1.13	0.006	0.07	0.1	0.18	1.8	0.05	0.07	4	1.2	1DX15	VAN09005497
KYS01809	0.5	1.04	0.008	0.08	0.2	0.11	1	0.05	0.08	4	1.5	1DX15	VAN09005497
KYS01810	0.5	1.03	0.006	0.07	0.1	0.08	0.7	0.05	0.08	4	1.3	1DX15	VAN09005497
KYS01811	0.5	1.31	0.007	0.06	0.1	0.09	0.9	0.05	0.025	5	0.9	1DX15	VAN09005497
KYS01812	0.5	1.42	0.004	0.05	0.1	0.05	0.8	0.1	0.025	5	0.7	1DX15	VAN09005497
KYS01813	0.5	1.51	0.003	0.04	0.1	0.05	1.5	0.1	0.025	5	0.6	1DX15	VAN09005497
KYS01814	0.5	1.54	0.005	0.06	0.2	0.04	1	0.1	0.025	7	0.25	1DX15	VAN09005497
KYS01815	0.5	1.46	0.005	0.04	0.1	0.07	1.2	0.1	0.025	5	1	1DX15	VAN09005497
KYS01816	0.5	1.09	0.008	0.05	0.05	0.07	1.2	0.05	0.05	3	1.6	1DX15	VAN09005497
KYS01817	0.5	1.17	0.005	0.04	0.2	0.04	1.5	0.05	0.025	4	1.1	1DX15	VAN09005497
KYS01817	0.5	1.15	0.004	0.04	0.2	0.07	1.5	0.05	0.025	4	1.1	1DX15	VAN09005497
KYS01818	0.5	1.81	0.006	0.05	0.1	0.15	2.1	0.05	0.025	4	2.8	1DX15	VAN09005497
KYS01819	0.5	1.39	0.005	0.04	0.2	0.07	1.5	0.05	0.025	4	1.2	1DX15	VAN09005497
KYS01820	0.5	1.13	0.006	0.05	0.1	0.07	1.6	0.05	0.025	3	0.9	1DX15	VAN09005497
KYS01827	0.5	1.11	0.006	0.05	0.5	0.06	1.7	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01829	0.5	1.13	0.004	0.05	0.05	0.02	1.2	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01833	10	1.4	0.006	0.08	0.05	0.03	1.5	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01834	0.5	1.3	0.004	0.07	0.05	0.02	1.2	0.05	0.025	4	0.25	1DX15	VAN09005497

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS01835	492674	7078754	NAD 83-08V	1.4	46.2	28.1	91	0.2	31.9	13.3	824	3.46	161.8
KYS01836	492706	7078717	NAD 83-08V	1.7	45.9	31.5	98	0.2	31.7	14.5	1029	3.97	67.8
KYS01837	492737	7078677	NAD 83-08V	0.6	26.4	20.4	73	0.05	26.5	13	548	3.59	74.8
KYS01838	492770	7078641	NAD 83-08V	1.1	28.2	23.6	92	0.3	24.1	9.3	477	2.83	128.1
KYS01839	492802	7078601	NAD 83-08V	1	42.7	33.4	110	0.2	36.5	18	718	3.74	521.7
KYS01840	492833	7078563	NAD 83-08V	3.9	84.6	44.9	362	0.4	78	29.7	1016	5.35	728.9
KYS01841	492865	7078524	NAD 83-08V	2.6	48.8	26.6	165	0.2	43.8	15.8	496	4.05	182
KYS01842	492898	7078486	NAD 83-08V	4.8	61.2	33.3	240	0.6	52.9	16.1	503	4.13	220.4
KYS01847	492690	7078575	NAD 83-08V	1.1	12.3	10.6	38	0.05	8.1	5.3	480	1.52	38.7
KYS01848	492659	7078613	NAD 83-08V	2.4	60.9	31.3	117	0.05	41.1	21	759	4.34	134.2
KYS01850	492595	7078691	NAD 83-08V	1.8	41.2	56.6	105	0.5	32.5	12.8	562	3.56	491.3
KYS01850	492595	7078691	NAD 83-08V	1.7	40.9	54.7	103	0.5	33.2	12.9	552	3.5	481.7
KYS01851	492563	7078730	NAD 83-08V	1.4	24.6	53.4	128	0.4	28	11.6	715	2.42	55.2
KYS01852	492533	7078768	NAD 83-08V	1.1	39.4	51.2	85	0.05	26.5	14.2	1826	2.65	43.7
KYS01854	492488	7078667	NAD 83-08V	1.1	54.6	32.5	96	0.1	40.3	18.2	631	3.57	20.3
KYS01855	492521	7078627	NAD 83-08V	0.7	47.2	30.2	99	0.2	39.3	19.1	541	3.95	31.5
KYS01858	492616	7078510	NAD 83-08V	0.8	12.7	18.7	79	0.05	24.1	11.1	321	2.92	31.6
KYS01859	492650	7078474	NAD 83-08V	1.1	17.9	18.9	83	0.2	17.7	11.1	1650	2.32	21.5
KYS01860	492680	7078436	NAD 83-08V	0.8	14.8	16.7	48	0.05	13.2	5.5	200	2.03	23.5
KYS01862	492745	7078357	NAD 83-08V	1.3	17.1	19.9	64	0.1	19.7	8.2	322	2.77	147.7
KYS01863	492584	7078551	NAD 83-08V	1.3	18.6	13	70	0.05	15.2	6	203	2.23	38.1
KYS62281	491559	7077435	NAD 83-08V	0.8	27.9	20.6	55	0.05	24.4	10.9	227	3.29	9.3
KYS63793	492066	7078704	NAD 83-08V	1.2	64.1	15	93	0.2	38.1	10	999	2.8	70.1
KYS63794	492098	7078665	NAD 83-08V	1.4	64	14.2	81	0.2	34	10.3	1017	2.74	21.9
KYS63795	492130	7078627	NAD 83-08V	1.4	102.2	22.1	129	0.3	63	18	2100	3.56	19.7
KYS63796	492162	7078588	NAD 83-08V	1.6	69.4	23	52	0.8	19.9	12	1038	2.92	14.6
KYS63829	491235	7079703	NAD 83-08V	3	49.3	31.2	113	0.1	42.6	17.8	598	4.11	42.8
KYS63830	491268	7079665	NAD 83-08V	0.4	44.7	28.3	81	0.1	34.4	19	771	3.68	16.9
KYS63833	491364	7079551	NAD 83-08V	1	67.3	33.2	75	0.05	37.5	20.6	759	3.89	21.9
KYS63834	491396	7079512	NAD 83-08V	0.7	58.8	163.3	454	0.9	47.8	25.4	717	5.13	2220.6
KYS63835	491394	7079514	NAD 83-08V	0.7	64.2	102.3	373	0.7	48.4	25.2	750	5.82	3578.2
KYS63837	491458	7079433	NAD 83-08V	1	65.7	27.2	87	0.1	42	19.3	593	3.91	52.5
KYS63838	491492	7079396	NAD 83-08V	0.8	69.5	23.1	95	0.05	48.6	22.1	712	4.39	145
KYS63840	491557	7079318	NAD 83-08V	0.4	48.2	32.6	97	0.05	39	17.8	685	3.26	83
KYS63841	491588	7079279	NAD 83-08V	1	57.9	34.6	49	0.2	28.5	12.7	737	2.96	19.8
KYS63842	491619	7079243	NAD 83-08V	0.5	111.6	28	144	0.1	63.4	20.9	2621	4.61	225.4
KYS63844	491465	7079895	NAD 83-08V	0.9	23	22.5	55	0.05	23.5	10.2	293	2.43	16.5
KYS63881	491684	7079167	NAD 83-08V	0.9	27	26.6	61	0.05	26.4	9.8	453	3.18	185.1
KYS63881	491684	7079167	NAD 83-08V	0.9	27.7	26.1	61	0.05	28	10.1	464	3.2	190
KYS63882	491715	7079128	NAD 83-08V	1.7	31.1	18.5	74	0.05	24.2	9.1	353	2.7	53.2
KYS63883	491746	7079089	NAD 83-08V	1.7	58.5	23.5	80	0.2	26.6	12.7	916	3.29	50.9
KYS63884	491779	7079050	NAD 83-08V	1.1	75.3	13.1	64	0.05	28.8	9.7	728	2.59	20.8
KYS63885	491810	7079011	NAD 83-08V	1.7	79.4	18.9	75	0.1	35.1	13.9	1622	3.04	16.6
KYS63886	491844	7078975	NAD 83-08V	1.9	149.4	31.3	114	0.1	65.3	28	2903	3.43	18.6
KYS63887	491874	7078936	NAD 83-08V	1.7	127.6	31.3	89	0.2	52	19.2	2266	3.13	17
KYS63888	491906	7078896	NAD 83-08V	2.5	209.1	43.8	126	0.4	74.5	32.1	2752	3.87	39.1
KYS63889	491939	7078859	NAD 83-08V	2.3	177.1	38.3	137	0.5	81.8	24.6	4032	4.2	60.5
KYS63890	491970	7078819	NAD 83-08V	1.3	65.7	21.3	90	0.4	31.8	12.8	2186	3.32	610.4
KYS63891	492003	7078780	NAD 83-08V	1.1	56.7	14.4	79	0.4	32.6	9.1	798	2.81	63.7
KYS63892	492036	7078742	NAD 83-08V	1.4	69.2	16.5	102	0.4	43.6	12	1116	3.07	113.5
KYS63936	491497	7079856	NAD 83-08V	0.5	29.5	15.8	92	0.05	43	21.5	751	4.92	20.6
KYS63985	491740	7079406	NAD 83-08V	0.7	30.1	21.6	97	0.05	27.4	11.5	581	2.68	173.7
KYS63985	491740	7079406	NAD 83-08V	0.7	30.9	21.8	96	0.05	29.2	10.8	594	2.88	173.7
KYS63987	491804	7079329	NAD 83-08V	0.9	24.4	12.7	64	0.05	23.2	8.2	360	2.36	31.5

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS01835	1.7	23.8	6.2	49	0.2	13.5	0.3	9	0.52	0.056	20	16	0.44	82	0.002
KYS01836	2.5	2.8	7.1	24	0.5	11.1	0.3	16	0.3	0.074	27	21	0.63	142	0.002
KYS01837	0.9	3.5	9.4	6	0.2	11.7	0.3	15	0.06	0.049	35	20	0.5	56	0.007
KYS01838	5.4	5.3	5.9	31	0.3	20	0.2	12	0.4	0.071	14	17	0.42	72	0.004
KYS01839	1.9	50.6	6.1	18	0.5	38.5	0.4	18	0.09	0.049	16	18	0.42	75	0.008
KYS01840	2.1	46.4	16.5	20	3.4	78	0.4	13	0.28	0.076	25	16	0.56	64	0.002
KYS01841	1.5	17.6	8.2	14	0.8	24.3	0.3	17	0.22	0.057	24	18	0.56	100	0.004
KYS01842	1.8	20.3	12.2	22	1.9	52.2	0.3	19	0.29	0.088	26	17	0.55	185	0.003
KYS01847	0.5	1.5	0.5	6	0.1	11	0.2	32	0.03	0.037	23	13	0.12	61	0.011
KYS01848	2	1.4	11.8	13	0.2	25.4	0.4	13	0.11	0.065	33	17	0.57	65	0.003
KYS01850	1.3	205.9	5.7	12	0.3	639.4	0.4	17	0.42	0.082	17	17	0.43	138	0.005
KYS01850	1.2	208.6	5.6	11	0.4	612.5	0.4	17	0.4	0.079	16	17	0.41	130	0.005
KYS01851	0.7	5.5	2.3	33	0.8	172.9	0.2	36	2.52	0.086	12	19	1.43	121	0.038
KYS01852	2.3	0.25	4.1	18	0.9	61.1	0.6	15	0.95	0.11	12	15	0.68	88	0.005
KYS01854	1.2	3.3	8.2	7	0.2	14.2	0.3	24	0.07	0.04	27	21	0.57	87	0.015
KYS01855	1.1	4	7.5	6	0.2	14.6	0.4	22	0.07	0.041	23	22	0.65	82	0.013
KYS01858	0.6	0.25	4.3	8	0.3	59.4	0.2	43	0.11	0.039	16	25	0.35	202	0.011
KYS01859	0.7	0.25	1.6	14	0.5	21.1	0.3	33	0.44	0.071	12	21	0.34	274	0.01
KYS01860	0.5	0.6	3.7	5	0.2	28.5	0.3	18	0.04	0.038	25	12	0.22	96	0.007
KYS01862	0.7	8.6	3.3	10	0.2	10.7	0.2	42	0.1	0.057	14	24	0.3	70	0.025
KYS01863	0.6	10.9	5.9	6	0.6	43.2	0.2	35	0.1	0.033	22	15	0.19	60	0.025
KYS62281	0.8	0.25	12.5	22	0.05	0.6	0.3	15	0.27	0.026	18	12	0.41	95	0.002
KYS63793	0.9	21.4	5.5	12	0.05	8.1	0.2	33	0.06	0.044	25	19	0.41	125	0.014
KYS63794	1	11	2.5	14	0.1	7.4	0.3	44	0.09	0.067	20	22	0.39	112	0.024
KYS63795	1.4	18.2	8.6	14	0.1	24.3	0.4	28	0.04	0.05	31	14	0.19	209	0.012
KYS63796	0.6	3.2	2.2	7	0.2	6.2	0.3	49	0.03	0.061	19	17	0.19	95	0.021
KYS63829	2.5	4.1	10.2	24	0.6	2.9	0.5	9	0.15	0.034	19	9	0.37	41	0.002
KYS63830	1.9	1.1	6.4	12	0.1	1.4	0.4	7	0.14	0.042	15	10	0.38	34	0.003
KYS63833	2	4.6	11.6	81	0.2	13.5	0.4	1	2.1	0.053	10	4	0.89	26	0.002
KYS63834	1.9	412.6	19.4	59	4.3	112.1	0.4	15	0.85	0.06	16	14	0.62	107	0.011
KYS63835	2.3	655.4	19.9	53	2.4	121.4	0.6	8	0.58	0.04	16	7	0.27	63	0.003
KYS63837	1.5	1.3	16.5	32	0.2	7.2	0.4	14	0.52	0.067	23	14	0.71	102	0.036
KYS63838	0.9	12.8	14.1	27	0.2	6.4	0.3	34	0.43	0.088	25	25	1.31	175	0.056
KYS63840	1.3	0.25	16	17	0.1	20.5	0.3	6	0.36	0.044	23	14	0.6	46	0.003
KYS63841	0.9	1.5	13	30	0.05	8.2	0.6	10	0.3	0.054	22	11	0.64	87	0.009
KYS63842	0.4	2.1	20.9	17	0.4	38.2	0.3	84	0.46	0.065	21	50	3.16	202	0.094
KYS63844	0.9	1.5	2.8	11	0.05	1.5	0.2	33	0.08	0.048	20	19	0.38	70	0.024
KYS63881	1.1	4.9	7	6	0.05	10.1	0.3	31	0.06	0.036	28	19	0.45	65	0.018
KYS63881	1.1	4.3	7	6	0.05	10.3	0.3	31	0.06	0.037	28	20	0.44	66	0.017
KYS63882	1.5	1.8	2.4	6	0.2	6.2	0.3	18	0.05	0.049	22	15	0.42	51	0.013
KYS63883	1.3	37.6	3.1	7	0.1	10.9	0.4	30	0.04	0.07	26	21	0.5	86	0.013
KYS63884	1.2	15.7	2.4	12	0.1	3.1	0.3	43	0.09	0.061	19	25	0.44	135	0.026
KYS63885	0.9	18.9	2	12	0.05	3.6	0.3	44	0.07	0.075	19	24	0.43	98	0.022
KYS63886	1.2	7	7.1	11	0.1	4.7	0.3	32	0.05	0.085	25	20	0.49	90	0.012
KYS63887	1	37.7	3.9	19	0.1	3.8	0.4	35	0.08	0.082	23	23	0.51	94	0.015
KYS63888	1.2	40.1	5.5	22	0.05	6.3	0.6	30	0.03	0.096	24	25	0.56	95	0.005
KYS63889	1.7	77.5	14.4	28	0.2	14.9	0.5	25	0.1	0.068	43	22	0.63	99	0.003
KYS63890	0.8	72.6	1.8	21	0.3	18.6	0.3	28	0.03	0.066	22	19	0.25	125	0.008
KYS63891	1	15.3	2.9	12	0.05	6.9	0.2	34	0.07	0.054	24	22	0.33	131	0.014
KYS63892	1.1	29.2	4.7	14	0.1	8	0.3	33	0.05	0.045	27	21	0.42	141	0.01
KYS63936	0.7	0.25	4.8	57	0.1	0.9	0.2	56	0.34	0.106	13	32	1.35	905	0.142
KYS63985	1.2	10.6	7.4	13	0.05	27.3	0.3	20	0.17	0.052	25	15	0.52	109	0.009
KYS63985	1.2	10.9	7.7	14	0.05	27.7	0.3	20	0.17	0.054	25	15	0.51	110	0.008
KYS63987	0.9	2.3	3.1	16	0.1	10.3	0.2	32	0.18	0.078	16	18	0.55	111	0.003

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS01835	0.5	1.12	0.005	0.07	0.05	0.04	1.4	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01836	0.5	1.58	0.005	0.07	0.05	0.02	1.3	0.05	0.025	5	0.8	1DX15	VAN09005497
KYS01837	0.5	1.55	0.004	0.06	0.05	0.02	1.2	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01838	0.5	1.24	0.004	0.04	0.05	0.03	1.1	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01839	1	1.18	0.004	0.05	0.05	0.01	1.2	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01840	0.5	1.17	0.003	0.06	0.05	0.04	1.8	0.05	0.025	3	1	1DX15	VAN09005497
KYS01841	0.5	1.34	0.004	0.04	0.05	0.04	1.2	0.05	0.025	4	0.9	1DX15	VAN09005497
KYS01842	1	1.18	0.003	0.04	0.1	0.1	1.6	0.05	0.025	3	1.4	1DX15	VAN09005497
KYS01847	0.5	0.75	0.003	0.04	0.1	0.02	0.3	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01848	0.5	1.36	0.003	0.05	0.05	0.02	1.3	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01850	0.5	1.24	0.004	0.04	0.1	0.03	1.3	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01850	0.5	1.2	0.004	0.04	0.05	0.03	1.4	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01851	2	1.08	0.01	0.04	0.4	0.04	1.8	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01852	0.5	1.18	0.005	0.03	0.05	0.04	1.2	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS01854	0.5	1.48	0.003	0.05	0.05	0.03	1.3	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01855	0.5	1.59	0.005	0.06	0.1	0.02	1.2	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS01858	0.5	1.86	0.004	0.03	0.2	0.02	1.7	0.1	0.025	5	0.25	1DX15	VAN09005497
KYS01859	0.5	1.36	0.007	0.05	0.1	0.04	1.2	0.1	0.025	5	0.25	1DX15	VAN09005497
KYS01860	2	0.85	0.003	0.05	0.1	0.01	0.6	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS01862	0.5	1.27	0.004	0.05	0.2	0.03	1.3	0.1	0.025	4	0.25	1DX15	VAN09005497
KYS01863	0.5	0.66	0.004	0.03	0.2	0.01	0.9	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS62281	0.5	1.21	0.004	0.05	0.05	0.005	1	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS63793	0.5	1.05	0.004	0.03	0.1	0.04	1.5	0.05	0.025	3	0.8	1DX15	VAN09005497
KYS63794	0.5	1.18	0.003	0.04	0.1	0.04	1.5	0.05	0.025	4	0.8	1DX15	VAN09005497
KYS63795	0.5	0.74	0.005	0.03	0.05	0.09	3.2	0.05	0.025	2	0.9	1DX15	VAN09005497
KYS63796	1	0.81	0.005	0.03	0.05	0.05	0.9	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS63829	0.5	0.9	0.005	0.05	0.05	0.03	1.7	0.05	0.025	2	0.25	1DX15	VAN09005497
KYS63830	0.5	0.93	0.005	0.04	0.05	0.02	1.5	0.05	0.025	2	0.25	1DX15	VAN09005497
KYS63833	0.5	0.4	0.01	0.05	0.05	0.02	1.6	0.05	0.11	1	0.5	1DX15	VAN09005497
KYS63834	0.5	1.14	0.005	0.08	0.05	0.22	2.5	0.05	0.06	4	0.6	1DX15	VAN09005497
KYS63835	0.5	0.57	0.006	0.07	0.05	0.14	2.4	0.05	0.06	2	1.1	1DX15	VAN09005497
KYS63837	0.5	1.09	0.007	0.1	0.05	0.02	2	0.05	0.05	4	0.25	1DX15	VAN09005497
KYS63838	0.5	1.77	0.004	0.11	0.05	0.02	3.6	0.05	0.025	6	0.25	1DX15	VAN09005497
KYS63840	0.5	1.28	0.003	0.06	0.05	0.02	1.2	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS63841	0.5	0.91	0.007	0.1	0.05	0.02	1.7	0.05	0.09	3	0.6	1DX15	VAN09005497
KYS63842	0.5	2.99	0.004	0.33	0.05	0.02	6.7	0.3	0.025	11	0.25	1DX15	VAN09005497
KYS63844	1	1.17	0.005	0.07	0.2	0.03	1.2	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS63881	0.5	1.37	0.004	0.05	0.1	0.03	1.4	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS63881	0.5	1.3	0.003	0.05	0.2	0.03	1.5	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS63882	0.5	1.13	0.003	0.04	0.05	0.01	0.9	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS63883	1	1.49	0.004	0.04	0.05	0.03	1.3	0.05	0.025	4	0.8	1DX15	VAN09005497
KYS63884	1	1.49	0.006	0.04	0.2	0.04	1.8	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS63885	0.5	1.52	0.005	0.04	0.2	0.06	1.3	0.05	0.025	5	0.25	1DX15	VAN09005497
KYS63886	0.5	1.64	0.004	0.03	0.05	0.08	1.8	0.05	0.025	4	0.5	1DX15	VAN09005497
KYS63887	0.5	1.43	0.005	0.03	0.2	0.07	1.1	0.05	0.025	4	0.6	1DX15	VAN09005497
KYS63888	1	1.53	0.006	0.03	0.05	0.1	1	0.05	0.06	4	0.8	1DX15	VAN09005497
KYS63889	0.5	1.4	0.006	0.03	0.05	0.07	1.9	0.05	0.025	4	1.2	1DX15	VAN09005497
KYS63890	0.5	0.84	0.006	0.04	0.05	0.04	0.7	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS63891	3	1.08	0.005	0.03	0.1	0.04	1.3	0.05	0.025	3	0.25	1DX15	VAN09005497
KYS63892	0.5	1.29	0.005	0.04	0.05	0.06	1.5	0.05	0.025	3	0.8	1DX15	VAN09005497
KYS63936	0.5	1.74	0.003	0.08	0.05	0.02	5	0.05	0.025	9	0.25	1DX15	VAN09005497
KYS63985	0.5	1.29	0.004	0.07	0.05	0.02	1.7	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS63985	0.5	1.27	0.005	0.07	0.05	0.02	1.6	0.05	0.025	4	0.25	1DX15	VAN09005497
KYS63987	0.5	1.13	0.004	0.04	0.2	0.02	1.7	0.05	0.025	4	0.25	1DX15	VAN09005497

SampleID	UTM Easting	UTM Northing	UTM Zone	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
KYS63990	491901	7079215	NAD 83-08V	1.8	106.8	19.8	103	0.2	48.2	17.5	2260	2.96	16.8
KYS63996	492095	7078988	NAD 83-08V	2.2	180	40.3	174	0.6	117.2	43.4	4557	4.11	36.5
KYS63997	492128	7078949	NAD 83-08V	1.7	81.1	23.2	134	0.4	58	13.2	900	3.46	15.2
KYS64000	492221	7078833	NAD 83-08V	1.7	88.5	33.7	135	0.7	66.6	21.3	1596	3.36	25.8

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
KYS63990	1	14.9	2.8	12	0.2	2.9	0.4	40	0.09	0.09	19	26	0.47	105	0.02
KYS63996	1.7	36.1	9	18	0.3	8.2	0.5	36	0.06	0.078	27	26	0.57	134	0.014
KYS63997	1.3	7.6	7.4	19	0.05	24.7	0.3	26	0.02	0.057	33	14	0.13	131	0.005
KYS64000	1.2	12.3	4.8	15	0.1	15.2	0.4	28	0.03	0.101	24	22	0.32	89	0.003

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
KYS63990	1	1.53	0.006	0.04	0.1	0.06	1.4	0.05	0.025	4	0.6	1DX15	VAN09005497
KYS63996	0.5	1.65	0.006	0.04	0.05	0.1	1.8	0.05	0.025	4	2.3	1DX15	VAN09005497
KYS63997	0.5	0.64	0.005	0.03	0.05	0.08	1.8	0.05	0.025	2	1.2	1DX15	VAN09005497
KYS64000	0.5	1.27	0.006	0.04	0.05	0.08	1.1	0.05	0.05	3	1.6	1DX15	VAN09005497