

GEOCHEMICAL REPORT

YMIP # 10-159

KLUANE SCHIST Regional

2010 Soil Program

**NTS Map Sheet #:
115G & H**

LAT: 61° 15' N

LONG: 138° 00' W

WHITEHORSE MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED September 13, 14, 18, 19/2010

DATE OF REPORT JAN 26, 2011

TABLE OF CONTENTS

SUMMARY	P.4
1.0 INTRODUCTION	P.4
2.0 LOCATIONS AND ACCESS	P.4
3.0 PROPERTY DESCRIPTION	P.4
4.0 PHYSIOGRAPHY	P.4
Figure 1: Locator Map	P.5
Figure 2: YGS Regional Geology Map:	P.6
5.0 REGIONAL GEOLOGY	P.6
5.1 REGIONAL AND PROPERTY GEOLOGY	P.8
6.0 WORK PROGRAM / METHODS	P.9
6.1 SOIL WORK	P.9
7.0 INTERPRETATION	P.10
7.1 SOIL WORK	P.10
8.0 RECOMMENDATION	P.10
9.0 REFERENCES CITED	P.10
10.0 COST	P.10
11.0 QUALIFICATION	P.11
Insert A. Gold Anomaly Map	Figure 3
Insert A. Arsenic Anomaly Map	Figure 4
Insert A. Antimony Anomaly Map	Figure 5
Insert B. Gold Anomaly Map	Figure 6
Insert B. Arsenic Anomaly Map	Figure 7
Insert B. Antimony Anomaly Map	Figure 8
Insert C. Gold Anomaly Map	Figure 9
Insert C. Arsenic Anomaly Map	Figure 10
Insert C. Antimony Anomaly Map	Figure 11
Insert D. Gold Anomaly Map	Figure 12
Insert D. Arsenic Anomaly Map	Figure 13

Insert D. Antimony Anomaly Map
Insert E. Gold Anomaly Map
Insert E. Arsenic Anomaly Map
Insert E. Antimony Anomaly Map
Insert F. Gold Anomaly Map
Insert F. Arsenic Anomaly Map
Insert F. Antimony Anomaly Map
Insert G. Gold Anomaly Map
Insert G. Arsenic Anomaly Map
Insert G. Antimony Anomaly Map
Insert H. Gold Anomaly Map
Insert H. Arsenic Anomaly Map
Insert H. Antimony Anomaly Map
Insert I. Gold Anomaly Map
Insert I. Arsenic Anomaly Map
Insert I. Antimony Anomaly Map
Insert J. Gold Anomaly Map
Insert J. Arsenic Anomaly Map
Insert J. Antimony Anomaly Map

Assay Data+ GPS data

Figure 14
Figure 15
Figure 16
Figure 17
Figure 18
Figure 19
Figure 20
Figure 21
Figure 22
Figure 23
Figure 24
Figure 25
Figure 26
Figure 27
Figure 28
Figure 29
Figure 30
Figure 31
Figure 32

Appendix

SUMMARY

A regional soil sample survey was undertaken on September 13, 14, 18, 19, 2010 by Chad Cote, Andy Crowther, Ian Buntin, Kyle MacDougal, Axel Nordling, Dan Baikie, Dave Lawrence, John McGrath, Morgan Fraughton, and Mick Rokicki. All personnel were employees of Ground Truth Exploration Inc. A total of 1018 soils were collected from the property using 29 field man days.

1.0 INTRODUCTION

The 2010 KLUANE SCHIST Regional field campaign consisted of a four day sampling program. Ten potential targets were explored by collecting 1018 soil samples in a series of twenty-five reconnaissance (recy) traverses along ridges and spurs within the KLUANE SCHIST Regional area. Samples were taken in 100 meter increments. This was the first soil sampling done in the KLUANE SCHIST Region by RyanWood Exploration Inc.

2.0 LOCATIONS AND ACCESS

The KLUANE SCHIST Region is located in the Whitehorse mining district, in the Ruby Range Mountains to the East of Kluane Lake, (Figure 1). The region is in UTM Zones 7V and 8V, occupying NTS map sheets 115G and H.

Access was attained via helicopter from Burwash Landing.

3.0 PHYSIOGRAPHY

The samples were taken in a large area approximately 3000 km² between the elevations of 1000 meters and 2000 meters within Canada's discontinuous permafrost zone. The region is characterized by large mountains with wide U-shaped valleys of glacial origin. Most of the area sampled is in either rocky alpine terrain or tundra alpine terrain, with buckbrush and willows growing in the lower elevations and little to no tree cover. The alpine tundra is generally underlain by permafrost




Figure 1: Locator map of 2010 KLUANE SCHIST regional soil program

4.0 REGIONAL GEOLOGY




Figure 2: Regional Geology


Legend for YGS Regional Geology (figure 2):

EARLY TERTIARY

- | | |
|------------|---|
| ETN | <p>ETN: NISLING RANGE SUITE
 medium to coarse grained equigranular to porphyritic rocks of intermediate composition (g), fine to coarse grained, equigranular and porphyritic granitic rocks of felsic composition (q) and felsic dyke rocks (f)</p> <ul style="list-style-type: none"> g. biotite-hornblende granodiorite (locally K-feldspar megacrysts), quartz monzonite, quartz diorite; minor granodiorite-gneiss; hornblende and biotite hornblende diorite; biotite quartz feldspar porphyry and porphyritic biotite quartz monzonite (Ruby Range Suite) q. leucocratic, biotite granite; miarolitic alaskite; saccharoidal textured, mafic-poor biotite granite; biotite-hornblende granite to leucocratic granodiorite with sparse, white, alkali feldspar phenocrysts; biotite quartz monzonite (Nisling Range Suite, |
|------------|---|

Nisling Range Alaskite, Coffee Creek Granite, Annie Ned Granite)

PROTEROZOIC TO MESOZOIC



PMm: UNDIVIDED METAMORPHICS

dark purplish brown staurolite cordierite biotite hornfels with relict schistose texture; quartz-sericite-chlorite schist; minor quartzite (metamorphosed Jura-Cretaceous Dezadeash Gp.? and undivided Nisling assem.)

4.1 REGIONAL AND PROPERTY GEOLOGY

According to the YTG Regional Geology Map (YGS. 2011), the KLUANE SCHIST Region is split into two geological units. The northern targets, (Inserts A and E) lie partly or entirely in the Early Tertiary Nisling Range Suite (ETgN), characterized by fine to coarse grained, equigranular and porphyritic granitic rocks of felsic composition. The southern targets, (Inserts C, F, G, H, I, and J), are in the Proterozoic to Mesozoic Undivided Metamorphics (PMm) geological unit, characterized by dark purplish brown staurolite cordierite biotite hornfels with relict schistose texture; quartz-sericite-chlorite schist; and minor quartzite. Inserts B and D straddle the two geological units.

5.0 WORK PROGRAM / METHODS

A total of 1018 soils were collected on the KLUANE SCHIST soil program. 29 field man days were required to collect these samples. The program was based from Burwash Landing.

Ten employees of Ground Truth Exploration Inc. took soil samples from the various traverses with transportation to and from the traverses provided by helicopter support.

5.1 SOIL WORK

All soil samples are taken with one meter soil augers or a prospector pick where more rocky terrain is encountered. Soil samples are gathered from an average depth of 60 centimeters. Soil sample locations are marked in the field with pink flagging and aluminum tags. The sample number is inscribed on the aluminum tag and tied to a tree or shrub at shoulder height above sample site.

The sample number is recorded with a Garmin Map76Cx GPS in UTM NAD 83.

Sample description such as color, depth, slope, sample quality, ground vegetation, tree cover and GPS coordinates (backup) are recorded in a Palm PDA data recorder for further evaluation of soil samples.

A total of 400-500 grams of soil is collected and placed in well marked Kraft soil bag for every sample. If this is not possible, the sample is marked as a “small sample”, although enough soil is still taken for a proper assay to be performed.

The GPS and PDA are downloaded every night and stored in the crew chiefs official company computer. A second backup copy of the data is transferred to a memory stick and the memory stick is relocated to a secondary tent (in case of fire).

All samples are brought back to Dawson City and air dried, repacked in rice bags, and sent to the Acme prep Lab in Whitehorse, YT.

Samples are process with Aqua Regia ICP-MS for 36 elements (Acme Labs 1DX-15 gram).

6.0 SOIL GEOCHEMISTRY

Only one anomalous gold value is found in the Nisling Range Suite geology, in insert A (figures 3, 4, 5), at the southernmost portion of the western traverse (65 ppb).

Insert B (figures 6-8), has one anomalous sample in the southern end of its northern traverse (73.8 ppb).

Insert C (figures 9-11), has an anomalous gold value in its southern portion. There is a small correlation between the gold (69 ppb) and arsenic (24.7 ppm) in this sample.

Insert D (figures 12-14), has good correlation between gold (60.4 ppb), arsenic (227.6 ppm) and antimony (19.8 ppm) in the sample found in the southern portion of the traverse.

Insert E (figures 15-17) has no anomalous gold finds.

Insert F (figures 18-20) has an anomalous gold find in the northern portion of its western traverse (107.6 ppb).

Insert G (figures 21-23) has two anomalous gold finds, one in the middle section of the western line and one in the middle section of the eastern line at 410 ppb, the highest in the survey. This sample shows no correlation with arsenic or antimony.

Insert H (figures 24-26) has three anomalous values, two in the middle section and a higher dample in the southern section at 110 ppb.

Insert I (figures 27-29) has four anomalous values in it's eastern traverse. One in the central section, and three clustered together in the southern section of the traverse. All these values show very good correlation between gold, arsenic and antimony, with the highest value at 408 ppb Au, 1836.3 ppm As, and 16.6 ppm Sb.

Insert J (figures 30-32) has no anomalous gold values.

No anomalous gold values showed positive correlation with arsenic or antimony unless otherwise stated above.

7.0 RECOMMENDATION

I would recommend doing more ridge, spur and creek reccy soil traverses immediately by the anomalous gold values in inserts A, B, C, D, and F. Soil grids should be established around the more prominent hits in inserts G, H and I to help define the surface extend of the anomalous zone. The soil grids should be on 100m line spacing and 50m station spacing.

8.0 REFERENCES CITED

Yukon Geological Survey: Bedrock Geology (ESRI Lyr file). (1/21/2011)
www.geomaticsyukon.ca/other_data.html#Mining. Department of Energy, Mines and Resources. Accessed Jan 23, 2011.

9.0 COST

Sample Costs: 1018 samples (invoice # RW 2010-28)	\$17,655.03
Includes: Wages for 29 man days, equipment rental, transportation, job planning, GIS work, data processing, supplies, and camp costs.	
Assay/Shipment: 1018 Samples @ \$17/sample	\$17,306.00
Helicopter: 15.1 hours at \$1844/h (including Fuel)	\$27,845.00
Report Writing	\$500.00
Total	<hr/> \$63,306.03

10.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and Vlf surveys.

I have overseen the KLUANE SCHIST Regional soil Survey.

Dated this 30th of January, 2011, in Whitehorse, Yukon.

Respectfully submitted

Shawn Ryan

Figure 3: Insert A. Gold Anomaly Map:




Figure 4: Insert A. Arsenic Anomaly Map:




Figure 5: Insert A. Antimony Anomaly Map:




Figure 6: Insert B. Gold Anomaly Map




Figure 7: Insert B. Arsenic Anomaly Map:




Figure 8: Insert B. Antimony Anomaly Map:




Figure 9: Insert C. Gold Anomaly Map:




Figure 10: Insert C. Arsenic Anomaly Map:




Figure 11: Insert C. Antimony Anomaly Map:




Figure 12: Insert D. Gold Anomaly Map:




Figure 13: Insert D. Arsenic Anomaly Map:




Figure 14: Insert D. Antimony Anomaly Map:




Figure 15: Insert E. Gold Anomaly Map:




Figure 16: Insert E. Arsenic Anomaly Map:




Figure 17: Insert E. Antimony Anomaly Map:




Figure 18: Insert F. Gold Anomaly Map:




Figure 19: Insert F. Arsenic Anomaly Map:




Figure 20: Insert F. Antimony Anomaly Map:




Figure 21: Insert G. Gold Anomaly Map:




Figure 22: Insert G. Arsenic Anomaly Map:




Figure 23: Insert G. Antimony Anomaly Map:




Figure 24: Insert H. Gold Anomaly Map:




Figure 25: Insert H. Arsenic Anomaly Map




Figure 26: Insert H. Antimony Anomaly Map




Figure 27: Insert I. Gold Anomaly Map




Figure 28: Insert I. Arsenic Anomaly Map




Figure 29: Insert I. Antimony Anomaly Map




Figure 30: Insert J. Gold Anomaly Map




Figure 31: Insert J. Arsenic Anomaly Map





Figure 32: Insert J. Antimony Anomaly Map



Appendix: Soil Sample Location/Analytical Results

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR145934	647807	6789794	UTM NAD 83	07V	1DX-15	1.6	82.3	8.1	115	0.3
KSR145935	647732	6789727	UTM NAD 83	07V	1DX-15	1.1	63.4	3.7	89	0.2
KSR145936	647657	6789659	UTM NAD 83	07V	1DX-15	0.8	59.3	5.1	87	0.1
KSR146573	651772	6787225	UTM NAD 83	07V	1DX-15	1.6	80.7	10.2	124	0.2
KSR146574	651817	6787318	UTM NAD 83	07V	1DX-15	1.3	39.6	8.3	81	0.05
KSR146576	651927	6787493	UTM NAD 83	07V	1DX-15	1.3	74.2	9	103	0.2
KSR146577	651980	6787582	UTM NAD 83	07V	1DX-15	2.1	43.8	10.4	71	0.1
KSR146578	652047	6787655	UTM NAD 83	07V	1DX-15	1.6	48.5	10.9	73	0.1
KSR146579	652082	6787740	UTM NAD 83	07V	1DX-15	0.8	56.8	3.9	89	0.05
KSR146580	652137	6787827	UTM NAD 83	07V	1DX-15	0.9	70.6	1.9	86	0.05
KSR146581	652192	6787912	UTM NAD 83	07V	1DX-15	1.5	64.4	8.5	97	0.2
KSR146582	652222	6788007	UTM NAD 83	07V	1DX-15	1.7	57	9.9	82	0.1
KSR146584	652356	6788159	UTM NAD 83	07V	1DX-15	1.2	57	8.5	74	0.1
KSR146585	652431	6788230	UTM NAD 83	07V	1DX-15	1.5	49	8.2	73	0.05
KSR146587	652509	6788414	UTM NAD 83	07V	1DX-15	1.5	50.9	8.9	82	0.05
KSR146588	652516	6788470	UTM NAD 83	07V	1DX-15	1	69.2	6.9	94	0.1
KSR146589	652540	6788567	UTM NAD 83	07V	1DX-15	1.5	61.4	7.5	94	0.1
KSR146590	652565	6788664	UTM NAD 83	07V	1DX-15	1.2	92.1	6.2	98	0.2
KSR146591	652576	6788765	UTM NAD 83	07V	1DX-15	1.2	38.6	6.6	87	0.05
KSR146592	652620	6788860	UTM NAD 83	07V	1DX-15	1.4	64.7	7.4	98	0.1
KSR146593	652687	6788936	UTM NAD 83	07V	1DX-15	1.5	57.7	7.7	93	0.1
KSR146594	652769	6789001	UTM NAD 83	07V	1DX-15	2.1	75.8	10.1	107	0.4
KSR146595	652839	6789084	UTM NAD 83	07V	1DX-15	1.6	45.5	8.6	85	0.05
KSR146598	342963	6796955	UTM NAD 83	08V	1DX-15	0.7	45.9	6	90	0.05
KSR146657	657980	6788594	UTM NAD 83	07V	1DX-15	0.5	46.5	3.6	81	0.1
KSR146658	657905	6788526	UTM NAD 83	07V	1DX-15	0.9	44.4	5.2	83	0.05
KSR146659	657824	6788466	UTM NAD 83	07V	1DX-15	1.5	46.7	7.8	82	0.1
KSR146660	657746	6788402	UTM NAD 83	07V	1DX-15	0.9	35.8	7.1	81	0.1
KSR146661	657671	6788336	UTM NAD 83	07V	1DX-15	0.8	60.5	4.4	95	0.05
KSR146662	657588	6788279	UTM NAD 83	07V	1DX-15	0.5	36.9	4	70	0.05
KSR146663	657588	6788279	UTM NAD 83	07V	1DX-15	0.6	35.4	4.3	68	0.1
KSR146664	657516	6788208	UTM NAD 83	07V	1DX-15	0.7	50.2	4.9	77	0.2
KSR146665	657447	6788134	UTM NAD 83	07V	1DX-15	0.7	54.3	3.8	69	0.05
KSR146666	657389	6788051	UTM NAD 83	07V	1DX-15	0.4	25.7	2.7	50	0.05
KSR146669	657176	6787839	UTM NAD 83	07V	1DX-15	0.4	28.7	3.2	53	0.05
KSR146670	657109	6787760	UTM NAD 83	07V	1DX-15	0.3	27.5	2.9	51	0.05
KSR146671	657050	6787674	UTM NAD 83	07V	1DX-15	0.3	28.1	2.8	52	0.05
KSR146672	656980	6787601	UTM NAD 83	07V	1DX-15	0.3	26.5	2.9	57	0.05
KSR146673	656909	6787531	UTM NAD 83	07V	1DX-15	0.4	38.8	3.4	62	0.05
KSR146690	653259	6776158	UTM NAD 83	07V	1DX-15	0.6	50.4	5.5	84	0.2
KSR146691	653353	6776121	UTM NAD 83	07V	1DX-15	0.6	42.7	5.4	88	0.1
KSR146693	653541	6776049	UTM NAD 83	07V	1DX-15	0.7	40.2	5.3	68	0.1
KSR146694	653631	6775954	UTM NAD 83	07V	1DX-15	0.6	43.7	4.8	89	0.1
KSR146695	653731	6775937	UTM NAD 83	07V	1DX-15	0.5	40.3	4.5	78	0.1
KSR146696	653830	6775929	UTM NAD 83	07V	1DX-15	0.6	38.5	5	83	0.05
KSR146697	653924	6775893	UTM NAD 83	07V	1DX-15	0.5	47.8	4.1	89	0.1
KSR146698	654016	6775852	UTM NAD 83	07V	1DX-15	0.7	47.3	4.7	68	0.1
KSR146699	654105	6775805	UTM NAD 83	07V	1DX-15	0.7	54.1	5	86	0.2
KSR146700	654203	6775782	UTM NAD 83	07V	1DX-15	0.7	46.9	5.5	74	0.1
KSR146701	654291	6775732	UTM NAD 83	07V	1DX-15	0.8	38.9	5.9	64	0.1
KSR146702	654354	6775653	UTM NAD 83	07V	1DX-15	1	34.8	6.3	60	0.1
KSR146703	654398	6775563	UTM NAD 83	07V	1DX-15	0.6	40.7	5.6	66	0.1
KSR146704	654369	6775466	UTM NAD 83	07V	1DX-15	0.7	37.6	5.1	81	0.1
KSR146705	654361	6775364	UTM NAD 83	07V	1DX-15	0.6	56.8	4.8	93	0.1
KSR146706	654356	6775257	UTM NAD 83	07V	1DX-15	0.8	44.2	7.2	79	0.2

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR145934	73.2	24.4	712	4.69	102	1.3	18.4	2.9	23	0.1	0.7	0.2	85	0.23	0.1	17
KSR145935	62	20.6	445	4.3	11.5	0.5	0.25	1.6	21	0.05	0.3	0.05	108	0.27	0.07	7
KSR145936	53.2	18.4	506	3.86	15.2	0.6	5.1	2.1	20	0.2	0.4	0.05	92	0.24	0.04	9
KSR146573	67.3	25.8	693	4.52	34.8	0.9	2.1	2.7	29	0.2	0.6	0.2	89	0.36	0.09	13
KSR146574	40.4	18.1	711	3.71	18.9	0.6	29.2	1	22	0.2	0.6	0.1	92	0.37	0.08	6
KSR146576	60.8	22.3	656	4.4	28.1	1	3.3	2.9	29	0.2	0.4	0.2	103	0.34	0.07	11
KSR146577	43.8	17	584	3.33	14.3	0.8	2.5	0.8	27	0.2	0.8	0.2	79	0.34	0.12	8
KSR146578	39.7	17	531	3.27	45.7	0.7	4.7	1.1	24	0.1	0.7	0.2	64	0.3	0.08	9
KSR146579	49.9	20.3	829	4.67	16.5	0.3	0.8	0.9	21	0.05	0.2	0.05	125	0.33	0.04	4
KSR146580	46.7	25.1	645	4.31	6.7	0.1	1.4	0.5	18	0.05	0.1	0.05	93	0.43	0.06	3
KSR146581	72.4	22.2	574	3.94	17.7	1	2.1	1.9	25	0.2	0.4	0.2	86	0.37	0.12	9
KSR146582	63.7	20.5	556	3.56	16.6	0.9	4.3	1.5	24	0.1	0.6	0.2	83	0.26	0.09	10
KSR146584	52.6	18.9	438	3.19	13.3	0.6	3.6	1.2	18	0.2	0.6	0.2	73	0.24	0.05	6
KSR146585	36.8	14.5	422	3.16	11.9	0.7	5.9	1.2	23	0.1	0.7	0.1	65	0.28	0.07	8
KSR146587	42.6	14.8	405	3.1	15.7	0.9	6.3	1.8	20	0.2	0.7	0.2	60	0.2	0.08	11
KSR146588	114	22.3	666	4.26	17.2	0.8	2.5	3.1	26	0.2	0.4	0.2	120	0.32	0.08	10
KSR146589	55.7	18	549	3.86	11.2	1.2	2.1	2.8	26	0.2	0.5	0.2	84	0.29	0.09	12
KSR146590	50.6	16.6	526	3.84	12.5	1.2	2.8	4	30	0.2	0.4	0.1	77	0.32	0.11	17
KSR146591	46.7	15.5	474	3.76	10.1	0.7	2	1.6	24	0.05	0.5	0.1	90	0.32	0.06	8
KSR146592	60.2	20.4	555	4.24	17.2	0.9	1.5	2.9	21	0.1	0.5	0.2	94	0.23	0.07	11
KSR146593	51	20.3	616	4.25	14.2	0.9	3.9	2.5	25	0.05	0.6	0.2	109	0.29	0.08	10
KSR146594	57.4	25.5	722	4.54	16.6	1.7	1.9	2.3	40	0.2	0.6	0.3	103	0.46	0.14	16
KSR146595	42.5	15.5	485	3.61	11.5	1	3.3	1.8	27	0.1	0.6	0.2	77	0.32	0.08	11
KSR146598	46	17.1	601	3.58	6.4	0.8	5	1.3	27	0.1	3.7	0.2	112	0.38	0.11	7
KSR146657	43.5	16	391	3.47	17.9	0.6	410	2.9	22	0.05	0.1	0.1	79	0.25	0.06	8
KSR146658	45.9	17.8	427	3.76	18.1	0.6	3	2.9	24	0.05	0.3	0.1	85	0.28	0.06	9
KSR146659	39.6	22.6	819	3.83	17.2	0.9	10.8	3.3	35	0.2	0.3	0.2	85	0.36	0.07	14
KSR146660	42.7	18.1	416	3.76	35	0.5	2.2	1.8	21	0.1	0.3	0.2	95	0.27	0.04	6
KSR146661	57.4	17.7	468	4.02	10.1	0.6	1.7	3.8	28	0.05	0.1	0.1	91	0.4	0.09	11
KSR146662	44.5	14.7	377	3.45	10.6	0.5	1	2.6	20	0.05	0.2	0.1	77	0.32	0.09	7
KSR146663	44.3	14.5	381	3.42	10.1	0.6	1.7	2.7	20	0.05	0.2	0.1	78	0.34	0.09	8
KSR146664	47.4	15.4	418	3.7	8.5	0.8	5.3	3.6	22	0.1	0.2	0.1	88	0.35	0.11	10
KSR146665	56.6	15.2	376	3.3	10.9	0.7	1.4	3	21	0.05	0.2	0.1	76	0.24	0.04	10
KSR146666	32.1	10.4	300	2.63	7.7	0.4	3.5	1.9	24	0.1	0.2	0.05	66	0.4	0.09	7
KSR146669	33.5	10.9	343	2.79	7.1	0.5	7.1	2.3	27	0.05	0.2	0.05	64	0.42	0.09	8
KSR146670	34.1	11.1	341	2.97	6.7	0.5	3.3	2.2	25	0.05	0.1	0.05	72	0.45	0.1	8
KSR146671	32.4	9.8	326	2.61	8	0.3	4.4	1.8	25	0.05	0.2	0.05	62	0.41	0.1	7
KSR146672	33.2	10.8	357	2.85	8.1	0.4	2.4	1.7	30	0.1	0.1	0.05	70	0.48	0.11	6
KSR146673	48	13.4	374	3.2	11.8	0.4	2.6	2.2	26	0.1	0.2	0.1	82	0.45	0.11	10
KSR146690	46.5	11.8	340	3.37	7.2	0.7	3.2	2.2	30	0.05	0.4	0.1	88	0.61	0.07	9
KSR146691	46.8	14.1	424	3.79	7.4	0.6	2.2	2.5	36	0.1	0.3	0.1	91	1.02	0.08	8
KSR146693	39.2	14	445	2.96	7.3	0.4	2.5	2.5	32	0.2	0.4	0.1	71	0.82	0.07	10
KSR146694	56.4	15.6	511	3.62	5.8	0.5	3.2	3	28	0.2	0.3	0.1	102	0.66	0.1	10
KSR146695	49	15	465	3.26	7	0.5	3.9	2.2	30	0.2	0.2	0.1	94	0.85	0.09	9
KSR146696	54.3	16.8	464	3.6	8.3	0.6	3.8	2.5	28	0.1	0.3	0.1	94	0.5	0.07	9
KSR146697	57.5	16.2	413	3.69	6.6	0.6	2	2.7	25	0.05	0.2	0.1	103	0.58	0.1	9
KSR146698	45.8	13.2	458	2.79	7.8	0.9	5	1	52	0.3	0.4	0.1	73	1.57	0.07	9
KSR146699	54.3	17.1	491	3.44	9.7	0.6	2.8	2.3	41	0.2	0.4	0.2	92	1.08	0.08	12
KSR146700	44.4	15.6	490	3.21	10.6	0.5	2	2.1	42	0.2	0.5	0.1	78	1.02	0.07	11
KSR146701	47.2	14.2	476	2.98	10.1	0.7	2.3	1.8	42	0.2	0.4	0.1	79	1.06	0.05	11
KSR146702	37.7	14.5	489	2.8	9.1	0.7	61.5	1.5	40	0.2	0.4	0.1	70	1	0.06	11
KSR146703	38.5	14	458	2.9	8.4	0.5	87.4	1.9	32	0.3	0.4	0.2	73	0.67	0.04	11
KSR146704	44.8	15.5	499	3.45	9.2	0.7	3	2.6	32	0.2	0.3	0.1	98	0.65	0.05	11
KSR146705	71.1	17	563	3.89	8.1	0.5	5.9	3.6	45	0.2	0.1	0.2	116	1.51	0.08	11
KSR146706	56.3	16.1	443	3.49	8.7	0.5	1.4	2.5	21	0.1	0.3	0.2	95	0.35	0.07	9

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR145934	68	1.25	99	0.07	0.5	2.52	0.01	0.19	0.05	0.03	4.8	0.2	0.03	7	0.5
KSR145935	107	1.6	170	0.16	0.5	2.68	0.01	0.48	0.05	0.01	4.6	0.2	0.03	9	0.5
KSR145936	67	1.23	143	0.13	0.5	2.39	0.02	0.32	0.05	0.02	4.5	0.1	0.03	7	0.25
KSR146573	72	1.31	132	0.13	0.5	2.45	0.02	0.29	0.05	0.03	4.6	0.3	0.03	7	0.6
KSR146574	76	1.15	184	0.1	1	2.07	0.01	0.2	0.1	0.04	4.7	0.2	0.05	7	0.6
KSR146576	86	1.39	237	0.15	0.5	2.37	0.01	0.47	0.05	0.03	5.3	0.3	0.03	8	0.25
KSR146577	69	0.9	168	0.05	1	1.72	0.01	0.15	0.05	0.05	2.8	0.1	0.1	6	0.25
KSR146578	43	0.78	109	0.05	0.5	1.6	0.01	0.08	0.05	0.04	2.4	0.1	0.05	5	0.5
KSR146579	79	1.77	319	0.18	0.5	2.94	0.01	0.5	0.05	0.01	6.9	0.2	0.03	10	0.25
KSR146580	68	1.54	356	0.18	0.5	2.46	0.01	0.58	0.05	0.01	2.1	0.4	0.03	8	0.25
KSR146581	84	1.21	104	0.07	1	2.25	0.01	0.18	0.05	0.03	3.4	0.2	0.09	7	0.5
KSR146582	76	1	116	0.05	0.5	1.92	0.01	0.17	0.05	0.03	3.4	0.2	0.06	6	0.25
KSR146584	52	0.85	101	0.08	2	1.72	0.01	0.16	0.05	0.04	3.1	0.1	0.03	5	0.25
KSR146585	43	0.75	84	0.06	0.5	1.54	0.01	0.1	0.1	0.02	2.5	0.05	0.06	5	0.7
KSR146587	47	0.79	73	0.05	0.5	1.75	0.01	0.08	0.05	0.03	2.7	0.1	0.05	5	0.25
KSR146588	175	1.8	177	0.15	1	2.78	0.01	0.4	0.05	0.01	7.4	0.3	0.03	9	0.25
KSR146589	76	1.12	107	0.09	0.5	2.23	0.01	0.16	0.05	0.04	4	0.2	0.07	7	0.8
KSR146590	58	1.04	105	0.1	0.5	2.01	0.01	0.2	0.05	0.01	4.4	0.2	0.03	6	0.7
KSR146591	86	1.27	235	0.14	0.5	2.36	0.01	0.41	0.05	0.03	4.3	0.2	0.06	8	0.25
KSR146592	77	1.2	150	0.1	0.5	2.5	0.01	0.22	0.05	0.03	4.7	0.2	0.05	8	0.25
KSR146593	86	1.33	220	0.14	1	2.44	0.01	0.34	0.05	0.02	6	0.3	0.05	9	0.25
KSR146594	81	1.22	176	0.08	0.5	2.57	0.02	0.24	0.05	0.06	4.6	0.2	0.14	8	1
KSR146595	56	0.91	115	0.08	1	1.91	0.01	0.11	0.05	0.02	3.4	0.2	0.07	7	0.25
KSR146598	81	0.97	203	0.2	0.5	2.52	0.02	0.48	0.2	0.04	8.1	0.2	0.03	8	0.25
KSR146657	57	1.11	139	0.11	0.5	1.97	0.02	0.33	0.05	0.01	4.6	0.2	0.03	7	0.25
KSR146658	60	1.15	137	0.12	0.5	2.22	0.01	0.35	0.05	0.01	4.6	0.2	0.03	8	0.25
KSR146659	60	1	158	0.1	0.5	2.16	0.02	0.17	0.05	0.02	5.1	0.2	0.03	8	0.6
KSR146660	64	1.09	116	0.13	0.5	1.9	0.01	0.34	0.05	0.02	5.4	0.2	0.03	8	0.25
KSR146661	70	1.29	172	0.14	0.5	2.32	0.01	0.36	0.05	0.01	5.8	0.2	0.03	9	0.25
KSR146662	60	1.07	122	0.1	0.5	2.14	0.02	0.24	0.2	0.02	5	0.2	0.03	7	0.6
KSR146663	60	1.12	118	0.11	0.5	2.43	0.01	0.26	0.1	0.01	4.8	0.2	0.03	7	0.25
KSR146664	67	1.12	133	0.13	0.5	2.43	0.01	0.28	0.05	0.01	5.6	0.2	0.03	7	0.25
KSR146665	62	1.05	131	0.11	0.5	2.2	0.02	0.26	0.05	0.02	5.2	0.2	0.03	6	0.25
KSR146666	52	0.88	129	0.1	0.5	1.63	0.02	0.21	0.05	0.01	4.2	0.2	0.03	5	0.25
KSR146669	49	0.88	118	0.1	0.5	1.65	0.03	0.21	0.05	0.01	4.2	0.2	0.03	5	0.25
KSR146670	56	0.97	126	0.11	0.5	1.82	0.02	0.26	0.05	0.01	5	0.2	0.03	6	0.25
KSR146671	51	0.91	112	0.1	0.5	1.63	0.03	0.24	0.05	0.02	4.1	0.2	0.03	5	0.25
KSR146672	54	0.98	126	0.11	0.5	1.82	0.02	0.24	0.05	0.01	4.3	0.1	0.03	5	0.25
KSR146673	66	1.06	187	0.12	0.5	1.98	0.02	0.44	0.05	0.02	5.9	0.2	0.03	6	0.25
KSR146690	79	1.25	283	0.14	0.5	2.1	0.02	0.55	0.1	0.04	5.6	0.3	0.03	6	0.25
KSR146691	83	1.34	259	0.15	2	2.23	0.02	0.5	0.1	0.02	5.7	0.3	0.03	8	0.6
KSR146693	57	1.07	208	0.11	2	1.69	0.02	0.33	0.05	0.02	4.9	0.2	0.03	6	0.7
KSR146694	95	1.56	306	0.16	1	2.48	0.02	0.58	0.2	0.02	7.5	0.3	0.03	8	0.25
KSR146695	76	1.31	265	0.14	1	2.18	0.02	0.66	0.1	0.02	5.7	0.3	0.03	7	0.25
KSR146696	90	1.42	331	0.15	1	2.38	0.02	0.68	0.2	0.02	5.9	0.3	0.03	8	0.5
KSR146697	86	1.49	336	0.15	1	2.45	0.02	0.94	0.1	0.01	6.5	0.3	0.03	9	0.25
KSR146698	64	1.05	348	0.09	2	1.67	0.02	0.56	0.1	0.02	4	0.2	0.13	6	0.25
KSR146699	75	1.38	401	0.13	2	2.3	0.02	0.8	0.1	0.02	5.8	0.3	0.03	8	0.8
KSR146700	60	1.19	238	0.12	2	1.97	0.03	0.41	0.05	0.03	5.2	0.2	0.03	6	0.6
KSR146701	68	1.2	218	0.1	1	1.86	0.04	0.35	0.2	0.03	4.7	0.2	0.08	5	0.8
KSR146702	51	0.97	220	0.08	2	1.62	0.03	0.17	0.05	0.04	3.9	0.2	0.06	5	0.8
KSR146703	52	1	132	0.09	2	1.71	0.03	0.29	0.05	0.04	4.3	0.2	0.03	5	0.7
KSR146704	72	1.29	264	0.14	0.5	2.29	0.02	0.43	0.1	0.03	6.1	0.3	0.03	8	0.25
KSR146705	118	1.62	535	0.18	1	2.85	0.04	1.08	0.1	0.03	7.2	0.4	0.03	10	0.25
KSR146706	92	1.38	245	0.15	1	2.49	0.01	0.57	0.3	0.02	5.4	0.2	0.03	8	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR146707	654344	6775142	UTM NAD 83	07V	1DX-15	1	49.9	5.6	108	0.1
KSR146708	654324	6775043	UTM NAD 83	07V	1DX-15	1.5	29	7.8	59	0.05
KSR146709	654279	6774954	UTM NAD 83	07V	1DX-15	0.5	51.4	3.7	89	0.1
KSR146713	654369	6775466	UTM NAD 83	07V	1DX-15	0.6	35.1	5	71	0.1
KSR146713	654369	6775466	UTM NAD 83	07V	1DX-15	0.8	37.3	5.4	77	0.1
KSR146715	354984	6798816	UTM NAD 83	08V	1DX-15	1.4	19.6	11.9	79	0.3
KSR146716	354926	6798731	UTM NAD 83	08V	1DX-15	0.9	19.5	15	108	0.5
KSR146717	354906	6798672	UTM NAD 83	08V	1DX-15	0.8	18.9	9	93	0.05
KSR146718	354864	6798580	UTM NAD 83	08V	1DX-15	1.8	26.2	12.8	119	0.1
KSR146719	354836	6798483	UTM NAD 83	08V	1DX-15	0.6	11.5	10.9	74	0.05
KSR146720	354804	6798389	UTM NAD 83	08V	1DX-15	1.9	34.9	10.8	67	0.1
KSR146727	355073	6797827	UTM NAD 83	08V	1DX-15	0.3	7.3	13.7	80	0.05
KSR146727	355073	6797827	UTM NAD 83	08V	1DX-15	0.4	6.7	13.5	80	0.05
KSR146728	355167	6797789	UTM NAD 83	08V	1DX-15	1.9	25.4	9.3	73	0.05
KSR146740	652960	6789252	UTM NAD 83	07V	1DX-15	1.5	41.1	8.6	72	0.1
KSR146742	653080	6789411	UTM NAD 83	07V	1DX-15	1.2	71.4	6.8	103	0.1
KSR146745	653279	6789652	UTM NAD 83	07V	1DX-15	1	59.5	7.1	92	0.05
KSR146747	653727	6789811	UTM NAD 83	07V	1DX-15	1.2	47.1	6.6	86	0.05
KSR146795	359200	6769798	UTM NAD 83	08V	1DX-15	2	94.3	10.5	149	0.3
KSR146796	359188	6769898	UTM NAD 83	08V	1DX-15	1.5	82.8	8.6	117	0.2
KSR146797	359159	6769994	UTM NAD 83	08V	1DX-15	1.1	59	5.7	102	0.1
KSR146800	359209	6770289	UTM NAD 83	08V	1DX-15	1.4	71.8	6.2	108	0.2
KSR146801	359118	6770332	UTM NAD 83	08V	1DX-15	1.2	62	5.5	83	0.2
KSR146802	359023	6770367	UTM NAD 83	08V	1DX-15	0.7	87.6	4.4	106	0.05
KSR146803	358930	6770405	UTM NAD 83	08V	1DX-15	1.4	68	7.9	96	0.1
KSR146804	358848	6770464	UTM NAD 83	08V	1DX-15	1.4	61.1	8.6	94	0.1
KSR146820	357774	6771635	UTM NAD 83	08V	1DX-15	1.2	97.6	3.6	143	0.05
KSR146860	356986	6775137	UTM NAD 83	08V	1DX-15	1.3	86.6	7.6	95	0.05
KSR146861	357051	6775061	UTM NAD 83	08V	1DX-15	1.3	50.3	7.3	88	0.2
KSR146862	357098	6774975	UTM NAD 83	08V	1DX-15	1.8	148	9.3	151	0.2
KSR146862	357098	6774975	UTM NAD 83	08V	1DX-15	1.6	142	9	150	0.2
KSR146863	357138	6774883	UTM NAD 83	08V	1DX-15	1.2	66.2	11	112	0.3
KSR146864	357177	6774790	UTM NAD 83	08V	1DX-15	1.6	80	9.4	97	0.1
KSR146865	357217	6774697	UTM NAD 83	08V	1DX-15	1.5	82.8	8.7	103	0.2
KSR146898	655032	6771809	UTM NAD 83	07V	1DX-15	1	48.8	4.8	47	0.05
KSR146902	654845	6772166	UTM NAD 83	07V	1DX-15	1.8	29.3	6.4	66	0.1
KSR146903	654804	6772258	UTM NAD 83	07V	1DX-15	1.3	44.1	6.1	48	0.05
KSR146904	654753	6772346	UTM NAD 83	07V	1DX-15	1.1	30.9	4.8	34	0.1
KSR146905	654731	6772445	UTM NAD 83	07V	1DX-15	0.6	79.3	2.7	100	0.05
KSR146906	654702	6772542	UTM NAD 83	07V	1DX-15	1.1	43.8	4.5	73	0.1
KSR146907	654676	6772639	UTM NAD 83	07V	1DX-15	0.8	40	4.1	59	0.05
KSR146908	654622	6772705	UTM NAD 83	07V	1DX-15	1	50	6.8	83	0.2
KSR146909	654639	6772804	UTM NAD 83	07V	1DX-15	0.8	38.7	5.4	66	0.1
KSR146910	654603	6772898	UTM NAD 83	07V	1DX-15	0.8	36.7	5	66	0.1
KSR146911	654602	6772999	UTM NAD 83	07V	1DX-15	0.9	44.3	5.7	78	0.1
KSR146911	654602	6772999	UTM NAD 83	07V	1DX-15	0.6	42.3	5.6	77	0.1
KSR146912	654610	6773098	UTM NAD 83	07V	1DX-15	0.6	43.9	4.3	81	0.1
KSR146913	654575	6773194	UTM NAD 83	07V	1DX-15	0.6	46.4	5.5	75	0.1
KSR146914	654552	6773291	UTM NAD 83	07V	1DX-15	0.8	44.5	5.5	76	0.1
KSR146915	654525	6773388	UTM NAD 83	07V	1DX-15	0.8	50.4	5.5	78	0.1
KSR146916	654502	6773485	UTM NAD 83	07V	1DX-15	0.6	40.7	4.6	67	0.1
KSR146917	654477	6773582	UTM NAD 83	07V	1DX-15	0.7	41.2	4.9	81	0.1
KSR146918	654452	6773679	UTM NAD 83	07V	1DX-15	0.8	43.7	4.6	65	0.1
KSR146919	654424	6773774	UTM NAD 83	07V	1DX-15	0.7	32.2	5.2	55	0.05
KSR146919	654424	6773774	UTM NAD 83	07V	1DX-15	0.7	32	5	54	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR146707	68.5	20.9	567	4.61	8.7	0.8	1.2	4.2	18	0.1	0.3	0.2	124	0.32	0.06	10
KSR146708	32.4	12.3	314	3.15	9.2	0.8	2	1.8	26	0.05	0.6	0.1	82	0.37	0.07	11
KSR146709	53.4	16.5	519	4	5.5	0.6	3.8	3.2	30	0.1	0.2	0.1	114	0.51	0.07	12
KSR146713	41.5	15.5	475	3.28	7.8	0.6	3.7	2.6	32	0.2	0.3	0.2	97	0.78	0.05	11
KSR146713	43.4	15.6	479	3.31	8	0.7	3.2	2.7	31	0.3	0.4	0.4	97	0.64	0.05	11
KSR146715	18.5	7.3	320	3.31	15.7	1.2	1.4	6.6	23	0.3	0.5	0.4	62	0.29	0.05	13
KSR146716	14	6	404	2.76	23.7	1.4	2.6	9.4	19	1.1	0.6	1.1	39	0.22	0.02	16
KSR146717	17.8	10.5	590	3.15	12.9	1.8	2.6	12.1	22	0.4	0.3	0.5	48	0.26	0.05	22
KSR146718	20.3	10.1	683	3.6	8.9	2.3	4.7	10.9	21	0.3	0.6	0.9	52	0.17	0.05	15
KSR146719	9.5	5.3	502	2.12	5	3.6	1.1	39.6	22	0.5	0.2	0.6	32	0.34	0.09	33
KSR146720	19.2	8.2	312	2.93	10.5	3.6	3.1	4.6	28	0.3	0.7	0.5	59	0.26	0.07	17
KSR146727	3.6	2.8	457	1.71	2.4	2.3	0.5	13.9	39	0.05	0.1	0.1	6	0.54	0.05	21
KSR146727	4	2.6	473	1.75	2.3	2.3	1	15	40	0.05	0.1	0.1	6	0.56	0.05	22
KSR146728	21.5	9.4	404	3.32	11.6	1.2	2.7	4	24	0.1	0.6	0.4	66	0.28	0.04	14
KSR146740	35.9	13.8	439	3.54	10.4	1	2.1	1.7	22	0.05	0.5	0.2	77	0.26	0.09	9
KSR146742	57.1	19.3	493	4.22	34.6	1.3	8.5	4.6	25	0.1	0.5	0.2	88	0.23	0.07	16
KSR146745	61.5	17.7	515	3.62	34.5	1	7.3	3.5	22	0.1	0.7	0.1	70	0.25	0.09	12
KSR146747	37.6	12.8	418	3.85	10.7	0.9	6.9	2.8	22	0.1	0.4	0.2	81	0.22	0.07	13
KSR146795	104	35.6	894	5.1	69.5	1.6	19.7	3.5	55	0.1	1.4	0.3	76	0.34	0.1	30
KSR146796	86.6	24.1	619	4.43	27.4	1.4	4.3	3.8	32	0.1	0.5	0.3	84	0.24	0.08	20
KSR146797	57.3	18	464	3.84	18.1	0.8	5.1	3.3	25	0.05	0.3	0.2	76	0.22	0.07	11
KSR146800	65.3	20.8	560	4.14	15.3	1.3	4.6	3.2	30	0.1	0.3	0.3	84	0.29	0.09	16
KSR146801	46	16.5	451	3.35	11.8	1.4	4.3	2.2	32	0.1	0.3	0.2	72	0.33	0.1	17
KSR146802	57.5	23.5	546	4.45	15.9	0.6	6.9	2.8	47	0.1	0.1	0.1	111	0.48	0.11	11
KSR146803	47.7	20.3	476	4.06	17.7	0.8	2.5	1.7	27	0.1	0.5	0.2	95	0.25	0.06	10
KSR146804	45.9	24.1	613	4.02	13.6	0.7	6.2	1.3	34	0.2	0.5	0.2	117	0.39	0.08	8
KSR146820	130	56.1	812	5.9	205	0.6	3.2	2.4	32	0.2	0.4	0.05	150	0.52	0.1	12
KSR146860	51.7	17.2	396	3.75	17.2	1	3.2	2.7	22	0.05	0.5	0.2	82	0.15	0.06	12
KSR146861	47.7	15.8	468	3.68	21.1	0.9	4.4	1.6	26	0.05	0.4	0.2	78	0.19	0.07	10
KSR146862	145	50	655	5.15	18.1	2	2.2	3.4	37	0.2	0.4	0.3	98	0.26	0.09	21
KSR146862	145	50.5	669	5.2	17.4	1.9	3.8	3.4	38	0.2	0.4	0.2	101	0.27	0.09	23
KSR146863	57	23.1	767	4.52	36.6	1.6	11.9	2.8	41	0.2	0.8	0.2	99	0.4	0.09	17
KSR146864	51.4	24.7	656	4.08	16.8	1.7	3	2	37	0.2	0.5	0.3	93	0.23	0.1	21
KSR146865	59.7	22.6	531	4.06	20	1.6	2.8	2.4	32	0.05	0.5	0.2	92	0.23	0.09	16
KSR146898	48.7	16.2	497	4.15	6.7	0.4	0.6	1.8	25	0.1	0.2	0.2	115	0.48	0.08	6
KSR146902	24.5	11.1	482	3.01	7.7	0.8	1.7	0.6	41	0.05	0.5	0.2	78	0.61	0.11	7
KSR146903	38	12.9	372	3.75	7.8	0.4	2.2	1.3	22	0.05	0.3	0.2	113	0.34	0.04	6
KSR146904	25	13.2	484	2.98	4.8	0.6	2.3	0.6	36	0.05	0.3	0.2	91	0.67	0.12	7
KSR146905	106	33.1	452	4.85	3.6	1.1	0.25	3.6	16	0.05	0.05	0.1	153	0.31	0.03	12
KSR146906	41.2	15.4	390	3.63	7.6	0.9	7.9	2.2	32	0.2	0.4	0.2	106	0.64	0.07	10
KSR146907	37.5	12.2	392	2.84	6.8	0.4	2.3	1.7	32	0.1	0.3	0.1	73	0.58	0.09	8
KSR146908	45.2	14.8	552	3.53	9.3	0.7	110	2.9	42	0.4	0.5	0.1	77	0.89	0.08	12
KSR146909	37.3	12.8	449	2.86	8.1	0.5	2.9	2.1	61	0.3	0.5	0.05	65	1.88	0.09	10
KSR146910	36.5	12.7	479	2.83	8.4	0.5	2.9	1.6	56	0.2	0.4	0.05	65	1.6	0.07	10
KSR146911	43.5	14.9	486	3.32	8.7	0.4	4.8	2.4	45	0.3	0.4	0.1	80	1.12	0.08	11
KSR146911	44.2	15.2	486	3.35	9	0.4	3	2.4	48	0.3	0.5	0.1	80	1.12	0.08	11
KSR146912	60.1	15.3	464	3.56	9.3	0.6	1.8	2.5	35	0.1	0.3	0.1	101	0.7	0.08	10
KSR146913	37.7	11.9	394	3	8.1	0.4	2.1	2	42	0.3	0.5	0.1	70	0.88	0.09	11
KSR146914	38.7	12.5	392	3.03	8.2	0.4	5.6	2.3	40	0.2	0.4	0.1	74	0.85	0.08	10
KSR146915	43.1	12.4	388	3.16	7.9	0.4	1.9	2.4	35	0.3	0.5	0.1	80	0.6	0.09	11
KSR146916	37.1	12.3	432	2.63	7.8	0.4	1.6	2.1	82	0.3	0.5	0.05	61	3.22	0.09	9
KSR146917	39.7	13.7	430	2.95	8.7	0.5	3.5	2	39	0.4	0.5	0.05	72	0.78	0.09	10
KSR146918	36	13.3	462	2.74	8	0.4	1.6	2.2	73	0.2	0.4	0.05	66	2.54	0.09	9
KSR146919	29.2	11.2	477	2.3	6.5	0.5	1.3	2.5	65	0.2	0.4	0.05	57	2.31	0.09	9
KSR146919	30	10.8	474	2.28	6.3	0.5	0.8	2.5	65	0.3	0.4	0.05	57	2.35	0.08	9

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR146707	105	1.68	443	0.2	1	2.97	0.01	0.88	0.05	0.02	8.2	0.4	0.03	11	0.6
KSR146708	60	0.93	198	0.09	2	2	0.01	0.13	0.1	0.03	4.3	0.1	0.03	6	0.25
KSR146709	92	1.44	384	0.19	0.5	2.44	0.02	0.86	0.1	0.03	7.5	0.4	0.03	9	0.25
KSR146713	73	1.28	269	0.14	1	2.19	0.03	0.44	0.05	0.03	6	0.3	0.03	7	0.9
KSR146713	70	1.25	256	0.14	1	2.3	0.02	0.41	0.05	0.03	6	0.3	0.03	7	0.8
KSR146715	31	0.61	114	0.16	0.5	1.61	0.01	0.17	0.2	0.01	2.7	0.2	0.03	8	0.25
KSR146716	20	0.5	106	0.11	0.5	1.6	0.01	0.18	0.5	0.01	3	0.3	0.03	7	0.25
KSR146717	28	0.62	194	0.19	0.5	1.85	0.02	0.33	0.4	0.01	3.8	0.4	0.03	8	0.25
KSR146718	29	0.65	123	0.14	0.5	1.83	0.01	0.2	0.2	0.01	2.9	0.4	0.03	9	0.5
KSR146719	16	0.35	92	0.12	1	1.03	0.01	0.22	0.8	0.01	2.5	0.3	0.03	5	0.25
KSR146720	33	0.54	120	0.09	0.5	1.48	0.01	0.1	0.2	0.03	2.7	0.2	0.03	7	0.25
KSR146727	6	0.26	88	0	0.5	1.5	0.01	0.23	0.05	0.01	1.7	0.2	0.03	4	0.25
KSR146727	6	0.27	90	0	0.5	1.52	0.01	0.24	0.05	0.01	1.7	0.1	0.03	4	0.25
KSR146728	33	0.63	125	0.14	0.5	1.76	0.02	0.18	0.2	0.02	3	0.2	0.03	8	0.25
KSR146740	59	0.92	127	0.07	0.5	1.88	0.01	0.15	0.05	0.03	3.1	0.2	0.07	7	0.25
KSR146742	67	1.12	102	0.11	1	2.49	0.02	0.2	0.05	0.02	4.5	0.3	0.06	7	0.25
KSR146745	68	1.08	62	0.07	2	2.16	0.02	0.12	0.05	0.02	3.7	0.2	0.03	6	0.25
KSR146747	62	1.02	98	0.1	0.5	1.95	0.01	0.21	0.05	0.02	3.9	0.2	0.03	7	0.7
KSR146795	58	1.03	72	0.04	0.5	2.39	0.01	0.18	0.05	0.03	4.2	0.3	0.03	7	0.9
KSR146796	67	1.13	81	0.06	0.5	2.45	0.01	0.22	0.05	0.02	4.6	0.3	0.03	8	0.7
KSR146797	60	1.02	75	0.07	0.5	2.1	0.01	0.21	0.05	0.02	4	0.3	0.03	7	0.7
KSR146800	61	1.04	92	0.07	0.5	2.23	0.01	0.19	0.05	0.04	3.9	0.3	0.03	7	0.8
KSR146801	49	0.86	91	0.06	0.5	1.84	0.01	0.15	0.05	0.04	3.5	0.2	0.06	6	0.8
KSR146802	68	1.68	284	0.15	0.5	2.96	0.01	0.71	0.05	0.01	7.1	0.3	0.03	11	0.25
KSR146803	67	1.04	126	0.11	1	2.17	0.01	0.27	0.1	0.03	4.4	0.2	0.03	9	0.5
KSR146804	57	1.12	141	0.09	1	2.53	0.01	0.21	0.1	0.05	5.2	0.1	0.07	9	0.25
KSR146820	107	2	242	0.21	0.5	3.21	0.02	0.97	0.05	0.01	8	0.3	0.03	12	0.25
KSR146860	59	0.98	85	0.08	0.5	2.31	0.01	0.15	0.05	0.03	3.5	0.2	0.03	7	0.25
KSR146861	64	0.95	97	0.07	0.5	2.07	0.01	0.13	0.05	0.05	3.1	0.2	0.03	7	0.25
KSR146862	73	1.19	99	0.09	1	2.93	0.02	0.25	0.05	0.04	4.6	0.3	0.09	7	0.25
KSR146862	74	1.18	103	0.09	1	2.92	0.02	0.25	0.05	0.05	4.8	0.3	0.08	7	0.8
KSR146863	77	1.32	212	0.09	0.5	2.75	0.02	0.34	0.1	0.04	6	0.2	0.03	9	0.25
KSR146864	66	0.94	163	0.07	0.5	2.42	0.02	0.15	0.05	0.08	3.9	0.2	0.12	8	0.25
KSR146865	65	0.99	145	0.09	0.5	2.43	0.02	0.2	0.05	0.04	4.5	0.2	0.09	8	0.25
KSR146898	78	1.31	254	0.19	0.5	2.58	0.02	0.78	0.2	0.01	7.8	0.4	0.03	7	0.25
KSR146902	47	0.8	280	0.06	1	1.6	0.02	0.21	0.05	0.04	3.3	0.1	0.1	6	0.7
KSR146903	74	1.16	198	0.16	0.5	2.48	0.01	0.24	0.1	0.01	6.2	0.2	0.03	8	0.25
KSR146904	57	0.85	221	0.1	0.5	1.72	0.02	0.28	0.05	0.06	5	0.2	0.09	5	0.5
KSR146905	150	2.02	490	0.29	0.5	3.15	0.01	1.03	0.2	0.01	8.3	0.3	0.03	13	0.25
KSR146906	82	1.21	467	0.16	1	2.27	0.02	0.53	0.1	0.03	7.4	0.2	0.03	7	0.25
KSR146907	56	0.96	168	0.12	0.5	1.61	0.03	0.3	0.1	0.02	4.8	0.2	0.03	5	0.25
KSR146908	60	1.17	152	0.12	2	2.08	0.04	0.2	0.1	0.03	5.3	0.2	0.03	6	0.25
KSR146909	49	1.03	157	0.1	1	1.58	0.03	0.26	0.2	0.02	4.3	0.2	0.03	5	0.25
KSR146910	49	0.97	163	0.1	1	1.63	0.03	0.17	0.5	0.03	4	0.2	0.03	5	0.25
KSR146911	61	1.2	230	0.12	1	1.95	0.04	0.35	0.1	0.03	5.6	0.2	0.03	6	0.25
KSR146911	62	1.18	228	0.13	1	1.97	0.03	0.35	0.05	0.03	5.4	0.2	0.03	6	0.25
KSR146912	101	1.43	319	0.16	0.5	2.29	0.03	0.64	0.1	0.03	6.9	0.3	0.03	7	0.25
KSR146913	54	1.01	169	0.1	2	1.75	0.03	0.22	0.1	0.04	4.6	0.2	0.03	5	0.25
KSR146914	58	1.05	159	0.11	2	1.75	0.03	0.25	0.2	0.03	4.9	0.2	0.03	5	0.25
KSR146915	63	1.05	198	0.11	1	1.88	0.03	0.27	0.1	0.03	5.7	0.2	0.03	6	0.25
KSR146916	46	1.03	139	0.1	1	1.44	0.04	0.25	0.1	0.02	4.2	0.2	0.03	5	0.25
KSR146917	54	1.01	153	0.11	1	1.62	0.04	0.25	0.05	0.02	4.3	0.2	0.03	5	0.25
KSR146918	47	1	144	0.11	2	1.51	0.04	0.28	0.2	0.03	4.6	0.2	0.03	4	0.25
KSR146919	40	0.83	98	0.1	1	1.3	0.03	0.19	0.05	0.02	4	0.1	0.03	4	0.25
KSR146919	40	0.8	95	0.1	1	1.24	0.03	0.19	0.05	0.02	4	0.1	0.03	4	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR146920	654317	6773941	UTM NAD 83	07V	1DX-15	0.7	42.6	4.4	68	0.1
KSR146921	654380	6773865	UTM NAD 83	07V	1DX-15	0.5	44.3	6.1	78	0.1
KSR146922	654252	6774017	UTM NAD 83	07V	1DX-15	0.5	35.4	5.1	70	0.05
KSR146923	654188	6774096	UTM NAD 83	07V	1DX-15	0.6	39.7	6.9	67	0.05
KSR146924	654128	6774175	UTM NAD 83	07V	1DX-15	0.7	45.6	5.9	66	0.1
KSR146925	654062	6774249	UTM NAD 83	07V	1DX-15	0.9	45.6	6.3	60	0.1
KSR146926	653998	6774328	UTM NAD 83	07V	1DX-15	0.6	49.8	5.4	73	0.1
KSR146928	653877	6774489	UTM NAD 83	07V	1DX-15	1.3	37.3	7.8	75	0.05
KSR146929	653925	6774579	UTM NAD 83	07V	1DX-15	0.7	34.7	5.1	83	0.05
KSR146930	653876	6774489	UTM NAD 83	07V	1DX-15	1.2	38.2	6.1	77	0.05
KSR146931	653970	6774670	UTM NAD 83	07V	1DX-15	0.9	45.3	7.4	63	0.1
KSR146932	653972	6774672	UTM NAD 83	07V	1DX-15	1	45.6	7.7	65	0.1
KSR146933	654008	6774762	UTM NAD 83	07V	1DX-15	0.6	32.1	4.3	54	0.05
KSR146934	654029	6774815	UTM NAD 83	07V	1DX-15	0.6	43.9	5.3	61	0.05
KSR146947	359970	6768313	UTM NAD 83	08V	1DX-15	1.1	93.4	4.6	103	0.05
KSR146950	360172	6768093	UTM NAD 83	08V	1DX-15	1.2	48.6	5.2	73	0.2
KSR146951	360248	6768013	UTM NAD 83	08V	1DX-15	0.9	53.9	5.3	80	0.1
KSR146952	360237	6767911	UTM NAD 83	08V	1DX-15	1.1	66.3	5.7	73	0.1
KSR146953	360226	6767809	UTM NAD 83	08V	1DX-15	1.2	85.6	7.4	74	0.1
KSR146957	360223	6767406	UTM NAD 83	08V	1DX-15	0.9	119	11.9	78	0.2
KSR146958	360213	6767304	UTM NAD 83	08V	1DX-15	1.3	81.4	6.5	71	0.2
KSR146962	360481	6766990	UTM NAD 83	08V	1DX-15	1.1	70.3	9.2	40	0.1
KSR146964	360580	6766813	UTM NAD 83	08V	1DX-15	1.2	58.7	6.7	57	0.1
KSR146965	360637	6766731	UTM NAD 83	08V	1DX-15	1.1	77.7	5.5	43	0.1
KSR146966	360673	6766634	UTM NAD 83	08V	1DX-15	1.5	41.8	7.8	47	0.1
KSR146967	360737	6766547	UTM NAD 83	08V	1DX-15	0.9	53.7	4.5	46	0.05
KSR146968	360760	6766469	UTM NAD 83	08V	1DX-15	1.7	46.3	7.6	63	0.05
KSR147242	633265	6804189	UTM NAD 83	07V	1DX-15	1.1	40.1	6.7	65	0.05
KSR147560	344053	6799819	UTM NAD 83	08V	1DX-15	1.8	26.2	9.4	90	0.05
KSR147560	344053	6799819	UTM NAD 83	08V	1DX-15	1.7	24.9	9.1	88	0.05
KSR147562	343910	6799679	UTM NAD 83	08V	1DX-15	0.5	21	5.3	69	0.05
KSR147564	343837	6799611	UTM NAD 83	08V	1DX-15	0.8	24.2	7.2	77	0.05
KSR147565	343757	6799551	UTM NAD 83	08V	1DX-15	1.4	34.8	9.5	93	0.2
KSR147567	343598	6799427	UTM NAD 83	08V	1DX-15	0.8	20.2	9	95	0.2
KSR147569	343520	6799364	UTM NAD 83	08V	1DX-15	0.5	19.6	4.8	95	0.05
KSR147572	343297	6799161	UTM NAD 83	08V	1DX-15	0.4	13.4	5.2	81	0.05
KSR147573	343228	6799088	UTM NAD 83	08V	1DX-15	0.3	17.2	5.7	73	0.05
KSR147574	343172	6799006	UTM NAD 83	08V	1DX-15	0.3	40.4	5.7	60	0.1
KSR147575	343121	6798921	UTM NAD 83	08V	1DX-15	0.8	35.1	13.2	86	0.1
KSR147576	343079	6798830	UTM NAD 83	08V	1DX-15	1.6	48.3	9.4	91	0.1
KSR147579	342980	6798548	UTM NAD 83	08V	1DX-15	0.9	43	7.6	83	0.05
KSR147580	342986	6798448	UTM NAD 83	08V	1DX-15	0.9	44.5	7.3	90	0.05
KSR147581	343004	6798350	UTM NAD 83	08V	1DX-15	0.8	46.6	19.3	103	0.05
KSR147582	342983	6798250	UTM NAD 83	08V	1DX-15	1	49.7	10.7	100	0.05
KSR147583	342970	6798151	UTM NAD 83	08V	1DX-15	0.9	61.6	6.6	112	0.1
KSR147584	342972	6798050	UTM NAD 83	08V	1DX-15	0.6	42.8	5.8	96	0.05
KSR147585	342965	6797951	UTM NAD 83	08V	1DX-15	0.9	43.8	5.6	89	0.1
KSR147586	342966	6797852	UTM NAD 83	08V	1DX-15	0.9	53.9	10.1	108	0.2
KSR147587	342971	6797752	UTM NAD 83	08V	1DX-15	0.7	56.5	11.9	113	0.2
KSR147588	342977	6797652	UTM NAD 83	08V	1DX-15	0.5	57.3	6.6	107	0.1
KSR147589	342966	6797554	UTM NAD 83	08V	1DX-15	0.9	60.8	7	108	0.2
KSR147590	342970	6797453	UTM NAD 83	08V	1DX-15	0.6	47.1	5.2	96	0.05
KSR147590	342970	6797453	UTM NAD 83	08V	1DX-15	0.7	46.7	5.7	97	0.05
KSR147591	342974	6797353	UTM NAD 83	08V	1DX-15	0.6	43.5	6.1	99	0.1
KSR147592	342975	6797254	UTM NAD 83	08V	1DX-15	0.7	40.1	5.4	90	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR146920	38	12.4	498	2.76	7	0.6	2.5	1.8	35	0.2	0.3	0.1	83	1	0.08	8
KSR146921	40.8	13.4	327	3.1	8	0.4	3.2	2.4	29	0.4	0.5	0.1	62	0.52	0.08	10
KSR146922	32.3	12.1	313	2.84	7.9	0.4	2.3	2.4	32	0.2	0.4	0.1	65	0.62	0.07	9
KSR146923	33.9	13.2	368	2.98	7.6	0.8	2.6	2.6	35	0.2	0.5	0.1	75	0.56	0.06	12
KSR146924	45.8	15.2	447	3.15	7	0.6	1.5	2.8	33	0.2	0.4	0.2	91	0.61	0.07	11
KSR146925	44.9	13.8	472	3.13	8	0.9	2.2	1.9	34	0.1	0.4	0.2	86	0.79	0.07	10
KSR146926	37	13.2	435	3.09	9	0.5	4.8	2.3	31	0.2	0.5	0.2	72	0.66	0.08	10
KSR146928	36.7	15	534	3.17	10.6	0.8	2.2	2	25	0.2	0.6	0.2	74	0.35	0.07	11
KSR146929	33.3	13	610	3.14	7.7	0.6	3.1	3.9	30	0.2	0.4	0.3	68	0.55	0.11	12
KSR146930	38.6	14.4	544	3.14	10.9	0.7	3	1.9	26	0.2	0.5	0.1	70	0.37	0.08	11
KSR146931	34.1	13.3	441	2.91	9.5	0.9	10.2	2.4	38	0.2	0.4	0.2	75	0.73	0.05	11
KSR146932	36.5	12.7	450	2.95	9.9	0.8	3.9	2.3	41	0.1	0.5	0.2	74	0.83	0.06	11
KSR146933	30.4	10.9	335	2.7	7.7	0.5	3.7	1.5	44	0.05	0.4	0.1	69	1.03	0.08	10
KSR146934	39	12.9	378	2.87	7.3	0.5	2.5	2.9	53	0.3	0.3	0.1	79	1.48	0.09	10
KSR146947	84.1	25.8	609	4.34	7.2	0.8	3	3.6	25	0.1	0.3	0.2	92	0.25	0.07	15
KSR146950	41.5	13.6	430	3.72	11.9	0.7	1.6	1.7	26	0.05	0.4	0.2	86	0.22	0.08	9
KSR146951	42	14.8	447	3.86	9.9	0.9	4.3	2.4	24	0.1	0.4	0.2	88	0.23	0.07	11
KSR146952	58.5	18.5	514	4.24	14	0.7	11.8	2.5	32	0.2	0.3	0.2	91	0.37	0.13	10
KSR146953	76.7	26.4	643	4.72	15.1	0.7	4.3	1.9	39	0.2	0.4	0.2	94	0.23	0.07	9
KSR146957	122	31.4	764	4.56	12.9	0.6	3.7	1.9	30	0.2	0.3	0.2	101	0.24	0.08	9
KSR146958	62.9	22	579	4.51	11.9	0.8	3.3	1.2	26	0.05	0.3	0.2	101	0.25	0.09	9
KSR146962	63.7	21.1	513	4.33	24.8	0.4	2.8	1	47	0.1	0.3	0.3	101	0.26	0.09	5
KSR146964	45.5	16.9	450	3.73	12.3	0.5	4.3	0.6	33	0.1	0.4	0.2	93	0.31	0.09	7
KSR146965	73.3	23.6	435	4.11	94.2	0.4	11.5	1.1	28	0.1	0.3	0.2	95	0.21	0.07	6
KSR146966	32.4	17.2	719	3.46	13.1	0.5	9.2	0.4	32	0.2	0.4	0.2	91	0.26	0.08	5
KSR146967	44.5	15.9	333	3.52	11.1	0.4	4.5	1	26	0.2	0.3	0.1	92	0.26	0.08	6
KSR146968	33.6	14.5	456	3.63	11.5	0.5	1.7	0.9	23	0.1	0.4	0.2	85	0.23	0.08	7
KSR147242	45.3	16.1	371	3.68	22.9	0.5	4.2	1.1	16	0.2	0.7	0.2	101	0.21	0.06	6
KSR147560	25.1	13	543	3.46	8.3	1.1	7	2.3	22	0.2	0.8	0.2	69	0.25	0.06	10
KSR147560	25.7	13.1	532	3.31	7.9	1	2.1	2.2	23	0.1	0.7	0.1	66	0.25	0.06	10
KSR147562	22.5	12.7	385	2.74	57.5	0.7	1.4	2.6	22	0.2	0.3	0.2	60	0.26	0.06	10
KSR147564	20.1	10.6	404	2.99	17.9	1.3	4.2	3.2	19	0.2	0.4	0.2	61	0.21	0.06	11
KSR147565	21.3	13.1	636	3.72	25.3	3.2	1.8	3.5	30	0.2	0.5	0.2	80	0.33	0.11	16
KSR147567	15.6	10.2	440	3.46	17.5	2.7	1.4	5.5	20	0.1	0.2	0.1	68	0.33	0.12	18
KSR147569	15.1	10.7	482	3.44	8.7	1.8	0.5	6.5	21	0.05	0.2	0.05	67	0.48	0.17	20
KSR147572	14.4	8.9	293	3.1	12.1	1	0.25	4.5	19	0.05	0.2	0.1	59	0.38	0.15	16
KSR147573	15.6	9.7	250	2.93	9.7	1.3	3.4	4.3	18	0.1	0.3	0.1	68	0.33	0.12	15
KSR147574	26.4	8.9	181	2.06	11.2	0.7	4.2	1.1	14	0.3	1.5	0.1	79	0.22	0.07	7
KSR147575	38.9	13.8	282	3.32	25.2	0.8	3.9	1.7	15	0.1	1.5	0.2	99	0.23	0.08	8
KSR147576	43.1	16.3	566	3.7	27.2	0.8	4.4	1.3	20	0.05	2	0.2	98	0.23	0.09	7
KSR147579	41.9	15.7	532	3.67	15	0.7	2.7	1.8	22	0.3	1	0.1	104	0.33	0.11	8
KSR147580	44.3	17.9	564	3.64	18	0.9	2.8	1.9	25	0.2	1.3	0.1	113	0.39	0.11	7
KSR147581	44.1	18.2	661	3.82	36.9	0.8	12.2	1.8	25	0.2	1.8	0.2	111	0.35	0.11	8
KSR147582	42.7	17.4	589	3.76	97.6	1.1	9.6	2.1	30	0.2	6.3	0.2	97	0.45	0.14	10
KSR147583	55	22.1	606	4.68	55.3	0.8	8.8	1.5	23	0.2	2.3	0.2	152	0.39	0.1	6
KSR147584	42.7	17.4	465	3.93	14.6	0.7	1.9	1.5	19	0.1	1.2	0.1	124	0.31	0.09	7
KSR147585	47.3	14.8	452	3.85	21.9	0.7	3.9	1.4	26	0.1	1.9	0.1	120	0.35	0.1	7
KSR147586	50	19.9	685	4.24	228	0.7	60.4	1.5	39	0.2	19.8	0.2	108	0.35	0.11	7
KSR147587	53.3	21	545	4.56	31	0.8	2	1.3	23	0.1	3.7	0.2	137	0.27	0.11	6
KSR147588	60.9	18.5	592	4.47	10.6	1	5.1	1.2	27	0.1	1.7	0.2	158	0.32	0.1	6
KSR147589	61.6	19.1	468	4.89	8.8	1	3.8	1.5	19	0.1	1.2	0.3	147	0.27	0.11	7
KSR147590	47.3	17.5	593	3.92	6.1	0.7	1.5	1.3	24	0.1	1.5	0.2	121	0.32	0.11	6
KSR147590	49.5	18.5	613	4.11	6.3	0.7	2.1	1.3	26	0.1	1.6	0.2	122	0.34	0.11	6
KSR147591	50.4	16.8	574	4.1	7.5	0.8	4.9	1.1	18	0.05	1.7	0.2	133	0.22	0.08	7
KSR147592	45.3	16.2	617	3.83	5.5	0.7	2.6	1.2	24	0.1	1.3	0.1	118	0.27	0.09	7

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR146920	61	1.07	246	0.1	1	1.79	0.02	0.38	0.1	0.03	5.2	0.2	0.06	6	0.6
KSR146921	48	0.88	120	0.08	2	1.55	0.02	0.19	0.05	0.03	4.7	0.2	0.03	5	0.25
KSR146922	51	0.92	111	0.09	1	1.6	0.03	0.15	0.2	0.02	4.5	0.2	0.03	5	0.25
KSR146923	57	0.96	134	0.11	1	1.79	0.03	0.09	0.05	0.03	5.2	0.1	0.03	5	0.25
KSR146924	76	1.12	219	0.15	1	1.98	0.02	0.4	0.2	0.03	6.6	0.2	0.03	6	0.25
KSR146925	67	1.03	253	0.12	1	1.98	0.02	0.35	0.2	0.03	6	0.2	0.03	6	0.6
KSR146926	57	0.99	175	0.11	2	1.69	0.03	0.29	0.2	0.02	5	0.2	0.03	6	0.6
KSR146928	52	0.88	92	0.1	1	1.83	0.02	0.1	0.05	0.02	4	0.1	0.03	5	0.25
KSR146929	49	1	153	0.18	0.5	1.82	0.03	0.42	0.2	0.03	5.8	0.4	0.03	6	0.25
KSR146930	51	0.9	107	0.1	0.5	1.89	0.02	0.12	0.05	0.02	4.1	0.1	0.03	5	0.25
KSR146931	53	0.93	133	0.13	1	1.62	0.03	0.24	0.05	0.04	4.8	0.2	0.03	5	0.25
KSR146932	52	0.94	139	0.12	2	1.65	0.03	0.23	0.05	0.04	4.8	0.2	0.03	5	0.25
KSR146933	51	0.87	168	0.11	1	1.58	0.03	0.2	0.05	0.03	4.1	0.2	0.03	5	0.25
KSR146934	60	1.12	161	0.14	1	1.76	0.03	0.38	0.1	0.02	5.5	0.2	0.03	5	0.25
KSR146947	61	1.04	91	0.12	1	2.19	0.01	0.3	0.05	0.02	4.7	0.3	0.03	7	0.25
KSR146950	61	1.04	101	0.09	0.5	2.2	0.01	0.34	0.05	0.02	4.4	0.2	0.03	7	0.25
KSR146951	61	1.06	114	0.11	0.5	2.43	0.01	0.3	0.05	0.03	4.7	0.3	0.03	6	0.25
KSR146952	57	1.06	98	0.11	0.5	2.38	0.01	0.3	0.05	0.01	4.6	0.3	0.03	7	0.25
KSR146953	61	1.01	102	0.11	0.5	2.32	0.01	0.3	0.05	0.03	4.6	0.3	0.03	8	0.5
KSR146957	68	1.2	142	0.13	0.5	2.6	0.02	0.39	0.1	0.02	6.1	0.4	0.03	7	0.25
KSR146958	66	1.15	117	0.11	1	2.62	0.01	0.3	0.05	0.03	4.9	0.3	0.05	8	0.7
KSR146962	67	1.16	171	0.1	0.5	2.78	0.01	0.48	0.05	0.02	5.6	0.3	0.03	8	0.6
KSR146964	58	1	142	0.09	0.5	2.25	0.01	0.22	0.05	0.02	4.1	0.2	0.05	7	0.25
KSR146965	61	1.07	150	0.13	0.5	2.36	0.01	0.38	0.05	0.01	5.3	0.3	0.03	7	0.25
KSR146966	45	0.7	135	0.08	0.5	1.67	0.01	0.17	0.05	0.03	3.1	0.2	0.03	7	0.6
KSR146967	56	0.95	125	0.12	0.5	2.04	0.01	0.33	0.05	0.01	4.7	0.2	0.03	6	0.25
KSR146968	53	0.86	111	0.08	0.5	2.09	0.01	0.18	0.05	0.02	3.3	0.2	0.03	7	0.6
KSR147242	58	0.86	239	0.14	2	2.14	0.01	0.56	0.1	0.02	5.9	0.2	0.03	7	0.7
KSR147560	36	0.7	155	0.15	1	1.73	0.01	0.13	0.05	0.02	2.8	0.2	0.03	8	0.25
KSR147560	35	0.69	154	0.15	0.5	1.7	0.01	0.13	0.05	0.02	2.7	0.2	0.05	8	0.25
KSR147562	42	0.83	134	0.2	0.5	1.98	0.02	0.23	0.1	0.02	2.5	0.2	0.03	7	0.25
KSR147564	32	0.72	147	0.16	0.5	1.66	0.01	0.21	0.05	0.02	2.4	0.2	0.03	7	0.25
KSR147565	34	0.7	200	0.16	0.5	1.84	0.02	0.23	0.05	0.03	3.1	0.3	0.07	8	0.5
KSR147567	31	0.83	195	0.24	1	2.01	0.01	0.5	0.1	0.03	2.9	0.4	0.03	9	0.25
KSR147569	31	0.86	269	0.29	0.5	1.76	0.01	0.62	0.1	0.01	2.6	0.5	0.03	8	0.25
KSR147572	27	0.8	265	0.23	0.5	1.7	0.01	0.5	0.05	0.02	2.6	0.4	0.03	7	0.25
KSR147573	36	0.89	223	0.25	0.5	2.08	0.01	0.45	0.05	0.01	3.3	0.3	0.03	7	0.25
KSR147574	55	0.63	147	0.13	0.5	1.94	0.01	0.15	0.1	0.03	5.8	0.1	0.03	5	0.25
KSR147575	73	0.89	170	0.19	0.5	2.52	0.01	0.35	0.1	0.01	6.9	0.2	0.03	7	0.25
KSR147576	67	0.88	162	0.16	0.5	2.52	0.02	0.28	0.1	0.03	6	0.2	0.03	7	0.25
KSR147579	66	0.91	188	0.2	1	2.55	0.02	0.4	0.1	0.02	6.9	0.2	0.03	7	0.25
KSR147580	75	0.9	198	0.23	0.5	2.4	0.02	0.54	0.1	0.01	8.4	0.2	0.03	8	0.25
KSR147581	74	0.94	195	0.21	0.5	2.4	0.02	0.45	0.1	0.01	8.1	0.2	0.03	7	0.25
KSR147582	64	0.87	166	0.17	0.5	2.24	0.02	0.33	0.3	0.01	6.9	0.1	0.03	7	0.25
KSR147583	100	1.29	312	0.32	0.5	2.99	0.02	0.95	0.2	0.01	11.3	0.3	0.03	10	0.25
KSR147584	86	1.02	254	0.24	0.5	2.59	0.02	0.56	0.2	0.01	8.9	0.2	0.03	8	0.25
KSR147585	86	0.98	276	0.25	0.5	2.72	0.02	0.62	0.1	0.01	8.9	0.2	0.03	8	0.25
KSR147586	75	0.99	249	0.17	0.5	2.55	0.02	0.51	0.2	0.02	8.5	0.2	0.03	8	0.9
KSR147587	101	1.1	351	0.25	0.5	3.23	0.02	0.73	0.1	0.03	10.3	0.3	0.03	10	0.6
KSR147588	123	1.22	455	0.34	0.5	3.97	0.02	1	0.05	0.03	12.4	0.4	0.03	11	0.25
KSR147589	113	1.23	408	0.3	0.5	3.99	0.02	0.96	0.2	0.03	11.8	0.4	0.03	12	0.5
KSR147590	82	0.96	261	0.25	0.5	2.72	0.02	0.71	0.2	0.01	9.5	0.3	0.03	9	0.6
KSR147590	84	0.97	270	0.26	0.5	2.84	0.02	0.75	0.2	0.01	9.7	0.3	0.03	9	0.25
KSR147591	94	1.01	320	0.28	0.5	3.23	0.02	0.69	0.1	0.02	10.2	0.2	0.03	9	0.25
KSR147592	82	0.9	270	0.25	0.5	2.75	0.02	0.55	0.1	0.02	8.2	0.2	0.03	8	0.6

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR147593	342977	6797153	UTM NAD 83	08V	1DX-15	0.8	49.3	5.7	102	0.05
KSR147594	342982	6797053	UTM NAD 83	08V	1DX-15	0.7	44.6	6.2	92	0.2
KSR147665	628675	6804993	UTM NAD 83	07V	1DX-15	1.9	56.9	8.1	113	0.05
KSR147791	347477	6802117	UTM NAD 83	08V	1DX-15	0.7	25.1	10.8	70	0.05
KSR147843	622781	6817884	UTM NAD 83	07V	1DX-15	1.7	36.2	9.4	99	0.05
KSR147844	622881	6817917	UTM NAD 83	07V	1DX-15	1.7	28	8.4	68	0.1
KSR147845	622981	6817937	UTM NAD 83	07V	1DX-15	3	30.2	12	85	0.05
KSR147846	623078	6817949	UTM NAD 83	07V	1DX-15	1.6	33.3	7.1	82	0.05
KSR148002	616514	6816329	UTM NAD 83	07V	1DX-15	0.9	37.4	6.3	95	0.1
KSR148024	616384	6816179	UTM NAD 83	07V	1DX-15	0.9	63.3	8.7	89	0.2
KSR148025	616319	6816104	UTM NAD 83	07V	1DX-15	1.1	36.3	6.3	87	0.05
KSR148026	616253	6816029	UTM NAD 83	07V	1DX-15	1.4	43.9	6.7	91	0.2
KSR148027	616187	6815952	UTM NAD 83	07V	1DX-15	1.4	28.8	8.3	75	0.05
KSR148028	616123	6815877	UTM NAD 83	07V	1DX-15	1.9	59.3	5	63	0.2
KSR148029	616056	6815800	UTM NAD 83	07V	1DX-15	0.7	30	5.7	83	0.1
KSR148030	615989	6815723	UTM NAD 83	07V	1DX-15	0.8	42.4	6.8	92	0.2
KSR148031	615923	6815648	UTM NAD 83	07V	1DX-15	1.8	30.8	8.6	73	0.05
KSR148032	615859	6815575	UTM NAD 83	07V	1DX-15	0.8	42.1	6.4	74	0.1
KSR148033	615794	6815495	UTM NAD 83	07V	1DX-15	1	44.4	6.4	72	0.2
KSR148033	615794	6815495	UTM NAD 83	07V	1DX-15	1	43.2	6.5	71	0.2
KSR148034	615723	6815468	UTM NAD 83	07V	1DX-15	1	30.7	6.1	69	0.05
KSR148035	615624	6815455	UTM NAD 83	07V	1DX-15	0.6	43.2	6.1	69	0.05
KSR148036	615526	6815443	UTM NAD 83	07V	1DX-15	2.4	26.3	10.5	79	0.1
KSR148037	615429	6815434	UTM NAD 83	07V	1DX-15	0.9	50.1	6.9	101	0.1
KSR148038	615328	6815418	UTM NAD 83	07V	1DX-15	0.9	19.6	8.1	101	0.05
KSR148039	615328	6815418	UTM NAD 83	07V	1DX-15	0.9	23	9.8	107	0.1
KSR148040	615230	6815408	UTM NAD 83	07V	1DX-15	0.6	25.2	7.3	87	0.1
KSR148041	615230	6815408	UTM NAD 83	07V	1DX-15	0.9	25.2	6.9	87	0.1
KSR148042	615127	6815393	UTM NAD 83	07V	1DX-15	0.6	31.1	6.8	96	0.1
KSR148043	615127	6815393	UTM NAD 83	07V	1DX-15	0.6	36.5	7.6	91	0.1
KSR148044	615031	6815383	UTM NAD 83	07V	1DX-15	0.8	40.3	8.2	78	0.05
KSR148089	640196	6799262	UTM NAD 83	08V	1DX-15	1.7	69.2	9.6	94	0.2
KSR148091	640088	6799453	UTM NAD 83	08V	1DX-15	1.1	42.6	5.1	64	0.05
KSR148093	639983	6799626	UTM NAD 83	08V	1DX-15	1.4	60	8	94	0.1
KSR148093	639983	6799626	UTM NAD 83	08V	1DX-15	1.3	63	8.4	92	0.1
KSR148094	639914	6799699	UTM NAD 83	08V	1DX-15	1.4	60.4	9.4	90	0.05
KSR148095	639835	6799788	UTM NAD 83	08V	1DX-15	1	49	9.3	96	0.05
KSR148095	639835	6799788	UTM NAD 83	08V	1DX-15	1	51.1	9.5	101	0.05
KSR148096	639776	6799870	UTM NAD 83	08V	1DX-15	1.2	52.3	8	97	0.05
KSR148097	639707	6799943	UTM NAD 83	08V	1DX-15	1.3	62.7	8.2	86	0.05
KSR148098	639658	6799964	UTM NAD 83	08V	1DX-15	0.9	55.6	11.9	124	0.05
KSR148099	639590	6800038	UTM NAD 83	08V	1DX-15	1.8	49.4	10.2	85	0.05
KSR148100	639528	6800118	UTM NAD 83	08V	1DX-15	0.9	59.6	7.8	83	0.05
KSR148101	639467	6800198	UTM NAD 83	08V	1DX-15	1.4	67.1	7.7	102	0.2
KSR148102	639428	6800292	UTM NAD 83	08V	1DX-15	2.2	49.7	11.1	91	0.05
KSR148103	639373	6800376	UTM NAD 83	08V	1DX-15	1.1	50.4	7.5	80	0.1
KSR148104	639323	6800463	UTM NAD 83	08V	1DX-15	1	71.7	6.9	99	0.05
KSR148121	638448	6801835	UTM NAD 83	07V	1DX-15	1.1	48.7	8.8	87	0.05
KSR148125	639331	6796407	UTM NAD 83	07V	1DX-15	1.3	79.9	7.4	105	0.1
KSR148126	639426	6796443	UTM NAD 83	07V	1DX-15	1.5	90.3	7.4	100	0.1
KSR148127	639517	6796485	UTM NAD 83	07V	1DX-15	1.7	87.2	9.3	105	0.2
KSR148128	639610	6796523	UTM NAD 83	07V	1DX-15	1.5	88.5	7.4	91	0.1
KSR148129	639703	6796564	UTM NAD 83	07V	1DX-15	1.6	117	7.5	80	0.1
KSR148130	639790	6796618	UTM NAD 83	07V	1DX-15	0.9	65.6	10.1	96	0.05
KSR148131	639874	6796673	UTM NAD 83	07V	1DX-15	1.5	79.9	6.6	67	0.2

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR147593	49.8	16.7	507	4.1	5.9	0.9	2.8	1.8	31	0.1	0.6	0.2	121	0.38	0.11	8
KSR147594	45.9	14.8	465	3.85	8	0.8	4.2	1.3	25	0.05	1.4	0.2	111	0.26	0.1	7
KSR147665	53.1	18	355	4.53	8.5	0.7	2.6	0.8	22	0.1	0.5	0.2	142	0.27	0.06	6
KSR147791	15.9	7	379	2.31	20.1	1.4	10.3	6.8	21	0.3	0.4	1.4	42	0.32	0.07	18
KSR147843	30.1	14.4	486	3.75	8.8	0.8	11.4	2.1	30	0.2	0.6	1.2	79	0.3	0.05	9
KSR147844	18.8	10.8	482	3.34	6.5	1.2	1.9	1.3	26	0.05	0.5	0.2	72	0.31	0.07	9
KSR147845	28.6	11.5	427	3.51	12.3	0.8	2	1.1	24	0.2	1	0.2	90	0.24	0.04	9
KSR147846	36.6	15.3	478	3.48	6	1.5	1.6	3.2	27	0.2	0.4	0.1	73	0.3	0.07	10
KSR148002	39.8	15.5	565	3.94	6.6	1.1	3.1	5.9	42	0.2	0.3	0.1	90	0.65	0.1	19
KSR148024	52.9	14.2	457	3.8	9.5	1.2	3.8	3.9	42	0.2	0.4	0.1	72	0.68	0.07	20
KSR148025	42.5	13.8	420	3.28	7.4	0.5	1.7	2.4	31	0.05	0.4	0.1	68	0.57	0.09	9
KSR148026	46.3	16.1	547	3.77	7	1.6	2.2	4.2	45	0.1	0.4	0.1	76	0.92	0.1	17
KSR148027	37	16	545	3.3	10.7	0.8	1.8	2.1	34	0.1	0.5	0.1	73	0.49	0.06	10
KSR148028	45.6	12.1	837	2.43	7.8	2.1	2.5	0.8	47	0.3	0.6	0.05	54	1.36	0.1	10
KSR148029	37	13.4	562	2.91	9.1	0.7	4	3.6	45	0.1	0.3	0.05	56	0.79	0.1	12
KSR148030	44.9	14.7	343	3.64	9.1	1.3	4.2	3.4	35	0.05	0.4	0.1	70	0.71	0.09	14
KSR148031	42.5	15.2	388	3.74	13.7	0.5	2.2	2.6	20	0.2	0.7	0.2	71	0.26	0.03	8
KSR148032	51.1	13.5	418	3.35	8.6	1	2.9	3.7	29	0.05	0.3	0.1	62	0.5	0.06	14
KSR148033	36.3	12.9	387	2.98	8.1	1.6	3.2	2.4	28	0.05	0.4	0.1	59	0.69	0.08	14
KSR148033	36.4	12.4	377	2.95	8	1.6	2.8	2.6	28	0.05	0.4	0.1	59	0.67	0.08	14
KSR148034	43.9	15.6	446	3.12	9.3	0.7	2.9	2.2	22	0.05	0.4	0.1	63	0.35	0.06	9
KSR148035	47.6	13.6	429	3.06	9.1	0.7	4.1	4	46	0.1	0.4	0.1	65	1.34	0.06	12
KSR148036	31.7	12.7	342	3.63	14.5	0.7	3.2	2.6	30	0.2	0.8	0.2	74	0.35	0.04	9
KSR148037	136	18.1	505	3.43	7.1	2.1	3.9	5.5	45	0.2	0.3	0.1	78	0.73	0.11	18
KSR148038	19.3	10.1	388	3.21	5.5	1.2	3.1	7	39	0.05	0.4	0.2	49	0.63	0.09	17
KSR148039	20.9	10.8	388	3.32	5.7	1.5	3.6	8.1	43	0.1	0.4	0.3	53	0.68	0.09	17
KSR148040	37.5	12.9	391	3.43	6.8	0.8	3.1	2.9	40	0.05	0.4	0.1	73	0.59	0.11	10
KSR148041	38.2	14.5	479	3.66	6.7	0.9	1.4	3.1	44	0.05	0.3	0.1	82	0.66	0.11	11
KSR148042	29.1	13.3	413	3.21	7.2	1.1	4.6	2.7	55	0.1	0.5	0.1	69	0.87	0.12	12
KSR148043	34.3	13.2	357	3.34	8	1.1	3.4	2.8	49	0.2	0.5	0.1	74	0.79	0.12	13
KSR148044	42.9	16	497	3.23	8.3	0.6	1.8	2.9	42	0.1	0.4	0.1	75	0.67	0.09	12
KSR148089	57	19.4	715	4.66	68	0.6	14.2	1.3	17	0.1	0.6	0.3	130	0.19	0.08	5
KSR148091	30.9	10.4	303	2.58	7.4	0.5	3.5	1.1	15	0.1	0.4	0.1	70	0.2	0.08	6
KSR148093	55.1	18.9	710	4.12	35	0.9	7.7	2.2	25	0.2	0.9	0.2	112	0.28	0.1	9
KSR148093	57.5	19.4	666	4.18	35.3	0.9	5.7	2	25	0.2	0.9	0.2	105	0.27	0.09	9
KSR148094	59.5	19.5	700	4.41	21.1	0.7	4.5	1.8	20	0.1	0.7	0.2	120	0.22	0.07	7
KSR148095	58.1	18.6	609	4.22	44.9	0.6	5.8	1.8	16	0.2	0.6	0.1	96	0.22	0.06	7
KSR148095	60	18.8	601	4.24	47.1	0.6	11.7	1.9	17	0.2	0.7	0.1	99	0.22	0.07	7
KSR148096	61	19.8	747	4.29	96.3	0.5	8.5	1.5	19	0.1	0.8	0.1	115	0.23	0.04	6
KSR148097	56.4	19.5	637	3.86	20.5	0.8	7.1	2	24	0.1	0.7	0.2	108	0.27	0.08	8
KSR148098	80.6	24.8	750	6.23	137	0.5	2.4	1.1	15	0.1	0.6	0.05	194	0.22	0.05	5
KSR148099	53.2	20.6	693	4.05	34.6	0.8	5.2	1.5	24	0.05	0.8	0.2	106	0.24	0.04	9
KSR148100	70.8	23.4	668	4.25	127	0.7	8.8	1.8	21	0.2	0.5	0.2	122	0.25	0.04	7
KSR148101	63	20.3	687	3.66	30.3	1	7	1.7	43	0.4	0.7	0.2	101	0.49	0.1	8
KSR148102	48.3	16	550	4.02	52.2	0.9	4	1	19	0.1	1	0.2	97	0.16	0.05	8
KSR148103	56.5	16.9	529	3.7	91.5	0.6	12.7	2	23	0.2	1.1	0.2	97	0.27	0.06	8
KSR148104	73.7	19.3	570	4.42	70.8	0.6	7.8	1.1	24	0.05	4.6	0.1	112	0.29	0.06	5
KSR148121	66.6	18.7	420	4.57	135	0.6	7.4	2	18	0.05	3.7	0.2	108	0.24	0.03	8
KSR148125	80.8	27.7	774	4.07	14.5	0.7	5.9	2.1	25	0.2	0.6	0.2	71	0.25	0.09	8
KSR148126	86.8	28.2	863	4.71	19.9	0.8	6.3	2.1	24	0.2	0.5	0.2	74	0.28	0.1	8
KSR148127	82.8	27.4	809	4.97	22.4	0.8	7	1.8	24	0.2	0.5	0.2	83	0.26	0.09	8
KSR148128	90.4	26.9	726	4.5	20.7	0.8	3.3	2.1	23	0.2	0.6	0.2	91	0.3	0.11	8
KSR148129	108	34.3	1069	6.09	35.5	0.6	6.7	1.4	25	0.2	0.4	0.2	145	0.39	0.12	5
KSR148130	83.3	23	1023	5.13	8.8	0.7	4	2.5	27	0.2	0.4	0.2	112	0.37	0.12	8
KSR148131	79.9	29	934	4.29	15.4	0.6	8.7	1.9	25	0.2	0.4	0.2	103	0.27	0.08	7

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR147593	85	0.98	268	0.26	0.5	2.92	0.02	0.64	0.2	0.02	9.3	0.2	0.03	10	0.25
KSR147594	78	0.95	211	0.21	0.5	2.89	0.02	0.52	0.2	0.01	7.9	0.2	0.03	9	0.25
KSR147665	91	1.25	148	0.17	0.5	2.76	0.02	0.31	0.05	0.02	5.9	0.2	0.03	11	0.5
KSR147791	26	0.5	89	0.08	1	1.34	0.01	0.16	1.1	0.02	2.5	0.2	0.03	5	0.25
KSR147843	46	0.86	213	0.2	2	2.19	0.02	0.17	2.6	0.02	3.5	0.2	0.03	8	0.25
KSR147844	32	0.64	177	0.18	1	1.52	0.02	0.27	0.05	0.04	2.8	0.2	0.06	6	0.25
KSR147845	44	0.71	121	0.1	1	1.68	0.01	0.07	0.1	0.02	2.8	0.05	0.03	8	0.25
KSR147846	49	0.78	142	0.2	1	1.98	0.02	0.34	0.4	0.03	4.2	0.2	0.06	7	0.25
KSR148002	66	1.2	402	0.3	0.5	2.17	0.02	0.48	0.2	0.03	4.6	0.4	0.03	9	0.6
KSR148024	59	1.06	346	0.2	0.5	2.06	0.02	0.22	0.1	0.05	5.2	0.3	0.03	7	0.25
KSR148025	63	1.12	176	0.13	1	1.76	0.01	0.2	0.05	0.02	3.5	0.2	0.03	6	0.25
KSR148026	67	1.18	342	0.25	1	1.99	0.02	0.42	0.05	0.03	4.5	0.3	0.03	7	0.25
KSR148027	55	0.93	158	0.12	1	1.73	0.02	0.13	0.1	0.02	3.1	0.1	0.03	6	0.25
KSR148028	41	0.64	328	0.1	2	1.31	0.02	0.27	0.05	0.05	2.8	0.2	0.13	5	0.9
KSR148029	51	0.89	272	0.17	0.5	1.53	0.03	0.26	0.1	0.03	3.1	0.2	0.03	6	0.25
KSR148030	61	1.16	276	0.18	1	1.91	0.02	0.24	0.1	0.03	4.4	0.3	0.03	7	0.6
KSR148031	53	0.92	96	0.11	1	2.06	0.01	0.09	0.1	0.01	2.8	0.1	0.03	6	0.25
KSR148032	57	1.05	264	0.15	0.5	1.92	0.01	0.23	0.1	0.03	4.6	0.2	0.03	6	0.25
KSR148033	49	0.86	230	0.12	0.5	1.59	0.01	0.19	0.05	0.04	3.8	0.2	0.03	6	0.25
KSR148033	48	0.85	223	0.11	1	1.55	0.01	0.18	0.05	0.03	3.8	0.2	0.03	6	0.25
KSR148034	59	0.98	145	0.13	2	1.82	0.01	0.15	0.05	0.01	2.8	0.2	0.03	6	0.25
KSR148035	55	1.02	207	0.15	2	1.79	0.02	0.15	0.05	0.03	4.6	0.2	0.03	6	0.25
KSR148036	46	0.7	135	0.1	0.5	1.78	0.01	0.07	0.05	0.02	2.7	0.1	0.03	7	0.25
KSR148037	95	1.61	239	0.18	2	1.96	0.02	0.27	0.2	0.03	4.5	0.3	0.03	7	0.25
KSR148038	34	0.76	242	0.2	2	1.72	0.01	0.39	0.05	0.03	3.1	0.4	0.03	8	0.25
KSR148039	38	0.83	262	0.21	1	1.89	0.02	0.41	0.05	0.04	3.5	0.3	0.03	10	0.5
KSR148040	58	1.13	302	0.22	2	2.02	0.02	0.34	0.05	0.03	3.7	0.2	0.03	7	0.25
KSR148041	58	1.2	321	0.24	1	2.12	0.03	0.38	0.1	0.03	4	0.2	0.03	7	0.25
KSR148042	49	1.01	266	0.2	0.5	1.9	0.02	0.3	0.05	0.03	4	0.2	0.03	7	0.25
KSR148043	53	1.07	281	0.19	2	1.94	0.02	0.3	0.05	0.04	4.1	0.2	0.03	6	0.25
KSR148044	64	1.12	159	0.15	2	1.91	0.02	0.18	0.05	0.03	4.5	0.2	0.03	5	0.25
KSR148089	87	1.02	281	0.2	1	3	0.01	0.72	0.05	0.03	8.8	0.3	0.03	10	0.25
KSR148091	36	0.52	92	0.11	0.5	1.32	0.01	0.18	0.1	0.01	3.2	0.1	0.03	5	0.25
KSR148093	74	0.92	192	0.2	1	2.58	0.01	0.43	0.4	0.04	7.1	0.2	0.03	8	0.5
KSR148093	73	0.93	195	0.19	1	2.6	0.01	0.45	0.5	0.03	6.8	0.2	0.03	8	0.25
KSR148094	82	0.91	229	0.21	0.5	2.88	0.01	0.56	0.2	0.03	8	0.3	0.03	8	0.6
KSR148095	66	0.74	177	0.14	2	2.33	0.01	0.41	0.1	0.03	7.4	0.2	0.03	6	0.25
KSR148095	67	0.74	188	0.14	1	2.38	0.01	0.42	0.05	0.02	7.6	0.2	0.03	7	0.25
KSR148096	79	0.99	164	0.19	2	2.51	0.01	0.43	0.1	0.02	6.9	0.2	0.03	8	0.25
KSR148097	70	0.87	166	0.18	0.5	2.59	0.01	0.33	0.1	0.02	6.5	0.2	0.03	7	0.7
KSR148098	139	1.32	278	0.27	2	4.4	0.02	0.67	0.05	0.01	12.2	0.3	0.03	13	0.25
KSR148099	69	0.91	153	0.14	2	2.35	0.01	0.3	0.05	0.03	5.4	0.2	0.03	7	0.25
KSR148100	82	0.94	188	0.2	1	3.07	0.01	0.34	1.2	0.03	7.4	0.2	0.03	8	0.25
KSR148101	71	0.86	166	0.17	1	2.17	0.02	0.35	0.1	0.03	5.6	0.2	0.03	7	0.7
KSR148102	64	0.8	125	0.11	0.5	2.16	0.01	0.21	0.05	0.04	4.4	0.1	0.03	7	0.25
KSR148103	74	0.89	152	0.16	2	2.36	0.01	0.21	0.1	0.02	5.6	0.2	0.03	7	0.25
KSR148104	90	1.02	285	0.19	2	2.07	0.02	0.58	0.4	0.02	8.4	0.2	0.03	7	0.25
KSR148121	81	1.05	168	0.16	0.5	2.86	0.01	0.27	0.1	0.01	6.5	0.1	0.03	8	0.25
KSR148125	50	1.03	85	0.07	0.5	2.3	0.01	0.18	0.05	0.01	4.3	0.2	0.03	6	0.25
KSR148126	53	1.02	96	0.07	0.5	2.33	0.01	0.23	0.05	0.02	4.8	0.2	0.03	6	0.5
KSR148127	57	0.94	112	0.07	0.5	2.2	0.01	0.26	0.05	0.02	5.2	0.2	0.03	7	0.25
KSR148128	64	1.13	142	0.11	0.5	2.49	0.01	0.33	0.1	0.02	6	0.3	0.03	8	0.7
KSR148129	90	1.51	290	0.18	0.5	3.4	0.01	0.88	0.2	0.02	10.9	0.4	0.03	10	0.6
KSR148130	85	1.31	207	0.11	0.5	2.82	0.01	0.6	0.05	0.01	8.4	0.3	0.03	9	0.25
KSR148131	64	1.13	227	0.14	0.5	2.45	0.02	0.59	0.05	0.02	7.3	0.3	0.03	8	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR148132	639950	6796738	UTM NAD 83	07V	1DX-15	1.3	68.2	6.5	52	0.05
KSR148132	639950	6796738	UTM NAD 83	07V	1DX-15	1.3	68.2	5.9	52	0.05
KSR148133	640033	6796799	UTM NAD 83	07V	1DX-15	1.2	74.4	6.4	58	0.05
KSR148134	640088	6796885	UTM NAD 83	07V	1DX-15	1.8	48.5	7.8	52	0.1
KSR148135	640154	6796961	UTM NAD 83	07V	1DX-15	1.3	82.9	6.8	54	0.05
KSR148248	616448	6816252	UTM NAD 83	07V	1DX-15	1.4	38.7	7.3	83	0.05
KSR148254	352525	6798863	UTM NAD 83	07V	1DX-15	1	21.8	8.3	78	0.05
KSR148263	351996	6799440	UTM NAD 83	07V	1DX-15	2.2	30.9	11.2	80	0.05
KSR148265	352066	6799630	UTM NAD 83	07V	1DX-15	0.8	18	9.1	62	0.05
KSR148273	351769	6800307	UTM NAD 83	07V	1DX-15	0.7	24.9	8.7	98	0.05
KSR148274	351705	6800384	UTM NAD 83	07V	1DX-15	0.9	16.7	7.7	82	0.05
KSR148277	351461	6800536	UTM NAD 83	07V	1DX-15	1	13	14.9	85	0.05
KSR148278	351366	6800568	UTM NAD 83	07V	1DX-15	1.2	19.4	15.3	93	0.1
KSR148279	351273	6800599	UTM NAD 83	07V	1DX-15	0.8	12.3	9.2	95	0.1
KSR148280	351172	6800574	UTM NAD 83	07V	1DX-15	0.5	11	7	88	0.05
KSR148280	351172	6800574	UTM NAD 83	07V	1DX-15	0.5	10.9	7	87	0.05
KSR148281	351043	6800562	UTM NAD 83	07V	1DX-15	1.3	23.8	9.8	85	0.1
KSR148283	622215	6816106	UTM NAD 83	07V	1DX-15	1.2	29.9	5.6	65	0.05
KSR148320	347102	6801890	UTM NAD 83	08V	1DX-15	1.3	22.4	9.2	68	0.05
KSR148322	347312	6802008	UTM NAD 83	08V	1DX-15	1.2	26.4	10.4	72	0.05
KSR148324	347480	6802118	UTM NAD 83	08V	1DX-15	0.6	22.1	9	62	0.05
KSR148428	617786	6814694	UTM NAD 83	07V	1DX-15	0.6	9.7	7.3	75	0.1
KSR148430	617664	6814527	UTM NAD 83	07V	1DX-15	1.9	31.5	7.9	52	0.1
KSR148431	617636	6814425	UTM NAD 83	07V	1DX-15	3.3	34.9	12.6	72	0.2
KSR148432	617608	6814324	UTM NAD 83	07V	1DX-15	1.1	31.8	5.9	79	0.05
KSR148434	617606	6814112	UTM NAD 83	07V	1DX-15	4.4	32.8	9.6	75	0.1
KSR148436	617634	6813904	UTM NAD 83	07V	1DX-15	2.2	43.7	6	110	0.1
KSR148438	617638	6813691	UTM NAD 83	07V	1DX-15	1.1	63.1	5.7	50	0.2
KSR148439	617636	6813584	UTM NAD 83	07V	1DX-15	1	40.6	6.2	65	0.1
KSR148441	617672	6813375	UTM NAD 83	07V	1DX-15	1.1	50.7	7.3	63	0.05
KSR148447	623177	6817971	UTM NAD 83	07V	1DX-15	1.6	34.4	7.9	66	0.1
KSR148448	623221	6817961	UTM NAD 83	07V	1DX-15	1.1	28.3	5.4	49	0.1
KSR148449	623322	6817972	UTM NAD 83	07V	1DX-15	0.9	17.8	3.7	33	0.05
KSR148451	623519	6817978	UTM NAD 83	07V	1DX-15	2.5	36.3	7	78	0.2
KSR148452	623621	6817968	UTM NAD 83	07V	1DX-15	1.2	26.1	5.3	84	0.05
KSR148453	623721	6817973	UTM NAD 83	07V	1DX-15	1.3	27.3	6.8	57	0.2
KSR148454	623787	6817942	UTM NAD 83	07V	1DX-15	1.3	34	7.7	74	0.1
KSR148455	623879	6817911	UTM NAD 83	07V	1DX-15	1.1	29.5	7.7	73	0.05
KSR148456	623982	6817891	UTM NAD 83	07V	1DX-15	3.1	32.3	12.5	70	0.05
KSR148457	624056	6817835	UTM NAD 83	07V	1DX-15	1.1	29.4	6.4	70	0.05
KSR148469	622202	6816722	UTM NAD 83	07V	1DX-15	1.1	25.9	5.1	68	0.05
KSR148470	622207	6816620	UTM NAD 83	07V	1DX-15	2.5	39.1	9.7	87	0.05
KSR148473	622213	6816312	UTM NAD 83	07V	1DX-15	0.9	23.3	4.7	65	0.05
KSR148475	622223	6816007	UTM NAD 83	07V	1DX-15	1	27.9	7.3	64	0.1
KSR148479	622226	6815598	UTM NAD 83	07V	1DX-15	0.6	39.6	5.7	69	0.1
KSR148480	622230	6815496	UTM NAD 83	07V	1DX-15	0.8	27.2	4.7	68	0.2
KSR148482	622238	6815293	UTM NAD 83	07V	1DX-15	1.6	33.2	6.3	74	0.1
KSR148483	622244	6815190	UTM NAD 83	07V	1DX-15	0.9	44.7	5.8	68	0.1
KSR148484	622249	6815089	UTM NAD 83	07V	1DX-15	0.8	45.1	6.8	73	0.1
KSR148485	622253	6814987	UTM NAD 83	07V	1DX-15	0.8	26.9	4.5	73	0.1
KSR148487	622263	6814784	UTM NAD 83	07V	1DX-15	1.9	32.1	8.1	70	0.2
KSR148492	622275	6814275	UTM NAD 83	07V	1DX-15	0.9	27	6	63	0.05
KSR148495	622204	6813979	UTM NAD 83	07V	1DX-15	0.9	42.6	5.8	106	0.2
KSR148498	622109	6813676	UTM NAD 83	07V	1DX-15	0.9	44.1	6	62	0.1
KSR148499	622087	6813577	UTM NAD 83	07V	1DX-15	0.7	41.8	4.9	65	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR148132	62.8	23.4	590	4.34	15.5	0.5	5.3	1	19	0.1	0.4	0.2	118	0.25	0.09	5
KSR148132	64.6	23.8	575	4.31	14.6	0.5	4	1.1	19	0.1	0.3	0.2	110	0.22	0.08	5
KSR148133	80.3	25.3	633	4.19	33.6	0.6	7.2	1.5	20	0.1	1.2	0.2	91	0.23	0.07	6
KSR148134	46	15.7	410	3.76	10.1	0.6	1.5	0.7	21	0.05	0.7	0.2	96	0.27	0.08	6
KSR148135	62.9	21.4	455	4.31	8.6	0.5	2.6	1.4	20	0.1	0.4	0.2	114	0.25	0.07	6
KSR148248	45.9	17.3	555	3.71	8.2	0.7	2.1	3.2	31	0.2	0.4	0.2	78	0.63	0.08	11
KSR148254	16.5	8.4	408	2.86	6.5	1.5	8.7	11.1	11	0.3	0.4	0.4	50	0.15	0.04	16
KSR148263	22.3	10.4	610	3.11	8.5	1.3	6.3	2.6	19	0.2	0.8	2.5	58	0.15	0.06	10
KSR148265	9.8	6.1	501	2.37	7.4	5.5	16.2	21.4	11	0.1	0.2	1.9	29	0.11	0.04	22
KSR148273	6.6	4.6	490	2.34	7.3	3.3	1.8	11.8	12	0.4	0.2	0.6	19	0.15	0.03	14
KSR148274	10.9	5.8	390	2.27	8.7	1.7	2.1	5.1	10	0.4	0.3	0.5	29	0.12	0.04	11
KSR148277	8.7	4.4	286	1.81	40	2.4	7.6	7.5	14	0.6	0.5	1.4	27	0.25	0.06	15
KSR148278	17.1	9.1	561	2.88	11.3	1.8	1.8	3.9	21	0.4	0.5	1.1	47	0.26	0.06	12
KSR148279	11.9	6.5	466	2.52	12.5	2.2	2	6.6	15	0.2	0.4	0.7	32	0.19	0.05	12
KSR148280	11.5	6.2	479	2.57	13.5	1.9	1.8	10.5	16	0.2	0.3	0.6	31	0.23	0.06	13
KSR148280	10.7	6.2	479	2.52	13.8	1.8	4.9	10.5	17	0.2	0.3	0.6	32	0.24	0.06	14
KSR148281	22.8	10.9	561	3.23	13.6	1.8	1.7	4	23	0.2	0.6	1.1	62	0.27	0.05	12
KSR148283	25.3	13.1	488	2.95	5.8	0.8	1.5	1.1	34	0.2	0.4	0.1	65	0.4	0.09	10
KSR148320	21.3	8.4	332	2.85	8.5	0.7	4.4	2	21	0.2	0.6	0.3	60	0.22	0.04	9
KSR148322	22.2	8.8	378	2.84	8.8	0.8	4.5	2.3	21	0.3	0.6	0.9	55	0.21	0.05	10
KSR148324	13.8	6.6	325	2.02	16.1	1.2	15.9	6.6	20	0.3	0.4	1.2	40	0.33	0.07	19
KSR148428	12.9	6.7	302	3.15	4.5	1	3.4	7.2	42	0.05	0.3	0.2	49	0.45	0.07	21
KSR148430	20	10.2	394	2.54	7.9	0.5	3.2	0.3	22	0.1	0.6	0.1	57	0.27	0.08	6
KSR148431	26.8	11.7	573	3.39	14.7	1	2.9	0.2	21	0.05	1.2	0.2	66	0.19	0.08	8
KSR148432	30.6	15.9	457	3.65	6.9	0.7	3.6	1.8	22	0.1	0.4	0.05	85	0.28	0.05	7
KSR148434	33.7	11.6	335	3.44	10	1.2	2.9	2	25	0.2	0.6	0.2	92	0.27	0.05	8
KSR148436	49	16.7	530	3.91	8.4	1.5	4.6	2.9	32	0.2	0.3	0.1	116	0.49	0.11	13
KSR148438	27.7	9.1	345	2.22	5	1.1	2.8	1	39	0.4	0.4	0.05	54	0.66	0.1	13
KSR148439	37.4	15.9	1177	3.27	6.6	0.9	4.1	4.4	57	0.3	0.5	0.05	79	0.74	0.08	15
KSR148441	46.8	13.9	459	3.07	10.6	0.7	2.8	1.5	27	0.05	0.5	0.1	70	0.39	0.05	10
KSR148447	29.1	14.5	506	3.03	7.2	1.7	2.7	1.8	32	0.05	0.4	0.2	68	0.3	0.07	10
KSR148448	17.4	10.6	506	2.5	4.6	1.8	3	1.5	28	0.05	0.3	0.2	58	0.33	0.07	10
KSR148449	9	7.6	418	1.89	2.7	1.4	1.4	0.9	20	0.1	0.2	0.05	56	0.24	0.07	9
KSR148451	22.5	12.4	420	3.55	6.1	4.5	1.3	4	34	0.1	0.4	0.2	86	0.4	0.07	16
KSR148452	23.1	12.4	411	3.39	3.9	2.2	1.7	3.7	26	0.1	0.2	0.1	69	0.37	0.08	11
KSR148453	20.5	14.6	576	2.55	3.7	3.4	3.6	1.7	32	0.05	0.3	0.1	58	0.33	0.06	9
KSR148454	32.1	14.4	490	3.43	5.6	1.6	14.1	2.7	34	0.1	0.3	0.1	71	0.3	0.03	10
KSR148455	30.1	14.1	459	3.09	6.6	0.9	0.8	1.9	26	0.2	0.4	0.2	69	0.26	0.05	9
KSR148456	28.1	12.2	548	3.2	10.5	0.9	3.5	0.8	25	0.2	1	0.2	70	0.24	0.04	9
KSR148457	26.3	14.6	428	3.09	6.4	1.1	3.9	2.3	44	0.3	0.4	0.3	69	0.51	0.13	12
KSR148469	22.4	11.3	429	3	5.5	0.6	4.4	1.7	23	0.1	0.4	0.1	61	0.35	0.1	9
KSR148470	32.3	15.7	582	3.78	10.5	0.9	2.9	1	26	0.1	0.9	0.2	77	0.27	0.07	10
KSR148473	24.2	12.5	447	2.75	6.3	0.7	8.5	2.1	26	0.1	0.3	0.1	56	0.37	0.1	10
KSR148475	21.9	12.1	483	2.86	5.2	1	2.5	1.7	69	0.1	0.4	0.1	60	0.65	0.11	12
KSR148479	23.3	10.3	237	2.82	3.7	1.4	2.1	2.7	63	0.3	0.4	0.05	71	0.8	0.12	15
KSR148480	21.3	11.4	382	2.83	3.9	1.2	2.3	1.5	57	0.1	0.2	0.2	62	0.7	0.08	11
KSR148482	32.5	13.7	335	3.4	7.6	0.8	3.6	3.4	32	0.05	0.3	0.1	76	0.45	0.1	13
KSR148483	33.3	15.2	550	2.91	5.7	0.9	1.3	2.6	33	0.2	0.3	0.1	72	0.51	0.1	15
KSR148484	42.4	14.6	415	3.01	8.7	0.5	3.3	2.5	32	0.2	0.4	0.1	65	0.59	0.08	11
KSR148485	26	12	446	3.28	4.6	0.7	1.1	3.9	51	0.05	0.2	0.05	69	0.7	0.1	16
KSR148487	33.2	14.5	465	3.27	9.9	0.7	2	2.7	25	0.05	0.5	0.2	72	0.31	0.04	11
KSR148492	32	13.5	389	2.9	9.6	0.7	2	2.7	26	0.1	0.5	0.1	64	0.38	0.05	10
KSR148495	30.4	20	708	4.8	7.7	1.7	1.5	4.4	54	0.2	0.4	0.1	134	0.84	0.22	19
KSR148498	40.9	13.5	505	2.72	8.4	0.4	2.9	2	42	0.2	0.5	0.1	59	0.95	0.08	10
KSR148499	42.6	12.6	484	2.78	8	0.4	1.8	1.7	53	0.2	0.4	0.05	59	1.33	0.09	10

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR148132	75	1.14	232	0.15	0.5	2.58	0.01	0.65	0.1	0.02	7.9	0.3	0.06	8	0.25
KSR148132	71	1.08	211	0.14	0.5	2.44	0.01	0.56	0.05	0.02	7.4	0.3	0.03	7	0.25
KSR148133	57	1.01	150	0.12	0.5	2.34	0.01	0.55	0.6	0.01	6.5	0.3	0.03	7	0.6
KSR148134	55	0.91	156	0.1	0.5	2.04	0.01	0.38	0.1	0.03	4.6	0.2	0.07	7	0.25
KSR148135	66	1.12	193	0.16	1	2.62	0.01	0.49	0.05	0.01	6.8	0.3	0.03	8	0.25
KSR148248	67	1.41	264	0.2	3	2.09	0.01	0.35	0.2	0.01	3.5	0.3	0.03	7	0.25
KSR148254	25	0.52	96	0.16	1	1.34	0.01	0.2	0.4	0.01	2.4	0.3	0.03	7	0.25
KSR148263	30	0.55	106	0.08	0.5	1.37	0.01	0.14	0.4	0.03	2.1	0.3	0.05	7	0.6
KSR148265	14	0.36	93	0.13	0.5	1.32	0.01	0.27	1.6	0.01	2.4	0.4	0.03	6	0.25
KSR148273	10	0.31	121	0.12	0.5	1.1	0.01	0.33	0.7	0.01	3.6	0.5	0.03	7	0.25
KSR148274	16	0.42	85	0.12	0.5	1.14	0.01	0.25	0.6	0.02	2.6	0.3	0.03	6	0.25
KSR148277	15	0.32	53	0.08	1	0.83	0.01	0.18	1.1	0.02	2.2	0.2	0.03	5	0.5
KSR148278	26	0.54	122	0.09	0.5	1.56	0.02	0.18	0.2	0.02	3.2	0.3	0.03	8	0.7
KSR148279	20	0.47	103	0.11	0.5	1.36	0.01	0.27	0.3	0.01	3.3	0.4	0.03	7	0.25
KSR148280	16	0.47	120	0.15	0.5	1.28	0.01	0.33	0.3	0.01	3.6	0.4	0.03	7	0.25
KSR148280	16	0.47	112	0.15	0.5	1.27	0.01	0.32	0.4	0.01	3.5	0.4	0.03	6	0.25
KSR148281	38	0.71	90	0.11	2	1.75	0.01	0.17	0.2	0.03	3.4	0.2	0.03	7	0.25
KSR148283	40	0.75	235	0.13	1	1.82	0.02	0.27	0.05	0.02	3.2	0.2	0.09	6	0.25
KSR148320	33	0.57	73	0.07	1	1.56	0.01	0.05	0.2	0.03	2.4	0.1	0.03	7	0.25
KSR148322	30	0.54	101	0.06	1	1.52	0.01	0.08	0.2	0.02	2.2	0.1	0.03	7	0.25
KSR148324	23	0.45	66	0.09	1	1.16	0.01	0.13	1.2	0.01	2.4	0.1	0.03	5	0.25
KSR148428	32	0.75	198	0.13	1	1.97	0.01	0.23	0.05	0.07	3.4	0.3	0.03	8	0.25
KSR148430	29	0.53	133	0.06	0.5	1.01	0.01	0.05	0.05	0.03	1.3	0.05	0.08	5	0.25
KSR148431	41	0.6	91	0.03	0.5	1.39	0.01	0.05	0.05	0.07	1.2	0.05	0.07	6	0.6
KSR148432	53	1.08	189	0.25	0.5	2.02	0.01	0.36	0.1	0.02	3.3	0.3	0.03	7	0.25
KSR148434	64	0.83	123	0.15	1	1.58	0.01	0.13	0.3	0.02	3.3	0.3	0.03	8	0.9
KSR148436	106	1.3	351	0.25	0.5	1.99	0.01	0.51	0.1	0.02	5	0.3	0.06	7	0.9
KSR148438	43	0.67	322	0.09	0.5	1.4	0.01	0.13	0.05	0.05	3	0.1	0.09	5	0.9
KSR148439	57	1.01	311	0.17	0.5	1.98	0.02	0.17	0.1	0.03	4.7	0.2	0.03	7	0.25
KSR148441	53	0.93	170	0.07	0.5	1.68	0.01	0.05	0.1	0.03	3.3	0.1	0.03	5	0.25
KSR148447	42	0.71	169	0.15	1	1.95	0.02	0.21	0.1	0.04	3.5	0.2	0.03	6	0.25
KSR148448	27	0.48	126	0.11	1	1.16	0.02	0.14	0.05	0.03	2.2	0.2	0.03	4	0.25
KSR148449	15	0.26	69	0.1	1	0.65	0.02	0.06	0.05	0.03	1.6	0.05	0.03	3	0.25
KSR148451	42	0.95	228	0.27	2	2.06	0.02	0.45	0.2	0.04	4.8	0.4	0.03	8	0.25
KSR148452	39	0.88	244	0.28	2	1.9	0.02	0.54	0.2	0.01	4.2	0.4	0.03	7	0.25
KSR148453	39	0.66	178	0.15	0.5	1.62	0.02	0.28	0.2	0.05	3	0.2	0.05	6	0.25
KSR148454	51	0.85	187	0.22	0.5	2.26	0.02	0.51	0.4	0.02	4.6	0.3	0.06	8	0.25
KSR148455	44	0.79	152	0.18	2	1.86	0.02	0.33	0.2	0.02	3.5	0.2	0.03	6	0.25
KSR148456	42	0.64	113	0.08	0.5	1.52	0.01	0.07	0.05	0.02	2.3	0.05	0.03	6	0.25
KSR148457	38	0.8	202	0.17	1	2.33	0.03	0.31	0.5	0.03	3.1	0.2	0.03	6	0.25
KSR148469	32	0.73	175	0.16	1	1.64	0.01	0.19	0.05	0.02	2.4	0.2	0.03	6	0.25
KSR148470	48	0.87	148	0.11	2	1.98	0.01	0.12	0.1	0.03	2.7	0.1	0.06	8	0.25
KSR148473	38	0.74	211	0.13	2	1.69	0.02	0.22	0.1	0.02	2.7	0.2	0.03	5	0.25
KSR148475	35	0.76	288	0.16	1	1.92	0.03	0.26	0.05	0.02	3	0.2	0.03	6	0.25
KSR148479	48	0.94	303	0.22	2	2.24	0.02	0.44	0.05	0.04	4.9	0.3	0.07	7	0.8
KSR148480	40	0.78	317	0.17	3	1.8	0.02	0.41	0.05	0.02	3.5	0.3	0.08	6	0.5
KSR148482	58	1.12	157	0.14	2	1.96	0.02	0.23	0.05	0.02	3.7	0.2	0.03	6	0.25
KSR148483	50	0.92	177	0.12	2	1.77	0.02	0.18	0.05	0.03	4.2	0.2	0.03	6	0.25
KSR148484	56	0.98	144	0.1	2	1.68	0.02	0.16	0.05	0.03	4.5	0.1	0.03	5	0.6
KSR148485	43	1.04	340	0.24	0.5	1.94	0.02	0.33	0.05	0.02	3.1	0.4	0.03	7	0.25
KSR148487	47	0.84	155	0.11	1	1.99	0.01	0.09	0.1	0.02	3.1	0.1	0.03	6	0.5
KSR148492	51	0.81	106	0.1	1	1.69	0.02	0.13	0.05	0.02	3.9	0.05	0.03	5	0.25
KSR148495	49	1.47	610	0.4	1	2.43	0.01	1.19	0.1	0.02	7	0.6	0.03	10	0.7
KSR148498	47	0.91	121	0.08	2	1.49	0.02	0.13	0.05	0.02	3.7	0.05	0.03	4	0.6
KSR148499	52	0.99	130	0.09	0.5	1.5	0.03	0.16	0.05	0.03	3.8	0.05	0.03	4	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR148767	360077	6776721	UTM NAD 83	08V	1DX-15	1.1	77.7	8.4	80	0.1
KSR148768	360017	6776636	UTM NAD 83	08V	1DX-15	1.2	96.5	8.7	63	0.2
KSR148772	359932	6776256	UTM NAD 83	08V	1DX-15	1.6	158	9.5	85	0.05
KSR148772	359932	6776256	UTM NAD 83	08V	1DX-15	1.6	155	9.9	84	0.05
KSR148775	359770	6775919	UTM NAD 83	08V	1DX-15	0.7	69.3	6.8	72	0.1
KSR148777	359810	6775726	UTM NAD 83	08V	1DX-15	0.6	68.2	8.3	72	0.1
KSR148990	631598	6804318	UTM NAD 83	07V	1DX-15	1.1	42.7	6.3	69	0.05
KSR148992	631802	6804332	UTM NAD 83	07V	1DX-15	1.8	44	8.8	95	0.05
KSR148994	632003	6804310	UTM NAD 83	07V	1DX-15	0.5	39.9	6.4	75	0.05
KSR148995	632105	6804316	UTM NAD 83	07V	1DX-15	0.7	51.5	6	92	0.05
KSR148995	632105	6804316	UTM NAD 83	07V	1DX-15	0.7	51.3	5.9	95	0.05
KSR148996	632208	6804313	UTM NAD 83	07V	1DX-15	0.9	62.2	6.2	81	0.2
KSR148998	632414	6804290	UTM NAD 83	07V	1DX-15	0.8	53.2	7.4	86	0.2
KSR149058	652960	6789252	UTM NAD 83	07V	1DX-15	1.4	42.9	8.6	78	0.1
KSR149345	645072	6786978	UTM NAD 83	07V	1DX-15	1.9	44.6	7.4	86	0.05
KSR149346	645027	6786887	UTM NAD 83	07V	1DX-15	1.5	96.2	11	104	0.1
KSR149348	644877	6786753	UTM NAD 83	07V	1DX-15	1.1	62.6	8.3	81	0.05
KSR149349	644828	6786666	UTM NAD 83	07V	1DX-15	1.6	39.2	7.8	58	0.05
KSR149351	644820	6786472	UTM NAD 83	07V	1DX-15	1.7	31.7	7.2	59	0.05
KSR149351	644820	6786472	UTM NAD 83	07V	1DX-15	1.6	32.4	7.2	60	0.05
KSR149352	644852	6786378	UTM NAD 83	07V	1DX-15	1.3	46	5.4	41	0.1
KSR149353	644846	6786276	UTM NAD 83	07V	1DX-15	1.7	33.5	9.3	70	0.05
KSR149354	644836	6786176	UTM NAD 83	07V	1DX-15	1.8	44	11.8	77	0.05
KSR149355	644853	6786079	UTM NAD 83	07V	1DX-15	2.3	31.5	11.1	76	0.05
KSR149356	644896	6785986	UTM NAD 83	07V	1DX-15	2.3	52.1	12.8	91	0.05
KSR149357	644939	6785895	UTM NAD 83	07V	1DX-15	2.3	35.9	12.8	70	0.05
KSR149359	645103	6785784	UTM NAD 83	07V	1DX-15	1.3	55.5	9.7	95	0.1
KSR149360	645201	6785760	UTM NAD 83	07V	1DX-15	2.2	28.5	9.7	59	0.05
KSR149361	645298	6785736	UTM NAD 83	07V	1DX-15	1.6	33.4	7.8	63	0.05
KSR149362	645398	6785734	UTM NAD 83	07V	1DX-15	2.3	28.3	9.1	73	0.05
KSR149362	645398	6785734	UTM NAD 83	07V	1DX-15	2.2	27.4	8.7	73	0.05
KSR149363	645494	6785762	UTM NAD 83	07V	1DX-15	1.8	28.8	8.1	69	0.05
KSR149364	645588	6785798	UTM NAD 83	07V	1DX-15	2	36.2	8.8	72	0.1
KSR149365	645678	6785844	UTM NAD 83	07V	1DX-15	1.6	49.1	9.9	86	0.1
KSR149366	645764	6785895	UTM NAD 83	07V	1DX-15	1.9	54.1	10.1	86	0.2
KSR149367	645846	6785949	UTM NAD 83	07V	1DX-15	0.9	45.2	7.3	92	0.05
KSR149368	645915	6786023	UTM NAD 83	07V	1DX-15	1.6	61.8	8.5	95	0.1
KSR149369	646011	6786049	UTM NAD 83	07V	1DX-15	1.2	51.2	8.2	83	0.2
KSR149370	646097	6786099	UTM NAD 83	07V	1DX-15	0.9	65.6	7.4	100	0.2
KSR149370	646097	6786099	UTM NAD 83	07V	1DX-15	0.9	64.2	7.2	100	0.2
KSR149372	646254	6786224	UTM NAD 83	07V	1DX-15	1.1	49.6	8	97	0.1
KSR149373	646327	6786293	UTM NAD 83	07V	1DX-15	1	81.8	9.2	94	0.05
KSR149374	646410	6786349	UTM NAD 83	07V	1DX-15	2.2	102	8	83	0.4
KSR149375	646486	6786414	UTM NAD 83	07V	1DX-15	0.9	60.6	7.9	94	0.05
KSR149376	646562	6786480	UTM NAD 83	07V	1DX-15	1.2	39	8.4	70	0.05
KSR149377	646618	6786562	UTM NAD 83	07V	1DX-15	1.3	51.1	6.9	61	0.2
KSR149378	646679	6786642	UTM NAD 83	07V	1DX-15	1.1	51.5	7.6	90	0.1
KSR149420	343963	6800563	UTM NAD 83	08V	1DX-15	0.4	14.1	4.6	76	0.05
KSR149421	344049	6800510	UTM NAD 83	08V	1DX-15	0.5	12.6	5.8	68	0.05
KSR149422	344136	6800461	UTM NAD 83	08V	1DX-15	0.9	20.1	6.8	66	0.05
KSR149423	344217	6800403	UTM NAD 83	08V	1DX-15	0.8	22.6	8	93	0.05
KSR149424	344300	6800346	UTM NAD 83	08V	1DX-15	0.4	16.2	7.2	79	0.05
KSR149425	344378	6800282	UTM NAD 83	08V	1DX-15	0.4	14	5.4	74	0.05
KSR149426	344460	6800221	UTM NAD 83	08V	1DX-15	0.5	19.6	6.5	73	0.05
KSR149427	344539	6800158	UTM NAD 83	08V	1DX-15	0.9	23.1	7.9	82	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR148767	67.7	24.1	946	4.16	656	0.5	127	0.7	26	0.2	12.3	0.2	71	0.35	0.12	5
KSR148768	60	25.4	564	5.45	584	0.6	98.2	1.8	41	0.2	8.1	0.2	100	0.37	0.14	7
KSR148772	120	39.8	593	5.6	166	0.7	11.8	2	24	0.2	2.2	0.2	98	0.3	0.13	8
KSR148772	121	39.4	588	5.64	166	0.7	8.6	2	24	0.3	2.2	0.2	100	0.31	0.13	8
KSR148775	75.2	25.4	490	4.27	21.1	0.8	2.8	2	32	0.05	0.3	0.2	137	0.34	0.09	8
KSR148777	70.2	21.3	565	4.55	17.1	0.6	3.5	1.3	27	0.2	0.3	0.2	108	0.37	0.08	7
KSR148990	41.9	15.3	449	3.27	9.8	0.5	1.2	1.2	18	0.1	0.5	0.1	93	0.25	0.05	6
KSR148992	46.9	16.2	513	3.88	13.7	0.6	1.8	1	20	0.2	0.7	0.2	106	0.21	0.04	7
KSR148994	42.4	11.3	233	2.77	10.3	0.6	4.4	2	18	0.05	1.3	0.2	82	0.31	0.09	8
KSR148995	63	19.8	449	3.71	5.2	0.4	1.1	1.5	19	0.2	0.3	0.1	109	0.26	0.05	6
KSR148995	60.8	19	447	3.73	5.2	0.5	0.8	1.5	19	0.2	0.2	0.1	115	0.26	0.05	6
KSR148996	40.7	16.3	446	3.59	5.9	0.6	2	1	35	0.1	0.3	0.1	97	0.39	0.11	7
KSR148998	43.9	14.5	257	3.31	10.1	0.9	2.3	2.1	21	0.1	0.4	0.2	93	0.24	0.08	10
KSR149058	38.4	14.2	450	3.59	10.5	0.9	5.1	1.7	23	0.1	0.5	0.2	76	0.26	0.09	9
KSR149345	50.3	17.2	537	3.82	14.6	0.8	1.7	0.6	19	0.05	0.6	0.1	61	0.21	0.09	7
KSR149346	86.8	30.8	664	3.38	16.1	1	2.5	2.4	43	0.2	0.5	0.2	51	0.34	0.1	16
KSR149348	53.6	18.4	527	3.21	13.9	0.8	6.7	2.8	21	0.1	0.5	0.1	55	0.28	0.08	14
KSR149349	26.1	10.9	317	2.44	8	0.8	2.9	0.6	29	0.05	0.6	0.1	51	0.39	0.1	9
KSR149351	22.2	15.3	654	2.42	7.3	0.6	1.8	0.3	25	0.1	0.6	0.1	52	0.35	0.08	6
KSR149351	22.4	15.8	658	2.51	7.6	0.6	2.3	0.4	26	0.1	0.6	0.1	55	0.36	0.08	6
KSR149352	21.3	9.8	314	1.9	6.3	0.6	1.2	0.2	47	0.05	0.4	0.05	41	0.92	0.13	6
KSR149353	31.4	12.9	451	3.1	11.6	0.7	1.5	0.7	28	0.3	0.7	0.1	63	0.37	0.06	8
KSR149354	46.7	19.4	640	3.44	13.3	0.7	4.6	1.3	25	0.2	0.7	0.2	65	0.28	0.06	10
KSR149355	30.4	13.2	452	3.28	13.1	0.7	1.7	0.8	26	0.1	1	0.2	69	0.29	0.06	9
KSR149356	51.5	20	548	3.86	15.5	0.9	1.8	0.9	23	0.05	0.9	0.2	76	0.24	0.06	10
KSR149357	35.9	13.5	513	3.5	14	0.7	1.4	1.1	22	0.1	0.8	0.2	67	0.24	0.05	8
KSR149359	58.6	19.8	803	3.79	39.7	0.7	3.6	3.4	27	0.2	0.3	0.2	53	0.31	0.1	11
KSR149360	24.6	10.7	515	2.97	11.3	0.7	0.5	0.4	22	0.05	0.9	0.2	67	0.23	0.08	8
KSR149361	31.5	11.4	368	2.95	12.1	0.5	1.6	0.9	20	0.05	0.6	0.1	58	0.21	0.05	8
KSR149362	31	11.3	408	3.36	12.7	0.6	1.9	0.7	25	0.1	0.8	0.2	70	0.26	0.06	8
KSR149362	31.1	11.1	405	3.34	12.7	0.6	2.5	0.7	24	0.2	0.7	0.1	70	0.25	0.06	8
KSR149363	29.3	11.4	395	3.08	11.9	0.5	9.2	0.8	23	0.2	0.7	0.1	64	0.26	0.05	8
KSR149364	32.5	16.7	569	3.29	16.8	0.6	2.2	0.6	29	0.1	0.7	0.1	64	0.34	0.08	8
KSR149365	55.5	19	648	3.83	20.1	0.7	2.6	1.5	22	0.1	0.6	0.2	56	0.23	0.06	9
KSR149366	50.6	17.7	637	3.67	20.3	0.8	1.6	1.6	24	0.05	0.6	0.2	54	0.24	0.08	11
KSR149367	49.7	14.7	617	3.8	14.6	0.6	0.7	2.1	19	0.05	0.2	0.1	41	0.14	0.06	7
KSR149368	53.2	19.6	777	4.16	19.7	0.5	1.2	1.9	35	0.1	0.3	0.2	50	0.21	0.07	7
KSR149369	44.5	17.1	634	3.68	16.2	0.8	5.7	2.3	64	0.05	0.3	0.1	44	0.19	0.07	11
KSR149370	57.5	22.2	873	4.16	23.7	0.7	1.8	3.5	24	0.05	0.2	0.2	48	0.19	0.09	10
KSR149370	56	21.6	846	4.08	23.5	0.8	1.9	3.3	23	0.05	0.2	0.2	46	0.17	0.08	11
KSR149372	53.9	19.3	732	4.05	30.1	0.6	1.6	1.7	21	0.05	0.3	0.2	49	0.2	0.08	8
KSR149373	63.8	19.4	629	4	27.1	0.8	2.2	2.3	14	0.05	0.2	0.2	44	0.11	0.05	10
KSR149374	60	17.5	642	3.77	17.2	2	3.4	2.5	53	0.05	0.3	0.2	44	0.45	0.12	17
KSR149375	54.5	17.9	702	4	17.5	0.7	3.6	2.9	17	0.05	0.2	0.2	44	0.16	0.07	9
KSR149376	40.1	17.3	512	3.21	16.8	0.7	3.3	1.1	17	0.05	0.4	0.2	51	0.15	0.05	9
KSR149377	40	13	525	2.56	18.1	0.6	0.25	0.6	58	0.1	0.3	0.1	36	0.98	0.12	7
KSR149378	61.6	18.4	673	3.84	24.1	0.7	1.2	2.6	27	0.05	0.2	0.1	41	0.34	0.09	7
KSR149420	13.1	8.3	394	2.35	9.5	2.7	1.7	5.6	44	0.2	0.3	0.05	48	0.41	0.11	15
KSR149421	13.3	7.9	411	2.42	17.2	1.2	0.25	6.6	21	0.2	0.4	0.1	45	0.32	0.1	15
KSR149422	17.1	8.6	320	2.56	12.6	1.3	2.7	2.9	28	0.1	0.4	0.1	50	0.29	0.08	13
KSR149423	21.5	11.2	533	3.25	12.4	2	3.1	5.3	24	0.1	0.4	0.2	60	0.28	0.09	11
KSR149424	12.9	10.8	445	3.04	10.9	2.4	4.2	5.3	51	0.1	0.2	0.1	63	0.58	0.16	16
KSR149425	15.7	9.7	448	2.81	5.5	1.1	2	7.5	24	0.2	0.2	0.1	52	0.27	0.08	14
KSR149426	24.4	13.2	476	3.09	6.4	0.8	2.4	3.8	26	0.1	0.3	0.2	69	0.3	0.05	9
KSR149427	26.8	14	518	3.02	18.4	2	3.9	4.8	39	0.2	0.6	0.1	63	0.42	0.1	13

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR148767	41	0.65	174	0.05	3	1.47	0.01	0.32	0.05	0.04	5.7	0.1	0.08	5	0.8
KSR148768	61	0.98	201	0.11	1	2.28	0.02	0.47	0.2	0.02	7.3	0.2	0.07	7	0.7
KSR148772	57	0.99	152	0.12	1	2.37	0.01	0.38	0.2	0.03	6.6	0.3	0.03	7	1.3
KSR148772	58	1	153	0.12	1	2.45	0.01	0.38	0.2	0.01	6.8	0.2	0.03	7	1.1
KSR148775	99	1.52	266	0.15	0.5	3.14	0.03	0.67	0.1	0.03	8.9	0.3	0.03	12	0.25
KSR148777	78	1.38	256	0.1	0.5	3.07	0.01	0.65	0.1	0.02	7	0.2	0.03	10	0.25
KSR148990	52	0.86	168	0.15	2	2.05	0.01	0.33	0.05	0.02	5	0.2	0.03	6	0.6
KSR148992	62	0.89	183	0.16	1	2.12	0.01	0.28	0.1	0.02	4.9	0.2	0.03	8	0.25
KSR148994	59	0.92	171	0.18	2	2.27	0.01	0.39	0.2	0.03	6	0.2	0.03	7	0.25
KSR148995	66	1.04	263	0.23	1	2.69	0.02	0.69	0.1	0.01	7.3	0.3	0.03	8	0.8
KSR148995	68	1.07	264	0.23	1	2.71	0.02	0.71	0.1	0.01	7.3	0.3	0.03	8	0.25
KSR148996	51	0.99	270	0.15	1	2.86	0.04	0.47	0.1	0.02	5.7	0.2	0.03	9	0.6
KSR148998	61	0.95	234	0.16	2	2.53	0.01	0.45	0.8	0.03	7.5	0.2	0.03	8	0.6
KSR149058	60	0.95	132	0.08	1	1.98	0.01	0.16	0.05	0.03	3.3	0.2	0.06	7	0.5
KSR149345	65	1.19	77	0.04	1	2.04	0.01	0.1	0.05	0.02	1.8	0.2	0.07	6	0.25
KSR149346	44	0.78	68	0.05	0.5	1.72	0.01	0.05	0.05	0.03	3	0.05	0.03	5	0.25
KSR149348	46	0.84	63	0.06	0.5	1.79	0.01	0.05	0.05	0.02	3.1	0.05	0.03	5	0.25
KSR149349	33	0.59	95	0.05	0.5	1.19	0.02	0.05	0.05	0.04	1.8	0.05	0.1	4	0.5
KSR149351	27	0.44	92	0.04	1	0.97	0.01	0.03	0.05	0.03	1.3	0.05	0.09	4	0.25
KSR149351	28	0.44	91	0.04	0.5	0.98	0.01	0.03	0.05	0.04	1.5	0.05	0.09	4	0.25
KSR149352	26	0.42	109	0.03	1	0.92	0.02	0.03	0.05	0.04	1.1	0.05	0.16	3	0.25
KSR149353	45	0.77	86	0.06	1	1.61	0.01	0.05	0.05	0.04	2.3	0.05	0.03	6	0.25
KSR149354	47	0.84	92	0.05	1	1.74	0.01	0.05	0.05	0.03	2.7	0.05	0.03	5	0.25
KSR149355	42	0.76	96	0.06	1	1.57	0.01	0.06	0.05	0.04	2.5	0.1	0.03	6	0.25
KSR149356	56	0.99	88	0.06	1	2.22	0.01	0.05	0.05	0.02	2.4	0.1	0.03	7	0.5
KSR149357	46	0.76	73	0.05	0.5	1.7	0.01	0.04	0.05	0.03	2.1	0.05	0.03	6	0.6
KSR149359	51	1.06	47	0.06	0.5	2	0.01	0.05	0.05	0.04	2.8	0.05	0.03	6	0.25
KSR149360	38	0.59	90	0.04	0.5	1.43	0.01	0.03	0.1	0.03	1.6	0.05	0.05	6	0.25
KSR149361	40	0.72	68	0.05	0.5	1.74	0.01	0.04	0.05	0.02	2.2	0.05	0.03	5	0.25
KSR149362	43	0.73	90	0.06	2	1.64	0.01	0.04	0.1	0.03	2.3	0.1	0.03	6	0.25
KSR149362	42	0.72	89	0.06	0.5	1.6	0.01	0.04	0.05	0.03	2	0.05	0.03	6	0.6
KSR149363	41	0.7	77	0.06	0.5	1.64	0.01	0.04	0.05	0.03	2.3	0.05	0.03	5	0.25
KSR149364	41	0.73	113	0.05	0.5	1.59	0.02	0.04	0.05	0.04	2	0.05	0.05	5	0.5
KSR149365	46	0.95	90	0.05	0.5	2.04	0.01	0.04	0.05	0.03	2.1	0.05	0.03	5	0.25
KSR149366	49	0.93	95	0.03	0.5	1.95	0.01	0.04	0.05	0.03	2.6	0.05	0.03	5	0.7
KSR149367	45	1.1	66	0.02	0.5	2.07	0	0.03	0.05	0.01	1.8	0.05	0.03	5	0.7
KSR149368	47	1.14	80	0.03	0.5	2.13	0.01	0.05	0.05	0.02	2.1	0.05	0.03	6	0.7
KSR149369	44	0.97	92	0.02	0.5	2.06	0.01	0.04	0.05	0.02	2.4	0.05	0.03	5	0.7
KSR149370	52	1.31	73	0.02	0.5	2.33	0.01	0.05	0.05	0.01	2.7	0.05	0.03	5	0.25
KSR149370	51	1.29	67	0.02	0.5	2.26	0	0.04	0.05	0.02	2.6	0.05	0.03	5	0.25
KSR149372	45	1.1	94	0.02	0.5	2.2	0.01	0.04	0.05	0.02	1.9	0.05	0.03	6	0.25
KSR149373	47	1.09	43	0.03	0.5	2.2	0.01	0.05	0.05	0.02	2.1	0.05	0.03	5	0.9
KSR149374	47	0.98	120	0.02	0.5	1.99	0.01	0.04	0.05	0.04	2.6	0.05	0.03	5	1
KSR149375	47	1.16	65	0.03	0.5	2.2	0.01	0.04	0.05	0.02	2.2	0.05	0.03	6	0.5
KSR149376	43	0.87	64	0.04	0.5	1.9	0.01	0.04	0.05	0.01	2.1	0.05	0.03	5	0.25
KSR149377	32	0.66	75	0.02	0.5	1.26	0.01	0.05	0.05	0.05	1.4	0.05	0.1	4	0.7
KSR149378	45	1.17	45	0.03	0.5	1.9	0.01	0.04	0.05	0.01	2.1	0.05	0.03	5	0.25
KSR149420	23	0.58	155	0.2	1	1.42	0.03	0.32	0.1	0.02	3.8	0.3	0.03	6	0.25
KSR149421	20	0.58	150	0.17	1	1.53	0.01	0.27	0.05	0.01	3	0.3	0.03	6	0.25
KSR149422	27	0.59	140	0.14	0.5	1.57	0.01	0.2	0.1	0.03	2.5	0.2	0.03	6	0.25
KSR149423	32	0.73	241	0.21	3	2.16	0.02	0.29	0.05	0.02	3.6	0.3	0.05	8	0.25
KSR149424	32	0.88	313	0.28	1	1.96	0.03	0.59	0.05	0.01	3.8	0.3	0.03	7	0.25
KSR149425	42	0.78	192	0.23	2	1.82	0.02	0.43	0.05	0.01	3.2	0.4	0.03	7	0.25
KSR149426	53	0.94	128	0.25	0.5	2.13	0.02	0.27	0.05	0.02	3.2	0.2	0.03	7	0.25
KSR149427	47	0.93	159	0.2	1	2.13	0.04	0.27	0.1	0.02	3	0.3	0.03	7	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR149428	344631	6800118	UTM NAD 83	08V	1DX-15	1.3	25	28	59	0.2
KSR149431	344917	6800025	UTM NAD 83	08V	1DX-15	0.9	17.6	9.6	70	0.05
KSR149436	345305	6799934	UTM NAD 83	08V	1DX-15	0.4	13.3	4.7	56	0.05
KSR149439	345604	6799911	UTM NAD 83	08V	1DX-15	0.3	11.5	6.9	67	0.05
KSR149441	345797	6799887	UTM NAD 83	08V	1DX-15	0.8	21.4	73.3	130	0.2
KSR149499	622104	6817129	UTM NAD 83	07V	1DX-15	1.3	24.9	7.2	83	0.1
KSR145931	648029	6789991	UTM NAD 83	07V	1DX-15	1.8	78.3	9.3	117	0.1
KSR145933	647875	6789854	UTM NAD 83	07V	1DX-15	1.6	78.7	7.3	102	0.2
KSR145937	647583	6789594	UTM NAD 83	07V	1DX-15	1.5	61.3	8.6	96	0.1
KSR145938	647507	6789526	UTM NAD 83	07V	1DX-15	1.8	53.6	9.3	92	0.1
KSR145941	647279	6789326	UTM NAD 83	07V	1DX-15	1.7	62.4	7.6	94	0.1
KSR145942	647183	6789273	UTM NAD 83	07V	1DX-15	1.6	58.6	7.5	89	0.2
KSR145942	647183	6789273	UTM NAD 83	07V	1DX-15	1.8	60.4	7.5	88	0.2
KSR145944	647056	6789116	UTM NAD 83	07V	1DX-15	0.9	64.7	6	84	0.2
KSR145945	646999	6789033	UTM NAD 83	07V	1DX-15	1.1	57	7.5	84	0.05
KSR145946	646946	6788955	UTM NAD 83	07V	1DX-15	1.6	53.8	10.2	85	0.1
KSR145947	646861	6788890	UTM NAD 83	07V	1DX-15	1.6	40	9.6	74	0.1
KSR145948	646778	6788820	UTM NAD 83	07V	1DX-15	1.4	66.3	9.4	88	0.05
KSR145949	646703	6788747	UTM NAD 83	07V	1DX-15	1.8	42.2	10.5	73	0.05
KSR145950	646640	6788661	UTM NAD 83	07V	1DX-15	1.5	62.9	10.1	86	0.2
KSR145951	646630	6788563	UTM NAD 83	07V	1DX-15	2	112	12.7	100	0.3
KSR145952	646612	6788501	UTM NAD 83	07V	1DX-15	1.8	39.9	8.7	72	0.2
KSR145952	646612	6788501	UTM NAD 83	07V	1DX-15	1.8	39.8	8.8	72	0.2
KSR145953	646581	6788424	UTM NAD 83	07V	1DX-15	1.5	69.9	11.7	88	0.2
KSR146639	658463	6790239	UTM NAD 83	07V	1DX-15	1.6	40.3	10.3	72	0.3
KSR146639	658463	6790239	UTM NAD 83	07V	1DX-15	1.6	39.2	10.6	75	0.4
KSR146640	658430	6790145	UTM NAD 83	07V	1DX-15	2.6	39.5	12.4	77	0.2
KSR146641	658396	6790050	UTM NAD 83	07V	1DX-15	1	36.7	9.5	68	0.05
KSR146642	658362	6789955	UTM NAD 83	07V	1DX-15	1.4	73	8.4	54	0.2
KSR146643	658392	6789860	UTM NAD 83	07V	1DX-15	1.3	62.5	8	87	0.05
KSR146644	658367	6789764	UTM NAD 83	07V	1DX-15	1.3	50.1	5	69	0.05
KSR146645	658347	6789640	UTM NAD 83	07V	1DX-15	1.6	41.9	8.3	70	0.1
KSR146646	658311	6789545	UTM NAD 83	07V	1DX-15	1.2	30.2	7.9	79	0.1
KSR146647	658301	6789474	UTM NAD 83	07V	1DX-15	1.1	36.9	6.9	51	0.05
KSR146648	658294	6789375	UTM NAD 83	07V	1DX-15	0.7	63.6	5.4	63	0.1
KSR146649	658287	6789270	UTM NAD 83	07V	1DX-15	1	33.9	6.3	62	0.05
KSR146650	658295	6789170	UTM NAD 83	07V	1DX-15	0.7	59.4	5.3	91	0.05
KSR146651	658302	6789098	UTM NAD 83	07V	1DX-15	0.7	42.9	3.7	86	0.05
KSR146652	658271	6789003	UTM NAD 83	07V	1DX-15	0.8	68.6	5.4	96	0.05
KSR146653	658207	6788925	UTM NAD 83	07V	1DX-15	1.1	67.3	6.3	97	0.2
KSR146654	658164	6788834	UTM NAD 83	07V	1DX-15	0.8	77.6	3.5	84	0.2
KSR146655	658112	6788746	UTM NAD 83	07V	1DX-15	0.9	54.3	5.9	80	0.5
KSR146656	658054	6788664	UTM NAD 83	07V	1DX-15	0.7	57.9	3.8	81	0.05
KSR146667	657330	6787971	UTM NAD 83	07V	1DX-15	0.4	22.9	3	45	0.05
KSR146668	657250	6787910	UTM NAD 83	07V	1DX-15	0.5	22.9	3.3	51	0.05
KSR146674	651815	6776741	UTM NAD 83	07V	1DX-15	0.8	57.6	4.5	92	0.05
KSR146675	651897	6776780	UTM NAD 83	07V	1DX-15	0.4	34.9	4.2	93	0.05
KSR146676	651998	6776778	UTM NAD 83	07V	1DX-15	0.8	48.6	4.7	93	0.2
KSR146677	652093	6776741	UTM NAD 83	07V	1DX-15	0.9	46.9	6	73	0.1
KSR146679	652286	6776656	UTM NAD 83	07V	1DX-15	1.1	50.2	5.9	82	0.2
KSR146680	652367	6776617	UTM NAD 83	07V	1DX-15	1.2	47.7	7	81	0.2
KSR146683	652615	6776449	UTM NAD 83	07V	1DX-15	1.5	37.4	6.5	98	0.05
KSR146684	652702	6776398	UTM NAD 83	07V	1DX-15	1.1	43.9	6.5	90	0.1
KSR146686	652879	6776296	UTM NAD 83	07V	1DX-15	1.1	44.9	5.5	79	0.1
KSR146711	355120	6799084	UTM NAD 83	08V	1DX-15	1.1	27.3	12	112	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR149428	20.2	14.9	1196	2.54	11.5	3.8	3.9	1.3	47	0.3	0.6	0.2	49	0.43	0.1	13
KSR149431	16.6	8.3	409	2.52	26.4	1.4	3.3	4.3	20	0.2	0.4	0.2	53	0.26	0.08	13
KSR149436	14.8	7.7	423	2.09	13.1	1.4	2	4.3	23	0.3	0.4	0.1	45	0.27	0.05	27
KSR149439	12.6	8.8	432	2.61	4.9	1.9	1.1	7.2	24	0.1	0.2	0.2	59	0.39	0.11	11
KSR149441	16	12.7	866	3.47	745	1.3	4.7	5.8	48	0.4	1.3	0.4	41	0.53	0.13	21
KSR149499	23.9	11.8	485	3.51	7.7	1.2	2.4	2.4	28	0.1	0.5	0.1	66	0.39	0.09	12
KSR145931	106	30.7	631	4.09	12.9	1.2	4.1	3.2	28	0.2	0.8	0.2	82	0.28	0.08	17
KSR145933	77.4	22.9	534	4.02	11	1.4	3.1	3.6	27	0.1	0.5	0.2	81	0.27	0.09	17
KSR145937	56.2	20.6	605	4.14	15	0.8	3	1.9	23	0.2	0.7	0.1	95	0.24	0.07	10
KSR145938	55.8	18.9	554	3.88	27.5	0.9	3.6	1.8	20	0.2	0.8	0.2	90	0.17	0.07	9
KSR145941	57.5	18.2	497	4.17	14.7	0.9	2.9	1.6	23	0.1	0.5	0.1	104	0.24	0.08	9
KSR145942	50.4	22.1	589	3.7	17	0.9	3	1.3	24	0.2	0.7	0.1	83	0.26	0.08	10
KSR145942	50.9	22.6	596	3.73	17.1	0.8	4.1	1.2	25	0.2	0.6	0.1	85	0.26	0.09	10
KSR145944	59.9	17.5	492	3.47	19.5	0.9	7.1	2.6	19	0.2	0.4	0.1	70	0.23	0.06	9
KSR145945	53.9	15.3	477	3.7	11	0.8	7.5	2.7	16	0.1	0.5	0.2	70	0.16	0.05	9
KSR145946	45	17.8	603	3.55	17.3	1.1	6.1	2	19	0.05	0.8	0.2	68	0.15	0.05	17
KSR145947	34	12.9	401	3.33	14.2	0.8	5.6	0.5	22	0.1	0.8	0.2	64	0.23	0.07	8
KSR145948	48.4	17.4	532	3.69	14.1	0.8	2.6	2.7	24	0.1	0.7	0.2	67	0.24	0.05	10
KSR145949	36.2	13	422	3.48	13.3	0.7	5.1	1.2	21	0.2	0.8	0.2	67	0.2	0.05	8
KSR145950	44.4	16.1	475	3.28	14.3	1.1	2.3	1.6	24	0.2	0.6	0.2	58	0.22	0.09	15
KSR145951	76.5	30.1	480	4.2	32.8	1.5	5.6	2.2	25	0.1	0.9	0.2	63	0.3	0.1	18
KSR145952	36.9	14.8	542	2.9	10.9	0.8	2.3	0.6	34	0.2	0.8	0.2	52	0.43	0.13	8
KSR145952	36.1	15	538	2.89	10.6	0.9	3.2	0.7	34	0.2	0.7	0.2	51	0.42	0.13	8
KSR145953	46.9	19.8	413	3.27	17	1.6	3.1	3.9	25	0.2	0.7	0.2	59	0.25	0.1	17
KSR146639	43.9	16.5	459	3.69	26.4	0.7	3	0.8	23	0.2	0.7	0.2	105	0.23	0.06	7
KSR146639	44.8	16.5	464	3.71	26.5	0.7	3	0.7	23	0.2	0.7	0.2	106	0.23	0.06	7
KSR146640	40.1	19.9	874	3.75	10.3	1	1.9	0.7	30	0.1	0.9	0.2	88	0.28	0.07	9
KSR146641	75.9	27	667	4.08	6.5	0.4	1	1.5	64	0.1	0.3	0.1	102	0.5	0.11	8
KSR146642	77.9	21.2	337	4.32	18	0.5	2.6	1.1	26	0.2	0.6	0.2	120	0.27	0.04	5
KSR146643	42.9	23.4	1040	4.56	41.7	0.6	5.7	1.1	26	0.1	0.4	0.1	123	0.36	0.09	6
KSR146644	51.8	19.3	413	3.75	15.6	0.4	1.6	1.3	21	0.05	0.4	0.1	102	0.3	0.06	5
KSR146645	32.8	12.8	338	3.53	12.9	0.8	5.2	1.8	24	0.05	0.6	0.2	95	0.24	0.06	8
KSR146646	29.2	12.8	331	3.84	9.3	0.7	0.25	1.3	25	0.2	0.4	0.2	109	0.31	0.05	7
KSR146647	38.6	11.5	285	3.07	8.2	0.7	1.5	0.5	21	0.05	0.4	0.1	79	0.27	0.08	7
KSR146648	112	26.1	238	3.87	29.9	0.5	2.6	1.2	17	0.1	0.2	0.3	98	0.21	0.05	6
KSR146649	28.4	11.3	274	3.04	9.3	0.9	2.1	1.8	28	0.05	0.5	0.2	78	0.27	0.09	10
KSR146650	58.8	21.5	349	3.82	31.3	0.7	4	3.7	26	0.1	0.2	0.2	99	0.25	0.04	11
KSR146651	44.2	16.7	388	3.6	9.4	0.7	4.1	3.1	24	0.1	0.1	0.1	92	0.31	0.09	10
KSR146652	72.6	23	382	4.16	8.9	1	1.3	4.2	23	0.05	0.2	0.1	115	0.17	0.03	13
KSR146653	59.4	19.6	383	4.08	9.2	0.8	0.9	1.6	26	0.2	0.3	0.2	93	0.18	0.05	8
KSR146654	64.2	21.2	360	3.63	8.7	0.8	3	3.6	20	0.05	0.2	0.1	95	0.19	0.04	11
KSR146655	63.7	20.1	332	4.08	9.9	0.7	5.3	2.6	19	0.2	0.2	0.1	138	0.23	0.04	8
KSR146656	51.2	19.8	363	3.81	11.6	0.6	1.9	2.8	19	0.05	0.1	0.1	102	0.19	0.04	9
KSR146667	30.3	9.9	252	2.36	5.4	0.4	5.4	1.9	18	0.05	0.1	0.05	63	0.32	0.09	6
KSR146668	31.2	11	322	2.52	6.9	0.6	0.25	1.8	22	0.05	0.2	0.05	66	0.37	0.09	6
KSR146674	75.3	21.4	558	4.37	8.3	0.7	0.8	2.9	23	0.1	0.2	0.1	121	0.34	0.03	9
KSR146675	83.5	20.6	564	4.29	10	0.6	1.7	3	19	0.05	0.1	0.1	126	0.3	0.03	8
KSR146676	60	19.3	501	4.35	8.5	0.7	1.9	3.8	25	0.1	0.2	0.1	122	0.33	0.03	12
KSR146677	43.8	15.6	488	3.58	8.9	0.7	2.9	2.2	32	0.2	0.4	0.1	90	0.55	0.05	11
KSR146679	53.1	17.5	477	3.85	9.7	0.6	4.1	2.9	26	0.05	0.3	0.2	107	0.38	0.06	12
KSR146680	47.8	16.3	451	3.79	9.3	0.8	3.4	2.7	29	0.05	0.6	0.2	103	0.5	0.07	12
KSR146683	47.9	15	451	3.88	7.5	0.6	2.7	1.9	31	0.2	0.4	0.2	119	0.48	0.06	8
KSR146684	48.9	16	418	4.02	10.5	0.7	1.9	2.6	28	0.05	0.4	0.2	102	0.4	0.06	9
KSR146686	43	14.7	349	3.35	8.6	0.7	7.2	3.2	29	0.2	0.5	0.1	80	0.43	0.08	11
KSR146711	20.1	9.5	479	3.23	8.2	2.4	6.3	15.7	28	0.5	0.4	0.9	51	0.24	0.04	19

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR149428	37	0.55	208	0.07	2	1.42	0.02	0.09	0.05	0.09	2.1	0.2	0.1	6	0.25
KSR149431	28	0.58	103	0.15	1	1.39	0.01	0.22	0.1	0.02	2.7	0.2	0.03	6	0.25
KSR149436	25	0.54	82	0.13	0.5	1.29	0.03	0.17	0.1	0.01	2.7	0.1	0.03	4	0.25
KSR149439	26	0.82	218	0.25	0.5	2.25	0.02	0.56	0.1	0.01	3.3	0.4	0.03	7	0.25
KSR149441	24	0.68	132	0.07	2	1.68	0.01	0.2	0.1	0.02	3.7	0.2	0.03	6	0.25
KSR149499	37	0.88	258	0.17	0.5	1.84	0.01	0.23	0.1	0.02	3.3	0.2	0.06	7	0.25
KSR145931	58	1.01	93	0.09	1	2.1	0.02	0.15	0.05	0.03	3.9	0.2	0.03	6	0.25
KSR145933	64	1.1	70	0.07	0.5	2.25	0.01	0.14	0.05	0.02	4	0.2	0.05	6	0.7
KSR145937	81	1.2	104	0.09	0.5	2.36	0.01	0.25	0.05	0.02	4.1	0.2	0.03	7	0.5
KSR145938	82	1.17	72	0.09	0.5	2.29	0.01	0.16	0.05	0.04	3.6	0.2	0.03	7	0.25
KSR145941	85	1.25	117	0.11	0.5	2.59	0.01	0.27	0.05	0.03	4	0.2	0.03	7	0.25
KSR145942	59	1	87	0.08	0.5	1.93	0.01	0.19	0.05	0.04	3.1	0.2	0.06	6	0.25
KSR145942	60	0.99	86	0.08	0.5	1.92	0.01	0.19	0.05	0.04	3.2	0.2	0.05	6	0.25
KSR145944	55	0.97	75	0.08	1	1.92	0.01	0.16	0.05	0.02	3.3	0.1	0.03	5	0.25
KSR145945	59	1.04	70	0.07	0.5	2.21	0.01	0.16	0.05	0.02	3.5	0.1	0.03	6	0.25
KSR145946	48	0.9	89	0.06	1	2.32	0.01	0.05	0.05	0.02	3.7	0.05	0.03	6	0.6
KSR145947	39	0.72	75	0.04	0.5	1.68	0.01	0.05	0.05	0.04	1.9	0.05	0.03	5	0.6
KSR145948	50	0.9	107	0.07	1	2.25	0.01	0.07	0.1	0.02	3.7	0.1	0.03	6	0.25
KSR145949	43	0.76	85	0.04	0.5	1.9	0.01	0.04	0.1	0.03	2.4	0.05	0.03	6	0.25
KSR145950	37	0.74	76	0.04	0.5	1.78	0.02	0.05	0.05	0.02	2.5	0.05	0.03	5	0.25
KSR145951	53	0.92	85	0.04	0.5	2.18	0.01	0.07	0.05	0.04	3.8	0.1	0.06	6	1
KSR145952	37	0.65	131	0.03	0.5	1.45	0.01	0.05	0.05	0.05	1.7	0.05	0.1	5	0.7
KSR145952	37	0.64	129	0.03	0.5	1.45	0.01	0.05	0.05	0.05	1.8	0.05	0.1	5	0.7
KSR145953	48	0.9	100	0.05	1	2.04	0.01	0.06	0.1	0.05	4	0.1	0.03	6	0.7
KSR146639	78	1.11	162	0.1	0.5	2.23	0.01	0.26	0.05	0.02	4.3	0.2	0.03	7	0.25
KSR146639	79	1.11	164	0.1	0.5	2.28	0.01	0.27	0.05	0.03	4.4	0.1	0.03	8	0.25
KSR146640	69	0.95	130	0.06	0.5	2.01	0.01	0.15	0.05	0.03	3.2	0.1	0.05	7	0.25
KSR146641	136	2.35	568	0.3	0.5	3.16	0.04	0.51	0.05	0.02	3.9	0.4	0.03	8	0.25
KSR146642	75	1.24	164	0.14	0.5	2.64	0.01	0.43	0.05	0.01	6.4	0.2	0.03	7	0.25
KSR146643	63	1.4	315	0.14	0.5	3.19	0.01	0.28	0.05	0.01	7.5	0.2	0.03	10	0.25
KSR146644	80	1.24	262	0.2	1	2.32	0.01	0.54	1.5	0.01	4	0.2	0.03	8	0.25
KSR146645	61	0.92	146	0.11	0.5	2.13	0.01	0.3	0.05	0.02	4.7	0.2	0.05	7	0.25
KSR146646	76	1.08	128	0.13	0.5	2.33	0.01	0.27	0.05	0.02	5.3	0.1	0.03	9	0.25
KSR146647	42	0.8	141	0.08	0.5	2.23	0.01	0.1	0.05	0.04	2.4	0.1	0.03	6	0.8
KSR146648	66	1.19	164	0.13	0.5	2.77	0.01	0.71	0.05	0.01	5.8	0.4	0.03	8	0.25
KSR146649	52	0.84	128	0.09	1	2.18	0.02	0.17	0.05	0.03	4	0.2	0.03	7	0.6
KSR146650	71	1.28	210	0.15	0.5	2.49	0.02	0.53	0.05	0.01	6.5	0.3	0.03	8	0.25
KSR146651	63	1.18	201	0.15	0.5	2.41	0.01	0.44	0.05	0.01	5.6	0.3	0.03	7	0.25
KSR146652	88	1.41	218	0.15	0.5	2.72	0.02	0.71	0.05	0.01	7.5	0.3	0.03	9	0.25
KSR146653	65	1.05	119	0.09	0.5	2.28	0.01	0.3	0.2	0.02	4.1	0.3	0.03	7	0.25
KSR146654	70	1.25	181	0.14	0.5	2.3	0.01	0.58	0.05	0.01	5.6	0.3	0.03	8	0.25
KSR146655	87	1.39	240	0.19	0.5	3.07	0.02	0.52	0.05	0.02	7.5	0.3	0.03	9	0.25
KSR146656	65	1.35	179	0.17	0.5	2.63	0.02	0.5	0.05	0.01	4.7	0.2	0.03	9	0.25
KSR146667	48	0.87	108	0.09	0.5	1.69	0.01	0.2	0.05	0.01	4.2	0.1	0.03	5	0.25
KSR146668	53	0.86	124	0.09	0.5	1.66	0.02	0.16	0.05	0.01	4.6	0.1	0.03	5	0.6
KSR146674	115	1.71	557	0.22	0.5	2.93	0.02	1.05	0.3	0.01	8	0.5	0.03	11	0.25
KSR146675	147	1.92	611	0.24	0.5	3.29	0.02	1.03	0.3	0.01	6.9	0.4	0.03	11	0.25
KSR146676	101	1.6	412	0.21	0.5	3.04	0.02	0.86	0.1	0.01	7.9	0.4	0.03	10	0.25
KSR146677	70	1.16	266	0.14	0.5	1.99	0.02	0.41	0.1	0.02	5.3	0.2	0.03	7	0.25
KSR146679	89	1.38	416	0.17	0.5	2.57	0.02	0.74	0.1	0.02	6.9	0.3	0.03	9	0.25
KSR146680	84	1.27	331	0.14	1	2.41	0.02	0.4	0.1	0.02	6.4	0.2	0.03	8	0.25
KSR146683	96	1.3	329	0.16	0.5	2.52	0.02	0.64	0.1	0.01	7.3	0.3	0.03	10	0.25
KSR146684	84	1.34	256	0.15	0.5	2.55	0.01	0.58	0.05	0.01	5.5	0.3	0.03	9	0.25
KSR146686	69	1.15	210	0.13	0.5	1.95	0.02	0.37	0.05	0.02	5.6	0.2	0.03	6	0.25
KSR146711	28	0.6	166	0.2	1	1.62	0.02	0.27	0.3	0.01	3.1	0.4	0.03	8	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR146712	355088	6798988	UTM NAD 83	08V	1DX-15	1.4	49.6	59.7	168	0.5
KSR146721	354745	6798307	UTM NAD 83	08V	1DX-15	2.1	27.7	10.4	88	0.05
KSR146724	354852	6798033	UTM NAD 83	08V	1DX-15	1.1	16.5	10.1	74	0.05
KSR146732	355543	6797652	UTM NAD 83	08V	1DX-15	1.2	25.8	11.3	87	0.05
KSR146733	355643	6797643	UTM NAD 83	08V	1DX-15	0.9	19.1	7.7	72	0.05
KSR146734	355744	6797647	UTM NAD 83	08V	1DX-15	0.7	30	8.5	80	0.05
KSR146735	355845	6797648	UTM NAD 83	08V	1DX-15	0.9	26.8	7.5	71	0.05
KSR146751	654547	6785765	UTM NAD 83	07V	1DX-15	1.1	44.1	6.2	62	0.1
KSR146755	654789	6785486	UTM NAD 83	07V	1DX-15	1.5	48.4	8.5	74	0.05
KSR146756	654839	6785474	UTM NAD 83	07V	1DX-15	1.4	49.7	9.3	79	0.1
KSR146758	655029	6785498	UTM NAD 83	07V	1DX-15	1.7	45.4	9.2	74	0.05
KSR146760	655230	6785478	UTM NAD 83	07V	1DX-15	0.4	58.5	9	104	0.2
KSR146761	655316	6785427	UTM NAD 83	07V	1DX-15	1.2	33.2	7.7	70	0.05
KSR146762	655394	6785364	UTM NAD 83	07V	1DX-15	1.4	49.9	8.7	83	0.1
KSR146763	655452	6785282	UTM NAD 83	07V	1DX-15	1.6	34	8.4	73	0.05
KSR146764	655506	6785198	UTM NAD 83	07V	1DX-15	2	34.3	9	67	0.2
KSR146765	655590	6785143	UTM NAD 83	07V	1DX-15	1.6	38	6.8	64	0.2
KSR146766	655676	6785091	UTM NAD 83	07V	1DX-15	1.4	54.6	8.9	88	0.1
KSR146767	655759	6785032	UTM NAD 83	07V	1DX-15	1.9	57.3	11.5	94	0.2
KSR146768	655849	6784989	UTM NAD 83	07V	1DX-15	1.5	55.1	9.5	110	0.1
KSR146769	655944	6784956	UTM NAD 83	07V	1DX-15	1.2	57.3	8.1	85	0.2
KSR146770	656039	6784924	UTM NAD 83	07V	1DX-15	1.1	61	9.6	88	0.3
KSR146771	656131	6784886	UTM NAD 83	07V	1DX-15	1.4	53.9	6.8	74	0.3
KSR146772	656206	6784820	UTM NAD 83	07V	1DX-15	0.9	64.1	5.4	71	0.2
KSR146773	656289	6784763	UTM NAD 83	07V	1DX-15	0.7	45.5	4.9	77	0.1
KSR146774	656382	6784728	UTM NAD 83	07V	1DX-15	0.9	57.3	7.6	84	0.05
KSR146775	656403	6784688	UTM NAD 83	07V	1DX-15	1.7	68.8	10.6	67	0.3
KSR146776	656503	6784677	UTM NAD 83	07V	1DX-15	1.3	44.4	8.6	76	0.05
KSR146777	656600	6784649	UTM NAD 83	07V	1DX-15	0.9	58.5	6.5	85	0.05
KSR146778	656685	6784594	UTM NAD 83	07V	1DX-15	0.9	55.9	7.4	81	0.1
KSR146779	656726	6784504	UTM NAD 83	07V	1DX-15	1	52.2	7.1	82	0.1
KSR146780	656751	6784406	UTM NAD 83	07V	1DX-15	0.9	57.3	7.2	81	0.05
KSR146781	656767	6784308	UTM NAD 83	07V	1DX-15	0.8	57.8	6	87	0.05
KSR146782	656810	6784217	UTM NAD 83	07V	1DX-15	0.9	62.8	6.5	91	0.05
KSR146783	656832	6784119	UTM NAD 83	07V	1DX-15	1	64.3	7.4	91	0.1
KSR146784	656894	6784039	UTM NAD 83	07V	1DX-15	1.3	33	9.2	70	0.05
KSR146785	656917	6783994	UTM NAD 83	07V	1DX-15	1.2	40.8	8.1	69	0.1
KSR146786	656917	6783996	UTM NAD 83	07V	1DX-15	1.3	40.5	8.5	69	0.1
KSR146788	359633	6769443	UTM NAD 83	08V	1DX-15	0.8	65	5.9	94	0.2
KSR146790	359459	6769541	UTM NAD 83	08V	1DX-15	1.5	171	9.7	124	0.2
KSR146791	359362	6769572	UTM NAD 83	08V	1DX-15	1.9	96.1	8.1	111	0.2
KSR146792	359278	6769627	UTM NAD 83	08V	1DX-15	0.9	110	7.4	128	0.1
KSR146794	359207	6769697	UTM NAD 83	08V	1DX-15	1.2	84.1	6.3	108	0.05
KSR146798	359172	6770093	UTM NAD 83	08V	1DX-15	1.2	78.1	7	97	0.3
KSR146799	359186	6770192	UTM NAD 83	08V	1DX-15	1	82.3	5.8	109	0.2
KSR146823	629798	6808088	UTM NAD 83	07V	1DX-15	1	33.1	5.4	110	0.2
KSR146824	629775	6808186	UTM NAD 83	07V	1DX-15	1.9	39.1	8.4	83	0.05
KSR146825	629757	6808285	UTM NAD 83	07V	1DX-15	1.7	44.1	7.6	88	0.05
KSR146826	629726	6808381	UTM NAD 83	07V	1DX-15	2.7	55.2	4.3	126	0.1
KSR146827	629672	6808465	UTM NAD 83	07V	1DX-15	1.1	30.5	5.3	94	0.05
KSR146828	629624	6808553	UTM NAD 83	07V	1DX-15	2.1	33.9	8.1	86	0.05
KSR146829	629563	6808632	UTM NAD 83	07V	1DX-15	0.9	26.5	6.9	78	0.05
KSR146830	629489	6808700	UTM NAD 83	07V	1DX-15	1.6	31.5	7.1	87	0.05
KSR146831	629424	6808776	UTM NAD 83	07V	1DX-15	1.1	30.9	6.6	68	0.1
KSR146832	629361	6808855	UTM NAD 83	07V	1DX-15	0.7	38.5	5.4	97	0.3

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR146712	26.3	12	913	3.48	10.7	3.7	4.3	11.1	48	1.2	0.7	1.7	54	0.69	0.09	20
KSR146721	25.9	11.9	579	3.5	13.5	1.1	1.4	6.4	20	0.3	0.8	0.4	67	0.18	0.04	11
KSR146724	16.9	9.3	483	2.93	7.2	1.6	12.9	10.1	20	0.2	0.4	0.2	49	0.2	0.03	17
KSR146732	19.5	10	567	3.25	9.2	1.1	2.6	7.9	16	0.2	0.4	0.6	51	0.18	0.03	16
KSR146733	14.1	7.2	403	2.99	7.1	1.3	17.1	12.3	14	0.2	0.3	0.9	44	0.17	0.02	21
KSR146734	15.7	7.5	427	2.98	7.1	1.6	12.2	9.8	17	0.2	0.3	1.2	48	0.21	0.03	17
KSR146735	13.7	6.8	395	2.66	12.5	1.5	5.2	9.4	17	0.2	0.4	0.7	42	0.24	0.05	18
KSR146751	38.2	13.8	355	2.8	11.3	0.7	1.9	1.5	30	0.1	0.4	0.1	57	0.3	0.09	9
KSR146755	43.4	15.3	428	3.36	15.7	0.8	3	1.7	23	0.1	0.6	0.2	66	0.2	0.05	10
KSR146756	53.5	17.2	523	3.42	23.5	0.8	4.2	2	32	0.2	0.6	0.2	70	0.31	0.09	11
KSR146758	35.8	12.8	385	3.12	11.7	0.8	7.1	1.8	22	0.1	0.6	0.2	59	0.2	0.06	10
KSR146760	60.5	20.1	649	3.63	10.8	1.1	2.7	4.4	211	0.1	0.05	0.3	43	0.72	0.11	10
KSR146761	34.5	13.2	415	3.06	12	0.8	3.3	0.8	21	0.2	0.6	0.2	62	0.22	0.06	9
KSR146762	52.3	18.4	594	3.4	14.8	1	3	2.2	41	0.1	0.6	0.2	62	0.32	0.06	11
KSR146763	31.1	12.4	434	2.94	11	0.6	3	1	27	0.05	0.7	0.2	63	0.3	0.07	10
KSR146764	32.4	11.7	398	3.11	11.4	0.6	1.8	1.2	26	0.1	0.6	0.2	68	0.26	0.05	9
KSR146765	26.8	12.2	444	2.6	8.7	0.8	2.5	0.7	29	0.1	0.5	0.1	56	0.35	0.09	10
KSR146766	51.9	18.1	546	3.48	11.3	1	1.5	2.2	34	0.2	0.5	0.2	56	0.31	0.07	13
KSR146767	53	19.3	619	3.55	16.2	1.6	1.9	2.3	44	0.1	0.6	0.2	58	0.69	0.15	20
KSR146768	49.9	19.3	624	3.58	16.4	1	2.3	1.8	33	0.3	0.6	0.2	63	0.33	0.08	13
KSR146769	55.6	17.4	538	3.38	13.8	1	2	2.6	54	0.1	0.4	0.2	55	0.37	0.07	15
KSR146770	54	17.4	533	3.45	14.3	1.1	4.4	1.9	37	0.3	0.4	0.2	66	0.44	0.08	14
KSR146771	44.7	16.2	564	3.1	10.7	0.8	3	0.8	40	0.2	0.4	0.2	65	0.75	0.11	9
KSR146772	34	17.5	544	2.94	9	0.8	1.6	1.2	36	0.3	0.3	0.1	66	0.48	0.08	12
KSR146773	38.4	13.7	420	2.9	8.2	0.6	1	2.4	26	0.05	0.3	0.1	49	0.32	0.08	9
KSR146774	52.9	17.6	443	3.63	13.7	0.7	4.4	3.4	30	0.1	0.4	0.1	61	0.31	0.08	10
KSR146775	44.8	13.8	344	3.24	13.8	1.2	4	2.2	29	0.1	0.6	0.2	64	0.38	0.08	16
KSR146776	41.3	15.7	467	3.5	12.7	0.7	3.8	1.8	25	0.2	0.6	0.1	66	0.26	0.05	10
KSR146777	54.9	17.4	464	3.51	10.4	0.8	2.3	4.4	32	0.1	0.4	0.1	58	0.29	0.08	14
KSR146778	47.8	16.3	427	3.42	11	0.8	3.1	2.9	28	0.2	0.4	0.2	62	0.31	0.07	16
KSR146779	46.8	16.3	453	3.36	10.6	0.8	3.3	3	27	0.2	0.4	0.2	53	0.27	0.07	11
KSR146780	48.9	16.9	469	3.33	11.6	0.8	4.5	3.4	27	0.1	0.4	0.2	54	0.25	0.06	12
KSR146781	49.9	17.8	485	3.4	9.6	0.8	2.8	3.8	33	0.2	0.3	0.1	54	0.32	0.08	16
KSR146782	57.1	18.9	522	3.54	11.9	0.9	2.2	4.7	29	0.2	0.3	0.2	50	0.25	0.07	12
KSR146783	60.9	21.3	514	3.65	11.6	0.9	1.8	5	35	0.2	0.4	0.2	57	0.29	0.05	15
KSR146784	32.4	11.7	325	3.16	10	0.6	2	1	28	0.2	0.4	0.1	62	0.34	0.07	8
KSR146785	32.4	12.2	427	3.03	11	0.8	3.1	0.7	24	0.2	0.5	0.2	54	0.23	0.09	10
KSR146786	36.1	13.4	430	3.08	10.8	0.8	3.9	0.5	25	0.2	0.6	0.1	59	0.24	0.09	10
KSR146788	55.2	19.8	478	3.81	45.1	0.7	4.4	2.8	27	0.05	0.3	0.1	90	0.16	0.06	13
KSR146790	94.9	40.2	630	4.41	12.5	1.8	3.2	5.1	95	0.2	0.7	0.2	91	0.27	0.08	28
KSR146791	53.9	25.5	590	4.76	16.3	1.4	1.1	3.5	46	0.1	0.5	0.2	126	0.34	0.09	19
KSR146792	87.4	25.2	660	4.74	10.9	1.2	2.7	5.1	28	0.2	0.6	0.2	107	0.2	0.06	19
KSR146794	92.5	31.3	591	3.99	21.3	1	2.7	3.9	26	0.1	0.7	0.2	78	0.18	0.05	15
KSR146798	64	19.9	533	3.73	17.1	1.5	2.9	2.7	42	0.05	0.3	0.3	84	0.3	0.1	16
KSR146799	83.5	25.4	597	3.85	14.8	0.9	1.8	3.7	26	0.1	0.4	0.2	80	0.22	0.07	17
KSR146823	29.1	17.2	698	4.66	6.2	3.3	2.5	13.5	31	0.5	0.3	0.1	114	0.48	0.15	17
KSR146824	32.1	14.5	572	3.58	12.5	0.9	8.8	1.6	40	0.2	0.7	0.1	83	0.42	0.09	10
KSR146825	41.1	18.5	560	3.86	10.2	0.8	5.2	1.8	28	0.2	0.6	0.1	92	0.33	0.08	9
KSR146826	60.6	22	558	4.34	7	1.6	4.5	4.6	42	0.3	0.3	0.05	153	0.45	0.12	12
KSR146827	41.1	16.1	503	3.45	7	0.7	2	3.1	37	0.2	0.4	0.1	90	0.41	0.08	11
KSR146828	41.9	16	566	3.72	8.2	0.8	3.7	2.7	29	0.2	0.6	0.1	99	0.36	0.07	13
KSR146829	28.4	14.9	575	3.52	6.8	0.7	3.4	2.4	31	0.3	0.3	0.05	80	0.35	0.06	10
KSR146830	34	15.2	595	3.61	9.1	0.9	2.6	1.2	32	0.2	0.6	0.1	91	0.4	0.09	10
KSR146831	32.2	16.7	521	2.93	7.5	1.2	4.6	2.2	49	0.4	0.4	0.1	66	0.78	0.08	15
KSR146832	53.6	26.3	389	4.64	2.6	1.4	0.7	4.1	120	0.2	0.3	0.05	103	1.26	0.14	10

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR146712	33	0.66	191	0.12	3	1.76	0.02	0.27	0.7	0.07	3.6	0.4	0.09	7	0.5
KSR146721	38	0.7	85	0.14	1	1.68	0.01	0.18	0.1	0.02	3.1	0.2	0.03	8	0.25
KSR146724	25	0.55	123	0.19	0.5	1.51	0.01	0.29	0.1	0.01	2.7	0.3	0.03	8	0.25
KSR146732	28	0.59	134	0.14	2	1.8	0.02	0.23	0.2	0.02	2.9	0.3	0.03	8	0.25
KSR146733	22	0.47	85	0.15	1	1.37	0.01	0.21	0.2	0.02	2.4	0.3	0.03	6	0.25
KSR146734	25	0.53	115	0.17	1	1.65	0.02	0.27	0.3	0.02	2.9	0.3	0.03	7	0.25
KSR146735	21	0.45	109	0.14	1	1.42	0.01	0.22	0.4	0.02	2.6	0.3	0.03	6	0.25
KSR146751	34	0.62	65	0.07	0.5	1.32	0.02	0.05	0.05	0.02	2.3	0.05	0.03	4	0.25
KSR146755	48	0.88	87	0.07	0.5	1.98	0.01	0.08	0.05	0.01	2.8	0.2	0.03	5	0.25
KSR146756	76	1.21	102	0.08	0.5	2.18	0.01	0.09	0.05	0.01	3.9	0.1	0.03	6	0.25
KSR146758	42	0.79	77	0.05	1	1.74	0.01	0.05	0.05	0.03	2.5	0.05	0.03	5	0.25
KSR146760	47	1.05	62	0.02	0.5	2.6	0.02	0.15	0.05	0.01	2.6	0.05	0.03	6	0.25
KSR146761	43	0.78	61	0.06	0.5	2.05	0.02	0.06	0.05	0.03	2.4	0.1	0.03	5	0.7
KSR146762	53	0.91	106	0.06	2	2.01	0.02	0.07	0.05	0.03	3.4	0.1	0.05	5	0.25
KSR146763	42	0.73	85	0.05	1	1.7	0.01	0.06	0.1	0.02	2.4	0.05	0.03	5	0.7
KSR146764	40	0.65	77	0.06	1	1.58	0.01	0.06	0.05	0.05	2.4	0.05	0.03	6	0.25
KSR146765	36	0.61	116	0.04	0.5	1.5	0.02	0.05	0.05	0.05	2.1	0.05	0.07	5	0.5
KSR146766	43	0.83	94	0.03	2	1.81	0.01	0.04	0.05	0.02	2.8	0.05	0.06	5	0.5
KSR146767	51	0.93	146	0.02	0.5	2.1	0.02	0.06	0.1	0.04	2.6	0.05	0.08	5	0.25
KSR146768	48	0.89	101	0.06	1	1.89	0.02	0.06	0.05	0.02	2.8	0.05	0.06	6	0.25
KSR146769	48	0.88	89	0.04	0.5	1.92	0.01	0.07	0.05	0.03	2.8	0.1	0.03	5	0.25
KSR146770	57	0.94	95	0.06	0.5	1.89	0.02	0.11	0.05	0.07	3	0.1	0.05	6	0.25
KSR146771	54	0.8	113	0.05	0.5	1.63	0.02	0.15	0.05	0.05	2.5	0.2	0.09	5	0.25
KSR146772	45	0.71	108	0.09	2	1.42	0.02	0.08	0.05	0.04	2.8	0.05	0.06	5	0.25
KSR146773	46	0.92	88	0.05	1	1.66	0.01	0.12	0.05	0.02	2.7	0.1	0.03	5	0.25
KSR146774	51	0.99	103	0.06	0.5	2.04	0.01	0.12	0.05	0.01	2.9	0.1	0.03	5	0.25
KSR146775	55	0.89	116	0.05	0.5	2.07	0.01	0.08	0.05	0.04	3.7	0.1	0.03	6	0.6
KSR146776	49	0.88	91	0.08	1	1.9	0.01	0.06	0.05	0.02	2.9	0.05	0.03	5	0.25
KSR146777	48	0.97	103	0.07	0.5	1.96	0.01	0.13	0.05	0.01	3.2	0.1	0.03	5	0.25
KSR146778	48	0.89	113	0.08	0.5	2.12	0.02	0.07	0.05	0.03	3.6	0.05	0.03	5	0.25
KSR146779	40	0.88	95	0.05	0.5	1.86	0.01	0.08	0.05	0.01	2.5	0.1	0.03	5	0.25
KSR146780	42	0.88	116	0.05	0.5	1.94	0.01	0.1	0.05	0.02	3.1	0.1	0.03	5	0.25
KSR146781	45	0.92	89	0.07	0.5	1.9	0.02	0.05	0.05	0.01	3.3	0.05	0.03	5	0.25
KSR146782	42	0.97	107	0.04	0.5	1.99	0.01	0.09	0.05	0.02	3	0.1	0.03	5	0.25
KSR146783	49	0.97	104	0.06	3	2.22	0.02	0.06	0.05	0.01	3.7	0.05	0.03	5	0.25
KSR146784	45	0.73	99	0.06	0.5	1.7	0.01	0.05	0.05	0.02	2.5	0.05	0.03	5	0.25
KSR146785	39	0.73	101	0.03	1	1.81	0.01	0.04	0.05	0.02	1.7	0.05	0.03	5	0.25
KSR146786	43	0.75	95	0.04	0.5	1.88	0.01	0.04	0.05	0.03	1.9	0.05	0.03	5	0.6
KSR146788	67	1.16	107	0.11	0.5	2.7	0.01	0.38	0.05	0.02	4.8	0.3	0.03	7	0.25
KSR146790	71	1.23	115	0.09	0.5	2.73	0.02	0.34	0.05	0.08	5.2	0.3	0.06	7	0.6
KSR146791	88	1.43	266	0.14	1	3.17	0.02	0.48	0.05	0.03	6.8	0.3	0.12	10	0.5
KSR146792	85	1.3	118	0.1	0.5	3.06	0.01	0.2	0.05	0.04	5.6	0.4	0.03	8	0.25
KSR146794	56	0.97	60	0.09	1	2.23	0.01	0.17	0.05	0.01	4	0.2	0.03	6	0.25
KSR146798	65	1.01	78	0.07	0.5	2.32	0.01	0.21	0.05	0.05	4	0.2	0.03	7	0.9
KSR146799	57	0.99	76	0.08	0.5	2.12	0.01	0.18	0.05	0.02	3.7	0.2	0.03	6	0.25
KSR146823	68	1.33	320	0.35	0.5	2.3	0.01	0.98	0.3	0.02	9.8	0.9	0.03	9	0.25
KSR146824	47	0.87	208	0.14	0.5	1.9	0.02	0.14	0.2	0.02	3.1	0.2	0.03	7	0.25
KSR146825	64	0.99	190	0.17	0.5	2.2	0.01	0.24	0.1	0.02	4.1	0.2	0.03	8	0.25
KSR146826	135	1.31	360	0.33	0.5	2.22	0.02	0.71	0.3	0.01	6.1	0.5	0.05	8	1.3
KSR146827	103	1.06	189	0.25	1	2.06	0.02	0.34	0.05	0.01	3.7	0.2	0.03	7	0.25
KSR146828	70	1.1	172	0.19	1	1.98	0.01	0.3	0.05	0.02	3.7	0.3	0.03	7	0.25
KSR146829	52	1.07	165	0.19	3	2.45	0.02	0.25	0.1	0.02	3.8	0.1	0.03	7	0.25
KSR146830	53	0.96	257	0.15	0.5	2	0.01	0.2	0.1	0.02	3.2	0.2	0.06	7	0.25
KSR146831	40	0.71	219	0.14	0.5	2.97	0.02	0.13	0.3	0.04	3.4	0.1	0.05	6	0.7
KSR146832	129	1.82	282	0.5	0.5	3.16	0.05	0.4	0.05	0.01	5.3	0.2	0.03	16	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR146833	629284	6808919	UTM NAD 83	07V	1DX-15	1.6	36.6	9.7	68	0.05
KSR146834	629229	6809002	UTM NAD 83	07V	1DX-15	1.7	61.6	5.4	69	0.1
KSR146876	360122	6778027	UTM NAD 83	08V	1DX-15	0.6	77.7	6.4	62	0.05
KSR146877	360134	6778101	UTM NAD 83	08V	1DX-15	1.1	94.6	6.4	93	0.2
KSR146878	360152	6778198	UTM NAD 83	08V	1DX-15	0.7	44.7	5.6	56	0.05
KSR146879	360170	6778298	UTM NAD 83	08V	1DX-15	1.2	68.5	6.1	92	0.1
KSR146880	360186	6778396	UTM NAD 83	08V	1DX-15	1.3	55.1	8.7	86	0.1
KSR146881	360204	6778497	UTM NAD 83	08V	1DX-15	0.8	63.3	6.6	88	0.2
KSR146882	360244	6778595	UTM NAD 83	08V	1DX-15	0.6	71.2	9	107	0.2
KSR146882	360244	6778595	UTM NAD 83	08V	1DX-15	0.7	71.7	9	101	0.2
KSR146883	360238	6778694	UTM NAD 83	08V	1DX-15	0.9	60.7	7.9	86	0.1
KSR146884	360258	6778787	UTM NAD 83	08V	1DX-15	0.8	50.3	5.9	76	0.2
KSR146885	360232	6778881	UTM NAD 83	08V	1DX-15	0.8	66.3	6.5	75	0.1
KSR146886	360226	6778980	UTM NAD 83	08V	1DX-15	0.7	63.3	5.6	95	0.1
KSR146888	360186	6779179	UTM NAD 83	08V	1DX-15	0.8	44.4	7.1	73	0.05
KSR146889	360172	6779235	UTM NAD 83	08V	1DX-15	1.2	51.5	7.2	63	0.3
KSR146890	360162	6779332	UTM NAD 83	08V	1DX-15	0.7	56.8	5.8	76	0.05
KSR146891	360139	6779425	UTM NAD 83	08V	1DX-15	1	49.9	6.8	63	0.05
KSR146893	360182	6779615	UTM NAD 83	08V	1DX-15	1.6	38.1	7.6	70	0.2
KSR146893	360182	6779615	UTM NAD 83	08V	1DX-15	1.6	42.3	8.1	68	0.2
KSR146894	360199	6779710	UTM NAD 83	08V	1DX-15	1	49.5	6.7	57	0.05
KSR146895	360222	6779807	UTM NAD 83	08V	1DX-15	0.8	64.1	7.3	91	0.2
KSR146896	360250	6779902	UTM NAD 83	08V	1DX-15	1.5	41.6	8.3	69	0.1
KSR146897	655081	6771721	UTM NAD 83	07V	1DX-15	1.2	30	7	62	0.05
KSR146899	654986	6771899	UTM NAD 83	07V	1DX-15	1.5	33.6	7.3	55	0.05
KSR146900	654955	6771995	UTM NAD 83	07V	1DX-15	1.4	52	5.2	43	0.2
KSR146901	654900	6772081	UTM NAD 83	07V	1DX-15	1.2	38.2	5.5	60	0.05
KSR146927	653935	6774407	UTM NAD 83	07V	1DX-15	0.7	38	4.9	77	0.05
KSR146936	359698	6769376	UTM NAD 83	08V	1DX-15	1	53.2	5.1	85	0.1
KSR146937	359750	6769287	UTM NAD 83	08V	1DX-15	0.7	49.5	4.7	80	0.05
KSR146938	359807	6769202	UTM NAD 83	08V	1DX-15	1.4	51.4	8.7	74	0.1
KSR146939	359838	6769103	UTM NAD 83	08V	1DX-15	1.2	59.1	7.4	99	0.1
KSR146940	359866	6769006	UTM NAD 83	08V	1DX-15	1.3	81.5	6	107	0.1
KSR146940	359866	6769006	UTM NAD 83	08V	1DX-15	1.3	82.8	6.1	102	0.1
KSR146942	359912	6768812	UTM NAD 83	08V	1DX-15	1.6	91.7	7.7	82	0.2
KSR146948	360035	6768240	UTM NAD 83	08V	1DX-15	1.1	64.6	6.5	86	0.2
KSR146949	360105	6768167	UTM NAD 83	08V	1DX-15	1.2	71	7.4	97	0.2
KSR146954	360209	6767708	UTM NAD 83	08V	1DX-15	1.4	97.1	6.8	70	0.2
KSR146955	360211	6767606	UTM NAD 83	08V	1DX-15	1.1	65.5	6.8	90	0.05
KSR146956	360213	6767504	UTM NAD 83	08V	1DX-15	1.6	126	7.4	80	0.3
KSR146959	360281	6767230	UTM NAD 83	08V	1DX-15	1.3	77.1	6.7	64	0.2
KSR146960	360342	6767149	UTM NAD 83	08V	1DX-15	0.8	51	4.1	41	0.1
KSR146971	360248	6768013	UTM NAD 83	08V	1DX-15	0.9	52.9	5.5	76	0.2
KSR147643	346455	6800551	UTM NAD 83	08V	1DX-15	1.8	22	9.2	63	0.05
KSR147646	630467	6804994	UTM NAD 83	07V	1DX-15	1.3	54.6	6.9	93	0.05
KSR147647	630375	6805035	UTM NAD 83	07V	1DX-15	1.6	42.6	7.7	78	0.05
KSR147648	630281	6805070	UTM NAD 83	07V	1DX-15	1.1	69	6.6	101	0.05
KSR147649	630183	6805092	UTM NAD 83	07V	1DX-15	0.9	68.3	6.6	107	0.05
KSR147650	630085	6805112	UTM NAD 83	07V	1DX-15	1.5	48	7	88	0.05
KSR147651	629983	6805107	UTM NAD 83	07V	1DX-15	2	54.8	8.5	82	0.05
KSR147652	629886	6805132	UTM NAD 83	07V	1DX-15	2.6	38.7	11.2	85	0.05
KSR147653	629798	6805181	UTM NAD 83	07V	1DX-15	1.1	67.9	3.4	81	0.05
KSR147654	629700	6805207	UTM NAD 83	07V	1DX-15	1.5	48.5	5.3	69	0.05
KSR147654	629700	6805207	UTM NAD 83	07V	1DX-15	1.5	52.3	4.8	75	0.05
KSR147655	629603	6805232	UTM NAD 83	07V	1DX-15	1.1	64.4	4.4	77	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR146833	31.7	17.9	457	3.23	8.2	0.9	2.7	1.3	56	0.3	0.7	0.2	101	0.66	0.05	8
KSR146834	29.4	28.4	340	3.31	4.2	1.3	1.5	1.9	119	0.1	0.3	0.1	111	1.3	0.07	6
KSR146876	69.2	25	563	4.03	24.2	0.6	1.8	1.8	21	0.1	0.3	0.2	139	0.17	0.05	6
KSR146877	76.7	28.7	523	4.51	16.8	0.8	2	1.9	27	0.2	0.2	0.2	148	0.3	0.11	7
KSR146878	41.4	14.6	367	3.52	18	0.5	6.6	1.1	23	0.1	0.3	0.1	106	0.23	0.06	5
KSR146879	52.2	21.4	483	4.33	56	0.8	2.9	2	41	0.2	0.3	0.2	125	0.29	0.09	8
KSR146880	43.7	17.7	503	3.89	151	0.8	7.5	1.8	33	0.2	0.7	0.4	120	0.16	0.05	8
KSR146881	45.8	16.7	389	3.89	324	0.7	57.4	2	38	0.5	0.7	0.6	108	0.23	0.08	7
KSR146882	57.7	20.9	434	4.66	68.3	0.9	3	2.8	49	0.2	0.3	0.3	155	0.35	0.09	8
KSR146882	56.5	21.3	424	4.63	67.6	0.8	3.5	2.7	49	0.2	0.3	0.3	154	0.35	0.09	8
KSR146883	57.4	18.4	460	3.65	13	0.8	1.6	1.8	65	0.1	0.4	0.2	111	0.5	0.07	9
KSR146884	42.9	15	396	3.61	42.1	0.7	4.7	1.8	23	0.1	0.4	0.2	99	0.2	0.05	6
KSR146885	60.4	18.6	483	4.33	297	0.7	3.8	2	32	0.1	0.4	0.2	153	0.33	0.12	7
KSR146886	48.4	17.2	430	3.9	235	0.7	11.6	2.2	32	0.3	0.4	0.4	116	0.25	0.08	7
KSR146888	40.1	17.4	479	3.54	32.4	0.6	2.7	1.6	21	0.2	0.3	0.2	105	0.19	0.06	7
KSR146889	54.8	17.1	476	3.74	66.4	0.9	6.5	1.2	44	0.05	0.5	0.2	112	0.31	0.08	9
KSR146890	50.5	18.3	419	3.97	51.9	0.5	4	1.8	25	0.05	0.3	0.2	125	0.26	0.07	7
KSR146891	51.1	16.7	427	3.92	61.6	0.5	3.3	1.6	20	0.1	0.4	0.2	122	0.21	0.07	5
KSR146893	34.4	14.6	520	3.38	44.6	0.6	4.3	1	22	0.05	0.7	0.2	114	0.2	0.06	6
KSR146893	35.5	15.7	533	3.48	44.1	0.6	2.9	1.1	23	0.1	0.6	0.2	119	0.21	0.06	6
KSR146894	48.2	15.4	410	3.73	89.7	0.5	4.6	1.2	22	0.1	0.3	0.2	124	0.28	0.09	5
KSR146895	66.4	23.4	449	4.34	85.2	0.6	2	1.6	22	0.2	0.3	0.2	140	0.24	0.08	6
KSR146896	39	13.9	474	3.46	37.4	0.5	7.6	1.2	25	0.2	0.6	0.2	106	0.22	0.06	5
KSR146897	36	15.5	586	3.03	12.2	0.6	1.8	2.4	24	0.1	0.6	0.2	71	0.35	0.05	10
KSR146899	33.6	13.9	476	2.92	7.6	0.5	1.9	1	28	0.2	0.6	0.2	75	0.36	0.06	8
KSR146900	48.8	17.4	441	3.69	8.3	0.5	3	1.2	28	0.05	0.3	0.2	105	0.47	0.07	7
KSR146901	42.6	16.4	454	3.65	7.2	0.5	1.9	1	36	0.1	0.4	0.2	110	0.58	0.07	6
KSR146927	34.5	13.9	523	2.9	9	0.6	3.6	2.7	49	0.3	0.4	0.2	72	1.57	0.09	10
KSR146936	46.3	18	449	3.56	13.3	0.7	2.2	2.7	25	0.1	0.4	0.1	90	0.19	0.07	11
KSR146937	45.5	15.5	434	3.49	12.9	0.6	2.3	2.4	34	0.05	0.2	0.2	93	0.19	0.07	9
KSR146938	36.2	15	634	3.61	7.1	1.1	2.4	1.5	29	0.05	0.4	0.2	88	0.22	0.1	12
KSR146939	47	16.1	473	4.09	9.7	1.2	1.7	2.5	35	0.05	0.3	0.3	92	0.29	0.08	17
KSR146940	62.6	20.6	493	4.11	79.7	1	2.3	3.4	32	0.1	0.2	0.2	90	0.18	0.05	17
KSR146940	65.9	21.4	507	4.23	80.8	1	4.2	3.5	32	0.2	0.4	0.2	93	0.19	0.06	18
KSR146942	73.9	23.1	524	4.41	16.1	1	4.8	1.6	32	0.1	0.4	0.3	102	0.24	0.09	10
KSR146948	55.5	19.4	512	4.27	12.3	0.9	3.4	2.4	25	0.1	0.4	0.2	96	0.2	0.07	12
KSR146949	58.1	19.1	513	4.38	11.3	0.9	2.3	2.4	27	0.1	0.4	0.2	99	0.19	0.06	11
KSR146954	82.1	29.6	644	3.99	27.4	0.8	3	1.4	38	0.2	0.4	0.3	92	0.3	0.09	9
KSR146955	55.9	20	434	4.47	26	0.9	3.8	2.5	32	0.1	0.3	0.2	137	0.2	0.07	9
KSR146956	88	35.7	687	4.33	26.8	0.9	9	1.4	43	0.2	0.4	0.3	100	0.36	0.1	11
KSR146959	70.6	23.4	545	4.21	15.6	0.6	4.5	1.3	30	0.1	0.3	0.2	105	0.28	0.07	7
KSR146960	44.7	14.6	399	3.14	8.1	0.4	6.1	1.6	23	0.2	0.2	0.1	83	0.28	0.08	6
KSR146971	39	14.8	417	3.55	8.8	0.9	2.2	2.2	24	0.1	0.4	0.2	85	0.21	0.07	11
KSR147643	18.6	12.6	554	2.44	7.3	0.8	3.5	0.4	29	0.3	0.6	0.3	56	0.31	0.12	8
KSR147646	52.7	18	494	3.79	6.8	0.6	4.2	1.6	23	0.1	0.5	0.1	108	0.24	0.06	6
KSR147647	39.1	13.5	447	3.55	8.8	0.7	1.7	0.9	22	0.1	0.6	0.2	88	0.24	0.06	7
KSR147648	62.4	23.2	395	4.23	5.8	0.7	1	1.8	21	0.05	0.3	0.2	160	0.28	0.07	7
KSR147649	69.5	25.1	381	4.39	5.2	0.6	1.4	1.7	22	0.05	0.4	0.2	164	0.35	0.09	7
KSR147650	41.2	14.8	453	3.64	7.8	0.6	1.5	0.9	19	0.05	0.5	0.2	102	0.31	0.06	5
KSR147651	41.8	17.4	428	3.68	8.3	0.7	2.1	1.1	30	0.1	0.6	0.1	116	0.28	0.07	7
KSR147652	32.2	17.4	708	3.4	11.8	0.7	2	0.6	23	0.3	1	0.2	77	0.28	0.07	7
KSR147653	77.5	23.9	421	4.29	7.7	0.5	1.9	1.7	14	0.05	0.3	0.1	131	0.23	0.03	7
KSR147654	35.5	16.7	387	3.13	9	0.6	1.5	1.1	19	0.1	0.5	0.1	82	0.22	0.04	7
KSR147654	37.1	18.5	420	3.39	9.1	0.5	1.4	1.1	19	0.05	0.4	0.1	90	0.24	0.04	6
KSR147655	104	23.6	398	3.86	8	0.6	2.6	2	27	0.1	0.3	0.1	122	0.27	0.04	8

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR146833	52	1.08	199	0.16	0.5	2.79	0.03	0.15	0.6	0.04	3.3	0.1	0.03	7	0.5
KSR146834	73	1.49	300	0.23	2	3.28	0.08	0.37	0.1	0.02	2.3	0.2	0.05	8	0.8
KSR146876	96	1.14	393	0.23	0.5	3.08	0.02	0.91	0.1	0.01	10	0.3	0.03	10	0.25
KSR146877	87	1.33	314	0.22	0.5	3.45	0.02	0.86	0.1	0.02	10.4	0.3	0.03	10	0.5
KSR146878	67	0.95	255	0.14	0.5	2.2	0.01	0.49	0.1	0.03	6.3	0.2	0.03	8	0.25
KSR146879	79	1.22	340	0.24	0.5	3	0.03	0.81	0.4	0.02	8	0.3	0.05	10	0.25
KSR146880	70	1.04	251	0.16	0.5	2.63	0.02	0.58	0.4	0.03	6.3	0.2	0.06	8	0.5
KSR146881	64	1.07	259	0.15	0.5	2.57	0.02	0.69	0.7	0.02	7	0.2	0.03	8	0.25
KSR146882	89	1.43	437	0.19	0.5	3.77	0.04	1.11	0.2	0.02	10.9	0.4	0.03	13	0.25
KSR146882	88	1.39	425	0.2	0.5	3.87	0.03	1.05	0.1	0.02	10.7	0.4	0.03	12	0.25
KSR146883	74	1.11	223	0.19	0.5	3.43	0.07	0.44	0.1	0.03	6.5	0.2	0.07	9	0.25
KSR146884	59	0.98	207	0.16	0.5	2.49	0.02	0.52	0.5	0.03	6.1	0.3	0.03	8	0.6
KSR146885	85	1.25	321	0.21	0.5	3.29	0.02	0.86	0.4	0.02	9.3	0.2	0.03	10	0.25
KSR146886	74	1.17	294	0.19	0.5	3.04	0.02	0.86	0.4	0.02	8.1	0.3	0.03	10	0.6
KSR146888	68	1.08	230	0.2	1	2.81	0.02	0.64	1.1	0.02	7.2	0.3	0.03	8	0.25
KSR146889	91	1.1	294	0.14	0.5	2.83	0.02	0.4	0.1	0.04	6.3	0.3	0.03	9	0.25
KSR146890	78	1.21	237	0.23	0.5	2.81	0.02	0.67	0.2	0.02	8.4	0.2	0.03	9	0.25
KSR146891	79	1.04	251	0.2	0.5	2.7	0.01	0.59	0.1	0.02	7.7	0.3	0.03	8	0.8
KSR146893	60	0.92	200	0.13	1	2.09	0.01	0.38	0.1	0.04	5	0.2	0.07	8	0.25
KSR146893	64	0.9	199	0.12	0.5	2.09	0.01	0.38	0.1	0.05	5.2	0.2	0.03	8	0.25
KSR146894	76	1.03	268	0.2	0.5	2.53	0.02	0.71	0.2	0.02	7.7	0.3	0.03	8	0.25
KSR146895	88	1.33	289	0.23	0.5	3.3	0.02	1.06	0.1	0.03	9.4	0.3	0.03	10	0.25
KSR146896	63	0.85	171	0.16	0.5	1.92	0.01	0.4	0.1	0.03	5.1	0.2	0.03	8	0.6
KSR146897	49	0.83	101	0.11	1	1.64	0.01	0.17	0.4	0.02	3.8	0.2	0.03	5	0.25
KSR146899	48	0.84	177	0.08	0.5	1.75	0.01	0.2	0.1	0.02	3.7	0.2	0.03	5	0.25
KSR146900	75	1.06	252	0.14	0.5	2.13	0.02	0.51	0.2	0.03	6.7	0.3	0.09	6	0.25
KSR146901	72	1.14	224	0.14	0.5	2.25	0.03	0.36	0.05	0.04	6.3	0.2	0.09	7	0.6
KSR146927	53	1.04	144	0.14	2	1.62	0.03	0.35	0.2	0.02	5.4	0.2	0.03	6	0.25
KSR146936	65	1.13	149	0.11	0.5	2.44	0.01	0.41	0.1	0.01	5	0.2	0.03	7	0.25
KSR146937	69	1.18	151	0.12	0.5	2.4	0.01	0.47	0.05	0.03	5.3	0.3	0.03	7	0.25
KSR146938	57	0.91	116	0.08	0.5	2.13	0.01	0.16	0.05	0.04	3.5	0.2	0.1	7	0.7
KSR146939	64	1.08	104	0.1	0.5	2.26	0.02	0.23	0.05	0.03	4.1	0.3	0.09	7	0.25
KSR146940	64	1.09	95	0.1	0.5	2.45	0.01	0.31	0.1	0.02	4.7	0.3	0.03	7	0.25
KSR146940	64	1.15	97	0.1	0.5	2.51	0.01	0.32	0.05	0.03	4.8	0.4	0.05	7	0.25
KSR146942	64	1.12	118	0.11	0.5	2.49	0.02	0.27	0.1	0.03	4.7	0.3	0.11	8	0.25
KSR146948	65	1.1	102	0.12	0.5	2.48	0.01	0.33	0.05	0.03	4.6	0.3	0.06	8	0.25
KSR146949	67	1.12	110	0.12	0.5	2.62	0.01	0.32	0.05	0.03	4.8	0.3	0.03	8	0.25
KSR146954	62	1.08	115	0.08	0.5	2.5	0.01	0.25	0.05	0.04	4.4	0.3	0.07	7	0.25
KSR146955	106	1.45	349	0.19	0.5	3.05	0.02	0.79	0.1	0.01	9	0.3	0.11	10	0.6
KSR146956	69	1.13	145	0.1	1	2.66	0.02	0.31	0.05	0.06	5.1	0.4	0.09	8	0.25
KSR146959	65	1.15	146	0.1	0.5	2.55	0.01	0.38	0.1	0.02	5.1	0.3	0.03	8	0.25
KSR146960	52	0.9	87	0.11	0.5	1.8	0.01	0.33	0.05	0.01	4.2	0.2	0.03	5	0.25
KSR146971	60	0.93	104	0.1	0.5	2.21	0.01	0.25	0.05	0.03	4.6	0.3	0.03	7	0.7
KSR147643	30	0.47	107	0.04	1	1.13	0.01	0.07	0.1	0.06	1.6	0.1	0.1	5	0.25
KSR147646	75	1.04	196	0.21	1	2.49	0.02	0.39	0.1	0.01	6.4	0.2	0.03	7	0.25
KSR147647	55	0.77	132	0.12	1	1.79	0.01	0.21	0.05	0.03	3.8	0.1	0.07	7	0.25
KSR147648	112	1.44	237	0.25	0.5	3.1	0.03	0.74	0.1	0.02	9	0.3	0.03	10	0.25
KSR147649	122	1.51	292	0.24	0.5	3.12	0.02	0.78	0.05	0.01	9.5	0.3	0.03	11	0.25
KSR147650	64	0.9	191	0.15	2	1.96	0.01	0.43	0.2	0.04	4.9	0.2	0.05	8	0.25
KSR147651	69	1.03	153	0.15	0.5	2.43	0.03	0.27	0.05	0.02	4.7	0.1	0.06	8	0.25
KSR147652	43	0.67	119	0.07	2	1.46	0.01	0.1	0.05	0.05	2.2	0.1	0.05	6	0.6
KSR147653	128	1.55	221	0.32	0.5	2.63	0.02	0.57	0.05	0.01	4	0.2	0.03	9	0.25
KSR147654	60	1.01	143	0.16	0.5	1.96	0.02	0.23	0.05	0.02	2.3	0.1	0.03	6	0.25
KSR147654	63	0.88	136	0.18	1	1.71	0.01	0.24	0.05	0.02	2.6	0.1	0.03	6	0.25
KSR147655	194	1.75	241	0.3	0.5	2.6	0.02	0.7	0.05	0.02	4.1	0.2	0.03	9	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR147656	629539	6805155	UTM NAD 83	07V	1DX-15	1.7	47.7	6.4	87	0.1
KSR147657	629450	6805110	UTM NAD 83	07V	1DX-15	0.7	71.5	4.4	97	0.1
KSR147658	629358	6805071	UTM NAD 83	07V	1DX-15	1.2	58.4	6.5	84	0.2
KSR147659	629271	6805020	UTM NAD 83	07V	1DX-15	1.4	55.1	6.7	85	0.2
KSR147660	629175	6804991	UTM NAD 83	07V	1DX-15	0.8	56.1	6.2	84	0.1
KSR147661	629075	6804982	UTM NAD 83	07V	1DX-15	0.7	48.1	6.3	66	0.2
KSR147662	628974	6804973	UTM NAD 83	07V	1DX-15	1.4	44.7	8.2	81	0.1
KSR147663	628874	6804969	UTM NAD 83	07V	1DX-15	1.3	58.5	5.8	95	0.05
KSR147666	628576	6805006	UTM NAD 83	07V	1DX-15	1.9	44.6	8.7	78	0.05
KSR147667	628475	6805014	UTM NAD 83	07V	1DX-15	0.8	44.8	5	77	0.05
KSR147668	628376	6805019	UTM NAD 83	07V	1DX-15	0.8	68.2	4.4	93	0.05
KSR147669	628277	6805043	UTM NAD 83	07V	1DX-15	1	45.2	7.1	76	0.05
KSR147670	628179	6805018	UTM NAD 83	07V	1DX-15	0.8	53.6	7.2	83	0.1
KSR147671	628106	6804950	UTM NAD 83	07V	1DX-15	2.2	39.9	8.9	82	0.1
KSR147672	628031	6804883	UTM NAD 83	07V	1DX-15	1	49.6	5.2	77	0.1
KSR147673	627942	6804834	UTM NAD 83	07V	1DX-15	1.4	48.1	7.2	76	0.1
KSR147674	627870	6804766	UTM NAD 83	07V	1DX-15	1.5	42.7	8	74	0.05
KSR147675	627801	6804692	UTM NAD 83	07V	1DX-15	0.8	49.5	5.1	68	0.05
KSR147675	627801	6804692	UTM NAD 83	07V	1DX-15	0.8	52.1	5.8	73	0.05
KSR147676	627748	6804608	UTM NAD 83	07V	1DX-15	0.9	72.9	5.1	74	0.1
KSR147677	627702	6804519	UTM NAD 83	07V	1DX-15	1.3	74.6	6.4	70	0.3
KSR147678	627654	6804430	UTM NAD 83	07V	1DX-15	1	61.8	5.8	66	0.1
KSR147679	627604	6804344	UTM NAD 83	07V	1DX-15	0.9	57	5.8	65	0.05
KSR147680	627573	6804249	UTM NAD 83	07V	1DX-15	1.2	80.2	5.1	66	0.05
KSR147792	347662	6802245	UTM NAD 83	08V	1DX-15	2.5	32.7	10.5	69	0.4
KSR147979	617195	6817051	UTM NAD 83	07V	1DX-15	1.4	22.5	7.4	86	0.2
KSR148003	617690	6817498	UTM NAD 83	07V	1DX-15	1.3	24.2	5.5	77	0.05
KSR148004	617781	6817539	UTM NAD 83	08V	1DX-15	1.2	26.2	8.1	89	0.05
KSR148008	618156	6817672	UTM NAD 83	08V	1DX-15	1.2	26.1	5.6	71	0.1
KSR148009	618250	6817709	UTM NAD 83	08V	1DX-15	1.1	36.1	6.1	85	0.05
KSR148010	618318	6817736	UTM NAD 83	08V	1DX-15	0.7	26.4	5.4	111	0.05
KSR148011	618419	6817737	UTM NAD 83	08V	1DX-15	0.8	18.2	4.8	96	0.05
KSR148012	618520	6817727	UTM NAD 83	08V	1DX-15	3.6	29.7	9.9	51	0.1
KSR148013	618619	6817709	UTM NAD 83	08V	1DX-15	1.3	30.8	8.8	81	0.05
KSR148014	618741	6817694	UTM NAD 83	08V	1DX-15	1.7	38.2	7.3	64	0.1
KSR148014	618741	6817694	UTM NAD 83	08V	1DX-15	1.7	38.6	6.8	63	0.1
KSR148015	618766	6817596	UTM NAD 83	08V	1DX-15	0.8	26.5	3.6	77	0.05
KSR148016	618788	6817499	UTM NAD 83	08V	1DX-15	1.1	28.4	4.6	56	0.05
KSR148017	618808	6817401	UTM NAD 83	08V	1DX-15	1.4	33.4	7.8	84	0.1
KSR148117	638655	6801483	UTM NAD 83	08V	1DX-15	1.2	46.5	7.1	87	0.05
KSR148117	638655	6801483	UTM NAD 83	08V	1DX-15	1.2	45.3	7.1	86	0.05
KSR148120	638495	6801743	UTM NAD 83	07V	1DX-15	0.8	56.7	7.6	90	0.2
KSR148136	640223	6797034	UTM NAD 83	07V	1DX-15	1	59.7	7.8	53	0.1
KSR148137	640232	6797135	UTM NAD 83	07V	1DX-15	1.3	74.4	6.4	60	0.05
KSR148142	640329	6797629	UTM NAD 83	07V	1DX-15	0.8	54	6.3	60	0.05
KSR148143	640353	6797728	UTM NAD 83	07V	1DX-15	0.9	71.5	12.5	85	0.05
KSR148144	640359	6797829	UTM NAD 83	07V	1DX-15	2.9	47.8	12.9	102	0.05
KSR148147	640443	6798121	UTM NAD 83	07V	1DX-15	0.8	66.5	9.1	87	0.05
KSR148148	640467	6798220	UTM NAD 83	07V	1DX-15	1.1	58.8	6.9	84	0.05
KSR148316	347065	6801573	UTM NAD 83	08V	1DX-15	1.2	25.4	12.8	60	0.2
KSR148318	347035	6801765	UTM NAD 83	08V	1DX-15	1.9	23.8	10.4	61	0.05
KSR148323	347398	6802059	UTM NAD 83	08V	1DX-15	0.8	24.4	7.4	69	0.05
KSR148325	617124	6816983	UTM NAD 83	07V	1DX-15	0.7	16.2	6.7	98	0.05
KSR148326	617050	6816911	UTM NAD 83	07V	1DX-15	0.7	22.8	7	86	0.05
KSR148326	617050	6816911	UTM NAD 83	07V	1DX-15	0.7	22.9	7.3	84	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR147656	40.6	16.4	418	3.56	9.7	0.6	1.9	1.1	23	0.2	0.5	0.1	101	0.31	0.06	7
KSR147657	77.3	20.9	424	4.49	15.7	0.8	5.5	1.9	24	0.05	0.4	0.1	149	0.37	0.08	8
KSR147658	52.5	19.5	447	3.62	11.7	0.9	3.4	1.1	39	0.1	0.6	0.1	125	0.42	0.08	9
KSR147659	48	17.7	396	3.55	11.6	0.9	3.1	0.8	38	0.1	0.7	0.2	124	0.39	0.09	8
KSR147660	52.3	18.9	378	3.63	11.2	0.7	2.6	1.2	34	0.1	0.5	0.2	127	0.38	0.08	8
KSR147661	43.9	15.2	309	2.53	5.9	0.8	5.4	1.1	21	0.2	1	0.1	98	0.32	0.1	6
KSR147662	48.4	17.5	430	3.61	11.7	0.6	2	1.2	19	0.2	0.7	0.2	103	0.24	0.03	6
KSR147663	57	21	314	3.78	12.6	0.6	1.7	1	21	0.1	4.6	0.1	149	0.27	0.05	5
KSR147666	34.7	14.9	502	3.2	11.4	0.7	2.5	0.6	27	0.2	0.7	0.2	73	0.34	0.08	7
KSR147667	44	15.3	276	3.09	6.4	0.5	1.6	1.3	20	0.1	0.3	0.1	104	0.26	0.05	6
KSR147668	56.6	21.8	355	4.01	5.9	0.5	5.2	1.8	22	0.1	0.3	0.1	154	0.38	0.07	7
KSR147669	49.9	17.1	404	3.46	9.7	0.6	2.2	1.5	18	0.2	0.4	0.1	99	0.24	0.04	6
KSR147670	55.4	19	447	3.78	12.6	0.5	7	1.8	19	0.2	0.7	0.1	120	0.28	0.06	7
KSR147671	35.2	14	558	3.18	9.5	0.8	1.1	0.5	30	0.3	0.7	0.2	85	0.34	0.08	7
KSR147672	48.7	16.1	338	3.43	6.7	0.6	1.9	1.2	22	0.1	0.4	0.1	113	0.26	0.06	6
KSR147673	47.8	15.3	365	3.56	9.1	0.7	1.6	1	24	0.1	0.6	0.2	106	0.25	0.06	7
KSR147674	44.3	14.8	418	3.48	9.1	0.7	2.5	0.8	19	0.1	0.7	0.2	101	0.21	0.05	6
KSR147675	50.4	14.5	354	3.45	11	0.7	2.9	1.9	27	0.2	0.5	0.1	102	0.31	0.08	9
KSR147675	52.6	15	374	3.59	11.7	0.8	5	2.1	28	0.1	0.6	0.1	105	0.34	0.09	10
KSR147676	57.9	21.4	356	3.55	23.2	0.6	24	1	20	0.05	0.4	0.1	102	0.3	0.05	6
KSR147677	50.9	20	494	3.25	12.5	0.8	3	1.1	33	0.1	0.5	0.1	96	0.5	0.11	8
KSR147678	54.2	17.1	355	3.76	20.7	0.6	3.4	1.3	20	0.05	0.2	0.2	115	0.25	0.06	6
KSR147679	59	20	444	3.66	31.3	0.6	2.6	1.4	22	0.1	0.4	0.1	110	0.27	0.07	6
KSR147680	72.6	19.6	411	3.88	83.5	0.6	2.1	1.5	26	0.2	0.3	0.2	102	0.34	0.13	6
KSR147792	22.4	16.6	952	2.45	9	1.3	4.3	0.7	46	0.4	0.7	0.7	48	0.68	0.15	10
KSR147979	21	14	753	3.38	6.6	1.9	4.2	3.6	39	0.2	0.4	0.2	60	0.39	0.08	17
KSR148003	23.7	14.1	564	3.44	5.9	0.7	20.7	2.9	25	0.1	0.4	0.1	74	0.3	0.05	10
KSR148004	22.8	12.1	546	3.58	9	1.2	1.7	4.1	34	0.1	0.4	0.2	69	0.39	0.09	15
KSR148008	16.2	11.3	498	3.2	5	1.4	1.5	2.6	21	0.05	0.4	0.1	66	0.22	0.08	13
KSR148009	26.3	14.8	596	3.6	6.6	1.3	2.7	3.6	32	0.1	0.3	0.2	76	0.41	0.1	13
KSR148010	20.8	12.7	596	3.8	4.3	1.4	7	5.5	48	0.2	0.3	0.2	72	0.56	0.14	19
KSR148011	16.4	11	586	3.51	4.5	1.1	8.7	5.1	24	0.1	0.2	0.1	58	0.33	0.09	17
KSR148012	16.2	9	589	3.15	8.7	1.1	1.7	1.1	29	0.05	0.9	0.2	59	0.25	0.1	10
KSR148013	29.7	12.6	510	3.52	9.6	0.8	2.1	2.1	29	0.1	0.5	0.1	72	0.31	0.05	11
KSR148014	22.1	11.2	463	3.07	7.6	0.9	2.3	0.7	25	0.05	0.6	0.1	68	0.31	0.08	9
KSR148014	23.4	11.2	460	3.04	7.5	1.1	1.6	0.7	25	0.05	0.5	0.1	65	0.3	0.08	8
KSR148015	22.4	10.8	489	3.25	4.7	0.8	6.1	2.9	48	0.1	0.2	0.05	58	0.51	0.12	13
KSR148016	17.7	9.2	310	2.35	5.5	0.7	0.9	0.9	27	0.2	0.5	0.1	50	0.3	0.07	8
KSR148017	32.5	17.9	781	3.73	9.7	1.8	5.8	2	35	0.2	0.7	0.3	73	0.4	0.09	16
KSR148117	50.4	20.1	484	3.74	31.8	0.6	4.4	1.5	48	0.05	0.5	0.1	106	0.45	0.07	7
KSR148117	50.2	20.1	486	3.77	31.2	0.6	4	1.5	50	0.05	0.6	0.2	106	0.46	0.07	7
KSR148120	56.1	17.9	477	3.84	27.5	0.8	5.6	2.3	36	0.05	2.3	0.2	108	0.44	0.09	8
KSR148136	59.4	20	603	3.65	10.6	0.5	3	1.3	15	0.05	0.9	0.2	85	0.19	0.06	6
KSR148137	57	17.7	392	3.74	10.5	0.5	4.2	1.5	22	0.1	0.5	0.2	112	0.17	0.05	6
KSR148142	74.4	20.2	550	3.72	21.7	0.5	8.4	1.5	14	0.2	1	0.2	104	0.22	0.05	6
KSR148143	104	27.9	944	4.38	32.2	0.6	11.2	2.3	27	0.1	2.3	0.2	111	0.38	0.14	10
KSR148144	49	22.7	897	4.4	15.7	0.8	1.9	0.9	25	0.1	1.2	0.2	101	0.31	0.1	7
KSR148147	63.8	22	591	4.3	22.6	0.6	5.7	1.9	22	0.2	0.4	0.2	119	0.29	0.09	7
KSR148148	55.5	16.7	588	3.91	15.3	0.6	6.4	1.7	23	0.2	0.5	0.2	105	0.33	0.11	7
KSR148316	14.3	9.2	489	2.48	5	2.5	1.9	3.2	22	0.2	0.4	0.3	50	0.26	0.1	13
KSR148318	20	9.4	343	2.59	7.5	0.7	2.4	1.7	21	0.3	0.7	0.4	61	0.19	0.05	8
KSR148323	20.7	9.3	427	2.52	6.3	0.9	7	6.3	22	0.2	0.4	0.4	48	0.26	0.03	14
KSR148325	18.4	9.8	476	2.92	3.6	1.6	1.8	5.5	36	0.1	0.2	0.2	49	0.34	0.06	19
KSR148326	26.3	11.6	359	3.73	6.7	1.2	3	4.2	46	0.2	0.3	0.1	73	0.49	0.09	15
KSR148326	26.4	11.8	362	3.75	6.5	1.2	2	4.2	47	0.1	0.3	0.1	72	0.49	0.09	14

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR147656	76	1.03	195	0.17	1	2.1	0.02	0.34	0.05	0.03	3.2	0.1	0.05	8	0.6
KSR147657	163	1.87	248	0.26	1	3.1	0.02	0.71	0.2	0.02	7.9	0.2	0.03	11	0.25
KSR147658	93	1.28	254	0.16	1	2.61	0.03	0.45	0.05	0.03	6.2	0.2	0.05	9	0.25
KSR147659	85	1.14	200	0.15	0.5	2.43	0.03	0.37	0.2	0.03	5.6	0.2	0.03	8	0.25
KSR147660	89	1.24	223	0.17	0.5	2.72	0.03	0.47	0.1	0.01	6.8	0.2	0.03	9	0.25
KSR147661	82	0.96	179	0.16	0.5	2.24	0.02	0.24	0.1	0.05	7.3	0.2	0.1	8	0.6
KSR147662	73	1	116	0.15	2	2.32	0.01	0.23	0.1	0.02	5	0.1	0.03	8	0.25
KSR147663	104	1.38	199	0.21	0.5	2.62	0.02	0.46	0.1	0.02	6.9	0.2	0.03	9	0.25
KSR147666	49	0.78	128	0.06	2	1.7	0.01	0.11	0.05	0.04	2.5	0.1	0.05	6	0.25
KSR147667	73	1.04	147	0.15	1	2.2	0.02	0.34	0.05	0.03	5.2	0.2	0.03	8	0.25
KSR147668	109	1.3	161	0.21	1	2.71	0.03	0.64	0.05	0.02	8	0.2	0.03	10	0.25
KSR147669	72	0.96	135	0.15	1	2.16	0.01	0.32	0.05	0.02	5.1	0.2	0.03	7	0.25
KSR147670	82	1.1	186	0.18	0.5	2.61	0.02	0.47	0.2	0.02	6.8	0.2	0.03	8	0.25
KSR147671	50	0.75	142	0.08	0.5	1.51	0.01	0.19	0.05	0.04	2.9	0.1	0.06	6	0.25
KSR147672	77	1.08	200	0.18	1	2.56	0.02	0.58	0.05	0.01	7	0.2	0.03	8	0.25
KSR147673	70	0.95	168	0.16	1	2.1	0.01	0.46	0.05	0.02	5.6	0.2	0.03	8	0.25
KSR147674	65	0.9	137	0.13	0.5	2.13	0.01	0.31	0.1	0.03	4.4	0.1	0.03	7	0.7
KSR147675	71	1.01	244	0.18	0.5	2.23	0.02	0.53	0.2	0.01	7.6	0.2	0.03	7	0.25
KSR147675	74	1.06	255	0.19	1	2.32	0.02	0.52	0.05	0.01	8	0.2	0.03	8	0.25
KSR147676	85	1.15	153	0.21	0.5	2.4	0.02	0.24	0.1	0.01	4.1	0.2	0.03	8	0.25
KSR147677	69	0.94	213	0.13	0.5	1.98	0.02	0.37	0.3	0.04	5.6	0.2	0.03	7	0.25
KSR147678	69	1.1	192	0.16	0.5	2.4	0.01	0.56	0.4	0.01	7.5	0.3	0.03	7	0.25
KSR147679	64	1.03	204	0.16	0.5	2.28	0.02	0.5	0.7	0.01	6.5	0.2	0.03	7	0.25
KSR147680	67	1.1	210	0.17	0.5	2.27	0.02	0.68	0.2	0.01	7.3	0.3	0.03	7	0.25
KSR147792	33	0.47	169	0.03	1	1.2	0.02	0.07	0.5	0.1	1.5	0.1	0.14	5	0.25
KSR147979	40	0.76	182	0.18	1	1.65	0.02	0.28	0.05	0.03	3.8	0.3	0.06	7	0.25
KSR148003	37	1.01	222	0.25	1	1.89	0.01	0.4	0.05	0.03	3.1	0.2	0.03	7	0.25
KSR148004	40	0.88	148	0.22	1	1.97	0.02	0.32	0.05	0.01	3.8	0.3	0.03	7	0.25
KSR148008	29	0.68	169	0.19	1	1.57	0.01	0.28	0.05	0.03	3.4	0.3	0.08	7	0.25
KSR148009	44	0.94	231	0.29	0.5	1.86	0.02	0.38	0.2	0.02	3.7	0.3	0.03	7	0.25
KSR148010	42	1.01	279	0.31	0.5	2.16	0.02	0.65	0.1	0.01	5	0.4	0.03	8	0.25
KSR148011	34	0.86	202	0.25	0.5	1.9	0.01	0.53	0.1	0.02	4.3	0.4	0.03	8	0.25
KSR148012	26	0.45	119	0.08	0.5	1.14	0.02	0.13	0.05	0.05	1.9	0.2	0.1	5	0.25
KSR148013	47	0.91	115	0.16	1	2.11	0.02	0.16	0.1	0.02	3.6	0.2	0.03	7	0.25
KSR148014	34	0.62	106	0.09	0.5	1.35	0.01	0.11	0.05	0.05	2	0.1	0.11	6	0.5
KSR148014	33	0.61	107	0.09	2	1.3	0.01	0.11	0.05	0.06	2.1	0.1	0.11	6	0.6
KSR148015	37	0.84	280	0.24	0.5	1.85	0.02	0.47	0.2	0.01	3.5	0.3	0.03	7	0.25
KSR148016	26	0.56	137	0.11	0.5	1.27	0.02	0.1	0.05	0.02	1.8	0.1	0.03	5	0.8
KSR148017	44	0.9	228	0.13	2	2.14	0.02	0.2	0.1	0.03	3.6	0.3	0.03	8	0.25
KSR148117	97	1.31	307	0.19	0.5	2.8	0.04	0.37	0.2	0.02	6.3	0.2	0.03	8	0.25
KSR148117	94	1.28	301	0.2	0.5	2.78	0.04	0.37	0.2	0.03	6.2	0.2	0.03	8	0.25
KSR148120	86	1.13	200	0.19	0.5	2.75	0.03	0.49	0.3	0.02	7.1	0.2	0.03	8	0.25
KSR148136	53	0.96	148	0.11	0.5	2.14	0.01	0.43	0.05	0.02	5.9	0.2	0.03	6	0.6
KSR148137	75	1.12	271	0.15	0.5	2.59	0.02	0.59	0.05	0.01	7.4	0.3	0.03	8	0.25
KSR148142	85	1.12	233	0.14	0.5	2.76	0.01	0.49	0.2	0.03	7.3	0.2	0.03	8	0.25
KSR148143	97	1.1	290	0.13	0.5	2.49	0.01	0.65	3	0.02	9.6	0.2	0.03	8	0.5
KSR148144	62	0.97	190	0.09	1	2.09	0.01	0.3	0.05	0.03	4.6	0.2	0.07	8	0.7
KSR148147	77	1.1	280	0.19	0.5	2.72	0.01	0.79	0.1	0.02	9.5	0.3	0.03	8	0.6
KSR148148	68	1.06	260	0.17	0.5	2.48	0.02	0.65	0.2	0.02	8.2	0.3	0.03	8	0.6
KSR148316	23	0.39	91	0.07	0.5	1.26	0.02	0.08	0.3	0.04	1.9	0.2	0.05	5	0.25
KSR148318	25	0.41	99	0.07	0.5	1.13	0.01	0.06	0.3	0.03	1.9	0.1	0.03	6	0.25
KSR148323	29	0.55	105	0.12	0.5	1.43	0.02	0.12	0.3	0.01	2.8	0.1	0.03	5	0.25
KSR148325	37	0.79	213	0.23	0.5	1.7	0.01	0.3	0.05	0.02	4	0.4	0.03	7	0.25
KSR148326	48	1.05	258	0.27	0.5	2.29	0.02	0.4	0.05	0.02	4.2	0.3	0.03	8	0.25
KSR148326	48	1.05	254	0.29	1	2.28	0.02	0.4	0.1	0.02	4.2	0.3	0.03	8	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR148327	616977	6816843	UTM NAD 83	07V	1DX-15	0.8	29	7.6	99	0.1
KSR148341	630175	6805956	UTM NAD 83	07V	1DX-15	0.8	59.4	6.4	106	0.1
KSR148345	630166	6806356	UTM NAD 83	07V	1DX-15	2.8	37.5	11.5	98	0.05
KSR148359	629878	6807601	UTM NAD 83	07V	1DX-15	0.6	33.9	3.5	61	0.05
KSR148360	629829	6807688	UTM NAD 83	07V	1DX-15	0.9	32.1	4.1	70	0.05
KSR148361	629811	6807788	UTM NAD 83	07V	1DX-15	2.3	40.6	11.5	86	0.05
KSR148362	629800	6807887	UTM NAD 83	07V	1DX-15	2.2	46.6	9.2	78	0.05
KSR148363	629802	6807987	UTM NAD 83	07V	1DX-15	1.7	69.2	7	117	0.2
KSR148364	629798	6808088	UTM NAD 83	07V	1DX-15	0.9	31.2	4.5	108	0.1
KSR148401	618825	6817301	UTM NAD 83	08V	1DX-15	1.2	27.6	4.7	39	0.3
KSR148402	618840	6817202	UTM NAD 83	08V	1DX-15	0.6	15.5	2.1	37	0.05
KSR148403	618855	6817105	UTM NAD 83	08V	1DX-15	1	25.3	6.4	83	0.05
KSR148404	618954	6817004	UTM NAD 83	08V	1DX-15	1.1	23.6	6.2	86	0.05
KSR148407	619035	6816711	UTM NAD 83	08V	1DX-15	1	22.6	5.2	71	0.05
KSR148408	619041	6816610	UTM NAD 83	08V	1DX-15	1	28.3	5.4	67	0.1
KSR148409	619035	6816511	UTM NAD 83	08V	1DX-15	1.6	48.9	5.7	43	0.2
KSR148409	619035	6816511	UTM NAD 83	08V	1DX-15	1.7	47.7	5.5	41	0.2
KSR148443	617704	6813158	UTM NAD 83	07V	1DX-15	0.6	38	6.6	52	0.05
KSR148450	623419	6817967	UTM NAD 83	07V	1DX-15	1.3	28.6	5.9	107	0.05
KSR148458	624159	6817797	UTM NAD 83	07V	1DX-15	0.5	28.2	5.3	62	0.1
KSR148459	624251	6817758	UTM NAD 83	07V	1DX-15	1.2	27.5	5.4	61	0.3
KSR148460	624344	6817720	UTM NAD 83	07V	1DX-15	1.4	12	3.6	119	0.05
KSR148460	624344	6817720	UTM NAD 83	07V	1DX-15	1.1	12.8	3.8	119	0.05
KSR148461	624436	6817677	UTM NAD 83	07V	1DX-15	1.2	21	7.4	112	0.1
KSR148462	624531	6817651	UTM NAD 83	07V	1DX-15	0.9	25.7	7.5	81	0.1
KSR148463	624618	6817595	UTM NAD 83	07V	1DX-15	1.2	25.9	6.5	69	0.2
KSR148464	624714	6817566	UTM NAD 83	07V	1DX-15	0.6	27.6	5.2	122	0.05
KSR148465	624715	6817566	UTM NAD 83	07V	1DX-15	0.4	36.8	3.9	135	0.05
KSR148471	622202	6816516	UTM NAD 83	07V	1DX-15	1.8	48.4	9.8	93	0.1
KSR148472	622205	6816414	UTM NAD 83	07V	1DX-15	1.8	33.2	9.2	91	0.2
KSR148474	622213	6816210	UTM NAD 83	07V	1DX-15	1.7	32.2	6.7	70	0.1
KSR148476	622222	6815905	UTM NAD 83	07V	1DX-15	1.2	39.3	8	82	0.2
KSR148477	622225	6815801	UTM NAD 83	07V	1DX-15	0.5	41.6	5	65	0.2
KSR148478	622222	6815700	UTM NAD 83	07V	1DX-15	0.8	39.2	5	59	0.1
KSR148481	622239	6815395	UTM NAD 83	07V	1DX-15	0.6	30.2	2.5	50	0.1
KSR148486	622256	6814885	UTM NAD 83	07V	1DX-15	0.9	30.9	6	79	0.05
KSR148486	622256	6814885	UTM NAD 83	07V	1DX-15	1	30.2	6.1	78	0.05
KSR148488	622269	6814682	UTM NAD 83	07V	1DX-15	2.7	28.4	10.8	59	0.1
KSR148489	622271	6814580	UTM NAD 83	07V	1DX-15	1.5	27.4	7.7	69	0.05
KSR148490	622282	6814478	UTM NAD 83	07V	1DX-15	0.8	36.5	8.5	72	0.05
KSR148491	622284	6814374	UTM NAD 83	07V	1DX-15	1	31.9	8.2	69	0.1
KSR148493	622243	6814177	UTM NAD 83	07V	1DX-15	1.1	32	9.8	102	0.1
KSR148494	622216	6814080	UTM NAD 83	07V	1DX-15	1.5	35.2	11.4	112	0.3
KSR148496	622163	6813883	UTM NAD 83	07V	1DX-15	1	30	8.5	76	0.05
KSR148497	622131	6813777	UTM NAD 83	07V	1DX-15	0.7	46.6	6.8	67	0.1
KSR148500	622098	6813481	UTM NAD 83	07V	1DX-15	0.8	59.5	7.3	78	0.2
KSR148690	652924	6786363	UTM NAD 83	07V	1DX-15	1.1	55.1	7.4	69	0.05
KSR148691	653036	6786367	UTM NAD 83	07V	1DX-15	1.3	63.4	6.5	64	0.1
KSR148692	653139	6786376	UTM NAD 83	07V	1DX-15	1.4	40.7	6.5	61	0.1
KSR148692	653139	6786376	UTM NAD 83	07V	1DX-15	1.4	40	6.4	61	0.05
KSR148693	653240	6786406	UTM NAD 83	07V	1DX-15	1.6	48.3	7.6	70	0.1
KSR148694	653346	6786426	UTM NAD 83	07V	1DX-15	1.5	61	6.4	79	0.05
KSR148695	653457	6786444	UTM NAD 83	07V	1DX-15	1.3	24.1	6.1	54	0.05
KSR148697	653662	6786465	UTM NAD 83	07V	1DX-15	1.1	49.2	7.4	75	0.1
KSR148698	653662	6786465	UTM NAD 83	07V	1DX-15	1.3	50.7	8.5	74	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR148327	21.2	14.3	472	3.67	4.9	1.2	1.9	3.2	53	0.2	0.3	0.05	75	0.53	0.08	18
KSR148341	82.2	23.9	526	4.17	9	0.6	73.8	1.7	36	0.2	0.5	0.1	139	0.47	0.11	6
KSR148345	32.3	14.8	535	3.97	11.7	0.8	3	1	35	0.2	1.2	0.2	80	0.27	0.08	7
KSR148359	24.1	16.5	293	2.7	4.5	0.5	2.7	1.3	80	0.1	0.2	0.05	84	0.69	0.11	10
KSR148360	20.4	13.5	448	3.33	11.1	0.8	4.8	2.1	112	0.2	0.4	0.05	76	0.86	0.21	14
KSR148361	34	16.7	655	3.59	11.5	1.1	1.8	0.9	25	0.2	0.9	0.2	100	0.22	0.07	8
KSR148362	42.3	15.1	357	3.42	10.2	0.8	2.9	1.1	29	0.2	0.8	0.1	100	0.3	0.07	8
KSR148363	74.2	26.9	602	3.55	9.8	1.6	2.3	2.5	55	0.7	0.6	0.1	66	0.62	0.1	11
KSR148364	30.8	17.8	689	4.51	6	2.7	0.9	12.4	30	0.5	0.2	0.05	118	0.46	0.14	16
KSR148401	13.5	10.8	1011	1.88	3	1.9	2	0.9	35	0.05	0.3	0.1	42	0.36	0.11	18
KSR148402	9.1	6.8	227	2.05	2.3	0.2	0.25	0.5	18	0.05	0.2	0.05	62	0.26	0.08	5
KSR148403	21.5	14.2	566	3.73	5.5	0.6	4.9	2.6	43	0.2	0.4	0.2	77	0.36	0.07	10
KSR148404	20.5	12.3	584	3.46	5.6	0.7	3.3	4.2	25	0.2	0.4	0.1	61	0.31	0.08	17
KSR148407	25.4	11.5	479	3.24	6.6	0.7	3.7	3.1	27	0.1	0.4	0.1	59	0.32	0.08	14
KSR148408	26.2	13.1	429	3.13	7	0.7	3.5	2.3	36	0.2	0.4	0.05	72	0.41	0.1	10
KSR148409	17.2	9.2	307	2.84	7.3	1.3	0.6	0.9	59	0.05	0.5	0.1	53	0.49	0.11	19
KSR148409	17.3	8.8	303	2.82	6.9	1.3	2.5	0.9	59	0.05	0.5	0.1	52	0.5	0.11	19
KSR148443	51.6	15.5	526	2.85	9.2	0.7	1.6	1.3	28	0.1	0.4	0.1	61	0.56	0.08	10
KSR148450	26.2	17	723	4.38	4.7	2.5	4.6	5.2	33	0.05	0.3	0.2	95	0.46	0.1	17
KSR148458	19	9.6	242	2.36	4	1.6	2.6	2.4	34	0.05	0.4	0.1	54	0.36	0.1	11
KSR148459	16.6	13.6	287	3.33	5.3	2	3.4	3.2	48	0.1	0.4	0.3	63	0.51	0.13	16
KSR148460	6.9	15	2170	4.67	2.5	1	0.25	8	28	0.05	0.05	0.05	83	0.51	0.07	27
KSR148460	7.1	15.8	2206	4.74	2.2	0.9	3.4	7.9	28	0.05	0.05	0.05	82	0.49	0.06	27
KSR148461	9.8	14.3	657	5.54	2.5	2	1.9	13.7	23	0.2	0.3	0.1	83	0.4	0.12	46
KSR148462	19.9	11.8	456	3.69	6.5	1.6	1.7	3.8	38	0.05	0.5	0.2	79	0.45	0.13	14
KSR148463	19.1	9.7	342	3.17	4.9	1.9	4.3	2.7	39	0.05	0.3	0.2	68	0.33	0.08	13
KSR148464	30.8	17.8	888	5.52	3.1	1.2	1.3	5.9	53	0.1	0.2	0.1	94	0.52	0.12	17
KSR148465	51.9	19.9	1067	5.88	1.4	0.8	1.3	17	56	0.05	0.05	0.05	93	0.38	0.08	28
KSR148471	41.6	19	773	4.08	7.6	1.4	4.7	1.1	37	0.3	0.5	0.2	91	0.34	0.08	10
KSR148472	27.3	14.4	650	3.77	8.8	1.9	7.7	2.4	34	0.2	0.7	0.2	66	0.36	0.08	14
KSR148474	25.3	12.4	554	3.19	7.1	1.1	5.7	1.1	32	0.2	0.5	0.1	60	0.33	0.09	10
KSR148476	27.3	13.8	561	3.13	5.5	1.6	2.7	1	77	0.3	0.4	0.1	61	0.84	0.11	15
KSR148477	24.4	9	242	2.47	2.2	1.3	3.7	1.9	68	0.2	0.3	0.05	58	0.67	0.09	15
KSR148478	24.3	17.9	1140	2.86	3.5	0.9	1.7	1.3	75	0.2	0.3	0.05	54	0.96	0.1	9
KSR148481	11.8	8.7	291	2.64	1.9	0.9	1.9	1.7	42	0.05	0.2	0.05	80	0.57	0.1	13
KSR148486	31.6	15.1	495	3.25	5.8	0.8	1.9	3.3	47	0.1	0.3	0.05	71	0.74	0.09	13
KSR148486	32.3	14.2	488	3.2	6	0.8	1.2	3.2	49	0.1	0.3	0.05	69	0.72	0.1	14
KSR148488	24	9.8	298	3	10.8	0.8	1.8	1.9	29	0.05	0.7	0.2	65	0.28	0.04	10
KSR148489	30.3	14.1	442	3.27	9.4	0.7	2.4	3.5	30	0.1	0.4	0.2	71	0.33	0.04	12
KSR148490	49.3	14.3	377	3.16	10.5	0.8	4.9	5.9	38	0.2	0.5	0.1	70	0.45	0.07	19
KSR148491	38.1	14.1	400	3.13	9.3	0.8	2.4	4.6	39	0.1	0.5	0.1	72	0.42	0.05	17
KSR148493	31.7	14.7	417	3.16	8.1	0.5	1.7	1.9	28	0.5	0.7	0.2	75	0.41	0.05	8
KSR148494	43.3	22.6	650	4.38	9.9	1.2	1.1	5.9	33	0.4	0.7	0.2	101	0.54	0.07	11
KSR148496	37.9	14.9	356	3.1	10.5	0.7	1.3	2.7	27	0.1	0.6	0.1	65	0.36	0.05	9
KSR148497	43.3	14	552	2.92	9.3	1.1	2.4	1.9	64	0.3	0.6	0.1	58	1.76	0.09	10
KSR148500	46.5	14.5	609	3.18	9.8	0.5	2.9	2.6	96	0.3	0.6	0.1	62	4.09	0.09	11
KSR148690	48.3	18.7	497	3.15	15.8	0.8	2.8	2.4	22	0.1	0.6	0.2	60	0.23	0.04	9
KSR148691	49.5	16.2	361	2.69	16.5	0.8	3.8	2.2	23	0.05	0.4	0.1	55	0.25	0.07	9
KSR148692	34.6	13	375	2.95	10.8	0.7	3.3	1.5	26	0.1	0.5	0.2	61	0.3	0.08	9
KSR148692	34.3	12.3	371	2.94	10.1	0.7	3	1.5	25	0.05	0.5	0.2	59	0.3	0.08	9
KSR148693	42.8	12.8	354	3.32	11.5	0.8	4.6	1.5	23	0.05	0.6	0.2	72	0.23	0.07	8
KSR148694	55.8	19.4	511	3.45	12.5	0.8	1.6	2	21	0.1	0.4	0.2	71	0.26	0.08	7
KSR148695	25.4	9.8	324	2.7	9.1	0.7	1	1	27	0.05	0.5	0.05	58	0.32	0.06	7
KSR148697	59.8	20.2	467	3.36	28.9	0.7	16.2	1.7	21	0.1	0.5	0.2	71	0.21	0.05	9
KSR148698	57.4	20.8	447	3.26	29.3	0.8	10	1.6	18	0.2	0.5	0.2	69	0.17	0.05	8

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR148327	46	1.11	283	0.28	1	2.03	0.02	0.26	0.05	0.02	4.2	0.2	0.03	9	0.25
KSR148341	137	1.49	266	0.27	1	3.51	0.04	0.65	0.1	0.01	9.5	0.3	0.03	10	0.25
KSR148345	41	0.86	254	0.14	2	1.78	0.01	0.2	0.05	0.03	2.3	0.1	0.03	8	0.25
KSR148359	52	0.89	224	0.19	0.5	2.25	0.06	0.14	0.05	0.01	2.7	0.05	0.03	6	0.25
KSR148360	30	0.87	253	0.18	1	2.09	0.02	0.24	0.05	0.01	3.3	0.2	0.03	7	0.25
KSR148361	63	0.9	138	0.16	1	2.07	0.02	0.13	0.05	0.03	3.4	0.1	0.03	9	0.25
KSR148362	80	1	175	0.13	1	2.34	0.02	0.16	0.05	0.03	4.2	0.1	0.06	8	0.25
KSR148363	50	0.88	148	0.12	1	2.56	0.05	0.15	0.3	0.03	3.6	0.1	0.07	6	0.9
KSR148364	72	1.32	319	0.39	0.5	2.2	0.01	0.99	0.3	0.01	9.5	0.9	0.03	8	0.5
KSR148401	20	0.42	140	0.07	0.5	1.19	0.02	0.09	0.05	0.06	2.2	0.2	0.09	4	0.6
KSR148402	13	0.28	47	0.09	0.5	0.54	0.02	0.04	0.05	0.01	0.8	0.05	0.03	3	0.25
KSR148403	48	0.97	198	0.27	1	2.08	0.02	0.32	0.1	0.01	4	0.3	0.03	9	0.25
KSR148404	33	0.79	184	0.18	1	2.04	0.01	0.22	0.05	0.01	3.4	0.3	0.03	8	0.25
KSR148407	37	0.8	132	0.15	1	1.74	0.01	0.18	0.05	0.01	3.1	0.2	0.03	6	0.25
KSR148408	37	0.84	190	0.17	1	1.6	0.01	0.21	0.1	0.02	3.2	0.2	0.03	6	0.25
KSR148409	29	0.52	259	0.08	1	1.76	0.02	0.11	0.05	0.07	2.7	0.1	0.09	5	0.8
KSR148409	27	0.5	257	0.07	1	1.68	0.02	0.11	0.05	0.05	2.7	0.1	0.07	5	0.25
KSR148443	45	0.8	136	0.07	2	1.43	0.02	0.05	0.05	0.04	3.2	0.05	0.03	4	0.25
KSR148450	53	1.29	304	0.37	0.5	2.27	0.01	0.69	0.3	0.02	5.8	0.5	0.03	9	0.25
KSR148458	43	0.91	217	0.16	1	2.12	0.02	0.21	0.2	0.02	3.6	0.2	0.09	7	0.25
KSR148459	31	0.77	350	0.22	1	2.05	0.02	0.37	0.3	0.05	3.9	0.2	0.03	7	0.25
KSR148460	28	1.09	645	0.5	0.5	2.51	0.02	0.36	0.05	0.01	7	0.3	0.03	12	0.25
KSR148460	29	1.11	659	0.5	0.5	2.53	0.02	0.36	0.05	0.01	7.3	0.4	0.03	12	0.25
KSR148461	28	1.02	443	0.5	0.5	2.77	0.01	0.24	0.1	0.02	8.7	0.4	0.03	13	0.25
KSR148462	43	0.98	290	0.27	0.5	2.05	0.02	0.27	0.1	0.03	3.9	0.3	0.03	8	0.25
KSR148463	43	0.81	243	0.24	1	2.01	0.02	0.48	0.1	0.03	4.3	0.4	0.06	8	0.25
KSR148464	64	1.48	526	0.45	0.5	2.94	0.02	1.43	0.05	0.01	8.3	0.8	0.03	12	0.25
KSR148465	127	1.59	697	0.59	0.5	2.94	0.01	2.02	0.1	0.01	11.7	1.1	0.03	14	0.25
KSR148471	55	0.93	266	0.19	0.5	2.37	0.02	0.4	0.2	0.03	4.6	0.3	0.06	9	0.25
KSR148472	37	0.83	224	0.14	2	2.12	0.02	0.24	0.05	0.02	3	0.2	0.03	8	0.25
KSR148474	39	0.76	237	0.12	0.5	1.8	0.02	0.25	0.1	0.03	2.7	0.2	0.06	7	0.25
KSR148476	42	0.8	342	0.15	2	2.16	0.03	0.26	0.05	0.05	3.3	0.2	0.11	7	0.25
KSR148477	40	0.74	254	0.17	1	1.7	0.02	0.34	0.2	0.03	3.6	0.2	0.03	6	0.25
KSR148478	36	0.54	279	0.15	1	1.4	0.02	0.14	0.05	0.03	3	0.1	0.11	6	0.25
KSR148481	21	0.41	188	0.14	0.5	0.76	0.02	0.13	0.05	0.01	1.5	0.2	0.05	4	0.25
KSR148486	52	0.95	286	0.25	0.5	1.65	0.02	0.19	0.05	0.02	2.9	0.2	0.03	7	0.25
KSR148486	51	1.01	302	0.24	0.5	1.77	0.02	0.19	0.05	0.02	2.7	0.2	0.03	7	0.25
KSR148488	40	0.66	101	0.09	1	1.78	0.02	0.05	0.05	0.02	2.5	0.1	0.03	6	0.25
KSR148489	47	0.87	149	0.12	2	1.98	0.01	0.08	0.05	0.01	3.3	0.2	0.03	7	0.25
KSR148490	54	1	115	0.16	1	2.23	0.02	0.16	0.05	0.01	4	0.2	0.03	6	0.25
KSR148491	53	0.9	158	0.16	0.5	1.96	0.02	0.11	0.1	0.01	3.9	0.2	0.03	7	0.25
KSR148493	47	0.69	222	0.1	0.5	1.9	0.02	0.07	0.05	0.01	3.4	0.1	0.03	6	0.25
KSR148494	61	1.09	190	0.25	2	2.46	0.02	0.24	0.1	0.01	4.2	0.2	0.03	8	0.25
KSR148496	50	0.73	132	0.1	0.5	1.58	0.01	0.1	0.05	0.01	3.5	0.1	0.03	5	0.25
KSR148497	48	1.08	159	0.09	3	1.63	0.03	0.2	0.05	0.02	3.6	0.1	0.03	4	0.25
KSR148500	55	1.27	117	0.09	3	1.64	0.03	0.19	0.05	0.04	4.7	0.1	0.03	5	0.25
KSR148690	46	0.84	75	0.08	1	1.94	0.01	0.07	0.05	0.02	3.3	0.1	0.03	5	0.25
KSR148691	38	0.67	47	0.06	0.5	1.33	0.01	0.06	0.05	0.02	2.3	0.05	0.03	4	0.5
KSR148692	44	0.76	76	0.06	0.5	1.75	0.01	0.08	0.2	0.04	2.6	0.05	0.03	5	0.25
KSR148692	42	0.77	74	0.06	0.5	1.76	0.01	0.08	0.05	0.04	2.6	0.1	0.03	5	0.25
KSR148693	49	0.83	80	0.08	0.5	1.76	0.01	0.11	0.1	0.02	2.5	0.1	0.03	6	0.25
KSR148694	57	0.91	73	0.08	0.5	1.96	0.01	0.13	0.05	0.01	2.9	0.2	0.03	6	0.6
KSR148695	41	0.73	54	0.07	2	1.65	0.01	0.06	0.05	0.02	2.7	0.1	0.03	5	0.25
KSR148697	81	1.03	72	0.08	0.5	1.98	0.02	0.1	0.1	0.02	3.4	0.1	0.03	5	0.25
KSR148698	80	0.97	70	0.07	0.5	1.89	0.01	0.09	0.1	0.02	2.9	0.1	0.03	5	0.5

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR148732	631042	6804698	UTM NAD 83	07V	1DX-15	0.8	62.4	4.7	87	0.05
KSR148742	653760	6786419	UTM NAD 83	07V	1DX-15	1.6	42.8	9.6	77	0.05
KSR148743	653854	6786370	UTM NAD 83	07V	1DX-15	1.7	53.5	9.3	66	0.1
KSR148744	653956	6786332	UTM NAD 83	07V	1DX-15	1.2	57.1	9	92	0.1
KSR148745	654053	6786293	UTM NAD 83	07V	1DX-15	1.1	81.2	5.8	115	0.2
KSR148746	654144	6786231	UTM NAD 83	07V	1DX-15	1.2	52.6	6.3	77	0.05
KSR148747	654225	6786162	UTM NAD 83	07V	1DX-15	1.2	73.4	5.9	96	0.1
KSR148748	654307	6786088	UTM NAD 83	07V	1DX-15	1.4	63.8	7.2	87	0.2
KSR148748	654307	6786088	UTM NAD 83	07V	1DX-15	1.4	58.4	7.5	82	0.2
KSR148749	654385	6786011	UTM NAD 83	07V	1DX-15	1.9	59.7	3.9	88	0.1
KSR148750	654456	6785924	UTM NAD 83	07V	1DX-15	1.4	49.7	4	83	0.05
KSR148751	654456	6785924	UTM NAD 83	07V	1DX-15	1.6	51.6	5.2	80	0.05
KSR148771	359939	6776356	UTM NAD 83	08V	1DX-15	1.2	83.8	13.6	80	0.05
KSR148779	359880	6775541	UTM NAD 83	08V	1DX-15	0.8	49.4	7.1	58	0.1
KSR148780	359942	6775459	UTM NAD 83	08V	1DX-15	1.2	56.5	7.8	78	0.2
KSR148782	360099	6775296	UTM NAD 83	08V	1DX-15	0.8	55.7	6.4	49	0.05
KSR148782	360099	6775296	UTM NAD 83	08V	1DX-15	0.9	57.4	6.4	48	0.05
KSR148783	360153	6775207	UTM NAD 83	08V	1DX-15	1.7	41.6	10.8	53	0.05
KSR148785	360260	6775029	UTM NAD 83	08V	1DX-15	2	34.2	10.1	63	0.1
KSR148786	360286	6774928	UTM NAD 83	08V	1DX-15	1.4	60.6	6.5	60	0.05
KSR148787	360292	6774827	UTM NAD 83	08V	1DX-15	1.3	89.5	7.7	108	0.1
KSR148791	630620	6804970	UTM NAD 83	07V	1DX-15	1.5	50.5	7.6	79	0.05
KSR148792	630721	6804941	UTM NAD 83	07V	1DX-15	0.9	52.6	5.5	90	0.05
KSR148793	630812	6804895	UTM NAD 83	07V	1DX-15	1.2	49.5	7	78	0.05
KSR148795	645103	6787191	UTM NAD 83	07V	1DX-15	1.7	38.4	10.2	77	0.05
KSR148796	645092	6787289	UTM NAD 83	07V	1DX-15	1.9	33.1	10.8	67	0.05
KSR148797	645077	6787392	UTM NAD 83	07V	1DX-15	2.7	58.9	13.9	90	0.2
KSR148798	645068	6787488	UTM NAD 83	07V	1DX-15	1.4	56	7.3	96	0.2
KSR148799	645057	6787587	UTM NAD 83	07V	1DX-15	0.9	58.4	7.4	91	0.2
KSR148800	645034	6787686	UTM NAD 83	07V	1DX-15	1.4	49.1	9	78	0.1
KSR148801	644995	6787789	UTM NAD 83	07V	1DX-15	1.1	36.5	7.8	67	0.05
KSR148802	644952	6787891	UTM NAD 83	07V	1DX-15	1.3	68.6	13.4	100	0.2
KSR148803	644902	6787983	UTM NAD 83	07V	1DX-15	1.4	68.5	11.6	90	0.2
KSR148804	644866	6788089	UTM NAD 83	07V	1DX-15	2.9	45	13.7	83	0.05
KSR148805	644853	6788198	UTM NAD 83	07V	1DX-15	1.3	80.5	11.4	105	0.2
KSR148806	644874	6788305	UTM NAD 83	07V	1DX-15	1.5	63.5	8	95	0.1
KSR148807	644891	6788413	UTM NAD 83	07V	1DX-15	0.9	64.7	6.3	76	0.05
KSR148820	644993	6789802	UTM NAD 83	07V	1DX-15	1.4	74.1	8	88	0.2
KSR148821	645044	6789898	UTM NAD 83	07V	1DX-15	3.4	64.7	14	97	0.2
KSR148822	645071	6790004	UTM NAD 83	07V	1DX-15	1	103	12.8	130	0.2
KSR148823	645108	6790107	UTM NAD 83	07V	1DX-15	1.1	65	7.9	102	0.1
KSR148824	645142	6790209	UTM NAD 83	07V	1DX-15	2.3	69.5	11.7	106	0.1
KSR148984	631172	6804541	UTM NAD 83	07V	1DX-15	1	58.2	6.2	89	0.05
KSR148985	631233	6804458	UTM NAD 83	07V	1DX-15	0.9	50.5	5.3	82	0.1
KSR148986	631233	6804458	UTM NAD 83	07V	1DX-15	0.9	50.6	5.3	83	0.05
KSR148987	631312	6804390	UTM NAD 83	07V	1DX-15	1.9	39	9.4	84	0.05
KSR148989	631493	6804313	UTM NAD 83	07V	1DX-15	0.9	44.8	5.5	79	0.05
KSR148991	631702	6804318	UTM NAD 83	07V	1DX-15	1.3	44	6.9	83	0.05
KSR149236	345733	6801597	UTM NAD 83	07V	1DX-15	1.9	29.5	13.4	73	0.2
KSR149432	345011	6799990	UTM NAD 83	08V	1DX-15	1	20.3	7.9	78	0.05
KSR149433	345104	6799957	UTM NAD 83	08V	1DX-15	0.5	12.1	9.7	72	0.05
KSR149434	345104	6799957	UTM NAD 83	08V	1DX-15	0.4	12.4	10.3	76	0.05
KSR149434	345104	6799957	UTM NAD 83	08V	1DX-15	0.4	11.4	10.2	75	0.05
KSR149435	345205	6799939	UTM NAD 83	08V	1DX-15	0.3	8.1	6.9	94	0.05
KSR149443	345970	6799948	UTM NAD 83	08V	1DX-15	0.9	26.1	11	68	0.1

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR148732	58.3	19.5	420	3.8	6.7	0.6	1.2	1.6	19	0.2	0.2	0.1	123	0.3	0.07	6
KSR148742	42	14.1	442	3.35	15.1	0.9	2.9	1.7	23	0.1	0.6	0.2	72	0.26	0.07	8
KSR148743	41.2	15.2	416	3.03	10.6	0.8	2.6	1	28	0.2	0.6	0.2	63	0.24	0.08	9
KSR148744	91.5	32.2	582	3	12.2	0.9	2.5	1.5	28	0.2	0.6	0.2	53	0.33	0.07	13
KSR148745	184	78.2	1149	3.4	16.9	0.8	3.1	3	35	0.2	0.4	0.1	62	0.19	0.04	13
KSR148746	40	14.7	488	3.38	13.2	0.8	1.6	1.8	25	0.1	0.5	0.2	70	0.25	0.06	10
KSR148747	74	27	703	3.7	17.5	1	3.6	3.1	26	0.2	0.4	0.2	71	0.26	0.07	17
KSR148748	52.1	19	553	3.58	15.9	1	1.9	1.9	38	0.05	0.4	0.2	74	0.31	0.08	13
KSR148748	48.8	17.2	489	3.22	15.2	1.1	2.4	1.9	41	0.1	0.4	0.2	65	0.28	0.08	14
KSR148749	64	21.8	932	4.31	28	0.4	2.8	0.9	25	0.2	0.3	0.05	129	0.53	0.08	4
KSR148750	31.8	16	562	4.03	11.3	0.3	1.7	0.7	21	0.1	0.4	0.05	95	0.31	0.05	4
KSR148751	31	15.1	535	3.83	10.3	0.4	1.3	0.7	21	0.1	0.5	0.05	95	0.32	0.05	5
KSR148771	81.4	22.3	428	4.49	290	1.1	9.1	4	25	0.1	4.1	0.2	93	0.27	0.09	14
KSR148779	46.4	14.3	376	3.69	9.7	0.6	5	1.4	20	0.05	0.3	0.1	114	0.18	0.06	6
KSR148780	63	19.5	472	3.98	23.7	0.8	1.7	1.1	29	0.05	0.3	0.2	124	0.23	0.08	7
KSR148782	62.6	18.8	501	4.13	15	0.4	1.7	1.3	20	0.05	0.4	0.2	125	0.23	0.07	5
KSR148782	60.4	18.3	503	4.1	14.8	0.5	1.6	1.4	21	0.1	0.4	0.2	125	0.23	0.07	5
KSR148783	38.8	12.8	423	3.39	10	0.9	4.3	0.4	24	0.05	0.6	0.2	101	0.19	0.09	6
KSR148785	29.4	14.3	617	3.18	26	0.8	5.8	0.4	28	0.2	0.8	0.2	95	0.27	0.11	7
KSR148786	72.2	23.1	551	4.2	45.4	0.4	1.8	1.3	25	0.05	0.3	0.2	121	0.2	0.06	5
KSR148787	63.9	21.1	507	4.38	10	1.1	1.7	2.9	27	0.05	0.3	0.3	104	0.21	0.07	13
KSR148791	48.4	14.7	437	3.4	17	0.6	2.8	0.8	19	0.05	0.7	0.1	86	0.24	0.06	6
KSR148792	49.2	17.1	372	3.6	7.2	0.7	7.3	1.9	22	0.2	0.3	0.1	102	0.38	0.11	8
KSR148793	41.8	13.8	428	3.6	12.9	0.6	1.9	1.2	21	0.1	0.5	0.1	103	0.28	0.07	7
KSR148795	34.6	14.2	483	3.09	13.9	0.8	1.8	1.2	23	0.1	0.8	0.2	59	0.22	0.06	11
KSR148796	32.9	14.7	696	3.32	13.3	0.8	3	0.5	27	0.1	0.8	0.2	63	0.28	0.09	9
KSR148797	42.8	20.7	702	3.81	19.6	1	3.3	0.8	29	0.2	0.9	0.2	69	0.29	0.12	10
KSR148798	75.7	21.7	741	4.51	21.7	0.7	1.7	0.8	33	0.2	0.5	0.1	78	0.43	0.13	8
KSR148799	53.6	17.2	578	3.56	20.7	1	5.2	3.4	30	0.1	0.4	0.2	46	0.28	0.08	13
KSR148800	45.8	17.2	530	3.19	17.8	0.9	14.3	1.5	33	0.2	0.5	0.2	52	0.27	0.06	12
KSR148801	35.7	14.8	495	2.9	9.3	0.7	6.1	1.6	22	0.1	0.6	0.1	55	0.25	0.05	9
KSR148802	57.1	22.7	927	4.11	57.1	0.9	18.8	4.3	18	0.2	1	0.3	53	0.19	0.07	10
KSR148803	70.4	19	580	3.45	51.8	1.1	7.2	2.1	22	0.1	0.8	0.2	55	0.26	0.1	13
KSR148804	38.9	17.1	668	3.66	14.3	1	21	0.8	25	0.2	1.1	0.2	71	0.24	0.11	10
KSR148805	82.9	27.5	766	3.94	17	0.9	3.9	4	26	0.2	0.6	0.2	53	0.3	0.1	13
KSR148806	61.3	22.6	654	3.69	12	1.2	3.9	2.3	31	0.1	0.6	0.2	55	0.38	0.1	13
KSR148807	45.6	15.2	417	2.96	9.7	0.7	14.2	2.9	29	0.2	0.5	0.1	50	0.37	0.1	14
KSR148820	57.6	18.5	460	3.47	14.4	1	5.5	1.2	31	0.2	0.6	0.1	64	0.27	0.09	11
KSR148821	45.7	17.9	589	4.27	18.6	1.1	2.1	0.8	31	0.1	1.3	0.3	74	0.3	0.12	12
KSR148822	109	36.2	660	4.33	22.5	1.3	5.4	5.6	37	0.2	0.3	0.2	64	0.42	0.12	20
KSR148823	77.7	24	637	4.24	27.8	1	10	3.2	37	0.1	0.5	0.1	76	0.52	0.12	12
KSR148824	45.3	25.1	696	3.71	14	0.9	1.9	1.1	32	0.4	0.9	0.2	65	0.33	0.08	13
KSR148984	53.3	16.8	446	3.44	10.3	0.6	13.7	2	22	0.1	0.5	0.1	91	0.36	0.1	8
KSR148985	50.9	18.5	494	3.41	9.7	0.5	4.7	1.6	21	0.1	0.3	0.1	92	0.31	0.09	6
KSR148986	51.6	18.6	497	3.42	9.8	0.5	3.3	1.6	20	0.05	0.3	0.1	93	0.3	0.09	6
KSR148987	44.2	14.7	445	3.76	12.4	0.6	3.4	1.1	19	0.1	0.7	0.2	94	0.22	0.04	7
KSR148989	48.3	17.4	450	3.43	7.4	0.5	1.9	1.6	17	0.2	0.3	0.1	93	0.23	0.05	6
KSR148991	43.6	17.4	624	3.47	8.8	0.5	1.5	1.1	19	0.1	0.4	0.1	96	0.22	0.05	6
KSR149236	29.2	13.5	515	3.55	17.5	0.7	5.6	0.9	39	0.3	0.8	0.6	73	0.38	0.08	9
KSR149432	20	10.5	467	3.07	12.5	1.3	0.9	4.4	22	0.05	0.4	0.2	62	0.32	0.08	13
KSR149433	12.9	8.4	325	2.44	8.2	1.6	4.9	7.4	25	0.1	0.4	0.2	45	0.39	0.1	21
KSR149434	14	8.9	316	2.65	9.3	1.9	2	7.8	27	0.1	0.3	0.2	47	0.38	0.11	20
KSR149434	13.7	8.9	306	2.58	9.3	1.8	1.9	7.7	27	0.05	0.3	0.2	47	0.38	0.1	20
KSR149435	15.9	14.8	551	3.78	19.3	2.1	1.7	4.1	37	0.05	1.3	0.05	60	0.65	0.18	18
KSR149443	27.1	11	450	2.67	8.7	0.5	2.2	2.5	22	0.1	0.8	0.2	61	0.28	0.04	11

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR148732	93	1.22	238	0.24	4	2.67	0.02	0.7	0.6	0.02	7.1	0.3	0.03	9	0.25
KSR148742	58	0.9	68	0.06	1	2.03	0.02	0.14	0.05	0.03	2.4	0.1	0.03	6	0.5
KSR148743	40	0.64	88	0.05	0.5	1.47	0.02	0.07	0.05	0.03	2	0.05	0.07	5	0.8
KSR148744	40	0.83	88	0.04	0.5	1.92	0.01	0.07	0.1	0.03	2.3	0.1	0.03	5	0.25
KSR148745	46	0.85	85	0.08	0.5	1.93	0.01	0.13	0.05	0.02	3.2	0.2	0.05	5	0.25
KSR148746	51	0.96	104	0.08	0.5	1.94	0.02	0.16	0.05	0.03	3.1	0.2	0.07	6	0.6
KSR148747	54	1	99	0.08	0.5	2.04	0.02	0.15	0.05	0.02	3.6	0.2	0.03	6	0.6
KSR148748	53	0.94	109	0.06	0.5	2.13	0.02	0.15	0.05	0.03	3.1	0.2	0.08	6	0.6
KSR148748	48	0.87	109	0.06	0.5	1.93	0.02	0.13	0.05	0.04	2.8	0.2	0.03	6	0.6
KSR148749	120	2.05	379	0.15	0.5	3.03	0.01	0.62	0.05	0.02	8.3	0.2	0.03	9	0.6
KSR148750	49	1.37	301	0.15	0.5	2.6	0.01	0.33	0.05	0.01	2.4	0.1	0.03	8	0.25
KSR148751	48	1.3	309	0.13	0.5	2.5	0.01	0.34	0.05	0.01	2.5	0.1	0.03	7	0.25
KSR148771	60	0.88	211	0.06	1	2.2	0.01	0.52	0.4	0.02	6.6	0.2	0.03	7	0.7
KSR148779	72	1.1	173	0.14	0.5	2.52	0.01	0.49	0.1	0.02	6.5	0.2	0.03	8	0.25
KSR148780	92	1.19	255	0.13	0.5	2.58	0.01	0.61	0.2	0.03	7	0.2	0.09	9	0.25
KSR148782	82	1.18	268	0.18	0.5	2.7	0.01	0.66	0.05	0.01	8.1	0.3	0.03	8	0.25
KSR148782	84	1.2	271	0.18	0.5	2.71	0.01	0.66	0.05	0.02	8.2	0.3	0.03	8	0.25
KSR148783	61	0.8	109	0.08	0.5	2.12	0.01	0.27	0.05	0.05	3.4	0.2	0.09	8	0.25
KSR148785	46	0.68	107	0.05	0.5	1.49	0.01	0.15	0.1	0.06	2.5	0.1	0.12	6	0.25
KSR148786	84	1.17	304	0.15	0.5	2.88	0.01	0.65	0.05	0.02	7.9	0.2	0.03	9	0.25
KSR148787	74	1.17	107	0.11	0.5	2.6	0.01	0.31	0.05	0.02	4.8	0.3	0.08	8	0.5
KSR148791	64	0.83	137	0.12	0.5	1.97	0.01	0.19	0.2	0.02	4	0.1	0.03	7	0.25
KSR148792	75	1.13	169	0.18	0.5	2.46	0.01	0.46	0.05	0.02	7.1	0.2	0.03	8	0.25
KSR148793	72	0.96	182	0.16	2	2.29	0.01	0.37	0.05	0.03	5.5	0.2	0.03	8	0.25
KSR148795	42	0.77	73	0.05	0.5	1.73	0.01	0.04	0.05	0.02	2.5	0.05	0.03	5	0.25
KSR148796	44	0.78	84	0.05	0.5	1.74	0.01	0.05	0.1	0.02	2	0.1	0.06	6	0.25
KSR148797	51	0.86	120	0.04	0.5	1.96	0.01	0.05	0.05	0.03	2.1	0.05	0.09	6	0.7
KSR148798	90	1.63	199	0.06	0.5	2.63	0.01	0.27	0.05	0.02	3	0.2	0.03	7	0.25
KSR148799	44	1	64	0.04	0.5	1.87	0.01	0.05	0.05	0.02	2.8	0.05	0.03	5	0.25
KSR148800	41	0.81	88	0.05	0.5	1.68	0.01	0.04	0.05	0.02	2.4	0.05	0.03	5	0.25
KSR148801	43	0.75	95	0.05	2	1.7	0.02	0.04	0.05	0.02	2.8	0.05	0.03	4	0.25
KSR148802	48	0.94	66	0.04	0.5	1.97	0.02	0.04	0.05	0.03	4	0.05	0.03	5	0.5
KSR148803	72	0.94	80	0.03	0.5	1.94	0.01	0.04	0.05	0.03	3.4	0.05	0.03	5	0.25
KSR148804	45	0.72	130	0.03	0.5	1.71	0.01	0.04	0.05	0.04	2.2	0.05	0.08	6	0.8
KSR148805	51	0.96	53	0.03	0.5	1.92	0.01	0.05	0.05	0.02	2.9	0.05	0.03	5	0.25
KSR148806	49	0.95	93	0.03	1	1.96	0.01	0.05	0.05	0.04	3	0.05	0.03	5	0.25
KSR148807	39	0.79	56	0.07	0.5	1.68	0.02	0.05	0.05	0.01	3	0.05	0.03	5	0.25
KSR148820	46	0.77	66	0.05	0.5	1.59	0.01	0.07	0.05	0.03	2.2	0.05	0.03	5	0.25
KSR148821	51	0.93	88	0.03	0.5	2.04	0.01	0.07	0.1	0.03	2.4	0.1	0.08	6	1
KSR148822	54	1.25	38	0.03	0.5	2.41	0.01	0.09	0.05	0.01	3.5	0.1	0.03	7	0.25
KSR148823	68	1.23	59	0.06	0.5	2.11	0.01	0.17	0.05	0.01	4.4	0.1	0.03	6	0.25
KSR148824	43	0.8	117	0.04	2	1.74	0.02	0.06	0.05	0.03	2.5	0.1	0.03	6	0.25
KSR148984	67	0.97	173	0.17	1	2.22	0.01	0.45	0.3	0.02	6.4	0.2	0.03	7	0.25
KSR148985	61	0.96	179	0.18	1	2.15	0.01	0.46	2.9	0.02	5.9	0.2	0.03	7	0.5
KSR148986	62	0.96	184	0.18	1	2.19	0.01	0.46	2.7	0.02	6	0.2	0.03	7	0.25
KSR148987	56	0.81	157	0.12	2	2.04	0.01	0.28	0.2	0.02	4.7	0.1	0.03	8	0.25
KSR148989	60	0.92	170	0.18	1	2.22	0.01	0.47	0.1	0.02	5.7	0.2	0.03	7	0.5
KSR148991	60	0.87	202	0.16	1	2.1	0.01	0.43	0.1	0.02	5.4	0.2	0.03	7	0.25
KSR149236	40	0.75	157	0.07	0.5	2.07	0.01	0.06	0.2	0.04	2.9	0.2	0.03	7	0.6
KSR149432	34	0.76	148	0.2	0.5	1.88	0.02	0.31	0.05	0.02	3.8	0.3	0.03	7	0.25
KSR149433	27	0.7	143	0.16	0.5	1.76	0.02	0.27	0.1	0.02	3.2	0.2	0.03	7	0.25
KSR149434	27	0.76	147	0.17	0.5	1.87	0.02	0.28	0.05	0.01	3.4	0.2	0.03	7	0.25
KSR149434	27	0.71	144	0.18	0.5	1.79	0.02	0.27	0.05	0.01	3.4	0.2	0.03	7	0.25
KSR149435	32	1.06	378	0.23	0.5	2.23	0.02	0.65	0.05	0.01	4.6	0.4	0.03	8	0.25
KSR149443	35	0.65	112	0.1	2	1.6	0.02	0.13	0.2	0.04	3.1	0.1	0.03	6	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR149444	346033	6800026	UTM NAD 83	08V	1DX-15	0.4	16.5	16.5	99	0.05
KSR149445	346095	6800107	UTM NAD 83	08V	1DX-15	0.5	15.5	10.2	98	0.05
KSR149481	360206	6778496	UTM NAD 83	08V	1DX-15	0.8	58.5	7.1	89	0.2
KSR149482	360299	6780096	UTM NAD 83	08V	1DX-15	1.2	49.1	7.8	82	0.2
KSR149483	360322	6780196	UTM NAD 83	08V	1DX-15	0.9	57.5	5.2	73	0.1
KSR149485	360379	6780388	UTM NAD 83	08V	1DX-15	0.6	47.6	4.9	75	0.1
KSR149486	360403	6780485	UTM NAD 83	08V	1DX-15	0.8	55.7	5.8	80	0.1
KSR149489	360536	6780783	UTM NAD 83	08V	1DX-15	1	47.9	6.2	80	0.1
KSR149491	360623	6780962	UTM NAD 83	08V	1DX-15	1.9	33.7	8	75	0.05
KSR149492	360670	6781049	UTM NAD 83	08V	1DX-15	0.8	31	4.6	62	0.2
KSR149493	360710	6781140	UTM NAD 83	08V	1DX-15	1.2	52.9	6.4	91	0.2
KSR149494	360753	6781225	UTM NAD 83	08V	1DX-15	0.8	41.2	4.2	75	0.1
KSR149494	360753	6781225	UTM NAD 83	08V	1DX-15	0.8	40.2	3.8	71	0.2
KSR149495	360807	6781317	UTM NAD 83	08V	1DX-15	1.2	65.4	6.2	99	0.2
KSR145932	647953	6789924	UTM NAD 83	07V	1DX-15	1.5	80.3	9.5	107	0.2
KSR145939	647411	6789481	UTM NAD 83	07V	1DX-15	1.6	65.2	8	93	0.1
KSR145940	647336	6789404	UTM NAD 83	07V	1DX-15	1.4	64.7	8.9	88	0.2
KSR145943	647127	6789190	UTM NAD 83	07V	1DX-15	1.3	50.9	6.1	70	0.2
KSR145954	646524	6788333	UTM NAD 83	07V	1DX-15	0.9	56.7	5.7	74	0.1
KSR145955	646469	6788251	UTM NAD 83	07V	1DX-15	2.3	81.4	13.5	109	0.3
KSR145956	646411	6788168	UTM NAD 83	07V	1DX-15	2.1	33.5	10.3	62	0.05
KSR145957	646313	6788171	UTM NAD 83	07V	1DX-15	1.4	82.6	11.3	96	0.2
KSR145958	646220	6788157	UTM NAD 83	07V	1DX-15	1.2	61.1	10	79	0.2
KSR145959	646129	6788121	UTM NAD 83	07V	1DX-15	2.2	41.3	11.3	80	0.1
KSR145960	646033	6788093	UTM NAD 83	07V	1DX-15	1.2	134	4.3	126	0.1
KSR145961	646033	6788093	UTM NAD 83	07V	1DX-15	1.1	125	3.8	118	0.2
KSR145962	645939	6788072	UTM NAD 83	07V	1DX-15	1.2	59.5	6.4	74	0.1
KSR145963	645938	6788072	UTM NAD 83	07V	1DX-15	1.2	59.9	7.6	70	0.1
KSR145964	645898	6788064	UTM NAD 83	07V	1DX-15	2.1	36	6.8	43	0.2
KSR145965	645898	6788064	UTM NAD 83	07V	1DX-15	1.4	30	5.4	42	0.1
KSR145966	645838	6788052	UTM NAD 83	07V	1DX-15	1.1	64.6	7.1	84	0.1
KSR146534	347563	6802171	UTM NAD 83	08V	1DX-15	0.7	44.4	11.7	62	0.05
KSR146575	651872	6787407	UTM NAD 83	07V	1DX-15	1.4	54.7	10	83	0.1
KSR146583	652283	6788089	UTM NAD 83	07V	1DX-15	1.2	47.3	7.4	73	0.05
KSR146586	652460	6788327	UTM NAD 83	07V	1DX-15	1.6	46.1	7.8	74	0.05
KSR146597	357886	6774279	UTM NAD 83	08V	1DX-15	1.8	210	10.7	200	0.2
KSR146678	652200	6776709	UTM NAD 83	07V	1DX-15	1.1	70.4	8.9	76	0.2
KSR146681	652441	6776549	UTM NAD 83	07V	1DX-15	0.6	54.1	5.5	129	0.05
KSR146682	652529	6776502	UTM NAD 83	07V	1DX-15	0.8	44.8	3.9	90	0.05
KSR146687	652976	6776263	UTM NAD 83	07V	1DX-15	1	49.6	7.1	82	0.1
KSR146688	653075	6776240	UTM NAD 83	07V	1DX-15	0.9	57.5	7.1	86	0.1
KSR146692	653446	6776082	UTM NAD 83	07V	1DX-15	0.8	36.8	8.4	87	0.05
KSR146710	653167	6776202	UTM NAD 83	07V	1DX-15	0.6	37.4	5.3	81	0.05
KSR146714	355032	6798904	UTM NAD 83	08V	1DX-15	1.4	26.4	13.6	96	0.1
KSR146722	354754	6798207	UTM NAD 83	08V	1DX-15	2.4	25.3	11.6	81	0.1
KSR146723	354797	6798116	UTM NAD 83	08V	1DX-15	1.2	23.7	12.8	73	0.1
KSR146725	354921	6797959	UTM NAD 83	08V	1DX-15	0.8	14.6	14.3	75	0.05
KSR146726	355002	6797898	UTM NAD 83	08V	1DX-15	1.2	15.9	10.7	85	0.1
KSR146729	355265	6797765	UTM NAD 83	08V	1DX-15	0.6	17.3	6.8	67	0.05
KSR146739	652898	6789170	UTM NAD 83	07V	1DX-15	1.2	47.1	5.8	92	0.05
KSR146741	653024	6789333	UTM NAD 83	07V	1DX-15	1.7	54.8	8.5	83	0.1
KSR146743	653147	6789490	UTM NAD 83	07V	1DX-15	1.3	64.8	6.5	94	0.1
KSR146744	653219	6789564	UTM NAD 83	07V	1DX-15	1.3	51.5	7.5	92	0.05
KSR146746	653393	6789686	UTM NAD 83	07V	1DX-15	1.4	81.6	10.6	104	0.3
KSR146748	357494	6771603	UTM NAD 83	08V	1DX-15	1	127	5.3	133	0.2

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR149444	18.3	9.8	451	2.5	18.6	1.5	8.3	4.3	29	0.4	0.4	0.2	53	0.41	0.11	16
KSR149445	17.9	9.8	555	3.28	7.6	1.5	3.7	7.5	25	0.2	0.3	0.2	57	0.39	0.12	14
KSR149481	43.5	16.9	423	3.75	297	0.8	19.5	2	36	0.4	0.6	0.6	108	0.23	0.08	7
KSR149482	49.1	15.2	448	4.39	141	0.5	11.7	1.3	17	0.2	0.5	0.3	124	0.14	0.04	5
KSR149483	58	19.3	471	3.72	137	0.4	6.7	1.6	23	0.05	0.4	0.3	119	0.28	0.09	6
KSR149485	53	16.6	449	3.48	103	0.4	4.8	1.3	19	0.1	0.3	0.2	110	0.24	0.08	5
KSR149486	52.7	18.8	507	4.23	59.3	0.4	4.7	1.4	21	0.2	0.3	0.2	127	0.24	0.08	4
KSR149489	43	16.3	434	3.83	105	0.5	8.3	1.3	22	0.2	0.4	0.2	108	0.19	0.07	5
KSR149491	33.6	13.1	367	4.06	111	0.5	3	1.2	23	0.1	0.6	0.2	111	0.23	0.03	6
KSR149492	31.9	10.2	329	2.74	389	0.5	9.3	1.5	21	0.2	0.4	0.4	78	0.14	0.06	5
KSR149493	49.9	19.1	512	4.24	776	0.6	11.2	1.5	20	0.2	0.7	0.7	110	0.07	0.04	6
KSR149494	39.8	15.8	466	3.41	371	0.5	8.4	1.3	18	0.1	0.4	0.4	98	0.16	0.06	5
KSR149494	38.5	15.4	449	3.29	359	0.4	19.3	1.3	18	0.1	0.4	0.4	92	0.15	0.06	5
KSR149495	53.5	20	648	4.49	643	0.5	22.4	1.5	28	0.1	0.7	0.7	125	0.24	0.07	6
KSR145932	76.3	26	634	4.27	16.4	1.2	10.5	3.4	27	0.2	0.6	0.2	78	0.27	0.08	17
KSR145939	62.2	22.6	532	3.67	18.2	0.9	108	2.1	26	0.2	0.8	0.1	67	0.26	0.07	11
KSR145940	62.3	22	589	3.86	37.6	0.9	13	2	23	0.2	0.7	0.2	85	0.24	0.07	12
KSR145943	36.9	15.6	406	3.16	20.6	0.7	22.6	0.7	27	0.2	0.5	0.1	76	0.33	0.1	10
KSR145954	53.2	20	408	2.87	12.1	0.7	5.4	2.6	27	0.2	0.4	0.1	48	0.29	0.09	11
KSR145955	69.3	29.6	782	3.91	25.8	1.3	2.8	1.7	41	0.2	0.9	0.3	66	0.34	0.11	18
KSR145956	28.5	14.8	622	3.03	12.3	0.8	2.5	0.5	25	0.05	0.8	0.2	58	0.26	0.08	8
KSR145957	66.9	23.7	718	3.94	23.8	1.1	4.5	3.4	15	0.1	0.4	0.2	53	0.14	0.04	13
KSR145958	56	20.9	595	3.48	16.2	0.8	2.7	1.8	24	0.3	0.6	0.2	58	0.24	0.07	11
KSR145959	39.3	16.4	610	3.66	16.9	0.8	3.8	0.9	21	0.2	0.9	0.2	64	0.16	0.06	9
KSR145960	101	47.4	1757	7.56	33.1	0.2	3.5	0.8	24	0.1	0.3	0.05	202	0.55	0.14	3
KSR145961	94.1	41.4	1552	6.78	28.5	0.2	10.5	0.8	22	0.1	0.2	0.05	180	0.53	0.12	3
KSR145962	54.9	17.8	622	3.4	21.3	0.8	3.4	2.1	15	0.05	0.4	0.1	65	0.18	0.05	9
KSR145963	56.8	18.2	593	3.39	22.9	0.8	2.2	2	16	0.05	0.4	0.1	66	0.17	0.05	9
KSR145964	19.1	10.7	428	2.46	8.1	0.8	2.5	0.2	29	0.05	0.5	0.1	53	0.35	0.12	7
KSR145965	16.1	10.4	358	2.28	6	0.5	2.1	0.3	27	0.05	0.4	0.05	57	0.35	0.1	6
KSR145966	50.7	18.3	530	3.29	23.4	1	5.5	3.8	28	0.1	0.6	0.2	51	0.35	0.1	14
KSR146534	9.9	6	480	1.87	17.2	1.3	7.2	4.8	16	0.3	0.4	4.7	28	0.2	0.03	19
KSR146575	52.9	17.8	539	3.5	45.4	0.7	5.4	1.5	22	0.2	0.6	0.2	65	0.34	0.08	8
KSR146583	57.3	16.8	423	3.27	11.2	0.7	3.9	1.5	21	0.1	0.6	0.1	86	0.22	0.06	8
KSR146586	38.2	16.6	493	3.23	12.7	0.8	6.5	1	28	0.1	0.6	0.2	64	0.32	0.08	8
KSR146597	149	72.2	804	5.11	87.8	3.8	23.2	7.6	51	0.5	0.6	0.3	86	0.37	0.13	44
KSR146678	57.2	16.7	482	3.77	10.5	1	2.4	2.5	32	0.05	0.7	0.2	96	0.62	0.06	14
KSR146681	121	26.5	546	4.68	6.4	0.6	0.9	2.6	19	0.1	0.1	0.1	132	0.38	0.08	7
KSR146682	54.5	19	425	4.02	9.9	0.4	1.2	1.9	20	0.05	0.2	0.05	121	0.37	0.04	5
KSR146687	48.4	15.5	413	3.61	9.5	0.7	1.9	3.2	27	0.05	0.6	0.2	91	0.43	0.05	11
KSR146688	52.2	16.4	402	3.67	9	0.8	2.6	3.1	28	0.05	0.5	0.1	99	0.49	0.05	11
KSR146692	38.2	15	448	2.97	9.1	0.6	3.5	1.9	25	0.3	0.5	0.1	69	0.37	0.05	10
KSR146710	50.7	15.7	431	3.47	6.3	0.5	2.2	2.5	28	0.05	0.3	0.05	98	0.53	0.09	8
KSR146714	21.6	9	416	3.3	13.6	1.6	3.7	9.5	21	0.7	0.5	1.4	56	0.23	0.03	17
KSR146722	20.6	8.7	431	3.38	10.6	2	4	4.7	26	0.4	0.9	1.2	63	0.23	0.06	12
KSR146723	18.9	8.9	438	2.57	9.3	2.2	2.3	2.2	42	0.4	0.5	0.4	42	0.65	0.13	14
KSR146725	12.8	7.4	441	2.22	7	1	0.8	10.6	11	0.2	0.3	0.3	34	0.13	0.02	16
KSR146726	14.2	7.3	452	3.08	8.5	1.5	2.1	10.5	19	0.2	0.4	0.3	46	0.2	0.03	20
KSR146729	15.5	7.4	409	2.49	7.7	1.3	3.1	14.6	20	0.2	0.4	0.7	42	0.29	0.07	20
KSR146739	41.9	14.6	468	4.31	9.2	0.7	2.4	2	24	0.05	0.4	0.1	112	0.24	0.05	8
KSR146741	50.6	17.6	544	3.55	12.9	0.8	5.6	1.3	32	0.05	0.6	0.2	70	0.43	0.11	12
KSR146743	46.5	16	454	4	14.7	1	5.9	3.4	27	0.1	0.4	0.2	83	0.23	0.07	15
KSR146744	39.3	13.6	480	4.08	10	1	3.8	3.4	25	0.1	0.4	0.2	90	0.24	0.07	14
KSR146746	76.1	24.2	649	4.23	29.3	1.2	2.6	2.8	28	0.1	0.6	0.2	89	0.32	0.09	12
KSR146748	100	32.6	688	4.67	20.9	1.4	1.6	4.3	31	0.2	0.2	0.2	78	0.33	0.09	21

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR149444	32	0.74	117	0.15	0.5	1.62	0.02	0.2	0.2	0.03	3.6	0.2	0.03	6	0.25
KSR149445	29	0.82	241	0.26	0.5	2.05	0.02	0.45	0.2	0.01	5	0.5	0.03	9	0.25
KSR149481	63	1.04	252	0.15	0.5	2.54	0.02	0.69	0.6	0.02	6.9	0.2	0.03	8	0.25
KSR149482	80	1.09	238	0.2	0.5	2.81	0.01	0.69	0.1	0.04	7.6	0.3	0.03	9	0.25
KSR149483	75	1.02	292	0.19	0.5	2.67	0.01	0.74	0.2	0.02	7.9	0.4	0.03	8	0.25
KSR149485	71	0.98	265	0.19	0.5	2.51	0.01	0.77	0.1	0.02	7.4	0.2	0.03	8	0.25
KSR149486	79	1.17	320	0.23	0.5	2.87	0.02	0.89	0.2	0.02	8.8	0.3	0.03	10	0.25
KSR149489	68	0.98	225	0.18	0.5	2.59	0.01	0.68	0.3	0.05	6.9	0.3	0.03	8	0.25
KSR149491	63	0.89	143	0.18	1	2.14	0.01	0.22	0.2	0.03	5.1	0.1	0.06	8	0.5
KSR149492	53	0.8	229	0.15	0.5	1.95	0.01	0.54	1.9	0.01	4.8	0.2	0.03	7	0.25
KSR149493	77	1.04	333	0.2	0.5	3.07	0.02	0.86	0.2	0.03	7.1	0.3	0.03	9	0.7
KSR149494	66	0.86	276	0.19	0.5	2.38	0.02	0.76	0.2	0.02	6.6	0.2	0.06	7	0.25
KSR149494	63	0.72	283	0.18	0.5	2.02	0.01	0.7	0.2	0.02	6	0.2	0.03	7	0.8
KSR149495	84	1.13	326	0.22	0.5	3.1	0.02	0.69	0.2	0.01	7.8	0.3	0.03	10	0.25
KSR145932	58	1.05	82	0.06	0.5	2.29	0.01	0.12	0.05	0.02	4	0.2	0.08	7	0.25
KSR145939	64	0.94	76	0.06	0.5	1.96	0.01	0.08	0.05	0.02	3.1	0.1	0.06	6	0.5
KSR145940	72	1.09	105	0.09	0.5	2.23	0.01	0.14	0.1	0.02	4.3	0.2	0.07	7	0.5
KSR145943	42	0.68	79	0.06	0.5	1.35	0.01	0.12	0.05	0.03	2.2	0.05	0.12	5	0.25
KSR145954	35	0.66	54	0.05	0.5	1.33	0.01	0.05	0.05	0.02	2	0.05	0.03	4	0.25
KSR145955	53	0.91	97	0.04	0.5	2.08	0.02	0.07	0.05	0.04	3.3	0.1	0.03	6	1
KSR145956	38	0.66	101	0.03	1	1.5	0.01	0.04	0.05	0.03	1.7	0.05	0.03	5	0.25
KSR145957	49	0.97	64	0.03	2	2.22	0.01	0.05	0.05	0.02	2.9	0.05	0.03	5	0.25
KSR145958	47	0.83	110	0.05	0.5	1.95	0.01	0.05	0.1	0.04	2.7	0.05	0.03	6	0.6
KSR145959	46	0.72	104	0.03	0.5	1.77	0.01	0.04	0.05	0.02	1.8	0.05	0.03	5	0.6
KSR145960	175	2.81	106	0.17	0.5	3.94	0.01	0.6	0.05	0.01	14.8	0.4	0.03	11	0.8
KSR145961	157	2.6	109	0.13	0.5	3.6	0.01	0.57	0.05	0.01	12	0.4	0.03	11	0.25
KSR145962	71	1.14	45	0.04	0.5	1.96	0.01	0.05	0.05	0.02	3.6	0.05	0.03	5	1
KSR145963	70	1.12	44	0.05	1	1.89	0.01	0.05	0.05	0.01	3.5	0.05	0.03	5	0.25
KSR145964	26	0.4	86	0.02	0.5	1.03	0.01	0.03	0.05	0.04	0.9	0.05	0.13	4	0.8
KSR145965	22	0.34	72	0.04	0.5	0.87	0.01	0.03	0.05	0.03	1	0.05	0.1	4	0.25
KSR145966	41	0.83	53	0.05	0.5	1.68	0.01	0.05	0.05	0.01	3	0.05	0.03	5	0.25
KSR146534	15	0.32	57	0.04	0.5	0.98	0.01	0.11	1.2	0.01	1.8	0.1	0.03	4	0.25
KSR146575	49	0.88	102	0.05	0.5	1.83	0.01	0.15	0.05	0.03	2.2	0.1	0.08	5	0.25
KSR146583	67	1.01	116	0.09	0.5	2.19	0.01	0.19	0.05	0.03	3	0.2	0.03	5	0.5
KSR146586	41	0.7	99	0.05	1	1.62	0.01	0.09	0.05	0.04	2	0.1	0.09	5	0.6
KSR146597	60	1.2	97	0.09	0.5	2.62	0.02	0.26	0.1	0.02	5.6	0.3	0.09	8	1.1
KSR146678	87	1.19	426	0.12	0.5	2.21	0.02	0.47	0.1	0.04	6	0.2	0.03	7	0.8
KSR146681	129	1.87	583	0.23	0.5	3.12	0.01	1.16	0.05	0.01	8.2	0.4	0.03	11	0.25
KSR146682	111	1.7	401	0.23	0.5	2.56	0.01	0.85	0.1	0.01	5.1	0.3	0.03	9	0.25
KSR146687	72	1.23	246	0.14	0.5	2.08	0.02	0.44	0.1	0.02	5.7	0.2	0.03	7	0.5
KSR146688	80	1.23	291	0.16	2	2.18	0.02	0.54	0.1	0.02	6.4	0.2	0.03	7	0.25
KSR146692	51	0.86	141	0.09	1	1.74	0.02	0.09	0.05	0.02	3.7	0.1	0.03	5	0.25
KSR146710	81	1.32	287	0.17	0.5	2.09	0.02	0.68	0.1	0.01	5.5	0.3	0.03	7	0.25
KSR146714	32	0.64	112	0.17	0.5	1.66	0.01	0.27	1	0.02	3.4	0.3	0.06	8	0.25
KSR146722	32	0.54	122	0.11	0.5	1.53	0.01	0.18	0.2	0.05	2.6	0.3	0.08	9	0.25
KSR146723	25	0.54	113	0.05	2	1.68	0.02	0.23	0.05	0.07	1.5	0.3	0.17	6	0.25
KSR146725	20	0.38	102	0.14	0.5	1.14	0.02	0.27	0.1	0.01	2.2	0.3	0.03	6	0.25
KSR146726	23	0.5	129	0.16	0.5	1.6	0.01	0.29	0.2	0.02	2.9	0.3	0.06	9	0.25
KSR146729	23	0.51	145	0.15	0.5	1.3	0.02	0.21	0.4	0.01	2.6	0.2	0.03	5	0.25
KSR146739	83	1.4	265	0.18	0.5	2.73	0.01	0.47	0.05	0.02	4.9	0.2	0.1	8	0.25
KSR146741	51	0.79	107	0.04	1	1.71	0.01	0.07	0.05	0.05	2.5	0.1	0.11	5	0.6
KSR146743	65	1.05	87	0.09	0.5	2.37	0.01	0.21	0.05	0.02	3.8	0.2	0.07	6	0.8
KSR146744	66	1.07	102	0.1	0.5	2.37	0.01	0.16	0.05	0.02	3.8	0.2	0.08	6	0.25
KSR146746	74	1.1	107	0.07	1	2.4	0.01	0.21	0.05	0.03	4.1	0.2	0.09	6	0.9
KSR146748	60	1.24	111	0.09	0.5	2.44	0.01	0.32	0.05	0.02	4.8	0.3	0.03	8	0.6

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR146749	357494	6771603	UTM NAD 83	08V	1DX-15	1.1	131	5.6	133	0.2
KSR146752	654585	6785672	UTM NAD 83	07V	1DX-15	1.4	75.1	10.5	82	0.1
KSR146753	654638	6785586	UTM NAD 83	07V	1DX-15	1.8	54.8	11.2	86	0.2
KSR146754	654690	6785502	UTM NAD 83	07V	1DX-15	1.3	47.9	8.4	69	0.05
KSR146759	655129	6785484	UTM NAD 83	07V	1DX-15	1.1	86	10.3	91	0.1
KSR146787	618733	6815491	UTM NAD 83	08V	1DX-15	0.8	38.1	5.9	79	0.1
KSR146789	359554	6769507	UTM NAD 83	08V	1DX-15	1	77.4	6	110	0.2
KSR146793	359278	6769627	UTM NAD 83	08V	1DX-15	1.1	124	8.4	135	0.2
KSR146793	359278	6769627	UTM NAD 83	08V	1DX-15	1.1	120	8.6	135	0.2
KSR146805	358764	6770521	UTM NAD 83	08V	1DX-15	1.6	84.1	11.3	118	0.2
KSR146806	358696	6770593	UTM NAD 83	08V	1DX-15	1.2	70.2	9.8	118	0.2
KSR146807	358628	6770667	UTM NAD 83	08V	1DX-15	1.6	80.5	9.8	112	0.2
KSR146809	358505	6770828	UTM NAD 83	08V	1DX-15	1.2	148	8.6	151	0.2
KSR146810	358431	6770896	UTM NAD 83	08V	1DX-15	0.4	46.1	2.9	92	0.05
KSR146811	358371	6770977	UTM NAD 83	08V	1DX-15	0.9	64.8	5.3	123	0.05
KSR146814	358192	6771219	UTM NAD 83	08V	1DX-15	1.1	65.1	5.1	110	0.2
KSR146815	358149	6771309	UTM NAD 83	08V	1DX-15	1.1	76.3	5.2	109	0.2
KSR146816	358084	6771386	UTM NAD 83	08V	1DX-15	0.8	85.1	5.5	103	0.2
KSR146817	358003	6771446	UTM NAD 83	08V	1DX-15	1.1	65.7	8.1	89	0.1
KSR146818	357931	6771514	UTM NAD 83	08V	1DX-15	1.3	134	8.5	146	0.1
KSR146818	357931	6771514	UTM NAD 83	08V	1DX-15	1.1	133	8.6	150	0.1
KSR146819	357861	6771586	UTM NAD 83	08V	1DX-15	1.2	144	6.4	108	0.1
KSR146821	357680	6771673	UTM NAD 83	08V	1DX-15	1.2	75.2	7.5	111	0.2
KSR146822	357583	6771650	UTM NAD 83	08V	1DX-15	0.8	72.1	3.3	101	0.1
KSR146840	356083	6776727	UTM NAD 83	08V	1DX-15	1	48	5.5	92	0.05
KSR146841	356131	6776641	UTM NAD 83	08V	1DX-15	0.8	44.4	4.8	80	0.05
KSR146842	356185	6776557	UTM NAD 83	08V	1DX-15	1.2	37.2	6.5	92	0.05
KSR146843	356240	6776472	UTM NAD 83	08V	1DX-15	0.8	43.2	4.4	92	0.1
KSR146844	356313	6776403	UTM NAD 83	08V	1DX-15	1.1	45.1	5.9	87	0.05
KSR146845	356393	6776341	UTM NAD 83	08V	1DX-15	1.1	72.6	5.6	111	0.1
KSR146846	356470	6776277	UTM NAD 83	08V	1DX-15	0.8	44	4.4	106	0.05
KSR146847	356534	6776197	UTM NAD 83	08V	1DX-15	1.2	50.4	6.4	98	0.1
KSR146848	356574	6776105	UTM NAD 83	08V	1DX-15	1	64.9	8.5	121	0.2
KSR146849	356555	6776007	UTM NAD 83	08V	1DX-15	0.7	63.7	7	107	0.1
KSR146850	356534	6775908	UTM NAD 83	08V	1DX-15	1	50.8	7.3	93	0.1
KSR146850	356534	6775908	UTM NAD 83	08V	1DX-15	1	51.6	7.2	88	0.1
KSR146851	356513	6775808	UTM NAD 83	08V	1DX-15	1.3	57.2	7.6	91	0.1
KSR146852	356501	6775707	UTM NAD 83	08V	1DX-15	1	59.6	8	89	0.1
KSR146853	356507	6775607	UTM NAD 83	08V	1DX-15	1.6	95.8	8.5	119	0.2
KSR146854	356506	6775506	UTM NAD 83	08V	1DX-15	1.4	58.4	8.2	94	0.2
KSR146855	356584	6775443	UTM NAD 83	08V	1DX-15	1.1	74.9	8.4	105	0.1
KSR146856	356670	6775388	UTM NAD 83	08V	1DX-15	1.5	121	10.3	114	0.3
KSR146857	356742	6775311	UTM NAD 83	08V	1DX-15	1.4	58.1	8.1	94	0.05
KSR146858	356822	6775251	UTM NAD 83	08V	1DX-15	0.9	69.4	5.4	117	0.1
KSR146859	356903	6775192	UTM NAD 83	08V	1DX-15	1.7	54.6	8.7	86	0.1
KSR146866	357275	6774616	UTM NAD 83	08V	1DX-15	1	70.7	6.7	87	0.1
KSR146867	357338	6774536	UTM NAD 83	08V	1DX-15	1.3	105	7	105	0.2
KSR146868	357434	6774512	UTM NAD 83	08V	1DX-15	1.2	101	6.6	105	0.05
KSR146869	357535	6774505	UTM NAD 83	08V	1DX-15	1.4	88.9	7.8	115	0.1
KSR146870	357632	6774478	UTM NAD 83	08V	1DX-15	1.2	138	6.2	133	0.2
KSR146871	357730	6774454	UTM NAD 83	08V	1DX-15	1.3	74.2	5.5	119	0.2
KSR146872	357783	6774402	UTM NAD 83	08V	1DX-15	1.6	64.8	5.4	83	0.3
KSR146875	345742	6801496	UTM NAD 83	07V	1DX-15	0.6	25.5	8.4	64	0.05
KSR146887	360190	6779077	UTM NAD 83	08V	1DX-15	1.1	74.8	6.4	82	0.1
KSR146892	360182	6779506	UTM NAD 83	08V	1DX-15	0.9	46.9	5.8	75	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR146749	105	34.6	727	4.78	23.1	1.5	1.7	4.4	32	0.2	0.2	0.2	83	0.36	0.09	21
KSR146752	61.2	23.5	590	3.42	14.4	1.1	1.9	2.7	43	0.2	0.5	0.2	59	0.3	0.08	13
KSR146753	43.3	18.8	545	3.37	13.7	1.1	6.5	2	40	0.2	0.7	0.2	66	0.29	0.09	13
KSR146754	38.4	15.2	429	2.98	10.1	0.7	2.6	2	29	0.1	0.6	0.1	59	0.27	0.07	11
KSR146759	67.8	23.4	607	3.54	17.2	0.9	2.8	4.3	93	0.1	0.3	0.2	50	0.49	0.08	15
KSR146787	24	12.5	438	2.81	5	1.4	3.8	5.8	29	0.2	0.3	0.05	60	0.38	0.09	20
KSR146789	62.5	23	522	4.55	16.1	1	13.1	5.3	41	0.05	0.3	0.2	91	0.14	0.04	18
KSR146793	85.6	26.4	711	5.22	12.6	1.4	4.5	6.1	32	0.2	0.8	0.3	107	0.21	0.06	20
KSR146793	86.1	27.1	701	5.14	12.8	1.3	3.2	5.8	33	0.3	0.7	0.3	107	0.22	0.06	20
KSR146805	69.9	24.3	556	4.72	15.9	1.3	1.5	4.3	47	0.2	0.5	0.3	108	0.4	0.08	20
KSR146806	79.8	30.4	628	4.92	10.6	1	1.9	4.3	225	0.1	1	0.2	97	0.25	0.05	17
KSR146807	85.5	31.4	542	4.53	12.3	1.3	1.6	3	31	0.05	0.5	0.2	110	0.29	0.05	17
KSR146809	119	40.1	759	4.86	36.8	2	3	5.4	43	0.3	0.4	0.2	93	0.3	0.1	33
KSR146810	58.2	16.8	397	3.15	8.9	0.6	0.8	3	25	0.05	0.1	0.05	65	0.23	0.08	13
KSR146811	67.8	21.5	500	4.05	13.4	1	2.7	3.4	20	0.05	0.2	0.2	100	0.24	0.07	13
KSR146814	57.9	22.7	551	4.14	25.9	1	2.4	4.2	30	0.05	0.2	0.2	84	0.33	0.09	13
KSR146815	66	24.4	426	3.51	16.3	1.5	8.1	3.7	35	0.2	0.2	0.2	76	0.43	0.09	18
KSR146816	73.9	25.5	551	3.9	24.9	1.4	2.9	3.9	32	0.2	0.2	0.2	86	0.36	0.07	15
KSR146817	61.3	24.8	409	3.74	45.2	1	2.1	1.6	23	0.3	0.3	0.2	80	0.19	0.06	10
KSR146818	162	50.8	1008	5.19	32.3	1.2	1.9	3.4	27	0.3	0.3	0.2	78	0.24	0.08	19
KSR146818	162	50.8	1020	5.12	33	1.3	3.5	3.5	27	0.3	0.3	0.2	80	0.25	0.09	19
KSR146819	72.6	49.7	664	3.56	58.8	1.2	2.1	1.7	31	0.3	0.4	0.2	73	0.32	0.09	16
KSR146821	66.1	25	639	4.36	30.1	1.1	4.9	2.4	32	0.2	0.2	0.2	88	0.41	0.08	17
KSR146822	51.7	24.1	690	4.81	38.8	0.7	3.6	2.2	30	0.05	0.1	0.05	104	0.54	0.11	10
KSR146840	49.2	22.2	566	3.75	8.5	0.6	2.7	1.4	32	0.1	0.2	0.2	97	0.31	0.07	8
KSR146841	67	22.2	497	3.38	71.8	0.6	7.8	2.1	38	0.1	0.3	0.1	87	0.37	0.07	8
KSR146842	33.8	14.9	530	3.7	8.7	0.8	1.1	1.7	29	0.05	0.3	0.1	110	0.3	0.09	9
KSR146843	40.4	16.2	464	3.66	13.7	0.7	1.8	1.7	31	0.1	0.2	0.1	104	0.3	0.08	7
KSR146844	43.6	17.2	476	3.57	42.2	0.7	2.7	2.2	50	0.1	0.3	0.2	92	0.26	0.06	10
KSR146845	54.5	22.4	573	4.16	9.8	1.2	2.5	3.6	37	0.2	0.3	0.2	92	0.36	0.09	17
KSR146846	69.8	25.2	551	4.14	108	0.9	18.2	3.6	30	0.2	0.2	0.1	110	0.37	0.08	13
KSR146847	44.4	17.8	521	4.01	11.2	1.1	5.8	2.7	33	0.05	0.3	0.2	97	0.28	0.08	15
KSR146848	74.1	21.8	622	5.11	290	1.5	10.4	4.3	35	0.2	0.9	0.2	102	0.34	0.09	16
KSR146849	69.2	20.3	528	4.11	24.2	1.1	2.9	4.6	24	0.05	0.2	0.2	85	0.24	0.08	16
KSR146850	43.8	13.7	430	3.67	14.7	1.1	3.2	2.1	29	0.2	0.3	0.2	86	0.27	0.09	12
KSR146850	44.3	13.6	434	3.7	15.1	1	2.1	2.2	27	0.2	0.4	0.2	83	0.27	0.1	12
KSR146851	46.6	16.1	443	3.76	14.8	1	9.4	1.5	28	0.05	0.3	0.2	83	0.23	0.09	13
KSR146852	59.2	19.7	451	3.57	28.1	1.1	3.3	2	26	0.2	0.4	0.2	80	0.25	0.1	11
KSR146853	67.3	22.3	452	4.37	26.5	1.3	5	2.3	26	0.1	0.4	0.2	86	0.26	0.1	15
KSR146854	42.7	26.7	813	3.65	15.4	1.3	3.3	1	34	0.2	0.4	0.2	86	0.39	0.14	12
KSR146855	73.3	19.4	447	3.78	24.6	1	3.1	2.1	35	0.2	0.3	0.2	87	0.32	0.09	11
KSR146856	87.1	31.9	653	4.7	423	1.7	18.6	2.3	52	0.2	0.7	0.5	84	0.36	0.1	26
KSR146857	48.6	17.2	481	3.5	24.5	1	3.5	0.9	30	0.05	0.6	0.2	75	0.23	0.09	14
KSR146858	74.9	20.3	408	3.72	27	1	3	3	23	0.05	0.2	0.2	84	0.17	0.06	13
KSR146859	41.5	17.3	475	3.94	11.6	1	2	1.4	23	0.05	0.5	0.2	95	0.26	0.09	9
KSR146866	56.3	20.3	442	3.48	28.6	1.1	2.6	2.2	25	0.2	0.3	0.2	90	0.17	0.07	12
KSR146867	59.7	31.4	572	3.59	88.5	1.2	10.3	1.4	49	0.6	0.4	0.2	79	0.57	0.11	19
KSR146868	63.5	24.7	482	4.3	30.3	1.2	1.8	3.9	30	0.1	0.3	0.2	111	0.22	0.07	17
KSR146869	74.1	32.4	606	4.94	27.9	1.5	3.4	4.2	41	0.2	0.4	0.2	122	0.27	0.08	19
KSR146870	109	41.9	608	5.05	97.6	1.7	12.6	5.7	46	0.3	0.4	0.2	123	0.3	0.1	23
KSR146871	68	25.7	554	5.01	82.6	1.4	3.8	2.5	42	0.1	0.4	0.2	138	0.4	0.09	16
KSR146872	42.1	19.3	571	3.51	60.1	1.6	3.4	1.3	49	0.1	0.4	0.2	90	0.49	0.15	17
KSR146875	27.2	11.8	474	2.79	10	0.5	1.4	2.6	21	0.1	0.4	0.2	60	0.21	0.02	8
KSR146887	63.2	23.7	558	4.2	116	0.6	3.1	1.7	30	0.3	0.4	0.2	117	0.35	0.12	7
KSR146892	44.3	15.5	379	3.68	80.6	0.5	3.9	1.1	19	0.1	0.4	0.3	109	0.18	0.05	5

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR146749	62	1.25	115	0.09	0.5	2.45	0.01	0.32	0.05	0.02	4.7	0.3	0.03	7	0.6
KSR146752	42	0.75	74	0.06	1	1.71	0.01	0.06	0.05	0.03	2.6	0.05	0.03	5	0.25
KSR146753	46	0.83	78	0.07	0.5	1.75	0.01	0.1	0.1	0.03	3.1	0.1	0.03	5	0.5
KSR146754	41	0.74	89	0.06	1	1.69	0.01	0.05	0.05	0.02	2.8	0.05	0.03	5	0.25
KSR146759	42	0.94	68	0.06	0.5	2.05	0.02	0.08	0.05	0.01	3.1	0.05	0.03	5	0.25
KSR146787	58	0.82	151	0.17	0.5	1.51	0.01	0.2	0.2	0.02	3.4	0.3	0.03	5	0.25
KSR146789	67	1.3	145	0.12	0.5	2.9	0.01	0.47	0.05	0.02	5.8	0.4	0.07	9	0.25
KSR146793	80	1.36	123	0.11	1	3.12	0.01	0.21	0.05	0.02	6.1	0.4	0.03	8	0.25
KSR146793	79	1.32	123	0.11	0.5	3.12	0.01	0.21	0.05	0.03	6.1	0.5	0.06	9	0.25
KSR146805	79	1.3	142	0.12	2	2.95	0.01	0.31	0.05	0.03	5.4	0.3	0.07	9	0.7
KSR146806	74	1.3	203	0.11	0.5	3.31	0.01	0.48	0.05	0.02	6	0.4	0.03	9	0.5
KSR146807	72	1.13	134	0.14	0.5	2.58	0.01	0.25	0.1	0.03	5.1	0.2	0.05	9	0.25
KSR146809	68	1.32	125	0.11	0.5	2.88	0.02	0.3	0.05	0.02	5.9	0.4	0.03	8	0.6
KSR146810	53	1.03	73	0.09	0.5	1.88	0.01	0.27	0.05	0.01	3.6	0.2	0.03	5	0.25
KSR146811	88	1.42	157	0.14	0.5	2.72	0.02	0.41	0.05	0.02	5.6	0.2	0.03	9	0.7
KSR146814	67	1.29	144	0.11	0.5	2.44	0.01	0.38	0.05	0.02	4.8	0.3	0.03	8	0.25
KSR146815	57	1.08	136	0.09	0.5	2.11	0.01	0.34	0.05	0.04	4.4	0.3	0.08	7	0.5
KSR146816	67	1.25	127	0.11	1	2.26	0.01	0.39	0.05	0.02	5.2	0.3	0.03	7	0.25
KSR146817	59	0.93	87	0.08	0.5	2.14	0.01	0.16	0.05	0.03	3.3	0.2	0.03	7	0.25
KSR146818	62	1.24	108	0.07	1	2.7	0.01	0.28	0.05	0.03	4.2	0.3	0.03	7	0.25
KSR146818	63	1.25	113	0.07	0.5	2.79	0.01	0.29	0.05	0.03	4.1	0.2	0.07	8	0.25
KSR146819	48	0.9	103	0.08	1	1.94	0.02	0.18	0.05	0.03	3.6	0.2	0.05	6	0.6
KSR146821	63	1.19	127	0.08	0.5	2.53	0.01	0.2	0.05	0.04	4.6	0.2	0.06	8	0.6
KSR146822	63	1.83	254	0.2	0.5	2.86	0.02	0.96	0.05	0.01	5.4	0.4	0.03	9	0.8
KSR146840	67	1.06	233	0.14	0.5	2.45	0.02	0.45	0.3	0.03	6.3	0.3	0.1	9	0.6
KSR146841	94	1.34	304	0.15	0.5	2.42	0.02	0.52	0.1	0.01	5.5	0.3	0.03	8	0.6
KSR146842	86	1.23	269	0.12	0.5	2.51	0.02	0.45	0.05	0.03	7.5	0.2	0.11	10	0.5
KSR146843	79	1.19	284	0.14	1	2.39	0.02	0.64	0.1	0.03	7.2	0.3	0.15	9	0.25
KSR146844	69	1.07	179	0.12	0.5	2.4	0.02	0.39	0.1	0.02	5.9	0.3	0.09	7	0.25
KSR146845	64	1.16	154	0.11	0.5	2.48	0.02	0.36	0.1	0.03	5.5	0.3	0.12	8	0.7
KSR146846	106	1.49	244	0.15	1	2.78	0.02	0.5	3.3	0.01	9.1	0.3	0.03	10	0.25
KSR146847	68	1.08	196	0.12	0.5	2.42	0.02	0.42	0.05	0.04	5.6	0.3	0.1	8	0.25
KSR146848	83	1.42	245	0.11	0.5	2.76	0.02	0.46	0.05	0.02	7.5	0.3	0.07	9	0.6
KSR146849	71	1.16	138	0.09	0.5	2.68	0.01	0.51	0.05	0.01	5.5	0.3	0.03	8	0.25
KSR146850	63	0.96	107	0.08	0.5	2.15	0.01	0.22	0.05	0.11	3.8	0.2	0.08	7	0.8
KSR146850	62	0.97	104	0.07	0.5	2.18	0.01	0.22	0.05	0.03	3.7	0.2	0.08	7	0.7
KSR146851	64	0.99	113	0.08	0.5	2.36	0.01	0.2	0.05	0.03	3.9	0.2	0.08	8	0.7
KSR146852	63	1.01	109	0.07	0.5	2.47	0.01	0.21	0.1	0.03	3.2	0.2	0.08	6	0.6
KSR146853	63	1.06	90	0.07	0.5	2.62	0.01	0.2	0.05	0.03	3.5	0.3	0.08	6	0.6
KSR146854	63	0.92	129	0.05	1	2.32	0.01	0.14	0.05	0.04	3	0.2	0.14	7	0.5
KSR146855	65	0.97	94	0.07	0.5	2.44	0.01	0.24	0.1	0.02	3.4	0.2	0.08	6	0.5
KSR146856	78	1.1	109	0.05	2	2.62	0.02	0.2	0.6	0.04	3.9	0.2	0.12	7	0.8
KSR146857	50	0.8	73	0.05	1	1.8	0.01	0.08	0.1	0.02	2.5	0.1	0.03	7	0.8
KSR146858	64	1.06	99	0.09	1	2.26	0.01	0.29	0.1	0.02	4	0.2	0.05	7	0.25
KSR146859	65	0.91	119	0.08	0.5	2.17	0.01	0.16	0.05	0.03	3.3	0.2	0.09	7	0.25
KSR146866	65	0.95	133	0.09	0.5	2.15	0.01	0.26	0.05	0.02	4.1	0.2	0.05	7	0.6
KSR146867	56	0.94	161	0.06	3	2.06	0.02	0.19	0.2	0.07	3.4	0.2	0.17	6	0.8
KSR146868	86	1.3	209	0.14	0.5	2.76	0.02	0.36	0.1	0.02	6.4	0.3	0.08	8	0.25
KSR146869	89	1.41	279	0.16	0.5	2.95	0.02	0.56	0.05	0.02	7.5	0.4	0.11	9	0.25
KSR146870	98	1.6	276	0.18	0.5	3.07	0.04	0.76	0.05	0.02	8.6	0.3	0.15	9	0.25
KSR146871	112	1.74	407	0.16	0.5	3.04	0.02	0.77	0.05	0.04	7.9	0.4	0.17	12	0.25
KSR146872	66	1.08	258	0.07	1	2.05	0.02	0.38	0.1	0.06	3.9	0.3	0.21	8	0.7
KSR146875	38	0.73	100	0.11	2	1.73	0.01	0.1	0.4	0.01	3.2	0.1	0.03	5	0.25
KSR146887	70	1.09	269	0.17	1	2.53	0.02	0.57	0.6	0.02	7.2	0.2	0.03	8	0.25
KSR146892	67	1.02	209	0.16	1	2.45	0.01	0.56	0.1	0.03	6.5	0.2	0.03	9	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR146935	618741	6815568	UTM NAD 83	08V	1DX-15	0.3	33.5	4.4	60	0.05
KSR146941	359888	6768908	UTM NAD 83	08V	1DX-15	1.5	114	7.1	124	0.3
KSR146943	359923	6768712	UTM NAD 83	08V	1DX-15	1.3	116	6	128	0.2
KSR146944	359939	6768613	UTM NAD 83	08V	1DX-15	0.9	83.6	5.4	96	0.1
KSR146945	359969	6768516	UTM NAD 83	08V	1DX-15	1.4	82.9	6	94	0.3
KSR146946	359975	6768414	UTM NAD 83	08V	1DX-15	1.2	62.7	5.9	79	0.2
KSR146961	360418	6767076	UTM NAD 83	08V	1DX-15	1.6	88.2	11.2	72	0.3
KSR146961	360418	6767076	UTM NAD 83	08V	1DX-15	1.4	86.2	11.6	75	0.4
KSR146963	360544	6766908	UTM NAD 83	08V	1DX-15	1.4	70.5	8.4	50	0.2
KSR147237	632734	6804241	UTM NAD 83	07V	1DX-15	0.9	29.6	4.1	33	0.4
KSR147238	632839	6804234	UTM NAD 83	07V	1DX-15	1.3	50	9	92	0.1
KSR147239	632943	6804218	UTM NAD 83	07V	1DX-15	1.4	39.1	8.5	76	0.2
KSR147240	633047	6804203	UTM NAD 83	07V	1DX-15	0.8	41.9	5.7	65	0.05
KSR147241	633151	6804197	UTM NAD 83	07V	1DX-15	0.9	48.2	6.2	75	0.05
KSR147243	633363	6804231	UTM NAD 83	07V	1DX-15	0.8	37.4	4.5	60	0.05
KSR147243	633363	6804231	UTM NAD 83	07V	1DX-15	0.8	38.7	4.4	60	0.05
KSR147244	633465	6804196	UTM NAD 83	07V	1DX-15	1.1	61.9	6.4	89	0.1
KSR147245	633552	6804137	UTM NAD 83	07V	1DX-15	1	54.9	7.4	59	0.1
KSR147561	343977	6799752	UTM NAD 83	08V	1DX-15	1.2	30.5	18	125	0.05
KSR147561	343977	6799752	UTM NAD 83	08V	1DX-15	1.1	30.7	17.6	127	0.05
KSR147563	343910	6799679	UTM NAD 83	08V	1DX-15	0.5	20.7	4.9	65	0.05
KSR147566	343677	6799490	UTM NAD 83	08V	1DX-15	0.7	20	7.5	100	0.05
KSR147568	343520	6799364	UTM NAD 83	08V	1DX-15	0.6	19.7	4.9	103	0.05
KSR147570	343443	6799300	UTM NAD 83	08V	1DX-15	0.5	20.7	14.8	104	0.2
KSR147571	343369	6799232	UTM NAD 83	08V	1DX-15	1	19.3	5.8	91	0.05
KSR147577	343031	6798742	UTM NAD 83	08V	1DX-15	1.2	44.9	7.6	97	0.05
KSR147578	343006	6798644	UTM NAD 83	08V	1DX-15	0.8	44.1	8.3	88	0.05
KSR147634	640324	6798893	UTM NAD 83	07V	1DX-15	0.9	53.6	6	87	0.05
KSR147635	640305	6798992	UTM NAD 83	07V	1DX-15	1.2	63.4	6.8	100	0.1
KSR147636	640261	6799084	UTM NAD 83	07V	1DX-15	0.3	15.7	1.2	40	0.05
KSR147637	640219	6799177	UTM NAD 83	07V	1DX-15	1.1	68.5	10.5	104	0.05
KSR147638	346152	6800189	UTM NAD 83	08V	1DX-15	1.1	19.7	13.7	96	0.1
KSR147639	346188	6800282	UTM NAD 83	08V	1DX-15	0.6	13.5	9.8	78	0.05
KSR147640	346210	6800380	UTM NAD 83	08V	1DX-15	0.4	10.3	12.5	82	0.05
KSR147641	346291	6800438	UTM NAD 83	08V	1DX-15	0.7	22.6	10.2	72	0.05
KSR147642	346377	6800488	UTM NAD 83	08V	1DX-15	0.6	12.6	12.1	81	0.1
KSR147644	346529	6800619	UTM NAD 83	08V	1DX-15	0.5	19.5	6.8	59	0.05
KSR147645	346693	6800734	UTM NAD 83	08V	1DX-15	0.6	16.9	7.4	55	0.05
KSR147664	628775	6804980	UTM NAD 83	07V	1DX-15	0.9	46	5.8	81	0.05
KSR147833	622139	6817333	UTM NAD 83	07V	1DX-15	0.4	15.8	5.6	87	0.05
KSR147834	622187	6817400	UTM NAD 83	07V	1DX-15	0.8	19.5	5.8	95	0.05
KSR147835	622258	6817469	UTM NAD 83	07V	1DX-15	1	22.2	5.1	83	0.05
KSR147836	622327	6817541	UTM NAD 83	07V	1DX-15	1.2	17.8	5.5	93	0.05
KSR147837	622394	6817620	UTM NAD 83	07V	1DX-15	0.8	22.6	5.9	55	0.1
KSR147837	622394	6817620	UTM NAD 83	07V	1DX-15	0.9	22.7	6.2	56	0.1
KSR147838	622460	6817693	UTM NAD 83	07V	1DX-15	0.7	22.9	2.4	23	0.05
KSR147840	622521	6817773	UTM NAD 83	07V	1DX-15	2	28.1	7.4	89	0.05
KSR147841	622584	6817847	UTM NAD 83	07V	1DX-15	1.2	30.7	5.2	73	0.1
KSR147842	622685	6817868	UTM NAD 83	07V	1DX-15	1	27.3	5.4	81	0.1
KSR147842	622685	6817868	UTM NAD 83	07V	1DX-15	0.9	27.9	5.5	83	0.1
KSR147974	617563	6817400	UTM NAD 83	07V	1DX-15	1.2	25.7	6.9	89	0.1
KSR147975	617485	6817326	UTM NAD 83	07V	1DX-15	1.8	32	10.1	89	0.1
KSR147976	617414	6817257	UTM NAD 83	07V	1DX-15	0.7	24.6	5.8	87	0.05
KSR147977	617340	6817188	UTM NAD 83	07V	1DX-15	2	37.2	7.2	62	0.2
KSR147978	617268	6817120	UTM NAD 83	07V	1DX-15	1.4	26.4	7.7	88	0.1

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR146935	22.2	23.9	672	3.26	2.9	1	1.9	4.6	34	0.1	0.2	0.05	97	0.49	0.14	8
KSR146941	82.8	29.9	632	4.59	13.3	1.4	2.4	2.9	33	0.1	0.4	0.3	100	0.22	0.08	16
KSR146943	80	35.2	647	4.34	50.9	1.3	3.6	2	42	0.2	0.3	0.3	95	0.36	0.1	14
KSR146944	79.1	24.8	603	4.03	26.7	0.7	2.5	1.8	31	0.1	0.2	0.2	82	0.21	0.06	9
KSR146945	66.9	23	558	4.05	8.9	1	3.4	1.5	38	0.1	0.3	0.2	92	0.34	0.1	13
KSR146946	50.5	16.3	476	3.79	7.8	0.9	3.1	1.7	26	0.05	0.3	0.2	86	0.19	0.08	11
KSR146961	64.9	26.3	613	4.45	21.9	0.9	3.3	0.9	41	0.1	0.6	0.3	101	0.29	0.09	8
KSR146961	64.7	26.5	616	4.35	21.7	0.9	3.9	0.9	40	0.1	0.6	0.3	102	0.29	0.09	8
KSR146963	52.9	18.7	453	4.4	23	0.6	4.3	0.6	47	0.05	0.4	0.3	107	0.25	0.08	6
KSR147237	14.6	5.2	119	1.52	5	0.6	3.1	0.2	36	0.05	0.3	0.1	40	0.41	0.08	5
KSR147238	57.4	17.6	468	4.13	19.6	0.6	2.2	1.4	18	0.2	0.7	0.2	119	0.24	0.07	6
KSR147239	40.4	15.6	417	3.89	16.2	0.5	1.9	1.5	21	0.05	0.5	0.2	110	0.27	0.06	6
KSR147240	43	14.4	382	3.48	26.7	0.5	3.7	1.1	19	0.05	0.7	0.2	102	0.3	0.09	5
KSR147241	48.2	19.3	583	3.81	23.9	0.6	3.6	1.4	16	0.1	0.6	0.2	106	0.27	0.08	6
KSR147243	40.1	12.5	347	3.21	22.2	0.4	2.6	1.6	15	0.05	0.6	0.1	93	0.28	0.09	4
KSR147243	41.8	12.7	351	3.26	23.4	0.4	2.6	1.3	16	0.05	0.6	0.2	96	0.28	0.1	5
KSR147244	59.2	17.6	426	4.29	15.5	0.7	2.9	1.9	27	0.05	0.4	0.2	132	0.51	0.14	7
KSR147245	52.2	14.2	388	3.5	27.9	0.7	7.1	1.7	22	0.05	0.8	0.2	99	0.33	0.09	7
KSR147561	28.3	19.9	906	5.13	19.3	2.1	0.7	4.2	120	0.1	0.4	0.2	101	0.37	0.08	13
KSR147561	27.7	19.5	902	5.03	19.2	2.1	1.6	4.2	122	0.2	0.4	0.2	96	0.36	0.08	13
KSR147563	22.7	12.4	388	2.76	59.1	0.7	2.1	2.4	21	0.2	0.3	0.2	61	0.23	0.05	9
KSR147566	17.1	11.5	447	3.5	13.9	1.1	1.7	5.1	19	0.1	0.3	0.1	64	0.34	0.13	19
KSR147568	15.4	11.5	519	3.64	9.7	1.9	2.3	6.5	23	0.1	0.2	0.1	69	0.5	0.18	21
KSR147570	21.2	10.4	373	3.75	11.5	2.8	2.9	7.3	24	0.05	0.2	0.2	81	0.43	0.16	20
KSR147571	18.2	12.8	705	3.38	9.1	1.5	0.8	2.7	26	0.2	0.3	0.1	70	0.27	0.07	15
KSR147577	42.5	14.9	478	3.55	20.4	0.9	2.3	1.8	20	0.3	1.5	0.1	102	0.38	0.16	7
KSR147578	46.1	14.5	370	3.61	23.3	1	5.2	1.6	20	0.2	1.9	0.1	110	0.26	0.1	7
KSR147634	52.1	17.3	594	3.76	10	0.5	3	1.6	20	0.1	0.5	0.2	104	0.25	0.07	7
KSR147635	59.8	20.8	747	4.27	14.5	0.6	9.7	1.9	25	0.2	0.4	0.2	116	0.29	0.09	7
KSR147636	6.7	7.2	182	2.64	1.4	0.2	0.25	0.2	12	0.05	0.1	0.05	94	0.21	0.1	4
KSR147637	75.9	21.1	702	5.02	208	0.5	15.8	1.3	25	0.2	4.4	0.2	127	0.24	0.06	5
KSR147638	15.3	9.6	587	3.09	6.6	1.5	2.9	6	23	0.6	0.5	0.3	56	0.32	0.11	15
KSR147639	15.8	8.5	470	2.84	6.4	1.1	5.2	6.9	26	0.4	0.3	0.2	52	0.43	0.12	18
KSR147640	12	7	421	2.58	5.3	1.1	6.9	8.8	23	0.4	0.1	1.3	44	0.42	0.12	17
KSR147641	21.8	10.6	512	2.91	11.9	1.4	2.9	5.5	23	0.2	0.3	1	61	0.31	0.07	13
KSR147642	14.3	6.8	356	2.61	12.1	2.5	5.9	7.7	21	0.1	0.3	0.5	46	0.31	0.08	18
KSR147644	22.2	10.2	421	2.48	7.5	0.6	6.5	3.6	20	0.2	0.3	0.2	52	0.24	0.04	11
KSR147645	17.5	7.3	310	2.23	6.4	0.8	2	4.2	20	0.2	0.3	0.1	47	0.28	0.05	13
KSR147664	44.4	18	426	3.64	10.4	0.4	32.4	1.5	21	0.2	0.4	0.1	109	0.28	0.04	6
KSR147833	18.3	10	380	3.43	4.2	1.3	4	5.5	33	0.05	0.3	0.1	67	0.47	0.11	18
KSR147834	18.5	12.7	552	3.67	4.4	1.4	2.6	5.1	37	0.1	0.4	0.1	71	0.44	0.11	19
KSR147835	21	12.5	509	3.31	5.3	1.1	2.6	3.7	35	0.05	0.4	0.05	69	0.44	0.09	16
KSR147836	19.7	13.4	576	3.44	5.9	1	0.25	4	30	0.2	0.4	0.1	69	0.43	0.1	15
KSR147837	18.7	10.6	326	4.16	4.8	1.2	2.7	3.2	22	0.1	0.6	0.2	60	0.3	0.08	15
KSR147837	18.7	11.1	332	4.12	5	1.2	3.7	3.1	23	0.1	0.5	0.1	60	0.3	0.07	15
KSR147838	8	4.4	267	1.84	2.1	0.9	0.8	0.4	25	0.1	0.2	0.05	46	0.31	0.1	7
KSR147840	27	13.9	494	3.92	8.5	0.9	3.6	2.9	30	0.2	0.6	0.2	88	0.39	0.09	11
KSR147841	22.2	12.1	400	3.05	3.8	2.1	12.3	2.9	29	0.1	0.3	0.8	63	0.43	0.11	14
KSR147842	26.9	13.3	473	3.37	5.8	0.8	1.8	2.7	38	0.3	0.4	0.3	76	0.56	0.08	10
KSR147842	26.7	13.6	488	3.47	6	0.9	4.4	2.6	39	0.3	0.4	0.3	79	0.6	0.08	10
KSR147974	22.3	12.6	597	3.64	5.8	1.1	1.7	5.1	32	0.1	0.4	0.1	66	0.36	0.09	16
KSR147975	30.8	15.8	660	3.8	11.9	1.3	1.3	2.7	31	0.1	0.8	0.2	70	0.3	0.06	14
KSR147976	29.5	12.9	540	3.36	5.9	1	2.2	6.7	28	0.3	0.3	0.2	62	0.35	0.05	15
KSR147977	16.7	10.8	633	2.39	8.4	1.9	4	1	29	0.2	0.6	0.2	50	0.33	0.08	12
KSR147978	24.5	13.1	641	3.53	7.9	2.8	3.1	5	36	0.2	0.5	0.2	60	0.36	0.06	19

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR146935	63	1.42	309	0.26	2	2.05	0.01	0.4	0.1	0.01	4.6	0.5	0.03	8	0.25
KSR146941	64	1.15	107	0.09	1	2.57	0.01	0.3	0.05	0.03	4.7	0.4	0.07	8	0.9
KSR146943	66	1.14	131	0.09	1	2.57	0.01	0.32	0.05	0.05	4.5	0.4	0.09	8	0.25
KSR146944	88	1.26	114	0.09	1	2.43	0.01	0.28	0.05	0.02	4.1	0.3	0.03	7	0.25
KSR146945	59	1.01	120	0.09	1	2.24	0.01	0.26	0.05	0.03	4.2	0.3	0.12	8	0.25
KSR146946	56	0.95	82	0.08	2	2.18	0.01	0.27	0.05	0.04	3.6	0.3	0.07	7	0.25
KSR146961	64	1.09	139	0.08	1	2.58	0.01	0.26	0.05	0.04	4.7	0.2	0.03	7	0.25
KSR146961	62	1.07	139	0.08	1	2.53	0.01	0.26	0.1	0.04	4.5	0.2	0.05	7	0.25
KSR146963	64	1.08	159	0.09	0.5	2.69	0.01	0.34	0.05	0.03	4.7	0.3	0.06	8	0.25
KSR147237	20	0.24	122	0.05	0.5	0.83	0.01	0.1	0.1	0.04	1.4	0.05	0.12	4	0.5
KSR147238	76	0.95	283	0.21	0.5	2.48	0.01	0.53	0.2	0.01	7.5	0.2	0.03	8	0.25
KSR147239	62	0.89	269	0.16	0.5	2.19	0.01	0.44	0.1	0.03	6.1	0.2	0.03	8	0.25
KSR147240	61	0.89	294	0.18	1	2.12	0.01	0.68	0.2	0.01	7	0.2	0.03	8	0.25
KSR147241	68	0.93	294	0.16	0.5	2.3	0.01	0.71	0.2	0.02	7.4	0.2	0.03	8	0.25
KSR147243	57	0.82	243	0.15	0.5	1.85	0.01	0.73	0.1	0.01	6.3	0.2	0.03	7	0.7
KSR147243	59	0.86	253	0.16	0.5	1.89	0.01	0.74	0.1	0.01	6.6	0.2	0.03	7	0.25
KSR147244	91	1.4	254	0.21	0.5	2.78	0.03	0.88	0.3	0.01	9.2	0.2	0.03	10	0.25
KSR147245	62	0.82	237	0.16	1	2.01	0.02	0.57	0.2	0.02	7	0.2	0.03	7	0.25
KSR147561	88	1.33	359	0.25	1	3	0.01	0.47	0.1	0.02	5.4	0.5	0.03	12	0.25
KSR147561	87	1.36	360	0.24	0.5	3.12	0.01	0.46	0.1	0.03	5.2	0.5	0.03	12	0.25
KSR147563	42	0.73	133	0.2	1	1.82	0.02	0.22	0.05	0.02	2.2	0.2	0.03	5	0.25
KSR147566	27	0.73	176	0.25	0.5	1.79	0.01	0.38	0.1	0.02	2.1	0.4	0.03	8	0.25
KSR147568	29	0.81	300	0.29	0.5	1.72	0.01	0.69	0.05	0.01	2.3	0.5	0.03	8	0.25
KSR147570	40	1.08	336	0.31	0.5	2.4	0.01	0.73	0.05	0.04	3.1	0.5	0.06	9	0.25
KSR147571	36	0.76	319	0.22	0.5	1.64	0.01	0.41	0.05	0.02	2.6	0.3	0.06	7	0.25
KSR147577	69	0.9	189	0.19	1	2.34	0.01	0.45	0.1	0.01	7.1	0.2	0.03	7	0.6
KSR147578	75	0.83	195	0.22	0.5	2.56	0.01	0.45	0.2	0.01	6.6	0.2	0.03	8	0.25
KSR147634	68	1.01	183	0.19	1	2.54	0.02	0.48	0.1	0.02	6.8	0.3	0.03	7	0.5
KSR147635	75	1.06	231	0.2	0.5	2.77	0.01	0.6	0.05	0.01	8.3	0.3	0.03	9	0.25
KSR147636	11	0.18	22	0.14	0.5	0.4	0.02	0.05	0.05	0.01	1	0.05	0.03	4	0.25
KSR147637	86	0.88	254	0.22	0.5	2.58	0.01	0.69	0.2	0.03	9.6	0.3	0.03	8	0.7
KSR147638	28	0.67	167	0.18	0.5	1.74	0.01	0.31	0.1	0.02	4	0.4	0.08	8	0.25
KSR147639	27	0.69	140	0.16	3	1.82	0.02	0.28	0.2	0.01	3.7	0.3	0.03	8	0.25
KSR147640	22	0.66	150	0.18	1	1.49	0.02	0.35	0.1	0.01	3.6	0.3	0.03	7	0.25
KSR147641	34	0.72	111	0.15	2	1.85	0.02	0.21	0.1	0.02	3.5	0.2	0.03	7	0.25
KSR147642	29	0.65	109	0.09	2	2.03	0.01	0.22	0.05	0.03	3.7	0.2	0.03	8	0.25
KSR147644	30	0.65	74	0.13	2	1.73	0.02	0.11	0.1	0.01	2.8	0.1	0.03	6	0.25
KSR147645	26	0.52	79	0.11	2	1.37	0.02	0.11	0.2	0.01	2.5	0.1	0.03	5	0.25
KSR147664	72	1.06	152	0.16	2	2.14	0.01	0.27	0.1	0.02	5.7	0.2	0.03	8	0.25
KSR147833	37	0.91	247	0.32	1	2.05	0.01	0.52	0.2	0.02	4.1	0.4	0.03	9	0.25
KSR147834	38	0.91	284	0.26	1	1.83	0.02	0.39	0.05	0.03	4.5	0.3	0.03	8	0.25
KSR147835	38	0.88	235	0.24	1	1.64	0.02	0.33	0.1	0.01	3.7	0.2	0.03	7	0.25
KSR147836	35	0.82	216	0.25	0.5	1.64	0.01	0.28	0.2	0.01	3.4	0.3	0.03	7	0.25
KSR147837	43	0.71	150	0.17	2	1.65	0.01	0.18	0.2	0.05	3.8	0.2	0.03	6	0.25
KSR147837	42	0.71	153	0.18	2	1.64	0.01	0.17	0.2	0.04	3.7	0.2	0.03	6	0.25
KSR147838	13	0.19	134	0.06	1	0.55	0.03	0.03	0.05	0.04	1.3	0.05	0.08	3	0.25
KSR147840	43	0.92	226	0.27	0.5	1.94	0.02	0.34	0.2	0.01	3.6	0.3	0.03	9	0.25
KSR147841	44	0.83	221	0.23	1	1.92	0.02	0.33	1.1	0.04	4.3	0.2	0.03	7	0.25
KSR147842	43	0.9	275	0.26	2	2.21	0.03	0.32	0.5	0.03	3.6	0.3	0.03	7	0.25
KSR147842	44	0.91	288	0.28	1	2.26	0.03	0.34	0.3	0.05	3.8	0.3	0.03	8	0.25
KSR147974	36	0.87	222	0.2	1	2.01	0.02	0.41	0.05	0.02	3.8	0.4	0.03	8	0.25
KSR147975	47	0.87	156	0.12	2	1.99	0.01	0.18	0.05	0.02	3	0.2	0.03	7	0.25
KSR147976	37	0.84	171	0.22	1	1.76	0.02	0.32	0.05	0.01	3.6	0.3	0.03	7	0.25
KSR147977	25	0.46	114	0.07	1	1.14	0.02	0.11	0.1	0.02	1.8	0.1	0.06	5	0.25
KSR147978	36	0.79	171	0.16	1	1.7	0.01	0.27	0.1	0.02	3.9	0.3	0.03	7	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR148001	616578	6816404	UTM NAD 83	07V	1DX-15	1.3	33.6	7.3	69	0.1
KSR148006	617969	6817603	UTM NAD 83	08V	1DX-15	1.7	25.2	8.1	105	0.05
KSR148007	618062	6817638	UTM NAD 83	08V	1DX-15	1	24.3	7.3	85	0.05
KSR148090	640129	6799339	UTM NAD 83	08V	1DX-15	0.9	53.4	6.9	76	0.05
KSR148092	640042	6799543	UTM NAD 83	08V	1DX-15	0.8	52.7	5.6	74	0.05
KSR148105	639314	6800565	UTM NAD 83	08V	1DX-15	0.5	28.9	3.7	41	0.05
KSR148119	638551	6801660	UTM NAD 83	08V	1DX-15	0.8	45.9	7.7	92	0.05
KSR148139	640271	6797332	UTM NAD 83	07V	1DX-15	1.3	58.4	8	67	0.05
KSR148141	640310	6797530	UTM NAD 83	07V	1DX-15	1.3	67.2	8.9	71	0.05
KSR148145	640385	6797927	UTM NAD 83	07V	1DX-15	2	53.4	10	78	0.1
KSR148146	640417	6798024	UTM NAD 83	07V	1DX-15	1.2	65.8	8.2	81	0.05
KSR148149	640466	6798323	UTM NAD 83	07V	1DX-15	1.5	70.8	8.9	93	0.05
KSR148150	640442	6798420	UTM NAD 83	07V	1DX-15	1.3	61.4	10.6	110	0.1
KSR148151	640447	6798521	UTM NAD 83	07V	1DX-15	1.2	63.2	7.3	97	0.05
KSR148151	640447	6798521	UTM NAD 83	07V	1DX-15	1.2	62.7	7	98	0.05
KSR148152	640413	6798614	UTM NAD 83	07V	1DX-15	2.3	44	11.5	99	0.05
KSR148153	640401	6798714	UTM NAD 83	07V	1DX-15	1.2	75.8	14.5	125	0.1
KSR148154	640387	6798812	UTM NAD 83	07V	1DX-15	1.5	72.5	7.7	97	0.1
KSR148250	352861	6798627	UTM NAD 83	07V	1DX-15	0.5	27.6	19.6	70	0.05
KSR148252	352690	6798747	UTM NAD 83	07V	1DX-15	1.1	27	7.4	75	0.05
KSR148253	352609	6798804	UTM NAD 83	07V	1DX-15	0.6	20.2	6.8	60	0.05
KSR148256	352351	6798975	UTM NAD 83	07V	1DX-15	0.7	26.5	7.1	61	0.05
KSR148257	352267	6799034	UTM NAD 83	07V	1DX-15	1.3	43	8.1	70	0.05
KSR148257	352267	6799034	UTM NAD 83	07V	1DX-15	1.2	41.6	8.3	68	0.05
KSR148258	352185	6799093	UTM NAD 83	07V	1DX-15	1	46.5	9.8	80	0.05
KSR148260	352019	6799206	UTM NAD 83	07V	1DX-15	1.5	66.5	10.6	80	0.2
KSR148262	351968	6799343	UTM NAD 83	07V	1DX-15	1.5	45.7	9.7	85	0.05
KSR148264	352039	6799533	UTM NAD 83	07V	1DX-15	0.8	20.2	4.6	50	0.05
KSR148266	352096	6799729	UTM NAD 83	07V	1DX-15	0.9	21.8	11.4	73	0.05
KSR148267	352137	6799823	UTM NAD 83	07V	1DX-15	0.7	21	6.7	63	0.05
KSR148268	352074	6799904	UTM NAD 83	07V	1DX-15	0.9	30.4	8.5	66	0.05
KSR148269	352009	6799984	UTM NAD 83	07V	1DX-15	2.1	36.1	17.3	107	0.05
KSR148270	351954	6800069	UTM NAD 83	07V	1DX-15	1.7	22.8	10.2	77	0.05
KSR148271	351890	6800148	UTM NAD 83	07V	1DX-15	0.9	14.3	14.1	80	0.05
KSR148275	351652	6800471	UTM NAD 83	07V	1DX-15	0.6	6.3	9.1	99	0.2
KSR148276	351552	6800491	UTM NAD 83	07V	1DX-15	1.2	17.5	16.7	86	0.2
KSR148288	356600	6797136	UTM NAD 83	08V	1DX-15	1	21.4	8.1	65	0.05
KSR148295	345761	6801296	UTM NAD 83	07V	1DX-15	0.8	18.4	15.9	63	0.05
KSR148296	345767	6801198	UTM NAD 83	08V	1DX-15	0.4	11.2	10.9	64	0.05
KSR148297	345774	6801137	UTM NAD 83	08V	1DX-15	0.4	14.9	15.2	80	0.05
KSR148298	345870	6801104	UTM NAD 83	08V	1DX-15	0.4	16.1	12.2	81	0.1
KSR148299	345965	6801070	UTM NAD 83	08V	1DX-15	0.8	16.8	25.5	90	0.1
KSR148300	346059	6801035	UTM NAD 83	08V	1DX-15	0.5	13.6	9.4	65	0.05
KSR148301	346153	6800996	UTM NAD 83	08V	1DX-15	0.3	16.1	8.8	66	0.05
KSR148302	346244	6800958	UTM NAD 83	08V	1DX-15	0.3	19.7	10.2	64	0.05
KSR148303	346340	6800928	UTM NAD 83	08V	1DX-15	0.2	16.8	7.9	57	0.05
KSR148304	346434	6800890	UTM NAD 83	08V	1DX-15	0.5	17.8	10	82	0.05
KSR148305	346491	6800865	UTM NAD 83	08V	1DX-15	0.5	14.6	6.4	102	0.05
KSR148305	346491	6800865	UTM NAD 83	08V	1DX-15	0.6	14.3	6.3	105	0.05
KSR148306	346584	6800908	UTM NAD 83	08V	1DX-15	1.1	21.8	7.4	52	0.05
KSR148307	346669	6800952	UTM NAD 83	08V	1DX-15	0.5	14.3	13.8	79	0.05
KSR148308	346760	6800995	UTM NAD 83	08V	1DX-15	1.2	20.6	15.7	72	0.05
KSR148309	346851	6801039	UTM NAD 83	08V	1DX-15	0.9	18	14.2	59	0.1
KSR148310	346941	6801082	UTM NAD 83	08V	1DX-15	0.6	16.8	8.7	70	0.05
KSR148311	347031	6801127	UTM NAD 83	08V	1DX-15	1.1	26.9	8.7	80	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR148001	38	13.8	390	3.16	10.4	0.7	2.6	2.9	30	0.2	0.4	0.1	69	0.46	0.1	11
KSR148006	23.6	19.2	786	5.54	9	2.1	1.9	5.1	32	0.2	2	0.05	87	0.6	0.16	25
KSR148007	23.7	11	500	3.55	7.5	0.9	1.6	3.1	25	0.1	0.3	0.1	70	0.3	0.06	12
KSR148090	58.2	18.4	664	3.98	15.9	0.5	2.9	1.6	21	0.1	0.5	0.2	109	0.25	0.04	6
KSR148092	52	17.2	616	3.62	19.6	0.6	2.4	2	19	0.2	0.6	0.1	98	0.27	0.08	8
KSR148105	711	47	469	3.79	108	0.5	22.3	1.1	16	0.1	0.7	0.2	38	0.15	0.03	5
KSR148119	50.3	18	527	3.68	22.7	0.6	6.3	3.1	28	0.1	0.7	0.2	75	0.39	0.09	10
KSR148139	60.2	18.9	450	3.98	16.6	0.6	6.1	2	16	0.05	0.8	0.2	95	0.16	0.05	8
KSR148141	77.2	27	622	4.19	35.5	0.6	7.5	1.7	18	0.1	1.1	0.2	102	0.21	0.06	8
KSR148145	52.1	16.3	575	4.03	24.7	0.7	58.9	0.8	23	0.1	1.5	0.2	92	0.27	0.09	7
KSR148146	67.8	23.4	692	4.62	14.8	0.5	25.5	1.1	21	0.1	0.6	0.2	136	0.24	0.06	5
KSR148149	80.8	27.2	727	4.68	29.1	0.6	12.2	2.1	21	0.1	1.2	0.2	103	0.26	0.08	8
KSR148150	68.2	20.7	871	4.81	207	0.7	9.2	2.4	15	0.05	1	0.2	91	0.2	0.06	8
KSR148151	64.5	21.5	746	4.28	16.9	0.6	10.8	1.7	20	0.2	2	0.2	104	0.34	0.11	7
KSR148151	63.4	21.9	739	4.24	16.4	0.5	5.5	1.7	20	0.2	1.9	0.1	101	0.32	0.11	7
KSR148152	48.7	18.6	706	4.21	27.1	0.7	2.9	1	25	0.2	0.9	0.2	100	0.28	0.07	8
KSR148153	74.2	24	986	5.52	26.3	0.6	3.9	1.3	18	0.2	0.6	0.3	138	0.28	0.1	6
KSR148154	61.6	23.3	902	4.73	23.7	0.6	9.1	1.6	28	0.1	0.6	0.2	130	0.27	0.09	7
KSR148250	15.5	6.7	343	2.14	6.5	5	3.2	13.2	15	0.4	0.3	0.3	40	0.22	0.05	18
KSR148252	16.4	8.2	486	2.66	7	3	2.1	10.4	18	0.3	0.3	0.2	45	0.21	0.04	18
KSR148253	15.9	7.2	341	2.31	6	2.3	4	10.1	16	0.3	0.3	0.2	44	0.21	0.04	18
KSR148256	12.3	6.2	268	2.57	6	4.6	6.4	11.1	17	0.1	0.2	2.4	42	0.28	0.07	20
KSR148257	14.1	6.6	401	2.57	19.3	3.7	2.7	12.5	18	0.2	0.4	2.5	41	0.24	0.06	20
KSR148257	12.9	6.5	396	2.48	19.3	3.7	11	13.3	18	0.2	0.5	2.9	41	0.24	0.06	20
KSR148258	14.9	7.5	485	2.79	21.6	4.9	11.5	16.8	22	0.3	0.5	3.7	43	0.28	0.05	26
KSR148260	18.8	8.5	452	2.99	8.8	3.1	5.8	6.2	17	0.5	0.5	3.6	50	0.18	0.05	15
KSR148262	18	9.1	591	3.12	7	2	6.5	7.7	22	0.4	0.6	4.7	53	0.21	0.07	16
KSR148264	9.1	5.8	307	1.96	3.2	1.8	2.6	7.3	13	0.1	0.3	1.8	39	0.15	0.05	12
KSR148266	15.7	8	436	2.71	5.5	2	7.2	12	19	0.3	0.3	2.9	45	0.24	0.06	17
KSR148267	16.3	8	400	2.47	5.6	1.6	11.7	8.6	15	0.3	0.4	2.3	43	0.16	0.04	15
KSR148268	15.6	8	392	2.33	5.7	1.7	5.7	6.2	14	0.3	0.3	2.2	39	0.15	0.03	13
KSR148269	21.9	12.7	757	3.97	18.4	7.3	3.9	8	24	0.4	0.6	8.5	61	0.23	0.07	16
KSR148270	19.3	10	813	2.77	10.4	1.1	3.2	2.3	20	0.2	0.7	1.2	57	0.21	0.05	9
KSR148271	13.1	7.5	394	2.45	11.6	1.9	1.8	4.6	13	0.2	0.4	0.7	38	0.16	0.04	11
KSR148275	2.7	2.2	200	1.94	20.3	3.2	3.2	12.7	10	0.1	0.3	2.4	16	0.14	0.02	18
KSR148276	13.9	6.8	421	2.36	22.3	1.4	3	3	15	0.5	0.4	2	40	0.18	0.03	11
KSR148288	23.5	11.5	333	3.17	21.8	1	4.7	3.4	22	0.2	0.4	0.4	68	0.27	0.06	8
KSR148295	18.3	9	377	2.5	6.9	1.9	7	5.9	25	0.2	0.4	0.3	48	0.3	0.09	16
KSR148296	13.3	7.3	367	2.06	6.9	1.7	10.8	6.7	24	0.2	0.3	0.1	39	0.39	0.11	18
KSR148297	14.4	7.4	429	2.46	7.5	1.2	13.6	9.2	19	0.4	0.4	0.3	39	0.28	0.07	17
KSR148298	15.9	10.7	547	2.53	7.2	2.3	3.5	6.4	35	0.2	0.4	0.3	49	0.41	0.09	18
KSR148299	17.7	9.7	337	2.45	10.7	2.6	20.7	5.9	25	0.3	0.6	2.1	48	0.29	0.08	21
KSR148300	11.5	7.5	411	2.33	4.8	1	12.3	4.5	16	0.2	0.3	0.2	45	0.25	0.09	12
KSR148301	15	8.9	312	2.6	11.2	1.7	7.1	6	22	0.2	0.3	0.2	49	0.34	0.1	16
KSR148302	15.6	8.3	251	2.62	16.6	2.5	6.6	6.5	18	0.2	0.4	0.2	52	0.26	0.08	17
KSR148303	16.3	8.3	246	2.6	9.7	1.6	5.8	4.8	18	0.1	0.3	0.3	49	0.28	0.09	13
KSR148304	15.6	9	367	2.6	6.2	2.6	6.6	5.5	21	0.3	0.3	0.3	49	0.29	0.09	18
KSR148305	17.6	11	616	3.33	10.3	1.4	4.9	3.7	21	0.1	0.3	0.2	61	0.36	0.11	10
KSR148305	17.6	10.5	608	3.31	10.5	1.4	7.9	3.5	20	0.2	0.3	0.2	59	0.35	0.11	10
KSR148306	12	7.9	476	2.16	5	2	1.3	2.1	29	0.1	0.5	0.1	44	0.28	0.08	13
KSR148307	15.4	7.5	447	2.41	5	1.9	4.9	6.9	18	0.4	0.3	0.2	37	0.27	0.06	16
KSR148308	18.9	11	725	2.83	8.2	3	2.9	2.9	17	0.1	0.4	0.3	45	0.2	0.07	17
KSR148309	12.3	6.4	323	3.14	7.9	3.5	4.9	4.1	17	0.2	0.4	0.3	46	0.18	0.07	21
KSR148310	16.4	8.2	500	2.33	4.9	1.2	1.8	5.2	16	0.4	0.3	0.2	40	0.23	0.06	15
KSR148311	26.6	13.6	555	3.02	9.1	1.3	4.6	3	21	0.4	0.5	0.2	55	0.27	0.07	15

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR148001	50	0.85	166	0.13	2	1.61	0.01	0.18	0.1	0.02	2.4	0.2	0.03	5	0.25
KSR148006	60	1.23	510	0.26	2	3.05	0.01	0.49	0.05	0.01	7	0.3	0.03	10	0.25
KSR148007	38	0.83	142	0.19	1	1.7	0.01	0.28	0.1	0.01	3.7	0.3	0.03	8	0.25
KSR148090	73	0.96	232	0.22	1	2.82	0.02	0.5	0.1	0.01	6.9	0.3	0.03	8	0.25
KSR148092	68	0.86	183	0.19	1	2.6	0.02	0.44	0.1	0.01	6.3	0.3	0.03	7	0.7
KSR148105	220	6.78	62	0.05	2	1.13	0.01	0.05	0.3	0.01	3.9	0.05	0.03	3	0.25
KSR148119	65	1.07	125	0.1	0.5	2.18	0.01	0.21	0.1	0.01	5.1	0.1	0.03	6	0.25
KSR148139	58	0.95	143	0.12	0.5	2.32	0.01	0.37	0.05	0.01	6	0.2	0.03	7	0.25
KSR148141	65	1	178	0.14	1	2.33	0.01	0.49	0.1	0.02	6.6	0.2	0.03	7	0.25
KSR148145	58	0.81	185	0.09	0.5	1.86	0.01	0.38	0.1	0.04	5.3	0.2	0.03	7	0.25
KSR148146	85	1.13	321	0.22	0.5	2.71	0.02	0.91	0.4	0.01	10.1	0.3	0.03	10	0.25
KSR148149	66	0.91	198	0.14	0.5	2.38	0.01	0.47	0.1	0.02	7.7	0.3	0.03	8	0.25
KSR148150	57	0.77	193	0.1	0.5	2.04	0.01	0.44	0.6	0.02	8.3	0.2	0.03	7	0.25
KSR148151	65	0.96	213	0.15	1	2.38	0.01	0.52	0.1	0.01	7.8	0.2	0.03	8	0.25
KSR148151	64	0.94	213	0.15	1	2.29	0.01	0.5	0.1	0.01	7.8	0.2	0.03	8	0.25
KSR148152	65	0.97	205	0.11	0.5	2.32	0.01	0.31	0.05	0.02	5.4	0.2	0.06	8	0.7
KSR148153	93	1.08	340	0.23	1	2.76	0.03	1.04	0.2	0.02	12.9	0.3	0.03	10	0.5
KSR148154	84	1.09	253	0.22	1	3.01	0.02	0.69	0.2	0.03	9.1	0.3	0.03	10	0.9
KSR148250	23	0.45	56	0.07	1	1.26	0.01	0.11	0.2	0.01	2.5	0.2	0.03	5	0.25
KSR148252	25	0.5	107	0.13	0.5	1.3	0.01	0.2	0.4	0.02	2.5	0.3	0.03	6	0.25
KSR148253	23	0.47	79	0.13	1	1.28	0.01	0.15	0.2	0.02	2.6	0.2	0.03	5	0.25
KSR148256	23	0.52	95	0.14	0.5	1.57	0.01	0.2	0.7	0.02	3.2	0.4	0.03	7	0.25
KSR148257	21	0.46	89	0.13	1	1.2	0.01	0.22	0.7	0.01	2.7	0.3	0.03	6	0.25
KSR148257	21	0.45	87	0.13	1	1.18	0.01	0.22	0.8	0.01	2.7	0.3	0.03	6	0.25
KSR148258	22	0.51	111	0.14	0.5	1.37	0.02	0.27	1.3	0.02	3.2	0.4	0.03	7	0.25
KSR148260	27	0.56	87	0.1	1	1.63	0.01	0.18	1.4	0.03	2.7	0.3	0.06	7	0.25
KSR148262	25	0.53	135	0.13	1	1.44	0.02	0.23	1	0.05	3.2	0.4	0.03	8	0.6
KSR148264	14	0.34	72	0.1	2	0.83	0.02	0.11	0.6	0.01	1.7	0.2	0.03	4	0.25
KSR148266	23	0.54	102	0.16	0.5	1.46	0.02	0.25	1.1	0.01	3.4	0.3	0.03	6	0.25
KSR148267	24	0.51	85	0.13	0.5	1.33	0.01	0.22	1.1	0.01	3.2	0.3	0.03	6	0.25
KSR148268	21	0.46	79	0.11	1	1.35	0.01	0.22	2	0.01	2.8	0.3	0.03	6	0.25
KSR148269	33	0.68	142	0.11	2	2.41	0.01	0.37	2.6	0.02	4.4	0.5	0.03	10	0.25
KSR148270	29	0.49	74	0.09	1	1.37	0.01	0.13	0.3	0.04	2.3	0.2	0.08	7	0.6
KSR148271	27	0.53	76	0.1	0.5	1.6	0.01	0.21	0.7	0.02	3.4	0.3	0.03	7	0.25
KSR148275	6	0.24	58	0.05	0.5	1.1	0.01	0.25	1.7	0.01	2.5	0.3	0.03	7	0.25
KSR148276	21	0.43	78	0.08	1	1.21	0.01	0.14	1.5	0.02	2.1	0.2	0.03	6	0.25
KSR148288	41	0.71	125	0.14	2	1.81	0.01	0.19	0.4	0.02	3	0.2	0.03	6	0.25
KSR148295	26	0.56	88	0.09	1	1.58	0.01	0.12	0.2	0.02	2.7	0.2	0.03	6	0.25
KSR148296	21	0.5	72	0.08	1	1.1	0.01	0.13	0.2	0.01	2.5	0.1	0.03	4	0.25
KSR148297	24	0.59	112	0.1	0.5	1.56	0.01	0.16	0.2	0.01	2.7	0.2	0.03	5	0.25
KSR148298	27	0.63	99	0.1	1	1.52	0.01	0.15	0.1	0.01	4.1	0.1	0.03	5	0.25
KSR148299	28	0.56	115	0.07	0.5	1.61	0.01	0.13	0.2	0.01	3.2	0.2	0.03	6	0.25
KSR148300	19	0.5	120	0.14	0.5	1.3	0.01	0.24	0.1	0.01	2.6	0.2	0.03	6	0.25
KSR148301	30	0.67	103	0.15	0.5	1.5	0.01	0.2	0.2	0.01	3.8	0.2	0.03	5	0.25
KSR148302	30	0.6	118	0.13	0.5	1.69	0.01	0.15	0.2	0.02	4.5	0.2	0.03	6	0.25
KSR148303	29	0.62	93	0.13	1	1.66	0.01	0.14	0.1	0.01	3.6	0.2	0.03	6	0.25
KSR148304	28	0.65	87	0.09	0.5	1.67	0.01	0.14	0.2	0.02	4.1	0.1	0.03	6	0.25
KSR148305	30	0.85	210	0.23	0.5	2.07	0.01	0.5	0.9	0.01	3.7	0.3	0.03	9	0.25
KSR148305	30	0.84	213	0.23	0.5	2.05	0.01	0.47	0.9	0.01	3.7	0.4	0.03	9	0.25
KSR148306	19	0.28	107	0.06	1	0.94	0.02	0.1	0.2	0.03	1.8	0.1	0.06	5	0.25
KSR148307	22	0.47	106	0.13	0.5	1.35	0.01	0.15	0.5	0.02	2.7	0.2	0.03	5	0.25
KSR148308	27	0.48	107	0.05	0.5	1.62	0.01	0.13	0.5	0.02	2.3	0.2	0.03	6	0.25
KSR148309	26	0.42	97	0.04	0.5	1.72	0.01	0.11	0.4	0.05	2.9	0.2	0.05	6	0.7
KSR148310	22	0.47	87	0.08	2	1.41	0.01	0.12	0.4	0.01	2.3	0.2	0.03	5	0.25
KSR148311	38	0.71	121	0.07	3	1.94	0.01	0.11	0.2	0.02	3.1	0.1	0.03	6	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR148312	347134	6801177	UTM NAD 83	08V	1DX-15	0.9	22.1	10.7	70	0.05
KSR148313	347109	6801275	UTM NAD 83	08V	1DX-15	0.7	52.4	13.4	90	0.05
KSR148314	347095	6801375	UTM NAD 83	08V	1DX-15	1.1	18.2	9.8	70	0.05
KSR148315	347080	6801474	UTM NAD 83	08V	1DX-15	1	17.2	4.6	39	0.05
KSR148317	347044	6801672	UTM NAD 83	08V	1DX-15	1	23	11.9	72	0.05
KSR148319	347026	6801817	UTM NAD 83	08V	1DX-15	1	26	10.4	70	0.05
KSR148321	347224	6801957	UTM NAD 83	08V	1DX-15	0.6	16.4	8.1	62	0.05
KSR148328	616903	6816774	UTM NAD 83	07V	1DX-15	0.5	18.4	10.6	81	0.05
KSR148329	616841	6816707	UTM NAD 83	07V	1DX-15	1.4	22.4	7.9	96	0.05
KSR148330	616776	6816635	UTM NAD 83	07V	1DX-15	0.4	12.1	8.3	88	0.05
KSR148330	616776	6816635	UTM NAD 83	07V	1DX-15	0.4	12.9	8.3	97	0.05
KSR148331	616710	6816556	UTM NAD 83	07V	1DX-15	1.9	32.5	8.2	66	0.05
KSR148332	616642	6816476	UTM NAD 83	07V	1DX-15	1.1	32.5	8.1	71	0.05
KSR148342	630182	6806057	UTM NAD 83	07V	1DX-15	0.8	63.6	6.3	105	0.1
KSR148343	630193	6806156	UTM NAD 83	07V	1DX-15	0.7	62.8	8	105	0.3
KSR148344	630182	6806256	UTM NAD 83	07V	1DX-15	0.7	22.7	4.4	85	0.05
KSR148344	630182	6806256	UTM NAD 83	07V	1DX-15	0.7	23.2	4.4	86	0.05
KSR148346	630155	6806455	UTM NAD 83	07V	1DX-15	0.6	16.1	3.8	97	0.05
KSR148347	630151	6806555	UTM NAD 83	07V	1DX-15	1.6	28	7.9	81	0.05
KSR148348	630143	6806655	UTM NAD 83	07V	1DX-15	0.7	34.9	4.9	75	0.05
KSR148349	630154	6806755	UTM NAD 83	07V	1DX-15	0.7	30.4	4.2	69	0.05
KSR148350	630140	6806855	UTM NAD 83	07V	1DX-15	0.6	34.7	5	71	0.05
KSR148351	630147	6806955	UTM NAD 83	07V	1DX-15	0.9	38	5.1	82	0.05
KSR148352	630124	6807053	UTM NAD 83	07V	1DX-15	1.8	40.8	7	84	0.05
KSR148353	630096	6807149	UTM NAD 83	07V	1DX-15	0.8	32.5	5.2	79	0.05
KSR148354	630052	6807240	UTM NAD 83	07V	1DX-15	0.6	25.4	3.8	67	0.05
KSR148355	630000	6807325	UTM NAD 83	07V	1DX-15	1.3	40	4.5	104	0.2
KSR148356	629957	6807415	UTM NAD 83	07V	1DX-15	1	27.1	3.7	88	0.05
KSR148357	629957	6807415	UTM NAD 83	07V	1DX-15	1.1	27	4	89	0.05
KSR148358	629920	6807509	UTM NAD 83	07V	1DX-15	1.1	44.4	4.2	87	0.05
KSR148405	619000	6816909	UTM NAD 83	08V	1DX-15	1.7	23.2	8.3	58	0.05
KSR148406	619022	6816812	UTM NAD 83	08V	1DX-15	1.7	32.5	7.1	83	0.05
KSR148410	618989	6816424	UTM NAD 83	08V	1DX-15	0.7	21.1	2.9	32	0.05
KSR148411	618939	6816333	UTM NAD 83	08V	1DX-15	0.8	22.4	2.6	31	0.1
KSR148412	618891	6816248	UTM NAD 83	08V	1DX-15	0.7	26.5	5.9	63	0.05
KSR148413	618843	6816161	UTM NAD 83	08V	1DX-15	0.7	32	6.7	97	0.05
KSR148414	618821	6816061	UTM NAD 83	08V	1DX-15	0.7	26.9	6	82	0.1
KSR148415	618806	6815962	UTM NAD 83	08V	1DX-15	0.7	23.6	5.5	71	0.05
KSR148416	618794	6815863	UTM NAD 83	08V	1DX-15	0.6	19.2	7.2	68	0.1
KSR148433	617623	6814220	UTM NAD 83	07V	1DX-15	1.7	36.4	7.8	75	0.05
KSR148435	617618	6814005	UTM NAD 83	07V	1DX-15	6.4	54.5	12.1	270	0.3
KSR148437	617646	6813797	UTM NAD 83	07V	1DX-15	1.6	40.4	5.6	108	0.3
KSR148440	617653	6813479	UTM NAD 83	07V	1DX-15	1.2	54.2	5.6	52	0.2
KSR148442	617687	6813265	UTM NAD 83	07V	1DX-15	1	32.4	6	82	0.05
KSR148444	617730	6813059	UTM NAD 83	07V	1DX-15	1.2	36.8	6.3	63	0.05
KSR148446	617760	6812853	UTM NAD 83	07V	1DX-15	0.7	57.3	6	50	0.2
KSR148466	618776	6815764	UTM NAD 83	08V	1DX-15	0.7	29.1	6	56	0.05
KSR148467	618761	6815666	UTM NAD 83	08V	1DX-15	1.5	28.6	6.8	54	0.2
KSR148468	618742	6815568	UTM NAD 83	08V	1DX-15	0.3	31.1	5.8	53	0.05
KSR148677	651848	6787152	UTM NAD 83	07V	1DX-15	1.3	58.6	7	93	0.2
KSR148678	651921	6787070	UTM NAD 83	07V	1DX-15	1.7	58.8	8.7	80	0.1
KSR148679	652007	6787011	UTM NAD 83	07V	1DX-15	2.1	44.1	11.7	70	0.05
KSR148680	652080	6786942	UTM NAD 83	07V	1DX-15	1.4	58.7	8.4	79	0.05
KSR148681	652163	6786877	UTM NAD 83	07V	1DX-15	1.6	55.9	9.1	81	0.1
KSR148682	652240	6786803	UTM NAD 83	07V	1DX-15	1.7	56.2	10.4	78	0.2

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR148312	20.5	10.9	460	2.67	6.2	1.6	5	5.8	17	0.4	0.4	0.4	49	0.19	0.05	12
KSR148313	20.2	9	355	2.46	7.4	0.7	6.5	3.1	13	0.9	0.4	0.7	48	0.15	0.03	9
KSR148314	15.8	7.2	341	2.43	6	1.9	2.5	4.6	21	0.2	0.4	0.3	45	0.22	0.05	15
KSR148315	9.9	4.8	194	1.66	4.6	1	1.2	1.1	17	0.2	0.3	0.1	43	0.18	0.06	6
KSR148317	17.7	8.3	405	2.48	6.1	2.2	3	5.2	16	0.5	0.5	0.4	46	0.19	0.06	16
KSR148319	22	10	414	2.78	8.8	0.8	3	3.6	20	0.3	0.5	0.7	52	0.22	0.03	11
KSR148321	12.5	6.8	292	2.1	4.7	1.8	4.3	6.8	17	0.2	0.2	0.5	38	0.24	0.06	14
KSR148328	15.6	10	450	2.65	3.3	0.7	0.7	3.9	147	0.05	0.1	0.05	47	1.28	0.11	15
KSR148329	15.1	12.3	464	4.27	5.1	1.4	1.6	2.5	57	0.2	0.4	0.1	72	0.65	0.16	14
KSR148330	9.4	9.1	580	3.63	3	0.6	0.8	7.7	87	0.05	0.1	0.05	36	0.82	0.07	24
KSR148330	10.1	9.6	638	3.9	3.1	0.6	0.7	7.6	86	0.1	0.1	0.05	38	0.84	0.07	22
KSR148331	30.6	12.1	328	3.36	10.7	1	1.7	2.5	25	0.05	0.8	0.2	74	0.28	0.05	15
KSR148332	26.1	15.2	591	3.72	8.2	0.8	2.3	2.9	130	0.1	0.4	0.1	79	0.85	0.08	14
KSR148342	159	31	660	5.05	44.9	0.6	5	1.3	34	0.1	0.6	0.1	188	0.45	0.1	5
KSR148343	97.9	22.5	504	4.72	40.3	0.6	13.5	1.6	29	0.05	0.5	0.05	161	0.42	0.08	8
KSR148344	25.7	14.5	427	3.54	6.5	0.6	2.4	1.4	70	0.05	0.2	0.05	71	0.58	0.17	9
KSR148344	25.3	13.8	428	3.53	6.4	0.7	1.1	1.5	70	0.05	0.2	0.05	72	0.57	0.17	8
KSR148346	19.6	13.5	425	4.12	7.8	0.6	2.1	1.4	69	0.2	0.2	0.05	78	0.78	0.25	13
KSR148347	30.5	14.3	441	3.59	13.5	0.7	2.1	1.3	31	0.1	0.6	0.1	75	0.35	0.08	10
KSR148348	34.7	15.8	435	3.38	7.2	0.5	2.6	2	35	0.2	0.4	0.1	81	0.37	0.05	9
KSR148349	24.6	11.8	454	3.2	6.1	0.7	3.1	2.5	94	0.1	0.3	0.05	67	0.73	0.19	13
KSR148350	30.6	15.3	447	3.41	7.7	0.7	3.8	2.5	94	0.2	0.4	0.1	86	0.78	0.22	12
KSR148351	32.4	16.7	471	3.43	7.5	0.6	5.9	2.1	30	0.2	0.4	0.05	88	0.36	0.07	10
KSR148352	30.1	14.9	519	3.7	9.3	0.8	8.2	2.2	53	0.2	0.5	0.1	77	0.53	0.14	14
KSR148353	24.4	14.7	415	3.56	6.9	0.7	2.1	2.3	46	0.2	0.4	0.05	92	0.45	0.1	10
KSR148354	18	14.1	814	3.33	4	1	1.7	2.6	77	0.2	0.3	0.05	84	0.81	0.21	15
KSR148355	15.2	14.6	420	5.04	4.7	1.3	3.9	2.6	68	0.05	0.3	0.05	72	0.96	0.27	20
KSR148356	18.7	14.5	645	3.76	4.1	0.7	4.9	2.1	71	0.2	0.2	0.05	79	0.89	0.24	17
KSR148357	18.3	14.9	667	3.84	4.2	0.8	1.9	2.3	75	0.2	0.3	0.05	81	0.95	0.24	17
KSR148358	18.7	17.5	478	3.9	6.1	0.8	2.1	2.1	139	0.2	0.2	0.05	78	1.12	0.3	16
KSR148405	24.2	10.7	386	3.09	8.4	0.7	1.4	1.3	27	0.05	0.7	0.2	65	0.3	0.08	10
KSR148406	31.1	13.3	532	3.53	8.2	0.7	1.8	2.6	28	0.1	0.7	0.1	78	0.32	0.06	12
KSR148410	10.8	10.2	383	1.82	2.2	0.5	1.6	0.8	23	0.05	0.2	0.05	51	0.24	0.08	6
KSR148411	10.5	6.8	176	1.74	2.4	0.4	0.25	0.4	22	0.05	0.2	0.05	48	0.29	0.1	8
KSR148412	29.6	12.6	389	3.06	7.3	0.7	3.3	2.5	22	0.05	0.4	0.1	71	0.29	0.08	11
KSR148413	20.7	14.2	598	4.1	4.7	1.3	1.2	5.7	53	0.05	0.2	0.05	79	0.65	0.12	20
KSR148414	20.3	12.3	458	3.67	5.9	1.3	4.3	3.5	90	0.05	0.3	0.05	75	0.67	0.11	15
KSR148415	28.6	11.4	431	3	6.3	1	1.8	4.6	34	0.05	0.3	0.05	61	0.39	0.08	14
KSR148416	21.3	11.5	279	3.06	8.1	1.3	3.3	4.9	29	0.05	0.4	0.05	63	0.33	0.07	12
KSR148433	39.8	16.5	498	3.69	11.6	0.7	1.8	1.9	23	0.1	0.7	0.1	76	0.32	0.07	10
KSR148435	40.5	14.9	452	3.58	6.7	1.3	2.2	2.6	42	0.4	0.2	0.3	153	0.29	0.08	10
KSR148437	68.9	17.5	480	3.99	13.3	1.1	5.6	2.1	35	0.2	0.3	0.05	103	0.48	0.11	12
KSR148440	48.6	14.5	647	2.63	7.8	0.8	2.2	1.1	34	0.6	0.5	0.05	59	0.52	0.08	11
KSR148442	35.5	15.8	586	3.96	7.1	1.3	1	7	50	0.05	0.2	0.05	102	0.79	0.11	16
KSR148444	59.1	19.2	1658	3.01	8.5	0.8	9.8	2.2	41	0.3	0.4	0.05	67	0.77	0.09	10
KSR148446	51.5	9.7	549	2.21	7	0.7	1.9	0.9	41	0.4	0.4	0.1	56	0.88	0.08	9
KSR148466	15.6	8.8	258	4.54	6.8	1.7	1.4	4.7	33	0.1	0.4	0.05	85	0.36	0.09	13
KSR148467	17.1	12.1	575	2.53	6.9	1.4	3.5	0.3	26	0.2	0.5	0.1	61	0.29	0.09	11
KSR148468	21.6	16.2	374	2.95	2.9	1.1	3	5.5	38	0.05	0.2	0.05	87	0.42	0.1	8
KSR148677	45.6	18.8	691	4.31	26.8	0.7	2.4	2	24	0.2	0.4	0.1	93	0.45	0.08	7
KSR148678	59.1	24.2	650	3.26	118	0.7	7.5	1.7	25	0.2	0.7	0.2	60	0.23	0.06	9
KSR148679	38.6	13.2	375	3.23	13.5	0.9	3.9	0.7	27	0.1	0.8	0.2	68	0.22	0.07	8
KSR148680	45.2	18.2	545	3.68	33	0.5	1.6	1.2	22	0.1	0.5	0.1	81	0.24	0.05	6
KSR148681	51.7	17.4	487	3.73	18.7	1.1	3.2	2.6	22	0.05	0.6	0.2	77	0.23	0.08	9
KSR148682	66.3	18.3	604	3.67	16.6	0.9	2.6	1.3	33	0.1	0.7	0.2	77	0.28	0.09	9

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR148312	31	0.54	93	0.11	1	1.63	0.01	0.13	0.3	0.02	2.9	0.2	0.03	5	0.25
KSR148313	27	0.5	67	0.07	3	1.44	0.01	0.08	0.2	0.01	2.1	0.05	0.03	5	0.25
KSR148314	25	0.48	87	0.1	0.5	1.31	0.01	0.12	0.2	0.02	2.7	0.2	0.08	6	0.25
KSR148315	14	0.25	48	0.06	0.5	0.64	0.02	0.06	0.2	0.01	1.1	0.05	0.08	4	0.25
KSR148317	27	0.5	77	0.09	1	1.41	0.01	0.11	0.3	0.02	2.5	0.1	0.03	5	0.25
KSR148319	32	0.6	90	0.1	0.5	1.62	0.01	0.09	0.4	0.02	2.8	0.1	0.03	6	0.25
KSR148321	22	0.42	91	0.12	0.5	1.33	0.01	0.15	0.5	0.01	2.8	0.2	0.03	5	0.25
KSR148328	21	0.77	250	0.18	0.5	3.23	0.01	0.43	0.05	0.01	2.7	0.3	0.03	10	0.25
KSR148329	20	0.95	295	0.22	0.5	2.41	0.01	0.33	0.05	0.01	3	0.3	0.03	9	0.25
KSR148330	16	0.89	207	0.15	0.5	2.88	0.01	0.46	0.05	0.01	3.8	0.3	0.03	11	0.25
KSR148330	17	0.88	201	0.17	0.5	2.78	0.01	0.49	0.05	0.01	3.9	0.3	0.03	12	0.25
KSR148331	48	0.78	93	0.1	1	1.8	0.01	0.07	0.05	0.04	2.9	0.2	0.03	6	0.8
KSR148332	39	0.99	242	0.15	1	2.75	0.01	0.25	0.05	0.02	4.5	0.2	0.03	9	0.25
KSR148342	328	2.8	394	0.28	1	3.78	0.03	1	0.05	0.01	12.2	0.3	0.03	13	0.25
KSR148343	195	1.99	294	0.22	0.5	3.46	0.02	0.68	0.05	0.03	10.6	0.2	0.03	11	0.25
KSR148344	44	1.14	358	0.26	1	2.36	0.02	0.53	0.05	0.01	3.1	0.2	0.03	8	0.25
KSR148344	45	1.15	367	0.25	0.5	2.35	0.02	0.53	0.05	0.01	3	0.2	0.03	8	0.25
KSR148346	31	1.26	528	0.25	2	2.79	0.02	0.52	0.05	0.02	3.5	0.2	0.03	10	0.25
KSR148347	43	0.92	230	0.17	1	1.9	0.02	0.15	0.05	0.04	2.8	0.1	0.03	8	0.25
KSR148348	50	1.03	259	0.23	2	2.23	0.02	0.2	0.05	0.02	3.6	0.1	0.03	7	0.7
KSR148349	32	0.85	212	0.17	1	1.95	0.03	0.24	0.05	0.01	3.5	0.2	0.03	6	0.25
KSR148350	36	0.95	256	0.18	2	2.53	0.05	0.24	0.05	0.02	3.1	0.2	0.03	7	0.8
KSR148351	40	0.87	212	0.21	0.5	2.03	0.02	0.23	0.05	0.02	3.4	0.2	0.03	6	0.5
KSR148352	41	0.87	357	0.17	1	2.32	0.02	0.2	0.05	0.02	4	0.2	0.03	7	0.5
KSR148353	39	0.94	216	0.22	0.5	2.15	0.02	0.22	0.1	0.04	3.2	0.2	0.03	7	0.6
KSR148354	31	1.05	397	0.22	0.5	2.35	0.03	0.35	0.05	0.03	3.8	0.2	0.03	7	1
KSR148355	28	1.12	559	0.29	0.5	2.78	0.02	0.58	0.05	0.05	4.9	0.2	0.03	10	0.9
KSR148356	31	0.93	454	0.22	0.5	2.24	0.03	0.37	0.05	0.02	4.4	0.2	0.03	7	0.5
KSR148357	30	0.92	441	0.23	0.5	2.2	0.03	0.38	0.05	0.03	4.6	0.2	0.03	7	0.7
KSR148358	27	0.94	505	0.27	0.5	2.9	0.05	0.51	0.05	0.02	2.7	0.2	0.03	8	0.5
KSR148405	38	0.68	137	0.1	1	1.65	0.01	0.09	0.1	0.04	2.6	0.1	0.03	6	0.25
KSR148406	60	0.91	146	0.17	2	1.72	0.01	0.24	0.1	0.02	3.3	0.3	0.03	7	0.25
KSR148410	18	0.37	118	0.11	0.5	0.87	0.01	0.08	0.05	0.02	1.4	0.05	0.03	3	0.25
KSR148411	14	0.27	112	0.06	1	0.66	0.02	0.03	0.05	0.01	1	0.05	0.05	3	0.25
KSR148412	42	0.93	115	0.16	2	1.98	0.01	0.16	0.1	0.03	2.8	0.2	0.03	6	0.25
KSR148413	34	1.13	328	0.31	0.5	2.63	0.01	0.67	0.05	0.01	4.8	0.5	0.03	10	0.25
KSR148414	34	1.04	311	0.21	1	2.47	0.01	0.46	0.05	0.02	4.2	0.4	0.03	9	0.25
KSR148415	55	0.88	151	0.15	2	1.83	0.01	0.23	0.05	0.02	3.3	0.3	0.03	6	0.25
KSR148416	41	0.83	127	0.16	2	1.8	0.01	0.15	0.1	0.02	3.1	0.3	0.03	6	0.25
KSR148433	54	0.95	143	0.1	1	2.11	0.01	0.1	0.05	0.03	3.2	0.1	0.03	6	0.5
KSR148435	125	1.47	223	0.23	1	1.99	0.04	0.29	0.2	0.02	4.6	0.2	0.31	7	2.6
KSR148437	89	1.24	384	0.23	0.5	2.17	0.01	0.39	0.1	0.03	4.2	0.4	0.03	7	0.6
KSR148440	44	0.57	254	0.07	1	1.24	0.02	0.09	0.1	0.04	2.5	0.1	0.06	4	0.25
KSR148442	69	1.25	272	0.28	2	2.18	0.02	0.51	0.05	0.02	4.6	0.4	0.03	9	0.25
KSR148444	57	1	186	0.1	2	1.58	0.03	0.09	0.05	0.03	3.7	0.05	0.03	5	0.25
KSR148446	39	0.55	181	0.06	3	1.13	0.02	0.05	0.05	0.04	2.5	0.05	0.07	4	0.7
KSR148466	38	0.9	199	0.21	1	1.79	0.01	0.27	0.1	0.03	4	0.4	0.03	6	0.25
KSR148467	31	0.42	118	0.05	0.5	1.07	0.01	0.05	0.05	0.02	1.2	0.1	0.07	4	0.25
KSR148468	56	1.24	263	0.23	1	1.86	0.01	0.38	0.2	0.01	4.8	0.4	0.03	7	0.25
KSR148677	67	1.33	190	0.13	0.5	2.42	0.01	0.31	0.05	0.02	4.8	0.2	0.03	7	0.25
KSR148678	41	0.78	101	0.05	0.5	1.75	0.01	0.08	0.05	0.02	2.7	0.1	0.05	5	0.25
KSR148679	44	0.68	121	0.04	1	1.56	0.01	0.04	0.05	0.02	1.8	0.05	0.03	5	0.25
KSR148680	51	0.96	113	0.1	0.5	1.91	0.01	0.17	0.05	0.02	2.8	0.1	0.03	6	0.25
KSR148681	61	1.01	90	0.08	0.5	2.09	0.01	0.15	0.05	0.02	3	0.2	0.03	6	0.25
KSR148682	67	1.02	119	0.07	0.5	2.18	0.01	0.15	0.05	0.03	3.3	0.2	0.06	6	0.5

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR148683	652314	6786722	UTM NAD 83	07V	1DX-15	1.6	37.2	9.3	67	0.05
KSR148684	652402	6786666	UTM NAD 83	07V	1DX-15	1.3	51	7.4	77	0.05
KSR148685	652478	6786591	UTM NAD 83	07V	1DX-15	1	66.5	6	89	0.1
KSR148686	652547	6786503	UTM NAD 83	07V	1DX-15	1.3	48.9	7.1	78	0.1
KSR148686	652547	6786503	UTM NAD 83	07V	1DX-15	1.4	50.1	7.3	81	0.1
KSR148687	652621	6786428	UTM NAD 83	07V	1DX-15	1.1	64.2	6.2	89	0.2
KSR148688	652715	6786379	UTM NAD 83	07V	1DX-15	1.3	59.9	7.8	87	0.2
KSR148689	652817	6786358	UTM NAD 83	07V	1DX-15	1.5	63.6	9.2	84	0.3
KSR148731	630985	6804783	UTM NAD 83	07V	1DX-15	1.8	59.7	8	74	0.1
KSR148731	630985	6804783	UTM NAD 83	07V	1DX-15	1.9	61.4	8.1	75	0.1
KSR148733	631106	6804618	UTM NAD 83	07V	1DX-15	1.3	66.5	10.7	102	0.05
KSR148755	360185	6777857	UTM NAD 83	08V	1DX-15	0.6	30.8	5.3	58	0.05
KSR148756	360166	6777758	UTM NAD 83	08V	1DX-15	0.8	58.1	6	70	0.1
KSR148757	360125	6777660	UTM NAD 83	08V	1DX-15	1.5	34.3	7.1	59	0.05
KSR148758	360091	6777565	UTM NAD 83	08V	1DX-15	0.8	65.4	5.5	69	0.1
KSR148759	360031	6777481	UTM NAD 83	08V	1DX-15	1.2	114	5.3	59	0.1
KSR148760	359989	6777390	UTM NAD 83	08V	1DX-15	0.8	39	13.5	108	0.1
KSR148761	359985	6777287	UTM NAD 83	08V	1DX-15	1.2	36.8	6.9	71	0.05
KSR148762	360033	6777195	UTM NAD 83	08V	1DX-15	1.1	58.8	6.4	52	0.05
KSR148763	360068	6777098	UTM NAD 83	08V	1DX-15	0.9	54.6	5.3	50	0.05
KSR148764	360118	6777007	UTM NAD 83	08V	1DX-15	1.5	109	6.6	61	0.1
KSR148765	360147	6776910	UTM NAD 83	08V	1DX-15	1.2	58.8	5.4	78	0.05
KSR148766	360094	6776820	UTM NAD 83	08V	1DX-15	1.5	47.5	7.5	53	0.1
KSR148769	359958	6776552	UTM NAD 83	08V	1DX-15	1.3	54.5	10.3	61	0.1
KSR148770	359965	6776452	UTM NAD 83	08V	1DX-15	1.2	63.5	16.2	99	0.4
KSR148773	359895	6776158	UTM NAD 83	08V	1DX-15	1.2	101	7.8	67	0.05
KSR148774	359775	6776063	UTM NAD 83	08V	1DX-15	1.2	38	7.4	50	0.05
KSR148776	359765	6775816	UTM NAD 83	08V	1DX-15	0.9	51.1	5.5	60	0.1
KSR148778	359819	6775622	UTM NAD 83	08V	1DX-15	1.3	69.3	7.6	82	0.1
KSR148781	360035	6775378	UTM NAD 83	08V	1DX-15	0.7	60.3	7.1	41	0.2
KSR148784	360210	6775117	UTM NAD 83	08V	1DX-15	1.9	35.5	9.8	62	0.05
KSR148788	360297	6774725	UTM NAD 83	08V	1DX-15	0.7	63.3	7.4	88	0.1
KSR148789	360297	6774725	UTM NAD 83	08V	1DX-15	0.7	62.1	7.2	84	0.1
KSR148790	360301	6774624	UTM NAD 83	08V	1DX-15	0.9	72.4	6.7	79	0.1
KSR148808	644912	6788521	UTM NAD 83	07V	1DX-15	1	82	7.5	80	0.05
KSR148809	644937	6788629	UTM NAD 83	07V	1DX-15	1	54.8	7.1	74	0.05
KSR148809	644937	6788629	UTM NAD 83	07V	1DX-15	0.9	54.3	7.1	76	0.05
KSR148810	644947	6788734	UTM NAD 83	07V	1DX-15	1.9	45.9	10.6	72	0.05
KSR148812	644961	6788934	UTM NAD 83	07V	1DX-15	1.1	91.6	7.1	95	0.2
KSR148812	644961	6788934	UTM NAD 83	07V	1DX-15	1.3	88	6.9	94	0.2
KSR148815	644960	6789263	UTM NAD 83	07V	1DX-15	1	56.5	7.9	89	0.1
KSR148816	644954	6789374	UTM NAD 83	07V	1DX-15	1	44.9	6.8	74	0.1
KSR148817	644957	6789484	UTM NAD 83	07V	1DX-15	1	63.4	6.8	85	0.1
KSR148826	617775	6812752	UTM NAD 83	07V	1DX-15	0.6	41.8	7.4	69	0.1
KSR148827	617795	6812649	UTM NAD 83	07V	1DX-15	0.5	41.5	5.8	68	0.1
KSR148828	617814	6812552	UTM NAD 83	07V	1DX-15	0.6	45.5	7.6	77	0.1
KSR148983	631106	6804618	UTM NAD 83	07V	1DX-15	1.5	63.8	12.2	100	0.1
KSR148988	631390	6804324	UTM NAD 83	07V	1DX-15	1.6	52.8	7.9	83	0.05
KSR148993	631903	6804310	UTM NAD 83	07V	1DX-15	1.3	51.9	9.6	102	0.05
KSR148997	632310	6804305	UTM NAD 83	07V	1DX-15	1.3	73.4	9	98	0.3
KSR148999	632528	6804269	UTM NAD 83	07V	1DX-15	1.1	51.3	9	60	0.5
KSR149000	632628	6804241	UTM NAD 83	07V	1DX-15	2.6	35.2	13.1	86	0.2
KSR149057	653497	6789698	UTM NAD 83	07V	1DX-15	1.5	94	12.5	109	0.2
KSR149235	345750	6801395	UTM NAD 83	07V	1DX-15	0.7	21.3	8.9	68	0.05
KSR149344	645068	6787077	UTM NAD 83	07V	1DX-15	2.2	46.5	10.5	98	0.1

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR148683	34.6	14.2	450	2.99	14.2	0.6	8.3	1.1	24	0.1	0.7	0.2	57	0.26	0.07	8
KSR148684	44.3	15.9	451	3.3	12.5	0.7	1.8	1.4	26	0.1	0.5	0.1	60	0.29	0.08	8
KSR148685	64.7	19.4	620	3.8	10	0.7	1.6	2.8	30	0.2	0.4	0.1	83	0.39	0.09	9
KSR148686	47	16.7	547	3.49	12.9	0.7	3.3	2.3	23	0.1	0.5	0.1	73	0.26	0.08	9
KSR148686	46.9	17.1	569	3.55	12.6	0.7	1.7	2.3	25	0.1	0.5	0.2	76	0.27	0.08	9
KSR148687	64.2	20.1	544	3.44	12.7	0.8	2.3	2.8	23	0.1	0.4	0.2	68	0.32	0.11	9
KSR148688	55.6	20.2	546	3.43	13.8	1.1	71.8	2	27	0.3	0.6	0.2	61	0.26	0.08	11
KSR148689	49.7	18.4	540	3.4	14.6	1.4	3.4	2.6	37	0.2	0.7	0.2	59	0.32	0.08	15
KSR148731	47.5	15.5	345	3.29	8.3	0.7	5	1	24	0.2	0.8	0.2	76	0.3	0.06	8
KSR148731	48.5	15	355	3.3	8.4	0.7	1.4	1	26	0.1	0.7	0.2	79	0.31	0.06	8
KSR148733	49.6	20.5	683	4.62	235	0.8	41.7	1.5	22	0.1	7	0.2	99	0.28	0.09	10
KSR148755	35	20.5	564	3.76	14.9	0.4	17.5	0.9	94	0.1	0.3	0.05	89	0.73	0.1	6
KSR148756	78.2	23.7	453	4.09	101	0.5	11.5	1.5	40	0.1	0.5	0.3	112	0.27	0.09	6
KSR148757	31.4	15.5	650	3.17	16.4	0.6	3.2	0.4	34	0.1	0.6	0.2	88	0.38	0.1	6
KSR148758	60.8	20	426	3.72	14.5	0.6	3.6	1.7	40	0.2	0.4	0.1	119	0.38	0.09	7
KSR148759	62.3	24.4	465	4.84	20.6	0.5	2.8	1.5	34	0.1	0.4	0.2	133	0.38	0.13	6
KSR148760	66.4	25.5	602	4.85	114	0.4	2	1.4	53	0.1	0.4	0.3	112	0.66	0.14	7
KSR148761	45.6	15.5	463	3.31	39.2	0.5	3.2	0.5	56	0.2	0.6	0.1	83	0.87	0.15	6
KSR148762	47.8	20.1	467	4	28.9	0.4	2.5	1.4	25	0.05	0.5	0.2	108	0.24	0.05	7
KSR148763	37.7	13.4	366	3.51	12.7	0.4	4.3	1.3	21	0.1	0.3	0.1	100	0.24	0.08	7
KSR148764	83	21.4	497	4.39	42.9	0.6	3.9	1.7	25	0.2	0.7	0.2	122	0.29	0.09	7
KSR148765	61.1	20.9	449	4.05	37.9	0.8	4.5	2.1	27	0.05	0.8	0.2	125	0.29	0.08	8
KSR148766	37.1	15.6	479	3.65	43.1	0.6	7.2	0.9	29	0.05	1.1	0.2	98	0.34	0.1	7
KSR148769	44.4	16.1	486	4.26	476	0.6	27.6	0.9	38	0.2	5	0.2	98	0.22	0.07	7
KSR148770	54.3	17.6	476	5.71	1836	0.4	408	0.8	62	0.2	16.5	0.2	56	0.18	0.1	4
KSR148773	79.6	31.5	663	4.67	141	0.6	7.4	1.6	31	0.2	0.9	0.2	113	0.29	0.09	7
KSR148774	39	13.2	424	3.64	16.2	0.6	8.1	0.8	27	0.05	0.6	0.2	98	0.29	0.1	7
KSR148776	50	19.5	462	3.26	119	0.6	10	0.8	43	0.2	0.5	0.2	80	0.52	0.1	7
KSR148778	48.2	19.2	499	4.28	13.3	0.6	3.3	1.1	29	0.2	0.4	0.2	115	0.27	0.09	6
KSR148781	54.6	16.9	492	4.32	126	0.4	3.4	0.7	22	0.05	0.4	0.2	134	0.18	0.07	4
KSR148784	34.2	14.7	629	3.3	17.4	0.6	2.8	0.3	24	0.1	0.7	0.2	90	0.2	0.08	5
KSR148788	50.9	18.1	490	4.54	34	0.8	2.5	2	38	0.1	0.1	0.2	128	0.18	0.07	7
KSR148789	49.5	18.7	480	4.46	33.4	0.8	1.7	1.9	37	0.1	0.2	0.2	130	0.18	0.06	7
KSR148790	67.5	24.1	553	4.58	27.7	0.6	3.8	1.9	37	0.05	0.3	0.2	107	0.24	0.09	6
KSR148808	71.8	22.3	439	3.06	21.9	0.8	8.8	2.9	28	0.1	0.5	0.1	55	0.33	0.1	13
KSR148809	46.1	15.2	357	2.93	10.1	0.8	3.8	3.3	33	0.1	0.5	0.1	51	0.36	0.1	15
KSR148809	44.6	15	355	2.89	9.6	0.8	12.5	3.3	33	0.05	0.5	0.1	50	0.37	0.1	15
KSR148810	43.3	17.7	543	3.25	13.1	0.7	1.4	1.3	26	0.05	0.9	0.2	62	0.31	0.06	9
KSR148812	74.3	31	784	4.37	18.5	0.6	2.2	2.3	30	0.2	0.5	0.1	103	0.44	0.1	9
KSR148812	72.7	29.6	757	4.2	18	0.6	5.3	2.2	29	0.1	0.4	0.05	99	0.42	0.1	9
KSR148815	53.3	16.2	494	3.33	13.5	1	5.4	3.1	22	0.1	0.5	0.1	58	0.29	0.1	13
KSR148816	47	13.5	420	2.87	22.2	0.8	6	3	25	0.3	0.4	0.1	52	0.32	0.11	11
KSR148817	56	17	462	3.41	15.3	0.8	17.8	2.3	22	0.1	0.4	0.1	69	0.33	0.1	10
KSR148826	51.1	14.4	361	3.11	10.3	0.9	65.7	2.5	38	0.1	0.5	0.1	69	0.78	0.07	12
KSR148827	64	18.3	786	3.31	10.5	0.6	3.9	2.4	34	0.4	0.4	0.1	67	0.66	0.08	11
KSR148828	54.9	15.3	429	3.16	8.3	0.8	3.7	3	36	0.1	0.4	0.05	68	0.63	0.09	14
KSR148983	49.5	20	652	4.52	205	0.8	38.6	1	21	0.1	6.2	0.2	105	0.25	0.08	8
KSR148988	59.1	18.4	527	3.69	5.3	0.6	1.2	1.4	19	0.05	0.4	0.2	114	0.25	0.08	6
KSR148993	49.9	16.5	619	4.05	37.8	0.7	3.5	1.6	22	0.2	6.9	0.2	89	0.31	0.08	8
KSR148997	55.8	20.9	654	4.06	18.4	0.9	4	1.3	31	0.1	0.4	0.2	98	0.33	0.08	7
KSR148999	30.7	9.7	260	2.9	25.8	1	3.6	0.2	28	0.1	0.5	0.2	67	0.29	0.11	9
KSR149000	47.5	16.4	735	3.85	13.5	0.6	1.7	1.5	18	0.1	0.7	0.2	94	0.22	0.05	7
KSR149057	90.7	28.6	851	4.2	33.8	1.1	6	2.7	25	0.1	0.9	0.3	66	0.27	0.07	13
KSR149235	23.9	10.7	377	2.83	8.5	0.6	3.8	1.8	24	0.2	0.4	0.2	59	0.25	0.04	8
KSR149344	39.9	15.6	492	3.31	15.3	0.8	2.3	1.1	28	0.2	0.9	0.2	62	0.27	0.09	11

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR148683	39	0.68	82	0.04	0.5	1.53	0.01	0.05	0.05	0.02	2.4	0.05	0.03	5	0.25
KSR148684	43	0.71	85	0.05	0.5	1.53	0.01	0.07	0.05	0.03	2	0.1	0.03	5	0.25
KSR148685	70	1.18	170	0.14	0.5	2.18	0.01	0.38	0.05	0.01	3.6	0.3	0.03	6	0.25
KSR148686	51	0.98	99	0.09	0.5	2.05	0.02	0.2	0.05	0.02	3.1	0.2	0.03	6	0.6
KSR148686	52	0.96	99	0.09	0.5	1.97	0.01	0.2	0.05	0.01	3.1	0.2	0.03	6	0.7
KSR148687	49	0.98	83	0.09	0.5	1.95	0.01	0.23	0.1	0.02	2.8	0.2	0.03	6	0.25
KSR148688	45	0.74	71	0.05	0.5	1.63	0.01	0.07	0.05	0.04	2.2	0.1	0.03	5	0.25
KSR148689	43	0.83	85	0.05	0.5	1.97	0.01	0.08	0.05	0.05	3.3	0.1	0.03	6	0.7
KSR148731	71	0.86	146	0.11	2	2.09	0.02	0.16	0.05	0.02	2.8	0.1	0.06	7	0.7
KSR148731	74	0.87	149	0.11	0.5	2.14	0.02	0.16	0.05	0.03	2.9	0.1	0.03	7	0.6
KSR148733	53	0.9	178	0.08	2	2.19	0.01	0.22	0.1	0.02	7.3	0.2	0.03	7	0.25
KSR148755	66	1.74	267	0.12	1	3.48	0.08	0.46	0.05	0.03	4	0.3	0.03	8	0.25
KSR148756	130	1.43	298	0.15	0.5	2.96	0.02	0.76	0.2	0.03	6.7	0.3	0.07	9	0.6
KSR148757	53	0.82	179	0.06	0.5	1.66	0.02	0.31	0.05	0.06	3.5	0.2	0.12	6	0.7
KSR148758	83	1.35	256	0.15	0.5	2.92	0.03	0.6	2.2	0.02	7.4	0.3	0.06	9	0.25
KSR148759	72	1.24	243	0.17	0.5	2.75	0.02	0.63	0.1	0.03	8.8	0.3	0.09	9	0.6
KSR148760	144	2.22	289	0.24	0.5	3.18	0.06	0.48	0.05	0.03	5.2	0.3	0.03	11	0.25
KSR148761	74	1.23	164	0.08	1	1.99	0.03	0.35	0.05	0.06	3.5	0.2	0.13	7	0.8
KSR148762	59	1.03	163	0.14	0.5	2.29	0.01	0.41	0.2	0.02	6.3	0.2	0.03	8	0.7
KSR148763	57	0.96	149	0.14	0.5	2.07	0.02	0.5	0.05	0.01	6.3	0.2	0.06	7	0.6
KSR148764	71	1.14	224	0.14	0.5	2.67	0.01	0.4	0.1	0.04	7.6	0.3	0.05	8	0.8
KSR148765	106	1.3	321	0.14	0.5	2.54	0.02	0.57	0.05	0.03	8.9	0.3	0.09	9	0.7
KSR148766	57	0.87	179	0.09	0.5	1.96	0.01	0.27	0.05	0.03	5.2	0.2	0.1	6	0.8
KSR148769	61	0.91	211	0.08	0.5	2.24	0.02	0.34	0.05	0.01	5.7	0.2	0.15	7	0.25
KSR148770	38	0.49	156	0.04	2	1.33	0.05	0.43	0.05	0.03	5.4	0.2	0.8	4	0.7
KSR148773	75	1.21	204	0.15	0.5	2.69	0.02	0.42	0.2	0.02	7.4	0.3	0.1	8	0.7
KSR148774	63	0.98	155	0.09	0.5	2.24	0.01	0.29	0.05	0.02	4.9	0.2	0.09	7	0.25
KSR148776	56	0.99	145	0.09	1	2.06	0.02	0.44	0.05	0.03	4.6	0.2	0.14	6	0.25
KSR148778	74	1.14	202	0.13	0.5	2.66	0.02	0.36	0.05	0.03	6.8	0.3	0.12	9	0.25
KSR148781	88	1.25	324	0.16	1	2.98	0.01	0.86	0.1	0.02	8.8	0.4	0.03	9	0.25
KSR148784	53	0.72	101	0.06	2	1.55	0.01	0.2	0.05	0.04	2.8	0.1	0.08	7	0.5
KSR148788	102	1.49	400	0.17	0.5	3.35	0.01	0.96	0.1	0.01	9.5	0.4	0.03	12	0.25
KSR148789	104	1.48	391	0.17	1	3.35	0.01	0.94	0.1	0.01	9.7	0.4	0.03	11	0.25
KSR148790	80	1.24	174	0.12	0.5	2.94	0.01	0.58	0.05	0.02	6.5	0.4	0.03	10	0.6
KSR148808	47	0.85	56	0.07	0.5	1.75	0.01	0.05	0.05	0.02	3	0.05	0.03	5	0.25
KSR148809	40	0.73	57	0.07	0.5	1.49	0.01	0.05	0.05	0.01	3.1	0.05	0.03	4	0.25
KSR148809	39	0.74	56	0.07	1	1.51	0.01	0.05	0.05	0.02	3	0.05	0.03	4	0.25
KSR148810	43	0.77	110	0.05	1	1.6	0.01	0.05	0.05	0.02	2.6	0.05	0.03	5	0.25
KSR148812	76	1.57	83	0.1	0.5	2.4	0.01	0.22	0.1	0.03	6.5	0.2	0.03	7	0.25
KSR148812	73	1.54	81	0.09	0.5	2.35	0.01	0.21	0.05	0.03	6.3	0.2	0.03	7	0.25
KSR148815	50	0.91	63	0.06	0.5	1.83	0.01	0.06	0.05	0.02	3.3	0.05	0.03	5	0.25
KSR148816	45	0.77	66	0.06	0.5	1.55	0.02	0.05	0.05	0.02	2.8	0.05	0.03	4	0.25
KSR148817	65	1.05	73	0.07	0.5	1.94	0.01	0.11	0.05	0.02	3.6	0.05	0.03	5	0.25
KSR148826	63	1.01	152	0.1	2	1.72	0.02	0.06	0.05	0.03	4.3	0.05	0.03	5	0.6
KSR148827	51	0.81	156	0.1	2	1.41	0.02	0.08	0.1	0.03	3.6	0.05	0.03	5	0.6
KSR148828	67	1.09	159	0.12	2	1.88	0.02	0.11	0.1	0.04	4.9	0.1	0.03	6	0.25
KSR148983	54	0.86	176	0.08	1	2.14	0.01	0.21	0.2	0.02	6.6	0.1	0.03	7	0.25
KSR148988	68	0.93	291	0.22	1	2.28	0.02	0.69	0.1	0.02	7.2	0.2	0.03	8	0.25
KSR148993	56	0.82	253	0.11	0.5	2.13	0.01	0.38	0.05	0.02	6.1	0.2	0.03	7	0.25
KSR148997	58	0.81	253	0.14	1	2.22	0.01	0.54	0.2	0.04	7.3	0.2	0.03	8	0.25
KSR148999	45	0.62	148	0.02	0.5	1.95	0.01	0.09	0.3	0.07	2.2	0.1	0.09	7	0.7
KSR149000	54	0.72	206	0.15	0.5	1.83	0.01	0.31	0.3	0.02	4.4	0.1	0.03	7	0.25
KSR149057	57	0.99	72	0.04	1	2.15	0.01	0.11	0.05	0.03	3	0.1	0.08	5	0.9
KSR149235	35	0.68	102	0.1	1	1.88	0.01	0.08	0.6	0.02	2.6	0.05	0.03	6	0.25
KSR149344	43	0.77	87	0.05	1	1.6	0.01	0.05	0.05	0.03	2.2	0.1	0.03	5	0.7

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR149347	644949	6786824	UTM NAD 83	07V	1DX-15	1.2	59.8	10.6	98	0.05
KSR149350	644798	6786569	UTM NAD 83	07V	1DX-15	1.3	48.1	7.6	69	0.05
KSR149358	645013	6785828	UTM NAD 83	07V	1DX-15	2	41.6	11.4	65	0.05
KSR149371	646177	6786159	UTM NAD 83	07V	1DX-15	2	50.4	11.9	82	0.1
KSR149419	343889	6800631	UTM NAD 83	08V	1DX-15	0.5	19.7	4.9	71	0.05
KSR149429	344724	6800081	UTM NAD 83	08V	1DX-15	0.3	8.7	5.6	80	0.05
KSR149430	344820	6800053	UTM NAD 83	08V	1DX-15	1	17.1	7.3	75	0.05
KSR149437	345403	6799923	UTM NAD 83	08V	1DX-15	0.4	16.7	5	76	0.05
KSR149438	345503	6799917	UTM NAD 83	08V	1DX-15	0.5	19.9	7.3	82	0.05
KSR149440	345698	6799878	UTM NAD 83	08V	1DX-15	0.5	17.2	7.1	74	0.05
KSR149442	345897	6799880	UTM NAD 83	08V	1DX-15	0.4	16.1	5.4	72	0.05
KSR149480	360288	6779999	UTM NAD 83	08V	1DX-15	1	68.6	6.6	70	0.1
KSR149484	360351	6780291	UTM NAD 83	08V	1DX-15	0.9	47.4	6.1	78	0.1
KSR149487	360448	6780591	UTM NAD 83	08V	1DX-15	0.7	51.2	5.2	84	0.2
KSR149487	360448	6780591	UTM NAD 83	08V	1DX-15	0.7	51.2	5	87	0.1
KSR149488	360492	6780683	UTM NAD 83	08V	1DX-15	1.5	37.1	7.3	72	0.2
KSR149490	360581	6780870	UTM NAD 83	08V	1DX-15	1.3	37.2	6.7	73	0.2
KSR149496	357830	6774336	UTM NAD 83	08V	1DX-15	1.1	104	7.1	122	0.1
KSR149497	622074	6816925	UTM NAD 83	07V	1DX-15	1	26.8	4.6	80	0.05
KSR149498	622106	6817028	UTM NAD 83	07V	1DX-15	0.9	23.8	4.3	82	0.05
KSR149500	622104	6817232	UTM NAD 83	07V	1DX-15	0.7	19.6	5	86	0.05
KSR96696	346605	6800686	UTM NAD 83	08V	1DX-15	0.5	15	8.5	73	0.05
KSR146685	652791	6776347	UTM NAD 83	07V	1DX-15	1.2	43.3	6.8	89	0.2
KSR146685	652791	6776347	UTM NAD 83	07V	1DX-15	1.2	43.8	6.9	90	0.2
KSR146730	355352	6797714	UTM NAD 83	08V	1DX-15	1.5	25.2	12.7	74	0.05
KSR146731	355446	6797678	UTM NAD 83	08V	1DX-15	0.8	19.1	12.1	82	0.05
KSR146736	355934	6797598	UTM NAD 83	08V	1DX-15	0.5	11	8.3	79	0.05
KSR146737	356021	6797548	UTM NAD 83	08V	1DX-15	0.8	16	7.2	78	0.05
KSR146738	356103	6797488	UTM NAD 83	08V	1DX-15	0.4	22.3	8.9	61	0.05
KSR146738	356103	6797488	UTM NAD 83	08V	1DX-15	0.5	22.5	9	61	0.05
KSR146750	654496	6785852	UTM NAD 83	07V	1DX-15	1.2	62	10	97	0.05
KSR146757	654940	6785479	UTM NAD 83	07V	1DX-15	1.1	45.3	8.2	69	0.05
KSR146808	358564	6770745	UTM NAD 83	08V	1DX-15	1.3	116	8.7	128	0.1
KSR146812	358311	6771058	UTM NAD 83	08V	1DX-15	1	162	8.8	133	0.2
KSR146813	358248	6771136	UTM NAD 83	08V	1DX-15	1.1	90.5	6	96	0.6
KSR147595	356178	6797421	UTM NAD 83	08V	1DX-15	1.2	33.6	8.4	74	0.05
KSR147596	356262	6797368	UTM NAD 83	08V	1DX-15	0.4	26.4	4.7	71	0.05
KSR148005	617875	6817566	UTM NAD 83	08V	1DX-15	0.4	20.6	3.7	38	0.1
KSR148106	639326	6800668	UTM NAD 83	08V	1DX-15	0.8	43.8	6	81	0.05
KSR148107	639308	6800768	UTM NAD 83	08V	1DX-15	0.9	52.2	6.7	90	0.05
KSR148108	639292	6800869	UTM NAD 83	08V	1DX-15	1.1	52.3	6.9	91	0.1
KSR148109	639246	6800963	UTM NAD 83	08V	1DX-15	0.6	58.8	5.6	98	0.05
KSR148110	639205	6801055	UTM NAD 83	08V	1DX-15	1.7	66.9	8.6	97	0.05
KSR148111	639141	6801132	UTM NAD 83	08V	1DX-15	1.9	63.8	8.2	102	0.05
KSR148112	639053	6801181	UTM NAD 83	08V	1DX-15	2.1	79.3	8.1	99	0.2
KSR148113	638967	6801232	UTM NAD 83	08V	1DX-15	2	78.4	8.3	97	0.2
KSR148114	638881	6801283	UTM NAD 83	08V	1DX-15	1	53.7	5.1	84	0.05
KSR148115	638795	6801336	UTM NAD 83	08V	1DX-15	1.3	34.6	5.7	60	0.05
KSR148116	638720	6801405	UTM NAD 83	08V	1DX-15	1.8	48.4	8.5	92	0.2
KSR148118	638604	6801572	UTM NAD 83	08V	1DX-15	1.2	36.3	7.9	91	0.05
KSR148138	640261	6797232	UTM NAD 83	07V	1DX-15	1.3	60.3	8.2	60	0.05
KSR148140	640294	6797430	UTM NAD 83	07V	1DX-15	1.2	66.3	7.7	85	0.05
KSR148249	352951	6798576	UTM NAD 83	07V	1DX-15	1.4	22	17.2	80	0.05
KSR148251	352777	6798691	UTM NAD 83	07V	1DX-15	1.1	18.5	9.8	70	0.05
KSR148255	352436	6798918	UTM NAD 83	07V	1DX-15	0.5	36	35.5	85	0.05

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR149347	66.2	22.1	1258	3.71	19.5	0.6	4.6	2.9	19	0.2	0.5	0.2	57	0.21	0.06	10
KSR149350	43.9	18.3	485	3.03	15.3	0.5	4.5	1.1	22	0.05	0.6	0.1	51	0.23	0.05	7
KSR149358	41.6	16.1	501	3.13	14.6	0.9	1.4	0.8	23	0.2	0.7	0.2	56	0.22	0.06	8
KSR149371	46.1	16.8	541	3.53	20.5	0.9	2	1.2	23	0.2	0.7	0.2	58	0.25	0.07	12
KSR149419	23.1	11.7	453	2.88	6.3	0.6	1.1	3.5	25	0.1	0.3	0.05	62	0.3	0.07	11
KSR149429	11.2	8.5	433	3.06	3.9	1.3	10.3	6.4	27	0.05	0.2	0.05	51	0.52	0.17	17
KSR149430	19.2	9	388	2.86	7.8	0.7	1.4	3.1	20	0.1	0.5	0.1	53	0.23	0.04	11
KSR149437	31.2	9.7	435	2.7	7.8	1.2	11.3	7	30	0.05	0.2	0.3	57	0.47	0.14	19
KSR149438	14.9	9.3	412	2.87	13.1	2.8	9.1	9.8	27	0.2	0.4	0.4	55	0.43	0.11	21
KSR149440	15.6	10.5	530	3.13	7.4	0.9	3.2	5.4	38	0.2	0.3	0.2	64	0.42	0.1	15
KSR149442	16.2	9.2	444	2.78	4.7	0.9	4.9	5.5	28	0.2	0.3	0.1	54	0.41	0.11	14
KSR149480	56.9	18.7	522	4.26	204	0.5	8	1.1	22	0.2	0.4	0.3	140	0.26	0.1	5
KSR149484	49.2	15.8	424	3.92	110	0.4	6.3	1	18	0.1	0.3	0.2	121	0.2	0.06	4
KSR149487	46.3	17.5	438	3.72	47.7	0.4	2.3	1.3	14	0.2	0.2	0.2	109	0.12	0.06	4
KSR149487	46.1	17.9	445	3.79	48.3	0.5	2.2	1.3	14	0.2	0.2	0.2	111	0.12	0.06	4
KSR149488	34.5	11.9	337	3.57	36	0.5	2.1	0.9	23	0.3	0.5	0.2	101	0.21	0.06	5
KSR149490	44.5	13	347	4	84.8	0.4	12.2	1.1	17	0.1	0.3	0.2	121	0.13	0.03	4
KSR149496	75.6	24.4	532	4.12	15.7	1.5	1.7	4.4	28	0.2	0.5	0.2	80	0.29	0.11	21
KSR149497	27.1	13.7	477	3.4	6.3	0.8	0.9	2.9	29	0.2	0.4	0.05	74	0.43	0.11	12
KSR149498	24.4	12.8	498	3.42	5.8	1.1	2.9	3.7	29	0.2	0.4	0.1	74	0.42	0.11	13
KSR149500	18.6	10.6	438	3.42	4.4	1.3	2.9	4.3	31	0.05	0.3	0.1	71	0.41	0.11	17
KSR96696	13.7	7.8	557	2.49	6.5	2.2	2.6	7.4	26	0.1	0.2	0.2	43	0.4	0.1	18
KSR146685	43.3	16.7	541	3.99	10	0.8	3.3	2.2	33	0.2	0.5	0.2	93	0.59	0.08	11
KSR146685	43.9	16.8	551	3.97	10.1	0.8	2.8	2.2	33	0.3	0.5	0.2	92	0.56	0.07	11
KSR146730	18.3	9.9	656	3.04	7.9	1.5	0.25	4.1	22	0.1	0.6	0.5	48	0.22	0.07	16
KSR146731	15.1	7.5	511	2.77	5.2	1.6	2	18.4	17	0.2	0.3	0.9	38	0.23	0.05	27
KSR146736	10.1	6.1	363	2.58	5.6	2.1	10.9	14.3	18	0.1	0.2	0.5	36	0.3	0.08	20
KSR146737	13.6	6.9	414	2.72	13.3	3.2	3.1	13.6	19	0.1	0.4	0.3	41	0.22	0.05	19
KSR146738	11.8	6	345	2.1	5.5	2.9	19.5	11.4	24	0.2	0.3	0.7	35	0.39	0.1	21
KSR146738	11.4	5.7	345	2.07	5.4	3	6.2	11.1	23	0.2	0.3	0.7	35	0.39	0.1	20
KSR146750	64.6	20.1	508	3.96	16.9	0.8	2.8	2.6	37	0.1	0.5	0.2	65	0.38	0.08	9
KSR146757	44.1	18.9	617	3	15.4	0.7	5.9	1.9	43	0.2	0.5	0.1	53	0.32	0.07	9
KSR146808	98.6	32.6	629	4.77	9.9	1	33.1	3.8	36	0.3	0.3	0.2	109	0.4	0.07	16
KSR146812	114	32	663	5.27	55.5	1	4.7	4.5	38	0.2	0.5	0.2	120	0.39	0.07	12
KSR146813	51.4	20.3	692	4.06	26.4	1.5	3.6	2.8	46	0.3	0.4	0.2	85	0.78	0.11	25
KSR147595	19.4	8.4	362	2.91	14.6	1	2.8	3.8	19	0.4	0.5	0.9	55	0.19	0.04	11
KSR147596	20.7	10.2	364	2.72	29.7	1.6	6.3	5.1	26	0.2	0.3	0.3	60	0.38	0.11	12
KSR148005	10.7	5.9	183	1.93	1.9	1.1	4.2	1.3	16	0.2	0.3	0.05	55	0.2	0.08	14
KSR148106	58.2	17.9	504	3.55	12.3	0.6	5.6	1.4	26	0.2	0.5	0.1	97	0.36	0.05	6
KSR148107	51.9	19.1	572	4.06	10	0.7	2	1.4	34	0.2	0.5	0.1	112	0.43	0.07	7
KSR148108	53.8	19.9	262	4.44	8.8	0.8	2.2	1.9	23	0.2	0.5	0.2	118	0.35	0.12	7
KSR148109	62.2	20	437	3.97	6.8	0.7	4.1	1.6	33	0.1	0.3	0.05	139	0.47	0.1	7
KSR148110	64.9	22.4	595	4.15	11.9	0.7	2	1.5	25	0.2	0.7	0.1	112	0.27	0.05	7
KSR148111	64.3	23.6	558	4.11	11.4	0.8	2.4	1.5	27	0.2	0.9	0.1	126	0.3	0.06	7
KSR148112	72.7	25.2	553	4.23	8.9	0.9	2.8	1.2	35	0.1	0.7	0.1	143	0.42	0.1	7
KSR148113	72	24.3	614	4.18	13.3	0.9	3.5	1	34	0.2	0.8	0.1	124	0.4	0.08	8
KSR148114	61.8	19.4	411	3.58	9.9	0.5	2.8	1.2	29	0.2	0.5	0.05	117	0.39	0.06	5
KSR148115	30.1	16.1	471	2.77	9.8	0.5	1.9	0.8	23	0.1	0.6	0.1	82	0.29	0.06	6
KSR148116	47.2	18.3	617	4.12	17.3	0.7	2.8	1.3	36	0.2	0.8	0.2	107	0.41	0.08	6
KSR148118	41.8	18.3	598	3.89	14.9	0.4	10.8	1.8	29	0.05	1.1	0.1	101	0.37	0.07	6
KSR148138	62.8	21.6	468	3.85	14.1	0.5	3.5	1.3	15	0.05	0.5	0.2	100	0.14	0.04	5
KSR148140	113	31.6	788	5.09	16.4	0.5	6	1.3	16	0.05	0.5	0.2	140	0.22	0.09	4
KSR148249	18.6	8.7	424	2.87	7.9	3.4	2.8	10	18	0.6	0.4	0.3	54	0.19	0.03	16
KSR148251	21.4	8.3	467	2.81	9.5	2.1	1.4	8.4	21	0.2	0.5	0.3	46	0.26	0.06	20
KSR148255	5.5	11	763	2.35	150	8.2	10.9	22.8	12	0.3	1	1.9	17	0.22	0.05	54

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR149347	54	0.9	100	0.05	1	2.1	0.01	0.05	0.05	0.02	2.8	0.05	0.03	5	0.25
KSR149350	37	0.83	91	0.05	1	1.74	0.01	0.05	0.05	0.03	2	0.05	0.03	4	0.25
KSR149358	43	0.7	86	0.04	0.5	1.62	0.01	0.04	0.05	0.03	2.1	0.05	0.03	5	0.25
KSR149371	44	0.83	102	0.03	1	1.92	0.01	0.03	0.05	0.02	2.2	0.05	0.03	6	0.6
KSR149419	56	0.89	154	0.22	0.5	1.89	0.02	0.3	0.05	0.01	2.9	0.2	0.03	7	0.25
KSR149429	27	0.77	191	0.25	0.5	1.84	0.02	0.49	0.05	0.01	4.2	0.4	0.03	8	0.6
KSR149430	30	0.65	113	0.15	1	1.54	0.01	0.23	0.1	0.03	2.9	0.3	0.03	7	0.25
KSR149437	49	0.96	173	0.21	1	1.74	0.02	0.42	0.1	0.01	3.7	0.5	0.03	8	0.25
KSR149438	27	0.71	135	0.2	0.5	1.76	0.02	0.38	0.05	0.01	4.3	0.3	0.03	7	0.6
KSR149440	33	0.86	222	0.23	0.5	1.8	0.02	0.48	0.1	0.02	3.6	0.4	0.03	7	0.25
KSR149442	29	0.77	215	0.21	1	1.52	0.03	0.38	0.2	0.01	4.2	0.4	0.03	7	0.25
KSR149480	92	1.12	371	0.21	1	2.97	0.01	0.9	0.1	0.01	9.5	0.3	0.03	10	0.25
KSR149484	75	1.04	244	0.19	1	2.55	0.01	0.75	0.1	0.01	7.5	0.3	0.03	9	0.7
KSR149487	70	1.07	266	0.21	1	2.74	0.02	0.92	0.2	0.01	7.7	0.3	0.03	8	0.25
KSR149487	70	1.06	265	0.21	0.5	2.77	0.01	0.91	0.2	0.01	7.7	0.3	0.03	9	0.5
KSR149488	61	0.82	189	0.15	1	2	0.01	0.38	0.2	0.05	5.1	0.2	0.07	8	0.25
KSR149490	74	1.11	202	0.2	0.5	2.43	0.01	0.58	0.3	0.02	7.1	0.2	0.03	10	0.25
KSR149496	53	1.01	79	0.08	0.5	2.09	0.01	0.18	0.1	0.01	4.3	0.2	0.06	7	0.25
KSR149497	44	0.92	206	0.26	0.5	1.74	0.02	0.33	0.05	0.01	3	0.2	0.03	6	0.25
KSR149498	38	0.89	216	0.26	1	1.61	0.02	0.4	0.2	0.01	3.8	0.2	0.03	7	0.25
KSR149500	38	0.92	235	0.29	1	1.87	0.02	0.52	0.2	0.02	3.9	0.3	0.03	8	0.25
KSR96696	25	0.58	114	0.13	2	1.5	0.02	0.2	0.4	0.01	3.6	0.2	0.03	7	0.25
KSR146685	79	1.23	276	0.13	14	2.31	0.02	0.32	0.05	0.03	5.5	0.2	0.03	8	0.25
KSR146685	78	1.11	274	0.13	1	2.05	0.02	0.31	0.1	0.04	5.3	0.2	0.03	8	0.6
KSR146730	28	0.5	152	0.07	1	1.42	0.01	0.11	0.2	0.03	2.5	0.2	0.03	7	0.25
KSR146731	23	0.48	145	0.19	0.5	1.42	0.02	0.26	0.3	0.02	3.2	0.4	0.03	7	0.25
KSR146736	20	0.51	151	0.18	0.5	1.29	0.02	0.35	0.4	0.01	3.3	0.4	0.03	7	0.25
KSR146737	22	0.47	161	0.16	1	1.5	0.01	0.33	0.3	0.01	3.3	0.4	0.03	7	0.25
KSR146738	20	0.42	108	0.12	0.5	1.15	0.02	0.2	0.9	0.01	2.8	0.2	0.03	5	0.25
KSR146738	20	0.42	106	0.12	0.5	1.13	0.02	0.2	0.9	0.01	2.7	0.2	0.03	5	0.25
KSR146750	52	0.98	98	0.08	2	2.16	0.01	0.1	0.05	0.02	2.9	0.2	0.03	6	0.25
KSR146757	36	0.77	76	0.06	1	1.74	0.01	0.05	0.05	0.03	2.3	0.05	0.03	5	0.25
KSR146808	78	1.17	125	0.14	1	2.8	0.02	0.22	0.05	0.02	5.2	0.4	0.03	8	0.7
KSR146812	92	1.69	202	0.17	0.5	3.33	0.01	0.68	0.05	0.03	6.4	0.5	0.03	10	0.25
KSR146813	67	1.14	188	0.1	2	2.34	0.01	0.32	0.05	0.05	5	0.3	0.05	7	0.9
KSR147595	30	0.57	112	0.11	1	1.56	0.01	0.15	0.4	0.03	2.6	0.2	0.03	7	0.25
KSR147596	44	0.79	201	0.18	0.5	1.66	0.02	0.44	0.4	0.01	4.1	0.2	0.03	6	0.25
KSR148005	22	0.38	83	0.1	0.5	0.9	0.01	0.08	0.05	0.03	2	0.05	0.03	4	0.25
KSR148106	67	0.99	209	0.18	1	2.41	0.02	0.33	0.1	0.02	6.3	0.2	0.03	8	0.25
KSR148107	83	1.14	277	0.21	1	3.01	0.03	0.5	0.1	0.03	8.2	0.2	0.03	9	0.25
KSR148108	95	1.14	296	0.23	0.5	3.28	0.02	0.58	0.1	0.03	9	0.3	0.03	10	0.25
KSR148109	107	1.11	308	0.18	1	2.81	0.02	0.55	0.1	0.04	9	0.2	0.03	9	0.25
KSR148110	82	0.96	204	0.19	1	2.53	0.02	0.34	0.05	0.03	6.4	0.2	0.03	8	0.7
KSR148111	104	1.02	231	0.24	1	2.56	0.03	0.37	0.05	0.04	6.7	0.2	0.03	8	0.25
KSR148112	117	1.11	312	0.25	1	2.69	0.03	0.44	0.05	0.06	7.5	0.2	0.09	9	0.6
KSR148113	98	0.96	281	0.18	0.5	2.97	0.03	0.33	0.05	0.05	5.8	0.2	0.08	8	0.8
KSR148114	91	0.96	238	0.22	0.5	2.52	0.03	0.35	0.1	0.02	6.4	0.1	0.03	8	0.6
KSR148115	49	0.56	127	0.12	0.5	1.39	0.02	0.14	0.05	0.04	3.1	0.05	0.03	5	0.25
KSR148116	67	0.92	243	0.18	1	2.67	0.02	0.45	0.2	0.04	6.7	0.2	0.03	9	0.5
KSR148118	78	1.21	167	0.15	0.5	2.38	0.02	0.31	0.1	0.01	6.6	0.1	0.03	8	0.25
KSR148138	62	0.95	172	0.14	0.5	2.4	0.01	0.43	0.05	0.01	6.2	0.3	0.03	7	0.25
KSR148140	123	1.42	328	0.22	0.5	3.3	0.02	1.08	0.3	0.02	11.5	0.4	0.03	10	0.25
KSR148249	30	0.53	64	0.1	2	1.6	0.01	0.14	0.3	0.03	2.6	0.2	0.03	7	0.25
KSR148251	35	0.57	89	0.11	0.5	1.43	0.01	0.14	0.4	0.02	2.4	0.2	0.03	7	0.25
KSR148255	9	0.24	71	0.02	0.5	1.35	0.01	0.18	4.9	0.01	1.1	0.5	0.03	6	0.25

SampleID	UTM Easting	UTM Northing	Datum	UTM Zone	Method	Mo	Cu	Pb	Zn	Ag
KSR148261	351930	6799249	UTM NAD 83	07V	1DX-15	0.9	57.4	9	74	0.1
KSR148272	351822	6800221	UTM NAD 83	07V	1DX-15	0.8	15.9	10.6	109	0.05
KSR148284	356345	6797312	UTM NAD 83	08V	1DX-15	1	32.1	6.8	75	0.05
KSR148287	356511	6797186	UTM NAD 83	08V	1DX-15	1.5	17.4	8.4	40	0.05
KSR148289	356698	6797162	UTM NAD 83	08V	1DX-15	0.4	22.1	4.6	53	0.2
KSR148417	618717	6815399	UTM NAD 83	07V	1DX-15	0.7	24.4	7.5	98	0.05
KSR148418	618629	6815337	UTM NAD 83	07V	1DX-15	0.6	28	9.9	100	0.05
KSR148419	618542	6815277	UTM NAD 83	07V	1DX-15	0.8	28.5	6.4	75	0.05
KSR148420	618458	6815215	UTM NAD 83	07V	1DX-15	1.4	53.7	5.4	37	0.2
KSR148421	618370	6815153	UTM NAD 83	07V	1DX-15	0.8	24.7	4.5	61	0.05
KSR148422	618284	6815084	UTM NAD 83	07V	1DX-15	0.7	20.1	6	97	0.05
KSR148423	618199	6815021	UTM NAD 83	07V	1DX-15	1.1	28.5	7.5	57	0.1
KSR148424	618115	6814954	UTM NAD 83	07V	1DX-15	3.6	30.3	11	57	0.05
KSR148425	618036	6814883	UTM NAD 83	07V	1DX-15	2.7	23.9	10.7	68	0.05
KSR148425	618036	6814883	UTM NAD 83	07V	1DX-15	3.1	24.8	11.2	69	0.05
KSR148426	617952	6814820	UTM NAD 83	07V	1DX-15	0.6	40.1	6	90	0.1
KSR148427	617863	6814764	UTM NAD 83	07V	1DX-15	1.4	17.5	7.1	68	0.05
KSR148427	617863	6814764	UTM NAD 83	07V	1DX-15	1.3	17.3	7.4	69	0.05
KSR148429	617710	6814620	UTM NAD 83	07V	1DX-15	1	29.2	5.4	83	0.05
KSR148445	617744	6812958	UTM NAD 83	07V	1DX-15	0.7	25.6	4.6	43	0.1
KSR148794	630907	6804850	UTM NAD 83	07V	1DX-15	1.2	53.8	6.9	82	0.05
KSR148811	644958	6788824	UTM NAD 83	07V	1DX-15	1.6	64.8	8.8	92	0.2
KSR148813	644950	6789042	UTM NAD 83	07V	1DX-15	1.2	85.6	6.3	106	0.1
KSR148814	644954	6789153	UTM NAD 83	07V	1DX-15	1.5	61.7	8	89	0.1
KSR148818	644953	6789592	UTM NAD 83	07V	1DX-15	1.8	57.9	9.8	87	0.2
KSR148819	644960	6789700	UTM NAD 83	07V	1DX-15	1.2	86.5	7.3	98	0.1

SampleID	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
KSR148261	16.4	7.7	429	2.63	6.8	2.5	7.1	6.4	19	0.5	0.4	3.3	43	0.23	0.06	17
KSR148272	11.7	6.7	534	2.81	10.9	2.4	2.2	10.8	14	0.5	0.3	0.7	29	0.15	0.02	12
KSR148284	31.1	13	388	3.38	51.6	0.7	7.2	3.4	24	0.2	0.4	0.2	84	0.3	0.07	8
KSR148287	13.1	5.6	155	2.35	12.4	0.5	4.1	1	21	0.1	0.5	0.2	70	0.2	0.05	6
KSR148289	24.8	11.2	294	2.65	53.8	0.7	6.6	2.1	16	0.1	0.2	0.1	67	0.16	0.05	8
KSR148417	19.2	14.1	663	4.24	4.9	0.8	1.7	5.4	46	0.1	0.2	0.05	77	0.48	0.1	19
KSR148418	22.3	11.6	642	3.81	9.4	0.9	2.8	5.9	39	0.2	0.3	0.05	59	0.48	0.09	19
KSR148419	29	12.7	458	3.12	7.4	0.9	1.9	4.9	26	0.3	0.4	0.1	65	0.34	0.06	14
KSR148420	18.8	8	390	1.79	4.6	1.6	4.2	0.6	47	0.2	0.5	0.05	37	0.59	0.17	27
KSR148421	21	10.6	432	2.77	5	0.7	3.1	2.9	36	0.05	0.3	0.05	61	0.42	0.08	12
KSR148422	19.1	14	596	3.52	6.2	0.6	0.6	6.1	30	0.1	0.2	0.05	72	0.46	0.08	16
KSR148423	28	12.2	356	3.01	9.8	1.1	4.3	2.6	28	0.05	0.6	0.1	62	0.34	0.08	13
KSR148424	22.2	9.5	358	3.25	12.9	0.7	2.2	1.5	32	0.05	1	0.2	89	0.3	0.05	9
KSR148425	22.7	11.4	402	3.23	11.3	0.6	1.6	1.7	25	0.2	0.8	0.2	84	0.32	0.06	8
KSR148425	22.4	11.9	402	3.25	11.2	0.6	3	1.7	25	0.2	0.8	0.2	82	0.32	0.06	8
KSR148426	31.8	16.4	690	4.1	4	1.3	6.3	4.7	68	0.1	0.2	0.2	77	0.66	0.1	14
KSR148427	20.1	10	440	3.09	7.4	0.6	1.7	4.1	18	0.1	0.5	0.1	51	0.24	0.05	11
KSR148427	19	10.2	437	3.07	7.3	0.6	1.4	4.3	18	0.05	0.5	0.1	51	0.25	0.05	11
KSR148429	22.9	14.5	376	3.36	5.9	0.5	2.5	1.5	36	0.2	0.4	0.05	88	0.46	0.08	8
KSR148445	31.8	11	665	2.37	8.8	0.5	0.7	1	27	0.2	0.3	0.05	53	0.55	0.08	7
KSR148794	47.5	17.7	479	3.36	6.6	0.6	1.6	1.1	23	0.2	0.5	0.1	102	0.31	0.08	6
KSR148811	53.8	18.7	703	3.99	17.5	0.9	2.7	2	26	0.1	0.5	0.2	67	0.26	0.09	13
KSR148813	77.2	25.5	682	4.12	15.7	0.9	4.2	3	35	0.2	0.5	0.1	66	0.48	0.15	13
KSR148814	51.2	18.7	608	3.8	15.8	0.8	6	1.4	22	0.1	0.7	0.2	68	0.24	0.11	9
KSR148818	42.9	17.7	621	3.79	16	0.8	4	1.5	28	0.1	0.6	0.1	75	0.39	0.1	10
KSR148819	84.2	26	770	4.38	23.2	0.7	6.2	2.2	23	0.1	0.4	0.1	98	0.38	0.08	8

SampleID	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
KSR148261	23	0.45	88	0.1	0.5	1.31	0.01	0.17	0.8	0.02	2.3	0.3	0.03	6	0.25
KSR148272	15	0.44	125	0.15	1	1.47	0.01	0.37	0.5	0.01	3.9	0.5	0.03	7	0.25
KSR148284	54	0.88	211	0.18	0.5	2.15	0.02	0.42	0.3	0.02	4.8	0.2	0.03	9	0.25
KSR148287	28	0.37	74	0.1	0.5	1.16	0.01	0.06	0.2	0.03	1.9	0.05	0.03	7	0.25
KSR148289	43	0.74	156	0.15	0.5	2.25	0.02	0.37	0.5	0.02	3.8	0.2	0.03	7	0.25
KSR148417	37	1.17	412	0.23	0.5	2.86	0.01	0.44	0.05	0.01	5.5	0.5	0.03	10	0.25
KSR148418	37	0.92	269	0.14	0.5	2.07	0.01	0.23	0.2	0.01	4.4	0.3	0.03	7	0.25
KSR148419	44	0.84	135	0.15	1	1.7	0.01	0.15	0.05	0.02	3.1	0.2	0.03	6	0.5
KSR148420	26	0.37	228	0.04	1	0.97	0.02	0.04	0.05	0.09	1.6	0.1	0.17	4	0.6
KSR148421	42	0.8	175	0.17	0.5	1.52	0.02	0.23	0.1	0.03	2.8	0.2	0.03	5	0.25
KSR148422	41	0.99	268	0.26	0.5	1.7	0.02	0.29	0.05	0.01	2.5	0.3	0.03	8	0.25
KSR148423	46	0.8	110	0.09	1	1.85	0.01	0.05	0.1	0.02	3.3	0.1	0.03	5	0.7
KSR148424	37	0.57	161	0.12	0.5	1.36	0.01	0.1	0.1	0.03	2.6	0.1	0.03	8	0.25
KSR148425	34	0.66	121	0.15	1	1.25	0.01	0.11	0.05	0.02	2.2	0.1	0.03	8	0.25
KSR148425	34	0.66	119	0.15	0.5	1.28	0.01	0.12	0.1	0.02	2.2	0.05	0.03	8	0.25
KSR148426	58	1.22	260	0.24	0.5	2.58	0.02	0.56	0.1	0.04	6.8	0.5	0.03	10	0.25
KSR148427	33	0.63	106	0.12	1	1.37	0.01	0.14	0.1	0.01	2.1	0.2	0.03	6	0.25
KSR148427	32	0.63	104	0.13	1	1.39	0.02	0.14	0.1	0.02	2	0.2	0.03	6	0.25
KSR148429	34	1.07	292	0.21	1	1.9	0.02	0.26	0.1	0.02	3	0.2	0.03	7	0.25
KSR148445	30	0.54	106	0.06	2	0.93	0.02	0.04	0.05	0.02	2.1	0.05	0.03	4	0.25
KSR148794	83	1.04	179	0.16	1	2.63	0.03	0.36	0.05	0.02	5.3	0.2	0.03	8	0.25
KSR148811	55	1.14	99	0.05	1	2.4	0.01	0.1	0.05	0.03	3.1	0.1	0.03	6	0.7
KSR148813	56	1.1	56	0.07	1	2.03	0.01	0.11	0.05	0.02	3.2	0.1	0.03	6	0.25
KSR148814	57	1.03	87	0.06	1	2.04	0.01	0.11	0.05	0.04	3.1	0.1	0.03	6	0.6
KSR148818	50	1.12	105	0.06	1	2.24	0.01	0.12	0.05	0.03	3.1	0.1	0.03	6	0.25
KSR148819	118	1.66	111	0.1	1	2.72	0.01	0.22	0.05	0.02	5.1	0.2	0.03	8	0.5