

**GEOLOGICAL SURVEY OF CANADA OPEN FILE 2175  
(106D; PARTS OF 106C, 106E AND 106F)  
CANADA - YUKON ECONOMIC DEVELOPMENT PROGRAM (1989-1990)**

**REGIONAL STREAM SEDIMENT AND WATER GEOCHEMICAL DATA  
EAST CENTRAL YUKON**

This document was produced  
by scanning the original publication.

Ce document est le produit d'une  
numérisation par balayage  
de la publication originale.



INDEX MAP


**Recommended citation:**

**Hornbrook, E.H.W., Friske, P.W.B., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C.,  
Durham, C.C.**

**1990: National Geochemical Reconnaissance Stream Sediment and Water  
Geochemical Data, East Central Yukon (106D; parts of 106C, 106E and 106F),  
Geological Survey of Canada  
Open File 2175**

**August, 1990**

**NATIONAL GEOCHEMICAL RECONNAISSANCE  
STREAM SEDIMENT AND WATER GEOCHEMICAL DATA  
YUKON 1990  
GEOLOGICAL SURVEY OF CANADA OPEN FILE 2175, NGR 137-1989  
NTS 106D; PARTS OF 106C, 106E AND 106F**



Open File 2175 represents a contribution to the Canada - Yukon Economic Development Program (1989-1990). This project was managed by the Geological Survey of Canada.



# TABLE OF CONTENTS

	<b>pages</b>
INTRODUCTION .....	I-1
CREDITS .....	I-1
DESCRIPTION OF SURVEY AND SAMPLE MANAGEMENT .....	I-1
ANALYTICAL PROCEDURES .....	I-1
PRESENTATION AND INTERPRETATION OF GOLD DATA .....	I-2
SUMMARY OF ANALYTICAL DATA AND METHODS .....	I-4
REFERENCES .....	I-5
FIELD DATA LEGEND .....	1-6
DATA LISTINGS .....	II-1 to II-171
SUMMARY STATISTICS .....	III-1 to III-3
ELEMENT SYMBOL-TREND PLOTS .....	in pocket
SAMPLE LOCATION OVERLAY .....	in pocket
GEOLOGY OVERLAY .....	in pocket
SAMPLE LOCATION MAP (1:250 000 SCALE) .....	in pocket
GOLD VALUE MAP (1:250 000 SCALE) .....	in pocket



**REGIONAL STREAM SEDIMENT AND WATER GEOCHEMICAL DATA, YUKON 1990**  
**GSC OPEN FILE 2175, NGR 137-1990**  
**NTS 106D; PARTS OF 106C, 106E AND 106F**

## **INTRODUCTION**

Open File 2175 contains new data for gold and 25 other elements obtained by re-analyzing stream sediments collected in 1976 and 1977 from areas of central and eastern Yukon Territory. Original analytical data selected from Open File 518 (published in 1978) for 13 elements in sediments, and uranium, pH and fluoride values in concomitant waters, are also included in this open file.

The original reconnaissance surveys were carried out by the Geological Survey of Canada under the Federal Uranium Reconnaissance Program. Funds for the determination of mercury in sediments at this time were provided by Fisheries and Environment Canada. Analyses of archived samples for Open File 2175 were undertaken under the Canada - Yukon Economic Development Program (1989-1990).

Analytical results and field observations are used to build a national geochemical data base for resource assessment, mineral exploration, geological mapping and environmental studies. Sample collection and preparation procedures and analytical methods are strictly specified and carefully monitored to ensure consistent and reliable results regardless of the area, the year or the analytical laboratory.

## **CREDITS**

E.H.W. Hornbrook directed the surveys.

P.W.B. Friske coordinated the operational activities of contract and Geological Survey of Canada staff.

Contracts were let to the following companies for sample preparation and reanalysis and were managed by the following staff of the Regional Geochemical Studies section:

Preparation: Bondar-Clegg & Company  
Ottawa, Ontario  
J.J. Lynch

Analysis: Bondar-Clegg and Company  
Ottawa, Ontario  
J.J. Lynch

M. McCurdy edited open files and coordinated production.

A.C. Galletta managed the digital geochemical data and provided computer processing support.

The personal computer data base and software programs used for data entry, verification, processing and presentation in the publication of reports were designed and programmed by Harry Gross, Geochemical Data Manager for the Exploration Geochemistry Subdivision.

Sample location and gold value maps were plotted by Canada Lands Data Systems staff at Environment Canada, Hull, Quebec. Symbol-trend maps were prepared by GSC staff.

Pat Doyle, C.C. Durham and Rob Phillips provided technical assistance.

## **DESCRIPTION OF SURVEY AND SAMPLE MANAGEMENT**

Helicopter-supported sample collection was carried out during the summers of 1976 and 1977. Stream sediment and water samples were collected at an average density of one sample per 13 square kilometres throughout the 23,800 square kilometres of the eastern and central Yukon survey.

Sample site duplicate samples were routinely collected in each analytical block of twenty samples.

Field observations were recorded on standard forms used by the Geological Survey of Canada (Garrett, 1974).

The sample site positions were marked on appropriate 1:250 000 scale NTS maps in the field. These maps were digitized at the Geological Survey in Ottawa to obtain the sample site UTM coordinates.

In Ottawa, field dried samples were air-dried and sieved through a minus 80 mesh (177 micron) screen, and ball-milled before analyses. At this time, control reference and blind duplicate samples were inserted into each block of twenty sediment samples. For the water samples, only control reference samples were inserted into the block. There were no blind duplicate water samples.

The sample site coordinates were checked as follows: a sample location map was produced on a Calcomp 1051 drum plotter using the digitized coordinates; the original sample location map produced in the field was then overlain on the Calcomp map; the two sets of points were checked for coincidence. The dominant rock types in the stream catchment basins were identified on appropriate geological maps used as the bedrock geological base on NGR maps.

Thorough inspections of the field and analytical data were made to check for any missing information and/or gross errors.

Quality control and monitoring of the geochemical data was undertaken by a standard method used by the Exploration Geochemistry Subdivision at the Geological Survey of Canada.

## **ANALYTICAL PROCEDURES**

### **Instrumental Neutron Activation Analysis (INAA)**

The weighed sample (generally 10 to 40 g) is irradiated epithermally for 20 minutes in a neutron flux with an approximate density of  $1 \times 10^{11}$  neutrons/cm<sup>2</sup>/second. Counting begins seven days after irradiation. The counting time is somewhat variable (6 to 11 minutes) and is matrix dependent. Counting is done on a germanium-lithium co-axial counter. The counting data is accumulated on a VAX computer and is subsequently converted to concentrations. Numerous international

reference samples are irradiated with each batch of routine samples. Elements determined by INA analyses include: Na, Sc, Cr, Fe, Co, Ni, Zn, As, Se, Br, Rb, Zr, Mo, Ag, Cd, Sn, Sb, Te, Cs, Ba, La, Ce, Sm, Eu, Tb, Yb, Lu, Hf, Ta, W, Ir, Au, Th, and U. The sample weight is also reported. Data for Zn, Se, Zr, Ag, Cd, Sn, Te, and Ir are not published because of inadequate detection limits and/or precision.

#### Atomic Absorption Spectroscopy (AAS) and Other Analyses

For the determination of Zn, Cu, Pb, Ni, Co, Ag, Mn and Fe, a 1 gram sample was reacted with 3 mL concentrated  $\text{HNO}_3$  in a test tube at  $90^\circ\text{C}$  and held at this temperature for 30 minutes. At this point, one mL of concentrated HCl was added and the digestion continued for another 90 minutes. The sample solution was then diluted to 20 mL with metal-free water and mixed. Zn, Cu, Pb, Ni, Co, Ag, Mn and Fe were determined by atomic absorption spectroscopy using an air-acetylene flame. Background corrections were made for Pb, Ni, Co and Ag.

Molybdenum was determined by atomic absorption spectroscopy using a nitrous oxide acetylene flame. A 0.5 gram sample was reacted with 1.5 mL concentrated  $\text{HNO}_3$  at  $90^\circ\text{C}$  for 30 minutes. At this point, 0.5 mL concentrated HCl was added and the digestion continued at  $90^\circ\text{C}$  for an additional 90 minutes. After cooling, 8 mL of 1250 ppm Al solution were added and the sample solution diluted to 10 mL before aspiration.

Mercury was determined by the Hatch and Ott procedure with some modifications. The method is described by Jonasson *et al.* (1973). A 0.5 gram sample was reacted with 20 mL concentrated  $\text{HNO}_3$  and 1 mL concentrated HCl in a test tube for 10 minutes at room temperature prior to two hours of digestion with mixing at  $90^\circ\text{C}$  in a hot water bath. After digestion, the sample solutions were cooled and diluted to 100 mL with metal-free water. The Hg present was reduced to the elemental state by the addition of 10 mL 10% w/v  $\text{SnSO}_4$  in  $\text{M H}_2\text{SO}_4$ . The Hg vapour was then flushed by a stream of air into an absorption cell mounted in the light path of an atomic absorption spectrophotometer. Absorption measurements were made at 253.7 nm.

Barium was determined by atomic absorption spectroscopy using a nitrous oxide-acetylene flame. A 0.5 g sample was decomposed with 5 mL concentrated HF, 5 mL concentrated  $\text{HClO}_4$  and 2 mL concentrated  $\text{HNO}_3$ . The sample was then heated to fumes of perchloric acid. Three mL concentrated  $\text{HClO}_4$  were added to the residue, heated to light fumes and then 5 mL of water were added. The sample solution was transferred to a test tube calibrated at 25 mL, containing 0.5 mL ionization buffer solution (0.05 g NaCl/mL). The sample solution was diluted and 25 mL, mixed and analysed.

Tungsten was determined as follows: a 0.2 g sample of lake sediment was fused with 1 g  $\text{K}_2\text{S}_2\text{O}_7$  in a rimless test tube at  $575^\circ\text{C}$  for 15 minutes in a furnace. The cooled melt was then leached with 10 mL concentrated HCl in a water bath heated to  $85^\circ\text{C}$ . After the soluble material had completely dissolved, the insoluble material was allowed to settle and an aliquot of 5 mL transferred to another test tube. 5 mL of 20%  $\text{SnCl}_2$  solution were

then added to the sample aliquot, mixed and heated for 10 minutes at  $85^\circ\text{C}$  in a hot water bath. A 1 mL aliquot of dithiol solution (1% dithiol in iso-amyl acetate) was added to the test solution and the test solution then heated for 4 - 6 hours at  $80^\circ - 85^\circ\text{C}$  in a hot water bath. This solution was removed from the hot water bath, cooled and 2.5 mL of kerosene added to dissolve the globule. The colour intensity of the kerosene solution was measured at 630 nm using a spectrophotometer. The method is described by Quin and Brooks (1972).

Uranium was determined using a neutron activation method with delayed neutron counting. A detailed description of the method is provided by Boulanger *et al.* (1975). In brief, a 1 gram sample was weighed in a 7 dram polyethylene vial, capped and sealed. The irradiation was provided by the Slowpoke reactor with an operating flux of  $10^{12}$  neutrons/cm<sup>2</sup>/second. The samples were pneumatically transferred from an automatic loader to the reactor, where each sample was irradiated for 60 seconds. After irradiation, the samples were again transferred pneumatically to the counting facility where, after a 10 second delay, the sample was counted for 60 seconds with six  $\text{BF}_3$  detector tubes embedded in paraffin. Following counting, the samples were automatically ejected into a shielded storage container. Calibration was carried out twice a day as a minimum, using natural materials of known uranium concentration.

#### Water Analyses

Fluoride in water samples was determined using a specific ion electrode. Prior to measurement an aliquot of the sample was mixed with an equal volume of TISAB buffer solution (total ionic strength adjustment buffer). The fluoride was measured initially with a Chemtrix and subsequently with a Fisher Accumet expanded scale meter, using an Orion fluoride electrode.

For the determination of pH, an aliquot of the water sample was transferred to a clean dry beaker. The pH was measured using a Chemtrix expanded scale meter with a Corning combination electrode.

Uranium in waters was determined by a fluorometric method. The uranium was initially preconcentrated by evaporation. The residue after evaporation was fused with a mixture of NaF and LiF in a platinum dish. After cooling, the fluorescence of the fused pellet was measured using a Jarrel-Ash Fluorometer Model 26-000.

A summary of analytical methods and detection limits is provided in Table 1.

#### PRESENTATION AND INTERPRETATION OF GOLD DATA

The following discussion reviews the format used to present the Au geochemical data and outlines some important points to consider when interpreting this data. This discussion is included in recognition of the special geochemical behaviour and mode of occurrence of Au in nature and the resultant difficulties in obtaining and analyzing samples which reflect the actual concentration level at a given site.

To correctly interpret Au geochemical data from regional stream sediment or lake sediment surveys requires an appreciation of the unique chemical and physical characteristics of Au and its mobility in the surficial environment. Key properties of gold that distinguish its geochemical behaviour from most other elements include (Harris, 1982):

- 1) Gold occurs most commonly in the native form which is chemically and physically resistant. A significant proportion of the metal is dispersed in micron-sized particulate form, and the high specific gravity of gold results in heterogeneous distribution, especially in stream sediment and clastic-rich (low LOI) lake sediment environments. Gold distribution appears to be more homogeneous in organic-rich fluvial and lake sediments.
- 2) Gold typically occurs at low concentrations in the ppb range. Whereas gold concentrations of only a few ppm may represent economic deposits, background levels encountered from stream and centre-lake sediments seldom exceed 10 ppb, and commonly are near the detection limit of 2 ppb.

These factors result in a particle sparsity effect wherein very low concentrations of gold are heterogeneously enriched in the surficial environment. Hence, a major problem facing the geochemist is to obtain a representative sample. In general, areas where concentrations of gold in sediments are low, and/or grain sizes of the gold present relatively high, proportionally larger samples are required to reduce the uncertainty between subsample analytical values and actual values. Conversely, as actual gold concentrations increase or grain size decreases, the number of gold particles to be shared in random subsamples increases and variability of results decreases (Clifton *et al.*, 1969; Harris, 1982). The limited amount of material collected during the rapid, reconnaissance-style regional surveys and the need to analyze for a broad spectrum of elements, precludes the use of a significantly large sample weight for the gold analyses. Therefore, to obtain representative samples, grain size is reduced by sieving and ball milling of the dried sediments.

The following control methods are currently employed to evaluate and monitor the sampling and analytical variability which are inherent in the analysis of gold in geochemical media:

- (1) For each block of 20 samples:
  - (a) random insertion of a standard reference sample to control analytical accuracy and long-term precision;
  - (b) collection of a field duplicate (two samples from one site) to measure sampling variance;
  - (c) analysis of a second subsample (blind duplicate) from one sample to measure and control short-term precision.
- (2) For both stream and lake sediments, routine repeat analyses on a second subsample are performed for all samples having values that are

statistically above approximately the 90th percentile of the total total data set.

- (3) For lake sediments only, a routine repeat analysis on a second subsample is performed on those samples with LOI values below 10%, indicating a large clastic component. Ongoing studies suggest that the gold distribution in these samples is more likely to be variable than in samples with a higher LOI content.

The presentation of gold data, statistical treatment and the value map format are different than for other elements. Gold data listed in the open file may include initial analytical results, values determined from repeat analyses, together with sample weights and corresponding detection limits for all analyzed samples. The gold, statistical parameters and regional symbol-trend plots are determined using only the first analytical value. Gold values less than the detection limit are set to half that limit. On the value map, initial values are followed by a comma and a value obtained by a second analysis, where determined. Sample weights used can be found in the text. Following are possible variations in data presentation on a value map.

+*	No data
+27	Single analysis
+27,14	Repeat analysis
+<1	Single analysis, less than detection limit

In summary, geochemical follow-up investigations for gold should be based on a careful consideration of all geological and geochemical information, and especially a careful appraisal of gold geochemical data and its variability. In some instances, prospective follow-up areas may be indirectly identified by pathfinder element associations in favourable geology, although a complementary gold response due to natural variability may be lacking. Once an anomalous area has been identified, field investigations should be designed to include detailed geochemical follow-up surveys and collection of large representative samples. Subsequent repeat subsample analyses will increase the reliability of results and permit a better understanding of natural variability which can then be used to improve sampling methods and interpretation.

#### FIELD DATA LEGEND

Table 2 describes the field and map information appearing on the following pages preceding the analytical data for each sample site.



TABLE 1. Summary of Analytical Data and Methods

ELEMENT	DETECTION LEVEL	METHOD
<b>SEDIMENTS:</b>		
Zn Zinc	2 ppm	AAS
Cu Copper	2 ppm	AAS
Pb Lead	2 ppm	AAS
Ni Nickel	2 ppm	AAS
Co Cobalt	2 ppm	AAS
Ag Silver	0.2 ppm	AAS
Mn Manganese	5 ppm	AAS
Mo Molybdenum	2 ppm	AAS
Fe Iron	0.02 pct	AAS
Ba Barium	40 ppm	AAS
W Tungsten	4 ppm	COL
U Uranium	0.2 ppm	NADNC
Hg Mercury	10 ppb	CV-AAS
Na Sodium	0.02 pct	INAA
Sc Scandium	0.2 ppm	INAA
Cr Chromium	20 ppm	INAA
Fe Iron	0.2 pct	INAA
Co Cobalt	5 ppm	INAA
Ni Nickel	10 ppm	INAA
As Arsenic	0.5 ppm	INAA
Br Bromine	0.5 ppm	INAA
Rb Rubidium	5 ppm	INAA
Mo Molybdenum	1 ppm	INAA
Sb Antimony	0.1 ppm	INAA
Cs Cesium	0.5 ppm	INAA
Ba Barium	50 ppm	INAA
La Lanthanum	2 ppm	INAA
Ce Cerium	5 ppm	INAA
Sm Samarium	0.10 ppm	INAA
Eu Europium	1 ppm	INAA
Tb Terbium	0.5 ppm	INAA
Yb Ytterbium	2 ppm	INAA
Lu Lutetium	0.2 ppm	INAA
Hf Hafnium	1 ppm	INAA
Ta Tantalum	0.5 ppm	INAA
W Tungsten	1 ppm	INAA
Th Thorium	0.2 ppm	INAA
U Uranium	0.2 ppm	INAA
Wt Weight	0.01 g	-
Au Gold	2 ppb	INAA
<b>WATERS:</b>		
F Fluoride	20 ppb	ISE
pH Hydrogen ion activity	- -	GCM
U Uranium	0.05 ppb	LIF

- AAS - atomic absorption spectrometry  
 COL - colorimetry using dithiol  
 CV-AAS - cold vapour (flameless) atomic absorption  
 GCM - glass Calomel electrode and pH meter  
 INAA - Instrumental Neutron Activation Analysis  
 ISE - ion selective electrode  
 LIF - laser-induced fluorescence  
 NADNC - neutron activation, delayed neutron counting

## REFERENCES

- Boulanger, A., Evans, D.J.R. and Raby, B.F. (1975)**  
Uranium analysis by neutron activation delayed  
neutron counting; Proceedings of the 7th Annual  
Symposium of Canadian Mineral Analysts,  
Thunder Bay, Ontario, September 22-23, 1975.
- Clifton, H.E., Hunter, R.E., Swanson, F.J. and Phillips,  
R.L. (1969)** Sample size and meaningful gold  
analysis; U.S. Geological Survey Professional  
Paper 625-C.
- Garrett, R.G. (1974)** Field data acquisition methods for  
applied geochemical surveys at the Geological  
Survey of Canada; Geol. Surv. Can. Paper 74-52.
- Harris, J.F. (1982)** Sampling and analytical requirements  
for effective use of geochemistry in exploration  
for gold; *in* Levinson, A.A., Editor, Precious  
Metals in the Northern Cordillera, proceedings of  
a symposium sponsored by the Association of  
Exploration Geochemists and the Cordilleran  
Section of the Geological Association of Canada,  
pp. 53-67.
- Jonasson, I.R., Lynch, J.J. and Trip, L.J. (1973)** Field  
and laboratory methods used by the Geological  
Survey of Canada in geochemical surveys; No.  
12, Mercury in Ores, Rocks, Soils, Sediments  
and Water, Geol. Surv. Can. Paper 73-21.



**TABLE 2. Field Observations Legend**

FIELD RECORD	DEFINITION	TEXT CODE
MAPSHEET	National Topographic System (NTS); lettered quadrangle (1:250 000 or 1:50 000 scale)	106C, 106D, 106E or 106F
SAMPLE ID	Remainder of sample number: Year of collection ..... Field crew ..... Sample sequence number .....	76 or 77 1, 3, 5 or 9 001-999
REP STAT	Replicate status; relationship of the sample to others within the survey: Routine sample site ..... First of a duplicate pair ..... Second of a duplicate pair .....	00 10 20
UTM	Universal Transverse Mercator UTM co-ordinate system; digitized sample location co-ordinates	
ZN	Zone (7 to 22)	
EASTING	UTM Easting in metres	
NORTHING	UTM Northing in metres	
ROCK UNIT	Major rock type of stream catchment area: grit ..... glacial material ..... granite ..... diorite ..... argillite ..... sandstone ..... slate ..... alluvium ..... shale ..... limestone ..... quartzite ..... conglomerate ..... dolomite ..... quartz chlorite schist ..... greenstone ..... graphite schist ..... phyllite ..... granodiorite ..... siltstone ..... mudstone ..... iron formation ..... unknown .....	GRIT GLCM GRNT DORT ARGL SNDS SLTE ALVM SHLE LMSN QRTZ CGLM DLMT QZCS GRNS GPSC PLLT GRDR SLSN MDSN IRFM UKNN
ROCK AGE	Stratigraphic age of dominant rock type in catchment basin: Unknown ..... Quaternary ..... Cretaceous ..... Jurassic ..... Triassic ..... Mesozoic-Paleozoic ..... Permian ..... Mississippian ..... Carboniferous ..... Devonian ..... Silurian-Devonian ..... Ordovician-Silurian ..... Cambrian ..... Proterozoic-Paleozoic ..... Paleozoic (undivided) ..... Hadrynian ..... Helikian ..... Proterozoic ..... Precambrian (undivided) .....	50 44 36 34 32 31 24 21 20 18 17 15 12 11 10 09 07 04 01

FIELD RECORD	DEFINITION	TEXT CODE
SAMPLE TYPE	Sample material collected: Stream bed sediment only ..... Stream water only ..... Simultaneous stream sediment and water .....	SedOnly Strm  Sed/Water
STREAM WIDTH	Stream width in feet	
STREAM DEPTH	Stream depth in tenths of feet	
SAMPLE CONT.	Contamination, human or natural: None ..... Possible ..... Definite .....	- Possible Definite
BANK TYPE	Bank type; the general nature of the bank material adjacent to the sample site: Alluvial ..... Colluvial (bare rock, residual or mountain soils) ..... Glacial till ..... Glacial outwash sediments ..... Bare rock ..... Talus, scree ..... Organic predominant (debris, peat, muskeg, swamp) ..	Alluv Colluv Till Outwash Bare Rk Tal/Scr Organic
WATER COLOUR	Water colour; the general colour and suspended load of the sampled water: Clear ..... Brown transparent ..... White cloudy ..... Brown cloudy .....	Clear BnTrans WhCl'dy BnCl'dy
STREAM FLOW	Water flow rate: Stagnant ..... Slow ..... Moderate ..... Fast ..... Torrential .....	Stagnt Slow Modert Fast Torrnt
SAMPLE COLOUR	Predominant sediment colour: Red-brown ..... White-buff ..... Black ..... Yellow ..... Green ..... Grey, blue grey ..... Pink ..... Buff to brown ..... Brown .....	Rd-Bn Wh-Bf Black Yellow Green Gy-Blu Pink Bf-Bn Brown
SAMPLE COMP.	Sediment composition; description of the bulk mechanical composition of the collected sample on a scale of 1 to 3, the total of the column must add up to 3 or 4 or 5: Size fractions are divided as follows:  Column 1 >0.125 mm (sand) Column 2 <0.125 mm (fines - organic silt, clay) Column 3 organic material  Amount of size fraction: sum of amounts = 3 4 5  Absent 0 0 0 ..... Minor <33% 25% 20% ..... Medium 33-67% 50% 40% ..... Major >67% 75% 60% .....	0 1 2 3

FIELD RECORD	DEFINITION	TEXT CODE
BOTTOM PCPT	Precipitate or stain; the presence of any coatings on pebbles, boulders or stream bottoms: None ..... Red-brown ..... White or buff ..... Black ..... Yellow ..... Green ..... Grey ..... Pink ..... Buff to brown .....	- Rd-Bn Wh-Bf Black Yellow Green Grey Pink Bf-Bn
BANK PCPT	Distinctive precipitate, stains or weathering on rocks in immediate area of catchment basin or stream bank: None ..... Red, brown (eg. Fe) ..... White, buff (eg. CO <sub>3</sub> , Zn) ..... Black (e.g. Fe, Mn, sulphides) ..... Yellow (e.g. Pb, U, Fe, Mo, REE) ..... Green (Cu, Ni, U, Mo, As, Fe) ..... Bluish (Zn, P) ..... Pink (Co, As) .....	- Rd-Bn Wh-Bf Black Yellow Green Blue Pink
STREAM PHYSIOG	General physiography of the drainage basin: Plain ..... Muskeg, swampland ..... Peneplain, plateau ..... Hilly, undulating ..... Mountainous, mature ..... Mountainous, youthful (precipitous) .....	Plain Swamp Penpln Hill Moun/M Moun/Y
STREAM DRAINAGE	Drainage pattern: Poorly defined, haphazard ..... Dendritic ..... Herringbone ..... Rectangular ..... Trellis ..... Discontinuous shield type (chains of lakes) ..... Basinal ..... Others .....	Poor Dendrc Herrbn Rectln Trellis Discrt Closed Other
STREAM TYPE	Stream type: Undefined ..... Permanent, continuous ..... Intermittent, seasonal ..... Re-emergent, discontinuous .....	Undfnd Permnt Intermit Re-emerg
STREAM CLASS	Classification based on proximity to source: Undefined ..... Primary ..... Secondary ..... Tertiary ..... Quaternary .....	Undfnd Pri'ary Sec'ary Ter'ary Qua'ary
STREAM SOURCE	Source of water: Unknown ..... Groundwater ..... Snow melt or spring run-off ..... Recent precipitation ..... Ice-cap or glacier meltwater .....	Unknown Ground Sp'gMelt RecRain Glacier
Miscellaneous	Missing data in any field .....	*



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106C	775002	00	08	556622	7206210	ARGLb	07	Sed/Water	6	1	-	Alluv	Clear	Fast	Black	121	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775003	00	08	553183	7206734	ARGLb	07	Sed/Water	4	5	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775004	00	08	549964	7206831	ARGLb	07	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775005	00	08	551292	7203679	ARGLb	07	Sed/Water	2	1	-	Alluv	BnTrans	Slow	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775006	00	08	549848	7202472	ARGLb	07	Sed/Water	20	20	-	Alluv	Clear	Torrnt	Green	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775007	00	08	550098	7200927	ARGLb	07	Sed/Water	2	5	-	Alluv	Clear	Fast	Wh-Bf	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775008	00	08	549785	7198789	ARGLb	07	Sed/Water	4	10	-	Alluv	Clear	Modert	Green	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775010	00	08	549536	7196626	ARGLb	07	Sed/Water	2	5	-	Alluv	Clear	Fast	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775011	00	08	552897	7193048	DLMTc	07	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775012	00	08	556219	7191872	DLMTc	07	Sed/Water	6	5	-	Alluv	Clear	Modert	Green	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775013	00	08	557663	7191864	DLMTc	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775014	00	08	559743	7192260	DLMTc	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775015	00	08	560714	7196011	ARGLb	07	Sed/Water	9	3	-	Alluv	Clear	Modert	Rd-Bn	012	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775016	00	08	558014	7196941	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775017	00	08	557074	7197375	ARGLb	07	Sed/Water	8	10	-	Alluv	Clear	Fast	Green	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775018	00	08	556347	7201141	ARGLb	07	Sed/Water	10	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775019	00	08	555122	7200118	ARGLb	07	Sed/Water	3	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775020	00	08	554856	7200550	ARGLb	07	Sed/Water	4	5	-	Alluv	Clear	Modert	Green	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775022	00	08	560682	7203826	ARGLb	07	Sed/Water	1	3	-	Alluv	Clear	Slow	Gy-Blu	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775023	00	08	562022	7202905	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775024	10	08	562454	7204379	ARGLb	07	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775025	20	08	562454	7204379	ARGLb	07	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775026	00	08	563165	7206864	ARGLb	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Green	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775027	00	08	564511	7202491	ARGLb	07	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775028	00	08	568507	7208429	ARGLb	07	Sed/Water	8	3	-	Alluv	Clear	Modert	Black	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775029	00	08	569660	7206633	ARGLb	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	111	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775030	00	08	568424	7205292	ARGLb	07	Sed/Water	4	5	-	Alluv	Clear	Modert	Green	111	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775032	00	08	568674	7202023	ARGLb	07	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775033	00	08	566052	7201919	ARGLb	07	Sed/Water	8	8	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775034	00	08	567733	7200308	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu	120	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775035	00	08	568370	7198556	ARGLb	07	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775036	00	08	570600	7194500	DLMTc	07	Sed/Water	4	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775037	00	08	568554	7194179	DLMTc	07	Sed/Water	5	10	-	Alluv	Clear	Torrnt	Rd-Bn	120	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775038	00	08	567486	7194890	DLMTc	07	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775039	00	08	566697	7193458	DLMTc	07	Sed/Water	3	5	-	Alluv	Clear	Fast	Black	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775040	00	08	565141	7194411	ARGLb	07	Sed/Water	2	2	-	Alluv	Clear	Modert	Black	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775042	00	08	569623	7187051	DLMTd	09	Sed/Water	5	5	-	Alluv	Whcl'dy	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775043	00	08	569115	7188228	DLMTc	07	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775044	00	08	568520	7187653	DLMTc	07	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775045	00	08	567281	7187139	DLMTc	07	Sed/Water	4	5	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	4.0	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775002 00	146	68	17	24	20	<	1000	<	2.55	50	10.7	4	850	0.68	8.6	66	3.6	17	<	40.0	7.5	140	<
106C 775003 00	335	48	5	25	17	<	550	<	1.95	20	6.7	4	625	0.57	12.0	110	5.9	26	<	5.4	<	130	<
106C 775004 00	94	52	14	21	15	<	860	<	1.85	30	4.1	4	700	0.93	8.5	55	3.6	17	<	13.0	0.7	86	<
106C 775005 00	118	22	19	15	8	<	575	<	1.60	80	3.1	4	575	0.34	6.7	45	2.6	10	12	8.8	3.8	94	<
106C 775006 00	60	72	5	27	29	<	975	<	3.15	10	5.6	8	900	1.00	10.0	88	7.5	29	<	17.0	<	170	<
106C 775007 00	60	54	7	19	14	<	860	<	1.90	20	5.2	4	875	1.10	9.5	83	3.5	15	<	5.2	1.3	160	<
106C 775008 00	295	295	44	60	88	<	3150	5	5.15	30	7.9	4	675	0.95	9.2	66	5.3	75	54	117.0	2.3	160	4
106C 775010 00	52	365	10	45	71	<	4550	4	5.30	80	9.5	6	825	0.50	11.0	100	7.0	64	41	57.9	5.1	120	3
106C 775011 00	22	40	11	10	13	<	2000	<	1.75	60	1.3	4	500	0.13	3.5	27	1.9	13	<	16.0	4.8	48	1
106C 775012 00	96	72	69	25	18	<	2000	2	2.80	210	2.1	4	1350	0.15	3.2	45	3.8	19	18	39.0	4.0	47	3
106C 775013 00	225	62	105	30	13	0.2	1650	3	3.85	380	2.1	6	1275	0.16	3.4	81	5.3	17	43	68.8	3.8	45	3
106C 775014 00	176	50	79	27	12	0.2	1250	3	3.05	300	2.4	6	1725	0.25	4.8	72	5.6	15	39	50.8	2.6	61	3
106C 775015 00	52	44	10	16	14	<	805	<	2.05	40	3.3	4	575	0.77	10.0	99	3.0	17	19	11.0	1.8	140	<
106C 775016 00	126	66	23	21	16	<	790	2	1.90	80	3.3	4	775	0.35	7.4	59	3.2	18	18	22.0	1.4	90	1
106C 775017 00	50	100	6	28	23	<	1100	<	2.60	20	6.2	6	750	0.77	11.0	120	5.1	28	30	21.0	0.7	160	<
106C 775018 00	90	58	14	21	19	<	925	<	2.05	40	4.5	6	675	0.86	9.4	78	4.3	23	27	19.0	1.2	120	<
106C 775019 00	84	54	20	18	16	<	1000	<	1.75	50	4.0	4	650	0.67	8.2	61	3.8	21	22	18.0	0.8	100	<
106C 775020 00	106	64	22	25	22	<	1100	<	2.65	40	4.9	6	750	1.00	10.0	82	4.1	21	28	15.0	2.0	130	<
106C 775022 00	42	68	10	16	22	<	1000	<	2.65	20	5.5	6	750	0.89	10.0	100	5.2	20	<	18.0	0.5	150	<
106C 775023 00	30	34	8	13	13	<	935	<	2.10	20	4.8	4	575	0.69	8.1	65	2.9	13	22	10.0	0.6	150	<
106C 775024 10	44	50	9	15	15	<	825	<	1.95	20	4.2	4	775	1.10	7.2	52	3.4	17	39	14.0	0.5	130	<
106C 775025 20	46	58	7	17	15	<	875	<	2.05	20	3.6	4	775	1.10	8.2	74	3.9	15	17	14.0	0.7	140	<
106C 775026 00	52	205	12	19	24	<	1600	2	2.55	30	7.1	6	825	1.10	10.0	86	4.0	24	18	22.0	3.8	130	1
106C 775027 00	110	62	16	20	21	<	1200	<	2.60	30	7.4	6	600	0.59	8.7	73	3.5	19	23	20.0	2.0	190	<
106C 775028 00	82	42	8	21	29	<	1200	<	3.35	20	7.8	4	625	0.42	10.0	63	3.6	27	<	17.0	<	160	<
106C 775029 00	46	32	14	12	15	0.2	525	<	2.25	30	22.2	6	650	0.44	10.0	65	2.6	16	<	6.4	5.4	210	<
106C 775030 00	156	32	58	13	15	<	435	<	1.85	30	7.4	4	750	0.68	10.0	80	3.0	16	<	7.0	3.6	220	<
106C 775032 00	36	96	5	25	26	<	2200	<	3.10	30	7.0	4	875	1.00	11.0	85	4.5	26	34	25.0	2.2	170	2
106C 775033 00	40	56	13	15	11	<	1150	<	2.20	40	4.8	4	575	0.48	7.8	68	3.2	11	<	11.0	10.0	130	<
106C 775034 00	30	28	25	11	8	<	1050	<	1.75	10	1.9	4	375	0.19	4.8	44	2.2	6	12	7.5	2.3	94	<
106C 775035 00	44	16	86	9	3	<	1800	3	2.65	50	1.6	4	175	0.12	1.5	<	3.0	<	12.0	5.0	20	1	
106C 775036 00	40	138	23	15	24	<	1350	<	2.70	110	3.9	6	6700	0.22	5.0	40	2.8	9	<	18.0	2.5	91	<
106C 775037 00	46	46	35	11	10	<	895	<	2.00	80	2.3	4	750	0.22	2.0	<	2.5	<	9.2	4.8	12	2	
106C 775038 00	42	10	68	8	2	<	1400	2	2.00	50	1.5	4	300	0.20	1.8	22	2.3	<	8.0	3.3	13	2	
106C 775039 00	52	26	47	14	9	<	1250	3	2.30	80	2.3	4	400	0.15	6.3	64	3.3	11	16	25.0	1.7	120	<
106C 775040 00	38	28	13	12	10	<	675	2	1.60	10	2.4	4	425	0.28	6.5	59	2.5	10	<	6.0	<	110	<
106C 775042 00	90	14	40	7	6	<	460	<	1.45	60	2.0	4	650	0.16	5.3	37	2.0	8	<	6.1	2.8	58	<
106C 775043 00	68	24	30	11	10	<	645	2	2.05	240	2.4	4	675	0.23	8.1	54	2.8	10	<	7.9	1.5	85	<
106C 775044 00	152	18	43	8	6	<	585	<	1.40	80	1.9	4	825	0.39	5.9	43	2.1	8	<	6.7	1.8	55	<
106C 775045 00	78	12	38	7	7	<	550	<	1.80	120	2.0	4	425	0.17	4.0	26	2.4	8	<	20.0	2.2	39	<

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106C 775002 00	2.1	6.3	680	69	93	12.60	2	1.8	3	<	3	1.2	3	17.0	9.5	<2	14.41	-	-	7.7	84	1.80
106C 775003 00	1.9	7.2	650	72	120	11.80	1	1.7	3	0.2	3	1.6	2	19.0	7.4	<2	10.26	-	-	7.4	210	0.92
106C 775004 00	1.6	4.0	730	52	92	8.70	<	1.3	3	0.3	8	1.7	2	13.0	4.5	<2	21.36	-	-	7.6	64	0.88
106C 775005 00	1.2	4.4	580	29	57	5.50	<	0.7	<	<	4	1.0	1	10.0	3.5	<2	27.63	-	-	8.0	56	0.38
106C 775006 00	1.9	4.1	850	91	160	13.40	1	1.5	3	<	5	1.5	4	19.0	5.8	<2	12.95	-	-	8.0	64	1.90
106C 775007 00	1.3	4.8	1100	59	110	9.50	1	1.2	2	0.2	6	1.3	2	18.0	5.4	3	30.41	-	-	7.5	90	1.80
106C 775008 00	2.3	5.4	730	74	130	10.80	1	1.6	4	<	3	1.7	3	21.6	7.7	8	8.52	-	-	8.1	28	1.20
106C 775010 00	3.2	3.6	730	61	98	9.10	<	1.2	3	<	4	1.3	3	17.0	7.6	16	20.80	20	18.10	7.9	<	0.46
106C 775011 00	1.9	0.8	440	15	29	2.70	<	<	<	<	2	<	<	5.3	1.6	<2	27.55	-	-	8.0	<	0.10
106C 775012 00	4.6	1.1	1900	14	25	2.80	<	<	<	<	1	<	2	4.5	2.6	4	35.02	-	-	8.1	<	1.90
106C 775013 00	9.3	0.9	2300	14	24	2.70	<	<	<	<	1	<	1	4.1	2.7	<2	36.33	-	-	8.1	<	1.70
106C 775014 00	6.9	1.5	2800	20	34	3.50	<	0.7	<	<	3	<	3	5.7	3.2	8	33.45	-	-	8.1	22	1.40
106C 775015 00	1.9	5.8	680	35	72	6.50	<	1.0	2	0.3	8	1.3	2	15.0	3.9	3	26.72	-	-	7.7	20	0.06
106C 775016 00	1.9	3.3	780	34	61	6.00	<	0.8	2	<	4	1.2	2	10.0	3.7	3	28.95	-	-	8.0	22	0.94
106C 775017 00	2.9	6.2	820	87	170	12.90	1	1.5	4	0.4	5	2.4	4	23.0	6.7	5	28.87	-	-	8.0	<	2.10
106C 775018 00	1.7	4.0	700	71	130	11.20	2	1.5	3	0.4	5	1.9	2	19.0	5.3	<2	34.46	-	-	7.9	40	1.30
106C 775019 00	1.9	3.0	780	55	110	9.00	<	1.2	3	0.2	6	1.7	3	14.0	4.4	4	34.85	-	-	7.8	22	1.00
106C 775020 00	1.5	4.2	780	59	120	9.20	<	1.1	3	0.2	5	1.4	2	17.0	5.5	3	19.19	-	-	7.9	50	1.50
106C 775022 00	1.7	5.3	840	110	210	17.30	1	2.1	5	0.5	11	2.8	3	23.5	6.3	9	34.13	-	-	7.9	54	2.40
106C 775023 00	1.4	5.9	600	59	120	11.00	<	1.4	3	0.2	9	2.4	3	20.6	5.5	<2	32.83	-	-	7.8	26	0.44
106C 775024 10	1.5	3.7	860	74	130	14.20	1	1.7	3	0.3	7	1.4	2	19.0	5.5	<2	36.22	-	-	8.0	34	1.20
106C 775025 20	1.5	3.8	890	83	160	14.30	<	1.5	3	0.3	7	1.7	2	19.0	5.2	<2	39.69	-	-	7.9	36	0.90
106C 775026 00	1.9	4.2	840	73	140	11.90	1	1.7	4	0.2	6	1.3	4	20.0	7.9	6	15.17	-	-	7.7	30	0.32
106C 775027 00	1.9	7.4	550	77	150	10.90	<	1.2	3	<	6	2.0	3	20.6	7.6	4	5.73	-	-	7.4	<	0.02
106C 775028 00	1.9	6.2	640	77	150	13.30	1	1.9	4	0.3	10	3.4	4	29.7	7.8	<2	9.63	-	-	7.7	20	0.10
106C 775029 00	1.7	10.0	550	52	110	9.10	1	1.5	4	<	9	3.0	4	32.2	22.5	<2	6.60	-	-	7.5	<	0.02
106C 775030 00	1.4	15.0	750	71	150	11.80	1	1.5	3	<	9	3.9	4	32.6	7.2	<2	7.72	-	-	7.0	<	0.02
106C 775032 00	2.0	7.4	980	52	100	9.00	<	1.3	3	0.2	8	2.2	3	21.7	8.1	4	17.22	-	-	7.9	44	0.80
106C 775033 00	1.4	4.6	530	49	97	7.20	<	1.0	2	<	5	1.1	2	14.0	5.3	<2	14.44	-	-	7.8	22	0.86
106C 775034 00	1.1	2.9	360	21	45	3.90	<	0.6	<	<	5	0.9	<	8.0	2.3	4	26.81	-	-	8.2	20	0.06
106C 775035 00	1.4	1.1	75	6	10	1.40	<	<	<	<	1	<	<	2.1	2.0	<2	35.77	-	-	8.1	<	0.28
106C 775036 00	3.6	3.1	780	23	42	5.20	<	0.8	2	<	5	0.9	1	8.7	3.0	<2	44.16	-	-	8.2	20	2.00
106C 775037 00	1.2	0.9	140	8	14	1.50	<	<	<	<	<	<	<	2.2	2.1	2	36.42	-	-	8.1	26	0.32
106C 775038 00	1.0	0.7	110	7	10	1.20	<	<	<	<	1	<	<	1.9	1.7	<2	10.89	-	-	8.2	20	0.30
106C 775039 00	3.7	3.9	390	26	52	4.40	<	0.7	<	<	6	0.8	<	10.0	2.8	4	31.01	-	-	8.2	24	0.96
106C 775040 00	1.1	3.8	490	43	88	7.20	<	0.8	<	0.2	6	1.0	<	10.0	2.4	4	13.51	-	-	7.5	<	0.12
106C 775042 00	1.0	2.8	730	16	34	3.60	<	0.7	<	0.2	5	0.6	<	5.5	2.3	<2	42.01	-	-	8.1	24	0.02
106C 775043 00	1.5	4.7	640	24	53	5.20	<	0.9	2	0.3	7	0.9	1	8.9	3.2	<2	25.49	-	-	8.4	54	0.40
106C 775044 00	1.3	1.9	660	17	38	3.70	<	0.7	<	<	4	0.7	<	5.9	2.3	<2	34.79	-	-	8.2	36	0.36
106C 775045 00	1.1	1.8	360	11	24	2.30	<	<	<	<	2	<	<	4.0	2.1	<2	12.38	-	-	8.1	38	0.32

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
106C	775046	00	08	566029	7185683	DLMTc	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775047	00	08	563795	7186053	SLTEb	07	Sed/Water	20	15	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Ter'ary	Sp'gMelt
106C	775048	00	08	563538	7190549	DLMTc	07	Sed/Water	4	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775049	10	08	559930	7199247	ARGLb	07	Sed/Water	2	20	-	Alluv BnTrans	BnTrans	Stagnt	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775050	20	08	559930	7199247	ARGLb	07	Sed/Water	2	20	-	Alluv BnTrans	BnTrans	Stagnt	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775051	00	08	572164	7197348	ARGLb	07	Sed/Water	12	10	-	Alluv	Clear	Fast	Gy-Blu	121	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775053	00	08	577557	7198221	ARGLb	07	Sed/Water	8	10	-	Alluv WhCl'dy	WhCl'dy	Fast	Rd-Bn	121	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775054	00	08	579558	7195091	ARGLb	07	Sed/Water	12	10	-	Alluv WhCl'dy	WhCl'dy	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775055	00	08	581469	7192468	DLMTc	07	Sed/Water	10	10	-	Alluv WhCl'dy	WhCl'dy	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775056	00	08	582151	7196791	ARGLb	07	Sed/Water	6	5	-	Tal/Scr BnTrans	BnTrans	Moder	Rd-Bn	310	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775057	00	08	583842	7196783	ARGLb	07	Sed/Water	4	3	-	Alluv	Clear	Moder	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775058	00	08	587370	7197501	GRITb	09	Sed/Water	8	6	-	Alluv	Clear	Moder	Rd-Bn	031	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775059	00	08	589720	7195360	DLMTd	09	Sed/Water	8	6	-	Alluv	Clear	Moder	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775060	00	08	592633	7193105	SHLEb	09	Sed/Water	10	5	-	Tal/Scr	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775062	00	08	592843	7194052	SHLEb	09	Sed/Water	8	5	-	Tal/Scr BnTrans	BnTrans	Fast	Rd-Bn	121	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775063	00	08	593157	7189309	SHLEb	09	Sed/Water	40	5	-	Alluv BnTrans	BnTrans	Moder	Rd-Bn	121	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775064	00	08	591049	7190719	SHLEb	09	Sed/Water	18	10	-	Alluv WhCl'dy	WhCl'dy	Fast	Gy-Blu	310	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775065	00	08	590835	7189899	SHLEb	09	Sed/Water	16	5	-	Alluv BnTrans	BnTrans	Fast	Black	310	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775067	10	08	588231	7190781	DLMTd	09	Sed/Water	12	8	-	Alluv BnCl'dy	BnCl'dy	Fast	Black	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775068	20	08	588231	7190781	DLMTd	09	Sed/Water	12	8	-	Alluv BnCl'dy	BnCl'dy	Fast	Black	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775069	00	08	588914	7187256	DLMTd	09	Sed/Water	8	8	-	Alluv BnCl'dy	BnCl'dy	Fast	Black	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775070	00	08	588036	7187775	DLMTd	09	Sed/Water	8	8	-	Alluv BnCl'dy	BnCl'dy	Fast	Black	130	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775071	00	08	587620	7192547	DLMTd	09	Sed/Water	6	5	-	Alluv	Clear	Moder	Rd-Bn	310	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775072	00	08	585264	7193187	DLMTc	07	Sed/Water	8	10	-	Alluv WhCl'dy	WhCl'dy	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775073	00	08	590838	7199292	SHLEb	09	Sed/Water	10	10	-	Tal/Scr WhCl'dy	WhCl'dy	Moder	Black	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775074	00	08	591243	7198635	SHLEb	09	Sed/Water	12	10	-	Tal/Scr WhCl'dy	WhCl'dy	Moder	Black	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775075	00	08	593445	7200719	SHLEb	09	Sed/Water	20	10	-	Alluv WhCl'dy	WhCl'dy	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775076	00	08	592994	7203404	DLMTd	09	Sed/Water	8	5	-	Alluv BnCl'dy	BnCl'dy	Moder	Gy-Blu	310	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775077	00	08	591475	7207792	DLMTg	15	Sed/Water	8	2	-	Alluv	Clear	Slow	Gy-Blu	130	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775078	00	08	591657	7206417	DLMTf	12	Sed/Water	20	8	-	Alluv WhCl'dy	WhCl'dy	Moder	Gy-Blu	130	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775079	00	08	590317	7204679	SHLEb	09	Sed/Water	18	12	-	Alluv WhCl'dy	WhCl'dy	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775080	00	08	588544	7202955	DLMTg	09	Sed/Water	12	10	-	Alluv WhCl'dy	WhCl'dy	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775082	00	08	583506	7201385	ARGLb	07	Sed/Water	12	10	-	Alluv WhCl'dy	WhCl'dy	Fast	Rd-Bn	310	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775083	00	08	583440	7200512	ARGLb	07	Sed/Water	8	12	-	Alluv WhCl'dy	WhCl'dy	Fast	Rd-Bn	310	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775084	00	08	583331	7203002	ARGLb	07	Sed/Water	12	8	-	Tal/Scr	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775085	00	08	581759	7202346	ARGLb	07	Sed/Water	12	8	-	Tal/Scr	Clear	Fast	Gy-Blu	310	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775086	00	08	558802	7185431	DLMTc	07	Sed/Water	15	10	-	Tal/Scr	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775087	00	08	558560	7186207	DLMTc	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775088	00	08	557303	7186608	DLMTc	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775089	00	08	555680	7186962	DLMTc	07	Sed/Water	8	5	-	Tal/Scr	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADPC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775046 00	102	16	44	5	4	<	615	2	1.30	70	1.8	4	575	0.25	3.3	23	1.7	7	<	6.1	1.8	38	1
106C 775047 00	68	16	27	6	6	<	470	2	1.45	70	1.6	4	725	0.17	5.0	23	2.0	8	11	7.3	2.2	82	<
106C 775048 00	410	42	160	14	10	<	1300	<	2.75	180	2.1	4	900	0.21	4.7	36	3.9	12	13	30.0	2.8	73	<
106C 775049 10	50	34	5	14	6	0.2	125	<	1.70	100	5.1	4	400	0.27	8.6	72	2.0	5	18	5.4	8.4	140	<
106C 775050 20	48	38	3	13	6	<	110	<	1.75	110	4.6	4	400	0.27	8.2	66	1.8	<	<	6.8	7.3	130	2
106C 775051 00	52	172	6	37	47	<	3000	3	4.00	40	16.6	6	925	1.30	12.0	93	5.7	43	33	47.0	7.2	140	3
106C 775053 00	58	60	3	21	19	<	1550	<	2.40	20	6.5	4	1125	1.20	9.1	86	5.2	20	27	6.0	2.4	180	<
106C 775054 00	84	38	57	15	7	<	720	3	1.30	60	1.9	4	500	0.16	3.9	35	1.7	8	16	13.0	2.7	56	2
106C 775055 00	92	38	65	14	7	<	730	2	1.25	70	1.6	4	500	0.20	4.2	39	2.1	9	14	16.0	4.0	53	3
106C 775056 00	114	38	67	24	13	<	565	2	1.80	110	2.6	4	550	0.13	4.0	40	1.6	9	25	13.0	3.6	51	1
106C 775057 00	82	20	47	11	6	<	695	2	1.40	150	1.6	4	550	0.22	3.6	27	1.6	5	14	11.0	5.7	47	1
106C 775058 00	230	18	115	4	3	<	630	2	1.00	160	1.4	4	200	0.18	2.8	<	1.2	<	<	10.0	12.0	34	<
106C 775059 00	158	14	50	7	7	<	405	2	1.75	160	1.7	4	250	0.14	5.2	29	2.3	8	<	10.0	2.2	46	<
106C 775060 00	92	26	25	17	14	<	590	2	2.40	180	3.0	4	575	0.27	8.7	66	2.9	13	15	11.0	<	100	1
106C 775062 00	88	24	14	18	12	<	705	<	2.00	70	3.4	4	550	0.37	10.0	81	3.1	16	19	8.9	0.5	95	1
106C 775063 00	240	20	79	15	11	<	470	<	1.75	290	2.6	4	525	0.23	8.2	61	2.5	10	12	12.0	4.0	88	<
106C 775064 00	68	24	26	10	12	<	370	<	2.20	ns	2.5	ns	ns	0.15	10.0	<100	2.7	<25	<50	3.3	<55.0	99	58
106C 775065 00	240	28	105	16	12	<	630	<	2.10	230	3.0	4	500	0.25	8.9	67	3.1	15	<	13.0	2.3	88	<
106C 775067 10	300	28	100	19	13	<	490	3	2.60	110	4.1	4	375	0.31	8.7	56	3.1	14	23	10.0	1.5	67	1
106C 775068 20	305	30	110	21	15	<	465	2	2.75	140	4.5	4	550	0.37	10.0	50	3.6	17	27	13.0	1.7	74	2
106C 775069 00	144	46	35	33	25	<	450	2	5.00	40	5.3	4	375	0.51	14.0	82	5.2	24	23	10.0	1.3	110	<
106C 775070 00	192	44	145	27	17	0.7	450	2	3.70	180	3.8	4	1450	0.47	11.0	68	4.5	17	34	13.0	1.0	100	1
106C 775071 00	540	14	70	7	5	<	310	2	2.20	280	2.3	4	125	0.14	3.9	<	2.7	10	<	9.3	3.6	30	1
106C 775072 00	134	18	57	9	7	<	915	2	1.40	90	2.2	4	450	0.34	5.4	31	2.2	10	14	8.8	1.6	64	1
106C 775073 00	275	24	78	11	10	<	515	<	2.10	200	2.3	4	350	0.19	7.5	49	2.7	10	14	32.0	3.0	68	<
106C 775074 00	96	42	32	24	18	<	750	<	3.40	90	3.1	4	375	0.38	13.0	95	3.9	20	30	8.4	1.5	110	<
106C 775075 00	62	22	13	17	12	<	705	<	2.25	70	3.9	4	625	0.43	10.0	70	3.1	13	23	7.7	1.1	120	1
106C 775076 00	94	50	23	29	23	<	695	<	3.95	70	3.6	4	825	0.50	12.0	79	4.0	20	21	8.1	0.9	120	<
106C 775077 00	122	22	14	20	9	<	465	2	1.75	80	2.7	4	650	0.25	7.1	60	2.4	10	26	8.0	1.4	81	2
106C 775078 00	114	24	40	10	8	<	660	<	1.85	140	2.1	4	400	0.20	6.6	54	2.6	10	<	15.0	1.1	73	<
106C 775079 00	122	24	46	10	8	<	645	<	1.90	180	1.9	4	250	0.14	6.0	36	2.3	9	<	15.0	1.1	76	<
106C 775080 00	132	22	50	10	9	<	555	<	1.90	150	2.0	4	225	0.12	5.2	32	2.0	9	<	15.0	1.0	71	<
106C 775082 00	48	40	53	21	12	<	1600	<	2.45	130	2.9	6	1275	0.28	5.3	43	5.5	14	19	41.0	2.6	72	2
106C 775083 00	100	40	64	35	12	<	835	<	1.80	150	2.4	4	425	0.19	6.8	52	2.5	14	33	24.0	2.4	79	2
106C 775084 00	36	96	6	24	21	<	1650	<	2.60	110	11.5	8	2850	0.79	14.0	66	5.7	18	31	16.0	14.0	180	1
106C 775085 00	18	290	<	50	94	<	2150	3	3.25	30	7.9	8	925	0.59	12.0	89	7.2	89	51	198.0	2.4	220	4
106C 775086 00	108	22	47	12	5	<	665	2	1.35	60	2.8	4	350	0.37	5.4	53	2.2	6	<	12.0	3.4	67	2
106C 775087 00	114	28	37	18	7	<	665	2	1.55	80	2.6	4	650	0.36	5.9	41	2.0	8	13	9.5	0.9	68	1
106C 775088 00	410	44	83	17	5	<	920	3	1.50	90	3.0	<	350	0.17	3.9	<	1.9	6	15	18.0	6.9	60	3
106C 775089 00	540	24	240	15	7	<	710	2	1.60	120	2.0	<	400	0.33	4.5	39	1.9	9	11	14.0	2.6	57	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106C 775046 00	1.1	1.7	500	14	27	2.90	<	<	<	<	3	0.6	<	4.5	2.1	<2	42.74	-	-	8.2	26	0.60
106C 775047 00	1.1	3.2	810	17	34	4.40	<	0.7	<	0.2	5	0.8	<	6.9	2.7	<2	44.99	-	-	8.2	46	0.32
106C 775048 00	4.0	2.7	690	18	39	3.20	<	0.6	<	<	3	0.6	<	6.5	2.3	4	16.56	-	-	8.1	24	0.22
106C 775049 10	0.9	5.3	340	42	83	6.90	<	0.8	2	0.2	6	1.6	2	17.0	4.6	<2	9.32	-	-	7.2	24	0.08
106C 775050 20	1.0	4.7	320	40	80	6.70	<	0.9	<	<	5	1.4	1	17.0	4.5	<2	2.69	-	-	7.4	24	0.02
106C 775051 00	2.3	5.1	900	71	130	11.10	2	1.6	3	<	5	1.7	3	21.9	17.0	8	21.24	-	-	7.6	22	0.46
106C 775053 00	1.6	7.8	1200	79	150	13.10	<	1.8	3	<	7	2.0	2	20.0	7.7	<2	30.54	-	-	7.7	34	0.70
106C 775054 00	2.5	2.4	380	14	28	2.80	<	<	<	<	2	<	<	5.1	2.1	<2	42.91	-	-	8.1	24	0.46
106C 775055 00	3.3	2.7	450	14	28	2.90	<	<	<	<	2	<	<	5.1	2.4	<2	28.42	-	-	7.9	20	0.32
106C 775056 00	1.7	1.9	260	12	24	2.40	<	<	<	<	2	<	1	4.7	1.9	<2	21.31	-	-	8.2	28	0.50
106C 775057 00	3.5	2.3	340	13	24	2.40	<	<	<	<	2	<	<	4.5	1.8	<2	28.93	-	-	8.3	32	0.48
106C 775058 00	1.7	4.6	160	6	11	1.50	<	<	<	<	<	<	<	2.5	1.6	3	16.62	-	-	8.1	22	0.30
106C 775059 00	2.8	2.9	160	15	30	3.30	<	0.6	<	<	3	<	<	4.7	2.0	<2	35.88	-	-	8.1	28	0.12
106C 775060 00	0.5	4.4	490	32	67	6.10	<	0.8	<	<	4	1.1	<	12.0	3.1	<2	5.77	-	-	8.0	32	0.30
106C 775062 00	0.4	4.5	530	34	77	6.80	<	1.0	2	<	5	1.0	<	13.0	4.0	<2	36.88	-	-	7.9	40	0.08
106C 775063 00	1.3	5.9	390	27	56	4.80	<	0.6	<	<	4	0.8	<	11.0	2.9	<2	24.98	-	-	8.0	42	0.12
106C 775064 00	0.7	2.8	<250	39	68	6.70	<5	<2.5	<10	<1.0	<5	<2.5	<5	8.7	2.0	<10	0.14	-	-	8.2	46	0.36
106C 775065 00	1.6	6.1	390	26	56	5.40	<	0.7	<	<	4	0.8	1	10.0	3.3	<2	33.83	-	-	8.0	40	0.38
106C 775067 10	1.8	3.4	290	19	38	4.40	<	0.7	2	<	2	0.5	<	5.9	4.6	<2	36.10	-	-	8.1	94	0.68
106C 775068 20	2.0	3.7	480	22	50	5.20	<	1.1	3	<	3	0.8	<	7.2	5.5	2	36.82	-	-	8.1	88	0.74
106C 775069 00	1.1	5.3	430	31	60	7.70	<	1.2	3	<	4	1.0	2	11.0	5.6	4	22.98	-	-	7.9	76	0.36
106C 775070 00	1.7	4.4	1600	30	57	7.50	<	1.1	2	0.2	4	1.0	2	9.3	4.7	<2	19.43	-	-	8.0	52	0.44
106C 775071 00	1.6	2.1	59	9	21	2.20	<	<	<	<	1	<	<	3.2	2.6	<2	36.47	-	-	8.4	90	0.92
106C 775072 00	1.6	3.4	540	17	40	3.60	<	0.5	<	<	2	0.7	<	6.2	2.8	3	28.98	-	-	8.2	32	0.54
106C 775073 00	2.3	4.4	300	19	42	4.50	<	0.7	2	0.2	5	0.8	<	6.8	2.8	<2	29.88	-	-	8.0	34	0.20
106C 775074 00	0.8	6.8	370	32	66	6.60	<	1.1	3	0.3	5	0.9	2	12.0	3.5	<2	28.55	-	-	8.2	38	0.14
106C 775075 00	0.5	4.8	610	40	86	7.50	<	1.1	3	0.2	8	1.3	2	16.0	4.6	<2	28.70	-	-	8.1	32	0.32
106C 775076 00	0.6	7.4	710	43	92	7.90	2	1.2	2	0.2	7	1.2	1	14.0	3.2	<2	8.23	-	-	8.1	42	0.02
106C 775077 00	1.4	3.3	590	26	53	5.00	<	0.5	<	<	5	0.8	<	9.3	3.4	<2	30.13	-	-	8.2	32	0.28
106C 775078 00	2.1	3.7	330	23	46	5.10	<	0.7	2	0.3	5	0.8	1	7.4	2.5	5	38.55	-	-	8.2	26	0.22
106C 775079 00	2.1	3.8	230	17	36	4.10	<	0.7	<	0.2	4	0.6	1	6.4	2.2	<2	34.56	-	-	8.3	26	0.08
106C 775080 00	1.8	3.7	230	17	33	4.10	<	0.7	<	<	4	0.7	<	6.2	2.3	4	21.29	-	-	8.0	22	0.08
106C 775082 00	10.0	1.3	1900	24	43	3.90	<	0.6	<	<	2	0.7	3	6.8	3.6	26	31.22	29	20.86	8.1	<	1.90
106C 775083 00	5.7	3.4	470	21	39	4.10	<	0.7	<	<	3	0.9	1	7.8	2.6	<2	19.24	-	-	8.2	22	0.14
106C 775084 00	2.7	3.6	2100	48	82	7.10	<	1.2	<	<	4	1.1	5	17.0	11.0	15	6.31	14	12.39	7.9	<	1.90
106C 775085 00	3.1	3.8	1100	87	150	13.90	1	2.2	5	0.5	4	2.5	5	26.6	9.4	16	26.76	14	21.65	8.0	20	0.90
106C 775086 00	1.9	2.2	390	21	38	4.00	<	0.8	2	<	4	0.8	<	6.6	3.0	3	36.60	-	-	8.2	24	0.48
106C 775087 00	1.6	2.3	560	20	38	4.00	<	0.7	<	<	4	0.8	<	7.0	2.4	3	17.52	-	-	ns	ns	ns
106C 775088 00	4.3	2.1	220	16	30	3.10	<	<	<	<	2	<	<	5.1	3.2	3	26.92	-	-	8.2	38	0.28
106C 775089 00	1.8	1.7	320	16	31	2.90	<	<	<	<	2	0.6	1	5.4	2.1	<2	15.03	-	-	8.1	52	0.32

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
106C	775091	00	08	556046	7187791	DLMTc	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775092	00	08	552038	7189395	DLMTc	07	Sed/Water	20	5	-	Alluv	Clear	Modert	Yellow	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775093	00	08	552804	7185865	DLMTc	07	Sed/Water	20	8	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775094	00	08	552108	7186204	DLMTc	07	Sed/Water	12	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775095	10	08	551058	7184810	DLMTc	07	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775096	20	08	551058	7184810	DLMTc	07	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775097	00	08	561273	7184291	DLMTc	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775098	00	08	561339	7182474	DLMTc	07	Sed/Water	5	5	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775099	00	08	558957	7178738	DLMTc	07	Sed/Water	6	8	-	Alluv	Clear	Fast	Rd-Bn	220	-	Rd-Bn	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
106C	775100	00	08	556282	7180655	DLMTc	07	Sed/Water	8	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
106C	775102	00	08	559693	7177345	DLMTc	07	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775103	00	08	561388	7174965	DLMTc	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775104	00	08	561342	7175269	DLMTc	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Green	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775105	00	08	560796	7171338	DLMTc	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Green	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775106	00	08	560338	7170856	DLMTc	07	Sed/Water	50	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775107	00	08	560799	7169277	DLMTc	07	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775108	00	08	560487	7167826	SLTEb	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Green	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775109	00	08	559671	7167411	SLTEb	07	Sed/Water	30	15	-	Alluv	Clear	Fast	Black	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775110	00	08	557563	7164662	SLTEb	07	Sed/Water	10	8	-	Alluv	Clear	Fast	Black	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775111	00	08	562871	7165844	DLMTc	07	Sed/Water	15	3	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775112	00	08	564218	7168301	DLMTc	07	Sed/Water	2	3	-	Tal/Scr	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775113	10	08	567821	7170516	DLMTc	07	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	220	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775114	20	08	567821	7170516	DLMTc	07	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	220	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775115	00	08	567589	7172621	DLMTc	07	Sed/Water	6	8	-	Alluv	Clear	Fast	Black	220	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775116	00	08	566987	7173999	DLMTc	07	Sed/Water	15	5	-	Alluv	Clear	Modert	Gy-Blu	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775118	00	08	565918	7177705	DLMTc	07	Sed/Water	15	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775119	00	08	561967	7178840	DLMTc	07	Sed/Water	2	15	-	Alluv	BnTrans	Slow	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775120	00	08	558705	7174490	DLMTc	07	Sed/Water	30	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775122	00	08	556619	7175767	SLTEb	07	Sed/Water	5	3	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775123	00	08	556472	7176291	DLMTc	07	Sed/Water	5	15	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775124	00	08	556112	7171074	DLMTc	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775126	10	08	553525	7171079	DLMTc	07	Sed/Water	20	20	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Ter'ary	Sp'gMelt
106C	775127	20	08	553525	7171079	DLMTc	07	Sed/Water	20	20	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Ter'ary	Sp'gMelt
106C	775128	00	08	551541	7175499	DLMTc	07	Sed/Water	3	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775129	00	08	550010	7179639	DLMTc	07	Sed/Water	8	10	-	Alluv	Clear	Fast	Black	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775130	00	08	550749	7179321	DLMTc	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775131	00	08	549583	7172582	ARGLb	07	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775132	00	08	553742	7168597	DLMTc	07	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775133	00	08	555981	7166829	DLMTc	07	Sed/Water	5	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775134	00	08	551567	7167411	ARGLb	07	Sed/Water	12	30	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	-	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106C 775091 00	3.4	4.6	320	26	48	5.00	<	0.9	<	<	3	0.8	<	9.1	5.3	4	13.86	-	-	8.4	38	2.60
106C 775092 00	2.8	2.2	340	17	32	3.40	<	0.6	<	<	2	0.6	<	6.8	2.7	<2	24.45	-	-	8.0	120	0.36
106C 775093 00	17.8	0.9	87	11	16	2.00	<	<	<	<	<	<	<	3.1	2.5	<2	19.52	-	-	8.1	90	0.28
106C 775094 00	17.1	0.7	74	13	<	2.00	<	<	<	<	<	<	<	2.5	2.3	<2	26.31	-	-	8.1	74	0.18
106C 775095 10	1.1	2.5	420	25	47	4.80	<	0.7	2	0.2	3	0.7	<	7.8	1.9	<2	21.00	-	-	8.0	32	0.20
106C 775096 20	1.3	3.5	460	25	55	5.00	<	0.8	2	0.2	3	0.6	2	8.0	2.1	3	19.96	-	-	8.1	26	0.08
106C 775097 00	1.7	3.7	540	26	45	4.80	<	0.9	<	0.3	4	0.8	<	8.4	2.8	<2	22.64	-	-	8.3	44	0.36
106C 775098 00	2.3	4.1	300	23	45	4.00	<	0.7	2	<	3	0.6	<	7.5	3.7	3	24.73	-	-	8.4	50	1.50
106C 775099 00	3.2	1.7	370	17	32	3.00	<	0.5	<	<	2	<	1	5.4	1.8	<2	11.89	-	-	8.3	60	0.26
106C 775100 00	1.5	3.4	460	20	36	4.30	<	0.7	<	<	2	0.7	<	6.7	2.2	<2	22.28	-	-	7.7	40	0.08
106C 775102 00	1.6	2.3	390	29	60	5.40	<	0.8	<	<	5	0.6	1	8.3	2.5	3	14.74	-	-	8.5	40	0.70
106C 775103 00	1.7	2.6	530	19	38	4.20	<	0.7	<	<	3	0.7	<	7.3	2.2	3	27.25	-	-	8.4	32	0.08
106C 775104 00	1.5	2.2	430	22	45	4.20	<	0.7	<	<	4	0.8	<	7.5	2.4	3	16.44	-	-	8.4	44	0.36
106C 775105 00	2.1	4.2	630	29	59	5.90	<	1.0	3	0.3	5	1.0	<	10.0	3.6	4	24.62	-	-	8.2	36	0.18
106C 775106 00	2.6	3.6	320	26	48	4.70	<	0.9	2	<	3	0.9	<	8.8	4.4	4	14.90	-	-	8.3	40	0.70
106C 775107 00	2.2	4.2	460	27	54	5.10	<	1.0	2	0.3	4	0.7	<	8.9	3.0	5	7.02	-	-	8.2	36	0.32
106C 775108 00	3.1	4.4	380	26	53	4.90	<	0.7	<	0.2	4	0.8	2	9.0	3.6	4	11.92	-	-	7.8	34	0.28
106C 775109 00	2.7	3.3	310	23	44	4.20	<	0.7	<	<	3	0.6	<	8.0	3.6	3	10.71	-	-	8.3	34	0.82
106C 775110 00	2.5	2.4	300	20	43	3.70	<	0.5	<	<	3	0.5	2	6.8	2.8	3	16.79	-	-	8.3	32	0.44
106C 775111 00	1.9	2.4	170	14	24	2.70	<	<	<	<	2	<	1	4.6	2.4	<2	32.56	-	-	8.0	30	0.38
106C 775112 00	1.2	1.1	260	15	24	2.60	<	<	<	<	3	<	<	5.3	1.5	<2	27.60	-	-	8.0	30	0.08
106C 775113 10	1.6	1.8	250	16	32	3.00	<	0.5	<	<	3	<	<	5.1	2.1	2	23.94	-	-	8.3	32	0.44
106C 775114 20	1.6	1.8	260	16	27	3.10	<	0.6	<	<	2	0.6	<	5.1	2.1	<2	31.21	-	-	8.2	32	0.42
106C 775115 00	2.0	3.5	450	22	43	4.90	<	0.8	<	<	3	0.9	<	8.9	3.9	<2	22.69	-	-	8.1	36	0.18
106C 775116 00	1.6	4.5	800	27	52	5.10	<	0.8	<	<	4	0.9	1	10.0	3.7	<2	18.78	-	-	8.2	36	0.18
106C 775118 00	1.3	4.4	580	24	49	4.40	<	0.7	<	<	4	0.9	<	8.6	3.0	11	15.95	<2	18.33	8.1	64	0.24
106C 775119 00	1.4	3.5	560	21	43	3.60	<	0.7	<	<	3	0.9	<	7.7	2.7	4	7.41	-	-	8.0	46	0.02
106C 775120 00	2.5	3.5	590	24	48	4.30	<	0.8	<	0.2	4	0.8	<	8.0	2.9	<2	6.79	-	-	8.1	36	0.32
106C 775122 00	3.4	3.6	500	22	45	4.00	<	0.7	<	<	4	0.7	1	7.9	2.3	<2	22.92	-	-	8.0	22	0.08
106C 775123 00	2.1	5.1	840	24	48	4.40	<	0.6	2	<	4	0.8	1	8.4	2.5	<2	19.08	-	-	8.1	22	0.20
106C 775124 00	2.3	2.7	290	18	43	3.20	<	<	<	<	3	0.6	<	6.0	1.7	3	9.96	-	-	8.0	20	0.10
106C 775126 10	2.8	3.9	420	39	86	7.00	<	0.9	2	0.2	6	1.0	2	13.0	3.7	<2	29.36	-	-	7.9	34	0.10
106C 775127 20	3.1	4.1	410	46	85	8.40	<	1.0	<	<	6	1.1	2	14.0	3.7	3	20.89	-	-	8.1	28	0.10
106C 775128 00	2.2	2.4	380	18	35	3.40	<	0.7	<	<	3	0.5	<	6.7	2.0	4	10.34	-	-	8.3	30	0.20
106C 775129 00	2.0	5.4	470	34	76	5.80	<	0.8	<	<	6	0.8	1	12.0	2.8	<2	10.97	-	-	7.8	30	0.02
106C 775130 00	2.7	2.6	360	18	36	3.50	<	0.6	<	<	3	0.6	<	6.7	1.9	3	24.06	-	-	8.2	40	0.10
106C 775131 00	2.0	3.3	250	28	58	4.60	<	0.8	2	0.2	4	0.8	<	10.0	2.4	2	6.51	-	-	8.0	36	0.14
106C 775132 00	1.8	1.7	180	15	29	2.70	<	<	<	<	2	<	<	4.8	1.6	<2	9.31	-	-	8.3	34	0.10
106C 775133 00	2.2	3.0	340	19	41	3.50	<	0.6	<	<	2	0.6	<	6.8	2.3	<2	20.39	-	-	8.2	28	0.08
106C 775134 00	3.0	3.4	410	40	81	6.40	<	0.8	<	0.3	6	1.0	2	12.0	3.2	4	14.84	-	-	8.1	24	0.18



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
106C	775135	00	08	547906	7166441	ARLb	07	Sed/Water	3	4	-	Alluv	Clear	Fast	Black	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775136	00	08	552403	7166052	DLMTc	07	Sed/Water	4	4	-	Tal/Scr	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775137	00	08	551593	7164944	DLMTc	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775138	00	08	554758	7161538	DLMTc	07	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775139	00	08	555000	7162276	DLMTc	07	Sed/Water	3	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775140	00	08	550791	7161820	DLMTc	07	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775142	00	08	551539	7161178	DLMTc	07	Sed/Water	20	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775143	00	08	548991	7159670	DLMTc	07	Sed/Water	25	10	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775144	00	08	550337	7154833	DLMTc	07	Sed/Water	40	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775145	00	08	551305	7156237	GLCM	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775146	00	08	556447	7157434	GRITa	07	Sed/Water	40	3	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775147	00	08	559138	7156618	DLMTc	07	Sed/Water	15	20	-	Alluv	WhCl'dy	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775148	00	08	558553	7156896	DLMTc	07	Sed/Water	15	10	-	Alluv	WhCl'dy	Fast	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775149	00	08	559971	7154897	DLMTc	07	Sed/Water	15	15	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775150	00	08	560272	7159203	DLMTc	07	Sed/Water	15	10	-	Alluv	Clear	Torrnt	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775151	00	08	568058	7182198	DLMTd	09	Sed/Water	2	2	-	Alluv	Clear	Fast	Black	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775152	00	08	564689	7181738	DLMTd	09	Sed/Water	8	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775153	00	08	568829	7177238	DLMTd	09	Sed/Water	15	15	-	Alluv	Clear	Torrnt	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775154	00	08	568435	7178213	DLMTd	09	Sed/Water	6	4	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775155	00	08	570247	7176459	GRITb	09	Sed/Water	4	4	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775156	00	08	572372	7175902	GRITb	09	Sed/Water	2	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775158	10	08	573411	7176768	DLMTd	09	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775159	20	08	573411	7176768	DLMTd	09	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775160	00	08	574712	7179548	SHLEb	09	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775162	00	08	573731	7180102	SHLEb	09	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775163	00	08	575337	7176530	DLMTd	09	Sed/Water	5	3	-	Alluv	Clear	Fast	Black	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775164	00	08	569903	7167713	DLMTc	07	Sed/Water	15	6	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775165	00	08	567995	7167245	DLMTc	07	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	021	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775166	00	08	569939	7165360	DLMTc	07	Sed/Water	3	3	-	Alluv	Clear	Fast	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775167	00	08	570847	7163196	DLMTc	07	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775168	00	08	569675	7162301	DLMTc	07	Sed/Water	10	8	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775170	00	08	573555	7163912	GRITb	09	Sed/Water	8	5	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775171	10	08	570808	7160263	DLMTc	07	Sed/Water	30	15	-	Alluv	Clear	Torrnt	Black	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775172	20	08	570808	7160263	DLMTc	07	Sed/Water	30	15	-	Alluv	Clear	Torrnt	Rd-Bn	111	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775173	00	08	567561	7160741	DLMTc	07	Sed/Water	12	8	-	Alluv	Clear	Fast	Rd-Bn	021	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775174	00	08	566164	7157253	GRITb	09	Sed/Water	8	15	-	Alluv	Clear	Torrnt	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775175	00	08	566410	7156839	DLMTc	07	Sed/Water	5	10	-	Alluv	Clear	Fast	Rd-Bn	111	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775176	00	08	569079	7157091	DLMTc	07	Sed/Water	15	20	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775177	00	08	569243	7156649	DLMTc	07	Sed/Water	5	10	-	Alluv	Clear	Fast	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775178	00	08	571533	7156853	DLMTc	07	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADPC	COL	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775135 00	48	56	27	21	14	<	1450	<	2.35	30	2.1	<	280	0.12	5.6	61	2.9	14	<	16.0	0.8	98	3
106C 775136 00	90	32	79	19	14	<	965	2	1.85	90	2.1	<	200	0.12	5.3	51	2.2	13	11	13.0	1.4	71	4
106C 775137 00	76	30	45	12	11	<	1550	2	2.00	90	1.6	<	320	0.18	3.8	45	2.0	10	<	8.8	7.4	48	2
106C 775138 00	188	40	71	33	13	<	975	5	2.25	120	3.6	<	240	0.18	6.8	62	2.8	14	32	26.0	4.7	100	6
106C 775139 00	225	42	48	38	11	0.2	970	6	2.70	230	4.7	<	380	0.21	7.8	62	2.8	10	40	19.0	19.0	110	8
106C 775140 00	168	48	80	10	10	<	1790	<	2.20	ns	1.8	<	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106C 775142 00	120	28	35	19	19	<	1100	2	1.70	60	2.0	<	280	0.15	6.3	46	2.1	9	17	12.0	6.1	75	2
106C 775143 00	72	28	22	19	9	<	1050	2	1.60	50	2.3	<	280	0.13	6.0	54	2.0	11	23	10.0	3.9	75	3
106C 775144 00	144	82	29	18	15	<	955	<	2.85	60	1.9	<	260	0.35	10.0	36	3.9	19	19	11.0	3.6	64	3
106C 775145 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	0.23	7.6	65	2.9	12	66	37.0	3.3	120	14
106C 775146 00	300	64	100	73	14	0.2	575	12	2.95	230	7.7	4	200	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106C 775147 00	196	24	120	10	6	<	1400	2	1.45	50	1.0	4	200	0.13	4.0	34	1.8	6	<	15.0	2.1	49	2
106C 775148 00	310	58	105	65	15	0.2	730	10	2.75	170	5.7	<	280	0.21	7.0	49	2.7	14	49	34.0	3.5	110	11
106C 775149 00	380	42	115	21	17	<	2150	2	2.45	40	2.0	<	320	0.16	5.1	53	2.8	16	24	19.0	3.0	91	1
106C 775150 00	345	30	165	13	9	<	1600	2	1.70	70	1.1	<	200	0.13	3.1	30	1.6	9	<	18.0	3.1	45	2
106C 775151 00	164	28	41	17	9	<	500	2	2.20	70	2.9	<	940	0.36	8.8	75	3.1	12	15	8.2	0.9	87	2
106C 775152 00	106	22	32	14	8	<	430	3	2.00	60	2.0	<	640	0.23	7.1	46	2.6	9	<	6.2	1.6	64	2
106C 775153 00	100	24	30	15	11	<	475	<	2.05	80	2.8	<	720	0.23	7.3	51	2.6	12	16	5.6	2.3	82	1
106C 775154 00	122	38	25	20	14	<	605	<	2.80	110	2.9	<	560	0.45	8.7	73	2.7	12	<	6.6	2.9	110	6
106C 775155 00	124	40	45	15	14	<	660	<	2.15	180	2.8	4	800	0.32	7.5	46	2.5	13	<	8.1	1.8	110	<
106C 775156 00	235	60	115	25	29	<	1650	2	3.50	80	3.3	4	560	0.40	12.0	82	4.0	27	28	10.0	1.4	120	2
106C 775158 10	66	20	15	17	12	<	530	<	1.80	20	2.4	<	360	0.20	7.5	24	2.5	12	23	5.4	1.4	91	2
106C 775159 20	68	22	18	19	13	<	600	<	1.95	30	3.1	<	620	0.20	7.4	52	2.4	14	<	5.5	1.4	83	2
106C 775160 00	54	20	16	10	9	<	380	<	1.75	20	3.3	<	760	0.12	6.6	52	2.1	8	<	5.7	1.6	96	1
106C 775162 00	148	38	22	82	49	<	2350	3	4.20	30	3.3	<	520	0.35	12.0	97	4.5	45	80	7.8	1.4	110	2
106C 775163 00	128	34	49	32	25	<	560	3	3.20	40	2.9	<	620	0.33	11.0	68	4.0	24	17	7.6	1.4	110	3
106C 775164 00	1080	40	250	26	15	0.4	1100	2	2.25	410	2.5	<	500	0.28	6.4	80	2.5	13	29	12.0	9.1	80	4
106C 775165 00	380	40	97	41	15	<	645	2	2.70	90	2.5	<	520	0.23	7.3	130	2.6	12	48	10.0	3.4	92	2
106C 775166 00	775	40	220	21	13	<	1300	3	1.95	230	2.1	<	480	0.27	6.2	39	2.4	13	21	14.0	7.4	78	3
106C 775167 00	116	30	40	20	11	<	930	3	1.65	50	2.4	<	760	0.22	6.2	76	2.3	11	25	10.0	1.6	75	4
106C 775168 00	178	30	67	22	12	<	1250	2	1.95	70	2.1	<	460	0.24	6.0	56	2.3	10	21	8.6	3.3	83	2
106C 775170 00	200	52	81	26	22	<	1750	3	3.20	80	3.2	<	460	0.46	10.0	62	3.5	19	27	12.0	2.5	96	2
106C 775171 10	126	34	61	19	11	<	1400	3	1.80	40	1.9	<	280	0.17	4.2	62	2.4	10	23	13.0	3.9	51	1
106C 775172 20	138	40	72	21	11	<	1450	3	1.85	50	1.9	<	300	0.19	4.1	40	2.3	10	29	15.0	4.1	60	1
106C 775173 00	94	14	29	9	6	<	1450	4	1.45	30	1.3	<	180	0.16	3.0	<	1.9	6	12	8.1	4.2	33	<
106C 775174 00	192	26	95	12	11	<	1550	3	1.75	30	1.5	<	180	0.17	3.5	36	2.5	12	<	12.0	4.3	39	2
106C 775175 00	300	50	105	25	16	0.2	2300	<	4.25	60	2.4	<	380	0.20	7.4	52	4.2	19	25	27.0	10.0	84	2
106C 775176 00	260	42	120	19	14	<	1750	3	1.90	40	1.9	<	260	0.17	4.5	46	2.7	13	20	20.0	4.9	56	2
106C 775177 00	405	178	190	59	24	0.2	1850	5	4.15	160	4.9	<	500	0.19	7.5	75	4.1	21	56	29.0	10.0	130	4
106C 775178 00	72	78	33	33	18	<	1050	4	3.05	60	4.7	<	700	0.18	7.1	76	3.0	16	52	24.0	2.4	130	6

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106C 775135 00	2.0	2.3	260	27	55	4.60	<	0.6	<	<	3	0.6	1	7.9	1.9	6	14.59	-	-	8.3	24	0.12
106C 775136 00	2.8	2.1	220	16	43	3.00	<	<	<	<	2	0.5	<	5.8	2.0	<	7.51	-	-	8.2	28	0.18
106C 775137 00	1.2	1.9	210	14	31	2.90	<	0.5	<	<	2	<	<	4.7	1.3	<	27.92	-	-	8.1	28	0.20
106C 775138 00	4.1	3.4	270	27	58	4.90	<	0.7	2	0.2	4	0.7	<	9.3	3.9	<	11.70	-	-	8.1	28	0.42
106C 775139 00	3.1	5.8	360	28	57	5.00	1	0.8	2	<	3	0.6	1	10.0	4.6	<	8.42	-	-	8.2	34	0.60
106C 775140 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	8.2	30	0.12
106C 775142 00	2.0	2.3	340	23	48	4.20	<	0.7	2	0.3	3	<	<	7.1	2.4	<	27.69	-	-	8.1	36	0.34
106C 775143 00	2.1	2.1	300	26	52	4.50	<	0.6	2	0.2	3	0.5	<	7.7	2.3	<	15.08	-	-	8.2	28	0.28
106C 775144 00	2.8	2.4	290	21	52	4.20	<	0.7	2	0.3	3	0.6	1	6.4	1.6	3	8.60	-	-	8.3	30	0.12
106C 775145 00	4.1	4.7	280	34	66	6.10	<	0.9	3	<	4	1.0	<	11.0	7.1	6	12.98	-	-	8.1	28	0.34
106C 775146 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	8.1	36	1.30
106C 775147 00	2.1	1.7	190	14	35	2.60	<	<	<	<	1	<	<	4.6	1.3	3	24.29	-	-	8.2	32	0.56
106C 775148 00	3.8	3.9	290	31	61	5.90	<	1.1	3	<	4	0.9	1	10.0	6.0	4	19.66	-	-	8.3	40	1.40
106C 775149 00	3.0	2.8	380	21	55	4.30	<	0.6	<	<	3	0.6	<	8.1	2.3	<	34.61	-	-	8.2	30	0.56
106C 775150 00	2.6	2.2	210	13	25	2.70	<	0.5	<	<	2	<	<	5.1	1.6	<	19.07	-	-	8.1	26	0.56
106C 775151 00	1.5	4.2	960	24	52	5.50	<	0.8	3	0.3	5	0.6	1	8.4	3.3	<	31.10	-	-	8.4	60	4.90
106C 775152 00	1.1	3.3	690	19	40	4.20	<	0.5	2	0.2	3	0.5	1	6.3	2.5	<	33.90	-	-	8.3	58	0.92
106C 775153 00	0.9	3.6	780	23	53	5.40	<	1.0	3	0.5	11	0.7	<	8.0	3.3	<	23.42	-	-	8.4	90	0.52
106C 775154 00	1.1	3.5	470	28	56	5.50	<	0.9	3	0.3	5	0.7	<	10.0	2.8	<	3.59	-	-	7.9	40	0.26
106C 775155 00	1.6	3.6	850	27	55	5.90	<	0.9	3	0.4	6	0.9	2	10.0	2.9	4	24.31	-	-	8.0	36	0.02
106C 775156 00	1.6	6.3	550	31	65	6.40	<	1.0	4	0.4	4	1.0	<	10.0	2.8	4	14.74	-	-	8.2	54	0.12
106C 775158 10	0.7	3.8	390	23	58	5.70	<	0.8	2	0.4	6	0.7	1	8.3	3.2	<	33.56	-	-	8.5	120	0.50
106C 775159 20	0.8	3.3	470	22	56	5.30	<	0.8	2	0.4	7	0.8	1	7.7	3.0	<	30.03	-	-	8.5	120	0.50
106C 775160 00	0.8	3.5	680	23	50	6.10	<	0.9	3	0.5	12	0.9	1	9.3	3.8	<	36.69	-	-	8.4	90	0.20
106C 775162 00	0.9	6.5	540	29	50	8.00	<	1.2	4	0.5	4	0.9	<	10.0	3.7	<	18.64	-	-	8.6	70	0.42
106C 775163 00	1.1	5.9	500	28	58	6.80	<	1.2	3	0.5	5	0.9	<	10.0	3.3	4	27.78	-	-	8.5	240	0.38
106C 775164 00	2.7	3.4	360	19	34	3.80	<	0.7	<	<	3	0.7	<	7.1	2.2	<	8.14	-	-	8.4	44	0.50
106C 775165 00	1.9	5.0	460	22	46	4.30	<	0.6	<	<	3	0.7	<	8.9	2.3	<	19.30	-	-	8.4	38	0.30
106C 775166 00	2.3	2.6	420	18	45	3.80	<	0.6	<	0.2	3	0.5	1	6.7	2.1	<	17.90	-	-	8.1	34	0.02
106C 775167 00	2.4	2.5	260	21	52	3.90	<	0.6	2	<	3	0.5	<	7.5	2.2	2	7.42	-	-	8.4	26	0.08
106C 775168 00	2.0	2.5	350	20	45	3.90	<	0.5	<	0.2	3	0.7	<	7.3	2.0	3	11.34	-	-	8.3	34	0.08
106C 775170 00	1.8	3.9	340	26	49	5.70	<	0.6	3	0.3	4	1.0	<	8.5	3.2	<	12.93	-	-	8.3	96	0.62
106C 775171 10	2.5	2.0	210	15	34	3.20	<	<	<	<	2	0.5	<	5.6	1.9	<	27.16	-	-	8.2	24	0.42
106C 775172 20	2.9	1.9	260	16	28	3.70	<	<	<	<	2	0.6	<	6.1	2.2	<	25.52	-	-	8.1	28	0.54
106C 775173 00	1.4	1.2	170	12	13	2.50	<	<	<	<	2	<	<	3.9	1.7	<	32.18	-	-	8.2	24	0.46
106C 775174 00	1.9	1.5	190	13	31	2.80	<	<	<	0.2	2	<	<	4.2	1.6	<	36.25	-	-	8.2	24	0.36
106C 775175 00	2.7	3.3	350	27	50	5.30	<	0.7	2	0.2	4	0.6	1	8.7	2.5	<	13.89	-	-	8.0	20	0.08
106C 775176 00	3.0	2.1	230	15	30	3.20	<	0.5	<	0.3	2	<	<	5.7	2.0	<	25.13	-	-	8.3	24	0.28
106C 775177 00	6.4	3.8	370	27	49	5.50	<	0.9	3	0.3	3	<	1	11.0	4.8	3	13.61	-	-	8.0	30	0.34
106C 775178 00	8.3	2.8	580	28	59	5.50	<	0.8	3	<	4	0.7	<	12.0	4.5	<	8.16	-	-	7.8	22	0.12

## Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106C	775179	00	08	573294	7159518	DLMTc	07	Sed/Water	20	5	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775180	00	08	574695	7160125	GRITb	09	Sed/Water	8	8	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775183	00	08	577934	7160722	GRITb	09	Sed/Water	8	5	-	Alluv	Clear	Fast	Yellow	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775184	00	08	577632	7161573	DLMTd	09	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775185	00	08	574512	7156680	DLMTc	07	Sed/Water	30	25	-	Alluv	Whcl'dy	Torrnt	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775186	00	08	576205	7157569	GLCM	44	Sed/Water	3	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775187	00	08	578452	7154013	DLMTc	07	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775188	00	08	573312	7172498	GRITb	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775189	00	08	574360	7170591	GRITb	09	Sed/Water	1	2	-	Alluv	Clear	Modert	Black	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775190	00	08	578614	7173693	SHLEb	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775191	00	08	580016	7175992	SHLEb	09	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775192	00	08	580910	7176072	SHLEb	09	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775193	10	08	581205	7173027	SHLEb	09	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775194	20	08	581205	7173027	SHLEb	09	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775195	00	08	582580	7174448	SHLEb	09	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775196	00	08	579079	7170239	SHLEb	09	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775197	00	08	582968	7170502	SHLEb	09	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775198	00	08	583558	7170307	SHLEb	09	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775199	00	08	578221	7167050	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775200	00	08	581950	7166146	SHLEb	09	Sed/Water	3	3	-	Alluv	Clear	Modert	Black	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775202	00	08	580886	7164771	DLMTd	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775203	00	08	584063	7164335	DLMTd	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775204	00	08	583509	7162897	GLCM	44	Sed/Water	1	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775205	00	08	586337	7160977	GLCM	44	Sed/Water	6	10	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775206	00	08	586434	7162125	DLMTb	17	Sed/Water	20	10	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775207	00	08	585354	7156724	GLCM	44	Sed/Water	3	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775208	00	08	584696	7156618	GLCM	44	Sed/Water	5	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775209	10	08	585700	7154405	GLCM	44	Sed/Water	10	15	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775210	20	08	585700	7154405	GLCM	44	Sed/Water	10	15	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775211	00	08	591999	7155396	GLCM	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775212	00	08	592644	7154541	GLCM	44	Sed/Water	12	15	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775213	00	08	595215	7155382	SLTEc	10	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775214	00	08	593031	7160936	DLMTf	12	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775215	00	08	593576	7160263	GLCM	44	Sed/Water	15	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775216	00	08	588357	7164901	GLCM	44	Sed/Water	1	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775217	00	08	588198	7167365	DLMTb	17	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775218	00	08	590455	7167103	DLMTg	15	Sed/Water	6	4	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt
106C	775220	00	08	593098	7168849	SHLEb	09	Sed/Water	5	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775222	00	08	572867	7194529	GLCM	44	Sed/Water	4	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'ghelt
106C	775223	00	08	574655	7192234	GRITb	09	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'ghelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AAS	MADNC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775179 00	168	78	79	33	19	<	1400	2	2.65	60	3.2	<	520	0.22	6.8	76	3.0	15	41	21.0	4.0	93	4
106C 775180 00	122	26	42	19	12	<	815	3	1.70	70	2.8	<	400	0.37	7.2	66	2.6	13	21	10.0	1.7	70	3
106C 775183 00	138	34	31	24	12	<	625	3	2.00	120	3.1	<	700	0.33	7.1	65	2.4	9	19	10.0	1.0	85	2
106C 775184 00	108	26	31	17	11	<	735	3	1.65	70	2.8	<	460	0.39	7.3	52	2.5	13	<	10.0	2.4	70	3
106C 775185 00	295	82	94	37	24	0.2	2100	3	3.70	80	3.5	<	520	0.35	10.0	77	4.1	21	35	24.0	4.2	93	4
106C 775186 00	235	44	110	26	16	0.2	1150	2	2.20	100	3.2	<	520	0.48	10.0	69	3.2	14	<	13.0	5.1	71	6
106C 775187 00	245	64	93	32	29	0.2	2250	4	3.80	110	3.5	<	520	0.59	11.0	88	4.5	27	29	15.0	3.5	110	2
106C 775188 00	64	18	18	8	6	<	370	3	1.00	50	1.9	<	400	0.21	4.0	38	1.3	7	12	3.8	2.4	35	2
106C 775189 00	350	58	130	98	88	0.2	7950	<	3.00	140	2.8	4	720	0.28	8.9	51	3.5	76	75	14.0	<2.7	80	14
106C 775190 00	86	24	21	17	14	<	420	<	2.25	40	2.9	<	520	0.24	8.2	40	2.8	11	<	6.0	2.5	100	2
106C 775191 00	54	18	21	8	12	<	375	2	1.50	30	4.0	<	940	0.09	7.2	51	2.7	14	<	5.4	0.9	89	2
106C 775192 00	84	16	24	10	9	<	460	4	1.75	50	2.1	<	1300	0.13	5.8	39	2.3	10	10	5.2	1.8	64	2
106C 775193 10	100	48	23	35	24	<	1000	4	2.90	60	3.7	4	400	0.40	9.5	76	3.6	20	33	13.0	1.4	110	3
106C 775194 20	96	44	23	35	24	<	1000	2	2.85	50	3.2	<	400	0.37	8.7	70	3.2	20	26	13.0	1.0	100	3
106C 775195 00	114	24	34	20	17	<	765	4	1.95	70	1.9	<	440	0.16	6.0	42	2.5	17	18	12.0	1.4	80	2
106C 775196 00	260	30	105	21	13	<	510	3	1.95	730	3.9	<	840	0.30	7.9	63	2.7	13	19	14.0	1.7	69	4
106C 775197 00	120	22	43	12	10	<	685	2	1.45	280	2.3	<	580	0.25	6.9	55	2.2	11	15	19.0	32.0	69	2
106C 775198 00	116	20	35	12	12	<	625	5	1.75	170	3.4	<	520	0.17	6.3	29	2.5	11	15	49.0	2.5	73	2
106C 775199 00	136	30	49	19	12	<	430	5	1.90	80	3.0	<	240	0.33	7.4	48	2.7	12	24	7.1	2.1	59	5
106C 775200 00	68	22	23	15	8	<	360	4	1.45	70	2.6	<	340	0.29	6.3	45	2.1	7	20	7.2	<3.8	51	15
106C 775202 00	92	10	15	7	3	<	175	4	0.60	100	1.9	<	180	0.22	2.9	30	0.9	<	<	6.7	1.9	22	2
106C 775203 00	166	14	8	10	5	<	220	3	0.75	70	2.2	<	380	0.35	4.0	36	1.2	6	18	5.5	2.3	32	4
106C 775204 00	106	10	51	5	4	<	260	4	0.75	100	1.3	<	120	0.14	3.0	21	1.0	<	<	17.0	1.2	20	1
106C 775205 00	70	8	2	13	2	<	85	2	0.40	80	2.0	<	440	0.14	1.6	34	0.6	<	11	5.9	2.4	18	3
106C 775206 00	132	22	22	21	15	<	620	4	1.80	60	3.5	<	400	0.11	5.9	64	2.3	14	30	7.6	1.1	77	1
106C 775207 00	140	18	21	14	8	<	235	3	1.05	130	3.4	<	340	0.12	2.6	37	0.8	<	21	11.0	6.7	33	2
106C 775208 00	144	16	23	19	11	<	765	3	1.60	80	2.6	<	460	0.30	6.7	54	2.3	9	<	9.5	18.0	67	3
106C 775209 10	170	12	21	17	8	<	395	3	1.35	70	3.1	<	740	0.13	5.6	54	2.1	9	<	9.5	2.3	62	3
106C 775210 20	186	16	26	19	9	<	455	3	1.50	90	3.1	<	740	0.14	6.0	60	2.3	9	18	10.0	2.0	61	4
106C 775211 00	465	32	19	71	15	0.2	520	7	2.45	80	4.4	4	1700	0.12	8.2	76	3.0	14	61	14.0	3.5	90	7
106C 775212 00	300	24	29	19	12	<	610	4	1.90	150	4.6	<	420	0.13	6.8	71	2.7	14	15	15.0	1.9	67	2
106C 775213 00	315	20	33	16	12	<	615	3	1.80	160	4.9	<	240	0.12	6.6	68	2.7	13	18	14.0	2.5	72	<
106C 775214 00	96	16	28	12	9	<	525	3	1.30	30	3.2	<	380	0.11	5.7	47	2.0	11	<	6.6	2.3	82	2
106C 775215 00	290	26	30	30	22	<	825	2	2.40	80	4.7	<	320	0.09	6.5	70	3.1	22	28	10.0	0.8	89	2
106C 775216 00	116	18	14	13	9	<	540	2	1.10	20	3.1	<	440	0.14	5.4	59	1.8	11	<	6.6	0.9	78	2
106C 775217 00	50	8	8	6	<	<	110	5	0.45	30	1.7	<	160	0.14	1.5	<	0.6	<	<	6.2	2.5	14	3
106C 775218 00	176	16	16	49	41	<	2800	3	1.30	20	2.6	<	440	0.10	5.2	53	1.9	43	62	7.4	1.2	92	1
106C 775220 00	122	22	16	22	16	<	590	3	1.00	20	2.8	<	360	0.12	5.2	39	1.8	18	27	8.6	1.6	63	2
106C 775222 00	52	122	26	15	20	0.2	1350	3	2.30	130	3.9	4	3600	0.21	7.9	76	3.9	22	<	23.0	3.0	140	3
106C 775223 00	168	24	61	6	6	<	900	4	1.25	90	1.7	<	700	0.19	4.2	30	2.1	7	<	4.7	1.8	44	3

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106C 775179 00	4.8	3.3	390	23	50	4.50	<	0.7	2	<	4	0.8	1	9.1	3.3	5	8.01	-	-	7.9	24	0.24
106C 775180 00	1.3	2.8	350	19	46	4.20	<	0.6	<	0.2	3	0.7	<	6.8	2.8	2	31.27	-	-	8.2	150	0.52
106C 775183 00	1.5	3.8	530	22	45	4.80	<	0.6	<	<	4	0.8	2	9.0	3.1	<2	19.14	-	-	8.1	120	0.56
106C 775184 00	1.4	3.2	410	21	40	4.70	<	0.8	2	0.3	4	0.8	<	7.7	3.3	<2	28.89	-	-	8.2	150	0.56
106C 775185 00	4.0	3.1	380	28	60	5.80	1	0.7	3	0.3	4	0.7	<	8.9	3.8	4	14.57	-	-	7.5	42	0.36
106C 775186 00	2.1	3.3	430	24	54	4.70	<	0.7	3	0.3	3	<	1	7.3	3.2	<2	4.60	-	-	7.9	48	0.44
106C 775187 00	2.3	4.4	440	31	69	6.70	<	1.1	4	0.4	4	1.0	2	11.0	3.6	<2	20.97	-	-	8.0	46	0.32
106C 775188 00	0.6	1.6	320	12	22	2.50	<	<	<	<	2	<	<	3.9	2.1	<2	13.81	-	-	8.5	70	0.52
106C 775189 00	2.5	3.9	440	23	34	5.00	<	0.5	3	0.5	4	0.6	<	7.6	2.7	<2	1.62	-	-	7.9	64	0.24
106C 775190 00	0.9	4.1	370	25	50	5.60	<	1.0	3	0.4	9	0.8	1	9.0	3.2	<2	11.44	-	-	8.3	90	0.32
106C 775191 00	0.8	3.9	920	32	84	7.30	<	1.1	4	0.7	18	1.1	<	10.0	4.1	<2	26.26	-	-	8.0	50	0.22
106C 775192 00	0.8	3.4	1500	22	50	4.40	<	0.7	<	0.3	3	0.5	<	6.0	1.8	<2	24.24	-	-	8.1	86	0.32
106C 775193 10	1.0	5.1	350	26	57	5.90	1	0.8	2	0.3	3	0.8	1	9.0	3.5	<2	24.90	-	-	7.9	56	0.80
106C 775194 20	1.0	5.1	330	22	44	5.90	<	0.9	2	0.2	4	0.8	1	8.9	3.7	3	28.11	-	-	8.0	50	1.00
106C 775195 00	1.5	4.7	470	22	54	5.70	<	0.8	<	0.3	4	0.7	<	7.4	2.5	<2	26.75	-	-	8.1	74	0.36
106C 775196 00	2.0	4.4	830	24	54	5.60	<	0.8	3	0.4	8	0.7	<	8.9	4.3	<2	22.03	-	-	8.1	74	0.48
106C 775197 00	3.6	5.5	520	21	43	4.60	<	0.6	2	0.3	4	0.6	1	6.9	2.5	<2	12.73	-	-	8.2	100	0.60
106C 775198 00	2.9	3.6	470	22	57	5.20	<	0.9	4	0.5	10	0.8	2	7.5	3.4	6	18.73	-	-	8.1	98	0.76
106C 775199 00	0.9	3.5	260	19	32	3.80	<	0.8	2	<	2	0.6	<	5.9	2.7	3	5.43	-	-	8.3	170	0.60
106C 775200 00	0.9	2.7	210	16	23	3.40	<	<	<	0.3	2	<	<	5.4	2.6	<2	1.41	-	-	8.3	170	0.64
106C 775202 00	0.6	1.9	300	10	19	2.00	<	<	<	<	2	<	<	3.3	2.1	<2	25.16	-	-	8.2	60	0.74
106C 775203 00	0.6	1.2	350	11	23	2.10	<	<	<	<	2	<	<	3.5	2.1	<2	7.71	-	-	8.1	42	0.62
106C 775204 00	1.1	3.5	120	8	21	1.90	<	<	<	<	2	<	<	2.9	1.4	3	30.70	-	-	8.1	34	0.24
106C 775205 00	0.7	1.3	490	6	16	1.10	<	<	<	<	<	<	<	1.7	2.2	<2	28.55	-	-	8.2	42	0.80
106C 775206 00	0.5	4.5	380	28	74	5.90	<	0.7	<	<	6	0.8	1	10.0	3.7	<2	34.17	-	-	7.9	50	0.46
106C 775207 00	0.3	2.2	160	10	20	2.00	<	<	<	<	1	<	<	3.9	2.1	<2	14.56	-	-	8.1	52	0.90
106C 775208 00	0.9	4.3	370	21	39	4.00	<	0.5	2	<	4	0.7	1	7.6	2.6	<2	10.83	-	-	8.0	130	0.76
106C 775209 10	0.7	3.5	690	21	58	4.10	<	<	<	0.2	4	0.8	<	7.9	3.3	<2	24.48	-	-	8.0	52	0.54
106C 775210 20	0.7	3.7	740	23	55	4.40	<	0.5	<	<	5	0.7	1	8.4	3.5	<2	28.76	-	-	8.1	46	0.54
106C 775211 00	2.6	5.1	1500	32	67	6.00	<	0.8	3	0.3	5	0.9	1	10.0	4.5	4	26.33	-	-	8.2	74	1.10
106C 775212 00	0.7	5.0	370	28	68	5.50	<	0.8	2	<	7	0.8	<	8.9	4.8	<2	24.63	-	-	8.0	50	0.38
106C 775213 00	0.6	6.0	200	24	53	4.70	<	0.8	2	<	4	0.7	<	8.7	5.2	3	31.66	-	-	8.0	46	0.42
106C 775214 00	0.4	3.6	360	28	67	4.80	<	0.7	<	0.2	5	0.8	<	10.0	3.2	<2	19.98	-	-	7.8	40	0.52
106C 775215 00	0.5	3.9	250	33	77	6.20	<	0.8	<	<	7	0.9	<	11.0	5.0	<2	13.10	-	-	8.1	50	0.36
106C 775216 00	0.4	2.5	400	28	71	5.10	<	0.7	<	<	6	0.9	<	10.0	3.5	<2	28.11	-	-	8.1	62	1.30
106C 775217 00	0.5	1.0	120	5	9	1.00	<	<	<	<	1	<	<	1.9	1.7	<2	37.06	-	-	8.0	28	0.34
106C 775218 00	0.3	2.9	470	31	72	6.20	<	0.8	2	<	7	0.9	<	12.0	3.3	<2	34.64	-	-	7.9	36	0.36
106C 775220 00	0.4	3.2	300	24	57	4.80	<	0.7	<	<	4	0.6	<	8.8	3.6	<2	33.83	-	-	8.0	44	0.30
106C 775222 00	3.1	5.4	4000	36	80	6.00	<	0.7	3	0.3	6	0.8	3	12.0	4.4	6	31.61	-	-	8.1	28	2.30
106C 775223 00	1.1	2.5	670	11	25	2.40	<	<	<	<	2	<	<	3.9	1.7	<2	13.31	-	-	7.9	32	0.78

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data.  
 Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
106C	775224	00	08	577153	7190757	DLMTd	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775225	00	08	578461	7191057	DLMTd	09	Sed/Water	1	2	-	Tal/Scr	Clear	Slow	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775226	00	08	580194	7189695	DLMTd	09	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775227	00	08	579275	7188350	DLMTd	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Black	120	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775229	00	08	581240	7187604	DLMTd	09	Sed/Water	8	5	-	Alluv	Clear	Modert	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775230	00	08	583693	7187844	DLMTd	09	Sed/Water	6	6	-	Alluv	Clear	Modert	Black	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775231	00	08	580137	7185999	SHLEb	09	Sed/Water	20	10	-	Alluv	Clear	Fast	Black	120	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775232	00	08	579000	7184749	SHLEb	09	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	111	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775233	00	08	574867	7186045	DLMTd	09	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775234	00	08	574262	7185336	SHLEb	09	Sed/Water	5	10	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775235	00	08	573669	7186911	DLMTd	09	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775236	00	08	571452	7186372	DLMTd	09	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775237	00	08	572090	7187991	DLMTd	09	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775238	00	08	581553	7183853	SHLEb	09	Sed/Water	3	3	-	Alluv	Bncl'dy	Fast	Black	120	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775239	10	08	584671	7183493	SHLEb	09	Sed/Water	8	6	-	Alluv	Clear	Fast	Black	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775240	20	08	584671	7183493	SHLEb	09	Sed/Water	8	6	-	Alluv	Clear	Fast	Black	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775242	00	08	586527	7183005	SHLEb	09	Sed/Water	8	8	-	Alluv	Clear	Fast	Gy-Blu	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775243	00	08	582621	7182646	SHLEb	09	Sed/Water	3	3	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775244	00	08	585641	7180643	SHLEb	09	Sed/Water	1	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775245	00	08	584899	7179130	SHLEb	09	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775247	00	08	585503	7179336	SHLEb	09	Sed/Water	10	6	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775248	00	08	586921	7177870	SHLEb	09	Sed/Water	20	4	-	Alluv	Clear	Modert	Rd-Bn	111	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775249	00	08	589598	7174898	SHLEb	09	Sed/Water	40	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775250	00	08	589149	7174289	SHLEb	09	Sed/Water	4	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775251	00	08	590983	7172719	SHLEb	09	Sed/Water	6	3	-	Alluv	Clear	Fast	Gy-Blu	220	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775252	00	08	589290	7171087	GLCM	44	Sed/Water	6	8	-	Alluv	Whcl'dy	Fast	Gy-Blu	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775253	00	08	587213	7171277	SHLEb	09	Sed/Water	3	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775254	00	08	591316	7171144	SHLEb	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775255	00	08	594423	7173385	DLMTd	09	Sed/Water	1	2	-	Alluv	Clear	Fast	Rd-Bn	022	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775256	10	08	593973	7175523	GLCM	44	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775257	20	08	593973	7175523	GLCM	44	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775258	00	08	594790	7178831	DLMTd	09	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775259	00	08	592064	7180741	SHLEb	09	Sed/Water	25	15	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775260	00	08	592496	7180281	SHLEb	09	Sed/Water	8	4	-	Alluv	Clear	Fast	Yellow	021	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775262	00	08	581456	7201047	ARGLb	07	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775263	00	08	580702	7199712	ARGLb	07	Sed/Water	4	3	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775264	00	08	577881	7202369	ARGLb	07	Sed/Water	5	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775265	00	08	578862	7203017	ARGLb	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	111	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775266	00	08	576959	7203866	ARGLb	07	Sed/Water	3	2	-	Alluv	Clear	Modert	Gy-Blu	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775267	00	08	574561	7203907	ARGLb	07	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775224 00	84	20	41	18	16	<	660	3	1.95	100	2.3	<	280	0.15	7.4	60	3.1	20	22	6.8	2.0	75	<
106C 775225 00	255	8	79	2	2	<	530	4	1.00	70	1.7	<	220	0.13	1.6	<	1.2	<	<	5.0	2.3	13	2
106C 775226 00	132	8	72	2	<	<	505	4	0.85	60	1.8	<	120	0.15	1.9	<	1.1	<	<	5.0	2.5	9	1
106C 775227 00	66	20	29	10	9	<	335	3	1.50	30	2.9	<	300	0.10	7.8	48	2.4	11	<	6.7	1.5	97	1
106C 775229 00	182	22	86	10	7	<	540	5	1.70	80	3.0	<	560	0.21	4.3	28	2.1	8	18	12.0	1.9	41	3
106C 775230 00	240	16	105	8	5	<	540	6	1.35	120	3.4	<	200	0.16	4.0	34	1.8	7	14	11.0	3.0	33	2
106C 775231 00	96	24	27	17	14	<	510	2	2.15	40	3.2	<	640	0.18	9.2	70	3.1	16	15	7.5	1.7	110	1
106C 775232 00	58	18	14	13	13	<	455	2	1.60	30	3.2	<	360	0.08	4.4	42	1.4	8	<	3.1	2.7	53	2
106C 775233 00	126	18	60	11	10	<	495	2	1.65	90	2.4	<	660	0.11	6.3	38	2.5	11	<	7.3	1.2	76	<
106C 775234 00	56	20	20	12	11	<	475	<	1.65	40	2.6	<	460	0.11	8.0	58	3.0	13	<	7.5	1.8	89	2
106C 775235 00	58	16	24	9	7	<	410	2	1.20	60	2.2	<	360	0.11	5.5	39	1.8	8	14	4.5	1.9	67	2
106C 775236 00	68	12	30	5	5	<	425	2	1.20	50	1.6	<	520	0.11	4.3	36	1.8	6	<	4.8	2.4	45	<
106C 775237 00	275	14	95	7	5	0.2	680	2	1.30	110	1.6	4	420	0.19	4.1	28	1.8	6	<	6.3	2.6	44	1
106C 775238 00	132	58	22	45	32	0.2	655	3	7.00	10	3.6	<	340	0.58	16.0	98	6.8	30	50	9.5	0.5	110	1
106C 775239 10	76	26	20	17	11	<	405	2	2.10	30	2.5	<	440	0.21	8.7	44	3.0	11	<	5.5	1.8	88	1
106C 775240 20	90	28	29	17	12	<	425	2	2.30	40	2.4	<	1500	0.20	7.0	46	3.0	14	19	7.4	<	89	4
106C 775242 00	86	26	23	18	13	<	385	2	1.95	30	2.5	<	500	0.15	8.4	60	3.1	15	19	6.3	1.8	130	<
106C 775243 00	102	38	24	34	23	<	675	2	3.55	20	2.9	<	600	0.41	12.0	110	4.9	25	45	8.4	1.4	99	<
106C 775244 00	38	36	16	7	6	<	440	2	1.75	40	1.5	<	120	0.14	5.5	25	2.8	9	<	3.0	4.0	53	<
106C 775245 00	124	22	28	14	12	<	585	2	1.75	50	2.5	<	1900	0.17	7.4	45	2.9	14	19	23.0	1.7	92	<
106C 775247 00	122	22	28	13	11	<	535	<	1.90	50	2.2	<	3600	0.13	5.9	51	2.6	11	<	15.0	1.0	68	2
106C 775248 00	130	24	43	15	12	0.2	495	<	2.40	50	3.3	<	500	0.15	10.0	78	3.4	11	18	11.0	5.3	110	<
106C 775249 00	74	22	25	12	13	<	640	<	2.20	40	3.7	<	360	0.13	10.0	66	3.1	14	<	14.0	2.3	110	<
106C 775250 00	48	16	18	10	10	<	545	2	1.70	30	3.2	<	320	0.13	8.9	49	2.6	13	<	13.0	1.6	120	<
106C 775251 00	124	32	30	22	17	<	755	3	2.75	50	2.4	<	220	0.28	10.0	55	4.2	19	31	18.0	2.1	92	1
106C 775252 00	130	26	37	16	11	0.2	580	5	1.55	90	2.5	<	240	0.14	7.2	49	2.7	9	15	20.0	1.3	80	3
106C 775253 00	148	26	49	11	10	<	620	3	1.45	120	2.4	<	320	0.16	5.6	35	2.1	9	27	24.0	1.9	75	<
106C 775254 00	116	28	38	19	12	<	545	3	1.95	40	2.4	<	300	0.23	7.5	56	3.2	15	22	19.0	1.4	71	2
106C 775255 00	168	26	46	12	7	<	460	2	1.35	260	2.3	<	160	0.13	5.8	34	2.1	7	<	37.0	6.3	62	2
106C 775256 10	112	34	26	33	36	<	1550	2	3.10	30	3.0	<	500	0.18	10.0	48	5.0	43	32	15.0	1.6	87	<
106C 775257 20	112	34	30	35	41	<	1900	2	3.05	30	3.5	<	440	0.18	11.0	64	5.6	53	55	17.0	2.1	94	<
106C 775258 00	166	16	68	8	7	0.2	570	2	1.30	140	1.8	<	320	0.13	5.9	38	2.3	8	<	16.0	1.9	60	<
106C 775259 00	122	20	55	10	8	<	525	3	1.35	90	2.1	<	300	0.14	6.7	43	2.4	9	<	13.0	2.4	80	2
106C 775260 00	84	22	32	14	12	<	635	3	1.85	30	2.8	<	560	0.16	10.0	72	3.4	14	22	14.0	2.7	100	<
106C 775262 00	24	220	<	34	47	<	1450	2	2.75	30	6.7	6	1200	0.57	11.0	100	8.2	48	46	82.7	1.0	170	3
106C 775263 00	126	48	65	13	13	0.4	1250	3	1.75	80	2.4	4	3700	0.15	5.0	48	3.4	18	36	20.0	2.9	81	2
106C 775264 00	28	12	<	12	8	0.2	645	<	1.50	10	3.8	4	760	1.10	6.2	74	3.9	9	<	1.8	<	150	<
106C 775265 00	24	120	2	34	46	0.2	1950	3	4.05	40	10.5	4	660	0.62	9.0	62	4.7	44	58	45.0	1.3	180	6
106C 775266 00	16	56	2	19	23	<	1000	<	3.10	20	14.8	4	440	0.54	12.0	100	3.9	24	34	15.0	1.8	220	<
106C 775267 00	18	44	5	13	17	<	700	<	2.60	10	6.8	4	420	0.36	10.0	110	3.2	20	<	8.5	0.7	190	<



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W	
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb	
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02	
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LTF	
106C 775224	00	1.3	4.2	330	19	43	4.40	<	0.7	2	0.3	3	0.7	1	6.9	3.1	40.28	-	-	8.1	78	0.44	
106C 775225	00	0.8	1.1	180	5	15	0.93	<	<	<	<	<	<	1.6	1.9	<	26.57	-	-	8.0	30	1.30	
106C 775226	00	0.8	0.8	68	5	9	1.10	<	<	<	<	<	<	1.6	2.0	<	41.63	-	-	8.2	36	1.10	
106C 775227	00	1.0	4.9	310	23	58	5.60	<	0.8	3	0.4	9	0.9	1	8.8	3.2	40.14	-	-	8.1	60	0.44	
106C 775229	00	1.4	2.2	520	14	30	3.50	<	<	<	<	<	<	4.7	3.3	<	19.06	-	-	8.1	70	1.20	
106C 775230	00	1.4	1.7	120	11	25	2.30	<	<	<	<	<	<	3.1	3.6	<	22.81	-	-	8.2	64	0.80	
106C 775231	00	0.9	5.1	720	31	70	7.00	1	1.1	3	0.4	8	0.9	<	10.0	3.7	31.91	-	-	8.0	26	0.24	
106C 775232	00	0.5	2.5	220	15	39	3.80	<	0.6	2	0.3	8	<	5.1	2.0	<	25.70	-	-	7.7	42	0.36	
106C 775233	00	1.3	3.8	660	19	34	4.20	<	0.6	3	0.3	5	0.5	<	6.8	2.6	25.68	-	-	8.0	70	0.44	
106C 775234	00	1.0	4.6	560	28	77	6.50	<	0.8	3	0.5	8	0.9	<	8.8	3.0	28.15	-	-	7.8	42	0.28	
106C 775235	00	0.7	3.2	330	17	40	3.60	<	0.6	2	<	4	<	5.7	2.3	<	30.06	-	-	8.2	94	0.40	
106C 775236	00	0.8	2.8	460	13	30	2.90	<	<	<	<	3	<	4.6	1.9	<	36.00	-	-	8.1	78	0.50	
106C 775237	00	1.5	2.3	370	13	24	2.80	<	0.5	<	0.2	4	<	4.4	1.9	<	30.72	-	-	8.2	86	0.56	
106C 775238	00	1.0	6.4	280	35	75	8.30	<	1.5	4	0.5	4	1.0	2	11.0	3.5	20.00	-	-	8.0	64	0.44	
106C 775239	10	0.7	5.0	340	27	68	5.60	<	0.8	3	<	4	0.7	<	8.1	2.6	27.47	-	-	8.0	110	0.36	
106C 775240	20	0.7	4.6	1300	43	95	7.80	<	0.8	<	0.3	2	0.8	<	7.7	2.2	3.55	-	-	8.2	110	0.44	
106C 775242	00	0.8	8.7	430	25	51	6.10	<	0.8	2	0.5	3	1.0	<	10.0	3.7	38.18	-	-	8.1	130	0.26	
106C 775243	00	1.0	7.7	680	29	60	8.00	2	1.0	3	0.5	5	0.6	2	10.0	3.7	35.30	-	-	8.2	54	0.34	
106C 775244	00	0.5	4.1	120	19	49	4.60	<	0.6	<	0.3	2	0.5	<	5.6	1.9	37.53	-	-	8.1	110	0.36	
106C 775245	00	1.4	6.1	2800	25	51	5.60	<	0.8	3	0.6	6	0.8	<	7.4	3.2	38.00	-	-	8.1	86	0.22	
106C 775247	00	1.0	4.3	4200	23	57	4.60	<	0.6	2	0.5	4	0.6	1	5.8	2.6	16.38	-	-	8.1	82	0.18	
106C 775248	00	1.3	12.0	500	26	60	5.40	<	0.7	3	0.6	5	1.0	2	8.6	3.6	18.72	-	-	8.0	44	0.12	
106C 775249	00	1.6	11.0	380	33	76	7.30	<	1.1	4	0.9	8	0.8	<	9.5	3.9	22.40	-	-	8.0	48	0.12	
106C 775250	00	1.6	9.3	390	34	77	7.50	1	1.0	5	0.9	10	1.2	2	10.0	4.0	31.63	-	-	8.0	52	0.24	
106C 775251	00	1.3	7.9	280	27	64	6.50	1	0.7	3	0.6	5	0.8	<	8.1	2.9	24.23	-	-	8.3	52	0.30	
106C 775252	00	1.6	6.4	320	20	39	4.40	<	0.6	2	0.5	5	0.7	<	7.0	3.4	32.16	-	-	8.4	52	0.30	
106C 775253	00	2.7	6.7	350	18	42	4.20	<	0.6	2	0.5	5	0.7	<	6.2	3.1	26.35	-	-	8.3	60	0.40	
106C 775254	00	1.9	6.7	320	23	47	6.20	<	0.9	2	0.6	5	0.7	2	7.8	3.4	31.18	-	-	8.3	56	0.30	
106C 775255	00	4.3	13.0	220	14	35	3.30	<	0.5	<	0.4	2	0.6	1	5.6	2.8	23.16	-	-	8.1	24	0.02	
106C 775256	10	1.5	8.4	560	28	56	7.40	<	1.0	4	0.8	10	0.7	2	9.2	4.2	34.27	-	-	8.0	28	0.10	
106C 775257	20	1.6	9.4	670	31	63	8.20	1	1.1	4	0.9	13	1.2	1	10.0	4.5	40.69	-	-	8.1	28	0.24	
106C 775258	00	1.8	5.3	390	19	46	4.40	<	0.5	2	0.5	5	0.5	<	5.4	2.4	34.78	-	-	8.3	52	0.28	
106C 775259	00	1.5	5.5	440	22	52	4.90	<	2	0.5	5	0.7	1	6.5	2.8	<	43.42	-	-	8.4	82	0.18	
106C 775260	00	1.1	11.0	600	31	64	6.90	1	0.9	3	0.7	6	1.2	1	10.0	3.3	39.11	-	-	8.1	60	0.22	
106C 775262	00	2.8	4.0	1300	65	130	10.00	2	1.2	3	0.7	5	1.5	7	19.0	8.0	19.07	10	19.92	8.0	86	6.60	
106C 775263	00	3.9	3.9	4600	25	46	4.10	<	<	0.4	2	0.8	2	0.8	2	8.7	3.0	12.66	-	-	7.9	24	0.32
106C 775264	00	1.1	3.8	820	88	180	14.10	1	1.2	2	0.4	5	1.3	1	17.0	4.2	11.45	-	-	7.8	160	2.20	
106C 775265	00	2.5	8.3	690	49	110	9.10	<	1.3	3	0.9	7	1.8	4	24.7	13.0	4.96	-	-	8.0	56	3.90	
106C 775266	00	2.0	14.0	510	170	12.90	2	1.3	5	1.4	10	2.7	4	33.4	18.0	<	20.17	-	-	7.8	28	0.52	
106C 775267	00	1.4	15.0	540	66	140	11.90	<	1.3	4	1.1	11	2.8	3	30.4	8.2	22.64	-	-	7.5	20	0.08	

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Field Data

Map Sheet	Sample ID	Rep Stat	UTM Zn Easting	UTM Northing	Rock Unit Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106C	775268	00	08 573363	7208456	ARGLb 07	Sed/Water	10	8	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775269	00	08 575084	7208029	ARGLb 07	Sed/Water	10	4	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775270	00	08 580300	7205915	ARGLb 07	Sed/Water	4	5	-	Alluv	Clear	Slow	Rd-Bn	021	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775271	00	08 579839	7206991	ARGLb 07	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu	211	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775272	00	08 579601	7207621	ARGLb 07	Sed/Water	8	10	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775273	00	08 581132	7208874	SHLEb 09	Sed/Water	15	15	-	Alluv	Clear	Torrnt	Gy-Blu	210	-	Yellow	Dendrc	Intermit	Ter'ary	Sp'gMelt
106C	775274	00	08 558280	7208681	ARGLb 07	Sed/Water	3	4	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775275	00	08 588072	7132384	GRITb 09	Sed/Water	4	10	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775276	00	08 587323	7131577	GRITb 09	Sed/Water	5	8	-	Alluv	Clear	Modert	Gy-Blu	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775277	00	08 595878	7134285	GRITb 09	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775278	00	08 594239	7133506	GRITb 09	Sed/Water	4	4	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775279	00	08 593709	7133136	GRITb 09	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775282	00	08 593089	7131315	GRITb 09	Sed/Water	5	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775283	10	08 593995	7130193	GRITb 09	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775284	20	08 593995	7130193	GRITb 09	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775285	00	08 591876	7127844	DLMTe 10	SedOnly	3	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775286	00	08 590530	7127784	GRITb 09	Sed/Water	4	10	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775287	00	08 590184	7123744	DLMTe 10	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	022	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775288	00	08 595028	7123217	DLMTe 10	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775289	00	08 592456	7121187	DLMTe 10	Sed/Water	2	4	-	Alluv	Clear	Modert	Black	022	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775290	00	08 591074	7121273	SHLEd 15	Sed/Water	3	5	-	Alluv	Clear	Modert	Black	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775291	00	08 588651	7121816	SHLEd 15	Sed/Water	3	4	-	Alluv	Clear	Fast	Gy-Blu	012	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775292	00	08 587095	7120563	SHLEd 15	Sed/Water	5	6	-	Alluv	Clear	Fast	Gy-Blu	022	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775293	00	08 586614	7120468	SHLEd 15	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775294	00	08 585894	7123496	DLMTe 10	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775295	00	08 586367	7127311	DLMTd 09	Sed/Water	10	8	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775296	00	08 583458	7124032	GLCM 44	Sed/Water	4	10	-	Alluv	BnTrans	Stagnt	Rd-Bn	003	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775297	00	08 581880	7122378	GLCM 44	Sed/Water	10	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775298	00	08 578993	7122210	DLMTe 10	Sed/Water	8	20	-	Alluv	Clear	Fast	Black	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775299	00	08 577761	7120207	GLCM 44	Sed/Water	4	10	-	Alluv	Clear	Fast	Black	022	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775302	00	08 582598	7119241	GLCM 44	Sed/Water	6	4	-	Alluv	Clear	Modert	Wh-Bf	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775303	10	08 576291	7120259	DLMTe 10	Sed/Water	6	4	-	Alluv	Clear	Modert	Wh-Bf	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775304	20	08 576291	7120259	DLMTe 10	Sed/Water	5	15	-	Alluv	Clear	Torrnt	Rd-Bn	012	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775305	00	08 576409	7119658	GLCM 44	Sed/Water	3	8	-	Alluv	Clear	Fast	Black	022	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775306	00	08 578696	7116758	GLCM 44	Sed/Water	6	10	-	Alluv	Clear	Fast	Gy-Blu	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775307	00	08 578136	7116280	GRITb 09	Sed/Water	6	15	-	Alluv	Clear	Torrnt	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775308	00	08 573866	7116961	GRITb 09	Sed/Water	5	15	-	Alluv	Clear	Torrnt	Gy-Blu	012	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775309	00	08 574505	7117575	DLMTe 10	Sed/Water	2	3	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775310	00	08 583153	7130868	GRITb 09	Sed/Water	2	3	-	Alluv	Clear	Slow	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775311	00	08 581341	7128952	GLCM 44	Sed/Water	2	3	-	Alluv	Clear	Slow	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt





National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour Comp	Bottom Pcpt	Bank Pcpt	Stream Physiolg. Drainage	Type	Stream Class	Source
106C	775312	00	08	580001	7128639	GLCM 44	Sed/Water	1	3	-	Alluv	Clear	Slow	Rd-Bn 012	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775313	00	08	577893	7129782	GLCM 44	Sed/Water	12	4	-	Alluv	Clear	Modert	Rd-Bn 120	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775315	00	08	576251	7129639	GRITb 09	Sed/Water	12	8	-	Alluv	Clear	Fast	Rd-Bn 021	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775316	00	08	587226	7136547	GLCM 44	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu 210	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775317	00	08	584302	7135336	GLCM 44	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn 022	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775318	00	08	581546	7136456	GRITb 09	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn 111	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775319	00	08	576832	7138811	GRITb 09	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn 030	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775320	00	08	578367	7138455	GRITb 09	Sed/Water	3	4	-	Alluv	Clear	Modert	Gy-Blu 300	-	Rd-Bn	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775323	00	08	577711	7138261	GRITb 09	Sed/Water	5	6	-	Alluv	Clear	Fast	Gy-Blu 022	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775324	00	08	578859	7137126	GRITb 09	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn 210	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775325	00	08	579263	7137250	GRITb 09	Sed/Water	15	5	-	Alluv	Clear	Fast	Gy-Blu 220	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775326	00	08	578694	7135659	GRITb 09	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu 210	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775327	00	08	575185	7132257	SHLEb 09	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn 111	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775328	00	08	572873	7132663	GLCM 44	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn 210	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775329	10	08	571981	7132266	GLCM 44	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn 210	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775330	20	08	571981	7132266	GLCM 44	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn 210	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775331	00	08	573342	7129553	GRITb 09	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn 220	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775332	00	08	570942	7130421	GRITb 09	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn 220	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775333	00	08	566257	7130214	GRITb 09	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu 111	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775334	00	08	567043	7129312	DLMte 10	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn 030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775335	00	08	568975	7127134	DLMte 10	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn 220	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775336	00	08	564541	7123106	DLMte 10	Sed/Water	2	2	-	Alluv	Clear	Slow	Gy-Blu 220	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775337	00	08	559445	7123047	DLMte 10	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu 210	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775338	00	08	560041	7123590	GLCM 44	Sed/Water	10	4	-	Alluv	Clear	Fast	Gy-Blu 120	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775339	00	08	560997	7115455	GRITb 09	Sed/Water	8	10	-	Alluv	Clear	Fast	Gy-Blu 220	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775340	00	08	560344	7119025	QRTZc 32	Sed/Water	6	10	-	Alluv	Clear	Fast	Black 012	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775342	00	08	562498	7119556	GLCM 44	Sed/Water	2	5	-	Alluv	Clear	Stagnt	Gy-Blu 021	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775343	00	08	565130	7116367	GRITb 09	Sed/Water	6	15	-	Alluv	Clear	Fast	Rd-Bn 012	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775344	00	08	564290	7119557	GLCM 44	Sed/Water	4	15	-	Alluv	Clear	Torrnt	Rd-Bn 012	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775345	00	08	567487	7121278	DLMte 10	Sed/Water	2	2	-	Alluv	Clear	Slow	Gy-Blu 210	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775346	00	08	567379	7119310	DLMte 10	Sed/Water	2	30	-	Alluv	Clear	Modert	Gy-Blu 030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775347	00	08	571289	7121749	DLMte 10	Sed/Water	2	5	-	Alluv	Clear	Modert	Gy-Blu 210	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775348	00	08	569023	7118194	DLMte 10	Sed/Water	5	15	-	Alluv	Clear	Fast	Gy-Blu 220	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775349	00	08	571276	7117818	DLMte 10	Sed/Water	3	10	-	Alluv	Clear	Fast	Gy-Blu 210	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775350	00	08	571057	7117469	DLMte 10	Sed/Water	3	10	-	Alluv	Clear	Fast	Rd-Bn 012	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775351	00	08	555703	7120543	DLMte 10	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu 210	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775353	00	08	553909	7118177	QRTZc 32	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu 030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt
106C	775354	10	08	553216	7119380	GLCM 44	Sed/Water	8	15	-	Alluv	Clear	Modert	Rd-Bn 030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775355	20	08	553216	7119380	GLCM 44	Sed/Water	8	15	-	Alluv	Clear	Modert	Rd-Bn 030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gMelt
106C	775356	00	08	551331	7119791	GLCM 44	Sed/Water	8	10	-	Alluv	Clear	Fast	Gy-Blu 030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gMelt





National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F

Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106C	775357	00	08	548840	7116351	GLCM	44	Sed/Water	5	10	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775358	00	08	550584	7112815	GLCM	44	Sed/Water	10	15	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775359	00	08	553868	7113400	GRITb	09	Sed/Water	25	8	-	Alluv	Clear	Fast	Rd-Bn	022	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775360	00	08	553055	7110206	GRITb	09	Sed/Water	8	10	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775362	00	08	552391	7110304	GLCM	44	Sed/Water	5	8	-	Alluv	Clear	Fast	Gy-Blu	021	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775363	00	08	552305	7106753	GLCM	44	Sed/Water	20	8	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775364	00	08	551501	7103464	GLCM	44	Sed/Water	2	10	-	Alluv	Clear	Modert	Gy-Blu	120	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775365	00	08	550202	7104519	GLCM	44	Sed/Water	5	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775366	00	08	557982	7116734	GRITb	09	Sed/Water	10	10	-	Alluv	Clear	Torrnt	Gy-Blu	111	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775367	00	08	557471	7116829	GRITb	09	Sed/Water	6	10	-	Alluv	Clear	Torrnt	Gy-Blu	022	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775368	00	08	556621	7118983	GLCM	44	Sed/Water	10	10	-	Alluv	Clear	Torrnt	Gy-Blu	120	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775369	00	08	567311	7109718	GRITb	09	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775370	10	08	565346	7110260	GRITb	09	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775371	20	08	565346	7110260	GRITb	09	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775372	00	08	570756	7111198	GRITb	09	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775373	00	08	563245	7110386	GRITb	09	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775374	00	08	561826	7109695	UKNnc	31	Sed/Water	3	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775375	00	08	558529	7112582	GRITb	09	Sed/Water	4	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775376	00	08	559872	7109811	GLCM	44	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775377	00	08	559610	7108406	UKNnc	31	Sed/Water	3	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775378	00	08	557852	7107337	UKNnc	31	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775380	00	08	555679	7103149	GLCM	44	Sed/Water	3	10	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775382	00	08	56814	7102771	GLCM	44	Sed/Water	2	6	-	Alluv	Clear	Stagnt	Gy-Blu	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775383	00	08	558307	7101574	UKNnc	31	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775384	00	08	595852	7141171	DLMTd	09	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775385	00	08	595217	7141391	GRITb	09	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775386	00	08	595809	7145247	DLMTd	09	Sed/Water	2	3	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775387	00	08	595685	7146585	GLCM	44	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	300	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775388	00	08	593665	7145593	DLMTd	09	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775389	00	08	594194	7149435	DLMTg	15	Sed/Water	3	5	-	Alluv	Clear	Modert	Black	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775390	00	08	593097	7147614	GLCM	44	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775391	00	08	589366	7139794	GRITb	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106C	775392	00	08	588534	7138781	GRITb	09	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775393	00	08	591383	7144856	DLMTd	09	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775394	00	08	590579	7144479	GLCM	44	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775396	00	08	590622	7148213	DLMTg	15	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775397	10	08	588857	7148621	DLMTg	15	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775398	20	08	588857	7148621	DLMTg	15	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775399	00	08	586529	7147449	DLMTd	09	Sed/Water	3	3	-	Alluv	Clear	Modert	Black	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106C	775400	00	08	585358	7141664	GRITb	09	Sed/Water	5	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	pbb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	5	1	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AAS	MADNC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775357 00	2640	66	105	175	36	0.7	1700	7	4.65	230	8.2	<	2400	0.23	11.0	99	4.3	39	170	59.3	1.7	94	8
106C 775358 00	300	42	16	44	15	<	585	2	2.85	100	3.3	<	1700	0.36	10.0	63	2.7	13	34	11.0	<	69	7
106C 775359 00	96	34	20	27	23	<	910	2	2.90	80	4.5	<	780	0.40	12.0	72	3.0	24	24	7.7	5.7	89	2
106C 775360 00	650	46	13	65	30	<	895	3	2.90	90	3.7	<	2000	0.47	12.0	86	3.5	37	65	15.0	1.3	72	4
106C 775362 00	260	36	15	40	12	<	1200	3	2.85	120	4.2	<	1740	0.44	13.0	73	3.2	15	39	11.0	4.0	85	5
106C 775363 00	315	52	8	49	13	0.2	645	<	2.45	100	2.6	<	2400	0.53	11.0	120	2.8	19	43	10.0	0.7	52	3
106C 775364 00	186	46	9	37	13	<	475	3	3.20	100	3.5	<	1540	0.66	15.0	160	3.9	17	34	10.0	1.3	61	5
106C 775365 00	350	34	9	49	17	<	695	<	2.65	90	2.4	<	1560	0.41	8.7	75	2.9	22	48	10.0	<	41	3
106C 775366 00	106	32	25	24	14	<	430	<	2.75	160	4.4	<	940	0.43	12.0	97	3.1	17	30	10.0	7.7	100	3
106C 775367 00	114	34	24	24	14	<	400	<	2.95	160	4.9	<	1060	0.40	13.0	82	2.8	17	18	9.1	7.7	99	3
106C 775368 00	485	34	26	56	12	0.3	585	4	2.25	250	4.6	<	4200	0.26	7.8	95	2.2	11	49	31.0	3.8	59	5
106C 775369 00	88	38	17	29	15	<	565	2	3.30	80	4.3	<	780	0.39	11.0	96	3.3	18	43	14.0	1.0	99	3
106C 775370 10	164	34	18	30	13	<	485	2	2.80	390	4.0	<	1020	0.45	13.0	87	3.1	19	33	26.0	8.1	95	7
106C 775371 20	162	36	17	30	13	<	575	2	2.80	240	4.5	<	1040	0.47	14.0	87	3.3	16	34	30.0	10.0	89	8
106C 775372 00	104	34	19	27	16	<	885	<	2.80	400	4.1	<	1020	0.44	14.0	77	3.2	19	34	10.0	11.0	100	5
106C 775373 00	112	30	16	30	15	<	645	2	2.55	180	4.1	<	1040	0.46	12.0	95	2.9	28	28	10.0	7.5	80	3
106C 775374 00	545	68	10	61	19	<	590	3	2.90	180	4.4	<	2700	0.58	13.0	120	3.6	23	70	16.0	1.5	66	5
106C 775375 00	100	40	28	30	22	<	640	<	3.40	60	4.0	<	900	0.45	13.0	77	3.1	22	23	7.4	10.0	100	6
106C 775376 00	475	32	15	52	16	<	500	2	2.60	120	3.7	<	1500	0.44	11.0	91	2.8	20	52	9.4	4.8	77	3
106C 775377 00	134	68	10	37	10	<	515	2	2.70	600	3.1	<	4900	0.46	12.0	150	3.3	15	52	12.0	<	63	3
106C 775378 00	2640	80	8	115	59	<	760	3	5.30	100	4.3	<	2400	0.44	9.2	170	5.2	71	150	12.0	1.4	41	4
106C 775380 00	400	62	10	67	27	<	880	3	3.15	90	3.6	<	1800	0.50	12.0	110	3.3	33	69	10.0	1.8	78	6
106C 775382 00	200	38	11	45	16	<	600	2	3.25	70	3.3	<	1120	0.64	15.0	92	3.8	20	35	11.0	0.8	77	3
106C 775383 00	205	58	11	60	21	<	700	3	3.35	70	3.3	<	1120	0.76	15.0	140	4.0	30	64	15.0	<	63	5
106C 775384 00	128	46	16	35	17	<	490	2	2.85	40	4.9	<	580	0.73	13.0	97	3.6	19	25	7.8	5.7	96	4
106C 775385 00	112	36	16	29	15	<	345	<	2.70	40	4.4	<	500	0.64	13.0	77	3.3	19	34	7.1	3.8	93	3
106C 775386 00	122	28	11	20	10	<	480	<	2.20	100	4.4	<	520	0.67	11.0	60	2.3	10	16	4.1	11.0	67	2
106C 775387 00	82	14	16	12	6	<	360	4	1.25	60	2.6	<	620	0.12	5.9	35	1.8	9	21	9.4	1.5	40	4
106C 775388 00	100	32	15	25	15	<	425	2	2.65	50	3.9	<	480	0.38	10.0	71	2.7	13	<	8.2	<5.4	79	13
106C 775389 00	1440	82	15	245	15	1.2	225	42	2.50	240	14.4	4	99999	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106C 775390 00	370	26	15	61	8	<	255	11	1.20	90	4.7	<	2000	0.22	6.5	48	1.9	9	54	11.0	9.2	45	10
106C 775391 00	122	36	14	30	13	<	345	2	2.35	60	4.1	<	480	0.55	12.0	85	3.1	17	28	5.9	11.0	91	1
106C 775392 00	96	36	17	25	15	<	495	2	2.90	90	3.5	<	460	0.44	11.0	68	3.0	14	<	6.9	5.8	79	2
106C 775393 00	94	28	10	19	10	<	315	2	1.80	40	4.0	<	580	0.49	9.1	68	2.2	14	23	7.3	3.3	81	3
106C 775394 00	134	32	18	25	14	<	450	<	2.55	100	3.4	<	540	0.48	12.0	77	2.8	12	15	6.2	8.0	81	2
106C 775396 00	118	16	21	12	7	<	335	6	1.25	60	3.1	<	480	0.16	5.9	37	1.8	9	10	11.0	3.1	45	6
106C 775397 10	215	14	45	8	4	<	275	5	1.05	90	2.4	<	280	0.23	5.0	33	1.7	7	<	13.0	2.3	29	5
106C 775398 20	210	14	45	9	5	<	290	6	1.10	80	2.6	<	340	0.23	5.2	31	1.6	8	12	13.0	2.4	35	5
106C 775399 00	285	24	28	14	13	<	605	3	2.00	120	3.0	<	340	0.31	11.0	42	3.0	16	19	15.0	3.7	65	2
106C 775400 00	300	20	31	16	9	<	295	3	1.65	180	3.1	<	460	0.37	8.9	52	2.2	10	<	13.0	8.8	61	1

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106C 775357 00	9.4	4.4	2600	50	74	7.40	2	1.2	3	<	7	1.5	2	16.0	9.4	<2	28.83	-	-	8.2	140	0.90
106C 775358 00	2.3	3.5	1500	34	44	4.30	<	0.6	<	<	5	0.9	1	8.7	3.4	6	3.07	-	-	7.6	38	0.10
106C 775359 00	0.4	5.0	740	44	72	6.20	<	1.0	3	<	8	1.2	<	16.0	4.5	<2	12.77	-	-	7.4	34	0.02
106C 775360 00	3.1	4.1	2100	44	64	6.20	1	0.8	3	<	5	1.0	1	12.0	4.0	6	30.60	-	-	7.1	82	0.22
106C 775362 00	1.7	4.9	1700	39	62	5.40	<	0.9	3	<	4	0.8	1	11.0	4.4	6	13.60	-	-	8.1	68	0.16
106C 775363 00	1.5	3.2	2500	38	58	6.10	<	1.1	2	0.3	5	1.0	<	8.7	3.2	8	36.64	-	-	7.7	92	0.10
106C 775364 00	1.4	3.8	1500	71	120	10.60	2	1.4	3	0.3	8	1.2	<	10.0	3.6	8	13.61	-	-	7.6	94	0.02
106C 775365 00	1.3	2.9	1500	30	52	4.80	<	0.6	<	<	4	0.7	<	6.7	2.4	4	23.97	-	-	7.7	160	0.02
106C 775366 00	0.6	7.9	900	46	72	5.80	<	1.0	2	<	5	1.1	2	14.0	4.1	<2	13.47	-	-	7.8	42	0.16
106C 775367 00	0.6	8.4	990	45	80	5.80	2	1.0	2	<	5	1.0	<	14.0	4.3	<2	16.56	-	-	7.8	42	0.20
106C 775368 00	2.4	4.7	4300	32	48	4.50	1	0.7	<	<	4	0.8	<	8.7	4.6	<2	21.09	-	-	7.8	44	0.30
106C 775369 00	0.9	4.2	810	48	70	7.30	2	1.0	<	<	9	1.2	2	17.0	4.5	<2	7.70	-	-	8.1	46	0.18
106C 775370 10	1.5	5.4	960	42	78	5.90	1	0.8	3	<	6	1.0	1	13.0	4.1	<2	4.62	-	-	7.9	46	0.10
106C 775371 20	1.6	6.1	980	43	67	6.10	1	1.0	3	<	6	1.2	2	13.0	4.4	<2	3.46	-	-	7.9	44	0.06
106C 775372 00	0.6	8.8	730	47	74	6.10	<	0.9	3	<	5	1.2	1	14.0	3.6	<2	6.36	-	-	8.2	46	0.26
106C 775373 00	1.0	4.9	930	38	66	5.60	<	0.9	<	<	6	1.0	2	12.0	3.7	<2	18.91	-	-	8.0	44	0.16
106C 775374 00	3.7	4.7	3100	40	66	6.20	1	1.0	3	0.3	5	1.0	2	9.4	4.7	10	30.28	8	15.56	7.5	88	0.02
106C 775375 00	0.6	5.8	720	42	72	5.50	1	1.0	2	<	7	1.1	1	14.0	4.3	<2	5.06	-	-	7.7	42	0.10
106C 775376 00	1.5	4.2	1300	38	63	5.50	1	0.9	3	<	6	1.0	1	11.0	3.7	4	12.84	-	-	7.8	52	0.02
106C 775377 00	1.8	4.0	4900	39	64	6.40	<	0.9	3	<	6	0.7	<	8.8	3.4	13	29.62	2	70.84	8.1	72	0.20
106C 775378 00	4.0	2.9	2000	45	61	7.60	<	1.3	2	0.3	8	0.9	<	9.0	4.9	8	6.36	-	-	7.4	360	0.16
106C 775380 00	1.2	5.1	1800	48	87	9.30	2	1.4	3	<	8	0.9	1	11.0	4.1	<2	14.02	-	-	7.6	180	0.10
106C 775382 00	0.9	4.7	1200	46	73	7.70	2	1.2	3	0.4	6	0.9	1	10.0	3.6	5	32.01	-	-	7.3	110	0.24
106C 775383 00	1.2	4.1	1100	50	82	7.80	2	1.4	3	0.3	6	1.0	<	9.1	3.1	4	11.26	-	-	7.6	160	0.24
106C 775384 00	0.7	7.1	550	45	67	6.10	<	1.1	2	<	6	1.3	<	14.0	5.4	7	10.32	-	-	8.1	56	1.10
106C 775385 00	0.6	6.4	450	49	80	6.60	<	1.0	2	<	6	1.1	2	14.0	4.9	8	15.02	-	-	8.3	44	1.10
106C 775386 00	0.5	5.5	460	29	45	3.80	<	0.7	2	<	4	0.7	<	8.6	4.5	3	14.51	-	-	8.3	30	0.26
106C 775387 00	0.6	3.0	370	22	37	3.10	<	<	<	<	2	0.5	<	5.5	3.0	<2	40.01	-	-	8.5	56	0.48
106C 775388 00	0.5	4.8	390	36	47	4.30	1	0.7	<	<	5	0.8	<	11.0	3.4	8	1.11	-	-	8.4	52	1.10
106C 775389 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	8.1	60	1.10
106C 775390 00	2.6	2.8	1900	24	37	3.20	<	0.7	<	<	3	<	<	6.3	5.2	<2	31.58	-	-	8.3	64	1.20
106C 775391 00	0.6	6.7	430	38	56	5.00	2	0.6	2	0.2	4	1.1	1	12.0	4.1	<2	14.18	-	-	8.5	36	0.60
106C 775392 00	0.5	6.9	410	31	56	4.70	<	0.8	<	<	3	0.9	<	10.0	3.3	3	20.35	-	-	8.5	40	0.70
106C 775393 00	0.7	3.9	540	36	62	5.60	<	0.9	<	<	5	1.0	<	12.0	4.5	5	11.91	-	-	8.5	44	0.70
106C 775394 00	0.7	7.4	480	35	52	5.00	1	0.7	2	<	4	1.0	<	11.0	3.6	4	11.44	-	-	8.1	44	0.56
106C 775396 00	0.6	3.5	350	24	39	3.30	<	0.6	<	<	3	0.6	<	7.2	3.4	<2	34.62	-	-	8.0	56	0.42
106C 775397 10	0.6	3.2	250	19	34	3.00	<	<	<	<	4	<	<	5.7	2.9	<2	33.53	-	-	8.4	52	1.60
106C 775398 20	0.6	2.7	270	20	35	3.10	<	<	<	<	3	<	<	5.9	3.0	<2	40.29	-	-	8.3	48	1.30
106C 775399 00	2.3	5.8	350	32	49	5.70	<	1.0	4	0.5	8	0.9	2	8.4	3.3	3	29.39	-	-	8.5	44	1.20
106C 775400 00	1.4	5.2	410	29	47	4.20	<	0.7	<	<	5	0.6	1	8.3	3.0	3	17.44	-	-	8.5	56	0.38

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data.  
 Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Colour	Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
106C	775402	00	08	584659	7141666	GLCM	44	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775403	00	08	580076	7142880	GRITb	09	Sed/Water	8	3	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775404	00	08	580606	7143033	DLMTd	09	Sed/Water	8	6	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775405	00	08	579788	7144202	GRITb	09	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775406	00	08	581500	7146051	DLMTd	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775407	00	08	583364	7147942	DLMTd	09	Sed/Water	2	2	-	Alluv	Clear	SLOW	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775408	00	08	582295	7147489	GRITb	09	Sed/Water	10	20	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775409	00	08	585526	7151577	GLCM	44	Sed/Water	2	2	-	Alluv	Clear	SLOW	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775410	00	08	585360	7152584	GLCM	44	Sed/Water	30	20	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775412	00	08	581739	7149580	GRITb	09	Sed/Water	2	2	-	Alluv	Clear	SLOW	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775413	10	08	581198	7152784	DLMTd	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775414	20	08	581198	7152784	DLMTd	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775415	00	08	578364	7151041	GRITb	09	Sed/Water	20	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775416	00	08	576623	7151512	GRITb	09	Sed/Water	2	3	-	Alluv	Clear	SLOW	Black	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775417	00	08	576263	7151910	GRITb	09	Sed/Water	20	15	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775418	00	08	575658	7149504	DLMTd	09	Sed/Water	15	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775419	00	08	574785	7149825	DLMTd	09	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775420	00	08	576039	7147319	DLMTd	09	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775422	00	08	574371	7140810	DLMTd	09	Sed/Water	4	5	-	Alluv	Clear	Modert	Black	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775423	00	08	574068	7140999	DLMTd	09	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775424	00	08	563950	7105036	UKNnc	31	Sed/Water	2	3	-	Alluv	Clear	SLOW	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775425	00	08	560568	7104328	UKNnc	31	Sed/Water	3	4	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775426	00	08	562467	7100693	UKNnc	31	Sed/Water	2	3	-	Alluv	Clear	SLOW	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775427	00	08	571582	7099199	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775428	00	08	572708	7102833	UKNnc	31	Sed/Water	1	2	-	Alluv	Bncl'dy	Stagnt	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775430	00	08	570374	7103639	GLCM	44	Sed/Water	10	8	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775431	10	08	572165	7100505	GLCM	44	Sed/Water	20	30	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Ter'ary	Sp'ghelt
106C	775432	20	08	572165	7100505	GLCM	44	Sed/Water	20	30	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Ter'ary	Sp'ghelt
106C	775433	00	08	576001	7100366	UKNnc	31	Sed/Water	2	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775434	00	08	575418	7098602	UKNnc	31	Sed/Water	2	5	-	Alluv	Bncl'dy	SLOW	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775435	00	08	577962	7098284	UKNnc	31	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775436	00	08	578374	7099083	UKNnc	31	Sed/Water	2	5	-	Alluv	Clear	SLOW	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775437	00	08	581639	7098898	UKNnc	31	Sed/Water	2	5	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775438	00	08	582347	7101256	UKNnc	31	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775439	00	08	584356	7099768	UKNnc	31	Sed/Water	2	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775440	00	08	586142	7100512	UKNnc	31	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775442	00	08	586917	7104424	GRITb	09	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775443	00	08	588044	7103365	GRITb	09	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106C	775444	00	08	588696	7101537	GRITb	09	Sed/Water	6	8	-	Alluv	Clear	Modert	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106C	775445	00	08	594256	7099152	GLCM	44	Sed/Water	10	10	-	Alluv	BnTrans	Stagnt	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt

## National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

## Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADIC	COL		AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775402 00	265	32	34	22	14	<	865	5	2.05	110	2.9	<	360	0.31	9.4	42	2.8	17	13	14.0	6.3	54	4
106C 775403 00	200	114	40	50	31	0.2	1650	8	4.55	130	4.7	<	340	0.32	13.0	64	4.3	34	33	38.0	7.0	89	9
106C 775404 00	250	72	77	37	21	<	1050	5	3.60	300	4.2	<	500	0.39	11.0	33	3.6	20	36	24.0	10.0	88	7
106C 775405 00	280	96	51	33	26	<	2300	3	3.95	200	4.1	<	520	0.50	14.0	64	4.2	29	34	17.0	13.0	91	5
106C 775406 00	88	18	13	8	5	<	215	5	0.90	50	1.5	<	460	0.15	4.2	<	1.2	6	<	4.7	8.7	27	2
106C 775407 00	86	12	25	6	5	<	510	4	0.90	50	1.5	<	260	0.27	4.1	25	1.4	7	<	6.4	6.1	22	2
106C 775408 00	176	52	35	25	15	<	1200	5	2.25	130	2.9	<	360	0.32	11.0	39	3.4	21	26	21.0	10.0	67	4
106C 775409 00	78	12	17	9	4	<	260	5	0.90	160	2.9	<	480	0.16	4.6	29	1.3	5	<	20.0	1.4	31	5
106C 775410 00	90	14	16	8	5	<	255	5	0.90	120	2.5	<	440	0.15	4.7	31	1.3	7	<	18.0	1.2	31	4
106C 775412 00	164	114	71	33	33	0.2	4350	2	5.10	170	3.8	4	520	0.72	19.0	73	5.5	42	33	14.0	4.1	87	2
106C 775413 10	118	26	43	14	8	<	620	3	1.55	120	2.7	<	320	0.28	8.8	41	2.3	11	<	8.2	2.4	46	2
106C 775414 20	118	24	42	14	9	<	590	4	1.45	100	2.6	<	360	0.27	7.2	46	2.1	9	12	7.5	1.7	42	4
106C 775415 00	245	64	46	31	24	0.2	1600	<	3.75	120	3.7	<	500	0.44	12.0	70	3.5	32	35	18.0	5.9	91	4
106C 775416 00	295	66	62	47	18	<	690	5	3.55	130	4.0	<	500	0.52	14.0	76	3.7	21	46	25.0	3.0	75	7
106C 775417 00	285	56	120	31	24	<	1900	3	4.00	90	3.1	4	480	0.55	13.0	48	4.2	26	30	15.0	<	95	4
106C 775418 00	158	46	52	29	18	<	1150	3	3.30	80	3.4	4	540	0.54	14.0	60	4.2	23	28	19.0	3.7	86	4
106C 775419 00	265	84	115	31	29	<	2950	<	4.60	70	4.0	4	480	0.72	18.0	77	5.4	41	41	22.0	6.7	100	3
106C 775420 00	178	52	58	32	21	0.2	1150	4	3.95	90	3.4	<	600	0.53	15.0	48	4.5	25	33	22.0	4.4	90	6
106C 775422 00	140	42	33	29	16	<	655	4	2.60	40	3.3	<	340	0.47	15.0	63	4.3	21	35	18.0	2.9	75	4
106C 775423 00	124	42	33	25	15	<	820	3	1.95	70	3.1	<	260	0.37	11.0	49	3.5	21	31	21.0	3.9	68	4
106C 775424 00	112	82	13	35	12	<	605	<	2.30	90	2.5	<	2700	0.44	12.0	150	3.1	16	36	8.3	0.9	53	3
106C 775425 00	98	58	10	28	10	<	435	<	2.05	130	2.9	<	2200	0.64	12.0	87	2.6	11	30	7.4	2.4	54	3
106C 775426 00	110	36	12	29	14	<	520	<	2.60	90	3.2	<	960	0.46	11.0	97	2.9	14	30	11.0	1.1	54	1
106C 775427 00	495	50	11	51	16	0.7	445	3	2.65	120	4.7	4	1860	0.48	11.0	75	2.8	23	49	16.0	1.8	77	3
106C 775428 00	94	48	7	28	10	<	275	<	2.20	80	2.7	<	1640	0.54	11.0	96	2.6	16	24	7.4	<	57	3
106C 775430 00	108	44	10	35	12	<	465	<	2.70	120	3.1	4	1640	0.47	12.0	140	3.4	18	27	12.0	1.0	70	4
106C 775431 10	170	44	10	31	10	<	540	2	2.50	90	3.1	<	2000	0.40	10.0	73	2.9	14	30	11.0	<	56	5
106C 775432 20	160	44	9	30	11	<	505	2	2.55	70	3.0	<	1900	0.42	11.0	84	3.1	17	33	11.0	0.6	61	4
106C 775433 00	140	82	14	55	19	<	725	2	3.65	160	3.0	<	2200	0.55	17.0	120	4.1	22	44	16.0	<	89	4
106C 775434 00	665	64	11	62	16	0.6	255	4	2.90	110	4.4	<	2500	0.37	12.0	74	3.5	20	56	17.0	0.7	74	6
106C 775435 00	186	80	13	41	13	0.3	585	3	2.95	170	4.9	<	2900	0.52	15.0	110	3.2	14	35	10.0	1.1	80	7
106C 775436 00	205	44	12	30	11	0.2	540	<	2.30	380	3.5	<	1880	0.44	12.0	69	3.1	14	40	12.0	2.2	74	2
106C 775437 00	138	68	16	33	15	<	810	<	2.45	120	3.1	<	2500	0.33	10.0	78	2.6	19	34	13.0	1.2	54	3
106C 775438 00	345	66	13	55	17	<	1000	<	2.60	100	3.5	<	3100	0.39	9.1	74	2.8	20	76	13.0	3.2	67	4
106C 775439 00	270	48	15	36	13	0.2	685	<	2.70	130	3.5	<	1700	0.34	9.5	69	2.9	15	33	12.0	1.4	63	5
106C 775440 00	148	40	15	26	12	<	400	<	2.90	120	4.2	<	1140	0.34	12.0	78	3.1	14	31	13.0	4.5	76	3
106C 775442 00	80	28	17	22	14	<	425	<	2.55	80	5.5	<	720	0.41	11.0	110	3.7	16	32	14.0	4.0	120	<
106C 775443 00	80	26	16	21	12	<	510	<	2.55	40	3.8	<	820	0.64	11.0	120	3.7	12	<	12.0	1.9	110	<
106C 775444 00	84	26	13	17	11	<	310	<	2.25	140	3.4	<	780	0.49	10.0	75	3.0	11	<	10.0	3.0	99	<
106C 775445 00	92	38	14	20	12	0.2	550	<	2.85	160	3.2	<	820	0.38	11.0	98	3.6	11	33	15.0	10.0	88	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W	
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb	
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02	
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF	
106C 775402	00	1.8	5.4	240	24	41	4.10	<	0.8	<	5	0.6	1	6.6	2.9	2	6.71	-	-	8.1	78	0.90	
106C 775403	00	6.2	3.7	360	36	58	5.20	1	1.4	3	0.3	4	1.0	11.0	5.0	5	18.45	-	-	7.9	42	0.06	
106C 775404	00	10.8	6.3	480	28	43	5.50	<	1.0	<	3	0.9	2	8.9	4.6	7	13.05	-	-	8.2	80	0.02	
106C 775405	00	2.5	5.5	500	33	52	5.90	<	1.2	3	<	4	1.1	2	11.0	4.0	7	6.43	-	-	7.7	56	0.12
106C 775406	00	0.6	2.3	200	11	18	1.90	<	<	<	<	<	<	3.4	1.6	<2	17.18	-	-	8.4	64	0.80	
106C 775407	00	0.9	1.5	190	15	25	2.60	<	<	<	<	<	<	3.8	2.0	<2	39.72	-	-	8.2	32	0.06	
106C 775408	00	4.0	4.2	350	30	46	4.70	<	0.9	3	0.2	3	0.7	8.1	3.3	3	17.12	-	-	8.0	52	0.36	
106C 775409	00	1.1	2.9	350	19	32	2.60	<	<	<	3	<	1	5.9	3.1	<2	33.83	-	-	8.3	44	0.46	
106C 775410	00	1.0	2.5	430	19	34	2.70	<	<	<	4	<	<	6.0	3.2	<2	36.44	-	-	8.6	48	0.46	
106C 775412	00	1.9	6.9	520	38	65	6.80	<	1.5	4	0.4	5	1.1	11.0	3.6	4	26.22	-	-	7.6	54	0.16	
106C 775413	10	1.5	2.8	280	21	33	3.00	<	<	<	3	<	<	4.9	2.9	3	26.64	-	-	8.5	90	0.64	
106C 775414	20	1.3	2.8	200	18	31	2.70	<	0.6	<	<	<	<	4.5	2.4	3	9.00	-	-	8.5	96	0.58	
106C 775415	00	2.4	5.5	460	32	51	6.10	<	1.1	2	<	4	1.0	2	11.0	4.3	6	14.46	-	-	8.3	48	0.24
106C 775416	00	3.3	5.4	440	37	56	6.50	<	1.1	3	0.2	5	0.9	1	10.0	4.5	3	17.03	-	-	8.1	48	0.24
106C 775417	00	2.2	5.1	410	33	44	5.80	<	0.8	2	0.2	3	0.8	9.4	3.3	4	6.91	-	-	8.1	44	0.32	
106C 775418	00	2.6	6.2	510	35	56	6.10	<	1.1	3	0.2	3	0.9	9.4	4.0	<2	25.58	-	-	8.3	44	0.28	
106C 775419	00	1.9	7.1	460	39	68	6.60	<	1.2	3	0.4	4	1.2	12.0	4.3	3	20.94	-	-	7.6	38	0.02	
106C 775420	00	3.0	6.7	490	39	65	6.40	1	0.9	3	0.4	3	0.9	9.1	3.4	<2	8.89	-	-	8.4	42	0.30	
106C 775422	00	1.5	7.9	310	33	54	5.70	<	0.9	3	0.3	3	0.7	8.3	3.9	<2	41.76	-	-	8.3	50	0.48	
106C 775423	00	2.0	5.6	220	30	52	5.10	<	0.7	3	0.2	3	0.6	7.5	3.5	<2	34.80	-	-	8.1	42	0.34	
106C 775424	00	0.9	4.0	3100	33	47	5.40	<	1.0	3	0.3	6	0.8	7.6	2.7	15	21.34	21	12.54	7.6	54	0.02	
106C 775425	00	0.9	4.0	2400	32	52	5.00	<	0.9	3	0.3	6	0.8	8.4	3.2	15	11.00	15	16.11	8.1	62	0.12	
106C 775426	00	1.1	3.3	1100	34	53	6.10	<	1.0	3	<	6	0.8	9.5	3.5	<2	24.74	-	-	7.8	92	0.38	
106C 775427	00	6.1	6.2	2300	33	43	6.00	<	1.0	2	<	4	1.0	10.0	5.5	3	26.32	-	-	7.4	110	0.02	
106C 775428	00	0.8	4.0	2100	31	54	5.70	<	0.8	2	0.2	5	0.9	8.9	3.1	7	37.93	-	-	7.4	96	0.34	
106C 775430	00	1.1	4.8	2200	36	63	6.20	<	1.0	2	0.3	6	1.0	10.0	3.6	6	37.00	-	-	7.5	96	0.34	
106C 775431	10	1.2	3.8	2200	31	55	4.90	<	0.8	<	0.3	4	0.7	8.2	3.1	5	14.40	5	5.75	8.0	52	0.36	
106C 775432	20	1.2	3.3	2600	38	60	6.20	1	0.8	3	0.3	5	0.7	9.0	3.3	15	36.21	8	14.57	7.9	72	0.22	
106C 775433	00	1.4	6.4	2700	39	63	5.70	<	1.0	3	0.3	3	1.1	11.0	3.2	7	15.29	-	-	8.0	260	0.62	
106C 775434	00	7.5	5.4	3200	38	58	5.30	<	0.9	3	0.2	4	0.6	8.4	4.9	7	21.88	-	-	7.4	400	0.16	
106C 775435	00	1.1	7.1	3400	60	100	10.00	2	1.3	4	0.4	8	0.8	12.0	4.8	10	16.93	10	13.90	7.4	190	0.02	
106C 775436	00	1.3	5.0	2400	43	75	6.10	<	0.9	3	0.3	6	0.8	11.0	4.0	5	27.70	-	-	7.7	82	0.24	
106C 775437	00	1.3	4.0	2700	29	44	4.80	<	0.9	<	<	3	0.7	8.7	3.0	4	16.21	-	-	7.7	72	0.20	
106C 775438	00	2.0	5.0	4500	34	47	6.30	1	1.1	<	<	5	1.0	10.0	4.1	9	18.00	-	-	7.4	96	0.06	
106C 775439	00	1.3	3.9	1900	37	64	5.60	1	1.0	<	<	6	1.0	11.0	3.8	4	6.88	-	-	7.8	100	0.02	
106C 775440	00	1.3	4.7	1100	39	67	5.90	1	0.8	2	<	5	0.9	12.0	4.7	4	25.25	-	-	8.0	82	0.24	
106C 775442	00	0.6	7.0	840	45	99	7.30	1	0.8	3	0.7	7	1.2	16.0	5.2	<2	13.64	-	-	8.0	58	0.42	
106C 775443	00	0.9	5.5	900	45	95	7.80	<	0.8	3	0.7	9	1.3	15.0	5.0	<2	23.75	-	-	8.1	44	0.46	
106C 775444	00	0.5	6.6	780	34	77	6.00	<	0.9	3	0.7	5	1.1	12.0	4.2	<2	16.69	-	-	8.4	42	0.24	
106C 775445	00	0.7	7.7	810	31	66	5.50	1	0.7	3	0.5	4	1.1	11.0	3.9	3	9.59	-	-	8.2	38	0.24	

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106C	775446	00	08	592556	7106105	GRITb	09	Sed/Water	15	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775447	00	08	595568	7103681	GRITb	09	Sed/Water	30	20	-	Alluv	Bncl'dy	Stagnt	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775448	00	08	593249	7108297	GRITb	09	Sed/Water	8	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775449	00	08	596591	7105901	GRITb	09	Sed/Water	10	15	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775450	10	08	596693	7106374	GRITb	09	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775451	20	08	596693	7106374	GRITb	09	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775452	00	08	596549	7111159	GRITb	09	Sed/Water	4	5	-	Alluv	Clear	Modert	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775453	00	08	596621	7118932	GLCH	44	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775454	00	08	596457	7118368	GLCH	44	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775455	00	08	593831	7115492	SHLED	15	Sed/Water	20	10	-	Alluv	Bncl'dy	Stagnt	Black	021	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775457	00	08	588255	7115784	DLMTc	10	Sed/Water	3	2	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775458	00	08	588850	7113446	GRITb	09	Sed/Water	5	10	-	Alluv	Clear	Fast	Rd-Bn	012	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775459	00	08	589029	7114156	GRITb	09	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	012	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775460	00	08	586791	7112434	GRITb	09	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775462	00	08	583978	7111873	GRITb	09	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775463	00	08	583407	7112571	GRITb	09	Sed/Water	4	6	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775464	00	08	584353	7107450	GRITb	09	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775465	00	08	583343	7106935	GRITb	09	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775466	00	08	580842	7110249	GRITb	09	Sed/Water	15	15	-	Alluv	Clear	Torrnt	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775467	00	08	579317	7109499	GRITb	09	Sed/Water	4	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775468	00	08	576254	7109975	GRITb	09	Sed/Water	3	8	-	Alluv	Clear	Modert	Rd-Bn	012	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775469	00	08	575670	7107232	GLCH	44	Sed/Water	3	10	-	Alluv	Clear	Modert	Rd-Bn	012	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775470	00	08	576019	7107743	GLCH	44	Sed/Water	10	10	-	Alluv	Bncl'dy	Stagnt	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775471	10	08	574010	7111432	GRITb	09	Sed/Water	4	8	-	Alluv	Clear	Modert	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775472	20	08	574010	7111432	GRITb	09	Sed/Water	4	8	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775473	00	08	576201	7116638	GRITb	09	Sed/Water	6	10	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775474	00	08	553633	7125375	GLCH	44	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775475	00	08	550740	7125150	GLCH	44	Sed/Water	12	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775476	00	08	549585	7126552	GLCH	44	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775477	00	08	550995	7128298	ARGLb	07	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775478	00	08	552342	7128071	DLMTc	07	Sed/Water	10	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775480	00	08	553085	7129571	ARGLb	07	Sed/Water	20	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775482	00	08	554024	7133067	ARGLb	07	Sed/Water	5	8	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775483	00	08	560323	7126198	GRITb	09	Sed/Water	12	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775484	00	08	559111	7128559	GLCH	44	Sed/Water	5	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775485	00	08	559584	7128730	GRITb	09	Sed/Water	5	5	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775486	00	08	559492	7129822	GRITb	09	Sed/Water	8	3	-	Alluv	Clear	Modert	Rd-Bn	012	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775487	00	08	558770	7133117	GRITb	09	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	021	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775488	00	08	556949	7136429	ARGLb	07	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	012	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106C	775489	00	08	555330	7139053	DORT	36	Sed/Water	6	2	-	Alluv	Clear	Slow	Green	021	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775446 00	52	34	9	19	12	<	410	<	2.45	40	2.3	<	320	0.34	11.0	90	3.5	16	35	12.0	2.5	67	<
106C 775447 00	64	22	10	16	9	<	140	<	1.80	80	4.2	<	660	0.54	10.0	70	2.8	11	19	7.0	0.8	79	<
106C 775448 00	98	34	18	24	15	<	480	<	3.05	90	4.1	<	860	0.31	11.0	110	3.6	16	29	17.0	2.5	120	<
106C 775449 00	94	30	16	22	12	<	475	<	2.65	70	3.5	<	880	0.28	9.4	94	3.1	13	30	13.0	3.1	100	2
106C 775450 10	86	20	12	17	10	<	435	<	2.00	60	2.9	<	760	0.33	7.8	80	2.8	11	<	12.0	3.9	95	<
106C 775451 20	148	34	19	26	13	<	605	2	2.60	110	2.6	<	1160	0.31	10.0	92	3.9	16	50	20.0	1.3	120	2
106C 775452 00	300	26	14	29	9	0.3	275	2	1.90	110	3.6	<	3100	0.43	8.7	120	2.7	12	40	18.0	1.5	78	4
106C 775453 00	88	16	9	14	7	<	325	3	1.10	40	3.0	<	520	0.33	6.5	68	2.3	6	<	8.5	6.0	66	<
106C 775454 00	112	42	14	28	14	<	515	2	2.75	110	2.7	<	840	0.40	11.0	82	4.1	16	49	21.0	0.7	78	<
106C 775455 00	120	28	8	29	9	0.5	265	<	2.10	110	3.0	<	1320	0.25	8.7	120	2.5	9	37	9.0	2.5	76	2
106C 775457 00	220	42	13	46	13	0.4	375	5	2.85	110	3.2	<	1600	0.42	12.0	120	3.6	15	61	15.0	1.4	110	6
106C 775458 00	90	40	16	31	15	<	380	<	2.55	110	3.8	<	3600	0.28	11.0	140	3.7	15	38	15.0	2.1	120	2
106C 775459 00	98	34	13	27	12	0.4	350	<	2.25	100	3.1	<	2800	0.24	8.9	120	2.9	12	26	15.0	1.1	91	2
106C 775460 00	92	54	13	61	23	<	420	<	3.95	160	3.2	<	800	0.29	11.0	190	4.1	20	83	15.0	1.4	99	<
106C 775462 00	104	74	15	72	13	<	545	<	4.80	140	2.9	<	660	0.36	15.0	320	5.4	25	89	26.0	3.8	110	<
106C 775463 00	895	34	130	64	9	0.4	275	<	2.00	270	3.3	<	1120	0.33	9.0	150	2.7	10	72	17.0	2.0	79	<
106C 775464 00	86	34	22	26	15	<	540	<	2.90	160	4.3	<	780	0.26	11.0	96	4.0	19	25	20.0	1.8	130	<
106C 775465 00	2240	50	9	135	34	<	585	6	12.25	460	6.2	<	2200	0.21	8.2	98	13.0	41	160	118.0	4.4	85	5
106C 775466 00	915	38	13	98	25	<	565	3	4.45	310	5.0	<	1940	0.24	9.3	97	6.1	26	130	51.1	3.0	100	2
106C 775467 00	88	50	11	27	14	<	465	<	2.70	470	3.2	<	920	0.47	11.0	120	3.6	12	27	14.0	1.4	110	<
106C 775468 00	124	46	17	66	19	<	545	<	3.35	190	3.2	<	900	0.48	12.0	130	4.1	21	76	19.0	4.2	87	1
106C 775469 00	210	50	11	39	13	0.2	575	<	2.85	510	3.8	<	1900	0.37	10.0	120	3.4	13	28	17.0	2.3	81	3
106C 775470 00	545	64	12	75	23	0.2	490	<	3.00	490	4.0	<	1140	0.47	11.0	110	3.7	22	88	18.0	1.1	99	2
106C 775471 10	94	36	14	40	16	<	525	<	3.45	550	3.8	<	700	0.30	11.0	200	4.0	17	42	21.0	1.8	110	<
106C 775472 20	102	40	16	45	17	<	790	<	4.15	190	3.6	<	760	0.26	10.0	260	4.0	16	67	26.0	2.1	130	2
106C 775473 00	158	54	27	89	22	<	985	2	4.35	150	4.3	<	1600	0.40	13.0	220	4.8	25	130	27.0	0.9	160	3
106C 775474 00	485	20	82	12	12	0.2	1000	<	2.45	310	3.1	<	580	0.20	10.0	75	3.9	14	<	20.0	10.0	97	<
106C 775475 00	182	24	52	15	10	<	825	<	1.80	150	2.4	<	1480	0.33	8.3	56	3.3	14	20	16.0	3.4	65	1
106C 775476 00	205	36	69	21	13	0.2	1050	<	2.05	80	2.5	<	460	0.38	10.0	53	3.4	14	23	10.0	5.8	88	<
106C 775477 00	200	50	81	27	18	<	1900	<	3.40	70	2.7	4	620	0.40	13.0	78	4.4	21	26	14.0	6.7	120	<
106C 775478 00	142	28	37	15	10	<	795	4	1.45	60	2.0	<	440	0.29	7.2	33	2.5	11	<	11.0	5.4	55	<
106C 775480 00	210	46	78	26	18	<	1300	<	3.40	60	2.8	4	540	0.45	13.0	99	4.3	20	39	11.0	6.2	110	1
106C 775482 00	260	66	100	33	23	<	1800	<	4.75	70	3.0	<	620	0.35	13.0	110	4.7	21	58	14.0	6.2	120	2
106C 775483 00	535	20	84	13	8	<	710	2	1.60	90	2.0	<	440	0.21	5.1	32	2.1	9	23	15.0	5.6	45	<
106C 775484 00	178	30	40	18	15	0.2	1500	<	2.85	140	2.5	<	720	0.41	10.0	73	3.8	13	23	12.0	12.0	100	<
106C 775485 00	750	44	310	18	18	1.4	1300	<	2.55	480	3.8	4	680	0.17	11.0	<	3.5	19	<	19.0	1.2	110	4
106C 775486 00	520	86	110	39	25	0.6	1500	2	4.10	120	3.5	<	400	0.33	14.0	95	5.1	25	46	35.0	11.0	120	3
106C 775487 00	475	50	100	25	14	1.0	710	2	2.90	110	3.0	<	440	0.38	12.0	75	4.1	17	34	28.0	16.0	110	2
106C 775488 00	196	30	46	22	12	<	835	3	2.00	60	2.3	<	440	0.31	9.2	71	3.4	15	40	14.0	6.8	100	1
106C 775489 00	230	30	49	23	11	<	695	3	2.05	60	2.6	<	480	0.38	8.2	61	3.1	12	20	10.0	4.4	83	2

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106C 775446	0.7	3.8	390	27	62	5.00	< 0.6	0.6	2	0.6	5	1.0	< 9.1	9.1	2.8	2	33.31	-	-	8.0	34	0.42
106C 775447	0.5	4.2	650	31	66	5.80	< 0.8	3	0.7	6	0.8	< 10.0	10.0	4.9	< 2	24.57	-	-	ns	ns	ns	
106C 775448	0.8	5.7	980	38	83	6.50	< 0.9	3	0.9	6	1.1	2	15.0	4.5	3	12.13	-	-	8.0	30	0.32	
106C 775449	0.7	5.7	1200	32	77	6.10	< 0.7	3	0.6	7	0.7	< 12.0	12.0	4.1	< 2	13.61	-	-	8.2	30	0.56	
106C 775450	0.8	5.5	1200	29	58	6.00	< 0.7	< 0.7	< 0.5	6	1.1	< 11.0	11.0	4.2	< 2	27.70	-	-	8.5	50	0.46	
106C 775451	1.4	5.7	1400	36	72	6.60	< 0.8	2	0.6	4	1.4	2	13.0	4.6	3	30.30	-	-	8.1	50	0.02	
106C 775452	2.4	5.7	4000	37	77	6.70	< 0.8	3	0.6	6	1.0	2	9.1	4.6	< 2	26.31	-	-	8.5	130	1.30	
106C 775453	0.6	3.9	530	24	48	4.50	1	0.5	2	0.4	4	1.2	< 7.4	3.7	< 2	25.26	-	-	8.5	52	0.62	
106C 775454	1.2	5.0	1000	33	62	7.20	< 0.7	3	0.7	5	0.9	1	10.0	3.6	< 2	38.79	-	-	8.5	54	0.54	
106C 775455	1.0	6.7	1700	27	50	4.70	< 0.7	2	0.5	4	0.8	< 6.7	6.7	3.6	< 2	21.93	-	-	8.1	56	0.20	
106C 775457	2.7	9.1	1600	28	56	5.50	1	0.9	2	0.8	3	0.7	1	9.2	5.2	< 2	22.93	-	-	8.4	96	0.84
106C 775458	0.9	7.7	3500	37	83	6.90	1	0.9	3	0.7	8	1.2	1	13.0	4.4	< 2	16.24	-	-	8.4	58	0.80
106C 775459	1.0	6.3	3400	32	67	5.80	< 0.8	2	0.7	5	0.9	< 11.0	11.0	4.3	< 2	21.39	-	-	8.2	64	0.64	
106C 775460	0.6	4.9	890	29	60	6.60	< 0.9	3	0.6	7	0.8	1	11.0	3.6	3	27.21	-	-	8.2	120	0.36	
106C 775462	0.8	7.1	740	35	74	7.40	< 0.9	3	0.6	8	1.3	1	12.0	3.8	5	17.72	-	-	8.4	48	0.20	
106C 775463	2.1	6.8	1200	28	55	5.30	< 0.7	3	0.5	4	1.0	< 10.0	10.0	3.9	< 2	27.65	-	-	8.5	88	0.70	
106C 775464	0.7	6.2	860	43	80	7.50	1	0.8	3	0.7	7	1.4	2	17.0	5.6	< 2	26.66	-	-	8.4	70	0.74
106C 775465	3.4	8.6	2700	30	52	6.80	2	1.1	4	1.0	3	0.7	< 10.0	7.9	< 2	12.51	-	-	7.9	160	0.16	
106C 775466	1.9	6.9	2300	35	64	6.60	1	1.1	3	0.9	6	1.1	< 13.0	6.2	< 2	12.19	-	-	8.1	62	0.64	
106C 775467	0.9	9.2	1100	39	82	7.30	< 0.8	3	0.5	8	1.3	< 14.0	14.0	3.9	3	33.84	-	-	8.1	54	0.64	
106C 775468	1.2	6.1	940	30	67	6.10	1	0.7	3	0.6	6	1.3	< 10.0	3.7	< 2	23.12	-	-	8.3	58	1.10	
106C 775469	1.8	5.1	2400	32	75	6.40	1	0.8	3	0.7	7	1.1	< 10.0	4.2	8	26.74	-	-	7.5	240	0.10	
106C 775470	2.0	6.8	1500	35	78	7.30	< 1.1	3	0.8	6	1.4	2	12.0	4.9	7	27.33	-	-	7.9	140	0.74	
106C 775471	0.7	8.8	840	33	68	6.40	1	0.8	2	0.6	7	1.2	< 13.0	4.0	< 2	12.37	-	-	8.3	40	0.36	
106C 775472	0.9	9.1	920	32	70	6.80	< 0.9	2	0.5	6	1.3	3	14.0	4.6	< 2	6.35	-	-	8.3	40	0.34	
106C 775473	1.7	12.0	1500	48	100	8.30	1	0.9	3	0.6	5	2.1	2	16.0	5.7	5	15.30	-	-	8.3	66	0.36
106C 775474	3.9	14.0	540	28	63	6.70	< 1.0	3	0.6	5	0.9	1	9.0	3.4	< 2	21.09	-	-	8.5	42	0.28	
106C 775475	2.8	4.4	690	21	47	4.90	< 0.6	3	0.5	6	0.9	1	7.2	3.0	4	30.31	-	-	8.6	58	0.50	
106C 775476	2.1	4.9	400	23	45	5.00	< 0.6	2	0.5	5	0.8	2	7.8	2.8	< 2	23.25	-	-	8.6	110	1.00	
106C 775477	2.3	6.7	530	27	58	6.20	< 0.8	3	0.6	4	1.1	2	10.0	3.3	< 2	8.11	-	-	8.7	54	0.30	
106C 775478	2.1	4.4	300	17	38	3.80	< 0.5	2	0.4	4	0.6	< 5.4	5.4	2.5	< 2	24.78	-	-	8.3	92	1.10	
106C 775480	2.1	6.5	560	28	65	6.20	< 1.0	3	0.7	5	0.8	< 10.0	10.0	3.3	3	32.08	-	-	8.4	58	0.30	
106C 775482	2.5	9.2	570	29	64	6.30	< 1.0	3	0.7	5	1.0	2	10.0	3.7	5	6.99	-	-	8.0	48	0.26	
106C 775483	3.5	3.5	300	15	33	3.80	< 0.5	< 0.5	< 0.5	4	< 0.5	< 5.4	5.4	2.4	< 2	12.59	-	-	8.7	86	0.76	
106C 775484	2.0	10.0	740	25	57	5.90	1	0.8	2	0.6	6	1.1	2	9.1	3.2	< 2	10.79	-	-	8.2	68	0.34
106C 775485	10.6	10.0	660	32	62	6.90	< 1.1	4	0.7	8	0.9	1	10.0	3.6	< 2	2.30	-	-	8.5	56	0.26	
106C 775486	5.3	11.0	400	30	69	6.50	< 1.0	4	0.8	4	0.8	2	10.0	4.3	4	6.84	-	-	8.5	84	1.20	
106C 775487	5.4	5.6	430	28	48	5.40	< 0.7	3	0.7	4	0.9	2	10.0	3.9	4	4.86	-	-	8.4	56	0.96	
106C 775488	1.9	5.1	400	25	52	4.80	< 0.5	< 0.6	4	0.8	4	0.8	< 8.1	3.2	< 2	22.85	-	-	8.6	52	0.24	
106C 775489	1.3	4.5	460	25	52	4.70	< 0.6	2	0.5	4	0.8	1	8.0	3.1	5	17.92	-	-	8.6	70	0.74	



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106C	775490	00	08	554690	7137746	ARGLb	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	021	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106C	775491	00	08	552446	7139705	DLMTc	07	Sed/Water	8	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106C	775493	00	08	551995	7137996	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	012	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106C	775494	00	08	549522	7135835	ARGLb	07	Sed/Water	2	8	-	Alluv	Clear	Modert	Rd-Bn	012	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775495	10	08	550237	7138391	ARGLb	07	Sed/Water	15	8	-	Alluv	Clear	Fast	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775496	20	08	550237	7138391	ARGLb	07	Sed/Water	15	8	-	Alluv	Clear	Fast	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775497	00	08	549531	7139136	ARGLb	07	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106C	775498	00	08	551915	7142547	DORT	36	Sed/Water	3	6	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775499	00	08	551500	7144082	DLMTc	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775500	00	08	552134	7144155	DLMTc	07	Sed/Water	15	20	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775502	00	08	549868	7149409	DLMTc	07	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775503	00	08	549868	7149409	DLMTc	07	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775504	00	08	555198	7151699	GRITb	09	Sed/Water	12	15	-	Alluv	Clear	Torrnt	Gy-Blu	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775505	00	08	557312	7149609	DLMTc	07	Sed/Water	15	15	-	Alluv	Clear	Torrnt	Gy-Blu	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775506	00	08	556255	7149181	DLMTc	07	Sed/Water	15	10	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775507	00	08	571056	7136790	GLCM	44	Sed/Water	6	3	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775508	00	08	570778	7137705	GLCM	44	Sed/Water	20	5	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775509	00	08	568926	7135121	GLCM	44	Sed/Water	20	3	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775510	00	08	565940	7134588	GRITb	09	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Primary	Sp'gMelt
106C	775511	10	08	566001	7136376	DORT	36	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775512	20	08	566001	7136376	DORT	36	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775513	00	08	567262	7141178	DORT	36	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775515	00	08	563368	7134994	GRITb	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106C	775516	00	08	562019	7137497	DLMTc	07	Sed/Water	8	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775517	00	08	563299	7140321	DLMTc	07	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775518	00	08	563881	7140190	DLMTc	07	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775519	00	08	558512	7138185	DLMTc	07	Sed/Water	1	8	-	Alluv	Clear	Slow	Rd-Bn	021	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106C	775520	00	08	558307	7142861	DLMTc	07	Sed/Water	10	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775522	00	08	556653	7143169	GRITb	09	Sed/Water	4	10	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106C	775523	00	08	558709	7146489	DLMTc	07	Sed/Water	25	2	-	Alluv	Clear	Fast	Rd-Bn	021	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775524	00	08	556605	7146729	GRITb	09	Sed/Water	5	5	-	Alluv	Clear	Modert	Rd-Bn	012	-	Yellow	Dendrc	Intermit	Primary	Sp'gMelt
106C	775525	00	08	558818	7149869	DLMTc	07	Sed/Water	10	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	Rd-Bn	Dendrc	Intermit	Primary	Sp'gMelt
106C	775526	00	08	562495	7152906	DLMTc	07	Sed/Water	5	5	-	Alluv	Clear	Modert	Rd-Bn	300	-	Yellow	Dendrc	Intermit	Primary	Glacier
106C	775527	00	08	563167	7152732	DLMTc	07	Sed/Water	12	15	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Sec'ary	Glacier
106C	775528	00	08	568619	7152780	DLMTc	07	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Sec'ary	Glacier
106C	775529	00	08	570218	7150194	DLMTc	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	012	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106C	775530	00	08	569763	7147670	DLMTc	07	Sed/Water	30	10	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775531	00	08	570403	7147235	GRITb	09	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775532	00	08	565897	7145544	DLMTc	07	Sed/Water	10	15	-	Alluv	Clear	Fast	Gy-Blu	300	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'gMelt
106C	775533	00	08	570157	7146192	GRITb	09	Sed/Water	20	15	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775490 00	220	32	49	23	11	<	1050	2	2.20	60	3.4	<	520	0.40	8.9	65	3.2	15	21	12.0	10.0	96	3
106C 775491 00	196	42	43	26	12	<	480	2	2.50	60	4.0	<	740	0.60	10.0	74	3.3	12	34	11.0	6.9	82	3
106C 775493 00	172	30	32	20	10	<	780	2	2.00	60	2.6	<	680	0.54	8.4	59	2.7	11	<	7.7	5.2	82	2
106C 775494 00	168	38	38	22	15	0.7	1350	2	3.10	90	3.5	<	620	0.43	10.0	60	3.3	15	34	10.0	13.0	120	2
106C 775495 10	198	44	58	26	14	0.2	1250	2	2.75	70	2.9	<	520	0.37	10.0	70	3.6	17	30	13.0	12.0	100	2
106C 775496 20	174	36	47	23	13	<	1000	2	2.55	60	3.1	<	520	0.45	11.0	87	3.5	16	38	10.0	10.0	120	3
106C 775497 00	156	60	47	40	15	0.5	1000	8	2.95	110	4.3	<	440	0.19	10.0	75	3.9	14	38	27.0	28.0	120	8
106C 775498 00	200	52	44	28	14	<	410	3	2.85	70	3.7	<	600	0.54	14.0	100	4.4	21	40	12.0	11.0	110	2
106C 775499 00	345	104	41	44	19	0.2	390	4	3.55	60	5.2	<	460	0.83	17.0	120	5.6	28	68	17.0	4.4	88	3
106C 775500 00	240	76	37	41	17	<	445	4	3.25	50	3.9	<	500	0.70	20.0	140	6.1	27	70	16.0	3.1	97	3
106C 775502 00	116	40	27	32	14	0.2	895	6	2.25	70	4.0	<	360	0.15	8.5	66	3.4	13	42	21.0	12.0	120	6
106C 775503 00	265	84	59	66	20	0.2	900	11	3.05	120	6.7	<	340	0.27	9.5	45	4.0	20	77	36.0	5.7	99	10
106C 775504 00	168	54	47	41	13	0.2	830	7	2.05	100	4.8	<	300	0.19	7.4	64	2.8	15	56	22.0	1.5	110	6
106C 775505 00	200	58	56	41	11	<	735	6	2.05	100	4.8	<	300	0.18	7.6	85	3.0	12	44	24.0	5.9	110	5
106C 775506 00	250	62	96	42	14	0.4	920	8	2.10	90	4.3	<	280	0.13	6.3	48	3.0	13	64	30.0	1.7	110	7
106C 775507 00	120	24	29	11	7	<	705	3	1.35	80	1.8	<	200	0.19	4.6	46	2.2	10	23	14.0	4.4	50	1
106C 775508 00	134	40	46	24	14	<	805	4	2.20	60	2.7	<	300	0.30	8.3	74	3.6	17	22	19.0	1.5	76	2
106C 775509 00	128	36	45	22	13	<	810	3	1.95	60	2.8	<	300	0.32	8.9	63	3.5	14	34	18.0	2.7	85	3
106C 775510 00	285	36	39	17	14	<	1250	2	2.30	100	2.3	<	460	0.36	10.0	55	3.8	14	21	13.0	8.0	81	<
106C 775511 10	515	136	98	45	24	0.2	1450	3	3.95	60	3.3	<	360	0.68	18.0	100	6.2	35	42	29.0	6.6	83	3
106C 775512 20	450	126	83	44	24	0.3	1250	3	4.05	50	3.1	<	340	0.83	23.1	95	7.4	38	40	27.0	4.1	67	2
106C 775513 00	480	118	125	49	36	0.5	2200	3	3.90	60	3.8	<	400	0.45	13.0	80	5.3	42	59	31.0	5.6	100	2
106C 775515 00	385	70	100	36	21	0.5	1350	2	3.35	60	2.6	<	420	0.36	12.0	86	4.4	22	43	26.0	3.5	110	2
106C 775516 00	740	106	130	65	22	0.2	1200	5	3.85	40	4.2	<	380	0.50	15.0	72	5.4	28	87	37.0	2.2	90	4
106C 775517 00	355	40	120	22	15	0.2	1700	2	2.05	40	2.2	<	420	0.22	6.8	46	3.0	16	<	19.0	4.2	95	<
106C 775518 00	2600	280	370	160	50	1.4	1450	15	6.55	120	8.2	<	440	0.47	15.0	87	6.5	53	240	103.0	11.0	90	16
106C 775519 00	335	24	100	19	12	0.5	1150	2	3.20	50	2.7	<	740	0.37	10.0	73	3.5	14	15	14.0	6.2	120	<
106C 775520 00	194	26	110	15	13	0.2	1650	2	1.80	30	1.9	<	360	0.19	6.7	62	3.3	18	<	20.0	2.7	80	<
106C 775522 00	225	38	69	23	12	0.2	1300	3	2.30	60	2.2	<	340	0.18	7.1	50	3.3	16	30	18.0	8.5	93	2
106C 775523 00	305	36	89	21	17	0.2	2000	2	3.10	60	8.2	<	440	0.23	8.4	68	4.1	22	32	15.0	8.2	120	1
106C 775524 00	265	34	82	29	10	0.2	865	4	2.40	90	2.7	<	440	0.22	7.6	74	3.1	11	40	19.0	15.0	100	4
106C 775525 00	420	54	205	24	21	0.4	2650	<	3.10	50	1.9	<	380	0.21	7.1	52	4.4	21	26	27.0	5.9	86	<
106C 775526 00	300	38	70	16	10	<	2950	2	2.70	30	5.6	<	240	0.12	4.0	<100	2.7	<50	16.0	16.0	<13.0	36	26
106C 775527 00	705	40	295	16	15	0.5	1850	<	2.35	40	2.9	<	340	0.15	6.6	51	3.5	20	20	29.0	1.3	88	<
106C 775528 00	245	38	130	13	13	<	1700	<	2.45	40	2.1	<	320	0.26	7.2	40	3.6	14	34	18.0	6.3	91	<
106C 775529 00	320	150	65	55	28	<	1150	9	4.95	50	7.3	<	420	0.62	17.0	120	6.2	33	64	52.0	7.5	96	9
106C 775530 00	210	60	64	21	16	<	2000	<	2.75	30	2.8	<	340	0.14	7.3	61	3.9	17	32	21.0	3.4	91	<
106C 775531 00	495	138	165	65	44	0.4	3100	6	5.95	100	6.2	<	600	0.56	17.0	94	7.3	48	76	51.9	3.1	120	6
106C 775532 00	325	92	90	28	23	0.4	2200	<	3.15	60	2.8	<	380	0.14	8.2	70	4.3	23	39	26.0	4.2	100	2
106C 775533 00	285	136	135	47	40	0.4	2650	4	5.10	60	4.9	<	460	0.47	15.0	96	6.5	44	65	39.0	2.1	140	4

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106C 775490 00	1.6	4.5	500	25	53	4.80	1	0.7	2	0.7	4	0.9	<	8.9	3.2	<2	10.84	-	-	8.4	62	0.68
106C 775491 00	1.5	3.8	750	27	58	5.30	<	0.9	3	0.7	5	1.0	1	8.7	4.7	9	13.59	-	-	8.4	50	0.86
106C 775493 00	1.5	3.7	700	25	51	5.00	<	0.8	2	0.5	5	0.9	2	8.5	3.2	6	9.31	-	-	8.2	54	0.36
106C 775494 00	2.2	8.3	680	26	68	5.80	<	0.8	3	0.8	4	0.8	2	10.0	4.0	6	4.33	-	-	8.1	46	0.32
106C 775495 10	2.3	5.8	600	25	57	5.80	<	0.8	<	0.6	4	0.9	1	10.0	3.7	5	9.50	-	-	8.3	44	0.48
106C 775496 20	2.1	5.8	560	28	58	5.60	1	0.6	3	0.6	4	1.1	<	9.3	3.6	5	8.25	-	-	8.3	50	0.42
106C 775497 00	5.8	5.9	440	28	60	5.50	1	0.9	3	0.8	3	0.9	1	10.0	4.9	7	13.20	-	-	8.2	92	1.20
106C 775498 00	1.8	4.5	630	32	67	6.30	1	0.9	3	0.7	5	1.3	1	10.0	4.5	<2	22.98	-	-	8.3	44	0.46
106C 775499 00	2.4	4.0	480	28	52	6.40	<	1.0	4	0.6	5	0.9	<	8.7	5.2	6	28.21	-	-	8.2	40	0.78
106C 775500 00	2.4	3.6	470	31	63	6.70	<	1.1	4	0.8	5	1.4	1	9.2	4.4	5	24.15	-	-	8.0	36	0.50
106C 775502 00	3.3	4.2	300	27	56	5.10	<	0.5	3	0.6	4	0.8	<	10.0	5.1	<2	12.85	-	-	8.3	36	0.62
106C 775503 00	3.8	5.3	330	27	55	5.50	<	0.7	4	0.9	4	0.8	<	10.0	7.4	<2	19.72	-	-	8.1	40	1.60
106C 775504 00	2.7	4.0	240	26	49	4.80	<	0.7	3	0.7	4	0.6	1	9.2	5.2	5	5.21	-	-	8.1	34	0.96
106C 775505 00	2.8	4.1	290	26	53	5.00	<	0.7	2	0.8	4	0.7	<	10.0	5.9	3	11.74	-	-	8.2	40	1.00
106C 775506 00	3.0	3.9	380	24	48	5.10	<	0.7	2	0.6	3	0.9	<	9.4	5.0	3	26.54	-	-	8.2	48	0.86
106C 775507 00	2.0	5.7	220	14	28	3.90	<	0.6	<	0.3	2	<	<	4.5	2.8	<2	35.44	-	-	8.5	52	0.56
106C 775508 00	2.0	5.9	310	33	88	10.00	<	0.8	2	0.6	2	0.7	<	7.2	3.0	5	7.67	-	-	8.4	44	0.48
106C 775509 00	1.8	6.4	280	25	59	5.70	<	0.7	2	0.6	2	<	1	7.1	3.2	3	23.75	-	-	8.4	54	0.48
106C 775510 00	2.5	6.4	400	24	51	5.30	<	0.6	3	0.5	5	0.5	<	7.6	3.0	<2	9.76	-	-	8.2	48	0.24
106C 775511 10	5.1	4.8	360	25	47	5.70	1	0.6	3	0.6	4	0.9	2	7.4	4.2	6	31.16	-	-	8.1	36	0.32
106C 775512 20	5.2	3.8	340	26	49	5.90	1	0.9	3	0.6	4	1.2	<	6.6	3.9	<2	29.59	-	-	8.0	34	0.30
106C 775513 00	6.2	5.1	350	32	69	6.60	2	0.9	3	0.8	3	0.8	1	9.1	5.1	7	14.98	-	-	8.0	44	0.36
106C 775515 00	5.6	5.0	420	28	71	5.90	1	0.8	3	0.7	6	1.1	1	9.5	3.8	5	15.06	-	-	8.3	80	0.84
106C 775516 00	4.7	3.4	350	28	56	5.60	1	0.9	2	0.6	4	0.8	<	7.4	5.1	7	7.98	-	-	7.9	52	0.52
106C 775517 00	3.1	3.4	360	23	42	4.60	<	<	<	0.4	4	0.7	<	8.1	2.9	3	32.73	-	-	7.8	40	0.38
106C 775518 00	10.2	7.8	310	38	62	8.30	<	1.2	3	1.1	3	0.6	<	9.3	12.0	14	6.66	14	8.50	7.8	48	0.32
106C 775519 00	2.1	4.4	610	28	62	5.40	<	0.7	2	0.5	5	1.0	<	11.0	3.3	<2	25.72	-	-	8.3	44	0.56
106C 775520 00	3.1	2.7	410	22	45	4.10	<	<	<	0.4	3	0.8	<	7.5	2.4	<2	36.40	-	-	8.1	40	0.26
106C 775522 00	2.2	4.1	270	24	49	4.70	<	0.7	2	0.6	3	0.6	<	8.5	3.8	<2	22.37	-	-	8.0	70	1.00
106C 775523 00	2.4	6.1	370	26	65	5.20	<	0.8	3	0.6	3	0.8	<	11.0	3.1	<2	20.50	-	-	8.0	40	0.54
106C 775524 00	2.4	4.3	330	25	52	4.80	<	0.7	<	0.6	4	0.9	2	9.1	4.2	<2	22.16	-	-	8.1	74	1.40
106C 775525 00	5.5	4.6	320	23	55	4.60	<	0.7	2	0.4	3	0.7	<	8.6	3.0	<2	25.71	-	-	7.9	36	0.34
106C 775526 00	3.1	<2.5	<250	16	53	3.10	<5	<2.5	<10	<1.0	<5	<2.5	<5	5.5	1.3	<10	0.46	-	-	8.1	42	0.46
106C 775527 00	4.0	3.9	350	23	50	4.50	<	0.5	2	0.5	4	0.7	<	8.4	2.8	<2	39.25	-	-	8.1	36	0.34
106C 775528 00	4.0	3.2	400	22	44	4.50	<	0.5	<	0.5	3	0.7	2	8.0	2.5	<2	29.31	-	-	8.2	30	0.24
106C 775529 00	5.8	3.8	410	29	54	6.20	1	1.2	3	1.0	4	0.9	1	9.5	8.5	5	9.15	-	-	7.7	40	0.14
106C 775530 00	4.8	2.6	270	24	50	4.60	<	0.7	2	0.5	4	0.9	<	8.7	2.9	4	15.39	-	-	8.0	30	0.36
106C 775531 00	5.8	8.7	520	38	72	8.10	<	1.2	4	1.0	4	1.2	2	11.0	7.6	<2	19.48	-	-	7.6	38	0.16
106C 775532 00	5.5	2.8	270	24	52	5.00	1	0.7	3	0.6	4	0.8	1	9.0	3.1	4	8.33	-	-	8.0	30	0.34
106C 775533 00	4.4	9.3	430	41	90	8.60	<	1.0	4	0.9	5	1.1	2	13.0	6.4	6	15.95	-	-	7.3	36	0.08

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet 106C 775534 00  
 Rep Stat 00  
 Zn Easting 08 558706  
 UTM Northing 7208450  
 Rock Unit Age 07 ARGLb  
 Sample Type Sed/Water  
 Stream Width Depth 1 1  
 Sample Cont. -  
 Bank Type Colluv  
 Water Colour Clear  
 Stream Flow Modert  
 Sample Colour Rd-Bn 210  
 Bottom Pcpt -  
 Bank Pcpt -  
 Stream Physiolg. Drainage Moun/Y  
 Stream Class Primary  
 Source Sp'gMelt

106C 775534 00  
 Rep Stat 00  
 Zn Easting 08 558706  
 UTM Northing 7208450  
 Rock Unit Age 07 ARGLb  
 Sample Type Sed/Water  
 Stream Width Depth 1 1  
 Sample Cont. -  
 Bank Type Colluv  
 Water Colour Clear  
 Stream Flow Modert  
 Sample Colour Rd-Bn 210  
 Bottom Pcpt -  
 Bank Pcpt -  
 Stream Physiolg. Drainage Moun/Y  
 Stream Class Primary  
 Source Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106C 775534 00	86	80	14	21	17	<	1350	<	2.45	10	6.1	<	980	1.10	10.0	83	4.8	21	50	7.6	1.1	150	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Units:	Detection Limit:	Analytical Method:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Au1/Wt	pH	F-W	U-W	
106C 775534 00				1.7	10.0	1000	62	140	10.60	<	1-2	4	0.9	7	1.2	3	20.0	6.8	<2	-	-	7.6	58	2.00

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
1060	761002	00	08	454863	7200082	SNDSf	44	Sed/Water	2	5	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761003	00	08	456950	7200559	SNDSf	44	Sed/Water	1	5	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761005	10	08	452763	7197521	ARGLa	04	Sed/Water	1	4	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761006	20	08	452763	7197521	ARGLa	04	Sed/Water	1	4	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761007	00	08	455149	7197139	ARGLa	04	Sed/Water	2	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761008	00	08	456014	7197280	ARGLa	04	SedOnly	-	-	-	Colluv	-	-	*	-	*	*	*	*	*	*
1060	761009	00	08	456573	7195453	ARGLa	04	Sed/Water	3	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761010	00	08	455996	7194503	SNDSf	44	Sed/Water	2	5	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761011	00	08	456763	7193336	SNDSf	44	Sed/Water	5	10	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761012	00	08	457657	7194017	LMSNe	15	Sed/Water	2	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761013	00	08	453753	7191614	SNDSf	44	Sed/Water	3	7	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761014	00	08	453732	7188316	LMSNe	15	Sed/Water	5	8	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761015	00	08	455801	7188037	SHLED	15	Sed/Water	6	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761016	00	08	457587	7191127	SNDSf	44	Sed/Water	5	8	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761017	00	08	458500	7192742	SHLED	15	Sed/Water	2	5	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761018	00	08	459772	7189145	SNDSf	44	Sed/Water	3	5	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761019	00	08	456682	7184856	SNDSf	44	Sed/Water	2	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761020	00	08	456409	7183930	SNDSf	44	Sed/Water	5	9	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761022	10	08	454723	7182485	LMSNe	15	Sed/Water	7	10	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761023	20	08	454723	7182485	LMSNe	15	Sed/Water	7	10	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761024	00	08	459682	7185028	SNDSf	44	Sed/Water	2	5	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761025	00	08	459236	7182909	SNDSf	44	Sed/Water	2	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761026	00	08	460409	7183614	SNDSf	44	Sed/Water	2	5	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761027	00	08	460333	7181588	SNDSf	44	Sed/Water	5	6	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761028	00	08	462608	7181777	SNDSf	44	Sed/Water	2	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761029	00	08	464940	7182742	LMSNe	15	Sed/Water	2	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761030	00	08	464868	7181497	SHLED	15	Sed/Water	2	3	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761032	00	08	466527	7182663	LMSNe	15	Sed/Water	2	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761033	00	08	466671	7181296	SHLED	15	Sed/Water	3	6	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761034	00	08	472175	7181689	SHLED	44	Sed/Water	4	7	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761035	00	08	475372	7182864	SNDSf	44	Sed/Water	3	5	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761036	00	08	474954	7185046	SNDSf	44	Sed/Water	3	6	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761037	00	08	472678	7184773	SHLED	15	Sed/Water	3	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761038	00	08	473443	7187049	SNDSf	44	Sed/Water	3	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761039	00	08	472819	7188876	SNDSf	44	Sed/Water	2	4	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761040	00	08	470337	7188173	SHLED	15	Sed/Water	10	8	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761042	00	08	468933	7185278	LMSNe	15	Sed/Water	1	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761043	00	08	468365	7185784	LMSNe	15	Sed/Water	5	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761044	10	08	462034	7191120	LMSNe	15	Sed/Water	3	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761045	20	08	462034	7191120	LMSNe	15	Sed/Water	3	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106D 761002 00	82	17	7	17	4	<	430	4	0.85	ns	2.5	<	1160	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106D 761003 00	86	10	2	12	4	<	270	<	0.95	ns	2.7	4	880	0.61	4.5	48	1.5	<	<	3.6	<2.0	30	5
106D 761005 10	64	9	16	4	<	360	2	0.35	ns	ns	0.9	<	320	0.17	1.1	<	0.5	<	<	6.8	1.3	9	5
106D 761006 20	66	9	15	4	<	360	3	0.35	ns	ns	1.0	<	340	0.18	1.2	<	0.4	<	<	6.9	<	<	7
106D 761007 00	61	8	18	3	<	340	3	0.30	ns	ns	0.8	<	320	0.18	1.0	<	0.3	<	<	4.4	<2.3	<	11
106D 761008 00	34	9	8	4	2	<	420	6	0.50	ns	0.9	<	320	0.16	1.2	<	0.5	<	<	6.2	<	7	8
106D 761009 00	48	15	8	9	4	<	465	2	0.80	ns	1.3	<	500	0.30	2.9	<	0.9	5	17	7.9	<	16	6
106D 761010 00	137	18	13	18	5	<	545	2	1.20	ns	2.4	6	1000	0.50	5.4	87	1.6	9	<	6.5	<2.0	52	8
106D 761011 00	90	27	15	26	11	<	650	<	1.85	ns	3.1	4	880	0.68	10.0	140	2.7	11	<	6.7	3.0	80	6
106D 761012 00	75	10	10	4	<	575	3	0.30	ns	ns	0.6	<	380	0.18	0.7	<	0.5	<	<	21.0	<2.8	<	7
106D 761013 00	85	26	9	30	13	<	580	<	2.05	ns	3.8	4	860	0.52	10.0	170	3.3	14	39	7.5	4.3	100	4
106D 761014 00	92	32	18	32	11	<	780	5	1.60	ns	2.2	4	820	0.27	6.9	110	2.3	13	57	11.0	2.0	64	5
106D 761015 00	166	17	16	14	3	<	580	6	0.80	ns	2.2	<	820	0.25	2.6	<	0.9	<	12	8.3	<	20	9
106D 761016 00	270	23	6	39	6	<	355	14	1.10	ns	7.2	4	2300	0.35	4.9	66	1.2	<	36	8.0	<	51	16
106D 761017 00	51	10	5	6	<	420	3	0.35	ns	ns	0.7	<	360	0.16	1.1	<40	<0.4	<10	<20	5.0	<6.9	10	17
106D 761018 00	114	20	6	35	7	<	370	2	1.00	ns	2.4	<	840	0.61	9.4	130	2.6	12	45	4.3	<	36	6
106D 761019 00	93	29	9	33	12	<	885	7	1.70	ns	1.9	4	860	0.39	8.0	180	2.9	11	<20	12.0	<6.1	32	17
106D 761020 00	130	26	20	16	7	<	605	4	1.60	ns	3.0	6	640	0.34	5.5	60	1.7	7	14	17.0	<	66	10
106D 761022 10	126	77	34	26	18	<	1340	<	3.70	ns	5.3	ns	ns	0.46	11.0	130	3.7	18	<	18.0	17.0	150	4
106D 761023 20	138	78	36	27	20	<	1480	<	3.80	ns	5.3	4	920	0.46	11.0	77	3.2	12	<20	19.0	7.1	150	11
106D 761024 00	53	13	8	11	4	<	390	3	0.60	ns	1.0	<	400	0.24	2.2	45	0.7	<	18	7.8	3.5	16	3
106D 761025 00	300	50	27	41	11	<	690	10	2.35	ns	4.2	<	1040	0.40	5.8	<100	2.0	<25	69	13.0	<16.0	57	32
106D 761026 00	43	23	10	31	8	<	430	2	1.05	ns	1.0	<	440	0.19	7.6	140	1.4	11	32	13.0	0.6	16	4
106D 761027 00	225	29	18	27	9	<	590	9	1.80	ns	4.0	4	1100	0.28	5.2	57	2.0	<10	<20	22.0	<3.8	43	22
106D 761028 00	180	32	14	29	8	<	455	8	1.80	ns	3.9	<	860	0.48	6.8	81	2.4	9	23	19.0	2.9	72	12
106D 761029 00	50	56	4	45	13	<	520	2	1.10	ns	1.2	<	720	0.54	11.0	160	3.4	16	<20	4.0	<2.1	37	13
106D 761030 00	340	48	38	39	11	<	510	6	2.55	ns	4.9	<	1040	0.52	8.3	76	2.9	15	39	12.0	12.0	100	9
106D 761032 00	83	19	9	16	5	<	380	2	0.80	ns	1.6	4	520	0.36	4.8	83	1.6	<	<	17.0	<	9	6
106D 761033 00	240	40	26	29	7	0.4	610	11	1.60	ns	4.1	4	740	0.37	4.5	<40	1.5	<10	30	13.0	<6.0	53	21
106D 761034 00	190	29	10	35	13	<	445	6	2.75	ns	3.2	4	1160	1.00	7.7	81	2.8	13	32	10.0	1.0	50	7
106D 761035 00	1170	48	8	155	7	1.2	220	16	1.75	ns	7.9	4	9999	0.41	6.1	110	2.1	11	91	19.0	0.5	73	27
106D 761036 00	660	37	5	138	7	0.2	140	18	1.00	ns	11.5	4	9999	0.15	4.0	87	1.1	8	120	15.0	<	51	27
106D 761037 00	240	34	4	44	6	<	220	10	1.45	ns	4.1	4	860	0.39	4.2	64	1.6	<10	32	7.6	<6.9	28	21
106D 761038 00	163	12	26	12	2	<	330	3	0.40	ns	1.6	4	2000	0.23	1.6	23	0.5	<	<	4.6	3.0	16	5
106D 761039 00	91	9	18	7	<	<	510	2	0.20	ns	0.6	<	420	0.13	0.8	<	0.2	<	<	2.7	<4.6	5	9
106D 761040 00	116	15	11	14	3	<	295	4	0.60	ns	2.0	4	600	0.29	3.4	50	1.0	<	<	7.9	3.0	15	7
106D 761042 00	430	52	24	57	6	0.6	185	30	1.15	ns	6.6	<	6400	0.34	5.9	60	1.7	6	50	15.0	3.7	48	33
106D 761043 00	85	15	15	14	4	<	310	5	0.70	ns	1.6	<	13000	0.37	4.0	65	1.1	<	12	10.0	4.0	19	5
106D 761044 10	30	8	<	3	<	<	280	3	0.25	ns	0.8	<	210	0.17	0.8	<	0.3	<	<	3.6	3.6	<	1
106D 761045 20	29	8	2	3	<	<	290	2	0.25	ns	0.8	<	200	0.20	0.9	<	0.3	<	<	3.6	3.6	<	1



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 761002 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	8.4	22	0.16
1060 761003 00	0.6	0.6	650	21	48	3.60	<	0.6	<	<	5	1.0	1	5.1	2.4	4	1.92	-	-	8.2	34	0.28
1060 761005 10	0.7	<	100	5	16	0.85	<	<	<	<	<	<	<	1.3	0.8	24	2.25	<2	12.16	8.1	<	0.02
1060 761006 20	0.6	0.5	98	5	10	0.84	<	<	<	<	<	<	<	1.4	0.8	2	1.87	2	11.86	8.1	<	0.10
1060 761007 00	0.6	<	65	4	<12	0.75	<	<	<	0.2	<	<	<	0.8	0.8	<2	1.06	-	-	8.1	<	0.06
1060 761008 00	0.7	<	<	5	13	0.71	<	<	<	<	<	<	<	1.0	0.9	<2	2.42	-	-	ns	ns	ns
1060 761009 00	1.1	1.0	330	8	26	1.50	<	<	<	<	2	<	<	2.0	1.3	3	2.02	-	-	8.1	<	0.02
1060 761010 00	1.1	1.2	780	19	31	3.10	<	<	<	0.3	4	0.8	1	4.7	1.9	8	1.16	-	-	8.4	<	0.08
1060 761011 00	1.0	2.7	630	31	76	5.10	1	<	3	0.2	7	1.7	<	9.0	2.7	<2	1.83	-	-	8.1	<	0.22
1060 761012 00	1.8	<	59	4	<11	0.60	<	<	<	<	<	<	<	0.8	0.5	<2	1.36	-	-	8.2	<	0.08
1060 761013 00	1.0	3.8	660	37	74	6.60	1	1.2	<	0.3	6	2.1	<	11.0	3.4	<5	1.87	-	-	7.9	<	0.02
1060 761014 00	1.8	3.2	520	21	36	3.70	<	<	<	<	3	1.2	<	5.3	1.7	3	2.89	-	-	8.0	<	0.04
1060 761015 00	1.6	1.0	580	11	22	1.70	<	<	<	<	2	<	<	2.6	2.0	6	2.49	-	-	8.3	<	0.18
1060 761016 00	3.0	1.5	1900	20	31	3.30	<	<	<	<	3	1.0	1	4.4	6.2	<2	2.22	-	-	8.4	22	1.80
1060 761017 00	0.9	<1.0	<100	4	<10	0.81	<2	<1.0	<4	<0.4	<2	<1.0	<2	0.8	0.9	<4	0.67	-	-	8.2	<	0.02
1060 761018 00	1.1	0.9	580	23	41	3.70	<	<	<	<	5	1.5	<	4.5	2.1	<2	2.53	-	-	8.2	<	1.20
1060 761019 00	1.2	1.9	640	23	59	3.80	<2	<1.0	<4	<0.4	<2	1.2	<2	6.1	1.7	<4	0.90	-	-	8.2	<	0.08
1060 761020 00	1.5	1.5	420	26	62	4.00	<	<	<	<	4	0.8	1	6.1	2.4	16	2.30	5	16.65	8.0	<	0.12
1060 761022 10	1.9	6.3	660	42	86	6.90	2	1.1	3	0.3	6	1.6	5	16.0	4.9	<5	2.14	-	-	7.7	<	0.02
1060 761023 20	2.0	6.7	630	40	79	6.30	2	<1.0	<4	<0.4	4	<1.0	<2	15.0	4.4	<9	0.60	-	-	7.7	<	0.02
1060 761024 00	0.8	1.0	190	6	<	1.10	<	<	<	<	1	<	<	1.4	0.9	<2	3.58	-	-	8.2	<	0.02
1060 761025 00	2.7	<2.5	810	28	61	5.00	<5	<2.5	<10	<1.0	<5	<2.5	<5	6.3	3.2	15	0.35	8	7.26	8.1	<	0.38
1060 761026 00	0.8	1.5	170	14	25	2.30	<	<	<	<	1	1.3	<	2.2	0.9	<2	2.94	-	-	8.1	<	0.06
1060 761027 00	2.5	1.3	830	21	44	3.30	<2	<1.0	<4	<0.4	<2	1.8	<2	4.5	3.5	9	0.88	-	-	8.0	<	0.34
1060 761028 00	2.7	3.2	600	31	54	4.40	<	0.7	<	<	3	1.6	2	7.1	3.7	<2	6.08	-	-	8.1	<	0.26
1060 761029 00	0.5	2.7	450	24	41	3.70	<2	<1.0	<4	0.4	2	1.5	<2	3.6	1.2	11	0.66	<2	8.18	8.0	20	0.08
1060 761030 00	2.4	3.3	710	32	67	5.20	<	0.7	<	<	4	2.1	2	8.5	4.5	5	3.27	-	-	8.1	<	0.22
1060 761032 00	1.3	1.4	280	12	16	2.20	<	<	<	<	3	0.5	<	3.0	1.4	5	2.92	-	-	8.1	<	0.04
1060 761033 00	3.0	1.5	490	24	54	3.40	<2	<1.0	<4	<0.4	3	1.6	<2	5.0	3.3	<4	0.91	-	-	8.1	<	0.14
1060 761034 00	1.5	1.1	1000	38	69	5.70	<	0.7	<	<	3	2.8	<	5.3	3.2	<2	4.30	-	-	8.1	<	0.28
1060 761035 00	8.3	2.5	11000	35	64	4.60	<	0.6	3	<	3	0.8	<2	5.3	8.0	<6	1.01	-	-	8.0	52	20.00
1060 761036 00	5.1	2.0	3800	26	32	4.10	<	0.8	<	<	2	0.7	<	3.7	11.0	5	2.58	-	-	8.3	52	3.10
1060 761037 00	1.7	<1.0	530	20	<23	3.90	<2	<1.0	<4	<0.4	4	<1.0	2	5.2	3.7	8	0.76	-	-	8.2	22	0.16
1060 761038 00	1.9	1.3	1400	8	16	1.30	<	<	<	<	1	<	<	1.8	1.6	<2	3.62	-	-	8.2	24	0.52
1060 761039 00	1.1	<	190	4	<11	0.78	<	<	<	<	<	<	<	0.7	0.5	6	1.12	-	-	8.2	<	0.02
1060 761040 00	1.6	0.7	400	12	25	2.00	<	<	<	<	3	<	<	2.8	2.1	18	5.72	<2	15.64	8.4	26	0.36
1060 761042 00	5.0	2.0	680	24	40	3.90	<	0.7	2	<	3	1.1	2	5.5	7.3	5	13.63	-	-	8.2	<	0.26
1060 761043 00	2.0	1.0	520	14	24	2.40	<	<	<	<	3	<	<	3.5	2.1	4	44.14	-	-	8.1	<	0.10
1060 761044 10	0.9	<	75	3	<	0.60	<	<	<	<	<	<	<	0.8	1.0	<2	47.95	-	-	8.0	<	0.02
1060 761045 20	0.9	<	92	3	5	0.60	<	<	<	<	<	<	<	0.8	1.0	<2	45.56	-	-	8.1	<	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiolg.	Drainage	Type	Stream Class	Source
1060	761046	00	08	463251	7190617	LMSNF	17	Sed/Water	1	2	-	Colluv	Clear	Stagnant	*	*	-	*	*	*	*	*	*
1060	761047	00	08	463365	7188717	LMSNF	17	Sed/Water	1	3	-	Colluv	Clear	Stagnant	*	*	-	*	*	*	*	*	*
1060	761048	00	08	464849	7188231	LMSNe	15	Sed/Water	4	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761049	00	08	466393	7189353	LMSNF	17	SedOnly			-	Colluv			*	*	-	*	*	*	*	*	*
1060	761050	00	08	466861	7188950	LMSNF	17	Sed/Water	1	9	-	Colluv	BnTrans	Modert	*	*	-	*	*	*	*	*	*
1060	761051	00	08	470685	7190820	LMSNe	15	Sed/Water	1	3	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*	*
1060	761052	00	08	472392	7191490	SNDSf	44	Sed/Water	2	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761053	00	08	473563	7191826	SNDSf	44	Sed/Water	5	6	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*	*
1060	761054	00	08	475807	7191158	LMSNe	15	Sed/Water	5	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*	*
1060	761055	00	08	474212	7193931	SNDSf	44	Sed/Water	10	10	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761056	00	08	470354	7194717	SNDSf	44	Sed/Water	1	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761058	00	08	472375	7196763	SNDSf	44	Sed/Water	10	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*	*
1060	761059	00	08	468574	7196398	SNDSf	44	Sed/Water	6	9	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761060	00	08	467232	7195142	LMSND	12	Sed/Water	5	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761062	00	08	470254	7198726	SNDSf	44	Sed/Water	3	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761063	00	08	472059	7200907	SNDSf	44	Sed/Water	4	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*	*
1060	761064	00	08	471147	7201217	SNDSf	44	Sed/Water	4	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*	*
1060	761065	00	08	468154	7200212	SNDSf	44	Sed/Water	6	8	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761066	00	08	467201	7198306	SNDSf	44	Sed/Water	4	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*	*
1060	761067	00	08	465492	7199224	SNDSf	44	Sed/Water	4	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761069	00	08	464407	7200432	LMSNe	15	SedOnly			-	Colluv			*	*	-	*	*	*	*	*	*
1060	761070	00	08	462451	7200424	SNDSf	44	Sed/Water	4	8	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761071	10	08	465946	7204565	ARGLa	04	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761072	20	08	465946	7204565	ARGLa	04	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761073	00	08	462447	7205691	ARGLe	01	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761074	00	08	459475	7202024	LMSNe	15	Sed/Water	6	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761075	00	08	460526	7199483	SNDSf	44	Sed/Water	2	2	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*	*
1060	761076	00	08	461319	7198315	SNDSf	44	Sed/Water	3	3	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761077	00	08	462185	7198710	SNDSf	44	Sed/Water	3	5	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*	*
1060	761078	00	08	461541	7195315	LMSNe	15	Sed/Water	6	8	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761079	00	08	455069	7202495	SNDSf	44	Sed/Water	2	3	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761080	00	08	458100	7205374	SNDSf	44	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761082	10	08	455087	7207120	SNDSf	44	Sed/Water	5	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761083	20	08	455087	7207120	SNDSf	44	Sed/Water	5	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761084	00	08	457122	7207374	ARGLa	04	Sed/Water	1	5	-	Colluv	Clear	Stagnant	*	*	-	*	*	*	*	*	*
1060	761085	00	08	477909	7193852	SNDSf	44	Sed/Water	3	2	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*	*
1060	761086	00	08	478808	7195308	SNDSf	44	Sed/Water	8	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761087	00	08	476488	7192285	SNDSf	44	Sed/Water	12	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761088	00	08	476915	7197270	LMSND	12	Sed/Water	2	3	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*
1060	761089	00	08	477435	7199192	LMSND	12	Sed/Water	4	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*	*



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 761046 00	2.7	1.0	2100	12	23	2.00	<	<	<	<	2	<	<	2.7	4.2	<2	26.94	-	-	8.3	<	0.04
1060 761047 00	2.2	1.8	1400	27	41	4.50	<	0.7	<	<	3	1.2	<	5.2	5.5	6	5.19	-	-	8.2	<	0.02
1060 761048 00	1.6	1.0	790	10	17	2.00	<	<	<	<	2	<	<	2.8	2.4	<2	39.48	-	-	8.1	<	0.56
1060 761049 00	1.9	0.9	830	9	14	1.60	<	<	<	<	2	<	<	2.1	1.8	<2	45.12	-	-	ns	ns	ns
1060 761050 00	1.6	1.6	1300	23	37	3.80	<	0.7	<	<	4	0.9	<	5.3	4.4	3	33.43	-	-	8.2	20	0.48
1060 761051 00	1.5	0.9	510	9	15	1.60	<	<	<	<	1	<	<	2.1	1.9	3	31.81	-	-	8.1	<	0.02
1060 761052 00	1.7	1.4	540	11	17	1.90	<	<	<	<	2	0.5	1	2.6	2.2	4	2.77	-	-	8.2	<	0.02
1060 761053 00	1.1	1.1	280	7	15	1.30	<	<	<	<	<	<	<	1.8	1.4	3	36.04	-	-	8.1	<	0.02
1060 761054 00	0.8	1.4	460	8	13	1.40	<	<	<	<	1	<	<	2.0	1.8	<2	36.39	-	-	8.1	<	0.10
1060 761055 00	0.5	2.4	290	19	41	3.30	<	0.6	<	<	3	0.7	<	5.2	1.8	<2	18.32	-	-	8.1	<	0.04
1060 761056 00	1.3	1.1	220	6	10	1.10	<	<	<	<	<	<	<	1.5	1.6	<2	33.09	-	-	8.1	<	0.12
1060 761058 00	0.7	4.2	540	27	51	4.80	<	0.8	<	0.2	3	1.4	<	7.9	2.8	<2	21.01	-	-	7.7	<	0.02
1060 761059 00	1.3	1.0	720	11	16	2.10	<	<	<	<	2	<	<	2.4	2.3	2	24.75	-	-	7.9	<	0.02
1060 761060 00	1.8	1.0	200	7	15	1.30	<	<	<	<	1	<	<	1.9	1.8	<2	35.93	-	-	8.2	<	0.08
1060 761062 00	0.8	7.9	860	39	82	6.90	<	1.3	2	0.4	5	2.0	3	10.0	3.2	6	5.49	-	-	8.2	26	0.02
1060 761063 00	0.9	12.0	1000	46	83	7.90	<	1.2	2	0.3	5	2.7	<	12.0	3.9	10	4.77	<2	6.53	7.5	<	0.02
1060 761064 00	0.8	5.9	700	31	62	5.60	<	0.7	<	0.2	4	1.4	<	8.3	2.5	<2	5.02	-	-	8.0	<	0.02
1060 761065 00	0.9	7.2	650	33	62	6.10	<	0.9	2	0.3	6	1.6	2	10.0	2.4	<2	8.57	-	-	8.0	<	0.02
1060 761066 00	1.0	6.9	680	35	69	6.10	1	1.0	<	0.4	4	1.8	<	10.0	3.3	<2	24.67	-	-	8.0	<	0.02
1060 761067 00	1.6	2.7	350	13	24	2.50	<	<	<	<	2	0.8	<	4.1	1.8	<2	29.01	-	-	8.1	<	0.02
1060 761069 00	1.3	3.0	710	31	59	5.50	<	<	<	<	3	1.0	1	7.8	3.2	<2	40.33	-	-	ns	ns	ns
1060 761070 00	1.0	2.4	380	16	31	3.20	<	<	<	<	2	0.8	<	5.1	1.9	<2	35.73	-	-	8.0	<	0.10
1060 761071 10	1.2	5.4	650	26	58	5.00	<	0.7	<	0.2	3	1.3	1	8.2	2.7	2	6.78	-	-	8.0	<	0.12
1060 761072 20	1.3	5.4	810	32	75	5.60	<	0.8	<	0.2	3	1.6	<	8.8	2.9	<2	9.62	-	-	7.9	<	0.10
1060 761073 00	1.1	3.0	1000	25	60	4.10	<	0.6	<	0.2	3	0.8	<	7.3	2.3	<2	17.80	-	-	7.9	<	0.10
1060 761074 00	0.9	2.0	460	15	30	2.60	<	<	<	<	3	0.7	<	4.5	1.8	2	23.83	-	-	8.0	<	0.10
1060 761075 00	2.0	2.4	920	21	41	3.50	<	0.6	<	<	3	0.8	<	4.6	3.2	2	23.69	-	-	8.3	<	0.02
1060 761076 00	1.2	0.6	120	4	11	0.81	<	<	<	<	<	<	<	1.0	1.0	<2	36.14	-	-	8.2	<	0.12
1060 761077 00	2.1	1.6	650	19	46	3.20	<	0.5	<	0.2	4	0.8	<	4.8	2.7	2	21.21	-	-	8.3	<	0.10
1060 761078 00	1.0	<	52	3	7	0.59	<	<	<	<	<	<	<	0.7	0.8	<2	34.25	-	-	8.4	<	0.02
1060 761079 00	1.3	1.6	880	25	58	4.60	<	0.6	<	0.3	6	1.1	<	6.7	3.0	<2	33.66	-	-	8.6	26	0.68
1060 761080 00	0.6	0.5	160	5	13	1.00	<	<	<	<	<	<	<	1.4	1.0	<2	38.14	-	-	8.4	<	0.02
1060 761082 10	0.7	0.6	120	4	12	0.83	<	<	<	<	<	<	<	1.2	1.0	<2	28.05	-	-	8.4	<	0.02
1060 761083 20	0.7	0.6	110	5	12	0.89	<	<	<	<	1	<	<	1.4	0.9	<2	23.87	-	-	8.3	<	0.02
1060 761084 00	1.0	0.8	260	12	31	2.30	<	<	<	<	3	<	<	3.3	1.6	<2	32.18	-	-	8.5	<	0.02
1060 761085 00	0.5	1.3	120	5	10	1.00	<	<	<	<	<	<	<	1.4	1.1	<2	40.41	-	-	8.0	20	0.02
1060 761086 00	0.9	2.4	200	11	28	2.00	<	<	<	0.2	1	0.6	<	3.2	1.5	<2	33.03	-	-	8.1	<	0.04
1060 761087 00	0.7	2.6	270	13	31	2.40	<	<	<	<	2	0.6	<	4.0	1.6	<2	31.27	-	-	8.1	<	0.02
1060 761088 00	0.5	4.0	290	16	44	2.80	<	<	<	0.3	2	0.8	<	4.9	1.6	<2	41.60	-	-	8.1	<	0.02
1060 761089 00	0.5	1.3	140	9	26	1.60	<	<	<	<	1	<	<	2.4	1.3	<2	19.93	-	-	8.0	<	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Stream Type	Stream Class	Source
1060	761090	00	08	478043	7198864	LMSNd 12	Sed/Water	10	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761091	00	08	484031	7201395	LMSNe 15	Sed/Water	5	6	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761092	00	08	484426	7199576	LMSNe 15	Sed/Water	5	8	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761093	00	08	481256	7204359	LMSNd 12	Sed/Water	1	2	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761094	00	08	480443	7204415	SNDsf 44	Sed/Water	7	8	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761095	00	08	487525	7205250	SNDsf 44	Sed/Water	1	4	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761097	00	08	489067	7203944	LMSNg 18	Sed/Water	1	2	-	Colluv	Clear	Stagnt	*	*	-	*	*	*	*	*
1060	761098	00	08	486979	7205304	LMSNe 15	Sed/Water	1	2	-	Colluv	Clear	Stagnt	*	*	-	*	*	*	*	*
1060	761099	00	08	486757	7206258	LMSNe 15	Sed/Water	1	2	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761100	00	08	487313	7207697	LMSNe 15	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761102	00	08	490751	7204964	SNDsf 44	Sed/Water	2	3	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761103	00	08	491714	7204577	SNDsf 44	Sed/Water	1	3	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761105	00	08	492648	7203631	SNDsf 44	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761106	00	08	494334	7202998	SNDsf 44	Sed/Water	1	2	-	Colluv	Clear	Stagnt	*	*	-	*	*	*	*	*
1060	761107	10	08	495177	7201723	SNDsf 44	Sed/Water	1	2	-	Colluv	Clear	Stagnt	*	*	-	*	*	*	*	*
1060	761108	20	08	495177	7201723	SNDsf 44	Sed/Water	1	2	-	Colluv	Clear	Stagnt	*	*	-	*	*	*	*	*
1060	761109	00	08	496940	7197386	LMSNe 15	Sed/Water	3	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761110	00	08	498302	7197797	LMSNg 18	Sed/Water	3	8	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761111	00	08	495072	7197429	LMSNe 15	Sed/Water	1	3	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761112	00	08	493862	7198840	LMSNe 15	Sed/Water	4	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761113	00	08	493680	7196376	ARGLa 04	Sed/Water	2	5	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761114	00	08	490931	7197580	LMSNe 15	Sed/Water	2	4	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761115	00	08	488443	7195905	ARGLa 04	Sed/Water	5	8	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761116	00	08	488979	7194320	ARGLa 04	Sed/Water	3	5	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761117	00	08	487085	7194312	ARGLa 04	Sed/Water	3	9	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761118	00	08	486411	7192290	ARGLa 04	Sed/Water	10	6	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761119	00	08	487719	7192123	ARGLa 04	Sed/Water	4	7	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761120	00	08	486296	7190213	LMSNe 15	Sed/Water	2	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761122	00	08	487768	7189830	LMSNe 15	Sed/Water	3	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761123	00	08	486981	7188125	LMSNe 15	Sed/Water	6	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761124	00	08	487863	7187002	LMSNe 15	Sed/Water	3	5	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761125	10	08	488820	7187631	LMSNe 15	Sed/Water	5	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761126	20	08	488820	7187631	LMSNe 15	Sed/Water	5	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761127	00	08	490393	7187127	LMSNe 15	Sed/Water	5	7	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761128	00	08	491734	7186356	LMSNe 15	Sed/Water	8	6	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761129	00	08	488741	7185218	LMSNe 15	Sed/Water	5	8	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761130	00	08	490323	7184236	LMSNe 15	Sed/Water	6	5	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761132	00	08	478420	7180775	SNDsf 44	Sed/Water	2	3	-	Colluv BnTrans	Clear	Slow	*	*	-	*	*	*	*	*
1060	761133	00	08	477060	7184588	SNDsf 44	Sed/Water	4	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761134	00	08	477982	7189551	LMSNe 15	Sed/Water	2	5	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	5	2	0.02	10	4	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADIC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 761090 00	176	20	45	23	12	<	815	<	2.00	ns	2.4	4	520	0.24	9.0	120	2.9	13	24	10.0	5.3	77	<
1060 761091 00	216	36	50	30	19	<	1410	3	3.25	ns	3.3	4	620	0.26	12.0	150	4.5	21	46	16.0	14.0	110	<
1060 761092 00	74	7	25	3	<	320	4	0.20	ns	0.7	4	240	0.17	0.7	<	0.3	<	<	<	2.8	1.7	<	<
1060 761093 00	74	10	31	6	2	<	260	4	0.65	ns	1.2	<	280	0.16	2.1	32	0.8	<	<	4.8	3.3	20	<
1060 761094 00	165	26	45	24	13	<	855	3	2.20	ns	2.7	<	5100	0.23	6.9	96	2.8	15	32	14.0	10.0	95	<
1060 761095 00	58	9	16	6	<	110	4	0.20	ns	1.5	<	240	0.16	0.7	<	<	<	<	1.9	2.1	7	2	
1060 761097 00	35	8	7	3	<	130	5	0.20	ns	1.2	<	12000	0.18	0.9	<	0.3	<	<	2.2	2.1	6	2	
1060 761098 00	51	8	16	4	<	130	5	0.20	ns	1.3	<	300	0.20	1.0	<	0.3	<	<	1.9	2.0	7	1	
1060 761099 00	40	7	13	2	<	85	3	0.15	ns	0.9	<	250	0.19	0.9	<	0.3	<	<	1.5	4.8	6	<	
1060 761100 00	31	8	7	4	<	90	3	0.20	ns	1.3	4	390	0.18	0.9	<	0.2	<	<	1.9	3.6	6	2	
1060 761102 00	164	12	5	27	2	<	120	7	0.50	ns	3.1	<	550	0.16	2.9	25	0.8	<	28	5.4	4.5	29	4
1060 761103 00	165	12	2	25	4	<	115	6	0.45	ns	2.4	<	510	0.14	2.0	26	0.7	<	27	3.7	0.9	12	1
1060 761105 00	75	12	14	12	2	<	120	6	0.35	ns	1.9	<	780	0.17	1.3	23	0.4	<	<	4.9	3.5	16	4
1060 761106 00	43	11	7	9	<	110	6	0.50	ns	2.4	<	380	0.23	2.4	33	0.7	<	<	7.3	3.9	26	6	
1060 761107 10	81	12	22	10	<	95	7	0.40	ns	2.4	<	300	0.18	1.8	<	0.6	<	<	6.3	5.1	22	5	
1060 761108 20	85	12	20	10	2	<	100	6	0.40	ns	2.7	<	280	0.18	1.9	<	0.6	<	15	6.2	5.6	18	5
1060 761109 00	54	10	16	7	4	<	660	4	1.05	ns	1.9	<	300	0.39	2.9	41	1.5	6	<	12.0	4.0	18	1
1060 761110 00	50	10	14	5	2	<	100	4	0.40	ns	1.4	<	410	0.32	2.6	24	0.8	<	<	4.9	6.7	13	3
1060 761111 00	90	8	16	2	<	340	4	0.20	ns	0.7	<	240	0.17	0.7	<	0.3	<	<	2.0	1.5	7	<	
1060 761112 00	47	7	20	2	<	160	4	0.15	ns	0.9	<	220	0.14	0.6	<	0.2	<	<	1.7	1.5	<	<	
1060 761113 00	109	34	30	22	13	<	1300	7	2.10	ns	4.0	<	230	0.47	6.8	49	3.4	17	19	31.0	2.0	91	4
1060 761114 00	90	7	38	2	<	350	4	0.25	ns	0.8	<	460	0.16	0.8	<	0.3	<	<	2.8	2.2	<	1	
1060 761115 00	71	11	23	4	2	<	525	3	0.60	ns	1.2	<	260	0.19	2.1	23	0.9	<	<	5.2	2.5	6	1
1060 761116 00	50	11	10	5	3	<	720	3	0.70	ns	1.4	<	280	0.20	2.1	22	0.8	<	<	7.8	2.0	20	3
1060 761117 00	106	26	46	5	3	<	890	4	0.70	ns	1.0	<	270	0.19	1.6	<	0.9	<	<	7.6	2.5	11	<
1060 761118 00	92	10	19	8	<	495	2	0.25	ns	0.9	<	250	0.21	0.8	<	0.3	<	<	2.9	3.4	7	<	
1060 761119 00	78	12	15	7	3	<	680	3	0.55	ns	1.0	<	280	0.21	1.5	20	0.7	<	<	5.5	5.2	12	2
1060 761120 00	61	7	5	2	<	275	2	0.15	ns	0.9	4	260	0.19	0.6	<	0.2	<	<	1.2	4.0	6	<	
1060 761122 00	55	7	8	4	<	320	3	0.20	ns	0.8	<	230	0.19	0.6	<	0.2	<	<	1.6	3.0	6	<	
1060 761123 00	102	8	16	4	<	310	2	0.25	ns	1.0	<	290	0.26	1.2	<	0.4	<	<	1.8	3.8	11	<	
1060 761124 00	230	23	25	31	4	<	330	4	0.70	ns	2.9	4	660	0.26	4.0	61	1.0	5	26	6.8	2.8	41	3
1060 761125 10	70	8	10	8	<	255	3	0.30	ns	0.9	<	300	0.26	1.3	22	0.4	<	<	2.0	2.3	9	<	
1060 761126 20	62	8	9	7	<	260	2	0.30	ns	1.0	<	260	0.25	1.3	25	0.4	<	11	2.3	2.5	7	<	
1060 761127 00	54	8	5	6	<	200	2	0.30	ns	0.9	<	300	0.23	1.3	<	0.4	<	<	2.0	4.1	12	<	
1060 761128 00	72	13	4	11	<	165	4	0.30	ns	2.0	<	320	0.14	1.4	<	0.3	<	<	3.3	2.2	13	3	
1060 761129 00	184	21	12	24	2	<	240	4	0.60	ns	2.4	<	560	0.20	3.1	44	0.8	<	15	5.8	4.9	36	3
1060 761130 00	250	25	3	15	4	<	115	17	0.65	ns	8.0	<	1020	0.11	3.9	49	0.9	<	55	10.0	1.9	54	19
1060 761132 00	1800	40	6	214	9	<	140	15	0.90	ns	8.9	4	3550	0.44	7.0	110	1.3	10	230	15.0	4.3	71	15
1060 761133 00	1930	120	6	320	31	0.4	370	51	3.25	ns	38.8	<	3000	0.21	6.0	74	3.6	31	350	27.0	6.8	50	41
1060 761134 00	112	11	17	11	2	<	390	5	0.40	ns	1.4	<	520	0.21	2.0	<	0.6	<	<	4.6	3.6	17	3

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	AU	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 761090	00	5.6	430	23	62	4.00	<	0.9	<	0.4	3	1.2	<	7.6	2.4	2	27.39	-	-	8.1	<	0.02
1060 761091	00	0.8	7.6	520	36	88	6.20	<	0.9	2	0.5	2.0	1	11.0	3.1	5	13.00	-	-	8.1	<	0.04
1060 761092	00	0.2	<	54	3	6	0.46	<	<	<	<	<	<	0.6	0.9	<	28.61	-	-	8.1	<	0.02
1060 761093	00	0.2	1.2	120	6	15	1.20	<	<	<	<	<	<	2.2	1.1	4	25.18	-	-	8.1	<	0.02
1060 761094	00	0.7	5.8	480	28	64	5.50	<	0.7	<	<	1.8	<	8.9	2.7	3	12.77	-	-	8.0	<	0.02
1060 761095	00	0.4	<	71	4	12	0.78	<	<	<	<	<	<	0.9	1.9	<	47.49	-	-	8.2	<	0.02
1060 761097	00	0.3	<	87	4	9	0.76	<	<	<	<	<	<	0.8	1.3	<	43.13	-	-	8.1	<	0.02
1060 761098	00	0.3	<	130	5	11	0.90	<	<	<	<	<	<	1.3	1.4	<	46.15	-	-	8.1	28	0.02
1060 761099	00	0.2	<	92	4	9	0.71	<	<	<	<	<	<	1.0	1.0	<	38.67	-	-	8.1	22	0.06
1060 761100	00	0.3	<	330	4	9	0.62	<	<	<	<	<	<	1.0	1.4	<	41.53	-	-	8.1	54	0.06
1060 761102	00	0.8	1.4	380	8	22	1.50	<	<	<	<	<	<	2.3	3.3	<	12.86	-	-	8.2	26	0.02
1060 761103	00	0.5	1.1	290	7	18	1.30	<	<	<	<	<	<	1.9	2.3	6	10.10	-	-	8.2	24	0.02
1060 761105	00	0.7	0.9	1100	5	17	1.30	<	<	<	<	<	<	1.7	2.6	<	40.41	-	-	8.2	<	0.02
1060 761106	00	0.7	1.8	220	8	20	1.70	<	<	<	<	<	<	2.8	3.4	<	44.07	-	-	8.2	20	0.04
1060 761107	10	0.6	1.6	140	6	12	1.20	<	<	<	<	<	<	2.0	3.2	<	29.44	-	-	8.3	28	0.06
1060 761108	20	0.6	1.9	150	6	18	1.20	<	<	<	<	<	<	2.0	3.2	2	32.33	-	-	8.3	28	0.12
1060 761109	00	0.6	1.2	200	15	35	2.70	<	<	<	2	<	<	4.3	2.4	<	29.60	-	-	8.3	24	0.04
1060 761110	00	0.4	1.3	340	8	16	1.50	<	<	<	1	<	<	2.4	2.0	<	44.41	-	-	8.2	20	0.12
1060 761111	00	0.2	<	78	3	6	0.58	<	<	<	<	<	<	0.7	0.8	<	25.65	-	-	8.3	<	0.02
1060 761112	00	0.2	<	73	3	8	0.53	<	<	<	<	<	<	0.7	1.0	2	28.05	-	-	8.3	<	0.04
1060 761113	00	2.6	4.9	370	36	84	5.90	<	0.9	2	0.5	3	1.0	11.0	4.8	<	37.61	-	-	8.2	22	0.06
1060 761114	00	0.3	<	74	4	6	0.68	<	<	<	<	<	<	0.8	1.0	<	41.55	-	-	8.2	<	0.06
1060 761115	00	0.4	0.8	120	8	18	1.60	<	<	<	<	<	<	2.0	1.3	<	42.24	-	-	8.2	<	0.02
1060 761116	00	0.5	1.3	130	9	19	1.90	<	<	<	1	0.5	<	2.7	1.8	<	37.93	-	-	8.2	30	0.10
1060 761117	00	0.6	0.8	130	8	23	1.70	<	<	<	<	<	<	2.1	1.3	<	30.66	-	-	8.2	<	0.04
1060 761118	00	0.6	0.6	88	4	<	0.83	<	<	<	<	<	<	0.9	1.1	<	37.85	-	-	8.2	<	0.04
1060 761119	00	0.5	1.1	120	7	20	1.30	<	<	<	<	<	<	1.7	1.4	<	41.74	-	-	8.0	<	0.02
1060 761120	00	0.2	<	<	3	<	0.65	<	<	<	<	<	<	0.6	1.0	<	36.52	-	-	8.0	<	0.02
1060 761122	00	0.2	<	65	4	<	0.58	<	<	<	<	<	<	0.6	1.0	<	35.63	-	-	8.1	<	0.06
1060 761123	00	0.4	<	140	5	<	1.00	<	<	<	<	<	<	1.2	1.0	<	46.01	-	-	8.0	22	0.06
1060 761124	00	2.8	2.2	740	20	41	3.30	<	0.5	<	0.3	1	<	3.4	3.4	<	41.89	-	-	8.2	22	0.10
1060 761125	10	0.4	<	120	5	17	1.00	<	<	<	1	<	<	1.2	1.1	<	30.46	-	-	8.1	20	0.08
1060 761126	20	0.4	<	130	6	13	1.00	<	<	<	1	<	<	1.2	1.1	<	49.84	-	-	8.1	<	0.02
1060 761127	00	0.3	0.6	140	5	5	1.00	<	<	<	<	<	<	1.3	1.1	<	40.68	-	-	8.1	<	0.06
1060 761128	00	0.7	0.9	190	9	12	1.60	<	<	<	<	<	<	1.6	2.8	<	29.26	-	-	8.2	<	0.06
1060 761129	00	2.4	2.1	560	15	20	2.70	<	<	<	<	<	<	3.1	3.1	<	42.60	-	-	8.1	20	0.10
1060 761130	00	4.5	2.1	1100	27	49	3.70	<	<	0.3	2	<	<	4.0	8.9	<	19.77	-	-	8.2	22	0.26
1060 761132	00	4.1	2.6	3900	31	65	4.70	<	0.6	<	0.5	3	0.7	5.5	10.0	<	19.90	-	-	7.9	58	26.00
1060 761133	00	8.1	2.5	3100	33	49	5.30	2	1.5	5	0.8	2	<	4.3	39.5	<	8.34	-	-	8.2	44	4.00
1060 761134	00	1.5	1.0	500	9	20	1.50	<	<	<	<	<	<	1.9	1.7	<	44.30	-	-	8.0	20	0.12

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Stream Type	Stream Class	Source
1060	761135	00	08	480831	7191955	LMSNe	15	Sed/Water	20	13	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761136	00	08	480337	7192199	LMSNe	15	Sed/Water	2	3	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761137	00	08	479112	7189417	ARGLa	04	Sed/Water	1	2	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761138	00	08	479356	7187910	LMSNe	15	Sed/Water	4	6	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761139	00	08	481299	7187683	SNDSf	44	Sed/Water	10	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761140	00	08	480406	7187084	LMSNe	15	Sed/Water	2	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761142	00	08	481526	7185458	LMSNe	15	Sed/Water	4	4	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761143	00	08	483056	7184305	SNDSg	15	Sed/Water	6	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761144	00	08	483632	7185007	LMSNe	15	Sed/Water	2	3	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761145	00	08	483982	7184052	SNDSf	44	Sed/Water	5	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761146	00	08	485537	7183007	LMSNf	17	Sed/Water	4	6	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761147	10	08	486654	7182784	LMSNf	17	Sed/Water	8	8	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761148	20	08	486654	7182784	LMSNf	17	Sed/Water	8	8	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761149	00	08	510323	7182536	SNDSf	44	Sed/Water	6	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761150	00	08	510981	7183974	LMSNe	15	Sed/Water	8	7	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761151	00	08	511860	7184407	LMSNe	15	Sed/Water	1	2	-	Colluv	Clear	Stagnt	*	*	-	*	*	*	*	*
1060	761152	00	08	515477	7181800	ARGLa	04	Sed/Water	5	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761153	00	08	520995	7182313	SNDSf	44	Sed/Water	4	3	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761155	00	08	521433	7183226	SNDSf	44	Sed/Water	2	3	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761156	00	08	522953	7182537	SNDSf	44	Sed/Water	4	4	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761157	00	08	517252	7185080	LMSNe	15	Sed/Water	3	3	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761158	00	08	513961	7186974	LMSNe	15	Sed/Water	5	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761159	00	08	514350	7192105	LMSNe	15	Sed/Water	1	1	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761160	00	08	518328	7190372	LMSNe	15	Sed/Water	12	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761162	00	08	518551	7189424	LMSNe	15	Sed/Water	2	2	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761163	00	08	520825	7189328	LMSNe	15	Sed/Water	9	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761164	00	08	521083	7188107	ARGLa	04	Sed/Water	5	8	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761165	10	08	522279	7188290	ARGLa	04	Sed/Water	10	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761166	20	08	522279	7188290	ARGLa	04	Sed/Water	10	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761168	00	08	518990	7194332	SNDSf	44	Sed/Water	3	1	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761169	00	08	520863	7193324	LMSNe	15	Sed/Water	4	5	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761170	00	08	522470	7192253	LMSNe	15	Sed/Water	3	2	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761171	00	08	514227	7194678	LMSNe	15	Sed/Water	5	8	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761172	00	08	512032	7195054	LMSNg	18	Sed/Water	10	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761173	00	08	510422	7195635	LMSNg	18	Sed/Water	8	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761174	00	08	512615	7198722	LMSNe	15	Sed/Water	1	1	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
1060	761175	00	08	519651	7196450	SNDSf	44	Sed/Water	1	2	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	761176	00	08	521813	7196692	SNDSf	44	Sed/Water	5	5	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	761177	00	08	523156	7203926	SNDSf	44	SedOnly			-	Colluv	Clear		*	*	-	*	*	*	*	*
1060	761178	00	08	521646	7202213	SNDSf	44	SedOnly			-	Colluv	Clear		*	*	-	*	*	*	*	*



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Rb	Mo	
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	5	1	
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	
1060 761135 00	126	12	21	6	<	<	720	3	0.50	ns	0.9	<	250	0.17	1.3	20	0.6	<	5.9	2.8	12	1	
1060 761136 00	100	13	20	7	4	<	1000	2	0.80	ns	1.1	<	300	0.20	2.6	38	1.0	5	<	8.4	2.6	18	<
1060 761137 00	104	93	17	22	14	<	940	3	1.45	ns	2.1	<	320	0.25	3.5	24	2.0	18	24	37.0	4.8	19	3
1060 761138 00	70	9	4	7	<	<	360	4	0.20	ns	0.8	<	240	0.16	0.8	<	0.2	<	2.5	3.5	5	2	
1060 761139 00	88	8	12	4	<	<	420	3	0.25	ns	0.8	<	250	0.21	0.6	<	0.3	<	2.3	3.9	6	<	
1060 761140 00	110	10	7	15	<	<	300	5	0.35	ns	1.7	<	500	0.23	1.5	<	0.5	<	17	4.4	3.1	17	6
1060 761142 00	170	15	8	26	2	<	220	10	0.50	ns	2.6	<	840	0.25	2.2	30	0.7	<	40	7.0	4.0	18	11
1060 761143 00	1080	61	5	214	11	0.5	160	52	1.50	ns	13.9	<	2500	0.18	5.6	89	2.0	13	250	27.0	1.1	55	51
1060 761144 00	82	8	18	5	2	<	325	3	0.25	ns	1.1	<	260	0.19	0.8	<	0.3	<	1.8	3.2	<	<	1
1060 761145 00	640	55	5	165	20	<	410	32	1.40	ns	13.3	4	1640	0.17	5.6	110	2.1	27	230	20.0	1.9	55	33
1060 761146 00	1310	61	4	263	17	0.6	210	56	1.35	ns	12.6	4	1760	0.15	5.4	110	2.0	19	310	28.0	2.6	52	57
1060 761147 10	640	53	4	172	25	<	485	32	1.45	ns	13.5	<	1980	0.18	6.2	84	2.2	32	240	20.0	1.7	61	34
1060 761148 20	620	51	4	168	23	0.4	480	32	1.45	ns	13.8	4	2000	0.18	5.9	96	2.1	29	240	19.0	1.2	62	33
1060 761149 00	53	17	4	14	7	<	505	2	1.00	ns	2.0	<	820	0.93	6.2	57	1.7	11	14	6.4	1.6	41	<
1060 761150 00	37	11	7	5	3	<	615	4	0.60	ns	1.7	<	280	0.27	1.7	23	0.7	<	8.5	3.0	17	3	
1060 761151 00	35	10	4	5	2	<	240	4	0.50	ns	1.6	<	290	0.25	1.9	22	0.7	<	6.3	3.6	12	3	
1060 761152 00	74	23	21	9	6	<	565	3	1.15	ns	2.7	<	410	0.30	6.0	62	1.9	9	<	8.8	1.9	100	3
1060 761153 00	74	28	29	12	10	<	855	<	1.50	ns	2.4	<	620	0.45	7.9	66	2.4	12	19	12.0	2.4	91	<
1060 761155 00	66	53	25	10	12	<	900	2	1.40	ns	2.3	<	540	0.55	6.1	70	2.4	16	15	17.0	2.9	45	<
1060 761156 00	66	27	51	16	9	<	720	<	1.80	ns	2.1	<	660	0.64	8.0	71	2.6	10	<	7.2	1.2	100	<
1060 761157 00	75	38	22	9	7	<	1050	4	1.55	ns	2.2	<	440	0.35	5.1	46	2.4	10	15	14.0	3.7	58	1
1060 761158 00	23	9	3	4	2	<	185	6	0.40	ns	1.2	<	240	0.17	1.5	<	0.5	<	5.1	5.1	1.6	14	3
1060 761159 00	38	12	14	6	3	<	270	6	0.70	ns	1.5	<	320	0.33	2.9	30	1.1	<	7.1	3.4	27	3	
1060 761160 00	49	31	17	9	7	<	735	3	1.40	ns	2.4	4	450	0.37	5.5	34	2.7	8	<	10.0	1.2	62	<
1060 761162 00	48	32	14	13	10	<	1180	<	1.70	ns	2.3	<	640	0.63	6.1	61	2.7	11	16	13.0	1.9	72	<
1060 761163 00	100	16	33	9	3	<	585	5	0.95	ns	2.0	<	380	0.40	3.7	22	1.4	6	14	10.0	4.7	32	4
1060 761164 00	105	130	29	25	22	<	2780	<	4.50	ns	4.4	<	620	0.26	12.0	120	5.4	27	45	41.0	3.4	210	<
1060 761165 10	122	67	50	25	20	<	1550	<	3.40	ns	3.4	<	460	0.28	10.0	76	4.1	25	44	23.0	8.8	160	<
1060 761166 20	135	72	58	26	21	<	1600	<	3.55	ns	3.5	<	470	0.29	10.0	86	4.1	23	38	24.0	7.8	150	<
1060 761168 00	53	10	25	5	2	<	265	4	0.50	ns	1.5	<	270	0.22	1.6	21	0.7	<	5.1	1.3	14	2	
1060 761169 00	57	9	25	4	2	<	305	3	0.50	ns	1.4	4	240	0.20	1.4	<	0.8	<	7.4	1.5	13	3	
1060 761170 00	65	9	32	4	<	0.3	60	4	0.45	ns	1.0	<	210	0.17	1.2	<	0.5	<	6.8	1.7	10	3	
1060 761171 00	39	10	9	6	2	<	185	5	0.60	ns	2.1	<	350	0.41	2.9	30	0.9	<	5.0	2.7	23	4	
1060 761172 00	67	10	19	9	2	<	125	5	0.45	ns	2.7	<	310	0.29	2.1	29	0.6	<	5.0	4.0	19	3	
1060 761173 00	46	10	8	7	3	<	120	6	0.40	ns	2.2	<	280	0.20	1.3	<	0.4	<	4.9	4.6	17	5	
1060 761174 00	21	8	4	5	<	<	190	6	0.40	ns	1.5	<	240	0.15	1.1	<	0.5	<	5.0	3.6	14	5	
1060 761175 00	74	10	17	12	3	<	160	5	0.40	ns	1.7	<	440	0.25	1.9	<	0.6	<	4.1	5.9	22	4	
1060 761176 00	68	16	8	18	5	<	340	5	0.85	ns	2.8	<	500	0.40	4.3	44	1.4	7	17	7.1	4.0	46	4
1060 761177 00	124	10	12	6	3	<	1200	3	0.75	ns	1.4	<	400	0.30	2.7	32	1.1	<	11	10.0	1.2	20	2
1060 761178 00	41	13	4	10	4	<	335	3	0.85	ns	2.4	<	400	0.34	4.4	28	1.6	5	11	4.8	3.4	52	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 761135 00	0.7	0.7	110	4	8	0.77	<	<	<	<	<	<	<	1.1	1.2	3	32.92	-	-	8.1	<	0.06
1060 761136 00	0.8	1.5	140	7	21	1.30	<	<	<	<	<	<	<	2.0	1.2	<2	22.87	-	-	8.1	<	0.04
1060 761137 00	1.1	2.2	220	16	44	3.20	<	<	<	<	2	<	<	3.8	2.2	4	39.49	-	-	8.1	<	0.08
1060 761138 00	1.0	0.6	130	4	6	0.69	<	<	<	<	<	<	<	0.9	1.0	<2	44.94	-	-	8.1	<	0.04
1060 761139 00	0.5	0.5	99	4	8	0.74	<	<	<	<	<	<	<	0.8	1.0	<2	38.46	-	-	8.1	<	0.04
1060 761140 00	1.6	1.0	480	7	17	1.20	<	<	<	<	<	<	<	1.6	2.1	<2	41.47	-	-	8.0	<	0.14
1060 761142 00	2.0	1.1	1200	12	23	1.90	<	<	<	<	1	<	<	2.0	3.1	3	42.49	-	-	8.1	26	0.28
1060 761143 00	6.9	2.8	3400	37	67	5.40	1	1.0	2	0.5	1	<	<	4.6	15.0	5	8.17	-	-	8.1	40	0.80
1060 761144 00	0.7	<	99	5	15	0.89	<	<	<	<	<	<	<	0.9	1.0	<2	48.78	-	-	8.1	20	0.02
1060 761145 00	5.6	2.7	2000	33	50	4.80	<	0.9	2	0.3	2	<	<	4.4	16.0	<2	12.66	-	-	8.1	46	0.18
1060 761146 00	8.6	2.8	1900	39	66	5.30	<	1.0	3	0.6	1	<	1	4.3	14.0	<2	12.97	-	-	8.1	38	1.16
1060 761147 10	5.6	3.1	2700	39	71	5.60	1	1.0	2	0.6	2	0.5	<	5.3	16.0	<2	23.63	-	-	8.1	66	1.02
1060 761148 20	5.3	2.9	2600	38	72	5.40	1	0.9	2	0.4	2	<	<	4.8	15.0	4	17.47	-	-	8.0	68	0.80
1060 761149 00	0.9	1.5	860	21	51	4.10	<	0.5	<	0.4	5	0.7	<	6.1	2.6	5	48.55	-	-	8.2	22	0.16
1060 761150 00	0.5	1.2	160	7	16	1.50	<	<	<	<	2	<	<	2.4	1.9	<2	45.40	-	-	8.3	22	0.22
1060 761151 00	0.5	1.2	150	7	21	1.50	<	<	<	<	2	<	<	2.5	2.1	<2	48.31	-	-	8.2	24	0.10
1060 761152 00	1.2	5.0	290	34	80	5.90	<	0.8	<	0.5	4	1.0	<	11.0	2.8	<2	23.35	-	-	8.3	20	0.20
1060 761153 00	1.9	3.2	600	34	79	5.70	<	0.9	<	0.5	8	1.2	1	11.0	3.0	3	23.99	-	-	8.3	<	0.28
1060 761155 00	1.5	2.0	640	21	43	3.50	<	0.5	<	0.2	4	0.6	1	5.8	2.5	3	39.31	-	-	8.4	20	1.16
1060 761156 00	1.6	2.7	620	28	76	4.80	<	0.8	2	0.3	5	1.1	1	9.3	2.2	9	8.21	-	-	8.0	<	0.14
1060 761157 00	1.6	2.4	390	26	64	4.60	<	<	<	0.4	4	0.8	1	8.0	2.7	3	31.44	-	-	8.0	<	0.08
1060 761158 00	0.6	0.9	97	5	15	1.00	<	<	<	<	<	<	<	1.6	1.5	<2	49.51	-	-	8.2	<	0.08
1060 761159 00	1.1	1.4	190	11	36	2.10	<	<	<	<	3	<	<	3.4	1.8	<2	27.26	-	-	8.3	<	0.18
1060 761160 00	1.8	2.0	360	40	100	6.70	1	0.8	2	0.4	5	0.8	2	9.0	2.8	<2	26.58	-	-	8.3	<	0.02
1060 761162 00	2.3	1.8	660	30	69	6.20	<	0.8	<	0.4	6	0.9	2	10.0	2.7	3	22.37	-	-	8.2	<	0.04
1060 761163 00	1.4	2.2	300	12	27	2.30	<	<	<	0.2	3	<	<	4.0	2.6	2	42.16	-	-	8.1	<	0.08
1060 761164 00	5.6	6.1	820	73	180	11.60	2	1.1	4	0.7	7	1.5	3	20.7	4.7	7	24.96	-	-	7.7	<	0.02
1060 761165 10	3.9	5.3	460	38	97	6.60	1	0.9	3	0.5	4	0.9	1	13.0	3.5	5	17.95	-	-	8.1	<	0.12
1060 761166 20	4.0	5.1	430	41	95	7.10	<	1.2	3	0.5	4	0.9	2	13.0	3.6	7	17.50	-	-	8.1	<	0.14
1060 761168 00	0.6	0.7	150	7	21	1.30	<	<	<	<	1	<	<	2.0	1.5	4	51.93	-	-	8.2	<	0.02
1060 761169 00	0.8	0.9	110	7	17	1.20	<	<	<	<	<	<	<	1.7	1.8	<2	35.95	-	-	8.2	<	0.02
1060 761170 00	0.7	1.1	56	4	15	0.83	<	<	<	<	<	<	<	1.2	1.4	4	46.80	-	-	8.3	<	0.04
1060 761171 00	0.6	1.1	250	9	26	1.80	<	<	<	<	2	<	<	2.9	2.2	<2	27.31	-	-	8.3	38	0.26
1060 761172 00	0.5	1.2	180	7	19	1.30	<	<	<	<	2	<	<	2.2	3.1	<2	46.86	-	-	8.3	44	0.32
1060 761173 00	0.5	1.1	150	4	12	1.00	<	<	<	<	<	<	<	2.0	2.7	<2	42.26	-	-	8.2	46	0.14
1060 761174 00	0.8	1.2	86	4	13	0.82	<	<	<	<	<	<	<	1.3	1.8	<2	48.06	-	-	8.2	28	0.12
1060 761175 00	0.5	1.4	1200	6	11	1.30	<	<	<	<	<	<	<	2.1	2.4	<2	42.73	-	-	8.2	100	0.06
1060 761176 00	1.1	2.1	480	18	47	3.20	<	<	<	0.3	4	0.5	<	5.2	3.0	<2	41.06	-	-	8.2	42	0.02
1060 761177 00	0.8	1.9	340	11	28	2.00	<	<	<	0.2	3	<	<	3.3	1.5	<2	21.95	-	-	ns	ns	ns
1060 761178 00	0.9	2.0	330	27	60	4.60	<	0.5	<	0.3	3	0.5	<	6.1	2.6	<2	34.57	-	-	ns	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Field Data

Map Sheet	Sample ID	Sample Rep Stat	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Bottom Pcp	Bank Pcp	Stream Physiol.	Drainage	Type	Stream Class	Source
1060	761179	00	08 520824	7202873	SNDSf	44	SedOnly			-	Colluv			*	-	*	*	*	*	*	*
1060	761180	00	08 518695	7203673	LMSNe	15	SedOnly			-	Colluv			*	-	*	*	*	*	*	*
1060	761182	10	08 517179	7206992	LMSNe	15	Sed/Water	2	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761183	20	08 517179	7206992	LMSNe	15	Sed/Water	2	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761184	00	08 515046	7205207	LMSNe	15	Sed/Water	6	5	-	Colluv	BnCl'dy	Slow	*	-	*	*	*	*	*	*
1060	761185	00	08 509413	7200717	LMSNg	18	Sed/Water	1	1	-	Colluv	Clear	Stagnt	*	-	*	*	*	*	*	*
1060	761186	00	08 508741	7204825	LMSNg	18	Sed/Water	2	1	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761187	00	08 507862	7206387	LMSNg	18	Sed/Water	1	1	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761188	00	08 506335	7207914	LMSNg	18	Sed/Water	3	2	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761189	00	08 503526	7207753	LMSNg	18	Sed/Water	2	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761190	00	08 502635	7203673	LMSNg	18	Sed/Water	1	1	-	Colluv	Clear	Stagnt	*	-	*	*	*	*	*	*
1060	761191	00	08 503703	7201939	LMSNg	18	Sed/Water	1	1	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761192	00	08 504143	7201104	LMSNg	18	SedOnly			-	Colluv			*	-	*	*	*	*	*	*
1060	761193	00	08 500429	7198559	LMSNg	18	Sed/Water	2	4	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761194	00	08 500277	7194774	SNDSf	44	Sed/Water	15	8	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761195	00	08 503041	7195907	SNDSf	44	Sed/Water	5	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761197	00	08 504254	7198645	SNDSf	44	Sed/Water	1	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761198	00	08 505079	7198557	SNDSf	44	Sed/Water	5	2	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761199	00	08 505459	7200302	LMSNg	18	Sed/Water	3	2	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761200	00	08 506942	7197905	LMSNg	18	Sed/Water	6	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761202	00	08 513995	7186434	LMSNe	15	Sed/Water	2	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761203	10	08 510725	7189483	ARGLA	04	Sed/Water	5	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761204	20	08 510725	7189483	ARGLA	04	Sed/Water	5	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761205	00	08 508052	7190821	ARGLA	04	Sed/Water	10	7	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761206	00	08 505378	7193791	LMSNg	18	Sed/Water	6	6	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761207	00	08 508487	7189243	ARGLA	04	Sed/Water	1	1	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
1060	761208	00	08 506133	7186817	LMSNe	15	Sed/Water	3	6	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761209	00	08 505377	7187775	LMSNe	15	Sed/Water	6	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761210	00	08 502579	7189310	LMSNe	15	Sed/Water	4	4	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761211	00	08 503334	7186230	ARGLA	04	Sed/Water	4	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761212	00	08 503720	7185034	ARGLA	04	Sed/Water	1	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	761214	00	08 502963	7183933	ARGLA	04	Sed/Water	5	2	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761215	00	08 501788	7182974	LMSNe	15	Sed/Water	5	3	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	761216	00	08 500079	7182057	LMSNe	15	Sed/Water	12	8	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
1060	763002	00	08 505463	7191224	ARGLA	04	Sed/Water	6	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
1060	763009	00	08 506209	7192642	LMSNg	18	Sed/Water	12	10	-	Colluv	WhCl'dy	Torrnt	*	-	*	*	*	*	*	*
1060	763019	00	08 496192	7182194	SNDSf	44	Sed/Water	20	15	-	Colluv	WhCl'dy	Fast	*	-	*	*	*	*	*	*
1060	763047	00	08 498307	7184951	LMSNg	18	Sed/Water	12	10	-	Colluv	WhCl'dy	Fast	*	-	*	*	*	*	*	*
1060	763052	00	08 498667	7183761	SNDSf	44	Sed/Water	12	20	-	Colluv	WhCl'dy	Fast	*	-	*	*	*	*	*	*
1060	763099	00	08 496372	7190223	ARGLA	04	Sed/Water	8	20	-	Colluv	WhCl'dy	Fast	*	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 761179 00	85	9	6	5	<	<	790	5	0.50	ns	1.2	<	330	0.16	1.6	<	0.7	<	5.2	1.6	14	4	
1060 761180 00	74	9	10	5	3	<	330	7	0.45	ns	1.7	<	330	0.18	1.6	<	0.6	<	5.9	2.5	17	6	
1060 761182 10	91	9	10	5	2	<	625	3	0.45	ns	1.3	<	260	0.14	1.6	<	0.6	<	6.4	1.4	16	3	
1060 761183 20	90	9	10	4	<	<	660	5	0.45	ns	1.2	4	250	0.16	1.5	34	0.5	<	5.5	1.2	13	3	
1060 761184 00	91	11	14	7	3	<	680	4	0.55	ns	1.7	4	340	0.24	2.4	27	0.8	<	6.2	2.0	27	4	
1060 761185 00	52	10	13	7	3	<	130	9	0.40	ns	2.3	<	250	0.21	1.4	<	0.5	<	6.8	8.1	27	10	
1060 761186 00	80	10	27	6	2	<	140	7	0.45	ns	2.0	<	840	0.26	2.0	26	0.6	<	5.5	2.7	21	6	
1060 761187 00	69	10	19	8	3	<	145	11	0.50	ns	2.2	<	330	0.21	1.9	<	0.6	<	7.8	5.1	22	14	
1060 761188 00	77	10	19	7	2	<	170	6	0.40	ns	1.8	<	290	0.21	1.7	21	0.5	<	5.2	6.3	20	5	
1060 761189 00	98	9	22	8	2	<	135	4	0.35	ns	2.0	4	340	0.24	1.6	<	0.5	<	3.9	4.8	13	2	
1060 761190 00	290	19	62	45	6	<	140	5	0.75	ns	3.5	<	560	0.29	4.0	41	1.2	7	56	6.9	6.0	29	3
1060 761191 00	270	11	110	13	<	<	135	9	0.40	ns	2.3	<	1380	0.19	1.6	<	0.6	<	19	6.0	3.8	12	7
1060 761192 00	96	10	37	13	<	<	95	6	0.30	ns	2.7	4	1060	0.15	1.4	21	0.4	<	12	3.6	2.8	8	3
1060 761193 00	122	12	6	25	7	<	135	4	1.25	ns	3.0	4	270	0.21	6.9	75	2.0	13	42	7.8	3.2	47	2
1060 761194 00	41	9	8	7	<	<	375	2	0.70	ns	1.6	<	300	0.20	2.6	35	1.0	<	5.7	1.3	24	<	
1060 761195 00	36	11	11	5	<	<	270	5	0.50	ns	1.5	<	800	0.23	2.0	20	0.6	<	5.5	1.5	16	2	
1060 761197 00	89	10	11	17	2	<	120	5	0.35	ns	2.3	<	1000	0.16	1.8	20	0.5	<	3.3	3.0	18	2	
1060 761198 00	98	9	23	11	<	<	100	5	0.30	ns	2.2	4	360	0.22	1.7	26	0.6	<	14	4.9	2.6	17	4
1060 761199 00	68	10	12	13	2	<	105	5	0.35	ns	1.8	<	550	0.21	1.7	<	0.5	<	3.6	5.1	16	4	
1060 761200 00	57	10	10	13	<	<	115	6	0.40	ns	2.3	<	220	0.15	1.7	<	0.5	<	3.5	4.2	16	3	
1060 761202 00	25	7	3	5	<	<	200	5	0.40	ns	1.3	<	300	0.19	1.6	<	0.6	<	5.0	2.9	13	3	
1060 761203 10	34	9	5	6	3	<	220	4	0.60	ns	1.7	<	320	0.37	2.9	36	0.9	<	5.8	3.3	24	3	
1060 761204 20	34	9	7	6	2	<	225	4	0.60	ns	1.7	<	360	0.38	3.0	36	0.9	<	5.5	2.7	27	3	
1060 761205 00	40	9	11	5	3	<	210	5	0.50	ns	1.6	<	370	0.33	2.6	31	0.8	<	5.2	3.4	21	3	
1060 761206 00	34	7	7	5	2	<	145	4	0.45	ns	1.7	<	340	0.27	2.0	24	0.7	<	4.3	3.2	17	3	
1060 761207 00	39	6	11	4	<	<	270	6	0.35	ns	1.4	<	280	0.17	1.1	<	0.4	<	4.4	3.2	14	4	
1060 761208 00	46	11	14	6	3	<	705	4	0.80	ns	1.9	<	330	0.43	3.1	31	1.1	7	16	11.0	3.2	31	4
1060 761209 00	50	12	9	9	3	<	435	2	0.75	ns	1.6	<	520	0.62	4.0	46	1.2	5	<	5.4	2.7	30	<
1060 761210 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	0.21	1.3	<	0.4	<	2.5	3.0	10	1	
1060 761211 00	41	8	8	4	2	<	465	3	0.50	ns	1.2	<	250	0.30	2.0	<	0.7	<	5.0	4.8	12	1	
1060 761212 00	82	12	15	7	2	<	515	3	0.80	ns	1.8	<	350	0.31	2.6	27	1.2	5	13	11.0	4.4	27	1
1060 761214 00	48	7	8	5	<	<	250	2	0.40	ns	1.2	<	310	0.31	1.9	27	0.6	<	3.2	2.3	16	<	
1060 761215 00	60	7	17	3	<	<	200	2	0.30	ns	1.2	<	310	0.23	1.3	<	0.4	<	2.6	3.3	9	<	
1060 761216 00	75	8	33	7	<	<	220	3	0.50	ns	2.1	<	360	0.28	2.1	<	0.7	<	5.3	2.0	15	3	
1060 763002 00	111	150	30	32	25	<	660	2	3.40	ns	15.4	4	940	0.70	13.0	120	4.0	26	32	31.0	6.5	130	<
1060 763009 00	47	11	18	5	2	<	450	4	0.60	ns	1.5	<	260	0.27	2.4	26	0.9	<	7.0	2.6	19	3	
1060 763019 00	73	12	9	16	3	<	210	7	0.60	ns	2.6	<	400	0.18	2.4	27	0.8	<	7.4	3.1	21	5	
1060 763047 00	66	9	7	5	<	<	570	4	0.50	ns	1.3	<	310	0.25	1.9	<	0.8	<	4.2	4.4	14	2	
1060 763052 00	74	10	9	7	2	<	385	4	0.40	ns	1.0	<	300	0.23	1.9	<	0.6	<	3.7	4.6	12	2	
1060 763099 00	134	48	15	37	21	<	1180	5	2.10	ns	4.1	<	1020	0.49	7.5	76	3.1	27	46	18.0	1.6	73	2

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 761179 00	0.5	1.5	190	6	16	1.10	<	<	<	<	1	<	<	1.7	1.4	2	24.49	-	-	ns	ns	ns
1060 761180 00	0.5	1.6	200	6	18	1.10	<	<	<	<	<	<	<	1.8	1.9	<2	36.63	-	-	ns	ns	ns
1060 761182 10	0.4	1.4	93	6	13	1.00	<	<	<	<	1	<	<	1.7	1.4	<2	26.52	-	-	8.4	20	0.04
1060 761183 20	0.4	1.5	110	6	15	1.10	<	<	<	<	1	<	<	1.8	1.3	<2	14.00	-	-	8.4	<	0.02
1060 761184 00	0.5	2.6	220	8	20	1.50	<	<	<	<	1	<	<	2.7	2.1	<2	45.98	-	-	8.3	22	0.20
1060 761185 00	0.6	2.0	140	4	18	1.20	<	<	<	<	<	<	<	2.2	3.1	<2	43.60	-	-	8.1	32	0.18
1060 761186 00	0.5	1.5	1100	7	20	1.40	<	<	<	<	2	<	<	2.5	2.6	<2	47.75	-	-	8.2	40	0.48
1060 761187 00	0.8	2.2	200	6	18	1.30	<	<	<	<	1	<	<	2.3	3.0	<2	43.55	-	-	8.1	<	0.08
1060 761188 00	0.5	1.6	140	5	15	1.10	<	<	<	<	<	<	<	1.8	2.3	<2	39.54	-	-	8.2	26	0.18
1060 761189 00	0.3	1.2	260	5	11	1.00	<	<	<	<	<	<	<	1.7	2.4	<2	42.47	-	-	8.2	40	0.26
1060 761190 00	0.9	2.1	510	15	31	2.50	<	<	<	0.2	2	<	<	3.3	3.6	3	16.51	-	-	8.1	56	0.06
1060 761191 00	0.6	1.0	620	4	14	0.86	<	<	<	<	<	<	<	1.5	3.1	<2	42.84	-	-	8.2	68	0.16
1060 761192 00	0.4	<	1900	5	9	0.82	<	<	<	<	<	<	<	1.4	2.7	<2	18.43	-	-	ns	ns	ns
1060 761193 00	0.8	3.1	1500	21	49	3.90	<	0.6	<	0.4	5	0.7	<	6.2	3.2	<2	32.39	-	-	8.2	40	0.18
1060 761194 00	0.4	1.5	99	22	55	3.40	<	<	<	<	1	0.9	<	5.5	1.5	<2	18.70	-	-	8.1	24	0.06
1060 761195 00	0.4	1.3	170	11	22	1.90	<	<	<	<	1	<	<	3.6	1.8	2	20.86	-	-	8.2	24	0.14
1060 761197 00	0.5	0.9	1000	8	18	1.50	<	<	<	<	2	<	<	1.9	3.0	<2	27.14	-	-	8.4	<	0.02
1060 761198 00	0.5	0.9	1800	6	11	1.30	<	<	<	<	2	<	<	2.3	2.9	<2	35.13	-	-	8.4	30	0.06
1060 761199 00	0.4	0.9	230	5	18	1.10	<	<	<	<	<	<	<	1.7	2.3	<2	38.42	-	-	8.4	30	0.06
1060 761200 00	0.4	1.0	610	6	14	1.10	<	<	<	<	1	<	<	1.6	2.8	<2	16.59	-	-	8.4	26	0.06
1060 761202 00	0.6	1.3	99	6	11	1.10	<	<	<	<	<	<	<	1.7	1.6	<2	35.37	-	-	8.3	24	0.02
1060 761203 10	0.7	1.5	210	10	28	2.00	<	<	<	0.2	2	<	<	3.5	2.1	<2	46.13	-	-	8.3	26	0.12
1060 761204 20	0.7	1.3	210	10	27	1.90	<	<	<	<	2	<	<	3.5	2.0	<2	22.77	-	-	8.3	26	0.20
1060 761205 00	0.4	1.2	200	10	25	1.90	<	<	<	<	2	<	<	3.4	2.2	<2	43.27	-	-	8.2	24	0.20
1060 761206 00	0.4	0.9	160	9	23	1.70	<	<	<	<	2	<	<	2.7	1.9	2	31.22	-	-	8.1	26	0.22
1060 761207 00	0.7	1.2	89	4	10	0.84	<	<	<	<	<	<	<	1.3	1.8	<2	44.87	-	-	8.3	26	0.02
1060 761208 00	0.7	1.9	230	15	37	3.20	<	<	<	<	2	<	<	5.9	2.4	<2	42.08	-	-	8.3	22	0.02
1060 761209 00	0.7	1.4	510	16	29	3.10	<	<	<	0.2	3	0.5	<	4.6	2.0	<2	44.82	-	-	8.2	22	0.02
1060 761210 00	0.3	0.8	97	5	10	0.92	<	<	<	<	1	<	<	1.2	1.1	<2	20.76	-	-	8.2	22	0.02
1060 761211 00	0.4	0.9	140	9	20	1.50	<	<	<	<	1	<	<	2.3	1.4	<2	31.49	-	-	8.3	20	0.12
1060 761212 00	0.7	1.8	230	14	31	2.40	<	<	<	<	1	<	<	4.0	2.4	2	26.66	-	-	8.2	64	0.16
1060 761214 00	0.3	0.6	180	7	17	1.20	<	<	<	<	1	<	<	1.8	1.3	<2	25.51	-	-	8.3	26	0.08
1060 761215 00	0.4	0.8	95	5	11	0.95	<	<	<	<	<	<	<	1.3	1.1	<2	32.08	-	-	8.2	28	0.10
1060 761216 00	0.7	1.2	200	8	21	1.30	<	<	<	<	1	<	<	2.1	1.8	6	15.78	-	-	8.3	28	0.04
1060 763002 00	1.1	14.0	890	75	120	14.60	2	1.8	4	1.3	4	0.9	1	21.0	17.0	5	19.96	-	-	7.4	<	0.26
1060 763009 00	0.4	1.4	120	10	19	1.80	<	<	<	0.2	1	<	<	3.3	2.0	<2	24.88	-	-	7.9	<	0.06
1060 763019 00	0.7	1.9	230	8	14	1.30	<	<	<	0.2	<	<	<	2.3	3.2	<2	11.25	-	-	8.1	28	0.16
1060 763047 00	0.4	1.2	150	8	13	1.40	<	<	<	<	<	<	<	2.1	1.5	<2	38.75	-	-	8.1	24	0.04
1060 763052 00	0.5	1.1	160	8	13	1.40	<	<	<	<	<	<	<	1.9	1.7	<2	42.88	-	-	8.1	20	0.02
1060 763099 00	1.2	5.5	1300	51	110	8.70	<	1.0	3	0.6	3	1.1	2	13.0	4.5	3	19.25	-	-	7.8	38	0.12

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
1060	763109	00	08	496465	7183114	SNDSf	44	Sed/Water	4	4	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	763118	00	08	499757	7183285	SNDSf	44	Sed/Water	15	19	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	763148	00	08	494712	7188969	ARGLa	04	Sed/Water	8	10	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	763158	00	08	494687	7190970	SNDSf	44	Sed/Water	10	10	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
1060	763209	00	08	495173	7191456	SNDSf	44	Sed/Water	15	20	-	Colluv	WhCl'dy	Fast	*	*	-	*	*	*	*	*
1060	763217	00	08	491836	7192143	ARGLa	04	Sed/Water	12	15	-	Colluv	Clear	Torrnt	*	*	-	*	*	*	*	*
1060	763220	00	08	493001	7193502	SNDSf	44	Sed/Water	20	20	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
1060	775002	00	08	545948	7203773	GLCH	44	Sed/Water	15	8	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775003	00	08	545745	7199220	ARGLa	04	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775004	00	08	544647	7204639	GLCH	44	Sed/Water	20	15	-	Alluv	Clear	Torrnt	Black	220	-	-	Dendrc	Intermit	Ter'ary	Rec Rain
1060	775005	00	08	542790	7200310	ARGLa	04	Sed/Water	15	20	-	Alluv	Clear	Torrnt	Gy-Blu	201	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775007	00	08	542328	7200400	ARGLa	04	Sed/Water	10	20	-	Alluv	Clear	Torrnt	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775008	00	08	544669	7195673	ARGLa	04	Sed/Water	15	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775009	00	08	544330	7195532	ARGLa	04	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775010	00	08	544605	7196004	ARGLa	04	Sed/Water	2	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775011	00	08	543654	7193446	ARGLa	04	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775012	00	08	544312	7193302	ARGLa	04	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775013	00	08	544052	7196007	ARGLa	04	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775014	10	08	540130	7199267	ARGLa	04	Sed/Water	10	15	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775015	20	08	540130	7199267	ARGLa	04	Sed/Water	10	15	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775016	00	08	540883	7198721	ARGLa	04	Sed/Water	12	15	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775017	00	08	536102	7199287	ARGLa	04	Sed/Water	6	3	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775018	00	08	536425	7198831	ARGLa	04	Sed/Water	8	6	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775019	00	08	539221	7195806	DLMTb	04	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775020	00	08	539551	7195432	DLMTb	04	Sed/Water	15	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775022	00	08	540632	7206553	GLCH	44	Sed/Water	6	6	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775023	00	08	538288	7204615	ARGLa	04	Sed/Water	12	5	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775024	00	08	538777	7204632	ARGLa	04	Sed/Water	4	4	-	Alluv	Clear	Modert	Gy-Blu	120	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775025	00	08	536396	7207791	ARGLa	04	Sed/Water	10	6	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775026	00	08	531273	7206463	ARGLa	04	Sed/Water	4	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775027	00	08	531413	7205355	ARGLa	04	Sed/Water	8	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775028	00	08	531785	7205540	ARGLa	04	Sed/Water	8	5	-	Alluv	Clear	Fast	Black	030	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775029	00	08	528541	7207257	ARGLa	04	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775030	10	08	526002	7207368	GLCH	44	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775031	20	08	526002	7207368	GLCH	44	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Dendrc	Intermit	Primary	Rec Rain
1060	775032	00	08	525070	7204028	ARGLa	04	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775033	00	08	525357	7204475	ARGLa	04	Sed/Water	10	3	-	Alluv	Clear	Fast	Rd-Bn	021	-	-	Dendrc	Intermit	Primary	Sp'gMelt
1060	775034	00	08	524044	7196604	GLCH	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Primary	Sp'gMelt
1060	775035	00	08	525180	7197698	GLCH	44	Sed/Water	8	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Primary	Sp'gMelt
1060	775036	00	08	525452	7195717	GLCH	44	Sed/Water	3	2	-	Alluv	Clear	Slow	Yellow	030	-	-	Dendrc	Intermit	Primary	Sp'gMelt







National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data.  
 Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
1060	775038	00	08	530583	7200177	ARGLa	04	Sed/Water	6	5	-	Alluv	Clear	Modert	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775039	00	08	528573	7198507	DLMTg	15	Sed/Water	4	4	-	Alluv	Clear	Modert	Yellow	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775040	00	08	528655	7199185	DLMTg	15	Sed/Water	8	2	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775042	00	08	528885	7195865	DLMTg	15	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775043	00	08	528217	7194293	GLCH	44	Sed/Water	3	3	-	Alluv	Clear	Slow	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775044	00	08	530823	7193978	GLCH	44	Sed/Water	12	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775045	00	08	532977	7194756	GLCH	44	Sed/Water	15	4	-	Alluv	Clear	Fast	Gy-Blu	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Rec Rain
1060	775046	00	08	532776	7195268	GLCH	44	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Rec Rain
1060	775047	00	08	530052	7190032	GLCH	44	Sed/Water	12	5	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775048	00	08	529231	7188819	GLCH	44	Sed/Water	12	4	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775049	00	08	529532	7188585	GLCH	44	Sed/Water	8	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775050	10	08	524072	7183425	GLCH	44	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775052	20	08	524072	7183425	GLCH	44	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775053	00	08	525549	7182086	GLCH	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775054	00	08	525989	7182943	GLCH	44	Sed/Water	4	2	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775055	00	08	528711	7181965	DLMTb	04	Sed/Water	10	2	-	Alluv	Clear	Modert	Gy-Blu	012	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775056	00	08	530205	7180161	GLCH	44	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775057	00	08	530450	7180335	GLCH	44	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	111	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775058	00	08	536877	7189356	ARGLa	04	Sed/Water	5	3	-	Alluv	Clear	Fast	Gy-Blu	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775059	00	08	537508	7189505	ARGLa	04	Sed/Water	12	3	-	Alluv	Clear	Fast	Gy-Blu	012	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775060	00	08	541444	7187414	ARGLa	04	Sed/Water	15	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775062	00	08	540297	7186085	GLCH	44	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775063	00	08	543629	7185491	GLCH	44	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775064	00	08	546779	7186521	GLCH	44	Sed/Water	6	8	-	Tal/Scr	Clear	Fast	Gy-Blu	012	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775065	00	08	543770	7183665	GLCH	44	Sed/Water	30	2	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775066	00	08	544002	7183839	GLCH	44	Sed/Water	10	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775067	00	08	543677	7183031	GLCH	44	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775068	00	08	534982	7185047	GLCH	44	Sed/Water	20	3	-	Alluv	Clear	Fast	Rd-Bn	022	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775069	00	08	536259	7182427	GLCH	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775070	00	08	537829	7180190	GLCH	44	Sed/Water	30	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775071	00	08	538225	7180260	GLCH	44	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775072	00	08	538184	7180871	GLCH	44	Sed/Water	8	2	-	Alluv	Clear	Modert	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775073	00	08	537609	7180709	GLCH	44	Sed/Water	60	3	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775074	10	08	536970	7177415	GLCH	44	Sed/Water	15	5	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775075	20	08	536970	7177415	GLCH	44	Sed/Water	15	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775076	00	08	540904	7178285	GLCH	44	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775077	00	08	540627	7178004	GLCH	44	Sed/Water	20	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775078	00	08	542986	7172444	GLCH	44	Sed/Water	15	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775080	00	08	543088	7172099	GLCH	44	Sed/Water	6	15	-	Alluv	Clear	Fast	Rd-Bn	120	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775082	00	08	543850	7172817	GLCH	44	Sed/Water	6	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 775038	00	64	78	17	19	27	<	2500	<	2.20	40	8	1400	0.21	11.0	62	7.8	36	30	27.0	3.3	95	4
1060 775039	00	58	12	16	5	3	<	270	6	0.50	30	2.4	<	120	2.5	24	0.8	<	<	7.9	2.7	18	8
1060 775040	00	54	14	15	5	2	<	335	10	0.70	20	2.4	<	460	2.9	22	1.9	6	<	12.0	1.6	21	8
1060 775042	00	46	12	15	6	3	<	250	9	0.60	60	2.5	<	120	3.4	28	0.9	5	<	7.2	2.8	23	8
1060 775043	00	36	20	12	8	8	<	1050	3	1.50	10	2.0	<	260	6.9	44	2.4	12	18	8.8	1.4	66	3
1060 775044	00	32	20	11	9	7	<	950	5	1.50	20	3.4	<	460	6.6	42	3.6	11	25	12.0	0.9	58	4
1060 775045	00	50	26	6	16	10	<	300	<	1.95	40	5.9	<	800	12.0	63	2.6	15	23	11.0	10.0	71	3
1060 775046	00	36	16	13	7	4	<	1050	6	1.05	30	2.3	<	300	3.9	22	1.7	8	<	13.0	1.8	33	7
1060 775047	00	106	40	32	20	14	0.2	835	2	2.25	30	2.2	<	420	8.0	43	2.8	16	26	15.0	1.7	95	1
1060 775048	00	92	50	28	20	13	0.2	1000	<	2.45	30	2.4	<	400	8.9	53	2.9	17	22	17.0	1.7	97	3
1060 775049	00	124	42	40	21	15	<	915	<	2.40	30	2.3	<	500	11.0	66	3.7	21	21	14.0	1.9	110	3
1060 775050	10	114	86	53	17	15	<	1100	3	2.25	80	2.7	<	520	8.8	66	3.5	21	22	20.0	4.1	56	3
1060 775052	20	114	92	54	16	17	<	1150	3	2.25	80	2.5	<	500	8.7	61	3.3	22	<	20.0	4.3	55	4
1060 775053	00	152	42	71	19	11	0.2	1950	2	2.80	90	1.9	<	340	7.1	32	3.6	16	25	27.0	5.1	38	3
1060 775054	00	74	50	25	17	13	<	1000	<	2.20	60	2.3	<	460	8.6	49	2.8	14	18	14.0	4.8	61	2
1060 775055	00	70	30	20	17	11	<	975	2	2.00	40	1.9	<	440	7.6	46	2.5	14	15	11.0	4.7	45	1
1060 775056	00	36	72	7	20	30	<	1000	<	3.10	30	4.8	<	360	11.0	79	3.5	32	14	23.0	3.8	100	3
1060 775057	00	52	66	16	21	19	<	1500	<	3.40	40	4.8	<	420	10.0	82	3.6	23	17	25.0	10.0	84	1
1060 775058	00	126	54	35	24	17	<	1050	<	2.85	40	8.2	<	660	11.0	76	3.3	23	19	25.0	27.0	110	2
1060 775059	00	130	62	42	26	22	<	1450	<	3.10	40	6.6	<	620	11.0	73	3.4	23	30	22.0	33.0	110	3
1060 775060	00	62	44	28	10	5	<	2950	3	2.85	30	1.5	<	200	4.2	<	3.9	7	<	17.0	5.5	28	2
1060 775062	00	52	66	15	18	19	<	1800	<	3.20	40	5.1	<	500	12.0	84	3.5	22	17	15.0	20.0	130	3
1060 775063	00	152	34	52	11	6	<	3250	3	3.25	40	1.6	<	200	4.2	<	4.4	8	<	20.0	6.8	25	2
1060 775064	00	280	34	62	17	14	<	2100	3	2.35	60	2.6	<	300	7.0	37	2.9	19	27	14.0	18.0	51	3
1060 775065	00	52	38	19	20	15	<	820	<	2.70	30	2.9	<	400	12.0	89	3.3	20	32	8.5	3.2	120	2
1060 775066	00	68	28	36	9	5	<	2500	2	2.60	30	1.4	<	180	3.5	<	2.9	9	15	13.0	3.7	32	2
1060 775067	00	162	126	65	31	36	0.2	1450	2	3.75	90	5.0	<	620	14.0	110	4.5	40	44	19.0	15.0	120	5
1060 775068	00	66	38	12	18	14	<	1050	<	2.45	30	2.4	<	500	8.4	53	2.8	18	15	10.0	6.5	70	2
1060 775069	00	52	64	20	27	25	<	1600	3	2.95	30	2.6	<	380	6.6	53	3.7	30	44	30.0	3.2	52	3
1060 775070	00	44	50	15	16	19	<	1500	<	3.30	30	5.6	<	400	11.0	74	3.7	26	29	19.0	7.4	150	<
1060 775071	00	36	40	14	13	14	<	1000	<	2.85	20	5.1	<	400	12.0	91	3.5	13	37	11.0	5.4	130	<
1060 775072	00	62	48	16	17	17	<	1150	<	2.85	40	5.1	<	620	13.0	53	3.5	25	47	11.0	7.0	120	<
1060 775073	00	54	58	13	17	16	<	1400	<	3.40	40	5.6	<	480	11.0	53	3.0	17	<30	14.0	3.9	110	<3
1060 775074	10	58	64	9	18	20	<	1750	<	3.85	20	5.8	<	380	10.0	170	3.1	<25	<50	16.0	<36.0	120	19
1060 775075	20	58	62	9	18	20	<	1800	<	3.65	10	5.1	<	380	14.0	110	4.3	28	44	21.0	2.3	140	<
1060 775076	00	44	92	17	22	21	<	1100	<	3.70	60	4.6	<	700	13.0	73	4.5	20	28	14.0	13.0	130	2
1060 775077	00	50	54	24	14	17	<	1450	<	3.05	30	6.0	<	460	12.0	120	3.4	25	28	13.0	12.0	130	<
1060 775078	00	40	40	8	20	20	<	1200	<	3.05	10	5.4	<	640	11.0	61	4.0	29	42	12.0	2.3	120	<
1060 775080	00	46	116	19	32	33	0.2	1850	2	4.20	30	5.6	4	580	11.0	70	4.8	40	34	26.0	1.1	130	<
1060 775082	00	40	44	17	14	16	<	1550	<	3.25	30	7.8	<	400	10.0	52	3.6	18	20	14.0	2.4	130	2

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775038 00	3.8	4.6	5400	40	59	4.40	<	0.5	<	<	3	0.9	5	10.0	4.3	6	13.75	-	-	8.1	54	2.30
1060 775039 00	0.7	2.1	83	8	15	1.10	<	<	<	<	<	<	<	2.3	3.0	<2	38.43	-	-	8.1	24	0.44
1060 775040 00	1.1	1.3	1500	10	17	1.40	<	<	<	<	<	<	<	2.5	3.1	<2	40.57	-	-	8.2	36	1.60
1060 775042 00	0.6	2.6	140	10	19	1.40	<	<	<	<	1	<	<	3.0	3.0	<2	37.14	-	-	8.2	26	0.56
1060 775043 00	2.0	2.5	260	43	69	5.50	1	0.8	<	0.3	4	0.9	1	8.9	2.4	<2	27.34	-	-	8.2	<	0.06
1060 775044 00	1.6	2.2	340	59	95	6.90	2	0.7	<	<	4	0.7	2	9.0	3.4	<2	14.89	-	-	7.7	<	0.70
1060 775045 00	1.2	3.3	640	40	71	5.40	<	0.9	2	<	7	1.1	1	14.0	5.4	<2	12.40	-	-	6.8	<	0.02
1060 775046 00	1.4	2.1	170	16	28	2.50	<	<	<	<	2	<	<	4.8	3.2	2	38.28	-	-	8.0	30	2.90
1060 775047 00	3.1	3.8	320	32	45	4.70	<	0.7	<	<	4	0.8	1	11.0	2.9	<2	19.64	-	-	8.0	21	0.42
1060 775048 00	3.5	3.9	310	33	54	4.50	<	0.9	<	<	4	0.8	<	11.0	2.5	<2	12.59	-	-	8.1	<	0.36
1060 775049 00	3.2	4.3	400	39	76	5.40	<	0.8	3	<	4	0.9	<	12.0	3.1	<2	38.58	-	-	8.3	<	0.44
1060 775050 10	2.8	3.0	400	31	51	4.40	<	0.6	2	<	4	0.8	2	8.1	3.0	4	36.71	-	-	7.7	21	0.64
1060 775052 20	2.7	2.7	370	31	60	4.20	<	0.7	<	<	4	0.8	1	7.9	2.8	5	29.36	-	-	8.2	34	0.68
1060 775053 00	3.5	2.1	260	22	34	3.30	<	0.6	2	0.3	2	<	2	6.3	2.2	<2	24.65	-	-	8.2	34	0.52
1060 775054 00	2.1	2.6	370	26	47	3.60	<	0.6	<	<	3	0.7	<	7.3	2.1	<2	18.85	-	-	8.2	<	0.52
1060 775055 00	1.4	2.8	280	24	33	3.50	<	<	<	<	3	0.6	<	7.1	2.0	5	30.81	-	-	8.4	26	1.10
1060 775056 00	3.9	3.8	290	50	72	6.10	<	0.8	4	<	7	1.7	2	15.0	4.5	7	5.01	-	-	7.4	<	0.02
1060 775057 00	3.4	3.9	270	48	78	6.70	<	1.1	3	<	6	1.7	2	14.0	4.8	<2	24.85	-	-	7.6	<	0.02
1060 775058 00	2.1	6.1	500	38	60	5.50	1	1.0	<	<	5	0.9	2	14.0	8.9	<2	20.78	-	-	7.8	<	0.02
1060 775059 00	1.9	6.0	470	36	57	5.00	1	0.9	<	<	5	0.9	<	13.0	6.9	<2	18.97	-	-	7.8	<	0.02
1060 775060 00	3.3	1.3	120	18	25	2.70	<	<	<	<	1	<	<	4.4	1.7	<2	38.77	-	-	8.1	<	0.20
1060 775062 00	3.3	10.0	400	56	87	7.60	2	0.9	<	<	6	1.3	2	18.0	4.9	<2	11.22	-	-	7.5	<	0.02
1060 775063 00	3.3	1.1	110	17	23	2.50	<	0.6	<	<	1	<	1	4.0	1.9	<2	27.64	-	-	8.3	<	0.26
1060 775064 00	2.1	2.1	210	22	33	3.10	<	0.6	<	<	2	0.6	<	7.0	2.7	<2	9.90	-	-	8.2	<	0.18
1060 775065 00	1.6	7.0	360	51	89	6.70	<	1.0	3	<	6	1.0	1	15.0	3.6	3	31.72	-	-	7.9	<	0.08
1060 775066 00	2.0	1.6	100	17	21	2.20	<	<	<	<	2	<	<	4.0	1.7	<2	9.64	-	-	8.2	<	0.50
1060 775067 00	2.5	12.0	480	36	60	5.60	<	1.2	<	<	3	1.0	2	18.0	4.9	6	7.76	-	-	7.6	<	0.04
1060 775068 00	1.7	3.4	320	28	46	3.90	<	0.8	<	<	5	0.7	<	8.6	2.1	<2	13.49	-	-	8.2	<	0.50
1060 775069 00	4.1	2.0	260	33	49	4.70	1	0.6	<	<	3	0.8	<	9.4	2.6	7	13.49	-	-	8.3	<	0.48
1060 775070 00	5.4	6.0	360	84	140	12.20	2	1.3	<	<	9	2.7	2	22.4	6.5	<2	30.30	-	-	7.1	<	0.02
1060 775071 00	4.0	6.2	350	150	250	18.30	<	1.8	3	<	9	2.2	3	25.0	5.4	<2	14.77	-	-	7.5	<	0.02
1060 775072 00	2.9	7.8	540	71	120	9.30	<	1.1	3	<	7	1.9	2	18.0	5.2	5	15.16	-	-	7.5	<	0.02
1060 775073 00	3.8	4.9	410	83	120	9.20	2	1.2	<	<	8	2.2	<2	18.0	4.8	<7	1.04	-	-	7.3	<	0.02
1060 775074 10	7.0	4.7	<250	110	210	11.00	<5	<2.5	<10	<1.0	6	<2.5	<5	17.0	2.7	<21	0.25	-	-	7.3	<	0.02
1060 775075 20	8.0	5.6	260	95	160	12.30	2	1.5	3	<	8	3.2	3	21.8	5.9	<2	14.63	-	-	7.2	<	0.02
1060 775076 00	3.2	9.2	510	61	110	7.90	<	1.2	<	<	6	1.2	<	16.0	5.0	<2	8.21	-	-	7.6	<	0.02
1060 775077 00	4.8	7.7	320	110	180	11.90	<	1.1	<	<	7	2.3	<	24.0	5.9	<2	8.70	-	-	7.5	<	0.02
1060 775078 00	3.8	4.3	470	64	110	8.10	2	1.3	2	<	8	1.8	<	17.0	4.9	<2	38.49	-	-	7.6	<	0.02
1060 775080 00	4.1	4.7	470	73	110	10.20	<	1.3	2	<	7	1.6	4	18.0	6.0	8	33.26	-	-	7.6	<	0.02
1060 775082 00	4.3	6.2	370	74	120	10.40	1	1.2	2	<	8	2.1	3	22.6	5.9	<2	21.15	-	-	7.6	<	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
1060	775083	00	08	543870	7172137	GLCM	44	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	220	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775084	00	08	546036	7172464	GLCM	44	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775086	00	08	545375	7173206	GLCM	44	Sed/Water	5	6	-	Alluv	Clear	Fast	Rd-Bn	220	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775087	00	08	515869	7179548	ARGLa	04	Sed/Water	10	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775088	00	08	520383	7179354	DLMTb	04	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775089	10	08	522160	7177006	GLCM	44	Sed/Water	8	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775090	20	08	522160	7177006	GLCM	44	Sed/Water	8	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775091	00	08	519640	7176736	GLCM	44	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775092	00	08	517696	7175211	LMSNe	15	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775093	00	08	517796	7172426	ARGLa	04	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775094	00	08	515366	7172230	ARGLa	04	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775095	00	08	515328	7171494	ARGLa	04	Sed/Water	15	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775096	00	08	531822	7174238	GLCM	44	Sed/Water	10	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775097	00	08	529152	7174123	GLCM	44	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775098	00	08	529190	7173747	GLCM	44	Sed/Water	10	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775099	00	08	528642	7174029	GLCM	44	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775100	00	08	528706	7173679	GLCM	44	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775102	00	08	527044	7173858	GLCM	44	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775103	00	08	523699	7173627	GLCM	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775104	00	08	522402	7172802	ARGLa	04	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775105	00	08	522661	7173484	GLCM	44	Sed/Water	30	10	-	Alluv	Clear	Torrnt	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775106	00	08	518917	7166136	DLMTb	04	Sed/Water	20	10	-	Alluv	Clear	Torrnt	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775107	00	08	517569	7165294	DLMTb	04	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775108	00	08	515858	7166332	ARGLa	04	Sed/Water	15	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775110	00	08	515406	7167006	ARGLa	04	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775111	00	08	521962	7168126	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775112	00	08	546361	7166817	GLCM	44	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775113	00	08	546645	7165948	GLCM	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Gy-Blu	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775114	00	08	544132	7164559	GLCM	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775115	00	08	542958	7164648	GLCM	44	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775116	00	08	542940	7165131	GLCM	44	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775117	10	08	538256	7161159	GLCM	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775118	20	08	538256	7161159	GLCM	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775119	00	08	536780	7159938	GLCM	44	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775120	00	08	535143	7160409	GLCM	44	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775122	00	08	535323	7160921	GLCM	44	Sed/Water	10	15	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775123	00	08	535702	7170732	GLCM	44	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775124	00	08	535123	7169140	GLCM	44	Sed/Water	15	4	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775125	00	08	534833	7169678	GLCM	44	Sed/Water	15	10	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775126	00	08	533919	7168187	GLCM	44	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AASCV-AAS	MADNC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 775083 00	92	108	28	26	25	<	2150	2	3.50	40	3.2	<	380	0.19	9.1	63	4.6	31	28	31.0	3.4	87	3
1060 775084 00	54	54	39	17	12	<	2250	3	3.40	60	2.8	<	440	0.17	5.7	33	4.5	17	15	25.0	5.5	46	3
1060 775086 00	36	136	11	22	25	<	1400	<	4.25	30	5.5	<	740	0.37	14.0	69	5.2	35	38	25.0	1.1	140	2
1060 775087 00	215	66	50	16	14	<	955	<	2.55	30	3.1	<	540	0.61	12.0	90	3.7	20	27	14.0	4.0	91	2
1060 775088 00	106	30	44	14	10	<	975	<	2.10	40	2.0	<	460	0.39	8.9	46	2.6	13	14	13.0	6.0	63	1
1060 775089 10	64	74	30	18	16	<	1500	<	2.90	40	3.7	<	480	0.56	12.0	68	4.2	24	35	26.0	5.4	62	3
1060 775090 20	52	70	24	16	13	<	1500	<	2.55	30	2.8	<	520	0.67	10.0	74	3.4	17	19	24.0	2.0	57	3
1060 775091 00	50	62	14	17	15	<	1300	<	2.95	60	3.5	<	540	0.49	11.0	70	3.4	17	<	18.0	8.1	88	3
1060 775092 00	106	22	26	12	7	<	994	3	1.70	20	1.9	<	480	0.48	6.2	39	2.2	9	14	7.7	2.8	41	2
1060 775093 00	136	34	34	17	14	<	1250	2	2.50	30	2.6	<	480	0.28	7.2	45	2.9	15	24	18.0	4.9	90	3
1060 775094 00	164	34	53	20	16	<	1950	2	2.70	30	2.3	<	420	0.32	7.0	30	3.2	17	20	16.0	4.2	71	3
1060 775095 00	210	36	53	21	16	<	1100	<	2.65	50	2.8	<	500	0.23	7.9	43	2.9	20	20	21.0	4.6	85	5
1060 775096 00	32	90	6	13	21	<	992	<	2.60	20	6.7	<	380	0.33	11.0	51	3.5	26	<	18.0	5.0	130	5
1060 775097 00	32	96	5	14	22	<	915	<	2.80	10	9.0	<	360	0.33	12.0	50	3.5	24	<	22.0	5.7	140	3
1060 775098 00	70	86	15	23	22	<	955	<	3.35	40	7.1	<	460	0.53	13.0	58	3.8	24	34	22.0	12.0	120	9
1060 775099 00	46	94	8	17	22	<	825	<	3.00	40	8.7	<	440	0.43	13.0	64	3.9	28	<	24.0	11.0	130	5
1060 775100 00	38	58	7	15	17	<	755	<	2.60	50	9.0	<	420	0.46	11.0	72	3.4	22	22	15.0	12.0	120	5
1060 775102 00	24	52	7	12	17	<	930	<	2.70	20	5.6	<	420	0.44	11.0	64	3.2	20	<	17.0	1.2	140	2
1060 775103 00	60	64	10	18	16	<	815	<	2.90	60	5.2	<	640	0.53	10.0	70	3.1	18	22	15.0	10.0	88	3
1060 775104 00	58	44	12	18	15	<	1000	<	2.50	40	3.5	<	700	0.78	10.0	100	3.1	17	25	11.0	5.1	130	<
1060 775105 00	48	48	9	17	17	<	965	3	1.25	20	4.7	<	780	0.56	11.0	110	3.8	18	14	12.0	3.2	160	<
1060 775106 00	68	20	13	10	8	<	1000	3	2.10	30	2.1	<	320	0.34	4.8	53	1.7	8	<	6.7	2.4	59	<
1060 775111 00	94	32	14	18	12	<	505	4	1.40	30	1.9	<	340	0.29	6.3	70	2.5	13	<	8.6	1.6	83	1
1060 775112 00	72	140	19	28	26	<	955	2	0.70	20	1.2	<	100	0.18	1.4	<	0.8	<	3.7	3.3	16	2	
1060 775113 00	78	44	27	20	15	<	1300	2	2.25	50	2.8	<	620	0.59	8.5	91	2.7	12	24	9.1	6.1	91	<
1060 775114 00	118	76	27	33	25	<	920	2	4.60	40	3.3	<	600	0.19	8.8	99	6.4	33	31	43.0	1.4	150	2
1060 775115 00	28	102	5	17	23	<	1200	<	3.25	60	4.2	<	500	0.31	9.2	67	2.8	15	22	27.0	2.6	110	<
1060 775116 00	44	80	8	30	22	<	750	<	3.80	20	4.9	<	340	0.29	8.4	64	4.0	22	<	31.0	4.9	140	2
1060 775117 10	40	78	9	30	24	<	1500	2	3.60	ns	4.8	<	ns	0.42	4.9	<	<	<	<	<	2.3	160	<
1060 775118 20	40	90	10	31	25	<	1600	2	4.40	30	3.7	<	340	0.15	10.0	130	4.8	<	22.0	<	100.0	220	89
1060 775119 00	172	118	53	36	27	<	1950	4	4.95	30	4.5	<	360	0.14	10.0	110	5.0	25	35.0	1.2	180	<	
1060 775120 00	66	66	13	24	19	<	1500	2	4.05	130	3.5	<	480	0.25	10.0	60	4.6	27	46	40.0	0.6	170	<
1060 775122 00	74	54	10	19	17	<	1450	<	3.85	40	4.2	<	500	0.38	10.0	91	4.0	23	37	19.0	5.3	160	1
1060 775123 00	40	68	9	10	19	<	1850	<	3.35	50	3.6	<	460	0.35	8.9	79	3.8	19	<	18.0	4.5	140	<
1060 775124 00	30	60	5	15	18	<	1100	<	3.20	20	5.9	<	360	0.16	7.7	73	3.5	18	<	20.0	3.7	180	<
1060 775125 00	34	74	7	11	17	<	1550	<	3.30	30	4.6	<	380	0.26	8.9	71	3.6	16	<	13.0	5.0	180	<
1060 775126 00	24	56	5	18	23	<	1200	2	3.85	10	6.7	4	340	0.23	8.8	60	3.6	17	<	18.0	2.6	180	<
													460	0.36	11.0	91	4.1	18	<	26.0	2.2	220	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	AU	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775083 00	3.9	3.8	270	67	110	9.10	1	1.1	2	<	6	1.0	2	14.0	3.4	5	16.93	-	-	8.1	<	0.36
1060 775084 00	3.7	2.7	300	26	40	3.90	<	0.7	<	<	3	0.6	<	7.4	2.8	4	30.78	-	-	8.2	<	0.36
1060 775086 00	4.9	8.1	630	70	120	9.10	2	1.4	3	0.3	7	1.3	2	18.0	4.8	5	16.07	-	-	8.0	34	0.04
1060 775087 00	1.6	2.9	430	53	91	6.90	2	1.1	2	0.3	7	1.1	1	13.0	3.3	4	14.58	-	-	8.1	26	0.22
1060 775088 00	1.7	3.4	320	30	47	4.10	1	0.7	<	<	4	0.7	<	8.2	2.2	<2	16.55	-	-	8.2	24	0.50
1060 775089 10	3.9	2.7	430	55	90	7.10	<	1.1	2	0.2	7	1.2	2	13.0	3.9	8	16.26	-	-	8.3	24	0.76
1060 775090 20	4.1	2.0	440	38	71	5.40	<	0.8	3	0.4	6	1.0	<	11.0	3.4	<2	33.26	-	-	8.2	<	0.66
1060 775091 00	2.6	2.6	450	51	90	6.60	1	0.9	3	0.3	5	1.4	2	13.0	3.4	<2	6.94	-	-	8.2	<	0.60
1060 775092 00	1.3	2.1	320	24	37	3.70	<	0.6	<	4	0.7	4	2	6.5	2.1	4	30.56	-	-	8.3	<	0.50
1060 775093 00	2.5	4.4	440	36	59	6.00	<	0.8	<	<	5	0.7	2	11.0	3.0	<2	25.92	-	-	8.0	<	0.20
1060 775094 00	1.8	3.7	410	30	42	4.60	<	0.8	<	<	4	0.8	<	9.2	2.6	5	16.04	-	-	8.4	<	0.52
1060 775095 00	3.0	4.1	360	35	54	4.60	<	0.7	<	<	3	0.7	2	10.0	2.8	<2	5.42	-	-	8.2	<	0.28
1060 775096 00	3.9	4.9	340	56	94	6.70	2	1.0	3	<	9	2.3	2	21.2	7.0	<2	8.07	-	-	7.6	<	0.02
1060 775097 00	3.7	5.3	300	63	110	7.40	<	1.2	3	<	10	2.5	4	22.5	9.4	5	19.54	-	-	7.4	<	0.02
1060 775098 00	3.5	5.3	440	52	72	6.10	1	1.1	3	<	6	1.6	<	19.0	6.5	<2	2.75	-	-	7.2	<	0.02
1060 775099 00	3.6	5.1	360	66	110	7.60	1	1.3	3	<	10	1.6	2	22.3	9.2	5	6.70	-	-	7.1	<	0.02
1060 775100 00	2.8	5.2	320	55	94	6.30	<	1.2	3	<	7	1.8	3	20.0	8.8	<2	3.49	-	-	7.1	42	0.02
1060 775102 00	2.3	3.8	370	73	110	9.20	1	1.3	3	0.3	7	2.6	3	22.4	5.6	8	6.16	<2	5.97	7.2	30	0.02
1060 775103 00	1.6	4.1	480	46	65	5.90	1	1.0	<	<	5	1.2	<	15.0	4.9	<2	3.60	<2	7.07	7.2	<	0.02
1060 775104 00	1.5	4.5	760	38	83	7.30	<	1.1	2	0.3	7	1.6	2	15.0	3.9	7	17.13	<2	24.84	7.3	<	0.02
1060 775105 00	2.0	4.5	790	50	100	8.20	<	1.2	3	0.5	7	2.4	3	18.0	5.0	5	15.01	<2	2.30	7.4	<	0.02
1060 775106 00	1.0	1.7	370	19	34	3.20	<	<	<	<	3	0.8	<	5.5	1.9	3	13.84	<2	24.92	8.2	<	0.52
1060 775107 00	1.3	1.9	410	25	49	4.10	<	0.7	2	0.2	4	0.9	<	7.9	2.2	3	8.13	<2	18.23	8.3	<	0.52
1060 775108 00	1.3	1.8	360	19	35	3.30	<	0.6	<	0.2	4	0.7	<	6.1	2.2	<2	34.60	<2	23.45	8.2	<	0.34
1060 775110 00	0.6	0.7	96	6	11	1.10	<	<	<	<	<	<	<	1.6	1.3	<2	32.62	<2	25.78	8.1	46	0.54
1060 775111 00	1.4	2.7	660	35	73	6.10	<	0.8	3	0.3	7	1.2	1	11.0	3.1	8	12.28	<2	20.26	8.1	28	0.30
1060 775112 00	4.7	2.7	700	38	70	6.40	<	1.1	3	0.4	7	1.2	2	13.0	4.3	31	39.06	6	21.27	8.1	24	0.44
1060 775113 00	2.2	2.7	410	31	61	5.60	<	1.0	2	0.4	6	1.2	1	11.0	2.8	5	31.14	4	22.38	7.9	24	0.38
1060 775114 00	2.8	3.8	460	47	91	7.40	<	1.1	3	0.2	7	1.2	<	14.0	4.4	6	2.75	3	19.85	7.7	<	0.12
1060 775115 00	5.3	2.8	370	74	140	12.60	<	1.3	3	0.3	9	2.5	3	21.2	5.4	<2	12.43	<2	24.55	7.1	22	0.02
1060 775116 00	3.9	<5.0	<500	120	<330	17.00	20	6.3	<20	4.1	<10	<5.0	<10	11.0	6.3	<75	0.07	5	7.84	7.1	<	0.02
1060 775117 10	7.1	4.6	400	51	110	8.70	2	1.1	3	0.3	7	1.5	2	16.0	4.0	<2	17.50	<2	20.29	7.3	20	0.02
1060 775118 20	7.9	4.6	420	160	310	23.50	2	1.8	3	0.3	8	1.4	<	21.4	4.4	6	12.87	<2	6.34	7.1	28	0.02
1060 775119 00	3.5	3.8	420	34	63	6.10	<	0.8	2	0.4	5	0.9	2	12.0	3.7	11	7.51	12	19.42	7.9	<	0.28
1060 775120 00	2.8	3.7	530	47	100	7.80	<	1.1	2	0.2	7	1.8	<	16.0	4.2	<2	12.81	4	13.24	7.7	34	0.02
1060 775122 00	2.6	3.8	460	47	97	7.60	<	1.0	3	0.4	6	1.2	2	14.0	3.8	4	6.97	-	-	7.8	28	0.06
1060 775123 00	5.3	4.8	330	80	150	11.30	<	1.4	3	0.3	9	2.6	3	22.6	6.2	<2	18.56	-	-	7.2	20	0.02
1060 775124 00	4.3	4.4	400	63	120	10.00	1	1.3	3	0.3	8	2.2	3	20.3	4.9	<2	19.13	-	-	7.2	22	0.02
1060 775125 00	5.3	4.3	360	69	130	11.70	<	1.2	3	0.6	11	3.5	5	23.7	6.5	<2	43.53	-	-	7.0	50	0.02
1060 775126 00	3.4	5.9	530	68	140	12.70	2	1.7	3	0.5	10	3.5	5	31.8	8.5	29	39.10	4	23.10	7.0	<	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
1060	775128	00	08	533862	7167451	GLCM	44	Sed/Water	8	3	-	Alluv	Clear	Moder	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775129	00	08	534475	7166062	GLCM	44	Sed/Water	3	3	-	Alluv	Clear	Moder	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775130	00	08	534386	7164551	GLCM	44	Sed/Water	5	5	-	Alluv	Clear	Moder	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775131	10	08	533768	7162566	GLCM	44	Sed/Water	25	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775132	20	08	533768	7162566	GLCM	44	Sed/Water	25	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775133	00	08	532437	7161952	GLCM	44	Sed/Water	2	2	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775134	00	08	532525	7160763	GLCM	44	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775135	00	08	531270	7160935	GLCM	44	Sed/Water	6	5	-	Alluv	Clear	Moder	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775136	00	08	528947	7161488	ARGLa	04	Sed/Water	5	3	-	Alluv	Clear	Moder	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775137	00	08	527306	7166680	GLCM	44	Sed/Water	15	10	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775138	00	08	526720	7167389	ARGLa	04	Sed/Water	3	3	-	Alluv	Clear	Moder	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775139	00	08	524533	7164984	ARGLa	04	Sed/Water	10	3	-	Alluv	Clear	Moder	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775140	00	08	522896	7164375	GLCM	44	Sed/Water	6	8	-	Alluv	Clear	Fast	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775142	00	08	521298	7162984	ARGLa	04	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775143	00	08	525489	7156371	GLCM	44	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775144	00	08	526748	7155303	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Moder	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775145	00	08	542475	7148618	GLCM	44	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775146	00	08	544381	7150150	GLCM	44	Sed/Water	30	8	-	Alluv	Clear	Torrrt	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775147	00	08	547115	7149527	GLCM	44	Sed/Water	15	15	-	Alluv	Clear	Torrrt	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775148	00	08	545806	7150654	DLMTb	04	Sed/Water	3	5	-	Alluv	Clear	Moder	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775149	00	08	541375	7153172	GLCM	44	Sed/Water	15	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775151	10	08	545806	7154454	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Moder	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775152	20	08	545806	7154454	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Moder	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775153	00	08	542810	7158042	GLCM	44	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775154	00	08	543538	7156778	DLMTb	04	Sed/Water	6	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775155	00	08	543157	7155647	GLCM	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775156	00	08	540698	7148767	GLCM	44	Sed/Water	2	1	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775157	00	08	535905	7149715	GLCM	44	Sed/Water	6	3	-	Alluv	Clear	Moder	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775158	00	08	534610	7151318	GLCM	44	Sed/Water	10	3	-	Alluv	Clear	Moder	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775159	00	08	533075	7155308	GLCM	44	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775160	00	08	530780	7152886	GLCM	44	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775162	00	08	529846	7154058	GLCM	44	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775163	00	08	510067	7178320	ARGLa	04	Sed/Water	10	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775164	00	08	512142	7175148	LMSNe	15	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775165	00	08	504999	7178841	LMSNe	15	Sed/Water	15	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775166	00	08	507959	7178424	LMSNe	15	Sed/Water	12	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775167	00	08	506005	7175508	LMSNe	15	Sed/Water	5	3	-	Alluv	Clear	Moder	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775168	00	08	509669	7168148	LMSNe	15	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775170	00	08	508282	7171887	ARGLa	04	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775171	00	08	508435	7172253	ARGLa	04	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL		AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 775128 00	14	48	2	14	15	<	780	<	3.15	10	6.4	<	400	0.52	12.0	80	4.1	20	<	15.0	1.4	210	<
1060 775129 00	36	92	7	19	22	<	1400	<	4.10	30	6.2	<	460	0.39	13.0	95	5.0	22	21	16.0	7.2	190	<
1060 775130 00	24	56	5	13	15	<	585	<	2.90	10	6.7	<	420	0.47	11.0	110	4.2	18	33	22.0	3.5	180	<
1060 775131 10	22	60	5	13	15	<	970	<	3.15	10	5.8	<	420	0.43	11.0	110	4.0	18	21	17.0	2.9	210	<
1060 775132 20	22	58	5	13	15	<	935	<	3.15	10	6.0	<	360	0.41	11.0	96	4.1	18	<	16.0	3.4	190	<
1060 775133 00	50	76	8	15	17	<	465	<	2.50	50	11.0	<	640	0.51	10.0	74	3.1	19	28	12.0	16.0	150	<
1060 775134 00	162	56	47	26	17	<	1550	2	3.15	50	3.1	<	520	0.35	8.7	67	3.6	17	33	25.0	9.2	110	1
1060 775135 00	78	38	21	20	15	<	1200	2	2.35	30	2.7	<	440	0.24	8.3	78	2.9	17	24	13.0	3.7	120	<
1060 775136 00	36	42	5	13	14	<	480	<	2.45	20	4.3	<	440	0.48	9.5	79	2.8	11	<	10.0	2.2	150	<
1060 775137 00	70	86	10	21	23	0.2	875	<	2.70	40	8.2	<	540	0.55	8.3	<100	2.8	<25	<50	14.0	<6.6	170	13
1060 775138 00	32	74	8	19	20	<	410	<	2.65	20	8.3	<	480	0.52	11.0	120	3.5	24	26	24.0	2.3	190	<
1060 775139 00	66	48	11	17	13	<	815	<	2.60	40	4.2	<	680	0.58	10.0	86	3.2	16	<	14.0	8.0	130	<
1060 775140 00	42	54	2	20	15	<	685	<	3.25	20	5.2	<	ns	0.48	11.0	<100	3.2	<25	<50	12.0	<43.0	150	62
1060 775142 00	160	24	26	24	5	<	470	4	1.25	110	3.4	<	1040	0.25	4.6	66	1.6	<	22	11.0	13.0	45	2
1060 775143 00	138	20	22	13	7	<	535	2	1.60	50	2.7	<	520	0.47	7.5	76	2.3	8	19	7.6	4.8	73	<
1060 775144 00	72	12	19	4	<	<	220	4	0.60	30	1.3	<	140	0.27	2.3	<	0.8	<	<	4.3	2.4	22	2
1060 775145 00	138	52	26	22	13	<	795	3	2.80	80	3.0	<	460	0.42	11.0	75	3.8	16	35	14.0	10.0	94	2
1060 775146 00	88	40	24	22	8	<	1150	4	2.00	ns	3.1	ns	ns	0.40	7.3	<200	<2.0	<50	210	23.0	<140.0	<50	140
1060 775147 00	188	58	42	47	14	<	1000	8	2.75	100	5.1	<	360	0.27	8.5	63	3.2	14	43	27.0	4.4	110	8
1060 775148 00	124	38	33	22	12	<	695	2	2.60	70	3.1	<	820	0.82	11.0	94	3.1	12	44	13.0	7.3	80	<
1060 775149 00	112	52	50	16	11	<	1150	<	2.15	40	2.1	<	360	0.35	8.4	50	3.0	15	27	20.0	3.8	81	<
1060 775151 10	80	44	14	20	13	<	1050	2	2.05	60	1.7	<	440	0.31	8.6	92	3.3	19	46	10.0	2.5	76	<
1060 775152 20	84	42	20	18	13	<	1050	2	1.90	50	1.9	<	380	0.30	7.5	98	2.9	14	23	8.9	2.5	73	<
1060 775153 00	70	64	52	25	23	<	2400	2	4.10	40	3.0	<	380	0.15	8.3	94	4.7	24	26	34.0	2.5	130	<
1060 775154 00	96	40	28	26	13	<	1500	3	2.15	50	2.4	<	380	0.19	7.1	79	2.8	15	36	18.0	3.2	92	<
1060 775155 00	66	22	52	11	8	<	1450	<	2.00	40	2.0	<	320	0.19	6.5	80	2.6	10	15	8.5	2.8	99	<
1060 775156 00	162	28	26	18	8	<	395	<	2.00	90	3.4	<	640	0.66	11.0	78	2.8	13	22	5.6	6.0	93	2
1060 775157 00	178	66	35	22	12	<	690	2	2.55	60	3.1	<	440	0.54	11.0	65	3.5	15	31	12.0	6.0	67	2
1060 775158 00	128	54	45	15	11	<	1000	<	2.15	60	1.8	<	400	0.38	10.0	70	3.4	18	17	27.0	4.2	69	1
1060 775159 00	116	30	25	17	10	<	985	<	2.50	90	3.0	<	560	0.52	11.0	58	3.2	12	<	12.0	6.8	93	<
1060 775160 00	70	26	16	14	12	<	1150	2	2.15	40	2.1	<	420	0.28	7.1	73	2.4	14	23	10.0	3.1	97	<
1060 775162 00	124	54	30	18	14	<	825	2	2.40	40	2.4	<	360	0.45	11.0	64	3.6	18	27	10.0	4.1	89	<
1060 775163 00	62	18	18	6	5	0.2	410	5	1.00	20	1.6	<	400	0.26	3.5	37	1.4	6	<	6.8	1.4	45	2
1060 775164 00	285	50	94	28	19	<	1250	2	3.15	70	3.0	<	740	0.74	10.0	80	3.8	17	34	15.0	6.4	100	<
1060 775165 00	52	10	25	4	2	<	245	3	0.50	30	1.0	<	220	0.37	2.9	29	0.8	<	<	3.8	3.5	18	2
1060 775166 00	28	8	7	2	2	<	330	6	0.60	20	1.5	<	100	0.30	1.9	<	1.1	<	<	3.4	0.9	11	3
1060 775167 00	42	12	11	5	3	<	185	6	0.70	30	1.4	<	100	0.32	2.7	24	1.3	5	<	7.0	2.3	18	4
1060 775168 00	92	14	38	6	2	<	650	4	0.85	40	1.5	<	100	0.19	2.1	<	1.2	<	<	6.2	4.6	19	<
1060 775170 00	54	20	18	3	3	<	535	5	0.60	20	1.8	<	700	0.15	2.1	22	1.4	<	<	4.2	3.0	22	1
1060 775171 00	60	26	16	7	7	<	850	4	1.50	30	5.1	<	8000	0.20	2.9	<40	2.5	<10	<20	11.0	<7.7	35	10



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	AU	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775128 00	3.1	4.4	530	69	140	11.50	1	2.1	3	0.6	9	3.2	4	27.5	7.7	<2	32.08	-	-	7.2	<	0.02
1060 775129 00	3.7	5.4	520	62	120	10.00	<	1.2	3	0.4	9	2.3	3	27.3	6.8	<2	11.77	-	-	7.0	<	0.02
1060 775130 00	4.1	3.8	460	85	170	14.00	2	1.7	5	0.9	16	3.8	4	29.0	8.7	<2	36.90	-	-	7.1	<	0.02
1060 775131 10	3.8	4.9	460	70	140	11.40	1	1.3	4	0.5	10	3.1	4	24.9	6.5	<2	37.75	-	-	7.0	<	0.02
1060 775132 20	3.8	4.1	430	77	150	11.80	<	1.3	3	0.6	10	3.0	4	24.8	6.5	<2	25.93	-	-	7.1	<	0.02
1060 775133 00	2.1	4.5	560	45	96	7.00	<	0.8	3	<	7	1.5	3	20.0	11.0	<2	9.73	-	-	7.1	24	0.50
1060 775134 00	3.0	2.8	490	29	56	5.30	<	0.9	2	0.3	5	0.8	<	10.0	3.3	<2	11.79	-	-	8.1	<	0.52
1060 775135 00	1.8	3.2	450	36	73	6.10	1	1.0	2	0.3	4	1.0	<	10.0	2.7	<2	15.38	-	-	7.9	<	0.24
1060 775136 00	2.2	3.1	420	68	140	10.40	1	1.5	2	0.4	10	3.5	3	21.1	4.8	<2	8.80	-	-	7.8	<	0.10
1060 775137 00	2.3	4.5	490	38	92	6.50	<5	<2.5	<10	<1.0	5	<2.5	<5	16.0	6.9	<10	0.44	-	-	7.1	<	0.02
1060 775138 00	2.2	5.0	550	62	130	11.50	<	1.6	3	0.3	11	3.0	3	25.2	10.0	6	23.53	-	-	7.1	<	0.10
1060 775139 00	2.2	3.1	630	60	120	10.00	<	1.3	2	0.3	8	2.2	2	17.0	4.4	<2	13.49	-	-	7.9	<	0.34
1060 775140 00	1.5	4.0	540	55	210	8.50	<5	<2.5	<10	1.2	<5	3.2	<5	16.0	4.6	28	0.17	<2	1.61	7.4	<	0.04
1060 775142 00	1.2	2.9	910	13	22	2.30	<	<	<	<	2	<	<	3.8	3.1	<2	10.34	-	-	8.4	50	1.30
1060 775143 00	1.1	1.8	550	25	45	4.40	<	0.6	2	<	5	1.0	<	7.7	2.9	4	24.16	-	-	8.5	<	0.10
1060 775144 00	0.6	1.0	180	8	12	1.50	<	<	<	<	1	<	<	2.5	1.7	<2	33.53	-	-	8.2	<	0.28
1060 775145 00	2.5	2.7	440	29	52	5.20	<	0.8	3	<	5	1.0	2	9.0	3.0	4	13.38	-	-	8.3	32	0.70
1060 775146 00	2.8	<5.0	<500	21	<210	9.00	<10	<5.0	<20	<2.0	<10	<5.0	<10	10.0	5.0	<45	0.05	-	-	8.2	38	0.90
1060 775147 00	3.0	2.8	310	29	56	5.20	<	0.8	3	0.3	3	0.8	2	9.4	5.1	3	10.62	-	-	8.0	46	1.00
1060 775148 00	2.4	2.8	880	30	59	5.90	<	0.7	3	0.2	5	1.0	1	10.0	3.3	<2	14.39	-	-	8.2	28	0.28
1060 775149 00	1.6	2.4	430	22	37	4.50	<	0.7	<	<	3	0.9	<	7.3	2.0	5	23.24	-	-	8.1	<	0.22
1060 775151 10	2.4	1.8	430	24	50	4.70	<	0.8	<	0.2	4	0.6	1	7.5	2.1	4	25.99	-	-	8.2	<	0.52
1060 775152 20	2.0	1.8	440	22	41	4.20	<	0.8	<	0.2	3	0.6	<	6.7	2.0	<2	22.84	-	-	7.9	<	0.52
1060 775153 00	3.1	3.5	370	57	120	9.00	1	1.1	<	0.3	5	1.2	<	13.0	3.0	7	5.62	-	-	8.0	<	0.18
1060 775154 00	2.1	2.4	390	26	44	4.90	<	0.7	2	0.3	4	0.7	<	8.6	2.7	5	27.45	-	-	8.2	<	0.70
1060 775155 00	1.4	2.6	410	41	78	6.90	<	1.0	<	0.3	6	0.7	<	9.0	2.3	<2	29.06	-	-	7.8	<	0.30
1060 775156 00	1.1	1.9	670	28	52	4.70	<	0.8	2	0.2	5	0.9	<	8.3	3.3	<2	5.92	-	-	8.3	110	0.94
1060 775157 00	1.3	2.4	420	22	45	4.30	<	0.8	2	0.3	3	1.0	<	7.1	2.9	<2	11.04	-	-	8.0	46	0.70
1060 775158 00	2.0	1.8	410	24	47	4.30	<	0.6	2	0.3	3	0.8	<	6.4	1.8	3	25.32	-	-	7.9	<	0.30
1060 775159 00	1.4	2.5	590	31	61	5.70	<	0.9	2	0.3	5	0.9	<	10.0	3.4	<2	22.34	-	-	8.0	30	0.38
1060 775160 00	1.4	2.4	380	31	56	5.70	<	0.8	<	<	5	0.8	1	9.3	2.6	4	25.24	-	-	8.1	26	0.36
1060 775162 00	2.0	2.2	470	26	50	4.80	<	0.6	<	<	4	0.9	<	8.7	2.9	4	20.04	-	-	7.9	42	0.92
1060 775163 00	0.7	1.3	390	20	39	3.60	<	<	<	<	3	0.6	<	6.2	1.9	<2	11.32	-	-	7.7	<	0.36
1060 775164 00	1.7	3.4	750	28	57	5.50	<	1.0	2	0.2	4	0.8	<	10.0	2.9	7	8.48	<2	19.93	7.7	26	0.16
1060 775165 00	0.6	0.7	210	11	18	2.00	<	<	<	<	2	<	<	2.7	1.2	<2	33.31	-	-	7.7	<	0.44
1060 775166 00	0.5	<	110	8	14	1.60	<	<	<	<	2	<	<	2.9	1.5	<2	12.13	-	-	7.9	<	0.44
1060 775167 00	0.7	0.8	190	8	12	1.60	<	<	<	<	1	<	<	2.7	1.8	<2	27.76	-	-	7.7	36	0.36
1060 775168 00	0.9	0.7	210	7	14	1.40	<	<	<	<	<	<	<	2.1	1.7	<2	28.65	-	-	7.8	34	0.54
1060 775170 00	0.7	0.6	780	9	18	1.50	<	<	<	<	<	<	2	2.7	1.8	<2	28.03	-	-	7.8	46	1.20
1060 775171 00	1.4	<1.0	11200	21	44	3.20	<2	<1.0	<4	<0.4	4	<1.0	2	4.7	3.4	37	0.84	-	-	7.9	26	1.20

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
1060	775172	00	08	547031	7146053	DLMTb	04	Sed/Water	8	3	-	Colluv	Clear	Modert	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
1060	775173	00	08	544213	7145031	GLCM	44	Sed/Water	12	2	-	Colluv	Clear	Modert	Gy-Blu	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
1060	775174	00	08	541257	7142258	ARGLa	04	Sed/Water	10	4	-	Colluv	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775175	00	08	538767	7141161	GLCM	44	Sed/Water	12	5	-	Colluv	Clear	Fast	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775176	00	08	543818	7141937	GLCM	44	Sed/Water	6	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775177	00	08	545646	7139187	ARGLa	04	Sed/Water	10	6	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
1060	775178	00	08	543237	7137193	DORT	36	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775179	00	08	543408	7135996	DLMTb	04	Sed/Water	12	4	-	Alluv	Clear	Modert	Gy-Blu	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775180	00	08	545204	7134759	DLMTb	04	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775182	00	08	545962	7134849	DLMTb	04	Sed/Water	6	3	-	Colluv	Clear	Modert	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775183	00	08	546302	7130853	DLMTb	04	Sed/Water	8	4	-	Bare Rk	Clear	Modert	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775184	00	08	544363	7130795	GLCM	44	Sed/Water	10	4	-	Colluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775185	00	08	544411	7131030	GLCM	44	Sed/Water	8	4	-	Colluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775186	10	08	542000	7131952	GLCM	44	Sed/Water	12	5	-	Colluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775187	20	08	542000	7131952	GLCM	44	Sed/Water	12	5	-	Colluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775188	00	08	538053	7133013	DLMTb	04	Sed/Water	10	5	-	Colluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775189	00	08	535659	7135346	ARGLa	04	Sed/Water	12	6	-	Colluv	Clear	Fast	Gy-Blu	103	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775190	00	08	536130	7136171	ARGLa	04	Sed/Water	4	2	-	Till	Clear	Modert	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775191	00	08	534352	7130100	GLCM	44	Sed/Water	12	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775192	00	08	540096	7127103	DLMTb	04	Sed/Water	8	6	-	Alluv	Clear	Fast	Gy-Blu	121	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775193	00	08	540228	7126668	DLMTb	04	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775194	00	08	537209	7125472	GLCM	44	Sed/Water	12	5	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775195	00	08	531202	7130227	ARGLa	04	Sed/Water	10	6	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
1060	775197	00	08	532240	7132656	ARGLa	04	Sed/Water	10	3	-	Colluv	Clear	Modert	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775198	00	08	529059	7131990	DLMTb	04	Sed/Water	14	6	-	Tal/Scr	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775199	00	08	527146	7128888	ARGLa	04	Sed/Water	10	8	-	Colluv	Clear	Fast	Rd-Bn	012	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775200	00	08	525214	7131506	DORT	36	Sed/Water	12	6	-	Tal/Scr	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775202	10	08	522195	7128765	GLCM	44	Sed/Water	10	5	-	Colluv	Clear	Modert	Rd-Bn	121	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775203	20	08	522195	7128765	GLCM	44	Sed/Water	10	5	-	Colluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775204	00	08	522381	7134589	GLCM	44	Sed/Water	24	15	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775206	00	08	521905	7133497	GLCM	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775207	00	08	520358	7133662	DLMTb	04	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775208	00	08	500958	7126561	QRTZb	11	Sed/Water	14	6	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775209	00	08	501590	7127116	QRTZb	11	Sed/Water	9	5	-	Alluv	Clear	Fast	Gy-Blu	022	-	-	Moun/Y	Dendrc	Permnt	Sec'ary Sp'gMelt
1060	775210	00	08	501482	7130555	QRTZb	11	Sed/Water	8	4	-	Colluv	Clear	Slow	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775211	00	08	503399	7131210	GLCM	44	Sed/Water	4	3	-	Colluv	Clear	Modert	Gy-Blu	111	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775212	00	08	504959	7130709	GLCM	44	Sed/Water	8	5	-	Colluv	Clear	Modert	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775213	00	08	507073	7128317	QRTZb	11	Sed/Water	10	4	-	Colluv	Clear	Modert	Gy-Blu	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775214	00	08	508851	7126744	QRTZb	11	Sed/Water	6	3	-	Colluv	Clear	Modert	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
1060	775215	00	08	514171	7130674	GLCM	44	Sed/Water	6	3	-	Colluv	Clear	Modert	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt





National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
1060	775216	00	08	518372	7131546	GLCH	44	Sed/Water	4	2	-	Colluv	Clear	Slow	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775217	00	08	525847	7137888	ARGLa	04	Sed/Water	6	3	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775218	00	08	528499	7138042	GLCH	44	Sed/Water	10	4	-	Tal/Scr	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775219	00	08	528090	7137521	ARGLa	04	Sed/Water	10	4	-	Tal/Scr	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775220	00	08	531114	7139404	GLCH	44	Sed/Water	14	15	-	Colluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775222	00	08	531005	7138961	GLCH	44	Sed/Water	8	10	-	Colluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Permit	Primary	Sp/gMelt
1060	775223	00	08	535180	7140138	GLCH	44	Sed/Water	6	5	-	Colluv	Clear	Modert	Gy-Blu	111	-	-	Moun/Y	Dendrc	Permit	Primary	Sp/gMelt
1060	775224	00	08	535078	7140547	ARGLa	04	Sed/Water	8	6	-	Colluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Permit	Primary	Sp/gMelt
1060	775225	10	08	537849	7145916	GLCH	44	Sed/Water	6	3	-	Colluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775226	20	08	537849	7145916	GLCH	44	Sed/Water	6	3	-	Colluv	Clear	Modert	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775227	00	08	536660	7146265	GLCH	44	Sed/Water	12	4	-	Colluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775228	00	08	534892	7143822	GLCH	44	Sed/Water	10	10	-	Colluv	BnTrans	Modert	Gy-Blu	022	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775229	00	08	530785	7142160	GLCH	44	Sed/Water	8	5	-	Colluv	Clear	Modert	Gy-Blu	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775230	00	08	527346	7141631	GLCH	44	Sed/Water	24	10	-	Colluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Permit	Ter'ary	Sp/gMelt
1060	775231	00	08	527499	7142036	GLCH	44	Sed/Water	16	8	-	Colluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775232	00	08	521919	7140823	ARGLa	04	Sed/Water	10	5	-	Bare Rk	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775234	00	08	521996	7140104	ARGLa	04	Sed/Water	8	12	-	Bare Rk	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775235	00	08	522533	7141442	ARGLa	04	Sed/Water	6	8	-	Bare Rk	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775236	00	08	517133	7140284	DLMTb	04	Sed/Water	6	7	-	Bare Rk	Clear	Modert	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775237	00	08	516783	7137577	DLMTb	04	Sed/Water	12	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775238	00	08	516591	7138279	GLCH	44	Sed/Water	14	7	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775239	00	08	515561	7136688	DLMTb	04	Sed/Water	8	3	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775240	00	08	512867	7137068	GLCH	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Gy-Blu	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775242	00	08	509175	7135889	GLCH	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775243	00	08	510307	7132872	GLCH	44	Sed/Water	6	8	-	Colluv	Clear	Slow	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775244	00	08	502680	7135390	GLCH	44	Sed/Water	8	10	-	Colluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775245	00	08	503747	7137616	GLCH	44	Sed/Water	8	5	-	Alluv	BnTrans	Modert	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775246	00	08	502322	7142087	GLCH	44	Sed/Water	12	10	-	Alluv	Clear	Modert	Gy-Blu	120	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775247	00	08	501849	7142324	GLCH	44	Sed/Water	6	8	-	Alluv	Clear	Fast	Gy-Blu	022	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775248	00	08	503853	7142469	GLCH	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775249	00	08	501966	7147037	LMSNe	15	Sed/Water	6	3	-	Colluv	Clear	Modert	Rd-Bn	121	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775250	00	08	500772	7146274	DLMTb	04	Sed/Water	8	4	-	Colluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775252	10	08	500408	7149203	LMSNe	15	Sed/Water	6	3	-	Colluv	Clear	Modert	Gy-Blu	111	-	Yellow	Moun/Y	Dendrc	Intermit	Primary	Ground
1060	775253	20	08	500408	7149203	LMSNe	15	Sed/Water	6	3	-	Colluv	Clear	Modert	Gy-Blu	111	-	Yellow	Moun/Y	Dendrc	Intermit	Primary	Ground
1060	775254	00	08	506125	7144993	DORT	36	Sed/Water	8	3	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Primary	Ground
1060	775255	00	08	507067	7145880	DLMTb	04	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775256	00	08	506073	7147580	DLMTb	04	Sed/Water	10	8	-	Alluv	Clear	Modert	Gy-Blu	111	-	-	Moun/Y	Dendrc	Permit	Sec'ary	Sp/gMelt
1060	775257	00	08	506454	7148343	DLMTb	04	Sed/Water	8	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Primary	Sp/gMelt
1060	775258	00	08	507991	7147911	LMSNe	15	Sed/Water	6	3	-	Colluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt
1060	775259	00	08	509030	7150417	GLCH	44	Sed/Water	6	3	-	Colluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp/gMelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	AU	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775216	00	2.1	3.3	470	39	90	7.60	1	1.0	3	0.7	8	1.3	2	9.1	3.0	7	16.19	-	7.9	60	1.70
1060 775217	00	3.6	2.9	310	25	56	5.50	<	0.7	3	0.4	3	0.7	3	8.9	3.2	8	19.45	-	8.0	38	0.62
1060 775218	00	4.2	2.5	300	23	67	4.80	<	1.0	<	0.3	2	0.8	2	7.9	2.3	9	4.07	-	8.0	21	0.18
1060 775219	00	3.9	4.3	400	34	100	7.10	<	1.2	3	0.8	4	1.0	3	11.0	2.9	10	9.37	26	0.55	8.1	<
1060 775220	00	3.2	5.0	490	31	71	6.80	1	1.1	4	0.7	5	1.0	<	8.9	4.8	8	7.25	-	7.5	<	0.04
1060 775222	00	3.1	<2.5	550	29	130	6.00	<5	<2.5	<5	1.6	<5	<2.5	<5	8.2	3.1	<10	0.24	-	7.7	41	0.22
1060 775223	00	5.0	4.4	490	34	69	6.90	2	1.3	4	0.7	4	1.1	<	9.3	10.0	9	16.04	-	7.5	45	0.22
1060 775224	00	2.2	6.0	820	34	59	7.10	<	1.2	4	0.7	6	0.9	2	10.0	5.8	<2	22.34	-	7.4	21	0.12
1060 775225	10	2.3	3.3	780	30	63	5.70	<	1.0	3	0.5	7	1.2	2	8.4	3.3	4	20.35	-	8.1	54	0.72
1060 775226	20	2.0	3.3	670	29	45	5.10	<	0.8	3	0.6	5	0.9	<	7.8	2.9	9	2.21	-	8.3	54	0.72
1060 775227	00	1.5	3.0	750	30	52	5.30	<	0.8	3	0.5	5	0.8	<	8.5	3.3	<2	14.04	-	8.0	51	0.68
1060 775228	00	0.8	3.7	610	25	49	4.60	<	0.8	<	0.5	4	0.6	1	7.6	3.3	5	9.71	-	8.0	57	0.58
1060 775229	00	1.6	5.0	850	20	<99	5.40	<5	<2.5	1.5	<5	<2.5	<5	8.0	2.7	<10	0.21	-	8.0	33	0.42	
1060 775230	00	2.5	4.1	540	34	65	6.90	<	1.2	3	0.5	5	1.1	2	9.5	3.4	4	11.72	-	7.7	33	0.20
1060 775231	00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	8.2	24	0.40
1060 775232	00	4.5	6.4	450	34	74	7.20	<	1.3	4	0.6	4	1.1	2	11.0	3.5	<2	10.97	-	8.0	<	0.28
1060 775234	00	4.4	5.2	410	35	73	7.10	<	1.1	4	0.7	5	1.0	3	9.4	2.8	6	14.34	-	8.0	38	0.52
1060 775235	00	4.2	4.7	550	34	69	6.20	<	1.0	3	0.6	4	1.1	2	10.0	3.7	12	9.77	3	5.51	7.9	0.44
1060 775236	00	5.8	2.5	320	22	51	4.10	<	0.7	2	0.3	3	0.7	2	5.9	2.6	5	13.30	-	8.1	21	0.52
1060 775237	00	3.0	2.9	370	29	68	5.30	<	0.8	2	0.5	4	1.0	2	8.0	2.2	5	27.23	-	8.2	38	0.52
1060 775238	00	5.6	3.3	390	26	48	4.90	1	0.7	<	0.5	4	0.8	2	8.3	2.6	<2	15.63	-	8.2	26	0.54
1060 775239	00	4.3	2.7	570	37	71	6.40	<	0.8	3	0.5	6	1.0	1	8.8	2.7	4	35.22	-	8.1	30	0.46
1060 775240	00	2.4	3.0	580	34	70	6.00	<	0.9	2	0.5	7	0.9	<	8.7	2.6	4	26.11	-	8.1	24	0.36
1060 775242	00	1.9	2.4	710	35	75	7.40	<	1.1	3	0.5	9	1.4	<	10.0	3.4	4	31.98	-	8.2	41	0.68
1060 775243	00	2.0	3.1	870	33	65	6.10	1	0.8	2	0.4	6	1.4	2	8.2	2.8	<	18.45	-	8.1	76	1.30
1060 775244	00	1.1	2.8	1000	34	66	5.90	<	0.9	2	0.4	4	1.6	2	7.2	2.4	3	17.63	-	7.9	45	0.24
1060 775245	00	1.6	2.3	760	27	55	5.10	<	0.7	<	0.6	5	1.2	1	7.1	2.5	<2	24.82	-	8.3	85	0.84
1060 775246	00	1.3	2.9	720	43	81	8.00	1	1.2	3	0.6	7	2.8	2	8.8	2.7	<2	23.31	-	8.2	41	0.72
1060 775247	00	1.3	3.4	830	39	67	7.10	1	1.0	3	0.5	6	2.1	1	8.4	2.6	<2	20.30	-	8.2	35	1.20
1060 775248	00	2.3	3.0	680	29	51	5.50	1	1.0	2	0.5	5	1.2	2	7.6	2.6	4	22.44	-	8.1	38	0.66
1060 775249	00	2.1	3.6	520	37	75	6.90	1	0.9	3	0.6	8	2.0	2	8.9	2.9	<2	27.45	-	8.3	24	0.40
1060 775250	00	3.0	4.5	630	48	110	8.90	2	1.2	3	0.6	6	2.5	<	15.0	3.2	<2	22.27	-	7.5	<	0.48
1060 775252	10	3.6	2.2	840	25	42	4.70	<	0.7	<	<	3	1.9	<	5.2	3.2	<2	12.99	-	8.1	24	0.64
1060 775253	20	4.1	2.1	1100	28	51	5.70	<	0.8	<	0.3	3	2.4	<	5.1	3.6	<2	26.40	-	8.1	<	0.72
1060 775254	00	1.2	3.5	680	28	67	5.80	<	0.9	3	0.6	5	1.0	<	9.0	3.0	<2	19.56	-	7.7	<	0.14
1060 775255	00	1.8	4.1	680	28	59	5.70	<	0.8	2	0.4	5	1.2	1	8.0	3.0	3	25.59	-	8.1	<	0.70
1060 775256	00	2.7	6.2	1100	29	57	5.30	<	0.6	2	0.4	4	1.6	<	7.1	2.8	<2	16.63	-	8.2	<	0.44
1060 775257	00	1.6	2.5	950	31	71	6.20	1	0.8	<	0.3	4	3.0	<	4.4	1.9	<2	25.37	-	8.2	24	0.58
1060 775258	00	1.9	3.5	330	25	58	5.10	<	0.6	<	0.4	3	1.2	<	6.0	2.8	4	36.74	-	8.1	<	0.60
1060 775259	00	0.2	0.7	280	18	41	3.50	<	0.6	<	0.2	2	1.5	1	3.2	1.3	<2	37.24	-	8.2	<	0.40

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Stream Physiolg.	Drainage	Type	Class	Source
1060	775260	00	08	510225	7149699	LMSNG	18	Sed/Water	8	3	-	Tal/Scr	Clear	Moderat	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775262	00	08	512099	7149287	LMSNG	18	Sed/Water	8	4	-	Tal/Scr	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775263	00	08	513921	7148838	LMSNG	18	Sed/Water	6	3	-	Alluv	Clear	Moderat	Rd-Bn	220	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775264	00	08	513666	7148385	LMSNG	18	Sed/Water	8	5	-	Alluv	Clear	Moderat	Rd-Bn	220	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775265	00	08	512079	7151143	LMSNG	18	Sed/Water	3	2	-	Alluv	Clear	Moderat	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775266	10	08	515345	7151935	LMSNE	15	Sed/Water	7	4	-	Alluv	Clear	Moderat	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775267	20	08	515345	7151935	LMSNE	15	Sed/Water	7	4	-	Alluv	Clear	Moderat	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775268	00	08	518879	7152056	GLCM	44	Sed/Water	8	5	-	Alluv	Clear	Moderat	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775269	00	08	522943	7146951	GLCM	44	Sed/Water	5	3	-	Alluv	Clear	Moderat	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775270	00	08	522986	7146105	GLCM	44	Sed/Water	15	10	-	Alluv	Clear	Moderat	Rd-Bn	210	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775271	00	08	525944	7144818	GLCM	44	Sed/Water	8	15	-	Colluv	Clear	Moderat	Gy-Blu	030	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775272	00	08	527407	7147622	GLCM	44	Sed/Water	3	2	-	Alluv	Clear	Moderat	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775273	00	08	529591	7147911	LMSNE	15	Sed/Water	10	3	-	Alluv	Clear	Fast	Wh-Bf	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775274	00	08	533000	7148110	DLMTb	04	Sed/Water	6	4	-	Alluv	Clear	Moderat	Gy-Blu	120	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775275	00	08	531138	7149996	GLCM	44	Sed/Water	24	10	-	Alluv	Clear	Moderat	Gy-Blu	030	-	-	Moun/Y	Dendrc	Permt	Ter'ary	Sp'gMelt
1060	775277	00	08	530558	7149846	GLCM	44	Sed/Water	10	5	-	Alluv	Clear	Moderat	Gy-Blu	220	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775278	00	08	529343	7152071	GLCM	44	Sed/Water	8	4	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775279	00	08	526526	7150782	LMSNG	18	Sed/Water	12	5	-	Alluv	Clear	Moderat	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775280	00	08	520635	7146506	GLCM	44	Sed/Water	18	6	-	Alluv	Clear	Moderat	Rd-Bn	220	-	-	Moun/Y	Dendrc	Permt	Ter'ary	Sp'gMelt
1060	775282	00	08	520545	7146018	GLCM	44	Sed/Water	10	4	-	Alluv	Clear	Moderat	Rd-Bn	021	-	-	Moun/Y	Dendrc	Permt	Pri'ary	Sp'gMelt
1060	775283	00	08	518222	7148464	LMSNG	18	Sed/Water	12	6	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775284	00	08	517664	7145448	ARGLa	04	Sed/Water	10	5	-	Alluv	Clear	Moderat	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775285	00	08	518114	7145040	ARGLa	04	Sed/Water	6	4	-	Alluv	Clear	Moderat	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775286	00	08	518781	7144229	ARGLa	04	Sed/Water	5	4	-	Tal/Scr	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Ground
1060	775287	00	08	513360	7142245	DLMTb	04	Sed/Water	12	8	-	Alluv	Clear	Fast	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775288	00	08	510887	7142921	GLCM	44	Sed/Water	10	4	-	Alluv	Clear	Moderat	Rd-Bn	210	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775289	00	08	511585	7140565	GLCM	44	Sed/Water	8	4	-	Alluv	Clear	Moderat	Gy-Blu	022	-	-	Moun/Y	Dendrc	Permt	Sec'ary	Sp'gMelt
1060	775290	00	08	511092	7140751	GLCM	44	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775291	00	08	472216	7150161	GLCM	44	Sed/Water	5	4	-	Alluv	Clear	Moderat	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775292	00	08	472553	7143738	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Fast	Green	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775294	00	08	470426	7143016	QRTZb	11	Sed/Water	6	4	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775295	00	08	468035	7141378	QRTZb	11	Sed/Water	3	20	-	Alluv	Clear	Fast	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775296	00	08	467569	7141264	QRTZb	11	Sed/Water	5	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775297	00	08	465250	7141607	QRTZb	11	Sed/Water	2	3	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775298	00	08	465094	7142156	GLCM	44	Sed/Water	8	3	-	Alluv	Clear	Fast	Green	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775299	00	08	458759	7144756	GLCM	44	Sed/Water	3	20	-	Alluv	Clear	Moderat	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775300	00	08	458331	7143130	GLCM	44	Sed/Water	5	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775302	00	08	456501	7142346	GLCM	44	Sed/Water	2	3	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775303	00	08	455854	7142020	QRTZb	11	Sed/Water	4	3	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775304	00	08	454698	7142782	QRTZb	11	Sed/Water	4	3	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AAS	MADC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106D 775260 00	118	18	27	19	9	<	525	3	1.45	60	2.0	<	480	0.30	5.3	85	1.9	9	23	9.3	2.7	29	<
106D 775262 00	102	20	16	16	9	<	635	3	1.80	50	1.9	<	420	0.42	7.3	79	2.7	13	19	7.0	3.7	60	2
106D 775263 00	54	16	15	11	4	<	220	3	1.00	30	1.6	<	240	0.23	3.8	52	1.4	8	17	5.5	3.3	20	<
106D 775264 00	152	22	35	17	9	<	965	4	2.00	90	2.7	4	360	0.26	7.2	55	2.7	12	20	10.0	6.0	69	2
106D 775265 00	42	10	16	5	2	<	150	3	0.75	30	1.4	<	220	0.21	2.5	<	0.8	<	<	4.6	2.1	27	<
106D 775266 10	40	10	11	4	2	<	125	3	0.60	30	1.4	<	300	0.22	2.4	32	0.7	<	<	4.0	1.9	24	<
106D 775267 20	46	12	12	6	<	<	140	3	0.70	30	1.4	<	220	0.23	2.8	31	0.8	<	<	4.4	2.2	27	1
106D 775268 00	94	12	45	6	<	<	345	2	0.75	40	1.6	<	220	0.42	3.4	25	1.1	<	<	5.2	3.6	23	<
106D 775269 00	76	12	20	7	2	<	270	2	0.80	30	1.5	<	300	0.38	3.9	45	1.2	6	<	4.6	3.8	24	<
106D 775270 00	128	18	39	12	5	<	685	2	1.45	60	2.3	<	360	0.35	6.7	48	2.2	8	<	6.5	7.2	52	1
106D 775271 00	112	22	22	15	8	<	590	<	1.65	40	2.4	<	660	0.70	10.0	72	2.8	12	14	7.1	4.9	66	<
106D 775272 00	56	12	15	5	3	<	245	2	0.75	20	1.8	<	680	0.42	4.1	26	1.3	6	<	4.2	2.0	25	<
106D 775273 00	58	10	16	3	<	<	210	2	0.50	20	1.0	<	140	0.21	1.8	<	0.6	<	<	2.7	2.7	17	<
106D 775274 00	170	26	35	15	5	<	400	4	1.10	70	2.0	<	180	0.19	4.3	39	1.4	7	17	8.1	2.7	56	3
106D 775275 00	196	26	34	19	4	<	440	5	1.20	70	2.4	<	220	0.20	4.6	38	1.6	6	27	9.1	2.7	69	3
106D 775277 00	184	28	30	18	4	<	460	<	1.30	ns	2.5	<	ns	0.18	4.1	<100	1.7	<25	<50	9.3	<41.0	55	<5
106D 775278 00	44	12	10	5	<	<	215	3	0.70	20	1.4	<	300	0.30	2.9	<	0.9	<	<	3.9	1.5	23	<
106D 775279 00	42	10	13	3	<	<	160	3	0.50	20	1.4	<	260	0.29	2.0	<	0.7	<	<	3.6	2.2	17	<
106D 775280 00	80	12	33	7	3	<	245	4	0.90	20	1.5	<	160	0.27	3.4	39	1.2	6	<	5.2	4.3	29	<
106D 775282 00	144	18	40	12	7	<	860	2	1.70	60	2.0	<	420	0.34	6.8	83	2.6	11	12	7.6	5.5	59	1
106D 775283 00	64	10	31	7	2	<	210	2	0.85	30	1.2	<	220	0.25	3.3	45	1.1	<	14	4.6	2.0	22	1
106D 775284 00	96	16	27	15	7	<	190	<	1.60	60	4.6	4	920	1.00	11.0	100	2.6	11	21	6.5	1.5	74	<
106D 775285 00	106	24	33	15	10	<	665	<	1.85	70	3.2	<	880	0.89	10.0	100	2.8	12	25	5.7	0.7	76	<
106D 775286 00	270	52	89	26	15	0.4	170	<	1.90	270	5.8	<	780	0.56	13.0	87	2.5	15	41	10.0	4.9	130	<
106D 775287 00	184	30	56	12	10	<	1050	4	2.30	120	2.5	<	920	0.16	4.9	27	2.9	13	13	13.0	2.6	49	2
106D 775288 00	112	38	26	24	14	<	1100	3	2.35	60	2.6	<	520	0.34	10.0	95	3.4	20	30	9.2	2.9	84	2
106D 775289 00	320	54	96	18	18	<	2000	2	2.70	110	2.5	<	1040	0.29	10.0	89	3.7	22	12	13.0	7.2	89	<
106D 775290 00	134	38	25	23	15	<	1100	4	2.45	50	2.8	<	520	0.40	10.0	110	3.2	19	25	7.9	5.0	81	1
106D 775291 00	190	12	59	12	2	<	180	3	0.70	20	1.9	<	360	0.34	3.2	39	0.9	<	15	5.1	2.3	18	<
106D 775292 00	86	26	12	32	17	<	810	2	3.05	30	3.7	<	1420	1.60	20.0	220	4.4	25	41	8.3	<	57	<
106D 775294 00	102	34	5	52	31	0.2	994	<	5.85	30	3.8	<	2000	1.60	27.0	260	6.3	32	73	4.0	0.9	55	<
106D 775295 00	88	36	18	28	16	<	905	<	3.10	50	4.2	<	580	0.68	14.0	140	4.4	20	39	9.0	4.1	130	<
106D 775296 00	90	30	22	29	16	<	1100	<	3.05	60	4.6	<	720	0.65	12.0	110	3.3	19	41	7.7	4.5	100	<
106D 775297 00	82	46	34	26	18	<	955	<	3.50	70	5.3	<	1200	0.65	13.0	120	3.6	17	42	13.0	6.5	170	<
106D 775298 00	84	32	25	26	18	<	830	<	3.15	60	5.1	<	800	0.59	9.4	89	3.0	14	23	9.3	3.1	120	<
106D 775299 00	134	18	13	21	12	<	1800	<	2.95	110	3.7	<	1440	0.63	6.9	59	2.7	11	41	10.0	2.0	74	<
106D 775300 00	72	20	18	17	14	<	1600	<	3.80	110	3.9	<	880	0.50	7.4	58	3.4	19	50	9.1	<6.7	130	<2
106D 775302 00	98	12	9	16	17	<	2000	<	2.05	70	3.0	<	1100	0.82	8.3	88	2.5	19	20	6.9	3.9	58	<
106D 775303 00	94	20	14	22	13	<	1050	<	2.35	90	3.9	<	840	0.79	11.0	95	3.2	18	35	8.2	5.7	100	<
106D 775304 00	92	24	21	29	12	<	990	<	2.50	110	4.1	<	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775260 00	1.6	1.5	300	15	27	2.80	<	0.6	<	0.2	2	1.0	<	3.2	2.0	<2	3.24	-	-	8.2	<	0.46
1060 775262 00	1.1	3.8	350	21	48	4.20	<	0.6	<	0.4	3	1.0	<	5.2	2.1	<2	26.70	-	-	8.2	<	0.34
1060 775263 00	1.1	1.6	230	11	16	2.00	<	<	<	<	2	0.6	<	2.2	1.8	2	31.42	-	-	8.2	<	0.20
1060 775264 00	2.0	4.5	380	20	38	4.30	<	0.5	<	0.2	3	0.8	2	6.1	2.8	<2	23.75	-	-	8.1	<	0.50
1060 775265 00	0.5	1.6	220	8	20	1.90	<	<	<	<	<	<	<	3.0	1.7	2	39.92	-	-	8.1	<	0.12
1060 775266 10	0.4	1.3	220	7	18	1.70	<	<	<	<	1	<	<	2.7	1.8	<2	38.08	-	-	8.1	<	0.26
1060 775267 20	0.4	1.4	250	8	22	1.80	<	<	<	<	2	<	<	3.0	2.0	<2	39.83	-	-	8.2	<	0.26
1060 775268 00	0.9	1.1	320	12	23	2.20	<	<	0.2	3	<	<	<	3.4	1.8	<2	28.89	-	-	8.2	<	0.44
1060 775269 00	0.7	1.4	310	12	29	2.20	<	<	<	0.2	3	<	<	3.5	1.7	5	32.76	-	-	8.2	<	0.04
1060 775270 00	1.3	2.5	420	19	39	3.60	<	<	<	0.2	3	0.5	<	4.9	2.2	4	28.27	-	-	8.3	<	0.58
1060 775271 00	1.4	2.3	650	24	47	4.70	<	0.7	2	0.5	5	0.8	<	7.2	2.6	4	28.88	-	-	8.4	<	0.28
1060 775272 00	0.8	1.0	560	13	27	2.50	<	<	<	0.2	3	<	<	3.6	2.1	<2	46.20	-	-	8.1	<	0.04
1060 775273 00	0.6	0.6	130	7	12	1.20	<	<	<	<	<	<	<	1.6	1.2	<2	37.96	-	-	8.3	33	1.04
1060 775274 00	2.1	1.8	210	15	31	3.00	<	<	<	0.3	2	<	<	4.4	2.4	2	33.78	-	-	8.3	35	1.00
1060 775275 00	2.3	1.9	270	16	30	3.60	<	0.5	<	0.3	2	<	<	5.7	3.0	4	37.98	-	-	7.5	76	0.14
1060 775277 00	1.9	<2.5	<250	15	<110	4.10	<5	<2.5	<10	<1.0	<5	<2.5	<5	4.3	<1.0	<10	0.17	-	-	8.2	<	0.90
1060 775278 00	0.7	0.8	300	8	12	1.70	<	<	<	<	1	<	<	2.6	1.6	3	19.67	-	-	8.1	<	0.36
1060 775279 00	0.6	0.8	300	7	11	1.40	<	<	<	<	1	<	<	2.3	1.9	<2	38.13	-	-	7.8	<	0.52
1060 775280 00	0.8	1.5	300	11	24	2.10	<	<	<	<	2	0.6	<	3.2	1.6	<2	33.12	-	-	7.8	<	0.52
1060 775282 00	1.6	2.5	390	19	38	3.80	<	0.6	<	0.3	3	0.7	<	5.1	2.5	3	30.00	-	-	8.1	<	0.56
1060 775283 00	0.8	1.2	260	11	23	2.00	<	<	<	<	1	0.6	<	2.7	1.2	<2	37.75	-	-	7.9	<	0.20
1060 775284 00	1.2	2.8	840	35	75	6.40	1	0.9	3	0.7	8	1.0	2	10.0	5.3	6	27.40	-	-	8.3	<	0.50
1060 775285 00	1.3	3.4	760	31	56	5.70	<	0.8	3	0.6	7	1.0	<	8.4	2.5	<2	7.86	-	-	8.1	<	0.50
1060 775286 00	2.9	6.2	930	36	75	7.10	<	1.1	3	0.8	5	1.2	<	11.0	5.9	5	20.35	-	-	8.1	<	0.78
1060 775287 00	4.0	2.5	1200	18	38	4.20	<	0.7	<	<	3	0.6	<	4.8	3.4	<2	40.28	-	-	8.3	<	0.70
1060 775288 00	2.7	3.7	610	37	73	7.00	1	0.9	2	0.5	4	1.5	<	8.4	3.4	<2	31.82	-	-	8.5	<	0.76
1060 775289 00	3.6	3.4	1200	26	52	5.00	<	0.9	2	0.3	4	0.8	2	7.0	2.6	3	17.16	-	-	8.2	<	0.50
1060 775290 00	2.4	3.2	600	37	80	6.50	1	1.0	2	0.5	5	1.4	2	8.2	2.8	6	16.70	-	-	8.2	<	0.78
1060 775291 00	1.2	1.0	440	11	22	2.20	<	<	<	<	3	<	<	3.2	2.6	<2	38.94	-	-	8.0	<	0.22
1060 775292 00	1.4	1.9	1700	80	160	13.40	2	1.9	4	0.7	14	5.8	2	14.0	4.1	6	40.73	-	-	8.2	36	0.22
1060 775294 00	0.5	2.5	2000	110	220	17.00	4	2.0	3	0.6	10	10.0	2	14.0	3.8	<2	8.43	-	-	7.9	40	0.34
1060 775295 00	0.8	7.7	690	68	150	11.30	1	1.3	3	0.6	7	1.2	2	19.0	4.0	<2	7.65	-	-	7.9	20	0.08
1060 775296 00	0.6	6.3	690	57	110	8.80	2	1.2	2	0.6	7	1.2	2	15.0	3.9	5	5.21	-	-	7.7	20	0.16
1060 775297 00	0.9	10.0	950	30	64	5.80	<	1.0	<	0.5	5	1.3	2	13.0	4.9	<2	10.06	-	-	7.8	<	0.10
1060 775298 00	0.6	5.6	690	72	150	11.70	<	1.1	<	0.4	9	1.3	2	20.6	4.8	3	4.62	-	-	7.6	<	0.10
1060 775299 00	0.8	2.0	920	24	57	5.00	<	1.0	<	0.4	4	0.9	<	8.1	3.6	8	1.15	-	-	7.4	34	0.24
1060 775300 00	0.5	5.3	660	43	80	7.00	<2	<1.0	<4	0.7	5	<1.0	<2	14.0	3.6	11	0.59	4	13.99	7.7	24	0.08
1060 775302 00	0.8	2.5	840	34	75	6.00	<	1.0	3	0.5	10	1.0	1	10.0	3.2	4	4.55	-	-	7.7	20	0.04
1060 775303 00	0.9	6.0	820	49	100	8.00	2	0.9	3	0.5	10	1.2	2	14.0	4.3	13	10.29	<2	18.30	7.7	20	0.02
1060 775304 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	7.7	<	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn Easting	UTM Northing	Unit Age	Rock	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
1060	775306	00	08 452847	7144184	QRTzb 11	Sed/Water	3	15	-	Alluv	Clear	Moderat	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775307	00	08 453000	7148382	LMSne 15	Sed/Water	3	2	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775308	00	08 456403	7146351	LMSne 15	Sed/Water	2	3	-	Alluv	Clear	Moderat	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775309	00	08 456861	7146019	GLCM 44	Sed/Water	3	2	-	Alluv	Clear	Moderat	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775310	10	08 460247	7145234	QRTzb 11	Sed/Water	3	2	-	Alluv	Clear	Moderat	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775311	20	08 460247	7145234	QRTzb 11	Sed/Water	3	2	-	Alluv	Clear	Moderat	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775312	00	08 465355	7146390	GLCM 44	Sed/Water	3	3	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775313	00	08 468306	7148458	GLCM 44	Sed/Water	5	3	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775314	00	08 468732	7148108	GLCM 44	Sed/Water	3	5	-	Alluv	Clear	Staght	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775315	00	08 468493	7150183	GLCM 44	SedOnly	-	-	-	Alluv	Clear	Moderat	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775316	00	08 463772	7150902	DLMTb 04	Sed/Water	8	2	-	Alluv	Clear	Moderat	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775317	00	08 463901	7150251	LMSne 15	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775318	00	08 465493	7152405	GLCM 44	Sed/Water	20	3	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775319	00	08 465789	7153722	GLCM 44	Sed/Water	3	2	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775320	00	08 459357	7151704	GLCM 44	Sed/Water	3	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775322	00	08 461574	7154712	GLCM 44	Sed/Water	4	3	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775323	00	08 460991	7155198	GLCM 44	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775324	00	08 463206	7157716	GLCM 44	Sed/Water	15	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775325	00	08 469399	7157241	DLMTb 04	SedOnly	-	-	-	Alluv	Clear	Slow	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775326	00	08 471754	7155983	LMSne 15	Sed/Water	3	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775327	00	08 474307	7154023	DLMTb 04	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775328	00	08 475290	7145187	GLCM 44	Sed/Water	3	4	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775329	00	08 477478	7141123	GLCM 44	Sed/Water	5	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775330	00	08 476803	7141414	GLCM 44	Sed/Water	8	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775331	00	08 475505	7140164	GLCM 44	Sed/Water	3	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775332	00	08 475093	7140596	GLCM 44	Sed/Water	5	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775333	00	08 474696	7134318	QRTzb 11	Sed/Water	2	10	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775334	10	08 473234	7135009	QRTzb 11	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775335	20	08 473234	7135009	QRTzb 11	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775337	00	08 469790	7135376	QRTzb 11	Sed/Water	2	4	-	Alluv	Clear	Moderat	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775338	00	08 467218	7135068	QRTzb 11	Sed/Water	3	2	-	Alluv	Clear	Moderat	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775339	00	08 462303	7135173	GLCM 44	Sed/Water	4	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775340	00	08 462623	7135689	GLCM 44	Sed/Water	4	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775342	00	08 463486	7137181	QRTzb 11	Sed/Water	4	3	-	Alluv	Clear	Moderat	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775343	00	08 457006	7134922	ARGLd 34	Sed/Water	10	3	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775344	00	08 458313	7138955	QRTzb 11	Sed/Water	3	5	-	Alluv	Clear	Moderat	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775345	00	08 456171	7137382	GLCM 44	Sed/Water	4	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775346	00	08 456124	7136875	GLCM 44	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt	
1060	775347	00	08 454776	7137195	QRTzb 11	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	
1060	775348	00	08 451868	7136524	QRTzb 11	Sed/Water	5	2	-	Alluv	Clear	Moderat	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt	

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	5	2	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADIC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 775306 00	116	46	27	36	18	<	1000	<	3.45	140	5.1	<	620	0.63	13.0	95	3.8	16	43	10.0	1.7	120	<
1060 775307 00	118	16	25	13	5	<	250	3	1.20	90	4.0	<	840	0.43	5.0	76	1.7	6	<	7.7	3.4	55	2
1060 775308 00	106	14	21	10	2	<	245	4	0.75	90	2.3	<	420	0.30	3.1	34	1.0	<	<	8.0	3.5	30	2
1060 775309 00	136	16	15	13	4	<	260	5	1.10	60	2.7	<	640	0.40	3.6	45	1.3	6	14	8.6	2.7	41	3
1060 775310 10	130	20	20	13	2	<	225	7	0.85	60	2.8	<	360	0.31	2.7	28	1.0	<	16	11.0	3.7	36	6
1060 775311 20	130	18	20	13	2	<	220	7	0.75	50	2.7	<	520	0.27	2.7	26	1.0	<	15	10.0	3.1	24	6
1060 775312 00	146	34	12	38	16	<	1200	2	3.15	50	3.5	<	2200	0.83	13.0	160	3.8	18	45	8.4	4.7	61	<
1060 775313 00	168	28	25	31	12	<	1150	2	2.35	100	3.3	<	1600	0.58	8.1	89	2.6	16	22	8.0	5.0	67	<
1060 775314 00	250	24	23	31	12	<	445	<	2.30	110	3.7	<	1600	0.92	10.0	120	2.9	14	35	6.9	4.8	68	<
1060 775315 00	250	24	58	20	6	<	360	7	1.50	90	2.7	<	1000	0.59	6.2	68	2.3	9	20	12.0	1.5	45	6
1060 775316 00	285	18	83	11	6	<	655	2	1.40	70	1.7	<	380	0.41	4.1	54	1.9	9	<	22.0	3.3	26	<
1060 775317 00	184	12	92	10	3	<	285	3	1.15	100	2.2	<	820	0.47	4.7	43	1.6	5	17	9.1	4.3	50	2
1060 775318 00	210	14	54	10	4	<	480	3	1.40	80	1.9	<	560	0.46	4.7	55	1.8	7	<	12.0	5.6	45	<
1060 775319 00	240	16	59	15	9	<	1000	<	1.65	80	2.3	<	760	0.54	7.3	76	2.3	10	18	7.8	5.2	50	<
1060 775320 00	148	20	35	14	10	<	815	2	1.70	90	2.6	<	740	0.38	6.9	95	2.3	11	28	13.0	7.0	70	<
1060 775322 00	210	22	51	9	8	<	1000	<	1.40	70	2.0	<	1100	0.32	6.8	36	2.2	14	13	21.0	5.8	35	3
1060 775323 00	134	18	34	13	7	<	845	<	1.70	110	3.2	<	780	0.76	10.0	72	2.9	18	<	16.0	5.5	51	3
1060 775324 00	138	20	34	14	8	<	725	<	1.70	80	2.5	<	800	0.79	10.0	47	2.8	13	18	15.0	5.9	47	3
1060 775325 00	245	42	92	23	14	0.2	665	3	2.45	60	2.9	<	480	0.39	11.0	69	3.9	25	24	18.0	8.1	70	5
1060 775326 00	210	22	42	20	7	<	275	3	1.60	50	3.6	<	620	0.59	8.5	81	2.4	14	19	7.8	5.0	27	5
1060 775327 00	184	14	29	16	6	<	320	5	1.20	30	1.9	<	540	0.58	6.8	52	2.0	11	19	7.2	2.8	20	6
1060 775328 00	154	18	17	29	14	<	505	<	2.50	60	3.2	<	1500	1.20	17.0	110	3.7	19	<	5.9	1.8	50	7
1060 775329 00	104	36	9	69	28	<	975	<	4.65	40	3.3	<	1660	1.60	31.6	250	6.6	42	55	6.5	3.6	38	3
1060 775330 00	78	20	13	30	13	<	550	<	2.40	50	2.7	4	1240	1.50	17.0	130	3.8	22	41	7.9	2.0	48	4
1060 775331 00	78	22	13	27	12	<	715	<	2.40	50	3.5	4	1100	1.30	16.0	140	3.7	17	34	9.3	1.5	46	2
1060 775332 00	84	22	11	41	17	<	695	<	2.95	150	3.9	<	1260	1.30	19.0	180	4.3	26	61	7.6	3.2	55	2
1060 775333 00	98	30	20	33	18	<	825	<	3.90	70	3.7	<	560	0.71	16.0	96	4.5	24	26	11.0	2.5	110	3
1060 775334 10	100	40	20	30	16	0.2	765	<	2.95	130	3.7	<	840	0.70	14.0	96	4.0	23	27	12.0	6.9	87	4
1060 775335 20	96	34	16	30	15	<	780	<	2.90	100	3.3	<	740	0.83	17.0	120	4.2	26	37	12.0	4.7	92	4
1060 775337 00	28	10	7	10	3	<	75	<	0.80	140	3.6	<	920	0.57	12.0	<100	2.9	<25	<50	11.0	<2.5	50	39
1060 775338 00	48	18	7	13	6	<	275	<	1.35	80	3.7	<	780	0.69	14.0	79	3.7	21	46	14.0	6.1	82	3
1060 775339 00	36	12	10	15	4	<	90	<	1.15	70	4.0	<	1120	0.88	15.0	110	4.1	26	22	12.0	4.2	87	4
1060 775340 00	460	54	12	67	42	0.2	1515	<	3.25	190	3.8	4	1800	0.62	12.0	81	3.4	46	76	21.0	3.5	65	10
1060 775342 00	102	44	21	28	16	<	895	<	3.25	ns	4.4	4	ns	1.30	22.0	<500	4.7	<50	<230	<12.0	<210.0	150	310
1060 775343 00	270	48	11	29	18	<	850	4	3.50	320	6.1	4	1900	0.63	14.0	91	3.8	18	64	19.0	2.5	66	8
1060 775344 00	100	26	17	22	35	<	1000	<	4.60	90	3.5	<	900	0.72	10.0	63	4.4	37	25	11.0	6.8	75	2
1060 775345 00	92	22	10	19	12	<	2650	<	2.20	80	4.8	<	580	0.68	9.1	70	2.4	13	23	8.6	15.0	61	5
1060 775346 00	260	34	6	45	18	<	2850	2	3.95	200	4.9	<	1600	0.65	12.0	87	4.5	22	37	22.0	7.0	55	6
1060 775347 00	100	34	15	31	15	<	820	<	2.80	90	3.3	<	ns	1.20	8.6	700	<2.0	95	<220	21.0	<220.0	<130	380
1060 775348 00	98	34	20	25	13	<	665	<	2.45	120	3.6	<	600	0.69	12.0	68	3.0	16	31	10.0	5.7	68	6

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	5	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775306	0.7	10.0	530	41	90	7.40	2	1.1	3	0.6	5	1.0	2	13.0	4.4	7	1.47	-	-	7.7	38	0.38
1060 775307	1.3	2.5	680	26	61	4.20	<	<	<	<	6	1.2	<	7.6	3.6	<2	14.31	-	-	8.0	34	0.46
1060 775308	1.2	1.6	450	14	28	2.60	<	<	<	<	3	0.6	<	4.0	2.6	3	32.93	-	-	8.1	30	0.56
1060 775309	1.3	1.8	560	18	36	3.60	<	0.6	<	<	3	1.2	1	5.3	2.8	3	25.76	-	-	8.3	24	0.53
1060 775310	1.9	1.6	460	15	30	3.10	<	<	<	<	3	1.0	<	4.5	3.7	<2	44.76	-	-	8.2	<	0.46
1060 775311	1.7	1.6	350	13	33	2.40	<	<	<	0.2	2	0.9	<	3.4	3.2	<2	26.05	-	-	8.1	<	0.46
1060 775312	1.0	3.5	1800	52	110	8.60	1	1.2	<	0.4	6	3.6	<	9.3	3.9	7	11.45	-	-	7.8	36	0.34
1060 775313	1.1	3.3	1200	26	54	4.50	<	0.7	<	0.4	4	1.5	1	7.0	2.6	<2	2.68	-	-	8.1	36	0.34
1060 775314	1.2	3.1	1400	34	69	6.00	<	0.8	2	0.4	7	1.3	1	8.8	3.6	4	8.25	-	-	7.9	24	0.32
1060 775315	2.7	1.8	960	28	51	5.10	<	0.7	2	0.4	5	1.7	<	6.2	3.1	<2	38.99	-	-	ns	ns	ns
1060 775316	3.2	2.5	330	17	30	3.30	<	<	<	0.3	4	<	1	5.0	1.8	15	14.88	<2	3.83	7.7	<	0.10
1060 775317	1.6	2.3	680	22	55	4.00	<	0.6	<	0.3	6	1.3	1	6.2	2.7	3	29.56	-	-	8.0	<	0.50
1060 775318	1.8	2.4	560	19	37	3.50	<	0.6	<	0.3	4	1.0	1	5.6	2.3	10	20.83	<2	21.61	8.3	<	0.42
1060 775319	1.3	2.2	520	25	59	4.70	<	0.7	<	0.4	5	1.1	1	6.4	2.0	6	4.86	-	-	8.6	<	0.26
1060 775320	2.7	5.0	570	28	63	5.50	<	0.8	<	0.5	5	0.9	<	8.1	2.9	4	23.57	-	-	8.3	<	0.42
1060 775322	2.8	3.2	940	27	49	4.40	<	0.8	<	<	4	0.7	<	5.9	2.4	3	24.40	-	-	8.1	<	0.54
1060 775323	2.7	3.4	610	38	55	5.60	<	1.0	3	<	9	1.1	<	9.2	3.3	4	21.12	-	-	8.1	<	0.56
1060 775324	2.3	3.7	680	33	52	4.90	<	0.6	2	0.2	6	1.0	<	8.3	2.9	9	25.03	-	-	8.1	<	0.56
1060 775325	1.9	4.9	430	37	60	5.00	<	1.0	3	<	6	0.9	<	10.0	3.8	9	15.98	-	-	ns	ns	ns
1060 775326	1.1	2.2	510	28	46	3.80	1	0.8	2	<	5	1.2	1	5.7	3.9	11	22.22	3	14.81	8.4	<	0.26
1060 775327	1.2	1.0	470	24	35	3.60	<	0.7	<	<	5	1.1	<	4.7	2.7	7	37.40	-	-	8.2	<	0.28
1060 775328	1.2	1.9	1000	63	89	7.90	3	1.3	2	<	8	3.0	1	9.4	3.0	9	4.42	-	-	8.4	50	0.48
1060 775329	0.9	2.7	1400	100	160	13.40	3	1.6	3	<	8	6.8	<	11.0	3.3	7	13.63	-	-	8.1	34	0.20
1060 775330	1.1	2.7	1000	58	88	8.10	3	1.2	3	0.2	8	2.6	1	10.0	3.4	7	26.28	-	-	7.8	26	0.20
1060 775331	1.2	2.0	920	58	86	8.20	2	1.2	3	<	10	2.4	<	11.0	3.7	7	21.30	-	-	7.9	22	0.14
1060 775332	1.1	3.5	1100	74	120	10.70	3	1.5	3	<	11	3.9	<	12.0	4.0	<2	25.58	-	-	7.8	20	0.06
1060 775333	2.4	8.3	520	58	88	8.40	2	1.3	<	<	5	1.3	1	18.0	3.8	12	6.99	4	15.31	7.9	30	0.24
1060 775334	1.4	8.4	700	48	78	6.50	1	1.1	2	<	5	1.3	<	14.0	3.8	12	6.40	13	15.23	7.9	42	0.44
1060 775335	1.2	7.1	710	57	96	7.50	1	1.3	3	<	6	1.3	2	15.0	4.1	5	14.49	<2	15.53	7.8	46	0.34
1060 775337	1.1	8.2	640	46	85	4.90	<5	<2.5	<10	<1.0	<5	<2.5	<5	10.0	3.3	<10	0.49	-	-	8.4	120	0.66
1060 775338	1.2	7.7	610	53	86	7.00	1	1.1	3	<	7	1.2	2	14.0	4.3	13	15.68	<2	15.67	8.3	130	0.70
1060 775339	0.9	7.2	850	64	110	8.60	2	1.2	4	<	9	1.5	2	16.0	4.4	5	11.67	-	-	7.8	72	0.38
1060 775340	1.2	5.1	1400	43	83	6.60	<	1.2	<	<	6	1.3	1	8.3	3.7	37	3.25	3	13.81	8.0	72	0.38
1060 775342	2.0	<5.0	1800	89	<520	7.50	<10	<5.0	<20	<4.6	<10	<5.0	<10	10.0	<5.9	<84	0.04	-	-	8.0	50	0.02
1060 775343	1.7	5.2	1900	44	69	6.20	2	1.5	4	<	6	1.1	<	9.5	5.9	<2	2.95	-	-	7.8	76	0.24
1060 775344	0.5	8.8	880	51	79	6.90	2	0.8	2	<	7	1.1	<	14.0	4.1	<2	12.39	-	-	7.8	32	0.02
1060 775345	0.7	5.7	630	57	89	7.60	1	1.2	<	<	9	1.1	<	14.0	5.0	44	5.65	<2	14.59	7.7	38	0.04
1060 775346	1.3	4.0	1800	41	62	6.20	<	0.9	3	<	7	1.2	2	9.0	4.8	<2	11.71	10	15.20	7.8	68	0.16
1060 775347	<1.0	14.0	<500	55	<670	10.00	<10	<5.0	<20	<5.0	39	5.6	<20	12.0	<6.8	110	0.04	<10	0.40	8.1	48	0.06
1060 775348	0.8	5.7	580	41	60	5.60	<	1.0	2	0.2	6	1.4	1	12.0	3.7	15	3.04	<2	2.72	8.2	86	0.34

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
1060	775349	10	08	454063	7132524	ARGld	34	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775350	20	08	454063	7132524	ARGld	34	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775351	00	08	455117	7132862	ARGld	34	Sed/Water	3	2	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775352	00	08	454551	7129790	QRTzd	36	Sed/Water	3	4	-	Alluv	Clear	Modert	Black	030	-	Rd-Bn	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775353	00	08	452517	7129709	QRTzd	36	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	300	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775354	00	08	456533	7129027	QRTzd	36	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775355	00	08	455058	7125912	QRTzd	36	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775357	00	08	464650	7126608	QRTzd	36	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775358	00	08	467044	7126525	QRTzd	36	Sed/Water	2	8	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775359	00	08	470543	7131024	ARGld	34	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775360	00	08	469816	7130839	ARGld	34	Sed/Water	5	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775363	00	08	468701	7132185	ARGld	34	Sed/Water	3	8	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775364	00	08	466028	7131142	ARGld	34	Sed/Water	2	5	-	Alluv	Clear	Modert	Gy-Blu	300	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775365	00	08	465370	7131299	ARGld	34	Sed/Water	2	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775366	00	08	462257	7132791	ARGld	34	Sed/Water	3	5	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775367	00	08	462148	7133511	ARGld	34	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775368	00	08	477417	7148539	GLCM	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775369	00	08	479351	7144092	GLCM	44	Sed/Water	15	30	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775370	00	08	480771	7140466	QRTzb	11	Sed/Water	5	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775371	00	08	483706	7139732	QRTzb	11	Sed/Water	4	10	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775372	00	08	486695	7135725	QRTzb	11	Sed/Water	2	10	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775373	00	08	488696	7133812	QRTzb	11	Sed/Water	6	10	-	Alluv	Clear	Modert	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775374	00	08	492429	7134006	QRTzb	11	Sed/Water	3	10	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775375	10	08	493263	7134475	GLCM	44	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775376	20	08	493263	7134475	GLCM	44	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775377	00	08	494021	7132684	QRTzb	11	Sed/Water	4	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775378	00	08	497441	7134382	QRTzb	11	Sed/Water	4	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775379	00	08	499287	7133825	QRTzb	11	Sed/Water	5	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775380	00	08	498885	7129142	GLCM	44	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775382	00	08	497445	7126592	GLCM	44	Sed/Water	4	10	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775383	00	08	494420	7126952	QRTzb	11	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775384	00	08	494180	7127401	QRTzb	11	Sed/Water	5	15	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775385	00	08	490913	7129189	QRTzb	11	Sed/Water	4	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775386	00	08	489448	7128571	QRTzb	11	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775387	00	08	488966	7127905	QRTzb	11	Sed/Water	6	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775389	00	08	487906	7130203	QRTzb	11	Sed/Water	1	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775390	00	08	486194	7129259	QRTzb	11	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	120	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775391	00	08	482159	7130754	QRTzb	11	Sed/Water	2	8	-	Alluv	BnTrans	Slow	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775392	00	08	484979	7126120	ARGld	34	Sed/Water	15	15	-	Alluv	Clear	Torrnt	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775393	00	08	482779	7126810	ARGld	34	Sed/Water	10	15	-	Alluv	Clear	Torrnt	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775349 10	4.4	4.5	1900	57	76	10.00	2	1.8	5	0.3	9	1.3	2	10.0	7.2	10	15.46	13	14.80	8.1	130	0.62
1060 775350 20	4.5	4.8	2000	57	74	10.00	2	1.8	5	0.2	8	1.3	<	10.0	7.0	22	11.51	12	17.36	8.1	140	0.64
1060 775351 00	1.6	5.4	1300	51	74	7.80	2	1.6	4	0.2	8	1.1	1	11.0	5.9	15	12.95	5	16.31	7.7	150	0.28
1060 775352 00	<6.8	41.0	<4800	170	<2900	<16.00	<59	<20.0	<110	<25.0	<85	<11.0	140	<33.0	<30.0	<420	0.01	-	-	7.7	58	0.02
1060 775353 00	<0.5	<2.5	290	12	<79	1.00	<5	<2.5	<10	<1.0	<5	<2.5	<5	<1.0	<1.0	<20	0.01	-	-	7.8	50	0.02
1060 775354 00	0.7	4.0	2000	31	49	4.50	<	0.8	3	0.3	9	0.9	2	8.5	4.3	5	6.37	-	-	7.8	36	0.02
1060 775355 00	1.0	3.6	3500	44	83	6.20	<	0.8	4	0.4	8	0.9	<	9.3	4.3	15	1.43	6	16.52	7.9	46	0.74
1060 775357 00	0.9	4.2	2100	36	51	5.80	2	1.0	3	<	7	1.1	1	11.0	4.6	6	5.73	-	-	7.8	58	0.04
1060 775358 00	0.7	5.9	2700	42	61	5.90	<	1.0	2	0.2	6	0.6	1	10.0	4.4	4	3.48	-	-	7.8	48	0.04
1060 775359 00	1.3	4.6	1300	55	79	8.10	2	1.4	4	0.3	10	1.1	1	12.0	5.6	13	16.19	9	15.68	7.6	140	0.26
1060 775360 00	1.8	6.5	1200	49	82	8.20	2	1.6	4	0.3	5	1.0	2	11.0	6.0	5	6.22	-	-	8.0	130	0.86
1060 775363 00	2.1	5.9	1400	56	81	9.30	2	1.8	5	0.4	10	1.2	2	12.0	5.9	7	16.09	-	-	8.0	130	0.86
1060 775364 00	2.7	4.2	1500	55	77	8.80	2	1.6	5	0.5	9	1.0	2	10.0	5.2	11	15.99	10	15.76	8.5	180	3.40
1060 775365 00	2.3	6.0	2200	69	100	10.60	<	1.8	5	0.4	11	1.6	<	12.0	7.5	12	25.35	7	15.21	8.3	140	0.90
1060 775366 00	5.6	7.5	2600	60	100	10.00	1	1.5	4	0.4	9	1.2	2	12.0	7.2	12	24.19	9	15.32	8.1	130	0.90
1060 775367 00	1.8	4.4	1800	47	69	8.10	<	1.4	3	<	8	1.1	<	11.0	6.0	12	32.30	7	16.38	8.0	120	0.48
1060 775368 00	2.1	1.9	800	25	35	4.10	<	0.8	<	<	3	1.1	<	5.2	3.4	<2	19.23	-	-	8.6	28	1.30
1060 775369 00	0.8	3.1	1200	85	130	12.00	2	1.5	2	0.2	8	5.0	1	13.0	4.0	<2	35.19	-	-	7.9	36	0.30
1060 775370 00	1.0	1.8	1300	94	140	12.40	2	1.5	3	0.4	11	4.9	2	13.0	4.2	<2	33.52	-	-	8.1	34	0.36
1060 775371 00	0.6	1.7	1300	110	190	16.20	5	2.1	3	0.3	11	9.1	<	14.0	3.8	10	31.37	<2	16.51	8.4	34	0.34
1060 775372 00	1.4	2.6	1600	71	110	10.00	2	1.3	<	<	7	5.0	2	9.1	3.5	<2	28.23	-	-	8.2	100	0.42
1060 775373 00	2.5	3.8	1100	64	110	8.50	2	1.0	3	0.3	5	2.4	2	11.0	3.4	8	5.33	-	-	8.0	60	0.38
1060 775374 00	2.4	4.9	850	50	76	6.40	<	0.9	3	<	5	1.6	2	11.0	2.8	6	4.61	-	-	8.1	57	0.38
1060 775375 10	2.6	3.1	1200	62	110	8.00	3	1.2	3	<	6	2.6	2	10.0	3.3	<2	9.47	-	-	7.9	57	0.42
1060 775376 20	2.9	3.1	1400	87	140	11.10	3	1.5	3	0.3	7	3.6	2	13.0	3.6	<2	22.12	-	-	8.0	60	0.26
1060 775377 00	8.8	5.4	870	41	74	5.70	<	1.0	<	0.2	5	1.2	3	10.0	3.4	11	3.11	99	15.71	7.9	58	0.24
1060 775378 00	1.9	<2.5	720	36	<65	3.80	<5	<2.5	<10	<1.0	<5	<2.5	<5	4.8	5.6	17	0.25	13	15.02	7.9	46	0.22
1060 775379 00	2.3	3.1	2200	110	160	16.90	3	2.1	<	8	9.5	<	<	15.0	4.2	<2	19.51	-	-	7.9	34	0.06
1060 775380 00	4.5	<16.0	<1700	69	<980	9.50	<	<5.0	<20	<8.8	<34	<5.0	<44	<13.0	<11.0	<160	0.03	-	-	7.7	60	0.30
1060 775382 00	1.6	4.4	930	71	120	10.00	2	1.4	2	0.4	7	1.5	2	17.0	3.9	5	32.68	-	-	8.4	54	0.34
1060 775383 00	1.7	2.0	770	35	62	5.60	1	0.9	3	0.2	5	1.0	1	7.7	3.0	4	35.42	-	-	8.1	54	0.60
1060 775384 00	3.6	3.4	740	55	96	7.50	1	1.2	3	0.4	8	1.5	<	12.0	3.5	<2	16.93	-	-	8.2	48	0.36
1060 775385 00	2.2	5.4	1000	48	78	6.30	2	1.1	3	0.2	6	1.2	2	10.0	5.8	13	17.71	8	15.46	8.0	50	0.32
1060 775386 00	1.8	5.0	1000	57	95	7.60	2	1.1	3	0.3	7	1.5	1	12.0	5.1	9	16.85	-	-	8.2	60	0.50
1060 775387 00	1.4	5.9	970	50	76	6.60	2	1.0	3	<	7	1.2	<	11.0	4.7	<2	13.59	-	-	8.0	68	0.70
1060 775389 00	1.4	3.0	980	43	67	6.10	1	0.9	3	0.2	7	1.3	<	9.4	4.4	10	30.15	25	15.58	8.0	120	0.10
1060 775390 00	6.1	7.1	1100	47	69	7.70	2	1.5	3	<	7	1.7	<	11.0	8.9	<2	32.68	-	-	8.1	66	0.74
1060 775391 00	1.8	2.0	870	39	58	6.60	1	0.8	<	<	5	2.0	2	8.0	3.2	<2	24.64	-	-	7.7	54	0.42
1060 775392 00	2.6	5.5	2500	39	60	6.90	<	1.2	2	<	7	1.2	2	10.0	4.4	9	13.90	-	-	7.9	58	0.18
1060 775393 00	2.1	4.2	1800	40	58	6.30	1	1.1	<	0.2	5	1.5	<	9.0	3.6	9	13.57	-	-	7.9	68	0.18



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Colour	Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
1060	775394	00	08	482542	7126280	ARGld	34	Sed/Water	8	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775395	10	08	478072	7127223	GLCM	44	Sed/Water	3	8	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775396	20	08	478072	7127223	GLCM	44	Sed/Water	3	8	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775397	00	08	477576	7131018	GLCM	44	Sed/Water	20	30	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Ter'ary	Sp'gMelt
1060	775398	00	08	476931	7129644	GLCM	44	Sed/Water	6	10	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775399	00	08	473898	7128740	ARGld	34	Sed/Water	3	10	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775400	00	08	472331	7130786	ARGld	34	Sed/Water	5	6	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775402	00	08	477142	7133567	GLCM	44	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775403	00	08	479975	7132778	QRTZb	11	Sed/Water	5	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775404	00	08	482675	7133141	QRTZb	11	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775405	00	08	484286	7134475	QRTZb	11	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775406	10	08	520747	7158507	GLCM	44	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775407	20	08	520747	7158507	GLCM	44	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775408	00	08	519351	7159044	DLMTb	04	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775409	00	08	519082	7158146	DLMTb	04	Sed/Water	7	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775410	00	08	517841	7157607	LMSne	15	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775411	00	08	516818	7158761	DLMTb	04	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775413	00	08	515355	7157508	LMSne	15	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775414	00	08	515055	7158936	DLMTb	04	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	111	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775415	00	08	512588	7159173	LMSne	15	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775416	00	08	511089	7158428	GLCM	44	Sed/Water	8	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775417	00	08	510290	7161961	LMSne	15	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775418	00	08	508166	7156531	LMShd	12	Sed/Water	2	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775419	00	08	507354	7156957	LMShd	12	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775420	00	08	504292	7157388	GLCM	44	Sed/Water	15	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775422	00	08	504248	7154320	LMSng	18	Sed/Water	8	4	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775423	00	08	503562	7154382	LMSng	18	Sed/Water	5	2	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775424	00	08	502576	7158096	LMSng	18	Sed/Water	2	10	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775425	00	08	500403	7159211	LMShd	12	Sed/Water	1	2	-	Alluv	Clear	Slow	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775426	00	08	501629	7161898	GLCM	44	Sed/Water	3	2	-	Alluv	Clear	Slow	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775427	10	08	505043	7161633	LMSne	15	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775428	20	08	505043	7161633	LMSne	15	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775429	00	08	506454	7159768	LMSne	15	Sed/Water	4	2	-	Alluv	Clear	Slow	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775430	00	08	510203	7154096	LMSng	18	Sed/Water	4	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775432	00	08	509706	7154384	LMSng	18	Sed/Water	3	10	-	Alluv	Clear	Fast	Gy-Blu	012	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775433	00	08	512174	7153429	GLCM	44	Sed/Water	5	6	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775434	00	08	517411	7153522	LMSng	18	Sed/Water	1	2	-	Alluv	Clear	Slow	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775435	00	08	520389	7153830	LMSng	18	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775436	00	08	477082	7153965	GLCM	44	Sed/Water	6	4	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775437	00	08	480032	7153352	GLCM	44	Sed/Water	10	3	-	Alluv	Clear	Fast	Black	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADIC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 775394 00	620	46	12	76	29	0.2	550	<	2.75	160	4.8	4	1760	0.58	13.0	85	3.1	37	77	14.0	6.9	68	6
1060 775395 10	166	38	14	42	25	<	2850	<	2.85	150	3.1	<	1460	0.82	13.0	92	3.1	30	33	8.8	1.5	63	4
1060 775396 20	162	38	14	38	23	0.2	3300	<	2.80	150	3.5	<	1480	0.82	13.0	85	3.3	29	27	10.0	1.7	59	5
1060 775397 00	192	40	8	50	16	<	805	2	2.75	130	4.3	4	1500	0.89	14.0	110	3.4	21	43	13.0	1.3	63	5
1060 775398 00	180	36	10	43	12	<	515	<	2.65	130	3.5	4	1840	0.71	13.0	120	3.0	17	39	9.3	3.6	69	4
1060 775399 00	260	58	14	47	15	0.2	575	6	3.15	210	5.4	<	2000	0.68	15.0	100	3.4	13	36	16.0	6.6	70	8
1060 775400 00	164	50	18	56	14	0.4	255	3	3.90	460	8.2	<	2300	0.48	15.0	140	2.9	14	35	13.0	10.0	67	4
1060 775402 00	80	28	10	36	19	<	645	<	3.15	80	3.7	<	720	1.00	18.0	160	4.2	25	41	10.0	5.2	52	2
1060 775403 00	92	30	20	36	18	<	740	<	3.35	60	2.9	<	1000	1.20	20.5	140	4.7	26	33	11.0	4.6	55	4
1060 775404 00	96	32	11	44	20	<	760	<	3.45	60	3.1	<	1200	1.50	22.0	190	4.8	30	57	9.5	3.6	46	4
1060 775405 00	92	32	3	53	28	<	965	<	5.15	30	2.9	<	1500	1.60	35.0	230	7.2	46	53	5.7	1.5	31	3
1060 775406 10	54	20	12	6	3	<	410	3	0.80	30	1.3	<	120	0.36	4.5	31	1.5	8	<	6.9	2.6	18	3
1060 775407 20	56	22	15	6	2	<	440	3	0.80	30	1.5	<	140	0.31	3.8	<	1.3	7	<	6.0	2.2	16	3
1060 775408 00	74	32	11	17	10	<	1050	<	1.70	30	2.4	<	500	0.46	10.0	64	3.2	16	24	8.2	6.7	65	3
1060 775409 00	42	24	9	6	<	<	285	3	0.65	30	1.4	<	220	0.40	4.3	<	1.2	<	<	6.2	2.8	17	2
1060 775410 00	34	10	11	4	<	<	185	3	0.50	20	1.3	<	200	0.32	2.9	28	0.8	<	<	4.9	1.3	7	2
1060 775411 00	110	36	16	19	12	<	1600	<	1.80	40	2.2	<	540	0.38	10.0	40	3.0	19	17	7.8	5.8	70	2
1060 775413 00	68	16	20	11	4	<	220	3	0.75	40	1.8	<	460	0.46	5.2	24	1.3	5	<	8.1	2.4	26	2
1060 775414 00	100	26	24	16	9	<	1300	<	1.40	40	1.9	<	540	0.35	6.9	44	2.3	17	27	8.5	9.0	54	3
1060 775415 00	78	12	16	7	<	<	315	2	0.60	30	1.5	<	220	0.32	3.6	28	1.1	5	<	7.6	4.5	19	2
1060 775416 00	90	12	38	5	<	<	560	2	0.70	40	1.5	<	200	0.21	2.9	20	1.1	5	<	6.8	2.8	15	2
1060 775417 00	114	14	50	4	<	<	635	2	0.65	50	1.2	<	100	0.16	2.1	<	1.2	<	<	8.3	4.3	19	2
1060 775418 00	265	38	27	50	5	<	370	5	1.25	110	4.2	<	1300	0.22	4.5	86	1.5	11	43	9.1	<5.1	51	25
1060 775419 00	280	44	11	64	9	0.6	175	3	1.90	130	5.1	<	2000	0.28	7.4	110	2.9	10	66	11.0	3.3	74	5
1060 775420 00	32	10	10	4	<	<	115	3	0.35	30	1.7	<	140	0.21	1.9	<	0.6	<	<	2.6	1.7	13	2
1060 775422 00	50	10	19	2	<	<	110	4	0.35	30	1.1	<	180	0.15	1.5	<	0.5	<	<	2.6	2.2	11	2
1060 775423 00	88	12	30	10	2	<	180	3	0.60	40	2.1	<	180	0.22	2.7	38	1.1	<	<	4.8	5.2	27	2
1060 775424 00	335	28	33	65	6	0.4	120	5	0.95	110	4.8	<	1500	0.24	4.4	110	1.5	7	82	12.0	2.8	47	6
1060 775425 00	435	56	93	100	7	1.4	190	5	1.40	240	5.3	<	1900	0.28	7.2	150	2.6	10	150	17.0	7.0	63	6
1060 775426 00	102	12	105	3	<	<	155	4	0.45	80	1.5	4	160	0.25	2.4	28	0.9	<	<	7.9	3.0	19	3
1060 775427 10	34	12	42	3	<	<	180	3	0.35	40	1.3	<	140	0.19	1.6	<	0.6	<	<	4.9	1.9	9	3
1060 775428 20	36	10	39	4	<	<	175	3	0.40	30	1.2	<	140	0.19	1.7	<	0.5	<	<	4.6	2.8	12	2
1060 775429 00	68	12	29	5	<	<	220	3	0.40	30	1.1	<	100	0.20	1.9	<	0.7	<	11	6.9	3.1	14	2
1060 775430 00	192	16	15	22	5	<	270	4	1.20	80	2.0	<	660	0.25	4.5	30	2.4	8	26	11.0	4.1	23	2
1060 775432 00	110	20	7	32	6	<	275	3	1.15	100	2.0	<	1160	0.27	5.9	110	2.8	8	20	7.5	10.0	37	7
1060 775433 00	235	24	14	29	5	<	260	3	1.35	90	2.5	<	1120	0.23	4.3	73	2.4	7	38	13.0	5.4	26	4
1060 775434 00	54	12	28	7	<	<	260	2	0.70	40	1.8	<	200	0.35	3.4	42	1.2	<	<	11.0	1.7	25	2
1060 775435 00	40	12	11	4	<	<	250	3	0.65	20	1.2	<	180	0.27	2.9	25	1.0	<	12	7.1	2.2	19	2
1060 775436 00	300	24	17	47	15	<	400	4	2.60	50	3.2	<	1080	1.00	11.0	160	4.2	23	62	7.9	3.4	44	4
1060 775437 00	545	54	55	59	11	<	455	22	1.35	150	5.1	<	960	0.41	7.1	97	2.4	13	51	18.0	4.8	47	29

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	AU	Wt	AU1	AU1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775394 00	2.0	5.1	1600	45	70	7.00	2	1.3	2	<	7	1.3	<	10.0	5.0	8	4.54	-	-	7.9	76	0.14
1060 775395 10	1.5	4.0	1300	39	55	6.00	1	1.1	3	<	6	1.3	<	9.2	3.3	5	9.06	-	-	7.9	100	0.30
1060 775396 20	1.5	4.3	1300	38	62	5.90	1	1.1	2	0.3	6	1.3	<	8.9	3.4	6	8.67	-	-	8.0	110	0.22
1060 775397 00	1.7	4.6	1600	50	68	6.80	2	1.1	3	0.3	9	1.3	<	10.0	4.3	6	11.27	-	-	8.1	110	0.64
1060 775398 00	1.5	4.5	1800	47	71	6.50	2	0.9	2	0.2	7	1.2	<	9.0	3.9	8	11.40	-	-	8.0	96	0.28
1060 775399 00	2.7	6.4	1900	47	65	6.80	<	1.2	3	0.2	7	1.4	<	10.0	5.4	8	4.34	-	-	7.9	72	0.18
1060 775400 00	1.2	6.5	1900	37	50	5.30	1	1.2	<	<	5	0.8	<	9.4	7.2	6	13.37	-	-	7.9	76	0.28
1060 775402 00	1.4	4.8	1000	71	110	11.00	1	1.4	<	<	7	4.6	<	13.0	4.3	5	24.57	-	-	7.8	40	0.26
1060 775403 00	2.0	5.3	1100	74	120	10.80	3	1.3	2	<	7	4.7	<	12.0	3.2	11	18.90	5	15.26	8.0	38	0.20
1060 775404 00	1.9	3.3	1100	79	130	11.10	2	1.4	3	0.3	9	5.0	2	12.0	3.6	5	26.28	-	-	8.2	38	0.34
1060 775405 00	1.7	2.8	1600	120	190	16.70	4	2.1	3	0.2	9	9.2	<	12.0	3.2	<2	39.00	-	-	8.5	50	0.34
1060 775406 10	0.8	0.9	170	12	24	1.80	<	<	<	<	2	<	<	3.1	1.9	<2	35.94	-	-	7.8	38	1.30
1060 775407 20	0.7	0.9	110	11	20	1.70	<	<	<	<	2	<	<	2.8	1.6	3	19.47	-	-	7.9	38	1.50
1060 775408 00	1.2	3.0	500	32	53	4.70	<	0.8	2	<	4	0.6	1	8.7	2.7	4	28.11	-	-	7.9	34	1.30
1060 775409 00	0.8	1.0	250	13	20	1.90	<	<	<	<	2	<	<	3.2	1.5	<2	32.45	-	-	7.8	<	0.42
1060 775410 00	0.7	0.8	170	11	19	1.60	<	<	<	<	3	<	<	2.6	1.6	2	46.64	-	-	7.9	<	0.42
1060 775411 00	1.2	2.6	410	33	46	4.20	1	1.0	2	<	4	0.7	<	8.5	2.1	14	10.04	<2	7.28	7.7	24	0.68
1060 775413 00	1.4	1.8	480	16	19	2.60	<	<	<	<	3	<	<	4.5	2.7	2	31.00	-	-	7.9	24	0.68
1060 775414 00	1.4	2.4	430	27	45	4.40	<	0.8	<	<	4	0.7	1	7.8	2.7	2	23.50	-	-	8.1	48	1.20
1060 775415 00	0.9	1.4	310	15	20	2.20	<	<	<	<	2	<	<	3.3	1.9	4	32.09	-	-	7.9	20	0.44
1060 775416 00	1.2	1.0	130	11	15	1.50	<	<	<	<	2	<	<	2.6	1.5	<2	40.44	-	-	7.8	<	0.06
1060 775417 00	1.6	1.2	140	8	14	1.50	<	<	<	0.2	1	<	<	2.4	1.7	<2	36.56	-	-	7.9	<	0.06
1060 775418 00	1.6	3.2	1300	15	<28	2.90	<2	<1.0	<4	1.1	<2	<1.0	<2	2.9	3.9	<4	0.78	-	-	8.1	90	2.20
1060 775419 00	1.5	6.8	2200	24	38	4.60	<	0.6	2	0.7	2	0.6	<	6.4	5.2	5	6.23	-	-	8.1	50	1.00
1060 775420 00	0.3	0.8	180	6	14	1.20	<	<	<	<	1	<	<	1.8	2.2	<2	45.69	-	-	8.0	34	0.48
1060 775422 00	0.4	0.6	150	5	9	1.00	<	<	<	<	1	<	<	1.6	1.5	<2	43.26	-	-	7.9	30	0.34
1060 775423 00	0.8	1.4	230	8	17	1.60	<	<	<	0.3	1	<	<	2.5	3.1	<2	34.30	-	-	7.9	20	0.28
1060 775424 00	2.2	3.3	1800	17	31	3.50	<	0.6	<	0.5	2	<	<	4.6	6.1	<2	13.66	-	-	7.8	40	1.30
1060 775425 00	2.2	7.4	2400	23	39	5.20	<	0.8	2	0.7	3	0.7	2	6.2	7.2	6	16.90	-	-	7.9	110	2.60
1060 775426 00	1.9	1.5	260	7	13	1.50	<	<	<	0.2	2	<	<	2.7	2.7	<2	33.15	-	-	7.9	20	0.82
1060 775427 10	1.1	1.0	120	7	12	1.20	<	<	<	<	1	<	<	1.6	1.4	<2	13.49	-	-	7.9	<	0.42
1060 775428 20	1.1	0.9	130	7	15	1.30	<	<	<	<	<	<	<	1.7	1.5	<2	42.71	-	-	7.8	<	0.50
1060 775429 00	1.2	1.0	100	7	12	1.30	<	<	<	0.2	<	<	<	1.8	1.7	<2	39.86	-	-	7.9	<	0.24
1060 775430 00	1.2	2.1	790	15	24	3.00	<	<	<	0.3	3	1.1	<	3.3	2.6	2	14.59	-	-	7.9	<	0.06
1060 775432 00	0.8	2.1	1200	19	38	3.70	<	0.6	<	0.3	3	1.0	<	3.7	2.6	59	3.80	<2	15.17	7.8	24	0.04
1060 775433 00	1.2	2.7	1400	15	28	3.40	<	<	<	0.3	2	0.8	<	3.3	3.5	3	21.93	-	-	8.1	24	0.44
1060 775434 00	2.6	1.1	320	12	24	2.30	<	<	<	0.3	4	<	<	4.0	2.6	<2	38.59	-	-	8.1	<	0.14
1060 775435 00	1.0	1.1	220	10	21	1.90	<	<	<	0.2	2	<	<	2.9	1.8	4	37.68	-	-	ns	ns	ns
1060 775436 00	1.7	2.7	1500	36	65	8.20	2	0.8	<	0.4	7	3.2	<	8.2	4.4	10	22.92	3	16.02	8.2	<	3.30
1060 775437 00	6.3	3.0	1100	21	39	4.10	<	0.6	<	0.6	2	1.0	<	5.0	7.0	2	12.47	-	-	7.9	<	1.20

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source	
1060	775438	00	08	479337	7150154	GLCH	44	Sed/Water	2	5	-	Alluv	BnCl'dy	Slow	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775439	00	08	478979	7151119	GLCH	44	Sed/Water	15	6	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775440	00	08	483620	7151686	DLMTb	04	Sed/Water	6	6	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775442	00	08	481605	7147824	GLCH	44	Sed/Water	10	4	-	Alluv	Clear	Fast	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775443	00	08	486458	7145864	GLCH	44	Sed/Water	2	6	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775444	00	08	486351	7147467	DORT	36	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775445	00	08	488928	7148105	GLCH	44	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775446	00	08	490698	7148337	DLMTb	04	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	210	Yellow	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775447	00	08	489086	7149583	GLCH	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775448	00	08	488564	7149871	DORT	36	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775449	00	08	488689	7150549	GLCH	44	Sed/Water	15	10	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775450	00	08	487794	7153989	ARGLC	15	Sed/Water	10	8	-	Alluv	Clear	Fast	Gy-Blu	022	Yellow	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775451	00	08	488094	7154060	ARGLC	15	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	030	Yellow	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775452	00	08	490799	7158953	LMSNe	15	Sed/Water	8	5	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775453	00	08	490784	7158058	ARGLC	15	Sed/Water	5	5	-	Alluv	Clear	Modert	Gy-Blu	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775454	10	08	493829	7158529	GLCH	44	Sed/Water	8	10	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775455	20	08	493829	7158529	GLCH	44	Sed/Water	8	10	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775456	00	08	494161	7157126	GLCH	44	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775457	00	08	493854	7156629	GLCH	44	Sed/Water	3	4	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775459	00	08	495672	7155894	LMSNg	18	Sed/Water	10	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775460	00	08	494969	7151096	DLMTb	04	Sed/Water	12	3	-	Alluv	Clear	Modert	Rd-Bn	021	Yellow	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775462	00	08	493180	7151264	LMSNe	15	SedOnly	3	5	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775463	00	08	493870	7150345	DLMTb	04	Sed/Water	6	6	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775464	00	08	494962	7146089	DLMTb	04	Sed/Water	6	6	-	Alluv	Clear	Fast	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775465	00	08	494353	7146149	DLMTb	04	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	201	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775466	00	08	493632	7140264	GLCH	44	Sed/Water	4	1	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775467	00	08	495063	7141118	GLCH	44	Sed/Water	7	5	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775468	00	08	496610	7143965	LMSNe	15	Sed/Water	6	5	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775469	00	08	497433	7140756	GLCH	44	Sed/Water	3	15	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775470	00	08	503320	7137147	GLCH	44	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	030	Yellow	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775471	00	08	489713	7141433	GLCH	44	Sed/Water	5	10	-	Alluv	Clear	Fast	Gy-Blu	022	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775472	00	08	489673	7142483	GLCH	44	Sed/Water	3	6	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775473	00	08	456793	7160603	ARGLa	04	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775474	10	08	455168	7158050	ARGLa	04	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	Rd-Bn	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775475	20	08	455168	7158050	ARGLa	04	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	Rd-Bn	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775476	00	08	456622	7156425	GLCH	44	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775478	00	08	456962	7157398	GLCH	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775479	00	08	455473	7155757	GLCH	44	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775480	00	08	452735	7154245	GLCH	44	Sed/Water	8	4	-	Alluv	Clear	Modert	Rd-Bn	111	Yellow	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775483	00	08	453138	7156322	GLCH	44	Sed/Water	6	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo	
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm	
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	5	1		
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AAS	MADNC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	
1060 775438	00	184	62	83	48	24	<	1300	3	3.20	110	3.1	920	1.00	13.0	140	4.3	27	62	18.0	0.9	75	3	
1060 775439	00	275	26	37	28	7	<	480	8	1.05	90	2.7	660	0.36	4.9	76	1.7	9	27	7.8	3.1	24	10	
1060 775440	00	420	60	92	62	16	1.8	820	13	1.95	120	3.8	700	0.49	12.0	190	3.6	22	76	17.0	4.8	38	16	
1060 775442	00	295	54	80	45	14	0.6	970	5	2.30	120	2.9	660	0.58	12.0	150	3.4	20	50	14.0	3.7	45	7	
1060 775443	00	270	48	60	31	10	<	665	4	2.15	230	3.2	880	0.78	10.0	86	3.4	15	27	21.0	2.0	49	7	
1060 775444	00	265	44	105	28	13	<	800	<	2.65	110	3.3	640	0.85	12.0	120	3.9	19	32	13.0	4.1	91	<	
1060 775445	00	180	22	34	35	14	<	425	2	1.90	120	2.0	420	0.80	11.0	160	3.6	22	37	5.3	3.2	40	2	
1060 775446	00	152	54	20	29	28	0.2	3750	<	4.35	130	3.1	440	0.34	8.7	100	5.1	30	23	18.0	<	90	7	
1060 775447	00	146	22	26	39	12	<	465	3	1.45	50	1.6	400	0.67	7.9	150	3.2	17	48	5.0	1.8	13	2	
1060 775448	00	245	38	89	31	12	<	680	2	2.10	70	2.9	520	0.72	12.0	130	3.7	18	34	14.0	4.1	83	<	
1060 775449	00	245	30	105	44	14	<	750	3	1.90	50	2.0	580	0.73	14.0	200	4.7	27	80	8.8	2.9	31	1	
1060 775450	00	180	40	32	75	22	<	640	5	2.90	50	2.3	660	1.10	19.0	340	5.8	32	140	5.5	3.4	19	5	
1060 775451	00	200	36	82	73	22	<	550	3	2.35	20	1.4	360	1.20	17.0	350	5.7	37	120	3.1	1.8	19	<	
1060 775452	00	114	12	30	10	4	<	385	3	0.95	20	1.5	240	0.40	5.7	71	2.3	8	17	4.5	3.7	20	2	
1060 775453	00	200	12	57	11	6	<	525	2	1.20	20	1.3	300	0.47	6.8	76	3.4	10	26	6.5	4.4	30	1	
1060 775454	10	160	10	26	11	5	<	320	2	0.90	20	1.2	200	0.44	7.1	92	2.6	8	<	2.2	<	11	4	
1060 775455	20	146	12	22	10	5	<	295	3	0.95	20	1.1	140	0.44	7.5	80	3.0	8	21	2.1	0.8	19	3	
1060 775456	00	680	10	190	9	3	<	295	2	1.35	30	1.8	480	0.38	4.5	49	2.7	8	<	5.7	10.0	28	2	
1060 775457	00	285	10	105	9	3	<	225	3	0.80	20	1.2	400	0.42	6.4	71	2.3	6	<	2.5	2.1	22	1	
1060 775459	00	172	14	51	10	2	<	175	4	0.75	30	2.0	320	0.21	2.4	<	1.0	<	15	6.5	5.9	25	5	
1060 775460	00	110	36	27	31	15	<	800	3	1.75	60	2.3	440	0.43	10.0	120	3.5	19	38	7.5	5.3	60	2	
1060 775462	00	182	34	21	65	22	<	655	4	2.95	70	2.5	480	1.20	14.0	230	5.1	29	72	5.5	3.3	26	4	
1060 775463	00	132	46	26	42	20	0.2	610	<	2.60	80	2.3	640	0.58	15.0	190	5.1	28	63	8.4	10.0	77	<	
1060 775464	00	98	32	15	34	20	0.2	920	<	2.95	70	3.7	620	0.52	13.0	160	4.7	22	32	8.3	6.2	82	4	
1060 775465	00	80	44	15	34	23	<	1550	<	3.70	40	3.3	760	0.50	12.0	150	4.9	25	28	15.0	<	100	4	
1060 775466	00	68	22	9	24	14	<	910	2	2.15	30	3.0	520	0.64	11.0	140	6.0	<	25	10.0	<	13.0	95	30
1060 775467	00	80	20	12	24	11	<	640	2	1.70	50	2.5	720	0.86	12.0	190	5.3	16	31	6.3	3.8	54	<	
1060 775468	00	106	26	13	51	24	<	790	2	3.20	60	3.2	620	0.91	16.0	250	6.3	24	39	8.6	3.9	59	3	
1060 775469	00	104	20	12	28	14	0.2	705	2	1.95	50	2.5	700	1.10	13.0	180	5.1	18	<	6.7	2.5	47	<	
1060 775470	00	122	22	22	15	8	<	555	2	1.40	80	2.4	640	0.58	8.2	59	3.0	11	23	7.8	6.9	63	<	
1060 775471	00	82	16	9	17	9	<	810	<	1.90	50	2.8	620	0.90	10.0	110	3.1	14	34	9.1	2.1	61	2	
1060 775472	00	108	14	15	16	9	<	490	<	1.65	50	2.5	800	1.20	11.0	100	3.5	12	34	7.9	2.2	59	<	
1060 775473	00	78	26	11	14	13	<	730	<	2.40	70	3.3	660	0.79	10.0	110	3.3	15	34	12.0	3.0	73	4	
1060 775474	10	92	72	36	26	26	<	1550	<	3.85	40	3.8	500	0.66	14.0	120	5.9	37	63	15.0	3.2	95	3	
1060 775475	20	90	66	32	25	25	<	1500	<	3.75	40	4.3	520	0.82	15.0	<	4.9	<	100	11.0	<	120.0	160	230
1060 775476	00	170	30	45	20	18	<	2550	<	3.20	70	2.9	540	0.42	10.0	120	4.4	22	23	13.0	9.4	130	<	
1060 775478	00	290	38	210	20	15	0.2	1300	2	2.30	70	2.8	500	0.38	8.2	83	3.5	17	32	14.0	4.4	72	1	
1060 775479	00	92	28	19	18	12	<	710	2	2.40	40	3.8	560	0.79	14.0	140	4.0	20	<	8.0	2.2	83	<	
1060 775480	00	80	24	21	16	12	<	1000	<	1.85	60	2.8	560	0.50	9.4	80	3.6	15	35	12.0	4.1	80	<	
1060 775483	00	136	60	42	25	21	<	1350	3	3.20	40	3.4	460	0.51	12.0	110	4.5	23	48	16.0	3.8	58	6	

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060	775438	00	2.9	3.9	1100	30	65	6.20	2.90	2.90	7	1.2	1	10.0	3.7	7	13.44	-	-	7.6	<	0.04
1060	775439	00	2.0	2.2	700	16	27	2.90	4.60	4.60	2	0.8	2	3.2	3.1	17	6.26	<2	16.51	8.1	<	1.30
1060	775440	00	4.1	1.8	780	22	42	4.60	5.00	5.00	3	1.5	2	4.0	4.4	<2	15.42	-	-	8.1	<	1.10
1060	775442	00	2.6	2.3	700	25	45	5.00	5.80	5.80	4	1.3	1	5.8	3.6	28	6.56	<2	14.66	8.1	<	0.60
1060	775443	00	4.8	2.2	980	28	67	5.80	7.20	7.20	5	1.3	1	10.0	3.9	3	15.79	-	-	8.0	34	0.84
1060	775444	00	2.2	3.2	720	38	72	7.20	6.20	6.20	7	1.2	2	11.0	4.0	7	21.61	-	-	7.1	20	0.18
1060	775445	00	1.1	2.8	470	30	71	6.20	7.30	7.30	5	2.0	2	6.9	2.8	4	19.99	-	-	8.1	30	0.04
1060	775446	00	2.3	4.6	380	39	91	7.30	4.20	4.20	6	0.9	2	13.0	3.3	5	2.17	-	-	7.9	<	0.02
1060	775447	00	1.0	1.4	670	18	39	4.20	1.0	1.0	2	1.5	2	3.5	2.2	<2	23.01	-	-	8.1	<	1.00
1060	775448	00	2.5	3.1	670	34	69	7.30	1.0	1.0	6	1.7	2	10.0	4.2	6	30.75	-	-	7.9	20	0.74
1060	775449	00	1.6	1.8	680	38	72	6.90	1.0	1.0	3	2.7	2	5.3	2.7	4	21.86	-	-	7.9	<	0.74
1060	775450	00	1.1	1.9	750	48	89	8.70	2.0	2.0	6	3.6	2	5.3	2.8	<2	31.20	-	-	8.0	<	0.34
1060	775451	00	0.9	1.2	510	36	74	7.20	2.0	2.0	4	3.8	2	4.4	1.8	<2	35.68	-	-	8.1	<	0.52
1060	775452	00	0.5	1.8	280	16	30	3.20	3.20	3.20	2	1.1	1	3.7	1.9	<2	21.38	-	-	7.9	<	0.02
1060	775453	00	0.6	1.9	320	20	38	3.90	0.5	0.5	2	1.5	2	4.1	1.9	4	25.19	-	-	7.9	<	0.02
1060	775454	10	0.3	0.9	200	19	44	3.50	2	2	2	1.5	2	3.0	1.4	5	4.02	-	-	8.0	<	0.04
1060	775455	20	0.3	0.8	200	21	48	3.90	1	1	2	1.4	2	3.1	1.4	3	6.59	-	-	8.0	<	0.32
1060	775456	00	0.5	2.3	530	13	25	2.30	0.5	0.5	2	0.6	2	3.6	2.0	<2	23.88	-	-	8.2	<	0.44
1060	775457	00	0.3	1.2	450	18	35	3.40	0.3	0.3	2	1.4	2	3.4	1.7	<2	19.84	-	-	8.2	38	0.26
1060	775459	00	0.9	2.1	320	8	14	1.70	0.3	0.3	2	1.8	2	3.0	3.1	3	6.57	-	-	8.2	34	0.80
1060	775460	00	1.3	4.7	460	29	63	6.30	0.8	0.8	6	1.8	2	7.6	2.8	<2	16.43	-	-	8.1	26	0.20
1060	775462	00	1.5	1.5	580	33	60	6.60	2	2	5	2.6	2	5.5	3.0	<2	10.62	-	-	ns	ns	ns
1060	775463	00	1.1	6.5	690	36	77	7.50	2	2	5	2.1	2	9.1	3.4	<2	17.10	-	-	8.4	30	0.24
1060	775464	00	1.1	4.9	650	46	100	9.20	1.3	1.3	7	2.4	2	12.0	4.5	<2	4.16	-	-	8.1	36	0.14
1060	775465	00	2.4	5.2	680	44	91	7.80	1	1	7	1.8	2	14.0	3.7	<2	3.27	-	-	7.9	36	0.08
1060	775466	00	1.8	3.2	470	54	90	8.60	<5	<5	9	4.2	<5	11.0	2.9	<10	0.48	-	-	8.1	36	0.50
1060	775467	00	1.2	3.1	690	43	89	8.10	0.9	0.9	8	2.9	2	9.3	3.2	<2	9.27	-	-	8.2	38	0.24
1060	775468	00	1.1	4.4	570	52	110	10.20	2	2	8	3.6	2	10.0	3.4	<2	4.03	-	-	8.1	36	0.08
1060	775469	00	1.2	2.2	790	45	86	9.20	1	1	8	3.3	2	9.2	3.3	<2	34.12	-	-	8.2	34	0.88
1060	775470	00	1.7	3.2	800	26	53	5.70	0.9	0.9	5	1.4	1	7.5	3.3	5	32.02	-	-	8.4	68	0.80
1060	775471	00	1.4	3.1	760	39	79	8.10	1	1	10	2.2	2	11.0	4.1	<2	19.92	-	-	8.3	46	0.92
1060	775472	00	1.3	2.3	1000	35	81	7.30	1	1	9	1.9	2	10.0	3.6	4	19.33	-	-	8.1	38	0.64
1060	775473	00	1.2	5.0	770	29	73	5.40	0.3	0.3	9	1.1	2	10.0	4.3	65	4.02	3	14.54	7.4	26	0.06
1060	775474	10	2.0	6.5	600	48	120	9.20	2	2	9	1.0	2	14.0	5.3	9	4.15	-	-	7.4	26	0.02
1060	775475	20	3.1	<5.0	<500	42	<290	11.00	<10	<10	<10	<5.0	<10	11.0	<4.4	<45	0.07	-	-	7.5	30	0.02
1060	775476	00	2.4	5.8	620	35	67	6.20	0.8	0.8	7	1.1	1	12.0	4.0	2	13.34	-	-	7.6	30	0.10
1060	775478	00	2.2	4.0	470	32	62	5.50	1	1	6	1.0	2	10.0	3.5	<2	7.21	-	-	8.2	56	0.38
1060	775479	00	1.5	5.9	700	44	98	9.30	1.2	1.2	12	1.2	2	13.0	4.9	7	31.86	-	-	8.1	36	0.42
1060	775480	00	2.4	7.0	630	35	76	7.40	1	1	9	1.1	2	10.0	4.0	12	29.82	3	17.30	8.2	30	0.26
1060	775483	00	2.1	3.3	490	38	82	7.10	0.8	0.8	9	1.0	2	11.0	4.1	11	2.96	6	11.74	7.7	26	0.24

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
106D	775484	00	08	460017	7166117	ARGLa 04	Sed/Water	2	2	-	Alluv	BnTrans	Slow	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775485	00	08	456127	7164077	ARGLa 04	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775486	00	08	458906	7168435	ARGLa 04	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Ground
106D	775487	00	08	457315	7166409	GLCM 44	Sed/Water	10	3	-	Alluv	Clear	Modert	Gy-Blu	021	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Ground
106D	775488	00	08	454517	7164707	ARGLa 04	Sed/Water	3	4	-	Alluv	Clear	Modert	Gy-Blu	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775489	00	08	453882	7164730	ARGLa 04	Sed/Water	12	8	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775490	00	08	455960	7167428	ARGLa 04	SedOnly	4	10	-	Alluv	BnTrans	Stagnt	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775491	00	08	454248	7171821	GLCM 44	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775492	00	08	455431	7173054	ARGLa 04	Sed/Water	5	5	-	Alluv	Clear	Fast	Gy-Blu	022	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775493	00	08	455889	7175753	ARGLa 04	Sed/Water	4	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775494	00	08	457486	7175098	GLCM 44	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775495	00	08	458132	7176893	ARGLa 04	Sed/Water	4	4	-	Alluv	Clear	Modert	Gy-Blu	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775496	00	08	458935	7176276	ARGLa 04	Sed/Water	6	6	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775497	10	08	461140	7176704	ARGLa 04	Sed/Water	6	6	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775498	20	08	461140	7176704	ARGLa 04	Sed/Water	6	6	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775499	00	08	462642	7177620	ARGLa 04	Sed/Water	15	3	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775500	00	08	469550	7176632	GLCM 44	Sed/Water	20	3	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775502	00	08	469189	7176282	GLCM 44	Sed/Water	15	3	-	Alluv	Clear	Fast	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775503	00	08	469704	7175149	GLCM 44	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775504	00	08	471403	7173456	ARGLa 04	SedOnly	2	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775505	00	08	473308	7169594	ARGLa 04	Sed/Water	15	4	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775506	00	08	469995	7169781	ARGLa 04	Sed/Water	6	4	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775507	00	08	468016	7171459	ARGLa 04	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775508	00	08	469982	7168199	GLCM 44	Sed/Water	2	3	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775509	10	08	467892	7167089	GLCM 44	Sed/Water	2	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775510	20	08	467892	7167089	GLCM 44	Sed/Water	2	3	-	Alluv	Clear	Modert	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775511	00	08	464993	7167714	GLCM 44	Sed/Water	20	4	-	Alluv	Clear	Fast	Gy-Blu	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775512	00	08	463599	7170609	GLCM 44	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775513	00	08	463416	7170313	GLCM 44	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775514	00	08	505278	7173035	GLCM 44	Sed/Water	30	6	-	Alluv	Clear	Fast	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775515	00	08	503105	7173032	GLCM 44	Sed/Water	15	8	-	Alluv	Clear	Fast	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775516	00	08	503840	7170669	GLCM 44	Sed/Water	15	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775517	00	08	504242	7170777	GLCM 44	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775518	00	08	506595	7167841	LMSNe 15	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775519	00	08	504314	7168952	ARGLa 04	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775522	00	08	503887	7168896	LMSNe 15	Sed/Water	15	4	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775523	00	08	501950	7169677	GLCM 44	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775524	00	08	501492	7169690	GLCM 44	Sed/Water	8	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
106D	775525	00	08	500711	7173509	GLCM 44	Sed/Water	12	6	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
106D	775526	00	08	463479	7164193	ARGLa 04	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Rb	Mo		
Variable:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm		
Units:																								
Detection Limit:	2	2	2	2	2	2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	5	1		
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL		AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA		
1060	775484	00	42	13	58	14	<	415	5	1.25	80	4	940	0.85	10.0	89	3.0	20	92	12.0	1.2	66	4	
1060	775485	00	56	46	17	14	<	390	<	1.70	20	<	800	0.77	10.0	95	3.6	18	<	13.0	0.9	98	2	
1060	775486	00	220	84	53	23	20	<	2.85	30	3.8	<	560	0.46	10.0	90	4.9	25	<	39.0	1.0	92	3	
1060	775487	00	132	52	26	21	15	0.2	3.20	40	4.2	<	720	0.75	13.0	130	4.8	22	42	25.0	5.3	110	<	
1060	775488	00	92	50	18	12	<	540	2	2.50	40	3.6	<	900	0.85	11.0	120	3.6	14	37	17.0	10.0	95	1
1060	775489	00	68	38	14	18	15	<	2.40	30	3.5	<	620	0.92	12.0	110	4.0	21	34	14.0	1.3	82	<	
1060	775490	00	124	64	25	17	<	865	2	3.10	30	4	740	0.87	11.0	140	3.9	18	53	16.0	3.2	97	2	
1060	775491	00	78	42	15	16	14	0.4	2.40	40	3.9	<	840	0.90	11.0	120	3.3	19	37	14.0	3.2	89	<	
1060	775492	00	72	32	15	15	10	<	1.85	30	4.1	<	800	1.00	9.4	87	2.7	13	<	10.0	1.8	68	<	
1060	775493	00	54	58	7	20	14	<	2.90	20	5.8	6	640	0.53	10.0	120	3.2	17	35	12.0	3.9	140	<	
1060	775494	00	52	42	9	15	14	<	2.35	20	4.6	4	700	0.84	11.0	110	3.4	17	30	15.0	4.5	130	<	
1060	775495	00	54	116	9	25	19	0.2	3.30	30	6.0	4	660	0.87	12.0	160	4.6	22	38	19.0	6.3	120	<	
1060	775496	00	42	54	6	14	15	0.2	2.55	20	4.8	6	600	0.59	11.0	99	3.6	18	<	18.0	8.6	160	2	
1060	775497	10	48	64	10	21	17	<	3.20	10	5.5	<	720	0.81	13.0	150	4.5	21	28	18.0	0.9	160	<	
1060	775498	20	44	64	9	22	18	<	3.25	10	5.3	4	720	0.79	13.0	140	4.4	20	<	18.0	1.6	170	<	
1060	775499	00	66	44	31	16	14	<	3.15	10	4.1	<	520	0.60	12.0	130	4.4	16	22	23.0	5.3	130	<	
1060	775500	00	102	22	29	15	7	<	1.20	30	2.2	<	240	0.21	3.9	48	1.7	9	<	10.0	1.7	20	7	
1060	775502	00	76	64	23	21	17	<	3.55	30	4.2	4	460	0.43	11.0	120	4.2	19	33	16.0	8.7	130	3	
1060	775503	00	118	72	53	25	19	<	3.50	50	5.0	4	640	0.49	12.0	74	4.1	18	38	12.0	12.0	130	10	
1060	775504	00	225	92	145	31	53	<	5.85	50	3.4	4	440	0.29	9.3	85	7.1	53	56	30.0	4.4	94	<	
1060	775505	00	196	34	46	29	10	<	1.50	50	2.7	<	520	0.63	7.0	60	2.2	13	29	10.0	5.6	32	8	
1060	775506	00	92	48	22	25	17	<	3.35	40	4.4	<	680	0.77	13.0	120	3.7	21	<	12.0	2.8	82	9	
1060	775507	00	106	74	41	27	22	0.2	3.40	30	5.6	4	660	0.90	14.0	62	3.8	29	41	17.0	10.0	75	3	
1060	775508	00	126	26	15	20	7	<	1.20	ns	2.8	<	ns	0.54	6.0	<100	2.3	<25	<50	6.5	<40.0	28	100	
1060	775509	10	164	28	20	25	6	<	1.20	50	2.6	<	560	0.71	7.4	79	2.1	<	24	9.4	2.2	33	11	
1060	775510	20	150	26	21	21	6	<	1.20	30	2.5	<	500	0.66	7.3	63	2.3	14	17	9.4	1.5	33	10	
1060	775511	00	64	36	10	19	10	0.3	2.25	30	4.3	<	740	1.10	13.0	76	3.2	15	25	11.0	5.9	63	4	
1060	775512	00	56	58	10	20	15	<	2.90	30	5.4	<	680	0.81	13.0	77	3.3	22	28	13.0	8.9	100	4	
1060	775513	00	92	66	18	18	18	0.2	2.90	30	4.8	<	700	0.69	12.0	94	3.4	21	<	15.0	10.0	75	6	
1060	775514	00	32	30	21	6	6	<	1.00	ns	1.8	4	ns	0.79	8.8	<1100	<4.6	<100	<290	<22.0	<360.0	<180	960	
1060	775515	00	46	14	37	2	<	<	0.35	10	1.3	<	120	0.21	1.8	<	0.7	<	<	5.9	3.9	14	3	
1060	775516	00	46	34	37	8	8	0.2	1.15	60	2.7	<	5800	0.20	4.7	38	3.5	13	<	15.0	4.2	40	4	
1060	775517	00	50	32	37	7	8	<	1.15	50	2.6	<	5300	0.20	4.6	44	2.9	16	<	14.0	3.6	44	5	
1060	775518	00	80	16	39	10	4	<	0.80	30	2.3	<	300	0.29	4.9	25	1.7	8	<	9.0	4.2	41	3	
1060	775519	00	48	24	21	9	5	<	0.80	20	1.3	<	160	0.29	3.0	<	1.3	9	<	10.0	3.2	7	4	
1060	775522	00	56	16	26	9	<	<	0.60	20	1.3	<	200	0.29	3.1	30	1.2	6	12	12.0	6.6	11	3	
1060	775523	00	ns	ns	ns	ns	ns	ns	ns	ns	5.8	<	3700	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
1060	775524	00	100	44	85	19	9	<	0.80	50	2.1	<	280	0.22	3.6	<	1.4	13	18	25.0	6.1	23	5	
1060	775525	00	42	14	39	3	<	<	0.40	20	1.1	<	140	0.19	1.6	<	0.6	<	<	6.7	4.2	11	3	
1060	775526	00	78	58	19	21	19	<	2.30	30	3.0	<	580	0.51	9.4	53	3.4	22	23	11.0	1.5	59	9	



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 775484	00	2.4	3.4	1100	32	55	6.20	2	1.0	3	0.8	6	1.0	9.3	7.4	<2	32.13	-	-	7.6	34	0.90
1060 775485	00	1.4	4.8	880	49	100	8.50	<	0.9	3	0.7	10	1.6	16.0	4.7	<2	8.83	-	-	7.5	26	0.10
1060 775486	00	2.6	4.1	550	46	92	7.70	1	0.9	2	0.5	7	1.4	14.0	4.7	5	5.05	-	-	7.6	26	0.10
1060 775487	00	1.9	5.6	890	52	110	9.10	<	1.0	3	0.9	9	1.9	17.0	5.9	16	21.26	3	16.69	7.6	38	0.08
1060 775488	00	1.2	4.9	960	41	87	7.10	1	1.1	3	0.7	9	1.3	12.0	4.5	<2	10.88	-	-	7.1	60	0.02
1060 775489	00	1.2	4.0	870	41	88	7.70	<	1.0	3	0.8	10	1.4	13.0	5.1	<2	31.18	-	-	7.4	76	0.02
1060 775490	00	1.6	4.6	870	47	110	8.50	2	1.0	3	0.9	9	1.6	14.0	4.6	5	12.25	-	-	ns	ns	ns
1060 775491	00	1.2	5.0	1000	38	81	7.20	<	1.0	3	0.9	10	1.4	14.0	4.9	<2	30.80	-	-	7.2	38	0.02
1060 775492	00	0.9	3.9	1000	31	70	6.00	1	0.9	2	0.8	8	1.4	12.0	5.4	5	13.23	-	-	7.2	26	0.08
1060 775493	00	2.1	7.3	680	68	150	12.80	2	1.3	3	0.8	12	3.4	25.7	7.1	5	11.27	-	-	7.3	38	0.08
1060 775494	00	1.1	5.9	890	47	100	8.80	1	1.1	3	0.8	9	2.3	21.0	6.4	<2	19.31	-	-	7.0	24	0.02
1060 775495	00	1.8	6.3	850	46	98	8.40	2	1.2	4	0.9	10	1.8	19.0	6.2	12	17.80	-	-	7.0	<	0.02
1060 775496	00	1.9	6.2	700	67	140	10.60	2	1.3	4	1.0	9	4.0	25.1	7.4	<2	6.70	-	-	7.0	<	0.02
1060 775497	10	3.3	7.5	820	72	160	11.80	2	1.1	5	1.0	10	4.0	25.8	6.8	<2	16.26	-	-	7.2	<	0.02
1060 775498	20	3.2	6.6	890	67	150	11.00	2	1.3	4	0.9	10	3.6	25.2	6.8	<2	11.78	-	-	7.3	<	0.02
1060 775499	00	2.6	6.4	620	56	130	10.00	1	1.1	4	0.9	10	2.9	19.0	5.8	<2	26.46	-	-	7.5	<	0.06
1060 775500	00	1.6	1.6	290	17	41	2.70	<	0.3	<	0.3	2	0.6	3.3	2.3	<2	4.93	-	-	8.2	<	0.46
1060 775502	00	2.4	7.4	550	73	160	11.60	2	1.0	3	0.8	7	2.3	18.0	4.6	5	5.19	-	-	7.7	20	0.06
1060 775503	00	1.4	13.0	660	32	75	6.10	<	0.7	3	0.8	5	1.3	16.0	5.4	<4	1.43	-	-	7.4	<	0.02
1060 775504	00	1.9	5.1	440	33	85	7.40	<	1.1	2	0.6	6	1.3	12.0	4.0	6	4.48	-	-	ns	ns	ns
1060 775505	00	1.8	2.0	590	27	40	4.10	<	0.7	<	<	3	1.5	5.4	2.9	<2	16.99	-	-	7.8	<	0.74
1060 775506	00	1.2	3.9	630	78	130	10.00	2	1.2	3	<	6	1.5	15.0	4.3	<2	3.38	-	-	7.4	<	0.06
1060 775507	00	1.5	5.8	670	57	80	7.70	<	1.2	2	<	7	1.1	15.0	5.8	<2	13.04	-	-	7.3	<	0.02
1060 775508	00	1.4	<2.5	380	23	<110	2.90	<5	<2.5	<10	<1.0	<5	3.3	3.3	2.4	<10	0.16	-	-	8.1	<	1.70
1060 775509	10	2.1	1.8	560	28	40	3.80	<	0.7	<	<	3	1.3	5.8	3.3	<2	16.25	-	-	8.1	<	1.20
1060 775510	20	2.0	1.5	580	30	51	4.20	1	0.6	2	<	4	1.7	5.5	3.1	<2	23.37	-	-	8.1	<	0.94
1060 775511	00	1.3	3.1	770	60	100	7.90	2	1.0	3	<	10	1.5	14.0	4.6	22	18.99	3	17.52	7.4	<	0.06
1060 775512	00	1.8	4.9	680	70	110	8.90	2	1.5	4	<	9	2.2	18.0	5.7	<2	7.72	-	-	7.2	24	0.06
1060 775513	00	1.3	4.3	560	62	95	7.80	3	1.3	3	<	7	1.6	16.0	4.6	<2	3.73	-	-	7.2	20	0.06
1060 775514	00	3.1	<14.0	3400	37	<1300	11.00	<	<5.0	<44	<10.0	<39	8.3	<15.0	<12.0	190	0.02	-	-	8.1	24	1.30
1060 775515	00	2.7	0.9	110	9	14	1.20	<	<	<	<	<	<	1.9	1.8	8	27.71	-	-	8.1	20	0.80
1060 775516	00	3.4	1.4	11800	29	40	3.90	<	0.6	<	<	2	<	6.9	3.3	13	32.34	<2	15.73	8.1	<	1.70
1060 775517	00	2.9	1.7	9150	26	42	3.20	<	<	<	<	2	0.5	5.9	3.2	4	26.42	-	-	8.1	20	1.70
1060 775518	00	1.8	2.4	330	23	37	3.10	1	<	<	<	2	<	7.1	2.9	<2	31.58	-	-	8.0	24	1.10
1060 775519	00	1.5	1.4	200	15	27	2.20	<	<	<	<	1	0.5	2.4	1.7	3	21.54	-	-	8.0	<	1.60
1060 775522	00	2.7	1.5	170	12	14	1.80	<	<	<	<	1	<	2.1	1.9	3	33.36	-	-	8.1	24	1.40
1060 775523	00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	8.0	26	3.20
1060 775524	00	4.7	1.6	240	20	25	2.50	<	<	<	<	1	<	3.7	2.0	<2	12.99	-	-	8.0	34	0.62
1060 775525	00	3.9	0.9	120	7	12	1.00	<	<	<	<	<	<	1.7	1.6	<2	38.59	-	-	8.2	<	0.42
1060 775526	00	1.3	3.7	490	45	60	5.90	<	0.8	<	0.2	5	1.2	10.0	2.4	<2	2.56	-	-	7.7	<	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
1060	775527	00	08	466456	7164806	LMShe	15	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775528	00	08	476250	7171510	GLCM	44	Sed/Water	3	2	-	Alluv	Clear	Slow	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775529	10	08	476437	7169785	ARGLa	04	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775530	20	08	476437	7169785	ARGLa	04	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775531	00	08	478343	7171679	LMShe	15	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775532	00	08	478223	7170213	GLCM	44	Sed/Water	2	1	-	Alluv	Clear	Slow	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775533	00	08	480129	7165601	LMShe	15	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775534	00	08	479706	7165811	LMShe	15	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775535	00	08	479475	7169475	GLCM	44	Sed/Water	25	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775536	00	08	481039	7170682	GLCM	44	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775537	00	08	483975	7169961	GLCM	44	Sed/Water	10	3	-	Alluv	Clear	Modert	Black	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775538	00	08	483731	7168663	GLCM	44	Sed/Water	4	2	-	Alluv	Clear	Modert	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775540	00	08	487441	7165991	LMSnd	12	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Ground
1060	775542	00	08	486779	7168175	LMShe	15	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775543	00	08	488272	7165495	GLCM	44	Sed/Water	2	5	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775544	00	08	481533	7158392	GLCM	44	Sed/Water	12	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775545	00	08	481241	7158022	GLCM	44	Sed/Water	5	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775546	00	08	479825	7159188	ARGLC	15	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775547	00	08	479678	7160684	GLCM	44	Sed/Water	10	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775548	00	08	478226	7161603	GLCM	44	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775549	00	08	477212	7160209	GLCM	44	Sed/Water	6	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775550	10	08	475491	7161819	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775551	20	08	475491	7161819	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775552	00	08	474491	7160526	GLCM	44	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775553	00	08	472418	7160795	DLHTb	04	Sed/Water	8	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775554	00	08	471929	7162302	LMSHg	18	Sed/Water	2	1	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775555	00	08	468531	7161220	GLCM	44	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775556	00	08	468318	7162132	GLCM	44	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775557	00	08	467335	7160731	GLCM	44	Sed/Water	1	3	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775559	00	08	465366	7161513	ARGLa	04	Sed/Water	1	3	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775560	00	08	474018	7175193	DLHTb	04	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775562	00	08	475046	7176288	ARGLC	15	Sed/Water	1	2	-	Alluv	Clear	Slow	Black	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775563	00	08	477101	7179102	GLCM	44	Sed/Water	2	3	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775565	00	08	480146	7177693	GLCM	44	Sed/Water	5	4	-	Alluv	Whcl'dy	Modert	Yellow	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775566	00	08	481345	7177997	GLCM	44	Sed/Water	2	2	-	Alluv	Bncl'dy	Slow	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775567	10	08	479954	7176832	GLCM	44	Sed/Water	4	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775568	20	08	479954	7176832	GLCM	44	Sed/Water	4	2	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'gMelt
1060	775569	00	08	482682	7175460	GLCM	44	Sed/Water	3	2	-	Alluv	Clear	Modert	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775570	00	08	483406	7177367	GLCM	44	Sed/Water	5	3	-	Alluv	Clear	Modert	Yellow	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt
1060	775571	00	08	484549	7176160	LMSnf	17	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AAS-AAS	MADNC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 775527	00	50	14	8	7	2	<	295	5	0.70	20	1.7	<	300	0.44	4.5	34	6	<	5.5	3.1	16	3
1060 775528	00	320	38	31	49	15	<	650	13	2.30	70	3.3	<	580	0.76	9.1	35	23	40	11.0	2.9	31	12
1060 775529	10	94	28	25	13	10	0.3	1100	7	1.15	30	1.5	<	260	0.28	4.0	33	1.7	15	<	4.1	21	7
1060 775530	20	92	28	24	12	9	0.2	1050	7	1.05	30	1.7	<	300	0.33	4.6	47	1.8	13	17	19.0	5.7	13
1060 775531	00	188	22	12	28	13	<	560	5	1.85	30	2.3	<	600	0.95	11.0	69	3.5	19	28	6.0	3.3	24
1060 775532	00	154	12	31	7	3	<	520	6	0.75	20	1.3	<	180	0.29	3.1	22	1.3	6	14	16.0	3.5	<
1060 775533	00	260	32	19	63	25	<	1300	6	4.35	50	3.8	<	740	1.90	18.0	150	7.0	41	80	13.0	42	7
1060 775534	00	280	42	73	50	23	0.3	820	16	4.50	70	4.3	4	1400	1.70	16.0	140	6.3	30	56	8.2	5.9	19
1060 775535	00	245	32	31	57	19	0.2	745	6	3.35	70	3.0	<	800	1.20	12.0	100	4.5	25	66	9.0	8.1	23
1060 775536	00	208	12	76	6	<	<	240	6	0.50	ns	1.3	ns	<	1.00	24.0	<1300	<5.6	<140	<500	<27.0	<430.0	<240
1060 775537	00	430	30	12	83	8	<	505	5	1.40	150	3.9	<	2000	0.55	7.9	50	2.2	11	69	9.1	13.0	45
1060 775538	00	64	20	14	35	10	0.3	330	4	1.20	10	1.1	<	300	0.68	9.2	92	2.6	16	46	3.5	1.9	18
1060 775540	00	100	16	11	18	8	<	290	2	1.30	30	2.1	<	480	0.68	8.3	66	2.9	13	25	5.6	4.7	33
1060 775542	00	42	12	<	13	3	<	110	4	0.50	20	3.0	<	420	0.16	2.6	23	0.7	5	11	5.4	2.1	15
1060 775543	00	420	20	73	31	8	<	400	3	1.60	80	3.4	<	1300	0.59	10.0	100	2.7	11	17	11.0	16.0	55
1060 775544	00	122	16	20	29	9	0.5	330	3	1.10	40	2.2	<	440	0.65	8.1	76	2.1	15	20	3.9	3.8	14
1060 775545	00	370	34	9	82	22	<	845	6	3.50	90	3.7	<	760	1.00	15.0	150	4.7	28	80	9.0	4.6	23
1060 775546	00	645	56	24	70	14	1.0	460	18	2.20	160	12.8	<	940	0.57	10.0	85	2.9	15	60	19.0	18.0	43
1060 775547	00	36	10	13	4	2	<	110	4	0.40	10	1.3	<	200	0.20	1.8	<	0.5	<	<	4.1	2.8	10
1060 775548	00	40	12	9	8	3	<	135	6	0.60	20	1.8	<	240	0.34	3.7	26	1.1	<	<	6.4	3.3	20
1060 775549	00	590	42	31	59	13	0.4	530	16	1.95	130	4.7	<	1000	0.83	10.0	100	3.2	20	61	16.0	8.0	37
1060 775550	10	54	12	17	9	4	<	210	4	0.70	30	1.5	<	300	0.45	4.2	31	1.1	<	<	4.5	2.8	17
1060 775551	20	58	12	18	10	4	<	220	3	0.75	20	2.1	<	500	0.52	4.9	44	1.2	8	<	6.0	4.1	24
1060 775552	00	280	26	28	26	8	<	675	7	1.25	60	2.9	<	600	0.52	7.6	72	2.5	12	25	13.0	8.4	31
1060 775553	00	235	22	54	15	6	<	870	5	1.10	40	2.6	<	340	0.36	5.8	39	2.2	13	<	17.0	6.5	28
1060 775554	00	116	12	28	9	4	<	165	6	0.60	30	2.8	<	180	0.28	3.3	<	0.9	6	<	10.0	6.4	21
1060 775555	00	138	38	53	20	10	<	1350	3	1.75	50	2.6	<	420	0.35	8.9	55	3.1	14	24	16.0	7.2	52
1060 775556	00	88	18	13	19	8	<	275	3	1.25	30	3.3	<	720	1.00	9.2	58	2.2	14	29	9.5	4.9	42
1060 775557	00	230	46	210	30	20	0.4	785	2	3.00	60	3.2	<	500	0.34	11.0	61	3.7	24	33	15.0	5.2	76
1060 775559	00	76	80	43	25	20	0.2	2050	<	3.85	90	3.9	<	820	0.77	14.0	94	5.3	29	<	16.0	14.0	66
1060 775560	00	112	24	23	23	9	<	845	5	1.30	50	2.2	<	500	0.44	6.0	53	2.2	13	<	8.6	2.4	23
1060 775562	00	445	42	22	47	8	0.2	375	21	1.25	160	5.3	<	1200	0.48	6.3	49	2.2	8	45	17.0	1.4	34
1060 775563	00	300	22	4	56	5	<	300	10	0.75	120	10.3	<	1800	0.29	5.2	<100	<1.0	<25	<50	5.8	<48.0	42
1060 775565	00	2000	128	5	440	58	<	830	26	4.20	130	35.8	<	2550	0.65	10.0	53	4.9	76	420	17.0	1.9	42
1060 775566	00	1400	78	4	260	42	<	1050	21	2.90	140	32.2	<	2300	0.43	7.8	78	4.8	55	270	24.0	3.4	44
1060 775567	10	158	20	11	31	13	<	480	5	1.95	60	2.3	<	500	0.93	10.0	64	3.9	18	31	5.0	1.5	16
1060 775568	20	164	18	10	32	13	<	475	5	1.95	40	2.4	<	600	1.00	11.0	59	3.9	19	33	5.3	1.9	20
1060 775569	00	225	16	35	41	3	0.2	140	15	0.60	60	3.4	<	540	0.17	3.0	<	0.8	<	34	7.3	2.1	17
1060 775570	00	50	42	<	12	<	<	30	20	2.20	60	23.6	<	160	0.13	3.2	<	2.7	<	12	2.3	4.3	<
1060 775571	00	1440	92	9	290	59	<	1000	34	3.35	150	17.8	4	3000	0.30	11.0	94	4.4	78	320	26.0	2.9	63

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060	0.6	0.8	330	16	25	2.60	<	<	<	<	3	0.5	<	4.0	1.9	5	33.88	-	-	7.9	<	0.16
1060	2.5	1.5	520	33	52	5.10	<	1.2	<	<	5	2.3	<	4.8	3.2	5	10.01	-	-	8.3	<	1.70
1060	1.7	1.3	310	15	22	2.40	<	<	<	<	2	0.7	<	3.3	2.0	<2	15.88	-	-	8.2	<	0.12
1060	1.9	1.5	320	16	26	2.60	<	<	<	<	2	0.6	1	3.7	2.2	<2	31.28	-	-	8.2	<	0.14
1060	0.9	1.2	590	46	73	6.80	2	0.9	2	<	5	3.1	<	5.5	2.7	4	15.22	-	-	7.5	<	1.60
1060	1.9	0.6	180	12	23	1.80	<	<	<	<	2	<	<	2.3	1.8	6	41.50	-	-	8.1	20	0.22
1060	1.4	2.1	730	64	95	8.90	2	1.4	3	<	6	4.6	2	9.1	4.5	7	18.12	-	-	8.1	<	0.54
1060	2.3	1.6	1200	66	99	9.40	2	1.6	<	<	6	5.0	<	7.7	4.8	<2	14.79	-	-	8.2	<	1.30
1060	1.5	1.7	660	46	74	6.50	2	0.8	2	<	4	3.4	<	6.0	2.9	<2	9.54	-	-	8.1	26	1.00
1060	<2.4	<16.0	<2400	42	<1500	11.00	<37	<10.0	<53	<12.0	<47	<5.0	<32	<18.0	<15.0	<200	0.02	-	-	8.4	34	0.42
1060	1.7	2.3	1400	32	50	3.80	<	0.7	<	<	4	0.8	<	5.8	4.1	9	2.69	-	-	8.3	34	1.90
1060	0.3	1.2	270	32	45	4.80	1	0.7	<	<	3	2.2	<	3.8	1.2	5	41.36	-	-	8.2	50	0.08
1060	0.5	1.6	540	27	34	4.70	1	<	<	<	4	2.4	<	5.5	2.4	5	28.57	-	-	7.7	40	0.82
1060	0.5	1.3	380	9	11	1.20	<	<	<	<	1	<	<	2.3	3.7	<2	34.01	-	-	7.9	38	0.70
1060	1.2	3.0	960	29	34	3.80	<	0.8	<	<	4	1.1	<	6.4	3.9	18	11.88	<2	14.90	8.1	30	0.96
1060	0.7	0.8	380	28	45	3.90	1	<	<	<	3	1.6	<	3.4	2.5	4	16.95	-	-	8.2	50	1.10
1060	2.0	1.8	670	44	54	6.20	1	1.1	2	<	4	3.2	<	5.8	4.1	<2	7.28	-	-	8.1	34	2.20
1060	5.7	3.4	680	28	37	3.20	1	0.8	3	<	3	1.5	<	6.1	14.0	<2	7.59	-	-	8.0	26	1.80
1060	0.3	0.8	95	6	9	0.92	<	<	<	<	<	<	<	1.6	1.8	<2	39.01	-	-	8.2	30	0.60
1060	0.5	1.6	270	10	17	1.70	<	<	<	<	2	<	<	3.0	2.5	<2	31.63	-	-	8.0	26	0.46
1060	4.5	3.2	800	31	42	4.40	<	0.6	<	<	4	1.9	<	5.5	5.7	<2	11.84	-	-	8.1	26	2.60
1060	0.6	1.1	390	14	22	2.30	<	<	<	<	2	0.5	<	3.4	1.9	<2	42.18	-	-	8.2	24	0.26
1060	0.7	1.3	510	19	34	3.40	<	0.6	<	<	4	0.7	<	5.6	2.7	5	41.54	-	-	8.0	20	0.26
1060	2.2	2.0	570	24	28	3.50	<	0.6	<	<	3	1.0	<	5.1	3.7	<2	16.04	-	-	8.2	40	1.60
1060	1.7	2.0	380	19	29	2.80	<	<	<	<	3	<	<	4.8	3.9	4	30.89	-	-	8.4	50	1.10
1060	0.8	3.3	260	10	17	1.30	<	<	<	<	1	<	<	2.9	3.7	<2	35.92	-	-	8.1	46	1.10
1060	2.3	2.5	360	35	56	5.00	1	0.7	3	<	6	0.8	2	9.0	3.3	5	23.85	-	-	8.1	60	0.72
1060	1.1	1.9	670	30	44	4.40	1	0.7	3	<	7	0.9	<	7.4	3.7	<2	18.36	-	-	ns	ns	ns
1060	1.8	4.3	390	39	67	5.30	1	0.9	3	<	6	0.8	1	11.0	3.8	11	16.53	<2	15.69	7.8	68	0.24
1060	1.4	5.5	840	45	68	7.10	1	1.5	3	0.2	7	1.1	2	12.0	4.1	5	20.22	-	-	7.3	76	0.02
1060	1.7	1.2	410	23	33	3.30	<	0.5	<	<	2	1.4	<	4.1	2.4	16	14.68	<2	7.00	8.1	42	1.40
1060	7.5	2.1	1200	34	49	5.00	1	0.6	<	<	2	2.1	<	5.0	6.6	<2	26.26	-	-	8.2	96	12.80
1060	1.6	<2.5	1200	15	<140	2.10	<5	<2.5	<10	<1.0	<5	<2.5	<5	<1.0	8.3	<10	0.13	-	-	7.9	86	18.50
1060	4.1	2.8	2100	35	35	3.70	2	1.9	6	<	4	0.6	<	6.2	39.6	<2	10.53	-	-	6.5	200	0.68
1060	3.1	2.5	2200	35	44	2.70	<	1.4	4	<	4	0.6	<	5.5	35.2	4	17.18	-	-	7.8	110	37.80
1060	1.4	1.0	460	46	68	6.70	2	1.0	<	<	4	3.2	<	4.9	2.5	5	12.19	-	-	8.1	80	3.30
1060	1.7	1.3	560	55	72	7.70	2	1.2	2	0.2	4	3.4	1	5.4	3.0	<2	25.74	-	-	8.2	66	2.70
1060	2.3	1.0	520	20	19	1.80	<	<	<	<	1	<	<	2.6	4.0	15	17.23	3	6.62	7.9	66	1.70
1060	1.1	<	75	3	<14	<0.74	<	0.8	2	<	<	<	<	0.6	23.7	<2	2.17	-	-	4.4	140	2.30
1060	6.3	3.4	2600	49	55	5.00	2	1.4	4	<	3	0.7	<	6.4	21.8	6	16.21	-	-	7.5	120	2.70

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
1060	775572	00	08	484706	7174931	GLCM	44	Sed/Water	2	8	-	Alluv	Clear	Slow	Black	030	-	-	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	775573	00	08	485761	7173815	GLCM	44	Sed/Water	10	3	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	775574	00	08	489471	7171150	LMSnf	17	Sed/Water	10	4	-	Alluv	Clear	Moder	Black	030	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775575	00	08	488308	7173011	LMSnf	17	Sed/Water	10	4	-	Alluv	Clear	Fast	Black	300	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775576	00	08	488901	7175816	LMSnf	17	Sed/Water	3	2	-	Alluv	Clear	Moder	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775577	00	08	488473	7176421	LMSnf	17	Sed/Water	15	6	-	Alluv	Clear	Fast	Black	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775578	00	08	489251	7178162	LMSnf	17	Sed/Water	15	4	-	Alluv	WhCl'dy	Fast	Rd-Bn	120	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775579	00	08	488763	7178195	LMSnd	12	Sed/Water	3	2	-	Alluv	WhCl'dy	Moder	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775580	00	08	489434	7174658	GLCM	44	Sed/Water	5	3	-	Alluv	Clear	Moder	Black	030	-	-	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	775582	00	08	490536	7175574	GLCM	44	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775583	00	08	490986	7176621	LMSnf	17	Sed/Water	2	1	-	Alluv	Clear	Slow	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775584	00	08	493703	7175739	LMSne	15	Sed/Water	3	3	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	775585	00	08	493737	7175128	LMSne	15	Sed/Water	10	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775586	00	08	493706	7168679	GLCM	44	Sed/Water	2	8	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775587	00	08	497006	7165417	LMSnd	12	Sed/Water	3	2	-	Alluv	Clear	Moder	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	775588	00	08	496056	7165235	LMSnd	12	Sed/Water	2	3	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	775589	00	08	500209	7165092	GLCM	44	Sed/Water	4	2	-	Alluv	Clear	Moder	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775590	00	08	498595	7163593	LMSne	15	Sed/Water	2	2	-	Alluv	BnTrans	Slow	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	775591	00	08	499085	7163585	GLCM	44	Sed/Water	12	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775592	00	08	492669	7165945	GLCM	44	Sed/Water	5	4	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775593	00	08	491201	7166648	LMSne	15	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	775594	00	08	488090	7162969	GLCM	44	Sed/Water	6	2	-	Alluv	Clear	Moder	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	775595	00	08	487894	7162641	GLCM	44	Sed/Water	20	3	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	779002	00	08	464780	7113530	ALVM	*	Sed/Water	3	5	-	*	*	Fast	Rd-Bn	021	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779005	00	08	475720	7117780	QZCS	*	Sed/Water	10	15	-	*	*	Fast	Rd-Bn	120	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779006	00	08	479530	7122850	GRNS	*	Sed/Water	4	6	-	*	*	Fast	Rd-Bn	220	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779009	00	08	487890	7115860	UKNXX	*	Sed/Water	2	5	-	*	*	Moder	Rd-Bn	120	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779010	00	08	488140	7115020	ALVM	*	Sed/Water	3	3	-	*	*	Moder	Rd-Bn	030	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779014	00	08	460800	7117900	GPSC	*	Sed/Water	2	2	-	*	*	Slow	Rd-Bn	120	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779017	00	08	472850	7121880	LMSNX	*	Sed/Water	3	5	-	*	*	Moder	Gy-Blu	220	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779019	00	08	493600	7120820	ALVM	*	Sed/Water	3	10	-	*	*	Moder	Rd-Bn	121	-	*	Moun/Y	Dendrc	Intermit	Pri/ary	Sp/gMelt
1060	779025	00	08	493330	7117830	ALVM	*	Sed/Water	3	20	-	*	*	Moder	Gy-Blu	111	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779027	00	08	457180	7121440	ALVM	*	Sed/Water	2	3	-	*	*	Moder	Gy-Blu	111	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779032	00	08	458650	7120000	ALVM	*	Sed/Water	3	20	-	*	*	Fast	Gy-Blu	111	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779037	00	08	454220	7113550	ALVM	*	Sed/Water	3	2	-	*	*	Moder	Gy-Blu	121	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779040	00	08	452020	7111050	ALVM	*	Sed/Water	30	30	-	*	*	Moder	Gy-Blu	121	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779043	00	08	460650	7113000	ALVM	*	Sed/Water	20	20	-	*	*	Fast	Gy-Blu	120	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779044	00	08	453620	7116120	QRTZX	*	Sed/Water	2	2	-	*	*	Slow	Gy-Blu	111	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779045	00	08	456950	7112700	QRTZX	*	Sed/Water	1	3	-	*	*	Moder	Gy-Blu	220	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt
1060	779046	00	08	455880	7110600	QRTZX	*	Sed/Water	3	1	-	*	*	Moder	Gy-Blu	121	-	*	Moun/Y	Dendrc	Intermit	Sec/ary	Sp/gMelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	GCM	ISE	LIF
1060 775572 00	4.3	3.4	1400	32	44	3.50	<	0.6	<	<	3	0.5	<	5.0	5.8	9	9.86	-	-	8.0	96	5.40
1060 775573 00	4.9	3.0	1100	33	39	4.00	<	0.7	<	<	2	0.7	<	5.8	4.9	<2	17.05	-	-	8.2	76	4.00
1060 775574 00	5.6	2.3	780	33	25	3.40	<	0.5	<	<	1	<	<	3.6	8.5	3	28.85	-	-	8.4	72	5.00
1060 775575 00	3.5	2.3	1000	35	43	3.00	<	0.7	<	<	3	<	<	5.3	18.0	5	22.67	-	-	8.2	66	8.40
1060 775576 00	4.7	1.9	820	31	26	2.90	<	0.6	<	<	2	<	<	2.7	8.7	3	21.58	-	-	8.4	56	4.10
1060 775577 00	4.8	2.2	1500	37	38	3.40	<	0.8	<	<	1	<	<	3.9	11.0	<2	12.94	-	-	8.3	80	4.60
1060 775578 00	6.3	2.7	1900	41	45	5.80	2	1.7	5	<	2	0.6	1	5.2	26.8	5	24.28	-	-	8.1	120	4.00
1060 775579 00	6.7	2.8	2500	46	51	6.80	2	1.9	5	<	3	0.8	<	5.5	27.2	6	27.09	-	-	5.3	120	2.70
1060 775580 00	5.6	1.8	380	32	39	2.50	<	<	<	<	2	<	<	3.5	11.0	<2	28.92	-	-	8.1	80	3.00
1060 775582 00	1.8	0.7	130	9	12	0.93	<	<	<	<	<	<	<	1.1	2.6	23	20.48	<2	16.61	8.0	50	1.20
1060 775583 00	2.5	0.8	650	18	28	1.90	<	<	<	<	<	<	<	1.8	3.5	5	4.49	-	-	8.3	46	1.60
1060 775584 00	1.1	1.1	180	7	8	0.92	<	<	<	<	<	<	<	1.6	2.6	<2	30.41	-	-	7.9	36	0.22
1060 775585 00	4.9	2.0	330	16	17	2.20	<	<	<	<	<	<	<	3.3	3.1	<2	27.13	-	-	8.3	42	0.58
1060 775586 00	4.9	2.1	650	29	43	4.50	<	0.8	<	<	4	0.8	<	6.3	4.2	3	29.20	-	-	8.0	42	0.76
1060 775587 00	3.2	3.8	460	19	37	2.60	<	0.7	<	<	2	0.5	<	4.6	6.2	<2	25.76	-	-	8.2	56	1.10
1060 775588 00	1.2	1.2	210	9	12	1.30	<	<	<	<	1	<	<	1.9	1.6	<2	16.24	-	-	8.1	36	0.38
1060 775589 00	1.5	1.0	110	8	17	1.00	<	<	<	<	<	<	<	1.6	1.4	3	4.02	-	-	8.0	38	0.34
1060 775590 00	2.1	1.4	270	8	<	1.10	<	<	<	<	<	<	<	1.9	2.3	<2	20.00	-	-	7.4	72	5.00
1060 775591 00	1.9	1.1	220	7	10	1.00	<	<	<	<	<	<	<	1.3	1.8	<2	31.43	-	-	8.1	68	2.20
1060 775592 00	3.3	2.3	720	23	32	3.00	<	0.6	<	<	3	<	<	4.4	3.5	4	14.73	-	-	8.2	46	0.90
1060 775593 00	2.7	1.8	750	31	28	3.30	<	0.5	<	<	3	<	<	4.3	3.9	11	5.39	4	15.32	8.2	38	0.42
1060 775594 00	0.4	1.1	220	12	24	1.70	<	<	<	<	2	0.7	<	2.1	1.4	7	2.53	-	-	8.2	36	0.36
1060 775595 00	<0.5	<2.5	<250	20	<120	2.60	<5	<2.5	<10	<1.0	<5	2.7	6	4.7	<1.0	<10	0.13	-	-	8.3	26	0.44
1060 779002 00	0.7	5.9	1000	61	96	9.10	1	1.2	2	<	9	1.5	1	20.0	5.4	<2	19.13	-	-	7.8	ns	ns
1060 779005 00	0.8	2.3	1000	38	66	5.90	<	0.8	2	<	6	1.4	1	9.0	3.2	3	27.01	-	-	7.4	ns	ns
1060 779006 00	1.6	5.0	1700	48	84	7.70	1	1.3	5	0.5	14	1.5	1	14.0	5.5	7	32.86	-	-	7.7	ns	ns
1060 779009 00	1.4	4.4	1500	55	90	7.80	<	0.9	3	0.2	8	1.2	1	12.0	3.6	10	22.24	-	-	8.2	ns	ns
1060 779010 00	1.6	2.8	1400	50	82	7.30	1	1.1	3	0.2	7	1.3	1	11.0	3.2	4	23.37	-	-	8.0	ns	ns
1060 779014 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	ns	ns	ns
1060 779017 00	1.0	5.2	1000	80	140	10.80	1	1.3	3	<	9	1.6	2	22.0	4.9	6	26.87	-	-	7.4	ns	ns
1060 779019 00	1.0	3.8	620	59	100	7.80	1	1.1	2	<	8	1.6	2	13.0	3.7	<2	6.31	-	-	7.2	ns	ns
1060 779025 00	0.9	2.4	570	62	97	7.50	<	1.0	2	<	7	1.2	2	13.0	2.9	3	4.32	-	-	6.0	ns	ns
1060 779027 00	1.7	5.6	7820	39	66	5.70	2	1.0	3	<	6	0.8	2	9.2	6.1	6	11.00	-	-	5.5	ns	ns
1060 779032 00	1.7	5.0	7300	47	73	7.10	1	1.2	3	0.2	7	0.8	1	10.0	5.1	5	18.74	-	-	5.5	ns	ns
1060 779037 00	0.7	3.5	930	62	100	9.10	1	1.2	2	<	8	1.6	1	19.0	4.0	<2	26.21	-	-	6.0	ns	ns
1060 779040 00	2.2	4.0	1100	54	89	8.70	1	1.3	3	<	9	1.5	2	16.0	5.0	6	30.09	-	-	6.5	ns	ns
1060 779043 00	1.2	3.9	1300	71	110	10.00	2	1.4	4	0.2	17	1.8	2	17.0	6.4	11	34.83	-	-	6.5	ns	ns
1060 779044 00	1.1	3.6	960	61	100	9.00	1	1.3	3	0.4	12	1.4	1	16.0	4.4	4	35.62	-	-	5.5	ns	ns
1060 779045 00	1.0	4.0	1200	67	110	9.30	2	1.4	3	0.4	11	1.6	<	15.0	4.2	6	30.42	-	-	5.5	ns	ns
1060 779046 00	0.9	2.6	750	56	96	7.60	2	1.0	3	0.2	9	1.6	1	16.0	3.9	<2	35.06	-	-	5.5	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
1060	779049	00	08	456250	7101250	ALVM	* Sed/Water	2	2	*	*	Modert	Modert	Gy-Blu	121	-	*	*	*	*	*	*
1060	779054	00	08	456290	7108100	QRTZX	* Sed/Water	10	1	*	*	Fast	Fast	Gy-Blu	021	-	*	*	*	*	*	*
1060	779057	00	08	452820	7104350	QRTZX	* Sed/Water	3	3	*	*	Modert	Modert	Gy-Blu	111	-	*	*	*	*	*	*
1060	779059	00	08	453520	7106320	ALVM	* Sed/Water	1	4	*	*	Modert	Modert	Gy-Blu	121	-	*	*	*	*	*	*
1060	779063	00	08	452640	7109090	ALVM	* Sed/Water	2	2	*	*	Modert	Modert	Gy-Blu	111	-	*	*	*	*	*	*
1060	779064	00	08	456300	7105600	ALVM	* Sed/Water	1	1	*	*	Fast	Fast	Gy-Blu	120	-	*	*	*	*	*	*
1060	779065	00	08	458100	7103000	ALVM	* Sed/Water	5	6	*	*	Modert	Modert	Gy-Blu	120	-	*	*	*	*	*	*
1060	779066	00	08	455200	7103700	ALVM	* Sed/Water	3	3	*	*	Fast	Fast	Rd-Bn	021	-	*	*	*	*	*	*
1060	779068	00	08	452200	7099390	ALVM	* Sed/Water	3	3	*	*	Fast	Fast	Rd-Bn	121	-	*	*	*	*	*	*
1060	779069	00	08	451750	7098300	ALVM	* Sed/Water	5	3	*	*	Fast	Fast	Rd-Bn	121	-	*	*	*	*	*	*
1060	779074	00	08	463300	7101350	GRNT	* Sed/Water	2	2	*	*	Modert	Modert	Rd-Bn	111	-	*	*	*	*	*	*
1060	779075	00	08	462350	7101740	GRNT	* Sed/Water	3	2	*	*	Fast	Fast	Gy-Blu	111	-	*	*	*	*	*	*
1060	779076	00	08	503900	7097510	ALVM	* Sed/Water	30	15	*	*	Modert	Modert	Gy-Blu	021	-	*	*	*	*	*	*
1060	779077	00	08	484100	7099800	ALVM	* Sed/Water	1	1	*	*	Modert	Modert	Gy-Blu	031	-	*	*	*	*	*	*
1060	779082	00	08	475150	7106450	ALVM	* Sed/Water	3	10	*	*	Modert	Modert	*	030	-	*	*	*	*	*	*
1060	779085	00	08	470020	7102010	ALVM	* Sed/Water	1	5	*	*	Modert	Modert	Rd-Bn	021	-	*	*	*	*	*	*
1060	779086	00	08	472250	7114850	ALVM	* Sed/Water	1	1	*	*	Modert	Modert	Gy-Blu	030	-	*	*	*	*	*	*
1060	779088	00	08	468350	7112050	ALVM	* Sed/Water	3	2	*	*	Modert	Modert	Rd-Bn	021	-	*	*	*	*	*	*
1060	779090	00	08	481340	7119100	ALVM	* Sed/Water	5	6	*	*	Modert	Modert	*	021	-	*	*	*	*	*	*
1060	779091	00	08	479400	7119890	ALVM	* Sed/Water	4	4	*	*	Modert	Modert	Rd-Bn	121	-	*	*	*	*	*	*
1060	779096	00	08	477290	7120700	ALVM	* Sed/Water	3	3	*	*	Slow	Slow	Rd-Bn	*	-	*	*	*	*	*	*
1060	779097	00	08	475840	7124420	ALVM	* Sed/Water	3	3	*	*	Modert	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779100	00	08	476070	7122870	ALVM	* Sed/Water	5	5	*	*	Modert	Modert	Gy-Blu	022	-	*	*	*	*	*	*
1060	779102	00	08	464110	7120790	ALVM	* Sed/Water	1	6	*	*	Modert	Modert	Gy-Blu	021	-	*	*	*	*	*	*
1060	779103	00	08	488430	7119860	ALVM	* Sed/Water	4	10	*	*	Fast	Fast	Rd-Bn	112	-	*	*	*	*	*	*
1060	779107	00	08	484580	7124470	PLLT	* Sed/Water	5	7	*	*	Fast	Fast	Rd-Bn	220	-	*	*	*	*	*	*
1060	779108	00	08	482680	7122990	GPSC	* Sed/Water	5	15	*	*	Stagnt	Stagnt	*	022	-	*	*	*	*	*	*
1060	779110	00	08	496150	7106600	PLLT	* Sed/Water	7	10	*	*	Fast	Fast	Rd-Bn	210	-	*	*	*	*	*	*
1060	779112	00	08	510090	7117250	ALVM	* Sed/Water	4	10	*	*	Fast	Fast	Rd-Bn	121	-	*	*	*	*	*	*
1060	779113	00	08	511100	7115520	ALVM	* Sed/Water	4	1	*	*	Slow	Slow	Rd-Bn	*	-	*	*	*	*	*	*
1060	779114	00	08	497810	7119390	ALVM	* Sed/Water	4	5	*	*	Modert	Modert	Rd-Bn	120	-	*	*	*	*	*	*
1060	779116	00	08	512830	7111820	ALVM	* Sed/Water	1	1	*	*	Fast	Fast	Rd-Bn	121	-	*	*	*	*	*	*
1060	779117	00	08	511650	7113990	ALVM	* Sed/Water	4	10	*	*	Modert	Modert	Rd-Bn	111	-	*	*	*	*	*	*
1060	779119	00	08	513780	7104500	GPSC	* Sed/Water	8	3	*	*	Modert	Modert	Rd-Bn	121	-	*	*	*	*	*	*
1060	779123	00	08	516260	7112000	ALVM	* Sed/Water	6	5	*	*	Fast	Fast	Rd-Bn	022	-	*	*	*	*	*	*
1060	779124	00	08	514400	7115700	QZGS	* Sed/Water	17	15	*	*	Fast	Fast	Rd-Bn	120	-	*	*	*	*	*	*
1060	779125	00	08	517190	7117890	ALVM	* Sed/Water	4	5	*	*	Fast	Fast	Rd-Bn	121	-	*	*	*	*	*	*
1060	779127	00	08	529500	7101000	ALVM	* Sed/Water	4	3	*	*	Fast	Fast	Rd-Bn	111	-	*	*	*	*	*	*
1060	779130	00	08	531950	7100700	ALVM	* Sed/Water	10	20	*	*	Fast	Fast	Rd-Bn	021	-	*	*	*	*	*	*
1060	779131	00	08	533050	7098970	ALVM	* Sed/Water	*	1	*	*	Slow	Slow	Rd-Bn	022	-	*	*	*	*	*	*



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Analytical Data

Variable: Units: Detection Limit: Analytical Method:	Zn ppm	Cu ppm	Pb ppm	Ni ppm	Co ppm	Ag ppm	Mn ppm	Mo ppm	Fe pct	Hg ppb	U ppm	W ppm	Ba ppm	Na pct	Sc ppm	Cr ppm	Fe pct	Co ppm	Ni ppm	As ppm	Br ppm	Rb ppm	Mo ppm																							
																								AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	INA	INA	INA	INA	INA
																								112	30	36	24	14	<	440	<	740	0.58	12.0	75	2.9	15	27	45.0	4.4	84	3				
1060 779049	00	112	30	36	24	14	<	440	<	740	0.58	12.0	75	2.9	15	27	45.0	4.4	84	3																										
1060 779054	00	70	26	16	20	10	<	220	<	740	0.70	12.0	61	4.4	61	12	6.5	4.0	82	4																										
1060 779057	00	216	50	22	70	60	<	1920	<	680	0.57	12.0	79	3.5	75	67	29.0	6.9	70	2																										
1060 779059	00	70	20	12	18	14	<	420	<	1120	1.10	16.0	180	4.2	21	<	10.0	0.8	47	4																										
1060 779063	00	66	26	14	20	12	<	200	<	700	0.49	14.0	120	2.8	14	<	12.0	1.3	110	3																										
1060 779064	00	26	6	6	6	2	<	60	<	660	0.73	9.0	85	4.2	5	<	5.4	1.7	45	<																										
1060 779065	00	150	20	20	30	20	<	1860	<	840	0.81	10.0	70	3.6	32	39	30.0	3.6	69	3																										
1060 779066	00	196	18	38	32	18	<	1920	<	800	0.84	11.0	80	4.0	27	31	37.0	4.6	48	3																										
1060 779068	00	154	20	30	26	20	<	1060	<	740	0.81	12.0	90	3.2	34	42	88.5	3.2	63	3																										
1060 779069	00	146	26	120	28	18	<	860	<	660	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns																								
1060 779074	00	106	14	16	16	12	<	980	<	960	1.00	9.2	34	2.2	17	<	576.0	12.0	54	6																										
1060 779075	00	104	12	16	14	12	<	740	<	880	1.10	11.0	110	2.4	15	26	639.0	13.0	52	4																										
1060 779076	00	ns	ns	ns	ns	ns	ns	ns	ns	ns	0.58	11.0	64	3.2	20	31	11.0	0.9	41	3																										
1060 779077	00	139	72	11	30	13	<	440	<	1260	0.58	13.0	55	3.0	18	31	29.0	1.8	60	3																										
1060 779082	00	91	20	7	18	7	<	830	<	920	1.00	10.0	80	2.4	10	<	17.0	2.1	49	3																										
1060 779085	00	420	58	6	80	42	<	820	<	860	0.87	10.0	71	7.4	67	92	17.0	2.5	43	9																										
1060 779086	00	80	36	10	24	10	<	860	<	1200	0.91	10.0	68	2.6	13	37	7.4	3.4	43	2																										
1060 779088	00	104	28	16	24	12	<	2400	<	1160	0.68	11.0	65	2.9	15	32	9.3	5.1	77	2																										
1060 779090	00	170	46	16	42	12	<	420	<	1800	0.73	15.0	100	3.6	17	39	14.0	9.1	66	4																										
1060 779091	00	228	48	20	42	6	<	480	<	2480	0.42	15.0	85	3.3	15	37	14.0	10.0	93	9																										
1060 779096	00	136	24	6	26	8	<	360	<	1160	0.94	12.0	84	2.8	19	30	5.8	4.3	54	3																										
1060 779097	00	224	30	12	48	16	<	620	<	2720	0.58	15.0	120	3.9	25	33	13.0	6.0	76	5																										
1060 779100	00	76	36	16	31	9	0.4	830	2	2160	0.45	11.0	86	1.3	13	32	5.1	4.3	48	8																										
1060 779102	00	ns	ns	ns	ns	ns	ns	ns	ns	ns	0.24	10.0	72	2.3	10	81	16.0	4.5	88	16																										
1060 779103	00	260	59	16	40	17	<	610	<	2000	0.68	16.0	110	4.0	20	46	21.0	2.6	97	5																										
1060 779107	00	270	210	24	71	23	0.4	930	2	9999	0.75	20.9	170	4.6	32	65	28.0	6.7	110	5																										
1060 779108	00	152	46	16	40	11	0.2	280	<	1480	0.39	15.0	120	3.7	14	42	23.0	5.3	72	3																										
1060 779110	00	185	71	31	19	41	0.8	960	4	1060	0.35	13.0	77	9.3	62	<	31.0	9.4	77	7																										
1060 779112	00	104	36	19	26	10	<	620	<	880	0.74	13.0	100	3.5	20	27	17.0	4.6	64	4																										
1060 779113	00	105	35	26	31	14	<	890	<	1000	0.62	10.0	79	2.8	19	37	13.0	2.6	45	3																										
1060 779114	00	62	35	20	21	10	<	630	<	800	0.78	13.0	89	3.4	22	34	13.0	2.7	68	3																										
1060 779116	00	100	32	19	27	11	<	550	<	660	0.64	12.0	75	3.5	21	37	20.0	6.2	62	2																										
1060 779117	00	64	24	11	19	9	<	510	<	600	0.55	10.0	65	3.0	16	14	11.0	1.6	46	3																										
1060 779119	00	153	42	7	33	15	<	370	<	1100	1.10	16.0	100	3.8	32	41	33.0	4.0	63	3																										
1060 779123	00	260	72	10	64	22	<	420	<	1040	0.83	17.0	100	4.4	38	79	25.0	5.3	67	4																										
1060 779124	00	66	35	14	22	10	<	570	<	600	0.50	8.0	55	3.1	18	21	17.0	<	31	3																										
1060 779125	00	76	26	10	20	8	<	520	<	540	0.55	15.0	140	4.3	22	<	15.0	1.9	67	5																										
1060 779127	00	223	45	13	31	8	<	430	<	1700	0.77	14.0	79	3.6	17	41	16.0	1.6	52	4																										
1060 779130	00	103	25	9	20	5	<	320	<	1160	0.84	12.0	80	2.7	13	18	9.1	2.3	46	3																										
1060 779131	00	220	44	9	29	7	0.2	500	2	1940	0.69	13.0	76	2.9	13	25	13.0	3.3	56	6																										

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 779049 00	9.2	3.9	700	59	92	7.90	1	1.1	3	<	8	1.3	2	16.0	5.5	7	25.37	-	-	5.5	ns	ns
1060 779054 00	1.7	4.0	660	59	89	7.50	<	1.1	3	<	9	1.6	2	16.0	4.6	<2	10.61	-	-	6.0	ns	ns
1060 779057 00	7.3	4.1	660	48	79	8.00	2	1.3	4	0.3	9	1.2	1	12.0	6.0	9	27.31	-	-	5.5	ns	ns
1060 779059 00	2.2	2.5	1200	130	220	18.30	3	2.4	9	0.8	45	2.2	5	28.2	10.0	36	35.84	-	-	3.5	ns	ns
1060 779063 00	1.7	5.3	720	120	200	16.70	3	1.9	4	0.4	15	1.6	2	25.0	5.7	<2	18.17	-	-	6.0	ns	ns
1060 779064 00	1.5	2.5	610	58	94	9.10	<	1.4	3	0.3	21	1.3	3	15.0	5.9	21	35.14	-	-	5.0	ns	ns
1060 779065 00	3.8	3.9	910	48	80	8.00	2	1.0	3	<	9	1.4	1	14.0	5.0	9	29.50	-	-	6.0	ns	ns
1060 779066 00	2.3	2.7	870	44	69	6.70	<	1.2	3	0.3	9	1.2	1	11.0	3.8	4	19.12	-	-	5.5	ns	ns
1060 779068 00	9.3	3.2	730	85	140	12.50	2	1.8	6	0.6	23	1.6	2	20.0	7.0	6	30.38	-	-	5.5	ns	ns
1060 779069 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	5.5	ns	ns
1060 779074 00	2.4	2.5	660	40	63	4.40	2	0.9	3	<	7	1.4	129	13.0	19.0	299	7.75	-	-	5.5	ns	ns
1060 779075 00	4.4	3.8	740	47	69	5.50	1	1.1	4	<	10	1.5	175	18.0	20.9	17	16.45	-	-	5.5	ns	ns
1060 779076 00	1.0	2.6	750	57	91	8.80	2	1.1	3	0.3	8	1.5	<	14.0	3.6	6	40.64	-	-	5.5	ns	ns
1060 779077 00	1.8	4.0	1300	29	47	4.70	<	0.8	3	0.3	4	0.9	<	8.3	3.5	8	21.14	-	-	5.9	ns	ns
1060 779082 00	1.5	2.0	910	43	72	6.60	<	1.0	3	0.3	9	0.9	<	9.2	3.6	5	20.13	-	-	ns	ns	ns
1060 779085 00	1.7	2.9	880	31	49	5.10	<	0.9	2	0.3	7	0.9	2	7.6	3.6	6	26.74	-	-	5.5	ns	ns
1060 779086 00	1.2	2.2	1300	38	69	6.10	1	0.9	3	0.3	5	1.2	1	9.1	3.1	4	35.28	-	-	5.5	ns	ns
1060 779088 00	1.1	5.1	1100	41	69	6.10	<	0.8	<	<	6	1.2	<	13.0	3.5	<2	16.65	-	-	5.5	ns	ns
1060 779090 00	1.3	5.7	2000	46	73	7.50	1	1.2	3	0.3	9	1.4	2	13.0	5.1	6	20.69	-	-	5.3	ns	ns
1060 779091 00	3.1	7.3	2300	60	100	8.50	2	1.2	3	0.2	8	1.4	2	16.0	6.1	<2	7.02	-	-	5.5	ns	ns
1060 779096 00	0.8	3.3	1200	40	72	5.90	2	1.0	3	0.3	8	1.0	<	10.0	4.7	5	24.79	-	-	ns	ns	ns
1060 779097 00	1.4	6.0	2900	43	70	6.30	2	1.1	3	0.3	6	1.2	<	11.0	4.6	6	19.58	-	-	5.5	ns	ns
1060 779100 00	0.7	4.2	1800	29	47	4.00	<	<	<	<	4	0.8	<	7.2	3.6	6	2.50	-	-	5.5	ns	ns
1060 779102 00	6.2	4.7	5040	58	84	6.40	2	1.0	3	<	6	1.1	2	11.0	6.5	5	14.68	-	-	5.5	ns	ns
1060 779103 00	3.4	7.3	1900	51	78	7.00	1	1.0	3	<	7	1.3	2	12.0	4.8	7	5.51	-	-	ns	ns	ns
1060 779107 00	3.9	14.0	4800	45	80	7.70	2	1.2	4	0.4	5	1.1	2	12.0	5.4	23	24.50	-	-	5.0	ns	ns
1060 779108 00	2.0	7.2	1800	50	77	8.70	1	1.5	3	0.3	12	1.5	<	14.0	5.7	7	27.71	-	-	5.5	ns	ns
1060 779110 00	4.1	8.6	1200	35	57	6.90	1	1.1	2	<	4	1.0	2	11.0	5.7	6	12.96	-	-	5.3	ns	ns
1060 779112 00	1.4	3.6	800	63	110	9.20	2	1.1	3	0.4	6	1.3	2	14.0	3.7	6	32.49	-	-	5.0	ns	ns
1060 779113 00	2.1	2.8	1000	30	51	5.20	<	1.0	3	0.3	5	0.8	1	7.6	3.2	4	36.48	-	-	5.0	ns	ns
1060 779114 00	1.2	3.8	650	62	100	8.60	2	1.4	4	0.3	7	1.1	2	16.0	4.1	<2	35.06	-	-	5.5	ns	ns
1060 779116 00	0.8	3.1	650	47	77	6.60	1	0.9	3	0.3	5	1.1	1	13.0	3.1	<2	26.47	-	-	5.5	ns	ns
1060 779117 00	0.9	2.3	510	77	130	10.00	3	1.2	2	0.3	6	1.4	<	20.4	3.0	<2	16.79	-	-	5.5	ns	ns
1060 779119 00	1.4	4.2	1200	55	83	8.40	<	1.3	4	0.5	13	1.5	2	13.0	5.6	9	35.33	-	-	5.0	ns	ns
1060 779123 00	1.6	4.4	1100	58	97	9.10	2	1.5	4	0.5	7	1.3	<	13.0	4.7	5	33.91	-	-	5.0	ns	ns
1060 779124 00	1.1	1.3	460	77	150	10.60	2	1.3	3	0.3	7	1.2	<	21.5	3.5	<2	42.39	-	-	5.0	ns	ns
1060 779125 00	1.6	5.0	600	217	390	28.20	5	2.1	<	0.4	8	1.7	2	59.9	4.3	10	31.90	-	-	5.0	ns	ns
1060 779127 00	4.1	2.8	1900	54	93	8.60	2	1.2	4	0.4	8	1.3	<	11.0	4.1	<2	37.16	-	-	6.0	ns	ns
1060 779130 00	1.8	2.8	1500	40	66	6.30	<	1.0	3	0.3	7	1.1	<	10.0	3.7	4	27.54	-	-	5.0	ns	ns
1060 779131 00	4.1	3.6	2200	34	57	5.10	<	0.9	3	<	5	0.9	1	8.5	5.0	4	24.01	-	-	5.5	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
1060	779132	00	08	533900	7097275	ALVM	*	Sed/Water	3	5	*	*	*	Modert	Rd-Bn	021	-	*	*	*	*	*
1060	779133	00	08	548250	7112650	ALVM	*	Sed/Water	10	20	*	*	*	Modert	Rd-Bn	220	-	*	*	*	*	*
1060	779136	00	08	546000	7112000	ALVM	*	Sed/Water	1	3	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*
1060	779137	00	08	544600	7110700	GPSC	*	Sed/Water	15	10	*	*	*	Modert	Rd-Bn	120	-	*	*	*	*	*
1060	779140	00	08	542150	7108700	QZCS	*	Sed/Water	5	3	*	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*
1060	779144	00	08	545050	7108685	ALVM	*	Sed/Water	15	20	*	*	*	Modert	Rd-Bn	220	-	*	*	*	*	*
1060	779146	00	08	542990	7107650	ALVM	*	Sed/Water	5	10	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*
1060	779147	00	08	544575	7106830	ALVM	*	Sed/Water	6	10	*	*	*	Modert	Rd-Bn	130	-	*	*	*	*	*
1060	779150	00	08	545200	7104920	SLTEX	*	Sed/Water	1	1	*	*	*	Fast	Rd-Bn	030	-	*	*	*	*	*
1060	779151	00	08	548400	7102380	ALVM	*	Sed/Water	10	40	*	*	*	SLOW	Rd-Bn	030	-	*	*	*	*	*
1060	779153	00	08	546000	7101725	GRNS	*	Sed/Water	20	30	*	*	*	Modert	Rd-Bn	120	-	*	*	*	*	*
1060	779155	00	08	543700	7102600	GRNS	*	Sed/Water	20	20	*	*	*	Modert	Rd-Bn	130	-	*	*	*	*	*
1060	779157	00	08	538240	7098960	ALVM	*	Sed/Water	3	2	*	*	*	Modert	Rd-Bn	120	-	*	*	*	*	*
1060	779158	00	08	539250	7100100	SLTEX	*	Sed/Water	4	3	*	*	*	Modert	Rd-Bn	120	-	*	*	*	*	*
1060	779160	00	08	473250	7097580	ALVM	*	Sed/Water	2	3	*	*	*	Modert	Rd-Bn	021	-	*	*	*	*	*
1060	779162	00	08	472220	7100200	ALVM	*	Sed/Water	1	2	*	*	*	SLOW	Rd-Bn	111	-	*	*	*	*	*
1060	779164	00	08	468580	7099620	ALVM	*	Sed/Water	7	20	*	*	*	Modert	Rd-Bn	211	-	*	*	*	*	*
1060	779165	00	08	467030	7097920	ALVM	*	Sed/Water	1	1	*	*	*	Modert	Rd-Bn	111	-	*	*	*	*	*
1060	779166	00	08	469880	7098160	ALVM	*	Sed/Water	1	3	*	*	*	Modert	Rd-Bn	121	-	*	*	*	*	*
1060	779167	00	08	476190	7108420	ALVM	*	Sed/Water	1	5	*	*	*	Modert	Rd-Bn	111	-	*	*	*	*	*
1060	779168	00	08	478800	7106570	ALVM	*	Sed/Water	4	4	*	*	*	Modert	Rd-Bn	*	-	*	*	*	*	*
1060	779169	00	08	478650	7104850	ALVM	*	Sed/Water	3	2	*	*	*	SLOW	Rd-Bn	111	-	*	*	*	*	*
1060	779173	00	08	480700	7115100	QZCS	*	Sed/Water	3	3	*	*	*	Modert	Rd-Bn	*	-	*	*	*	*	*
1060	779174	00	08	479150	7114200	ALVM	*	Sed/Water	5	5	*	*	*	Fast	Rd-Bn	111	-	*	*	*	*	*
1060	779175	00	08	479750	7113200	ALVM	*	Sed/Water	1	3	*	*	*	Fast	Rd-Bn	030	-	*	*	*	*	*
1060	779176	00	08	482350	7115850	ALVM	*	Sed/Water	4	8	*	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*
1060	779177	00	08	483600	7115020	ALVM	*	Sed/Water	10	5	*	*	*	Fast	Rd-Bn	220	-	*	*	*	*	*
1060	779179	00	08	484720	7108800	ALVM	*	Sed/Water	4	1	*	*	*	Modert	Rd-Bn	012	-	*	*	*	*	*
1060	779183	00	08	488440	7098700	ALVM	*	Sed/Water	4	4	*	*	*	Fast	Rd-Bn	211	-	*	*	*	*	*
1060	779184	00	08	491320	7105880	ALVM	*	Sed/Water	7	3	*	*	*	Fast	Rd-Bn	111	-	*	*	*	*	*
1060	779185	00	08	489260	7108200	ALVM	*	Sed/Water	15	10	*	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*
1060	779187	00	08	462850	7123990	QRTZx	*	Sed/Water	1	2	*	*	*	Modert	Rd-Bn	112	-	*	*	*	*	*
1060	779190	00	08	461110	7119450	ALVM	*	Sed/Water	10	10	*	*	*	Modert	Rd-Bn	111	-	*	*	*	*	*
1060	779192	00	08	461340	7122160	ALVM	*	Sed/Water	7	10	*	*	*	Modert	Rd-Bn	111	-	*	*	*	*	*
1060	779193	00	08	493490	7108800	SLTEX	*	Sed/Water	5	6	*	*	*	Modert	Rd-Bn	112	-	*	*	*	*	*
1060	779194	00	08	494400	7111950	ALVM	*	Sed/Water	10	10	*	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*
1060	779195	00	08	506800	7100730	ALVM	*	Sed/Water	8	20	*	*	*	Fast	Rd-Bn	022	-	*	*	*	*	*
1060	779196	00	08	504100	7100020	ALVM	*	Sed/Water	5	10	*	*	*	Modert	Rd-Bn	211	-	*	*	*	*	*
1060	779197	00	08	453430	7124990	LMSNX	*	Sed/Water	2	2	*	*	*	Fast	Rd-Bn	130	-	*	*	*	*	*
1060	779198	00	08	451980	7124130	ALVM	*	Sed/Water	6	8	*	*	*	Fast	Rd-Bn	111	-	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060	779132	00	187	47	13	32	9	<	2.35	ns	3.7	<	1620	0.63	13.0	93	3.3	15	29	17.0	1.9	60	4
1060	779133	00	130	35	14	29	9	<	2.45	ns	3.8	<	1420	0.56	14.0	86	3.4	18	24	12.0	2.8	87	4
1060	779136	00	82	27	14	21	9	<	2.15	ns	3.5	<	860	0.51	12.0	89	3.1	13	20	8.2	2.7	72	2
1060	779137	00	174	38	13	34	12	<	2.20	ns	3.6	<	1720	0.66	14.0	120	3.6	18	40	12.0	3.0	71	2
1060	779140	00	235	43	12	34	14	<	2.85	ns	4.2	<	1800	0.79	16.0	130	4.0	20	47	20.0	1.7	88	6
1060	779144	00	166	35	12	31	10	<	2.45	ns	3.0	<	1500	0.48	12.0	93	3.4	20	29	13.0	1.2	65	3
1060	779146	00	380	45	11	46	29	<	3.25	ns	3.8	<	1340	0.71	13.0	86	4.3	41	56	14.0	2.3	65	4
1060	779147	00	363	41	7	46	26	<	3.10	ns	3.9	<	1540	0.65	12.0	97	3.7	32	47	12.0	1.9	58	5
1060	779150	00	134	42	10	34	13	<	2.45	ns	2.8	<	1400	0.74	13.0	100	3.4	19	53	14.0	1.5	70	4
1060	779151	00	290	40	10	46	16	<	2.70	ns	3.4	<	1800	0.64	13.0	110	3.6	21	53	11.0	1.3	72	3
1060	779153	00	288	30	7	38	9	<	2.25	ns	3.5	<	1640	0.63	12.0	150	3.1	15	46	9.1	1.3	54	4
1060	779155	00	254	40	8	42	16	<	2.60	ns	3.0	<	1820	0.64	14.0	130	3.7	22	48	11.0	1.4	65	3
1060	779157	00	730	42	11	79	10	<	2.45	ns	5.6	<	3600	0.67	13.0	91	3.8	18	97	29.0	1.6	67	10
1060	779158	00	475	43	16	44	11	<	2.45	ns	5.3	<	3400	0.56	14.0	73	3.7	17	57	18.0	1.2	64	9
1060	779160	00	116	30	8	20	10	<	1.50	ns	6.9	<	840	0.80	8.9	44	1.9	9	19	19.0	7.3	36	8
1060	779162	00	142	22	26	16	10	<	1.40	ns	5.8	25	1100	1.00	10.0	74	2.3	12	25	69.9	6.8	48	6
1060	779164	00	172	25	32	24	14	<	2.50	ns	3.6	4	1100	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
1060	779165	00	109	26	13	23	11	<	2.40	ns	5.1	<	900	0.78	12.0	88	3.3	17	25	116.0	2.6	83	3
1060	779166	00	92	19	14	22	15	<	2.00	ns	4.1	<	900	0.74	9.5	73	2.4	17	27	82.2	3.5	62	4
1060	779167	00	116	22	12	20	10	<	2.00	ns	4.4	<	1100	0.80	10.0	73	2.5	15	15	11.0	6.7	60	2
1060	779168	00	100	26	10	22	10	<	1.90	ns	2.9	<	1100	0.67	10.0	90	2.5	12	21	12.0	0.8	48	6
1060	779169	00	91	33	15	22	8	<	1.90	ns	4.0	<	860	0.58	10.0	69	2.2	11	<	18.0	3.0	48	5
1060	779173	00	54	24	5	17	8	<	1.70	ns	1.9	<	980	1.70	12.0	69	2.6	12	<	10.0	<	49	4
1060	779174	00	78	24	13	19	11	<	1.95	ns	3.4	<	1000	1.20	15.0	100	3.3	18	23	13.0	4.6	75	3
1060	779175	00	58	24	8	22	14	<	1.80	ns	2.6	<	1020	1.60	12.0	87	2.8	16	25	9.2	<	49	3
1060	779176	00	110	52	18	30	16	<	2.90	ns	3.6	<	2000	0.69	14.0	100	3.5	19	36	16.0	4.3	85	4
1060	779177	00	160	82	20	58	24	<	4.10	ns	6.2	<	9999	0.64	19.0	130	5.2	34	59	42.0	<	110	14
1060	779179	00	140	74	20	28	12	<	2.40	ns	3.2	<	2160	0.46	11.0	55	2.7	11	23	19.0	4.9	56	6
1060	779183	00	130	40	16	23	9	<	2.05	ns	2.3	<	900	0.56	11.0	70	2.9	14	25	13.0	1.1	38	3
1060	779184	00	186	80	63	16	7	1.6	8.50	ns	3.7	4	1800	0.32	16.0	80	8.5	9	<	22.0	4.0	95	6
1060	779185	00	235	51	28	39	13	<	2.50	ns	3.5	<	1660	0.60	11.0	83	2.9	20	44	14.0	2.9	76	2
1060	779187	00	92	56	22	34	12	<	3.00	ns	4.3	<	1300	0.63	13.0	99	3.7	20	43	10.0	7.1	110	4
1060	779190	00	150	45	12	37	10	<	2.20	ns	4.3	<	9999	0.51	12.0	100	3.1	16	55	11.0	3.2	85	7
1060	779192	00	126	54	8	32	8	<	1.90	ns	4.1	<	9999	0.55	13.0	110	2.6	13	36	9.2	1.9	67	8
1060	779193	00	325	100	24	68	28	0.6	4.10	ns	5.2	<	1420	0.91	21.1	140	5.9	48	80	31.0	2.1	88	5
1060	779194	00	1050	66	11	220	130	<	3.10	ns	3.5	4	1000	0.63	14.0	77	4.3	180	220	21.0	3.5	49	3
1060	779195	00	160	52	5	41	24	<	2.45	ns	3.7	<	1060	0.92	15.0	110	4.0	38	53	16.0	6.4	67	5
1060	779196	00	163	41	3	33	15	<	1.50	ns	3.4	<	620	0.75	17.0	86	4.9	35	45	7.2	1.5	33	3
1060	779197	00	100	48	9	27	13	0.2	2.25	ns	4.8	<	1240	0.93	16.0	120	3.7	23	24	15.0	8.8	68	5
1060	779198	00	182	81	12	113	37	<	3.50	ns	5.1	<	9999	0.54	15.0	130	4.7	64	120	15.0	1.2	80	9

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 779132 00	3.2	4.2	1800	36	63	5.60	<	1.0	2	0.3	5	1.1	<	9.4	3.8	5	19.10	-	-	5.5	ns	ns
1060 779133 00	1.7	4.5	1800	48	87	7.20	1	1.1	3	0.3	8	1.2	2	14.0	4.7	<2	30.45	-	-	5.5	ns	ns
1060 779136 00	0.8	3.5	950	44	74	6.30	1	1.1	3	0.3	8	1.1	2	14.0	3.9	3	29.06	-	-	6.0	ns	ns
1060 779137 00	1.9	4.1	2100	49	80	7.60	1	1.3	4	0.3	8	1.3	1	13.0	4.8	3	30.62	-	-	5.0	ns	ns
1060 779140 00	5.1	6.3	2200	53	87	7.80	<	1.1	3	0.4	6	1.3	<	11.0	5.4	6	29.40	-	-	5.0	ns	ns
1060 779144 00	2.1	3.8	1700	38	67	5.90	<	1.0	3	0.2	6	1.0	<	10.0	3.8	4	36.74	-	-	5.5	ns	ns
1060 779146 00	2.9	4.5	1800	42	70	6.40	2	1.1	3	0.3	6	0.9	<	9.5	4.1	<2	22.09	-	-	5.5	ns	ns
1060 779147 00	2.9	3.9	1600	51	82	8.50	1	1.1	2	0.3	8	0.9	<	11.0	4.4	6	34.72	-	-	5.5	ns	ns
1060 779150 00	1.8	4.9	1800	40	70	7.20	<	1.1	3	0.5	7	1.1	1	11.0	3.9	6	29.08	-	-	5.5	ns	ns
1060 779151 00	1.7	4.2	2100	42	68	7.10	2	0.9	3	0.4	6	1.2	1	11.0	4.1	5	33.11	-	-	5.5	ns	ns
1060 779153 00	1.4	3.4	1800	53	92	8.90	2	1.3	3	0.6	9	1.1	<	11.0	4.3	27	36.45	-	-	6.0	ns	ns
1060 779155 00	1.5	4.0	2100	46	78	7.40	<	1.1	3	0.4	6	1.0	2	10.0	4.0	4	35.04	-	-	5.5	ns	ns
1060 779157 00	10.0	3.9	3900	45	72	6.40	1	1.0	3	<	8	0.8	<	13.0	7.3	5	29.05	-	-	5.0	ns	ns
1060 779158 00	6.1	3.2	3600	52	93	8.00	<	1.4	3	0.4	6	1.4	1	13.0	6.8	5	36.01	-	-	5.0	ns	ns
1060 779160 00	1.4	1.6	790	30	53	4.10	1	1.0	3	<	5	0.9	2	6.8	7.3	6	9.39	-	-	7.0	ns	ns
1060 779162 00	7.6	3.8	1100	38	61	5.50	<	1.1	3	<	8	1.1	20	9.2	8.1	25	33.54	-	-	7.8	ns	ns
1060 779164 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	7.6	ns	ns
1060 779165 00	2.6	10.0	820	52	91	6.90	1	1.0	3	<	7	1.0	2	14.0	5.6	5	13.95	-	-	ns	ns	ns
1060 779166 00	3.7	3.5	870	38	63	5.90	<	1.0	<	<	6	1.1	3	11.0	4.5	8	19.16	-	-	ns	ns	ns
1060 779167 00	1.3	3.2	1200	36	55	6.20	1	1.2	2	<	7	1.0	<	10.0	5.8	<2	26.81	-	-	ns	ns	ns
1060 779168 00	2.0	2.6	990	40	68	6.20	2	1.1	3	0.3	7	1.0	2	7.8	3.2	5	8.86	-	-	ns	ns	ns
1060 779169 00	1.8	2.9	700	38	62	5.60	<	1.0	2	0.3	6	1.0	<	8.2	3.7	6	7.80	-	-	ns	ns	ns
1060 779173 00	1.4	2.0	1000	27	47	4.70	2	0.8	2	<	3	0.8	1	6.7	2.3	<2	39.80	-	-	ns	ns	ns
1060 779174 00	1.6	3.9	1000	57	98	8.20	2	1.3	3	0.4	9	1.4	<	15.0	4.3	9	28.37	-	-	8.2	ns	ns
1060 779175 00	1.4	2.1	1100	33	56	5.50	<	1.0	3	0.3	6	1.2	<	8.0	3.0	2	41.15	-	-	8.1	ns	ns
1060 779176 00	2.6	5.8	1900	55	92	7.70	1	1.3	4	0.3	8	1.3	1	14.0	3.8	<2	8.73	-	-	ns	ns	ns
1060 779177 00	6.3	11.0	8190	66	110	10.20	2	1.3	4	0.4	8	1.4	2	16.0	6.4	5	14.29	-	-	ns	ns	ns
1060 779179 00	1.8	4.1	1900	32	47	4.50	<	0.6	<	0.4	4	0.6	2	7.6	2.9	6	2.72	-	-	ns	ns	ns
1060 779183 00	1.2	2.8	760	29	39	4.60	2	0.8	2	0.2	4	0.8	<	7.0	2.4	8	3.70	-	-	ns	ns	ns
1060 779184 00	4.2	6.9	1700	44	63	7.30	<	1.5	2	<	4	1.1	<	11.0	4.0	12	6.17	-	-	5.5	ns	ns
1060 779185 00	2.0	4.3	1700	37	58	6.80	<	1.2	<	<	5	1.0	1	11.0	4.4	8	26.89	-	-	5.5	ns	ns
1060 779187 00	1.1	5.9	1200	66	99	9.40	1	1.4	<	0.2	7	1.6	3	19.0	4.7	5	12.21	-	-	5.5	ns	ns
1060 779190 00	1.8	5.1	4400	47	81	7.70	1	1.4	3	0.3	8	1.1	1	14.0	5.2	7	31.18	-	-	5.5	ns	ns
1060 779192 00	2.1	3.9	5230	45	77	7.00	1	1.3	4	0.3	8	1.1	<	11.0	4.5	10	18.55	-	-	5.0	ns	ns
1060 779193 00	4.5	7.1	1400	67	110	11.30	3	1.9	4	0.5	7	1.3	1	16.0	6.6	<2	38.56	-	-	4.8	ns	ns
1060 779194 00	2.0	3.5	860	54	90	8.10	2	1.3	3	<	6	1.2	1	11.0	4.0	<2	15.83	-	-	5.0	ns	ns
1060 779195 00	0.8	6.0	1100	51	84	7.90	2	1.3	4	0.3	7	1.1	1	10.0	4.3	8	29.00	-	-	5.0	ns	ns
1060 779196 00	0.6	2.3	530	52	90	8.30	2	1.5	5	0.7	10	2.5	3	11.0	3.8	10	42.15	-	-	5.0	ns	ns
1060 779197 00	1.9	3.8	3300	46	79	7.00	2	1.4	4	0.4	10	1.4	2	11.0	6.0	14	35.07	-	-	5.2	ns	ns
1060 779198 00	1.1	5.2	33900	57	98	9.00	2	1.6	6	0.4	11	1.2	<	14.0	6.0	<2	32.13	-	-	5.0	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Stream Type	Stream Class	Source
1060	779199	00	08	452230	7121800	ALVM *	Sed/Water	6	10	*	*	Fast	Rd-Bn 112	-	*	*	*	*	*	*
1060	779203	00	08	457950	7124420	LMSNX *	Sed/Water	1	1	*	*	Modert	Rd-Bn 021	-	*	*	*	*	*	*
1060	779205	00	08	456000	7123850	ALVM *	Sed/Water	7	15	*	*	Fast	Rd-Bn 111	-	*	*	*	*	*	*
1060	779210	00	08	454260	7121550	ALVM *	Sed/Water	2	3	*	*	Fast	Rd-Bn 022	-	*	*	*	*	*	*
1060	779211	00	08	457210	7118680	ALVM *	Sed/Water	4	5	*	*	Modert	Rd-Bn 021	-	*	*	*	*	*	*
1060	779212	00	08	456310	7116630	QRTZX *	Sed/Water	2	2	*	*	Modert	Rd-Bn 121	-	*	*	*	*	*	*
1060	779217	00	08	454000	7117910	ALVM *	Sed/Water	2	3	*	*	Modert	Rd-Bn 021	-	*	*	*	*	*	*
1060	779218	00	08	458900	7113520	QRTZX *	Sed/Water	3	5	*	*	Fast	Rd-Bn 012	-	*	*	*	*	*	*
1060	779224	00	08	461500	7109750	ALVM *	Sed/Water	5	4	*	*	Modert	Rd-Bn 021	-	*	*	*	*	*	*
1060	779227	00	08	461840	7111380	ALVM *	Sed/Water	7	5	*	*	Modert	Rd-Bn 211	-	*	*	*	*	*	*
1060	779230	00	08	464350	7107300	ALVM *	Sed/Water	1	4	*	*	Modert	Rd-Bn 120	-	*	*	*	*	*	*
1060	779232	00	08	461790	7107850	QRTZX *	Sed/Water	2	4	*	*	Modert	Rd-Bn 021	-	*	*	*	*	*	*
1060	779235	00	08	464900	7110700	ALVM *	Sed/Water	2	5	*	*	Modert	Rd-Bn 112	-	*	*	*	*	*	*
1060	779236	00	08	464300	7111170	ALVM *	Sed/Water	3	3	*	*	Modert	Rd-Bn 030	-	*	*	*	*	*	*
1060	779237	00	08	462650	7105300	ALVM *	Sed/Water	4	5	*	*	Fast	Rd-Bn 012	-	*	*	*	*	*	*
1060	779238	00	08	461660	7104100	ALVM *	Sed/Water	25	5	*	*	Modert	Rd-Bn 121	-	*	*	*	*	*	*
1060	779240	00	08	459450	7104420	QRTZX *	Sed/Water	4	5	*	*	Fast	Rd-Bn 111	-	*	*	*	*	*	*
1060	779243	00	08	465320	7104390	QRTZX *	Sed/Water	3	3	*	*	Fast	Rd-Bn 102	-	*	*	*	*	*	*
1060	779244	00	08	456810	7097920	ALVM *	Sed/Water	2	2	*	*	Modert	Rd-Bn 022	-	*	*	*	*	*	*
1060	779246	00	08	461050	7100500	GRDR *	Sed/Water	1	2	*	*	Modert	Rd-Bn 121	-	*	*	*	*	*	*
1060	779248	00	08	460530	7101240	QRTZX *	Sed/Water	4	6	*	*	Fast	Rd-Bn 102	-	*	*	*	*	*	*
1060	779251	00	08	458630	7100850	ALVM *	Sed/Water	10	4	*	*	Modert	Rd-Bn 220	-	*	*	*	*	*	*
1060	779259	00	08	490000	7111930	ALVM *	Sed/Water	4	4	*	*	Modert	Rd-Bn 102	-	*	*	*	*	*	*
1060	779260	00	08	511170	7103280	ALVM *	Sed/Water	3	10	*	*	Slow	Rd-Bn 022	-	*	*	*	*	*	*
1060	779262	00	08	471600	7104630	ALVM *	Sed/Water	6	4	*	*	Slow	Rd-Bn 012	-	*	*	*	*	*	*
1060	779263	00	08	468380	7103250	QRTZX *	Sed/Water	5	10	*	*	Fast	Rd-Bn 210	-	*	*	*	*	*	*
1060	779265	00	08	469350	7106810	QZCS *	Sed/Water	3	6	*	*	Modert	Rd-Bn 130	-	*	*	*	*	*	*
1060	779268	00	08	469430	7110020	ALVM *	Sed/Water	2	8	*	*	Modert	Rd-Bn 120	-	*	*	*	*	*	*
1060	779269	00	08	467050	7108050	QZCS *	Sed/Water	4	9	*	*	Modert	Rd-Bn 120	-	*	*	*	*	*	*
1060	779273	00	08	462250	7114550	ALVM *	Sed/Water	6	10	*	*	Modert	Rd-Bn 120	-	*	*	*	*	*	*
1060	779276	00	08	485640	7116500	ALVM *	Sed/Water	4	9	*	*	Fast	Rd-Bn 211	-	*	*	*	*	*	*
1060	779280	00	08	464370	7119100	ALVM *	Sed/Water	3	5	*	*	Modert	Rd-Bn 022	-	*	*	*	*	*	*
1060	779283	00	08	466070	7122040	ALVM *	Sed/Water	3	3	*	*	Modert	Rd-Bn 121	-	*	*	*	*	*	*
1060	779285	00	08	488900	7121575	ALVM *	Sed/Water	4	8	*	*	Modert	Rd-Bn 111	-	*	*	*	*	*	*
1060	779289	00	08	485660	7121780	SLTEX *	Sed/Water	3	4	*	*	Modert	Wh-Bf 022	-	*	*	*	*	*	*
1060	779290	00	08	485750	7123700	SLTEX *	Sed/Water	10	13	*	*	Modert	Rd-Bn 120	-	*	*	*	*	*	*
1060	779293	00	08	480780	7124650	ALVM *	Sed/Water	3	15	*	*	Fast	Rd-Bn 022	-	*	*	*	*	*	*
1060	779295	00	08	492550	7098050	QRTZX *	Sed/Water	5	5	*	*	Fast	Rd-Bn 121	-	*	*	*	*	*	*
1060	779296	00	08	518420	7097600	ALVM *	Sed/Water	2	5	*	*	Modert	Black 130	-	*	*	*	*	*	*
1060	779298	00	08	521150	7120600	ALVM *	Sed/Water	2	3	*	*	Fast	Black 030	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 779199	92	48	8	34	12	<	840	<	2.10	ns	4.5	<	9999	0.59	11.0	74	2.9	21	33	8.4	4.0	64	7
1060 779203	90	44	8	32	10	<	1300	<	2.60	ns	6.2	<	9999	0.33	7.5	76	2.5	11	43	7.1	30.0	82	5
1060 779205	132	44	10	39	12	<	830	4	2.40	ns	4.4	<	9999	0.51	8.6	120	2.9	17	46	12.0	3.3	80	8
1060 779210	114	64	4	50	<	<	260	<	2.10	ns	2.9	<	9999	0.24	10.0	120	2.6	<	64	7.7	3.4	70	3
1060 779211	50	14	14	16	6	<	380	<	1.80	ns	3.4	<	940	1.10	10.0	91	2.8	13	<	5.2	1.0	110	<
1060 779212	86	28	22	24	12	0.8	640	<	2.70	ns	5.9	<	1160	0.64	13.0	120	4.0	17	47	8.2	3.0	150	<
1060 779217	61	17	18	19	9	<	330	<	1.90	ns	3.2	<	900	1.10	8.9	69	3.3	14	50	6.2	2.4	98	<
1060 779218	112	38	12	34	12	<	620	<	2.00	ns	4.3	<	1540	0.78	12.0	140	3.6	17	50	8.1	4.3	100	2
1060 779224	64	28	14	18	10	<	460	<	2.50	ns	4.6	<	1060	1.00	12.0	130	3.8	12	<	7.3	4.5	140	<
1060 779227	54	16	11	18	8	<	300	<	2.15	ns	4.2	<	820	1.20	10.0	96	3.3	16	<	6.2	0.8	110	<
1060 779230	82	26	14	22	10	<	520	<	2.60	ns	5.0	<	940	0.58	11.0	120	3.3	13	27	12.0	3.8	140	<
1060 779232	60	21	16	16	10	<	380	<	1.90	ns	4.9	<	740	0.71	12.0	110	2.9	14	30	6.3	2.6	140	<
1060 779235	60	16	11	17	9	<	400	<	1.90	ns	5.2	200	880	0.78	11.0	140	3.0	9	42	6.5	1.9	100	<
1060 779236	84	27	18	25	13	<	440	<	2.55	ns	3.4	10	1100	1.00	11.0	110	3.3	13	<	8.3	1.9	100	<
1060 779237	125	30	28	28	12	<	460	<	2.50	ns	4.3	25	900	0.59	12.0	74	3.4	18	38	29.0	55.0	120	3
1060 779238	66	18	8	18	13	<	600	<	2.10	ns	3.9	<	860	1.00	11.0	140	3.4	18	<	50.2	1.6	85	1
1060 779240	74	22	19	20	9	<	260	<	2.30	ns	4.4	<	820	0.70	12.0	120	3.5	13	49	14.0	7.2	110	<
1060 779243	108	26	20	22	14	<	380	<	2.50	ns	5.0	<	880	0.79	12.0	110	3.8	17	22	23.0	11.0	110	<
1060 779244	75	18	28	23	9	<	390	<	1.80	ns	3.5	<	860	0.90	12.0	160	3.1	11	44	15.0	1.5	87	<
1060 779246	138	20	28	22	6	<	400	4	2.50	ns	13.6	60	1020	0.90	12.0	150	3.9	11	<	526.0	5.1	120	6
1060 779248	166	20	34	26	10	<	420	<	2.30	ns	8.3	40	960	0.78	10.0	110	2.9	13	51	320.0	7.3	100	3
1060 779251	220	44	120	37	16	<	315	6	4.10	ns	5.8	250	1060	0.87	10.0	100	4.9	16	50	1340.0	7.5	180	<3
1060 779259	128	32	15	30	13	<	470	<	2.30	ns	2.6	<	700	0.51	9.3	84	3.8	18	42	31.0	1.6	58	<
1060 779260	520	225	12	140	34	<	250	6	4.00	ns	7.3	<	1360	0.58	15.0	150	5.6	40	150	54.2	10.0	95	<
1060 779262	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	2.8	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
1060 779263	100	34	16	30	18	<	420	<	2.70	ns	4.7	7	980	0.53	10.0	87	3.5	14	26	108.0	12.0	100	5
1060 779265	192	28	106	22	12	<	450	<	2.40	ns	4.6	<	760	0.93	12.0	130	4.1	15	<	38.0	4.7	120	<
1060 779268	52	9	5	14	7	<	270	<	1.25	ns	3.4	<	840	1.00	8.9	90	2.3	7	28	5.7	0.6	67	<
1060 779269	74	26	18	22	12	<	460	<	2.50	ns	5.3	<	800	0.83	12.0	110	4.0	16	<	21.0	3.4	150	<
1060 779273	62	18	11	18	11	<	410	<	1.80	ns	4.1	<	840	1.00	10.0	110	3.2	12	22	5.7	2.4	110	<
1060 779276	380	72	17	58	15	0.4	500	6	2.70	ns	4.3	<	2400	0.68	14.0	150	4.2	18	78	27.0	6.8	110	7
1060 779280	200	97	19	66	20	1.0	1500	<	2.50	ns	4.0	<	3800	0.43	11.0	140	3.3	18	69	7.7	5.9	100	2
1060 779283	1660	165	14	490	240	0.4	4600	<	3.10	ns	4.1	<	9999	0.25	11.0	130	4.1	230	590	11.0	3.2	110	3
1060 779285	272	62	12	40	12	<	430	<	2.60	ns	5.3	<	3000	0.52	12.0	120	3.2	17	64	16.0	10.0	120	4
1060 779289	640	126	36	220	120	<	4600	8	2.50	ns	5.8	<	560	0.43	11.0	95	3.5	130	260	20.0	8.2	100	4
1060 779290	610	87	14	116	43	<	1900	4	3.40	ns	5.1	<	2000	0.46	12.0	120	4.3	46	130	20.0	<	91	12
1060 779293	176	48	20	40	10	<	320	<	2.60	ns	4.6	<	2560	0.48	14.0	180	4.0	14	71	16.0	5.2	110	3
1060 779295	194	120	20	41	17	<	220	2	3.35	ns	4.3	4	1040	0.64	15.0	140	5.1	23	67	31.0	6.2	98	1
1060 779296	58	21	4	12	5	<	80	<	1.05	ns	2.8	<	760	0.62	8.3	70	1.8	7	23	11.0	0.9	59	2
1060 779298	440	42	36	50	8	<	380	<	1.70	ns	3.3	<	1380	0.48	8.6	110	2.5	10	59	17.0	4.3	66	3

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 779199	0.9	3.5	31600	51	92	7.70	1	1.3	3	0.2	10	1.0	<	12.0	5.0	<2	31.05	-	-	5.0	ns	ns
1060 779203	1.2	5.8	6260	21	44	4.60	<	0.6	<	0.7	5	0.7	1	7.8	7.1	5	16.39	-	-	5.0	ns	ns
1060 779205	1.2	5.1	16500	36	70	8.10	2	1.2	3	0.8	10	1.2	1	11.0	5.8	<2	30.05	-	-	5.0	ns	ns
1060 779210	1.8	5.1	10700	28	49	6.30	<	0.9	3	0.6	4	0.7	1	8.8	3.6	33	28.02	-	-	5.0	ns	ns
1060 779211	0.6	4.5	1000	46	97	8.20	1	0.7	2	0.7	10	1.5	<	17.0	4.8	<2	32.29	-	-	5.0	ns	ns
1060 779212	0.6	10.0	1200	48	100	8.10	<	1.0	3	0.9	8	1.1	2	18.0	7.8	<2	26.02	-	-	5.0	ns	ns
1060 779217	0.5	5.0	940	47	95	7.70	1	0.7	3	0.6	9	1.4	2	16.0	4.4	<2	34.62	-	-	5.0	ns	ns
1060 779218	1.7	5.0	1600	43	91	7.40	2	1.0	2	0.7	8	1.3	2	13.0	5.8	4	27.72	-	-	5.0	ns	ns
1060 779224	2.4	5.3	1200	61	130	10.00	1	1.1	4	0.7	10	1.9	2	22.9	5.7	6	22.98	-	-	5.0	ns	ns
1060 779227	1.0	4.3	950	60	130	10.10	1	1.0	4	0.9	15	1.6	2	21.9	5.6	<2	30.78	-	-	5.0	ns	ns
1060 779230	3.3	6.3	1200	55	110	10.80	<	1.2	3	0.8	8	1.7	2	20.3	6.5	4	23.94	-	-	5.0	ns	ns
1060 779232	2.2	9.1	1000	59	120	10.70	<	1.2	3	0.8	8	1.8	2	20.2	6.8	6	26.78	-	-	5.0	ns	ns
1060 779235	0.9	4.2	970	70	140	12.80	2	1.5	5	1.0	20	1.9	2	23.3	6.5	13	31.36	-	-	5.0	ns	ns
1060 779236	1.0	4.5	1200	42	98	7.60	<	1.1	2	0.7	5	1.3	2	16.0	4.3	4	22.65	-	-	5.0	ns	ns
1060 779237	3.7	7.3	850	43	100	7.80	<	0.7	2	0.6	7	1.4	1	16.0	5.0	4	14.11	-	-	5.0	ns	ns
1060 779238	2.7	5.1	1100	40	89	7.20	2	0.9	3	0.5	9	1.6	1	13.0	5.2	10	29.20	-	-	5.5	ns	ns
1060 779240	3.4	4.8	880	52	110	8.80	1	0.9	3	0.9	11	1.3	3	17.0	5.4	6	9.02	-	-	5.0	ns	ns
1060 779243	2.0	5.2	870	50	91	8.10	<	1.2	3	0.7	9	1.2	2	18.0	5.7	<2	11.14	-	-	5.0	ns	ns
1060 779244	11.0	4.6	890	43	91	7.40	1	0.8	4	0.7	9	1.5	1	13.0	4.3	<2	26.80	-	-	5.1	ns	ns
1060 779246	4.3	15.0	980	55	100	8.00	2	0.7	3	0.9	13	1.6	59	21.1	15.0	30	26.06	-	-	5.0	ns	ns
1060 779248	6.1	10.0	1100	46	88	8.00	<	0.8	3	0.9	9	1.3	29	18.0	10.0	31	22.54	-	-	5.0	ns	ns
1060 779251	49.6	11.0	1200	56	88	10.90	<	0.9	5	1.0	19	1.8	193	21.1	7.1	120	39.73	-	-	5.0	ns	ns
1060 779259	1.9	3.3	750	43	89	8.70	1	1.0	3	0.7	7	1.7	<	12.0	3.7	<2	41.04	-	-	5.0	ns	ns
1060 779260	0.9	14.0	1500	89	200	33.00	6	4.6	10	1.6	4	1.0	<	11.0	8.8	<2	12.07	-	-	4.9	ns	ns
1060 779262	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	ns	ns	ns
1060 779263	4.1	10.0	870	43	98	7.30	<	0.9	2	0.7	7	1.1	3	15.0	5.1	11	4.52	-	-	ns	ns	ns
1060 779265	34.7	6.7	910	72	150	12.60	2	1.2	5	0.8	14	2.0	2	24.7	5.6	<2	34.73	-	-	7.6	ns	ns
1060 779268	1.4	3.8	940	40	81	7.30	1	0.9	3	0.7	11	1.4	<	12.0	4.3	<2	40.45	-	-	8.0	ns	ns
1060 779269	3.4	8.7	850	77	170	13.60	2	1.3	5	1.0	14	1.9	2	29.9	6.6	8	36.26	-	-	7.7	ns	ns
1060 779273	0.6	4.8	970	53	120	9.40	1	0.9	4	0.7	11	1.4	2	19.0	4.7	<2	30.80	-	-	5.9	ns	ns
1060 779276	5.2	7.9	2500	45	93	9.40	2	1.1	4	1.1	10	1.5	2	12.0	5.6	18	29.39	-	-	7.6	ns	ns
1060 779280	1.2	6.1	4100	34	74	7.00	1	1.0	2	0.7	5	1.1	2	14.0	4.5	7	21.59	-	-	5.8	ns	ns
1060 779283	1.8	7.0	7920	44	94	10.40	1	1.4	3	0.8	7	1.0	1	15.0	5.3	16	29.47	-	-	ns	ns	ns
1060 779285	2.5	9.2	3300	30	61	6.70	<	0.9	3	0.7	6	1.2	2	11.0	6.4	10	7.05	-	-	7.6	ns	ns
1060 779289	1.9	10.0	770	40	100	23.70	4	4.9	9	2.0	7	1.1	<	11.0	7.2	6	10.10	-	-	5.3	ns	ns
1060 779290	2.2	8.0	2200	37	65	9.20	2	1.8	4	1.1	10	1.0	<	11.0	5.5	10	1.58	-	-	7.9	ns	ns
1060 779293	2.0	8.6	3000	41	84	8.30	2	1.0	4	0.9	12	1.4	<	12.0	5.9	7	22.94	-	-	7.9	ns	ns
1060 779295	2.2	7.4	1300	43	88	10.90	1	1.4	4	0.8	7	1.1	4	11.0	5.3	5	23.63	-	-	5.2	ns	ns
1060 779296	1.2	3.4	890	31	66	6.90	<	1.0	4	0.7	11	1.0	<	8.2	4.0	3	34.69	-	-	7.8	ns	ns
1060 779298	6.4	4.8	1500	25	41	5.10	1	0.7	3	0.5	4	0.7	2	7.5	3.9	<2	19.41	-	-	8.1	ns	ns



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
1060	779302	00	08	519110	7119560	ALVM	*	Sed/Water	2	3	*	*	*	Modert	Black	031	-	*	*	*	*	*	*
1060	779303	00	08	522600	7123340	DLMTX	*	Sed/Water	3	4	*	*	*	Slow	Wh-Bf	030	-	*	*	*	*	*	*
1060	779304	00	08	506940	7123100	ALVM	*	Sed/Water	6	5	*	*	*	Fast	Rd-Bn	022	-	*	*	*	*	*	*
1060	779305	00	08	509650	7124550	ALVM	*	Sed/Water	8	10	*	*	*	Modert	Rd-Bn	121	-	*	*	*	*	*	*
1060	779306	00	08	502860	7124350	LMSNX	*	Sed/Water	4	*	*	*	*	Stagnt	Rd-Bn	111	-	*	*	*	*	*	*
1060	779308	00	08	500650	7120410	ALVM	*	Sed/Water	7	4	*	*	*	Modert	Rd-Bn	111	-	*	*	*	*	*	*
1060	779309	00	08	502360	7118200	ALVM	*	Sed/Water	10	9	*	*	*	Modert	Gy-Blu	111	-	*	*	*	*	*	*
1060	779311	00	08	498430	7117400	ALVM	*	Sed/Water	3	5	*	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*	*
1060	779313	00	08	498350	7115850	ALVM	*	Sed/Water	7	8	*	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*	*
1060	779315	00	08	499310	7107200	SLTEX	*	Sed/Water	2	4	*	*	*	Modert	Black	030	-	*	*	*	*	*	*
1060	779316	00	08	506250	7109750	ALVM	*	Sed/Water	3	15	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779317	00	08	517050	7102070	ALVM	*	Sed/Water	6	9	*	*	*	Fast	Rd-Bn	121	-	*	*	*	*	*	*
1060	779319	00	08	517850	7106660	ALVM	*	Sed/Water	7	5	*	*	*	Modert	Rd-Bn	120	-	*	*	*	*	*	*
1060	779320	00	08	517740	7108270	ALVM	*	Sed/Water	12	9	*	*	*	Modert	Rd-Bn	111	-	*	*	*	*	*	*
1060	779323	00	08	513650	7102690	ALVM	*	Sed/Water	5	4	*	*	*	Modert	Wh-Bf	120	-	*	*	*	*	*	*
1060	779324	00	08	515360	7108820	ALVM	*	Sed/Water	4	5	*	*	*	Modert	Wh-Bf	030	-	*	*	*	*	*	*
1060	779325	00	08	522450	7104120	QZCS	*	Sed/Water	5	5	*	*	*	Fast	Rd-Bn	030	-	*	*	*	*	*	*
1060	779327	00	08	524650	7104625	ALVM	*	Sed/Water	6	8	*	*	*	Modert	Rd-Bn	021	-	*	*	*	*	*	*
1060	779328	00	08	545250	7098000	ALVM	*	Sed/Water	7	6	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779330	00	08	542800	7098300	ALVM	*	Sed/Water	4	3	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779332	00	08	535500	7102725	ALVM	*	Sed/Water	4	3	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779334	00	08	532200	7103975	ALVM	*	Sed/Water	3	3	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779335	00	08	531450	7104850	ALVM	*	Sed/Water	4	3	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779336	00	08	532300	7107700	ALVM	*	Sed/Water	3	3	*	*	*	Modert	Rd-Bn	130	-	*	*	*	*	*	*
1060	779337	00	08	529000	7111350	ALVM	*	Sed/Water	1	2	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779338	00	08	527900	7112875	ALVM	*	Sed/Water	5	4	*	*	*	Modert	Rd-Bn	030	-	*	*	*	*	*	*
1060	779339	00	08	527600	7114660	ALVM	*	Sed/Water	8	9	*	*	*	Slow	Rd-Bn	030	-	*	*	*	*	*	*
1060	779340	00	08	530800	7118250	DLMTX	*	Sed/Water	2	2	*	*	*	Modert	Wh-Bf	111	-	*	*	*	*	*	*
1060	779344	00	08	524600	7117070	ALVM	*	Sed/Water	5	8	*	*	*	Slow	Rd-Bn	120	-	*	*	*	*	*	*
1060	779345	00	08	534400	7112100	ALVM	*	Sed/Water	4	3	*	*	*	Modert	Black	121	-	*	*	*	*	*	*
1060	779346	00	08	536230	7114730	PLLT	*	Sed/Water	8	6	*	*	*	Fast	Gy-Blu	030	-	*	*	*	*	*	*
1060	779347	00	08	536900	7116000	PLLT	*	Sed/Water	3	3	*	*	*	Modert	Rd-Bn	121	-	*	*	*	*	*	*
1060	779350	00	08	539800	7117275	SLTEX	*	Sed/Water	5	3	*	*	*	Modert	Gy-Blu	030	-	*	*	*	*	*	*
1060	779351	00	08	541100	7118400	SLTEX	*	Sed/Water	8	7	*	*	*	Modert	Rd-Bn	120	-	*	*	*	*	*	*
1060	779352	00	08	547100	7121900	ALVM	*	Sed/Water	6	4	*	*	*	Modert	Rd-Bn	121	-	*	*	*	*	*	*
1060	779354	00	08	546250	7124100	ALVM	*	Sed/Water	3	1	*	*	*	Slow	Gy-Blu	030	-	*	*	*	*	*	*
1060	779355	00	08	543700	7123525	DLMTX	*	Sed/Water	4	3	*	*	*	Modert	Rd-Bn	121	-	*	*	*	*	*	*
1060	779356	00	08	538850	7122950	ALVM	*	Sed/Water	4	3	*	*	*	Modert	Rd-Bn	130	-	*	*	*	*	*	*
1060	779357	00	08	537400	7123600	ALVM	*	Sed/Water	3	3	*	*	*	Modert	Black	121	-	*	*	*	*	*	*
1060	779358	00	08	535100	7124440	ALVM	*	Sed/Water	12	7	*	*	*	Modert	Gy-Blu	031	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 779302 00	4200	22	4	320	<	<	300	<	0.70	ns	3.4	<	1600	0.32	5.2	65	1.4	5	450	10.0	2.6	32	2
1060 779303 00	100	10	20	8	<	<	420	<	0.70	ns	1.3	<	1100	0.39	3.0	35	1.0	<	<	16.0	1.4	17	1
1060 779304 00	80	32	4	16	12	<	760	<	2.10	ns	3.0	<	820	0.52	8.9	87	3.0	14	27	11.0	2.6	98	<
1060 779305 00	92	36	8	24	12	<	1100	<	2.20	ns	3.6	<	1120	0.82	11.0	120	3.8	15	35	15.0	2.6	71	<
1060 779306 00	112	56	24	28	16	<	980	<	2.90	ns	4.5	<	1120	0.46	13.0	100	4.0	17	57	16.0	8.2	130	<
1060 779308 00	76	24	8	20	10	<	530	<	2.30	ns	3.4	<	600	0.70	11.0	110	4.2	19	32	19.0	9.1	100	<
1060 779309 00	68	22	4	22	12	<	940	<	2.10	ns	3.6	<	640	0.69	10.0	95	3.5	14	<	15.0	7.7	88	<
1060 779311 00	60	18	6	18	10	<	460	<	1.80	ns	2.9	<	780	1.00	11.0	130	3.4	15	<	11.0	2.2	75	<
1060 779313 00	68	27	14	20	11	<	640	<	1.60	ns	2.6	<	700	0.68	10.0	98	3.5	17	36	15.0	2.7	75	<
1060 779315 00	980	33	124	26	13	1.0	800	<	3.05	ns	3.5	<	800	0.73	14.0	100	4.3	16	30	22.0	10.0	100	<
1060 779316 00	102	20	8	21	12	<	220	<	2.30	ns	3.3	<	940	0.68	11.0	110	3.8	12	<	14.0	2.7	84	<
1060 779317 00	112	40	4	26	10	<	220	<	2.10	ns	3.2	<	1040	0.73	9.3	96	2.8	10	22	21.0	2.9	76	4
1060 779319 00	328	46	8	66	14	<	230	<	2.80	ns	4.2	<	1320	0.53	10.0	110	3.2	14	69	28.0	3.9	86	2
1060 779320 00	296	50	<	54	18	<	720	<	3.10	ns	4.2	<	1560	0.58	13.0	130	4.5	26	88	43.0	5.7	100	3
1060 779323 00	140	90	<	22	20	1.0	290	4	6.60	ns	5.5	<	2120	0.39	13.0	160	10.0	27	58	29.0	16.0	99	4
1060 779324 00	316	260	4	78	26	<	330	4	5.30	ns	5.4	<	140	0.55	22.2	210	7.8	37	140	61.7	5.5	120	2
1060 779325 00	82	50	6	30	13	<	400	2	1.90	ns	3.0	<	1940	0.75	8.4	96	2.9	17	55	17.0	2.6	51	2
1060 779327 00	84	45	6	25	12	<	260	<	2.05	ns	3.5	<	1960	0.78	11.0	120	3.4	17	30	18.0	2.2	73	<
1060 779328 00	168	62	6	40	10	0.4	510	<	2.30	ns	4.0	<	1520	0.65	11.0	150	3.5	16	68	14.0	2.5	81	7
1060 779330 00	80	28	8	22	10	<	440	<	2.20	ns	3.4	<	1060	0.68	11.0	96	3.2	12	38	18.0	3.5	93	3
1060 779332 00	1300	165	10	90	40	0.3	1150	2	2.85	ns	6.8	<	2600	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
1060 779334 00	290	31	10	36	8	1.2	240	<	1.70	ns	3.7	<	1500	0.62	10.0	100	2.7	12	56	12.0	1.2	67	2
1060 779335 00	260	32	12	27	9	2.0	410	<	1.75	ns	3.0	<	1460	0.45	10.0	97	2.8	13	34	14.0	1.5	60	<
1060 779336 00	230	34	6	31	11	<	410	<	1.95	ns	3.5	<	1640	0.68	9.5	94	3.2	12	31	15.0	<	59	2
1060 779337 00	118	23	14	22	8	<	310	<	1.80	ns	2.5	<	840	0.45	10.0	88	3.2	13	28	19.0	1.8	77	<
1060 779338 00	134	36	14	28	12	<	570	<	2.10	ns	2.6	<	940	0.60	11.0	130	3.7	15	31	16.0	4.3	83	2
1060 779339 00	290	33	20	42	10	<	610	2	1.50	ns	2.9	<	1400	0.63	9.2	110	3.4	15	44	24.0	3.6	68	4
1060 779340 00	170	11	44	10	2	<	480	<	0.55	ns	1.7	25	700	0.27	2.2	27	1.0	<	<	6.8	2.7	34	2
1060 779344 00	134	12	9	19	5	0.6	360	<	0.95	ns	2.1	<	1700	0.42	6.2	75	2.2	9	23	18.0	1.9	37	3
1060 779345 00	240	61	18	41	12	<	360	2	2.20	ns	3.9	<	2320	0.40	10.0	140	3.7	18	48	35.0	2.1	74	4
1060 779346 00	138	40	10	29	10	<	460	<	1.90	ns	2.5	<	1760	0.47	9.3	84	3.5	12	40	13.0	<	59	<
1060 779347 00	320	33	44	48	14	1.2	715	6	1.95	ns	3.5	<	1100	0.33	9.4	90	4.1	16	69	42.0	2.4	78	9
1060 779350 00	280	29	22	25	10	0.3	620	2	1.35	ns	2.5	<	860	0.37	8.6	82	2.6	11	40	12.0	5.2	68	3
1060 779351 00	550	51	34	70	11	0.6	560	8	1.80	ns	4.8	<	4000	0.34	7.8	160	2.8	15	83	31.0	2.2	79	7
1060 779352 00	960	38	41	85	12	0.4	570	2	2.00	ns	5.3	<	3720	0.37	8.9	120	3.1	16	100	40.0	1.7	91	7
1060 779354 00	330	9	68	7	4	<	500	2	1.05	ns	1.5	<	800	0.18	2.9	<	1.9	6	<	14.0	10.0	21	<
1060 779355 00	134	11	34	9	5	<	485	4	1.15	ns	1.8	<	900	0.35	5.3	46	2.4	7	11	14.0	9.3	43	<
1060 779356 00	140	25	19	33	15	<	930	<	1.55	ns	2.6	<	900	0.41	9.4	120	3.2	19	51	11.0	2.5	72	<
1060 779357 00	190	28	25	32	14	<	940	<	2.25	ns	3.1	<	940	0.40	11.0	120	4.1	17	58	21.0	4.3	85	<
1060 779358 00	196	26	19	31	16	<	1400	<	2.10	ns	2.8	4	1120	0.56	9.1	74	3.4	19	47	15.0	4.5	79	1

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F, 106G

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 779302 00	3.4	2.0	1300	22	42	4.10	1	<	<	0.5	3	0.8	1	4.6	4.5	7	26.45	-	-	8.1	ns	ns
1060 779303 00	1.0	0.7	410	10	19	2.00	<	<	<	0.3	3	<	<	3.1	1.7	8	46.05	-	-	8.2	ns	ns
1060 779304 00	0.9	6.0	930	39	77	7.90	1	0.9	3	0.6	6	1.1	1	16.0	4.0	<2	26.50	-	-	8.0	ns	ns
1060 779305 00	1.7	3.6	1400	54	100	11.00	2	1.3	3	0.8	9	2.3	1	16.0	5.3	11	31.25	-	-	8.2	ns	ns
1060 779306 00	1.4	9.3	1300	42	88	8.20	2	1.0	2	0.6	4	1.4	1	16.0	5.3	5	17.31	-	-	ns	ns	ns
1060 779308 00	1.9	6.3	670	73	160	13.10	2	1.4	3	0.8	9	1.7	2	22.2	4.4	<2	26.36	-	-	8.2	ns	ns
1060 779309 00	1.3	5.1	710	70	150	12.00	<	1.1	3	0.7	9	1.5	<	22.0	4.2	<2	25.40	-	-	7.9	ns	ns
1060 779311 00	1.2	3.6	790	62	130	11.10	2	1.2	3	0.7	9	1.6	2	18.0	3.7	<2	35.76	-	-	8.0	ns	ns
1060 779313 00	1.3	4.0	690	54	120	10.00	1	1.0	3	0.6	6	1.3	1	18.0	3.5	<2	33.61	-	-	8.2	ns	ns
1060 779315 00	2.7	6.4	830	40	79	7.80	<	1.1	3	0.8	7	1.1	2	13.0	4.3	5	29.03	-	-	8.2	ns	ns
1060 779316 00	1.3	4.6	1100	34	86	6.70	2	0.9	3	0.6	7	1.3	2	12.0	3.8	<2	25.40	-	-	8.1	ns	ns
1060 779317 00	1.5	5.2	1200	32	68	7.40	1	1.1	3	0.7	9	1.1	1	10.0	4.0	9	25.12	-	-	8.2	ns	ns
1060 779319 00	2.4	6.0	1500	36	74	7.90	<	1.3	3	0.9	8	1.1	2	12.0	5.4	5	8.36	-	-	8.2	ns	ns
1060 779320 00	2.9	7.0	2100	43	93	10.00	1	1.6	4	0.8	7	1.4	2	12.0	6.7	6	33.66	-	-	8.3	ns	ns
1060 779323 00	0.9	10.0	2800	47	110	12.90	3	1.6	4	1.0	4	0.9	<	11.0	7.5	11	25.70	-	-	5.8	ns	ns
1060 779324 00	2.5	9.2	1600	47	110	15.00	2	1.7	6	1.1	5	0.9	2	14.0	7.1	7	28.42	-	-	6.2	ns	ns
1060 779325 00	1.8	3.3	2400	34	72	7.50	<	0.9	3	0.7	12	0.9	1	9.0	4.3	24	27.84	-	-	8.0	ns	ns
1060 779327 00	3.1	4.4	2400	44	81	9.10	2	1.2	4	0.9	12	1.0	<	11.0	5.1	8	33.56	-	-	8.4	ns	ns
1060 779328 00	2.4	5.3	1700	34	71	7.60	1	1.1	3	0.8	7	1.0	2	10.0	5.5	8	28.29	-	-	8.0	ns	ns
1060 779330 00	2.5	6.0	1200	35	80	7.00	2	1.0	4	0.7	9	1.1	<	11.0	4.5	<2	21.10	-	-	8.2	ns	ns
1060 779332 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	8.2	ns	ns
1060 779334 00	3.3	4.2	1900	34	70	6.80	<	0.9	3	0.7	7	1.0	<	10.0	4.9	7	32.75	-	-	8.1	ns	ns
1060 779335 00	3.7	4.2	1900	42	85	7.90	1	1.1	3	0.7	9	1.1	<	11.0	4.2	5	33.62	-	-	8.0	ns	ns
1060 779336 00	3.4	3.8	1800	32	67	6.40	<	0.9	3	0.8	6	1.0	<	9.3	4.3	<2	15.37	-	-	8.1	ns	ns
1060 779337 00	2.5	4.5	1100	31	68	7.10	1	0.8	3	0.5	6	1.2	2	10.0	4.0	<2	33.51	-	-	8.3	ns	ns
1060 779338 00	2.1	4.4	1000	31	67	6.40	1	0.7	2	0.6	5	1.0	1	9.3	3.7	<2	29.12	-	-	8.1	ns	ns
1060 779339 00	2.3	6.0	1400	27	53	5.50	<	0.6	2	0.6	5	1.3	4	7.4	3.9	6	33.58	-	-	8.4	ns	ns
1060 779340 00	1.6	2.5	290	9	18	1.60	<	<	<	0.3	2	1.0	19	2.4	2.5	150	45.03	-	-	8.3	ns	ns
1060 779344 00	1.2	3.1	2000	29	61	5.50	<	0.7	<	0.3	3	1.1	2	5.0	2.9	5	40.67	-	-	8.3	ns	ns
1060 779345 00	7.1	3.5	2600	52	110	10.00	1	1.3	4	1.0	7	1.5	2	13.0	5.3	8	32.83	-	-	8.4	ns	ns
1060 779346 00	2.3	3.0	1900	27	56	5.80	<	0.7	3	0.6	5	0.9	1	8.3	3.5	6	44.62	-	-	8.5	ns	ns
1060 779347 00	6.8	4.6	1100	31	68	6.40	1	1.0	3	0.7	4	0.7	2	8.4	4.9	7	31.69	-	-	8.3	ns	ns
1060 779350 00	2.1	7.1	900	23	53	4.90	1	0.9	2	0.6	4	0.5	<	7.2	3.5	5	26.60	-	-	8.3	ns	ns
1060 779351 00	6.5	4.5	4300	27	43	6.00	<	0.9	2	0.8	4	1.3	<	7.9	6.7	6	37.81	-	-	8.0	ns	ns
1060 779352 00	6.9	5.7	4800	40	81	8.00	1	1.0	3	0.9	8	1.6	1	13.0	8.0	<2	33.82	-	-	8.0	ns	ns
1060 779354 00	4.7	2.6	140	8	13	1.80	<	<	<	0.3	<	<	<	2.5	2.1	2	42.81	-	-	7.8	ns	ns
1060 779355 00	2.9	7.4	340	16	31	3.40	<	0.5	<	0.4	4	<	1	4.8	2.5	3	41.99	-	-	7.6	ns	ns
1060 779356 00	1.6	5.0	960	32	72	6.60	<	1.0	3	0.6	6	0.9	<	8.7	3.5	4	35.84	-	-	8.0	ns	ns
1060 779357 00	2.7	6.1	1100	38	86	7.80	<	0.9	4	0.8	9	1.2	1	11.0	4.4	5	37.16	-	-	8.0	ns	ns
1060 779358 00	1.8	6.1	1300	27	58	5.40	1	0.7	2	0.5	6	0.9	3	8.2	3.4	<2	15.29	-	-	8.0	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol. Drainage	Type	Stream Class	Source
106D	779359	00	08	491000	7103010	GRNS	Sed/Water	5	3	*	*	Moderat	Rd-Bn	030	-	*	*	*	*	*
106D	779360	00	08	488020	7103650	GRNS	Sed/Water	10	6	*	*	Moderat	Gy-Blu	030	-	*	*	*	*	*
106D	779363	00	08	477680	7101020	GRNT	Sed/Water	4	20	*	*	Fast	Rd-Bn	003	-	*	*	*	*	*
106D	779364	00	08	477400	7099190	GRNT	Sed/Water	4	20	*	*	Fast	Gy-Blu	121	-	*	*	*	*	*
106D	779365	00	08	478390	7098050	UKNNX	Sed/Water	6	40	*	*	Fast	Gy-Blu	030	-	*	*	*	*	*
106D	779367	00	08	475110	7103100	ALVM	Sed/Water	2	10	*	*	Moderat	Rd-Bn	211	-	*	*	*	*	*
106D	779368	00	08	475350	7104220	ALVM	Sed/Water	4	10	*	*	Moderat	Rd-Bn	120	-	*	*	*	*	*
106D	779374	00	08	483780	7107420	ALVM	Sed/Water	6	20	*	*	Fast	Gy-Blu	030	-	*	*	*	*	*
106D	779375	00	08	483200	7103430	ALVM	Sed/Water	12	20	*	*	Fast	Gy-Blu	030	-	*	*	*	*	*
106D	779376	00	08	491300	7100750	ALVM	Sed/Water	5	20	*	*	Fast	Gy-Blu	120	-	*	*	*	*	*
106D	779377	00	08	489300	7097350	ALVM	Sed/Water	10	10	*	*	Slow	Gy-Blu	030	-	*	*	*	*	*
106D	779379	00	08	468200	7121000	PLLT	Sed/Water	5	8	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*
106D	779380	00	08	467420	7119110	ALVM	Sed/Water	3	10	*	*	Fast	Rd-Bn	012	-	*	*	*	*	*
106D	779385	00	08	461400	7101350	QRTZX	Sed/Water	2	5	*	*	Fast	Rd-Bn	022	-	*	*	*	*	*
106D	779387	00	08	487860	7111250	ALVM	Sed/Water	10	8	*	*	Fast	Wh-Bf	210	-	*	*	*	*	*
106D	779389	00	08	462640	7097520	ALVM	Sed/Water	10	20	*	*	Fast	Rd-Bn	300	-	*	*	*	*	*
106D	779390	00	08	471590	7111800	QZCS	Sed/Water	3	5	*	*	Moderat	Rd-Bn	121	-	*	*	*	*	*
106D	779393	00	08	470750	7123420	QRTZX	Sed/Water	5	5	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*
106D	779396	00	08	470690	7119710	ALVM	Sed/Water	5	15	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*
106D	779397	00	08	496450	7124600	ALVM	Sed/Water	2	10	*	*	Fast	Rd-Bn	022	-	*	*	*	*	*
106D	779398	00	08	497480	7123980	ALVM	Sed/Water	3	2	*	*	Fast	Rd-Bn	220	-	*	*	*	*	*
106D	779399	00	08	496650	7122250	QRTZX	Sed/Water	5	10	*	*	Fast	Rd-Bn	211	-	*	*	*	*	*
106D	779400	00	08	496080	7111250	QZCS	Sed/Water	4	8	*	*	Fast	Rd-Bn	111	-	*	*	*	*	*
106D	779402	00	08	496140	7102750	ALVM	Sed/Water	6	10	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*
106D	779405	00	08	496325	7097460	QRTZX	Sed/Water	1	2	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*
106D	779406	00	08	509980	7097220	GRNS	Sed/Water	3	10	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*
106D	779408	00	08	522450	7118200	ALVM	Sed/Water	2	10	*	*	Moderat	Gy-Blu	031	-	*	*	*	*	*
106D	779410	00	08	519850	7124450	DLMTX	Sed/Water	2	5	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*
106D	779411	00	08	508200	7120060	PLLT	Sed/Water	2	2	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*
106D	779412	00	08	511950	7121600	PLLT	Sed/Water	5	10	*	*	Fast	Gy-Blu	030	-	*	*	*	*	*
106D	779413	00	08	504200	7116740	PLLT	Sed/Water	3	15	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*
106D	779414	00	08	498520	7109200	ALVM	Sed/Water	10	15	*	*	Fast	Gy-Blu	120	-	*	*	*	*	*
106D	779415	00	08	499850	7112800	GRNS	Sed/Water	6	10	*	*	Fast	Gy-Blu	220	-	*	*	*	*	*
106D	779417	00	08	502900	7112090	ALVM	Sed/Water	5	10	*	*	Slow	Rd-Bn	031	-	*	*	*	*	*
106D	779418	00	08	501060	7109990	QZCS	Sed/Water	5	10	*	*	Moderat	Rd-Bn	021	-	*	*	*	*	*
106D	779420	00	08	500510	7111490	ALVM	Sed/Water	6	5	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*
106D	779423	00	08	509310	7105430	ALVM	Sed/Water	3	5	*	*	Fast	Rd-Bn	121	-	*	*	*	*	*
106D	779424	00	08	507750	7106250	ALVM	Sed/Water	8	20	*	*	Fast	Gy-Blu	121	-	*	*	*	*	*
106D	779425	00	08	520750	7108740	PLLT	Sed/Water	4	5	*	*	Fast	Gy-Blu	121	-	*	*	*	*	*
106D	779426	00	08	519550	7111200	PLLT	Sed/Water	5	10	*	*	Fast	Gy-Blu	021	-	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 779359 00	690	78	140	77	30	1.8	1300	2	4.00	ns	4.2	4	1500	0.54	18.0	150	5.5	32	80	50.0	9.4	130	5
1060 779360 00	860	135	72	142	143	1.0	4500	<	3.45	ns	3.4	<	1580	0.56	13.0	140	4.8	150	170	28.0	8.0	88	1
1060 779363 00	192	28	8	24	12	<	4500	<	5.40	ns	7.3	<	580	0.45	5.9	54	7.9	16	31	167.0	12.0	37	6
1060 779364 00	66	12	4	13	7	<	230	<	1.25	ns	3.8	7	800	0.86	8.5	66	2.6	6	<	52.9	1.1	50	<
1060 779365 00	62	10	2	12	6	<	210	<	1.15	ns	3.3	<	800	0.77	7.0	63	2.0	7	<	32.0	1.0	54	2
1060 779367 00	340	29	10	27	10	<	330	<	2.00	ns	3.0	<	980	0.68	8.5	84	2.9	15	44	10.0	6.2	68	1
1060 779368 00	166	23	10	23	10	0.2	450	<	2.20	ns	3.4	7	980	0.78	11.0	140	4.2	12	52	21.0	1.8	63	<
1060 779374 00	134	58	15	29	13	<	615	<	2.05	ns	2.3	<	1520	0.51	9.2	80	3.2	14	47	28.0	<	65	<
1060 779375 00	860	67	18	130	42	<	1900	<	2.95	ns	2.9	<	1940	0.61	12.0	130	4.5	53	180	46.0	3.7	68	<
1060 779376 00	178	84	56	40	20	<	570	<	4.30	ns	3.9	<	980	0.69	19.0	110	6.5	27	70	43.0	1.2	85	2
1060 779377 00	156	62	36	33	16	<	440	<	3.45	ns	3.3	<	820	0.61	15.0	100	5.0	21	47	33.0	1.4	62	3
1060 779379 00	92	52	12	28	16	<	550	<	2.40	ns	3.7	<	1460	0.66	13.0	140	4.0	18	38	11.0	2.9	120	<
1060 779380 00	108	46	14	31	15	1.0	1100	<	2.60	ns	3.8	<	2840	0.50	11.0	120	3.3	13	40	7.3	9.0	110	<
1060 779385 00	164	17	69	24	12	<	580	2	2.70	ns	19.2	50	1040	0.84	12.0	87	3.9	12	36	551.0	8.5	96	5
1060 779387 00	580	49	14	112	37	<	1100	<	3.10	ns	3.1	<	1200	0.57	11.0	94	4.7	46	160	19.0	2.5	74	<
1060 779389 00	62	13	10	14	7	<	360	<	1.60	ns	3.4	20	680	0.66	6.9	100	2.2	9	<	56.0	0.7	56	<
1060 779390 00	58	11	5	14	6	<	240	<	1.40	ns	3.1	<	660	1.00	10.0	78	2.3	11	19	11.0	2.0	67	1
1060 779393 00	112	41	14	40	11	<	455	<	2.40	ns	4.9	<	3080	0.43	13.0	86	3.0	15	52	11.0	10.0	85	5
1060 779396 00	88	27	8	28	12	<	580	<	2.50	ns	4.0	<	1340	0.67	14.0	110	3.7	20	32	9.4	1.7	83	3
1060 779397 00	106	40	14	23	13	<	500	<	2.75	ns	5.2	<	880	0.73	14.0	80	3.3	16	20	10.0	8.3	75	5
1060 779398 00	80	38	24	27	19	<	900	<	3.00	ns	3.6	<	580	0.73	15.0	97	3.8	26	28	19.0	4.6	100	3
1060 779399 00	72	23	14	20	14	<	585	<	2.40	ns	3.6	<	600	0.73	12.0	84	3.3	19	27	11.0	6.9	80	4
1060 779400 00	100	25	12	27	12	<	530	<	2.05	ns	2.7	<	700	0.79	12.0	94	3.3	17	32	13.0	4.7	52	2
1060 779402 00	720	195	24	89	42	1.2	5601	6	5.00	ns	5.5	4	720	0.27	13.0	74	16.0	54	84	28.0	24.0	41	7
1060 779405 00	90	37	4	25	10	0.4	190	<	1.80	ns	3.8	<	900	0.86	15.0	89	3.6	17	30	13.0	6.2	50	2
1060 779406 00	74	54	2	20	9	<	165	<	2.00	ns	3.1	<	1200	0.92	12.0	97	3.4	15	33	11.0	6.2	51	4
1060 779408 00	420	27	12	49	12	<	570	2	1.25	ns	2.3	<	1900	0.55	8.2	68	2.5	16	53	17.0	4.5	33	5
1060 779410 00	144	16	25	12	6	<	310	<	0.85	ns	2.0	<	1060	0.38	5.7	47	1.8	7	<	18.0	13.0	32	3
1060 779411 00	98	66	8	30	15	<	440	<	2.40	ns	11.7	<	680	0.88	17.0	78	4.1	16	27	148.0	25.0	79	6
1060 779412 00	82	21	10	17	9	<	530	<	1.20	ns	2.9	<	1300	0.68	11.0	92	2.9	16	19	12.0	1.5	38	3
1060 779413 00	84	43	12	33	18	<	650	<	2.55	ns	3.5	<	600	1.00	18.0	150	5.0	29	48	18.0	5.9	76	4
1060 779414 00	490	81	8	88	56	0.6	960	<	3.50	ns	4.4	<	920	0.69	15.0	85	4.7	70	96	20.0	3.3	66	5
1060 779415 00	1120	48	12	215	73	<	1150	<	2.15	ns	4.3	<	740	0.78	13.0	82	3.8	100	240	12.0	7.3	58	4
1060 779417 00	58	12	7	11	6	<	220	<	0.90	ns	2.5	<	840	0.72	11.0	58	2.9	15	26	11.0	1.8	52	2
1060 779418 00	172	44	12	44	28	<	1480	<	4.50	ns	2.9	<	680	0.88	12.0	100	3.5	19	16	11.0	3.2	60	2
1060 779420 00	64	16	6	18	12	<	460	<	1.90	ns	3.1	<	580	0.70	11.0	72	3.3	16	27	7.7	1.8	51	3
1060 779423 00	106	36	2	26	14	<	300	<	2.10	ns	4.4	<	860	0.88	15.0	110	4.3	22	30	14.0	3.6	52	5
1060 779424 00	450	37	2	80	41	<	420	<	2.00	ns	4.1	<	940	0.78	13.0	90	3.5	61	70	16.0	3.2	47	4
1060 779425 00	840	220	8	128	34	<	340	<	3.50	ns	5.4	<	2120	0.39	17.0	130	4.4	44	110	37.0	8.3	93	7
1060 779426 00	420	58	8	76	24	<	280	<	3.00	ns	4.5	<	1600	0.48	17.0	110	3.8	29	81	36.0	8.9	89	5

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 779359	00	3.5	10.0	1700	40	93	8.10	1	1.0	3	0.8	6	1.2	3	12.0	5.7	23.39	-	-	7.8	ns	ns
1060 779360	00	2.4	7.2	1700	49	89	9.40	1	1.6	4	0.7	5	1.1	2	9.4	4.1	25.17	-	-	7.1	ns	ns
1060 779363	00	1.3	2.3	970	24	44	3.70	<	0.6	<	0.9	4	0.6	1	8.0	12.0	2.52	-	-	ns	ns	ns
1060 779364	00	1.5	2.8	840	38	69	7.40	1	0.8	3	0.7	12	1.1	2	11.0	4.9	39.36	-	-	ns	ns	ns
1060 779365	00	1.2	2.8	820	31	76	6.60	1	0.8	<	0.5	9	1.1	2	9.1	4.6	40.57	-	-	ns	ns	ns
1060 779367	00	3.2	4.4	1100	34	73	7.70	<	0.7	2	0.7	9	1.1	<	11.0	3.6	9.26	-	-	ns	ns	ns
1060 779368	00	3.0	3.3	1100	56	120	10.70	2	1.2	4	0.9	12	1.4	4	14.0	4.9	23.07	-	-	ns	ns	ns
1060 779374	00	2.4	3.8	1800	34	74	7.00	<	0.8	3	0.6	7	1.0	1	10.0	3.4	38.10	-	-	ns	ns	ns
1060 779375	00	2.9	5.1	2400	43	78	8.50	2	1.0	3	0.8	6	1.2	2	11.0	4.5	36.23	-	-	ns	ns	ns
1060 779376	00	3.9	4.9	1200	40	79	8.70	<	1.3	5	1.1	9	1.4	2	11.0	5.8	42.00	-	-	ns	ns	ns
1060 779377	00	2.5	4.3	1000	32	67	7.10	1	1.0	4	0.6	8	1.0	<	9.2	4.4	41.09	-	-	ns	ns	ns
1060 779379	00	1.2	6.6	3500	51	110	9.20	2	1.0	3	0.9	9	1.1	2	17.0	5.4	31.96	-	-	ns	ns	ns
1060 779380	00	0.8	6.4	2700	40	84	7.20	<	1.0	3	0.8	7	0.9	2	14.0	4.1	12.66	-	-	ns	ns	ns
1060 779385	00	28.5	8.6	900	49	90	7.40	<	0.8	4	1.5	8	1.4	48	19.0	23.2	14.67	-	-	6.0	ns	ns
1060 779387	00	2.1	4.9	1300	38	78	8.00	2	0.9	3	0.6	6	1.1	1	11.0	4.1	37.48	-	-	5.5	ns	ns
1060 779389	00	5.5	3.9	680	43	95	8.20	1	1.0	3	0.7	13	1.3	10	14.0	4.5	18.69	-	-	7.0	ns	ns
1060 779390	00	6.7	3.6	790	54	83	8.00	<	1.0	2	0.3	10	1.3	<	15.0	4.1	38.43	-	-	6.0	ns	ns
1060 779393	00	1.2	5.7	2900	51	76	7.00	1	1.1	3	0.2	10	1.1	2	14.0	5.4	6.29	-	-	6.0	ns	ns
1060 779396	00	0.8	4.3	1500	80	140	11.10	2	1.5	4	0.4	13	1.6	1	20.2	4.9	25.35	-	-	6.0	ns	ns
1060 779397	00	1.0	9.3	580	42	70	5.10	2	0.6	2	<	5	0.9	1	11.0	4.7	5.62	-	-	6.0	ns	ns
1060 779398	00	2.1	6.2	530	79	140	10.30	2	1.4	3	0.3	7	1.3	<	21.8	4.1	22.40	-	-	6.0	ns	ns
1060 779399	00	1.3	4.1	570	80	140	10.10	1	1.4	3	0.2	9	1.2	2	20.0	4.1	16.42	-	-	6.0	ns	ns
1060 779400	00	1.1	3.2	740	52	97	7.40	1	1.0	3	0.3	7	1.3	<	13.0	3.2	24.57	-	-	6.0	ns	ns
1060 779402	00	2.4	4.3	600	120	200	23.80	5	4.1	8	0.9	2	0.6	<	5.7	5.4	17.95	-	-	5.0	ns	ns
1060 779405	00	0.8	5.5	820	31	52	5.00	1	0.9	3	<	5	1.0	<	7.2	4.8	30.83	-	-	5.8	ns	ns
1060 779406	00	0.9	6.0	1200	34	51	6.10	<	1.0	2	<	7	1.1	<	8.9	4.0	32.58	-	-	5.8	ns	ns
1060 779408	00	2.7	2.3	1600	31	45	4.90	<	0.8	<	<	3	1.1	2	5.5	3.2	32.14	-	-	7.3	ns	ns
1060 779410	00	2.3	2.0	600	20	32	3.00	<	<	<	<	4	0.6	2	4.5	2.2	14.37	-	-	7.9	ns	ns
1060 779411	00	1.3	21.0	590	85	130	11.80	2	1.4	<	<	4	1.0	1	24.2	12.0	6.95	-	-	7.4	ns	ns
1060 779412	00	1.8	2.2	1000	47	78	7.10	1	1.1	3	0.2	9	1.2	1	9.4	3.6	46.99	-	-	8.0	ns	ns
1060 779413	00	1.2	8.7	530	140	240	18.40	2	1.7	3	0.5	6	1.7	2	31.6	4.3	26.46	-	-	8.0	ns	ns
1060 779414	00	1.8	4.3	930	65	110	9.00	1	1.3	4	0.2	6	1.3	<	12.0	4.8	17.44	-	-	7.4	ns	ns
1060 779415	00	1.1	3.6	730	86	140	11.30	2	1.6	4	0.5	8	1.8	<	16.0	4.9	26.23	-	-	7.8	ns	ns
1060 779417	00	1.3	2.8	780	43	78	6.40	2	1.1	3	0.3	6	1.0	<	11.0	2.9	36.89	-	-	5.0	ns	ns
1060 779418	00	0.8	3.2	660	64	120	9.10	2	1.5	3	0.4	8	1.6	2	16.0	3.7	31.09	-	-	5.2	ns	ns
1060 779420	00	0.7	2.8	560	73	130	10.20	2	1.2	3	0.2	9	1.5	2	17.0	3.4	44.38	-	-	5.0	ns	ns
1060 779423	00	1.4	2.9	1000	95	170	15.00	2	2.1	4	0.5	17	2.5	<	23.8	5.8	36.22	-	-	6.7	ns	ns
1060 779424	00	1.0	3.5	990	77	130	10.60	2	1.9	5	0.4	13	1.7	1	13.0	4.8	18.93	-	-	7.5	ns	ns
1060 779425	00	5.4	6.7	2700	54	83	8.30	1	1.6	4	0.3	5	1.1	2	13.0	6.7	20.28	-	-	6.9	ns	ns
1060 779426	00	3.2	6.5	1800	52	91	8.30	1	1.2	4	0.4	6	1.3	2	13.0	5.4	29.04	-	-	5.0	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
1060	779428	00	08	521600	7115420	ALVM	* Sed/Water	8	15	*	*	Fast	Gy-Blu	121	-	*	*	*	*	*	*	*
1060	779429	00	08	521930	7111380	PLLT	* Sed/Water	4	5	*	*	Fast	Gy-Blu	220	-	*	*	*	*	*	*	*
1060	779430	00	08	523660	7114890	PLLT	* Sed/Water	7	10	*	*	Fast	Gy-Blu	130	-	*	*	*	*	*	*	*
1060	779431	00	08	527500	7104700	QRTZX	* Sed/Water	3	5	*	*	Fast	Rd-Bn	121	-	*	*	*	*	*	*	*
1060	779434	00	08	527900	7106730	ALVM	* Sed/Water	3	4	*	*	Fast	Gy-Blu	120	-	*	*	*	*	*	*	*
1060	779436	00	08	530350	7108850	GRNS	* Sed/Water	10	20	*	*	Fast	Rd-Bn	220	-	*	*	*	*	*	*	*
1060	779437	00	08	539720	7106520	PLLT	* Sed/Water	3	4	*	*	Fast	*	021	-	*	*	*	*	*	*	*
1060	779439	00	08	538350	7105150	PLLT	* Sed/Water	4	10	*	*	Fast	Gy-Blu	130	-	*	*	*	*	*	*	*
1060	779440	00	08	540250	7111230	ALVM	* Sed/Water	3	8	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*	*	*
1060	779445	00	08	538975	7112575	ALVM	* Sed/Water	6	10	*	*	Fast	Gy-Blu	021	-	*	*	*	*	*	*	*
1060	779448	00	08	537250	7113600	ALVM	* Sed/Water	5	10	*	*	Fast	Gy-Blu	210	-	*	*	*	*	*	*	*
1060	779449	00	08	521600	7099600	QRTZX	* Sed/Water	3	3	*	*	Fast	Rd-Bn	012	-	*	*	*	*	*	*	*
1060	779450	00	08	541650	7113400	QRTZX	* Sed/Water	2	2	*	*	Fast	Rd-Bn	111	-	*	*	*	*	*	*	*
1060	779451	00	08	541200	7114300	ALVM	* Sed/Water	3	2	*	*	Fast	Gy-Blu	021	-	*	*	*	*	*	*	*
1060	779453	00	08	540050	7115800	SLTEX	* Sed/Water	2	3	*	*	Fast	Rd-Bn	022	-	*	*	*	*	*	*	*
1060	779456	00	08	479170	7108420	ALVM	* Sed/Water	2	2	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*	*	*
1060	779457	00	08	475800	7111090	ALVM	* Sed/Water	4	10	*	*	Fast	Rd-Bn	022	-	*	*	*	*	*	*	*
1060	779458	00	08	474590	7112000	ALVM	* Sed/Water	2	5	*	*	Modert	Rd-Bn	120	-	*	*	*	*	*	*	*
1060	779462	00	08	475600	7114400	ALVM	* Sed/Water	5	5	*	*	Fast	Rd-Bn	120	-	*	*	*	*	*	*	*
1060	779463	00	08	474510	7115800	ALVM	* Sed/Water	30	50	*	*	Modert	Gy-Blu	030	-	*	*	*	*	*	*	*
1060	779464	00	08	482420	7111800	ALVM	* Sed/Water	2	2	*	*	Slow	Rd-Bn	021	-	*	*	*	*	*	*	*
1060	779465	00	08	482550	7113500	ALVM	* Sed/Water	3	1	*	*	Modert	*	121	-	*	*	*	*	*	*	*
1060	779468	00	08	469510	7116380	ALVM	* Sed/Water	3	3	*	*	Modert	Rd-Bn	111	-	*	*	*	*	*	*	*
1060	779470	00	08	469150	7118140	ALVM	* Sed/Water	4	5	*	*	Slow	Rd-Bn	022	-	*	*	*	*	*	*	*
1060	779471	00	08	471600	7118280	ALVM	* Sed/Water	2	5	*	*	Modert	Rd-Bn	121	-	*	*	*	*	*	*	*
1060	779472	00	08	491400	7122400	ALVM	* Sed/Water	5	4	*	*	Modert	Gy-Blu	210	-	*	*	*	*	*	*	*
1060	779474	00	08	491900	7119500	ALVM	* Sed/Water	10	10	*	*	Fast	Gy-Blu	111	-	*	*	*	*	*	*	*
1060	779475	00	08	491250	7109200	ALVM	* Sed/Water	4	2	*	*	Slow	Rd-Bn	111	-	*	*	*	*	*	*	*
1060	779477	00	08	496950	7100100	ALVM	* Sed/Water	4	5	*	*	Modert	Rd-Bn	022	-	*	*	*	*	*	*	*
1060	779478	00	08	498550	7101250	ALVM	* Sed/Water	15	15	*	*	Fast	Rd-Bn	121	-	*	*	*	*	*	*	*
1060	779479	00	08	500570	7100440	ALVM	* Sed/Water	4	3	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*	*	*
1060	779480	00	08	502000	7098770	ALVM	* Sed/Water	20	5	*	*	Modert	Rd-Bn	121	-	*	*	*	*	*	*	*
1060	779482	00	08	507380	7097470	SHLEX	* Sed/Water	2	1	*	*	Modert	Rd-Bn	120	-	*	*	*	*	*	*	*
1060	779484	00	08	515200	7098630	ALVM	* Sed/Water	1	2	*	*	Modert	Rd-Bn	021	-	*	*	*	*	*	*	*
1060	779486	00	08	512460	7098000	SHLEX	* Sed/Water	10	6	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*	*	*
1060	779487	00	08	501650	7105500	ALVM	* Sed/Water	12	5	*	*	Fast	Gy-Blu	031	-	*	*	*	*	*	*	*
1060	779488	00	08	518000	7122100	ALVM	* Sed/Water	2	3	*	*	Modert	Rd-Bn	021	-	*	*	*	*	*	*	*
1060	779489	00	08	516220	7123410	ALVM	* Sed/Water	5	2	*	*	Modert	Gy-Blu	031	-	*	*	*	*	*	*	*
1060	779490	00	08	513630	7124000	ALVM	* Sed/Water	4	2	*	*	Modert	Gy-Blu	021	-	*	*	*	*	*	*	*
1060	779491	00	08	504000	7121170	ALVM	* Sed/Water	3	5	*	*	Fast	Rd-Bn	021	-	*	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 779428 00	250	35	10	57	14	<	480	<	2.30	ns	4.1	<	1140	0.62	13.0	110	3.4	20	51	20.0	6.7	64	4
1060 779429 00	270	65	6	53	20	<	240	<	3.60	ns	4.3	<	1180	0.51	17.0	130	4.6	29	68	35.0	1.1	90	5
1060 779430 00	92	31	8	25	14	<	590	<	2.00	ns	2.6	<	840	0.54	10.0	62	3.0	19	34	17.0	0.8	53	3
1060 779431 00	280	40	12	37	13	0.4	550	<	2.30	ns	4.8	<	2000	0.49	11.0	83	2.8	14	43	17.0	6.6	53	4
1060 779434 00	540	34	7	64	19	<	270	<	3.45	ns	4.0	<	1360	0.59	11.0	87	4.2	24	61	19.0	1.2	59	4
1060 779436 00	192	39	5	30	11	<	400	<	2.30	ns	2.9	<	1680	0.58	10.0	62	2.7	18	36	16.0	0.6	41	2
1060 779437 00	520	40	8	52	20	<	400	<	2.60	ns	4.1	<	1740	0.83	15.0	95	3.6	28	90	18.0	3.6	83	4
1060 779439 00	400	30	6	46	17	<	440	<	2.40	ns	3.0	<	1340	0.87	13.0	90	3.4	25	67	12.0	1.5	63	4
1060 779440 00	260	40	12	46	15	<	920	<	3.15	ns	3.8	<	1500	0.41	15.0	120	3.9	20	43	18.0	3.4	80	5
1060 779445 00	190	49	24	39	13	<	630	<	2.85	ns	4.6	<	2120	0.54	15.0	110	4.0	22	52	26.0	1.9	75	5
1060 779448 00	220	52	15	44	14	0.4	840	2	3.40	ns	3.7	<	3600	0.34	13.0	140	4.1	20	58	31.0	<	74	6
1060 779449 00	66	27	8	18	7	<	300	<	1.60	ns	3.3	<	1960	0.54	11.0	62	2.5	13	28	18.0	11.0	47	4
1060 779450 00	1440	610	16	380	100	1.8	6000	8	6.90	ns	11.7	<	2080	0.36	18.0	140	8.3	130	340	36.0	4.3	81	11
1060 779451 00	800	175	36	160	31	1.0	1950	6	3.30	ns	6.1	<	2800	0.44	14.0	140	4.3	41	160	29.0	5.1	68	8
1060 779453 00	5000	80	22	660	65	0.8	8000	28	2.75	ns	7.5	<	2920	0.27	7.9	72	3.2	73	640	36.0	13.0	41	28
1060 779456 00	74	19	7	18	6	<	420	<	1.60	ns	2.8	<	820	0.90	10.0	87	2.6	13	18	11.0	1.4	39	4
1060 779457 00	120	25	24	20	10	<	955	<	2.50	ns	4.2	<	880	0.74	10.0	73	2.5	15	18	15.0	6.4	76	<
1060 779458 00	210	16	16	19	9	<	370	<	1.70	ns	3.6	<	760	0.91	10.0	77	2.5	10	22	9.3	3.1	69	3
1060 779462 00	78	22	16	23	12	<	465	<	2.60	ns	4.0	<	880	1.30	16.0	110	4.0	17	26	10.0	2.6	120	4
1060 779463 00	146	30	7	31	13	<	1000	<	2.15	ns	3.5	<	1540	1.00	15.0	100	3.4	22	36	11.0	3.8	75	4
1060 779464 00	72	19	8	16	6	<	175	<	1.30	ns	2.8	<	1120	1.00	11.0	80	2.3	9	24	7.1	1.0	47	3
1060 779465 00	86	28	14	20	8	<	290	<	1.75	ns	3.1	<	860	1.20	12.0	85	2.8	10	23	10.0	3.1	54	4
1060 779468 00	180	58	8	73	15	<	740	<	2.35	ns	4.2	<	2920	0.70	12.0	96	3.0	20	61	8.4	2.7	55	3
1060 779470 00	96	36	13	24	13	<	760	<	2.25	ns	3.3	<	2160	0.82	12.0	86	2.6	18	19	7.8	2.1	63	5
1060 779471 00	68	16	9	21	9	<	380	<	1.50	ns	2.3	<	1140	1.30	12.0	67	2.7	13	<	7.3	1.6	41	3
1060 779472 00	192	45	12	33	11	<	630	2	3.25	ns	4.6	<	1480	0.57	18.0	130	4.1	15	41	24.0	3.4	100	7
1060 779474 00	144	33	10	29	10	<	840	<	2.60	ns	4.4	<	1220	0.67	15.0	100	3.3	17	21	16.0	3.5	81	4
1060 779475 00	220	26	10	35	17	<	1100	<	3.25	ns	3.1	<	940	0.72	12.0	69	4.0	24	37	14.0	6.7	49	2
1060 779477 00	184	56	18	49	47	<	610	<	3.00	ns	3.4	<	960	0.64	16.0	64	4.1	64	66	16.0	11.0	64	4
1060 779478 00	198	70	6	34	26	<	465	<	4.70	ns	3.9	<	940	0.74	19.0	93	7.2	40	62	22.0	8.1	73	4
1060 779479 00	124	29	3	24	10	<	265	<	1.60	ns	4.5	<	720	1.20	16.0	100	4.7	24	48	17.0	3.0	53	3
1060 779480 00	170	45	4	27	14	<	370	<	2.60	ns	3.1	<	700	0.93	15.0	83	4.6	30	45	14.0	1.5	45	3
1060 779482 00	82	36	<	30	12	<	260	<	1.95	ns	4.0	<	1060	1.30	14.0	99	3.6	18	34	9.1	<	47	3
1060 779484 00	112	57	7	25	12	<	245	<	2.45	ns	4.6	<	1200	1.10	16.0	100	3.8	18	45	18.0	18.0	45	4
1060 779486 00	114	34	2	35	27	<	455	<	3.00	ns	3.1	<	1040	0.78	11.0	73	4.2	35	37	19.0	6.2	37	4
1060 779487 00	82	23	14	18	6	<	165	<	2.25	ns	3.1	<	840	1.00	14.0	92	3.4	12	19	14.0	3.1	73	3
1060 779488 00	360	27	21	35	9	<	940	2	1.75	ns	2.8	<	900	0.75	10.0	74	3.3	17	50	25.0	5.7	39	5
1060 779489 00	130	22	26	22	6	<	460	4	1.15	ns	2.4	<	1020	0.43	7.1	47	2.1	12	20	21.0	<	38	7
1060 779490 00	90	22	16	22	10	<	660	<	1.60	ns	2.8	<	1000	0.80	12.0	66	3.3	19	23	13.0	1.7	51	2
1060 779491 00	132	41	24	27	15	<	1900	<	2.80	ns	4.5	<	840	0.43	12.0	82	3.4	22	25	18.0	20.0	86	2



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 779428 00	1.9	4.1	1200	84	140	12.00	2	1.2	3	0.4	8	1.4	<	22.0	4.6	4	31.21	-	-	7.6	ns	ns
1060 779429 00	3.5	6.1	1400	59	98	9.20	1	1.3	3	0.3	8	1.3	2	16.0	5.5	5	29.09	-	-	6.7	ns	ns
1060 779430 00	1.8	2.5	800	45	79	6.70	2	1.1	4	0.3	6	0.9	<	12.0	3.2	<2	38.65	-	-	7.5	ns	ns
1060 779431 00	3.9	3.4	1900	45	74	6.70	1	1.1	3	0.2	7	0.7	<	10.0	5.9	4	25.52	-	-	7.2	ns	ns
1060 779434 00	4.2	4.2	1300	52	89	8.30	1	1.2	4	0.3	8	1.1	<	12.0	4.8	<2	41.22	-	-	6.6	ns	ns
1060 779436 00	3.6	3.1	1700	46	75	7.80	<	1.3	3	0.2	7	0.9	1	10.0	3.6	4	19.23	-	-	7.5	ns	ns
1060 779437 00	3.9	6.3	1900	47	74	8.00	1	1.0	3	0.3	7	1.4	2	12.0	5.0	<2	31.17	-	-	7.4	ns	ns
1060 779439 00	2.0	3.8	1600	46	83	7.20	<	1.0	3	0.4	8	1.1	2	10.0	4.0	4	38.20	-	-	7.6	ns	ns
1060 779440 00	2.3	5.5	1700	44	73	6.60	1	1.0	3	0.3	6	1.1	<	12.0	4.4	5	21.99	-	-	7.4	ns	ns
1060 779445 00	4.5	4.0	2400	72	130	10.50	2	1.5	4	0.4	8	1.3	2	16.0	5.7	6	33.24	-	-	7.4	ns	ns
1060 779448 00	5.1	4.0	3500	64	99	8.60	1	1.2	4	0.3	4	1.1	1	12.0	4.0	6	9.14	-	-	7.4	ns	ns
1060 779449 00	1.9	3.3	1900	41	77	6.10	1	1.0	3	0.3	11	0.6	<	9.2	4.0	5	32.54	-	-	7.6	ns	ns
1060 779450 00	8.8	6.9	2800	66	110	13.00	3	2.3	5	0.3	4	1.0	<	14.0	14.0	15	26.07	-	-	7.6	ns	ns
1060 779451 00	6.2	4.4	3400	53	81	8.20	2	1.6	3	0.2	4	1.4	<	11.0	6.9	11	21.90	-	-	7.5	ns	ns
1060 779453 00	8.9	2.6	2800	26	34	3.60	1	0.6	3	<	3	0.7	<	5.4	7.3	5	13.63	-	-	7.4	ns	ns
1060 779456 00	1.4	2.4	820	47	84	7.40	1	1.0	3	0.3	9	1.1	<	9.5	3.3	4	36.57	-	-	8.3	ns	ns
1060 779457 00	1.2	4.5	770	45	71	6.50	<	0.8	3	<	7	1.0	<	14.0	4.3	3	18.86	-	-	8.4	ns	ns
1060 779458 00	1.3	3.6	680	65	120	10.00	1	1.3	3	0.3	12	1.4	1	19.0	4.4	5	22.10	-	-	ns	ns	ns
1060 779462 00	1.0	5.5	1100	79	140	10.40	2	1.7	3	0.4	12	1.9	2	21.9	5.1	<2	31.86	-	-	8.5	ns	ns
1060 779463 00	1.3	4.9	1600	51	87	7.40	1	1.0	3	0.3	8	1.5	1	12.0	4.4	<2	26.26	-	-	8.4	ns	ns
1060 779464 00	1.2	2.7	1100	46	77	7.10	2	1.0	3	0.4	9	1.2	2	9.4	3.6	8	36.33	-	-	7.9	ns	ns
1060 779465 00	1.2	3.6	900	39	64	6.20	<	1.0	4	0.3	9	1.0	<	9.0	3.9	4	28.63	-	-	7.5	ns	ns
1060 779468 00	1.2	3.4	2800	44	69	6.50	1	1.0	3	0.2	5	0.9	<	11.0	4.3	9	14.55	-	-	7.2	ns	ns
1060 779470 00	1.2	3.3	2300	34	63	5.00	<	0.8	2	0.2	5	1.0	1	8.6	3.6	6	11.10	-	-	7.2	ns	ns
1060 779471 00	1.2	2.4	1300	35	63	5.50	2	0.9	2	0.3	6	1.0	<	8.4	3.1	3	35.76	-	-	8.0	ns	ns
1060 779472 00	4.7	7.8	1800	64	100	8.40	2	1.1	3	<	7	1.5	<	13.0	5.6	4	16.10	-	-	7.8	ns	ns
1060 779474 00	2.9	5.3	1200	57	95	8.10	2	1.2	3	0.3	8	1.3	2	13.0	4.9	<2	20.11	-	-	8.0	ns	ns
1060 779475 00	1.5	3.6	940	47	76	7.70	1	1.2	3	0.3	6	1.3	2	12.0	3.4	7	12.45	-	-	7.9	ns	ns
1060 779477 00	1.9	6.9	940	44	65	6.90	1	1.2	2	<	7	1.1	3	9.2	4.3	7	16.65	-	-	6.4	ns	ns
1060 779478 00	2.7	6.1	1100	47	77	7.70	2	1.6	4	0.4	7	1.3	<	11.0	5.5	10	33.49	-	-	6.5	ns	ns
1060 779479 00	0.8	2.5	710	67	120	10.10	2	1.3	4	0.5	14	2.1	1	16.0	4.6	10	23.84	-	-	7.1	ns	ns
1060 779480 00	1.4	2.8	760	39	61	6.50	2	1.1	3	0.5	7	1.3	<	9.3	3.4	<2	43.85	-	-	7.6	ns	ns
1060 779482 00	1.0	3.3	950	49	87	8.00	2	1.5	3	0.6	12	1.4	<	10.0	4.6	4	48.00	-	-	7.0	ns	ns
1060 779484 00	1.2	3.7	1100	36	62	5.80	2	1.3	4	0.3	7	0.9	<	7.9	5.5	8	23.87	-	-	7.9	ns	ns
1060 779486 00	1.5	2.9	1200	42	71	6.50	<	1.1	3	0.4	8	1.2	<	8.2	4.2	12	35.18	-	-	7.9	ns	ns
1060 779487 00	1.1	4.1	980	36	59	4.80	<	0.8	2	0.3	6	1.0	1	10.0	3.6	<2	28.82	-	-	7.9	ns	ns
1060 779488 00	4.6	2.5	1100	38	66	5.60	1	0.9	3	0.2	6	1.1	1	7.7	3.6	12	31.34	-	-	7.0	ns	ns
1060 779489 00	4.8	1.8	750	24	31	4.10	<	0.6	2	0.2	4	0.8	1	5.4	2.9	3	26.43	-	-	7.8	ns	ns
1060 779490 00	1.8	2.5	990	48	80	8.00	1	1.3	3	<	7	2.3	1	10.0	3.9	<2	30.53	-	-	7.5	ns	ns
1060 779491 00	1.3	4.8	850	44	68	6.00	<	1.2	3	<	4	1.3	1	13.0	4.9	4	11.39	-	-	7.6	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiolg.	Drainage	Type	Stream Class	Source
1060	779493	00	08	503750	7105200	GPSC	*	Sed/Water	5	5	*	*	Fast	Fast	Rd-Bn	220	-	*	*	*	*	*	*
1060	779495	00	08	504620	7103550	ALVM	*	Sed/Water	6	2	*	*	Moderat	Moderat	Rd-Bn	111	-	*	*	*	*	*	*
1060	779497	00	08	512480	7107750	SHELEX	*	Sed/Water	7	5	*	*	Fast	Fast	Rd-Bn	021	-	*	*	*	*	*	*
1060	779498	00	08	510620	7109550	ALVM	*	Sed/Water	8	5	*	*	Fast	Fast	Rd-Bn	210	-	*	*	*	*	*	*
1060	779499	00	08	508760	7111510	ALVM	*	Sed/Water	6	7	*	*	Fast	Fast	Rd-Bn	030	-	*	*	*	*	*	*
1060	779500	00	08	507500	7112800	ALVM	*	Sed/Water	1	2	*	*	Slow	Slow	Rd-Bn	021	-	*	*	*	*	*	*
1060	779502	00	08	504980	7113310	ALVM	*	Sed/Water	*	*	*	*	Stagnt	Stagnt	*	021	-	*	*	*	*	*	*
1060	779506	00	08	524840	7101000	SHELEX	*	Sed/Water	8	4	*	*	Fast	Fast	Rd-Bn	111	-	*	*	*	*	*	*
1060	779508	00	08	524630	7097950	SHELEX	*	Sed/Water	6	1	*	*	Fast	Fast	Gy-Blu	111	-	*	*	*	*	*	*
1060	779509	00	08	525550	7099400	ALVM	*	Sed/Water	4	2	*	*	Fast	Fast	Rd-Bn	111	-	*	*	*	*	*	*
1060	779510	00	08	527075	7100850	ALVM	*	Sed/Water	*	*	*	*	Stagnt	Stagnt	Rd-Bn	120	-	*	*	*	*	*	*
1060	779511	00	08	536150	7099600	ALVM	*	Sed/Water	1	1	*	*	Moderat	Moderat	Rd-Bn	111	-	*	*	*	*	*	*
1060	779514	00	08	537380	7101925	SHELEX	*	Sed/Water	5	3	*	*	Fast	Fast	Rd-Bn	120	-	*	*	*	*	*	*
1060	779515	00	08	524030	7108610	ALVM	*	Sed/Water	1	1	*	*	Slow	Slow	Rd-Bn	031	-	*	*	*	*	*	*
1060	779517	00	08	537100	7107700	ALVM	*	Sed/Water	2	1	*	*	Moderat	Moderat	Rd-Bn	111	-	*	*	*	*	*	*
1060	779519	00	08	535975	7106080	SHELEX	*	Sed/Water	6	4	*	*	Fast	Fast	Rd-Bn	121	-	*	*	*	*	*	*
1060	779520	00	08	535325	7104500	ALVM	*	Sed/Water	7	5	*	*	Fast	Fast	Rd-Bn	120	-	*	*	*	*	*	*
1060	779522	00	08	545400	7114900	SHELEX	*	Sed/Water	1	1	*	*	Fast	Fast	Rd-Bn	121	-	*	*	*	*	*	*
1060	779527	00	08	543600	7116750	SHELEX	*	Sed/Water	5	3	*	*	Fast	Fast	Rd-Bn	031	-	*	*	*	*	*	*
1060	779531	00	08	464220	7100590	UKNXX	*	Sed/Water	*	*	*	*	Stagnt	Stagnt	*	*	-	*	*	*	*	*	*
1060	779533	00	08	468660	7105650	UKNXX	*	Sed/Water	*	*	*	*	Stagnt	Stagnt	*	*	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AAS	MADNC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
1060 779493 00	98	19	8	24	9	<	410	<	2.05	ns	2.8	<	600	0.60	10.0	57	3.6	17	<	7.0	0.8	54	3
1060 779495 00	118	29	4	28	12	<	250	<	1.90	ns	2.9	<	680	0.75	12.0	76	3.4	21	33	10.0	3.9	52	4
1060 779497 00	350	170	8	90	34	<	320	2	4.35	ns	5.4	<	1020	0.77	23.4	130	6.5	56	99	49.0	4.2	80	9
1060 779498 00	360	84	5	76	66	<	600	<	3.30	ns	4.7	<	460	0.76	17.0	120	5.1	99	76	26.0	3.8	63	7
1060 779499 00	240	68	7	62	27	<	505	<	2.70	ns	3.1	<	900	0.88	14.0	110	4.4	41	73	16.0	2.7	67	3
1060 779500 00	70	32	13	23	14	<	445	<	2.40	ns	3.2	<	540	0.76	14.0	69	3.6	20	29	14.0	1.4	87	2
1060 779502 00	80	36	14	30	14	<	270	<	2.10	ns	4.5	<	660	0.79	14.0	67	3.1	19	17	7.7	1.8	85	2
1060 779506 00	330	39	11	40	12	<	745	<	2.15	ns	2.9	<	1200	0.43	8.8	63	2.6	14	44	26.0	1.1	37	5
1060 779508 00	300	68	32	49	26	<	310	<	3.20	ns	6.0	<	1280	0.49	12.0	99	3.9	38	60	32.0	7.4	66	5
1060 779509 00	2300	1220	284	29	11	<	180	<	3.50	ns	4.6	<	1500	0.79	13.0	94	5.3	16	35	73.3	7.1	53	4
1060 779510 00	290	53	20	34	18	<	480	2	3.00	ns	4.3	<	2000	0.72	15.0	93	4.2	24	43	31.0	1.9	75	6
1060 779511 00	1340	66	18	165	78	1.0	3400	10	7.50	ns	11.9	<	9999	0.58	15.0	79	8.7	100	160	25.0	3.9	74	14
1060 779514 00	820	125	9	73	27	<	720	6	4.40	ns	7.7	<	9999	0.58	15.0	100	6.1	42	96	24.0	1.2	68	12
1060 779515 00	330	42	12	60	14	<	340	<	2.30	ns	4.7	<	1160	0.73	14.0	82	3.3	23	54	22.0	5.1	66	4
1060 779517 00	270	30	9	35	10	0.4	285	<	2.05	ns	3.6	<	1500	0.68	12.0	92	2.8	15	46	9.2	1.9	59	4
1060 779519 00	271	28	9	32	13	<	415	<	2.20	ns	3.4	<	1200	0.76	13.0	140	3.1	18	43	11.0	1.8	55	3
1060 779520 00	182	31	6	30	10	<	380	<	1.90	ns	3.0	<	1200	0.75	12.0	91	3.0	14	42	9.1	1.6	49	3
1060 779522 00	78	36	20	26	16	0.6	465	<	2.65	ns	4.3	<	820	0.37	15.0	98	3.8	23	28	12.0	2.1	110	2
1060 779527 00	250	45	21	42	11	0.4	550	2	2.10	ns	4.5	<	3000	0.59	11.0	94	3.1	15	47	22.0	1.2	61	7
1060 779531 00	176	38	27	50	19	<	660	2	3.20	ns	6.2	40	980	0.69	11.0	90	3.4	22	62	147.0	11.0	82	5
1060 779533 00	108	19	16	16	8	<	190	<	2.30	ns	3.1	<	700	0.76	11.0	74	2.8	8	14	63.1	12.0	49	4

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
1060 779493	0.8	2.4	640	65	120	9.30	2	1.1	3	0.2	8	1.8	2	16.0	3.3	<2	22.74	-	-	7.4	ns	ns
1060 779495	0.7	3.0	760	54	95	8.30	2	1.2	2	0.3	7	1.5	<	14.0	3.5	4	25.04	-	-	8.2	ns	ns
1060 779497	2.2	6.9	1300	89	160	18.30	4	3.0	7	0.7	7	1.3	1	15.0	7.1	8	32.14	-	-	5.8	ns	ns
1060 779498	2.4	5.7	1300	110	190	17.20	3	3.0	6	0.7	7	1.9	<	14.0	5.8	5	31.67	-	-	5.3	ns	ns
1060 779499	1.4	3.9	1000	70	110	10.70	1	1.9	4	0.4	6	1.3	2	13.0	4.3	<2	33.89	-	-	8.2	ns	ns
1060 779500	1.0	5.1	590	80	140	11.00	1	1.3	3	0.4	6	1.2	1	20.8	3.8	<2	35.49	-	-	7.5	ns	ns
1060 779502	0.9	4.5	710	47	84	6.30	<	1.1	3	0.2	5	1.0	1	14.0	4.9	4	22.30	-	-	ns	ns	ns
1060 779506	4.4	2.6	1500	36	61	5.90	1	0.8	2	0.2	6	0.8	<	7.9	3.6	4	40.03	-	-	ns	ns	ns
1060 779508	4.4	4.5	1600	100	170	17.00	3	2.0	4	0.3	17	1.5	<	22.5	7.5	7	29.80	-	-	8.0	ns	ns
1060 779509	4.6	3.8	1800	56	94	8.60	2	1.4	3	0.3	8	1.3	<	12.0	5.9	<2	30.94	-	-	7.5	ns	ns
1060 779510	6.9	5.3	2300	72	120	10.10	<	1.3	3	0.3	8	1.4	1	16.0	5.4	<2	27.77	-	-	ns	ns	ns
1060 779511	12.0	5.3	4800	53	85	8.50	2	1.8	4	<	6	0.9	2	13.0	13.0	<2	20.46	-	-	6.6	ns	ns
1060 779514	6.5	3.8	5540	61	110	9.20	2	1.6	4	<	8	1.1	<	15.0	9.4	<2	39.09	-	-	6.8	ns	ns
1060 779515	2.7	4.4	1400	42	69	6.60	2	1.0	3	<	6	1.1	<	11.0	5.7	<2	30.91	-	-	7.9	ns	ns
1060 779517	2.5	4.1	1600	44	73	7.00	<	1.1	3	0.3	5	0.9	<	8.7	3.9	3	26.50	-	-	7.8	ns	ns
1060 779519	2.0	3.4	1500	53	89	8.50	1	1.1	3	0.3	8	1.2	1	10.0	4.1	<2	37.57	-	-	7.9	ns	ns
1060 779520	1.6	3.3	1300	38	70	6.30	2	1.1	3	0.3	6	0.9	<	8.3	3.6	4	33.95	-	-	7.6	ns	ns
1060 779522	1.4	5.5	970	73	130	10.20	1	1.6	3	0.4	9	1.6	2	20.0	5.1	<2	31.31	-	-	8.0	ns	ns
1060 779527	3.8	3.5	3400	41	59	6.30	1	1.0	3	<	6	1.4	1	10.0	5.3	<2	38.13	-	-	8.0	ns	ns
1060 779531	6.2	7.2	830	44	71	5.90	1	1.0	2	<	6	0.8	60	14.0	6.3	12	7.13	-	-	ns	ns	ns
1060 779533	4.1	3.3	740	39	58	5.80	2	1.1	3	0.2	7	1.0	1	10.0	3.6	4	19.02	-	-	ns	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106E	761002	00	08	454042	7209407	ARGLa	04	Sed/Water	2	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761003	00	08	457084	7210279	ARGLa	04	Sed/Water	8	10	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761004	00	08	459653	7210372	ARGLa	04	Sed/Water	1	2	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761005	00	08	456244	7212270	ARGLa	04	Sed/Water	3	3	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761006	00	08	454051	7213270	ARGLa	04	Sed/Water	1	3	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761007	00	08	456961	7215872	ARGLa	04	Sed/Water	1	3	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761008	00	08	454909	7221646	ARGLa	04	Sed/Water	6	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761009	00	08	456962	7223317	ARGLa	04	Sed/Water	2	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761010	00	08	459704	7219786	ARGLa	04	Sed/Water	8	10	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761011	00	08	461493	7218940	ARGLa	04	Sed/Water	3	10	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761012	00	08	459914	7218086	ARGLa	04	Sed/Water	3	5	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	761013	10	08	461103	7216450	ARGLa	04	Sed/Water	2	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761014	20	08	461103	7216450	ARGLa	04	Sed/Water	2	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761015	00	08	460577	7221593	ARGLa	04	Sed/Water	1	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761016	00	08	460031	7224964	DLMTb	04	Sed/Water	5	9	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761017	00	08	461537	7225940	DLMTb	04	Sed/Water	7	9	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761019	00	08	463980	7224732	DLMTb	04	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761020	00	08	465433	7223581	ARGLa	04	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761022	00	08	470477	7223483	ARGLa	04	Sed/Water	1	4	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761023	00	08	473398	7225322	LMSNd	12	Sed/Water	10	15	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761024	00	08	476046	7226900	LMSNd	12	Sed/Water	5	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761025	10	08	472009	7235893	LMSNd	12	Sed/Water	1	6	-	Alluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761026	20	08	472009	7235893	LMSNd	12	Sed/Water	1	6	-	Alluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761027	00	08	475712	7235444	SNDSD	18	Sed/Water	1	3	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761028	00	08	474753	7230418	LMSNd	12	SedOnly			-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761029	00	08	473086	7233008	LMSNd	12	Sed/Water	3	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761030	00	08	472572	7228018	DLMTb	04	Sed/Water	2	5	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761031	00	08	466504	7233142	LMSNd	12	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761032	00	08	467483	7232520	LMSNd	12	Sed/Water	7	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761033	00	08	468500	7231100	LMSNd	12	Sed/Water	7	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761034	00	08	469260	7229673	LMSNd	12	Sed/Water	2	5	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761035	00	08	469085	7227129	DLMTb	04	Sed/Water	3	5	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761036	00	08	464924	7228266	DLMTb	04	Sed/Water	1	4	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	761037	00	08	462613	7229757	DLMTb	04	Sed/Water	4	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761038	00	08	461053	7228591	DLMTb	04	Sed/Water	2	6	-	Colluv BrCl'dy	Clear	Fast	*	*	-	*	*	*	*	*
106E	761040	00	08	459541	7229947	DLMTb	04	Sed/Water	3	4	-	Colluv BrCl'dy	Clear	Modert	*	*	-	*	*	*	*	*
106E	761042	10	08	459605	7233351	LMSNd	12	Sed/Water	6	7	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761043	20	08	459605	7233351	LMSNd	12	Sed/Water	6	7	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761044	00	08	460233	7234934	LMSNd	12	Sed/Water	6	3	-	Colluv	Clear	Slow	*	*	-	*	*	*	*	*
106E	761046	00	08	457498	7231503	DLMTb	04	Sed/Water	7	6	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 761002 00	110	11	22	4	2	<	5000	4	4.02	ns	0.8	<	90	0.23	1.6	21	0.5	<	5.5	5.9	10	2	
106E 761003 00	54	26	14	9	6	<	620	3	1.00	ns	1.5	<	400	0.55	4.3	28	1.9	10	<	9.1	3.2	30	2
106E 761004 00	66	32	13	12	9	<	730	5	1.15	ns	1.6	<	440	0.60	4.9	46	2.4	13	17	11.0	4.7	35	2
106E 761005 00	39	9	7	4	<	<	310	4	0.35	ns	1.0	<	330	0.24	1.5	<	0.6	<	3.5	4.2	8	1	
106E 761006 00	63	28	19	10	4	<	470	2	0.75	ns	2.2	<	450	0.41	4.8	50	1.2	7	20	7.6	6.8	32	2
106E 761007 00	49	18	12	6	3	<	430	3	0.60	ns	1.0	<	280	0.33	2.8	<	1.2	6	<	4.6	4.3	11	2
106E 761008 00	45	29	10	10	6	<	1030	2	1.00	ns	2.4	4	490	0.60	5.1	53	2.1	8	11	5.6	3.3	45	<
106E 761009 00	57	13	11	7	4	<	435	2	0.55	ns	1.2	<	350	0.31	2.7	29	0.8	<	4.2	6.0	22	<	
106E 761010 00	82	59	12	26	24	<	1000	2	3.70	ns	4.3	<	960	0.85	13.0	86	5.2	28	46	13.0	1.9	130	<
106E 761011 00	133	24	31	17	12	<	640	<	2.25	ns	3.7	<	600	0.46	8.3	44	2.8	13	23	12.0	2.0	120	<
106E 761012 00	108	224	42	19	16	0.2	2000	2	2.40	ns	3.0	<	580	0.33	6.8	67	3.2	16	27	30.0	6.8	90	<
106E 761013 10	79	90	16	30	33	<	1280	2	3.80	ns	5.3	<	1800	0.71	12.0	100	6.0	33	43	17.0	3.0	140	2
106E 761014 20	77	92	15	30	34	<	1330	2	3.95	ns	5.8	<	2200	0.69	13.0	100	7.5	38	<	18.0	2.2	140	3
106E 761015 00	68	38	14	20	18	<	840	<	3.00	ns	5.9	<	1800	0.54	10.0	89	3.1	15	<	7.2	9.1	150	5
106E 761016 00	35	12	9	7	2	<	380	2	0.50	ns	0.9	<	300	0.19	2.0	21	0.6	<	3.0	7.8	17	<	
106E 761017 00	36	13	11	8	3	<	295	3	0.55	ns	0.7	4	340	0.21	2.6	34	0.7	<	3.2	6.8	23	1	
106E 761019 00	87	13	2	18	8	<	600	<	1.50	ns	2.7	4	870	0.38	7.0	92	2.4	10	14	5.3	5.0	89	<
106E 761020 00	44	12	4	12	7	<	660	<	1.15	ns	2.0	<	610	0.29	5.3	57	2.0	8	15	4.0	1.7	84	<
106E 761022 00	121	13	27	8	5	<	1010	<	1.20	ns	1.9	<	560	0.21	4.8	42	1.5	6	<	4.8	6.5	55	<
106E 761023 00	67	6	18	3	<	<	240	3	0.20	ns	0.4	<	250	0.14	0.4	<	0.2	<	1.8	3.7	<	<	<
106E 761024 00	83	8	28	4	<	<	210	2	0.35	ns	1.0	<	280	0.19	1.0	<	0.4	<	4.7	5.0	11	1	
106E 761025 10	202	14	9	25	8	<	670	2	1.80	ns	3.1	<	1030	0.43	6.7	85	2.4	8	22	11.0	7.5	74	2
106E 761026 20	196	15	9	27	8	<	650	<	1.80	ns	3.0	4	1000	0.43	6.8	81	2.4	10	24	11.0	6.7	65	3
106E 761027 00	180	18	8	34	22	<	1700	2	2.65	ns	4.0	4	1050	0.57	7.4	75	2.9	21	30	9.0	10.0	62	3
106E 761028 00	38	11	8	7	3	<	340	3	0.60	ns	1.2	<	1680	0.19	2.0	27	0.8	<	4.8	2.2	16	2	
106E 761029 00	30	10	8	5	2	<	320	2	0.50	ns	0.8	<	270	0.18	1.7	21	0.5	<	4.1	2.3	15	2	
106E 761030 00	83	15	30	9	4	<	370	2	1.00	ns	1.2	<	590	0.28	3.6	36	1.4	<	11	10.0	7.6	43	2
106E 761031 00	29	7	8	3	<	<	110	3	0.20	ns	0.7	<	480	0.18	0.8	<	0.3	<	1.7	3.3	<	2	2
106E 761032 00	23	7	7	2	<	<	95	3	0.15	ns	0.7	<	460	0.15	0.4	<	<	<	1.4	2.0	<	2	<
106E 761033 00	25	10	8	2	<	<	170	4	0.20	ns	0.7	<	320	0.16	0.5	<	0.3	<	2.0	2.8	<	<	<
106E 761034 00	62	13	16	7	<	<	325	3	0.80	ns	1.5	<	450	0.23	3.1	43	1.1	5	<	3.5	5.3	39	1
106E 761035 00	60	12	10	8	3	<	325	3	0.80	ns	1.3	<	520	0.29	3.6	35	1.1	<	<	4.4	5.9	44	1
106E 761036 00	60	20	14	10	5	<	445	2	1.00	ns	2.2	<	480	0.26	4.0	42	1.4	6	19	5.4	6.2	58	<
106E 761037 00	47	9	20	5	<	<	190	3	0.45	ns	0.9	<	280	0.17	1.4	<	0.6	<	3.9	4.8	14	1	
106E 761038 00	39	13	20	10	<	<	300	2	0.55	ns	0.9	<	290	0.18	2.5	29	0.7	<	2.8	8.9	21	<	
106E 761040 00	24	9	10	5	<	<	340	3	0.40	ns	0.7	<	240	0.14	1.2	<	0.4	<	2.5	6.8	8	<	
106E 761042 10	29	7	19	4	<	<	95	3	0.20	ns	0.7	<	9999	0.12	0.5	25	0.2	<	2.7	<2.5	<	6	<
106E 761043 20	29	7	9	3	<	<	100	2	0.20	ns	0.7	<	9999	0.13	0.4	<	<	<	2.6	<2.0	6	4	<
106E 761044 00	34	6	11	3	<	<	85	2	0.15	ns	0.8	<	2700	0.15	0.4	<	<	<	1.1	3.6	<	<	<
106E 761046 00	41	13	9	7	2	<	360	2	0.50	ns	1.1	<	290	0.14	0.8	<	0.3	<	3.4	3.7	9	<	

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	AU	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 761002 00	0.6	0.6	140	5	10	1.00	<	<	<	<	<	<	<	1.7	1.1	<2	34.58	-	-	7.9	<	0.02
106E 761003 00	0.9	1.1	280	14	26	2.50	<	<	<	<	<	<	<	3.7	2.0	4	41.92	-	-	8.1	22	0.10
106E 761004 00	1.0	1.3	330	16	28	2.90	<	<	<	<	<	<	<	4.0	2.2	<2	47.00	-	-	8.1	30	0.02
106E 761005 00	0.5	0.7	160	7	14	1.30	<	<	<	<	<	<	<	2.1	1.3	<2	49.62	-	-	8.1	<	0.02
106E 761006 00	1.5	2.3	380	24	44	4.10	<	0.8	<	0.2	3	0.5	<	6.5	2.8	3	36.75	-	-	8.0	<	0.16
106E 761007 00	0.8	0.9	160	7	14	1.40	<	<	<	<	<	<	<	2.1	1.4	2	46.75	-	-	8.2	<	0.06
106E 761008 00	0.7	1.3	450	19	36	3.20	<	<	<	<	3	<	<	5.0	2.0	<2	27.41	-	-	8.2	<	0.22
106E 761009 00	0.4	0.8	250	10	19	1.90	<	<	<	<	2	<	<	2.9	1.4	3	39.45	-	-	8.3	26	0.34
106E 761010 00	1.5	5.2	1000	53	110	8.80	2	1.4	3	0.4	6	1.7	2	16.0	4.8	5	19.07	-	-	7.8	<	0.02
106E 761011 00	1.1	4.7	460	52	110	9.00	<	1.2	3	0.4	5	1.3	<	14.0	3.6	4	10.36	-	-	7.8	<	0.04
106E 761012 00	2.2	5.7	530	26	50	5.70	<	0.8	2	0.3	4	1.1	<	9.5	3.2	8	14.45	-	-	7.8	<	0.02
106E 761013 10	2.3	5.7	2700	54	100	10.00	1	1.6	2	0.3	6	1.7	4	18.0	6.1	<2	17.17	6	15.83	7.6	<	0.02
106E 761014 20	2.5	5.4	3400	60	110	10.00	1	1.4	3	0.4	6	2.0	4	17.0	5.8	11	14.36	3	15.39	7.4	<	0.02
106E 761015 00	0.9	8.6	870	60	110	10.00	<	1.6	3	0.2	5	1.2	1	20.0	5.5	<2	1.70	-	-	7.1	<	0.02
106E 761016 00	0.3	1.0	150	7	11	1.50	<	<	<	<	<	<	<	2.0	1.1	3	33.40	-	-	8.0	<	0.02
106E 761017 00	0.4	0.9	220	11	22	2.30	<	<	<	<	2	<	<	3.5	1.2	5	41.72	-	-	8.2	<	0.02
106E 761019 00	0.8	2.6	1000	31	63	5.50	<	0.9	2	0.3	7	1.2	1	10.0	3.2	<2	38.72	-	-	8.0	<	0.02
106E 761020 00	0.7	2.4	850	25	43	4.50	<	0.6	<	<	5	1.0	1	8.3	2.4	<2	48.88	-	-	8.0	<	0.04
106E 761022 00	0.5	3.3	430	17	40	3.40	<	0.6	<	<	3	0.6	1	5.8	1.7	6	14.67	-	-	8.0	<	0.02
106E 761023 00	0.2	<	70	<	<	0.47	<	<	<	<	<	<	<	0.7	0.8	<2	40.00	-	-	8.2	<	0.12
106E 761024 00	0.3	1.3	140	5	9	1.00	<	<	<	<	<	<	<	1.4	1.2	<2	27.37	-	-	8.2	<	0.02
106E 761025 10	1.3	2.8	990	24	48	4.50	<	0.9	2	<	5	0.7	<	6.8	3.2	4	11.40	-	-	8.2	52	0.10
106E 761026 20	1.2	2.7	990	25	47	4.40	<	0.7	<	<	5	1.0	<	7.2	3.1	3	11.49	-	-	8.2	54	0.06
106E 761027 00	1.0	2.9	1000	26	55	4.80	<	0.8	<	<	5	1.2	1	7.5	3.7	<2	10.75	-	-	8.2	24	0.06
106E 761028 00	0.5	0.9	1900	8	15	1.40	<	<	<	<	2	<	<	2.3	1.2	<2	15.38	-	-	ns	ns	ns
106E 761029 00	0.4	0.7	150	6	12	1.20	<	<	<	<	<	<	<	1.9	1.1	<2	32.36	-	-	8.2	<	0.02
106E 761030 00	0.9	2.6	580	12	23	2.40	<	<	<	<	3	<	1	4.3	1.7	3	40.97	-	-	8.2	<	0.02
106E 761031 00	0.2	<	470	4	10	0.72	<	<	<	<	<	<	<	1.0	0.9	<2	36.71	-	-	8.2	<	0.04
106E 761032 00	0.2	<	380	3	<	0.46	<	<	<	<	<	<	<	0.6	0.8	<2	19.04	-	-	8.1	<	0.06
106E 761033 00	0.2	<	180	3	<	0.56	<	<	<	<	<	<	<	0.7	0.8	3	36.00	-	-	8.3	<	0.02
106E 761034 00	0.5	1.5	330	12	23	2.10	<	<	<	<	3	<	1	4.1	1.6	11	16.25	<2	9.44	8.3	70	0.02
106E 761035 00	0.5	2.0	450	13	24	2.60	<	<	<	<	2	<	<	5.0	1.8	<2	28.39	-	-	8.3	86	0.04
106E 761036 00	0.5	2.0	420	15	29	3.20	<	0.6	<	<	3	0.6	<	5.8	2.0	3	12.71	-	-	8.3	<	0.04
106E 761037 00	0.4	0.5	210	6	12	1.20	<	<	<	<	1	<	<	2.1	1.1	<2	44.30	-	-	8.3	<	0.02
106E 761038 00	0.3	1.1	180	9	17	2.00	<	<	<	<	1	<	<	3.1	1.2	<2	33.51	-	-	8.2	<	0.02
106E 761040 00	0.2	<	83	5	11	1.10	<	<	<	<	<	<	<	1.5	0.9	<2	24.88	-	-	8.2	<	0.02
106E 761042 10	0.3	<	6980	3	10	0.50	<	<	<	<	<	<	<	0.6	0.8	<2	1.77	-	-	8.2	20	0.02
106E 761043 20	0.3	<	6870	2	<	0.49	<	<	<	<	<	<	<	0.3	0.7	<2	1.89	-	-	8.1	<	0.02
106E 761044 00	0.2	<	4300	3	<	0.55	<	<	<	<	<	<	<	0.7	0.9	<2	42.68	-	-	8.2	<	0.02
106E 761046 00	0.4	<	120	4	8	0.84	<	<	<	<	<	<	<	1.4	0.8	<2	24.36	-	-	8.0	<	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106E	761047	00	08	453847	7231316	LMSNd	12	Sed/Water	10	17	-	Colluv	BnCl'dy	Fast	*	*	-	*	*	*	*	*
106E	761048	00	08	456055	7233829	LMSNd	12	Sed/Water	6	9	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	761049	00	08	455465	7236228	LMSNd	12	Sed/Water	1	6	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	761050	00	08	453918	7260626	SLSNa	20	Sed/Water	3	8	-	Colluv	BnCl'dy	Modert	*	*	-	*	*	*	*	*
106E	761051	00	08	457577	7262516	SLSNa	20	Sed/Water	3	4	-	Colluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761052	00	08	459246	7262060	SLSNa	20	Sed/Water	2	7	-	Colluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761053	00	08	459544	7263687	SLSNa	20	Sed/Water	2	6	Possible	Colluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761054	00	08	461271	7263592	SLSNa	20	Sed/Water	1	4	-	Colluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761055	00	08	455204	7255349	SLSNa	20	Sed/Water	1	4	-	Colluv	BnTrans	SLOW	*	*	-	*	*	*	*	*
106E	761056	00	08	454941	7253537	SLSNa	20	Sed/Water	2	5	-	Colluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761057	00	08	455140	7251303	SNDSD	18	Sed/Water	5	5	-	Colluv	BnCl'dy	Modert	*	*	-	*	*	*	*	*
106E	761058	00	08	454557	7248023	SNDSD	18	Sed/Water	10	10	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761059	00	08	455713	7243936	LMSNd	12	Sed/Water	5	10	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761060	00	08	456664	7243823	LMSNd	12	Sed/Water	3	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761062	00	08	458597	7243902	LMSNd	12	Sed/Water	1	3	-	Colluv	Clear	SLOW	*	*	-	*	*	*	*	*
106E	761063	10	08	460586	7245549	LMSNg	18	Sed/Water	1	4	-	Colluv	Clear	Stagnt	*	*	-	*	*	*	*	*
106E	761064	20	08	460586	7245549	LMSNg	18	Sed/Water	1	4	-	Colluv	Clear	Stagnt	*	*	-	*	*	*	*	*
106E	761065	00	08	458251	7241056	LMSNd	12	Sed/Water	1	3	-	Colluv	Clear	SLOW	*	*	-	*	*	*	*	*
106E	761066	00	08	458982	7238699	LMSNd	12	Sed/Water	10	9	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761067	00	08	459600	7239700	LMSNd	12	Sed/Water	3	8	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761068	00	08	461528	7238887	LMSNd	12	Sed/Water	5	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761069	00	08	463661	7238784	LMSNd	12	Sed/Water	5	7	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761070	00	08	466512	7239609	LMSNd	12	Sed/Water	5	4	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761071	00	08	465982	7237821	LMSNd	12	Sed/Water	5	6	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761073	00	08	470776	7238597	SHLEc	12	Strm	3	5	-	Colluv	BnTrans	Modert	*	*	-	*	*	*	*	*
106E	761074	00	08	472617	7236460	SHLEc	12	Sed/Water	2	5	-	Colluv	Clear	Modert	*	*	-	*	*	*	*	*
106E	761075	00	08	466834	7245213	SNDSD	18	Sed/Water	4	5	-	Colluv	BnTrans	Modert	*	*	-	*	*	*	*	*
106E	761076	00	08	468352	7244156	SNDSD	18	Sed/Water	4	5	-	Colluv	BnCl'dy	Modert	*	*	-	*	*	*	*	*
106E	761077	00	08	468663	7245821	SLSNa	24	Sed/Water	10	10	-	Colluv	BnCl'dy	Fast	*	*	-	*	*	*	*	*
106E	761078	00	08	473793	7252245	SLSNb	24	Strm	2	10	-	Alluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761079	00	08	474753	7253942	LMSNh	24	Sed/Water	1	7	-	Alluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761080	00	08	476540	7255015	LMSNh	24	Strm	1	4	-	Alluv	BnTrans	Stagnt	*	*	-	*	*	*	*	*
106E	761082	00	08	476722	7260558	CGLM	36	Strm	1	5	-	Alluv	BnCl'dy	Stagnt	*	*	-	*	*	*	*	*
106E	761083	00	08	471322	7259367	LMSNh	24	Strm	1	2	-	Alluv	BnCl'dy	Stagnt	*	*	-	*	*	*	*	*
106E	761084	00	08	463122	7257986	SLSNa	20	Sed/Water	1	9	-	Alluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761085	00	08	466611	7256252	LMSNh	24	Sed/Water	2	4	-	Alluv	BnCl'dy	Modert	*	*	-	*	*	*	*	*
106E	761086	00	08	467703	7254192	LMSNh	24	Sed/Water	1	2	-	Alluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761087	00	08	469377	7252624	LMSNh	24	Sed/Water	2	3	-	Alluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761088	00	08	466474	7250352	SLSNa	20	Sed/Water	2	9	-	Alluv	BnCl'dy	SLOW	*	*	-	*	*	*	*	*
106E	761089	10	08	462526	7249319	SLSNa	20	Sed/Water	11	12	-	Colluv	BnTrans	Modert	*	*	-	*	*	*	*	*



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo	
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm	
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1	
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AAS	MADNC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	
106E 761047 00	35	9	13	5	<	<	380	2	0.45	ns	0.9	<	280	0.17	0.5	<	<	<	<	1.2	2.6	<	1	
106E 761048 00	22	6	6	3	<	<	80	2	0.10	ns	0.9	<	620	0.16	ns	ns	ns	ns	ns	ns	ns	ns	ns	
106E 761049 00	27	6	9	3	<	<	80	3	0.10	ns	0.9	<	340	0.16	1.7	<	0.5	<	4.4	1.7	20	3		
106E 761050 00	95	18	19	19	8	<	110	<	3.00	ns	4.1	<	900	0.13	0.4	<	<	<	0.9	2.3	<	<		
106E 761051 00	136	25	18	26	8	0.4	150	<	4.10	ns	3.7	<	980	0.25	13.0	140	3.7	12	20	18.0	1.2	85	<	
106E 761052 00	97	14	7	20	5	0.2	170	<	1.90	ns	3.5	<	880	0.26	12.0	140	5.4	13	27	36.0	0.7	82	3	
106E 761053 00	160	18	7	32	7	0.4	250	2	1.80	ns	4.6	<	1180	0.59	8.7	140	2.3	8	21	9.3	1.0	76	<	
106E 761054 00	230	20	9	43	8	0.4	295	4	2.35	ns	5.4	<	2150	0.48	8.3	120	2.6	10	31	12.0	3.2	68	3	
106E 761055 00	195	28	8	43	5	1.4	140	3	2.00	ns	6.1	<	1950	0.42	10.0	280	2.6	6	33	13.0	1.2	100	4	
106E 761056 00	75	10	10	16	4	<	75	<	2.20	ns	4.2	<	760	0.35	8.7	120	2.8	8	27	13.0	1.4	57	<	
106E 761057 00	68	10	6	15	4	<	110	<	2.20	ns	2.8	<	880	0.54	8.0	95	2.4	7	15	8.9	0.7	66	1	
106E 761058 00	500	28	11	82	4	<	160	27	0.80	ns	8.3	<	9999	0.15	2.5	70	0.9	7	83	16.0	3.6	48	30	
106E 761059 00	29	6	5	4	<	<	60	3	0.15	ns	0.7	<	1040	0.14	0.4	<	<	<	1.0	1.9	<	<	<	
106E 761060 00	64	7	20	5	<	<	1100	3	2.05	ns	1.0	<	1040	0.18	0.8	<	0.2	<	1.5	2.8	6	<	<	
106E 761062 00	72	9	13	8	<	<	120	4	0.25	ns	1.2	<	460	0.17	1.2	<	0.3	<	2.6	3.7	12	3	<	
106E 761063 10	24	7	3	4	<	<	80	2	0.20	ns	0.9	<	340	0.19	0.7	<	0.3	<	1.5	2.7	6	2	<	
106E 761064 20	23	6	3	4	<	<	75	3	0.20	ns	0.9	<	340	0.19	0.7	<	0.2	<	1.2	2.5	7	1	<	
106E 761065 00	16	6	<	3	<	<	65	3	0.15	ns	0.6	<	270	0.17	0.5	<	<	<	1.0	2.7	<	<	<	
106E 761066 00	31	7	10	5	<	<	105	4	0.20	ns	0.6	<	280	0.17	0.6	<	<	<	1.4	2.1	<	<	<	
106E 761067 00	14	7	<	3	<	<	90	3	0.20	ns	0.5	<	300	0.18	0.7	<	0.3	<	1.3	4.9	<	<	<	
106E 761068 00	22	7	5	4	<	<	110	3	0.20	ns	0.8	<	460	0.20	0.7	<	<	<	1.5	7.0	7	1	<	
106E 761069 00	15	6	7	3	<	<	85	2	0.15	ns	0.8	<	300	0.17	0.5	<	<	<	1.1	4.5	<	<	<	
106E 761070 00	28	21	16	3	2	<	190	2	0.30	ns	0.8	<	330	0.16	0.8	<	0.4	<	5.8	3.9	10	1	<	
106E 761071 00	29	40	19	4	4	<	245	2	0.55	ns	1.1	<	440	0.16	1.0	<	0.9	<	11.0	2.3	13	2	<	
106E 761073 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761074 00	64	13	2	11	<	<	125	5	0.45	ns	2.4	<	1040	0.23	2.6	<	0.7	<	3.7	10.0	22	<	<	
106E 761075 00	570	38	10	104	21	<	350	10	2.40	ns	7.5	<	9999	0.40	8.1	120	2.7	23	68	16.0	<1.0	79	10	
106E 761076 00	130	19	7	26	12	<	320	<	2.05	ns	3.5	<	1160	0.91	9.2	110	2.9	13	21	10.0	0.9	72	2	
106E 761077 00	156	16	7	30	12	<	420	<	1.80	ns	3.2	<	1180	0.81	8.5	88	2.5	14	24	9.4	1.2	67	3	
106E 761078 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761079 00	100	15	5	20	11	<	780	<	2.10	ns	2.9	<	740	0.44	7.4	97	2.7	14	17	8.9	1.7	61	1	
106E 761080 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761082 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761083 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761084 00	87	11	3	18	5	<	195	<	1.50	ns	3.1	<	780	0.51	6.9	110	2.0	7	19	7.1	0.9	60	1	
106E 761085 00	94	15	5	18	7	<	220	<	1.55	ns	2.7	<	720	0.33	5.7	83	1.7	7	19	7.4	1.4	61	2	
106E 761086 00	90	10	4	16	5	<	200	<	1.35	ns	2.6	<	720	0.37	5.6	100	1.9	8	21	8.1	1.0	66	2	
106E 761087 00	124	13	3	25	6	<	195	<	1.80	ns	2.7	<	690	0.32	6.9	140	2.2	8	27	8.9	2.1	63	2	
106E 761088 00	280	17	5	43	10	<	190	4	1.65	ns	4.3	<	2300	0.42	8.1	120	2.5	10	39	12.0	2.2	74	4	
106E 761089 10	51	7	<	6	<	<	100	2	0.30	ns	1.3	<	540	0.17	1.4	22	0.4	<	2.8	2.4	2.4	11	1	

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 761047 00	0.2	<	1100	3	<	0.51	<	<	<	<	<	<	<	0.6	1.2	<2	43.73	-	-	8.2	<	0.02
106E 761048 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	8.2	<	0.02
106E 761049 00	1.1	0.9	1200	10	12	1.70	<	<	<	<	1	<	<	1.9	2.9	<2	29.74	-	-	8.2	<	0.08
106E 761050 00	0.2	<	230	2	<	0.36	<	<	<	<	<	<	<	0.4	0.8	<2	24.52	-	-	5.9	132	0.04
106E 761051 00	1.1	5.7	1000	39	71	6.30	<	0.9	3	0.3	6	1.2	2	12.0	4.1	3	15.69	-	-	7.0	128	0.10
106E 761052 00	1.7	4.8	1100	38	69	6.40	<	1.0	3	0.3	6	1.2	1	12.0	4.3	4	12.17	-	-	6.4	48	0.08
106E 761053 00	0.9	3.4	990	32	58	5.40	<	0.8	3	0.3	8	1.1	<	8.6	3.8	<2	26.04	-	-	6.6	44	0.08
106E 761054 00	1.4	3.4	1400	27	47	4.80	<	0.9	3	<	5	0.8	1	7.5	4.6	<2	18.24	-	-	6.9	32	0.02
106E 761055 00	2.0	5.4	3100	34	47	5.20	<	1.0	2	<	5	0.9	<	8.3	6.5	5	7.87	-	-	6.8	46	0.12
106E 761056 00	1.1	3.1	1500	34	60	5.60	<	0.9	4	<	11	1.3	<	10.0	4.7	7	24.54	-	-	5.3	52	0.04
106E 761057 00	0.8	2.5	880	28	51	4.90	<	0.9	2	0.3	7	1.3	<	8.2	3.3	<2	15.73	-	-	5.9	42	0.02
106E 761058 00	4.9	2.1	7860	21	18	3.10	<	<	<	<	1	0.8	<	3.7	9.0	<2	1.71	-	-	8.0	42	0.28
106E 761059 00	0.2	<	2000	<	<	0.35	<	<	<	<	<	<	<	0.5	0.9	28	18.37	-	-	8.0	24	0.04
106E 761060 00	0.3	<	450	4	7	0.61	<	<	<	<	<	<	<	1.0	1.0	<2	24.91	-	-	8.1	20	0.04
106E 761062 00	1.3	<	440	5	9	1.00	<	<	<	<	<	<	<	1.3	1.7	<2	22.11	-	-	8.1	20	0.06
106E 761063 10	0.3	<	240	4	6	0.65	<	<	<	<	<	<	<	0.7	1.2	<2	46.14	-	-	8.2	<	0.02
106E 761064 20	0.3	<	210	3	5	0.60	<	<	<	<	<	<	<	0.6	1.0	<2	47.55	-	-	8.3	20	0.02
106E 761065 00	0.1	<	140	3	<	0.47	<	<	<	<	<	<	<	0.7	1.0	<2	42.05	-	-	7.9	<	0.02
106E 761066 00	0.3	<	130	4	6	0.66	<	<	<	<	<	<	<	0.8	0.9	<2	39.15	-	-	8.0	<	0.02
106E 761067 00	0.1	<	140	4	7	0.79	<	<	<	<	<	<	<	0.8	1.0	<2	42.23	-	-	8.0	<	0.02
106E 761068 00	0.2	<	580	4	6	0.69	<	<	<	<	<	<	<	0.9	1.0	<2	42.23	-	-	8.0	<	0.02
106E 761069 00	<	<	180	3	<	0.54	<	<	<	<	<	<	<	0.6	0.9	<2	38.79	-	-	8.1	<	0.04
106E 761070 00	0.3	0.5	290	5	9	0.74	<	<	<	<	<	<	<	1.2	1.2	3	43.31	-	-	8.0	<	0.04
106E 761071 00	0.5	0.6	560	7	12	1.00	<	<	<	<	<	<	<	1.6	1.5	<2	35.56	-	-	7.9	<	0.06
106E 761073 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	7.9	32	0.18
106E 761074 00	0.3	1.1	160	9	13	1.70	<	<	<	<	1	<	<	2.7	1.3	<2	38.86	-	-	8.1	26	0.10
106E 761075 00	3.5	3.4	4900	31	56	4.80	<	0.6	<	<	4	<	1	6.6	7.5	9	1.37	-	-	7.9	82	0.76
106E 761076 00	1.5	2.7	1400	32	69	5.90	<	1.2	3	<	8	1.1	2	9.1	3.8	<2	27.83	-	-	7.0	50	0.18
106E 761077 00	1.4	2.4	1400	28	57	5.40	<	0.9	3	0.3	6	1.0	<	8.1	3.6	3	29.99	-	-	6.9	50	0.10
106E 761078 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	7.0	32	0.04
106E 761079 00	0.7	3.0	720	26	50	4.50	<	0.7	2	0.3	6	1.0	<	7.5	2.9	3	11.04	-	-	7.2	40	0.02
106E 761080 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	7.1	36	0.24
106E 761082 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	6.5	36	0.06
106E 761083 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	6.7	32	0.08
106E 761084 00	0.9	2.5	850	28	54	5.10	<	0.7	2	0.3	8	1.3	<	8.1	3.2	<2	36.88	-	-	7.1	38	0.10
106E 761085 00	0.8	3.0	690	22	41	4.40	<	0.6	<	<	5	0.9	<	7.3	2.7	<2	20.79	-	-	7.1	38	0.08
106E 761086 00	0.8	3.0	850	25	47	5.10	<	0.8	2	<	7	0.9	2	7.7	3.3	3	39.24	-	-	6.9	38	0.10
106E 761087 00	0.7	3.5	710	24	46	4.50	<	0.8	<	0.2	6	0.9	<	7.3	3.2	3	19.49	-	-	7.3	52	0.08
106E 761088 00	1.7	3.2	2800	30	54	5.10	<	0.8	2	<	5	1.2	<	7.9	4.9	3	17.27	-	-	7.5	46	0.48
106E 761089 10	0.4	0.6	650	5	9	1.00	<	<	<	<	<	<	<	1.5	1.5	2	23.53	-	-	8.3	34	0.40

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage	Type	Stream Class	Source
106E	761090	20	08	462526	7249319	SLSNa 20	Sed/Water	11	12	-	Colluv BnTrans	Modert	Modert	*	-	*	*	*	*	*	*
106E	761091	00	08	461442	7249104	SNDSD 18	Sed/Water	12	15	-	Colluv BnTrans	Modert	Modert	*	-	*	*	*	*	*	*
106E	761092	00	08	460156	7247660	SNDSD 18	Sed/Water	5	5	-	Colluv BnTrans	Modert	Modert	*	-	*	*	*	*	*	*
106E	761093	00	08	461113	7243183	SHLEC 12	Sed/Water	8	3	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761094	00	08	462755	7243966	SHLEC 12	Sed/Water	2	2	-	Colluv Clear	Stagnt	Stagnt	*	-	*	*	*	*	*	*
106E	761095	00	08	464293	7244643	SHLEC 12	Sed/Water	3	3	-	Colluv BnTrans	Slow	Slow	*	-	*	*	*	*	*	*
106E	761096	00	08	464713	7243314	SHLEC 12	SedOnly	-	-	-	Colluv	-	-	*	-	*	*	*	*	*	*
106E	761097	00	08	470285	7239521	SHLEC 12	SedOnly	-	-	-	Colluv	-	-	*	-	*	*	*	*	*	*
106E	761098	00	08	493567	7209706	SNDSD 18	Sed/Water	1	3	-	Alluv BnCl'dy	Stagnt	Stagnt	*	-	*	*	*	*	*	*
106E	761100	00	08	494396	7211831	SHLEC 12	Sed/Water	3	3	Definite	Colluv Clear	Fast	Fast	*	-	*	*	*	*	*	*
106E	761102	00	08	488348	7209312	LMSND 12	SedOnly	-	-	-	Colluv	-	-	*	-	*	*	*	*	*	*
106E	761103	00	08	490658	7214505	SHLEC 12	Sed/Water	2	3	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761104	00	08	495031	7215841	SHLEC 12	Sed/Water	2	2	-	Colluv Clear	Stagnt	Stagnt	*	-	*	*	*	*	*	*
106E	761105	00	08	497067	7213244	LMSND 12	Sed/Water	4	5	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761106	00	08	499596	7216596	LMSND 12	Sed/Water	3	3	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761107	00	08	498114	7218192	LMSND 12	Sed/Water	2	3	-	Colluv Clear	Slow	Slow	*	-	*	*	*	*	*	*
106E	761108	00	08	497253	7221728	LMSND 12	SedOnly	-	-	-	Colluv	-	-	*	-	*	*	*	*	*	*
106E	761109	00	08	493914	7225340	LMSND 12	Sed/Water	3	3	Definite	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761111	10	08	494721	7227676	CGLM 36	Sed/Water	2	5	-	Colluv BnTrans	Slow	Slow	*	-	*	*	*	*	*	*
106E	761112	20	08	494721	7227676	CGLM 36	Sed/Water	2	5	-	Colluv BnTrans	Slow	Slow	*	-	*	*	*	*	*	*
106E	761113	00	08	497548	7229295	CGLM 36	Sed/Water	6	3	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761114	00	08	495988	7230804	CGLM 36	SedOnly	-	-	-	Colluv	-	-	*	-	*	*	*	*	*	*
106E	761115	00	08	492305	7234340	CGLM 36	Sed/Water	4	10	-	Alluv BnCl'dy	Slow	Slow	*	-	*	*	*	*	*	*
106E	761116	00	08	490273	7233100	CGLM 36	Sed/Water	3	2	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761117	00	08	488201	7235114	CGLM 36	Sed/Water	2	2	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761118	00	08	485633	7234392	CGLM 36	Sed/Water	5	2	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761119	00	08	477761	7228196	LMSND 12	Sed/Water	4	3	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761120	00	08	483444	7226910	SNDSD 18	Sed/Water	4	2	-	Colluv Clear	Stagnt	Stagnt	*	-	*	*	*	*	*	*
106E	761122	00	08	482390	7224281	SNDSD 18	SedOnly	-	-	-	Colluv	-	-	*	-	*	*	*	*	*	*
106E	761123	10	08	479635	7224452	LMSND 12	Sed/Water	2	2	-	Colluv Clear	Stagnt	Stagnt	*	-	*	*	*	*	*	*
106E	761124	20	08	479635	7224452	LMSND 12	Sed/Water	2	2	-	Colluv Clear	Stagnt	Stagnt	*	-	*	*	*	*	*	*
106E	761125	00	08	479053	7221216	LMSND 12	Sed/Water	2	1	-	Colluv Clear	Slow	Slow	*	-	*	*	*	*	*	*
106E	761126	00	08	481497	7220733	LMSND 12	Sed/Water	1	1	-	Colluv Clear	Slow	Slow	*	-	*	*	*	*	*	*
106E	761127	00	08	480157	7219112	LMSND 12	Sed/Water	1	1	-	Colluv Clear	Slow	Slow	*	-	*	*	*	*	*	*
106E	761129	00	08	481656	7217732	LMSND 12	Sed/Water	5	5	-	Colluv Clear	Stagnt	Stagnt	*	-	*	*	*	*	*	*
106E	761130	00	08	480370	7214935	LMSND 12	Sed/Water	5	7	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761131	00	08	479487	7215275	LMSND 12	Sed/Water	4	3	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*
106E	761132	00	08	483426	7216518	LMSND 12	SedOnly	-	-	-	Colluv	-	-	*	-	*	*	*	*	*	*
106E	761133	00	08	484276	7215784	LMSND 12	Sed/Water	2	2	-	Colluv Clear	Slow	Slow	*	-	*	*	*	*	*	*
106E	761134	00	08	483698	7214778	LMSND 12	Sed/Water	4	3	-	Colluv Clear	Modert	Modert	*	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	5	2	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADIC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 761090 20	61	8	<	6	<	<	110	3	0.30	ns	1.2	<	510	0.18	1.4	<	0.5	<	2.8	3.1	12	2	2
106E 761091 00	91	10	3	13	4	<	175	3	0.85	ns	2.1	<	640	0.21	3.8	44	1.2	5	13	6.0	1.9	29	2
106E 761092 00	55	7	<	7	<	<	120	4	0.20	ns	1.1	<	460	0.16	1.1	<	0.4	<	<	2.6	2.4	9	3
106E 761093 00	27	6	3	2	<	<	85	2	0.10	ns	0.8	<	650	0.15	0.5	<	<	<	<	1.3	2.9	<	2
106E 761094 00	70	10	14	7	<	<	100	4	0.25	ns	1.5	<	9999	0.18	1.1	<	0.4	<	<	3.4	3.7	6	4
106E 761095 00	490	25	8	60	3	<	145	15	0.85	ns	7.4	<	3750	0.26	4.8	67	1.4	<	55	12.0	11.0	61	18
106E 761096 00	310	26	8	42	4	<	155	17	0.90	ns	6.8	<	2900	0.24	4.0	74	1.4	5	40	13.0	5.3	45	18
106E 761097 00	62	12	<	9	<	<	100	4	0.30	ns	1.9	<	9999	0.11	1.1	28	0.4	<	<	2.8	2.0	15	2
106E 761098 00	105	16	7	21	7	<	230	<	1.65	ns	3.4	<	800	0.72	7.9	110	2.2	8	19	7.6	3.1	66	<
106E 761100 00	700	42	5	144	12	<	170	40	1.20	ns	9.4	<	3150	0.14	5.5	79	1.9	13	160	21.0	2.6	57	37
106E 761102 00	80	9	19	7	2	<	170	3	0.45	ns	1.9	<	500	0.35	3.0	32	0.8	<	<	4.3	3.4	21	2
106E 761103 00	260	12	8	36	8	<	400	3	1.30	ns	2.5	<	760	0.65	6.3	75	2.4	12	45	8.3	3.5	46	1
106E 761104 00	190	13	5	35	4	<	250	4	0.75	ns	3.9	<	860	0.61	5.9	76	1.6	8	46	7.0	3.5	46	3
106E 761105 00	30	8	4	4	<	<	75	7	0.15	ns	2.4	<	500	0.08	0.9	<	0.4	<	<	4.0	<	10	2
106E 761106 00	110	8	58	3	<	<	360	6	0.20	ns	1.7	<	400	0.15	1.2	<	0.4	<	<	5.5	1.4	8	4
106E 761107 00	48	8	8	3	<	<	240	5	0.20	ns	1.5	<	300	0.13	1.1	<	0.4	<	<	3.8	1.7	11	3
106E 761108 00	40	7	17	<	<	<	160	4	0.05	ns	1.8	<	260	0.13	0.6	<	0.2	<	<	2.0	1.2	<	2
106E 761109 00	300	31	49	10	8	<	515	7	1.35	ns	3.9	<	400	0.49	3.6	<	1.6	7	<	20.0	<2.0	38	5
106E 761111 10	73	13	6	15	11	<	455	<	1.90	ns	2.7	<	780	0.65	8.7	99	3.0	13	23	5.1	1.4	100	<
106E 761112 20	70	12	5	15	9	<	415	<	1.80	ns	2.6	<	720	0.73	9.4	96	3.2	16	18	4.2	1.7	96	<
106E 761113 00	145	18	26	11	7	<	1080	<	1.30	ns	2.0	<	760	0.28	7.1	37	2.3	11	<	5.6	6.2	81	<
106E 761114 00	157	16	42	14	10	<	750	2	1.70	ns	4.3	<	660	0.27	6.5	130	4.4	13	<	15.0	<	60	<
106E 761115 00	114	13	13	14	7	<	190	<	1.05	ns	3.6	<	800	0.67	8.3	80	1.7	10	29	3.2	3.6	88	<
106E 761116 00	106	28	19	15	9	<	240	<	1.10	ns	4.9	<	660	0.14	10.0	71	1.9	15	19	8.0	0.6	130	<
106E 761117 00	45	11	4	9	3	<	195	2	0.60	ns	2.5	<	470	0.35	4.8	43	1.3	6	<	6.0	3.7	44	1
106E 761118 00	153	39	19	26	14	<	780	<	3.15	ns	4.7	<	1480	0.28	12.0	130	4.4	18	37	19.0	<	120	<
106E 761119 00	115	10	42	6	2	<	275	<	0.65	ns	1.5	<	520	0.24	3.5	37	1.1	<	<	11.0	2.9	45	1
106E 761120 00	198	17	54	24	6	<	275	<	1.10	ns	2.7	<	720	0.50	6.2	71	1.8	9	46	7.8	6.0	60	<
106E 761122 00	84	7	26	3	<	<	120	3	0.30	ns	1.3	<	340	0.16	1.5	<	0.5	<	<	4.2	2.1	14	<
106E 761123 10	46	6	24	<	<	<	125	<	0.10	ns	0.6	<	300	0.17	0.6	<	<	<	<	1.6	2.8	6	<
106E 761124 20	51	6	26	<	<	<	135	<	0.10	ns	0.8	<	270	0.15	0.7	<	<	<	<	1.4	3.0	5	<
106E 761125 00	86	6	46	<	<	<	195	<	0.10	ns	0.6	<	250	0.15	0.5	<	<	<	<	1.3	2.9	<	<
106E 761126 00	110	6	64	<	<	<	185	<	0.10	ns	0.6	<	320	0.14	0.6	<	0.3	<	<	1.5	2.2	5	<
106E 761127 00	95	6	51	<	<	<	200	2	0.10	ns	0.9	<	300	0.15	0.5	<	<	<	<	1.2	3.0	<	<
106E 761129 00	82	7	32	2	<	<	190	2	0.30	ns	0.7	<	290	0.16	1.3	<	0.4	<	<	2.4	2.7	7	<
106E 761130 00	106	5	52	<	<	<	185	2	0.10	ns	0.9	<	290	0.16	0.6	<	0.2	<	<	1.1	3.0	<	<
106E 761131 00	62	7	18	4	<	<	190	2	0.45	ns	0.9	<	280	0.18	1.7	<	0.6	<	<	3.4	3.6	12	<
106E 761132 00	47	7	16	2	<	<	160	2	0.25	ns	1.1	<	350	0.25	1.2	<	0.4	<	<	2.1	2.9	10	<
106E 761133 00	44	7	19	<	<	<	120	2	0.20	ns	0.9	<	340	0.21	0.9	<	0.3	<	<	1.8	3.1	6	<
106E 761134 00	132	8	85	3	<	<	285	<	0.35	ns	0.9	<	350	0.27	1.8	<	0.5	<	<	2.3	2.1	13	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 761090	0.4	<	480	6	8	1.10	<	<	<	<	<	<	<	1.4	1.6	<2	30.39	-	-	8.1	32	0.10
106E 761091	0.6	1.4	640	13	20	2.20	<	<	<	<	2	<	<	3.5	2.1	<2	17.61	-	-	7.9	46	0.24
106E 761092	0.5	<	440	4	9	0.84	<	<	<	<	<	<	<	1.2	1.3	<2	29.93	-	-	8.2	34	0.18
106E 761093	0.2	<	860	3	5	0.54	<	<	<	<	<	<	<	0.7	1.0	<2	28.30	-	-	8.2	<	0.02
106E 761094	0.4	0.5	8650	4	8	0.67	<	<	<	<	<	<	<	1.2	1.8	<2	20.19	-	-	8.0	<	0.02
106E 761095	6.1	2.6	6060	25	42	3.70	<	0.7	<	<	2	0.8	<	4.7	7.6	5	12.67	-	-	8.2	46	0.06
106E 761096	7.1	2.3	4300	20	28	3.50	<	<	<	<	2	0.8	<	4.2	7.2	<2	30.95	-	-	ns	ns	ns
106E 761097	0.8	0.5	9440	5	<	1.00	<	<	<	<	<	<	<	1.4	2.1	<2	18.55	-	-	ns	ns	ns
106E 761098	0.9	3.1	860	29	56	5.60	<	0.9	2	0.3	7	1.1	2	8.9	3.6	12	17.17	4	15.00	8.3	30	0.02
106E 761100	5.8	3.1	8030	25	33	3.90	<	0.9	<	<	1	<	<	4.0	10.0	<2	13.04	-	-	7.9	122	0.66
106E 761102	0.6	0.8	480	10	20	1.70	<	<	<	<	2	<	<	2.7	2.1	<2	34.40	-	-	ns	ns	ns
106E 761103	1.0	1.9	760	21	39	3.70	<	0.6	<	0.4	6	0.8	<	5.6	2.5	<2	21.34	-	-	8.4	68	0.08
106E 761104	1.6	1.9	1200	28	50	4.50	<	0.6	<	0.5	7	0.9	<	6.4	4.4	45	17.72	3	15.14	8.4	46	0.18
106E 761105	0.4	<	510	5	<	0.66	<	<	<	<	<	<	<	0.9	2.5	<2	6.64	-	-	8.4	20	0.08
106E 761106	0.4	0.8	410	6	11	0.90	<	<	<	<	1	<	<	1.3	2.0	<2	25.68	-	-	8.3	<	0.14
106E 761107	0.4	1.2	160	6	12	0.95	<	<	<	<	<	<	<	1.2	1.9	<2	36.22	-	-	8.4	20	0.02
106E 761108	0.2	0.6	130	4	10	0.70	<	<	<	<	<	<	<	0.9	2.0	<2	41.53	-	-	ns	ns	ns
106E 761109	0.9	2.8	340	19	39	3.40	<	0.6	<	<	3	<	<	5.8	3.8	4	1.17	-	-	8.3	20	0.18
106E 761111	0.8	5.7	750	42	93	7.40	<	1.0	2	0.5	7	1.7	2	10.0	3.0	3	16.51	-	-	8.3	24	0.04
106E 761112	0.8	5.7	750	48	100	8.20	<	1.1	3	0.6	9	1.9	1	11.0	3.3	<2	25.41	-	-	8.4	22	0.12
106E 761113	0.7	3.7	690	23	54	4.40	<	0.7	<	0.3	4	0.6	<	7.2	2.2	<2	9.67	-	-	8.2	30	0.08
106E 761114	1.2	3.1	590	64	150	10.00	1	1.1	3	0.7	13	1.5	2	11.0	4.2	<2	1.93	-	-	ns	ns	ns
106E 761115	0.6	3.5	840	32	60	5.50	<	0.8	3	0.6	7	1.3	2	9.3	3.8	<2	16.24	-	-	8.0	26	0.20
106E 761116	1.6	7.8	610	44	91	6.80	1	0.9	3	0.5	7	1.9	1	13.0	4.4	3	11.14	-	-	8.3	38	0.16
106E 761117	0.7	5.5	310	18	45	3.20	<	<	<	0.2	4	<	<	5.4	2.7	3	34.57	-	-	8.4	<	0.02
106E 761118	1.7	7.6	1600	40	78	7.00	1	1.2	3	0.6	6	1.2	2	13.0	4.3	4	8.50	-	-	7.7	24	0.06
106E 761119	0.6	4.0	330	12	29	2.20	<	<	<	<	2	<	<	3.7	1.4	4	28.02	-	-	8.4	30	0.02
106E 761120	0.9	3.4	610	22	44	4.50	<	0.8	<	0.2	5	0.7	<	7.2	3.0	3	7.39	-	-	8.2	40	0.02
106E 761122	0.4	1.1	110	6	11	1.20	<	<	<	<	1	<	<	1.7	1.5	<2	39.61	-	-	ns	ns	ns
106E 761123	0.2	<	80	4	6	0.71	<	<	<	<	<	<	<	0.8	1.0	<2	42.15	-	-	8.2	<	0.02
106E 761124	0.2	<	58	4	<	0.66	<	<	<	<	<	<	<	0.9	1.0	<2	42.47	-	-	8.2	<	0.02
106E 761125	0.3	<	74	3	<	0.53	<	<	<	<	<	<	<	0.6	0.9	3	41.90	-	-	8.2	<	0.02
106E 761126	0.4	<	110	3	9	0.59	<	<	<	<	<	<	<	0.8	0.9	<2	27.79	-	-	8.2	<	0.02
106E 761127	0.3	<	84	3	<	0.53	<	<	<	<	<	<	<	0.6	1.1	3	43.45	-	-	8.2	<	0.02
106E 761129	0.2	0.8	65	4	7	0.73	<	<	<	<	<	<	<	1.2	0.9	<2	22.85	-	-	7.4	<	0.02
106E 761130	0.2	<	56	4	8	0.64	<	<	<	<	<	<	<	0.7	1.0	<2	42.55	-	-	8.2	<	0.02
106E 761131	0.2	1.0	81	5	<	1.00	<	<	<	<	<	<	<	1.5	1.1	<2	42.39	-	-	8.2	<	0.02
106E 761132	0.3	<	160	6	10	1.30	<	<	<	<	2	<	<	1.7	1.5	46	45.06	<2	15.59	ns	ns	ns
106E 761133	0.2	<	110	4	13	0.86	<	<	<	<	<	<	<	1.3	1.3	<2	41.59	-	-	8.1	<	0.02
106E 761134	0.4	0.8	150	7	11	1.20	<	<	<	<	1	<	<	1.7	1.1	<2	32.41	-	-	8.1	<	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn Easting	UTM Northing	Rock Unit	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Bottom Pcpt	Bank Pcpt	Stream Physiolg.	Drainage Type	Stream Class	Source	
106E	761135	00	08 486212	7212655	LMSNd 12	Sed/Water	2	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761136	00	08 484472	7212051	LMSNd 12	Sed/Water	15	50	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761137	00	08 483473	7210964	LMSNd 12	Sed/Water	10	30	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761138	00	08 480527	7210466	LMSNd 12	Sed/Water	10	10	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761139	00	08 478558	7211181	LMSNd 12	Sed/Water	5	9	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761140	00	08 487417	7215841	LMSNd 12	Sed/Water	1	1	-	Colluv	Clear	Stagnt	*	-	*	*	*	*	*	*
106E	761142	00	08 487181	7217510	LMSNd 12	Sed/Water	1	2	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
106E	761143	00	08 487023	7220543	LMSNd 12	Sed/Water	5	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761144	00	08 489507	7220840	LMSNd 12	Sed/Water	3	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761145	00	08 491890	7221813	LMSNd 12	SedOnly			-	Colluv	Clear		*	-	*	*	*	*	*	*
106E	761146	10	08 490585	7224054	LMSNd 12	Sed/Water	4	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761147	20	08 490585	7224054	LMSNd 12	Sed/Water	4	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761148	00	08 488441	7226285	LMSNd 12	Sed/Water	4	4	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
106E	761149	00	08 488199	7228259	CGLM 36	Sed/Water	4	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761150	00	08 488566	7229529	CGLM 36	Sed/Water	2	9	-	Alluv	Clear	Slow	*	-	*	*	*	*	*	*
106E	761151	00	08 487622	7230690	CGLM 36	Sed/Water	4	20	-	Alluv BnCl'dy	BnCl'dy	Stagnt	*	-	*	*	*	*	*	*
106E	761152	00	08 479336	7232837	SNDsd 18	Sed/Water	2	10	-	Alluv BnCl'dy	BnCl'dy	Slow	*	-	*	*	*	*	*	*
106E	761154	00	08 479916	7231206	SNDsd 18	Sed/Water	4	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761155	00	08 478994	7235543	SNDsf 44	Sed/Water	4	5	-	Alluv BnTrans	BnTrans	Slow	*	-	*	*	*	*	*	*
106E	761156	00	08 522555	7225450	ARGLa 04	SedOnly			-	Colluv			*	-	*	*	*	*	*	*
106E	761157	00	08 523545	7212070	ARGLa 04	Sed/Water	4	2	-	Colluv	Clear	Stagnt	*	-	*	*	*	*	*	*
106E	761158	00	08 522767	7211095	ARGLa 04	SedOnly			-	Colluv			*	-	*	*	*	*	*	*
106E	761159	00	08 522452	7211921	ARGLa 04	Sed/Water	4	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761160	00	08 514776	7208682	LMSNd 12	Sed/Water	7	6	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761162	00	08 512135	7209499	LMSNd 12	Sed/Water	5	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761163	00	08 512147	7210813	LMSNd 12	Sed/Water	4	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761164	00	08 509193	7211198	LMSNd 12	Sed/Water	1	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761165	00	08 507005	7212471	LMSNd 12	Sed/Water	2	2	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*
106E	761166	00	08 506802	7214533	LMSNd 12	SedOnly			-	Colluv			*	-	*	*	*	*	*	*
106E	761167	00	08 507401	7214566	LMSNd 12	Sed/Water	2	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761168	00	08 500781	7208716	LMSNd 12	Sed/Water	1	1	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761169	00	08 503115	7215134	LMSNd 12	Sed/Water	2	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761170	00	08 501502	7215894	LMSNd 12	Sed/Water	2	2	-	Colluv	Clear	Stagnt	*	-	*	*	*	*	*	*
106E	761171	10	08 500666	7218057	LMSNd 12	Sed/Water	3	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761172	20	08 500666	7218057	LMSNd 12	Sed/Water	3	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761173	00	08 506119	7220714	SNDSc 12	Sed/Water	6	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761174	00	08 506205	7221913	SNDSc 12	Sed/Water	3	3	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761175	00	08 507665	7222477	LMSNd 12	Sed/Water	10	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761176	00	08 508401	7219725	SNDSc 12	Sed/Water	12	15	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761177	00	08 508302	7223926	LMSNd 12	Sed/Water	10	8	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, WGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	5	10	0.5	0.5	5	1	
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 761135 00	43	6	20	<	<	<	155	<	0.20	ns	0.8	<	270	0.19	1.0	<	0.3	<	<	2.6	2.8	7	<
106E 761136 00	76	8	23	4	2	<	355	2	0.60	ns	1.0	<	310	0.21	2.4	33	1.0	<	<	4.5	2.5	23	<
106E 761137 00	93	7	35	3	2	<	300	2	0.50	ns	0.9	<	300	0.21	1.9	21	0.6	<	<	3.7	2.6	13	<
106E 761138 00	124	10	30	7	2	<	295	3	0.80	ns	1.5	<	410	0.25	3.9	44	1.2	5	<	5.1	8.7	37	<
106E 761139 00	94	14	29	17	9	<	550	2	1.65	ns	2.2	<	440	0.92	8.0	110	3.0	15	31	15.0	2.7	69	<
106E 761140 00	49	7	13	3	2	<	280	3	0.45	ns	0.9	<	300	0.27	2.2	25	0.6	<	<	3.7	2.1	13	<
106E 761142 00	65	6	26	<	<	<	220	2	0.20	ns	0.9	<	310	0.21	0.8	<	0.3	<	<	2.3	4.5	8	<
106E 761143 00	140	9	48	10	<	<	160	5	0.25	ns	1.5	<	300	0.15	0.9	24	0.4	<	<	4.1	2.0	13	4
106E 761144 00	70	7	30	<	<	<	145	<	0.20	ns	1.1	<	500	0.17	0.9	<	0.3	<	<	1.9	4.7	9	<
106E 761145 00	174	10	55	14	<	<	180	5	0.35	ns	1.7	<	450	0.19	1.7	22	0.5	<	12	5.0	3.1	14	4
106E 761146 10	82	6	51	<	<	<	120	2	0.25	ns	1.0	<	300	0.21	1.1	<	0.4	<	<	2.1	5.0	11	1
106E 761147 20	80	6	47	<	<	<	165	3	0.25	ns	1.1	<	340	0.18	1.2	<	0.4	<	<	2.0	3.8	11	<
106E 761148 00	160	8	70	7	<	<	170	2	0.35	ns	1.8	<	330	0.20	1.7	21	0.6	<	<	4.3	5.5	15	2
106E 761149 00	155	13	20	26	4	<	180	5	0.60	ns	3.0	<	790	0.21	3.3	47	1.1	5	26	5.6	4.1	27	2
106E 761150 00	122	23	14	21	10	<	200	<	2.00	ns	3.9	<	910	0.75	11.0	100	2.7	12	26	7.8	0.6	93	<
106E 761151 00	80	15	7	14	8	<	410	<	1.70	ns	2.9	<	940	0.90	10.0	88	2.5	10	28	7.6	1.1	83	<
106E 761152 00	70	10	5	12	6	<	300	<	1.45	ns	3.2	<	860	1.00	9.4	110	2.4	10	16	6.0	1.7	75	<
106E 761154 00	82	10	4	13	8	<	1080	<	1.60	ns	3.0	<	920	0.89	8.0	90	2.1	12	15	5.9	1.8	69	<
106E 761155 00	116	10	7	17	10	<	615	<	1.75	ns	3.2	<	830	0.82	8.6	110	2.6	13	25	7.5	4.4	72	<
106E 761156 00	40	186	2	27	31	<	1490	<	2.70	ns	4.5	<	600	1.40	12.0	100	5.0	38	42	8.6	1.6	170	<
106E 761157 00	260	102	12	32	36	<	2030	<	3.30	ns	5.7	<	780	1.10	12.0	100	5.4	44	66	39.0	3.2	210	<
106E 761158 00	76	35	15	12	10	<	1200	<	1.90	ns	3.8	<	710	0.23	11.0	120	3.4	17	<	11.0	2.3	210	<
106E 761159 00	67	21	13	10	7	<	825	<	1.35	ns	2.6	<	780	0.20	8.9	92	2.9	10	15	8.0	0.7	150	<
106E 761160 00	148	10	31	14	3	<	205	<	0.70	ns	3.7	<	480	0.24	5.0	58	1.4	5	27	9.1	6.8	71	5
106E 761162 00	70	9	12	3	<	<	240	6	0.30	ns	1.8	<	320	0.17	1.3	<	0.4	<	<	4.7	2.0	12	5
106E 761163 00	45	11	11	7	5	<	900	2	1.05	ns	2.1	<	440	0.13	4.5	33	2.0	8	<	5.7	1.1	63	1
106E 761164 00	56	10	12	4	2	<	570	6	0.55	ns	1.7	<	400	0.15	1.9	<	0.8	<	<	7.5	1.9	23	6
106E 761165 00	53	9	13	5	<	<	200	10	0.30	ns	2.5	<	360	0.16	1.3	27	0.4	<	<	7.2	2.4	17	8
106E 761166 00	128	8	47	2	<	<	330	5	0.30	ns	1.6	<	320	0.19	1.1	<	0.5	<	<	8.2	1.7	12	5
106E 761167 00	215	8	198	2	<	<	1200	4	0.40	ns	1.0	<	440	0.15	1.5	20	0.6	<	<	5.3	1.4	18	2
106E 761168 00	113	11	10	18	2	<	165	4	0.45	ns	2.7	<	530	0.20	2.7	32	0.8	<	18	4.2	5.9	25	<
106E 761169 00	103	8	50	2	<	<	390	6	0.25	ns	1.8	<	400	0.15	1.2	<	0.4	<	<	5.4	1.6	11	4
106E 761170 00	54	9	10	3	<	<	280	5	0.35	ns	1.5	<	330	0.16	1.6	<	0.7	<	<	4.6	2.3	16	2
106E 761171 10	81	7	47	<	<	<	235	4	0.20	ns	1.5	<	350	0.17	1.2	<	0.3	<	<	3.0	3.0	7	2
106E 761172 20	93	7	53	2	<	<	260	3	0.20	ns	1.5	<	360	0.18	1.2	<	0.4	<	<	3.2	3.5	8	1
106E 761173 00	79	11	30	4	4	<	415	2	1.00	ns	2.3	<	360	0.21	3.7	<	1.5	7	<	10.0	2.3	26	<
106E 761174 00	46	15	19	8	6	<	500	<	1.70	ns	2.7	<	430	0.20	4.8	44	2.7	8	<	31.0	2.2	49	2
106E 761175 00	66	10	26	4	4	<	425	2	1.00	ns	2.0	<	340	0.22	3.9	25	1.7	7	<	13.0	2.0	42	<
106E 761176 00	93	21	35	19	12	<	765	<	1.85	ns	3.1	4	600	0.38	8.9	93	3.1	16	28	5.8	3.4	120	<
106E 761177 00	90	13	33	10	5	<	735	3	1.30	ns	2.4	<	520	0.21	4.6	40	1.9	9	<	11.0	3.1	76	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-V
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 761135	0.3	1.2	71	4	11	0.74	<	<	<	<	1	<	<	1.3	1.2	2	44.13	-	-	8.2	<	0.02
106E 761136	0.3	1.0	140	10	25	1.80	<	<	<	<	2	<	<	2.8	1.4	<2	37.44	-	-	8.1	<	0.02
106E 761137	0.3	1.0	100	7	19	1.20	<	<	<	<	<	<	<	1.8	1.2	<2	47.68	-	-	8.2	<	0.02
106E 761138	0.3	2.4	230	12	29	2.20	<	<	<	<	1	<	<	3.9	1.6	2	41.94	-	-	8.2	<	0.02
106E 761139	0.7	3.9	340	29	66	5.00	<	0.6	<	0.4	5	1.7	2	8.6	2.8	<2	42.64	-	-	8.0	<	0.02
106E 761140	0.3	0.7	150	7	13	1.50	<	<	<	<	1	<	<	2.1	1.2	<2	45.63	-	-	8.2	<	0.02
106E 761142	0.3	0.6	120	4	12	0.90	<	<	<	<	1	<	<	1.3	1.2	2	45.69	-	-	8.2	<	0.02
106E 761143	1.1	0.6	440	5	11	1.00	<	<	<	<	<	<	<	1.3	2.0	<2	26.73	-	-	8.2	<	0.02
106E 761144	0.2	<	77	5	7	0.88	<	<	<	<	<	<	<	1.3	1.3	<2	29.11	-	-	8.1	<	0.02
106E 761145	1.4	0.8	330	9	13	1.60	<	<	<	<	1	<	<	2.0	2.2	<2	36.94	-	-	ns	ns	ns
106E 761146	0.3	0.7	110	6	17	1.10	<	<	<	<	1	<	<	1.5	1.4	<2	42.24	-	-	8.3	<	0.02
106E 761147	0.3	<	100	6	8	1.00	<	<	<	<	1	<	<	1.4	1.1	4	19.30	-	-	8.2	<	0.02
106E 761148	0.6	1.5	190	8	18	1.50	<	<	<	<	2	<	<	2.0	2.3	<2	39.60	-	-	8.2	<	0.02
106E 761149	1.0	2.1	560	12	24	2.10	<	<	<	<	3	<	<	3.4	3.4	4	12.01	-	-	8.3	<	0.04
106E 761150	1.1	4.4	990	33	67	5.80	<	0.9	2	0.5	6	1.2	1	10.0	4.0	5	12.16	-	-	8.1	30	0.02
106E 761151	1.0	3.5	970	33	77	5.90	<	0.9	3	0.5	8	1.0	1	9.2	3.2	4	31.35	-	-	7.5	20	0.06
106E 761152	0.9	2.5	1000	38	81	6.90	<	0.8	3	0.6	11	1.4	1	10.0	3.7	4	33.64	-	-	8.0	<	0.02
106E 761154	0.9	2.4	990	32	71	6.20	<	1.1	3	0.5	8	1.1	<	10.0	3.4	<2	33.01	-	-	7.7	<	0.02
106E 761155	0.8	3.2	960	30	62	5.80	<	0.9	3	0.5	8	1.2	2	9.0	3.6	3	28.62	-	-	7.5	<	0.02
106E 761156	1.8	6.4	590	90	180	14.30	<	1.8	4	0.8	7	1.8	3	21.0	5.3	7	22.80	-	-	ns	ns	ns
106E 761157	1.9	6.2	890	85	180	13.00	<	1.4	3	0.8	6	1.3	3	20.1	6.7	5	17.17	-	-	8.0	<	0.02
106E 761158	2.0	13.0	770	61	120	9.10	<	1.3	3	0.7	8	2.3	2	21.8	4.2	<2	25.23	-	-	ns	ns	ns
106E 761159	1.2	9.2	2000	46	100	7.50	<	0.7	2	0.6	5	1.5	1	16.0	3.0	<2	36.85	-	-	8.1	<	0.06
106E 761160	0.8	10.0	350	20	43	2.60	<	<	<	0.2	4	0.7	<	7.6	3.9	3	32.80	-	-	8.0	<	0.02
106E 761162	0.4	1.2	95	4	12	0.85	<	<	<	<	<	<	<	1.3	1.9	3	22.86	-	-	8.2	<	0.02
106E 761163	0.6	4.0	360	29	74	5.10	<	0.7	<	0.4	6	1.0	1	8.7	2.3	16	34.23	<2	15.95	8.3	<	0.02
106E 761164	0.6	1.9	210	9	22	1.90	<	<	<	<	2	<	<	2.7	2.4	<2	42.82	-	-	8.3	<	0.02
106E 761165	0.7	1.5	180	5	9	1.00	<	<	<	<	<	<	<	1.5	3.1	3	48.19	-	-	8.2	<	0.10
106E 761166	0.5	1.2	96	5	14	1.00	<	<	<	<	1	<	<	1.6	2.1	<2	38.47	-	-	ns	ns	ns
106E 761167	0.3	1.5	350	7	14	1.30	<	<	<	<	1	<	<	2.2	1.3	<2	32.99	-	-	8.2	<	0.02
106E 761168	0.5	1.8	320	9	12	1.70	<	<	<	<	2	<	<	2.5	3.0	3	24.52	-	-	8.2	28	0.04
106E 761169	0.4	1.0	390	5	11	0.95	<	<	<	<	<	<	<	1.4	2.1	<2	40.78	-	-	8.3	22	0.16
106E 761170	0.5	1.4	200	8	15	1.30	<	<	<	<	2	<	<	1.8	2.1	<2	41.87	-	-	8.3	22	0.02
106E 761171	0.3	1.0	200	5	12	0.87	<	<	<	<	1	<	<	1.3	1.8	<2	33.97	-	-	8.3	<	0.02
106E 761172	0.3	1.2	200	6	12	1.00	<	<	<	<	1	<	<	1.4	1.8	3	46.10	-	-	8.2	<	0.04
106E 761173	0.4	1.9	180	15	40	2.70	<	<	<	0.3	2	0.6	<	4.0	2.4	<2	25.94	-	-	8.2	<	0.02
106E 761174	0.8	2.6	370	29	78	5.00	<	0.7	<	0.4	5	1.1	1	7.3	3.4	<2	29.94	-	-	8.2	20	0.10
106E 761175	0.4	1.8	230	20	55	3.40	<	<	<	0.2	3	0.8	<	4.9	2.5	<2	32.86	-	-	8.3	20	0.08
106E 761176	0.7	5.4	660	47	110	8.20	<	1.1	3	0.6	8	2.1	<	14.0	3.3	<2	37.25	-	-	8.1	<	0.02
106E 761177	0.6	3.5	510	25	56	5.50	<	0.8	<	0.4	4	1.3	<	8.4	3.1	<2	43.49	-	-	8.2	20	0.02



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data.  
 Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Stream Drainage	Type	Stream Class	Source
106E	761178	00	08	508012	7226022	LMSNd	12	Sed/Water	2	2	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*	*
106E	761180	00	08	507357	7228365	LMSNd	12	Sed/Water	2	2	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*	*
106E	761182	00	08	505241	7226708	LMSNd	12	Sed/Water	1	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761183	00	08	503691	7226114	LMSNd	12	Sed/Water	3	4	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761184	00	08	504115	7224333	LMSNd	12	Sed/Water	1	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761185	00	08	503195	7222711	SNDSc	12	Sed/Water	10	8	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*	*
106E	761186	00	08	502687	7228781	SNDsa	04	Sed/Water	8	4	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761187	10	08	501129	7231071	CGLM	36	Sed/Water	5	3	Possible	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761188	20	08	501129	7231071	CGLM	36	Sed/Water	5	3	Possible	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761189	00	08	504824	7234898	CGLM	36	Sed/Water	1	2	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*	*
106E	761190	00	08	508062	7234731	ARGLa	04	Sed/Water	2	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761191	00	08	520980	7235593	ARGLa	04	Sed/Water	3	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761193	00	08	522625	7240562	ARGLa	04	Sed/Water	5	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761194	00	08	520032	7241194	ARGLa	04	Sed/Water	5	4	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761195	00	08	518615	7238196	ARGLa	04	Sed/Water	3	15	-	Alluv BnCl'dy	Clear	Slow	*	-	*	*	*	*	*	*	*
106E	761196	00	08	516808	7240142	ARGLa	04	Strm	1	2	-	Alluv BnCl'dy	Stagnt	*	-	*	*	*	*	*	*	*	*
106E	761197	00	08	516653	7237966	ARGLa	04	Sed/Water	2	4	-	Alluv BnTrans	Slow	*	-	*	*	*	*	*	*	*	*
106E	761198	00	08	515216	7237947	ARGLa	04	Sed/Water	5	4	-	Alluv BnTrans	Slow	*	-	*	*	*	*	*	*	*	*
106E	761199	00	08	515094	7242257	CGLM	36	Sed/Water	1	2	-	Alluv BnTrans	Slow	*	-	*	*	*	*	*	*	*	*
106E	761200	00	08	512463	7242273	CGLM	36	Sed/Water	6	10	-	Alluv BnCl'dy	Slow	*	-	*	*	*	*	*	*	*	*
106E	761202	00	08	510700	7245200	CGLM	36	Strm	1	3	-	Alluv BnCl'dy	Stagnt	*	-	*	*	*	*	*	*	*	*
106E	761204	00	08	512265	7245911	CGLM	36	Sed/Water	12	12	-	Alluv BnTrans	Slow	*	-	*	*	*	*	*	*	*	*
106E	761205	00	08	516580	7246226	CGLM	36	Sed/Water	5	4	-	Colluv	Clear	Stagnt	*	-	*	*	*	*	*	*	*
106E	761206	00	08	519147	7245486	MDSNa	04	Sed/Water	4	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761207	00	08	518318	7249389	SNDsf	44	Sed/Water	50	30	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*	*
106E	761208	00	08	516016	7252011	SNDse	36	Sed/Water	3	6	-	Alluv	Clear	Slow	*	-	*	*	*	*	*	*	*
106E	761209	00	08	511420	7251631	SNDse	36	Sed/Water	2	3	-	Colluv	Clear	Slow	*	-	*	*	*	*	*	*	*
106E	761210	00	08	507491	7250884	SNDse	36	Sed/Water	1	2	-	Alluv BnTrans	Slow	*	-	*	*	*	*	*	*	*	*
106E	761211	10	08	509650	7253500	SNDse	36	Sed/Water	3	9	-	Alluv BnTrans	Modert	*	-	*	*	*	*	*	*	*	*
106E	761212	20	08	509650	7253500	SNDse	36	Sed/Water	3	9	-	Alluv BnTrans	Modert	*	-	*	*	*	*	*	*	*	*
106E	761213	00	08	512254	7254742	SNDse	36	Sed/Water	4	10	-	Alluv	Clear	Slow	*	-	*	*	*	*	*	*	*
106E	761214	00	08	515058	7257778	SNDse	36	Sed/Water	1	5	-	Alluv BnTrans	Stagnt	*	-	*	*	*	*	*	*	*	*
106E	761215	00	08	519253	7259168	SNDse	36	Sed/Water	7	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*	*
106E	761216	00	08	523008	7259404	MDSNa	04	Sed/Water	15	10	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*	*
106E	761217	00	08	520625	7262478	SNDse	36	Sed/Water	10	6	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*	*
106E	761218	00	08	518633	7262661	SNDse	36	Sed/Water	1	4	-	Alluv BnTrans	Slow	*	-	*	*	*	*	*	*	*	*
106E	761219	00	08	516742	7262162	SNDse	36	Sed/Water	1	3	-	Alluv BnTrans	Stagnt	*	-	*	*	*	*	*	*	*	*
106E	761220	00	08	515354	7262670	SNDse	36	Sed/Water	3	11	-	Alluv BnTrans	Slow	*	-	*	*	*	*	*	*	*	*
106E	761222	00	08	508484	7263743	SNDse	36	Sed/Water	2	6	-	Alluv	Clear	Slow	*	-	*	*	*	*	*	*	*
106E	761223	00	08	510944	7259397	SNDse	36	Sed/Water	3	4	-	Alluv BnTrans	Slow	*	-	*	*	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	V	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 761178 00	1120	19	243	17	9	1.0	1520	2	2.50	ns	3.1	<	760	0.47	10.0	84	3.6	14	21	21.0	6.5	110	<
106E 761180 00	320	9	38	4	3	<	2120	3	1.20	ns	0.8	<	420	0.19	2.2	23	1.7	<	<	5.4	9.1	28	<
106E 761182 00	500	18	55	16	7	<	1460	3	1.70	ns	1.9	<	590	0.42	7.7	61	2.7	12	14	7.4	11.0	78	<
106E 761183 00	490	21	96	20	12	0.2	1470	2	2.20	ns	3.3	<	680	0.47	11.0	92	4.1	15	18	12.0	8.5	140	<
106E 761184 00	990	18	82	15	9	<	1530	<	1.95	ns	2.6	<	730	0.60	10.0	82	3.8	15	24	7.3	9.0	120	<
106E 761185 00	90	10	33	5	3	<	385	5	0.95	ns	2.5	<	420	0.29	3.8	38	1.4	5	<	12.0	2.2	33	2
106E 761186 00	350	16	100	16	9	<	1440	<	2.00	ns	2.9	<	600	0.27	8.2	76	3.2	13	20	10.0	6.8	120	<
106E 761187 10	122	21	10	29	22	<	760	<	1.20	ns	2.0	<	920	0.15	5.0	78	1.6	24	50	9.0	3.8	43	<
106E 761188 20	105	21	9	21	12	<	420	<	1.15	ns	2.0	<	910	0.12	4.2	70	1.5	12	24	8.9	4.0	52	<
106E 761189 00	81	22	8	15	9	<	780	<	2.00	ns	5.0	<	720	0.48	7.6	82	2.3	10	20	11.0	5.4	150	<
106E 761190 00	87	32	2	24	16	<	795	2	2.30	ns	6.4	<	690	0.85	10.0	98	4.6	21	30	3.4	<	180	<
106E 761191 00	172	100	44	44	33	<	640	6	6.75	ns	8.5	<	580	0.53	12.0	140	7.7	38	60	37.0	3.3	150	<
106E 761193 00	70	15	7	15	8	<	430	2	1.55	ns	2.5	<	660	0.49	7.2	59	2.7	10	21	7.4	1.2	80	1
106E 761194 00	84	20	10	19	9	<	405	2	1.80	ns	2.7	<	740	0.45	8.9	90	2.6	12	18	7.3	1.3	93	<
106E 761195 00	89	18	10	17	8	<	470	<	1.90	ns	3.1	<	720	0.60	9.0	110	2.4	12	11	6.3	1.1	110	<
106E 761196 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761197 00	130	18	22	18	9	<	565	<	1.80	ns	3.6	<	660	0.66	9.5	86	2.9	15	23	7.3	1.8	98	<
106E 761198 00	84	18	6	18	10	<	1000	2	1.70	ns	3.6	<	730	0.59	8.6	92	2.7	12	17	5.9	1.7	100	<
106E 761199 00	50	9	3	11	5	<	250	<	1.30	ns	2.5	<	620	0.61	7.4	91	2.0	9	24	3.6	1.5	88	<
106E 761200 00	80	13	10	15	8	<	550	<	1.90	ns	3.1	<	660	0.57	8.2	75	2.3	11	<	4.5	1.0	95	<
106E 761202 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761204 00	118	19	16	19	10	<	610	<	2.05	ns	3.3	<	670	0.60	8.5	65	3.0	10	12	7.8	1.5	99	<
106E 761205 00	72	13	17	13	7	<	1720	3	1.80	ns	2.4	<	500	0.32	6.6	81	2.8	9	<	7.5	4.7	78	<
106E 761206 00	63	27	10	17	11	<	820	3	2.30	ns	3.0	<	550	0.36	9.0	79	3.4	16	<	10.0	1.4	97	<
106E 761207 00	66	16	6	17	7	<	385	<	1.65	ns	2.5	<	710	0.47	7.8	78	2.7	11	15	8.1	1.4	82	<
106E 761208 00	115	14	3	19	7	<	380	<	2.40	ns	2.7	4	580	0.48	8.8	76	2.8	7	23	5.9	11.0	97	<
106E 761209 00	104	15	10	15	8	<	310	<	1.80	ns	3.0	<	650	0.52	7.7	85	2.6	9	18	6.8	1.5	110	<
106E 761210 00	78	14	6	13	9	<	945	2	2.00	ns	2.8	<	820	0.64	7.1	55	2.5	11	<	7.8	3.1	72	<
106E 761211 10	68	11	5	11	6	<	275	<	1.50	ns	2.7	<	820	0.81	6.8	66	1.8	7	15	6.5	1.0	61	2
106E 761212 20	78	13	6	13	6	<	360	<	1.75	ns	2.9	<	840	0.68	6.2	76	1.9	7	14	7.1	1.4	61	1
106E 761213 00	96	33	7	15	3	<	500	2	1.35	ns	5.7	<	640	0.26	6.8	28	1.7	<	38	5.8	48.0	82	2
106E 761214 00	82	33	13	21	16	<	1120	3	2.80	ns	3.1	<	630	0.32	7.7	65	3.0	15	27	15.0	2.6	95	2
106E 761215 00	86	69	18	32	34	<	2290	3	4.90	ns	3.7	<	520	0.49	13.0	92	5.3	41	30	29.0	1.2	140	<
106E 761216 00	95	85	19	37	43	<	2890	3	5.30	ns	3.8	<	500	0.53	14.0	87	6.2	47	51	36.0	1.2	130	2
106E 761217 00	92	33	9	24	15	<	1030	2	2.50	ns	3.0	<	840	0.35	8.8	79	3.2	17	26	15.0	3.0	84	1
106E 761218 00	58	14	5	10	5	<	80	<	1.15	ns	2.2	<	740	0.47	6.7	65	1.5	5	11	4.8	0.9	70	<
106E 761219 00	67	26	6	17	12	<	610	2	2.30	ns	3.0	<	620	0.42	9.2	95	3.5	15	22	13.0	1.9	94	1
106E 761220 00	59	11	5	9	3	<	50	<	0.70	ns	2.6	<	730	0.55	7.4	76	1.1	<	<	2.4	2.8	65	<
106E 761222 00	68	11	5	13	7	<	580	2	1.60	ns	2.5	<	800	0.28	5.6	64	2.4	9	<	8.4	1.5	51	<
106E 761223 00	79	12	5	16	9	<	410	2	1.75	ns	2.3	<	710	0.28	6.0	61	2.3	12	12	8.3	1.4	71	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	AU	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCH	ISE	LIF
106E 761178 00	1.9	6.9	830	37	79	7.00	1	1.0	2	0.4	5	1.8	<	11.0	3.6	<2	30.32	-	-	8.3	22	0.02
106E 761180 00	0.7	1.9	280	10	23	2.10	<	<	<	<	2	0.5	<	3.0	1.1	<2	40.99	-	-	8.1	<	0.02
106E 761182 00	0.9	6.7	460	27	58	5.10	<	1.0	2	0.4	4	1.0	<	8.0	2.0	3	18.76	-	-	8.1	<	0.02
106E 761183 00	1.2	11.0	650	40	87	6.70	1	1.0	3	0.5	7	2.0	<	10.0	3.5	4	23.06	-	-	8.1	<	0.02
106E 761184 00	0.9	10.0	730	39	80	7.20	2	1.0	3	0.5	6	2.1	2	10.0	2.8	4	26.62	-	-	8.3	20	0.02
106E 761185 00	0.4	1.8	270	16	43	3.00	<	<	<	0.3	3	0.7	<	4.6	2.9	<2	36.68	-	-	8.3	<	0.06
106E 761186 00	1.2	7.8	540	40	93	6.70	1	0.7	3	0.5	6	1.2	<	12.0	3.0	<2	16.25	-	-	8.4	28	0.02
106E 761187 10	1.0	2.8	910	17	45	3.50	<	0.5	3	0.5	5	0.5	<	4.8	2.0	3	3.69	-	-	8.4	20	0.06
106E 761188 20	1.0	3.0	810	15	<15	3.20	<	0.6	3	0.3	3	0.7	<	4.4	1.8	5	2.66	-	-	8.3	26	0.06
106E 761189 00	1.0	6.7	760	39	76	7.90	<	1.0	2	0.4	7	1.6	<	16.0	5.1	4	7.41	-	-	7.3	<	0.10
106E 761190 00	1.9	8.8	790	84	170	13.70	2	1.4	3	0.5	5	1.9	1	19.0	6.6	<2	7.51	-	-	7.8	54	1.00
106E 761191 00	2.7	8.5	530	90	190	14.70	2	1.9	3	0.9	6	2.5	2	25.9	9.3	10	9.17	6	6.70	7.2	32	0.06
106E 761193 00	1.0	3.4	680	33	89	6.00	1	0.9	3	0.5	8	1.0	2	8.9	2.8	<2	23.58	-	-	7.9	32	0.08
106E 761194 00	0.9	3.9	750	30	65	5.40	<	0.8	3	0.5	6	1.0	<	9.0	2.9	3	10.01	-	-	8.0	26	0.14
106E 761195 00	0.8	4.8	760	32	68	5.50	<	0.8	3	0.5	6	1.1	<	9.3	3.2	5	12.53	-	-	6.9	28	0.12
106E 761196 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	6.4	22	0.02
106E 761197 00	0.9	4.2	720	40	89	6.60	1	1.0	3	0.6	6	1.2	<	11.0	4.1	<2	23.99	-	-	7.8	34	0.22
106E 761198 00	1.0	4.7	700	37	81	6.30	<	1.0	2	0.5	6	1.1	1	10.0	3.4	4	12.75	-	-	7.7	30	0.08
106E 761199 00	0.6	3.7	720	35	88	6.00	1	0.8	2	0.5	9	1.0	2	8.8	2.8	<2	40.61	-	-	8.3	52	0.12
106E 761200 00	0.7	3.6	680	33	69	5.90	<	0.8	3	0.4	7	1.3	2	10.0	3.1	12	8.65	-	-	7.8	28	0.04
106E 761202 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	7.0	<	0.02
106E 761204 00	0.9	3.7	670	40	73	6.80	<	1.0	2	0.3	6	1.0	2	11.0	3.8	3	17.80	-	-	7.7	22	0.02
106E 761205 00	0.7	5.3	390	29	54	4.50	<	0.7	<	0.3	5	0.8	<	8.7	2.4	3	28.94	-	-	8.4	<	0.02
106E 761206 00	1.5	2.8	550	34	64	7.30	<	1.3	4	0.6	10	1.1	1	10.0	3.6	4	44.87	-	-	8.3	26	0.04
106E 761207 00	0.9	3.0	730	34	55	5.90	<	0.8	3	0.4	8	0.9	1	9.2	3.0	3	27.76	-	-	8.3	<	0.08
106E 761208 00	0.7	2.8	570	30	54	5.50	<	0.8	3	0.4	6	0.9	1	8.3	3.0	4	19.76	-	-	8.2	20	0.02
106E 761209 00	1.1	3.4	670	36	70	6.50	<	0.9	2	0.4	6	1.2	2	10.0	3.3	5	25.60	-	-	7.5	22	0.02
106E 761210 00	0.8	2.5	800	28	48	4.70	<	0.9	2	0.2	5	0.9	<	7.6	3.0	3	13.98	-	-	6.9	20	0.08
106E 761211 10	0.8	2.2	860	23	45	4.20	<	0.7	<	0.3	5	0.9	1	6.5	2.8	6	16.14	-	-	6.9	22	0.18
106E 761212 20	0.7	1.8	750	22	46	3.90	<	0.6	<	0.3	5	0.8	1	6.4	2.9	5	8.32	-	-	8.2	24	0.04
106E 761213 00	0.6	3.1	530	18	37	3.40	<	0.7	<	0.3	4	0.9	<	7.2	6.1	3	7.16	-	-	7.9	26	0.04
106E 761214 00	1.5	3.2	660	26	40	5.60	<	0.9	2	0.3	6	0.9	1	8.9	3.2	7	12.08	-	-	7.6	24	0.02
106E 761215 00	3.0	5.0	520	41	79	8.40	<	1.4	3	0.4	5	1.2	2	12.0	3.9	5	13.39	-	-	8.2	26	0.02
106E 761216 00	3.6	5.2	460	44	88	8.70	<	1.5	4	0.6	4	1.5	2	13.0	4.2	7	23.46	-	-	8.3	28	0.02
106E 761217 00	1.4	3.3	900	30	53	5.80	<	0.8	3	0.4	6	1.0	1	8.4	3.5	11	23.52	3	17.69	7.9	36	0.02
106E 761218 00	0.7	2.5	740	23	46	4.30	<	0.7	2	0.2	5	1.0	<	7.0	2.7	<2	18.23	-	-	7.4	28	0.02
106E 761219 00	1.4	3.2	700	37	71	7.00	<	1.0	3	0.5	9	1.0	1	10.0	3.8	<2	41.30	-	-	8.1	56	0.02
106E 761220 00	0.6	2.5	800	27	52	4.70	<	0.8	2	0.3	8	1.1	1	7.4	3.3	3	34.19	-	-	7.7	50	0.28
106E 761222 00	0.8	1.5	860	31	60	5.40	<	0.6	2	<	9	1.1	1	6.6	2.5	4	16.08	-	-	7.7	26	0.02
106E 761223 00	0.8	2.3	760	22	39	4.40	<	0.7	<	<	6	1.0	1	6.2	2.5	3	22.34	-	-	7.9	40	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106E	761224	00	08	510556	7257708	SNDSe	36	Sed/Water	3	5	-	Alluv BnTrans	Slow	*	*	-	*	*	*	*	*	*
106E	761225	00	08	505684	7260878	SNDSe	36	Sed/Water	4	6	-	Alluv BnTrans	Fast	*	*	-	*	*	*	*	*	*
106E	761226	00	08	505554	7238569	LMSNd	12	Sed/Water	4	2	-	Colluv BnTrans	Slow	*	*	-	*	*	*	*	*	*
106E	761227	00	08	503785	7238443	CGLM	36	SedOnly			-	Colluv		*	*	-	*	*	*	*	*	*
106E	761228	00	08	500524	7240783	CGLM	36	Sed/Water	2	6	-	Alluv BnTrans	Slow	*	*	-	*	*	*	*	*	*
106E	761229	00	08	505648	7242830	CGLM	36	Sed/Water	3	6	-	Alluv BnTrans	Slow	*	*	-	*	*	*	*	*	*
106E	761230	00	08	502197	7245854	CGLM	36	Sed/Water	3	4	-	Alluv BnTrans	Slow	*	*	-	*	*	*	*	*	*
106E	761232	00	08	502988	7250738	SNDSe	36	Strm	2	10	-	Alluv BnTrans	Slow	*	*	-	*	*	*	*	*	*
106E	761233	00	08	496845	7260627	SNDSe	36	Sed/Water	2	3	-	Alluv BnTrans	Slow	*	*	-	*	*	*	*	*	*
106E	761234	00	08	478558	7260187	CGLM	36	Strm	3	7	-	Alluv BnTrans	Stagnt	*	*	-	*	*	*	*	*	*
106E	761235	10	08	478252	7254806	CGLM	36	Sed/Water	5	5	-	Alluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761236	20	08	478252	7254806	CGLM	36	Sed/Water	5	5	-	Alluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761237	00	08	477483	7248416	SNDSh	24	Sed/Water	2	3	-	Colluv Clear	Slow	*	*	-	*	*	*	*	*	*
106E	761238	00	08	479216	7238588	SLSNa	20	Sed/Water	5	3	-	Colluv BnTrans	Modert	*	*	-	*	*	*	*	*	*
106E	761239	00	08	479464	7236227	SLSNa	20	Sed/Water	5	3	-	Colluv BnTrans	Modert	*	*	-	*	*	*	*	*	*
106E	761240	00	08	482787	7237849	CGLM	36	Sed/Water	3	5	-	Alluv BnTrans	Stagnt	*	*	-	*	*	*	*	*	*
106E	761242	00	08	483146	7242690	CGLM	36	Sed/Water	5	5	-	Colluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761243	00	08	484226	7246025	LMSNd	12	Sed/Water	2	3	-	Colluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761244	00	08	484822	7244635	LMSNd	12	SedOnly			-	Colluv		*	*	-	*	*	*	*	*	*
106E	761245	00	08	484379	7242032	CGLM	36	Sed/Water	9	4	-	Colluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761246	00	08	485598	7238598	CGLM	36	Sed/Water	3	2	-	Colluv Clear	Stagnt	*	*	-	*	*	*	*	*	*
106E	761248	00	08	498368	7238333	LMSNd	12	Strm	2	2	-	Alluv Clear	Slow	*	*	-	*	*	*	*	*	*
106E	761249	10	08	499526	7238400	LMSNd	12	Sed/Water	10	8	-	Alluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761250	20	08	499513	7238400	LMSNd	12	Sed/Water	10	8	-	Alluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761251	00	08	499300	7241900	CGLM	36	Sed/Water	20	7	-	Alluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761252	00	08	491274	7237618	CGLM	36	Sed/Water	1	2	-	Alluv BnTrans	Slow	*	*	-	*	*	*	*	*	*
106E	761253	00	08	490974	7239243	LMSNd	12	Sed/Water	3	3	-	Colluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761254	00	08	493150	7242710	LMSNd	12	Sed/Water	3	3	-	Colluv Clear	Fast	*	*	-	*	*	*	*	*	*
106E	761255	00	08	495115	7243081	LMSNd	12	Sed/Water	5	4	-	Alluv Clear	Slow	*	*	-	*	*	*	*	*	*
106E	761256	00	08	493328	7245394	LMSNd	12	Sed/Water	3	6	-	Alluv BnCl'dy	Slow	*	*	-	*	*	*	*	*	*
106E	761257	00	08	492264	7247612	CGLM	36	Sed/Water	5	9	-	Alluv BnCl'dy	Modert	*	*	-	*	*	*	*	*	*
106E	761258	00	08	490581	7244669	CGLM	36	Sed/Water	3	4	-	Colluv BnTrans	Fast	*	*	-	*	*	*	*	*	*
106E	761259	00	08	489322	7246643	SNDSc	12	Sed/Water	4	4	-	Colluv BnTrans	Fast	*	*	-	*	*	*	*	*	*
106E	761260	00	08	487853	7248950	LMSNd	12	Sed/Water	5	4	-	Colluv BnCl'dy	Fast	*	*	-	*	*	*	*	*	*
106E	761262	00	08	484984	7253196	CGLM	36	Sed/Water	3	3	-	Colluv BnTrans	Modert	*	*	-	*	*	*	*	*	*
106E	761263	00	08	486801	7237039	UKNnd	50	Sed/Water	2	2	-	Colluv Clear	Modert	*	*	-	*	*	*	*	*	*
106E	761383	00	08	485452	7263809	CGLM	36	Sed/Water	80	40	-	Alluv BnCl'dy	Modert	*	*	-	*	*	*	*	*	*
106E	761407	10	08	507955	7231105	ARGLa	04	Sed/Water	2	2	-	Colluv Clear	Fast	*	*	-	*	*	*	*	*	*
106E	761408	20	08	507955	7231105	ARGLa	04	Sed/Water	2	2	-	Colluv Clear	Fast	*	*	-	*	*	*	*	*	*
106E	761409	00	08	509931	7228712	ARGLa	04	Sed/Water	4	3	-	Colluv Clear	Fast	*	*	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Mi	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	pct	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 761224 00	98	15	7	14	11	<	270	2	1.95	ns	2.6	<	620	0.35	7.0	58	1.9	10	14	7.4	2.2	80	<
106E 761225 00	93	16	7	16	10	<	980	2	2.00	ns	2.5	<	720	0.30	6.1	61	2.5	11	19	10.0	6.4	68	1
106E 761226 00	98	29	8	21	13	<	1020	<	2.40	ns	5.2	<	700	0.82	10.0	110	3.6	15	29	5.1	3.3	160	<
106E 761227 00	95	28	12	17	8	<	475	<	1.75	ns	2.8	<	750	0.69	8.3	80	2.4	10	18	6.3	3.6	88	2
106E 761228 00	67	12	4	11	5	<	225	<	1.30	ns	2.5	<	720	0.66	6.2	68	1.6	7	15	5.2	2.1	57	1
106E 761229 00	68	12	8	13	8	<	370	<	1.80	ns	3.5	<	650	0.82	8.9	110	3.1	13	<	6.7	2.1	94	<
106E 761230 00	81	16	9	14	8	<	620	<	2.00	ns	2.9	<	720	0.64	7.8	75	2.6	9	15	8.0	3.4	77	<
106E 761232 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761233 00	60	9	3	9	5	<	2970	<	1.55	ns	2.3	<	870	0.55	5.3	51	2.1	8	15	13.0	8.0	53	2
106E 761234 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761235 10	94	9	5	15	13	<	1020	<	2.20	ns	2.6	<	650	0.32	6.2	93	2.7	14	20	9.1	4.4	55	1
106E 761236 20	97	9	5	15	14	<	970	<	2.25	ns	2.5	<	640	0.29	5.9	94	2.8	14	<	10.0	4.5	60	2
106E 761237 00	75	9	4	12	6	<	250	<	1.35	ns	2.4	<	640	0.54	6.0	94	1.7	6	<	6.6	1.8	54	<
106E 761238 00	75	10	5	12	7	<	400	<	1.30	ns	2.8	<	840	0.81	6.5	63	1.7	8	<	5.5	1.4	55	<
106E 761239 00	74	10	4	12	6	<	550	<	1.45	ns	3.4	<	840	1.00	7.9	86	2.2	8	<	6.4	2.0	63	<
106E 761240 00	52	10	5	11	6	<	230	<	1.35	ns	2.7	<	860	1.10	7.1	74	1.9	7	<	6.1	<	52	<
106E 761242 00	54	16	7	9	5	<	390	5	1.70	ns	1.7	<	420	0.22	3.9	21	2.6	8	12	46.0	1.9	31	3
106E 761243 00	35	8	2	5	<	<	2000	5	5.04	ns	1.2	<	<	0.16	1.9	<	0.7	<	<	2.9	5.5	14	<
106E 761244 00	51	14	5	11	5	<	3801	2	1.06	ns	2.6	<	40	0.48	6.0	59	1.8	7	<	6.7	2.0	57	1
106E 761245 00	119	31	16	22	10	<	650	3	1.95	ns	3.4	<	1100	0.18	9.0	78	2.9	12	27	15.0	0.8	97	2
106E 761246 00	101	19	9	18	9	<	580	<	1.95	ns	3.3	<	800	0.65	8.2	96	2.7	10	17	10.0	4.2	83	2
106E 761248 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 761249 10	85	17	6	17	9	<	495	2	1.60	ns	2.9	<	770	0.54	7.0	72	2.2	10	23	3.8	2.3	100	<
106E 761250 20	84	16	5	17	9	<	450	<	1.60	ns	2.7	<	760	0.49	6.5	64	2.1	10	<	3.5	1.4	97	<
106E 761251 00	63	7	5	10	6	<	270	<	1.10	ns	2.2	<	700	0.59	5.3	67	1.5	<	14	4.8	10.0	64	<
106E 761252 00	68	16	8	14	6	<	365	2	1.30	ns	2.6	<	700	0.61	7.4	79	2.3	8	22	8.5	2.5	68	<
106E 761253 00	52	8	3	10	6	<	180	<	1.10	ns	2.5	<	700	0.72	7.0	66	1.8	6	<	4.7	1.5	66	<
106E 761254 00	75	13	6	14	7	<	320	<	1.50	ns	2.4	<	730	0.45	6.6	79	2.4	7	22	9.3	3.2	64	1
106E 761255 00	46	6	3	9	6	<	1040	<	0.90	ns	2.4	<	700	0.47	5.4	48	1.8	8	<	2.9	4.8	61	<
106E 761256 00	67	13	5	13	6	<	340	<	1.45	ns	2.5	<	770	0.51	7.0	74	2.3	9	25	6.8	1.7	72	<
106E 761257 00	66	13	7	13	7	<	280	2	1.55	ns	2.4	<	720	0.51	6.6	75	2.2	9	<	8.9	1.1	70	2
106E 761258 00	75	18	8	18	9	<	410	2	1.70	ns	2.7	<	920	0.43	6.9	96	2.4	8	24	8.4	0.6	70	<
106E 761259 00	70	13	5	15	7	<	340	<	1.45	ns	2.5	<	810	0.36	5.8	49	1.9	9	17	9.3	0.7	56	<
106E 761260 00	81	17	6	19	10	<	495	<	1.65	ns	2.2	<	800	0.37	6.2	75	2.1	10	24	10.0	0.8	64	<
106E 761262 00	78	13	6	14	8	<	700	<	1.60	ns	2.5	<	790	0.45	5.8	57	1.9	7	26	7.7	2.2	76	<
106E 761263 00	81	19	9	16	7	<	385	3	1.25	ns	2.4	<	670	0.20	5.3	69	2.0	9	<	8.5	0.9	57	2
106E 761383 00	98	13	14	13	7	<	465	3	1.45	ns	2.6	4	680	0.45	7.7	73	2.4	12	28	7.3	2.9	92	<
106E 761407 10	103	72	6	19	14	<	950	2	2.00	ns	27.6	<	740	0.63	9.2	72	2.7	15	24	27.0	2.6	160	<
106E 761408 20	101	69	5	19	11	<	750	2	1.90	ns	26.3	<	740	0.70	11.0	99	3.0	15	22	25.0	2.6	180	<
106E 761409 00	240	153	50	14	8	0.8	320	<	1.35	ns	273.0	<	1130	0.38	7.7	59	1.9	16	<	14.0	27.0	77	<6

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	GCM	ISE	LIF
106E 761224 00	0.8	2.8	600	22	45	4.40	< 0.8	< 0.3	< 0.3	< 0.3	6	1.0	2	7.3	2.6	<2	-	-	7.9	34	0.02
106E 761225 00	0.9	2.8	740	23	43	4.90	< 0.9	< 0.3	< 0.4	< 0.4	5	0.7	2	7.1	2.9	4	-	-	7.9	44	0.08
106E 761226 00	1.4	9.0	840	60	110	10.00	< 1.3	3	3	0.4	5	2.0	2	16.0	5.9	4	-	-	6.6	32	0.84
106E 761227 00	1.0	4.1	770	34	65	5.70	< 0.9	3	0.3	0.3	6	1.3	<	9.3	3.3	3	-	-	ns	ns	ns
106E 761228 00	0.7	2.2	750	23	49	4.10	< 0.7	<	<	<	5	0.8	<	6.2	2.6	3	-	-	7.4	28	0.06
106E 761229 00	1.0	3.0	670	49	91	8.20	< 1.2	3	0.5	10	1.9	<	<	11.0	4.0	5	-	-	8.0	30	0.02
106E 761230 00	0.9	2.9	720	31	62	5.40	< 0.6	2	0.3	6	1.0	<	<	8.6	3.1	3	-	-	8.0	30	0.02
106E 761231 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	7.9	40	0.02
106E 761232 00	0.6	1.7	970	25	51	4.30	< 0.6	2	0.3	7	1.1	<	<	5.9	2.5	<2	-	-	8.5	42	0.02
106E 761233 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	7.0	38	0.08
106E 761234 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	7.0	38	0.08
106E 761235 10	0.7	1.9	650	27	49	4.70	< 0.8	< 0.2	< 0.2	9	0.8	<	<	6.6	2.9	<2	-	-	7.8	36	0.02
106E 761236 20	0.7	2.2	610	26	56	4.40	< 0.6	< 0.2	< 0.2	7	1.0	<	1	6.6	2.5	5	-	-	7.5	42	0.02
106E 761237 00	0.7	2.3	660	21	42	3.90	< 0.6	2	0.2	5	0.7	<	<	6.1	2.4	<2	-	-	8.1	32	0.02
106E 761238 00	0.8	2.0	890	24	48	4.70	< 0.8	<	<	6	1.3	<	<	7.2	3.0	4	-	-	7.8	26	0.04
106E 761239 00	0.9	2.1	1100	35	70	7.20	< 1.1	3	0.3	10	1.7	<	1	10.0	3.9	<2	-	-	7.9	28	0.02
106E 761240 00	0.9	1.5	940	26	52	5.00	< 0.9	< 0.3	< 0.3	7	1.2	<	1	7.0	2.8	3	-	-	7.9	32	0.02
106E 761241 00	1.3	2.2	330	14	28	2.70	<	<	<	3	<	<	<	3.6	2.0	4	-	-	8.5	40	0.02
106E 761242 00	0.3	1.0	160	8	16	1.40	<	<	<	2	<	<	<	2.3	1.3	3	-	-	8.2	24	0.02
106E 761243 00	0.9	2.0	530	34	64	5.60	< 0.6	< 0.3	< 0.3	7	1.0	<	<	7.6	2.6	<2	-	-	ns	ns	ns
106E 761244 00	1.0	6.3	1100	34	65	5.40	< 0.9	2	0.2	3	1.2	<	2	10.0	3.2	<2	-	-	8.3	42	0.02
106E 761245 00	1.0	2.8	730	33	59	5.50	< 0.9	2	0.4	6	1.3	<	<	8.7	3.0	10	-	-	8.0	30	0.02
106E 761246 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	8.2	20	0.02
106E 761247 00	0.9	5.5	760	38	70	5.80	< 0.8	<	<	4	1.3	<	<	9.4	2.7	6	-	-	17.02	8.3	30
106E 761248 00	0.9	4.9	770	34	67	5.70	< 0.9	<	<	4	0.9	<	<	9.2	2.7	62	-	-	6.42	8.1	30
106E 761249 10	0.6	2.4	730	24	45	4.70	< 0.6	<	<	7	1.1	<	<	7.0	2.8	<2	-	-	8.3	28	0.02
106E 761250 20	1.0	4.6	760	29	60	5.40	< 0.8	2	0.3	7	1.1	<	<	8.3	3.2	<2	-	-	8.2	24	0.02
106E 761251 00	0.7	2.2	710	30	57	5.30	< 0.9	2	0.3	8	1.2	<	<	7.5	2.8	5	-	-	8.1	24	0.02
106E 761252 00	0.9	2.8	740	27	54	5.00	< 0.6	< 0.2	< 0.2	7	1.0	<	2	7.5	2.7	3	-	-	8.0	26	0.02
106E 761253 00	0.7	2.1	700	39	75	6.20	< 0.6	< 0.3	< 0.3	7	0.9	<	2	7.5	2.5	<2	-	-	8.2	40	0.10
106E 761254 00	0.8	2.8	870	28	54	5.50	< 0.8	2	0.3	8	1.2	<	<	8.3	3.0	<2	-	-	8.1	28	0.04
106E 761255 00	0.9	2.3	810	26	51	4.90	< 0.7	2	0.3	5	1.1	<	1	7.4	2.6	7	-	-	7.9	30	0.20
106E 761256 00	0.9	2.3	930	27	50	5.00	< 0.8	2	0.2	7	1.0	<	<	7.2	2.9	3	-	-	7.9	26	0.02
106E 761257 00	0.8	2.1	780	22	45	4.10	< 0.6	<	<	6	1.0	<	<	6.1	2.4	<2	-	-	8.2	22	0.02
106E 761258 00	0.8	2.6	810	22	45	4.20	< 0.5	< 0.3	< 0.3	5	0.8	<	<	6.6	2.3	<2	-	-	8.3	22	0.08
106E 761259 00	0.9	2.6	900	24	45	5.10	< 1.0	<	<	6	1.1	<	1	7.8	3.2	<2	-	-	7.5	28	0.02
106E 761260 00	1.2	3.3	730	26	53	5.00	< 0.7	2	0.2	5	1.3	<	1	7.0	3.2	3	-	-	8.3	54	0.02
106E 761261 00	0.8	4.1	780	37	79	6.40	1	1.0	3	0.6	6	1.3	<	10.0	3.0	<2	-	-	8.4	36	0.26
106E 761407 10	1.8	11.0	680	55	99	10.00	< 1.3	2	0.8	6	1.4	<	3	19.0	30.6	6	-	-	7.9	96	1.08
106E 761408 20	1.8	11.0	720	62	120	10.00	1	1.3	3	1.3	6	1.4	1	19.0	28.6	4	-	-	8.0	102	1.24
106E 761409 00	0.7	7.6	<750	110	<31	15.40	2	3.5	6	2.0	3	<	<	9.1	224.0	11	-	-	11.98	7.9	38

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	UTM Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Stream Type	Stream Class	Source
106E	761410	00	08	511576	7226954	ARGLa	04	SedOnly	4	3	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761411	00	08	510358	7223743	ARGLa	04	Sed/Water	3	3	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761412	00	08	512943	7223295	ARGLa	04	Sed/Water	9	7	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761413	00	08	513759	7222079	ARGLa	04	Sed/Water	8	7	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761414	00	08	512675	7220555	ARGLa	04	Sed/Water	3	4	Possible	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761416	00	08	474446	7218937	ARGLa	04	Sed/Water	3	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761417	00	08	475035	7217160	ARGLa	04	Sed/Water	5	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	761418	00	08	476013	7217079	ARGLa	04	Sed/Water	5	3	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761419	00	08	474719	7220597	ARGLa	04	Sed/Water	2	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	761420	00	08	473043	7221358	ARGLa	04	Sed/Water	8	10	-	Colluv	Clear	Torrnt	*	-	*	*	*	*	*	*
106E	763016	00	08	470476	7218064	ARGLa	04	Sed/Water	14	8	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763019	00	08	467059	7210763	ARGLa	04	Sed/Water	8	5	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763034	00	08	466825	7215215	ARGLa	04	Sed/Water	8	20	-	Colluv	Clear	Torrnt	*	-	*	*	*	*	*	*
106E	763068	10	08	473881	7211248	SNDSC	12	Sed/Water	12	20	-	Colluv	Clear	Torrnt	*	-	*	*	*	*	*	*
106E	763069	20	08	473881	7211248	SNDSC	12	Sed/Water	20	10	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763076	00	08	472244	7212034	ARGLa	04	Sed/Water	12	15	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	763092	00	08	470305	7213048	ARGLa	04	Sed/Water	4	5	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	763106	00	08	470536	7216487	ARGLa	04	Sed/Water	3	2	-	Colluv	Clear	Modert	*	-	*	*	*	*	*	*
106E	763108	00	08	469279	7217241	ARGLa	04	Sed/Water	6	7	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763117	00	08	470362	7218726	ARGLa	04	Sed/Water	8	10	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763140	00	08	466495	7222628	ARGLa	04	Sed/Water	12	20	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763144	00	08	468710	7214062	ARGLa	04	Sed/Water	16	15	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763148	00	08	469284	7214839	ARGLa	04	Sed/Water	24	6	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763155	00	08	472944	7209442	ARGLa	04	Sed/Water	6	8	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763164	00	08	466594	7217131	ARGLa	04	Sed/Water	12	20	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763165	00	08	467864	7217699	ARGLa	04	Sed/Water	24	12	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763169	00	08	467499	7219236	ARGLa	04	Sed/Water	8	6	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763170	00	08	468506	7219421	ARGLa	04	Sed/Water	20	16	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763172	00	08	468053	7220331	ARGLa	04	Sed/Water	2	2	-	Alluv	Clear	Slow	*	-	*	*	*	*	*	*
106E	763174	00	08	468758	7221310	ARGLa	04	Sed/Water	24	12	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763176	00	08	467618	7221515	ARGLa	04	SedOnly	14	20	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763177	00	08	468049	7222098	ARGLa	04	Sed/Water	8	15	-	Colluv	Clear	Torrnt	*	-	*	*	*	*	*	*
106E	763197	00	08	516915	7213559	ARGLa	04	Sed/Water	14	18	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763207	00	08	517644	7214486	ARGLa	04	Sed/Water	24	12	-	Alluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763214	00	08	519442	7215438	ARGLa	04	Sed/Water	14	20	-	Colluv	Clear	Torrnt	*	-	*	*	*	*	*	*
106E	763219	00	08	520195	7214935	ARGLa	04	Sed/Water	8	10	-	Colluv	Clear	Torrnt	*	-	*	*	*	*	*	*
106E	763224	00	08	520945	7215601	ARGLa	04	Sed/Water	16	15	-	Alluv	WhCl'dy	Fast	*	-	*	*	*	*	*	*
106E	763240	00	08	515500	7215900	LMSND	12	Sed/Water	16	20	-	Colluv	Clear	Torrnt	*	-	*	*	*	*	*	*
106E	763244	00	08	515028	7216593	LMSND	12	Sed/Water	10	6	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*
106E	763257	00	08	516790	7217005	ARGLa	04	Sed/Water	10	6	-	Colluv	Clear	Fast	*	-	*	*	*	*	*	*

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 761410 00	320	44	54	27	17	<	820	<	3.10	ns	5.4	<	620	0.61	10.0	67	3.4	17	25	16.0	<	150	<
106E 761411 00	73	13	15	14	8	<	1000	<	1.65	ns	2.0	<	880	0.23	6.9	62	2.9	12	<	7.7	2.4	94	<
106E 761412 00	118	41	16	21	17	<	840	<	2.55	ns	5.8	<	750	0.39	12.0	100	3.0	19	24	12.0	3.9	170	<
106E 761413 00	82	8	31	4	2	<	280	3	0.55	ns	1.0	<	280	0.17	1.7	<	0.8	<	<	5.1	3.7	19	<
106E 761414 00	66	17	11	19	12	<	530	<	2.25	ns	2.8	<	620	0.36	9.2	90	3.6	19	23	4.8	1.7	120	<
106E 761416 00	185	13	63	7	4	<	740	2	1.20	ns	2.3	<	480	0.19	3.9	40	1.7	5	11	11.0	4.8	57	<
106E 761417 00	93	7	23	4	<	<	250	3	0.50	ns	1.2	<	260	0.20	1.4	22	0.5	<	<	4.2	5.3	15	1
106E 761418 00	55	20	15	14	10	<	770	<	2.30	ns	3.9	<	620	0.35	10.0	97	3.3	15	15	5.8	2.8	150	<
106E 761419 00	78	8	27	4	2	<	320	2	0.60	ns	1.3	<	340	0.23	2.4	27	0.9	<	<	5.1	4.6	26	<
106E 761420 00	58	11	18	6	3	<	580	3	1.00	ns	1.6	<	360	0.55	3.7	40	1.3	5	<	11.0	4.2	37	1
106E 763016 00	250	108	84	86	59	<	2390	9	4.75	ns	6.6	<	710	0.45	9.1	78	5.4	64	110	56.2	3.8	130	4
106E 763019 00	188	120	44	66	46	<	2050	5	4.40	ns	6.0	4	700	1.20	13.0	140	6.7	52	77	42.0	2.9	120	4
106E 763034 00	340	108	120	61	61	<	1240	6	4.70	ns	8.1	<	590	0.51	13.0	150	6.1	69	83	39.0	3.1	140	<
106E 763068 10	90	21	36	14	9	<	860	3	1.50	ns	2.6	<	500	0.34	8.4	82	3.3	13	<	11.0	6.1	72	<
106E 763069 20	89	20	35	13	9	<	840	2	1.45	ns	2.6	<	560	0.36	8.3	69	3.3	13	<	11.0	6.0	72	2
106E 763076 00	65	43	14	27	29	<	775	<	2.70	ns	4.5	<	770	0.82	15.0	230	5.7	39	42	16.0	2.9	130	<
106E 763092 00	215	54	63	30	18	<	1720	3	3.20	ns	3.9	<	800	0.62	10.0	71	4.4	25	27	26.0	2.5	120	1
106E 763106 00	130	18	54	10	4	<	720	2	1.25	ns	1.7	<	400	0.34	3.6	37	1.9	6	18	14.0	2.1	36	2
106E 763108 00	1780	215	280	118	63	0.8	2700	25	7.90	ns	7.1	<	880	0.74	11.0	99	10.0	76	160	132.0	7.8	93	21
106E 763117 00	162	23	40	21	11	<	980	3	1.65	ns	2.1	4	540	0.55	5.8	110	2.7	14	30	16.0	2.6	51	2
106E 763140 00	148	98	33	53	39	<	1800	3	4.60	ns	5.9	<	720	1.10	14.0	160	6.6	45	61	29.0	3.2	120	2
106E 763144 00	124	94	27	49	40	<	1420	4	5.20	ns	5.8	<	720	1.00	13.0	140	8.1	43	63	29.0	2.4	130	2
106E 763148 00	86	26	24	18	14	<	780	<	2.00	ns	3.4	<	640	0.42	8.9	100	4.3	17	28	14.0	1.9	97	<
106E 763155 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	5.6	<	580	0.33	8.5	110	3.5	17	<	15.0	46.0	87	25
106E 763164 00	210	57	69	36	27	<	1030	3	3.80	ns	5.4	<	720	0.58	12.0	96	5.4	32	39	29.0	5.6	140	2
106E 763165 00	82	28	19	22	15	<	770	<	2.65	ns	3.4	<	650	0.64	12.0	160	5.7	20	32	13.0	1.3	110	<
106E 763169 00	118	31	48	23	14	<	610	2	2.55	ns	4.4	<	800	0.68	11.0	130	4.1	18	29	14.0	11.0	98	<
106E 763170 00	156	19	60	16	8	<	860	3	1.35	ns	2.3	<	600	0.54	6.6	71	2.8	12	20	15.0	2.9	66	2
106E 763172 00	92	32	23	24	18	<	870	<	3.00	ns	3.8	<	670	0.66	12.0	150	6.5	22	38	15.0	2.1	100	<
106E 763174 00	78	26	21	15	18	<	550	<	2.45	ns	6.2	<	820	0.56	11.0	86	3.7	18	20	13.0	5.0	170	<
106E 763176 00	88	65	24	19	15	0.6	800	<	2.60	ns	4.4	<	840	0.71	12.0	69	4.6	18	34	7.5	4.3	120	<
106E 763177 00	93	31	22	23	15	0.4	870	<	2.80	ns	3.5	<	620	0.59	10.0	85	4.1	17	28	13.0	0.8	110	<
106E 763197 00	76	40	15	11	12	<	1580	3	1.65	ns	2.7	<	9999	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106E 763207 00	56	119	9	12	24	<	1800	3	2.20	ns	4.6	<	3750	0.18	6.1	92	5.8	30	31	25.0	1.2	100	4
106E 763214 00	41	123	9	12	22	<	1500	2	2.10	ns	4.8	<	3600	0.21	7.4	95	7.6	28	28	22.0	<	100	<
106E 763219 00	40	31	6	14	15	<	1130	<	2.10	ns	6.7	<	720	0.34	11.0	77	3.0	18	16	12.0	1.1	200	<
106E 763224 00	39	34	3	20	18	<	1200	<	3.40	ns	6.7	<	1560	0.39	10.0	140	8.5	21	<	12.0	<	150	<
106E 763240 00	49	15	16	12	10	<	1140	2	1.40	ns	2.6	<	640	0.13	6.9	94	3.3	12	24	7.0	0.8	96	<
106E 763244 00	65	12	19	14	9	<	890	<	1.55	ns	2.6	<	630	0.17	6.3	55	3.0	12	<	5.8	1.8	82	<
106E 763257 00	43	24	13	14	11	<	650	<	2.00	ns	5.0	<	550	0.21	8.6	100	3.3	12	<	6.8	2.6	160	<



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Yukon, 1990, GSC OF-2175, NGR 137-1990, NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 761410 00	1.8	7.5	620	59	130	9.40	<	1.2	4	0.5	6	2.1	4	20.3	4.5	4	3.22	-	-	ns	ns	ns
106E 761411 00	1.0	4.6	1300	37	89	6.70	<	0.9	2	0.4	6	1.7	1	11.0	2.8	<2	45.13	-	-	8.2	44	0.02
106E 761412 00	1.2	11.0	800	77	170	12.10	2	1.7	5	1.0	7	2.3	1	26.8	5.4	<2	7.56	-	-	7.5	22	0.02
106E 761413 00	0.3	1.2	130	8	16	1.50	<	<	<	<	1	<	<	2.2	1.1	<2	38.22	-	-	7.9	20	0.08
106E 761414 00	0.6	5.0	810	48	110	9.10	2	1.1	3	0.5	8	2.5	2	13.0	3.1	4	44.26	-	-	8.3	28	0.04
106E 761416 00	0.8	2.5	320	23	51	4.20	<	0.7	<	0.2	4	0.7	<	6.8	2.5	<2	39.39	16	12.78	7.9	<	0.02
106E 761417 00	0.3	0.9	130	6	18	1.20	<	<	<	<	1	<	<	1.8	1.1	<2	23.75	-	-	8.0	<	0.02
106E 761418 00	0.8	8.9	570	54	130	8.30	<	1.1	3	0.6	8	1.9	2	18.0	4.2	<2	11.56	-	-	8.2	<	0.02
106E 761419 00	0.4	1.4	170	11	25	1.90	<	<	<	<	2	<	<	3.0	1.4	<2	38.87	-	-	8.2	<	0.02
106E 761420 00	0.6	2.0	260	15	37	2.70	<	<	<	0.3	3	0.7	<	6.5	1.8	7	17.17	-	-	8.0	20	0.02
106E 763016 00	3.9	11.0	770	59	130	12.80	<	1.6	4	0.8	6	1.5	1	19.0	8.9	10	23.80	<2	15.00	7.8	26	0.04
106E 763019 00	2.6	8.2	610	57	130	10.50	<	1.2	3	0.8	5	1.5	4	16.0	7.6	14	8.89	<2	6.54	7.6	24	0.10
106E 763034 00	3.4	11.0	630	63	130	11.30	2	1.4	3	1.1	6	2.2	2	25.9	10.0	9	10.41	-	-	6.9	<	0.14
106E 763068 10	0.7	7.7	430	31	65	5.70	1	0.6	3	0.5	4	1.7	2	9.2	3.2	7	8.37	-	-	8.0	<	0.02
106E 763069 20	0.7	8.1	500	30	70	5.50	<	0.6	<	0.5	5	1.5	1	9.0	3.1	4	11.63	-	-	8.0	<	0.02
106E 763076 00	1.5	8.8	740	76	160	12.40	2	1.3	4	0.8	7	2.4	2	18.0	5.5	<2	21.03	-	-	8.0	<	0.90
106E 763092 00	2.3	9.2	820	50	100	8.70	1	1.0	4	0.8	5	1.4	1	14.0	4.9	<2	24.63	-	-	7.8	<	0.06
106E 763106 00	1.1	2.8	250	15	30	2.70	<	<	<	<	2	0.5	<	4.6	2.1	3	17.86	-	-	8.1	<	0.02
106E 763108 00	7.4	9.1	830	39	86	8.70	2	1.3	3	1.0	6	1.3	<	15.0	8.3	8	13.07	-	-	7.7	38	0.02
106E 763117 00	1.2	6.0	400	24	55	4.70	<	0.6	<	0.4	4	1.0	<	6.7	2.7	5	17.06	-	-	8.2	28	0.02
106E 763140 00	2.0	7.0	670	51	110	9.30	1	1.3	3	0.7	4	1.5	2	15.0	7.5	<2	8.63	-	-	7.6	20	0.10
106E 763144 00	2.2	7.3	740	54	110	10.50	<	1.3	3	0.7	5	1.9	3	16.0	7.4	<2	11.09	-	-	7.9	26	0.16
106E 763148 00	1.4	7.2	520	48	100	8.60	1	1.0	2	0.4	6	2.0	2	13.0	3.9	6	12.02	-	-	8.0	<	0.08
106E 763155 00	1.3	9.4	650	31	32	6.60	<2	<1.0	<4	1.6	4	<1.0	<2	8.6	6.0	<4	0.56	-	-	7.9	<	0.04
106E 763164 00	2.3	9.3	700	63	140	11.10	<	1.3	3	0.8	7	1.7	2	20.0	6.4	3	17.11	-	-	7.6	22	0.02
106E 763165 00	1.4	7.3	540	60	120	10.50	1	1.1	3	0.6	6	2.2	2	15.0	4.5	<2	25.50	-	-	8.2	22	0.08
106E 763169 00	1.2	7.7	710	40	81	7.20	<	1.0	2	0.8	6	1.5	2	13.0	5.3	6	12.37	-	-	8.2	22	0.12
106E 763170 00	1.3	5.1	490	27	64	5.30	2	0.6	2	0.4	5	1.1	<	8.0	3.2	4	42.72	-	-	8.3	28	0.10
106E 763172 00	1.5	7.4	620	62	130	10.90	1	1.1	3	0.7	8	2.2	2	16.0	4.9	<2	23.83	-	-	8.1	20	0.08
106E 763174 00	1.2	9.2	860	59	120	10.00	<	1.6	5	1.1	17	2.9	2	29.3	7.1	4	11.53	-	-	7.2	<	0.08
106E 763176 00	1.2	7.4	880	41	89	7.30	1	0.9	3	0.8	9	1.3	2	15.0	5.1	<2	21.95	-	-	ns	ns	ns
106E 763177 00	1.3	7.5	550	48	100	9.20	1	1.2	3	0.5	7	2.1	1	14.0	4.1	<2	19.92	-	-	8.2	20	0.02
106E 763197 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<	-	-	-	8.3	<	0.08
106E 763207 00	2.3	8.0	1700	71	120	10.10	1	0.9	<	0.7	6	1.5	6	18.0	6.6	<	25.25	-	-	8.3	24	0.10
106E 763214 00	2.6	8.9	1830	110	180	14.80	2	1.0	3	0.7	8	2.3	6	23.1	6.3	<2	19.13	-	-	8.4	20	0.12
106E 763219 00	2.1	15.0	910	61	140	11.50	<	1.5	5	1.1	12	2.7	2	29.9	7.3	<2	5.47	-	-	7.2	<	0.08
106E 763224 00	2.6	8.6	2200	190	420	32.40	5	2.1	4	0.8	10	2.3	6	34.8	7.0	<2	9.86	-	-	7.7	<	0.08
106E 763240 00	0.7	9.5	870	38	82	6.90	<	0.7	2	0.5	6	1.5	1	12.0	3.3	<2	28.70	-	-	8.3	22	0.16
106E 763244 00	0.6	6.3	740	32	75	6.40	<	0.6	2	0.5	6	1.3	1	10.0	3.0	<2	24.76	-	-	8.3	26	0.10
106E 763257 00	1.0	12.0	520	49	120	8.10	<	0.8	3	0.7	7	2.0	2	20.8	5.4	4	8.92	-	-	7.8	20	0.44

Map Sheet	Sample ID	Sample Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog. Drainage	Type	Stream Class	Source
106E	763266	00	08	517443	7221281	ARGLa	04	Sed/Water	22	20	-	Colluv	WhCl'dy	Torrnt	*	*	-	*	*	*	*	*
106E	763270	00	08	517489	7223733	ARGLa	04	Sed/Water	12	20	-	Colluv	WhCl'dy	Fast	*	*	-	*	*	*	*	*
106E	763275	00	08	517287	7224486	ARGLa	04	Sed/Water	12	15	-	Alluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763280	00	08	518604	7224887	ARGLa	04	Sed/Water	8	8	-	Alluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763306	00	08	520400	7225400	ARGLa	04	Sed/Water	16	15	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763315	00	08	516254	7230349	ARGLa	04	Sed/Water	6	10	-	Colluv	Clear	Torrnt	*	*	-	*	*	*	*	*
106E	763327	00	08	518687	7228590	ARGLa	04	Sed/Water	8	10	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763342	00	08	515182	7227440	ARGLa	04	Sed/Water	8	12	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763347	00	08	514087	7228668	ARGLa	04	Sed/Water	-	-	-	Alluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763348	00	08	520003	7226247	ARGLa	04	Sed/Water	-	-	-	Alluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763359	00	08	515474	7232778	ARGLa	04	Sed/Water	8	5	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763362	00	08	522061	7228890	SNDSf	44	Sed/Water	-	-	-	Alluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763372	00	08	518519	7217011	ARGLa	04	Sed/Water	3	3	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763382	00	08	520372	7216889	ARGLa	04	Sed/Water	8	4	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763388	00	08	521894	7218709	ARGLa	04	Sed/Water	5	4	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763392	00	08	523265	7219275	ARGLa	04	Sed/Water	25	15	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	763394	00	08	514103	7230872	ARGLa	04	Sed/Water	1	2	-	Colluv	Clear	Fast	*	*	-	*	*	*	*	*
106E	775002	00	08	545716	7222387	SNDSb	07	Sed/Water	6	4	-	Alluv	Clear	Modernt	Rd-Bn	220	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775003	00	08	546480	7222827	SNDSb	07	Sed/Water	5	5	-	Alluv	Clear	Modernt	Rd-Bn	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775004	00	08	544677	7228957	SNDSb	07	Sed/Water	5	3	-	Alluv	Clear	Modernt	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775005	00	08	541425	7224483	DLMTc	07	Sed/Water	4	3	-	Alluv	Clear	Modernt	Rd-Bn	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775006	00	08	542609	7223053	SNDSb	07	Sed/Water	5	8	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775007	00	08	543242	7223250	SNDSb	07	Sed/Water	6	6	-	Alluv	Clear	Fast	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106E	775008	00	08	538823	7225471	GLCM	44	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106E	775009	00	08	537463	7227432	DLMTc	07	Sed/Water	3	3	-	Alluv	Clear	Modernt	Rd-Bn	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775010	00	08	544812	7218179	ARGLb	07	Sed/Water	5	5	-	Alluv	Clear	Modernt	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775011	00	08	544639	7217110	ARGLb	07	Sed/Water	5	10	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106E	775012	10	08	541946	7217685	ARGLb	07	Sed/Water	6	5	-	Alluv	Clear	Modernt	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775013	20	08	541946	7217685	ARGLb	07	Sed/Water	6	5	-	Alluv	Clear	Modernt	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775014	00	08	541143	7219195	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Modernt	Rd-Bn	022	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775015	00	08	539372	7219005	ARGLb	07	Sed/Water	8	3	-	Alluv	Clear	Modernt	Rd-Bn	030	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775016	00	08	538055	7219804	ARGLb	07	Sed/Water	5	3	-	Alluv	Clear	Modernt	Black	030	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775018	00	08	538702	7220573	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Modernt	*	202	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775019	00	08	536038	7221370	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Modernt	Rd-Bn	220	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775020	00	08	530942	7222136	GLCM	44	Sed/Water	4	3	-	Alluv	BrCl'dy	Modernt	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106E	775022	00	08	531144	7221617	GLCM	44	Sed/Water	15	10	-	Alluv	BrCl'dy	Modernt	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106E	775023	00	08	526094	7209095	ARGLb	07	Sed/Water	20	15	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106E	775024	00	08	526706	7210753	ARGLb	07	Sed/Water	8	3	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775025	00	08	526698	7212208	ARGLb	07	Sed/Water	1	2	-	Alluv	Clear	Slow	Gy-Blu	210	-	-	Dendrc	Intermit	Primary	Sp'gMelt
106E	775027	00	08	525606	7212152	ARGLb	07	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 763266	00	108	39	42	16	17	< 730	< 2.20	ns	6.6	< 770	< 770	0.67	12.0	110	3.7	24	29	12.0	5.5	210	<	
106E 763270	00	71	20	16	12	12	< 535	< 2.05	ns	6.1	< 810	< 810	0.66	9.1	73	3.2	10	<26	7.5	<2.9	180	6	
106E 763275	00	38	40	5	16	15	< 720	< 2.10	ns	5.1	< 700	< 700	0.33	9.3	<43	2.6	14	<26	10.0	<5.5	140	6	
106E 763280	00	60	31	16	13	14	< 920	< 2.15	ns	8.1	< 810	< 810	0.61	10.0	91	3.1	17	<	11.0	3.1	160	<	
106E 763306	00	41	85	3	23	24	< 1180	< 2.55	ns	5.7	< 790	< 790	1.30	10.0	110	6.0	28	37	9.0	1.4	140	<	
106E 763315	00	48	2850	8	81	166	1.6	5650	6	8.5	< 630	< 630	0.72	10.0	82	11.0	200	120	885.0	3.0	96	7	
106E 763327	00	79	74	10	26	26	< 950	< 2.90	ns	6.5	< 800	< 800	0.47	13.0	140	4.0	29	51	17.0	2.6	170	<	
106E 763342	00	124	182	21	76	63	< 3260	11	4.10	14.7	< 980	< 980	0.63	12.0	120	5.5	69	120	101.0	1.5	130	12	
106E 763347	00	290	116	52	59	33	< 1770	5	4.00	13.7	< 760	< 760	0.62	11.0	110	5.2	35	59	64.9	0.9	130	4	
106E 763348	00	290	98	53	50	33	< 1940	4	3.50	16.6	< 810	< 810	0.57	11.0	130	4.6	33	54	56.8	1.9	120	7	
106E 763359	00	60	25	2	21	10	< 225	< 1.65	ns	6.9	< 520	< 520	0.41	13.0	130	5.1	20	33	1.4	<	120	<	
106E 763362	00	45	30	7	15	11	< 710	< 1.85	ns	6.1	< 680	< 680	0.94	10.0	100	3.3	17	<	9.1	1.5	130	<	
106E 763372	00	46	34	10	18	15	< 1070	2	2.20	11.6	< 720	< 720	0.34	10.0	120	3.2	14	21	8.9	3.0	180	2	
106E 763382	00	47	39	6	13	14	< 1140	< 1.85	ns	4.8	< 1040	< 1040	0.36	8.9	85	4.2	17	28	12.0	1.1	140	<	
106E 763388	00	32	166	<	41	57	< 1600	10	5.90	11.9	< 1040	< 1040	0.83	11.0	110	13.0	69	53	33.0	2.8	110	8	
106E 763392	00	49	45	9	15	14	< 1170	< 1.95	ns	4.9	< 1400	< 1400	0.38	7.8	97	4.2	17	<	15.0	1.6	130	<	
106E 763394	00	1320	31	390	17	9	0.4	1140	4	4.1	< 580	< 580	0.55	4.6	27	2.4	11	23	20.0	3.5	51	3	
106E 775002	00	104	28	33	18	17	< 690	< 2.40	70	3.1	< 560	< 560	0.23	8.6	72	3.0	20	28	7.6	4.4	110	<	
106E 775003	00	180	48	39	17	15	< 610	< 2.85	70	4.0	< 980	< 980	0.19	10.0	74	3.3	15	<	10.0	3.6	130	<	
106E 775004	00	ns	ns	ns	ns	ns	ns	ns	ns	3.6	< 940	< 940	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	
106E 775005	00	64	42	15	16	15	< 600	< 2.95	30	5.1	< 660	< 660	0.80	14.0	100	4.2	21	22	11.0	2.6	150	<	
106E 775006	00	136	38	42	17	14	< 850	< 3.00	110	4.9	< 700	< 700	0.32	12.0	86	3.5	14	23	9.2	33.0	130	<	
106E 775007	00	132	48	34	20	18	< 940	< 3.05	80	4.3	< 720	< 720	0.29	10.0	81	3.5	19	<	11.0	6.2	130	<	
106E 775008	00	52	46	9	13	11	< 830	< 2.00	30	3.5	< 640	< 640	0.89	9.0	79	3.3	13	<	8.7	1.8	110	<	
106E 775009	00	50	18	15	10	9	< 440	< 1.70	20	2.1	< 280	< 280	0.27	7.1	58	2.6	11	17	4.7	0.9	89	<	
106E 775010	00	104	42	32	16	15	< 890	< 2.80	110	4.3	< 620	< 620	0.44	10.0	73	3.6	19	21	11.0	3.0	150	<	
106E 775011	00	42	34	15	12	15	< 830	< 2.55	30	7.7	< ns	< ns	0.73	8.6	<100	2.6	<25	<50	8.5	<19.0	190	22	
106E 775012	10	44	50	8	27	26	< 1600	< 3.55	50	9.6	< 520	< 520	0.76	12.0	130	4.3	32	37	16.0	15.0	140	5	
106E 775013	20	40	52	6	26	30	< 1580	< 3.90	ns	8.4	< 440	< 440	0.77	8.7	100	3.1	<25	97	14.0	<22.0	120	30	
106E 775014	00	64	36	19	24	25	< 1950	< 3.95	70	15.0	< 600	< 600	0.60	11.0	100	4.0	27	23	15.0	20.0	130	<	
106E 775015	00	80	68	7	33	24	< 620	< 9.70	40	9.0	< 540	< 540	0.74	10.0	86	11.0	26	30	18.0	6.8	110	<	
106E 775016	00	100	56	7	44	27	< 1200	< 2.75	20	8.6	< 640	< 640	0.94	10.0	99	3.6	28	39	20.0	4.0	120	<	
106E 775018	00	32	18	6	5	5	0.2	350	< 0.95	140	< 240	< 240	0.25	3.6	27	1.0	5	<	3.9	15.0	47	1	
106E 775019	00	50	34	4	18	12	< 635	< 2.35	10	4.7	< 540	< 540	1.20	10.0	120	4.2	14	18	14.0	2.1	110	<	
106E 775020	00	116	32	8	14	10	< 650	< 1.85	30	2.8	< 580	< 580	0.70	7.9	54	3.0	12	14	13.0	3.0	110	<	
106E 775022	00	134	46	11	17	12	< 690	< 1.95	40	3.3	< 580	< 580	0.61	8.1	50	2.7	13	21	14.0	4.1	110	<	
106E 775023	00	74	76	17	16	17	< 2850	< 3.50	330	3.1	< 6400	< 6400	0.16	7.6	87	6.2	19	<	20.0	<1.9	160	3	
106E 775024	00	120	50	39	24	15	< 620	< 2.30	10	7.0	6	700	0.86	11.0	140	7.0	17	19	11.0	0.8	160	<	
106E 775025	00	98	50	15	27	17	< 1000	< 2.90	20	5.0	4	720	1.60	10.0	140	5.1	20	33	8.3	1.9	190	<	
106E 775027	00	50	28	7	12	10	< 1000	< 2.00	10	4.0	< 760	< 760	0.28	9.3	84	3.2	13	16	10.0	0.9	160	<	

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 763266 00	1.4	14.0	910	71	150	12.60	<	1.1	6	1.1	11	3.4	3	33.8	8.7	6	30.77	-	-	6.9	<	0.02
106E 763270 00	0.8	11.0	740	49	110	8.80	<	1.2	4	0.9	10	2.6	5	23.0	6.4	<5	1.72	-	-	7.3	<	0.06
106E 763275 00	1.0	8.4	720	51	130	8.70	<	1.3	3	0.9	9	4.0	4	20.8	5.1	<5	1.75	-	-	7.2	20	0.06
106E 763280 00	1.0	12.0	780	52	130	10.20	1	1.2	4	1.1	12	2.8	2	26.0	11.0	7	25.88	-	-	7.4	<	0.12
106E 763306 00	1.5	7.5	810	82	170	14.40	2	1.5	<	0.9	6	1.4	5	22.1	8.7	12	15.38	-	-	7.8	20	0.08
106E 763315 00	5.1	8.1	820	78	150	12.80	2	1.6	4	1.2	<	1.3	5	22.8	10.0	39	10.27	-	-	7.4	36	0.02
106E 763327 00	1.8	15.0	790	78	170	14.20	2	1.9	3	1.0	8	2.4	2	30.0	8.2	<2	9.55	-	-	7.2	<	0.02
106E 763342 00	1.6	9.0	890	68	150	11.00	2	1.3	5	1.5	6	2.4	4	27.3	17.0	11	5.14	-	-	7.3	24	0.02
106E 763347 00	2.0	7.6	670	60	130	10.10	2	1.2	4	1.4	6	2.1	3	22.7	17.0	14	7.37	-	-	ns	ns	ns
106E 763348 00	1.8	8.4	620	53	110	8.40	1	1.0	4	1.4	5	1.6	5	21.9	19.0	<2	3.60	-	-	ns	ns	ns
106E 763359 00	0.9	7.2	460	54	120	9.20	1	1.1	3	0.7	4	2.0	2	15.0	7.6	5	6.13	-	-	6.8	132	2.60
106E 763362 00	1.0	8.5	790	57	120	10.60	2	1.3	4	1.0	12	2.0	2	22.0	8.2	<2	39.47	-	-	ns	ns	ns
106E 763372 00	1.2	15.0	620	57	130	9.30	<	1.2	4	1.6	10	2.2	<	24.2	13.0	<2	3.78	-	-	8.0	<	0.88
106E 763382 00	1.7	10.0	2500	64	140	11.60	3	1.3	4	0.9	9	1.8	3	21.6	5.7	<2	39.49	-	-	8.3	28	0.10
106E 763388 00	2.2	6.6	1700	89	150	12.10	2	1.3	3	1.0	5	2.2	11	22.5	15.0	12	16.31	-	-	ns	ns	ns
106E 763392 00	1.7	9.0	2700	59	120	11.80	2	1.0	<	0.7	8	1.9	4	20.6	5.8	<2	43.00	-	-	8.4	38	0.84
106E 763394 00	1.4	5.1	350	32	63	6.00	<	0.7	<	0.5	3	<	2	11.0	4.8	<2	6.94	-	-	8.1	24	0.22
106E 775002 00	1.0	8.5	580	41	72	7.80	<	1.1	4	0.4	7	1.4	1	10.0	3.5	4	26.00	-	-	8.4	62	0.12
106E 775003 00	1.1	10.0	930	47	97	9.10	<	1.1	4	0.5	10	1.3	<	11.0	3.9	<2	4.12	-	-	8.2	50	0.06
106E 775004 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<	-	-	-	8.0	30	0.02
106E 775005 00	1.5	8.1	840	61	120	12.60	2	1.8	5	0.9	10	2.2	2	20.0	6.2	4	37.38	-	-	7.9	28	0.02
106E 775006 00	1.2	13.0	740	33	70	7.00	<	1.0	3	0.4	5	1.1	1	11.0	4.8	<2	19.00	-	-	8.2	36	0.54
106E 775007 00	1.4	8.1	740	52	98	8.80	1	1.0	3	0.4	6	1.5	2	13.0	4.0	<2	5.82	-	-	8.4	54	0.08
106E 775008 00	1.2	3.7	720	51	94	8.50	<	1.2	3	0.4	7	1.4	2	13.0	3.2	<2	29.72	-	-	8.5	58	0.16
106E 775009 00	0.6	3.8	320	28	56	5.60	<	0.9	2	0.3	5	1.2	1	9.2	2.3	<2	41.74	-	-	ns	ns	ns
106E 775010 00	1.9	6.2	660	58	130	10.40	<	1.5	3	0.4	6	1.5	1	18.0	4.2	14	8.28	-	-	8.1	28	0.10
106E 775011 00	1.4	4.9	620	64	120	11.00	<5	<2.5	<10	<1.0	8	<2.5	<5	23.0	6.3	10	0.32	-	-	7.2	36	0.02
106E 775012 10	1.6	6.0	540	60	130	10.00	1	1.4	3	<	8	1.8	3	25.5	10.0	<4	1.95	-	-	7.2	<	0.02
106E 775013 20	1.1	3.9	530	45	89	8.50	<5	<2.5	<10	<1.0	5	<2.5	<5	17.0	6.3	<10	0.24	-	-	7.2	<	0.02
106E 775014 00	1.4	6.5	590	31	57	6.40	<	1.2	<	<	6	1.4	2	27.6	16.0	9	11.62	-	-	7.7	20	0.04
106E 775015 00	1.6	5.4	500	77	160	20.50	2	3.0	6	0.4	6	1.6	2	22.0	10.0	5	23.14	-	-	4.9	100	0.22
106E 775016 00	1.6	4.9	630	86	160	14.10	2	2.0	4	0.4	6	2.2	2	19.0	9.4	5	21.99	-	-	7.8	56	0.16
106E 775018 00	0.4	1.9	250	16	31	2.40	<	<	<	<	3	0.6	<	7.5	3.8	<2	6.34	-	-	ns	ns	ns
106E 775019 00	1.1	3.6	570	84	160	12.50	1	1.6	4	0.4	7	2.9	4	19.0	5.3	<2	17.64	-	-	8.2	26	0.22
106E 775020 00	1.0	4.5	600	43	76	7.10	<	1.0	3	0.3	5	1.2	1	11.0	3.3	<2	25.09	-	-	8.4	100	0.20
106E 775022 00	1.1	4.5	630	41	75	6.70	<	1.0	2	0.4	5	1.0	2	11.0	3.3	3	20.98	-	-	8.4	120	1.30
106E 775023 00	3.4	5.4	5870	67	140	10.10	1	1.2	3	<	5	1.0	5	16.0	4.4	<2	2.66	-	-	8.3	56	1.20
106E 775024 00	2.8	6.4	870	99	180	15.30	1	1.7	3	<	5	2.1	5	23.8	7.7	<2	27.42	-	-	8.1	270	2.70
106E 775025 00	1.8	6.0	810	120	220	18.20	1	1.9	3	<	6	2.1	4	22.2	7.5	<2	13.32	-	-	7.8	250	0.02
106E 775027 00	1.6	7.7	1000	67	140	11.10	<	1.0	4	0.5	9	2.4	2	20.1	4.6	<2	29.29	-	-	8.2	26	0.54

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106E	775028	00	08	527531	7214624	ARGLb	07	Sed/Water	15	20	-	Alluv	Clear	Torrnt	Gy-Blu	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775029	00	08	528290	7215534	ARGLb	07	Sed/Water	2	5	-	Alluv	Clear	Moder	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775030	10	08	532109	7213002	GLCM	44	Sed/Water	5	4	-	Alluv	Clear	Moder	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775031	20	08	532109	7213002	GLCM	44	Sed/Water	5	4	-	Alluv	Clear	Moder	Gy-Blu	220	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775032	00	08	536419	7209567	ARGLb	07	Sed/Water	8	10	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775033	00	08	535851	7210443	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Moder	Black	210	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775034	00	08	534490	7211248	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Moder	Gy-Blu	210	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775035	00	08	537802	7214097	ARGLb	07	Sed/Water	3	2	-	Alluv	Clear	Slow	Gy-Blu	210	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775036	00	08	543717	7212883	ARGLb	07	Sed/Water	10	8	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775037	00	08	541086	7209806	GLCM	44	Sed/Water	12	6	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775038	00	08	545891	7209635	ARGLb	07	Sed/Water	15	4	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775039	00	08	543936	7208852	GLCM	44	Sed/Water	6	4	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775040	00	08	533401	7235158	DLMTc	07	Sed/Water	4	4	-	Alluv	Clear	Moder	Rd-Bn	120	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775042	00	08	533518	7234244	DLMTc	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775043	00	08	538318	7230827	DLMTc	07	Sed/Water	3	3	-	Alluv	Clear	Moder	Rd-Bn	220	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775044	00	08	538400	7231482	DLMTc	07	Sed/Water	2	3	-	Alluv	Clear	Slow	Yellow	220	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775045	10	08	538956	7234232	GLCM	44	Sed/Water	20	2	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775046	20	08	538956	7234232	GLCM	44	Sed/Water	20	2	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775047	00	08	544044	7234953	SNDsb	07	Sed/Water	12	20	-	Alluv	Clear	Torrnt	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775049	00	08	543116	7235635	SNDsb	07	Sed/Water	5	4	-	Alluv	Clear	Moder	Rd-Bn	300	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775050	00	08	543529	7236834	DLMTc	07	Sed/Water	3	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775051	00	08	539711	7238699	GLCM	44	Sed/Water	1	3	-	Alluv	Clear	Slow	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775052	00	08	537216	7238564	GLCM	44	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775053	00	08	535659	7242943	SNDsb	07	Sed/Water	10	5	-	Alluv	Clear	Moder	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775054	00	08	535265	7243549	SNDsb	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775055	00	08	543302	7241646	GLCM	44	Sed/Water	4	3	-	Alluv	Clear	Moder	Rd-Bn	300	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775056	00	08	540807	7245215	SNDsb	07	Sed/Water	4	3	-	Alluv	Clear	Moder	Rd-Bn	300	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775057	00	08	537536	7244570	SNDsb	07	Sed/Water	3	3	-	Alluv	Clear	Moder	Rd-Bn	300	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775058	00	08	535013	7250222	LMSnb	09	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775059	00	08	535984	7250887	LMSnb	09	Sed/Water	3	3	-	Alluv	Clear	Moder	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775060	00	08	534391	7247008	SNDsb	07	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775062	00	08	530116	7248265	MDSnb	09	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775063	00	08	528259	7249719	MDSnb	09	Sed/Water	2	1	-	Alluv	Clear	Slow	Rd-Bn	220	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775064	00	08	524408	7247919	SHLEg	36	Sed/Water	2	10	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775065	00	08	530586	7243881	SNDsb	07	Sed/Water	4	3	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775066	00	08	529962	7243455	SNDsb	07	Sed/Water	3	3	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775067	10	08	531128	7239980	SNDsb	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775068	20	08	531128	7239980	SNDsb	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775069	00	08	528014	7240665	GLCM	44	Sed/Water	2	3	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775070	00	08	530778	7236934	DLMTc	07	Sed/Water	10	3	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'ghelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 775028 00	82	66	17	19	20	<	1400	2	2.80	30	6.6	8	2000	0.48	10.0	110	9.4	26	32	19.0	0.9	170	2
106E 775029 00	300	80	51	45	29	<	1150	3	4.45	40	10.0	<	660	0.70	12.0	110	4.8	28	47	27.0	7.6	170	2
106E 775030 10	280	68	16	45	33	<	1100	<	3.75	10	6.3	<	640	0.70	12.0	120	5.1	36	49	21.0	0.8	150	<
106E 775031 20	240	64	12	39	30	<	930	<	3.55	10	6.6	6	580	0.67	13.0	120	5.5	34	50	19.0	0.8	140	<
106E 775032 00	188	46	7	25	18	<	685	<	3.20	10	5.2	<	660	0.73	11.0	98	3.6	16	46	14.0	<	140	<
106E 775033 00	510	86	37	61	39	<	990	2	4.60	10	8.1	8	560	0.54	11.0	86	4.4	36	50	27.0	<2.5	160	3
106E 775034 00	350	64	16	27	30	0.2	930	2	3.55	50	8.0	<	700	0.72	11.0	92	3.9	28	38	21.0	10.0	160	<
106E 775035 00	86	26	10	42	65	<	840	<	2.60	30	9.9	<	600	0.94	10.0	100	3.0	67	44	12.0	2.4	110	<
106E 775036 00	48	24	10	12	15	<	950	<	2.40	20	7.1	<	600	0.60	7.7	92	3.1	14	18	8.4	0.7	140	<
106E 775037 00	66	34	8	18	18	<	850	<	2.35	10	7.2	<	640	0.82	8.7	100	3.2	21	22	14.0	1.7	140	<
106E 775038 00	78	62	11	19	16	<	980	<	2.50	10	5.4	<	780	1.10	10.0	100	4.8	17	17	14.0	1.0	130	<
106E 775039 00	54	86	7	18	19	<	1000	<	2.20	10	4.2	<	880	1.40	10.0	96	5.3	22	25	12.0	1.4	120	<
106E 775040 00	72	32	26	14	15	<	500	<	2.45	30	4.3	<	940	0.36	10.0	81	3.2	15	12	8.6	3.6	130	<
106E 775042 00	240	16	66	9	7	<	290	<	1.30	30	1.9	<	480	0.22	5.6	47	1.7	6	<	3.9	1.8	66	<
106E 775043 00	64	14	11	7	6	<	270	2	1.10	20	1.3	<	300	0.15	4.7	25	1.5	6	<	3.3	3.1	47	<
106E 775044 00	70	14	16	8	5	<	290	<	1.20	20	1.7	<	240	0.15	5.2	34	1.6	6	13	3.2	2.9	55	<
106E 775045 10	84	20	11	12	10	<	690	<	2.20	40	2.8	<	460	0.48	8.7	76	2.9	12	13	4.9	9.0	100	<
106E 775046 20	96	22	13	13	12	<	450	<	2.50	40	2.9	<	500	0.46	8.8	58	2.9	13	<	4.6	14.0	95	<
106E 775047 00	96	34	26	16	16	<	820	<	3.05	40	2.7	<	440	0.18	8.5	47	3.5	16	<	8.8	4.0	100	<
106E 775049 00	42	36	14	24	23	<	650	<	3.90	40	3.7	<	380	<0.10	9.4	<100	3.8	<25	<50	10.0	<73.0	120	56
106E 775050 00	200	60	69	23	23	<	1750	<	4.15	120	4.1	<	720	0.17	11.0	78	4.1	23	37	13.0	5.8	140	<
106E 775051 00	390	36	76	13	13	<	710	<	2.70	110	3.3	<	500	0.25	10.0	69	3.4	14	17	7.8	3.4	100	<
106E 775052 00	56	26	15	16	13	<	820	<	3.00	30	3.7	<	560	0.43	11.0	96	3.7	14	20	8.0	2.1	110	<
106E 775053 00	52	40	24	14	11	<	720	<	2.40	90	3.7	<	740	0.29	10.0	57	3.0	13	<	7.7	11.0	99	<
106E 775054 00	42	50	11	15	14	<	770	<	2.60	50	4.6	<	600	0.32	11.0	86	3.5	15	16	9.0	6.2	110	<
106E 775055 00	52	36	10	12	12	<	740	<	2.35	20	2.6	<	320	0.27	8.8	60	3.3	13	17	5.3	1.0	70	<
106E 775056 00	76	52	31	25	22	<	1100	2	3.65	60	3.5	<	560	0.31	12.0	76	4.9	25	30	11.0	4.4	100	<
106E 775057 00	76	56	32	21	18	<	880	<	2.45	30	3.0	<	620	0.19	10.0	53	3.5	17	22	14.0	4.1	130	<
106E 775058 00	100	84	51	40	44	<	950	3	4.95	70	9.9	<	640	0.50	15.0	94	5.6	46	36	24.0	8.1	120	4
106E 775059 00	122	58	49	29	27	<	790	4	3.45	60	7.6	<	460	0.26	11.0	72	4.0	29	35	18.0	6.4	130	2
106E 775060 00	108	54	23	20	18	<	900	2	2.60	40	3.7	<	800	0.33	8.7	67	3.2	19	22	14.0	1.7	120	<
106E 775062 00	130	104	51	34	43	<	3400	2	5.05	60	3.8	<	500	0.70	14.0	83	5.6	46	53	24.0	3.4	140	<
106E 775063 00	128	76	35	30	37	<	2600	2	4.25	90	3.4	<	500	0.71	13.0	71	4.6	44	35	19.0	8.2	110	<
106E 775064 00	72	16	7	15	8	<	570	<	1.70	40	2.8	<	760	0.51	8.8	91	2.5	12	21	8.3	0.9	81	<
106E 775065 00	142	16	19	13	8	<	310	<	2.15	60	2.7	<	660	0.44	12.0	89	3.1	11	19	4.5	18.0	130	<
106E 775066 00	96	30	15	15	11	<	650	<	2.90	60	3.1	<	700	0.38	15.0	120	3.7	15	16	7.2	7.7	140	<
106E 775067 10	72	28	22	18	16	<	560	<	2.75	50	3.2	<	720	0.22	12.0	100	4.0	19	27	5.7	5.4	130	<
106E 775068 20	62	28	22	19	16	0.2	500	<	2.70	50	3.2	<	400	0.21	14.0	110	4.0	21	25	6.3	5.4	150	<
106E 775069 00	46	38	12	15	13	0.2	690	2	2.50	70	5.4	<	920	0.29	14.0	89	3.4	17	19	8.2	14.0	160	<
106E 775070 00	62	26	15	15	11	<	570	2	1.95	40	3.5	<	540	0.43	10.0	73	2.8	14	22	7.0	2.8	120	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 775028 00	3.1	5.5	3600	100	190	14.50	<	1.6	3	0.3	5	1.8	7	20.6	7.2	5	24.90	-	-	8.2	70	2.60
106E 775029 00	2.4	10.0	690	76	130	12.80	1	1.7	4	<	5	1.0	2	22.5	10.0	5	12.80	-	-	7.8	76	0.20
106E 775030 10	1.8	6.8	760	80	160	13.60	1	2.0	4	0.3	6	1.7	1	20.6	7.6	<2	27.77	-	-	7.8	210	0.30
106E 775031 20	1.8	6.8	740	83	170	13.60	1	1.9	4	0.4	5	1.9	3	21.9	7.0	<2	29.99	-	-	7.8	200	0.38
106E 775032 00	1.7	6.5	670	68	130	10.30	<	1.4	3	0.3	5	2.3	2	18.0	5.4	6	3.92	-	-	7.6	82	0.12
106E 775033 00	3.8	7.6	540	110	210	16.20	2	2.3	4	0.3	4	1.9	3	22.3	7.9	<4	2.13	-	-	7.3	190	0.36
106E 775034 00	1.8	8.5	750	97	180	16.30	3	2.6	4	0.3	6	1.8	2	25.4	7.7	<2	5.48	-	-	7.3	48	0.06
106E 775035 00	1.1	4.4	610	45	96	8.50	<	1.3	3	<	8	1.6	2	20.0	11.0	6	13.74	-	-	7.7	34	0.20
106E 775036 00	1.0	4.2	670	72	160	13.60	<	1.7	4	0.3	11	2.6	2	23.5	8.1	<2	16.50	-	-	7.5	20	0.16
106E 775037 00	1.4	5.8	770	61	120	11.90	<	1.5	3	<	10	2.5	2	21.7	10.0	<2	29.29	-	-	7.6	26	0.26
106E 775038 00	1.5	5.1	940	66	130	10.80	<	1.4	3	0.3	7	2.0	2	18.0	5.7	<2	24.65	-	-	8.1	50	1.30
106E 775039 00	1.5	3.9	1100	69	130	10.90	<	1.4	3	0.5	6	1.8	4	16.0	5.4	6	38.25	-	-	8.2	80	2.60
106E 775040 00	1.0	7.0	1100	42	86	8.50	<	1.6	4	0.5	15	1.4	2	12.0	4.6	<2	20.80	-	-	8.3	82	0.30
106E 775042 00	0.6	3.1	490	19	38	3.70	<	0.6	<	0.2	5	0.7	1	6.0	2.2	4	22.53	-	-	8.4	96	0.40
106E 775043 00	0.4	2.7	220	15	31	2.90	<	<	<	<	3	<	<	4.7	1.5	<2	19.01	-	-	8.5	36	0.02
106E 775044 00	0.4	2.7	250	18	40	3.50	<	0.5	<	<	4	0.7	<	5.4	1.8	2	21.86	-	-	8.5	68	0.08
106E 775045 10	0.7	3.5	500	37	75	6.60	<	1.0	3	0.3	7	1.2	2	9.2	2.8	<2	20.15	-	-	8.5	66	0.42
106E 775046 20	0.7	4.0	510	33	62	6.20	<	0.9	2	0.3	7	1.1	<	9.1	3.0	<2	15.69	-	-	8.5	68	0.52
106E 775047 00	1.4	4.4	410	32	69	7.20	<	1.0	3	0.3	8	1.1	<	9.2	3.2	<2	16.39	-	-	8.3	50	0.18
106E 775049 00	1.7	<2.5	450	90	110	17.00	<5	<2.5	<10	<1.0	8	<2.5	<5	11.0	2.9	<10	0.10	-	-	8.0	32	0.08
106E 775050 00	1.8	8.9	690	49	100	10.30	1	1.4	4	0.5	9	1.1	1	12.0	4.3	5	7.70	-	-	8.1	40	0.02
106E 775051 00	1.3	6.1	500	31	60	6.80	<	1.2	3	0.4	9	1.3	1	10.0	3.5	<2	6.77	-	-	8.4	62	0.08
106E 775052 00	1.1	5.3	580	39	79	8.10	1	1.2	4	0.6	11	1.2	1	12.0	4.0	4	16.66	-	-	7.9	28	0.02
106E 775053 00	1.5	4.8	750	33	60	6.70	<	1.1	3	0.4	9	0.9	<	8.6	3.9	3	9.21	-	-	8.2	24	0.06
106E 775054 00	1.7	5.4	600	45	87	9.20	<	1.6	4	0.7	14	1.3	1	11.0	4.4	<2	12.11	-	-	8.2	40	0.14
106E 775055 00	0.8	2.4	330	28	59	6.70	<	1.0	4	0.5	11	1.0	<	7.8	2.9	<2	33.83	-	-	ns	ns	ns
106E 775056 00	2.6	5.3	560	36	68	7.50	<	1.1	3	0.5	6	1.1	<	10.0	3.9	4	22.87	-	-	8.2	90	0.34
106E 775057 00	1.9	7.4	570	37	75	7.30	<	1.1	3	0.5	6	1.3	1	10.0	3.3	<2	18.01	-	-	8.3	54	0.46
106E 775058 00	4.0	6.8	630	35	73	10.00	<	1.4	4	0.3	5	1.0	<	11.0	12.0	<2	21.90	-	-	7.8	22	0.02
106E 775059 00	3.6	6.7	390	28	56	7.80	<	1.3	3	0.6	5	1.0	1	11.0	8.7	<2	21.75	-	-	8.4	76	1.30
106E 775060 00	2.5	3.2	810	30	64	6.50	<	1.3	3	0.6	5	1.0	1	10.0	4.0	3	18.86	-	-	8.1	44	0.28
106E 775062 00	2.9	6.6	520	34	70	7.70	1	1.2	4	0.6	6	1.2	2	12.0	3.9	6	7.86	-	-	7.9	44	0.06
106E 775063 00	2.0	7.2	480	28	56	6.40	1	1.2	3	0.6	4	0.8	1	8.8	3.2	3	12.64	-	-	8.0	110	0.02
106E 775064 00	1.0	3.7	840	33	76	5.90	1	0.9	3	0.7	10	1.1	<	9.1	3.5	<2	31.95	-	-	7.7	40	0.02
106E 775065 00	0.9	7.6	690	39	84	7.10	<	1.0	3	0.7	8	1.1	2	11.0	3.1	<2	17.53	-	-	8.3	76	0.18
106E 775066 00	1.0	10.0	710	42	92	8.80	2	1.5	5	0.8	7	1.1	<	12.0	3.4	<2	11.39	-	-	8.0	56	0.06
106E 775067 10	1.5	6.8	790	51	120	9.40	<	1.5	4	0.8	12	1.2	2	12.0	3.5	5	17.57	-	-	8.2	56	0.20
106E 775068 20	1.9	7.8	420	43	97	8.00	1	1.3	4	0.8	8	1.2	2	12.0	3.3	<2	22.63	-	-	8.3	56	0.24
106E 775069 00	1.2	16.0	890	42	89	10.00	2	1.6	5	0.9	8	0.9	2	13.0	5.3	<2	7.68	-	-	8.0	52	0.12
106E 775070 00	1.0	6.5	640	36	80	7.70	<	1.2	4	0.6	6	1.1	1	11.0	3.1	<2	23.31	-	-	8.3	80	0.28

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data.  
 Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiog.	Drainage	Type	Stream Class	Source
106E	775071	00	08	523805	7238569	GLCH	44	Sed/Water	10	6	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775072	00	08	524327	7233506	ARGLb	07	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775074	00	08	523980	7233889	ARGLb	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775075	00	08	525502	7235316	ARGLb	07	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775076	00	08	526396	7234328	ARGLb	07	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775077	00	08	527721	7231484	ARGLb	07	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775078	00	08	534134	7231170	DLMTc	07	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775079	00	08	534782	7230542	DLMTc	07	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775080	00	08	527729	7228752	ARGLb	07	Sed/Water	3	3	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775082	00	08	525331	7224738	GLCH	44	Sed/Water	6	5	-	Alluv	BnTrans	Stagnt	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775083	00	08	524101	7225697	GLCH	44	Sed/Water	1	5	-	Alluv	BnTrans	Stagnt	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775084	00	08	524535	7222411	GLCH	44	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775085	00	08	526501	7217166	GLCH	44	Sed/Water	5	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775087	00	08	524430	7253191	MDSNB	09	Sed/Water	5	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Ground
106E	775088	00	08	527786	7253112	MDSNB	09	Sed/Water	4	3	-	Bare Rk	Clear	Modert	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775089	10	08	530063	7254057	DLMTc	07	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775090	20	08	530063	7254057	DLMTc	07	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775091	00	08	533147	7253823	LMSNB	09	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775092	00	08	533895	7253964	LMSNB	09	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775093	00	08	533406	7252085	LMSNB	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775094	00	08	535305	7256412	SHLEe	18	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775095	00	08	535981	7256165	SHLEe	18	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775096	00	08	536135	7253588	SHLEc	12	Sed/Water	6	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775097	00	08	53916	7259935	SHLEe	18	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775098	00	08	533123	7258028	SHLEc	12	Sed/Water	2	1	-	Alluv	Clear	Slow	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775099	00	08	530276	7258099	LMSNB	09	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775100	00	08	530484	7257022	LMSNB	09	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775102	00	08	527523	7255821	MDSNB	09	Sed/Water	10	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775103	00	08	527764	7257107	MDSNB	09	Sed/Water	8	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775104	00	08	525240	7257265	MDSNB	09	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775105	00	08	523553	7258835	MDSNB	09	Sed/Water	12	3	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775106	00	08	523526	7260308	MDSNB	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775107	00	08	523537	7261655	MDSNB	09	Sed/Water	3	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775108	00	08	523710	7262755	MDSNB	09	Sed/Water	2	3	-	Alluv	Clear	Stagnt	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775109	00	08	528239	7261628	LMSNB	09	Sed/Water	3	3	-	Alluv	Clear	Slow	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775111	00	08	529794	7261702	LMSNB	09	Sed/Water	4	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775112	00	08	529706	7262234	LMSNB	09	Sed/Water	2	1	-	Alluv	Clear	Slow	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106E	775113	00	08	531638	7263411	SHLEc	12	Sed/Water	1	5	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775114	00	08	534390	7262665	SHLEX	*	Sed/Water	2	4	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106E	775115	00	08	543877	7248836	CGLM	36	SedOnly	2	2	-	Alluv	Clear	Slow	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADHC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 775071 00	104	22	18	13	9	<	680	2	1.45	40	2.5	<	560	0.30	5.6	57	1.9	9	21	7.8	6.8	98	<
106E 775072 00	76	100	10	27	26	<	650	3	2.70	20	6.5	4	660	0.87	11.0	120	4.5	30	33	20.0	2.6	170	<
106E 775074 00	132	34	27	19	12	<	1300	<	2.10	20	3.8	<	660	0.87	8.1	73	3.0	15	28	17.0	3.8	130	<
106E 775075 00	78	30	14	19	11	<	850	<	2.10	10	3.4	<	540	0.79	9.0	74	3.5	14	37	13.0	1.3	120	<
106E 775076 00	72	36	10	23	15	<	920	2	2.60	20	4.8	4	600	0.84	11.0	95	6.0	20	29	10.0	1.8	130	<
106E 775077 00	58	60	6	21	12	<	890	<	2.20	10	6.1	4	680	1.00	11.0	99	3.9	16	35	5.2	1.1	150	<
106E 775078 00	190	28	36	13	11	<	430	3	1.90	50	2.8	<	520	0.19	11.0	61	3.1	15	19	6.0	4.3	140	<
106E 775079 00	178	26	41	16	14	<	600	<	2.10	40	2.4	<	480	0.18	11.0	81	3.0	16	16	6.2	4.2	130	<
106E 775080 00	74	102	7	23	24	<	1700	2	2.75	50	9.0	6	760	1.20	19.0	100	4.9	28	39	7.3	12.0	140	<
106E 775082 00	58	24	7	15	11	<	600	<	1.90	30	4.5	<	660	0.64	7.3	76	2.7	13	34	9.3	4.3	130	<
106E 775083 00	100	28	7	15	12	<	1250	<	2.10	40	7.6	<	720	0.73	8.9	64	2.8	14	<	7.7	10.0	140	<
106E 775084 00	370	108	24	27	26	<	2400	2	3.10	30	7.9	<	720	0.90	10.0	94	4.0	29	21	33.0	4.0	210	<
106E 775085 00	34	96	3	21	20	<	1150	3	2.50	20	5.8	4	560	0.57	10.0	110	5.2	24	<	17.0	<	200	<
106E 775087 00	90	58	24	28	34	<	4400	2	3.90	90	3.2	<	400	0.56	12.0	62	4.5	41	28	23.0	5.9	110	<
106E 775088 00	90	138	23	64	77	<	3850	2	5.45	70	3.8	<	520	0.91	15.0	92	6.3	94	68	24.0	2.8	130	<
106E 775089 10	72	46	20	26	30	<	2050	<	3.40	30	2.6	<	440	0.79	13.0	99	4.5	32	26	13.0	1.7	130	<
106E 775090 20	68	40	21	26	26	<	2000	<	3.40	40	3.0	<	480	0.80	13.0	86	4.3	33	43	12.0	2.6	130	<
106E 775091 00	32	32	28	22	19	<	1200	<	3.10	40	3.2	<	420	0.34	13.0	94	4.0	22	18	11.0	1.6	150	<
106E 775092 00	110	36	22	21	19	<	1300	2	3.20	60	3.7	<	460	0.50	11.0	56	3.5	17	20	7.4	12.0	100	<
106E 775093 00	62	26	20	15	20	<	1000	3	1.95	120	3.2	<	420	0.52	7.1	70	2.5	23	20	10.0	2.5	80	<
106E 775094 00	68	30	20	23	15	<	1100	3	2.60	40	2.9	<	1860	0.32	7.8	45	2.9	14	38	11.0	1.4	100	<
106E 775095 00	190	26	21	41	7	<	410	8	1.50	70	3.2	<	4300	0.23	6.4	78	2.0	8	57	10.0	2.6	89	7
106E 775096 00	245	22	32	39	5	<	330	9	1.25	90	4.4	<	8200	0.19	5.1	80	1.5	6	45	10.0	3.1	74	6
106E 775097 00	44	30	22	21	17	<	870	2	3.35	60	3.3	<	380	0.24	13.0	80	4.5	20	20	10.0	7.0	130	<
106E 775098 00	52	48	15	27	22	<	2250	3	4.25	80	3.6	<	460	0.54	14.0	78	5.4	26	53	14.0	7.9	120	1
106E 775099 00	74	90	12	43	77	<	4450	2	5.05	120	4.5	<	620	0.62	14.0	69	5.4	87	48	38.0	16.0	130	<
106E 775100 00	62	64	9	31	30	<	2400	2	4.65	80	4.5	<	500	0.67	14.0	90	4.9	31	38	17.0	5.7	140	<
106E 775102 00	34	54	10	24	22	<	1950	2	4.60	80	3.6	<	480	0.68	14.0	84	5.0	25	42	14.0	4.5	150	<
106E 775103 00	50	64	9	30	27	<	2200	2	4.10	50	3.7	<	480	0.58	13.0	93	4.7	32	50	17.0	4.6	140	<
106E 775104 00	52	130	10	33	32	<	2000	3	5.35	80	4.0	<	420	0.51	12.0	77	5.0	32	50	20.0	3.4	150	1
106E 775105 00	68	78	13	35	41	<	1750	2	5.50	50	3.6	<	540	0.42	15.0	78	6.5	50	42	29.0	1.3	180	<
106E 775106 00	74	76	14	33	35	<	2600	3	4.60	70	4.2	<	600	0.61	14.0	95	5.3	40	44	26.0	5.2	150	<
106E 775107 00	148	80	18	30	40	<	3500	2	4.30	80	4.0	<	680	0.63	13.0	77	4.8	46	35	23.0	7.7	130	<
106E 775108 00	134	64	31	29	34	<	2350	2	3.55	80	4.7	<	680	0.48	13.0	82	3.9	34	17	16.0	4.0	140	<
106E 775109 00	54	22	15	12	12	<	1150	2	2.00	50	2.3	<	360	0.47	7.2	35	2.6	14	<	7.0	6.5	73	<
106E 775111 00	42	22	14	15	12	<	850	2	2.35	30	2.6	<	260	0.22	9.1	49	3.3	15	14	6.1	5.7	92	<
106E 775112 00	80	30	23	20	16	<	1450	2	2.90	50	2.7	<	420	0.44	10.0	63	3.6	19	20	9.2	7.9	100	<
106E 775113 00	210	22	43	21	13	0.2	1500	2	2.45	90	3.4	<	900	0.23	10.0	82	3.0	15	10	10.0	10.0	130	<
106E 775114 00	340	22	11	48	12	<	940	3	2.20	90	4.0	<	940	0.43	7.9	96	2.6	12	44	7.8	12.0	100	<
106E 775115 00	48	12	14	10	5	<	285	3	1.00	30	1.2	<	200	0.16	4.0	44	1.4	5	<	4.1	4.6	52	<

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 775071	00	1.1	4.6	640	25	51	5.20	<	0.8	<	0.2	4	0.7	1	9.5	3.1	15.90	-	-	8.4	76	1.60
106E 775072	00	1.7	10.0	810	83	170	12.90	2	1.6	3	0.8	6	1.8	4	23.7	7.5	18.58	-	-	7.8	52	0.02
106E 775074	00	1.2	6.7	790	41	84	7.10	<	0.9	3	0.5	5	1.2	1	13.0	4.4	20.47	-	-	8.1	56	0.42
106E 775075	00	1.3	5.9	600	56	120	8.50	<	1.2	3	0.6	5	1.5	2	14.0	3.7	14.72	-	-	8.1	56	0.36
106E 775076	00	1.4	6.4	640	65	140	9.20	1	1.2	4	0.5	5	1.7	3	16.0	4.6	19.04	-	-	8.1	36	0.52
106E 775077	00	1.8	8.4	710	69	140	10.70	<	1.5	3	0.7	6	1.7	2	19.0	6.5	15.19	-	-	7.2	40	0.18
106E 775078	00	0.9	11.0	490	51	120	8.00	<	0.9	3	0.6	5	0.9	2	11.0	3.1	25.36	-	-	8.2	98	0.24
106E 775079	00	0.9	10.0	420	37	80	6.70	<	0.9	3	0.6	6	1.0	1	11.0	3.2	22.23	-	-	8.2	98	0.18
106E 775080	00	1.5	12.0	770	100	190	17.50	2	2.5	4	1.0	5	1.1	3	22.9	10.0	12.47	-	-	7.5	44	0.02
106E 775082	00	1.1	5.9	680	49	92	9.20	<	1.3	2	0.4	6	1.7	2	15.0	4.5	8.70	-	-	8.1	50	0.44
106E 775083	00	0.9	6.5	720	48	100	8.10	<	1.1	3	0.8	7	1.3	1	15.0	7.8	11.67	-	-	8.1	62	0.22
106E 775084	00	1.4	8.5	820	57	110	9.40	1	1.4	3	0.7	5	1.2	1	18.0	6.5	10.03	-	-	8.0	58	1.10
106E 775085	00	2.3	10.0	690	100	200	14.90	1	1.9	4	0.8	8	2.0	5	25.1	6.6	21.04	-	-	7.8	56	0.92
106E 775087	00	2.8	7.8	420	29	61	6.30	<	1.2	3	0.6	4	0.8	<	6.79	3.2	6.79	-	-	8.1	94	0.06
106E 775088	00	3.9	6.3	520	40	82	8.80	1	1.6	5	1.0	4	1.3	1	12.0	4.2	27.09	-	-	8.1	56	0.02
106E 775089	10	1.9	4.4	450	34	78	7.00	<	1.1	4	0.8	4	1.2	1	10.0	2.9	12.20	-	-	8.2	38	0.36
106E 775090	20	1.9	4.3	510	36	79	7.10	<	1.2	4	0.7	6	1.1	2	10.0	2.9	16.21	-	-	8.2	36	0.20
106E 775091	00	3.0	5.9	420	34	73	6.40	<	1.1	4	0.6	4	0.9	<	6.00	3.2	6.00	-	-	8.3	60	0.30
106E 775092	00	1.6	4.0	400	23	47	4.80	<	0.8	3	0.5	3	0.7	2	7.4	3.3	14.84	-	-	8.2	72	0.40
106E 775093	00	1.4	3.1	350	25	49	5.30	<	0.7	<	0.5	6	0.9	2	8.0	3.0	16.38	-	-	8.1	32	0.14
106E 775094	00	2.3	3.5	1900	24	53	5.50	<	1.0	2	0.4	4	0.8	<	8.1	3.3	10.34	-	-	8.2	40	0.64
106E 775095	00	2.1	3.5	7090	25	47	4.60	<	0.8	<	0.4	4	0.6	<	6.6	4.5	17.10	-	-	8.4	76	2.90
106E 775096	00	2.0	2.9	13100	21	38	3.60	<	0.7	<	0.3	4	<	<	5.4	4.9	21.06	-	-	8.4	78	4.00
106E 775097	00	2.7	6.6	360	55	120	10.10	<	1.4	4	0.7	5	1.0	1	11.0	3.5	18.58	-	-	8.3	86	0.28
106E 775098	00	3.0	4.4	450	34	71	7.30	<	1.1	4	0.8	4	1.0	3	10.0	4.2	20.62	-	-	8.3	50	0.40
106E 775099	00	2.8	8.5	550	28	55	7.10	1	1.5	4	0.8	4	0.8	3	9.5	4.5	4.59	-	-	7.7	44	0.06
106E 775100	00	3.1	5.4	470	41	81	8.10	<	1.3	4	0.7	5	1.2	2	12.0	3.8	12.22	-	-	8.0	36	0.10
106E 775102	00	3.2	6.1	480	39	82	8.20	<	1.2	4	0.8	4	1.1	2	13.0	4.1	5.59	-	-	7.9	36	0.02
106E 775103	00	2.9	5.3	420	35	75	7.40	<	1.4	4	0.6	5	1.1	2	11.0	3.8	7.38	-	-	8.0	30	0.04
106E 775104	00	4.2	6.2	390	35	77	7.50	<	1.2	3	0.6	4	1.1	1	11.0	3.9	7.29	-	-	8.1	32	0.02
106E 775105	00	5.7	7.1	630	60	110	12.20	1	1.8	4	0.7	5	1.2	2	16.0	4.7	32.06	-	-	8.1	32	0.04
106E 775106	00	3.2	5.8	610	37	74	7.60	1	1.4	4	0.7	5	1.2	3	12.0	4.4	9.35	-	-	7.6	30	0.02
106E 775107	00	2.7	5.9	640	34	70	8.10	<	1.5	4	0.8	5	1.1	1	11.0	3.8	5.84	-	-	7.4	32	0.02
106E 775108	00	1.8	6.4	690	34	72	7.40	1	1.4	3	0.8	5	0.9	3	12.0	4.6	3.80	-	-	7.3	36	0.02
106E 775109	00	1.0	2.8	340	19	47	4.40	<	0.8	2	0.5	3	0.7	1	6.2	2.4	18.28	-	-	8.1	30	0.04
106E 775111	00	1.3	4.9	260	28	65	6.00	1	0.8	3	0.5	3	0.7	1	7.6	3.0	27.14	-	-	8.3	50	0.40
106E 775112	00	1.4	4.2	440	25	46	5.60	<	0.9	3	0.5	4	0.8	1	7.7	2.9	12.27	-	-	8.3	42	0.26
106E 775113	00	1.5	5.7	890	34	67	5.90	<	1.0	3	0.5	5	1.2	<	10.0	3.8	13.76	-	-	8.4	54	0.56
106E 775114	00	1.9	4.6	890	28	50	5.70	<	0.8	<	0.5	5	0.9	1	8.4	4.1	15.55	-	-	8.3	170	1.60
106E 775115	00	0.5	2.5	180	13	32	2.90	<	<	<	0.2	3	<	<	4.4	1.4	27.19	-	-	ns	ns	ns

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	UTM Zn Easting	UTM Northing	Rock Unit Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Stream Physiol.	Drainage Type	Stream Class	Source
106E	775116	00	08 543833	7251268	DLMtg 15	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gHelt
106E	775117	00	08 543052	7254334	DLMtg 15	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gHelt
106E	775118	00	08 541214	7256411	SHLEe 18	Sed/Water	4	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gHelt
106E	775119	00	08 539552	7255491	LMSng 18	Sed/Water	8	3	-	Alluv	Clear	Modert	Gy-Blu	030	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gHelt
106E	775120	00	08 538421	7260542	SHLEe 18	Sed/Water	2	2	-	Alluv	Clear	Slow	Gy-Blu	021	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gHelt
106E	775122	00	08 538217	7263068	SHLEf 21	Sed/Water	1	4	-	Alluv	Clear	Slow	Rd-Bn	021	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gHelt
106E	775123	00	08 542465	7260775	SHLEe 18	Sed/Water	2	3	-	Alluv	Clear	Slow	Rd-Bn	111	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gHelt
106E	775124	00	08 543655	7259917	SHLEe 18	Sed/Water	3	5	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'gHelt
106E	775125	00	08 544403	7260135	SHLEe 18	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'gHelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. MTS 106C, 106D, 106E, 106F  
Analytical Data

Variables:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	M	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106E 775116 00	10	10	4	7	3	<	155	3	0.65	20	1.3	<	120	0.16	2.0	<	0.8	<	3.1	4.1	26	<	<
106E 775117 00	6	6	2	7	2	<	120	3	0.40	20	1.0	<	100	0.17	1.6	23	0.7	<	3.4	5.1	18	<	<
106E 775118 00	14	10	4	7	4	<	320	2	0.75	20	1.4	<	100	0.17	3.3	<	1.1	6	3.1	3.8	36	<	<
106E 775119 00	68	16	16	16	5	<	350	6	1.30	30	2.3	<	300	0.19	5.3	53	1.9	8	6.1	3.6	63	3	3
106E 775120 00	154	12	8	21	9	<	510	2	2.00	60	3.1	<	1000	0.58	9.0	81	2.6	12	6.1	8.7	110	1	1
106E 775122 00	164	14	9	16	7	<	265	<	2.00	70	2.5	<	580	0.46	8.2	91	2.5	9	6.6	15.0	98	<	<
106E 775123 00	30	8	3	5	4	<	175	3	0.60	30	1.6	<	260	0.18	2.6	30	0.8	<	3.0	5.1	22	<	<
106E 775124 00	64	12	7	13	6	<	165	3	1.25	50	1.8	<	660	0.18	5.1	64	1.8	7	9.4	3.2	39	1	1
106E 775125 00	62	12	7	13	5	<	160	2	1.30	50	1.7	<	700	0.18	5.8	57	1.9	8	11.0	3.2	41	1	1

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limits:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Methods:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106E 775116 00	0.4	1.0	75	8	17	2.00	<	<	<	<	4	<	<	2.6	1.6	<2	29.14	-	-	8.2	30	0.10
106E 775117 00	0.3	0.9	75	5	11	1.10	<	<	<	<	<	<	<	1.9	1.5	<2	33.07	-	-	8.1	22	0.06
106E 775118 00	0.5	1.5	150	12	30	2.90	<	<	<	0.3	5	<	<	3.6	1.9	<2	36.36	-	-	8.3	56	0.48
106E 775119 00	1.1	2.1	330	19	45	4.00	<	0.7	<	0.3	3	0.5	<	5.2	2.8	<2	31.59	-	-	8.3	50	0.48
106E 775120 00	0.8	3.7	1100	28	65	5.20	<	0.9	3	0.5	8	0.9	<	8.0	3.2	3	19.29	-	-	8.3	56	0.34
106E 775122 00	0.8	3.0	740	27	60	5.50	<	0.9	3	0.5	8	0.9	2	7.9	2.9	5	20.46	-	-	8.1	60	0.04
106E 775123 00	0.4	1.8	310	9	20	1.80	<	<	<	<	3	<	<	2.6	1.8	<2	18.52	-	-	8.3	60	0.12
106E 775124 00	0.6	2.3	930	15	32	2.90	<	<	<	0.3	2	<	<	4.7	2.1	<2	31.74	-	-	8.2	48	0.12
106E 775125 00	0.6	2.3	1100	16	36	3.10	<	0.6	<	0.3	2	<	<	5.2	2.3	<2	36.87	-	-	8.2	38	0.08

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106F	775002	00	08	586038	7210682	SHDSB	07	Sed/Water	20	15	-	Alluv	Clear	Torrt	Gy-Blu	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Ter'ary Sp'gMelt
106F	775003	00	08	584754	7210771	IRFM	09	Sed/Water	25	15	-	Alluv	Clear	Torrt	Gy-Blu	300	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Ter'ary Sp'gMelt
106F	775004	00	08	583889	7214587	SHLEC	12	Sed/Water	5	3	-	Alluv	Clear	Fast	Rd-Bn	120	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775005	00	08	580394	7213246	IRFM	09	Sed/Water	8	15	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775006	00	08	581491	7213197	IRFM	09	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775007	00	08	578862	7212074	UKNNB	09	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775008	00	08	580615	7216466	SHLEC	12	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775009	00	08	579973	7217827	SHLEC	12	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775010	00	08	578943	7217829	IRFM	09	Sed/Water	10	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775011	00	08	578700	7216300	IRFM	09	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775012	00	08	575700	7213700	DLMTC	07	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775013	00	08	574300	7216900	DLMTC	07	Sed/Water	8	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775015	10	08	577224	7219648	IRFM	09	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775016	20	08	577224	7219648	IRFM	09	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775017	00	08	579418	7221681	IRFM	09	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775018	00	08	579661	7221237	IRFM	09	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775019	00	08	575430	7222627	IRFM	09	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775020	00	08	573154	7222599	IRFM	09	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775022	00	08	558442	7210604	ARGLB	07	Sed/Water	6	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775023	00	08	556853	7213868	ARGLB	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775024	00	08	555284	7213736	ARGLB	07	Sed/Water	1	1	-	Alluv	BrCl'dy	Slow	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775025	00	08	553768	7216636	ARGLB	07	Sed/Water	8	8	-	Alluv	Clear	Fast	Bleek	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775026	00	08	551879	7214825	ARGLB	07	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775027	00	08	552335	7214648	ARGLB	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775028	00	08	554013	7218164	DLMTC	07	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775029	00	08	592100	7211200	IRFM	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775030	00	08	551488	7217531	ARGLB	07	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775031	00	08	552022	7219643	DLMTC	07	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775032	00	08	555667	7224421	GLCH	44	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	022	-	*	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775033	10	08	558112	7220559	UKNNB	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775034	20	08	558112	7220559	UKNNB	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775035	00	08	559684	7222771	IRFM	09	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775037	00	08	560321	7219787	UKNNB	09	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775038	00	08	560544	7215856	ARGLB	07	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775039	00	08	561574	7220319	UKNNB	09	Sed/Water	8	4	-	Alluv	Clear	Modert	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775040	00	08	561044	7223539	IRFM	09	Sed/Water	15	3	-	Alluv	Clear	Modert	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775042	00	08	562709	7222607	IRFM	09	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	022	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775043	10	08	563007	7221028	IRFM	09	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775044	20	08	563007	7221028	IRFM	09	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775045	00	08	565212	7221388	IRFM	09	Sed/Water	20	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Mi	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo		
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm		
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1		
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADSC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA		
106F 775002	00	82	30	16	16	13	<	690	2	2.40	80	2.5	<	420	0.30	10.0	68	3.5	13	33	9.2	0.6	94	<	
106F 775003	00	38	92	7	20	22	<	1150	<	3.10	70	5.6	<	2000	0.35	8.9	110	6.1	31	<70	24.0	<	12.0	110	19
106F 775004	00	82	96	9	35	26	<	680	2	4.25	140	1.4	<	400	0.59	16.0	110	4.5	24	34	9.1	<	87	<	
106F 775005	00	64	44	20	15	13	<	1000	2	2.75	120	2.1	<	600	0.36	7.7	58	3.5	14	17	18.0	<	71	<	
106F 775006	00	72	68	20	27	25	<	800	<	4.25	70	2.8	<	440	0.42	15.0	110	4.6	26	44	11.0	1.6	110	<	
106F 775007	00	90	48	32	18	18	<	1400	2	2.20	80	2.4	<	1100	0.49	8.8	71	3.5	18	12	11.0	0.6	110	<	
106F 775008	00	88	104	10	35	27	<	770	<	4.75	80	1.8	<	440	0.60	14.0	130	4.8	26	<50	6.0	2.8	79	<	
106F 775009	00	76	104	11	30	28	<	980	<	3.80	90	1.8	<	380	0.56	16.0	95	4.8	26	37	7.4	3.7	66	<	
106F 775010	00	54	40	11	15	12	<	740	<	1.85	60	1.6	<	300	0.33	8.1	72	2.4	12	<	4.2	3.0	60	<	
106F 775011	00	64	36	21	33	15	<	760	<	2.00	100	1.8	<	540	0.19	5.9	82	2.6	11	37	14.0	0.9	70	<	
106F 775012	00	76	30	30	20	13	<	1150	2	1.55	70	1.8	<	280	0.14	4.2	<54	2.0	12	44	8.8	6.7	64	5	
106F 775013	00	68	20	30	11	13	<	1000	<	1.30	60	2.1	<	240	0.12	3.9	32	1.5	12	11	7.9	7.8	53	1	
106F 775015	10	30	12	11	7	5	<	710	<	1.00	30	1.2	<	260	0.11	3.2	<40	1.1	<10	<20	3.7	<3.5	46	8	
106F 775016	20	30	12	12	8	5	<	720	<	1.00	30	1.2	<	240	0.13	3.3	35	1.4	6	19	3.7	2.3	38	2	
106F 775017	00	82	108	7	38	31	<	860	<	5.10	40	1.9	<	320	0.59	16.0	96	5.1	26	23	3.5	<	62	<	
106F 775018	00	92	138	7	38	31	<	920	<	5.35	70	2.0	<	420	0.70	24.0	130	6.9	34	38	5.1	20.0	69	<	
106F 775019	00	78	100	4	32	28	<	880	<	4.15	30	1.6	<	260	0.84	22.3	120	7.5	33	53	5.2	0.8	53	<	
106F 775020	00	80	110	12	29	25	<	630	<	3.85	70	2.4	<	680	0.85	17.0	91	4.6	27	16	7.1	5.0	77	1	
106F 775022	00	40	172	6	20	25	<	1500	2	2.35	20	8.8	<	1200	0.86	10.0	93	7.3	23	<	27.0	1.5	160	2	
106F 775023	00	54	80	8	18	23	<	1350	2	2.35	20	4.2	<	760	1.10	7.9	85	3.3	24	22	34.0	<	140	<	
106F 775024	00	18	80	<	21	20	<	1450	2	2.20	10	7.0	4	920	0.73	10.0	110	7.3	27	<	7.2	<	220	<	
106F 775025	00	62	42	9	15	17	<	1200	<	2.80	10	6.5	<	580	0.54	9.1	75	3.4	16	23	18.0	<	160	<	
106F 775026	00	72	46	11	16	19	<	1250	<	2.95	10	6.9	<	560	0.52	10.0	120	3.8	22	19	22.0	<	160	<	
106F 775027	00	44	36	9	12	16	<	1600	<	2.65	20	6.8	<	660	0.57	9.3	70	3.2	16	<	22.0	<	180	<	
106F 775028	00	130	34	32	12	15	<	850	<	2.45	690	3.2	<	860	0.43	10.0	52	3.3	16	<	10.0	1.6	130	<	
106F 775029	00	102	102	11	39	28	<	600	<	5.20	90	2.1	<	480	0.80	20.7	120	5.6	29	35	6.4	6.7	78	<	
106F 775030	00	160	40	65	13	16	<	980	<	2.70	1550	3.4	<	800	0.35	9.2	75	3.3	15	26	9.3	<	120	<	
106F 775031	00	210	22	54	13	11	<	330	2	2.00	130	2.6	<	660	0.20	8.3	51	2.6	11	<	6.5	3.4	93	<	
106F 775032	00	88	200	16	28	19	<	1600	<	2.85	150	1.8	<	580	0.68	16.0	77	4.8	22	31	9.5	15.0	57	<	
106F 775033	10	52	22	10	8	8	<	850	2	1.65	90	2.3	<	320	0.28	6.0	51	2.4	11	<	8.2	2.0	68	<	
106F 775034	20	48	18	10	7	7	<	800	<	1.65	80	2.2	<	340	0.27	5.4	34	7.1	9	<	7.8	2.3	74	<	
106F 775035	00	118	285	19	36	30	<	1900	<	6.45	190	2.3	<	660	0.44	22.0	90	7.1	26	24	12.0	21.0	89	<	
106F 775037	00	54	28	16	11	10	<	880	2	1.95	90	3.1	<	400	0.30	7.2	48	2.9	14	<	11.0	4.3	100	<	
106F 775038	00	28	50	8	15	20	<	1050	<	3.05	40	6.6	<	500	0.37	11.0	87	3.4	20	<	28.0	11.0	200	<	
106F 775039	00	46	24	27	10	10	<	750	<	1.90	80	3.7	<	460	0.48	8.1	79	3.2	13	<	12.0	2.6	120	<	
106F 775040	00	144	275	34	54	43	<	3050	2	7.50	120	2.0	<	680	0.49	35.7	150	8.1	46	93	7.2	19.0	120	<	
106F 775042	00	72	104	9	27	22	<	1250	<	3.85	110	2.5	<	320	0.72	19.0	120	6.7	29	40	6.4	12.0	89	<	
106F 775043	10	48	42	17	11	14	<	870	<	2.20	80	3.4	<	440	0.24	9.4	56	3.3	17	18	10.0	2.8	120	<	
106F 775044	20	50	40	15	11	14	<	850	<	2.35	70	4.1	<	420	0.24	9.0	82	3.3	14	<	9.4	1.6	120	<	
106F 775045	00	98	44	35	16	17	<	1100	<	2.85	120	2.2	<	480	0.25	10.0	64	3.8	19	17	14.0	3.5	96	<	

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F, 106G

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	5	5	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCH	ISE	LIF
106F 775002	00	2.1	4.3	490	32	73	6.10	<	0.8	2	0.4	4	1.2	1	9.0	2.9	22.50	-	-	8.2	46	0.22
106F 775003	00	2.2	7.3	4100	93	170	14.00	<	0.4	<	0.4	<	3.1	7	15.0	4.0	0.52	-	-	8.2	34	1.40
106F 775004	00	0.7	4.4	360	20	43	4.30	<	1.0	2	0.3	4	0.7	<	5.6	1.8	7.57	-	-	8.3	32	0.08
106F 775005	00	1.2	4.1	540	18	43	3.90	<	0.6	2	0.3	3	0.5	<	6.2	2.1	12.06	-	-	8.4	34	0.22
106F 775006	00	1.1	6.4	450	36	73	7.10	<	1.2	3	0.6	6	1.2	1	11.0	3.2	17.09	-	-	8.1	26	0.08
106F 775007	00	1.2	8.7	1100	23	51	4.90	<	0.9	<	0.4	3	1.2	<	8.8	2.5	15.16	-	-	8.1	30	0.16
106F 775008	00	0.9	1.8	210	22	<	4.40	<	<	<	<	6	<	2	7.3	2.0	0.77	12	0.90	8.2	22	0.08
106F 775009	00	0.8	4.2	390	21	41	5.10	<	0.9	3	0.4	4	1.0	<	6.6	1.9	18.62	-	-	8.3	38	0.08
106F 775010	00	0.6	2.1	320	18	36	3.90	<	0.6	<	0.2	4	0.6	<	6.2	1.9	33.75	-	-	8.3	38	0.18
106F 775011	00	1.1	3.2	530	19	36	3.60	<	0.8	<	0.2	4	0.6	<	6.3	2.0	10.49	-	-	8.2	36	0.22
106F 775012	00	1.1	3.2	280	14	24	2.70	<	1.2	<	0.4	2	<	<	6.8	2.1	1.64	-	-	8.2	20	0.14
106F 775013	00	1.0	2.3	260	14	30	2.80	<	<	<	<	2	0.6	<	6.4	2.0	25.10	-	-	8.1	20	0.02
106F 775015	10	0.6	1.2	180	13	29	2.40	<	<	<	<	<	<	4.1	1.0	4	0.94	-	-	8.2	36	0.14
106F 775016	20	0.6	1.6	230	15	27	2.40	<	<	<	<	2	<	4.3	1.2	2	3.53	-	-	8.1	26	0.18
106F 775017	00	0.5	2.6	300	18	43	4.20	<	2	0.3	4	0.8	<	5.3	1.6	<	3.80	-	-	7.9	20	0.02
106F 775018	00	0.6	6.5	410	22	39	5.40	<	1.1	3	0.5	4	1.2	<	6.4	1.8	10.18	-	-	8.1	40	0.02
106F 775019	00	0.7	2.0	230	21	43	5.40	<	1.2	3	0.4	6	1.1	<	6.4	2.0	31.65	-	-	8.1	40	0.02
106F 775020	00	0.9	5.1	630	28	52	6.00	<	1.1	3	0.4	4	1.1	<	8.3	2.5	23.82	-	-	7.9	40	0.22
106F 775022	00	1.8	4.4	1200	86	160	12.80	<	1.6	3	0.4	4	1.7	4	19.0	8.5	30.38	-	-	8.0	160	3.30
106F 775023	00	1.7	4.5	800	54	100	9.00	1	1.2	<	0.3	6	1.9	<	18.0	5.3	25.60	-	-	8.0	70	0.64
106F 775024	00	2.1	7.6	1200	120	220	19.80	<	2.1	4	0.6	4	2.2	3	38.8	8.8	30.74	-	-	7.9	74	1.50
106F 775025	00	1.8	5.9	590	72	150	12.30	1	2.0	4	0.5	10	3.3	3	28.4	7.4	9.13	-	-	7.3	32	0.02
106F 775026	00	2.0	6.6	640	84	170	14.10	<	1.9	5	0.9	13	4.2	3	32.6	8.6	31.49	-	-	7.3	30	0.02
106F 775027	00	1.7	5.2	580	68	140	10.90	1	1.7	4	0.7	9	2.3	3	25.1	6.6	4.18	-	-	7.2	30	0.02
106F 775028	00	2.4	6.0	970	51	110	8.90	<	1.3	3	0.6	7	2.0	2	16.0	4.0	16.64	-	-	7.7	26	0.02
106F 775029	00	0.6	4.6	500	24	47	5.40	<	1.0	3	0.5	4	1.1	<	7.5	2.1	10.65	-	-	8.1	30	0.02
106F 775030	00	2.5	5.5	760	62	130	10.30	1	1.4	3	0.6	6	1.6	4	15.0	3.4	5.47	-	-	7.7	30	0.02
106F 775031	00	1.2	8.1	740	29	61	5.40	<	0.9	<	0.3	4	0.9	2	8.9	2.9	21.65	-	-	8.2	56	0.06
106F 775032	00	1.2	5.9	520	28	62	7.50	<	1.3	3	0.5	4	1.2	2	6.7	1.8	14.88	28	14.38	8.0	30	0.02
106F 775033	10	1.2	3.5	330	29	56	5.40	<	0.8	2	0.3	3	0.8	1	9.4	2.6	28.00	-	-	7.9	26	0.02
106F 775034	20	1.2	3.4	350	26	51	5.20	<	0.9	<	0.3	4	0.7	2	8.7	2.6	27.25	-	-	7.8	32	0.02
106F 775035	00	3.6	11.0	760	28	67	8.80	<	1.5	3	0.5	4	0.7	3	6.8	2.3	9.79	28	14.09	8.0	48	0.02
106F 775037	00	1.7	5.6	450	37	76	7.50	<	1.1	3	0.5	5	1.0	2	12.0	3.7	26.14	-	-	7.7	36	0.14
106F 775038	00	2.8	10.0	440	42	84	6.90	<	1.1	3	0.8	9	1.5	<	22.8	6.8	2.49	-	-	7.2	36	0.02
106F 775039	00	1.9	6.0	480	57	120	10.50	1	1.5	4	0.8	9	1.8	2	18.0	4.8	31.27	-	-	7.6	50	0.02
106F 775040	00	0.9	16.0	690	18	39	6.00	2	1.3	4	1.0	4	0.9	<	6.8	1.9	3.41	18	11.74	7.8	42	0.22
106F 775042	00	0.7	7.2	370	42	95	9.00	2	1.7	5	0.7	10	1.2	<	9.2	2.5	16.85	12	14.65	8.0	22	0.02
106F 775043	10	2.4	7.9	480	39	95	7.70	1	1.2	4	0.8	9	1.2	<	13.0	4.4	28.40	-	-	7.4	26	0.02
106F 775044	20	2.4	7.3	470	40	100	7.90	2	1.1	3	0.5	9	1.2	2	13.0	4.1	22.37	-	-	7.4	20	0.02
106F 775045	00	1.5	6.5	500	30	63	6.00	<	0.9	3	0.5	6	0.9	2	10.0	2.6	24.90	-	-	7.7	34	0.02



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Class	Source	
106F	775046	00	08	567554	7220306	IRFM	09	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	012	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775047	00	08	566865	7217263	ARGLb	07	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu	111	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775048	00	08	567174	7216149	ARGLb	07	Sed/Water	12	10	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775049	00	08	563771	7214553	ARGLb	07	Sed/Water	8	8	-	Alluv	Clear	Fast	Gy-Blu	012	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775050	00	08	564173	7213998	ARGLb	07	Sed/Water	8	4	-	Alluv	Clear	Fast	Gy-Blu	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775051	00	08	566034	7212347	ARGLb	07	Sed/Water	5	3	-	Alluv	Clear	Modert	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775052	00	08	566280	7212063	ARGLb	07	Sed/Water	8	4	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775053	00	08	567301	7214134	UKNNx		Sed/Water	15	10	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775054	00	08	567711	7214202	ARGLb	07	Sed/Water	50	8	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775056	00	08	568200	7216300	ARGLb	07	Sed/Water	8	4	-	Alluv	Clear	Fast	Gy-Blu	022	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775057	00	08	550335	7221680	DLWTC	07	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775058	00	08	548700	7223400	ARGLb	07	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	012	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775059	00	08	548894	7224609	DLWTC	07	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	120	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775060	00	08	547559	7229358	SNDSb	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775062	00	08	549394	7228252	SNDSb	07	Sed/Water	4	5	-	Alluv	Clear	Fast	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775063	00	08	551799	7225704	SNDSb	07	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775064	00	08	553198	7227620	SNDSb	07	Sed/Water	8	6	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775065	00	08	552913	7229918	SNDSb	07	Sed/Water	12	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775067	00	08	553378	7230022	SNDSb	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775068	00	08	556681	7228406	DLWTC	07	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	111	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775069	00	08	556523	7228817	SNDSb	07	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	111	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775070	00	08	554624	7227164	SNDSb	07	Sed/Water	15	8	-	Alluv	Clear	Fast	Rd-Bn	111	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775071	00	08	561783	7231471	SNDSb	07	Sed/Water	20	6	-	Alluv	Clear	Fast	Rd-Bn	111	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775072	00	08	559222	7232807	IRFM	09	Sed/Water	15	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775073	00	08	558936	7232376	IRFM	09	Sed/Water	8	8	-	Alluv	Clear	Fast	Rd-Bn	111	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775074	00	08	557628	7234041	SNDSb	07	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775075	10	08	555890	7236285	SNDSb	07	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775076	20	08	555890	7236285	SNDSb	07	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775077	00	08	569342	7226984	GLCH	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775078	00	08	568709	7227360	GLCH	44	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775079	00	08	568174	7226202	GLCH	44	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775080	00	08	565011	7226975	IRFM	09	Sed/Water	15	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775082	00	08	568548	7223884	IRFM	09	Sed/Water	50	5	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775083	00	08	571707	7225096	GLCH	44	Sed/Water	5	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775084	00	08	570246	7223043	IRFM	09	SedOnly			-	Alluv	Clear		Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775085	00	08	573204	7224428	GLCH	44	SedOnly			-	Alluv	Clear		Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775086	00	08	566221	7223872	IRFM	09	Sed/Water	3	3	-	Alluv	Clear	Fast	Rd-Bn	012	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt
106F	775087	00	08	589173	7213235	IRFM	09	Sed/Water	5	3	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775088	00	08	587744	7212030	SHLEc	12	Sed/Water	5	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775090	00	08	587198	7216368	IRFM	09	Sed/Water	3	3	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary	Sp'ghelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADIC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106F 775046 00	78	50	22	17	14	<	620	<	3.25	130	4.9	<	420	0.34	10.0	74	3.4	14	23	12.0	75.8	120	<
106F 775047 00	72	34	37	13	15	<	990	<	2.55	40	7.0	<	600	0.45	9.1	70	3.3	17	<	12.0	2.7	230	<
106F 775048 00	48	42	16	15	17	<	1000	<	2.70	30	6.7	<	560	0.61	9.0	86	3.2	18	19	20.0	2.6	160	<
106F 775049 00	52	52	9	20	20	<	570	<	2.50	30	7.6	<	560	0.52	11.0	76	2.6	21	35	24.0	4.3	170	<
106F 775050 00	36	62	8	16	20	<	720	<	2.65	40	8.5	<	620	0.48	11.0	84	3.4	19	<	37.0	4.7	180	<
106F 775051 00	18	98	<	43	38	<	1400	3	5.45	20	6.8	<	480	0.54	12.0	100	5.7	41	41	54.7	<	180	<
106F 775052 00	30	108	<	23	26	<	870	2	3.80	10	8.4	<	660	0.48	10.0	110	4.7	27	<44	25.0	<10.0	190	7
106F 775053 00	26	66	7	20	21	<	850	<	3.30	10	7.1	<	620	0.59	11.0	85	3.8	21	<	22.0	<	170	<
106F 775054 00	24	22	7	16	11	0.2	410	<	2.05	10	4.8	<	540	0.59	10.0	100	3.0	13	<	5.1	0.6	190	<
106F 775056 00	66	38	39	10	14	<	480	<	2.10	50	7.7	<	540	0.57	9.1	87	2.9	16	<	9.1	10.0	200	<
106F 775057 00	78	42	21	17	19	<	1000	<	3.00	110	5.0	<	940	0.63	10.0	87	3.7	19	<	10.0	1.6	150	<
106F 775058 00	250	62	34	19	18	<	2750	<	2.80	80	3.6	<	1180	0.42	8.7	78	2.6	16	<52	8.5	3.0	94	9
106F 775059 00	64	22	16	12	12	<	550	<	2.10	50	3.1	<	680	0.54	10.0	63	3.5	13	<	8.8	0.9	120	<
106F 775060 00	30	36	13	14	14	<	720	<	3.30	60	5.1	<	420	0.29	15.0	95	4.3	18	<	11.0	2.8	160	<
106F 775062 00	52	44	17	18	11	0.2	390	<	2.65	80	1.8	<	500	0.28	14.0	90	3.5	12	<	11.0	77.6	150	5
106F 775063 00	46	20	17	9	8	<	300	3	1.45	20	3.3	10	260	0.17	5.7	40	2.1	12	<	5.0	2.4	64	<
106F 775064 00	50	66	12	22	22	<	980	2	3.70	40	4.8	<	380	0.46	14.0	93	4.7	22	24	9.3	8.8	79	<
106F 775065 00	54	72	15	23	25	<	1200	2	3.70	70	4.9	<	520	0.51	14.0	81	4.5	23	<	14.0	17.0	100	<
106F 775067 00	104	84	34	31	36	<	1500	2	4.60	90	3.9	<	740	0.33	13.0	86	5.0	41	<	16.0	23.0	130	<
106F 775068 00	280	82	110	22	20	<	1100	<	3.30	150	2.7	<	680	0.38	12.0	78	4.1	19	32	12.0	21.0	93	1
106F 775069 00	560	130	120	28	23	<	1300	2	4.65	210	2.9	<	880	0.37	13.0	100	4.2	23	<	12.0	59.8	85	<
106F 775070 00	285	70	100	24	19	<	880	2	3.35	110	2.3	<	480	0.42	12.0	89	4.9	23	25	10.0	20.0	80	<
106F 775071 00	94	90	31	26	26	<	1150	2	3.95	90	2.6	<	460	0.36	16.0	110	5.3	21	<	12.0	4.6	110	<
106F 775072 00	72	60	18	20	20	<	1100	2	3.80	ns	2.2	<	460	0.33	8.9	<100	4.4	<25	<100	<5.5	<34.0	<97	20
106F 775073 00	82	64	21	20	20	<	940	<	3.30	50	3.2	<	440	0.33	14.0	72	4.6	23	<	14.0	3.8	120	<
106F 775074 00	46	18	30	7	8	<	560	<	1.55	30	3.6	<	600	0.09	5.7	24	2.2	9	<	6.4	<	55	<
106F 775075 10	58	26	21	9	10	<	600	<	1.90	30	3.5	<	360	0.13	7.3	56	2.8	13	<	6.7	2.0	90	<
106F 775076 20	60	28	25	11	10	<	620	2	2.05	30	4.1	<	380	0.13	7.7	39	3.0	12	<	5.9	3.4	90	<
106F 775077 00	102	106	9	31	26	<	1650	2	4.65	60	1.9	<	500	0.64	19.0	110	6.3	30	49	5.5	21.0	76	<
106F 775078 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	1.6	<	ns	0.51	17.0	<100	4.6	32	<50	4.0	<18.0	<25	39
106F 775079 00	94	112	16	31	26	<	1200	2	4.85	70	2.0	<	420	0.61	16.0	67	6.4	21	42	6.9	11.0	77	<
106F 775080 00	82	94	24	29	25	<	1150	2	4.40	70	2.5	<	540	0.39	12.0	82	5.5	24	21	8.4	4.0	65	<
106F 775082 00	78	72	7	32	23	<	810	<	4.35	30	1.7	<	320	0.85	19.0	120	6.2	26	30	5.2	3.5	75	<
106F 775083 00	92	98	13	26	25	<	1300	2	4.30	70	2.2	<	380	0.56	20.6	100	7.0	26	34	11.0	7.7	88	<
106F 775084 00	100	82	25	27	21	<	1150	2	5.20	110	2.8	<	720	0.46	20.5	78	5.6	23	20	11.0	11.0	130	2
106F 775085 00	94	104	8	28	28	<	1500	2	3.70	40	1.6	<	320	0.54	20.8	100	6.4	39	29	5.8	3.5	36	1
106F 775086 00	82	122	10	32	24	<	700	<	4.35	70	1.9	<	460	0.76	20.1	130	5.8	24	41	5.5	21.0	78	<
106F 775087 00	84	112	11	35	33	<	840	2	4.85	40	1.9	<	520	0.79	19.0	140	5.7	38	29	13.0	1.2	80	<
106F 775088 00	74	58	10	28	22	<	660	2	3.75	60	2.6	<	540	0.66	15.0	110	4.8	23	30	5.9	0.7	99	<
106F 775090 00	102	146	12	44	47	<	1300	2	6.05	60	1.9	<	460	0.71	21.2	110	6.3	49	28	8.1	3.5	80	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W		
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb		
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02		
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF		
106F 775046	00	1.9	10.0	380	25	57	4.90	<	0.4	4	0.9	4	<	12.0	4.7	<2	10.07	-	-	8.0	30	0.14		
106F 775047	00	1.6	10.0	730	62	130	11.60	1	4	0.2	11	3.4	3	28.0	7.9	<2	12.08	-	-	7.6	60	0.02		
106F 775048	00	1.9	6.4	650	77	170	14.00	<	2.0	5	10	3.2	2	26.9	7.5	3	12.78	-	-	7.2	40	0.02		
106F 775049	00	1.5	7.2	580	77	180	12.80	<	1.2	3	0.5	11	2	28.1	7.6	<2	5.36	-	-	6.9	50	0.02		
106F 775050	00	2.5	7.2	640	63	140	10.90	1	1.4	3	0.6	9	2	25.8	8.8	6	10.56	-	-	7.2	24	0.02		
106F 775051	00	4.5	8.8	610	100	200	16.30	1	2.3	6	0.8	6	1.8	3	27.7	6.9	<2	12.40	-	7.5	48	0.02		
106F 775052	00	2.1	5.6	760	87	180	13.00	<2	2.2	7	0.9	8	2.5	6	30.0	8.9	<9	0.96	-	7.5	44	0.14		
106F 775053	00	2.1	6.3	600	94	190	15.10	2	2.3	5	0.7	9	3.8	2	27.6	6.9	<2	8.30	-	7.5	50	0.02		
106F 775054	00	1.1	8.4	490	64	140	10.20	2	1.5	4	0.5	6	3.2	4	22.2	5.2	<2	10.68	-	7.5	26	0.08		
106F 775056	00	1.2	10.0	460	50	100	8.10	<	1.5	3	0.2	10	2.5	2	25.3	8.2	<2	14.28	-	7.1	66	0.02		
106F 775057	00	1.9	7.7	900	51	110	9.10	2	1.6	3	0.5	6	1.2	2	19.0	4.9	<2	7.48	-	7.5	140	0.14		
106F 775058	00	1.2	5.3	1300	38	140	8.50	<3	2.5	<	<0.5	11	2.1	<4	11.0	4.0	<11	1.15	-	7.3	110	0.02		
106F 775059	00	1.4	5.8	800	67	140	12.30	<	1.7	4	0.6	11	2.1	2	17.0	4.2	<2	35.05	-	8.0	98	0.20		
106F 775060	00	1.4	7.7	460	59	130	11.90	2	1.9	6	0.9	16	2.2	2	15.0	5.7	<2	6.29	-	7.7	54	0.22		
106F 775062	00	1.4	25.0	450	23	64	4.80	1	0.8	<	<	3	1.0	<	10.0	5.1	<2	3.82	-	7.4	84	0.02		
106F 775063	00	0.5	6.0	220	18	31	3.60	<	<	<	0.2	3	0.6	<	6.6	2.0	<2	22.54	-	8.1	150	0.08		
106F 775064	00	1.0	4.1	400	38	82	8.30	<	1.6	4	0.4	10	0.9	<	10.0	3.5	4	10.47	-	7.4	52	0.02		
106F 775065	00	1.5	7.6	570	42	85	9.40	<	1.6	5	0.5	13	1.4	2	13.0	5.0	6	14.36	-	7.6	46	0.02		
106F 775067	00	1.6	9.2	860	40	88	9.50	<	1.6	4	0.5	7	1.2	<	12.0	4.3	6	6.86	-	7.8	62	0.06		
106F 775068	00	2.2	7.2	620	22	52	5.70	<	0.8	<	0.3	3	1.2	<	8.9	2.4	13	14.75	11	13.29	7.9	44	0.08	
106F 775069	00	1.8	6.8	830	19	36	6.00	<	1.1	<	<	3	0.8	<	7.8	2.7	15	6.61	9	12.09	7.6	48	0.02	
106F 775070	00	1.7	5.4	540	31	64	7.10	<	1.0	3	0.2	3	1.0	2	9.1	2.7	6	13.81	-	8.0	48	0.02		
106F 775071	00	4.6	7.3	510	36	77	7.90	<	1.0	4	0.6	6	1.2	<	9.1	2.9	<2	4.52	-	7.6	66	0.26		
106F 775072	00	2.1	3.2	1100	28	<140	6.50	<5	<2.5	<10	2.9	8	<2.5	<5	7.0	<1.0	<27	0.20	-	8.0	58	0.32		
106F 775073	00	3.4	5.6	460	38	90	8.70	1	1.3	4	0.4	8	0.7	<	9.4	3.4	<2	11.28	-	7.8	20	0.30		
106F 775074	00	1.1	1.7	620	32	67	7.20	<	1.1	5	0.8	20	1.2	1	10.0	4.4	<2	20.41	-	8.1	22	0.08		
106F 775075	10	1.0	3.9	330	40	100	9.00	<	1.3	4	0.5	15	0.7	<	9.2	3.6	<2	8.31	-	8.0	30	0.02		
106F 775076	20	0.9	4.4	340	45	110	10.60	<	1.4	4	0.4	18	1.0	2	10.0	3.9	3	12.03	-	8.0	32	0.02		
106F 775077	00	1.2	5.0	590	22	50	5.80	<	1.3	3	0.4	5	1.1	<	6.8	2.0	<2	19.61	-	7.9	28	0.02		
106F 775078	00	1.1	<2.5	2000	20	96	4.80	<5	<2.5	<10	<1.0	<5	<2.5	<5	5.0	1.6	<10	0.29	-	7.9	22	0.02		
106F 775079	00	1.8	3.7	410	23	53	6.30	<	1.0	3	0.3	5	1.0	<	6.8	2.2	7	7.44	-	8.0	24	0.02		
106F 775080	00	2.5	3.8	500	23	61	6.60	<	1.1	3	0.4	5	0.9	2	7.1	2.1	8	3.87	-	7.7	40	0.22		
106F 775082	00	0.8	2.9	390	24	51	5.70	<	1.0	2	0.3	6	1.3	2	7.3	2.3	6	24.50	-	8.0	36	0.08		
106F 775083	00	5.7	5.2	490	31	64	6.90	<	1.2	3	0.4	5	0.9	<	7.4	2.5	<2	17.28	-	8.2	34	0.08		
106F 775084	00	1.2	12.0	760	30	76	7.00	<	1.2	4	0.6	3	1.2	<	10.0	2.8	8	6.97	-	ns	ns	ns	ns	
106F 775085	00	3.2	3.1	380	17	38	4.80	<	0.9	3	0.4	4	0.8	<	4.7	1.6	6	29.10	-	ns	ns	ns	ns	
106F 775086	00	0.8	5.1	450	23	49	5.50	<	1.2	3	0.4	4	0.8	<	7.3	2.3	13	7.63	14	12.18	7.9	20	0.02	
106F 775087	00	0.8	4.6	480	22	51	5.50	<	0.9	3	0.5	5	0.9	2	7.8	2.2	6	12.78	-	<	<	<	<	0.02
106F 775088	00	0.6	4.7	530	33	70	7.20	<	1.1	3	0.3	5	1.1	<	11.0	3.1	<2	35.47	-	8.0	46	0.02		
106F 775090	00	0.8	5.5	500	23	49	6.40	<	1.1	3	0.5	4	1.1	<	7.8	2.1	8	24.70	-	8.2	30	0.02		

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Unit	Rock Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106F	775091	00	08	589518	7216500	IRFM	09	Sed/Water	1	10	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775092	00	08	593097	7216649	IRFM	09	Sed/Water	1	3	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775093	00	08	592567	7220288	MDSNb	09	Sed/Water	4	4	-	Alluv	Clear	Fast	Gy-Blu	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775094	00	08	591788	7220642	MDSNb	09	Sed/Water	6	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775095	10	08	588472	7220687	IRFM	09	Sed/Water	5	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775096	20	08	588472	7220687	IRFM	09	Sed/Water	5	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775097	00	08	587280	7221570	IRFM	09	Sed/Water	4	4	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775098	00	08	588544	7222663	IRFM	09	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775099	00	08	586989	7223353	IRFM	09	Sed/Water	2	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775100	00	08	584574	7224265	IRFM	09	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775102	00	08	586192	7226454	IRFM	09	Sed/Water	8	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775103	00	08	584914	7227193	IRFM	09	Sed/Water	2	1	-	Alluv	Clear	Slow	Rd-Bn	300	-	Rd-Bn	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775104	00	08	582686	7226042	IRFM	09	Sed/Water	4	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775105	00	08	582663	7229196	IRFM	09	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775106	00	08	579867	7229252	IRFM	09	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775107	00	08	574201	7227954	MDSNb	09	Sed/Water	6	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775108	00	08	576489	7227772	MDSNb	09	Sed/Water	6	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775109	00	08	576097	7228054	MDSNb	09	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775110	00	08	576731	7229460	IRFM	09	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775111	00	08	580719	7234233	IRFM	09	Sed/Water	6	2	-	Alluv	Clear	Modert	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775113	10	08	577369	7233461	LMSNi	07	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775114	20	08	577369	7233461	LMSNi	07	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775115	00	08	578752	7236489	IRFM	09	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775116	00	08	575420	7234770	LMSNi	07	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775117	00	08	573355	7235894	UKNNX	*	Sed/Water	20	15	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775118	00	08	571287	7233360	DLMTC	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	220	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775119	00	08	572042	7232877	DLMTC	07	Sed/Water	10	5	-	Alluv	Clear	Fast	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775120	00	08	571112	7230550	IRFM	09	Sed/Water	5	4	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775122	00	08	571840	7230187	IRFM	09	Sed/Water	5	3	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775123	00	08	571675	7238567	DLMTC	07	Sed/Water	4	4	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775124	00	08	569841	7241454	DLMTC	07	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775125	00	08	571709	7241712	DLMTC	07	Sed/Water	12	8	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775126	00	08	572471	7242680	LMSNi	07	Sed/Water	1	1	-	Alluv	BrCl'oy	Stagnt	Wh-Bf	030	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775127	00	08	576974	7242051	IRFM	09	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	220	-	-	Dendrc	Intermit	Pri'ary	Sp'gMelt
106F	775128	00	08	575568	7246293	DLMTC	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775129	10	08	572428	7245737	LMSNi	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775130	20	08	572428	7245737	LMSNi	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775132	00	08	570131	7247655	DLMTf	12	Sed/Water	10	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775133	00	08	570265	7248395	DLMTf	12	SedOnly	10	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt
106F	775134	00	08	565661	7243063	SNDSb	07	Sed/Water	10	10	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Mi	Co	Ag	Mn	Mo	Fe	Hg	U	M	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106F 775091 00	104	84	9	32	30	<	1500	2	4.45	60	2.1	<	460	0.46	14.0	86	4.5	31	33	5.6	4.6	82	<
106F 775092 00	68	74	6	28	25	<	750	2	3.75	30	1.8	<	400	0.81	13.0	88	4.1	24	30	5.3	<	64	<
106F 775093 00	ns	ns	ns	ns	ns	ns	ns	ns	ns	30	2.4	<	ns	0.67	15.0	<410	5.1	<50	<100	<5.0	<120.0	160	<40
106F 775094 00	98	76	25	31	22	<	690	2	4.40	30	2.6	<	300	0.54	17.0	110	4.9	27	47	6.0	1.9	130	<
106F 775095 10	98	106	8	40	30	<	690	2	5.45	60	1.7	<	420	0.83	20.4	140	6.2	31	55	5.5	1.8	89	<
106F 775096 20	98	108	10	38	28	<	810	<	5.15	60	1.8	<	420	0.71	19.0	97	5.4	31	54	5.3	20.0	67	<
106F 775097 00	84	110	9	33	23	<	450	<	4.50	40	2.2	<	460	0.73	20.0	120	5.2	24	31	4.7	21.0	72	<
106F 775098 00	100	118	15	41	31	<	900	2	5.65	40	1.9	<	360	0.69	19.0	120	5.3	30	49	6.2	<	91	<
106F 775099 00	86	78	11	29	25	<	820	2	3.65	40	1.7	<	460	0.82	17.0	99	4.4	30	22	4.7	2.3	70	<
106F 775100 00	88	118	11	34	28	<	850	<	5.30	100	1.5	<	400	0.64	19.0	170	5.7	32	49	8.7	6.6	68	<
106F 775102 00	80	78	11	31	23	<	640	2	3.85	30	1.8	<	2850	0.56	15.0	91	4.4	25	25	4.4	0.7	66	<
106F 775103 00	74	82	10	35	27	<	590	<	4.60	40	1.8	<	1700	0.45	16.0	110	4.8	27	39	4.2	<	73	<
106F 775104 00	88	90	12	36	30	<	900	<	4.95	30	2.4	<	400	0.66	19.0	120	5.6	35	45	5.4	2.0	130	<
106F 775105 00	80	104	8	35	29	<	760	<	4.75	20	1.4	<	340	0.69	20.5	140	6.4	38	33	3.7	<	71	<
106F 775106 00	94	116	10	37	29	<	900	<	5.15	60	2.3	<	800	0.71	23.0	130	5.9	33	36	4.5	7.2	90	<
106F 775107 00	106	134	25	42	37	<	970	<	6.15	50	2.2	<	440	0.47	25.6	140	6.1	40	44	6.1	26.0	97	<
106F 775108 00	126	178	12	49	42	<	1400	2	6.85	50	1.5	<	300	0.58	26.9	140	7.3	44	61	5.1	13.0	62	<
106F 775109 00	98	104	9	37	25	<	730	<	5.25	40	1.9	<	340	0.72	21.4	120	6.5	30	45	4.1	10.0	74	<
106F 775110 00	82	94	10	38	26	<	650	<	5.20	50	1.8	<	360	0.83	23.6	140	6.5	33	39	4.4	4.0	87	<
106F 775111 00	68	84	8	32	26	<	810	2	3.95	20	1.7	<	360	0.70	17.0	97	5.3	30	28	4.5	<	52	<
106F 775113 10	94	134	65	25	23	<	950	2	3.50	730	1.7	<	3900	0.30	16.0	100	4.7	26	26	16.0	1.8	81	<
106F 775114 20	98	128	60	26	22	<	960	<	3.40	780	1.8	<	2750	0.33	15.0	110	4.1	23	31	17.0	1.9	85	<
106F 775115 00	126	64	10	31	15	<	470	7	2.10	60	4.3	<	1340	0.22	8.4	80	2.5	17	37	10.0	2.9	53	6
106F 775116 00	84	130	66	28	24	<	980	2	3.80	590	2.8	<	1140	0.22	18.0	120	5.0	29	36	28.0	1.4	120	<
106F 775117 00	42	46	13	14	13	<	620	<	3.45	210	2.4	<	540	0.22	11.0	65	3.3	16	20	10.0	1.2	100	<
106F 775118 00	58	46	22	12	14	<	550	<	2.45	110	3.6	<	460	0.13	12.0	80	3.1	16	<	15.0	3.5	140	<
106F 775119 00	82	110	12	34	26	<	850	2	5.10	80	2.1	<	2650	0.67	19.0	140	5.8	30	47	5.2	2.4	82	<
106F 775120 00	82	104	10	34	21	<	650	<	5.15	80	1.6	<	340	0.63	22.0	140	5.3	23	34	4.5	18.0	83	<
106F 775122 00	80	118	10	38	27	<	820	<	5.55	70	2.1	<	800	0.74	22.8	140	6.1	31	24	4.9	5.3	96	<
106F 775123 00	58	50	39	17	17	<	640	<	3.55	80	4.5	<	720	0.22	15.0	79	4.6	21	17	11.0	1.5	140	<
106F 775124 00	114	24	100	10	11	<	510	<	1.65	40	1.9	<	1000	0.20	6.8	55	2.5	14	17	5.3	2.0	71	<
106F 775125 00	116	24	120	11	12	<	550	<	1.85	40	1.7	<	1180	0.15	6.4	49	2.3	13	11	4.8	1.5	68	<
106F 775126 00	32	10	2	6	4	<	240	<	1.05	10	1.5	<	220	0.28	4.1	<	1.2	6	14	2.1	0.9	68	<
106F 775127 00	68	34	17	15	10	<	660	2	1.90	40	2.2	<	320	0.24	9.5	75	3.1	14	16	6.6	5.1	85	1
106F 775128 00	106	36	29	17	13	<	570	2	2.30	70	2.0	<	780	0.40	11.0	66	3.4	17	27	4.5	3.9	81	<
106F 775129 10	56	24	14	11	7	<	440	2	1.30	30	2.2	<	580	0.28	6.7	47	2.0	10	15	4.3	1.5	53	<
106F 775130 20	80	24	20	13	7	<	380	3	1.45	40	3.0	<	900	0.33	8.1	88	2.4	9	22	5.4	2.5	62	<
106F 775132 00	78	18	35	8	7	<	300	3	1.45	30	2.6	<	780	0.15	7.7	65	2.5	11	<	7.5	0.8	94	2
106F 775133 00	48	10	12	5	2	<	150	3	0.45	30	1.2	<	140	0.17	2.0	<	0.6	<	<	3.0	4.6	20	2
106F 775134 00	122	20	45	9	7	<	360	2	1.30	40	1.8	<	740	0.19	5.6	41	1.7	8	14	4.4	2.4	77	<

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCH	ISE	LIF
106F 775091	00	0.7	5.2	440	22	48	5.00	1	0.9	2	0.3	4	1.0	1	7.5	2.4	6	13.31	-	8.2	30	0.02
106F 775092	00	0.6	2.9	460	22	46	6.00	< 1.2	< 0.3	5	1.1	1.1	< 7.8	2.3	5	36.54	-	-	-	8.3	28	0.02
106F 775093	00	<1.0	<5.0	<500	37	<530	8.00	<10	<4.4	<10	<5.0	<10	<5.7	<4.2	<5	0.06	-	-	-	8.5	62	0.38
106F 775094	00	0.6	11.0	300	32	61	7.10	1	1.2	3	0.8	6	1.2	< 11.0	2.8	6	7.37	-	-	8.2	56	0.02
106F 775095	10	0.6	4.5	430	23	47	5.50	2	1.1	3	0.3	4	1.1	7.4	1.8	5	9.47	-	-	8.2	38	0.10
106F 775096	20	0.6	5.1	430	21	40	5.00	1	1.1	4	0.6	4	1.0	< 6.7	1.6	7	6.75	-	-	8.2	32	0.14
106F 775097	00	0.6	6.0	470	26	50	5.90	< 1.0	3	0.6	7	1.0	2	8.0	2.0	4	12.49	-	-	8.2	28	0.14
106F 775098	00	0.5	6.1	350	24	47	5.30	< 1.1	2	0.7	5	1.0	< 7.5	2.0	3	8.28	-	-	8.1	42	0.20	
106F 775099	00	0.7	4.6	470	24	51	5.50	1	0.8	3	0.5	5	0.9	< 6.9	2.1	< 2	13.41	-	-	8.4	38	0.08
106F 775100	00	7.1	6.9	380	21	63	5.10	< 0.6	2	0.6	5	1.1	< 6.9	2.0	9	5.26	-	-	8.3	42	0.24	
106F 775102	00	0.6	3.5	3100	21	39	4.70	< 1.0	3	0.4	8	0.7	< 6.6	2.0	< 2	15.25	-	-	8.3	58	0.24	
106F 775103	00	0.8	4.3	1800	20	53	4.80	< 1.0	2	0.4	6	1.0	< 6.8	1.8	5	16.04	-	-	8.3	48	0.24	
106F 775104	00	0.8	10.0	460	29	57	7.20	< 1.4	3	0.5	5	1.2	11.0	2.8	4	26.96	-	-	8.2	30	0.10	
106F 775105	00	0.5	3.7	390	21	49	5.40	< 0.8	3	0.5	7	1.1	2	6.7	2.0	< 2	40.87	-	-	8.4	36	0.16
106F 775106	00	0.7	7.7	860	26	51	6.20	1	1.3	3	0.7	5	1.1	< 7.5	2.1	< 2	18.41	-	-	8.2	30	0.06
106F 775107	00	0.8	14.0	440	24	48	6.50	< 1.3	4	0.7	3	0.9	< 7.7	1.9	< 2	6.16	-	-	8.2	30	0.14	
106F 775108	00	0.9	9.2	290	19	40	5.20	1	1.1	3	0.5	4	0.6	5.0	1.5	8	12.65	-	-	8.3	22	0.14
106F 775109	00	0.8	4.7	320	21	43	5.10	< 1.1	3	0.4	5	0.9	< 6.3	1.7	< 2	6.59	-	-	8.2	22	0.02	
106F 775110	00	0.9	6.7	420	24	52	6.10	< 1.1	3	0.6	6	1.0	< 7.5	2.0	< 2	19.49	-	-	7.9	26	0.02	
106F 775111	00	0.5	3.1	330	19	40	4.60	< 0.7	3	0.4	6	0.9	< 6.0	1.9	< 2	22.02	-	-	8.1	28	0.18	
106F 775113	10	10.3	5.7	5320	23	52	5.20	< 0.9	3	0.4	6	0.9	< 7.3	2.1	< 2	28.03	-	-	8.2	48	0.10	
106F 775114	20	10.7	5.8	3600	22	54	5.10	< 1.0	3	0.4	5	0.9	< 7.3	2.1	5	27.25	-	-	8.3	38	0.02	
106F 775115	00	1.8	2.9	1600	16	34	3.80	< 0.8	< 0.2	3	0.6	3	0.6	4.8	4.9	3	20.98	-	-	8.1	62	1.00
106F 775116	00	10.0	7.0	2000	29	58	6.60	< 1.1	4	0.6	6	1.0	1	10.0	3.0	< 2	32.11	-	-	8.3	46	0.06
106F 775117	00	2.4	4.8	710	29	63	6.80	< 1.2	4	0.8	9	1.0	1	8.9	3.0	< 2	38.78	-	-	8.2	48	0.24
106F 775118	00	3.3	10.0	450	36	84	8.20	< 1.4	4	0.9	12	1.2	1	11.0	4.0	< 2	19.20	-	-	8.4	58	0.32
106F 775119	00	1.0	5.9	3200	22	39	5.20	1	0.8	3	0.4	6	1.1	< 6.9	1.9	< 2	11.93	-	-	8.1	40	0.06
106F 775120	00	0.7	9.1	320	23	47	5.60	< 1.2	3	0.6	5	0.9	< 6.5	2.0	6	5.81	-	-	8.1	44	0.20	
106F 775122	00	0.8	7.8	870	25	44	6.30	1	1.0	4	0.5	5	0.9	< 7.4	2.0	< 2	11.61	-	-	7.8	62	0.02
106F 775123	00	4.8	9.0	890	45	100	10.00	< 1.7	6	1.1	8	1.3	2	15.0	5.0	< 2	32.77	-	-	8.2	120	0.04
106F 775124	00	2.2	4.1	1300	24	57	5.00	< 0.7	2	0.4	7	<	< 7.3	2.3	< 2	30.13	-	-	8.3	110	0.16	
106F 775125	00	1.9	4.5	1200	22	53	4.70	< 0.8	2	0.3	5	0.6	< 6.8	2.1	< 2	20.46	-	-	8.2	120	0.28	
106F 775126	00	0.3	2.2	240	11	32	2.90	< 0.6	< 0.3	2	<	<	4.5	1.6	< 2	26.48	-	-	8.1	80	4.30	
106F 775127	00	0.8	6.2	430	21	41	4.80	< 0.9	< 0.4	4	0.9	4	0.9	7.8	2.7	< 2	22.76	-	-	8.1	36	0.08
106F 775128	00	1.0	4.9	820	24	54	4.70	< 0.7	3	0.5	6	1.1	< 7.3	2.6	< 2	20.91	-	-	8.3	140	0.06	
106F 775129	10	0.8	2.3	580	19	39	3.90	< 0.7	<	0.3	3	<	< 5.6	2.5	< 2	18.40	-	-	8.5	52	0.36	
106F 775130	20	1.1	3.3	990	28	55	5.40	< 0.9	3	0.5	12	0.9	< 8.0	3.8	< 2	27.38	-	-	8.5	76	0.36	
106F 775132	00	0.8	4.2	940	27	61	5.30	< 0.8	2	0.4	5	0.8	< 9.0	3.0	2	29.57	-	-	8.1	140	0.48	
106F 775133	00	0.5	1.2	230	8	18	1.50	<	<	1	<	1	<	2.0	1.5	< 2	34.74	-	-	ns	ns	ns
106F 775134	00	1.0	4.3	820	19	42	3.90	< 0.6	<	0.3	3	0.6	1	6.1	2.3	< 2	22.00	-	-	8.3	200	0.26

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data.  
 Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
 Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106F	775135	00	08	565942	7242406	SNDSb	07	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775136	00	08	569338	7242627	DLMTc	07	Sed/Water	5	4	-	Alluv	Clear	Modert	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775137	00	08	569072	7242077	DLMTc	07	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775138	00	08	577399	7245575	DLMTc	07	Sed/Water	3	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775139	00	08	580161	7247355	LMSNi	07	Sed/Water	1	2	-	Alluv	Clear	Slow	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775140	00	08	583040	7246967	LMSNi	07	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	300	-	Yellow	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775142	00	08	584550	7247998	LMSNi	07	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775143	00	08	586353	7248468	LMSNi	07	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775144	00	08	587144	7247905	LMSNi	07	Sed/Water	8	4	-	Alluv	Clear	Fast	Mh-Bf	210	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775145	00	08	589634	7243517	DLMTc	07	Sed/Water	1	1	-	Alluv	Clear	Slow	Yellow	210	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775146	00	08	590509	7244301	DLMTc	07	Sed/Water	6	4	-	Alluv	Clear	Fast	Yellow	300	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775147	00	08	589964	7244911	LMSNi	07	SedOnly	-	-	-	Alluv	Clear	Modert	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775148	00	08	580407	7241562	LMSNi	07	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	120	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775149	00	08	579855	7241853	LMSNi	07	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775150	10	08	581934	7239534	LMSNi	07	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775151	20	08	581934	7239534	LMSNi	07	Sed/Water	4	3	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775152	00	08	582519	7239118	LMSNi	07	Sed/Water	3	5	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775153	00	08	581723	7241042	LMSNi	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Yellow	210	-	Rd-Bn	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775154	00	08	587281	7240851	LMSNi	07	Sed/Water	1	1	-	Alluv	Clear	Stagn	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775155	10	08	590172	7237512	IRFM	09	Sed/Water	4	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775156	20	08	590172	7237512	IRFM	09	Sed/Water	4	8	-	Alluv	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775157	00	08	593648	7223260	IRFM	09	Sed/Water	2	3	-	Alluv	Clear	Stagn	Rd-Bn	030	-	-	Moun/Y	Dendrc Intermit	Ter'ary	Sp'ghelt
106F	775159	00	08	592476	7225295	IRFM	09	Sed/Water	3	2	-	Alluv	Clear	Modert	Rd-Bn	111	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775160	00	08	591642	7228382	IRFM	09	Sed/Water	2	2	-	Alluv	Clear	Modert	Rd-Bn	120	-	Rd-Bn	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775162	00	08	590720	7229866	IRFM	09	Sed/Water	3	3	-	Alluv	Clear	Modert	Rd-Bn	210	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775163	00	08	589860	7231686	IRFM	09	Sed/Water	10	4	-	Alluv	Clear	Fast	Gy-Blu	120	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775164	00	08	591763	7232518	IRFM	09	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu	210	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775166	10	08	587350	7233025	IRFM	09	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	120	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775167	20	08	587350	7233025	IRFM	09	Sed/Water	6	5	-	Alluv	Clear	Fast	Gy-Blu	120	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775168	00	08	584912	7234425	IRFM	09	Sed/Water	4	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775169	00	08	584618	7234980	IRFM	09	Sed/Water	8	6	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775170	00	08	587314	7236159	IRFM	09	SedOnly	-	-	-	Alluv	Clear	Fast	Gy-Blu	210	-	Rd-Bn	Moun/Y	Dendrc Intermit	Pri'ary	Sp'ghelt
106F	775171	00	08	585102	7238794	LMSNb	09	Sed/Water	8	6	-	Alluv	Clear	Stagn	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc Intermit	Ter'ary	Sp'ghelt
106F	775172	00	08	590903	7238688	IRFM	09	Sed/Water	6	4	-	Alluv	Clear	Modert	Rd-Bn	030	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775173	00	08	590938	7236521	IRFM	09	Sed/Water	5	6	-	Alluv	Clear	Fast	Gy-Blu	120	-	Rd-Bn	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775174	00	08	592762	7252018	DLMTg	15	Sed/Water	10	4	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775175	00	08	591992	7254147	GLCM	44	Sed/Water	8	6	-	Alluv	Clear	Fast	Mh-Bf	031	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775176	00	08	587609	7254682	LMSNg	18	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775177	00	08	588033	7254287	LMSNg	18	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt
106F	775178	00	08	587454	7257580	DLMTg	15	Sed/Water	5	4	-	Alluv	Clear	Modert	Gy-Blu	030	-	-	Moun/Y	Dendrc Intermit	Sec'ary	Sp'ghelt

Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Rb	Mo	
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	5	1	
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	NADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	
106F 775135 00	56	16	16	7	7	<	330	2	1.20	10	1.7	<	320	0.21	5.5	28	1.5	8	<	2.8	1.5	74	<
106F 775136 00	104	20	90	8	7	<	450	2	1.70	40	1.9	<	1260	0.20	7.1	48	2.4	9	14	4.8	1.3	79	<
106F 775137 00	300	44	460	24	36	0.4	1450	2	2.75	80	3.0	<	1380	0.16	8.4	67	3.0	37	28	10.0	5.4	100	<
106F 775138 00	118	44	50	21	14	<	590	<	2.80	100	1.7	<	560	0.57	11.0	99	3.6	16	34	5.8	2.8	79	<
106F 775139 00	106	22	8	17	6	<	270	6	0.95	70	3.3	<	1240	0.15	4.4	49	1.4	8	18	7.5	2.9	64	6
106F 775140 00	68	18	17	13	15	<	500	2	2.00	20	2.1	<	320	0.15	8.6	40	2.8	18	27	4.3	<	120	<
106F 775142 00	54	14	28	8	3	<	190	3	0.65	60	1.8	<	680	0.16	2.8	32	1.0	<	5.7	4.8	26	2	
106F 775143 00	46	12	21	6	2	<	190	4	0.80	70	2.0	<	1060	0.15	2.4	26	1.1	<	10.0	4.2	31	2	
106F 775144 00	40	14	12	6	5	<	290	2	1.05	40	1.6	<	680	0.13	4.9	27	1.5	6	3.2	1.9	60	<	
106F 775145 00	325	16	125	6	6	<	360	2	1.20	130	1.4	<	560	0.16	5.3	39	1.6	7	5.6	1.4	69	<	
106F 775146 00	42	24	9	8	8	<	330	2	2.45	30	0.9	<	440	0.15	6.6	51	4.2	9	3.3	<	41	<	
106F 775147 00	56	38	13	16	15	<	620	2	3.25	40	2.0	<	ns	0.34	10.0	<	4.4	16	44	<10.0	76	8	
106F 775148 00	46	20	7	10	6	<	300	3	1.00	20	1.4	<	240	0.21	4.5	30	1.5	7	3.9	4.4	39	<	
106F 775149 00	84	18	39	10	4	<	270	3	0.90	50	1.7	<	440	0.22	3.8	39	1.1	6	3.6	5.2	35	1	
106F 775150 10	44	28	7	14	5	<	260	3	1.15	40	2.5	<	220	0.24	6.6	53	2.0	9	5.3	9.5	42	1	
106F 775151 20	40	22	6	11	5	<	250	4	1.05	20	1.7	<	180	0.24	5.8	51	1.7	7	4.2	5.8	33	1	
106F 775152 00	132	50	29	25	15	<	700	5	2.50	90	3.0	<	740	0.44	14.0	98	4.1	19	26	10.0	5.3	77	3
106F 775153 00	88	14	18	7	6	<	460	2	1.25	30	1.4	<	740	0.26	5.2	27	1.7	8	3.6	2.0	52	<	
106F 775154 00	78	72	14	29	27	<	1350	<	5.25	40	2.1	<	420	0.50	18.0	70	10.0	31	6.0	0.7	88	<	
106F 775155 10	84	150	4	41	30	<	890	<	5.55	30	1.5	<	380	0.83	24.1	160	8.5	40	3.5	1.3	44	<	
106F 775156 20	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	1.1	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
106F 775157 00	54	46	9	20	13	<	550	3	2.35	20	1.8	<	260	0.34	12.0	74	3.6	19	29	7.3	1.8	65	2
106F 775159 00	100	104	12	41	34	<	1000	<	5.70	40	1.5	<	600	0.92	22.1	120	6.3	42	40	4.8	2.4	72	<
106F 775160 00	82	90	7	37	30	<	860	<	4.50	20	1.3	<	240	0.64	20.0	130	6.1	36	54	3.1	1.1	70	<
106F 775162 00	102	116	9	42	33	<	950	<	5.35	30	1.4	<	360	1.20	25.7	170	7.7	44	63	3.7	3.1	80	<
106F 775163 00	70	88	11	30	21	<	650	3	3.40	20	2.3	<	580	0.32	13.0	100	4.5	23	20	7.6	<5.9	50	<6
106F 775164 00	68	84	11	29	22	<	670	3	3.45	20	1.6	<	740	0.50	17.0	110	5.7	32	38	7.4	<	46	2
106F 775166 10	86	96	14	32	25	<	780	3	3.95	20	2.1	<	340	0.59	20.0	100	5.8	32	33	8.1	0.8	58	<
106F 775167 20	76	84	12	31	24	<	730	2	3.85	20	1.9	<	360	0.62	20.6	140	6.1	33	45	7.2	0.7	66	1
106F 775168 00	68	70	12	27	19	<	660	3	2.90	20	2.1	<	400	0.52	16.0	100	5.4	27	30	11.0	2.0	53	4
106F 775169 00	60	46	19	15	11	<	550	5	1.50	40	2.0	<	340	0.34	8.3	45	2.6	16	21	13.0	3.9	35	5
106F 775170 00	88	134	5	42	33	<	1300	<	5.70	30	1.6	<	340	0.88	24.8	110	8.0	40	52	3.9	1.9	69	<
106F 775171 00	76	66	13	29	22	<	890	4	3.45	30	1.9	<	300	0.39	13.0	81	4.2	23	38	7.7	1.6	62	1
106F 775172 00	68	82	4	28	22	<	1450	<	4.70	40	1.3	<	300	0.40	15.0	77	13.0	23	29	4.4	3.3	48	<
106F 775173 00	86	116	7	38	28	<	810	<	4.85	30	1.5	<	280	1.10	25.9	170	7.8	42	66	5.7	2.4	64	<
106F 775174 00	16	10	5	5	3	<	170	3	0.65	20	1.3	<	100	0.17	3.1	<	1.1	<	3.4	4.5	37	2	
106F 775175 00	14	8	<	5	2	<	100	2	0.40	10	1.4	<	120	0.18	2.0	<	0.6	<	2.1	5.1	22	<	
106F 775176 00	80	12	15	6	3	<	290	3	0.85	50	1.6	<	620	0.15	3.1	44	1.2	<	5.6	2.2	45	<	
106F 775177 00	70	16	26	6	5	<	440	3	1.10	70	2.0	<	1800	0.13	4.1	50	1.6	7	7.2	2.4	56	<	
106F 775178 00	16	10	2	6	2	<	110	2	0.50	20	1.8	<	60	0.15	1.7	22	0.6	<	2.3	3.7	18	1	



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	ISE	LIF
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106F 775135 00	0.5	4.0	350	15	32	3.30	<	<	<	0.3	4	0.6	<	5.9	1.9	2	24.35	-	-	8.4	110	0.74
106F 775136 00	1.8	4.4	1500	26	61	5.20	<	0.9	2	0.4	6	0.8	<	7.7	2.3	3	36.61	-	-	8.3	220	0.18
106F 775137 00	5.9	7.2	1500	27	64	6.30	<	0.8	4	0.5	6	0.8	<	8.7	3.0	<	10.61	-	-	8.3	120	0.18
106F 775138 00	1.3	3.9	700	22	37	5.10	<	0.8	2	0.4	5	1.0	1	7.4	2.3	3	26.16	-	-	8.2	160	0.52
106F 775139 00	1.9	3.3	1400	19	34	3.60	<	0.6	<	0.2	2	0.6	<	5.5	3.9	<	30.86	-	-	8.3	72	0.58
106F 775140 00	0.7	6.6	300	30	72	5.60	<	1.5	3	0.6	3	1.1	<	10.0	2.1	<	3.94	-	-	8.1	36	0.20
106F 775142 00	1.2	1.8	740	9	18	1.70	<	<	<	<	2	<	<	2.7	2.1	<	34.40	-	-	8.4	72	0.96
106F 775143 00	1.3	1.8	1100	9	20	1.80	<	<	<	<	2	<	<	2.6	2.2	<	12.57	-	-	8.2	94	1.60
106F 775144 00	0.7	2.8	740	14	27	3.00	<	<	<	0.3	4	<	<	5.0	1.6	<	32.82	-	-	8.3	94	0.58
106F 775145 00	1.9	3.1	610	16	37	3.30	<	0.6	<	0.3	4	0.6	<	5.2	1.6	<	23.80	-	-	8.4	86	0.20
106F 775146 00	0.4	2.1	390	15	28	3.10	<	0.6	<	0.4	2	0.6	<	5.1	1.2	<	3.90	-	-	8.3	56	0.24
106F 775147 00	0.5	3.2	260	23	100	4.60	<	<1.0	<4	<0.4	7	2.0	<	8.1	1.4	<	0.67	-	-	ns	ns	ns
106F 775148 00	0.5	2.4	260	12	26	2.40	<	<	<	0.2	3	<	<	3.5	1.9	<	31.58	-	-	8.4	38	0.10
106F 775149 00	0.8	1.7	340	11	16	2.30	<	<	<	0.2	2	<	<	3.2	1.8	<	29.90	-	-	8.3	120	0.14
106F 775150 10	0.5	2.7	260	14	19	2.90	<	0.5	<	<	2	<	<	3.7	2.5	3	24.29	-	-	8.2	46	0.08
106F 775151 20	0.4	1.9	210	12	23	2.40	<	<	<	<	2	<	<	3.2	1.9	2	25.02	-	-	8.3	52	0.16
106F 775152 00	1.3	5.0	860	26	55	5.00	1	0.8	3	0.4	4	0.9	<	7.6	3.9	5	14.95	-	-	8.5	94	0.50
106F 775153 00	1.5	2.2	870	13	29	2.90	<	0.6	<	0.3	5	<	<	4.6	1.6	<	21.53	-	-	8.1	46	0.06
106F 775154 00	0.6	6.6	400	31	73	6.60	2	1.5	4	0.8	6	0.9	2	10.0	2.2	6	4.96	-	-	8.2	38	0.08
106F 775155 10	0.4	3.1	370	18	34	4.80	1	0.8	3	0.6	6	1.0	<	4.6	1.7	<	7.58	-	-	7.9	32	0.02
106F 775156 20	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	-	-	-	-	7.9	28	0.02
106F 775157 00	0.4	3.4	250	17	35	3.80	<	0.8	2	0.3	3	<	<	5.0	2.3	<	30.76	-	-	8.3	40	0.08
106F 775159 00	0.8	6.6	660	20	43	5.40	<	0.9	3	0.5	5	1.0	<	6.6	1.8	6	27.85	-	-	8.2	46	0.08
106F 775160 00	0.4	3.9	280	19	36	5.10	<	1.0	3	0.5	4	0.9	<	6.1	1.6	4	32.51	-	-	8.2	48	0.40
106F 775162 00	0.4	5.1	370	20	45	5.80	1	1.1	3	0.5	5	1.0	<	6.4	1.9	5	23.08	-	-	8.4	74	0.32
106F 775163 00	0.4	1.3	580	11	<53	3.30	<	<1.0	<4	<0.4	4	<1.0	<	3.9	1.3	18	0.97	-	-	8.2	58	0.16
106F 775164 00	0.4	2.9	730	13	33	3.70	<	0.5	3	0.3	4	0.8	<	4.0	2.0	<	5.45	-	-	8.1	170	0.28
106F 775166 10	0.5	3.3	310	19	41	4.70	2	0.9	3	0.6	5	0.9	<	5.5	2.3	<	14.44	-	-	8.2	66	0.12
106F 775167 20	0.5	3.3	310	20	39	4.70	<	1.2	3	0.5	5	0.7	<	5.9	2.4	4	17.78	-	-	7.9	50	0.12
106F 775168 00	0.6	3.3	450	18	39	4.10	<	0.9	2	0.4	6	0.7	<	4.9	2.8	4	31.41	-	-	8.1	46	0.10
106F 775169 00	0.6	2.1	360	11	28	2.50	<	0.6	<	<	3	0.5	<	3.1	2.6	3	28.08	-	-	8.1	42	0.06
106F 775170 00	0.4	5.0	300	19	43	5.70	<	1.0	3	0.6	4	1.1	<	5.2	1.6	6	19.24	-	-	ns	ns	ns
106F 775171 00	0.4	4.5	240	16	32	4.10	<	0.8	2	0.4	3	0.6	<	5.3	2.0	<	8.81	-	-	8.4	70	0.02
106F 775172 00	0.3	2.8	320	16	23	4.50	<	0.9	2	0.4	3	0.8	<	4.3	1.2	5	10.35	-	-	8.3	38	0.02
106F 775173 00	0.5	3.9	390	20	43	5.80	<	1.2	3	0.6	7	1.1	1	6.1	2.0	5	28.94	-	-	8.1	40	0.06
106F 775174 00	0.3	1.6	130	10	24	2.00	<	<	<	<	2	<	<	3.4	1.7	<	31.45	-	-	8.2	46	0.16
106F 775175 00	0.2	0.8	69	6	11	1.10	<	<	<	<	<	<	<	1.9	1.8	<	29.92	-	-	8.3	50	0.12
106F 775176 00	1.2	1.9	740	10	13	1.80	<	<	<	<	2	<	<	3.3	1.8	3	6.60	-	-	8.4	62	0.44
106F 775177 00	2.3	2.8	1900	12	24	2.60	<	<	<	0.3	2	<	<	4.6	2.1	<	20.16	-	-	8.2	92	0.38
106F 775178 00	0.2	0.7	89	5	10	1.00	<	<	<	<	<	<	<	1.9	1.6	<	21.56	-	-	8.4	88	0.50

Map Sheet	Sample ID	Rep Stat	UTM Zn Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106F	775179	00	08 590505	7259632	DLMtg	15	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775180	00	08 586208	7261392	DLMtg	15	Sed/Water	15	8	-	Alluv	Clear	Fast	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775182	00	08 584531	7260389	DLMtg	15	Sed/Water	12	8	-	Alluv	Clear	Fast	Gy-Blu	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775183	00	08 585095	7259787	DLMtg	15	Sed/Water	8	10	-	Alluv	Clear	Fast	Gy-Blu	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775184	00	08 590028	7264616	DLMtg	15	Sed/Water	8	5	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775185	10	08 583465	7264378	LMSng	18	Sed/Water	12	10	-	Alluv	Clear	Fast	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775186	20	08 583465	7264378	LMSng	18	Sed/Water	12	10	-	Alluv	Clear	Fast	Gy-Blu	300	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775187	00	08 578046	7264577	LMSng	18	Sed/Water	12	5	-	Alluv	Clear	Fast	Yellow	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775188	00	08 574389	7263615	SHLee	18	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	021	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775189	00	08 574158	7261744	DLMtg	15	Sed/Water	2	2	-	Alluv	Clear	Moder	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775190	00	08 570821	7259999	DLMtg	15	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775191	00	08 574291	7251249	DLMtg	12	Sed/Water	6	4	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775192	00	08 573624	7253474	DLMtg	12	Sed/Water	15	15	-	Alluv	Clear	Torrnt	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775193	00	08 578199	7253447	DLMtg	15	Sed/Water	2	2	-	Alluv	Clear	Slow	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775195	00	08 578815	7254304	DLMtg	15	Sed/Water	12	10	-	Alluv	Clear	Fast	Gy-Blu	220	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775196	00	08 581351	7252757	DLMtg	15	Sed/Water	12	10	-	Alluv	Clear	Fast	Rd-Bn	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775197	00	08 580577	7256318	DLMtg	12	Sed/Water	6	6	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775198	00	08 580232	7256673	DLMtg	12	Sed/Water	6	4	-	Alluv	Clear	Moder	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775199	00	08 582823	7256636	LMSni	07	Sed/Water	6	3	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775200	00	08 575600	7257326	DLMtg	15	Sed/Water	2	3	-	Alluv	Clear	Moder	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775202	00	08 576108	7258819	DLMtg	15	Sed/Water	8	4	-	Alluv	Clear	Moder	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775203	00	08 576187	7259733	DLMtg	12	Sed/Water	6	4	-	Alluv	Clear	Moder	Gy-Blu	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775204	00	08 572608	7257039	DLMtg	15	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775205	00	08 567596	7261811	SHLee	18	Sed/Water	2	2	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775206	00	08 568259	7258072	LMSng	18	Sed/Water	3	2	-	Alluv	Clear	Moder	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775207	00	08 565475	7256239	LMSng	18	Sed/Water	5	3	-	Alluv	Clear	Moder	Gy-Blu	120	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775208	00	08 566098	7256353	LMSng	18	Sed/Water	1	2	-	Alluv	Clear	Moder	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775209	00	08 565299	7252698	LMSng	18	Sed/Water	10	20	-	Alluv WhCl'dy	Torrnt	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt	
106F	775210	10	08 564392	7252555	LMSng	18	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775211	20	08 564392	7252555	LMSng	18	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	120	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775213	00	08 564338	7255141	LMSng	18	Sed/Water	15	20	-	Alluv	Clear	Torrnt	Gy-Blu	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775214	00	08 563438	7255202	LMSng	18	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775215	00	08 563940	7257325	LMSng	18	Sed/Water	10	20	-	Alluv WhCl'dy	Torrnt	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt	
106F	775216	00	08 561899	7264207	SHLee	18	Sed/Water	5	3	-	Alluv	Clear	Moder	Black	022	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775217	00	08 560922	7258748	LMSng	18	Sed/Water	8	2	-	Alluv BrCl'dy	Slow	Gy-Blu	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt	
106F	775218	00	08 559303	7256368	LMSng	18	Sed/Water	6	4	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775219	00	08 560837	7251485	DLMtg	15	Sed/Water	15	10	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775220	00	08 560777	7249293	LMSni	07	Sed/Water	15	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt
106F	775222	00	08 561311	7249515	LMSni	07	Sed/Water	26	15	-	Alluv	Clear	Torrnt	Rd-Bn	210	-	Yellow	Moun/Y	Dendrc	Intermit	Pri'ary Sp'gMelt
106F	775223	00	08 561063	7248031	SNDsb	07	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	220	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary Sp'gMelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Yukon, 1990, GSC OF-2175, MGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Mo	
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	1	
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	
106F 775179 00	12	8	3	4	<	<	120	3	0.35	20	1.6	<	260	0.16	1.2	<	0.4	<	<	3.0	4.0	15	1
106F 775180 00	12	8	2	6	2	<	120	3	0.50	10	1.5	<	100	0.16	2.2	<	0.7	<	<	2.9	4.9	27	2
106F 775182 00	12	8	<	3	<	<	110	2	0.30	10	0.9	<	100	0.16	1.0	<	0.3	<	<	1.9	4.9	14	1
106F 775183 00	10	8	2	5	<	<	100	2	0.50	10	1.2	<	120	0.14	1.5	<	0.5	<	<	2.3	3.7	22	1
106F 775184 00	8	6	<	3	<	<	120	3	0.25	10	1.2	<	60	0.14	0.7	<	0.3	<	<	1.6	4.6	10	2
106F 775185 10	12	8	2	5	<	<	100	3	0.40	10	1.2	<	80	0.16	1.2	<	0.5	<	<	2.4	5.3	14	1
106F 775186 20	14	8	2	5	2	<	100	3	0.40	10	1.4	<	60	0.16	1.5	<	0.6	<	<	2.3	5.3	16	1
106F 775187 00	58	18	5	15	6	<	210	<	1.40	30	2.6	<	660	0.48	7.1	75	2.2	8	<	5.0	1.8	61	1
106F 775188 00	98	16	5	31	5	<	140	7	0.90	70	3.0	<	300	0.18	3.9	43	1.3	<	27	8.3	10.0	44	8
106F 775189 00	32	8	7	5	2	<	130	4	0.30	20	1.3	<	80	0.15	1.4	<	0.4	<	<	3.1	5.2	12	4
106F 775190 00	26	8	3	6	<	<	110	3	0.40	20	1.5	<	60	0.17	1.6	<	0.6	<	<	2.9	4.6	13	2
106F 775191 00	50	14	4	10	2	<	120	3	0.45	30	1.8	4	240	0.15	1.9	26	0.6	<	<	4.1	4.4	24	3
106F 775192 00	50	16	7	10	6	<	270	2	1.15	30	1.6	<	240	0.23	5.1	38	1.8	8	<	4.6	2.1	43	2
106F 775193 00	16	6	3	3	<	<	110	2	0.20	10	1.0	<	100	0.15	1.1	<	0.4	<	<	1.8	4.9	10	2
106F 775195 00	16	8	5	4	2	<	130	3	0.40	10	0.9	<	80	0.16	1.1	<	0.6	<	<	2.8	4.4	13	2
106F 775196 00	14	6	4	3	<	<	110	3	0.20	20	1.0	<	60	0.14	0.8	<	0.3	<	<	2.3	6.0	6	2
106F 775197 00	60	12	19	6	4	<	290	4	0.75	70	1.5	<	400	0.13	2.0	21	0.8	<	<	6.2	4.2	29	2
106F 775198 00	24	14	5	6	2	<	190	3	0.50	30	1.8	<	200	0.14	1.9	22	0.7	<	<	5.8	5.4	24	3
106F 775199 00	112	14	28	6	3	<	310	2	0.90	120	1.9	<	560	0.14	2.7	28	1.2	<	11	7.2	3.5	30	2
106F 775200 00	44	12	4	12	6	<	230	3	1.10	40	1.8	<	560	0.25	4.1	54	1.7	7	15	7.5	2.8	41	2
106F 775202 00	26	8	5	4	<	<	120	2	0.45	20	1.1	<	120	0.14	1.1	<	0.3	<	<	2.7	6.2	12	2
106F 775203 00	28	12	4	6	<	<	130	4	0.50	30	1.8	<	360	0.11	1.4	<	0.6	<	<	4.5	4.3	17	4
106F 775204 00	18	10	4	6	3	<	100	2	0.50	30	2.2	<	240	0.14	2.0	27	0.6	<	<	3.4	4.2	23	2
106F 775205 00	86	20	11	37	12	<	470	4	2.25	40	2.4	<	540	0.24	9.2	89	2.8	16	42	6.3	<	78	5
106F 775206 00	26	10	6	7	2	<	110	4	0.55	30	1.9	<	100	0.14	1.7	<	0.6	<	<	3.0	4.0	16	3
106F 775207 00	52	12	7	15	2	<	110	6	0.65	50	2.6	<	460	0.16	2.0	<	0.8	<	<	4.5	4.5	21	6
106F 775208 00	28	12	5	9	2	<	110	3	0.65	40	2.8	<	740	0.17	2.1	24	0.7	<	12	4.2	4.4	31	4
106F 775209 00	18	8	5	3	<	<	120	3	0.35	30	0.7	<	120	0.15	1.2	<	0.3	<	<	2.1	5.8	12	2
106F 775210 10	32	8	8	3	<	<	120	2	0.35	20	1.0	<	160	0.15	0.9	<	0.4	<	<	3.1	4.0	10	2
106F 775211 20	26	6	9	2	<	<	120	2	0.30	30	1.0	<	60	0.15	0.9	<	0.3	<	<	3.0	3.4	10	1
106F 775213 00	30	8	6	6	<	<	120	3	0.40	30	1.3	<	180	0.15	1.3	<	0.5	<	<	2.6	5.9	15	3
106F 775214 00	66	12	6	20	2	<	160	7	0.80	40	1.8	<	260	0.16	2.9	36	0.9	<	20	4.8	2.9	28	8
106F 775215 00	50	10	11	12	<	<	110	5	0.50	40	1.8	<	480	0.14	1.5	<	0.6	<	10	4.4	3.3	10	5
106F 775216 00	158	24	10	34	14	<	590	3	2.60	90	3.1	<	1160	0.41	8.6	91	3.0	14	<	14.0	4.8	86	4
106F 775217 00	50	12	6	16	9	<	450	3	2.50	20	1.6	<	540	0.19	7.7	51	2.2	11	<	2.9	0.5	61	2
106F 775218 00	62	14	7	19	5	<	250	5	1.10	40	2.5	<	280	0.16	3.6	37	1.1	6	17	4.9	1.5	41	6
106F 775219 00	44	16	12	7	9	<	330	<	1.60	30	2.4	<	220	0.15	4.6	31	2.0	12	<	5.4	3.7	48	1
106F 775220 00	34	40	10	27	61	<	1600	<	3.40	40	4.3	<	560	0.14	10.0	70	4.2	67	30	8.8	2.5	120	<
106F 775222 00	42	22	19	10	11	<	580	<	2.45	30	3.5	<	440	0.15	8.4	49	2.8	12	15	7.3	1.5	98	<
106F 775223 00	24	18	6	11	27	<	760	<	1.70	20	4.7	<	520	0.13	7.2	33	2.3	31	15	5.0	2.1	110	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCH	ISE	LIF
106F 775179 00	0.2	1.2	320	7	11	1.50	<	<	<	<	<	<	<	1.6	1.9	<2	29.87	-	-	8.4	98	0.54
106F 775180 00	0.2	1.2	85	6	14	1.30	<	<	<	<	<	<	<	2.2	1.8	<2	29.84	-	-	8.3	44	0.24
106F 775182 00	0.2	0.5	<	3	<	0.76	<	<	<	<	<	<	<	1.2	1.2	<2	35.50	-	-	8.1	52	0.28
106F 775183 00	0.2	0.9	68	5	12	1.10	<	<	<	<	<	<	<	2.0	1.7	<2	28.31	-	-	8.2	62	0.18
106F 775184 00	0.1	<	<	3	9	0.71	<	<	<	<	<	<	<	0.8	1.1	<2	19.37	-	-	7.7	58	0.12
106F 775185 10	0.2	0.6	110	4	8	0.85	<	<	<	<	<	<	<	1.7	1.8	<2	29.94	-	-	8.0	44	0.10
106F 775186 20	0.2	0.7	89	4	10	0.89	<	<	<	<	<	<	<	1.6	1.7	<2	29.47	-	-	7.9	40	0.12
106F 775187 00	0.9	2.5	730	22	48	4.30	<	0.8	2	0.4	5	1.1	1	7.1	3.1	<2	26.04	-	-	7.9	34	0.24
106F 775188 00	1.1	1.5	310	13	21	2.30	<	<	<	<	2	0.5	<	3.6	3.5	<2	24.22	-	-	7.9	120	0.54
106F 775189 00	0.2	<	95	5	8	0.87	<	<	<	<	<	<	<	1.2	1.5	<2	38.95	-	-	8.0	50	0.18
106F 775190 00	0.2	0.7	77	5	11	0.93	<	<	<	<	<	<	<	1.6	2.2	<2	28.48	-	-	8.1	52	0.18
106F 775191 00	0.7	1.0	290	8	16	1.40	<	<	<	<	<	<	<	2.0	2.3	<2	32.78	-	-	7.9	68	0.04
106F 775192 00	0.5	1.8	370	16	33	3.10	<	0.5	<	<	3	0.6	<	4.8	2.3	<2	35.81	-	-	8.1	38	0.28
106F 775193 00	0.1	<	<	4	6	0.75	<	<	<	<	<	<	<	1.0	1.0	<2	38.50	-	-	8.0	26	0.12
106F 775195 00	0.2	0.5	94	4	9	1.00	<	<	<	<	<	<	<	1.3	1.2	<2	39.06	-	-	8.0	34	0.16
106F 775196 00	0.2	<	<	3	<	0.74	<	<	<	<	<	<	<	1.0	1.3	<2	37.43	-	-	8.0	26	0.04
106F 775197 00	0.8	1.2	590	8	16	1.60	<	<	<	<	1	<	<	2.3	2.1	<2	38.00	-	-	8.1	98	0.62
106F 775198 00	0.5	1.1	320	8	17	1.80	<	<	<	<	2	<	<	2.4	2.3	<2	38.91	-	-	8.1	62	0.80
106F 775199 00	1.4	1.6	1200	10	24	2.00	<	<	<	<	2	<	<	3.2	2.1	<2	35.06	-	-	8.0	88	0.50
106F 775200 00	0.6	1.7	770	14	29	2.90	<	<	<	<	4	0.6	<	4.5	2.4	<2	34.27	-	-	8.1	52	0.22
106F 775202 00	0.2	<	88	4	8	0.82	<	<	<	<	<	<	<	1.0	1.4	<2	35.15	-	-	8.0	44	0.28
106F 775203 00	0.5	0.6	470	7	9	1.40	<	<	<	<	2	<	<	1.8	2.1	<2	15.01	-	-	8.1	56	1.10
106F 775204 00	0.3	0.9	220	5	10	1.10	<	<	<	<	<	<	<	2.1	2.5	<2	33.27	-	-	8.0	56	0.34
106F 775205 00	0.5	3.6	560	25	47	5.10	<	0.8	<	0.3	3	0.6	<	8.3	3.0	<2	37.02	-	-	8.4	120	0.56
106F 775206 00	0.3	0.7	150	6	14	1.10	<	<	<	<	<	<	<	1.9	2.4	<2	32.19	-	-	7.9	56	0.12
106F 775207 00	0.6	1.2	560	7	16	1.50	<	<	<	<	<	<	<	2.7	3.6	<2	39.09	-	-	8.0	80	0.36
106F 775208 00	0.4	1.4	800	6	13	1.40	<	<	<	<	1	<	<	2.7	3.4	<2	37.38	-	-	8.0	110	0.36
106F 775209 00	0.2	<	<	4	6	0.85	<	<	<	<	<	<	<	1.3	1.0	<2	33.14	-	-	7.8	24	0.02
106F 775210 10	0.3	<	81	4	9	0.83	<	<	<	<	<	<	<	1.0	1.2	<2	34.21	-	-	8.0	24	0.18
106F 775211 20	0.2	<	59	4	5	0.73	<	<	<	<	<	<	<	0.9	1.2	<2	38.24	-	-	8.0	28	0.18
106F 775213 00	0.3	0.7	160	5	7	1.00	<	<	<	<	<	<	<	1.5	1.7	<2	43.15	10	15.39	8.0	44	0.04
106F 775214 00	0.9	1.1	370	10	13	1.70	<	<	<	<	<	<	<	2.7	2.3	<2	28.31	-	-	8.1	36	0.50
106F 775215 00	0.6	0.6	680	5	9	1.00	<	<	<	<	<	<	<	1.6	1.9	<2	15.84	-	-	8.1	36	0.20
106F 775216 00	1.1	4.0	1400	25	49	4.90	<	0.7	<	0.3	5	1.0	<	7.8	3.7	3	25.95	-	-	8.1	70	0.02
106F 775217 00	0.3	2.5	640	19	39	4.00	<	0.5	<	0.2	2	<	<	5.9	1.7	<2	32.79	-	-	7.9	56	0.22
106F 775218 00	0.8	1.8	270	11	20	2.10	<	<	<	<	2	<	<	3.5	2.4	<2	4.35	-	-	8.2	40	0.12
106F 775219 00	0.8	2.2	300	23	51	5.80	<	0.8	2	0.3	13	0.7	<	6.4	3.3	<2	33.58	-	-	7.7	40	0.02
106F 775220 00	1.3	6.8	610	38	85	9.40	<	1.6	6	0.7	13	1.4	1	12.0	5.1	<2	17.31	-	-	7.3	30	0.22
106F 775222 00	1.3	3.9	450	38	87	8.50	<	1.2	4	0.6	18	1.3	<	10.0	4.2	<2	23.51	-	-	7.7	56	0.02
106F 775223 00	1.1	4.4	610	39	92	10.00	2	1.7	6	1.1	33	1.7	<	12.0	6.1	<2	31.05	-	-	7.9	78	0.02

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTH Easting	Northing	Rock Unit	Age	Sample Type	Stream Width	Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Comp	Bottom Pcpt	Bank Pcpt	Physiog. Drainage	Type	Stream Class	Source
106F	775224	00	08	561947	7248249	DLMTc	07	Sed/Water	15	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775225	00	08	562953	7245357	SNDsb	07	Sed/Water	3	3	-	Alluv	Clear	Modrt	Gy-Blu	111	-	Yellow	Dendrc	Intermit	Primary	Sp'ghelt
106F	775226	00	08	563346	7245069	SNDsb	07	Sed/Water	10	3	-	Alluv	Clear	Fast	Rd-Bn	111	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775227	00	08	546958	7256664	LMSng	18	Sed/Water	10	5	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775228	00	08	549356	7263454	SHLEe	18	Sed/Water	5	4	-	Alluv	Clear	Modrt	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775229	10	08	553572	7263794	SHLEe	18	Sed/Water	12	8	-	Alluv	Clear	Fast	Black	210	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775230	20	08	553572	7263794	SHLEe	18	Sed/Water	12	8	-	Alluv	Clear	Fast	Black	210	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775231	00	08	556921	7263529	SHLEe	18	Sed/Water	4	4	-	Alluv	Clear	Modrt	Gy-Blu	210	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775232	00	08	555185	7260334	SHLEe	18	Sed/Water	1	1	-	Alluv	Clear	Slow	Rd-Bn	210	-	Rd-Bn	Dendrc	Intermit	Primary	Sp'ghelt
106F	775233	00	08	553854	7257602	SHLEe	18	Sed/Water	3	3	-	Alluv	Clear	Modrt	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775234	00	08	554637	7257801	SHLEe	18	Sed/Water	2	3	-	Alluv	Clear	Slow	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775235	00	08	553759	7255262	LMSng	18	Sed/Water	5	4	-	Alluv	Clear	Modrt	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775237	00	08	550176	7260271	SHLEe	18	Sed/Water	8	6	-	Alluv	Clear	Fast	Gy-Blu	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775238	00	08	551614	7255707	DLMTg	15	Sed/Water	12	8	-	Alluv	Clear	Fast	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775239	00	08	549897	7252207	LMSng	18	Sed/Water	5	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775240	00	08	549395	7253469	DLMTg	15	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Primary	Sp'ghelt
106F	775242	00	08	548480	7251226	LMSng	18	Sed/Water	4	5	-	Alluv	Clear	Modrt	Rd-Bn	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775244	00	08	551013	7246968	GLCM	44	Sed/Water	3	3	-	Alluv	Clear	Modrt	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775245	00	08	551000	7246332	GLCM	44	Sed/Water	8	5	-	Alluv	Clear	Fast	Rd-Bn	210	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775246	00	08	553235	7243430	SNDsb	07	Sed/Water	20	8	-	Alluv	Clear	Fast	Rd-Bn	210	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775247	00	08	553862	7250694	DLMTg	15	Sed/Water	8	10	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775248	00	08	553976	7249957	DLMTg	15	Sed/Water	4	3	-	Alluv	Clear	Modrt	Rd-Bn	300	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775249	00	08	554555	7249737	DLMTg	15	Sed/Water	12	4	-	Alluv	Clear	Fast	Rd-Bn	300	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775251	00	08	555877	7251030	DLMTg	15	Sed/Water	20	10	-	Alluv	Clear	Fast	Rd-Bn	021	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775252	00	08	556756	7252813	DLMTg	15	Sed/Water	5	4	-	Alluv	Clear	Modrt	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Primary	Sp'ghelt
106F	775253	00	08	557736	7252057	DLMTg	15	Sed/Water	5	5	-	Alluv	Clear	Modrt	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Primary	Sp'ghelt
106F	775254	10	08	557981	7246168	SNDsb	07	Sed/Water	20	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775255	20	08	557981	7246168	SNDsb	07	Sed/Water	20	6	-	Alluv	Clear	Fast	Rd-Bn	300	-	Rd-Bn	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775256	00	08	567633	7233842	SNDsb	07	Sed/Water	10	10	-	Alluv	Clear	Fast	Gy-Blu	210	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775257	00	08	564632	7235718	SNDsb	07	Sed/Water	20	10	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775258	00	08	565024	7235970	SNDsb	07	Sed/Water	10	4	-	Alluv	Clear	Modrt	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Primary	Sp'ghelt
106F	775259	00	08	563803	7238404	SNDsb	07	Sed/Water	5	4	-	Alluv	Clear	Modrt	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775260	00	08	563257	7237748	SNDsb	07	Sed/Water	12	15	-	Alluv	Clear	Torrnt	Rd-Bn	120	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775262	00	08	561982	7236845	SNDsb	07	Sed/Water	4	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Primary	Sp'ghelt
106F	775263	00	08	559002	7239231	SNDsb	07	Sed/Water	3	4	-	Alluv	Clear	Modrt	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Primary	Sp'ghelt
106F	775264	00	08	559052	7240513	SNDsb	07	Sed/Water	3	4	-	Alluv	Clear	Modrt	Rd-Bn	210	-	Yellow	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775265	00	08	557404	7241274	SNDsb	07	Sed/Water	3	3	-	Alluv	Clear	Modrt	Rd-Bn	120	-	-	Dendrc	Intermit	Primary	Sp'ghelt
106F	775266	00	08	554254	7238007	SNDsb	07	Sed/Water	4	5	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Dendrc	Intermit	Primary	Sp'ghelt
106F	775267	00	08	551831	7238525	SNDsb	07	Sed/Water	5	3	-	Alluv	Clear	Modrt	Gy-Blu	030	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775268	00	08	552971	7240202	DLMTc	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	120	-	-	Dendrc	Intermit	Sec'ary	Sp'ghelt

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Mi	Co	Ag	Mn	Mo	Fe	Hg	U	V	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	0.2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	MADNC	COL	AAS	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106F 775224 00	38	70	18	32	75	<	1650	<	5.90	60	5.6	<	520	0.15	15.0	94	6.2	73	43	12.0	3.0	120	<
106F 775225 00	48	48	42	16	19	0.2	1000	<	4.05	90	5.3	<	640	0.15	14.0	93	4.6	18	<	15.0	15.0	140	1
106F 775226 00	48	32	18	12	11	<	310	<	2.60	50	3.9	<	580	0.11	11.0	76	3.4	13	28	8.4	6.3	120	1
106F 775227 00	18	10	4	8	3	<	140	2	0.70	20	1.3	<	960	0.16	2.7	33	0.8	<	4.8	4.6	30	2	
106F 775228 00	88	10	5	15	11	<	370	<	2.30	60	3.2	<	580	0.20	7.8	93	2.7	12	28	9.5	1.2	39	<
106F 775229 10	420	40	13	87	30	<	400	9	3.80	80	6.5	<	5100	0.23	10.0	130	3.9	27	92	28.0	<	100	14
106F 775230 20	430	42	13	84	27	0.2	400	10	3.95	80	6.8	<	4400	0.22	9.4	89	3.9	28	88	34.0	1.8	96	15
106F 775231 00	270	20	14	30	11	0.4	320	3	3.15	60	3.8	<	2600	0.24	10.0	110	3.9	14	46	22.0	2.2	90	5
106F 775232 00	66	14	5	12	5	<	260	2	1.15	30	2.3	<	400	0.20	4.3	30	1.5	5	20	4.1	3.7	46	2
106F 775233 00	12	8	<	5	2	<	120	2	0.50	10	1.7	<	160	0.17	1.9	27	0.6	<	2.5	4.2	4.2	17	2
106F 775234 00	32	10	4	10	3	<	210	3	0.75	10	2.1	<	100	0.19	3.0	31	1.0	5	<	4.2	4.2	29	2
106F 775235 00	12	8	<	4	<	<	110	2	0.45	10	1.7	<	100	0.15	1.5	<	0.5	<	2.5	3.8	13	2	2
106F 775237 00	90	18	11	21	10	<	220	<	2.35	70	2.8	<	1380	0.21	8.4	88	3.0	11	28	17.0	2.0	56	2
106F 775238 00	18	10	5	7	3	<	180	2	0.75	20	1.3	<	160	0.24	3.2	34	1.0	5	11	4.2	4.1	31	2
106F 775239 00	10	8	2	5	<	<	110	2	0.45	20	1.4	<	120	0.15	1.7	<	0.5	<	2.5	5.3	15	2	2
106F 775240 00	10	8	2	6	<	<	150	2	0.60	10	1.3	<	100	0.16	1.8	<	0.7	<	2.3	5.1	20	1	1
106F 775242 00	10	10	3	7	2	<	140	2	0.65	10	1.1	<	140	0.15	1.8	24	0.7	<	3.5	4.5	25	<	<
106F 775244 00	78	18	28	11	9	0.2	290	<	1.55	40	2.7	<	580	0.16	7.3	68	2.3	8	<	6.2	9.4	110	<
106F 775245 00	36	38	17	15	19	<	750	<	2.50	40	3.8	<	460	0.13	10.0	88	3.4	23	26	11.0	8.7	140	<
106F 775246 00	34	38	22	13	19	0.2	780	<	2.30	40	4.3	<	420	0.13	10.0	71	3.0	15	34	12.0	12.0	130	<
106F 775247 00	10	8	2	5	2	<	130	2	0.60	10	1.3	<	120	0.16	2.0	21	0.7	<	3.2	5.4	25	<	<
106F 775248 00	24	12	6	6	5	<	470	2	1.00	30	1.7	<	160	0.17	3.1	23	1.2	6	<	4.2	6.5	29	2
106F 775249 00	14	10	4	7	2	<	230	3	0.75	10	1.4	<	140	0.16	2.7	24	1.0	<	3.3	5.6	35	2	2
106F 775251 00	34	14	12	7	5	<	280	2	0.95	30	2.2	<	300	0.13	5.0	39	1.3	5	<	4.5	5.1	63	<
106F 775252 00	10	8	3	6	2	<	130	3	0.55	20	1.1	<	120	0.14	2.1	34	0.7	<	2.6	4.2	24	1	1
106F 775253 00	10	10	3	8	3	<	170	2	0.85	20	1.1	<	160	0.14	2.9	37	1.0	<	10	2.7	3.9	43	<
106F 775254 10	18	20	14	9	14	<	550	<	1.75	40	4.9	<	460	0.08	7.8	55	1.8	13	30	10.0	7.4	130	3
106F 775255 20	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	4.4	ns	ns	0.12	8.8	<100	1.4	<25	<50	12.0	<41.0	140	60
106F 775256 00	46	44	15	16	14	<	1100	<	2.50	90	3.0	<	420	0.15	8.3	57	2.9	14	<	13.0	0.8	100	4
106F 775257 00	46	34	22	12	11	<	835	<	2.40	60	2.4	<	400	0.15	8.7	55	3.3	16	<	9.4	3.5	100	<
106F 775258 00	124	62	43	25	24	<	880	<	4.90	190	3.5	<	460	0.15	13.0	85	5.2	26	33	17.0	9.2	150	<
106F 775259 00	96	44	32	17	14	<	785	2	2.55	90	2.7	<	380	0.15	7.1	42	3.4	16	17	12.0	7.1	77	2
106F 775260 00	62	36	19	12	11	<	745	<	2.40	80	2.6	<	420	0.13	9.0	65	3.4	15	<	10.0	4.4	100	<
106F 775262 00	78	46	51	16	15	<	955	<	2.60	90	2.8	<	440	0.19	9.2	60	3.5	19	<	15.0	3.9	110	2
106F 775263 00	140	62	51	22	20	<	1150	<	3.50	90	3.1	<	520	0.20	9.5	<	3.8	21	29	18.0	2.7	110	6
106F 775264 00	78	52	49	16	16	<	920	<	2.80	30	4.1	<	460	0.22	9.4	50	3.4	18	20	16.0	1.9	110	<
106F 775265 00	52	32	23	13	14	<	860	<	2.10	30	4.4	<	400	0.21	7.3	57	2.0	13	<	12.0	1.7	93	<
106F 775266 00	42	36	16	26	29	<	1200	<	3.15	50	3.5	<	380	0.19	10.0	62	3.8	30	26	7.0	1.5	96	<
106F 775267 00	10	20	8	7	8	<	370	<	1.50	10	2.9	<	200	0.09	8.4	43	2.2	12	<	7.0	0.8	100	<
106F 775268 00	106	36	41	15	15	<	910	2	2.65	60	4.4	<	2000	0.15	9.4	61	3.7	18	<	11.0	1.9	130	<

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F

Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCH	ISE	LIF
106F 775224 00	1.8	10.0	490	47	110	10.70	2	2.0	6	0.7	15	1.7	2	14.0	5.8	<2	7.83	-	-	6.9	<	0.50
106F 775225 00	2.5	15.0	600	40	91	9.00	<	1.5	5	0.6	9	1.3	<	13.0	5.6	4	15.00	-	-	7.2	<	0.02
106F 775226 00	1.5	8.7	480	39	94	8.10	<	1.3	4	0.5	9	1.1	<	10.0	3.6	<2	5.26	-	-	7.7	72	0.02
106F 775227 00	0.3	1.2	1300	8	19	1.60	<	<	<	<	1	<	<	2.6	1.5	<2	29.16	-	-	7.7	<	0.10
106F 775228 00	0.6	2.2	480	22	45	4.10	<	0.7	3	0.2	7	0.8	<	7.2	2.9	<2	15.97	-	-	6.6	36	0.02
106F 775229 10	3.3	4.9	5440	29	57	5.30	2	0.8	2	<	3	1.0	<	8.6	6.2	<2	4.60	-	-	7.5	250	0.26
106F 775230 20	3.8	5.4	5660	28	49	5.90	<	0.9	2	<	4	1.1	<	9.2	7.9	<2	13.36	-	-	7.7	280	0.28
106F 775231 00	3.4	5.1	3000	31	59	5.80	<	1.1	<	0.2	5	1.1	<	9.1	4.3	<2	13.36	-	-	7.5	220	0.10
106F 775232 00	0.6	1.6	370	20	40	4.10	<	0.7	2	0.2	8	0.5	<	5.1	2.2	<2	10.13	-	-	8.4	44	0.38
106F 775233 00	0.2	0.8	80	6	14	1.20	<	<	<	<	1	<	<	1.9	2.0	<2	33.73	-	-	8.1	30	0.14
106F 775234 00	0.4	1.3	180	10	22	2.00	<	<	<	<	2	<	<	3.2	2.3	<2	34.10	-	-	8.1	32	0.20
106F 775235 00	0.2	<	63	5	10	0.92	<	<	<	<	<	<	<	1.6	1.8	<2	14.42	-	-	8.1	22	0.08
106F 775237 00	1.0	3.1	1500	22	39	4.10	<	0.7	2	0.3	3	0.6	<	7.1	3.1	<2	24.48	-	-	8.3	48	0.20
106F 775238 00	0.3	1.1	160	9	18	1.90	<	<	<	<	1	<	<	3.3	1.7	<2	36.68	-	-	8.1	<	0.14
106F 775239 00	0.2	0.8	53	5	15	1.10	<	<	<	<	<	<	<	1.8	1.6	<2	35.96	-	-	8.2	34	0.02
106F 775240 00	0.2	0.6	67	7	13	1.30	<	<	<	<	<	<	<	2.0	1.4	<2	38.18	-	-	8.2	44	0.06
106F 775242 00	0.3	0.9	68	6	12	1.50	<	<	<	<	<	<	<	2.6	1.3	<2	27.10	-	-	8.2	34	0.02
106F 775244 00	0.9	5.2	520	36	79	7.10	<	1.0	3	0.4	10	0.9	<	9.2	3.2	8	10.96	-	-	8.2	34	0.06
106F 775245 00	1.2	9.2	450	40	91	9.20	<	1.4	4	0.6	11	1.1	1	11.0	4.2	<2	14.34	-	-	7.4	22	0.02
106F 775246 00	1.4	10.0	470	41	91	9.40	<	1.4	5	0.6	12	1.0	1	12.0	4.6	5	9.68	-	-	7.3	20	0.02
106F 775247 00	0.2	0.8	97	7	13	1.50	<	<	<	<	<	<	<	2.4	1.8	<2	44.25	-	-	8.0	<	0.04
106F 775248 00	0.4	1.8	210	9	21	2.00	<	<	<	<	2	<	<	3.0	1.5	<2	6.57	-	-	7.8	<	0.02
106F 775249 00	0.3	1.4	120	9	21	1.80	<	<	<	<	1	<	<	2.9	1.6	<2	25.72	-	-	7.5	20	0.02
106F 775251 00	0.6	4.2	290	20	46	4.70	<	0.6	2	0.2	8	0.6	1	5.7	2.6	<2	19.41	-	-	7.5	40	0.02
106F 775252 00	0.2	1.1	86	6	15	1.40	<	<	<	<	<	<	<	2.5	1.4	<2	37.50	-	-	8.0	42	0.16
106F 775253 00	0.2	1.6	110	9	17	2.00	<	<	<	<	1	<	<	3.5	1.4	<2	34.61	-	-	8.0	28	0.02
106F 775254 10	1.2	8.6	370	29	77	7.80	1	1.7	2	0.3	11	1.4	2	11.0	4.8	<2	2.84	-	-	7.5	32	0.02
106F 775255 20	1.4	4.7	<250	36	100	10.00	<5	<2.5	<10	<1.0	11	<2.5	7	11.0	3.4	<10	0.16	-	-	7.3	26	0.02
106F 775256 00	2.2	5.3	390	26	53	5.60	<	1.2	3	0.4	4	0.9	2	7.8	2.8	4	2.42	-	-	7.9	54	0.14
106F 775257 00	2.3	4.8	450	31	63	6.50	<	1.0	3	0.4	6	1.1	<	8.1	3.1	<2	33.66	-	-	8.3	70	0.18
106F 775258 00	3.2	12.0	470	37	76	8.90	1	1.4	5	0.6	6	1.1	<	12.0	3.9	5	18.88	-	-	8.4	74	0.30
106F 775259 00	1.9	4.8	390	19	40	4.70	<	0.7	2	0.3	3	0.5	1	5.8	2.7	3	8.13	-	-	7.9	72	0.18
106F 775260 00	2.3	5.1	490	31	62	6.50	<	0.9	3	0.5	4	0.8	<	8.1	3.0	<2	33.36	-	-	8.3	72	0.28
106F 775262 00	3.9	4.7	530	24	47	5.60	<	1.1	3	0.3	4	0.9	<	7.5	3.0	<2	32.19	-	-	8.0	50	0.08
106F 775263 00	3.0	6.5	530	25	55	5.70	<	0.9	2	0.3	5	1.2	1	7.6	3.2	4	1.68	-	-	7.8	32	0.02
106F 775264 00	2.9	4.2	510	32	74	8.10	<	1.3	4	0.5	12	1.3	1	10.0	4.1	<2	15.58	-	-	7.5	34	0.02
106F 775265 00	1.8	3.9	400	33	72	8.40	1	1.1	3	0.3	16	1.6	2	11.0	4.8	<2	21.11	-	-	7.4	32	0.02
106F 775266 00	1.2	3.3	380	30	75	7.80	1	1.4	4	0.6	12	1.6	2	10.0	4.4	<2	19.98	-	-	7.9	42	0.02
106F 775267 00	0.9	3.3	250	30	66	7.80	<	1.4	5	0.8	12	1.1	<	8.9	3.9	<2	39.07	-	-	8.0	52	0.16
106F 775268 00	2.2	6.6	2400	41	92	8.30	1	1.3	4	0.5	13	1.2	1	12.0	4.6	<2	15.96	-	-	8.0	74	0.22

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Field Data

Map Sheet	Sample ID	Rep Stat	Zn	UTM Easting	UTM Northing	Rock Unit	Rock Age	Sample Type	Stream Width	Stream Depth	Sample Cont.	Bank Type	Water Colour	Stream Flow	Sample Colour	Sample Comp	Bottom Pcpt	Bank Pcpt	Physiog.	Stream Drainage	Type	Stream Class	Source
106F	775269	00	08	549393	7238659	SNDsb	07	Sed/Water	10	8	-	Alluv	Clear	Fast	Rd-Bn	030	-	Yellow	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775270	00	08	547588	7240435	SNDsb	07	Sed/Water	2	2	-	Alluv	Clear	Slow	Rd-Bn	210	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt
106F	775271	00	08	550337	7231826	SNDsb	07	Sed/Water	10	6	-	Alluv	Clear	Modert	Rd-Bn	030	-	-	Moun/Y	Dendrc	Intermit	Sec'ary	Sp'ghelt



National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Yukon, 1990, GSC OF CANADA, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Zn	Cu	Pb	Ni	Co	Ag	Mn	Mo	Fe	Hg	U	W	Ba	Na	Sc	Cr	Fe	Co	Ni	As	Br	Rb	Mo
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppb	ppm	ppm	ppm	pct	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit:	2	2	2	2	2	0.2	5	2	0.02	10	0.2	4	40	0.02	0.2	20	0.2	5	10	0.5	0.5	5	1
Analytical Method:	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AASCV-AAS	AAS	NADNC	COL	AAS	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA
106F 775269 00	24	22	11	12	12	<	730	<	2.10	20	3.9	<	200	0.09	9.0	51	3.1	16	<	11.0	1.1	100	<
106F 775270 00	44	28	9	10	9	<	450	<	2.00	30	2.8	<	580	0.20	8.6	61	2.8	9	<	4.9	49.0	88	<
106F 775271 00	126	42	41	18	19	<	560	2	4.35	40	4.4	<	480	0.40	12.0	81	4.4	18	21.0	4.6	120	<	

National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data. Yukon, 1990, GSC OF-2175, NGR 137-1990. NTS 106C, 106D, 106E, 106F  
Analytical Data

Variable:	Sb	Cs	Ba	La	Ce	Sm	Eu	Tb	Yb	Lu	Hf	Ta	W	Th	U	Au	Wt	Au1	Au1/Wt	pH	F-W	U-W
Units:	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	gm	ppb	gm	-	ppb	ppb
Detection Limit:	0.1	0.5	50	2	5	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method:	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
106F 775269 00	1.7	4.1	200	41	94	9.40	<	1.7	6	0.9	22	1.8	2	13.0	5.1	<2	37.97	-	-	8.0	46	0.10
106F 775270 00	0.9	4.8	560	29	63	6.70	<	1.1	3	0.4	9	0.9	<	8.2	3.1	<2	20.08	-	-	8.1	58	0.22
106F 775271 00	2.2	10.0	490	37	76	9.00	<	1.8	4	0.7	8	1.7	<	12.0	4.6	2	23.70	-	-	7.9	40	0.02



Summary Statistics for Total Data Set

Variable Units Detection Limit Analytical Method	Zn ppm 2 AAS	Cu ppm 2 AAS	Pb ppm 2 AAS	Ni ppm 2 AAS	Co ppm 2 AAS	Ag ppm 0.2 AAS	Mn ppm 5 AAS	Mo ppm 2 AAS	Fe pct 0.02 AAS	Hg ppb 10 V-AAS	U ppm 0.2 NADNC	V ppm 4 COL	Ba ppm 40 AAS
Number of Values	2036	2036	2036	2036	2036	2036	2036	2036	2036	1278	2044	2035	2019
Values > D.L.	2036	2036	2012	2024	1873	247	2036	1222	2036	1278	2044	282	2018
Number of Missing Values	22	22	22	22	22	22	22	22	22	780	14	23	39
Mean	169.80	43.58	28.83	27.69	13.86	0.1464	803.31	2.91	2.20	82.54	3.69	2.95	1009.57
Standard Deviation	274.32	91.41	46.17	38.78	13.62	0.2564	738.70	3.95	1.32	93.99	6.61	10.78	3367.70
Skewness	7.91	22.00	8.28	8.02	5.22	15.75	3.40	6.68	1.10	6.00	33.47	20.96	25.44
Excess Kurtosis	93.23	600.17	109.51	94.88	56.42	364.93	19.87	62.05	3.29	62.91	1344.24	459.80	737.21
Coef. of Var. %	161.55	209.72	160.15	140.05	98.27	0.0000	91.96	0.0000	0.0000	113.87	179.41	365.84	333.58
Std Error of the Mean	6.08	2.03	1.02	0.8594	0.3018	0.0057	16.37	0.0875	0.0292	2.63	0.1463	0.2389	74.95
Lower 95% limit on Mean	157.87	39.61	26.82	26.00	13.26	0.1353	771.19	2.73	2.14	77.38	3.40	2.48	862.53
Upper 95% limit on Mean	181.73	47.56	30.84	29.37	14.45	0.1576	835.43	3.08	2.26	87.70	3.97	3.41	1156.61
Geometric Statistics													
Mean	109.58	29.80	17.32	18.86	9.39	0.1164	587.28	2.06	1.75	58.53	2.97	2.27	632.98
Log10 Mean	2.04	1.47	1.24	1.28	0.9725	-0.9340	2.77	0.3130	0.2430	1.77	0.4721	0.3554	2.80
Log10 S.D.	0.3676	0.3469	0.4210	0.3694	0.4253	0.2058	0.3498	0.3193	0.3332	0.3510	0.2560	0.1695	0.3416
Log10 Std. Error of Mean	0.0081	0.0077	0.0093	0.0082	0.0094	0.0046	0.0078	0.0071	0.0074	0.0098	0.0057	0.0038	0.0076
Lower 95% limit on Mean	105.62	28.78	16.60	18.17	9.00	0.1140	567.07	1.99	1.69	55.99	2.89	2.23	611.60
Upper 95% limit on Mean	113.69	30.85	18.06	19.57	9.80	0.1188	608.22	2.12	1.81	61.19	3.04	2.31	655.10
Percentiles													
Min Value	6.00	5.00	1.00	1.00	1.00	0.1000	30.00	1.00	0.0500	10.00	0.4000	2.00	20.00
25th %tile	66.00	16.00	10.00	12.00	6.00	0.1000	360.00	1.00	1.25	30.00	2.10	2.00	400.00
50th %tile	100.00	30.00	16.00	20.00	12.00	0.1000	620.00	2.00	2.10	60.00	3.00	2.00	620.00
75th %tile	178.00	50.00	31.00	30.00	17.00	0.1000	996.00	3.00	2.90	100.00	4.20	2.00	900.00
80th %tile	205.00	58.00	38.00	34.00	19.00	0.1000	1100.00	4.00	3.15	110.00	4.50	2.00	1040.00
90th %tile	300.00	82.00	59.00	49.00	26.00	0.2000	1550.00	5.00	3.85	160.00	5.80	4.00	1640.00
95th %tile	485.00	110.00	92.00	70.00	34.00	0.4000	2150.00	7.00	4.60	200.00	7.50	4.00	2400.00
98th %tile	895.00	153.00	130.00	120.00	47.00	0.7000	2900.00	13.00	5.35	340.00	11.50	6.00	4600.00
99th %tile	1320.00	200.00	210.00	175.00	65.00	1.00	3600.00	21.00	6.05	480.00	15.00	8.00	9999.00
Max Value	5000.00	2850.00	870.00	660.00	240.00	7.40	18000.00	56.00	12.25	1550.00	273.00	250.00	99999

Summary Statistics for Total Data Set

Variable Units Detection Limit Analytical Method	Na pct INA	Sc ppm INA	Cr ppm INA	Fe pct INA	Co ppm INA	Ni ppm INA	As ppm INA	Br ppm INA	Rb ppm INA	Mo ppm INA	Sb ppm INA	Cs ppm INA	Ba ppm INA	La ppm INA	Ce ppm INA
Number of Values	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032
Values > D.L.	2030	2032	1796	2008	1682	1400	2024	1893	1993	1304	2024	1945	2010	2028	1978
Number of Missing Values	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
Mean	0.4529	8.76	74.78	3.05	16.57	30.90	16.74	4.38	73.58	5.92	1.94	4.11	926.67	33.79	63.60
Standard Deviation	0.3265	5.25	63.72	2.08	16.97	51.44	48.59	5.75	45.77	46.06	2.30	2.99	1640.52	25.33	46.49
Skewness	5.96	3.16	9.72	7.30	6.59	10.48	17.55	7.85	2.04	21.87	9.33	2.63	10.40	4.37	3.98
Excess Kurtosis	110.95	47.07	190.60	155.89	84.90	176.74	376.64	104.97	22.88	519.45	149.19	20.30	162.02	57.08	50.77
Coef. of Var. %	0.0000	0.0000	85.22	0.0000	102.46	166.47	290.33	0.0000	62.19	0.0000	0.0000	0.0000	177.03	74.95	73.10
Std Error of the Mean	0.0072	0.1165	1.41	0.0461	0.3766	1.14	1.08	0.1276	1.02	1.02	0.0510	0.0664	36.39	0.5618	1.03
Lower 95% limit on Mean	0.4387	8.53	72.00	2.96	15.83	28.66	14.62	4.13	71.59	3.92	1.84	3.98	855.27	32.69	61.57
Upper 95% limit on Mean	0.4671	8.98	77.55	3.14	17.31	33.14	18.85	4.63	75.58	7.93	2.04	4.24	998.07	34.89	65.62
Geometric Statistics															
Mean	0.3701	7.00	57.39	2.41	11.69	18.15	10.55	2.80	56.65	1.75	1.38	3.07	571.15	26.04	47.92
Log10 Mean	-0.4317	0.8452	1.76	0.3813	1.07	1.26	1.02	0.4473	1.75	0.2428	0.1405	0.4876	2.76	1.42	1.68
Log10 S.D.	0.2795	0.3340	0.3483	0.3483	0.3810	0.4393	0.3562	0.4308	0.3714	0.5121	0.3607	0.3738	0.4082	0.3420	0.3763
Log10 Std. Error of Mean	0.0062	0.0074	0.0077	0.0077	0.0085	0.0097	0.0079	0.0096	0.0082	0.0114	0.0080	0.0083	0.0091	0.0076	0.0083
Lower 95% limit on Mean	0.3599	6.77	55.43	2.32	11.25	17.37	10.18	2.68	54.58	1.66	1.33	2.96	548.25	25.16	46.14
Upper 95% limit on Mean	0.3806	7.24	59.43	2.49	12.14	18.97	10.93	2.92	58.80	1.84	1.43	3.19	595.00	26.95	49.76
Percentiles															
Min Value	0.0100	0.4000	10.00	0.1000	2.50	5.00	0.2500	0.2500	2.50	0.5000	0.0500	0.2500	25.00	1.00	2.50
25th Xtile	0.2100	5.10	42.00	1.90	8.00	5.00	6.70	1.70	41.00	0.5000	0.8000	2.10	350.00	19.00	35.00
50th Xtile	0.3800	8.90	73.00	3.00	14.00	22.00	11.00	3.10	70.00	2.00	1.40	3.60	590.00	30.00	57.00
75th Xtile	0.6100	12.00	96.00	3.90	20.00	37.00	17.00	5.10	100.00	4.00	2.30	5.50	930.00	44.00	82.00
80th Xtile	0.6800	12.00	100.00	4.10	22.00	42.00	18.00	5.90	110.00	4.00	2.70	6.10	1100.00	48.00	91.00
90th Xtile	0.8300	14.00	120.00	5.10	30.00	58.00	26.00	8.70	130.00	7.00	3.80	7.70	1800.00	62.00	120.00
95th Xtile	1.00	16.00	140.00	6.10	41.00	80.00	36.00	12.00	150.00	11.00	5.00	9.30	2600.00	74.00	140.00
98th Xtile	1.20	20.50	180.00	7.40	61.00	140.00	57.90	18.00	180.00	28.00	6.90	11.00	4500.00	94.00	180.00
99th Xtile	1.30	23.00	230.00	8.50	75.00	240.00	103.00	24.00	200.00	46.00	8.90	14.00	7090.00	110.00	200.00
Max Value	7.56	101.00	1600.00	52.30	330.00	1200.00	1340.00	115.00	749.00	1240.00	49.60	41.00	33900	488.00	874.00

Summary Statistics for Total Data Set

Variable Units	Sm ppm	Eu ppm	Tb ppm	Yb ppm	Lu ppm	Hf ppm	Ta ppm	W ppm	Th ppm	U ppm	Au ppb	Wt gm	Au1 ppb	Au1/Wt gm	pH	F-W ppb	U-W ppb
Detection Limit	0.10	1	0.5	2	0.2	1	0.5	1	0.2	0.2	2	0.01	2	0.01	-	20	0.02
Analytical Method	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	INA	-	INA	-	GCM	ISE	LIF
Number of Values	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032	2032	117	116	1975	1732	1732
Values > D.L.	2030	599	1504	1160	1227	1829	1550	902	2025	2020	958	2031	72	116	1975	1324	1369
Number of Missing Values	26	26	26	26	26	26	26	26	26	26	26	26	1941	1942	83	326	326
Mean	5.85	0.8132	0.8407	2.18	0.3406	4.92	1.04	1.55	9.38	4.08	4.61	21.93	6.96	15.04	7.82	41.52	0.4725
Standard Deviation	3.91	0.7500	0.5594	1.32	0.3131	3.57	0.8672	7.54	6.74	5.83	19.57	12.11	10.96	7.74	0.7315	35.82	1.45
Skewness	4.22	9.92	4.42	2.96	4.06	3.20	4.02	20.11	4.39	27.28	28.36	0.0799	5.38	2.89	-2.59	2.91	16.30
Excess Kurtosis	59.05	215.73	61.43	36.90	44.17	29.99	30.93	440.64	66.79	998.20	989.00	-0.9459	40.20	21.30	6.70	15.27	344.38
Coef. of Var. %	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	55.22	157.54	51.47	0.0000	0.0000	0.0000
Std Error of the Mean	0.0867	0.0166	0.0124	0.0293	0.0069	0.0792	0.0192	0.1672	0.1495	0.1293	0.4342	0.2686	1.01	0.7187	0.0165	0.8606	0.0348
Lower 95% limit on Mean	5.68	0.7806	0.8164	2.12	0.3270	4.77	0.9994	1.23	9.08	3.83	3.76	21.40	4.95	13.61	7.79	39.83	0.4042
Upper 95% limit on Mean	6.02	0.8459	0.8650	2.23	0.3543	5.08	1.07	1.88	9.67	4.33	5.46	22.46	8.96	16.46	7.86	43.21	0.5408
Geometric Statistics																	
Mean	4.67	0.6784	0.6861	1.85	0.2435	3.65	0.7919	0.8735	7.20	3.29	2.26	16.51	3.50	12.50	7.78	30.88	0.1685
Log10 Mean	0.6692	-0.1685	-0.1636	0.2661	-0.6136	0.5627	-0.1014	-0.0587	0.8571	0.5171	0.3539	1.22	0.5440	1.10	0.8910	1.49	-0.7734
Log10 S.D.	0.3251	0.2273	0.2910	0.2493	0.3555	0.3834	0.3284	0.3255	0.3576	0.2737	0.4260	0.4352	0.5034	0.3384	0.0473	0.3380	0.6352
Log10 Std. Error of Mean	0.0072	0.0050	0.0065	0.0055	0.0079	0.0085	0.0073	0.0072	0.0079	0.0061	0.0094	0.0097	0.0465	0.0314	0.0011	0.0081	0.0153
Lower 95% limit on Mean	4.52	0.6631	0.6664	1.80	0.2349	3.52	0.7662	0.8455	6.94	3.20	2.16	15.80	2.83	10.84	7.74	29.77	0.1573
Upper 95% limit on Mean	4.82	0.6941	0.7064	1.89	0.2523	3.80	0.8183	0.9025	7.46	3.38	2.36	17.24	4.33	14.43	7.82	32.03	0.1805
Percentiles																	
Min Value	0.0500	0.5000	0.2500	1.00	0.1000	0.5000	0.2500	0.5000	0.1000	0.1000	1.00	0.0100	1.00	0.4000	3.50	10.00	0.0200
25th %tile	3.40	0.5000	0.2500	1.00	0.1000	3.00	0.5000	0.5000	5.10	2.30	1.00	12.27	1.00	12.18	7.80	20.00	0.0600
50th %tile	5.50	0.5000	0.8000	2.00	0.3000	5.00	0.9000	0.5000	8.70	3.30	1.00	21.86	3.00	15.32	8.10	34.00	0.2200
75th %tile	7.50	1.00	1.10	3.00	0.5000	7.00	1.30	2.00	12.00	4.60	5.00	31.49	9.00	17.69	8.20	52.00	0.5000
80th %tile	8.10	1.00	1.20	3.00	0.6000	7.00	1.40	2.00	13.00	5.00	6.00	33.56	11.00	19.42	8.20	58.00	0.6000
90th %tile	10.00	2.00	1.40	4.00	0.7000	9.00	1.80	2.00	18.00	6.50	8.00	38.47	15.00	21.61	8.30	80.00	0.9600
95th %tile	11.90	2.00	1.60	4.00	0.8000	10.00	2.40	3.00	21.80	8.20	12.00	41.94	26.00	24.55	8.40	110.00	1.50
98th %tile	14.80	2.00	2.00	5.00	1.00	13.00	3.30	5.00	25.80	12.00	23.00	44.76	28.00	25.10	8.50	140.00	2.60
99th %tile	17.00	3.00	2.30	6.00	1.20	15.00	4.00	6.00	29.00	17.00	33.00	46.20	29.00	25.78	8.50	180.00	4.00
Max Value	77.10	20.00	11.00	24.00	5.30	53.00	11.00	193.00	138.00	224.00	736.00	51.93	99.00	70.84	8.70	400.00	37.80

