

Table C-1: Rose Creek Drainage Water Quality
2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L			mg/L	mg/L	°C	mg/L	mg/L	NTU
ETA Combined	9/2/2010	<0.5	<0.5			12.00			<0.5		7060.0	>3999.0		<0.5	1.10	0.01	0.90	0.89	<0.5	4.9	6.0	6600.0	6400.00	5		170	
ETA Combined	10/20/2010	<0.5	<0.5	3600	4140	12.00			<0.5		7510.0	>3999.0		<0.5	1.30	0.01	0.34	0.33	<0.5	4.9	6.3	6900.0	7400.00	2		190	
ETA Combined	11/8/2010	1.80	<0.5	3880	3900	9.50			<0.5		7450.0	>3999.0		2.10	0.95	0.02	0.03	<0.02	<0.5	5.1	6.1	7200.0	7200.00	2		150	
ETA Combined	12/1/2010	3.40	<0.5	3720		11.00			<0.5		7360.0	>3999.0		4.10	1.20	<0.5	<0.02	<0.5	<0.5	5.3	6.2	7500.0	9000.00	2		140	
ETA Combined Average		1.43	0	3733	4020	11.13			0.25		7345.0	>3999.0		1.68	1.14	0.07	0.32	0.37	0	5.0	6.1	7050.0	7500.00	3		163	
ETA Combined Max		3.40	<0.5	3880	4140	12.00			<0.5		7510.0	>3999.0		4.10	1.30	<0.5	0.90	0.89	<0.5	5.3	6.3	7500.0	9000.00	5		190	
ETA Combined Min		<0.5	<0.5	3600	3900	9.50			<0.5		7060.0	>3999.0		<0.5	0.95	0.01	<0.02	<0.02	<0.5	4.9	6.0	6600.0	6400.00	2		140	
ETA Combined N > DL		2	0	3	2	4	0	0	0	0	4	0	0	2	4	3	3	2	0	4	4	4	4	4	0	4	0
ETA Combined Median		1.03	<0.5	3720	4020	11.50			<0.5		7405.0	>3999.0		1.18	1.15	0.02	0.19	0.33	<0.5	5.0	6.1	7050.0	7300.00	2		160	
FARO CR	5/3/2010	20.00	<0.5	25	25	<0.5			<0.5		50.0	78.0	13.5	25.00	<0.005				<0.5	7.3	7.5	<0.5	50.00	2	12.50	5	
FARO CR	6/5/2010	12.00	<0.5	14	14	<0.5			<0.5		29.0	21.0	4.2	15.00	<0.05				<0.5	7.2	7.8	<0.5	24.00	6	4.10	<1.0	
FARO CR	7/8/2010	16.00	<0.5	22	20	<0.5			<0.5		48.0	42.0	4.2	19.00	<0.05				<0.5	7.5	8.2	2.9	40.00	13	3.70	<1.0	
FARO CR	8/3/2010	39.00	<0.5	35	33	<0.5			<0.5		81.0	79.0	1.8	48.00	<0.05				<0.5	7.8	7.3	3.6	54.00	15	1.80	<1.0	
FARO CR	9/1/2010	34.00	<0.5	33	33	<0.5			<0.5		85.0	80.0	2.4	42.00	<0.05	<0.005	<0.02	<0.02	<0.5	7.7	7.8	4.6	62.00	7	3.90	<1.0	0.40
FARO CR	10/19/2010	34.00	<0.5	34	35	<0.5			<0.5		74.0	244.0	4.7	41.00	0.02	<0.005	<0.02	<0.02	<0.5	7.7	7.3	4.6	50.00	2	1.00	<1.0	0.50
FARO CR Average		25.83	0	27	26	0.25			0.25		61.2	90.7	5.1	31.67	0.02	0.00	0.01	0.01	0	7.5	7.6	2.7	46.67	7	4.50	1	0.45
FARO CR Max		39.00	<0.5	35	35	<0.5			<0.5		85.0	244.0	13.5	48.00	<0.05	<0.005	<0.02	<0.02	<0.5	7.8	8.2	4.6	62.00	15	12.50	5	0.50
FARO CR Min		12.00	<0.5	14	14	<0.5			<0.5		29.0	21.0	1.8	15.00	<0.005	<0.005	<0.02	<0.02	<0.5	7.2	7.3	<0.5	24.00	2	1.00	<1.0	0.40
FARO CR N > DL		6	0	6	6	0	0	0	0	0	6	6	6	6	1	0	0	0	0	6	6	4	6	6	6	1	2
FARO CR Median		27.00	<0.5	29	29	<0.5			<0.5		62.0	78.5	4.2	33.00	<0.05	<0.005	<0.02	0.00	<0.5	7.6	7.6	3.3	50.00	6	3.80	<1.0	0.45
FCO	6/16/2010	17.00	<0.5	47	45	<0.5			<0.5		118.0	122.0		20.00	0.15				<0.5	7.1	7.9	33.0	76.00	8		<1.0	
FCO	9/1/2010																				7.3			5			
FCO	10/7/2010	17.00	<0.5	47	47	<0.5			<0.5		123.0	70.0		21.00	0.04	<0.005	0.05	0.05	<0.5	7.2	7.5	37.0	80.00	2		3	
FCO	11/4/2010																				7.5			0			
FCO Average		17.00	0	47	46	0.25			0.25		120.5	96.0		20.50	0.10	0.00	0.05	0.05	0	7.2	7.6	35.0	78.00	4		2	
FCO Max		17.00	<0.5	47	47	<0.5			<0.5		123.0	122.0		21.00	0.15	<0.005	0.05	0.05	<0.5	7.2	7.9	37.0	80.00	8		3	
FCO Min		17.00	<0.5	47	45	<0.5			<0.5		118.0	70.0		20.00	0.04	<0.005	0.05	0.05	<0.5	7.1	7.3	33.0	76.00	0		<1.0	
FCO N > DL		2	0	2	2	0	0	0	0	0	2	2	0	2	2	0	1	1	0	2	4	2	2	4	0	1	0
FCO Median		17.00	<0.5	47	46	<0.5			<0.5		120.5	96.0		20.50	0.10	<0.005	0.05	0.05	<0.5	7.2	7.5	35.0	78.00	4		1	
FCS-4	9/2/2010	2.40	<0.5			15.00			<0.5		6080.0	>3999.0		2.90	1.10	<0.005	<0.02	<0.02	<0.5	5.3	6.3	5500.0	5700.00	4		230	
FCS-4	10/20/2010	<0.5	<0.5	4440	4220	13.00			<0.5		7180.0	>3999.0		<0.5	1.20	<0.005	0.15	0.15	<0.5	4.6	6.5	7300.0	7100.00	0		250	
FCS-4	11/10/2010	<0.5	<0.5	4400	4230	12.00			<0.5		7160.0	>3999.0		0.60	0.89	<0.005	<0.02	<0.02	<0.5	5.1	6.6	7200.0	8400.00	2		250	
FCS-4	12/2/2010	<0.5	<0.5	3980		12.00			<0.5		6890.0	>3999.0		<0.5	1.40	<0.5	0.03	<0.5	<0.5	4.7	6.7	7400.0	8200.00	3		180	
FCS-4 Average		0.79	0	4273	4225	13.00			0.25		6827.5	>3999.0		1.00	1.15	0.06	0.05	0.11	0	4.9	6.6	6850.0	7350.00	5		228	
FCS-4 Max		2.40	<0.5	4440	4230	15.00			<0.5		7180.0	>3999.0		2.90	1.40	<0.5	0.15	<0.5	<0.5	5.3	7.4	7400.0	8400.00	16		250	
FCS-4 Min		<0.5	<0.5	3980	4220	12.00			<0.5		6080.0	>3999.0		<0.5	0.89	<0.005	<0.02	<0.02	<0.5	4.6	3.8	5500.0	5700.00	0		180	
FCS-4 N > DL		1	0	3	2	4	0	0	0	0	4	0	0	2	4	0	2	1	0	4	4	4	4	4	0	4	0
FCS-4 Median		<0.5	<0.5	4400	4225	12.50			<0.5		7025.0	>3999.0		0.00	1.15	<0.005	0.00	0.13	<0.5	4.9	6.6	7250.0	7650.00	3		240	
GDHSECK	3/4/2010	230.00	<0.5	744	738	1.70			<0.5		1230.0	1110.0		280.00	0.12				<0.5	8.1	7.6	480.0	950.00	2			
GDHSECK	6/16/2010	170.00	<0.5	740	659	1.20			<0.5		1230.0	1238.0		210.00	<0.01				<0.5	8.1	8.2	490.0	990.00	6		<1.0	
GDHSECK	10/6/2010	180.00	<0.5	676	639	0.60			<0.5		1110.0	1234.0		220.00	0.03	<0.005	<0.02	<0.02	<0.5	8.1	7.1	500.0	870.00	2		<1.0	
GDHSECK Average		193.33	0	720	679	1.17			0.25		1190.0	1194.0		236.67	0.05	0.00	0.01	0.01	0	8.1	7.6	490.0	936.67	3		1	
GDHSECK Max		230.00	<0.5	744	738	1.70			<0.5		1230.0	1238.0		280.00	0.12	<0.005	<0.02	<0.02	<0.5	8.1	8.2	500.0	990.00	6		<1.0	
GDHSECK Min		170.00	<0.5	676	639	0.60			<0.5		1110.0	1110.0		210.00	<0.01	<0.005	<0.02	<0.02	<0.5	8.1	7.1	480.0	870.00	2		<1.0	
GDHSECK N > DL		3	0	3	3	3	0	0	0	0	3	3	0	3	2	0	0	0	0	3	3	3	3	3	0	0	0
GDHSECK Median		180.00	<0.5	740	659	1.20			<0.5		1230.0	1234.0		220.00	0.03	<0.005	<0.02	<0.02	<0.5	8.1	7.6	490.0	950.00	2		<1.0	

Table C-1: Rose Creek Drainage Water Quality
2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB	
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	°C	mg/L	mg/L	NTU	
NF1	2/23/2010	140.00	<0.5	160	148	<0.5			<0.5		297.0	240.0	1.5	170.00	0.02				<0.5	7.9	7.8	19.0	240.00	1	1.80	12		
NF1	3/10/2010	140.00	<0.5	155	155	<0.5			<0.5		298.0	269.0	1.0	170.00	<0.01				<0.5	8.0	7.8	20.0	180.00	2	1.10	<1.0		
NF1	4/11/2010	150.00	<0.5	143	168	<0.5			<0.5		325.0	260.0	3.2	190.00	0.04				<0.5	7.9	7.4	20.0	170.00	0	3.20	10		
NF1	5/3/2010	49.00	<0.5	53	51	1.90			<0.5		103.0	90.0	13.5	60.00	<0.005				<0.5	7.6	7.4	0.8	74.00	2	13.30	2		
NF1	6/5/2010	46.00	<0.5	54	52	<0.5			<0.5		97.0	99.0	3.1	57.00	<0.05				<0.5	7.6	7.8	6.1	70.00	4	3.20	2		
NF1	7/8/2010	64.00	<0.5	64	69	<0.5			<0.5		134.0	129.0	3.4	78.00	<0.05				<0.5	7.9	7.7	8.0	80.00	12	3.40	2		
NF1	8/3/2010	140.00	<0.5	176	169	0.80			<0.5		355.0	421.0	4.1	170.00	<0.05				<0.5	7.3	6.7	48.0	230.00	17	5.40	7		
NF1 Average		104.14	0	115	116	0.56			0.25		229.9	215.4	4.3	127.86	0.02				0	7.7	7.5	17.4	149.14	5	4.49	5		
NF1 Max		150.00	<0.5	176	169	1.90			<0.5		355.0	421.0	13.5	190.00	<0.05				<0.5	8.0	7.8	48.0	240.00	17	13.30	12		
NF1 Min		46.00	<0.5	53	51	<0.5			<0.5		97.0	90.0	1.0	57.00	<0.005				<0.5	7.3	6.7	0.8	70.00	0	1.10	<1.0		
NF1 N > DL		7	0	7	7	2	0	0	0	0	7	7	7	7	2	0	0	0	0	7	7	7	7	7	7	7	6	0
NF1 Median		140.00	<0.5	143	148	<0.5			<0.5		297.0	240.0	3.2	170.00	0.04				<0.5	7.9	7.7	19.0	170.00	2	3.20	2		
NF2	1/12/2010	130.00	<0.5	146	147	<0.5			<0.5		286.0	266.0	1.5	160.00	<0.01				<0.5	7.7	6.9	22.0	190.00	0	0.90	<1.0		
NF2	2/23/2010	140.00	<0.5	158	155	<0.5			<0.5		295.0	230.0	2.0	170.00	<0.01				<0.5	8.0	7.7	19.0	160.00	0	1.90	<1.0		
NF2	3/10/2010	140.00	<0.5	147	149	<0.5			<0.5		298.0	267.0	1.1	170.00	<0.01				<0.5	8.0	7.6	20.0	180.00	2	1.20	<1.0		
NF2	4/14/2010	150.00	<0.5	142	153	<0.5			<0.5		308.0	270.0	1.8	180.00	<0.01				<0.5	8.2	7.5	21.0	150.00	1	1.40	<1.0		
NF2	5/3/2010	52.00	<0.5	57	51	0.60			<0.5		107.0	97.0	13.9	64.00	<0.005				<0.5	7.6	7.3	<0.5	88.00	1	13.90	3		
NF2	6/4/2010	42.00	<0.5	48	48	<0.5			<0.5		87.0	81.0	3.0	51.00	<0.05				<0.5	7.6	7.9	5.6	56.00	5	3.20	4		
NF2	7/8/2010	65.00	<0.5	65	64	<0.5			<0.5		136.0	154.0	3.4	79.00	<0.05				<0.5	7.9	8.2	9.0	78.00	10	3.60	3		
NF2	8/3/2010	93.00	<0.5	89	89	<0.5			<0.5		196.0	193.0	2.3	110.00	<0.05				<0.5	8.0	7.5	10.0	110.00	13	2.10	18		
NF2	9/1/2010	89.00	<0.5	94	96	<0.5			<0.5		203.0	222.0	2.6	110.00	0.16	<0.005	0.05	0.05	<0.5	7.9	8.1	12.0	120.00	5	2.50	<1.0	0.70	
NF2	10/18/2010	96.00	<0.5	111	106	0.60			<0.5		215.0	200.0	1.5	120.00	<0.005	<0.005	0.14	0.14	<0.5	7.9	7.5	15.0	130.00	1	1.80	<1.0	1.10	
NF2	11/9/2010	110.00	<0.5	122	121	<0.5			<0.5		258.0	252.0	<0.5	140.00	0.02	<0.005	0.19	0.19	<0.5	8.1	8.1	21.0	170.00	0	1.50	<4.0	1.20	
NF2	12/1/2010	120.00	<0.5	129	131	<0.5			<0.5		262.0	120.0	1.4	150.00	0.14	<0.005	0.21	0.21	<0.5	7.9	7.4	20.0	150.00	0	1.30	<4.0	0.82	
NF2 Average		102.25	0	109	109	0.31			0.25		220.9	196.0	2.9	125.33	0.03	0.00	0.15	0.15	0	7.9	7.6	14.6	131.83	3	2.94	3	0.93	
NF2 Max		150.00	<0.5	158	155	0.60			<0.5		308.0	270.0	13.9	180.00	0.16	<0.005	0.21	0.21	<0.5	8.2	8.2	22.0	190.00	13	13.90	18	1.20	
NF2 Min		42.00	<0.5	48	48	<0.5			<0.5		87.0	81.0	<0.5	51.00	<0.005	<0.005	0.05	0.05	<0.5	7.6	6.9	<0.5	56.00	0	0.90	<1.0	0.70	
NF2 N > DL		12	0	12	12	2	0	0	0	0	12	12	11	12	3	0	4	4	0	12	12	11	12	12	12	4	4	
NF2 Median		103.00	<0.5	117	114	<0.5			<0.5		236.5	211.0	1.9	130.00	0.01	<0.005	0.17	0.17	<0.5	7.9	7.6	17.0	140.00	1	1.85	2	0.96	
NFRC SC-1	1/12/2010	130.00	<0.5	147	146	<0.5			<0.5		288.0	252.0	1.4	160.00	<0.01				<0.5	7.6	6.8	22.0	170.00	0	1.00	<1.0		
NFRC SC-1	2/23/2010	140.00	<0.5	156	152	<0.5			<0.5		298.0	250.0	1.1	170.00	<0.01				<0.5	8.0	7.8	20.0	190.00	1	1.70	<1.0		
NFRC SC-1	3/10/2010	140.00	<0.5	153	152	0.60			<0.5		304.0	269.0	1.2	170.00	<0.01				<0.5	8.0	7.8	22.0	190.00	2	1.30	<1.0		
NFRC SC-1	4/14/2010	140.00	<0.5	143	157	<0.5			<0.5		304.0	260.0	1.8	170.00	<0.01				<0.5	8.1	7.2	21.0	120.00	3	1.40	<1.0		
NFRC SC-1	5/3/2010	53.00	<0.5	55	57	<0.5			<0.5		108.0	96.0	13.1	64.00	<0.005				<0.5	7.6	7.6	<0.5	90.00	1	14.10	4		
NFRC SC-1	6/4/2010	40.00	<0.5	48	47	<0.5			<0.5		88.0	84.0	3.3	49.00	<0.05				<0.5	7.6	7.7	5.9	74.00	5	3.20	4		
NFRC SC-1	7/8/2010	65.00	<0.5	66	61	<0.5			<0.5		137.0	129.0	3.4	79.00	<0.05				<0.5	7.9	8.1	9.0	84.00	9	3.50	5		
NFRC SC-1	8/3/2010	95.00	<0.5	97	92	<0.5			<0.5		197.0	192.0	1.3	120.00	<0.05				<0.5	8.0	7.6	10.0	120.00	12	1.90	2		
NFRC SC-1	10/18/2010	98.00	<0.5	105	108	<0.5			<0.5		217.0	197.0	2.0	120.00	0.04	<0.005	0.14	0.14	<0.5	8.0	7.5	16.0	130.00	0	1.40	<1.0		
NFRC SC-1 Average		100.11	0	108	108	0.29			0.25		215.7	192.1	3.2	122.44	0.02	0.00	0.14	0.14	0	7.9	7.6	14.0	129.78	4	3.28	2		
NFRC SC-1 Max		140.00	<0.5	156	157	0.60			<0.5		304.0	269.0	13.1	170.00	<0.05	<0.005	0.14	0.14	<0.5	8.1	8.1	22.0	190.00	12	14.10	5		
NFRC SC-1 Min		40.00	<0.5	48	47	<0.5			<0.5		88.0	84.0	1.1	49.00	<0.005	<0.005	0.14	0.14	<0.5	7.6	6.8	<0.5	74.00	0	1.00	<1.0		
NFRC SC-1 N > DL		9	0	9	9	1	0	0	0	0	9	9	9	9	1	0	1	1	0	9	9	8	9	9	9	4	0	
NFRC SC-1 Median		98.00	<0.5	105	108	<0.5			<0.5		217.0	197.0	1.8	120.00	<0.01	<0.005	0.14	0.14	<0.5	8.0	7.6	16.0	120.00	2	1.70	<1.0		
NFRC SC-2	1/12/2010	130.00	<0.5	141	143	<0.5			<0.5		287.0	250.0	1.8	160.00	<0.01				<0.5	7.6	7.0	24.0	160.00	0	1.20	<1.0		
NFRC SC-2	2/23/2010	140.00	<0.5	155	151	<0.5			<0.5		300.0	240.0	1.5	170.00	<0.01				<0.5	7.9	7.8	20.0	170.00	0	1.50	<1.0		
NFRC SC-2	3/10/2010	140.00	<0.5	148	151	0.60			<0.5		301.0	269.0	1.3	170.00	<0.01				<0.5	8.0	7.6	21.0	180.00	1	1.30	<1.0		
NFRC SC-2	4/14/2010	140.00	<0.5	143	154	<0.5			<0.5		309.0	270.0	1.7	180.00	<0.01				<0.5	8.1	7.2	20.0	150.00	2	1.40	<1.0		
NFRC SC-2	5/3/2010	53.00	<0.5	55	59	<0.5			<0.5		109.0	99.0	12.2	65.00	<0.005				<0.5	7.6	7.7	<0.5	84.00	1	14.70	4		
NFRC SC-2	6/4/2010	43.00	<0.5	48	48	<0.5			<0.5		89.0	86.0	3.5	52.00	<0.05				<0.5	7.6	7.7	5.7	52.00	6	3.20	4		
NFRC SC-2	7/8/2010	62.00	<0.5	70	64	<0.5			<0.5		135.0	129.0	3.3	76.00	<0.05				<0.5	7.8	8.0	8.7	78.00	9	3.30	2		
NFRC SC-2	8/3/2010	94.00	<0.5	91	95	<0.5			<0.5		196.0	186.0	2.9	110.00	<0.05				<0.5	8.0	7.5	10.0	120.00	14	2.00	<1.0		
NFRC SC-2	10/18/2010	98.00	<0.5	105	107	<0.5			<0.5		219.0	198.0	2.0	120.00	0.04	<0.005	0.14	0.14	<0.5	8.0	7.5	17.0						

Table C-1: Rose Creek Drainage Water Quality
2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	°C	mg/L	mg/L	NTU
NFRC SC-3	1/12/2010	130.00	<0.5	144	145	<0.5			<0.5		288.0	257.0	0.9	160.00	0.02				<0.5	7.8	7.0	23.0	220.00	0	1.00	<1.0	
NFRC SC-3	2/23/2010	140.00	<0.5	150	149	<0.5			<0.5		297.0	260.0	1.7	170.00	0.02				<0.5	8.0	7.7	20.0	160.00	2	1.70	<1.0	
NFRC SC-3	3/10/2010	140.00	<0.5	144	149	<0.5			<0.5		304.0	270.0	1.0	170.00	<0.01				<0.5	8.0	7.7	21.0	170.00	1	2.10	<1.0	
NFRC SC-3	4/14/2010	140.00	<0.5	143	150	<0.5			<0.5		308.0	270.0	1.5	180.00	0.02				<0.5	8.1	7.3	20.0	130.00	2	1.50	<1.0	
NFRC SC-3	5/3/2010	54.00	<0.5	55	57	0.60			<0.5		109.0	96.0	11.8	66.00	<0.005				<0.5	7.6	7.5	<0.5	80.00	1	14.60	3	
NFRC SC-3	6/4/2010	41.00	<0.5	48	48	<0.5			<0.5		89.0	84.0	3.5	50.00	<0.05				<0.5	7.6	7.7	6.1	52.00	6	3.10	4	
NFRC SC-3	7/8/2010	64.00	<0.5	63	65	<0.5			<0.5		136.0	130.0	3.5	78.00	<0.05				<0.5	7.9	8.0	8.6	76.00	10	3.30	2	
NFRC SC-3	8/3/2010	94.00	<0.5	91	92	<0.5			<0.5		195.0	191.0	2.3	110.00	<0.05				<0.5	8.0	7.7	10.0	110.00	13	2.00	<1.0	
NFRC SC-3	10/18/2010	99.00	<0.5	104	108	<0.5			<0.5		218.0	197.0	2.1	120.00	<0.005	<0.005	0.14	0.14	<0.5	8.0	7.6	16.0	130.00	0	1.50	<1.0	
NFRC SC-3 Average		100.22	0	105	107	0.29			0.25		216.0	195.0	3.1	122.67	0.02	0.00	0.14	0.14	0	7.9	7.6	13.9	125.33	4	3.42	1	
NFRC SC-3 Max		140.00	<0.5	150	150	0.60			<0.5		308.0	270.0	11.8	180.00	<0.05	<0.005	0.14	0.14	<0.5	8.1	8.0	23.0	220.00	13	14.60	4	
NFRC SC-3 Min		41.00	<0.5	48	48	<0.5			<0.5		89.0	84.0	0.9	50.00	<0.005	<0.005	0.14	0.14	<0.5	7.6	7.0	<0.5	52.00	0	1.00	<1.0	
NFRC SC-3 N > DL		9	0	9	9	1	0	0	0	0	9	9	9	9	3	0	1	1	0	9	9	8	9	9	9	3	0
NFRC SC-3 Median		99.00	<0.5	104	108	<0.5			<0.5		218.0	197.0	2.1	120.00	0.02	<0.005	0.14	0.14	<0.5	8.0	7.7	16.0	130.00	2	2.00	<1.0	
NFRC SC-4	1/11/2010	130.00	<0.5	147	148	<0.5			<0.5		294.0	255.0	0.9	160.00	<0.01				<0.5	7.8	7.0	25.0	200.00	0	1.20	2	
NFRC SC-4	2/23/2010	140.00	<0.5	162	152	<0.5			<0.5		303.0	260.0	1.1	170.00	<0.01				<0.5	7.9	7.5	23.0	220.00	0	1.00	<1.0	
NFRC SC-4	3/10/2010	140.00	<0.5	159	148	<0.5			<0.5		305.0	271.0	1.9	170.00	0.02				<0.5	8.0	7.8	24.0	200.00	1	1.90	<1.0	
NFRC SC-4	4/14/2010	140.00	<0.5	146	154	<0.5			<0.5		316.0	270.0	1.2	170.00	<0.01				<0.5	8.1	7.5	22.0	140.00	2	1.20	<1.0	
NFRC SC-4	5/3/2010	51.00	<0.5	56	61	<0.5			<0.5		112.0	95.0	11.9	63.00	<0.01				<0.5	7.7	7.5	<0.5	74.00	1	14.40	3	
NFRC SC-4	6/4/2010	42.00	<0.5	48	49	<0.5			<0.5		89.0	86.0	3.6	51.00	<0.05				<0.5	7.6	7.7	6.2	56.00	6	3.30	4	
NFRC SC-4	7/8/2010	63.00	<0.5	66	62	<0.5			<0.5		136.0	128.0	3.7	77.00	<0.05				<0.5	7.8	7.9	8.9	76.00	10	3.20	2	
NFRC SC-4	8/3/2010	94.00	<0.5	93	91	<0.5			<0.5		196.0	203.0	2.6	110.00	<0.05				<0.5	8.1	7.9	11.0	120.00	11	2.20	<1.0	
NFRC SC-4	10/18/2010	100.00	<0.5	104	111	<0.5			<0.5		220.0	195.0	2.0	120.00	0.03	<0.005	0.14	0.14	<0.5	8.1	7.6	16.0	120.00	0	1.40	<1.0	
NFRC SC-4 Average		100.00	0	109	108	0.25			0.25		219.0	195.9	3.2	121.22	0.02	0.00	0.14	0.14	0	7.9	7.6	15.2	134.00	4	3.31	2	
NFRC SC-4 Max		140.00	<0.5	162	154	<0.5			<0.5		316.0	271.0	11.9	170.00	<0.05	<0.005	0.14	0.14	<0.5	8.1	7.9	25.0	220.00	11	14.40	4	
NFRC SC-4 Min		42.00	<0.5	48	49	<0.5			<0.5		89.0	86.0	0.9	51.00	<0.01	<0.005	0.14	0.14	<0.5	7.6	7.0	<0.5	56.00	0	1.00	<1.0	
NFRC SC-4 N > DL		9	0	9	9	0	0	0	0	0	9	9	9	9	2	0	1	1	0	9	9	8	9	9	9	4	0
NFRC SC-4 Median		100.00	<0.5	104	111	<0.5			<0.5		220.0	203.0	2.0	120.00	0.02	<0.005	0.14	0.14	<0.5	7.9	7.6	16.0	120.00	1	1.90	<1.0	
NWID	2/22/2010	170.00	<0.5	213	208	<0.5			<0.5		399.0	340.0	2.0	200.00	<0.01				<0.5	8.1	8.0	48.0	290.00	0	1.00	<1.0	
NWID	3/10/2010	170.00	<0.5	213	215	<0.5			<0.5		405.0	362.0	2.4	200.00	<0.01				<0.5	8.1	7.9	51.0	250.00	1	2.40	<1.0	
NWID	4/15/2010	170.00	2	199	211	<0.5			2.00		411.0	420.0	2.2	200.00	<0.01				<0.5	8.3	7.7	46.0	200.00	4	1.70	<1.0	
NWID	5/3/2010	67.00	<0.5	80	74	<0.5			<0.5		155.0	137.0	8.9	82.00	0.02				<0.5	7.7	7.8	14.0	92.00	0	9.20	3	
NWID	6/4/2010	85.00	<0.5	109	110	<0.5			<0.5		202.0	208.0	4.9	100.00	0.06				<0.5	8.0	8.0	23.0	120.00	4	3.60	<1.0	
NWID	7/10/2010	120.00	<0.5	158	149	<0.5			<0.5		293.0	307.0	2.9	150.00	<0.05				<0.5	8.1	8.2	31.0	140.00	6	3.00	<1.0	
NWID	8/3/2010	140.00	<0.5	161	156	<0.5			<0.5		336.0	340.0	2.3	170.00	<0.05				<0.5	8.2	7.8	37.0	210.00	8	2.00	<1.0	
NWID Average		131.71	0	162	160	0.25			0.50		314.4	302.0	3.7	157.43	0.02				0	8.1	7.9	35.7	186.00	3	3.27	1	
NWID Max		170.00	2	213	215	<0.5			2.00		411.0	420.0	8.9	200.00	0.06				<0.5	8.3	8.2	51.0	290.00	8	9.20	3	
NWID Min		67.00	<0.5	80	74	<0.5			<0.5		155.0	137.0	2.0	82.00	<0.01				<0.5	7.7	7.7	14.0	92.00	0	1.00	<1.0	
NWID N > DL		7	1	7	7	0	0	0	1	0	7	7	7	7	2	0	0	0	0	7	7	7	7	7	7	1	0
NWID Median		140.00	<0.5	161	156	<0.5			<0.5		336.0	340.0	2.4	170.00	0.02				<0.5	8.1	7.9	37.0	200.00	4	2.40	<1.0	
R10	1/11/2010	130.00	<0.5	146	143	<0.5			<0.5		283.0	241.0	1.3	160.00	0.03				<0.5	7.7	7.1	20.0	180.00	0	1.50	<1.0	
R10	2/23/2010	140.00	<0.5	151	148	<0.5			<0.5		292.0	235.0	1.7	170.00	<0.01				<0.5	8.1	7.9	19.0	190.00	<0.0	1.90	<1.0	
R10	3/10/2010	140.00	<0.5	147	154	<0.5			<0.5		292.0	259.0	1.3	170.00	<0.01				<0.5	8.0	7.8	19.0	190.00	1	1.10	<1.0	
R10	4/11/2010	140.00	<0.5	130	151	<0.5			<0.5		298.0	240.0	1.8	170.00	<0.01				<0.5	7.9	7.4	19.0	170.00	1	2.40	<1.0	
R10	5/3/2010	51.00	<0.5	59	59	0.60			<0.5		111.0	95.0	14.7	63.00	0.01				<0.5	7.7	7.7	<0.5	80.00	2	14.50	3	
R10	6/5/2010	48.00	<0.5	52	53	<0.5			<0.5		98.0	103.0	3.3	58.00	<0.05				<0.5	7.7	7.9	6.2	68.00	4	3.10	2	
R10	7/8/2010	61.00	<0.5	62	60	<0.5			<0.5		132.0	125.0	3.4	75.00	<0.05				<0.5	7.8	7.9	8.4	76.00	12	3.30	3	
R10	8/3/2010	93.00	<0.5	90	85	<0.5			<0.5		190.0	188.0	2.2	110.00	<0.05				<0.5	8.1	7.5	9.1	100.00	12	2.30	<1.0	
R10	9/1/2010	87.00	<0.5	89	93	<0.5			<0.5		193.0	187.0	2.4	110.00	0.15	<0.005	0.04	0.04	<0.5	8.0	7.8	11.0	110.00	6	2.20	<1.0	0.60
R10	10/19/2010	96.00	<0.5	109	110	<0.5			<0.5		213.0	207.0	2.5	120.00	0.03	<0.005	0.13	0.13	<0.5	8.0	7.7	15.0	130.00	1	1.50	<1.0	1.10
R10	11/10/2010	110.00	<0.5	129	129	<0.5			<0.5		256.0	234.0	1.7	140.00	0.01	<0.005	0.19	0.19	<0.5	7.9	7.9	19.0	140.00	0	2.70	<1.0	1.00
R10	12/1/2010	120.00	<0.5	126																							

Table C-1: Rose Creek Drainage Water Quality
2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	°C	mg/L	mg/L	NTU
R7	1/11/2010	130.00	<0.5	131	127	<0.5			<0.5		254.0	235.0	0.7	160.00	0.02				<0.5	7.9	7.2	11.0	130.00	0	0.90	<1.0	
R7	2/23/2010	140.00	<0.5	138	138	<0.5			<0.5		266.0	260.0	0.8	170.00	<0.01				<0.5	8.0	8.0	9.7	160.00	1	0.90	<1.0	
R7	3/10/2010	130.00	<0.5	136	140	<0.5			<0.5		268.0	239.0	1.1	160.00	<0.01				<0.5	8.1	7.8	9.7	190.00	1	1.30	<1.0	
R7	4/11/2010	140.00	<0.5	139	137	<0.5			<0.5		275.0	240.0	0.9	170.00	<0.01				<0.5	8.1	7.8	9.9	150.00	0	0.90	<1.0	
R7	5/3/2010	53.00	<0.5	54	56	0.60			<0.5		106.0	91.0	16.0	65.00	0.01				<0.5	7.8	7.7	<0.5	68.00	2	13.40	4	
R7	6/5/2010	52.00	<0.5	54	55	<0.5			<0.5		101.0	97.0	3.3	63.00	<0.05				<0.5	7.7	7.9	4.5	62.00	5	2.90	4	
R7	7/8/2010	64.00	<0.5	58	59	<0.5			<0.5		128.0	122.0	3.5	78.00	<0.05				<0.5	7.9	8.0	6.4	76.00	11	4.00	2	
R7	8/3/2010	91.00	<0.5	86	85	<0.5			<0.5		180.0	183.0	2.4	110.00	<0.05				<0.5	8.1	7.4	6.3	100.00	10	2.20	<1.0	
R7	9/1/2010	85.00	<0.5	88	88	<0.5			<0.5		180.0	186.0	3.0	100.00	0.12	<0.005	<0.02	<0.02	<0.5	8.0	7.8	7.5	100.00	6	2.70	<1.0	0.90
R7	10/19/2010	96.00	<0.5	99	103	<0.5			<0.5		198.0	198.0	2.5	120.00	0.03	<0.005	0.07	0.07	<0.5	8.0	7.2	8.1	120.00	0	1.60	<1.0	1.00
R7	11/10/2010	110.00	<0.5	118	114	<0.5			<0.5		229.0	215.0	1.4	140.00	<0.005	<0.005	0.09	0.09	<0.5	8.0	7.9	10.0	120.00	0	1.50	<1.0	0.66
R7	12/1/2010	120.00	<0.5	122	123	<0.5			<0.5		239.0	100.0	0.9	140.00	<0.05	<0.005	0.09	0.09	<0.5	8.0	7.1	10.0	120.00	0	0.80	<4.0	1.00
R7 Average		100.92	0	102	102	0.28			0.25		202.0	180.5	3.0	123.00	0.02	0.00	0.07	0.07	0	8.0	7.6	7.8	116.33	3	2.76	1	0.83
R7 Max		140.00	<0.5	139	140	0.60			<0.5		275.0	260.0	16.0	170.00	0.12	<0.005	0.09	0.09	<0.5	8.1	8.0	11.0	190.00	11	13.40	<4.0	1.00
R7 Min		52.00	<0.5	54	55	<0.5			<0.5		101.0	91.0	0.7	63.00	<0.005	<0.005	<0.02	<0.02	<0.5	7.7	7.1	<0.5	62.00	0	0.80	<1.0	0.66
R7 N > DL		12	0	12	12	1	0	0	0	0	12	12	12	12	4	0	3	3	0	12	12	11	12	12	12	3	4
R7 Median		103.00	<0.5	108	109	<0.5			<0.5		213.5	192.0	1.9	130.00	0.02	<0.005	0.08	0.08	<0.5	8.0	7.8	8.9	120.00	1	1.55	<1.0	0.95
R8	1/11/2010	130.00	<0.5	128	130	<0.5			<0.5		256.0	221.0	1.6	160.00	0.02				<0.5	7.9	6.9	10.0	170.00	0	1.30	<1.0	
R8	2/23/2010	130.00	<0.5	141	139	<0.5			<0.5		252.0	220.0	1.0	160.00	<0.01				<0.5	8.2	7.9	9.6	160.00	1	1.20	<1.0	
R8	3/10/2010	140.00	<0.5	134	138	<0.5			<0.5		271.0	244.0	1.1	170.00	0.02				<0.5	8.1	7.8	11.0	140.00	1	1.20	<1.0	
R8	4/11/2010	140.00	<0.5	143	144	<0.5			<0.5		274.0	230.0	0.7	170.00	<0.01				<0.5	8.1	7.7	9.2	140.00	1	0.80	<1.0	
R8	5/3/2010	51.00	<0.5	53	54	0.60			<0.5		101.0	87.0	14.6	62.00	0.01				<0.5	7.7	7.5	<0.5	82.00	2	12.10	5	
R8	6/5/2010	44.00	<0.5	48	49	<0.5			<0.5		89.0	89.0	3.3	54.00	<0.05				<0.5	7.7	7.9	5.1	64.00	6	3.30	2	
R8	7/8/2010	63.00	<0.5	57	58	<0.5			<0.5		123.0	121.0	2.9	76.00	<0.05				<0.5	8.0	8.1	5.8	70.00	11	3.20	2	
R8	8/3/2010	88.00	<0.5	84	83	<0.5			<0.5		176.0	177.0	2.3	110.00	<0.05				<0.5	8.1	7.3	6.0	90.00	11	2.30	2	
R8	9/1/2010	83.00	<0.5	84	81	<0.5			<0.5		172.0	172.0	4.5	100.00	0.13	<0.005	<0.02	<0.02	<0.5	8.0	7.7	7.0	92.00	5	2.30	<1.0	0.70
R8	10/19/2010	92.00	<0.5	98	101	<0.5			<0.5		191.0	193.0	2.0	110.00	0.04	<0.005	0.06	0.06	<0.5	8.0	7.8	7.8	100.00	0	1.50	<1.0	1.10
R8	11/10/2010	110.00	<0.5	120	115	0.60			<0.5		229.0	195.0	1.6	140.00	<0.005	<0.005	0.09	0.09	<0.5	8.0	7.8	8.9	130.00	0	1.80	2	1.10
R8	12/1/2010	120.00	<0.5	116	117	<0.5			<0.5		233.0	100.0	<0.5	140.00	<0.05	<0.005	0.10	0.10	<0.5	8.1	7.3	9.8	120.00	0	<0.5	<4.0	0.86
R8 Average		99.25	0	100	101	0.31			0.25		197.3	170.8	3.0	121.00	0.03	0.00	0.07	0.07	0	8.0	7.6	7.5	113.17	3	2.60	2	0.96
R8 Max		140.00	<0.5	143	144	0.60			<0.5		274.0	244.0	14.6	170.00	0.13	<0.005	0.10	0.10	<0.5	8.2	8.1	11.0	170.00	11	12.10	5	1.10
R8 Min		44.00	<0.5	48	49	<0.5			<0.5		89.0	87.0	<0.5	54.00	<0.005	<0.005	<0.02	<0.02	<0.5	7.7	6.9	<0.5	64.00	0	<0.5	<1.0	0.70
R8 N > DL		12	0	12	12	2	0	0	0	0	12	12	11	12	5	0	3	3	0	12	12	11	12	12	11	5	4
R8 Median		101.00	<0.5	107	108	<0.5			<0.5		210.0	185.0	1.8	125.00	0.03	<0.005	0.08	0.08	<0.5	8.0	7.7	8.4	110.00	1	1.65	1	0.98
R9	1/11/2010	130.00	<0.5	147	143	<0.5			<0.5		279.0	272.0	1.2	150.00	0.02				<0.5	7.8	7.1	21.0	190.00	0	1.10	<1.0	
R9	2/23/2010	140.00	<0.5	150	146	<0.5			<0.5		289.0	250.0	1.3	170.00	<0.01				<0.5	8.1	7.7	18.0	160.00	0	1.50	<1.0	
R9	3/10/2010	140.00	<0.5	143	151	<0.5			<0.5		293.0	262.0	1.4	170.00	<0.01				<0.5	8.1	7.9	19.0	150.00	1	1.30	<1.0	
R9	4/11/2010	140.00	<0.5	155	150	<0.5			<0.5		292.0	230.0	1.0	170.00	<0.01				<0.5	8.1	7.8	17.0	160.00	1	1.10	<1.0	
R9	5/3/2010	54.00	<0.5	50	58	0.70			<0.5		108.0	95.0	14.3	65.00	0.10				<0.5	7.7	7.8	<0.5	94.00	1	10.80	3	
R9	6/5/2010	48.00	<0.5	53	54	<0.5			<0.5		97.0	101.0	3.0	59.00	<0.05				<0.5	7.7	8.1	6.0	58.00	5	3.20	2	
R9	7/8/2010	47.00	<0.5	64	58	<0.5			<0.5		<1.0	127.0	3.2	57.00	<0.05				<0.5	7.9	8.0	7.9	78.00	12	3.40	3	
R9	8/3/2010	91.00	<0.5	89	91	<0.5			<0.5		190.0	194.0	2.4	110.00	<0.05				<0.5	8.2	7.5	9.3	100.00	12	2.00	<1.0	
R9	9/1/2010	86.00	<0.5	91	92	<0.5			<0.5		197.0	187.0	1.9	100.00	0.13	<0.005	0.04	0.04	<0.5	7.9	7.8	11.0	110.00	6	1.70	<1.0	0.70
R9	10/19/2010	96.00	<0.5	108	113	<0.5			<0.5		213.0	211.0	1.7	120.00	0.02	<0.005	0.13	0.13	<0.5	8.0	7.6	14.0	110.00	1	1.40	<1.0	1.00
R9	11/10/2010	110.00	<0.5	131	125	0.60			<0.5		254.0	254.0	2.1	140.00	<0.005	<0.005	0.19	0.19	<0.5	8.0	7.9	18.0	130.00	0	2.80	<1.0	0.70
R9	12/1/2010	110.00	<0.5	129	130	<0.5			<0.5		260.0	120.0	<0.5	140.00	<0.05	<0.005	0.19	0.19	<0.5	7.9	7.5	19.0	140.00	0	<0.5	<4.0	1.00
R9 Average		99.33	0	109	109	0.32			0.25		206.0	191.9	2.8	120.92	0.03	0.00	0.14	0.14	0	7.9	7.7	13.4	123.33	3	2.55	1	0.81
R9 Max		140.00	<0.5	155	151	0.70			<0.5		293.0	272.0	14.3	170.00	0.13	<0.005	0.19	0.19	<0.5	8.2	8.1	21.0	190.00	12	10.80	<4.0	1.00
R9 Min		47.00	<0.5	50	54	<0.5			<0.5		<1.0	95.0	<0.5	57.00	<0.005	<0.005	0.04	0.04	<0.5	7.7	7.1	<0.5	58.00	0	<0.5	<1.0	0.70
R9 N > DL		12	0	12	12	2	0	0	0	0	11	12	11	12	4	0	4	4	0	12	12	11	12	12	11	3	4
R9 Median		103.00	<0.5	119	119	<0.5			<0.5		233.5	202.5	1.8	130.00	0.02	<0.005	0.16	0.16	<0.5								

Table C-1: Rose Creek Drainage Water Quality
2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	°C	mg/L	mg/L	NTU
RCSG#4	1/12/2010	140.00	<0.5	159	155	<0.5			<0.5	10.00	313.0	310.0	1.5	160.00	0.03				<0.5	7.9	7.2	28.0	180.00	0	1.40	<1.0	1.80
RCSG#4	3/10/2010	140.00	<0.5	158	164	4.10			<0.5		320.0	285.0	1.9	170.00	0.02				<0.5	8.0	7.8	31.0	210.00	1	1.50	<1.0	
RCSG#4	4/13/2010	150.00	<0.5	149	151	<0.5			<0.5		331.0	300.0	0.9	180.00	0.05				<0.5	7.8	7.4	28.0	170.00	4	1.10	<1.0	
RCSG#4	5/3/2010	59.00	<0.5	65	69	<0.5			<0.5		130.0	115.0	10.6	72.00	<0.005				<0.5	7.8	7.6	7.9	88.00	1	12.30	7	
RCSG#4	6/4/2010	40.00	<0.5	49	50	<0.5			<0.5		92.0	92.0	2.5	49.00	<0.05				<0.5	7.6	7.8	8.2	66.00	6	2.60	4	
RCSG#4	7/8/2010	58.00	<0.5	63	61	<0.5			<0.5		126.0	126.0	2.9	71.00	<0.05				<0.5	7.8	7.9	11.0	74.00	13	3.80	2	
RCSG#4	8/3/2010	88.00	<0.5	98	94	<0.5			<0.5		200.0	207.0	2.4	110.00	<0.05				<0.5	8.0	7.5	17.0	120.00	13	1.80	<1.0	
RCSG#4 Average		96.43	0	106	106	0.80			0.25	10.00	216.0	205.0	3.2	116.00	0.03				0	7.8	7.6	18.7	129.71	6	3.50	2	1.80
RCSG#4 Max		150.00	<0.5	159	164	4.10			<0.5	10.00	331.0	310.0	10.6	180.00	<0.05				<0.5	8.0	7.9	31.0	210.00	13	12.30	7	1.80
RCSG#4 Min		40.00	<0.5	49	50	<0.5			<0.5	10.00	92.0	92.0	0.9	49.00	<0.005				<0.5	7.6	7.2	7.9	66.00	0	1.10	<1.0	1.80
RCSG#4 N > DL		7	0	7	7	1	0	0	0	1	7	7	7	7	3	0	0	0	0	7	7	7	7	7	7	3	1
RCSG#4 Median		88.00	<0.5	98	94	<0.5			<0.5	10.00	200.0	207.0	2.4	110.00	<0.05				<0.5	7.8	7.6	17.0	120.00	4	1.80	<1.0	1.80
W10	5/3/2010	38.00	<0.5	39	37	<0.5			<0.5		77.0	109.0	12.1	46.00	0.04				<0.5	7.7	7.7	<0.5	50.00	1	11.20	<1.0	
W10	6/5/2010	38.00	<0.5	36	34	<0.5			<0.5		75.0	68.0	5.2	46.00	<0.05				<0.5	7.6	7.8	1.9	60.00	2	5.00	<1.0	
W10	7/10/2010	52.00	<0.5	45	52	<0.5			<0.5		103.0	101.0	4.1	64.00	<0.05				<0.5	7.7	8.1	1.0	40.00	6	4.00	<1.0	
W10 Average		42.67	0	40	41	0.25			0.25		85.0	92.7	7.1	52.00	0.03				0	7.7	7.9	1.1	50.00	3	6.73	1	
W10 Max		52.00	<0.5	45	52	<0.5			<0.5		103.0	109.0	12.1	64.00	<0.05				<0.5	7.7	8.1	1.9	60.00	6	11.20	<1.0	
W10 Min		38.00	<0.5	36	34	<0.5			<0.5		75.0	68.0	4.1	46.00	0.04				<0.5	7.6	7.7	<0.5	40.00	1	4.00	<1.0	
W10 N > DL		3	0	3	3	0	0	0	0	0	3	3	3	3	1	0	0	0	0	3	3	2	3	3	3	0	0
W10 Median		38.00	<0.5	39	37	<0.5			<0.5		77.0	101.0	5.2	46.00	<0.05				<0.5	7.7	7.8	1.0	50.00	2	5.00	<1.0	
W8	6/17/2010	55.00	<0.5	54	52	<0.5			<0.5		116.0	106.0	3.0	67.00	<0.1				<0.5	7.8	7.7	8.6	68.00	2	3.40	4	
X10	1/11/2010	140.00	<0.5	165	166	<0.5			<0.5		326.0	286.0	1.0	170.00	<0.01				<0.5	8.0	7.1	26.0	220.00	1	0.80	<1.0	0.80
X10	2/22/2010	150.00	<0.5	167	165	<0.5			<0.5		329.0	280.0	1.3	180.00	<0.01				<0.5	8.0	7.5	30.0	220.00	0	1.30	<1.0	0.50
X10	3/10/2010	150.00	<0.5	163	161	<0.5			<0.5		334.0	292.0	1.4	180.00	<0.01				<0.5	8.1	7.5	26.0	210.00	1	1.60	<1.0	
X10	4/13/2010	150.00	<0.5	162	157	<0.5			<0.5		340.0	310.0	1.0	180.00	<0.01				<0.5	7.9	7.6	30.0	200.00	1		<1.0	
X10	5/3/2010	59.00	<0.5	66	68	<0.5			<0.5		129.0	112.0	11.7	72.00	<0.01				<0.5	7.8	7.8	9.4	74.00	1	11.20	5	
X10	6/4/2010	45.00	<0.5	54	54	<0.5			<0.5		99.0	111.0	2.8	55.00	<0.05				<0.5	7.8	8.1	9.0	62.00	7	2.50	3	
X10	7/8/2010	62.00	<0.5	69	60	<0.5			<0.5		134.0	128.0	3.0	75.00	<0.05				<0.5	8.0	8.1	12.0	82.00	14	2.90	2	
X10	8/3/2010	95.00	<0.5	95	97	<0.5			<0.5		205.0	205.0	2.4	120.00	<0.05				<0.5	8.2	8.0	17.0	120.00	14	2.30	<1.0	
X10	9/2/2010	88.00	<0.5	100	101	<0.5			<0.5		196.0	194.0	2.7	110.00	0.12	<0.005	<0.02	<0.02	<0.5	8.0	7.4	17.0	120.00	5	3.00	<1.0	0.70
X10	10/21/2010	110.00	<0.5	123	122	<0.5			<0.5		257.0	244.0	2.0	140.00	0.06	<0.005	0.09	0.09	<0.5	8.2	7.9	24.0	150.00	0	1.70	10	1.70
X10	11/9/2010	120.00	<0.5	135	134	<0.5			<0.5		274.0	268.0	1.7	140.00	0.04	<0.005	0.16	0.16	<0.5	8.2	7.5	25.0	170.00	0	2.40	<4.0	1.40
X10	12/1/2010	120.00	<0.5	137	138	<0.5			<0.5		275.0	240.0	2.0	150.00	<0.05	<0.005	0.17	0.17	<0.5	8.0	7.9	27.0	140.00	0	1.90	<4.0	1.05
X10 Average		107.42	0	120	119	0.25			0.25		241.5	222.5	2.8	131.00	0.03	0.00	0.11	0.11	0	8.0	7.7	21.0	147.33	4	2.87	2	1.02
X10 Max		150.00	<0.5	167	166	<0.5			<0.5		340.0	310.0	11.7	180.00	0.12	<0.005	0.17	0.17	<0.5	8.2	8.1	30.0	220.00	14	11.20	10	1.70
X10 Min		45.00	<0.5	54	54	<0.5			<0.5		99.0	111.0	1.0	55.00	<0.01	<0.005	<0.02	<0.02	<0.5	7.8	7.1	9.0	62.00	0	0.80	<1.0	0.50
X10 N > DL		12	0	12	12	0	0	0	0	0	12	12	12	12	3	0	3	3	0	12	12	12	12	12	11	4	6
X10 Median		115.00	<0.5	129	128	<0.5			<0.5		265.5	242.0	2.0	140.00	<0.01	<0.005	0.13	0.13	<0.5	8.0	7.7	24.5	145.00	1	2.30	1	0.93

Table C-1: Rose Creek Drainage Water Quality 2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB	
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	°C	mg/L	mg/L	NTU	
X14	1/11/2010	190.00	<0.5	378	379	0.60			<0.5		741.0	624.0	1.4	230.00	0.10					<0.5	8.0	6.8	200.0	540.00	<0.0	1.60	2	2.70
X14	2/22/2010	190.00	<0.5	425	420	0.80			<0.5		765.0	720.0	1.3	230.00	0.10					<0.5	8.0	6.9	220.0	580.00	1	1.50	<1.0	3.20
X14	3/10/2010	190.00	<0.5	458	445	0.90		<0.0005	<0.5	<5.0	837.0	757.0	1.3	230.00	0.10					<0.5	7.9	7.7	240.0	590.00	1	1.20	<1.0	4.30
X14	3/22/2010	200.00	<0.5	442	498	0.70		<0.0005	<0.5	<5.0	894.0	749.0	1.9	240.00	0.14					<0.5	8.2	7.5	260.0	660.00	1	1.50	<1.0	4.20
X14	3/30/2010	200.00	<0.5	588	591	<0.5	<0.0005	<0.0005	<0.5	20.00	1130.0	1030.0	2.2	250.00	0.28					<0.5	8.0	7.4	290.0	840.00	1	2.40	<1.0	3.80
X14	4/6/2010	210.00	<0.5	652	657	0.80			<0.5		1170.0	1100.0	1.3	260.00	0.29					<0.5	8.0	7.4	490.0	880.00	1	1.00	<1.0	
X14	4/13/2010	200.00	<0.5	588	575	0.60			<0.5	<5.0	1160.0	1027.0	1.2	240.00	0.27					<0.5	8.0	7.9	470.0	870.00	1	1.50	<1.0	2.50
X14	4/20/2010	140.00	<0.5	457	458	<0.5			<0.5	<5.0	873.0	1914.0	2.5	170.00	0.26					<0.5	8.0	7.4	360.0	620.00	3	3.10	20	10.00
X14	4/27/2010	86.00	<0.5	175	173	<0.5			<0.5	<5.0	362.0	357.0	5.4	110.00	0.13					<0.5	8.0	7.3	110.0	230.00	2	5.30	5	3.60
X14	5/4/2010	90.00	<0.5	296	265	0.60			<0.5	60.00	563.0	506.0	7.9	110.00	0.09					<0.5	8.0	7.5	230.0	410.00	1	8.90	2	2.50
X14	5/11/2010	91.00	<0.5	237	240	<0.5			<0.5	30.00	501.0	471.0	6.1	110.00	0.09					<0.5	8.0	7.7	180.0	360.00	0	5.30	4	2.50
X14	5/18/2010	73.00	<0.5	178	181	0.70			<0.5		382.0	360.0	7.4	89.00	0.07					<0.5	7.8	8.0	120.0	280.00	6	5.00	4	
X14	5/25/2010	51.00	<0.5	105	104	<0.5			<0.5	30.00	229.0	243.0	5.3	62.00	<0.005					<0.5	7.8	8.0	63.0	180.00	5	5.60	6	2.60
X14	6/1/2010	55.00	<0.5	141	132	<0.5			<0.5		309.0	345.0	2.4	67.00	<0.005					<0.5	7.3	8.1	99.0	230.00	9	2.70	2	
X14	6/8/2010	70.00	<0.5	177	177	<0.5			<0.5		376.0	380.0	3.1	86.00	0.02					<0.5	7.9	7.9	130.0	250.00	7	2.70	<1.0	
X14	6/15/2010	82.00	<0.5	209	211	<0.5			<0.5	15.00	446.0	420.0	3.1	100.00	0.06					<0.5	8.1	7.9	160.0	330.00	7	2.70	<1.0	0.70
X14	6/22/2010	81.00	<0.5	210	195	<0.5			<0.5	10.00	454.0	438.0	2.5	98.00	0.02					<0.5	8.1	7.8	150.0	310.00	10	2.30	<1.0	1.10
X14	6/29/2010	84.00	<0.5	248	258	<0.5			<0.5	<5.0	511.0	501.0	2.3	100.00	0.10					<0.5	8.0	7.4	180.0	370.00	9	1.50	<1.0	0.90
X14	6/29/2010	84.00	<0.5	255	256	<0.5			<0.5	10.00	510.0	501.0	2.5	100.00	0.14					<0.5	7.9	7.4	180.0	350.00	9	2.70	<1.0	0.90
X14	7/6/2010	67.00	<0.5	184	182	<0.5			<0.5		383.0	395.0	3.5	82.00	0.06					<0.5	7.8	8.0	130.0	250.00	10	3.70	<1.0	
X14	7/13/2010	80.00	<0.5	250	245	<0.5			<0.5		500.0	456.0	2.3	97.00	0.06					<0.5	7.8	8.2	170.0	340.00	9	2.40	<1.0	
X14	7/20/2010	96.00	<0.5	279	273	<0.5			<0.5		594.0	563.0	2.0	120.00	0.15					<0.5	8.0	7.8	180.0	410.00	16	2.70	<1.0	
X14	7/27/2010	97.00	<0.5	322	317	<0.5			<0.5	<5.0	637.0	606.0	3.0	120.00	0.16					<0.5	8.0	8.1	250.0	430.00	10	1.90	2	1.30
X14	8/3/2010	100.00	<0.5	152	145	<0.5			<0.5		311.0	338.0	1.8	130.00	<0.05					<0.5	8.1	8.0	56.0	210.00	14	4.30	2	0.80
X14	8/10/2010	100.00	<0.5	329	318	0.70			<0.5	10.00	638.0	658.0	2.2	120.00	0.19					<0.5	7.8	7.9	220.0	440.00	10	2.30	<4.0	1.40
X14	8/17/2010	110.00	<0.5	307	333	<0.5			<0.5		660.0	614.0	2.4	130.00	0.35					<0.5	8.1	7.9	270.0	460.00	12	2.00	<1.0	
X14	8/24/2010	94.00	<0.5	249	247	1.80			<0.5		496.0	423.0	2.5	110.00	0.07					<0.5	8.1	8.7	160.0	320.00	8	2.50	<1.0	
X14	8/31/2010	100.00	<0.5	296	314	<0.5			<0.5		610.0	650.0	3.7	120.00	0.11					<0.5	8.2	8.0	220.0	420.00	11	3.70	<1.0	
X14	9/7/2010	99.00	<0.5	226	229	0.70			<0.5		503.0	532.0	2.7	120.00	0.29	<0.005	0.06	0.06		<0.5	7.9	8.3	170.0	340.00	5	2.60	<1.0	
X14	10/21/2010	130.00	<0.5	228	222	<0.5			<0.5		471.0	426.0	2.3	160.00	0.11	<0.005	0.11	0.11		<0.5	8.1	7.8	110.0	290.00	1	1.70	<1.0	1.80
X14	11/9/2010	140.00	<0.5	232	234	<0.5			<0.5		491.0	500.0	1.1	170.00	0.08	<0.005	0.14	0.14		<0.5	8.2	7.9	120.0	330.00	0	1.90	<4.0	1.90
X14	11/18/2010	170.00	<0.5	598	641	0.80			<0.5		1080.0	1010.0	1.7	210.00	0.20	<0.005	0.15	0.15		<0.5	8.1	7.8	420.0	800.00	2	1.30	6	3.18
X14	11/25/2010	170.00	<0.5	494	546	0.70			<0.5		1020.0	1008.0	1.9	200.00	0.16	<0.005	0.15	0.15		<0.5	7.7	8.2	390.0	780.00	1	2.00	<4.0	2.50
X14	12/2/2010	170.00	<0.5	520	544	0.60			<0.5		984.0	1000.0	1.8	200.00	0.16	<0.005	0.16	0.16		<0.5	8.0	7.7	380.0	690.00	0	1.80	<1.0	2.21
X14 Average		120.29	0	320	324	0.47	0.00	0	0.25	13.50	635.0	635.9	2.8	146.21	0.13	0.00	0.13	0.13	0	8.0	7.8	217.0	452.65	5	2.80	2	2.59	
X14 Max		210.00	<0.5	652	657	1.80	<0.0005	<0.0005	<0.5	60.00	1170.0	1914.0	7.9	260.00	0.35	<0.005	0.16	0.16	<0.5	8.2	8.7	490.0	880.00	16	8.90	20	10.00	
X14 Min		51.00	<0.5	105	104	<0.5	<0.0005	<0.0005	<0.5	<5.0	229.0	243.0	1.1	62.00	<0.005	<0.005	0.06	0.06	<0.5	7.3	6.8	56.0	180.00	<0.0	1.00	<1.0	0.70	
X14 N > DL		34	0	34	34	14	0	0	0	8	34	34	34	34	31	0	6	6	0	34	34	34	34	33	34	11	23	
X14 Median		99.50	<0.5	267	262	<0.5	<0.0005	<0.0005	<0.5	10.00	537.0	519.0	2.4	120.00	0.14	<0.005	0.15	0.15	<0.5	8.0	7.8	180.0	390.00	5	2.40	<1.0	2.50	
X2	1/11/2010	130.00	<0.5	156	158	<0.5			<0.5		305.0	266.0	1.5	160.00	<0.01					<0.5	7.5	6.9	29.0	190.00	<0.0	1.30	<1.0	
X2	2/22/2010	140.00	<0.5	170	164	<0.5			<0.5		322.0	288.0	0.9	170.00	<0.01					<0.5	7.8	7.3	28.0	240.00	1	1.40	<1.0	
X2	3/10/2010	140.00	<0.5	160	156	<0.5			<0.5		318.0	132.0	1.1	170.00	<0.01					<0.5	7.8	7.3	31.0	190.00	2	1.20	<1.0	
X2	4/14/2010	140.00	<0.5	154	159	<0.5			<0.5		352.0	290.0	2.1	170.00	<0.01					<0.5	8.2	7.0	28.0	150.00	3	1.60	<1.0	
X2	5/3/2010	52.00	<0.5	56	59	0.60			<0.5		113.0	188.0	14.5	63.00	0.02					<0.5	7.7	7.5	4.5	68.00	1	13.30	4	
X2	6/4/2010	38.00	<0.5	48	48	<0.5			<0.5		92.0	94.0	2.8	47.00	<0.05					<0.5	7.6	7.8	6.6	54.00	6	3.20	4	
X2	7/8/2010	65.00	<0.5	65	63	<0.5			<0.5		139.0	131.0	3.1	80.00	0.09					<0.5	7.9	7.8	15.0	80.00	11	3.40	2	
X2	8/3/2010	95.00	<0.5	97	92	<0.5			<0.5		201.0	197.0	2.7	120.00	<0.05					<0.5	8.2	7.7	15.0	110.00	12	3.00	<1.0	
X2	9/2/2010	88.00	<0.5	92	106	<0.5			<0.5		208.0	189.0	2.2	110.00	0.17	<0.005	0.04	0.04		<0.5	8.0	7.4	13.0	120.00	5	2.00	<1.0	0.80
X2	10/18/2010	99.00	<0.5	115	109	<0.5																						

Table C-1: Rose Creek Drainage Water Quality
2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	°C	mg/L	mg/L	NTU
X22b	1/11/2010	91.00	<0.5	780	738	4.30			<0.5		1360.0	1146.0	110.00	0.86					<0.5	7.5	6.4	680.0	1200.00	<0.0		<1.0	
X22b	2/22/2010	88.00	<0.5	674	703	1.00			<0.5		1290.0	1210.0	110.00	0.82					<0.5	7.5	7.4	590.0	1100.00	1		<1.0	
X22b	3/10/2010	89.00	<0.5	644	667	1.10			<0.5		1270.0	1171.0	110.00	0.84					<0.5	7.6	7.0	630.0	1000.00	1		<1.0	
X22b	4/13/2010	110.00	<0.5	633	607	0.80			<0.5		1280.0	1230.0	130.00	1.10					<0.5	7.3	6.9	610.0	950.00	1	1.00	<1.0	
X22b	5/3/2010	20.00	<0.5	158	161	<0.5			<0.5		369.0	344.0	25.00	0.33					<0.5	7.4	7.2	150.0	230.00	1		<1.0	
X22b	6/4/2010	80.00	<0.5	699	688	0.90			<0.5		1200.0	1178.0	97.00	0.82					<0.5	7.5	7.1	580.0	1000.00	10		<1.0	
X22b	7/10/2010	77.00	<0.5	648	654	0.70			<0.5		1230.0	1163.0	94.00	0.78					<0.5	7.4	7.3	580.0	920.00	14		<1.0	
X22b	8/3/2010	73.00	<0.5	645	654	1.10			<0.5		1240.0	1215.0	89.00	0.86					<0.5	7.6	6.6	570.0	1000.00	15		<1.0	
X22b	9/1/2010	81.00	<0.5			1.00			<0.5		1270.0	1222.0	99.00	1.40	0.01	0.52	0.51		<0.5	7.6	7.3	690.0	1000.00	13		<1.0	
X22b	10/20/2010	79.00	<0.5	697	709	1.40			<0.5		1310.0	1328.0	97.00	1.20	0.01	0.52	0.51		<0.5	7.7	6.3	710.0	1000.00	3		<1.0	
X22b	11/8/2010	85.00	<0.5	687	677	3.50			<0.5		1340.0	1190.0	100.00	1.10	0.01	0.48	0.47		<0.5	7.7	7.5	710.0	1100.00	1		<4.0	
X22b	12/1/2010	86.00	<0.5	708		1.70			<0.5		1350.0	1340.0	110.00	1.20	0.01	0.48	0.47		<0.5	7.6	6.9	710.0	1000.00	0		<4.0	
X22b Average		79.92	0	634	626	1.48			0.25		1209.1	1144.8	97.58	0.94	0.01	0.50	0.49		0	7.5	7.0	600.8	958.33	5	1.00	1	
X22b Max		110.00	<0.5	780	738	4.30			<0.5		1360.0	1340.0	130.00	1.40	0.01	0.52	0.51		<0.5	7.7	7.5	710.0	1200.00	15	1.00	<4.0	
X22b Min		20.00	<0.5	158	161	<0.5			<0.5		369.0	344.0	25.00	0.33	0.01	0.48	0.47		<0.5	7.3	6.3	150.0	230.00	<0.0	1.00	<1.0	
X22b N > DL		12	0	11	10	11	0	0	0	0	12	12	0	12	12	4	4	4	0	12	12	12	12	11	1	0	0
X22b Median		83.00	<0.5	674	672	1.05			<0.5		1275.0	1200.0	99.50	0.86	0.01	0.50	0.49		<0.5	7.6	7.1	620.0	1000.00	1	1.00	<1.0	
X3	1/11/2010	130.00	<0.5	154	157	<0.5			<0.5		303.0	266.0	1.4	160.00	0.03				<0.5	7.6	6.9	28.0	190.00	<0.0	1.20	<1.0	
X3	2/22/2010	140.00	<0.5	164	163	1.70			<0.5		314.0	292.0	1.4	170.00	<0.01				<0.5	7.9	7.4	28.0	180.00	1	1.20	<1.0	
X3	3/9/2010	140.00	<0.5	162	161	<0.5			<0.5		316.0	260.0	1.3	170.00	<0.01				<0.5	7.9	7.4	30.0	200.00	1	0.90	<1.0	
X3	4/14/2010	150.00	<0.5	152	163	<0.5			<0.5		327.0	290.0	1.7	180.00	0.05				<0.5	8.2	7.0	30.0	170.00	1	1.80	<1.0	
X3	5/3/2010	52.00	<0.5	61	63	<0.5			<0.5		117.0	114.0	11.6	64.00	0.08				<0.5	7.4	7.7	5.4	72.00	1	11.90	8	
X3	6/4/2010	40.00	<0.5	45	45	<0.5			<0.5		84.0	86.0	2.3	48.00	0.77				<0.5	7.7	7.8	6.3	54.00	8	2.60	5	
X3	7/8/2010	54.00	<0.5	56	52	<0.5			<0.5		118.0	111.0	3.1	65.00	<0.05				<0.5	7.9	7.9	11.0	70.00	13	2.90	<1.0	
X3	8/3/2010	87.00	<0.5	111	85	<0.5			<0.5		189.0	183.0	2.0	110.00	<0.05				<0.5	8.2	7.9	14.0	120.00	14	2.50	<1.0	
X3	9/2/2010	83.00	<0.5	89	94	<0.5			<0.5		186.0	205.0	2.7	100.00	0.19	<0.005	0.03	0.03	<0.5	8.0	7.3	13.0	110.00	5	2.30	<1.0	0.70
X3	10/21/2010	98.00	<0.5	112	114	<0.5			<0.5		234.0	225.0	1.9	120.00	0.07	<0.005	0.08	0.08	<0.5	8.1	7.6	20.0	130.00	0	1.70	<1.0	0.80
X3	11/9/2010	110.00	<0.5	131	124	<0.5			<0.5		258.0	256.0	1.8	130.00	0.02	<0.005	0.16	0.16	<0.5	8.1	7.9	24.0	170.00	0	2.00	<4.0	1.00
X3	12/1/2010	110.00	<0.5	127	129	<0.5			<0.5		259.0	230.0	2.0	140.00	<0.05	<0.005	0.17	0.17	<0.5	8.0	7.6	27.0	130.00	1	2.00	<4.0	0.90
X3 Average		99.50	0	114	113	0.37			0.25		225.4	209.8	2.8	121.42	0.11	0.00	0.11	0.11	0	7.9	7.5	19.7	133.00	4	2.75	2	0.80
X3 Max		150.00	<0.5	164	163	1.70			<0.5		327.0	292.0	11.6	180.00	0.77	<0.005	0.17	0.17	<0.5	8.2	7.9	30.0	200.00	14	11.90	8	1.00
X3 Min		40.00	<0.5	45	45	<0.5			<0.5		84.0	86.0	1.3	48.00	<0.01	<0.005	0.03	0.03	<0.5	7.4	6.9	5.4	54.00	<0.0	0.90	<1.0	0.70
X3 N > DL		12	0	12	12	1	0	0	0	0	12	12	12	12	7	0	4	4	0	12	12	12	12	11	12	2	4
X3 Median		104.00	<0.5	120	119	<0.5			<0.5		246.0	227.5	2.0	125.00	<0.05	<0.005	0.12	0.12	<0.5	7.9	7.6	22.0	130.00	1	2.00	<1.0	0.85
X3A	9/2/2010	86.00	<0.5	93	95	<0.5			<0.5		206.0	192.0	2.7	110.00	0.17	<0.005	0.03	0.03	<0.5	8.0	7.5	14.0	110.00	5	2.50	<1.0	
X3A	10/21/2010	110.00	<0.5	117	119	<0.5			<0.5		244.0	268.0	1.9	130.00	0.08	<0.005	0.08	0.08	<0.5	8.1	7.8	20.0	140.00	0	1.90	<1.0	0.70
X3A	11/9/2010	110.00	<0.5	126	131	<0.5			<0.5		264.0	266.0	1.7	140.00	0.03	<0.005	0.15	0.15	<0.5	8.1	8.0	25.0	160.00	0	2.30	<4.0	3.30
X3A	12/1/2010	110.00	<0.5	133	130	<0.5			<0.5		263.0	240.0	2.0	140.00	<0.05	<0.005	0.17	0.17	<0.5	8.0	7.8	26.0	150.00	0	2.40	<4.0	0.94
X3A Average		104.00	0	117	119	0.25			0.25		244.3	241.5	2.1	130.00	0.08	0.00	0.11	0.11	0	8.1	7.8	21.3	140.00	1	2.28	1	1.57
X3A Max		110.00	<0.5	133	131	<0.5			<0.5		264.0	268.0	2.7	140.00	0.17	<0.005	0.17	0.17	<0.5	8.1	8.0	26.0	160.00	5	2.50	<4.0	3.30
X3A Min		86.00	<0.5	93	95	<0.5			<0.5		206.0	192.0	1.7	110.00	0.03	<0.005	0.03	0.03	<0.5	8.0	7.5	14.0	110.00	0	1.90	<1.0	0.70
X3A N > DL		4	0	4	4	0	0	0	0	0	4	4	4	4	3	0	4	4	0	4	4	4	4	4	4	0	3
X3A Median		110.00	<0.5	122	125	<0.5			<0.5		253.5	253.0	2.0	135.00	0.05	<0.005	0.12	0.12	<0.5	8.1	7.8	22.5	145.00	0	2.35	1	0.94

Table C-1: Rose Creek Drainage Water Quality 2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	°C	mg/L	mg/L	NTU
X4	1/11/2010	<0.5	<0.5	1110	1090	1.50			<0.5		2210.0	1791.0		<0.5	0.21				<0.5	3.4	3.0	1200.0	2000.00	<0.0			3
X4	2/22/2010	<0.5	<0.5	1020	884	2.30			<0.5		1970.0	1820.0		<0.5	0.36				<0.5	4.0	4.8	1200.0	1800.00	<0.0			13
X4	3/9/2010	35.00	<0.5	626	661	0.80			<0.5		1390.0	1350.0		43.00	0.15				<0.5	6.5	6.4	730.0	1200.00	1			37
X4	4/13/2010	32.00	<0.5	614	553	3.90			<0.5		1340.0	1350.0		38.00	0.20				<0.5	6.1	6.4	690.0	1000.00	1			17
X4	5/3/2010	<0.5	<0.5	419	438	<0.5			<0.5		1010.0	877.0		<0.5	0.03				<0.5	4.7	4.5	550.0	790.00	3			4
X4	6/4/2010	<0.5	<0.5	915	920	0.70			<0.5		1940.0	1868.0		<0.5	0.22				<0.5	3.2	3.1	1000.0	1800.00	12			4
X4	7/10/2010	<0.5	<0.5	839	957	0.80			<0.5		1930.0	1871.0		<0.5	0.33				<0.5	3.3	3.1	1100.0	1700.00	17			14
X4	8/3/2010	<0.5	<0.5	902	812	1.20			<0.5		1950.0	2020.0		<0.5	0.43				<0.5	3.4	4.6	1100.0	1700.00	19			3
X4	9/2/2010	<0.5	<0.5			<0.5			<0.5		1880.0	1752.0		<0.5	0.59	<0.005	0.06	0.06	<0.5	3.5	4.7	1100.0	1800.00	9			3
X4	10/20/2010	1.80	<0.5	695	773	1.40			<0.5		1590.0	1511.0		2.20	0.26	<0.005	0.04	0.04	<0.5	5.6	6.7	1000.0	1400.00	0			33
X4	11/8/2010	<0.5	<0.5	860	867	2.20			<0.5		1860.0	1632.0		<0.5	0.24	<0.005	0.06	0.06	<0.5	3.7	4.5	1100.0	1600.00	0			5
X4	12/1/2010	13.00	<0.5	641		<0.5			<0.5		1310.0	1429.0		16.00	0.29	0.01	0.08	0.07	<0.5	6.3	6.4	800.0	1100.00	0			19
X4 Average		6.98	0	786	796	1.30			0.25		1698.3	1605.9		8.43	0.28	0.00	0.06	0.06	0	4.5	4.8	964.2	1490.83	5			13
X4 Max		35.00	<0.5	1110	1090	3.90			<0.5		2210.0	2020.0		43.00	0.59	0.01	0.08	0.07	<0.5	6.5	6.7	1200.0	2000.00	19			37
X4 Min		<0.5	<0.5	419	438	<0.5			<0.5		1010.0	877.0		<0.5	0.03	<0.005	0.04	0.04	<0.5	3.2	3.0	550.0	790.00	<0.0			3
X4 N > DL		4	0	11	10	9	0	0	0	0	12	12	0	4	12	1	4	4	0	12	12	12	12	10	0	12	0
X4 Median		<0.5	<0.5	839	840	1.00			<0.5		1870.0	1692.0		<0.5	0.25	<0.005	0.06	0.06	<0.5	3.9	4.6	1050.0	1650.00	1			9
X5	3/22/2010	240.00	<0.5	1160	1290	1.80		<0.0005	<0.5	<5.0	1810.0	1580.0		300.00	0.73				<0.5	8.1	7.1	850.0	1500.00	1	<1.0		2.80
X5	3/30/2010	230.00	<0.5	1030	1050	1.10	<0.0005	0.0023	<0.5	10.00	1800.0	1700.0		290.00	0.75				<0.5	7.9	7.0	900.0	1600.00	2	<1.0		2.30
X5	4/6/2010	240.00	<0.5	1120	1090	1.50		<0.0005	<0.5	<5.0	1880.0	1720.0		300.00	0.73				<0.5	7.8	7.0	870.0	1600.00	1	<1.0		1.20
X5	4/13/2010	200.00	<0.5	1020	1020	1.20		0.0024	<0.5	<5.0	1840.0	1561.0		240.00	0.74				<0.5	7.6	7.4	950.0	1600.00	2		2	2.80
X5	4/20/2010	160.00	<0.5	1030	1120	0.90		0.0055	<0.5	<5.0	1820.0	1947.0		200.00	0.47				<0.5	7.7	6.9	1000.0	1600.00	4	<1.0		1.70
X5	4/27/2010	120.00	<0.5	845	809	0.90		0.0133	<0.5	<5.0	1450.0	1399.0		150.00	0.59				<0.5	7.9	7.2	800.0	1200.00	3		3	2.00
X5	5/4/2010	130.00	<0.5	953	885	1.10		0.0243	<0.5	<5.0	1620.0	1433.0		160.00	0.46				<0.5	7.9	7.1	960.0	1400.00	4	<1.0		0.70
X5	5/11/2010	110.00	<0.5	906	878	1.10		0.0192	<0.5	<5.0	1490.0	1390.0		130.00	0.43				<0.5	7.9	7.5	830.0	1300.00	5	<1.0		0.50
X5	5/18/2010	89.00	<0.5	803	772	1.00		0.0262	<0.5	<5.0	1350.0	1310.0		110.00	0.77				<0.5	8.0	7.4	720.0	1100.00	8	<1.0		0.70
X5	5/25/2010	110.00	<0.5	860	812	<0.5		0.0202	<0.5	<5.0	1430.0	1441.0		130.00	0.56				<0.5	7.9	7.5	720.0	1300.00	9	<1.0		0.80
X5	6/1/2010	140.00	<0.5	1020	937	1.20		0.0247	<0.5	<5.0	1670.0	1740.0		170.00	0.59				<0.5	8.1	7.5	880.0	1500.00	13	<1.0		0.60
X5	6/8/2010	130.00	<0.5	1010	1080	1.20		0.0337	<0.5	<5.0	1740.0	1664.0		160.00	0.67				<0.5	7.9	7.5	880.0	1600.00	12	<1.0		0.90
X5	6/15/2010	140.00	<0.5	1110	1050	1.40		0.0292	<0.5	<5.0	1760.0	1670.0		170.00	0.82				<0.5	8.2	7.5	1000.0	1200.00	11	<1.0		1.30
X5	6/15/2010										1670.0											7.5					11
X5	6/22/2010	120.00	<0.5	1120	933	1.10		0.0243	<0.5	<5.0	1710.0	1605.0		150.00	0.08				<0.5	8.2	7.6	950.0	1500.00	14	<1.0		1.10
X5	6/29/2010	120.00	<0.5	1010	1040	1.00		0.0479	<0.5	<5.0	1770.0	1725.0		140.00	0.72				<0.5	7.8	6.8	970.0	1600.00	15	<1.0		2.50
X5	7/6/2010	33.00	<0.5	1170	1130	<0.5		0.0227	<0.5	<5.0	2280.0	1705.0		40.00	0.81				<0.5	7.9	7.6	1300.0	1600.00	14		3	2.30
X5	7/13/2010	110.00	<0.5	1080	1160	1.30		0.0220	<0.5	<5.0	1810.0	1567.0		140.00	0.80				<0.5	8.0	7.9	1000.0	1600.00	15	<1.0		1.30
X5	7/20/2010	120.00	<0.5	1050	1020	1.70		0.0317	<0.5	<5.0	1830.0	1674.0		150.00	0.79				<0.5	7.9	7.7	980.0	1600.00	16		2	1.70
X5	7/27/2010	110.00	<0.5	1060	1030	1.10		0.0254	<0.5	<5.0	1780.0	1589.0		130.00	0.75				<0.5	7.9	7.8	960.0	1600.00	15		2	2.50
X5	8/10/2010	95.00	<0.5	1100	1050	2.40		0.0316	<0.5	<5.0	1780.0	1806.0		120.00	0.80				<0.5	7.8	8.0	990.0	1500.00	15	<4.0		3.20
X5	8/17/2010	83.00	<0.5	829	1010	1.40		0.0268	<0.5	<5.0	1750.0	1594.0		100.00	0.77				<0.5	8.0	7.7	970.0	1500.00	17		2	3.20
X5	8/24/2010	88.00	<0.5	1010	1150	2.20		0.0496	<0.5	<5.0	1740.0	1266.0		110.00	0.80				<0.5	8.0	8.0	1100.0	1500.00	12	<1.0		3.80
X5	8/31/2010	87.00	<0.5	1020	1020	1.30		0.0387	<0.5	<5.0	1770.0	1860.0		110.00	1.00				<0.5	7.8	7.6	1100.0	1500.00	13		2	4.80
X5	9/7/2010	100.00	<0.5			1.90		0.0814	<0.5	<5.0	1840.0	1708.0		120.00	0.94	0.01	0.30	0.29	<0.5	7.8	7.7	1100.0	1600.00	8		2	5.60
X5	9/7/2010										1703.0											7.5					11
X5	11/18/2010	240.00	<0.5			2.10		0.0117	<0.5	<5.0	2360.0	2219.0		300.00	0.85	0.01	0.17	0.17	<0.5	7.9	7.3	1300.0	2100.00	2	<4.0		6.78
X5	11/25/2010	260.00	<0.5	1430	1610	2.80		0.0064	<0.5	<5.0	2500.0	2414.0		320.00	0.96	<0.005	0.14	0.14	<0.5	7.4	7.6	1400.0	2300.00	3	<4.0		4.80
X5	12/2/2010										2590.0											6.9					3
X5	12/2/2010	270.00	<0.5	1560	1590	2.30		0.0050	<0.5	<5.0	2470.0	2590.0		330.00	0.97	<0.005	0.13	0.13	<0.5	7.7	6.9	1400.0	2300.00	3		2	5.00
X5 Average		143.52	0	1052	1061	1.39	0.00	0.0232	0.25	2.78	1816.7	1728.0		176.67	0.72	0.01	0.19	0.18	0	7.9	7.4	995.6	1566.67	9		1	2.67
X5 Max		270.00	<0.5	1560	1610	2.80	<0.0005	0.0814	<0.5	10.00	2500.0	2590.0		330.00	1.00	0.01	0.30	0.29	<0.5	8.2	8.0	1400.0	2300.00	17	<4.0		6.78
X5 Min		33.00	<0.5	803	772	<0.5	<0.0005	<0.0005	<0.5	<5.0	1350.0	1266.0		40.00	0.08	<0.005	0.13	0.13	<0.5	7.4	6.8	720.0	1100.00	1	<1.0		0.50
X5 N > DL		27	0	25	25	25	0	25	0	1	27	30	0	27	27	2	4	4	0	27	30	27	27				

Table C-1: Rose Creek Drainage Water Quality
2010 - Surface Water - General Parameters

Station	Date	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	CN(wad)	CNTHIO	CO3	Colour	COND	CONDf	DOC	HCO3	NH3	NO2	NO2/3	NO3	OH	pH	pHF	SO4-d	TDS	TEMP-F	TOC	TSS	TURB		
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	°C	mg/L	mg/L	NTU		
X5P	1/11/2010	180.00	<0.5	1190	1170	1.70			<0.5		1860.0	1559.0	220.00	0.80					<0.5	7.6	6.6	1000.0	1600.00	<0.0		<1.0			
X5P	2/22/2010	250.00	<0.5	1080	1140	3.10			<0.5		1740.0	1569.0	300.00	0.71					<0.5	7.7	7.2	810.0	1600.00	2		2			
X5P	3/2/2010	250.00	<0.5	1090	1100	1.70			<0.5		1750.0	1420.0	310.00	0.70					<0.5	7.7	7.0	820.0	1500.00	0		2			
X5P	4/13/2010	150.00	<0.5	1020	973	1.30			<0.5		1780.0	1488.0	180.00	0.69					<0.5	7.5	7.8	940.0	1500.00	1		2			
X5P	5/3/2010	53.00	<0.5	468	490	<0.5			<0.5		877.0	744.0	64.00	0.24					<0.5	7.8	7.8	420.0	650.00	1		3			
X5P	6/4/2010	150.00	<0.5	1190	1170	1.00			<0.5		1740.0	1682.0	180.00	0.58					<0.5	7.7	7.1	920.0	1600.00	12		<1.0			
X5P	7/10/2010	110.00	<0.5	1090	1010	1.10			<0.5		1780.0	1680.0	130.00	0.69					<0.5	7.8	7.6	990.0	1500.00	16		4			
X5P	8/3/2010	110.00	<0.5	1060	990	1.30			<0.5		1800.0	1665.0	130.00	0.86					<0.5	8.0	7.2	950.0	1600.00	19		2			
X5P	9/2/2010	93.00	<0.5			0.80			<0.5		1760.0	1687.0	110.00	0.92	0.01	0.31	0.31		<0.5	7.8	7.5	1000.0	1500.00	5		2	5.10		
X5P	10/20/2010	190.00	<0.5	1130	1180	2.00			<0.5		2070.0	1955.0	240.00	0.80	<0.005	0.22	0.22		<0.5	8.1	7.4	1200.0	1900.00	1		2			
X5P	11/8/2010	210.00	<0.5	1360	1290	5.00			<0.5		2150.0	1918.0	250.00	0.77	<0.005	0.24	0.24		<0.5	7.9	7.8	1200.0	1900.00	0		<4.0			
X5P	12/1/2010	250.00	<0.5	1340		1.70			<0.5		2130.0	2204.0	300.00	0.90	0.01	0.21	0.21		<0.5	8.0	7.5	1200.0	1900.00	0		<4.0			
X5P Average		166.33	0	1093	1051	1.75			0.25		1786.4	1630.9	201.17	0.72	0.00	0.25	0.25		0	7.8	7.4	954.2	1562.50	5		2	5.10		
X5P Max		250.00	<0.5	1360	1290	5.00			<0.5		2150.0	2204.0	310.00	0.92	0.01	0.31	0.31		<0.5	8.1	7.8	1200.0	1900.00	19		<4.0	5.10		
X5P Min		53.00	<0.5	468	490	<0.5			<0.5		877.0	744.0	64.00	0.24	<0.005	0.21	0.21		<0.5	7.5	6.6	420.0	650.00	<0.0		<1.0	5.10		
X5P N > DL		12	0	11	10	11	0	0	0	0	12	12	0	12	12	2	4	4	0	12	12	12	12	11	0	8	1		
X5P Median		165.00	<0.5	1090	1120	1.50			<0.5		1780.0	1672.5	200.00	0.74	0.00	0.23	0.23		<0.5	7.8	7.4	970.0	1600.00	1		2	5.10		
X7	6/1/2010	38.00	<0.5	4770	4570	12.00			<0.5		8550.0	>3999.0	46.00	1.20					<0.5	5.4	5.6	9000.0	13000.00	3		89			
X7	10/6/2010	7.40	<0.5	4680	4480	9.20			<0.5		8490.0	>3999.0	9.10	4.20	<0.005	<0.02	<0.02		<0.5	5.2	5.4	9300.0	11000.00	4		100			
X7 Average		22.70	0	4725	4525	10.60			0.25		8520.0	>3999.0	27.55	2.70	0.00	0.01	0.01		0	5.3	5.5	9150.0	12000.00	4		95			
X7 N > DL		2	0	2	2	2	0	0	0	0	2	0	0	2	2	0	0	0	0	2	2	2	2	2	0	2	0		

Table C-2: Rose Creek Drainage Water Quality
2010 - Surface Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
ETA Combined	9/2/2010	0.2530	240.00	12.40	15.000	<50.0	0.36	<0.005	478.00	67.50	1130.0000	<0.1	74.3000	577000.00	16.10	0.154	793.00	92200.000	0.61	71.30	1050.000	3.3600	0.22	2020	0.0500	12200.00	0.17	3690.00	9.60	1.71	4.5500	<0.2	467000.000	0.20		
ETA Combined	10/20/2010	<0.5	910.00	21.00	15.000	<5000.0	<1.0	<0.5	429.00	34.60	1060.0000	<10.0	41.0000	1090000.00	14.00	0.138	745.00	89400.000	<5.0	66.00	966.000	4.2000	<2.0	2310	<4.0	15600.00	<1.0	3840.00	<50.0	0.30	5.1000	<20.0	477000.000	<10.0		
ETA Combined	11/8/2010	<0.5	979.00	27.00	21.000	<5000.0	<1.0	<0.5	416.00	9.50	1020.0000	<10.0	7.0000	1230000.00	13.00	0.124	695.00	90900.000	<5.0	70.00	946.000	12.1000	<2.0	2490	<4.0	15800.00	<1.0	3710.00	<50.0	0.40	4.9000	<20.0	473000.000	<10.0		
ETA Combined	12/1/2010	0.2000	817.00	22.90	13.300	<1000.0	0.80	<0.1	425.00	8.00	1010.0000	<2.0	2.0000	1190000.00	13.00	0.130	709.00	88700.000	<1.0	71.00	850.000	3.2000	<0.4	2430	<0.8	15700.00	<0.2	3770.00	<10.0	0.27	4.5300	<4.0	441000.000	<2.0		
ETA Combined Average		0.2383	736.50	20.83	16.075	1381.25	0.54	0.14	437.00	29.90	1055.0000	2.76	31.0750	1021750.00	14.03	0.137	735.50	90300.000	1.53	69.58	953.000	5.7150	0.61	2313	1.1125	14825.00	0.32	3752.50	16.15	0.67	4.7700	5.53	464500.000	2.80		
ETA Combined Max		<0.5	979.00	27.00	21.000	<5,000.0	<1.0	<0.5	478.00	67.50	1130.0000	<10.0	74.3000	1230000.00	16.10	0.154	793.00	92200.000	<5.0	71.30	1050.000	12.1000	<2.0	2490	<4.0	15800.00	<1.0	3840.00	<50.0	1.71	5.1000	<20.0	477000.000	<10.0		
ETA Combined Min		0.2000	240.00	12.40	13.300	<50.0	0.36	<0.005	416.00	8.00	1010.0000	<0.1	2.0000	577000.00	13.00	0.124	695.00	88700.000	0.61	66.00	850.000	3.2000	0.22	2020	0.0500	12200.00	0.17	3690.00	9.60	0.27	4.5300	<0.2	441000.000	0.20		
ETA Combined N > DL		2	4	4	4	0	2	0	4	4	4	0	4	4	0	4	4	4	4	1	4	4	4	1	4	1	4	1	4	1	4	4	0	4	1	
ETA Combined Median		0.3133	863.50	21.95	15.000	1500.00	0.70	0.15	427.00	22.05	1040.0000	3.00	24.0000	1140000.00	13.50	0.134	727.00	90150.000	1.50	70.50	956.000	3.7800	0.60	2370	1.2000	15650.00	0.30	3740.00	15.00	0.35	4.7250	6.00	470000.000	3.00		
FAROCR	5/3/2010	0.0070	125.00	0.60	25.800	<50.0	0.06	<0.005	7.27	0.10	0.2170	<0.1	6.0800	199.00	0.67	0.003	1.60	7.910	0.29	1.47	3.350	10.4000	0.14	<10.0	0.1200	4040.00	<0.01	37.30	1.20	0.01	0.5300	<0.2	25.400	0.30		
FAROCR	6/5/2010	<0.005	84.00	0.24	14.600	<50.0	0.03	0.01	3.84	0.03	0.0420	0.20	1.6100	43.00	0.26	0.001	0.95	1.370	0.13	1.54	1.770	3.2700	0.05	<10.0	0.1000	6440.00	0.03	20.70	<0.5	0.01	0.2590	<0.2	9.400	0.20		
FAROCR	7/8/2010	<0.005	35.50	0.31	21.400	<50.0	0.02	0.01	5.93	0.03	0.0290	<0.1	1.3200	28.00	0.28	0.003	1.28	0.990	0.24	1.68	0.750	3.3600	0.07	<10.0	0.1800	6890.00	<0.01	34.10	<0.5	0.01	0.2700	<0.2	8.300	<0.1		
FAROCR	8/3/2010	<0.005	15.60	0.46	30.800	<50.0	<0.01	<0.005	9.32	0.03	0.0180	<0.1	1.1300	9.00	0.43	0.003	2.41	0.370	0.70	2.10	1.050	0.8310	0.11	<10.0	0.4300	5590.00	<0.01	51.40	<0.5	0.01	0.5100	<0.2	5.400	<0.1		
FAROCR	9/1/2010	<0.005	11.10	0.41	26.400	<50.0	<0.01	<0.005	9.18	0.03	0.0250	<0.1	1.0900	8.00	0.54	0.003	2.32	1.590	0.67	2.21	0.880	0.8510	0.16	<10.0	0.3600	6200.00	<0.01	50.80	<0.5	0.01	0.5890	<0.2	8.000	<0.1		
FAROCR	10/19/2010	0.0540	11.70	0.39	24.400	<50.0	<0.01	<0.005	9.76	0.05	0.0540	<0.1	1.2800	22.00	1.90	0.003	2.54	2.110	0.64	3.66	1.260	1.6600	0.07	<10.0	0.4300	7250.00	0.09	49.10	<0.5	0.01	0.5630	<0.2	23.700	<0.1		
FAROCR Average		0.0118	47.15	0.40	23.900	25.00	0.02	0.00	7.55	0.05	0.0642	0.08	2.0850	51.50	0.68	0.003	1.85	2.390	0.45	2.11	1.510	3.3953	0.10	5	0.2700	6068.33	0.02	40.57	0.41	0.01	0.4535	0.10	13.367	0.12		
FAROCR Max		0.0540	125.00	0.60	30.800	<50.0	0.06	0.01	9.76	0.10	0.2170	0.20	6.0800	199.00	1.90	0.003	2.54	7.910	0.70	3.66	3.350	10.4000	0.16	<10.0	0.4300	7250.00	0.09	51.40	1.20	0.01	0.5890	<0.2	25.400	0.30		
FAROCR Min		<0.005	11.10	0.24	14.600	<50.0	<0.01	<0.005	3.84	0.03	0.0180	<0.1	1.0900	8.00	0.26	0.001	0.95	0.370	0.13	1.47	0.750	0.8310	0.05	<10.0	0.1000	4040.00	<0.01	20.70	<0.5	0.01	0.2590	<0.2	5.400	<0.1		
FAROCR N > DL		2	6	6	6	0	3	2	6	6	6	1	6	6	0	6	6	6	6	6	6	6	6	0	6	6	6	2	6	1	6	6	0	6	2	
FAROCR Median		0.0000	25.55	0.40	25.100	<50.0	0.02	0.00	8.23	0.03	0.0355	<0.1	1.3000	25.00	0.49	0.003	1.96	1.480	0.47	1.89	1.155	2.4650	0.09	<10.0	0.2700	6320.00	0.00	43.20	<0.5	0.01	0.5200	<0.2	8.850	0.00		
FCO	6/16/2010	<0.005	58.90	0.13	36.700	<50.0	0.05	<0.005	11.90	1.73	2.0000	<0.1	25.2000	41.00	0.53	0.005	3.79	37.500	<0.05	2.51	6.450	0.9550	0.06	12	<0.04	6560.00	<0.01	63.10	<0.5	0.01	0.1170	<0.2	1080.000	<0.1		
FCO	10/7/2010	<0.005	81.70	0.07	34.500	<50.0	0.05	<0.005	12.30	1.78	2.5700	<0.1	28.5000	30.00	0.45	0.005	3.98	43.200	0.10	2.95	7.210	0.1490	0.04	13	<0.04	7550.00	<0.01	64.50	<0.5	0.00	0.1350	<0.2	1290.000	<0.1		
FCO Average		0.0025	70.30	0.10	35.600	25.00	0.05	0.00	12.10	1.76	2.2850	0.05	26.8500	35.50	0.49	0.005	3.89	40.350	0.06	2.73	6.830	0.5520	0.05	13	0.0200	7055.00	0.01	63.80	0.25	0.01	0.1260	0.10	1185.000	0.05		
FCO N > DL		0	2	2	2	0	2	0	2	2	2	0	2	2	0	2	2	2	2	1	2	2	2	2	2	0	2	2	0	2	0	2	0	2	0	
FCS-4	9/2/2010	0.0720	27.10	1.63	10.300	<50.0	0.04	<0.005	490.00	13.90	446.0000	<0.1	12.1000	266000.00	13.20	0.112	755.00	69000.000	<0.05	69.70	453.000	2.0900	0.22	1670	<0.4	9060.00	0.06	3550.00	10.90	0.80	6.2000	<0.2	152000.000	<0.1		
FCS-4	10/20/2010	<0.5	32.00	6.00	14.000	<5000.0	<1.0	<0.5	437.00	22.40	903.0000	<10.0	10.0000	883000.00	13.00	0.127	760.00	86600.000	<5.0	65.00	810.000	0.9000	<2.0	1990	<4.0	12900.00	<1.0	3910.00	<50.0	0.40	6.1000	<20.0	399000.000	<10.0		
FCS-4	11/10/2010	<0.5	<20.0	7.00	13.000	<5000.0	<1.0	<0.5	458.00	9.70	784.0000	<10.0	<5.0	956000.00	11.00	0.118	749.00	82800.000	12.00	72.00	761.000	<0.5	<2.0	2150	<4.0	14800.00	<1.0	3640.00	<50.0	0.30	7.1000	<20.0	363000.000	<10.0		
FCS-4	12/2/2010	<0.1	10.00	6.40	11.500	<1000.0	<0.2	<0.1	455.00	9.10	821.0000	<2.0	3.0000	939000.00	13.00	0.121	729.00	84400.000	<1.0	71.00	737.000	<0.1	<0.4	2240	<0.8	13200.00	<0.2	3710.00	<10.0	0.27	6.2800	<4.0	359000.000	<2.0		
FCS-4 Average		0.1555	19.78	5.26	12.200	1381.25	0.29	0.14	460.00	13.78	738.5000	2.76	6.9000	761000.00	12.55	0.120	748.25	80700.000	3.76	69.43	690.250	0.8225	0.61	2013	1.1050	12490.00	0.29	3702.50	16.48	0.44	6.4200	5.53	318250.000	2.76		
FCS-4 Max		<0.5	32.00	7.00	14.000	<5,000.0	<1.0	<0.5	490.00	22.40	903.0000	<10.0	12.1000	956000.00	13.20	0.127	760.00	86600.000	12.00	72.00	810.000	2.0900	<2.0	2240	<4.0	14800.00	<1.0	3910.00	<50.0	0.80	7.1000	<20.0	399000.000	<10.0		
FCS-4 Min		0.0720	10.00	1.63	10.300	<50.0	0.04	<0.005	437.00	9.10	446.0000	<0.1	3.0000	266000.00	11.00	0.112	729.00	69000.000	<0.05	65.00	453.000	<0.1	0.22	1670	<0.4	9060.00	0.06	3550.00	<10.0	0.27	6.1000	<0.2	152000.000	<0.1		
FCS-4 N > DL		1	3	4	4	0	1	0	4	4	4	0	3	4	0	4	4	4	4	1	4	4	4	4	4	0	4	1	4	1	4	4	0	4	0	
FCS-4 Median		1.5000	18.55	6.20	12.250	1500.00	0.30	0.15	456.50	11.80	802.5000	3.00	6.2500	911000.00	13.00	0.120	752.00	83600.000	1.50	70.35	749.000															

Table C-2: Rose Creek Drainage Water Quality
2010 - Surface Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
NF2	2/23/2010	<0.005	2.20	0.34	73.700	<50.0	<0.01	<0.005	46.10	0.01	0.0950	<0.1	0.2700	31.00	1.10	0.009	9.70	14.600	0.91	3.39	0.380	0.0620	0.06	8	0.4400	6010.00	<0.01	193.00	<0.5	<0.002	2.7900	<0.2	11.800	<0.1		
NF2	3/10/2010	<0.005	2.00	0.34	71.000	<50.0	<0.01	<0.005	44.40	0.01	0.1130	<0.1	0.2500	27.00	1.08	0.009	9.23	16.700	0.94	3.36	0.420	0.0940	0.05	<10.0	0.4300	6200.00	<0.01	192.00	<0.5	<0.002	2.9900	<0.2	13.100	<0.1		
NF2	4/14/2010	<0.005	1.80	0.34	73.900	<50.0	<0.01	<0.005	45.90	0.02	0.1590	<0.1	0.1700	26.00	1.10	0.009	9.34	20.200	0.94	3.53	0.520	0.0940	0.06	<10.0	0.4300	6180.00	0.02	197.00	<0.5	<0.002	3.0400	<0.2	17.200	<0.1		
NF2	5/3/2010	0.0070	57.20	0.68	35.900	<50.0	0.03	<0.005	15.30	0.04	0.1110	<0.1	2.1300	246.00	1.21	0.003	3.15	14.800	0.35	1.28	1.110	1.2100	0.07	<10.0	0.1800	3060.00	<0.01	72.70	<0.5	0.00	0.6160	<0.2	13.600	0.20		
NF2	6/4/2010	<0.005	45.90	0.46	28.200	<50.0	<0.01	0.01	13.80	0.05	0.0610	0.20	1.2300	98.00	0.55	0.002	3.27	8.950	0.27	1.56	0.680	5.3100	0.08	<10.0	0.1300	4460.00	0.02	55.40	0.60	0.00	0.4930	<0.2	15.200	<0.1		
NF2	7/8/2010	<0.005	11.50	0.47	39.500	<50.0	<0.01	0.01	18.80	0.01	0.0280	<0.1	0.6000	72.00	0.47	0.003	4.15	10.200	0.37	1.63	0.350	0.3920	0.08	<10.0	0.1600	4490.00	<0.01	90.80	<0.5	<0.002	0.7720	<0.2	4.500	<0.1		
NF2	8/3/2010	<0.005	6.20	0.60	52.000	<50.0	<0.01	<0.005	26.30	0.01	0.0590	<0.1	0.4900	141.00	0.64	0.004	5.59	26.400	0.59	2.03	0.410	0.6970	0.07	<10.0	0.2300	4780.00	<0.01	117.00	<0.5	0.00	1.0000	<0.2	7.000	<0.1		
NF2	9/1/2010	<0.005	6.60	0.59	48.900	<50.0	<0.01	<0.005	28.40	0.01	0.0960	<0.1	0.7100	125.00	0.69	0.004	6.09	33.300	0.56	2.25	0.540	0.4790	0.06	<10.0	0.2200	4400.00	<0.01	120.00	<0.5	<0.002	1.2800	<0.2	9.200	<0.1		
NF2	10/18/2010	<0.005	3.10	0.38	48.600	<50.0	<0.01	<0.005	31.60	0.01	0.0770	<0.1	0.3600	101.00	0.70	0.005	6.59	35.700	0.66	2.37	0.470	0.2600	0.06	<10.0	0.2900	5190.00	<0.01	131.00	<0.5	0.00	1.4300	<0.2	8.300	<0.1		
NF2	11/9/2010	<0.005	3.00	0.32	60.800	<50.0	<0.01	<0.005	35.40	0.02	0.1770	<0.1	0.8100	72.00	1.19	0.006	7.85	63.700	0.65	2.81	0.780	0.6650	0.07	<10.0	0.3000	5540.00	0.02	154.00	<0.5	0.00	1.8500	<0.2	24.700	<0.1		
NF2	12/1/2010	<0.005	3.10	0.31	64.400	<50.0	<0.01	0.01	38.50	0.02	0.1260	<0.1	0.5500	64.00	0.91	0.006	8.47	35.600	0.64	2.83	0.490	0.0820	0.06	<10.0	0.3300	5870.00	<0.01	163.00	<0.5	<0.002	2.0000	<0.2	15.900	<0.1		
NF2 Average		0.0029	12.03	0.43	55.583	25.00	0.01	0.00	32.34	0.02	0.0987	0.06	0.6542	86.33	0.89	0.006	6.90	24.646	0.64	2.52	0.545	0.7859	0.07	6	0.2975	5215.83	0.01	138.41	0.28	0.00	1.7351	0.10	12.500	0.06		
NF2 Max		0.0070	57.20	0.68	73.900	<50.0	0.03	0.01	46.10	0.05	0.1770	0.20	2.1300	246.00	1.21	0.009	9.70	63.700	0.94	3.53	1.110	5.3100	0.08	<10.0	0.4400	6410.00	0.02	197.00	0.60	0.00	3.0400	<0.2	24.700	0.20		
NF2 Min		<0.005	1.70	0.31	28.200	<50.0	<0.01	<0.005	13.80	0.01	0.0280	<0.1	0.1700	26.00	0.47	0.002	3.15	8.950	0.27	1.28	0.350	0.0620	0.05	8	0.1300	3060.00	<0.01	55.40	<0.5	<0.002	0.4930	<0.2	4.500	<0.1		
NF2 N > DL		1	12	12	12	0	1	3	12	12	12	1	12	12	0	12	12	12	12	12	12	12	12	2	12	12	3	12	1	5	12	0	12	1		
NF2 Median		<0.005	3.10	0.36	56.400	<50.0	<0.01	<0.005	33.50	0.01	0.0955	<0.1	0.5200	72.00	0.97	0.005	7.22	18.450	0.65	2.59	0.480	0.3260	0.07	<10.0	0.2950	5365.00	<0.01	142.50	<0.5	<0.002	1.6400	<0.2	12.450	<0.1		
NFRC SC-1	1/12/2010	<0.005	1.90	0.33	68.800	<50.0	<0.01	<0.005	43.10	0.01	0.0900	<0.1	0.3300	45.00	1.01	0.008	9.29	24.400	0.79	3.20	0.410	0.1050	0.07	8	0.4400	6330.00	<0.01	176.00	<0.5	<0.002	2.5300	<0.2	9.700	<0.1		
NFRC SC-1	2/23/2010	<0.005	2.30	0.33	73.100	<50.0	<0.01	<0.005	45.20	0.01	0.1050	<0.1	0.2800	46.00	1.09	0.009	9.57	28.600	0.88	3.39	0.400	0.0640	0.06	8	0.4400	5820.00	<0.01	192.00	<0.5	<0.002	2.7900	<0.2	12.200	<0.1		
NFRC SC-1	3/10/2010	<0.005	1.80	0.37	72.000	<50.0	<0.01	<0.005	45.30	0.01	0.1350	<0.1	0.2600	48.00	1.10	0.009	9.47	38.700	0.96	3.39	0.440	0.0580	0.06	<10.0	0.4200	6280.00	<0.01	196.00	<0.5	<0.002	3.0200	<0.2	13.300	<0.1		
NFRC SC-1	4/14/2010	<0.005	2.10	0.37	73.600	<50.0	<0.01	<0.005	46.90	0.02	0.1680	<0.1	0.1900	60.00	1.15	0.009	9.69	43.800	0.94	3.60	0.530	0.1150	0.06	<10.0	0.4300	6000.00	<0.01	199.00	<0.5	0.00	3.0300	<0.2	18.100	<0.1		
NFRC SC-1	5/3/2010	<0.005	59.90	0.69	37.400	<50.0	<0.01	<0.005	17.30	0.05	0.1200	<0.1	2.2300	235.00	1.35	0.003	3.32	21.000	0.34	1.43	1.770	1.4700	0.08	<10.0	0.1500	3100.00	<0.01	76.80	<0.5	0.01	0.6340	<0.2	18.400	0.20		
NFRC SC-1	6/4/2010	<0.005	27.50	0.37	26.400	<50.0	0.02	<0.005	13.50	0.01	0.0320	<0.1	0.8200	74.00	0.51	0.002	3.25	6.310	0.28	1.53	0.400	0.4580	0.07	<10.0	0.1300	4470.00	<0.01	56.20	<0.5	<0.002	0.4990	<0.2	4.200	<0.1		
NFRC SC-1	7/8/2010	<0.005	11.50	0.45	38.400	<50.0	<0.01	<0.005	18.00	0.01	0.0300	<0.1	0.6100	75.00	0.45	0.003	3.89	9.910	0.35	1.58	0.330	0.4730	0.08	<10.0	0.1700	4300.00	<0.01	86.40	<0.5	<0.002	0.6990	<0.2	4.000	<0.1		
NFRC SC-1	8/3/2010	<0.005	7.60	0.63	52.300	<50.0	<0.01	<0.005	26.60	0.01	0.0700	<0.1	0.7900	128.00	0.73	0.005	6.27	30.200	0.59	2.29	0.600	0.9110	0.08	<10.0	0.2300	3850.00	<0.01	118.00	<0.5	0.00	1.2400	<0.2	8.100	<0.1		
NFRC SC-1	10/18/2010	<0.005	3.60	0.43	51.700	<50.0	<0.01	<0.005	32.60	0.01	0.0970	<0.1	0.3500	101.00	0.70	0.005	6.49	35.700	0.59	2.33	0.430	0.2160	0.06	<10.0	0.2900	5370.00	<0.01	134.00	<0.5	0.00	1.5600	<0.2	8.500	<0.1		
NFRC SC-1 Average		0.0025	13.13	0.44	54.856	25.00	0.01	0.00	32.06	0.02	0.0941	0.05	0.6511	90.22	0.90	0.006	6.80	26.513	0.64	2.53	0.590	0.4300	0.07	6	0.3000	5057.78	0.01	137.16	0.25	0.00	1.7780	0.10	10.722	0.07		
NFRC SC-1 Max		<0.005	59.90	0.69	73.600	<50.0	0.02	<0.005	46.90	0.05	0.1680	<0.1	2.2300	235.00	1.35	0.009	9.69	43.800	0.96	3.60	1.770	1.4700	0.08	<10.0	0.4400	6330.00	<0.01	199.00	<0.5	0.01	3.0300	<0.2	18.400	0.20		
NFRC SC-1 Min		<0.005	1.80	0.33	26.400	<50.0	<0.01	<0.005	13.50	0.01	0.0300	<0.1	0.1900	45.00	0.45	0.002	3.25	6.310	0.28	1.43	0.330	0.0580	0.06	8	0.1300	3100.00	<0.01	56.20	<0.5	<0.002	0.4990	<0.2	4.000	<0.1		
NFRC SC-1 N > DL		0	9	9	9	0	1	0	9	9	9	0	9	9	0	9	9	9	9	9	9	9	9	2	9	9	0	9	0	4	9	0	9	1		
NFRC SC-1 Median		<0.005	3.60	0.37	52.300	<50.0	<0.01	<0.005	32.60	0.01	0.0970	<0.1	0.3500	74.00	1.01	0.005	6.49	28.600	0.59	2.33	0.430	0.2160	0.07	<10.0	0.2900	5370.00	<0.01	134.00	<0.5	<0.002	1.5600	<0.2	9.700	<0.1		
NFRC SC-2	1/12/2010	<0.005	1.80	0.30	69.000	<50.0	<0.01	<0.005	42.30	0.02	0.0970	<0.1	0.3400	65.00	0.98	0.008	9.21	29.400	0.80	3.15	0.440	0.0810	0.07	8	0.4300	6380.00	<0.01	177.00	<0.5	0.00	2.5200	<0.2	10.900	<0.1		
NFRC SC-2	2/23/2010	<0.005	2.10	0.30	70.800	<50.0	<0.01	<0.005	44.80	0.01	0.1030	<0.1	0.2600	65.00	1.08	0.009	9.53	30.600	0.86	3.36	0.380	0.0470	0.05	7	0.4100	5710.00	<0.01	193.00	<0.5	<0.002	2.7300	<0.2	12.700	<0.1		
NFRC SC-2	3/10/2010	<0.005	1.80	0.32	71.700	<50.0	<0.01	<0.005	45.00	0.01	0.1370	<0.1	0.2700	71.00	1.09	0.009	9.44	38.800	0.94	3.45	0.470	0.0540	0.05	<10.0	0.4400	6200.00	<0.01	196.00	<0.							

Table C-2: Rose Creek Drainage Water Quality
2010 - Surface Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
NFRC SC-4	3/10/2010	<0.005	3.20	0.31	68.000	<50.0	<0.01	<0.005	43.80	0.02	0.1650	<0.1	0.2800	66.00	1.08	0.009	9.41	59.000	0.90	3.36	0.730	0.0830	0.05	<10.0	0.4800	6560.00	<0.01	189.00	<0.5	<0.002	2.8600	<0.2	24.500	<0.1		
NFRC SC-4	4/14/2010	<0.005	3.20	0.28	72.600	<50.0	<0.01	<0.005	45.90	0.02	0.2140	<0.1	0.2000	66.00	1.12	0.009	9.51	65.500	0.94	3.51	0.720	0.3110	0.07	<10.0	0.4000	5940.00	0.02	200.00	<0.5	<0.002	3.0100	<0.2	28.100	<0.1		
NFRC SC-4	5/3/2010	<0.005	59.20	0.71	37.800	<50.0	<0.01	<0.005	18.30	0.04	0.1370	<0.1	2.1800	266.00	1.42	0.003	3.57	29.000	0.36	1.49	1.490	1.4300	0.08	<10.0	0.1800	3360.00	<0.01	79.90	<0.5	0.01	0.6390	<0.2	17.500	0.20		
NFRC SC-4	6/4/2010	<0.005	31.80	0.43	27.400	<50.0	<0.01	0.01	14.00	0.02	0.0460	<0.1	1.0200	80.00	0.55	0.002	3.35	8.110	0.28	1.57	0.740	1.2400	0.08	<10.0	0.1300	4500.00	0.02	56.30	0.60	0.00	0.4960	<0.2	10.000	<0.1		
NFRC SC-4	7/8/2010	<0.005	13.40	0.45	38.200	<50.0	<0.01	0.02	18.40	0.01	0.0430	<0.1	0.6600	87.00	0.46	0.003	3.92	11.400	0.35	1.61	0.380	1.7400	0.08	<10.0	0.1800	4470.00	<0.01	85.80	<0.5	0.00	0.6790	<0.2	6.700	<0.1		
NFRC SC-4	8/3/2010	<0.005	7.20	0.61	52.800	<50.0	<0.01	<0.005	26.40	0.01	0.0810	<0.1	0.5500	174.00	0.69	0.004	6.05	33.700	0.58	2.18	0.470	0.6480	0.08	<10.0	0.2400	3820.00	<0.01	118.00	<0.5	0.00	1.1700	<0.2	9.300	<0.1		
NFRC SC-4	10/18/2010	<0.005	3.70	0.45	52.100	<50.0	<0.01	<0.005	32.60	0.02	0.1160	<0.1	0.4000	118.00	0.75	0.005	7.03	44.200	0.62	2.50	0.610	0.2470	0.06	<10.0	0.3100	5430.00	<0.01	138.00	<0.5	0.00	1.5700	<0.2	12.400	<0.1		
NFRC SC-4 Average		0.0029	13.94	0.42	54.333	25.00	0.01	0.01	32.00	0.02	0.1213	0.05	0.6556	109.11	0.91	0.006	6.90	39.846	0.63	2.54	0.702	0.6502	0.07	6	0.3078	5132.22	0.01	138.11	0.29	0.00	1.7460	0.10	17.033	0.07		
NFRC SC-4 Max		0.0060	59.20	0.71	72.600	<50.0	<0.01	0.02	45.90	0.04	0.2140	<0.1	2.1800	266.00	1.42	0.009	9.72	65.500	0.94	3.51	1.490	1.7400	0.08	<10.0	0.4800	6560.00	0.02	200.00	0.60	0.01	3.0100	<0.2	28.100	0.20		
NFRC SC-4 Min		<0.005	1.80	0.25	27.400	<50.0	<0.01	<0.005	14.00	0.01	0.0430	<0.1	0.2000	61.00	0.46	0.002	3.35	8.110	0.28	1.49	0.380	0.0620	0.05	8	0.1300	3360.00	<0.01	56.30	<0.5	<0.002	0.4960	<0.2	6.700	<0.1		
NFRC SC-4 N > DL		1	9	9	9	0	0	2	9	9	9	0	9	9	9	9	9	9	9	9	9	9	9	2	9	9	9	2	9	1	6	9	0	9	1	
NFRC SC-4 Median		<0.005	3.70	0.43	52.800	<50.0	<0.01	<0.005	32.60	0.02	0.1370	<0.1	0.4000	80.00	1.04	0.005	7.03	44.200	0.62	2.50	0.610	0.3110	0.07	<10.0	0.3100	5430.00	<0.01	138.00	<0.5	0.00	1.5700	<0.2	17.500	<0.1		
NWID	2/22/2010	<0.005	2.30	0.19	58.800	<50.0	<0.01	<0.005	69.10	0.06	0.0130	<0.1	0.6600	2.00	1.89	0.007	8.72	0.140	0.30	3.35	0.600	0.1040	0.05	17	0.3100	6340.00	<0.01	264.00	<0.5	0.00	1.5100	<0.2	16.100	<0.1		
NWID	3/10/2010	<0.005	2.40	0.20	59.000	<50.0	<0.01	<0.005	71.20	0.05	0.0170	<0.1	0.6800	3.00	1.95	0.007	9.05	0.150	0.36	3.48	0.670	0.2570	0.05	18	0.3400	6590.00	<0.01	267.00	<0.5	0.00	1.6400	<0.2	19.000	<0.1		
NWID	4/15/2010	<0.005	2.40	0.21	57.500	<50.0	<0.01	<0.005	70.10	0.07	0.0140	<0.1	0.6000	4.00	1.92	0.007	8.86	0.250	0.30	3.41	0.720	0.2540	0.05	16	0.3900	7000.00	<0.01	263.00	<0.5	0.00	1.5800	<0.2	21.100	<0.1		
NWID	5/3/2010	<0.005	36.00	0.35	32.100	<50.0	<0.01	<0.005	23.80	0.05	0.0550	<0.1	2.5600	51.00	1.24	0.003	3.58	1.930	0.20	1.59	1.010	0.9980	0.07	<10.0	0.1400	4300.00	<0.01	97.00	<0.5	0.01	0.4130	<0.2	27.700	<0.1		
NWID	6/4/2010	<0.005	14.80	0.23	35.800	<50.0	<0.01	<0.005	35.40	0.07	0.0450	<0.1	1.9400	14.00	1.27	0.004	5.15	2.050	0.29	2.58	0.750	1.3100	0.07	<10.0	0.1500	7420.00	<0.01	129.00	<0.5	0.00	0.5560	<0.2	23.700	<0.1		
NWID	7/10/2010	<0.005	10.00	0.21	48.600	<50.0	<0.01	<0.005	48.80	0.07	0.0450	<0.1	1.3800	24.00	1.50	0.005	6.66	3.350	0.27	2.86	0.800	4.1400	0.06	13	0.2200	6720.00	<0.01	192.00	<0.5	0.01	0.9950	<0.2	31.300	<0.1		
NWID	8/3/2010	<0.005	4.20	0.26	52.800	<50.0	<0.01	<0.005	50.70	0.07	0.0180	<0.1	0.9300	5.00	1.65	0.007	7.05	0.720	0.28	2.91	0.470	0.4640	0.05	13	0.2400	5780.00	<0.01	208.00	<0.5	0.00	1.0700	<0.2	13.900	<0.1		
NWID Average		0.0025	10.30	0.24	49.229	25.00	0.01	0.00	52.73	0.06	0.0296	0.05	1.2500	14.71	1.63	0.006	7.01	1.227	0.29	2.88	0.717	1.0753	0.06	12	0.2557	6307.14	0.01	202.86	0.25	0.00	1.1091	0.10	21.829	0.05		
NWID Max		<0.005	36.00	0.35	59.000	<50.0	<0.01	<0.005	71.20	0.07	0.0550	<0.1	2.5600	51.00	1.95	0.007	9.05	3.350	0.36	3.48	1.010	4.1400	0.07	18	0.3900	7420.00	<0.01	267.00	<0.5	0.01	1.6400	<0.2	31.300	<0.1		
NWID Min		<0.005	2.30	0.19	32.100	<50.0	<0.01	<0.005	23.80	0.05	0.0130	<0.1	0.6000	2.00	1.24	0.003	3.58	0.140	0.20	1.59	0.470	0.1040	0.05	<10.0	0.1400	4300.00	<0.01	97.00	<0.5	0.00	0.4130	<0.2	13.900	<0.1		
NWID N > DL		0	7	7	7	0	0	0	7	7	7	0	7	7	7	7	7	7	7	7	7	7	7	5	7	7	0	7	0	7	7	0	7	0		
NWID Median		<0.005	4.20	0.21	52.800	<50.0	<0.01	<0.005	50.70	0.07	0.0180	<0.1	0.9300	5.00	1.65	0.007	7.05	0.720	0.29	2.91	0.720	0.4640	0.05	13	0.2400	6590.00	<0.01	208.00	<0.5	0.00	1.0700	<0.2	21.100	<0.1		
R10	1/11/2010	<0.005	1.80	0.34	69.300	<50.0	<0.01	<0.005	42.40	0.01	0.0390	<0.1	0.2900	40.00	0.99	0.008	9.11	17.300	0.81	3.14	0.310	0.0550	0.07	7	0.4500	6800.00	<0.01	172.00	<0.5	<0.002	2.5400	<0.2	6.200	<0.1		
R10	2/23/2010	<0.005	2.30	0.35	72.500	<50.0	<0.01	<0.005	44.20	<0.005	0.0360	<0.1	0.2500	30.00	1.05	0.009	9.23	13.200	0.92	3.26	0.240	0.0190	0.06	7	0.4300	5990.00	<0.01	189.00	<0.5	<0.002	2.7400	<0.2	6.900	<0.1		
R10	3/10/2010	<0.005	2.30	0.39	69.600	<50.0	<0.01	<0.005	46.10	0.01	0.0450	<0.1	0.3000	33.00	1.10	0.009	9.40	13.600	0.97	3.47	0.360	0.2160	0.05	<10.0	0.4500	6430.00	0.02	191.00	<0.5	<0.002	2.9500	<0.2	12.600	<0.1		
R10	4/11/2010	<0.005	4.40	0.35	74.300	<50.0	<0.01	<0.005	45.00	0.03	0.0360	0.20	0.3400	45.00	1.19	0.009	9.48	38.400	0.98	3.64	0.520	0.3910	0.06	<10.0	0.4400	6210.00	<0.01	194.00	<0.5	<0.002	2.9800	<0.2	21.800	<0.1		
R10	5/3/2010	<0.005	63.90	0.69	39.300	<50.0	0.02	<0.005	18.20	0.04	0.1030	<0.1	2.0100	246.00	1.36	0.003	3.37	23.700	0.40	1.46	1.040	1.0400	0.08	<10.0	0.1700	3330.00	<0.01	78.70	0.70	0.00	0.6970	<0.2	10.100	0.20		
R10	6/5/2010	<0.005	39.90	0.43	29.700	<50.0	<0.01	0.03	15.20	0.05	0.0440	<0.1	1.1300	90.00	0.54	0.002	3.65	7.350	0.30	1.65	0.680	2.9200	0.08	<10.0	0.1500	4820.00	0.04	61.50	0.60	<0.002	0.5830	<0.2	8.700	<0.1		
R10	7/8/2010	<0.005	17.20	0.51	38.500	<50.0	<0.01	0.02	18.00	0.02	0.0360	<0.1	0.6500	85.00	0.45	0.003	3.71	9.270	0.35	1.53	0.380	3.1600	0.09	<10.0	0.1700	4480.00	<0.01	84.70	<0.5	0.00	0.6870	<0.2	9.500	<0.1		
R10	8/3/2010	<0.005	6.20	0.60	48.500	<50.0	<0.01	<0.005	25.00	0.01	0.0330	<0.1	0.4100	101.00	0.59	0.004	5.54	10.400	0.57	1.94	0.280	0.3110	0.07	<10.0	0.2400	3760.00	<0.01	111.00	<0.5	<0.002	1.1500	<0.2	4.300	<0.1		
R10	9/1/2010	<0.005	8.40	0.63	48.000	<50.0	<0.01	0.01	27.60	0.02	0.0540	<0.1	0.6800	124.00	0.76	0.004	5.87	16.500	0.54	2.26	0.390	0.9550	0.06	<10.0	0.2200	4500.00	&									

Table C-2: Rose Creek Drainage Water Quality
2010 - Surface Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
R8	4/11/2010	<0.005	1.80	0.41	76.400	<50.0	<0.01	<0.005	43.70	<0.005	0.0120	<0.1	0.1600	26.00	1.06	0.009	8.59	7.690	1.03	3.52	0.190	0.0490	0.05	<10.0	0.4500	6370.00	<0.01	187.00	<0.5	<0.002	2.8700	<0.2	0.600	<0.1		
R8	5/3/2010	<0.005	64.50	0.77	39.400	<50.0	0.02	<0.005	16.60	0.03	0.0880	<0.1	1.9300	264.00	1.32	0.003	3.12	24.700	0.39	1.43	1.200	1.4200	0.09	<10.0	0.1800	3330.00	<0.01	72.60	0.70	0.00	0.6830	<0.2	6.800	0.20		
R8	6/5/2010	<0.005	44.70	0.46	30.300	<50.0	<0.01	0.03	14.30	0.01	0.0380	<0.1	0.9500	91.00	0.49	0.002	3.17	6.750	0.31	1.61	0.560	1.5800	0.07	<10.0	0.1500	4760.00	0.03	56.60	<0.5	<0.002	0.5500	<0.2	4.100	<0.1		
R8	7/8/2010	<0.005	24.50	0.55	39.300	<50.0	<0.01	<0.005	17.40	0.01	0.0300	<0.1	0.6600	100.00	0.41	0.002	3.47	8.940	0.35	1.53	0.330	1.1500	0.08	<10.0	0.1800	4640.00	<0.01	76.00	1.00	0.00	0.6280	<0.2	2.500	<0.1		
R8	8/3/2010	<0.005	6.30	0.64	50.700	<50.0	<0.01	<0.005	24.30	<0.005	0.0250	<0.1	0.4900	112.00	0.55	0.004	5.27	11.700	0.58	1.97	0.330	0.3370	0.08	<10.0	0.2500	3880.00	<0.01	104.00	<0.5	<0.002	1.0500	<0.2	2.600	<0.1		
R8	9/1/2010	<0.005	10.50	0.64	47.200	<50.0	<0.01	<0.005	24.10	0.02	0.0570	<0.1	1.4400	134.00	0.75	0.004	5.05	17.100	0.55	2.13	0.520	2.2200	0.07	<10.0	0.2000	3990.00	<0.01	110.00	<0.5	0.00	1.1600	<0.2	22.000	<0.1		
R8	10/19/2010	0.0060	5.50	0.59	50.500	<50.0	<0.01	<0.005	30.20	0.02	0.0290	<0.1	0.5800	116.00	0.88	0.005	6.15	17.100	0.59	2.59	0.380	0.7970	0.07	<10.0	0.3100	5730.00	0.02	121.00	<0.5	<0.002	1.4000	<0.2	7.800	<0.1		
R8	11/10/2010	<0.005	3.00	0.38	62.700	<50.0	<0.01	<0.005	34.40	0.01	0.0280	<0.1	0.2800	63.00	0.74	0.005	7.06	14.400	0.86	2.75	0.240	0.0640	0.06	<10.0	0.3000	6050.00	<0.01	141.00	<0.5	<0.002	1.6700	<0.2	1.700	<0.1		
R8	12/1/2010	<0.005	2.40	0.38	63.500	<50.0	0.02	<0.005	35.30	0.01	0.0230	<0.1	0.2900	57.00	0.80	0.006	7.13	13.700	0.65	2.61	0.190	0.0850	0.06	<10.0	0.3100	5910.00	<0.01	148.00	<0.5	<0.002	1.7700	<0.2	3.300	<0.1		
R8 Average		0.0028	14.08	0.50	56.008	25.00	0.01	0.00	30.34	0.01	0.0316	0.06	0.6192	88.92	0.82	0.005	6.07	12.834	0.67	2.46	0.373	0.6492	0.07	5	0.3008	5286.67	0.01	127.60	0.35	0.00	1.6126	0.10	4.400	0.06		
R8 Max		0.0060	64.50	0.77	76.400	<50.0	0.02	0.03	43.70	0.03	0.0880	0.20	1.9300	264.00	1.32	0.009	8.59	24.700	1.03	3.52	1.200	2.2200	0.09	<10.0	0.4600	6370.00	0.03	187.00	1.00	0.00	2.8700	<0.2	22.000	0.20		
R8 Min		<0.005	1.60	0.36	30.300	<50.0	<0.01	<0.005	14.30	<0.005	0.0120	<0.1	0.1600	26.00	0.41	0.002	3.12	6.750	0.31	1.43	0.150	0.0060	0.05	4	0.1500	3330.00	<0.01	56.60	<0.5	<0.002	0.5500	<0.2	0.300	<0.1		
R8 N > DL		1	12	12	12	0	2	1	12	7	12	1	12	12	0	12	12	12	12	12	12	12	12	2	12	12	12	2	12	2	3	12	0	12	1	
R8 Median		<0.005	4.25	0.44	56.700	<50.0	<0.01	<0.005	32.30	0.01	0.0265	<0.1	0.3900	77.00	0.84	0.005	6.61	12.700	0.62	2.60	0.285	0.2110	0.07	<10.0	0.3050	5820.00	<0.01	131.00	<0.5	<0.002	1.5350	<0.2	2.550	<0.1		
R9	1/11/2010	<0.005	1.90	0.35	68.600	<50.0	<0.01	<0.005	42.50	<0.005	0.0250	<0.1	0.3400	33.00	0.99	0.007	9.06	14.900	0.84	3.11	0.240	0.1840	0.07	7	0.4200	6300.00	<0.01	170.00	<0.5	<0.002	2.5600	<0.2	1.600	<0.1		
R9	2/23/2010	<0.005	2.20	0.38	71.500	<50.0	<0.01	<0.005	43.60	<0.005	0.0220	<0.1	0.2400	30.00	1.04	0.008	9.07	10.800	0.90	3.21	0.190	0.0150	0.05	7	0.4300	5840.00	<0.01	187.00	<0.5	<0.002	2.7100	<0.2	1.100	<0.1		
R9	3/10/2010	<0.005	2.20	0.42	71.800	<50.0	<0.01	<0.005	45.30	<0.005	0.0220	<0.1	0.2800	34.00	1.08	0.009	9.19	10.600	0.98	3.38	0.250	0.1600	0.06	<10.0	0.4800	6850.00	<0.01	193.00	<0.5	<0.002	3.0200	<0.2	3.600	<0.1		
R9	4/11/2010	<0.005	1.50	0.39	72.200	<50.0	<0.01	<0.005	44.50	0.01	0.0180	<0.1	0.1900	22.00	1.11	0.009	9.37	8.350	0.96	3.47	0.170	0.0230	0.05	<10.0	0.4500	6230.00	<0.01	188.00	<0.5	<0.002	2.9700	<0.2	0.700	<0.1		
R9	5/3/2010	<0.005	58.20	0.68	39.000	<50.0	<0.01	<0.005	17.70	0.03	0.0800	<0.1	1.8900	244.00	1.34	0.003	3.32	22.600	0.39	1.43	0.970	0.8420	0.07	<10.0	0.1700	3350.00	<0.01	78.50	0.70	0.00	0.7110	<0.2	4.000	0.20		
R9	6/5/2010	<0.005	36.00	0.45	30.000	<50.0	<0.01	0.01	15.50	0.02	0.0380	<0.1	0.9500	84.00	0.53	0.002	3.69	6.780	0.31	1.66	0.670	1.5700	0.07	<10.0	0.1500	4720.00	0.02	62.40	<0.5	<0.002	0.6100	<0.2	5.600	<0.1		
R9	7/8/2010	<0.005	15.50	0.51	37.300	<50.0	<0.01	0.01	16.90	0.01	0.0250	<0.1	0.6000	79.00	0.44	0.003	3.79	7.860	0.35	1.54	0.290	1.1800	0.08	<10.0	0.1700	4170.00	<0.01	81.60	<0.5	<0.002	0.6690	<0.2	2.000	<0.1		
R9	8/3/2010	<0.005	8.10	0.72	50.600	<50.0	<0.01	<0.005	26.40	0.01	0.0290	<0.1	0.5500	107.00	0.64	0.004	6.12	11.400	0.56	2.10	0.620	0.6090	0.07	<10.0	0.2400	3750.00	<0.01	116.00	<0.5	<0.002	1.1900	<0.2	3.500	<0.1		
R9	9/1/2010	<0.005	8.10	0.60	47.300	<50.0	<0.01	0.01	27.40	0.02	0.0510	<0.1	0.5600	129.00	0.76	0.004	5.74	16.300	0.54	2.10	0.460	1.0800	0.06	<10.0	0.2100	4530.00	<0.01	116.00	<0.5	<0.002	1.2600	<0.2	10.800	<0.1		
R9	10/19/2010	0.0060	5.40	0.56	52.300	<50.0	<0.01	<0.005	34.00	0.02	0.0310	<0.1	0.5300	109.00	0.85	0.005	6.84	17.100	0.61	2.50	0.380	0.7130	0.07	<10.0	0.3100	5700.00	0.02	135.00	<0.5	<0.002	1.6100	<0.2	4.400	<0.1		
R9	11/10/2010	<0.005	3.30	0.35	61.900	<50.0	<0.01	<0.005	36.10	0.02	0.1900	<0.1	0.5100	116.00	1.55	0.006	8.36	39.800	0.75	3.29	0.470	0.2380	0.06	<10.0	0.3200	5730.00	0.02	153.00	<0.5	0.00	1.8100	<0.2	52.600	<0.1		
R9	12/1/2010	<0.005	2.30	0.38	64.500	<50.0	<0.01	<0.005	38.70	0.01	0.0260	<0.1	0.5300	57.00	0.86	0.006	8.08	14.600	0.68	2.69	0.270	0.0520	0.06	<10.0	0.3400	5990.00	0.02	160.00	<0.5	<0.002	2.0000	<0.2	3.700	<0.1		
R9 Average		0.0028	12.06	0.48	55.583	25.00	0.01	0.00	32.38	0.01	0.0464	0.05	0.5975	87.00	0.93	0.005	6.89	15.091	0.66	2.54	0.415	0.5555	0.06	5	0.3075	5263.33	0.01	136.71	0.29	0.00	1.7600	0.10	7.800	0.06		
R9 Max		0.0060	58.20	0.72	72.200	<50.0	<0.01	0.01	45.30	0.03	0.1900	<0.1	1.8900	244.00	1.55	0.009	9.37	39.800	0.98	3.47	0.970	1.5700	0.08	<10.0	0.4800	6850.00	0.02	193.00	0.70	0.00	3.0200	<0.2	52.600	0.20		
R9 Min		<0.005	1.50	0.35	30.000	<50.0	<0.01	<0.005	15.50	<0.005	0.0180	<0.1	0.1900	22.00	0.44	0.002	3.32	6.780	0.31	1.43	0.170	0.0150	0.05	7	0.1500	3350.00	<0.01	62.40	<0.5	<0.002	0.6100	<0.2	0.700	<0.1		
R9 N > DL		1	12	12	12	0	0	3	12	9	12	0	12	12	0	12	12	12	12	12	12	12	12	2	12	12	12	4	12	1	2	12	0	12	1	
R9 Median		<0.005	4.35	0.44	57.100	<50.0	<0.01	<0.005	35.05	0.01	0.0275	<0.1	0.5300	81.50	0.93	0.005	7.46	13.000	0.65	2.60	0.335	0.4235	0.07	<10.0	0.3150	5715.00	<0.01	144.00	<0.5	<0.002	1.7100	<0.2	3.650	<0.1		
RCSG#4	1/12/2010	<0.005	1.90	0.21	68.800	<50.0	<0.01	<0.005	45.10	0.09	0.1120	<0.1	0.7400	218.00	1.18	0.007	10.20	63.200	0.68	3.07	0.710	0.4000	0.08	10	0.4000	5790.00	<0.01	188.00	<0.5	0.00	2.5400	<0.2	38.300	<0.1		
RCSG#4	3/10/2010	<0.005	1.70	0.22	72.200	<50.0	<0.01	<0.005	48.20	0.01	0.1190	<0.1	0.2700	103.00	1.21	0.008	10.50	69.400	0.79	3.31	0.650	0.0510	0.05	11	0.3700	5170.00	<0.01	211.00	<0.5	<0.002	2.9700					

Table C-2: Rose Creek Drainage Water Quality
2010 - Surface Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
X10	5/3/2010	<0.005	36.70	0.56	37.900	<50.0	<0.01	0.01	19.90	0.03	0.1020	<0.1	1.7800	271.00	1.28	0.002	4.40	35.800	0.36	1.40	1.240	1.1600	0.08	<10.0	0.1600	3000.00	<0.01	90.20	0.60	0.01	0.8500	<0.2	18.400	<0.1		
X10	6/4/2010	<0.005	26.60	0.30	27.900	<50.0	<0.01	0.01	15.40	0.02	0.0620	<0.1	0.9500	120.00	0.56	0.002	3.83	15.500	0.29	1.53	1.020	0.8980	0.06	<10.0	0.1200	3900.00	0.02	65.70	<0.5	0.00	0.5580	<0.2	17.300	<0.1		
X10	7/8/2010	<0.005	18.80	0.36	35.800	<50.0	<0.01	0.01	17.70	0.02	0.0540	<0.1	0.6800	185.00	0.50	0.002	3.87	17.100	0.31	1.50	0.450	2.1700	0.07	<10.0	0.1400	3850.00	0.02	88.80	<0.5	0.00	0.6950	<0.2	14.300	<0.1		
X10	8/3/2010	<0.005	9.40	0.48	48.000	<50.0	<0.01	<0.005	27.40	0.02	0.0710	<0.1	0.7800	261.00	0.80	0.003	6.89	26.400	0.50	2.19	0.580	1.8100	0.07	<10.0	0.2000	3650.00	<0.01	125.00	<0.5	0.00	1.2400	<0.2	24.100	<0.1		
X10	9/2/2010	<0.005	4.70	0.40	47.700	<50.0	<0.01	<0.005	29.50	0.02	0.1310	<0.1	0.6600	267.00	0.90	0.003	6.56	29.100	0.47	2.21	0.690	0.9190	0.07	<10.0	0.2000	4260.00	<0.01	132.00	<0.5	0.00	1.3100	<0.2	34.200	<0.1		
X10	10/21/2010	<0.005	2.60	0.32	53.200	<50.0	<0.01	<0.005	35.70	0.01	0.0840	<0.1	0.4200	194.00	0.80	0.004	8.06	36.900	0.57	2.28	0.530	0.3990	0.07	<10.0	0.3000	4900.00	<0.01	158.00	<0.5	<0.002	1.8100	<0.2	23.000	<0.1		
X10	11/9/2010	<0.005	2.30	0.18	61.600	<50.0	<0.01	<0.005	39.30	0.02	0.0660	<0.1	0.4500	98.00	0.94	0.004	8.65	40.700	0.53	2.47	0.670	0.2490	0.06	<10.0	0.3000	5200.00	<0.01	173.00	<0.5	<0.002	1.9200	<0.2	37.000	<0.1		
X10	12/1/2010	<0.005	1.50	0.13	61.300	<50.0	<0.01	<0.005	40.30	0.01	0.0890	<0.1	0.3300	70.00	1.03	0.005	9.08	42.200	0.47	2.68	0.670	0.1000	0.06	<10.0	0.2800	5470.00	<0.01	179.00	<0.5	<0.002	1.9500	<0.2	43.100	<0.1		
X10 Average		0.0025	9.05	0.27	54.400	25.00	0.01	0.00	34.29	0.02	0.0660	0.05	0.6192	132.17	0.94	0.005	8.00	25.579	0.54	2.39	0.720	0.6983	0.07	6	0.2850	4675.83	0.01	151.31	0.28	0.00	1.7819	0.10	29.417	0.05		
X10 Max		<0.005	36.70	0.56	71.800	<50.0	<0.01	0.01	47.50	0.03	0.1310	<0.1	1.7800	271.00	1.28	0.008	11.50	42.200	0.80	3.15	1.240	2.1700	0.08	11	0.4600	6080.00	0.02	208.00	0.60	0.01	3.0100	<0.2	43.600	<0.1		
X10 Min		<0.005	1.00	0.12	27.900	<50.0	<0.01	<0.005	15.40	<0.005	0.0220	<0.1	0.2900	22.00	0.50	0.002	3.83	9.750	0.29	1.40	0.450	0.0260	0.06	10	0.1200	3000.00	<0.01	65.70	<0.5	<0.002	0.5580	<0.2	14.300	<0.1		
X10 N > DL		0	12	12	12	0	0	3	12	11	12	0	12	12	0	12	12	12	12	12	12	12	12	2	12	12	3	12	1	6	12	0	12	0		
X10 Median		<0.005	2.45	0.24	57.250	<50.0	<0.01	<0.005	37.50	0.02	0.0640	<0.1	0.4350	109.00	0.99	0.004	8.36	25.950	0.52	2.38	0.670	0.4055	0.07	<10.0	0.2900	4920.00	<0.01	165.50	<0.5	0.00	1.8650	<0.2	27.300	<0.1		
X14	1/11/2010	<0.005	1.20	0.20	74.000	<50.0	<0.01	<0.005	111.00	0.06	1.7900	<0.1	0.4300	61.00	2.18	0.009	24.70	2620.000	0.92	8.97	4.910	0.0770	0.09	74	0.4400	6490.00	<0.01	348.00	<0.5	0.01	3.6400	<0.2	40.800	<0.1		
X14	2/22/2010	<0.005	1.20	0.28	69.800	<50.0	<0.01	<0.005	124.00	0.06	2.5800	<0.1	0.2600	248.00	2.29	0.009	27.00	3450.000	0.81	9.76	5.870	0.0190	0.06	91	0.3500	5640.00	<0.01	386.00	<0.5	0.01	3.6400	<0.2	21.300	<0.1		
X14	3/10/2010	<0.005	1.10	0.37	67.600	<50.0	<0.01	<0.005	132.00	0.06	2.9700	<0.1	0.2600	376.00	2.33	0.009	27.90	3830.000	0.87	10.20	6.490	0.0220	0.07	104	0.4000	5990.00	<0.01	394.00	<0.5	0.01	3.8500	<0.2	23.700	<0.1		
X14	3/22/2010	<0.005	1.80	0.45	73.500	<50.0	<0.01	<0.005	149.00	0.07	3.7100	<0.1	0.2900	400.00	<0.01	2.67	0.011	30.80	4540.000	0.90	11.60	7.530	0.0520	0.10	123	0.4400	6570.00	<0.01	464.00	<0.5	0.01	4.0800	<0.2	34.500	<0.1	
X14	3/30/2010	<0.005	1.60	0.33	60.300	<50.0	<0.01	<0.005	170.00	0.08	7.6500	<0.1	0.3100	301.00	<0.01	3.14	0.013	40.50	6040.000	0.89	14.90	13.800	0.1230	0.10	156	0.3300	6060.00	<0.01	524.00	<0.5	0.05	4.4800	<0.2	106.000	<0.1	
X14	4/6/2010	<0.005	1.20	0.33	60.500	<50.0	<0.01	<0.005	196.00	0.10	8.9300	<0.1	0.3000	165.00	<0.01	3.59	0.013	40.60	7300.000	0.92	14.90	14.900	0.0750	0.09	173	0.3400	5800.00	<0.01	590.00	0.60	0.05	4.5700	<0.2	108.000	<0.1	
X14	4/13/2010	<0.005	0.80	0.25	55.200	<50.0	<0.01	<0.005	174.00	0.09	6.1200	<0.1	0.2400	63.00	<0.01	2.97	0.013	33.90	5210.000	0.82	12.50	10.500	0.0540	0.07	147	0.3600	5890.00	<0.01	536.00	<0.5	0.05	4.2600	<0.2	82.100	<0.1	
X14	4/20/2010	<0.005	9.20	0.29	48.100	<50.0	<0.01	<0.005	141.00	0.07	5.5700	<0.1	0.7500	102.00	<0.01	2.70	0.010	25.70	4250.000	0.72	9.84	9.640	0.3260	0.13	123	0.3000	4020.00	0.02	422.00	<0.5	0.04	2.8900	<0.2	62.000	<0.1	
X14	4/27/2010	<0.005	16.80	0.58	40.100	<50.0	<0.01	0.01	52.60	0.05	0.8730	<0.1	1.3700	275.00	<0.01	1.81	0.005	10.10	887.000	0.49	3.84	2.280	0.7720	0.07	36	0.1900	3970.00	<0.01	176.00	<0.5	0.01	1.3800	<0.2	30.800	<0.1	
X14	5/4/2010	<0.005	26.20	0.51	37.000	<50.0	<0.01	<0.005	81.70	0.05	3.4800	<0.1	1.5300	233.00	<0.01	2.03	0.007	14.90	2290.000	0.43	5.43	6.220	0.5350	0.08	70	0.1800	3000.00	<0.01	263.00	<0.5	0.07	1.4300	<0.2	57.500	<0.1	
X14	5/11/2010	<0.005	15.20	0.51	38.000	<50.0	<0.01	0.01	71.90	0.04	2.4400	<0.1	1.1700	236.00	<0.01	1.71	0.007	14.60	1700.000	0.51	4.90	4.530	0.7980	0.09	61	0.2100	3650.00	<0.01	239.00	<0.5	0.07	1.4200	<0.2	42.300	<0.1	
X14	5/18/2010	<0.005	24.60	0.41	32.900	<50.0	<0.01	<0.005	53.60	0.07	1.7900	<0.1	1.8000	187.00	<0.01	1.54	0.005	11.40	1260.000	0.42	3.68	3.620	1.9000	0.08	44	0.1500	3840.00	0.02	178.00	<0.5	0.04	1.0300	<0.2	34.900	<0.1	
X14	5/25/2010	<0.005	31.60	0.34	26.700	<50.0	<0.01	<0.005	30.30	0.02	0.7750	<0.1	1.5400	136.00	<0.01	0.93	0.003	6.97	561.000	0.24	2.46	1.810	1.7300	0.07	21	0.1300	3400.00	<0.01	105.00	<0.5	0.02	0.5860	<0.2	21.600	<0.1	
X14	6/1/2010	<0.005	18.40	0.32	28.500	<50.0	<0.01	0.01	38.70	0.03	1.4700	<0.1	0.7700	138.00	<0.01	0.96	0.004	8.69	984.000	0.30	2.90	2.700	1.8200	0.07	30	0.1300	3460.00	<0.01	138.00	<0.5	0.03	0.7960	<0.2	30.800	<0.1	
X14	6/8/2010	<0.005	10.30	0.33	32.200	<50.0	<0.01	<0.005	51.20	0.09	2.0700	<0.1	0.6400	135.00	<0.01	1.16	0.005	11.90	1340.000	0.51	3.83	3.610	0.2480	0.08	41	0.1800	3360.00	<0.01	172.00	<0.5	0.05	1.0600	<0.2	35.900	<0.1	
X14	6/15/2010	<0.005	8.40	0.34	33.500	<50.0	<0.01	<0.005	60.90	0.04	2.7000	<0.1	0.5700	173.00	<0.01	1.35	0.006	14.30	1710.000	0.35	4.62	4.480	0.4480	0.08	53	0.1800	4090.00	<0.01	199.00	<0.5	0.05	1.1500	<0.2	46.000	<0.1	
X14	6/22/2010	<0.005	6.50	0.37	36.600	<50.0	<0.01	0.01	53.80	0.03	2.5800	<0.1	0.5700	148.00	<0.01	1.41	0.007	14.80	1630.000	0.39	4.66	4.140	0.1860	0.09	53	0.2000	2720.00	<0.01	212.00	<0.5	0.07	1.0500	<0.2	43.600	<0.1	
X14	6/29/2010	<0.005	6.60	0.36	36.800	<50.0	<0.01	<0.005	75.00	0.03	3.2200	<0.1	0.6400	165.00	<0.01	1.50	0.006	17.10	1840.000	0.44	5.36	5.130	0.3620	0.10	61	0.1900	4490.00	<0.01	232.00	<0.5	0.08	1.0700	<0.2	45.900	<0.1	
X14	6/29/2010	<0.005	6.20	0.34	36.500	<50.0	<0.01	<0.005	74.80	0.04	3.0800	<0.1	0.5700	160.00	<0.01	1.47	0.006	16.80	1820.000	0.46	5.23	4.810	0.2030	0.15	60	0.1700	4500.00	<0.01	233.00	<0.5	0					

Table C-2: Rose Creek Drainage Water Quality
2010 - Surface Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
X2	6/4/2010	<0.005	29.80	0.40	26.200	<50.0	<0.01	<0.005	13.60	0.03	0.0640	<0.1	0.9500	81.00	0.53	0.002	3.40	12.400	0.26	1.56	0.530	1.4800	0.07	<10.0	0.1200	4530.00	<0.01	54.40	<0.5	0.00	0.4540	<0.2	11.700	<0.1		
X2	7/8/2010	0.0060	18.80	0.49	38.800	<50.0	<0.01	0.01	18.90	0.04	0.0600	<0.1	1.3200	95.00	0.59	0.003	3.93	17.000	0.34	1.66	0.710	3.4000	0.10	<10.0	0.1600	4510.00	0.05	86.40	<0.5	0.01	0.6790	<0.2	23.100	<0.1		
X2	8/3/2010	<0.005	12.10	0.60	54.400	<50.0	<0.01	<0.005	26.50	0.02	0.0960	<0.1	0.6400	147.00	0.67	0.005	6.22	35.300	0.56	2.16	0.510	2.3400	0.08	<10.0	0.2000	3840.00	<0.01	119.00	<0.5	0.00	1.1900	<0.2	11.700	<0.1		
X2	9/2/2010	<0.005	6.10	0.50	46.300	<50.0	<0.01	<0.005	30.30	0.07	1.1400	<0.1	0.5600	285.00	1.06	0.004	7.25	124.000	0.52	2.59	1.800	1.4400	0.06	<10.0	0.2200	5320.00	<0.01	122.00	<0.5	0.01	1.1400	<0.2	392.000	<0.1		
X2	10/18/2010	<0.005	4.50	0.42	51.600	<50.0	<0.01	<0.005	31.50	0.02	0.1420	<0.1	0.5000	116.00	0.75	0.005	7.36	68.600	0.62	2.46	0.550	0.8060	0.07	<10.0	0.3400	5360.00	0.07	135.00	<0.5	0.00	1.5100	<0.2	14.400	<0.1		
X2	11/9/2010	<0.005	2.60	0.26	63.100	<50.0	<0.01	<0.005	37.60	0.01	0.1960	<0.1	0.3600	64.00	0.87	0.006	8.03	80.500	0.58	2.61	0.750	0.2680	0.07	<10.0	0.2900	5610.00	<0.01	155.00	<0.5	0.00	1.8600	<0.2	22.600	<0.1		
X2	12/1/2010	<0.005	2.50	0.25	66.100	<50.0	<0.01	<0.005	40.10	0.08	0.1680	<0.1	0.4100	64.00	0.98	0.007	9.31	67.200	0.57	2.97	0.640	0.4070	0.05	<10.0	0.3300	6010.00	<0.01	169.00	<0.5	0.00	1.9700	<0.2	19.000	<0.1		
X2 Average		0.0028	11.99	0.38	55.983	25.00	0.01	0.00	33.54	0.03	0.2310	0.05	0.6817	110.08	0.94	0.006	7.58	62.467	0.61	2.61	0.824	1.0074	0.07	6	0.2942	5258.33	0.01	142.27	0.28	0.00	1.7402	0.10	51.083	0.06		
X2 Max		0.0060	59.20	0.62	77.200	<50.0	0.02	0.01	48.20	0.08	1.1400	<0.1	2.1400	285.00	1.36	0.010	10.70	124.000	1.03	3.60	1.800	3.4000	0.10	11	0.4400	6390.00	0.07	215.00	0.60	0.01	3.1800	<0.2	392.000	0.20		
X2 Min		<0.005	1.60	0.22	26.200	<50.0	<0.01	<0.005	13.60	0.01	0.0600	<0.1	0.2400	48.00	0.53	0.002	3.40	12.400	0.26	1.46	0.510	0.0430	0.05	<10.0	0.1200	3340.00	<0.01	54.40	<0.5	<0.002	0.4540	<0.2	11.700	<0.1		
X2 N > DL		1	12	12	12	0	1	1	12	12	12	0	12	12	12	12	12	12	12	12	12	12	12	2	12	12	2	12	2	12	1	10	12	0	12	1
X2 Median		<0.005	3.65	0.33	58.750	<50.0	<0.01	<0.005	34.55	0.02	0.1675	<0.1	0.4850	72.50	1.02	0.005	7.70	70.700	0.58	2.60	0.690	0.6335	0.07	<10.0	0.3100	5485.00	<0.01	145.00	<0.5	0.00	1.6850	<0.2	22.700	<0.1		
X22b	1/11/2010	<0.03	7.00	0.20	17.400	<300.0	0.07	<0.03	160.00	17.80	56.2000	<0.5	7.9000	<5.0	8.73	0.065	82.40	3370.000	0.70	22.20	143.000	0.4300	0.40	238	<0.2	4070.00	<0.05	641.00	<3.0	0.49	1.2800	<1.0	23100.000	<0.5		
X22b	2/22/2010	<0.03	11.00	0.20	22.200	<300.0	0.25	<0.03	150.00	29.10	47.9000	<0.5	9.1000	6.00	7.47	0.056	80.10	2730.000	0.60	17.20	138.000	1.3200	0.20	235	<0.2	7280.00	<0.05	571.00	<3.0	0.38	1.5000	<1.0	27600.000	<0.5		
X22b	3/10/2010	<0.03	10.00	0.20	22.500	<300.0	0.22	<0.03	140.00	25.80	47.0000	<0.5	15.0000	6.00	7.40	0.058	77.00	2690.000	0.60	17.30	137.000	0.8200	0.20	199	0.3000	6190.00	0.07	557.00	<3.0	0.39	1.6300	<1.0	27300.000	<0.5		
X22b	4/13/2010	0.0400	7.00	0.20	22.900	<300.0	0.11	<0.03	130.00	9.47	40.9000	<0.5	0.8000	<5.0	6.70	0.059	68.80	2320.000	0.70	15.80	110.000	0.4600	0.30	186	<0.2	5340.00	<0.05	574.00	<3.0	0.36	3.1600	<1.0	19000.000	<0.5		
X22b	5/3/2010	<0.005	1.90	<0.02	13.000	<50.0	0.02	<0.005	39.10	4.51	8.9500	<0.1	3.5900	5.00	1.90	0.013	15.50	559.000	0.14	3.98	24.200	0.8210	0.07	57	0.0600	1250.00	<0.01	159.00	<0.5	0.10	0.2210	<0.2	3610.000	<0.1		
X22b	6/4/2010	0.0700	33.00	0.20	16.800	<300.0	0.08	<0.03	145.00	17.50	50.7000	<0.5	12.0000	9.00	7.90	0.057	79.30	2920.000	0.50	19.70	125.000	0.1400	0.30	222	<0.2	4340.00	<0.05	590.00	<3.0	0.41	1.2100	<1.0	21200.000	<0.5		
X22b	7/10/2010	<0.03	21.00	0.20	16.700	<300.0	<0.05	<0.03	139.00	16.80	51.9000	<0.5	7.5000	16.00	8.00	0.058	74.30	3030.000	0.40	18.50	130.000	2.1700	0.20	206	<0.2	3780.00	0.06	622.00	<3.0	0.48	1.2200	<1.0	21700.000	<0.5		
X22b	8/3/2010	0.0140	1.90	0.13	16.200	<50.0	0.02	<0.005	138.00	15.60	51.0000	<0.1	5.8500	15.00	7.55	0.056	75.20	2750.000	0.55	18.50	125.000	0.6270	0.24	274	0.1500	3410.00	<0.01	608.00	<0.5	0.40	1.2200	<0.2	17900.000	<0.1		
X22b	9/1/2010	0.0110	2.60	0.14	17.000	<50.0	0.05	<0.005	137.00	16.90	55.2000	<0.1	6.0300	8.00	8.44	0.059	77.70	3090.000	0.50	19.60	142.000	0.8740	0.20	229	0.0900	3330.00	0.04	623.00	<0.5	0.46	1.2100	<0.2	20700.000	<0.1		
X22b	10/20/2010	0.0210	3.60	0.14	16.200	<50.0	0.05	<0.005	152.00	16.30	55.0000	<0.1	4.7700	13.00	9.62	0.062	80.20	3100.000	0.55	20.90	138.000	0.2650	0.27	265	0.1600	3650.00	0.02	658.00	<0.5	0.45	1.1600	<0.2	19100.000	<0.1		
X22b	11/8/2010	<0.03	4.00	<0.1	15.700	<300.0	<0.05	<0.03	143.00	15.00	53.4000	<0.5	3.6000	9.00	8.60	0.062	77.50	3350.000	0.50	20.70	145.000	0.2400	0.20	249	<0.2	3750.00	<0.05	608.00	<3.0	0.42	1.1200	<1.0	21400.000	<0.5		
X22b	12/1/2010	<0.03	6.00	<0.1	16.000	<300.0	<0.05	<0.03	153.00	16.60	53.4000	<0.5	5.3000	13.00	8.90	0.062	81.90	3420.000	0.60	20.70	141.000	0.0700	0.20	269	<0.2	4060.00	<0.05	649.00	<3.0	0.44	1.2100	<1.0	21700.000	<0.5		
X22b Average		0.0207	9.08	0.14	17.717	108.33	0.08	0.01	135.51	16.78	47.6292	0.18	6.7867	8.75	7.60	0.056	72.49	2777.417	0.53	17.92	124.850	0.6864	0.23	219	0.1217	4204.17	0.03	571.67	1.08	0.40	1.3451	0.37	20359.167	0.18		
X22b Max		0.0700	33.00	0.20	22.900	<300.0	0.25	<0.03	160.00	29.10	56.2000	<0.5	15.0000	16.00	9.62	0.065	82.40	3420.000	0.70	22.20	145.000	2.1700	0.40	274	0.3000	7280.00	0.07	658.00	<3.0	0.49	3.1600	<1.0	27600.000	<0.5		
X22b Min		<0.005	1.90	<0.02	13.000	<50.0	0.02	<0.005	39.10	4.51	8.9500	<0.1	0.8000	<5.0	1.90	0.013	15.50	559.000	0.14	3.98	24.200	0.0700	0.07	57	0.0600	1250.00	<0.01	159.00	<0.5	0.10	0.2210	<0.2	3610.000	<0.1		
X22b N > DL		5	12	9	12	0	9	0	12	12	12	0	12	10	12	12	12	12	12	12	12	12	12	5	12	5	12	4	12	0	12	12	0	12	0	
X22b Median		<0.03	6.50	0.17	16.750	<300.0	0.10	<0.03	141.50	16.70	51.4500	<0.5	5.9400	8.50	7.95	0.059	77.60	2975.000	0.55	19.05	137.500	0.5435	0.20	232	<0.2	3920.00	<0.05	608.00	<3.0	0.42	1.2150	<1.0	21300.000	<0.5		
X3	1/11/2010	<0.005	1.50	0.23	66.200	<50.0	<0.01	<0.005	45.80	0.01	0.1000	<0.1	0.3700	30.00	1.15	0.007	10.40	51.600	0.74	3.28	0.630	0.0970	0.07	11	0.4000	6180.00	<0.01	186.00	<0.5	<0.002	2.5600	<0.2	21.200	<0.1		
X3	2/22/2010	<0.005	1.70	0.20	69.100	<50.0	<0.01	<0.005	47.80	0.01	0.1050	<0.1	0.2900	28.00	1.19	0.008	10.60	48.800	0.75	3.38	0.580	0.0410	0.05	11	0.3900	6170.00	<0.01	199.00	<0.5	<0.002	2.6800	<0.2	20.000	<0.1		
X3	3/9/2010	<0.005	1.40	0.19	67.400	<50.0	<0.01	<0.005	46.00	0.05	0.2880	<0.1	0.4200	24.00	1.17	0.008	11.10	123.000	0.79	3.31	2.080	0.0810	0.06	13	0.4000	5390.00	<0.01	196.00	<0.5	<0.002	2.8800	<0.2	159.000	<0.1		
X3	4/14/2010	<0.005	1.80	0.21	70.200	<50.0	<0.01	<0.005	47.80	0.02	0.1380	<0.1	0.2400	30.00	1.17	0.009	10.60	55.200	0.87																	

Table C-2: Rose Creek Drainage Water Quality
2010 - Surface Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
X4	7/10/2010	<0.05	816.00	6.60	10.100	<500.0	0.30	<0.05	231.00	21.30	156.00000	<1.0	195.0000	57400.00	4.70	0.022	92.00	25800.000	<0.5	13.80	137.000	2830.0000	1.00	348	<0.4	5590.00	2.00	935.00	<5.0	3.67	2.4900	<2.0	51000.000	<1.0	
X4	8/3/2010	<0.05	773.00	2.30	8.000	<500.0	<0.1	<0.05	200.00	21.10	133.0000	2.00	177.0000	46500.00	3.90	0.022	76.00	21700.000	<0.5	11.70	122.000	2680.0000	0.50	408	<0.4	4810.00	<0.1	770.00	<5.0	2.95	2.4800	<2.0	42300.000	<1.0	
X4	9/2/2010	0.0100	791.00	4.25	6.120	<50.0	0.25	<0.005	228.00	20.60	148.0000	1.00	187.0000	48000.00	4.14	0.023	79.60	24200.000	<0.05	12.80	132.000	2560.0000	0.66	381	<0.04	6020.00	0.06	816.00	2.80	3.63	2.9300	<0.2	42700.000	<0.1	
X4	10/20/2010	<0.03	46.00	0.30	7.800	<300.0	<0.05	<0.03	212.00	5.81	93.1000	<0.5	13.4000	57400.00	4.20	0.019	59.10	18400.000	<0.3	11.80	80.400	43.3000	0.40	332	<0.2	5780.00	<0.05	744.00	<3.0	1.01	0.4200	<1.0	21000.000	<0.5	
X4	11/8/2010	<0.03	652.00	3.60	5.100	<300.0	0.21	<0.03	227.00	16.90	138.0000	0.90	142.0000	50900.00	4.10	0.022	73.00	23800.000	<0.3	12.60	123.000	1560.0000	0.50	401	<0.2	6340.00	<0.05	799.00	<3.0	2.56	2.0500	<1.0	37700.000	<0.5	
X4	12/1/2010	<0.03	3.00	0.30	6.400	<300.0	<0.05	<0.03	194.00	2.33	67.5000	<0.5	1.2000	84300.00	3.60	0.015	34.50	17300.000	<0.3	9.90	57.300	0.0600	0.50	263	<0.2	6390.00	<0.05	597.00	<3.0	0.43	0.8800	<1.0	10300.000	<0.5	
X4 Average		0.0271	455.04	1.73	11.418	202.08	0.12	0.02	207.67	12.98	113.4667	0.64	93.2125	68633.33	3.86	0.020	65.88	19727.500	0.20	11.58	100.892	1009.7808	0.36	334	0.1517	5630.00	0.21	729.25	2.53	1.60	1.7817	0.76	33002.500	0.38	
X4 Max		<0.1	876.00	6.60	21.400	<1,000.0	0.30	<0.1	260.00	21.30	163.0000	<2.0	195.0000	121000.00	4.70	0.028	107.00	25800.000	<1.0	16.60	153.000	2830.0000	1.00	446	<0.8	7040.00	2.00	946.00	<10.0	3.67	2.9300	<4.0	60000.000	<2.0	
X4 Min		0.0100	<1.0	<0.1	5.100	<50.0	<0.05	<0.005	113.00	0.74	59.3000	<0.5	<0.3	40700.00	1.80	0.011	26.40	9030.000	<0.05	5.40	49.100	0.0600	<0.1	205	<0.04	2250.00	<0.05	411.00	2.80	0.12	0.4200	<0.2	7630.000	<0.1	
X4 N > DL		2	11	10	12	0	6	0	12	12	12	3	11	12	0	12	12	12	0	12	12	12	7	12	0	12	2	12	2	12	12	0	12	0	
X4 Median		<0.03	522.50	0.07	10.800	<300.0	0.09	<0.03	213.50	14.90	128.0000	0.70	100.9000	58750.00	4.00	0.022	73.05	20150.000	<0.3	12.20	115.500	591.5000	0.30	365	<0.2	5915.00	0.03	768.00	3.75	1.22	1.9300	<1.0	37300.000	<0.5	
X5	3/22/2010	<0.005	1.10	0.18	47.800	<50.0	<0.01	<0.005	382.00	0.14	16.7000	<0.1	0.4000	117.00	<0.01	8.36	0.029	82.10	11400.000	1.32	29.80	24.600	0.1340	0.23	407	0.2100	6960.00	<0.01	1220.00	<0.5	0.26	7.3900	<0.2	410.000	<0.1
X5	3/30/2010	<0.03	3.00	0.20	38.800	<300.0	<0.05	<0.03	300.00	0.12	22.6000	<0.5	0.5000	55.00	<0.05	5.60	0.024	73.60	12500.000	1.00	26.80	34.500	0.2600	0.30	309	<0.2	6200.00	<0.05	888.00	<3.0	0.19	6.1500	<1.0	399.000	<0.5
X5	4/6/2010	<0.03	<1.0	0.20	38.700	<300.0	<0.05	<0.03	320.00	0.10	25.4000	<0.5	0.4000	24.00	<0.05	5.80	0.023	70.80	14900.000	0.90	25.00	39.400	0.0500	0.20	346	<0.2	6200.00	<0.05	924.00	<3.0	0.18	5.6200	<1.0	403.000	<0.5
X5	4/13/2010	0.0400	2.00	0.20	32.100	<300.0	<0.05	<0.03	319.00	0.14	17.0000	<0.5	0.5000	102.00	<0.05	5.20	0.021	55.20	9880.000	0.80	20.40	25.000	0.1700	0.20	289	<0.2	4500.00	<0.05	952.00	<3.0	0.18	5.1100	<1.0	278.000	<0.5
X5	4/20/2010	<0.03	3.00	<0.1	23.000	<300.0	<0.05	<0.03	355.00	0.11	24.1000	<0.5	<0.3	24.00	<0.05	5.50	0.021	55.90	13400.000	0.60	22.20	35.200	1.0000	<0.1	314	0.3000	4110.00	<0.05	996.00	<3.0	0.17	3.3900	<1.0	252.000	<0.5
X5	4/27/2010	<0.03	3.00	<0.1	25.300	<300.0	<0.05	<0.03	258.00	0.11	6.8900	<0.5	0.7000	24.00	<0.05	4.40	0.022	40.10	4420.000	0.70	16.20	11.000	0.2000	0.20	257	<0.2	3020.00	<0.05	730.00	<3.0	0.16	2.7900	<1.0	199.000	<0.5
X5	5/4/2010	0.0700	6.00	0.20	20.100	<300.0	<0.05	<0.03	276.00	0.16	17.7000	<0.5	0.8000	23.00	<0.05	4.80	0.026	47.70	9700.000	0.60	17.70	27.400	4.4600	0.20	293	<0.2	2860.00	<0.05	816.00	<3.0	0.35	2.2500	<1.0	318.000	<0.5
X5	5/11/2010	<0.005	4.30	0.12	18.100	<50.0	<0.01	0.01	266.00	0.09	12.4000	<0.1	0.5700	21.00	<0.01	5.03	0.026	51.80	7130.000	0.55	16.90	17.600	0.8020	0.14	326	0.1900	3040.00	<0.01	795.00	<0.5	0.39	2.0300	<0.2	178.000	<0.1
X5	5/18/2010	<0.03	10.00	0.20	17.100	<300.0	<0.05	<0.03	230.00	0.13	10.9000	<0.5	0.7000	39.00	<0.05	4.60	0.027	48.30	6150.000	0.60	14.70	16.100	0.6900	<0.1	245	<0.2	2530.00	0.08	702.00	<3.0	0.41	1.6500	<1.0	179.000	<0.5
X5	5/25/2010	<0.03	4.00	<0.1	18.300	<300.0	<0.05	<0.03	238.00	0.16	11.2000	<0.5	<0.3	27.00	<0.05	4.60	0.025	53.10	6270.000	0.40	16.60	17.000	0.6600	<0.1	273	<0.2	2740.00	<0.05	669.00	<3.0	0.33	1.8000	<1.0	216.000	<0.5
X5	6/1/2010	0.0500	6.00	0.20	20.000	<300.0	<0.05	<0.03	271.00	0.14	18.9000	<0.5	0.4000	30.00	<0.05	5.20	0.029	63.00	10500.000	0.60	18.20	28.300	0.6700	<0.1	281	<0.2	3380.00	<0.05	825.00	<3.0	0.38	2.4400	<1.0	303.000	<0.5
X5	6/8/2010	<0.03	3.00	0.20	20.200	<300.0	<0.05	<0.03	312.00	0.14	22.5000	<0.5	0.4000	13.00	<0.05	6.40	0.034	72.10	12300.000	0.70	21.90	32.700	0.2600	<0.1	290	<0.2	3290.00	<0.05	931.00	<3.0	0.47	2.4600	<1.0	316.000	<0.5
X5	6/15/2010	<0.03	8.00	0.20	18.500	<300.0	<0.05	<0.03	299.00	0.15	22.7000	<0.5	0.8000	90.00	<0.05	6.10	0.035	73.80	12300.000	0.50	22.00	34.000	1.0700	0.20	365	<0.2	3800.00	<0.05	900.00	<3.0	0.46	1.7200	<1.0	323.000	<0.5
X5	6/22/2010	<0.005	1.80	0.20	16.700	<50.0	<0.01	<0.005	263.00	0.15	18.3000	<0.1	0.4000	19.00	<0.01	6.33	0.036	67.20	9990.000	0.59	19.80	25.100	0.1750	0.18	349	0.1200	2470.00	<0.01	927.00	<0.5	0.47	1.9000	<0.2	221.000	<0.1
X5	6/29/2010	<0.005	1.60	0.21	17.000	<50.0	<0.01	<0.005	295.00	0.14	22.1000	<0.1	0.3400	32.00	<0.01	6.25	0.055	74.70	11200.000	0.55	21.80	29.400	0.0490	0.20	354	0.1200	3870.00	<0.01	928.00	<0.5	0.50	1.8700	<0.2	218.000	<0.1
X5	7/6/2010	<0.03	6.00	0.30	16.600	<300.0	<0.05	<0.03	317.00	0.13	20.9000	<0.5	0.4000	19.00	<0.05	6.90	0.038	82.50	11200.000	0.70	23.70	28.800	0.7600	0.30	353	0.3000	3290.00	0.06	948.00	<3.0	0.58	1.8400	<1.0	226.000	<0.5
X5	7/13/2010	<0.03	10.00	0.20	15.200	<300.0	<0.05	<0.03	334.00	0.13	19.6000	<0.5	1.0000	44.00	<0.05	7.00	0.040	79.60	10400.000	0.70	23.80	30.000	1.6500	0.20	402	<0.2	3560.00	<0.05	969.00	<3.0	0.51	1.6300	<1.0	218.000	<0.5
X5	7/20/2010	<0.03	5.00	0.70	15.100	<300.0	<0.05																												

Table C-3: Rose Creek Drainage Water Quality
2010 - Surface Water - Total Metals

Station	Date	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
ETA Combined	9/2/2010	0.3000	2580.00	38.100	<1000.0	15.500	1.00	<0.1	472.00	71.10	1070.0000	<2.0	105.0000	588000.00	14.00	0.15	738.00	90100.000	<1.0	66.00	1000.000	188.0000	2040.00	0.50	<0.8	14100.00	<0.2	3670.00	20.00	1.51	5.7700	<4.0	445000.000	<2.0		
ETA Combined	10/20/2010	<0.5	1400.00	26.000	<5000.0	16.000	<1.0	<0.5	386.00	33.90	978.0000	11.00	22.0000	1020000.00	12.00	0.14	641.00	90200.000	<5.0	55.00	884.000	52.6000	2340.00	<2.0	<4.0	15400.00	<1.0	3930.00	<50.0	0.40	4.8000	<20.0	462000.000	<10.0		
ETA Combined	11/8/2010	<0.5	1060.00	27.000	<5000.0	13.000	<1.0	<0.5	435.00	8.10	995.0000	<10.0	<5.0	1270000.00	12.00	0.13	678.00	90000.000	<5.0	67.00	924.000	21.7000	2380.00	4.00	8.0000	16700.00	<1.0	3730.00	<50.0	0.50	5.0000	<20.0	460000.000	<10.0		
ETA Combined	12/1/2010	0.2000	943.00	23.000	<1000.0	12.800	0.90	<0.1	419.00	7.70	930.0000	<2.0	2.0000	1180000.00	12.00	0.13	649.00	82200.000	<1.0	66.00	799.000	14.2000	2210.00	<0.4	<0.8	15300.00	<0.2	3670.00	<10.0	0.28	5.1300	<4.0	411000.000	<2.0		
ETA Combined Average		0.2500	1495.75	28.525	1500.00	14.325	0.73	0.15	428.00	30.20	993.2500	4.50	32.8750	1014500.00	12.50	0.14	676.50	88125.000	1.50	63.50	901.750	69.1250	2242.50	1.43	2.7000	15375.00	0.30	3750.00	18.75	0.67	5.1750	6.00	444500.000	3.00		
ETA Combined Max		<0.5	2580.00	38.100	<5000.0	16.000	1.00	<0.5	472.00	71.10	1070.0000	11.00	105.0000	1270000.00	14.00	0.15	738.00	90200.000	<5.0	67.00	1000.000	188.0000	2380.00	4.00	8.0000	16700.00	<1.0	3930.00	<50.0	1.51	5.7700	<20.0	462000.000	<10.0		
ETA Combined Min		0.2000	943.00	23.000	<1,000.0	12.800	0.90	<0.1	386.00	7.70	930.0000	<2.0	2.0000	588000.00	12.00	0.13	641.00	82200.000	<1.0	55.00	799.000	14.2000	2040.00	<0.4	<0.8	14100.00	<0.2	3670.00	<10.0	0.28	4.8000	<4.0	411000.000	<2.0		
ETA Combined N > DL		2	4	4	0	4	2	0	4	4	4	1	3	4	0	4	4	4	4	0	4	4	4	4	4	2	1	4	0	4	1	4	4	0	4	0
ETA Combined Median		0.3250	1230.00	26.500	1500.00	14.250	0.75	0.15	427.00	21.00	986.5000	3.00	12.2500	1100000.00	12.00	0.13	663.50	90050.000	1.50	66.00	904.000	37.1500	2275.00	1.13	1.2000	15350.00	0.30	3700.00	22.50	0.45	5.0650	6.00	452500.000	3.00		
FARO CR	5/3/2010	0.0100	332.00	0.740	<50.0	28.700	0.07	0.01	7.40	0.13	0.2890	0.50	6.5200	383.00	0.71	0.00	1.67	10.800	0.26	1.46	3.790	15.2000	<10.0	0.14	0.1200	4880.00	0.11	37.20	9.80	0.02	0.5670	0.60	30.100	0.30		
FARO CR	6/5/2010	<0.005	113.00	0.240	<50.0	13.800	0.03	<0.005	3.86	0.03	0.0400	0.20	1.4600	58.00	0.25	0.00	0.95	1.180	0.14	1.53	0.790	2.9400	<10.0	0.05	0.0900	6370.00	<0.01	21.20	1.40	0.01	0.2630	<0.2	5.700	0.20		
FARO CR	7/8/2010	<0.005	63.30	0.350	<50.0	22.000	0.03	0.03	6.45	0.03	0.0390	<0.1	1.4300	60.00	0.28	0.00	1.44	1.200	0.26	1.81	0.860	2.9500	<10.0	0.07	0.1900	7760.00	<0.01	34.70	1.90	0.01	0.2940	<0.2	7.200	<0.1		
FARO CR	8/3/2010	<0.005	24.70	0.490	<50.0	32.000	<0.01	<0.005	9.76	0.04	0.0240	<0.1	1.2500	21.00	0.42	0.00	2.50	0.710	0.72	2.15	1.050	1.2300	<10.0	0.11	0.4300	6170.00	<0.01	52.70	<0.5	0.01	0.5400	<0.2	5.900	<0.1		
FARO CR	9/1/2010	<0.005	19.70	0.450	<50.0	27.000	<0.01	<0.005	9.06	0.02	0.0340	<0.1	0.9500	17.00	0.37	0.00	2.47	0.320	0.65	2.20	0.970	0.7340	<10.0	0.13	0.3800	6160.00	<0.01	50.50	<0.5	0.01	0.5470	<0.2	4.100	<0.1		
FARO CR	10/19/2010	<0.005	15.80	0.320	<50.0	24.400	<0.01	<0.005	9.30	0.03	0.0240	<0.1	0.7900	15.00	0.35	0.00	2.50	0.340	0.63	2.27	0.850	0.7770	<10.0	0.07	0.3800	6900.00	<0.01	47.80	<0.5	0.01	0.5460	<0.2	6.300	<0.1		
FARO CR Average		0.0038	94.75	0.432	25.00	24.650	0.02	0.01	7.64	0.05	0.0750	0.15	2.0667	92.33	0.40	0.00	1.92	2.425	0.44	1.90	1.385	3.9718	5.00	0.10	0.2650	6373.33	0.02	40.68	2.31	0.01	0.4595	0.18	9.883	0.12		
FARO CR Max		0.0100	332.00	0.740	<50.0	32.000	0.07	0.03	9.76	0.13	0.2890	0.50	6.5200	383.00	0.71	0.00	2.50	10.800	0.72	2.27	3.790	15.2000	<10.0	0.14	0.4300	7760.00	0.11	52.70	9.80	0.02	0.5670	0.60	30.100	0.30		
FARO CR Min		<0.005	15.80	0.240	<50.0	13.800	<0.01	<0.005	3.86	0.02	0.0240	<0.1	0.7900	15.00	0.25	0.00	0.95	0.320	0.14	1.46	0.790	0.7340	<10.0	0.05	0.0900	4880.00	<0.01	21.20	<0.5	0.01	0.2630	<0.2	4.100	<0.1		
FARO CR N > DL		1	6	6	0	6	3	2	6	6	6	2	6	6	0	6	6	6	6	6	6	6	6	0	6	6	6	1	6	3	6	6	1	6	2	
FARO CR Median		<0.005	44.00	0.400	<50.0	25.700	0.02	0.00	8.23	0.03	0.0365	0.00	1.3400	39.50	0.36	0.00	2.07	0.945	0.45	1.98	0.915	2.0850	<10.0	0.09	0.2850	6270.00	<0.01	42.50	0.95	0.01	0.5430	<0.2	6.100	0.00		
FCO	6/16/2010	<0.005	176.00	0.110	<50.0	35.200	0.11	0.01	12.10	1.87	1.9900	0.20	33.7000	115.00	0.51	0.01	3.96	34.400	<0.05	2.61	7.260	1.4500	14.00	0.06	<0.04	7810.00	<0.01	63.10	<0.5	0.01	0.1700	<0.2	1150.000	<0.1		
FCO	10/7/2010	<0.005	635.00	0.080	<50.0	36.100	0.15	<0.005	12.40	1.79	2.4600	0.30	53.0000	254.00	0.46	0.00	3.91	41.500	0.21	2.98	7.120	0.4820	13.00	0.04	<0.04	7620.00	<0.01	64.80	<0.5	0.00	0.2830	<0.2	1210.000	<0.1		
FCO Average		0.0025	405.50	0.095	25.00	35.650	0.13	0.01	12.25	1.83	2.2250	0.25	43.3500	184.50	0.49	0.00	3.94	37.950	0.12	2.80	7.190	0.9660	13.50	0.05	0.0200	7715.00	0.01	63.95	0.25	0.01	0.2265	0.10	1180.000	0.05		
FCO N > DL		0	2	2	0	2	2	1	2	2	2	2	2	2	0	2	2	2	2	1	2	2	2	2	2	0	2	0	2	0	2	2	2	0	2	0
FCS-4	9/2/2010	<0.1	2120.00	16.400	<1000.0	13.900	0.30	<0.1	476.00	13.80	434.0000	<2.0	53.0000	283000.00	12.00	0.11	738.00	66800.000	<1.0	68.00	441.000	327.0000	1690.00	0.80	<0.8	10600.00	<0.2	3510.00	37.00	1.02	6.9400	<4.0	157000.000	<2.0		
FCS-4	10/20/2010	<0.5	1420.00	21.000	<5000.0	16.000	<1.0	<0.5	458.00	26.70	963.0000	<10.0	28.0000	973000.00	14.00	0.15	800.00	95300.000	<5.0	70.00	874.000	83.7000	2480.00	<2.0	<4.0	14400.00	<1.0	4140.00	<50.0	0.50	7.2000	<20.0	435000.000	<10.0		
FCS-4	11/10/2010	<0.5	1090.00	17.000	<5000.0	19.000	<1.0	<0.5	465.00	10.10	828.0000	<10.0	10.0000	999000.00	13.00	0.14	787.00	87000.000	10.00	75.00	780.000	72.3000	2390.00	<2.0	<4.0	15800.00	<1.0	3900.00	<50.0	0.40	8.0000	<20.0	388000.000	<10.0		
FCS-4	12/2/2010	0.2000	749.00	15.600	<1000.0	12.000	0.60	0.20	438.00	9.20	798.0000	<2.0	7.0000	926000.00	12.00	0.12	702.00	80400.000	<1.0	69.00	731.000	39.5000	2190.00	<0.4	<0.8	13600.00	<0.2	3650.00	<10.0	0.32	7.4500	<4.0	350000.000	<2.0		
FCS-4 Average		0.1875	1344.75	17.500	1500.00	15.225	0.48	0.19	459.25	14.95	755.7500	3.00	24.5000	795250.00	12.75	0.13	756.75	82375.000	3.38	70.50	706.500	130.6250	2187.50	0.75	1.2000	13600.00	0.30	3800.00	23.00	0.56	7.3975	6.00	332500.000	3.00		
FCS-4 Max		<0.5	2120.00	21.000	<5000.0	19.000	<1.0	<0.5	476.00	26.70	963.0000	<10.0	53.0000	9990																						

Table C-3: Rose Creek Drainage Water Quality
2010 - Surface Water - Total Metals

Station	Date	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
NF2	2/23/2010	<0.005	3.30	0.430	<50.0	77.400	<0.01	<0.005	46.90	0.02	0.0940	<0.1	0.4700	64.00	1.10	0.01	9.95	15.200	0.88	3.52	0.390	0.1470	7.00	0.07	0.4700	6180.00	<0.01	198.00	<0.5	<0.002	2.9000	<0.2	12.200	<0.1	
NF2	3/10/2010	<0.005	3.40	0.440	<50.0	70.000	<0.01	<0.005	43.80	0.01	0.1180	<0.1	0.2600	80.00	1.05	0.01	9.08	16.900	0.95	3.27	0.380	0.1750	<10.0	0.06	0.5300	6740.00	<0.01	185.00	<0.5	<0.002	2.9300	<0.2	12.800	<0.1	
NF2	4/14/2010	<0.005	5.00	0.390	<50.0	73.300	<0.01	<0.005	42.80	0.02	0.1420	<0.1	0.6700	69.00	1.04	0.01	8.43	19.400	0.94	3.12	0.500	0.3210	<10.0	0.07	0.4500	5860.00	<0.01	196.00	<0.5	<0.002	2.9900	<0.2	16.600	<0.1	
NF2	5/3/2010	<0.005	117.00	0.830	<50.0	38.000	0.02	<0.005	17.30	0.09	0.1990	<0.1	4.3900	378.00	1.37	0.00	3.35	32.000	0.38	3.07	1.470	3.8000	<10.0	0.09	0.1700	3810.00	0.03	75.80	1.80	0.01	0.6250	<0.2	41.200	0.20	
NF2	6/4/2010	<0.005	125.00	0.520	<50.0	28.800	<0.01	0.01	13.70	0.02	0.0880	0.30	1.1100	181.00	0.54	0.00	3.26	17.500	0.26	1.54	0.950	1.6900	<10.0	0.07	0.1300	4650.00	<0.01	55.80	2.20	0.00	0.4970	<0.2	6.500	<0.1	
NF2	7/8/2010	<0.005	38.80	0.570	<50.0	40.400	<0.01	0.01	18.80	0.02	0.0730	<0.1	0.7900	152.00	0.48	0.00	4.40	17.600	0.37	1.71	0.460	1.2900	<10.0	0.09	0.1700	4720.00	<0.01	86.00	1.00	0.00	0.7290	<0.2	5.800	<0.1	
NF2	8/3/2010	<0.005	36.10	0.790	<50.0	55.000	<0.01	<0.005	26.10	0.03	0.1580	<0.1	0.6800	275.00	0.65	0.00	5.80	43.700	0.57	2.10	0.570	4.7900	<10.0	0.07	0.2500	4180.00	<0.01	116.00	1.60	0.01	1.1900	<0.2	9.700	<0.1	
NF2	9/1/2010	<0.005	10.40	0.660	<50.0	48.200	<0.01	<0.005	28.00	0.01	0.0760	<0.1	0.4600	181.00	0.62	0.00	5.86	26.000	0.53	2.15	0.400	0.2920	<10.0	0.06	0.2200	4580.00	<0.01	121.00	<0.5	<0.002	1.1900	<0.2	7.700	<0.1	
NF2	10/18/2010	<0.005	12.50	0.550	<50.0	53.000	<0.01	<0.005	32.60	0.01	0.1160	<0.1	0.4100	209.00	0.75	0.00	7.10	43.400	0.53	2.50	0.440	0.7390	<10.0	0.06	0.3200	5660.00	0.03	135.00	<0.5	0.00	1.5200	<0.2	9.900	<0.1	
NF2	11/9/2010	<0.005	12.40	0.400	<50.0	64.900	<0.01	<0.005	36.30	0.04	0.2520	<0.1	0.4100	228.00	0.82	0.01	7.64	76.200	0.62	2.57	0.900	1.1800	<10.0	0.14	0.4600	5570.00	0.02	157.00	<0.5	0.00	1.9400	<0.2	51.000	<0.1	
NF2	12/1/2010	<0.005	7.90	0.390	<50.0	65.100	<0.01	<0.005	38.10	0.02	0.1390	<0.1	0.3700	143.00	0.91	0.01	8.31	37.400	0.59	2.83	0.470	0.3790	<10.0	0.06	0.3400	5780.00	<0.01	163.00	<0.5	<0.002	2.0100	<0.2	13.500	<0.1	
NF2 Average		0.0025	31.33	0.533	25.00	57.008	0.01	0.00	32.29	0.02	0.1273	0.07	0.8625	170.17	0.86	0.01	6.87	30.117	0.62	2.63	0.612	1.2558	5.42	0.08	0.3283	5335.00	0.01	138.80	0.72	0.00	1.7534	0.10	16.367	0.06	
NF2 Max		<0.005	125.00	0.830	<50.0	77.400	0.02	0.01	46.90	0.09	0.2520	0.30	4.3900	378.00	1.37	0.01	9.95	76.200	0.95	3.52	1.470	4.7900	<10.0	0.14	0.5300	6740.00	0.03	198.00	2.20	0.01	2.9900	<0.2	51.000	0.20	
NF2 Min		<0.005	3.30	0.390	<50.0	28.800	<0.01	<0.005	13.70	0.01	0.0730	<0.1	0.2600	64.00	0.48	0.00	3.26	15.200	0.26	1.54	0.380	0.1470	7.00	0.06	0.1300	3810.00	<0.01	55.80	<0.5	<0.002	0.4970	<0.2	5.800	<0.1	
NF2 N > DL		0	12	12	0	12	1	2	12	12	12	1	12	12	0	12	12	12	12	12	12	12	2	12	12	12	12	3	12	4	6	12	0	12	1
NF2 Median		<0.005	11.40	0.480	<50.0	59.950	<0.01	<0.005	34.45	0.02	0.1170	<0.1	0.4650	166.50	0.87	0.01	7.37	22.700	0.58	2.70	0.465	0.5590	<10.0	0.07	0.3300	5615.00	<0.01	146.00	<0.5	0.00	1.7300	<0.2	11.050	<0.1	
NFRC SC-1	1/12/2010	<0.005	4.90	0.410	<50.0	69.400	<0.01	<0.005	43.70	0.01	0.0920	<0.1	0.3900	97.00	1.01	0.01	9.30	25.700	0.77	3.25	0.540	0.3080	7.00	0.07	0.4400	6320.00	<0.01	176.00	<0.5	<0.002	2.5000	<0.2	10.200	<0.1	
NFRC SC-1	2/23/2010	<0.005	3.80	0.450	<50.0	77.200	<0.01	<0.005	46.20	0.02	0.1050	<0.1	0.3400	90.00	1.11	0.01	9.93	30.300	0.81	3.53	0.450	0.2050	8.00	0.06	0.4500	6220.00	<0.01	195.00	<0.5	<0.002	2.9200	<0.2	12.700	<0.1	
NFRC SC-1	3/10/2010	<0.005	6.60	0.490	<50.0	71.600	<0.01	<0.005	45.80	0.01	0.1490	<0.1	0.3000	120.00	1.09	0.01	9.48	42.800	0.91	3.41	0.480	0.5090	<10.0	0.06	0.4500	5750.00	<0.01	194.00	<0.5	<0.002	3.0700	<0.2	14.000	<0.1	
NFRC SC-1	4/14/2010	<0.005	2.80	0.420	<50.0	71.800	<0.01	<0.005	43.10	0.02	0.1610	<0.1	0.2300	108.00	1.04	0.01	8.64	40.800	0.91	3.12	0.520	0.1970	<10.0	0.05	0.4500	5800.00	<0.01	197.00	<0.5	<0.002	2.9800	<0.2	16.700	<0.1	
NFRC SC-1	5/3/2010	<0.005	92.70	0.850	<50.0	36.100	0.02	0.01	16.50	0.05	0.1490	<0.1	2.2800	329.00	1.27	0.00	3.27	25.600	0.38	1.39	1.350	2.3300	<10.0	0.07	0.1700	3570.00	<0.01	74.00	1.20	0.01	0.6300	<0.2	14.700	0.20	
NFRC SC-1	6/4/2010	<0.005	77.30	0.540	<50.0	28.500	0.02	<0.005	13.80	0.02	0.0890	0.20	0.9800	178.00	0.54	0.00	3.28	19.100	0.26	1.53	0.530	1.8800	<10.0	0.07	0.1200	4440.00	<0.01	58.20	1.50	0.00	0.5300	<0.2	6.400	<0.1	
NFRC SC-1	7/8/2010	<0.005	33.20	0.580	<50.0	40.500	<0.01	0.01	18.80	0.02	0.0580	<0.1	0.8700	147.00	0.51	0.00	4.52	18.400	0.39	1.79	0.480	1.4100	<10.0	0.09	0.1600	4650.00	<0.01	87.00	1.30	0.00	0.7730	<0.2	7.800	<0.1	
NFRC SC-1	8/3/2010	<0.005	13.80	0.720	<50.0	54.900	<0.01	<0.005	28.30	0.02	0.0950	<0.1	0.6900	196.00	0.70	0.00	6.34	34.300	0.59	2.32	0.520	1.0200	<10.0	0.08	0.2200	4280.00	<0.01	124.00	<0.5	0.00	1.2600	<0.2	8.300	<0.1	
NFRC SC-1	10/18/2010	<0.005	12.40	0.610	<50.0	51.300	<0.01	<0.005	30.80	0.02	0.1070	<0.1	0.6500	199.00	0.74	0.00	6.82	39.200	0.60	2.44	0.520	0.9830	<10.0	0.06	0.3000	5340.00	0.02	133.00	<0.5	<0.002	1.5300	<0.2	9.800	<0.1	
NFRC SC-1 Average		0.0025	27.50	0.563	25.00	55.700	0.01	0.00	31.89	0.02	0.1117	0.07	0.7478	162.67	0.89	0.01	6.84	30.689	0.62	2.53	0.599	0.9824	5.56	0.07	0.3067	5152.22	0.01	137.58	0.61	0.00	1.7992	0.10	11.178	0.07	
NFRC SC-1 Max		<0.005	92.70	0.850	<50.0	77.200	0.02	0.01	46.20	0.05	0.1610	0.20	2.2800	329.00	1.27	0.01	9.93	42.800	0.91	3.53	1.350	2.3300	<10.0	0.09	0.4500	6320.00	0.02	197.00	1.50	0.01	3.0700	<0.2	16.700	0.20	
NFRC SC-1 Min		<0.005	2.80	0.410	<50.0	28.500	<0.01	<0.005	13.80	0.01	0.0580	<0.1	0.2300	90.00	0.51	0.00	3.27	18.400	0.26	1.39	0.450	0.1970	7.00	0.05	0.1200	3570.00	<0.01	58.20	<0.5	<0.002	0.5300	<0.2	6.400	<0.1	
NFRC SC-1 N > DL		0	9	9	0	9	2	2	9	9	9	1	9	9	0	9	9	9	9	9	9	9	2	9	9	9	9	1	9	3	4	9	0	9	1
NFRC SC-1 Median		<0.005	12.40	0.540	<50.0	54.900	<0.01	<0.005	30.80	0.02	0.1050	<0.1	0.6500	147.00	1.01	0.00	6.82	30.300	0.60	2.44	0.520	0.9830	<10.0												

Table C-3: Rose Creek Drainage Water Quality
2010 - Surface Water - Total Metals

Station	Date	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
NFRC SC-4	3/10/2010	<0.005	6.80	0.510	<50.0	62.800	<0.01	<0.005	47.10	0.02	0.2250	0.20	0.3400	197.00	1.13	0.01	9.99	70.100	0.81	3.56	0.690	0.5840	<10.0	0.05	0.4500	5960.00	<0.01	175.00	<0.5	<0.002	2.6600	<0.2	26.400	<0.1	
NFRC SC-4	4/14/2010	<0.005	3.20	0.380	<50.0	72.100	<0.01	<0.005	43.80	0.03	0.2130	<0.1	0.2400	135.00	1.08	0.01	8.81	64.100	0.92	3.17	0.620	0.2620	<10.0	0.06	0.4400	5770.00	<0.01	197.00	<0.5	<0.002	2.9900	<0.2	26.400	<0.1	
NFRC SC-4	5/3/2010	<0.005	90.60	0.840	<50.0	36.600	0.03	<0.005	16.80	0.04	0.1740	<0.1	2.3000	359.00	1.30	0.00	3.40	36.000	0.37	1.40	1.610	2.2300	<10.0	0.07	0.1700	3560.00	<0.01	75.30	1.90	0.01	0.6570	<0.2	15.900	0.20	
NFRC SC-4	6/4/2010	<0.005	72.30	0.510	<50.0	28.600	0.02	0.01	13.90	0.02	0.0880	0.20	0.9900	176.00	0.53	0.00	3.30	18.200	0.27	1.53	0.670	1.4900	<10.0	0.07	0.1300	4510.00	<0.01	57.60	1.70	0.00	0.5010	<0.2	10.600	<0.1	
NFRC SC-4	7/8/2010	<0.005	34.30	0.570	<50.0	39.300	<0.01	<0.005	19.20	0.02	0.0770	<0.1	0.7800	160.00	0.49	0.00	4.41	20.800	0.36	1.72	0.530	1.2100	<10.0	0.08	0.1700	4770.00	<0.01	84.30	1.20	0.00	0.7150	<0.2	7.000	<0.1	
NFRC SC-4	8/3/2010	<0.005	12.90	0.710	<50.0	53.100	<0.01	0.02	27.30	0.02	0.0980	<0.1	0.6400	194.00	0.67	0.00	6.02	31.800	0.56	2.26	0.630	1.0700	<10.0	0.08	0.2300	4460.00	<0.01	116.00	<0.5	0.00	1.1800	<0.2	11.800	<0.1	
NFRC SC-4	10/18/2010	<0.005	11.60	0.520	<50.0	49.500	<0.01	<0.005	30.80	0.02	0.1150	<0.1	0.3900	216.00	0.69	0.00	6.55	43.900	0.59	2.31	0.650	0.7230	<10.0	0.06	0.2900	5390.00	<0.01	129.00	<0.5	0.00	1.5000	<0.2	11.600	<0.1	
NFRC SC-4 Average		0.0025	26.79	0.532	25.00	54.167	0.01	0.01	32.23	0.02	0.1462	0.08	0.7156	190.67	0.90	0.01	6.93	44.311	0.61	2.52	0.740	0.9020	5.89	0.07	0.3100	5290.00	0.01	134.47	0.70	0.00	1.7337	0.10	17.289	0.07	
NFRC SC-4 Max		<0.005	90.60	0.840	<50.0	77.500	0.03	0.02	47.70	0.04	0.2250	0.20	2.3000	359.00	1.30	0.01	10.50	70.100	0.92	3.58	1.610	2.2300	<10.0	0.08	0.4700	7050.00	0.02	198.00	1.90	0.01	2.9900	<0.2	26.400	0.20	
NFRC SC-4 Min		<0.005	3.20	0.370	<50.0	28.600	<0.01	<0.005	13.90	0.02	0.0770	<0.1	0.2400	123.00	0.49	0.00	3.30	18.200	0.27	1.40	0.530	0.1700	8.00	0.05	0.1300	3560.00	<0.01	57.60	<0.5	<0.002	0.5010	<0.2	7.000	<0.1	
NFRC SC-4 N > DL		0	9	9	0	9	2	2	9	9	9	2	9	9	9	9	9	9	9	9	9	9	9	2	9	9	9	1	9	3	5	9	0	9	1
NFRC SC-4 Median		<0.005	11.60	0.510	<50.0	53.100	<0.01	<0.005	30.80	0.02	0.1550	<0.1	0.4400	176.00	1.03	0.00	6.55	43.900	0.59	2.31	0.650	0.7230	<10.0	0.07	0.2900	5390.00	<0.01	129.00	<0.5	0.00	1.5000	<0.2	15.900	<0.1	
NWID	2/22/2010	<0.005	2.50	0.190	<50.0	61.600	<0.01	<0.005	70.20	0.06	0.0110	<0.1	0.6900	3.00	1.90	0.01	9.12	0.460	0.25	3.43	0.640	0.1500	19.00	0.05	0.3400	6850.00	<0.01	258.00	<0.5	0.00	1.5700	<0.2	16.700	<0.1	
NWID	3/10/2010	<0.005	3.80	0.200	<50.0	57.700	<0.01	<0.005	70.50	0.07	0.0100	<0.1	0.6900	6.00	1.91	0.01	8.91	0.270	0.33	3.42	0.720	0.1700	20.00	0.05	0.3900	7260.00	<0.01	262.00	<0.5	0.00	1.6200	<0.2	19.000	<0.1	
NWID	4/15/2010	<0.005	3.20	0.200	<50.0	57.800	<0.01	<0.005	66.20	0.06	0.0150	<0.1	0.6500	4.00	1.84	0.01	8.15	0.270	0.30	3.16	0.710	0.3650	16.00	0.06	0.3600	6370.00	<0.01	261.00	<0.5	0.00	1.5700	<0.2	19.200	<0.1	
NWID	5/3/2010	0.0080	58.60	0.320	<50.0	31.800	<0.01	<0.005	26.20	0.06	0.0700	<0.1	2.6500	68.00	1.34	0.00	3.59	6.190	0.21	1.64	1.250	1.3600	<10.0	0.07	0.1400	5020.00	<0.01	96.90	0.90	0.00	0.4030	<0.2	28.300	0.20	
NWID	6/4/2010	<0.005	22.30	0.200	<50.0	36.100	<0.01	<0.005	35.30	0.06	0.0270	0.20	1.7000	15.00	1.24	0.00	5.17	0.530	0.30	2.59	0.890	0.3820	<10.0	0.06	0.1400	7570.00	<0.01	130.00	<0.5	0.00	0.5690	<0.2	17.000	<0.1	
NWID	7/10/2010	<0.005	6.70	0.200	<50.0	47.100	<0.01	<0.005	52.80	0.06	0.0160	<0.1	1.0800	9.00	1.47	0.01	6.44	1.100	0.30	2.75	0.530	0.2380	12.00	0.06	0.2100	7530.00	<0.01	187.00	<0.5	0.00	0.9290	<0.2	16.000	<0.1	
NWID	8/3/2010	<0.005	5.30	0.220	<50.0	53.300	<0.01	<0.005	52.70	0.06	0.0160	<0.1	0.8600	6.00	1.68	0.01	7.19	0.620	0.31	2.97	0.510	0.3000	14.00	0.05	0.2700	6280.00	<0.01	209.00	<0.5	0.00	1.1000	<0.2	13.200	<0.1	
NWID Average		0.0033	14.63	0.219	25.00	49.343	0.01	0.00	53.41	0.06	0.0236	0.07	1.1886	15.86	1.63	0.01	6.94	1.349	0.29	2.85	0.750	0.5007	13.00	0.06	0.2643	6697.14	0.01	200.56	0.34	0.00	1.1087	0.10	18.486	0.07	
NWID Max		0.0080	58.60	0.320	<50.0	61.600	<0.01	<0.005	70.50	0.07	0.0700	0.20	2.6500	68.00	1.91	0.01	9.12	6.190	0.33	3.43	1.250	1.3600	20.00	0.07	0.3900	7570.00	<0.01	262.00	0.90	0.00	1.6200	<0.2	28.300	0.20	
NWID Min		<0.005	2.50	0.190	<50.0	31.800	<0.01	<0.005	26.20	0.06	0.0100	<0.1	0.6500	3.00	1.24	0.00	3.59	0.270	0.21	1.64	0.510	0.1500	<10.0	0.05	0.1400	5020.00	<0.01	96.90	<0.5	0.00	0.4030	<0.2	13.200	<0.1	
NWID N > DL		1	7	7	0	7	0	0	7	7	7	1	7	7	7	7	7	7	7	7	7	7	5	7	7	7	7	0	7	1	7	7	0	7	1
NWID Median		<0.005	5.30	0.200	<50.0	53.300	<0.01	<0.005	52.80	0.06	0.0160	<0.1	0.8600	6.00	1.68	0.01	7.19	0.530	0.30	2.97	0.710	0.3650	14.00	0.06	0.2700	6850.00	<0.01	209.00	<0.5	0.00	1.1000	<0.2	17.000	<0.1	
R10	1/11/2010	<0.005	5.10	0.410	<50.0	69.700	<0.01	<0.005	43.10	0.01	0.0440	<0.1	0.6400	100.00	1.00	0.01	9.24	19.500	0.82	3.15	0.330	0.2270	9.00	0.06	0.4500	6460.00	<0.01	174.00	<0.5	<0.002	2.5100	<0.2	6.900	<0.1	
R10	2/23/2010	<0.005	3.60	0.470	<50.0	76.400	<0.01	<0.005	44.60	0.01	0.0420	<0.1	0.2400	78.00	1.05	0.01	9.55	14.700	0.87	3.39	0.270	0.0710	8.00	0.06	0.4600	6230.00	<0.01	187.00	<0.5	<0.002	2.8500	<0.2	7.400	<0.1	
R10	3/10/2010	<0.005	5.20	0.480	<50.0	71.600	<0.01	<0.005	43.90	0.01	0.0390	<0.1	0.3200	75.00	1.05	0.01	8.96	13.200	0.97	3.30	0.300	0.8370	<10.0	0.06	0.4700	6140.00	<0.01	190.00	<0.5	<0.002	3.0200	<0.2	12.200	<0.1	
R10	4/11/2010	<0.005	5.80	0.440	<50.0	68.700	<0.01	<0.005	39.30	0.03	0.3180	0.20	0.3900	99.00	1.00	0.01	7.85	36.900	0.94	2.99	0.530	0.4700	<10.0	0.06	0.4100	5430.00	0.02	187.00	<0.5	<0.002	2.9700	<0.2	19.800	<0.1	
R10	5/3/2010	<0.005	95.10	0.900	<50.0	39.400	0.02	0.01	17.90	0.04	0.1420	<0.1	2.5000	359.00	1.36	0.00	3.35	32.400	0.40	1.43	1.490	1.4700	<10.0	0.08	0.1900	3910.00	<0.01	77.30	1.60	0.00	0.6990	<0.2	11.400	0.20	
R10	6/5/2010	<0.005	57.10	0.490	<50.0	30.300	<0.01	0.01	15.00	0.02	0.0580	<0.1	1.0000	145.00	0.52	0.00	3.55	11.900	0.31	1.59	0.560	1.0100	<10.0	0.08	0.1400	4740.00	0.02	61.00	0.9						

Table C-3: Rose Creek Drainage Water Quality
2010 - Surface Water - Total Metals

Station	Date	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
R8	4/11/2010	<0.005	4.00	0.460	<50.0	73.500	<0.01	<0.005	43.50	<0.005	0.0210	<0.1	0.2000	66.00	1.05	0.01	8.25	8.300	1.03	3.36	0.260	0.0260	<10.0	0.06	0.4300	5590.00	0.03	182.00	<0.5	<0.002	2.8300	<0.2	0.400	<0.1		
R8	5/3/2010	<0.005	105.00	0.970	<50.0	39.700	0.03	<0.005	16.10	0.04	0.1070	<0.1	2.1600	398.00	1.27	0.00	3.00	36.300	0.45	1.42	1.700	1.6800	<10.0	0.08	0.1800	3740.00	<0.01	69.40	1.90	0.00	0.7060	0.30	8.600	0.20		
R8	6/5/2010	<0.005	75.70	0.540	<50.0	30.100	<0.01	0.01	14.20	0.02	0.0610	0.20	0.9000	167.00	0.48	0.00	3.11	13.700	0.31	1.58	0.430	0.8320	<10.0	0.08	0.1400	4810.00	<0.01	56.70	1.20	<0.002	0.5700	<0.2	2.600	<0.1		
R8	7/8/2010	<0.005	33.30	0.610	<50.0	37.600	<0.01	<0.005	16.60	0.01	0.0400	<0.1	0.7100	137.00	0.40	0.00	3.72	15.300	0.37	1.60	0.370	0.4070	<10.0	0.08	0.1500	4600.00	<0.01	72.50	1.00	<0.002	0.6530	<0.2	1.500	<0.1		
R8	8/3/2010	<0.005	11.90	0.780	<50.0	51.100	<0.01	<0.005	25.00	0.01	0.0350	<0.1	0.4900	168.00	0.54	0.00	5.29	15.600	0.56	2.00	0.340	0.2720	<10.0	0.07	0.2100	4360.00	<0.01	103.00	<0.5	<0.002	1.0300	<0.2	2.600	<0.1		
R8	9/1/2010	<0.005	11.80	0.670	<50.0	47.400	<0.01	<0.005	25.30	0.01	0.0290	<0.1	0.4400	188.00	0.52	0.00	5.10	16.500	0.55	2.04	0.270	0.5250	<10.0	0.06	0.2200	4660.00	<0.01	106.00	<0.5	<0.002	1.0700	<0.2	2.900	<0.1		
R8	10/19/2010	<0.005	8.10	0.610	<50.0	52.600	<0.01	<0.005	29.30	0.01	0.0290	<0.1	0.3800	176.00	0.66	0.00	6.06	19.500	0.57	2.40	0.250	0.2730	<10.0	0.06	0.2800	5360.00	<0.01	121.00	<0.5	<0.002	1.3900	<0.2	1.500	<0.1		
R8	11/10/2010	<0.005	22.60	0.520	<50.0	67.300	<0.01	<0.005	36.10	0.01	0.0440	<0.1	0.5200	147.00	0.79	0.01	7.16	17.100	0.83	2.71	0.320	0.2510	<10.0	0.05	0.3000	6510.00	<0.01	145.00	0.80	<0.002	1.7500	<0.2	1.600	<0.1		
R8	12/1/2010	<0.005	4.90	0.470	<50.0	63.300	<0.01	<0.005	35.10	0.01	0.0270	<0.1	0.3400	128.00	0.80	0.01	7.00	15.400	0.62	2.65	0.220	0.0660	<10.0	0.05	0.3300	5800.00	<0.01	146.00	<0.5	<0.002	1.7600	<0.2	3.500	<0.1		
R8 Average		0.0025	23.82	0.586	25.00	56.450	0.01	0.00	30.25	0.01	0.0368	0.06	0.5683	151.33	0.78	0.01	6.05	15.968	0.66	2.43	0.393	0.3718	4.83	0.06	0.2950	5295.83	0.01	125.55	0.58	0.00	1.6116	0.12	2.233	0.06		
R8 Max		<0.005	105.00	0.970	<50.0	75.500	0.03	0.01	43.50	0.04	0.1070	0.20	2.1600	398.00	1.27	0.01	8.34	36.300	1.03	3.36	1.700	1.6800	<10.0	0.08	0.4500	6510.00	0.03	182.00	1.90	0.00	2.8300	0.30	8.600	0.20		
R8 Min		<0.005	2.60	0.450	<50.0	30.100	<0.01	<0.005	14.20	<0.005	0.0130	<0.1	0.2000	66.00	0.40	0.00	3.00	8.300	0.31	1.42	0.180	0.0170	4.00	0.05	0.1400	3740.00	<0.01	56.70	<0.5	<0.002	0.5700	<0.2	0.400	<0.1		
R8 N > DL		0	12	12	0	12	1	1	12	8	12	1	12	12	0	12	12	12	12	12	12	12	12	2	12	12	12	12	1	12	4	1	12	1	12	1
R8 Median		<0.005	9.95	0.530	<50.0	57.950	<0.01	<0.005	32.20	0.01	0.0290	<0.1	0.4100	142.00	0.80	0.01	6.53	15.350	0.60	2.53	0.265	0.2615	<10.0	0.06	0.2900	5475.00	<0.01	133.00	<0.5	<0.002	1.5700	<0.2	1.550	<0.1		
R9	1/11/2010	<0.005	3.80	0.430	<50.0	69.200	<0.01	<0.005	43.50	0.02	0.0260	<0.1	0.3200	88.00	1.01	0.01	9.25	17.000	0.81	3.12	0.220	0.2500	7.00	0.06	0.4200	6320.00	<0.01	172.00	<0.5	<0.002	2.4900	<0.2	1.300	<0.1		
R9	2/23/2010	<0.005	3.80	0.480	<50.0	74.400	<0.01	<0.005	44.50	<0.005	0.0270	<0.1	0.2600	63.00	1.06	0.01	9.57	12.800	0.87	3.39	0.220	0.1190	8.00	0.06	0.3800	5030.00	<0.01	186.00	<0.5	<0.002	2.8200	<0.2	1.200	<0.1		
R9	3/10/2010	<0.005	3.80	0.460	<50.0	70.200	<0.01	<0.005	42.70	<0.005	0.0270	<0.1	0.2500	71.00	1.02	0.01	8.88	10.700	0.99	3.19	0.230	0.1930	<10.0	0.06	0.5100	6210.00	<0.01	180.00	<0.5	<0.002	2.9000	<0.2	4.100	<0.1		
R9	4/11/2010	<0.005	2.90	0.480	<50.0	70.500	<0.01	<0.005	46.80	0.01	0.0190	<0.1	0.2100	64.00	1.14	0.01	9.35	9.360	1.03	3.42	0.230	0.1300	<10.0	0.06	0.4600	6380.00	<0.01	193.00	<0.5	<0.002	3.0900	<0.2	1.100	<0.1		
R9	5/3/2010	<0.005	80.50	0.840	<50.0	33.800	0.02	<0.005	15.20	0.03	0.0810	<0.1	1.7800	290.00	1.13	0.00	3.01	20.900	0.37	1.27	0.980	0.9120	<10.0	0.07	0.1900	3770.00	<0.01	67.30	1.10	0.00	0.6190	<0.2	4.000	0.20		
R9	6/5/2010	<0.005	83.10	0.540	<50.0	30.900	0.03	0.01	15.10	0.02	0.0750	0.20	0.9000	183.00	0.52	0.00	3.60	16.700	0.31	1.60	0.500	1.0900	<10.0	0.08	0.1400	4770.00	<0.01	61.60	2.00	<0.002	0.6170	<0.2	3.200	<0.1		
R9	7/8/2010	<0.005	32.70	0.580	<50.0	37.900	<0.01	0.01	19.00	0.01	0.0470	<0.1	0.7000	153.00	0.44	0.00	4.08	14.500	0.36	1.62	0.400	0.5050	<10.0	0.08	0.1700	4910.00	<0.01	81.20	0.90	<0.002	0.7150	<0.2	1.700	<0.1		
R9	8/3/2010	<0.005	13.00	0.690	<50.0	52.000	<0.01	0.01	26.20	0.01	0.0410	<0.1	0.7000	152.00	0.63	0.00	5.81	13.800	0.58	2.11	0.450	1.6200	<10.0	0.08	0.2300	4120.00	<0.01	115.00	<0.5	<0.002	1.1700	<0.2	6.700	<0.1		
R9	9/1/2010	<0.005	12.00	0.730	<50.0	48.500	<0.01	<0.005	26.50	0.01	0.0340	<0.1	0.4600	184.00	0.62	0.00	5.98	16.800	0.50	2.16	0.280	0.1310	<10.0	0.07	0.2200	4250.00	<0.01	118.00	<0.5	<0.002	1.1600	<0.2	0.800	<0.1		
R9	10/19/2010	<0.005	8.50	0.580	<50.0	52.500	<0.01	<0.005	31.70	0.02	0.0310	<0.1	0.3900	172.00	0.73	0.00	7.00	19.600	0.60	2.42	0.300	0.1630	<10.0	0.06	0.3200	5620.00	<0.01	133.00	<0.5	<0.002	1.5600	<0.2	1.900	<0.1		
R9	11/10/2010	<0.005	9.20	0.450	<50.0	66.800	<0.01	<0.005	38.70	0.02	0.0460	<0.1	0.4800	113.00	0.91	0.01	8.35	17.100	0.75	2.84	0.340	0.5520	<10.0	0.06	0.3300	6510.00	<0.01	161.00	<0.5	<0.002	1.9900	<0.2	5.800	<0.1		
R9	12/1/2010	<0.005	10.60	0.490	<50.0	64.900	<0.01	<0.005	38.50	0.01	0.0430	<0.1	0.5100	156.00	0.87	0.01	8.07	22.700	0.63	2.75	0.260	0.1490	<10.0	0.06	0.3500	5900.00	<0.01	160.00	<0.5	<0.002	2.0400	<0.2	1.900	<0.1		
R9 Average		0.0025	21.99	0.563	25.00	55.967	0.01	0.00	32.37	0.01	0.0414	0.06	0.5800	140.75	0.84	0.01	6.91	15.997	0.65	2.49	0.368	0.4845	5.42	0.07	0.3100	5315.83	0.01	135.68	0.52	0.00	1.7643	0.10	2.808	0.06		
R9 Max		<0.005	83.10	0.840	<50.0	74.400	0.03	0.01	46.80	0.03	0.0810	0.20	1.7800	290.00	1.14	0.01	9.57	22.700	1.03	3.42	0.980	1.6200	<10.0	0.08	0.5100	6510.00	<0.01	193.00	2.00	0.00	3.0900	<0.2	6.700	0.20		
R9 Min		<0.005	2.90	0.430	<50.0	30.900	<0.01	<0.005	15.10	<0.005	0.0190	<0.1	0.2100	63.00	0.44	0.00	3.01	9.360	0.31	1.27	0.220	0.1190	7.00	0.06	0.1400	3770.00	<0.01	61.60	<0.5	<0.002	0.6170	<0.2	0.800	<0.1		
R9 N > DL		0	12	12	0	12	2	3	12	10	12	1	12	12	0	12	12	12	12	12	12	12	2	12	12	12	12	0	12	3	1	12	0	12	1	
R9 Median		<0.005	9.90	0.515	<50.0	58.700	<0.01	<0.005	35.10	0.01	0.0375	<0.1	0.4700	152.50	0.89	0.01	7.54	16.750	0.62	2.59	0.290	0.2215	<10.0	0.06	0.3250	5325.00	<0.01	146.50	<0.5	<0.002	1.7750	<0.2	1.900	<0.1		
RCSG#4	1/12/2010	<0.005	4.80	0.310	<50.0	66.800	<0.01	<0.005	46.60	0.12	0.1200	<0.1	0.8400	292.00	1.20	0.01	10.40	66.300	0.72	3.11	0.800	1.4200	12.00	0.07	0.4200	6150.00	0.03	183.00	<0.5	0.00	2.4700	<0.2	38.100	<0.1		
RCSG#4	3/10/2010	<0.005	3.30	0.310	<50.0	70.000	<0.01	<0.005	46.30	0.02	0.1220	<0.1	0.2900	165.00	1.17	0.01	10.20	67.700	0.79	3.21	0.610	0.3500	11.00	0.05	0.3900											

Table C-3: Rose Creek Drainage Water Quality
2010 - Surface Water - Total Metals

Station	Date	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
X10	5/3/2010	<0.005	73.30	0.760	<50.0	37.500	0.02	0.01	19.30	0.04	0.1870	<0.1	2.0400	489.00	1.22	0.00	4.43	51.800	0.34	1.39	1.750	1.7600	<10.0	0.07	0.1700	3350.00	<0.01	86.00	1.40	0.01	0.8510	<0.2	22.900	0.20	
X10	6/4/2010	<0.005	56.20	0.390	<50.0	28.300	<0.01	0.01	15.30	0.01	0.0750	<0.1	0.8200	206.00	0.56	0.00	3.79	20.500	0.28	1.47	0.500	0.7610	<10.0	0.07	0.1200	3830.00	<0.01	65.90	1.00	0.00	0.5780	<0.2	11.700	<0.1	
X10	7/8/2010	<0.005	24.60	0.440	<50.0	35.500	<0.01	0.01	20.40	0.01	0.0680	<0.1	0.7400	264.00	0.51	0.00	4.31	22.800	0.33	1.63	0.440	0.7210	<10.0	0.07	0.1500	4640.00	<0.01	89.80	0.70	<0.002	0.7430	<0.2	13.500	<0.1	
X10	8/3/2010	<0.005	6.60	0.490	<50.0	48.200	<0.01	<0.005	27.90	0.01	0.0550	<0.1	0.5700	319.00	0.71	0.00	6.24	26.700	0.49	1.98	0.490	0.5860	<10.0	0.07	0.2100	4150.00	<0.01	126.00	<0.5	0.00	1.2500	<0.2	19.800	<0.1	
X10	9/2/2010	<0.005	5.80	0.430	<50.0	47.300	<0.01	<0.005	29.00	0.01	0.0730	<0.1	0.4300	335.00	0.71	0.00	6.64	27.100	0.51	2.17	0.510	0.1690	<10.0	0.06	0.2000	4260.00	<0.01	130.00	<0.5	<0.002	1.2300	<0.2	21.600	<0.1	
X10	10/21/2010	<0.005	26.70	0.470	<50.0	56.600	<0.01	<0.005	35.30	0.03	0.1410	<0.1	7.2300	395.00	0.87	0.00	8.37	48.100	0.57	2.32	0.610	0.8010	<10.0	0.07	0.3300	4930.00	<0.01	166.00	1.00	<0.002	1.8400	<0.2	27.100	<0.1	
X10	11/9/2010	<0.005	5.60	0.230	<50.0	61.800	<0.01	<0.005	40.00	0.02	0.0930	<0.1	0.5100	203.00	0.98	0.00	8.66	45.100	0.53	2.45	0.750	0.7720	<10.0	0.20	0.6100	5280.00	<0.01	179.00	<0.5	0.00	1.9300	<0.2	41.400	<0.1	
X10	12/1/2010	<0.005	3.00	0.170	<50.0	60.400	<0.01	<0.005	40.70	0.01	0.0920	<0.1	0.3300	178.00	1.00	0.00	8.57	42.600	0.45	2.62	0.650	0.1390	<10.0	0.05	0.2900	5450.00	<0.01	176.00	<0.5	0.00	1.8500	<0.2	42.100	<0.1	
X10 Average		0.0025	17.94	0.350	25.00	55.083	0.01	0.00	34.83	0.02	0.0773	0.05	1.1700	227.92	0.93	0.00	7.95	29.442	0.54	2.35	0.713	0.5553	7.00	0.08	0.3158	4880.00	0.01	151.48	0.51	0.00	1.7752	0.10	28.883	0.06	
X10 Max		<0.005	73.30	0.760	<50.0	72.200	0.02	0.01	48.30	0.04	0.1870	<0.1	7.2300	489.00	1.22	0.01	11.50	51.800	0.80	3.09	1.750	1.7600	12.00	0.20	0.6100	5850.00	<0.01	204.00	1.40	0.01	2.9200	<0.2	45.700	0.20	
X10 Min		<0.005	2.80	0.170	<50.0	28.300	<0.01	<0.005	15.30	<0.005	0.0240	<0.1	0.3200	67.00	0.51	0.00	3.79	11.600	0.28	1.39	0.440	0.0760	10.00	0.05	0.1200	3350.00	<0.01	65.90	<0.5	<0.002	0.5780	<0.2	11.700	<0.1	
X10 N > DL		0	12	12	0	12	1	3	12	11	12	0	12	12	12	12	12	12	12	12	12	12	4	12	12	12	12	0	12	4	6	12	0	12	1
X10 Median		<0.005	5.70	0.315	<50.0	58.500	<0.01	<0.005	37.65	0.01	0.0705	<0.1	0.4700	204.50	0.99	0.00	8.47	26.550	0.52	2.39	0.655	0.5790	<10.0	0.07	0.3100	5105.00	<0.01	171.00	<0.5	0.00	1.8450	<0.2	26.950	<0.1	
X14	1/11/2010	<0.005	4.60	0.330	<50.0	73.300	<0.01	<0.005	111.00	0.05	1.8100	<0.1	0.4800	357.00	2.16	0.01	24.60	2660.000	0.89	8.96	4.850	0.7100	78.00	0.08	0.4800	6820.00	<0.01	342.00	<0.5	0.01	3.5300	<0.2	43.100	<0.1	
X14	2/22/2010	<0.005	2.30	0.440	<50.0	71.300	<0.01	<0.005	124.00	0.06	2.6800	<0.1	0.3500	404.00	2.24	0.01	27.80	3520.000	0.74	9.99	6.170	0.1290	99.00	0.07	0.4000	6220.00	<0.01	386.00	<0.5	0.01	3.7700	<0.2	22.000	<0.1	
X14	3/10/2010	<0.005	2.60	0.460	<50.0	67.700	<0.01	<0.005	136.00	0.07	3.0400	<0.1	0.2800	466.00	2.40	0.01	28.60	3980.000	0.89	10.50	6.610	0.0940	121.00	0.06	0.4300	6150.00	<0.01	400.00	<0.5	0.01	3.9500	<0.2	24.100	<0.1	
X14	3/22/2010	<0.005	3.00	0.490	<50.0	65.300	<0.01	<0.005	131.00	0.08	3.3700	<0.1	0.3200	601.00	<0.01	2.31	0.01	28.10	4150.000	0.83	10.60	6.990	0.1180	109.00	0.06	0.4800	5470.00	<0.01	390.00	<0.5	0.01	3.7400	<0.2	32.100	<0.1
X14	3/30/2010	<0.005	2.80	0.410	<50.0	58.300	<0.01	<0.005	171.00	0.10	7.1600	<0.1	0.2800	441.00	<0.01	3.14	0.01	38.80	5920.000	0.89	14.20	12.400	0.1190	168.00	0.09	0.3200	6380.00	<0.01	509.00	<0.5	0.05	4.5100	<0.2	101.000	<0.1
X14	4/6/2010	<0.005	2.60	0.420	<50.0	58.800	<0.01	<0.005	193.00	0.10	8.9600	0.20	0.3200	442.00	3.49	0.01	41.20	7240.000	0.95	15.10	15.200	0.1290	184.00	0.09	0.3600	6070.00	<0.01	585.00	<0.5	0.05	4.4600	<0.2	110.000	<0.1	
X14	4/13/2010	0.0600	4.00	0.400	<300.0	63.000	<0.05	<0.03	180.00	0.10	6.3400	<0.5	<0.3	432.00	<0.05	3.10	0.01	33.80	5350.000	0.80	12.40	10.400	0.1600	1740.00	<0.1	0.3000	5510.00	<0.05	542.00	<3.0	0.05	4.2000	<1.0	92.500	<0.5
X14	4/20/2010	<0.005	138.00	0.860	<50.0	51.000	<0.01	<0.005	140.00	0.09	5.8200	0.20	1.2300	731.00	<0.01	2.71	0.01	26.20	4200.000	0.69	9.96	10.100	4.1000	124.00	0.12	0.2600	3650.00	<0.01	430.00	3.60	0.04	2.9600	0.30	73.800	<0.1
X14	4/27/2010	<0.005	61.10	0.860	<50.0	43.100	<0.01	<0.005	52.90	0.06	0.9390	<0.1	1.5400	567.00	<0.01	1.82	0.01	10.40	880.000	0.52	4.02	2.390	1.5800	35.00	0.07	0.1800	3880.00	<0.01	185.00	1.20	0.02	1.4000	<0.2	42.700	<0.1
X14	5/4/2010	<0.005	58.00	0.640	<50.0	37.300	<0.01	0.01	91.90	0.06	3.5400	<0.1	1.5500	388.00	<0.01	2.25	0.01	16.10	2440.000	0.49	5.93	6.660	1.1400	81.00	0.09	0.1800	3470.00	0.02	274.00	1.60	0.07	1.4600	<0.2	63.000	<0.1
X14	5/11/2010	<0.005	38.00	0.670	<50.0	39.100	0.02	<0.005	70.80	0.05	2.4400	<0.1	1.5300	469.00	<0.01	1.70	0.01	14.50	1710.000	0.52	4.79	4.640	1.3300	62.00	0.08	0.1900	3770.00	<0.01	241.00	0.60	0.07	1.4200	<0.2	45.400	<0.1
X14	5/18/2010	<0.005	76.30	0.640	<50.0	37.000	0.02	<0.005	52.50	0.05	2.0500	<0.1	1.6300	406.00	1.34	0.01	11.50	1320.000	0.41	3.73	4.160	1.9100	39.00	0.09	0.1700	3050.00	<0.01	188.00	2.10	0.05	1.0900	<0.2	38.500	<0.1	
X14	5/25/2010	<0.005	105.00	0.560	<50.0	28.700	0.02	<0.005	30.70	0.03	0.9000	0.20	1.3100	375.00	0.96	0.00	6.97	583.000	0.30	2.44	2.430	2.0000	22.00	0.06	0.1300	3240.00	<0.01	107.00	3.10	0.02	0.7220	<0.2	22.600	<0.1	
X14	6/1/2010	<0.005	34.30	0.380	<50.0	27.300	<0.01	0.01	41.10	0.04	1.5700	<0.1	1.1400	233.00	1.03	0.00	9.29	1030.000	0.30	3.81	3.050	1.0600	34.00	0.07	0.1300	3720.00	<0.01	133.00	<0.5	0.03	0.7650	<0.2	42.600	<0.1	
X14	6/8/2010	<0.005	20.70	0.380	<50.0	31.800	<0.01	<0.005	50.70	0.05	2.1500	<0.1	0.7400	215.00	1.12	0.00	12.30	1390.000	0.39	4.00	3.720	0.5120	44.00	0.08	0.1900	3940.00	<0.01	166.00	<0.5	0.04	0.9960	<0.2	39.900	<0.1	
X14	6/15/2010	<0.005	16.20	0.400	<50.0	33.600	<0.01	<0.005	59.70	0.04	2.7600	<0.1	0.7100	245.00	<0.01	1.39	0.01	14.60	1740.000	0.40	4.56	4.410	0.5320	55.00	0.08	0.1800	4000.00	<0.01	207.00	<0.5	0.05	1.1200	<0.2	48.400	<0.1
X14	6/22/2010	<0.005	20.30	0.460	<50.0	35.400	<0.01	0.01	59.30	0.05	2.6100	<0.1	1.0700	290.00	<0.01	1.41	0.01	15.10	1590.000	0.42	4.83	4.480	0.4690	55.00	0.09	0.2200	3460.00	<0.01	204.00	<0.5	0.06	1.0400	<0.2	45.500	<0.1
X14	6/29/2010	<0.005	17.40	0.410	<50.0	38.800	<0.01	0.01	71.20	0.04	3.2200	0.30	0.6500	274.00	<0.01	1.46	0.01	17.10	1860.000	0.49	5.10	5.060	0.3690	67.00	0.10	0.2000	4330.00	<0.01	236.00	<0.5	0.08	1.2400	<0.2	49.300	<0.1
X14	6/29/2010	<0.005	12.70	0.430	<50.0	38.100	<0.01	<0.005	73.10	0.05	3.2700	<0.1	0.6300	276.00	<0.01	1.53	0.01	17.50	1890.000	0.41	5.26	5.110	0.3620	69.00	0.10	0.2000	4470								

Table C-3: Rose Creek Drainage Water Quality
2010 - Surface Water - Total Metals

Station	Date	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
X2	6/4/2010	<0.005	103.00	0.600	<50.0	28.800	0.02	0.01	13.70	0.02	0.1610	0.20	0.9500	253.00	0.53	0.00	3.30	32.400	0.26	1.49	0.610	2.6300	<10.0	0.08	0.1300	4370.00	<0.01	56.70	2.30	0.00	0.4980	<0.2	8.200	<0.1		
X2	7/8/2010	<0.005	42.50	0.570	<50.0	38.500	<0.01	0.02	18.80	0.02	0.0970	<0.1	0.8500	175.00	0.50	0.00	4.47	25.300	0.36	1.72	0.550	1.3100	<10.0	0.09	0.1700	4720.00	<0.01	84.10	1.80	0.01	0.7120	<0.2	7.800	<0.1		
X2	8/3/2010	<0.005	13.50	0.680	<50.0	53.600	<0.01	0.01	28.10	0.02	0.0920	<0.1	0.5500	192.00	0.71	0.00	6.47	39.100	0.60	2.23	0.780	0.8560	<10.0	0.07	0.2500	4530.00	<0.01	121.00	0.60	0.00	1.1900	<0.2	9.700	<0.1		
X2	9/2/2010	<0.005	13.40	0.590	<50.0	48.800	<0.01	<0.005	27.00	0.01	0.1180	<0.1	0.4700	194.00	0.65	0.00	6.03	40.100	0.49	2.15	0.480	0.3880	<10.0	0.06	0.2100	4510.00	<0.01	120.00	<0.5	<0.002	1.1200	<0.2	14.400	<0.1		
X2	10/18/2010	<0.005	8.80	0.550	<50.0	53.100	<0.01	<0.005	33.20	0.02	0.1810	<0.1	0.4200	215.00	0.80	0.01	7.69	74.600	0.53	2.59	0.640	0.5240	<10.0	0.06	0.3900	5630.00	<0.01	141.00	<0.5	0.00	1.4600	<0.2	14.200	<0.1		
X2	11/9/2010	<0.005	8.50	0.360	<50.0	64.100	<0.01	<0.005	36.80	0.02	0.2190	<0.1	0.4500	149.00	0.87	0.01	8.38	86.400	1.03	2.72	0.800	0.8330	<10.0	1.56	2.6500	5520.00	<0.01	161.00	<0.5	0.00	1.9100	<0.2	21.800	<0.1		
X2	12/1/2010	<0.005	13.30	0.420	<50.0	65.000	<0.01	<0.005	40.50	0.04	0.1970	<0.1	0.4400	212.00	0.94	0.01	9.05	74.400	0.59	2.91	0.790	0.6050	<10.0	0.06	0.3500	5970.00	<0.01	169.00	<0.5	0.01	1.9200	<0.2	19.400	<0.1		
X2 Average		0.0025	27.41	0.513	25.00	56.250	0.01	0.01	33.45	0.02	0.1737	0.06	0.6475	192.58	0.89	0.01	7.58	61.242	0.63	2.59	0.787	0.9975	6.58	0.20	0.5025	5255.00	0.01	142.26	0.70	0.00	1.7328	0.10	18.058	0.06		
X2 Max		<0.005	103.00	0.820	<50.0	74.500	0.03	0.02	49.30	0.05	0.2560	0.20	2.2600	393.00	1.26	0.01	11.40	86.400	1.03	3.67	1.350	2.6300	12.00	1.56	2.6500	6570.00	<0.01	202.00	2.30	0.01	2.9600	<0.2	31.100	0.20		
X2 Min		<0.005	3.50	0.350	<50.0	28.800	<0.01	<0.005	13.70	0.01	0.0920	<0.1	0.2600	110.00	0.50	0.00	3.30	25.300	0.26	1.41	0.480	0.1450	<10.0	0.06	0.1300	3390.00	<0.01	56.70	<0.5	<0.002	0.4980	<0.2	7.800	<0.1		
X2 N > DL		0	12	12	0	12	2	4	12	12	12	1	12	12	0	12	12	12	12	12	12	12	12	3	12	12	12	0	12	4	7	12	0	12	1	
X2 Median		<0.005	13.35	0.490	<50.0	58.850	<0.01	<0.005	35.00	0.02	0.1855	<0.1	0.4500	183.50	0.91	0.01	8.04	73.250	0.60	2.66	0.715	0.7190	<10.0	0.07	0.3700	5425.00	<0.01	151.00	<0.5	0.00	1.6850	<0.2	17.800	<0.1		
X22b	1/11/2010	<0.03	13.00	0.200	<300.0	18.500	0.07	<0.03	169.00	18.30	59.6000	<0.5	8.5000	38.00	9.37	0.07	86.80	3570.000	0.70	23.10	152.000	1.0500	229.00	0.40	<0.2	4100.00	<0.05	681.00	<3.0	0.56	1.3700	<1.0	24400.000	<0.5		
X22b	2/22/2010	<0.03	13.00	0.200	<300.0	22.000	0.24	<0.03	143.00	28.20	47.1000	<0.5	20.7000	18.00	7.05	0.06	76.90	2700.000	0.60	16.40	138.000	2.1200	248.00	0.20	<0.2	7560.00	<0.05	557.00	<3.0	0.37	1.4900	<1.0	26900.000	<0.5		
X22b	3/10/2010	<0.03	12.00	0.200	<300.0	21.000	0.21	<0.03	138.00	25.50	44.6000	<0.5	21.9000	12.00	7.00	0.06	73.00	2640.000	0.60	16.30	130.000	0.9200	237.00	0.20	<0.2	6510.00	<0.05	528.00	<3.0	0.35	1.6500	<1.0	26300.000	<0.5		
X22b	4/13/2010	0.0500	10.00	0.200	<300.0	24.500	0.11	<0.03	139.00	12.30	41.2000	<0.5	5.6000	7.00	7.20	0.06	69.50	2390.000	0.70	15.90	111.000	1.0500	206.00	0.30	0.3000	6020.00	<0.05	583.00	<3.0	0.37	3.1700	<1.0	18900.000	<0.5		
X22b	5/3/2010	<0.005	7.20	0.050	<50.0	12.500	0.03	<0.005	37.40	4.27	8.9100	<0.1	4.3000	40.00	1.79	0.01	15.70	542.000	0.13	3.86	24.300	3.4800	57.00	0.06	0.0700	1410.00	<0.01	155.00	<0.5	0.10	0.2230	<0.2	3630.000	<0.1		
X22b	6/4/2010	0.0800	37.00	0.200	<300.0	17.800	0.12	<0.03	147.00	17.70	51.3000	<0.5	15.4000	176.00	8.10	0.06	80.90	2960.000	0.50	19.70	126.000	1.3400	227.00	0.30	<0.2	4320.00	<0.05	615.00	<3.0	0.43	1.2500	<1.0	21400.000	<0.5		
X22b	7/10/2010	0.0700	8.00	0.200	<300.0	15.700	0.09	<0.03	139.00	17.00	48.6000	<0.5	9.4000	135.00	7.40	0.06	73.00	2830.000	1.10	17.90	124.000	1.2400	227.00	0.30	<0.2	4230.00	<0.05	569.00	<3.0	0.42	1.1800	<1.0	20500.000	<0.5		
X22b	8/3/2010	0.0140	3.90	0.140	<50.0	16.300	0.03	<0.005	133.00	15.80	51.3000	<0.1	6.4700	30.00	7.65	0.06	76.10	2800.000	0.53	18.80	127.000	0.5360	271.00	0.25	0.1600	3620.00	<0.01	610.00	<0.5	0.41	1.2200	<0.2	18200.000	<0.1		
X22b	9/1/2010	<0.03	8.00	0.200	<300.0	16.100	0.06	<0.03	144.00	17.00	49.5000	<0.5	6.9000	74.00	7.40	0.06	73.00	2920.000	0.50	17.80	128.000	1.7600	213.00	0.30	<0.2	4060.00	0.07	609.00	<3.0	0.47	1.1900	<1.0	20700.000	<0.5		
X22b	10/20/2010	0.0180	11.70	0.150	<50.0	16.500	0.06	<0.005	149.00	16.90	53.7000	<0.1	5.7700	153.00	8.54	0.06	78.90	3120.000	0.52	19.80	136.000	0.8270	274.00	0.27	0.1500	3630.00	<0.01	669.00	<0.5	0.45	1.1900	<0.2	19100.000	<0.1		
X22b	11/8/2010	<0.03	10.00	<0.1	<300.0	15.600	<0.05	<0.03	156.00	15.30	50.5000	<0.5	4.8000	300.00	7.90	0.06	72.50	3220.000	0.60	18.50	134.000	0.7900	243.00	0.60	0.8000	4190.00	<0.05	612.00	<3.0	0.44	1.1300	<1.0	20700.000	<0.5		
X22b	12/1/2010	<0.03	14.00	<0.1	<300.0	15.300	0.06	<0.03	156.00	16.30	52.8000	<0.5	5.6000	108.00	8.30	0.06	77.70	3280.000	0.50	19.90	136.000	0.2900	247.00	0.20	<0.2	4100.00	<0.05	624.00	<3.0	0.45	1.1700	<1.0	20600.000	<0.5		
X22b Average		0.0270	12.32	0.153	118.75	17.650	0.09	0.01	137.53	17.05	46.5925	0.20	9.6117	90.92	7.31	0.06	71.17	2747.667	0.58	17.33	122.192	1.2836	223.25	0.28	0.1817	4479.17	0.02	567.67	1.19	0.40	1.3528	0.40	20110.833	0.20		
X22b Max		0.0800	37.00	0.200	<300.0	24.500	0.24	<0.03	169.00	28.20	59.6000	<0.5	21.9000	300.00	9.37	0.07	86.80	3570.000	1.10	23.10	152.000	3.4800	274.00	0.60	0.8000	7560.00	0.07	681.00	<3.0	0.56	3.1700	<1.0	26900.000	<0.5		
X22b Min		<0.005	3.90	0.050	<50.0	12.500	0.03	<0.005	37.40	4.27	8.9100	<0.1	4.3000	7.00	1.79	0.01	15.70	542.000	0.13	3.86	24.300	0.2900	57.00	0.06	0.0700	1410.00	<0.01	155.00	<0.5	0.10	0.2230	<0.2	3630.000	<0.1		
X22b N > DL		5	12	10	0	12	11	0	12	12	12	0	12	12	0	12	12	12	12	12	12	12	12	12	5	12	1	12	0	12	12	0	12	0	12	0
X22b Median		<0.03	10.85	0.200	<300.0	16.400	0.07	<0.03	143.50	16.95	50.0000	<0.5	6.6850	57.00	7.53	0.06	74.55	2875.000	0.57	18.20	129.000	1.0500	233.00	0.29	<0.2	4145.00	<0.05	609.50	<3.0	0.43	1.2050	<1.0	20650.000	<0.5		
X3	1/11/2010	<0.005	3.70	0.300	<50.0	67.600	<0.01	<0.005	45.00	0.02	0.1150	<0.1	0.3800	90.00	1.13	0.01	10.20	51.000	0.69	3.22	0.650	0.2640	10.00	0.06	0.4200	6110.00	<0.01	185.00	<0.5	<0.002	2.5400	<0.2	21.900	<0.1		
X3	2/22/2010	<0.005	2.80	0.290	<50.0	69.600	<0.01	<0.005	47.60	0.01	0.1180	<0.1	0.4000	72.00	1.19	0.01	10.90	50.400	0.73	3.47	0.620	0.1100	12.00	0.06	0.4100	6350.00	<0.01	199.00	<0.5	<0.002	2.7800	<0.2	20.000	<0.1		
X3	3/9/2010	<0.005	3.20	0.310	<50.0	69.800	<0.01	<0.005	47.50	0.01	0.1140	<0.1	0.2700	75.00	1.19	0.01	10.70	53.500	0.85	3.44	0.670	0.1210	12.00	0.05	0.3700	5470.00	<0.01	204.00	<0.5	<0.002	2.9900	<0.2	21.000	<0.1		
X3	4/14/2010	<0.005	3.80	0.280	<50.0	69.900	<0.01	<0.005	45.																											

Table C-3: Rose Creek Drainage Water Quality
2010 - Surface Water - Total Metals

Station	Date	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
X4	7/10/2010	0.1000	722.00	8.500	<500.0	13.900	0.30	<0.05	204.00	19.60	130.0000	<1.0	165.0000	50800.00	3.80	0.03	80.20	21400.000	0.80	12.00	114.000	2400.0000	381.00	1.30	<0.4	5550.00	<0.1	785.00	<5.0	3.26	2.2500	<2.0	43500.000	<1.0		
X4	8/3/2010	<0.05	790.00	4.000	<500.0	17.600	<0.1	<0.05	226.00	21.00	142.0000	2.00	191.0000	50700.00	4.00	0.02	82.10	22900.000	<0.5	12.40	128.000	2740.0000	392.00	0.60	<0.4	5390.00	<0.1	797.00	<5.0	3.02	2.5300	<2.0	44400.000	<1.0		
X4	9/2/2010	<0.05	806.00	4.900	<500.0	11.600	0.20	<0.05	220.00	20.50	139.0000	<1.0	178.0000	46800.00	3.90	0.02	77.50	23400.000	<0.5	12.10	125.000	2570.0000	378.00	0.80	<0.4	5720.00	<0.1	815.00	11.00	3.69	2.6800	<2.0	41700.000	<1.0		
X4	10/20/2010	<0.03	73.00	0.800	<300.0	8.200	<0.05	<0.03	191.00	6.73	88.9000	<0.5	18.2000	56300.00	4.10	0.02	52.80	18400.000	<0.3	10.40	79.200	114.0000	313.00	0.60	<0.2	5550.00	<0.05	765.00	<3.0	1.04	0.5900	<1.0	20500.000	<0.5		
X4	11/8/2010	<0.03	629.00	4.100	<300.0	6.700	0.20	<0.03	229.00	16.70	134.0000	0.90	140.0000	52000.00	4.10	0.02	69.80	23300.000	<0.3	12.30	121.000	1580.0000	379.00	0.90	0.6000	6460.00	<0.05	783.00	<3.0	2.59	2.1400	<1.0	37200.000	<0.5		
X4	12/1/2010	<0.03	13.00	0.400	<300.0	6.800	<0.05	<0.03	199.00	2.41	69.3000	<0.5	3.3000	89900.00	3.60	0.01	35.00	17800.000	<0.3	10.20	58.300	24.0000	264.00	0.50	<0.2	6510.00	<0.05	600.00	<3.0	0.45	1.0500	<1.0	10500.000	<0.5		
X4 Average		0.0500	459.08	2.342	212.50	13.917	0.10	0.02	209.25	12.93	113.0417	0.58	93.1833	68708.33	3.83	0.02	65.26	19645.833	0.26	11.47	100.375	999.5233	337.50	0.45	0.2167	5632.50	0.05	730.50	3.13	1.59	1.8200	0.79	32780.833	0.40		
X4 Max		0.1600	847.00	8.500	<1,000.0	20.500	0.30	<0.1	266.00	21.00	167.0000	<2.0	191.0000	107000.00	5.12	0.03	108.00	25500.000	<1.0	16.80	157.000	2740.0000	414.00	1.30	<0.8	6930.00	<0.2	996.00	11.00	3.69	2.6800	<4.0	60900.000	<2.0		
X4 Min		<0.03	6.00	0.200	<300.0	6.700	<0.05	<0.03	106.00	0.86	61.9000	<0.5	0.5000	40500.00	1.60	0.01	28.30	8750.000	<0.3	5.20	50.200	1.8800	200.00	<0.1	<0.2	2270.00	<0.05	394.00	<3.0	0.11	0.5900	<1.0	7770.000	<0.5		
X4 N > DL		3	12	12	0	12	5	1	12	12	12	2	12	12	0	12	12	12	12	12	12	12	12	12	12	7	2	12	1	12	2	12	12	0	12	0
X4 Median		0.0100	554.00	0.950	<300.0	14.650	0.07	0.03	209.50	15.15	132.0000	0.58	108.3500	59050.00	3.90	0.02	73.65	20650.000	<0.3	12.05	116.500	644.0000	378.50	0.35	0.2500	5635.00	0.06	774.00	<3.0	1.24	2.0450	<1.0	39450.000	<0.5		
X5	3/22/2010	<0.005	1.50	0.200	<50.0	41.800	<0.01	<0.005	339.00	0.15	14.9000	<0.1	0.4300	341.00	<0.01	7.66	0.03	75.30	10500.000	1.25	27.10	21.800	0.4580	389.00	0.21	0.2300	6360.00	<0.01	1030.00	<0.5	0.24	7.2000	<0.2	373.000	<0.1	
X5	3/30/2010	<0.03	2.00	0.200	<300.0	38.300	<0.05	<0.03	297.00	0.13	21.1000	<0.5	0.5000	206.00	<0.05	5.60	0.02	70.00	12100.000	1.00	25.50	32.900	0.1800	326.00	0.20	<0.2	6490.00	<0.05	864.00	<3.0	0.19	6.1200	<1.0	372.000	<0.5	
X5	4/6/2010	<0.03	3.00	0.300	<300.0	37.900	<0.05	<0.03	327.00	0.10	26.0000	<0.5	0.5000	147.00	<0.05	5.80	0.02	73.40	15400.000	1.00	25.90	39.300	0.1400	351.00	0.20	<0.2	5950.00	<0.05	921.00	<3.0	0.19	5.4300	<1.0	411.000	<0.5	
X5	4/13/2010	0.0600	2.00	0.200	<300.0	31.100	<0.05	<0.03	322.00	0.16	15.8000	<0.5	0.4000	392.00	<0.05	5.20	0.02	53.20	9590.000	0.80	19.40	23.200	0.2900	295.00	0.20	<0.2	4930.00	<0.05	904.00	<3.0	0.18	4.7900	<1.0	266.000	<0.5	
X5	4/20/2010	<0.005	6.50	0.160	<50.0	21.900	<0.01	<0.005	325.00	0.11	23.0000	<0.1	0.3100	184.00	<0.01	5.26	0.02	53.50	12500.000	0.62	21.60	33.600	0.9640	364.00	<0.1	0.1800	3970.00	<0.01	973.00	<0.5	0.17	3.6000	<0.2	252.000	<0.1	
X5	4/27/2010	<0.03	18.00	0.200	<300.0	26.800	<0.05	<0.03	269.00	0.18	7.3200	<0.5	0.8000	173.00	<0.05	4.70	0.02	41.80	4500.000	0.70	16.70	11.900	1.1600	271.00	0.20	<0.2	3410.00	<0.05	786.00	<3.0	0.22	2.8800	<1.0	218.000	<0.5	
X5	5/4/2010	0.0500	8.00	<0.1	<300.0	19.900	<0.05	<0.03	300.00	0.16	17.5000	<0.5	0.5000	82.00	<0.05	5.10	0.03	49.70	10000.000	0.50	18.70	26.900	0.8200	329.00	0.20	<0.2	3320.00	<0.05	843.00	<3.0	0.35	2.2600	<1.0	328.000	<0.5	
X5	5/11/2010	<0.005	5.70	0.160	<50.0	19.100	<0.01	<0.005	277.00	0.11	12.1000	<0.1	0.6300	126.00	<0.01	5.21	0.03	52.20	7070.000	0.56	17.00	17.600	0.5200	312.00	0.13	0.1600	2840.00	<0.01	843.00	<0.5	0.41	2.0200	<0.2	192.000	<0.1	
X5	5/18/2010	<0.005	3.60	0.160	<50.0	17.400	<0.01	<0.005	242.00	0.12	10.9000	<0.1	0.5800	129.00	<0.01	4.68	0.02	48.40	6270.000	0.47	15.40	15.600	0.6020	271.00	0.13	0.1400	2140.00	0.02	750.00	<0.5	0.41	1.7800	<0.2	170.000	<0.1	
X5	5/25/2010	<0.005	5.20	0.210	<50.0	18.700	<0.01	<0.005	251.00	0.12	11.5000	<0.1	0.5300	151.00	<0.01	5.14	0.03	56.60	6410.000	0.51	17.90	16.600	1.1200	299.00	0.12	0.1400	2640.00	<0.01	763.00	<0.5	0.38	2.0400	<0.2	191.000	<0.1	
X5	6/1/2010	0.0600	4.00	0.200	<300.0	19.800	<0.05	<0.03	298.00	0.18	19.9000	<0.5	0.5000	180.00	<0.05	5.60	0.03	67.10	11300.000	0.50	19.60	29.700	0.8000	318.00	<0.1	<0.2	3740.00	<0.05	813.00	<3.0	0.37	2.3300	<1.0	327.000	<0.5	
X5	6/8/2010	0.0600	4.00	0.200	<300.0	18.200	<0.05	<0.03	288.00	0.19	21.4000	<0.5	0.5000	210.00	<0.05	5.60	0.03	69.70	11800.000	0.50	21.00	30.800	0.9200	321.00	0.20	<0.2	3610.00	<0.05	866.00	<3.0	0.40	2.3300	<1.0	326.000	<0.5	
X5	6/15/2010	<0.03	9.00	0.300	<300.0	20.000	<0.05	<0.03	310.00	0.22	24.4000	<0.5	1.2000	313.00	<0.05	7.10	0.03	81.00	13300.000	0.60	23.80	34.600	13.1000	315.00	0.20	<0.2	3460.00	0.06	943.00	<3.0	0.47	2.1900	<1.0	362.000	<0.5	
X5	6/22/2010	<0.005	3.60	0.270	<50.0	19.000	<0.01	0.01	322.00	0.17	19.7000	<0.1	0.5400	299.00	<0.01	7.06	0.04	76.50	10500.000	0.61	22.90	26.600	0.9480	403.00	0.18	0.1300	3510.00	<0.01	981.00	<0.5	0.48	1.9500	<0.2	228.000	<0.1	
X5	6/29/2010	<0.03	3.00	0.300	<300.0	17.100	<0.05	<0.03	287.00	0.18	21.3000	<0.5	0.4000	371.00	<0.05	5.70	0.04	71.60	10700.000	<0.3	19.50	28.700	1.6400	371.00	0.20	<0.2	3430.00	0.06	844.00	<3.0	0.50	1.9900	<1.0	263.000	<0.5	
X5	7/6/2010	<0.03	28.00	0.300	<300.0	18.500	<0.05	<0.03	332.00	0.16	21.4000	<0.5	1.2000	423.00	<0.05	6.70	0.04	82.10	11300.000	0.40	23.50	29.100	2.3700	396.00	0.20	<0.2	3660.00	<0.05	950.00	<3.0	0.55	1.8000	<1.0	278.000	<0.5	
X5	7/13/2010	<0.03	10.00	0.300	<300.0	15.200	<0.05	<0.03	310.00	0.13	19.1000	<0.5	0.8000	285.00	<0.05	6.40	0.04	75.30	9790.000	0.60	22.30	27.500	1.5500	378.00	0.20	<0.2	3260.00	<0.05	955.00	<3.0	0.55	1.6300	<1.0	221.000	<0.5	
X5	7/																																			

Table C-4: Rose Creek Drainage Water Quality
2010 - Seepage Water - General Parameters

Station	Date	Acid(pH4.5)	Acid(pH8.3)	ALK	ALKPP	CaCO3-d	Chloride	CNTHIO	CO3	Colour	COND	CONDF	HCO3	NH3	NO2	NO2/3	NO3	OH	ORP	pH	pHF	SO4-d	TEMP-F	TSS	TURB
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	TCU	µmho/cm	µmho/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mV			mg/L	°C	mg/L	NTU
A25	5/31/2010	<0.5	2	180.00	<0.5	232	<0.5	<0.5	<0.5		359.0	428.0	220.00					<0.5	133	8.1	7.9	21.0	8	15	
A30	2/4/2010	<0.5	15	21.00	<0.5	103	<0.5	<0.5	<0.5		275.0	250.0	26.00					<0.5	198	6.9	6.2	110.0	1	2	
A30	2/24/2010	<0.5	11	23.00	<0.5	86	<0.5	<0.5	<0.5		224.0	188.0	28.00					<0.5	178	7.0	6.6	72.0	2	11	
A30	3/2/2010	<0.5	4	24.00	<0.5	87	<0.5	<0.5	<0.5		213.0	209.0	30.00					<0.5	179	7.1	6.8	62.0	2	<1.0	
A30	3/28/2010	<0.5	6	28.00	<0.5	77	<0.5	<0.5	<0.5		201.0	160.0	34.00					<0.5	48	7.3	6.9	56.0	3	<1.0	
A30	4/10/2010	<0.5	14	30.00	<0.5	82	<0.5	<0.5	<0.5		202.0	160.0	37.00					<0.5	71	7.3	6.8	64.0	3	10	
A30	4/19/2010	<0.5	12	30.00	<0.5	79	<0.5	<0.5	<0.5		187.0	150.0	37.00					<0.5		7.3	7.0	65.0	4	43	
A30	5/1/2010	36	268	<0.5	<0.5	690	<0.5	<0.5	<0.5		1670.0	1610.0	<0.5					<0.5		3.6	3.8	920.0	5	91	
A30	5/18/2010	<0.5	86	<0.5	<0.5	325	<0.5	<0.5	<0.5		752.0	132.0	0.60					<0.5	346	4.9	5.2	380.0	3	9	
A30	6/2/2010	<0.5	55	<0.5	<0.5	196	<0.5	<0.5	<0.5		484.0	549.0	<0.5					<0.5		5.0	5.7	200.0	7	6	
A30	6/15/2010	<0.5	28	6.20	<0.5	122	<0.5	<0.5	<0.5		320.0	296.0	7.50					<0.5	195	6.7	6.2	140.0	4	2	
A30	7/7/2010	<0.5	60	3.60	<0.5	328	<0.5	<0.5	<0.5		753.0	810.0	4.40					<0.5	139	5.8	6.1	380.0	8	9	
A30	7/22/2010	<0.5	25	8.40	<0.5	160	<0.5	<0.5	<0.5		410.0	371.0	10.00					<0.5	201	6.5	7.0	170.0	5	3	
A30	8/5/2010	<0.5	21	13.00	<0.5	116	<0.5	<0.5	<0.5		312.0	339.0	15.00					<0.5	219	6.8	6.9	130.0	6	<1.0	
A30	8/18/2010	<0.5	11	15.00	<0.5	94	<0.5	<0.5	<0.5		238.0	260.0	18.00					<0.5	143	6.8	7.7	90.0	7	2	
A30	9/1/2010	<0.5	20	21.00	<0.5	87	<0.5	<0.5	<0.5		224.0	227.0	26.00					<0.5	200	7.0	6.7	85.0	6	4	
A30	10/20/2010	<0.5	8	27.00	<0.5	86	<0.5	<0.5	<0.5		223.0	208.0	33.00					<0.5	105	7.4	6.6	81.0	2	4	
A30	11/4/2010	<0.5	16	30.00	<0.5	93	<0.5	<0.5	<0.5		221.0	223.0	37.00					<0.5	85	7.4	7.3	75.0	2	<1.0	
A30	12/1/2010	<0.5	5	29.00	<0.5	79	1.40	<0.5	<0.5		197.0	80.0	35.00					<0.5	225	7.2	6.9	73.0	1	380	69.50
A30 Average		2	37	17.22	0	161	0.31	0.25	0.25		394.8	345.7	21.06					0	169	6.6	6.4	175.2	4	32	69.50
A30 Max		36	268	30.00	<0.5	690	1.40	<0.5	<0.5		1670.0	1610.0	37.00					<0.5	346	7.4	7.7	920.0	8	380	69.50
A30 Min		<0.5	4	<0.5	<0.5	77	<0.5	<0.5	<0.5		187.0	80.0	<0.5					<0.5	48	3.6	3.8	56.0	1	<1.0	69.50
A30 N > DL		1	18	15	0	18	1	0	0	0	18	18	16	0	0	0	0	0	15	18	18	18	18	14	1
A30 Median		<0.5	15	21.00	<0.5	94	<0.5	<0.5	<0.5		231.0	225.0	26.00					<0.5	179	6.9	6.7	87.5	3	4	69.50
NE1	6/1/2010	<0.5	2	110.00	<0.5	233	<0.5	<0.5	<0.5		480.0	627.0	130.00					<0.5	110	7.8	7.5	150.0	13	2	
SP5-6	6/1/2010	<0.5	7	170.00	<0.5	665	0.80	<0.5	<0.5		1050.0	1172.0	210.00					<0.5	123	8.0	7.5	390.0	7	2	
SP5-6	7/10/2010	<0.5	18	170.00	<0.5	582	1.30	<0.5	<0.5		1080.0	1049.0	200.00					<0.5	176	7.7	7.5	420.0	6	<1.0	
SP5-6	8/5/2010	<0.5	11	190.00	<0.5	787	1.10	<0.5	<0.5		1280.0	1216.0	240.00					<0.5	144	7.9	7.5	510.0	7	2	
SP5-6	9/1/2010	<0.5	22	210.00	<0.5	868	1.20	<0.5	<0.5		1450.0	1439.0	250.00					<0.5		7.9	7.6	660.0	5	2	
SP5-6	10/6/2010	<0.5	16	200.00	<0.5	1010	1.40	<0.5	<0.5		1590.0	1786.0	250.00					<0.5	156	8.0	6.8	790.0	3	<1.0	
SP5-6 Average		0	15	188.00	0	782	1.16	0.25	0.25		1290.0	1332.4	230.00					0	150	7.9	7.4	554.0	6	1	
SP5-6 Max		<0.5	22	210.00	<0.5	1010	1.40	<0.5	<0.5		1590.0	1786.0	250.00					<0.5	176	8.0	7.6	790.0	7	2	
SP5-6 Min		<0.5	7	170.00	<0.5	582	0.80	<0.5	<0.5		1050.0	1049.0	200.00					<0.5	123	7.7	6.8	390.0	3	<1.0	
SP5-6 N > DL		0	5	5	0	5	5	0	0	0	5	5	5	0	0	0	0	0	4	5	5	5	5	3	0
SP5-6 Median		<0.5	16	190.00	<0.5	787	1.20	<0.5	<0.5		1280.0	1216.0	240.00					<0.5	150	7.9	7.5	510.0	6	2	
W5	6/1/2010	<0.5	9	210.00	<0.5	938	1.30	<0.5	<0.5		752.0	1680.0	260.00					<0.5	48	8.1	7.6	670.0	5	<1.0	
Weir 3	3/4/2010	<0.5	32	320.00	<0.5	1100	1.60	<0.5	<0.5		1780.0	1730.0	380.00					<0.5	84	7.8	7.0	870.0	3	5	
Weir 3	8/5/2010	<0.5	29	320.00	<0.5	1080	2.00	<0.5	<0.5		1840.0	1870.0	390.00					<0.5	73	7.6	7.0	890.0	10	2	
Weir 3	11/4/2010										1964.0		0.78	<0.005	<0.02	<0.02		1		7.3			5		
Weir 3 Average		0	30	320.00	0	1090	1.80	0.25	0.25		1810.0	1854.7	385.00	0.78	0.00	0.01	0.01	0	53	7.7	7.1	880.0	4	4	
Weir 3 Max		<0.5	32	320.00	<0.5	1100	2.00	<0.5	<0.5		1840.0	1964.0	390.00	0.78	<0.005	<0.02	<0.02	<0.5	84	7.8	7.7	890.0	10	5	
Weir 3 Min		<0.5	29	320.00	<0.5	1080	1.60	<0.5	<0.5		1780.0	1730.0	380.00	0.78	<0.005	<0.02	<0.02	<0.5	1	7.6	6.7	870.0	1	2	
Weir 3 N > DL		0	2	2	0	2	2	0	0	0	2	3	2	1	0	0	0	0	3	2	3	2	3	2	0
Weir 3 Median		<0.5	30	320.00	<0.5	1090	1.80	<0.5	<0.5		1810.0	1870.0	385.00	0.78	<0.005	<0.02	<0.02	<0.5	73	7.7	7.1	880.0	3	4	
X11	3/4/2010	<0.5	37	330.00	<0.5	1720	2.60	<0.5	<0.5		2650.0	2460.0	400.00					<0.5	79	7.6	7.1	1500.0	3	12	
X11	8/5/2010	<0.5	34	300.00	<0.5	1640	2.50	<0.5	<0.5		2540.0	2289.0	370.00					<0.5	96	7.4	6.9	1400.0	9	8	
X11	11/4/2010										2582.0		0.78	<0.005	<0.02	<0.02		4		7.0			4		
X11 Average		0	36	315.00	0	1680	2.55	0.25	0.25		2595.0	2443.7	385.00	0.78	0.00	0.01	0.01	0	60	7.5	7.0	1450.0	4	10	
X11 Max		<0.5	37	330.00	<0.5	1720	2.60	<0.5	<0.5		2650.0	2582.0	400.00	0.78	<0.005	<0.02	<0.02	<0.5	96	7.6	7.4	1500.0	9	12	
X11 Min		<0.5	34	300.00	<0.5	1640	2.50	<0.5	<0.5		2540.0	2289.0	370.00	0.78	<0.005	<0.02	<0.								

Table C-4: Rose Creek Drainage Water Quality 2010 - Seepage Water - General Parameters

Station	Date	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3-d mg/L	Chloride mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	CONDf µmho/cm	HCO3 mg/L	NH3 mg/L	NO2 mg/L	NO2/3 mg/L	NO3 mg/L	OH mg/L	ORP mV	pH	pHF	SO4-d mg/L	TEMP-F °C	TSS mg/L	TURB NTU
X12	3/4/2010	<0.5	22	260.00	<0.5	884	1.60	<0.5			1560.0	1460.0	310.00						<0.5	71	7.8	7.3	700.0	2	<1.0
X12	8/5/2010	<0.5	17	260.00	<0.5	844	1.50	<0.5			1490.0	1243.0	310.00						<0.5	93	7.7	7.3	640.0	11	<1.0
X12	11/4/2010											1333.0		<0.005	<0.005	0.35	0.35		5		7.1			5	
X12 Average		0	20	260.00	0	864	1.55	0.25			1525.0	1345.3	310.00	0.00	0.00	0.35	0.35	0	56	7.7	7.3	670.0	3	1	
X12 Max		<0.5	22	260.00	<0.5	884	1.60	<0.5			1560.0	1460.0	310.00	<0.005	<0.005	0.35	0.35	<0.5	93	7.8	7.6	700.0	11	<1.0	
X12 Min		<0.5	17	260.00	<0.5	844	1.50	<0.5			1490.0	1243.0	310.00	<0.005	<0.005	0.35	0.35	<0.5	5	7.7	6.6	640.0	<0.0	<1.0	
X12 N > DL		0	2	2	0	2	2	0	0	0	2	3	2	0	0	1	1	0	3	2	3	2	3	0	0
X12 Median		<0.5	20	260.00	<0.5	864	1.55	<0.5			1525.0	1333.0	310.00	<0.005	<0.005	0.35	0.35	<0.5	71	7.7	7.3	670.0	2	<1.0	
X13	1/11/2010	<0.5	23	300.00	<0.5	980	1.20	<0.0005	<0.5	10.00	1700.0	1430.0	370.00	0.55					<0.5	18	7.9	6.1	750.0	2	4 18.40
X13	2/17/2010	<0.5	22	330.00	<0.5	1330	2.20	<0.0005	<0.5	10.00	2220.0	2240.0	410.00	0.74					<0.5	58	7.8	7.2	1100.0	3	10 39.40
X13	3/2/2010	<0.5	17	330.00	<0.5	1400	2.40	<0.0005	<0.5	<5.0	2220.0	1780.0	400.00	0.71					<0.5	73	7.7	7.0	1100.0	3	11 44.70
X13	4/15/2010	<0.5	25	300.00	<0.5	1260	1.70	<0.0005	<0.5	15.00	2100.0	2220.0	370.00	0.62					<0.5		7.8	7.0	1100.0	4	7 30.80
X13	5/6/2010	<0.5	17	300.00	<0.5	1350	1.60	<0.0005	<0.5	<5.0	2240.0	2229.0	360.00	0.43					<0.5	112	7.6	7.1	1200.0	4	8 19.60
X13	6/10/2010	<0.5	27	260.00	<0.5	1440	2.30	0	<0.5	10.00	2030.0	1859.0	320.00	0.56					<0.5	103	8.0	7.0	1100.0	6	7 14.20
X13	7/11/2010	<0.5	26	300.00	<0.5	1330	1.50	<0.0005	<0.5	10.00	2160.0	1999.0	370.00	0.70					<0.5	94	7.5	7.4	1100.0	9	6 25.90
X13	8/5/2010	<0.5	33	320.00	<0.5	1270	1.50	<0.0005	<0.5	10.00	2110.0	1798.0	390.00	0.85					<0.5	54	7.5	7.1	1000.0	8	9 30.40
X13	9/2/2010	<0.5	44	340.00	<0.5	1420	1.40	<0.0005	<0.5	<5.0	2050.0	2164.0	410.00	2.10					<0.5	79	7.6	7.2	1000.0	5	9 34.20
X13	10/7/2010	<0.5	35	330.00	<0.5	1390	1.70	<0.0005	<0.5	30.00	2170.0	1270.0	410.00	1.20					<0.5	46	7.6	6.2	1100.0	5	10 41.40
X13	11/4/2010	<0.5	24	340.00	<0.5	1490	1.30	0	<0.5	20.00	2200.0	2165.0	410.00	0.89	<0.005	<0.02	<0.02		<0.5	2	7.8	7.2	1200.0	4	10 41.10
X13	12/2/2010	<0.5	27	330.00	<0.5	1430	2.40	<0.0005	<0.5	30.00	2310.0	2400.0	410.00	0.99					<0.5		7.6	7.1	1200.0	1	6 46.50
X13 Average		0	27	315.00	0	1341	1.77	0	0.25	12.71	2125.8	2005.8	385.83	0.86	0.00	0.01	0.01	0	63	7.7	7.1	1079.2	4	8 28.46	
X13 Max		<0.5	44	340.00	<0.5	1490	2.40	0	<0.5	30.00	2310.0	2400.0	410.00	2.10	<0.005	<0.02	<0.02	<0.5	112	8.0	8.5	1200.0	9	11 46.50	
X13 Min		<0.5	17	260.00	<0.5	980	1.20	<0.0005	<0.5	<5.0	1700.0	1270.0	320.00	0.43	<0.005	<0.02	<0.02	<0.5	2	7.5	6.1	750.0	1	4 14.20	
X13 N > DL		0	12	12	0	12	12	2	0	9	12	12	12	12	0	0	0	0	11	12	12	12	12	12	12
X13 Median		<0.5	25	325.00	<0.5	1370	1.65	<0.0005	<0.5	10.00	2165.0	2145.5	395.00	0.73	<0.005	<0.02	<0.02	<0.5	58	7.7	7.1	1100.0	4	9 32.50	
X23	1/12/2010	<0.5	1950	24.00	<0.5	5870	13.00	<0.5			8450.0	7990.0	29.00						<0.5	12	6.1	6.2	7600.0	0	130
X23	4/27/2010	597	2420	<0.5	<0.5	3470	5.40	<0.5			7030.0	>3999.0	<0.5						<0.5	478	2.9	3.0	6700.0	3	240
X23	5/6/2010	<0.5	1000	75.00	<0.5	5280	13.00	<0.5			7450.0	>3999.0	92.00						<0.5	66	6.3	6.6	7400.0	0	180
X23	6/10/2010	<0.5	1170	13.00	<0.5	5870	16.00	<0.5			7920.0	>3999.0	16.00						<0.5	59	5.9	7.0	7900.0	14	200
X23	7/10/2010	<0.5	1230	32.00	<0.5	5520	14.00	<0.5			8090.0	3999.0	39.00						<0.5	29	5.9	6.2	8000.0	15	190
X23	8/5/2010	<0.5	1130	56.00	<0.5	5610	15.00	<0.5			7900.0	7450.0	68.00						<0.5	69	6.3	7.1	7300.0	13	180
X23	9/2/2010	<0.5	1070	59.00	<0.5	5670	14.00	<0.5			7900.0	>3999.0	72.00						<0.5	66	6.3	6.2	7400.0	4	190
X23	10/7/2010	<0.5	1030	36.00	<0.5	5630	15.00	<0.5			7610.0	4300.0	44.00						<0.5	36	6.1	6.2	7400.0	2	210
X23	11/4/2010	<0.5	1030	90.00	<0.5	5770	14.00	<0.5			7740.0	>3999.0	110.00						<0.5	24	6.8	6.6	7600.0	3	170
X23 Average		67	1337	42.81	0	5410	13.27	0.25			7787.8	4859.3	52.25					0	93	5.8	6.4	7477.8	7	188	
X23 Max		597	2420	90.00	<0.5	5870	16.00	<0.5			8450.0	7990.0	110.00					<0.5	478	6.8	7.3	8000.0	19	240	
X23 Min		<0.5	1000	<0.5	<0.5	3470	5.40	<0.5			7030.0	>3999.0	<0.5					<0.5	12	2.9	3.0	6700.0	0	130	
X23 N > DL		1	9	8	0	9	9	0	0	0	9	4	8	0	0	0	0	0	9	9	9	9	9	9	0
X23 Median		<0.5	1130	36.00	<0.5	5630	14.00	<0.5			7900.0	>3999.0	44.00					<0.5	59	6.1	6.5	7400.0	5	190	

Table C-5: Rose Creek Drainage Water Quality
2010 - Seepage Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A25	5/31/2010	<0.02	10.00	<0.1	77.000	<50.0	<0.1	<1.0	66.60	0.03	<0.5	<1.0	0.6000	24.00	<0.02	2.19	0.010	16.00	5.000	<1.0	3.34	<1.0	1.7000	<0.5	9	0.2000	2730.00	<5.0	554.00	<5.0	<0.05	1.6000	<5.0	21.000	<0.5
A30	2/4/2010	0.0340	141.00	0.04	18.700	<50.0	0.26	<0.005	20.20	8.37	5.4700	0.30	52.0000	<1.0	0.77	0.012	12.70	229.000	0.30	2.31	24.100	9.0700	<0.02	37	0.2700	6510.00	<0.01	89.40	<0.5	0.02	0.7140	<0.2	6840.000	<0.1	
A30	2/24/2010	0.0240	74.40	0.05	20.200	<50.0	0.12	<0.005	18.40	4.48	1.8200	0.30	25.3000	<1.0	0.71	0.009	9.85	88.500	0.33	2.34	14.400	4.9500	<0.02	25	0.2900	5300.00	<0.01	77.70	<0.5	0.02	0.6270	<0.2	4240.000	<0.1	
A30	3/2/2010	0.0200	63.70	0.04	20.800	<50.0	0.11	<0.005	18.80	4.22	1.3400	0.30	21.2000	9.00	0.79	0.009	9.66	70.400	0.35	2.44	12.800	11.4000	0.03	27	0.3000	5880.00	0.05	78.50	<0.5	0.02	0.5780	<0.2	3950.000	<0.1	
A30	3/28/2010	<0.02	28.00	<0.1	21.000	<50.0	<0.1	<1.0	17.60	2.69	0.6000	<1.0	11.8000	<5.0	<0.02	0.67	0.008	8.10	29.000	<1.0	2.20	10.000	2.7000	<0.5	20	0.3000	6120.00	<5.0	79.00	<5.0	<0.05	0.5000	<5.0	2960.000	<0.5
A30	4/10/2010	<0.02	26.00	0.20	24.000	<50.0	<0.1	<1.0	18.40	2.81	0.8000	<1.0	10.1000	8.00	<0.02	0.72	0.008	8.80	35.000	<1.0	2.27	10.000	2.8000	<0.5	20	0.3000	5450.00	<5.0	83.00	<5.0	<0.05	0.4000	<5.0	3250.000	<0.5
A30	4/19/2010	<0.02	39.00	<0.1	24.000	<50.0	<0.1	<1.0	18.20	2.62	1.6000	<1.0	11.5000	15.00	<0.02	0.75	0.008	8.12	56.000	<1.0	2.11	9.000	4.1000	<0.5	22	0.3000	5730.00	<5.0	75.00	<5.0	<0.05	0.4000	<5.0	2770.000	<0.5
A30	5/1/2010	0.5200	13500.00	1.60	30.000	<200.0	5.90	<4.0	79.50	158.00	301.0000	7.00	1430.0000	6320.00	<0.08	1.90	0.051	119.00	8030.000	<4.0	3.80	303.000	417.0000	<2.0	350	0.6000	12100.00	<20.0	352.00	<20.0	0.60	12.9000	<20.0	109000.000	<2.0
A30	5/18/2010	0.0600	6140.00	0.50	23.000	<50.0	3.40	<1.0	46.20	61.00	92.0000	<1.0	675.0000	51.00	<0.02	1.57	0.029	50.90	2640.000	<1.0	3.34	121.000	114.0000	<0.5	141	0.3000	10800.00	<5.0	202.00	<5.0	0.06	6.5000	<5.0	40800.000	<0.5
A30	6/2/2010	0.0900	2580.00	0.20	19.000	<50.0	1.80	<1.0	28.80	31.50	31.9000	<1.0	340.0000	28.00	<0.02	1.14	0.022	30.10	1060.000	2.00	2.88	64.000	79.5000	<0.5	79	0.2000	9710.00	<5.0	128.00	<5.0	<0.05	3.2000	<5.0	22000.000	<0.5
A30	6/15/2010	0.0700	599.00	<0.1	20.000	<50.0	0.60	<1.0	20.30	14.00	9.1000	<1.0	120.0000	8.00		0.91	0.016	17.30	366.000	<1.0	2.55	32.000	29.9000	<0.5	48	0.2000	7310.00	<5.0	99.00	<5.0	<0.05	1.2000	<5.0	9350.000	<0.5
A30	7/7/2010	0.1200	1130.00	0.40	24.000	<50.0	0.90	<1.0	51.70	44.50	61.1000	2.00	277.0000	28.00		1.41	0.022	48.20	1790.000	2.00	3.59	107.000	54.6000	<0.5	128	0.4000	12000.00	<5.0	247.00	<5.0	0.11	2.1000	<5.0	35000.000	<0.5
A30	7/22/2010	0.0800	476.00	<0.1	15.000	<50.0	0.50	<1.0	27.80	18.90	12.2000	<1.0	121.0000	10.00		1.10	0.017	22.10	481.000	<1.0	2.73	45.000	23.5000	<0.5	64	0.2000	8560.00	<5.0	120.00	<5.0	<0.05	0.9000	<5.0	13500.000	<0.5
A30	8/5/2010	0.0500	226.00	<0.1	16.000	<50.0	0.20	<1.0	20.70	11.90	4.7000	<1.0	68.8000	<5.0		0.86	0.012	15.70	201.000	<1.0	2.23	31.000	13.1000	<0.5	44	<0.1	7050.00	<5.0	86.00	<5.0	<0.05	0.6000	<5.0	9930.000	<0.5
A30	8/18/2010	0.0300	105.00	<0.1	21.000	<50.0	0.20	<1.0	18.10	6.80	1.8000	<1.0	37.9000	<5.0		0.84	0.011	11.90	71.000	<1.0	2.56	20.000	7.9000	<0.5	35	0.2000	6360.00	<5.0	79.00	<5.0	<0.05	0.4000	<5.0	5880.000	<0.5
A30	9/1/2010	0.0300	61.00	<0.1	21.000	<50.0	<0.1	<1.0	16.40	4.73	0.9000	<1.0	23.3000	9.00		0.76	0.010	11.10	30.000	<1.0	2.45	16.000	5.2000	<0.5	30	0.2000	6340.00	<5.0	75.00	<5.0	<0.05	0.3000	<5.0	4950.000	<0.5
A30	10/20/2010	0.0120	22.20	<0.02	18.700	<50.0	0.05	<0.005	17.50	3.09	0.2930	0.40	10.0000	3.00		0.63	0.009	10.20	4.820	0.20	2.14	13.200	2.8400	<0.02	26	0.2000	4930.00	0.02	78.60	<0.5	0.01	0.2730	<0.2	3930.000	<0.1
A30	11/4/2010	<0.02	19.00	<0.1	19.000	<50.0	<0.1	<1.0	18.80	2.66	<0.5	<1.0	8.0000	<5.0	0.04	0.71	0.010	11.20	5.000	<1.0	2.53	13.000	1.9000	<0.5	27	0.2000	5880.00	<5.0	81.00	<5.0	<0.05	0.2000	<5.0	4140.000	<0.5
A30	12/1/2010	<0.02	6.00	<0.1	22.000	<50.0	<0.1	<1.0	17.00	2.17	<0.5	<1.0	5.3000	<5.0		0.68	0.008	8.93	3.000	<1.0	2.09	11.000	0.9000	<0.5	21	0.2000	5370.00	<5.0	76.00	<5.0	<0.05	0.2000	<5.0	3280.000	<0.5
A30 Average		0.0661	1402.02	0.19	20.967	29.17	0.80	0.47	26.36	21.36	29.2846	0.91	180.4556	361.25	0.02	0.94	0.015	22.99	843.873	0.70	2.59	47.583	43.6311	0.24	64	0.2617	7300.00	2.37	117.01	2.42	0.06	1.7773	2.38	15876.111	0.25
A30 Max		0.5200	13500.00	1.60	30.000	<200.0	5.90	<4.0	79.50	158.00	301.0000	7.00	1430.0000	6320.00	<0.08	1.90	0.051	119.00	8030.000	<4.0	3.80	303.000	417.0000	<2.0	350	0.6000	12100.00	<20.0	352.00	<20.0	0.60	12.9000	<20.0	109000.000	<2.0
A30 Min		0.0120	6.00	<0.02	15.000	<50.0	0.05	<0.005	16.40	2.17	0.2930	0.30	5.3000	<1.0	<0.02	0.63	0.008	8.10	3.000	0.20	2.09	9.000	0.9000	<0.02	20	<0.1	4930.00	<0.01	75.00	<0.5	0.01	0.2000	<0.2	2770.000	<0.1
A30 N > DL		13	18	8	18	0	12	0	18	18	16	6	18	11	1	18	18	18	18	6	18	18	18	1	18	17	18	2	18	0	7	18	0	18	0
A30 Median		0.0300	89.70	<0.1	20.900	<50.0	0.16	<1.0	18.80	5.77	1.8100	<1.0	31.6000	8.00	<0.02	0.78	0.011	11.55	79.750	<1.0	2.45	18.000	8.4850	<0.5	33	0.2350	6350.00	<5.0	82.00	<5.0	<0.05	0.5890	<5.0	5415.000	<0.5
NE1	6/1/2010	<0.005	12.70	0.26	22.400	<50.0	<0.01	0.01	62.50	0.33	1.2500	<0.1	1.6000	310.00		2.48	0.011	18.60	205.000	5.06	3.38	2.830	1.0300	0.07	47	0.3300	4230.00	<0.01	273.00	<0.5	0.01	0.8430	<0.2	549.000	<0.1
SP5-6	6/1/2010	<0.02	75.00	0.30	22.000	<50.0	<0.1	<1.0	117.00	3.55	5.3000	<1.0	7.0000	56.00	<0.02	4.14	0.032	90.60	240.000	<1.0	6.61	31.000	1.4000	<0.5	168	0.8000	6780.00	<5.0	446.00	<5.0	0.06	3.6000	<5.0	2950.000	<0.5
SP5-6	7/10/2010	<0.005	144.00	0.27	20.400	<50.0	0.06	<0.005	101.00	3.47	9.8700	<0.1	7.3100	54.00		3.52	0.025	80.00	382.000	0.22	5.78	33.800	1.5400	0.05	157	0.3900	5800.00	0.04	410.00	<0.5	0.06	3.8600	<0.2	2860.000	<0.1
SP5-6	8/5/2010	<0.02	144.00	0.20	22.000	<50.0	<0.1	<1.0	143.00	3.82	13.6000	<1.0	7.0000	63.00		4.16	0.030	104.00	477.000	<1.0	7.27	38.000	1.6000	<0.5	215	0.4000	7740.00	<5.0	489.00	<5.0	0.06	5.8000	<5.0	3220.000	<0.5
SP5-6	9/1/2010	<0.02	139.00	0.20	25.000	<50.0	<0.1	<1.0	141.00	4.32	20.5000	<1.0	8.6000	68.00		4.60	0.035																		

Table C-5: Rose Creek Drainage Water Quality
2010 - Seepage Water - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
X23	5/6/2010	0.2800	16.00	<0.4	17.000	<200.0	<0.4	<4.0	525.00	99.10	1280.0000	<4.0	1.8000	211000.00	17.80	0.202	964.00	96700.000	<4.0	63.50	1350.000	<0.8	<2.0	2350	<0.4	8200.00	<20.0	4090.00	<20.0	1.40	15.2000	<20.0	625000.000	<2.0		
X23	6/10/2010	0.4000	<30.0	<1.0	18.000	<500.0	<1.0	<10.0	493.00	105.00	1370.0000	<10.0	5.0000	187000.00	<0.2	18.50	0.201	1130.00	106000.000	<10.0	69.10	1450.000	<2.0	<5.0	2600	<1.0	8350.00	<50.0	4450.00	<50.0	1.80	11.0000	<50.0	642000.000	<5.0	
X23	7/10/2010	0.6100	<10.0	<0.4	16.000	<200.0	<0.4	<4.0	494.00	100.00	1410.0000	<4.0	5.2000	180000.00	19.50	0.206	1040.00	113000.000	<4.0	67.90	1490.000	0.9000	<2.0	2690	<0.4	8260.00	<20.0	4310.00	<20.0	1.90	9.0000	<20.0	645000.000	<2.0		
X23	8/5/2010	0.6000	<30.0	<1.0	16.000	<500.0	<1.0	<10.0	487.00	92.60	1350.0000	<10.0	5.0000	170000.00	18.00	0.195	1070.00	109000.000	<10.0	64.40	1480.000	<2.0	<5.0	2630	<1.0	7770.00	<50.0	3950.00	<50.0	1.60	12.0000	<50.0	693000.000	<5.0		
X23	9/2/2010	0.4000	33.00	<1.0	18.000	<500.0	<1.0	<10.0	433.00	89.40	1410.0000	<10.0	9.0000	163000.00	19.20	0.215	1110.00	114000.000	<10.0	71.00	1530.000	6.0000	<5.0	2630	<1.0	7510.00	<50.0	4190.00	<50.0	1.80	12.0000	<50.0	711000.000	<5.0		
X23	10/7/2010	0.4500	<6.0	0.30	15.000	<100.0	<0.2	<2.0	484.00	79.10	1500.0000	<2.0	3.5000	166000.00	18.10	0.201	1070.00	111000.000	3.00	66.00	1550.000	<0.4	<1.0	2360	<0.2	7190.00	<10.0	4320.00	<10.0	1.70	11.2000	<10.0	655000.000	<1.0		
X23	11/4/2010	0.5000	<60.0	<2.0	<20.0	<1000.0	<2.0	<20.0	500.00	75.70	1310.0000	<20.0	6.0000	177000.00	<0.4	18.00	0.223	1100.00	105000.000	<20.0	71.00	1410.000	<4.0	<10.0	2470	<2.0	8340.00	<100.0	4140.00	<100.0	2.00	13.0000	<100.0	665000.000	<10.0	
X23 Average		0.5189	3846.67	8.24	15.111	175.00	1.76	3.50	478.67	165.54	1394.4444	8.78	545.6667	205000.00	0.10	17.27	0.205	1023.67	105888.889	3.72	63.43	1496.667	100.1889	1.80	2482	0.4556	8344.44	17.50	3992.22	17.50	1.84	15.3778	17.50	702777.778	1.97	
X23 Max		0.7700	34500.00	70.50	<20.0	<1,000.0	12.70	<20.0	525.00	685.00	1610.0000	48.00	4860.0000	346000.00	<0.4	19.50	0.223	1130.00	120000.000	<20.0	71.00	1710.000	890.0000	<10.0	2690	<2.0	12300.00	<100.0	4450.00	<100.0	2.56	46.6000	<100.0	850000.000	<10.0	
X23 Min		0.2800	<6.0	0.30	11.000	<50.0	<0.2	<1.0	385.00	75.70	1280.0000	<2.0	1.8000	163000.00	<0.04	9.04	0.181	609.00	78300.000	<1.0	32.00	1350.000	<0.4	0.70	1970	<0.2	7180.00	<5.0	2420.00	<5.0	1.40	8.4000	<5.0	625000.000	<1.0	
X23 N > DL		9	3	3	8	0	1	0	9	9	9	1	9	9	1	9	9	9	9	1	9	9	3	1	9	2	9	0	9	0	9	9	9	9	1	
X23 Median		0.5000	<30.0	<1.0	16.000	<200.0	<1.0	<4.0	493.00	99.10	1370.0000	<10.0	5.2000	180000.00	0.10	18.00	0.202	1070.00	109000.000	<4.0	66.00	1490.000	<2.0	<2.0	2600	0.8000	8200.00	<20.0	4140.00	<20.0	1.80	12.0000	<20.0	665000.000	2.20	

NB: Metals reported in mg/L are shaded in gray.

Table C-6: Rose Creek Drainage Water Quality
2010 - Groundwater - General Parameters

Station	Date	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKP mg/L	CaCO3-d mg/L	Chloride mg/L	CO3 mg/L	COND µmho/cm	CONDf µmho/cm	FLOW L/s	HCO3 mg/L	OH mg/L	pH	pHF	SO4-d mg/L	TEMP-F °C	TSS mg/L
BH10A	9/16/2010	<0.5	170	230.00	<0.5	346	2.30	<0.5	795.0	826.3		280.00	<0.5	6.4	5.7	160.0	5	8
BH10B	9/16/2010	<0.5	289	380.00	<0.5	539	1.40	<0.5	1070.0	1010.0		460.00	<0.5	6.3	5.5	190.0	4	21
BH13B	9/21/2010			82.00	<0.5	745		<0.5	1290.0	984.0		100.00	<0.5	7.5	8.3	560.0		9
BH14A	6/11/2010	<0.5	75	440.00	<0.5	2970	12.00	<0.5	4000.0	3413.0		530.00	<0.5	7.8	6.8	2600.0	8	130
BH14A	9/21/2010	<0.5	75	430.00	<0.5	2760	11.00	<0.5	3880.0	2594.0		520.00	<0.5	7.6	7.0	2200.0	5	160
BH14A Average		0	75	435.00	0	2865	11.50	0.25	3940.0	3003.5		525.00	0	7.7	6.9	2400.0	7	145
BH14A N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
BH14B	6/11/2010	<0.5	59	420.00	<0.5	3010	12.00	<0.5	4010.0	3508.0		510.00	<0.5	7.6	6.8	2600.0	5	1300
BH14B	9/21/2010	<0.5	62	450.00	<0.5	2960	11.00	<0.5	4020.0	2702.0		550.00	<0.5	7.6	7.3	2400.0	5	150
BH14B Average		0	60	435.00	0	2985	11.50	0.25	4015.0	3105.0		530.00	0	7.6	7.0	2500.0	5	725
BH14B N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
BH5	9/16/2010	<0.5	243	230.00	<0.5	297	1.40	<0.5	667.0	710.2		280.00	<0.5	6.2	5.6	130.0	6	1800
BH6	9/16/2010	<0.5	31	110.00	<0.5	181	<0.5	<0.5	413.0	450.8		140.00	<0.5	7.2	6.1	95.0	4	290
BH8	9/18/2010	<0.5	1320	<0.5	<0.5	1560	<0.5	<0.5	3830.0	3828.0		<0.5	<0.5	4.1	4.4	3100.0	7	170
P01-01A	6/6/2010	<0.5	26	280.00	<0.5	1120	1.30	<0.5	1700.0	1019.0		340.00	<0.5	8.0	6.4	770.0	3	<1.0
P01-01A	9/8/2010	<0.5	26	290.00	<0.5	1100	1.50	<0.5	1960.0	1660.0		360.00	<0.5	7.5	8.2	880.0	8	2
P01-01A Average		0	26	285.00	0	1110	1.40	0.25	1830.0	1339.5		350.00	0	7.8	7.3	825.0	5	1
P01-01A N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	1
P01-01B	6/6/2010	<0.5	15	240.00	<0.5	782	1.20	<0.5	1230.0	920.0		300.00	<0.5	8.1	6.4	480.0	5	10
P01-01B	9/8/2010	<0.5	15	260.00	<0.5	766	1.10	<0.5	1340.0	1131.0		310.00	<0.5	7.6	7.3	490.0	8	2
P01-01B Average		0	15	250.00	0	774	1.15	0.25	1285.0	1025.5		305.00	0	7.8	6.8	485.0	6	6
P01-01B N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P01-02A	6/6/2010	<0.5	8	220.00	<0.5	432	<0.5	<0.5	697.0	817.0		270.00	<0.5	8.0	7.4	170.0	6	3
P01-02A	9/8/2010	<0.5	3	260.00	<0.5	423	<0.5	<0.5	794.0	830.0		310.00	<0.5	8.0	7.4	180.0	6	24
P01-02A Average		0	6	240.00	0	428	0.25	0.25	745.5	823.5		290.00	0	8.0	7.4	175.0	6	14
P01-02A N > DL		0	2	2	0	2	0	0	2	2	0	2	0	2	2	2	2	2
P01-02B	6/6/2010	<0.5	5	200.00	<0.5	312	<0.5	<0.5	512.0	530.0		240.00	<0.5	8.2	7.5	100.0	5	33
P01-02B	9/8/2010	<0.5	6	220.00	<0.5	285	<0.5	<0.5	562.0	610.0		270.00	<0.5	7.9	7.5	83.0	6	33
P01-02B Average		0	5	210.00	0	299	0.25	0.25	537.0	570.0		255.00	0	8.1	7.5	91.5	6	33
P01-02B N > DL		0	2	2	0	2	0	0	2	2	0	2	0	2	2	2	2	2
P01-03	6/7/2010	<0.5	86	370.00	<0.5	2490	3.20	<0.5	3620.0	3450.0		450.00	<0.5	7.4	6.4	2600.0	6	9
P01-03	9/9/2010	<0.5	90	370.00	<0.5	2380	3.30	<0.5	3680.0	3890.0		450.00	<0.5	6.7	6.2	1900.0	5	920
P01-03 Average		0	88	370.00	0	2435	3.25	0.25	3650.0	3670.0		450.00	0	7.1	6.3	2250.0	5	465
P01-03 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P01-04A	6/7/2010	<0.5	37	580.00	<0.5	495	6.30	<0.5	1050.0	1010.0		700.00	<0.5	7.8	6.8	40.0	7	2
P01-04A	9/9/2010	<0.5	40	590.00	<0.5	454	6.20	<0.5	1140.0	1230.0		720.00	<0.5	7.3	7.0	44.0	6	2
P01-04A Average		0	39	585.00	0	475	6.25	0.25	1095.0	1120.0		710.00	0	7.5	6.9	42.0	7	2
P01-04A N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P01-04B	9/9/2010	<0.5	26	340.00	<0.5	1160	1.00	<0.5	2060.0	2200.0		420.00	<0.5	7.3	6.9	930.0	5	19
P01-11	6/6/2010	<0.5	54	330.00	<0.5	1910	2.60	<0.5	2760.0	3020.0		410.00	<0.5	7.6	6.9	1400.0	6	68
P01-11	9/8/2010	<0.5	53	350.00	<0.5	1750	2.70	<0.5	2880.0	3280.0		430.00	<0.5	7.2	6.7	1500.0	8	190
P01-11 Average		0	53	340.00	0	1830	2.65	0.25	2820.0	3150.0		420.00	0	7.4	6.8	1450.0	7	129
P01-11 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P03-01-2	9/21/2010	<0.5	2	210.00	3	214	<0.5	4.10	409.0	441.4		240.00	<0.5	8.4	7.3	22.0	5	2
P03-01-4	9/21/2010	<0.5	29	34.00	<0.5	55	<0.5	<0.5	167.0	175.7		41.00	<0.5	6.9	6.9	43.0	5	6
P03-01-6	9/21/2010	<0.5	370	4.80	<0.5	215	0.90	<0.5	1110.0	1157.0		5.80	<0.5	5.8	6.6	620.0	7	430
P03-01-8	9/21/2010	145	21700	<0.5	<0.5	3390	<5.0	<0.5	22100.0	15510.0		<0.5	<0.5	3.5	6.1	29000.0	6	480
P03-03-2	9/21/2010	6	1390	<0.5	<0.5	434	0.80	<0.5	2750.0	2595.0		<0.5	<0.5	4.2	5.4	1900.0	6	11
P03-03-4	9/21/2010	<0.5	431	23.00	<0.5	613	0.80	<0.5	1650.0	1664.0		28.00	<0.5	6.2	6.1	930.0	5	19

Table C-6: Rose Creek Drainage Water Quality
2010 - Groundwater - General Parameters

Station	Date	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKP mg/L	CaCO3-d mg/L	Chloride mg/L	CO3 mg/L	COND µmho/cm	CONDf µmho/cm	FLOW L/s	HCO3 mg/L	OH mg/L	pH	pHF	SO4-d mg/L	TEMP-F °C	TSS mg/L
P03-03-6	9/21/2010	<0.5	3650	<0.5	<0.5	1500	<0.5	<0.5	6410.0	28.7		<0.5	<0.5	4.8	6.4	6500.0	6	160
P03-04-2	9/20/2010	<0.5	38	130.00	<0.5	821	1.30	<0.5	1510.0	1294.0		160.00	<0.5	7.2	6.8	750.0	6	83
P03-04-4	9/20/2010	<0.5	36	210.00	<0.5	544	1.20	<0.5	1300.0	1249.0		260.00	<0.5	7.4	7.4	480.0	6	210
P03-04-6	9/20/2010	<0.5	2900	<0.5	<0.5	1760	0.60	<0.5	5440.0	5926.0		<0.5	<0.5	6.2	7.0	5200.0	6	130
P03-04-8	9/20/2010	16	5660	<0.5	<0.5	1400	<0.5	<0.5	8100.0	8162.0		<0.5	<0.5	3.9	6.3	9000.0	5	2400
P03-05-2	9/22/2010	<0.5	91	90.00	<0.5	758	3.50	<0.5	1480.0	1563.0		110.00	<0.5	6.9	6.8	860.0	4	11
P03-05-4	9/22/2010	<0.5	52	120.00	<0.5	658	<0.5	<0.5	1250.0	1258.0		150.00	<0.5	7.3	7.0	620.0	4	7
P03-05-6	9/22/2010	<0.5	839	<0.5	<0.5	2140	1.60	<0.5	4790.0	4428.0		<0.5	<0.5	4.6	6.7	3500.0	4	74
P03-06-1	6/14/2010	<0.5	214	56.00	<0.5	2370	2.00	<0.5	3850.0	3875.0		69.00	<0.5	6.2	5.4	3100.0	10	320
P03-06-1	9/22/2010	<0.5	532	82.00	<0.5	2450	5.10	<0.5	3900.0	3352.0		100.00	<0.5	6.1	6.2	2900.0	4	69
P03-06-1 Average		0	373	69.00	0	2410	3.55	0.25	3875.0	3613.5		84.50	0	6.1	5.8	3000.0	7	195
P03-06-1 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P03-06-2	6/14/2010	71	700	<0.5	<0.5	1980	2.90	<0.5	4000.0	4105.0		<0.5	<0.5	4.2	5.3	3200.0	7	910
P03-06-2	9/22/2010	<0.5	835	46.00	<0.5	2280	1.80	<0.5	3910.0	3365.0		56.00	<0.5	5.8	6.1	3000.0	4	280
P03-06-2 Average		36	768	23.13	0	2130	2.35	0.25	3955.0	3858.3		28.13	0	5.0	5.6	3100.0	6	595
P03-06-2 N > DL		1	2	1	0	2	2	0	2	3	0	1	0	2	3	2	3	2
P03-06-3	6/14/2010	7	1600	<0.5	<0.5	1690	4.40	<0.5	4530.0	4611.0		<0.5	<0.5	4.3	5.4	4200.0	6	2400
P03-06-3	9/22/2010	<0.5	2050	31.00	<0.5	1740	4.20	<0.5	4640.0	3824.0		38.00	<0.5	5.5	6.2	4100.0	4	140
P03-06-3 Average		3	1825	15.63	0	1715	4.30	0.25	4585.0	4217.5		19.13	0	4.9	5.8	4150.0	5	1270
P03-06-3 N > DL		1	2	1	0	2	2	0	2	2	0	1	0	2	2	2	2	2
P03-06-4	6/14/2010	<0.5	269	23.00	<0.5	1160	3.50	<0.5	2210.0	2515.0		28.00	<0.5	5.6	6.2	1400.0	10	980
P03-06-4	9/22/2010	<0.5	642	91.00	<0.5	1300	3.60	<0.5	2600.0	2516.0		110.00	<0.5	6.2	6.7	1700.0	4	300
P03-06-4 Average		0	456	57.00	0	1230	3.55	0.25	2405.0	2515.5		69.00	0	5.9	6.4	1550.0	7	640
P03-06-4 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P03-06-5	6/14/2010	<0.5	313	2.60	<0.5	494	2.80	<0.5	1370.0	1761.0		3.10	<0.5	5.2	6.4	840.0	10	910
P03-06-5	9/22/2010	<0.5	827	43.00	<0.5	2700	5.60	<0.5	3570.0	2933.0		53.00	<0.5	6.0	6.9	2800.0	3	900
P03-06-5 Average		0	570	22.80	0	1597	4.20	0.25	2470.0	2347.0		28.05	0	5.6	6.7	1820.0	7	905
P03-06-5 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P03-08-2	9/20/2010	<0.5	23	250.00	<0.5	347	<0.5	<0.5	678.0	732.0		300.00	<0.5	7.7	8.2	110.0	5	8
P03-08-4	9/20/2010	<0.5	43	310.00	<0.5	633	1.10	<0.5	1260.0	1327.0		380.00	<0.5	7.4	7.1	390.0	7	1900
P03-08-6	9/20/2010	<0.5	3	25.00	<0.5	198	5.30	<0.5	948.0	924.0		30.00	<0.5	7.2	7.5	390.0	6	270
P03-08-7	9/20/2010	<0.5	2	77.00	<0.5	52	6.90	<0.5	612.0	569.0		94.00	<0.5	7.9	7.9	180.0	6	42
P03-09-2	9/13/2010	<0.5	26	320.00	<0.5	691	2.60	<0.5	1300.0	1430.0		390.00	<0.5	7.9	7.0	410.0	6	10
P03-09-4	9/13/2010	<0.5	21	280.00	<0.5	858	0.90	<0.5	1550.0	1670.0		340.00	<0.5	7.8	7.0	610.0	5	5
P03-09-6	9/13/2010	<0.5	23	290.00	<0.5	948	1.20	<0.5	1670.0	1822.0		350.00	<0.5	7.8	6.9	690.0	6	10
P03-09-8	9/13/2010	<0.5	23	290.00	<0.5	956	1.30	<0.5	1700.0	1748.0		350.00	<0.5	7.8	7.0	720.0	6	9
P03-09-9	9/13/2010	<0.5	22	280.00	<0.5	944	1.30	<0.5	1670.0	1811.0		350.00	<0.5	7.8	6.9	680.0	5	200
P05-01-1	9/9/2010	<0.5	52	370.00	<0.5	1720	2.30	<0.5	2790.0	2990.0		450.00	<0.5	7.0	6.6	1500.0	5	23
P05-01-2	9/9/2010	<0.5	56	350.00	<0.5	1780	2.20	<0.5	2820.0	3103.0		430.00	<0.5	7.0	6.7	1500.0	3	36
P05-01-3	9/9/2010	<0.5	57	360.00	<0.5	1770	2.10	<0.5	2790.0	3063.0		440.00	<0.5	7.0	6.6	1500.0	5	49
P05-01-4	9/9/2010	<0.5	43	340.00	<0.5	1690	2.00	<0.5	2770.0	2972.0		420.00	<0.5	7.0	6.6	1500.0	6	930
P05-01-5	9/9/2010	<0.5	34	290.00	<0.5	1410	1.60	<0.5	2400.0	2586.0		350.00	<0.5	7.1	6.7	1300.0	5	20
P05-01-6	9/9/2010	<0.5	38	300.00	<0.5	1550	1.70	<0.5	2510.0	2655.0		370.00	<0.5	7.1	6.6	1300.0	7	280
P05-02	6/6/2010	<0.5	53	370.00	<0.5	1780	2.30	<0.5	2720.0	2552.0		450.00	<0.5	7.5	6.5	1400.0	4	110
P05-02	9/8/2010	<0.5	36	360.00	<0.5	1550	1.90	<0.5	2630.0	2910.0		440.00	<0.5	7.1	6.6	1400.0	10	370
P05-02 Average		0	44	365.00	0	1665	2.10	0.25	2675.0	2731.0		445.00	0	7.3	6.5	1400.0	7	240
P05-02 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P05-03	6/8/2010	<0.5	30	300.00	<0.5	982	1.60	<0.5	1610.0	1598.0		360.00	<0.5	8.1	6.9	730.0	6	20
P05-03	9/8/2010	<0.5	18	290.00	<0.5	799	1.10	<0.5	1520.0	1640.0		350.00	<0.5	7.4	7.0	610.0	7	96

Table C-6: Rose Creek Drainage Water Quality
2010 - Groundwater - General Parameters

Station	Date	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKP mg/L	CaCO3-d mg/L	Chloride mg/L	CO3 mg/L	COND µmho/cm	CONDf µmho/cm	FLOW L/s	HCO3 mg/L	OH mg/L	pH	pHF	SO4-d mg/L	TEMP-F °C	TSS mg/L
P05-03 Average		0	24	295.00	0	891	1.35	0.25	1565.0	1619.0		355.00	0	7.8	7.0	670.0	7	58
P05-03 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P05-04	9/16/2010	<0.5	32	140.00	<0.5	185	0.90	<0.5	383.0	366.9		170.00	<0.5	7.4	6.1	58.0	4	110
P09-C1	6/7/2010	<0.5	45	410.00	<0.5	1590	2.80	<0.5	2510.0	2609.0		500.00	<0.5	7.6	6.6	1200.0	6	64
P09-C1	9/15/2010	<0.5	38	410.00	<0.5	1350	2.80	<0.5	2630.0	2560.0		510.00	<0.5	7.8	6.6	1200.0	8	54
P09-C1 Average		0	42	410.00	0	1470	2.80	0.25	2570.0	2584.5		505.00	0	7.7	6.6	1200.0	7	59
P09-C1 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P09-C2	6/8/2010	<0.5	156	1700.00	<0.5	1040	25.00	<0.5	2670.0	2620.0		2100.00	<0.5	7.0	6.3	0.7	11	15
P09-C2	9/15/2010	<0.5	198	1700.00	<0.5	965	23.00	<0.5	2770.0	2726.0		2000.00	<0.5	7.1	6.1	13.0	6	29
P09-C2 Average		0	177	1700.00	0	1003	24.00	0.25	2720.0	2673.0		2050.00	0	7.1	6.2	6.9	8	22
P09-C2 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P09-C3	6/8/2010	<0.5	42	540.00	<0.5	498	5.40	<0.5	1070.0	1087.0		650.00	<0.5	7.8	6.5	94.0	6	5
P09-C3	9/15/2010	<0.5	42	520.00	<0.5	524	4.50	<0.5	1070.0	1070.0		630.00	<0.5	7.8	6.5	89.0	5	120
P09-C3 Average		0	42	530.00	0	511	4.95	0.25	1070.0	1078.5		640.00	0	7.8	6.5	91.5	6	63
P09-C3 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P09-ETA1	9/16/2010	<0.5	6	190.00	<0.5	188	0.50	<0.5	421.0	440.2		230.00	<0.5	7.9	7.6	31.0	4	250
P09-ETA2	9/15/2010	<0.5	333	140.00	<0.5	3710	15.00	<0.5	5190.0	5390.0		170.00	<0.5	6.7	6.3	4500.0	11	120
P09-SIS1	7/25/2010	<0.5	1090	170.00	<0.5	8020	5.70	<0.5	9670.0	9050.0		210.00	<0.5	6.7	6.2	11000.0	7	1500
P09-SIS1	11/2/2010	<0.5	462	300.00	<0.5	7950	5.30	<0.5	8110.0	>3999.0		360.00	<0.5	7.2	6.3	7800.0	4	3900
P09-SIS1 Average		0	776	235.00	0	7985	5.50	0.25	8890.0	6524.5		285.00	0	7.0	6.2	9400.0	6	2700
P09-SIS1 N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P09-SIS2	6/9/2010	<0.5	992	160.00	<0.5	9130	6.10	<0.5	9950.0	>3999.0		200.00	<0.5	6.9	5.8	11000.0	7	120
P09-SIS2	7/24/2010	<0.5	1070	180.00	<0.5	6990	<50.0	<0.5	8730.0	9180.0		220.00	<0.5	6.6	6.2	8400.0	7	3300
P09-SIS2	9/13/2010	<0.5	830	200.00	<0.5	7800	5.90	<0.5	9190.0	9480.0		240.00	<0.5	7.0	5.8	9700.0	10	1500
P09-SIS2	11/2/2010	<0.5	917	190.00	<0.5	7270	6.40	<0.5	9340.0	>3999.0		230.00	<0.5	6.9	6.1	8800.0	6	1500
P09-SIS2 Average		0	952	182.50	0	7798	10.85	0.25	9302.5	6664.5		222.50	0	6.9	6.0	9475.0	8	1605
P09-SIS2 Max		<0.5	1070	200.00	<0.5	9130	<50.0	<0.5	9950.0	9480.0		240.00	<0.5	7.0	6.2	11000.0	10	3300
P09-SIS2 Min		<0.5	830	160.00	<0.5	6990	5.90	<0.5	8730.0	3999.0		200.00	<0.5	6.6	5.8	8400.0	6	120
P09-SIS2 N > DL		0	4	4	0	4	3	0	4	4	0	4	0	4	4	4	4	4
P09-SIS2 Median		<0.5	955	185.00	<0.5	7535	6.25	<0.5	9265.0	6589.5		225.00	<0.5	6.9	6.0	9250.0	7	1500
P09-SIS3	6/9/2010	<0.5	1160	180.00	<0.5	8010	6.30	<0.5	10000.0	>3999.0		220.00	<0.5	6.9	6.0	11000.0	8	480
P09-SIS3	7/24/2010	<0.5	860	170.00	<0.5	5820	4.90	<0.5	7720.0	4160.0		210.00	<0.5	6.7	8.3	7200.0	5	1600
P09-SIS3	9/14/2010	<0.5	913	190.00	<0.5	7850	6.20	<0.5	9500.0	9580.0		230.00	<0.5	7.0	6.1	9500.0	8	1300
P09-SIS3	11/2/2010	<0.5	908	180.00	<0.5	7140	6.60	<0.5	9020.0	>3999.0		220.00	<0.5	7.0	6.2	9300.0	4	2600
P09-SIS3 Average		0	960	180.00	0	7205	6.00	0.25	9060.0	5434.5		220.00	0	6.9	6.7	9250.0	6	1495
P09-SIS3 Max		<0.5	1160	190.00	<0.5	8010	6.60	<0.5	10000.0	9580.0		230.00	<0.5	7.0	8.3	11000.0	8	2600
P09-SIS3 Min		<0.5	860	170.00	<0.5	5820	4.90	<0.5	7720.0	3999.0		210.00	<0.5	6.7	6.0	7200.0	4	480
P09-SIS3 N > DL		0	4	4	0	4	4	0	4	4	0	4	0	4	4	4	4	4
P09-SIS3 Median		<0.5	911	180.00	<0.5	7495	6.25	<0.5	9260.0	4079.5		220.00	<0.5	7.0	6.1	9400.0	7	1450
P96-6	6/15/2010	<0.5	44	320.00	<0.5	724	0.70	<0.5	1170.0	1140.0		390.00	<0.5	7.6	6.4	350.0	3	300
P96-6	9/21/2010	<0.5	55	290.00	<0.5	837	<0.5	<0.5	1350.0	1010.0		350.00	<0.5	7.3	7.1	480.0	8	180
P96-6 Average		0	49	305.00	0	781	0.48	0.25	1260.0	1096.7		370.00	0	7.4	6.6	415.0	5	240
P96-6 N > DL		0	2	2	0	2	1	0	2	3	0	2	0	2	3	2	3	2
P96-7	6/11/2010	<0.5	26	230.00	<0.5	2290	0.70	<0.5	3090.0	2644.0		280.00	<0.5	7.9	7.5	1900.0	16	1600
P96-7	9/14/2010	<0.5	24	210.00	<0.5	2480	<0.5	<0.5	3310.0	3570.0		250.00	<0.5	7.8	7.2	2400.0	5	420
P96-7 Average		0	25	220.00	0	2385	0.48	0.25	3200.0	3107.0		265.00	0	7.9	7.4	2150.0	11	1010
P96-7 N > DL		0	2	2	0	2	1	0	2	2	0	2	0	2	2	2	2	2

Table C-6: Rose Creek Drainage Water Quality
2010 - Groundwater - General Parameters

Station	Date	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKP mg/L	CaCO3-d mg/L	Chloride mg/L	CO3 mg/L	COND µmho/cm	CONDf µmho/cm	FLOW L/s	HCO3 mg/L	OH mg/L	pH	pHF	SO4-d mg/L	TEMP-F °C	TSS mg/L
P96-8A	6/9/2010	<0.5	922	48.00	<0.5	6210	13.00	<0.5	7780.0	>3999.0		59.00	<0.5	5.9	5.1	7300.0	8	31
P96-8A	9/14/2010	<0.5	802	110.00	<0.5	6040	10.00	<0.5	7780.0	>3999.0		140.00	<0.5	6.3	5.1	6800.0	10	11
P96-8A Average		0	862	79.00	0	6125	11.50	0.25	7780.0	3999.0		99.50	0	6.1	5.1	7050.0	9	21
P96-8A N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
P96-8B	6/9/2010	<0.5	1060	<0.5	<0.5	5490	13.00	<0.5	7380.0	>3999.0		<0.5	<0.5	4.8	4.3	6800.0	8	4
P96-8B	9/15/2010	<0.5	912	<0.5	<0.5	5420	13.00	<0.5	7540.0	7630.0		<0.5	<0.5	4.7	4.6	7300.0	11	20
P96-8B Average		0	986	0.25	0	5455	13.00	0.25	7460.0	5814.5		0.25	0	4.8	4.4	7050.0	10	12
P96-8B N > DL		0	2	0	0	2	2	0	2	2	0	0	0	2	2	2	2	2
S1A	6/9/2010	<0.5	21	62.00	<0.5	323	0.60	<0.5	656.0	561.0		75.00	<0.5	6.9	6.5	250.0	5	2
S1A	9/14/2010	<0.5	18	69.00	<0.5	138	<0.5	<0.5	332.0	302.0		84.00	<0.5	7.1	7.3	100.0	6	520
S1A Average		0	19	65.50	0	231	0.43	0.25	494.0	431.5		79.50	0	7.0	6.9	175.0	5	261
S1A N > DL		0	2	2	0	2	1	0	2	2	0	2	0	2	2	2	2	2
S2A	6/9/2010	<0.5	120	410.00	<0.5	854	1.70	<0.5	1470.0	1238.0		510.00	<0.5	7.0	5.8	520.0	4	1200
S2A	9/14/2010	<0.5	166	380.00	<0.5	793	1.90	<0.5	1370.0	1226.0		470.00	<0.5	6.7	6.1	380.0	6	320
S2A Average		0	143	395.00	0	824	1.80	0.25	1420.0	1232.0		490.00	0	6.9	5.9	450.0	5	760
S2A N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
S2B	9/14/2010	<0.5	606	170.00	<0.5	6630	5.30	<0.5	8000.0	>3999.0		210.00	<0.5	6.9	6.1	7700.0	7	560
SRK04-3A	9/22/2010			54.00	<0.5	5140		<0.5	8130.0	8172.0		65.00	<0.5	5.7	5.2	8800.0	8	
SRK05-ETA-BR1	9/22/2010			78.00	<0.5	4120		<0.5	7370.0	7350.0		95.00	<0.5	5.8	5.2	7300.0	5	
SRK05-ETA-BR2	9/22/2010			100.00	<0.5	1590		<0.5	2660.0	2845.0		120.00	<0.5	6.8	6.5	1600.0	5	
SRK05-SP1A	9/14/2010			240.00	<0.5	903		<0.5	1700.0	1790.0		290.00	<0.5	6.3	5.5	770.0	5	
SRK05-SP1B	9/14/2010			340.00	<0.5	540		<0.5	996.0	1050.0		410.00	<0.5	7.4	6.3	170.0	7	
SRK05-SP2	9/14/2010			150.00	<0.5	185		<0.5	379.0	370.0		190.00	<0.5	7.2	6.4	42.0	4	
SRK05-SP3A	9/14/2010			290.00	<0.5	779		<0.5	1410.0	1430.0		360.00	<0.5	6.6	5.7	490.0	3	
SRK05-SP3B	9/14/2010			290.00	<0.5	616		<0.5	1190.0	1330.0		360.00	<0.5	6.5	6.0	320.0	3	
SRK05-SP4A	6/9/2010	<0.5	129	300.00	<0.5	527	1.70	<0.5	1040.0	872.0		370.00	<0.5	6.7	5.7	270.0	11	12
SRK05-SP4A	9/13/2010	<0.5	159	320.00	<0.5	544	2.70	<0.5	1080.0	119.0		390.00	<0.5	6.7	5.9	240.0	6	4
SRK05-SP4A Average		0	144	310.00	0	536	2.20	0.25	1060.0	495.5		380.00	0	6.7	5.8	255.0	9	8
SRK05-SP4A N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
SRK05-SP5	9/14/2010	<0.5	542	260.00	<0.5	4470	4.10	<0.5	6260.0	6060.0		320.00	<0.5	6.8	5.9	5300.0	6	120
SRK08-P10A	6/9/2010	<0.5	84	530.00	<0.5	2250	130.00	<0.5	3630.0	3012.0		650.00	<0.5	7.4	6.3	1700.0	5	1300
SRK08-P11A	6/9/2010	<0.5	12	170.00	<0.5	427	<0.5	<0.5	764.0	623.0		210.00	<0.5	7.9	7.1	260.0	5	4
SRK08-P11A	9/15/2010	<0.5	7	170.00	<0.5	431	<0.5	<0.5	770.0	860.0		210.00	<0.5	7.9	6.8	240.0	4	110
SRK08-P11A Average		0	10	170.00	0	429	0.25	0.25	767.0	741.5		210.00	0	7.9	7.0	250.0	5	57
SRK08-P11A N > DL		0	2	2	0	2	0	0	2	2	0	2	0	2	2	2	2	2
SRK08-P11B	6/9/2010	<0.5	15	150.00	<0.5	523	<0.5	<0.5	928.0	767.0		180.00	<0.5	8.1	6.9	370.0	4	6
SRK08-P11B	9/15/2010	<0.5	14	170.00	<0.5	664	<0.5	<0.5	1180.0	1370.0		200.00	<0.5	7.8	6.5	480.0	6	30
SRK08-P11B Average		0	14	160.00	0	594	0.25	0.25	1054.0	1068.5		190.00	0	8.0	6.7	425.0	5	18
SRK08-P11B N > DL		0	2	2	0	2	0	0	2	2	0	2	0	2	2	2	2	2
SRK08-P12A	9/16/2010	<0.5	311	560.00	<0.5	635	0.90	<0.5	1240.0	1135.0		680.00	<0.5	6.5	5.7	130.0	4	41
SRK08-P12B	9/16/2010	<0.5	214	400.00	<0.5	466	<0.5	<0.5	889.0	965.7		480.00	<0.5	6.4	5.7	89.0	3	140
SRK08-SBR2	9/14/2010	<0.5	173	390.00	<0.5	840	1.60	<0.5	1440.0	1510.0		470.00	<0.5	6.8	5.9	440.0	4	1100
SRK08-SBR3	9/14/2010	<0.5	57	670.00	<0.5	1920	0.90	<0.5	2940.0	2407.0		820.00	<0.5	7.6	7.0	1200.0	8	160
SRK08-SBR4	9/14/2010	<0.5	87	170.00	<0.5	1700	1.40	<0.5	2440.0	2288.0		210.00	<0.5	7.2	6.4	1300.0	3	850

Table C-6: Rose Creek Drainage Water Quality
2010 - Groundwater - General Parameters

Station	Date	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKP mg/L	CaCO3-d mg/L	Chloride mg/L	CO3 mg/L	COND µmho/cm	CONDf µmho/cm	FLOW L/s	HCO3 mg/L	OH mg/L	pH	pHF	SO4-d mg/L	TEMP-F °C	TSS mg/L
SRK08-SP7A	6/9/2010	<0.5	145	100.00	<0.5	1740	2.50	<0.5	2720.0	2755.0		130.00	<0.5	6.5	5.9	1800.0	4	16
SRK08-SP7A	7/25/2010	<0.5	148	120.00	<0.5	1490	4.80	<0.5	2390.0	2290.0		150.00	<0.5	6.5	6.5	1600.0	5	15
SRK08-SP7A	9/13/2010	<0.5	121	120.00	<0.5	1330	3.60	<0.5	2170.0	2380.0		150.00	<0.5	6.8	6.1	1200.0	6	9
SRK08-SP7A	11/2/2010	<0.5	99	110.00	<0.5	1320	0.80	<0.5	1900.0	1614.0		130.00	<0.5	6.9	6.4	1000.0	3	55
SRK08-SP7A Average		0	128	112.50	0	1470	2.93	0.25	2295.0	2259.8		140.00	0	6.7	6.2	1400.0	5	24
SRK08-SP7A Max		<0.5	148	120.00	<0.5	1740	4.80	<0.5	2720.0	2755.0		150.00	<0.5	6.9	6.5	1800.0	6	55
SRK08-SP7A Min		<0.5	99	100.00	<0.5	1320	0.80	<0.5	1900.0	1614.0		130.00	<0.5	6.5	5.9	1000.0	3	9
SRK08-SP7A N > DL		0	4	4	0	4	4	0	4	4	0	4	0	4	4	4	4	4
SRK08-SP7A Median		<0.5	133	115.00	<0.5	1410	3.05	<0.5	2280.0	2335.0		140.00	<0.5	6.7	6.3	1400.0	5	16
SRK08-SP7B	6/9/2010	<0.5	23	66.00	<0.5	162	<0.5	<0.5	367.0	356.0		80.00	<0.5	7.3	7.0	120.0	2	19
SRK08-SP7B	7/25/2010	<0.5	20	55.00	<0.5	78	<0.5	<0.5	196.0	170.0		67.00	<0.5	6.9	7.4	41.0	170	4
SRK08-SP7B	9/13/2010	<0.5	18	57.00	<0.5	107	<0.5	<0.5	211.0	250.0		70.00	<0.5	7.2	6.8	42.0	7	4
SRK08-SP7B	11/2/2010	<0.5	23	66.00	<0.5	128	<0.5	<0.5	249.0	246.0		80.00	<0.5	7.3	6.8	56.0	4	64
SRK08-SP7B Average		0	21	61.00	0	119	0.25	0.25	255.8	255.5		74.25	0	7.2	7.0	64.8	38	23
SRK08-SP7B Max		<0.5	23	66.00	<0.5	162	<0.5	<0.5	367.0	356.0		80.00	<0.5	7.3	7.4	120.0	170	64
SRK08-SP7B Min		<0.5	18	55.00	<0.5	78	<0.5	<0.5	196.0	170.0		67.00	<0.5	6.9	6.8	41.0	2	4
SRK08-SP7B N > DL		0	4	4	0	4	0	0	4	4	0	4	0	4	4	4	5	4
SRK08-SP7B Median		<0.5	21	61.50	<0.5	118	<0.5	<0.5	230.0	248.0		75.00	<0.5	7.2	6.9	49.0	6	12
SRK08-SP8A	9/13/2010	<0.5	114	320.00	<0.5	1180	3.30	<0.5	1950.0	2250.0		390.00	<0.5	7.0	6.2	860.0	6	21
SRK08-SP8B	9/13/2010	<0.5	96	270.00	<0.5	880	2.70	<0.5	1560.0	1770.0		330.00	<0.5	6.9	6.3	640.0	3	34
SRK08-SPW1	1/6/2010	<0.5	170	350.00	<0.5	704	2.20	<0.5	1240.0	1115.0		420.00	<0.5	6.6	5.8	360.0	2	5
SRK08-SPW1	2/17/2010	<0.5	101	330.00	<0.5	557	2.10	<0.5	1150.0	1070.0		400.00	<0.5	7.1	6.2	250.0	3	9
SRK08-SPW1	3/9/2010	<0.5	170	300.00	<0.5	651	1.80	<0.5	1050.0	1090.0		360.00	<0.5	7.3	6.0	230.0	3	9
SRK08-SPW1	4/13/2010	<0.5	167	310.00	<0.5	517	2.10	<0.5	1080.0	1040.0	0.89	370.00	<0.5	6.8	6.1	280.0	4	37
SRK08-SPW1	5/3/2010	<0.5	51	300.00	<0.5	566	1.40	<0.5	1040.0	945.0	0.51	370.00	<0.5	7.1	6.0	340.0	2	12
SRK08-SPW1	6/13/2010	<0.5	108	270.00	<0.5	577	2.90	<0.5	1070.0	1125.0	0.52	330.00	<0.5	6.5	7.6	280.0	3	17
SRK08-SPW1	7/10/2010	<0.5	148	300.00	<0.5	591	2.20	<0.5	1100.0	1220.0	1.13	370.00	<0.5	6.4	6.0	280.0	4	19
SRK08-SPW1	8/3/2010	<0.5		310.00	<0.5	579	1.20	<0.5	1080.0	1150.0		380.00	<0.5	6.4	6.4	300.0	3	12
SRK08-SPW1	9/1/2010	<0.5	154	300.00	<0.5	571	1.10	<0.5	1090.0	1360.0	1.12	370.00	<0.5	7.0	6.7	300.0	5	24
SRK08-SPW1	10/7/2010	<0.5	134	290.00	<0.5	589	2.20	<0.5	1060.0	760.0	1.13	360.00	<0.5	6.7	6.5	290.0	3	27
SRK08-SPW1	11/8/2010	<0.5	132	290.00	<0.5	576	1.80	<0.5	1050.0	986.0	1.13	350.00	<0.5	6.8	6.0	280.0	2	20
SRK08-SPW1 Average		0	134	304.55	0	589	1.91	0.25	1091.8	1078.3	0.92	370.91	0	6.8	6.3	290.0	3	17
SRK08-SPW1 Max		<0.5	170	350.00	<0.5	704	2.90	<0.5	1240.0	1360.0	1.13	420.00	<0.5	7.3	7.6	360.0	5	37
SRK08-SPW1 Min		<0.5	51	270.00	<0.5	517	1.10	<0.5	1040.0	760.0	0.51	330.00	<0.5	6.4	5.8	230.0	2	5
SRK08-SPW1 N > DL		0	10	11	0	11	11	0	11	11	7	11	0	11	11	11	11	11
SRK08-SPW1 Median		<0.5	141	300.00	<0.5	577	2.10	<0.5	1080.0	1090.0	1.12	370.00	<0.5	6.8	6.1	280.0	3	17
SRK08-SPW2	1/6/2010	<0.5	334	230.00	<0.5	3910	3.80	<0.5	5140.0	>3999.0		280.00	<0.5	6.7	5.8	4200.0	3	<1.0
SRK08-SPW2	2/17/2010	<0.5	287	220.00	<0.5	3430	6.70	<0.5	4840.0	4310.0		270.00	<0.5	7.2	6.0	3800.0	3	<1.0
SRK08-SPW2	3/9/2010	<0.5	384	220.00	<0.5	3410	3.20	<0.5	4370.0	3970.0		270.00	<0.5	7.3	6.1	3000.0	3	3
SRK08-SPW2	4/13/2010	<0.5	372	230.00	<0.5	2660	3.00	<0.5	4150.0	3960.0	1.28	280.00	<0.5	6.8	6.1	3700.0	4	4
SRK08-SPW2	5/3/2010	<0.5	230	230.00	<0.5	3060	2.90	<0.5	4340.0	3676.0	1.34	290.00	<0.5	7.0	6.3	3400.0	2	3
SRK08-SPW2	6/13/2010	<0.5	281	190.00	<0.5	2820	3.00	<0.5	3900.0	3794.0	1.44	230.00	<0.5	6.7	8.0	2800.0	3	<4.0
SRK08-SPW2	7/10/2010	<0.5	272	220.00	<0.5	2700	2.30	<0.5	3840.0	3587.0	1.42	270.00	<0.5	6.7	6.1	2800.0	3	4
SRK08-SPW2	8/3/2010	<0.5		220.00	<0.5	2550	2.40	<0.5	3910.0	4390.0		260.00	<0.5	7.0	6.3	2800.0	4	6
SRK08-SPW2	9/1/2010	<0.5	279	210.00	<0.5	2530	2.20	<0.5	3890.0	4160.0	1.41	260.00	<0.5	7.2	6.3	2700.0	3	4
SRK08-SPW2	10/7/2010	<0.5	260	200.00	<0.5	2730	2.50	<0.5	3830.0	2250.0	1.36	240.00	<0.5	6.9	6.3	2700.0	4	6
SRK08-SPW2	11/8/2010	<0.5	266	200.00	<0.5	2460	2.80	<0.5	4000.0	3304.0	1.36	250.00	<0.5	6.9	6.2	2800.0	3	7
SRK08-SPW2	12/1/2010	<0.5	279	210.00	<0.5	2760	3.00	<0.5	4130.0	>3999.0	1.36	250.00	<0.5	6.9	6.4	3000.0	2	2

Table C-6: Rose Creek Drainage Water Quality
2010 - Groundwater - General Parameters

Station	Date	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKP mg/L	CaCO3-d mg/L	Chloride mg/L	CO3 mg/L	COND µmho/cm	CONDf µmho/cm	FLOW L/s	HCO3 mg/L	OH mg/L	pH	pHF	SO4-d mg/L	TEMP-F °C	TSS mg/L
SRK08-SPW2 Average		0	295	215.00	0	2918	3.15	0.25	4195.0	3783.3	1.37	262.50	0	6.9	6.3	3141.7	3	4
SRK08-SPW2 Max		<0.5	384	230.00	<0.5	3910	6.70	<0.5	5140.0	4390.0	1.44	290.00	<0.5	7.3	8.0	4200.0	4	7
SRK08-SPW2 Min		<0.5	230	190.00	<0.5	2460	2.20	<0.5	3830.0	2250.0	1.28	230.00	<0.5	6.7	5.8	2700.0	2	<1.0
SRK08-SPW2 N > DL		0	11	12	0	12	12	0	12	12	8	12	0	12	12	12	12	9
SRK08-SPW2 Median		<0.5	279	220.00	<0.5	2745	2.95	<0.5	4065.0	3965.0	1.36	265.00	<0.5	6.9	6.2	2900.0	3	3
SRK08-SPW3	1/6/2010	<0.5	489	250.00	<0.5	3970	4.40	<0.5	5390.0	>3999.0		300.00	<0.5	6.7	5.7	4300.0	3	12
SRK08-SPW3	2/17/2010	<0.5	619	210.00	<0.5	4860	5.10	<0.5	6620.0	5800.0		260.00	<0.5	7.2	5.9	5800.0	4	21
SRK08-SPW3	3/9/2010	<0.5	663	230.00	<0.5	4350	3.90	<0.5	5690.0	4820.0		280.00	<0.5	6.9	6.1	4400.0	4	9
SRK08-SPW3	4/13/2010	<0.5	759	210.00	<0.5	4240	4.30	<0.5	6210.0	5860.0	2.69	260.00	<0.5	6.9	6.2	6300.0	8	9
SRK08-SPW3	5/3/2010	<0.5	694	140.00	<0.5	5720	5.10	<0.5	3360.0	>3999.0	5.11	180.00	<0.5	7.3	6.2	7300.0	3	13
SRK08-SPW3	6/13/2010	<0.5	503	170.00	<0.5	4140	4.00	<0.5	5440.0	>3999.0	2.75	210.00	<0.5	6.8	7.8	5100.0	4	11
SRK08-SPW3	7/10/2010	<0.5	377	240.00	<0.5	3050	3.00	<0.5	4160.0	3890.0	2.70	290.00	<0.5	6.5	5.9	3000.0	5	17
SRK08-SPW3	8/3/2010			200.00	<0.5	3770	3.50	<0.5	5510.0	5830.0		240.00	<0.5	6.8	6.1	4700.0	6	14
SRK08-SPW3	9/1/2010	<0.5	403	230.00	<0.5	2840	2.50	<0.5	4220.0	4450.0	2.69	280.00	<0.5	7.0	6.2	3200.0	4	13
SRK08-SPW3	10/7/2010	<0.5	534	200.00	<0.5	4090	3.70	<0.5	5540.0	3360.0	2.55	240.00	<0.5	7.0	6.2	4600.0	5	30
SRK08-SPW3	11/8/2010	<0.5	489	210.00	<0.5	3390	4.00	<0.5	5520.0	>3999.0	2.49	250.00	<0.5	6.8	5.7	4600.0	4	13
SRK08-SPW3	12/1/2010	<0.5	560	200.00	<0.5	4480	4.30	<0.5	5440.0	>3999.0	2.65	250.00	<0.5	6.6	6.1	5100.0	4	8
SRK08-SPW3 Average		0	554	207.50	0	4075	3.98	0.25	5258.3	4500.4	2.95	253.33	0	6.9	6.2	4866.7	4	14
SRK08-SPW3 Max		<0.5	759	250.00	<0.5	5720	5.10	<0.5	6620.0	5860.0	5.11	300.00	<0.5	7.3	7.8	7300.0	8	30
SRK08-SPW3 Min		<0.5	377	140.00	<0.5	2840	2.50	<0.5	3360.0	3360.0	2.49	180.00	<0.5	6.5	5.7	3000.0	3	8
SRK08-SPW3 N > DL		0	11	12	0	12	12	0	12	12	8	12	0	12	12	12	12	12
SRK08-SPW3 Median		<0.5	534	210.00	<0.5	4115	4.00	<0.5	5475.0	>3999.0	2.69	255.00	<0.5	6.9	6.1	4650.0	4	13
TH86-17	9/9/2010			82.00	<0.5	89		<0.5	181.0	190.0		100.00	<0.5	7.6	7.1	14.0		11
TH86-2	9/13/2010			120.00	<0.5	140		<0.5	289.0	187.0		150.00	<0.5	7.9	8.4	30.0		4
TH86-5	9/9/2010			430.00	<0.5	416		<0.5	795.0	836.0		530.00	<0.5	7.3	6.9	27.0		7
X16A	6/7/2010	<0.5	<0.5	170.00	2	202	<0.5	2.30	356.0	340.0		200.00	<0.5	8.3	7.6	32.0	6	<1.0
X16A	9/8/2010	<0.5	4	190.00	<0.5	180	<0.5	<0.5	365.0	337.0		230.00	<0.5	7.8	7.4	23.0	7	<1.0
X16A Average		0	2	180.00	1	191	0.25	1.28	360.5	339.0		215.00	0	8.0	7.5	27.5	6	1
X16A N > DL		0	1	2	1	2	0	1	2	3	0	2	0	2	3	2	3	0
X16B	6/7/2010	<0.5	3	190.00	<0.5	249	<0.5	<0.5	399.0	390.0		240.00	<0.5	8.2	7.8	29.0	6	2
X16B	9/8/2010	<0.5	3	200.00	<0.5	219	<0.5	<0.5	432.0	392.0		240.00	<0.5	7.9	7.5	27.0	6	2
X16B Average		0	3	195.00	0	234	0.25	0.25	415.5	391.0		240.00	0	8.1	7.7	28.0	6	2
X16B N > DL		0	2	2	0	2	0	0	2	2	0	2	0	2	2	2	2	2
X17A	6/8/2010	<0.5	8	280.00	<0.5	360	<0.5	<0.5	573.0	633.0		340.00	<0.5	8.1	7.4	54.0	5	2
X17A	9/8/2010	<0.5	7	230.00	<0.5	280	<0.5	<0.5	517.0	519.0		280.00	<0.5	7.8	7.5	39.0	7	32
X17A Average		0	7	255.00	0	320	0.25	0.25	545.0	576.0		310.00	0	8.0	7.4	46.5	6	17
X17A N > DL		0	2	2	0	2	0	0	2	2	0	2	0	2	2	2	2	2
X17B	6/8/2010	<0.5	23	400.00	<0.5	582	5.80	<0.5	1090.0	1110.0		490.00	<0.5	7.7	6.9	220.0	5	15
X17B	9/8/2010	<0.5	20	390.00	<0.5	440	4.60	<0.5	899.0	801.0		470.00	<0.5	7.5	6.9	89.0	6	14
X17B Average		0	22	395.00	0	511	5.20	0.25	994.5	955.5		480.00	0	7.6	6.9	154.5	6	15
X17B N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
X18A	6/7/2010	<0.5	27	240.00	<0.5	1170	3.10	<0.5	1700.0	1807.0		300.00	<0.5	8.0	6.9	820.0	5	42
X18A	9/8/2010	<0.5	24	240.00	<0.5	943	1.00	<0.5	1500.0	1351.0		290.00	<0.5	7.2	6.9	650.0	5	13
X18A Average		0	25	240.00	0	1057	2.05	0.25	1600.0	1579.0		295.00	0	7.6	6.9	735.0	5	28
X18A N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
X18B	6/7/2010	<0.5	27	270.00	<0.5	1200	1.00	<0.5	1730.0	1727.0		340.00	<0.5	8.1	6.9	810.0	5	<1.0
X18B	9/8/2010	<0.5	18	250.00	<0.5	1000	1.00	<0.5	1650.0	1399.0		300.00	<0.5	7.5	7.0	710.0	5	<1.0
X18B Average		0	22	260.00	0	1100	1.00	0.25	1690.0	1563.0		320.00	0	7.8	6.9	760.0	5	1
X18B N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	0

Table C-6: Rose Creek Drainage Water Quality
2010 - Groundwater - General Parameters

Station	Date	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3-d mg/L	Chloride mg/L	CO3 mg/L	COND µmho/cm	CONDf µmho/cm	FLOW L/s	HCO3 mg/L	OH mg/L	pH	pHF	SO4-d mg/L	TEMP-F °C	TSS mg/L
X21-96A	6/11/2010	<0.5	22700	<0.5	<0.5	3220	<0.5	<0.5	17500.0	>3999.0		<0.5	<0.5	3.6	5.4	21000.0	6	370
X21-96A	9/22/2010	77	13900	<0.5	<0.5	3380	<0.5	<0.5	17900.0	17530.0		<0.5	<0.5	3.7	5.1	20000.0	5	150
X21-96A Average		39	18300	0.25	0	3300	0.25	0.25	17700.0	10764.5		0.25	0	3.6	5.2	20500.0	6	260
X21-96A N > DL		1	2	0	0	2	0	0	2	2	0	0	0	2	2	2	2	2
X21-96B	6/11/2010	<0.5	294	35.00	<0.5	1110	6.20	<0.5	2360.0	2274.0		43.00	<0.5	5.9	6.6	1500.0	6	54
X21-96B	9/22/2010	<0.5	783	110.00	<0.5	1220	3.20	<0.5	2810.0	3008.0		130.00	<0.5	6.3	6.3	1800.0	4	63
X21-96B Average		0	539	72.50	0	1165	4.70	0.25	2585.0	2641.0		86.50	0	6.1	6.4	1650.0	5	59
X21-96B N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
X24-96D	6/7/2010	<0.5	93	440.00	<0.5	2840	3.00	<0.5	3910.0	3660.0		540.00	<0.5	7.4	6.4	2800.0	6	2
X24-96D	9/9/2010	<0.5	91	440.00	<0.5	2620	3.20	<0.5	3950.0	4370.0		540.00	<0.5	6.9	6.3	2700.0	4	32
X24-96D Average		0	92	440.00	0	2730	3.10	0.25	3930.0	4015.0		540.00	0	7.1	6.3	2750.0	5	17
X24-96D N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
X25-96A	6/7/2010	<0.5	23	280.00	<0.5	818	0.60	<0.5	1420.0	1390.0		350.00	<0.5	8.0	7.2	570.0	6	<1.0
X25-96A	9/9/2010	<0.5	18	290.00	<0.5	787	0.60	<0.5	1550.0	1710.0		350.00	<0.5	7.4	7.0	580.0	5	<1.0
X25-96A Average		0	21	285.00	0	803	0.60	0.25	1485.0	1550.0		350.00	0	7.7	7.1	575.0	5	1
X25-96A N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	0
X25-96B	6/7/2010	<0.5	11	250.00	<0.5	680	0.60	<0.5	1270.0	1270.0		310.00	<0.5	8.1	7.5	450.0	6	3
X25-96B	9/9/2010	<0.5	11	260.00	<0.5	633	0.70	<0.5	1370.0	1430.0		320.00	<0.5	7.8	7.4	480.0	6	2
X25-96B Average		0	11	255.00	0	657	0.65	0.25	1320.0	1350.0		315.00	0	8.0	7.5	465.0	6	3
X25-96B N > DL		0	2	2	0	2	2	0	2	2	0	2	0	2	2	2	2	2
X26	5/5/2010	<0.5	249	280.00	<0.5	3940	4.40	<0.5	5300.0	>3999.0	18.17	350.00	<0.5	6.5	6.3	4800.0	3	57
X26	6/13/2010	<0.5	288	340.00	<0.5	3040	4.00	<0.5	4190.0	>3999.0	15.28	410.00	<0.5	6.4	7.6	3000.0	4	21
X26	7/10/2010	<0.5	292	380.00	<0.5	2710	3.30	<0.5	4120.0	3999.0	23.00	470.00	<0.5	6.6	6.3	2700.0	4	47
X26	8/3/2010			340.00	<0.5	3120	3.30	<0.5	4620.0	>3999.0		410.00	<0.5	6.4	6.2	3700.0	7	57
X26	9/1/2010	<0.5	469	280.00	<0.5	3390	4.00	<0.5	5060.0	>3999.0	13.19	340.00	<0.5	6.7	6.1	4200.0	4	98
X26	10/19/2010	<0.5	417	370.00	<0.5	3180	3.70	<0.5	4540.0	>3999.0	26.67	450.00	<0.5	6.5	6.0	2900.0	3	34
X26 Average		0	343	331.67	0	3230	3.78	0.25	4638.3	3999.0	19.26	405.00	0	6.5	6.4	3550.0	4	52
X26 Max		<0.5	469	380.00	<0.5	3940	4.40	<0.5	5300.0	>3999.0	26.67	470.00	<0.5	6.7	7.6	4800.0	7	98
X26 Min		<0.5	249	280.00	<0.5	2710	3.30	<0.5	4120.0	>3999.0	13.19	340.00	<0.5	6.4	6.0	2700.0	3	21
X26 N > DL		0	5	6	0	6	6	0	6	6	5	6	0	6	6	6	6	6
X26 Median		<0.5	292	340.00	<0.5	3150	3.85	<0.5	4580.0	>3999.0	18.17	410.00	<0.5	6.5	6.3	3350.0	4	52

Table C-7: Rose Creek Drainage Water Quality
2010 - Groundwater - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d		
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
BH10A	9/16/2010	0.0060	38.10	4.50	11.800	<50.0	0.70	<0.005	89.70	0.01	20.9000	<0.1	<0.05	36600.00	3.85	0.062	29.60	970.000	<0.05	10.60	25.900	0.2660	<0.2	71	<0.04	14600.00	0.02	468.00	<0.5	<0.002	0.0730	<0.2	4820.000	<0.1			
BH10B	9/16/2010	<0.005	57.80	30.20	11.100	<50.0	1.46	<0.005	146.00	0.01	9.8900	<0.1	<0.05	39500.00	5.81	0.113	42.20	801.000	<0.05	17.50	22.900	0.1880	0.03	78	<0.04	18300.00	<0.01	747.00	<0.5	<0.002	0.0150	<0.2	3370.000	0.20			
BH13B	9/21/2010	0.0060	12.50	0.43	23.300	<50.0	<0.01	0.01	196.00	0.10	1.2500	<0.1	4.2700	36.00	3.29	0.013	62.20	12.700	6.02	7.55	8.400	0.5440	0.06	230	9.3600	4260.00	0.03	901.00	<0.5	0.02	1.6400	<0.2	12.100	<0.1			
BH14A	6/11/2010	<0.03	8.00	0.20	15.300	<300.0	<0.05	0.06	644.00	1.07	0.0500	<0.5	0.5000	38.00	3.90	0.076	330.00	3.700	1.40	17.30	85.900	4.4300	<0.1	736	0.5000	8850.00	<0.05	3050.00	<3.0	0.05	135.0000	<1.0	8640.000	<0.5			
BH14A	9/21/2010	<0.03	5.00	0.30	22.400	<300.0	<0.05	<0.03	589.00	2.87	0.2000	<0.5	2.3000	11.00	4.50	0.086	312.00	8.600	0.40	16.70	157.000	120.0000	<0.1	798	0.5000	9460.00	0.11	3010.00	<3.0	0.03	131.0000	<1.0	16400.000	<0.5			
BH14A Average		0.0150	6.50	0.25	18.850	150.00	0.03	0.04	616.50	1.97	0.1250	0.25	1.4000	24.50	4.20	0.081	321.00	6.150	0.90	17.00	121.450	62.2150	0.05	767	0.5000	9155.00	0.07	3030.00	1.50	0.04	133.0000	0.50	12520.000	0.25			
BH14A N > DL		0	2	2	2	0	0	1	2	2	2	0	2	2	0	2	2	2	2	2	2	2	0	2	2	2	2	2	0	2	0	2	2	0	2	0	
BH14B	6/11/2010	<0.03	15.00	0.20	22.900	<300.0	<0.05	<0.03	696.00	0.15	0.3500	<0.5	1.2000	58.00	4.60	0.066	309.00	10.800	0.60	17.10	4.700	34.2000	<0.1	762	0.5000	8330.00	0.06	3540.00	<3.0	0.03	199.0000	<1.0	306.000	<0.5			
BH14B	9/21/2010	<0.03	9.00	0.40	23.400	<300.0	<0.05	<0.03	711.00	0.13	0.2700	<0.5	2.0000	31.00	5.00	0.070	287.00	9.600	0.90	15.50	3.300	18.5000	<0.1	861	0.6000	9380.00	0.11	3360.00	<3.0	<0.01	189.0000	<1.0	212.000	<0.5			
BH14B Average		0.0150	12.00	0.30	23.150	150.00	0.03	0.02	703.50	0.14	0.3100	0.25	1.6000	44.50	4.80	0.068	298.00	10.200	0.75	16.30	4.000	26.3500	0.05	812	0.5500	8855.00	0.09	3450.00	1.50	0.02	194.0000	0.50	259.000	0.25			
BH14B N > DL		0	2	2	2	0	0	0	2	2	2	0	2	2	0	2	2	2	2	2	2	2	0	2	2	2	2	2	0	2	0	2	0	2	0	2	0
BH5	9/16/2010	0.0510	705.00	0.90	48.000	<50.0	0.48	0.12	76.00	0.77	16.2000	1.90	2.5200	23700.00	3.57	0.045	26.00	1300.000	0.11	13.20	22.300	5.0400	0.05	41	<0.04	12100.00	0.07	389.00	32.60	0.09	0.5440	1.40	2510.000	0.30			
BH6	9/16/2010	<0.005	40.60	0.10	34.400	<50.0	0.08	<0.005	50.50	1.32	28.6000	<0.1	0.3200	3950.00	1.75	0.024	13.30	1100.000	0.09	4.33	25.800	1.8600	<0.02	32	<0.04	7620.00	0.02	258.00	<0.5	0.04	1.1400	<0.2	3200.000	<0.1			
BH8	9/18/2010	<0.3	9160.00	6.00	14.000	<3000.0	10.40	<0.3	297.00	663.00	554.0000	<5.0	2040.0000	668000.00	7.00	0.095	198.00	12400.000	<3.0	35.00	468.000	610.0000	<1.0	1070	<2.0	6270.00	<0.5	1240.00	<30.0	6.90	22.7000	<10.0	211000.000	<5.0			
P01-01A	6/6/2010	<0.005	4.00	0.20	61.100	<50.0	<0.01	<0.005	327.00	0.70	1.5000	<0.1	0.4200	16.00	7.18	0.014	73.30	5850.000	1.38	25.40	7.750	0.3240	0.05	335	<0.04	7180.00	<0.01	1060.00	<0.5	0.02	9.6200	<0.2	7.500	<0.1			
P01-01A	9/8/2010	<0.03	17.00	<0.1	60.800	<300.0	<0.05	<0.03	314.00	0.79	1.7700	<0.5	<0.3	18.00	6.80	0.014	77.00	6960.000	1.10	24.70	9.400	0.1500	<0.1	311	<0.2	6060.00	<0.05	1090.00	<3.0	0.02	11.0000	<1.0	9.800	<0.5			
P01-01A Average		0.0088	10.50	0.13	60.950	87.50	0.02	0.01	320.50	0.75	1.6350	0.15	0.2850	17.00	6.99	0.014	75.15	6405.000	1.24	25.05	8.575	0.2370	0.05	323	0.0600	6620.00	0.02	1075.00	0.88	0.02	10.3100	0.30	8.650	0.15			
P01-01A N > DL		0	2	1	2	0	0	0	2	2	2	0	1	2	0	2	2	2	2	2	2	2	1	2	0	2	0	2	0	2	0	2	0	2	0	2	0
P01-01B	6/6/2010	<0.005	6.20	2.54	62.900	<50.0	0.02	<0.005	233.00	0.01	0.1940	<0.1	0.0700	767.00	4.63	0.012	48.50	151.000	1.16	27.90	0.670	0.1890	0.04	203	<0.04	6030.00	<0.01	825.00	<0.5	<0.002	8.0700	<0.2	10.600	0.60			
P01-01B	9/8/2010	<0.005	3.80	2.56	60.900	<50.0	0.03	<0.005	230.00	<0.005	0.2010	<0.1	<0.05	828.00	4.52	0.013	46.90	187.000	0.98	26.60	0.790	0.1960	0.04	196	<0.04	5590.00	<0.01	800.00	<0.5	<0.002	8.2500	<0.2	3.000	0.60			
P01-01B Average		0.0025	5.00	2.55	61.900	25.00	0.03	0.00	231.50	0.01	0.1975	0.05	0.0475	797.50	4.58	0.013	47.70	169.000	1.07	27.25	0.730	0.1925	0.04	200	0.0200	5810.00	0.01	812.50	0.25	0.00	8.1600	0.10	6.800	0.60			
P01-01B N > DL		0	2	2	2	0	2	0	2	1	2	0	1	2	0	2	2	2	2	2	2	2	2	2	0	2	0	2	0	2	0	2	0	2	0	2	2
P01-02A	6/6/2010	<0.005	2.60	0.62	69.800	<50.0	<0.01	<0.005	121.00	0.09	0.6640	<0.1	0.3800	21.00	3.12	0.007	31.80	1370.000	1.65	10.60	2.710	0.2030	0.03	68	<0.04	5640.00	<0.01	351.00	<0.5	0.01	3.0700	<0.2	1.800	<0.1			
P01-02A	9/8/2010	<0.005	1.80	0.60	67.200	<50.0	<0.01	<0.005	117.00	0.09	0.7030	<0.1	0.4600	22.00	3.12	0.007	31.50	1300.000	1.48	9.07	2.560	0.0950	0.04	61	<0.04	4950.00	<0.01	345.00	<0.5	0.01	2.9600	<0.2	5.100	<0.1			
P01-02A Average		0.0025	2.20	0.61	68.500	25.00	0.01	0.00	119.00	0.09	0.6835	0.05	0.4200	21.50	3.12	0.007	31.65	1335.000	1.57	9.84	2.635	0.1490	0.04	65	0.0200	5295.00	0.01	348.00	0.25	0.01	3.0150	0.10	3.450	0.05			
P01-02A N > DL		0	2	2	2	0	0	0	2	2	2	0	2	2	0	2	2	2	2	2	2	2	2	2	0	2	0	2	0	2	0	2	0	2	0	2	0
P01-02B	6/6/2010	<0.005	4.60	5.76	35.800	<50.0	<0.01	<0.005	75.60	<0.005	0.0930	<0.1	<0.05	949.00	2.25	0.006	30.00	122.000	0.80	8.72	0.470	0.3020	0.03	33	<0.04	5100.00	<0.01	263.00	<0.5	<0.002	2.7500	<0.2	2.600	<0.1			
P01-02B	9/8/2010	<0.005	40.20	5.69	37.400	<50.0	<0.01	<0.005	69.00	0.01	0.1640	<0.1	0.4200	1130.00	2.27	0.007	27.50	131.000	0.71	7.99	0.700	1.0400	0.03	32	<0.04	4310.00	<0.01	261.00	3.00	<0.002	2.8900	<0.2	7.000	<0.1			
P01-02B Average		0.0025	22.40	5.73	36.600	25.00	0.01	0.00	72.30	0.01	0.1285	0.05	0.2225	1039.50	2.26	0.007	28.75	126.500	0.76	8.36	0.585	0.6710	0.03	33	0.0200	4705.00	0.01	262.00	1.63	0.00	2.8200	0.10	4.800	0.05			
P01-02B N > DL		0	2	2	2	0	0	0	2	1	2	0	1	2	0	2	2	2	2	2	2	2	2	2	0	2	0	2	0	2	0	2	0	2	0	2	0
P01-03	6/7/2010	<0.02	8.00	0.20	14.000	<50.0	<0.1	<1.0	733.00	1.71	172.0000	<1.0	0.6000	1470.00	<0.02	7.44	0.026	160.00	7																		

Table C-7: Rose Creek Drainage Water Quality
2010 - Groundwater - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
P03-06-4	6/14/2010	<0.02	7.00	1.00	23.000	<50.0	<0.1	<1.0	325.00	3.35	217.0000	<1.0	0.4000	211000.00	4.20	0.028	84.00	35800.000	2.00	18.50	214.000	1.3000	<0.5	530	<0.1	9680.00	<5.0	991.00	<5.0	0.09	22.4000	<5.0	3460.000	<0.5	
P03-06-4	9/22/2010	<0.02	<3.0	<0.1	26.000	61.00	<0.1	<1.0	372.00	4.46	251.0000	<1.0	<0.2	255000.00	4.26	0.036	88.70	41800.000	2.00	19.30	231.000	<0.2	<0.5	604	<0.1	7070.00	<5.0	1100.00	<5.0	0.11	3.8000	<5.0	4140.000	<0.5	
P03-06-4 Average		0.0100	4.25	0.53	24.500	43.00	0.05	0.50	348.50	3.91	234.0000	0.50	0.2500	233000.00	4.23	0.032	86.35	38800.000	2.00	18.90	222.500	0.7000	0.25	567	0.0500	8375.00	2.50	1045.50	2.50	0.10	13.1000	2.50	3800.000	0.25	
P03-06-4 N > DL		0	1	1	2	1	0	0	2	2	2	0	1	2	0	2	2	2	2	2	2	2	1	0	2	0	2	0	2	0	2	2	0	2	0
P03-06-5	6/14/2010	<0.02	<3.0	1.80	9.000	<50.0	<0.1	<1.0	122.00	0.03	15.1000	<1.0	<0.2	195000.00	3.29	0.013	46.10	12600.000	3.00	22.70	23.000	1.4000	<0.5	282	<0.1	5590.00	<5.0	374.00	<5.0	<0.05	7.9000	<5.0	14300.000	<0.5	
P03-06-5	9/22/2010	0.2700	16.00	<0.1	10.000	109.00	<0.1	<1.0	248.00	0.20	105.0000	<1.0	<0.2	287000.00	9.06	0.082	505.00	60400.000	3.00	52.60	208.000	65.2000	<0.5	1280	<0.1	5450.00	<5.0	539.00	<5.0	0.16	2.6000	<5.0	215000.000	<0.5	
P03-06-5 Average		0.1400	8.75	0.93	9.500	67.00	0.05	0.50	185.00	0.12	60.0500	0.50	0.1000	241000.00	6.18	0.048	275.55	36500.000	3.00	37.65	115.500	33.3000	0.25	781	0.0500	5520.00	2.50	456.50	2.50	0.09	5.2500	2.50	114650.000	0.25	
P03-06-5 N > DL		1	1	1	2	1	0	0	2	2	2	0	0	2	0	2	2	2	2	2	2	2	0	2	0	2	0	2	0	2	0	2	0	2	0
P03-08-2	9/20/2010	<0.02	8.00	0.30	184.000	<50.0	<0.1	<1.0	95.20	0.04	0.9000	<1.0	1.4000	15.00	1.23	<0.005	26.40	2950.000	<1.0	6.24	16.000	0.3000	<0.5	43	<0.1	4250.00	<5.0	319.00	<5.0	<0.05	3.0000	<5.0	<5.0	<0.5	
P03-08-4	9/20/2010	<0.02	11.00	4.90	34.000	<50.0	<0.1	<1.0	181.00	0.02	<0.5	<1.0	<0.2	38900.00	3.07	<0.005	44.20	3300.000	7.00	43.50	2.000	1.5000	2.30	156	<0.1	8830.00	<5.0	525.00	<5.0	<0.05	8.4000	<5.0	20.000	<0.5	
P03-08-6	9/20/2010	<0.02	21.00	1.40	11.000	<50.0	<0.1	<1.0	76.20	<0.01	1.7000	<1.0	<0.2	33.00	4.77	0.024	1.79	98.000	7.00	119.00	<1.0	2.1000	5.20	153	<0.1	1120.00	<5.0	51.00	<5.0	<0.05	<0.1	<5.0	<5.0	<0.5	
P03-08-7	9/20/2010	<0.02	6.00	0.60	16.000	<50.0	<0.1	<1.0	19.30	0.02	2.2000	<1.0	<0.2	23.00	3.23	0.009	0.85	63.000	27.00	95.50	<1.0	1.2000	<0.5	66	<0.1	1310.00	<5.0	55.00	<5.0	<0.05	<0.1	<5.0	<5.0	<0.5	
P03-09-2	9/13/2010	<0.02	<3.0	1.70	36.000	<50.0	<0.1	<1.0	188.00	<0.01	<0.5	<1.0	<0.2	7460.00	3.60	0.008	54.10	510.000	<1.0	41.80	<1.0	0.9000	<0.5	166	<0.1	7320.00	<5.0	953.00	<5.0	<0.05	1.9000	<5.0	<5.0	<0.5	
P03-09-4	9/13/2010	<0.02	<3.0	0.30	50.000	<50.0	<0.1	<1.0	259.00	0.38	4.5000	<1.0	0.8000	29.00	4.55	0.021	51.10	8890.000	<1.0	31.40	14.000	<0.2	<0.5	231	<0.1	7630.00	<5.0	675.00	<5.0	<0.05	8.1000	<5.0	<5.0	<0.5	
P03-09-6	9/13/2010	<0.02	5.00	0.20	54.000	<50.0	<0.1	<1.0	283.00	0.46	1.7000	<1.0	0.3000	44.00	4.79	0.008	58.50	12000.000	2.00	34.80	17.000	<0.2	<0.5	259	<0.1	7870.00	<5.0	755.00	<5.0	<0.05	7.4000	<5.0	<5.0	<0.5	
P03-09-8	9/13/2010	<0.02	<3.0	0.40	38.000	<50.0	<0.1	<1.0	287.00	0.53	4.2000	<1.0	<0.2	441.00	4.77	0.008	58.40	13000.000	<1.0	35.40	16.000	<0.2	<0.5	280	<0.1	7800.00	<5.0	715.00	<5.0	<0.05	7.7000	<5.0	<5.0	<0.5	
P03-09-9	9/13/2010	<0.02	39.00	0.40	43.000	<50.0	<0.1	<1.0	281.00	1.26	4.4000	<1.0	0.9000	105.00	4.84	0.008	58.80	12400.000	2.00	35.40	18.000	0.3000	<0.5	282	<0.1	7810.00	<5.0	713.00	<5.0	<0.05	7.2000	<5.0	<5.0	<0.5	
P05-01-1	9/9/2010	<0.05	8.00	<0.2	38.100	<500.0	<0.1	<0.05	507.00	<0.05	0.1000	<1.0	<0.5	12900.00	7.10	0.068	112.00	23200.000	<0.5	48.80	5.500	0.1400	<0.2	552	<0.4	9430.00	<0.1	1700.00	<5.0	<0.02	0.6700	<2.0	2.000	2.00	
P05-01-2	9/9/2010	<0.05	3.00	0.40	28.800	<500.0	<0.1	<0.05	533.00	<0.05	0.0700	<1.0	<0.5	22200.00	7.50	0.027	110.00	25700.000	<0.5	41.20	3.800	<0.05	<0.2	581	<0.4	9950.00	<0.1	1270.00	8.00	<0.02	1.4600	<2.0	3.000	<1.0	
P05-01-3	9/9/2010	<0.05	3.00	0.70	27.300	<500.0	<0.1	<0.05	537.00	<0.05	0.0600	<1.0	<0.5	26000.00	7.10	0.029	104.00	23400.000	<0.5	38.20	3.000	<0.05	<0.2	573	<0.4	9710.00	<0.1	1250.00	13.00	<0.02	1.4000	<2.0	2.000	<1.0	
P05-01-4	9/9/2010	<0.05	4.00	4.10	20.300	<500.0	<0.1	<0.05	502.00	<0.05	0.4500	<1.0	<0.5	31000.00	7.00	0.026	107.00	25800.000	1.00	38.30	3.200	0.1200	<0.2	537	<0.4	9650.00	<0.1	1230.00	9.00	<0.02	1.7000	<2.0	<1.0	<1.0	
P05-01-5	9/9/2010	<0.05	4.00	1.70	20.200	<500.0	<0.1	<0.05	414.00	0.45	14.5000	<1.0	<0.5	6730.00	6.70	0.019	91.80	23400.000	0.70	28.10	20.600	0.2000	<0.2	462	<0.4	7910.00	<0.1	1080.00	7.00	<0.02	4.2400	<2.0	4.000	<1.0	
P05-01-6	9/9/2010	<0.05	4.00	1.40	25.400	<500.0	<0.1	<0.05	463.00	0.10	18.8000	<1.0	<0.5	5890.00	6.80	0.017	95.30	25500.000	0.70	29.40	23.800	0.2400	<0.2	493	<0.4	8380.00	<0.1	1150.00	<5.0	0.03	4.7300	<2.0	5.000	<1.0	
P05-02	6/6/2010	0.0500	7.00	6.60	44.400	<300.0	<0.05	<0.03	533.00	0.11	12.8000	<0.5	<0.3	8570.00	7.60	0.024	108.00	22600.000	0.60	47.80	14.100	0.5600	<0.1	566	<0.2	9490.00	<0.05	1250.00	<3.0	0.03	5.4600	<1.0	44.400	<0.5	
P05-02	9/8/2010	<0.05	6.00	4.20	37.200	<500.0	<0.1	<0.05	475.00	0.50	9.9500	<1.0	0.6000	6770.00	7.30	0.021	89.20	19800.000	<0.5	36.80	13.800	0.4500	<0.2	493	<0.4	8800.00	<0.1	1190.00	8.00	0.04	5.4900	<2.0	52.000	<1.0	
P05-02 Average		0.0375	6.50	5.40	40.800	200.00	0.04	0.02	504.00	0.31	11.3750	0.38	0.3750	7670.00	7.45	0.023	98.60	21200.000	0.43	42.30	13.950	0.5050	0.08	530	0.1500	9145.00	0.04	1220.00	4.75	0.04	5.4750	0.75	48.200	0.38	
P05-02 N > DL		1	2	2	2	0	0	0	2	2	2	0	1	2	0	2	2	2	2	2	2	2	0	2	0	2	0	2	1	2	2	0	2	0	
P05-03	6/8/2010	<0.03	7.00	2.40	213.000	<300.0	<0.05	<0.03	295.00	0.21	2.4400	<0.5	<0.3	5040.00	4.70	0.008	59.60	11400.000	2.90	29.90	4.700	0.5600	<0.1	230	<0.2	6970.00	<0.05	750.00	<3.0	0.02	9.5100	<1.0	15.600	<0.5	
P05-03	9/8/2010	<0.05	7.00	2.60	190.000	<500.0	<0.1	<0.05	239.00	0.20	2.3300	<1.0	0.9000	3940.00	4.10	0.007	48.90	8970.000	3.00	24.00	6.100	0.8200	<0.2	222	<0.4	6450.00	<0.1	659.00	8.00	<0.02	6.8400	<2.0	15.000	<1.0	
P05-03 Average		0.0200	7.00	2.50	201.500	200.00	0.04	0.02	267.00	0.21	2.3850	0.38	0.5250	4490.00																					

Table C-7: Rose Creek Drainage Water Quality
2010 - Groundwater - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
P96-6	6/15/2010	<0.005	2.60	0.11	18.700	<50.0	0.07	<0.005	188.00	0.22	0.0230	<0.1	0.6500	7.00	4.55	0.037	61.50	2.240	<0.05	7.62	13.900	0.1320	<0.02	153	2.8900	10600.00	<0.01	619.00	<0.5	0.00	26.1000	<0.2	419.000	<0.1		
P96-6	9/21/2010	0.0100	20.80	0.32	23.700	<50.0	0.05	0.01	227.00	0.25	0.1430	<0.1	1.7600	42.00	4.66	0.037	65.40	5.820	0.23	6.04	10.700	3.3300	0.09	196	4.8100	9180.00	0.09	685.00	<0.5	0.01	35.1000	<0.2	340.000	<0.1		
P96-6 Average		0.0063	11.70	0.22	21.200	25.00	0.06	0.01	207.50	0.23	0.0830	0.05	1.2050	24.50	4.61	0.037	63.45	4.030	0.13	6.83	12.300	1.7310	0.05	175	3.8500	9890.00	0.05	652.00	0.25	0.01	30.6000	0.10	379.500	0.05		
P96-6 N > DL		1	2	2	2	0	2	1	2	2	2	0	2	2	0	2	2	2	2	1	2	2	1	2	2	2	2	1	2	0	2	2	0	2	0	
P96-7	6/11/2010	<0.03	24.00	<0.1	9.300	<300.0	<0.05	<0.03	614.00	0.06	0.3600	<0.5	1.3000	317.00	6.20	0.035	184.00	164.000	1.00	17.70	4.700	0.3700	<0.1	770	0.7000	5340.00	<0.05	779.00	<3.0	<0.01	27.3000	<1.0	155.000	<0.5		
P96-7	9/14/2010	<0.03	18.00	<0.1	12.500	<300.0	<0.05	<0.03	613.00	0.06	0.0700	<0.5	1.1000	53.00	6.00	0.029	232.00	2.300	0.80	18.10	1.100	0.2200	<0.1	802	0.4000	6110.00	<0.05	635.00	<3.0	<0.01	23.7000	<1.0	5.000	<0.5		
P96-7 Average		0.0150	21.00	0.05	10.900	150.00	0.03	0.02	613.50	0.06	0.2150	0.25	1.2000	185.00	6.10	0.032	208.00	83.150	0.90	17.90	2.900	0.2950	0.05	786	0.5500	5725.00	0.03	707.00	1.50	0.01	25.5000	0.50	80.000	0.25		
P96-7 N > DL		0	2	0	2	0	0	0	2	2	2	0	2	2	0	2	2	2	2	2	2	2	0	2	2	2	2	0	2	0	2	0	2	0	2	0
P96-8A	6/9/2010	<0.5	861.00	<2.0	20.000	<5000.0	3.00	<0.5	460.00	144.00	1330.0000	<10.0	15.0000	93900.00	17.00	0.197	1230.00	104000.000	<5.0	63.00	1210.000	38.7000	<2.0	2520	<4.0	13700.00	<1.0	3990.00	<50.0	<0.2	2.3000	<20.0	576000.000	<10.0		
P96-8A	9/14/2010	<0.3	340.00	<1.0	19.000	<3000.0	1.20	<0.3	445.00	103.00	1160.0000	<5.0	10.0000	84200.00	20.00	0.214	1200.00	104000.000	<3.0	56.00	1090.000	29.9000	<1.0	2470	<2.0	12800.00	<0.5	4230.00	<30.0	0.20	2.0000	<10.0	449000.000	<5.0		
P96-8A Average		0.2000	600.50	0.75	19.500	2000.00	2.10	0.20	452.50	123.50	1245.0000	3.75	12.5000	89050.00	18.50	0.206	1215.00	104000.000	2.00	59.50	1150.000	34.3000	0.75	2495	1.5000	13250.00	0.38	4110.00	20.00	0.15	2.1500	7.50	512500.000	3.75		
P96-8A N > DL		0	2	0	2	0	2	0	2	2	2	0	2	2	0	2	2	2	2	2	2	0	2	2	2	2	2	0	2	0	2	0	2	0	2	0
P96-8B	6/9/2010	<0.5	4770.00	<2.0	13.000	<5000.0	5.00	<0.5	393.00	220.00	1910.0000	<10.0	152.0000	41000.00	17.00	0.217	1090.00	114000.000	19.00	71.00	1690.000	20.7000	<2.0	2280	<4.0	12700.00	<1.0	3660.00	<50.0	0.30	2.4000	<20.0	791000.000	<10.0		
P96-8B	9/15/2010	0.7000	3750.00	3.00	14.000	<5000.0	5.00	<0.5	416.00	155.00	1800.0000	<10.0	185.0000	10600.00	19.00	0.221	1070.00	118000.000	<5.0	68.00	1710.000	31.6000	<2.0	2560	<4.0	15600.00	<1.0	3910.00	87.00	0.60	3.4000	<20.0	706000.000	<10.0		
P96-8B Average		0.4750	4260.00	2.00	13.500	2500.00	5.00	0.25	404.50	187.50	1855.0000	5.00	168.5000	25800.00	18.00	0.219	1080.00	116000.000	10.75	69.50	1700.000	26.1500	1.00	2420	2.0000	14150.00	0.50	3785.00	56.00	0.45	2.9000	10.00	748500.000	5.00		
P96-8B N > DL		1	2	1	2	0	2	0	2	2	2	0	2	2	0	2	2	2	2	2	2	2	0	2	2	2	2	0	2	1	2	0	2	0	2	0
S1A	6/9/2010	<0.005	10.00	0.04	17.800	<50.0	0.04	0.01	34.90	0.76	3.6100	<0.1	0.4200	1550.00	2.94	0.046	57.40	4300.000	<0.05	5.04	12.000	0.1810	<0.02	103	<0.04	6940.00	<0.01	217.00	<0.5	0.00	0.0850	<0.2	3090.000	<0.1		
S1A	9/14/2010	<0.005	3.40	0.04	28.300	<50.0	0.02	<0.005	15.10	0.34	1.3100	<0.1	0.4300	529.00	2.19	0.032	24.40	1920.000	<0.05	3.12	4.740	0.2100	<0.02	34	<0.04	7040.00	<0.01	119.00	<0.5	0.00	0.0690	<0.2	1120.000	<0.1		
S1A Average		0.0025	6.70	0.04	23.050	25.00	0.03	0.00	25.00	0.55	2.4600	0.05	0.4250	1039.50	2.57	0.039	40.90	3110.000	0.03	4.08	8.370	0.1955	0.01	69	0.0200	6990.00	0.01	168.00	0.25	0.00	0.0770	0.10	2105.000	0.05		
S1A N > DL		0	2	2	2	0	2	1	2	2	2	0	2	2	0	2	2	2	2	2	2	0	2	2	2	2	2	0	2	0	2	0	2	0	2	0
S2A	6/9/2010	0.0120	39.10	0.15	17.300	<50.0	0.08	<0.005	210.00	0.95	14.6000	0.30	0.4000	13000.00	5.43	0.050	80.20	3840.000	0.06	11.00	42.000	0.2310	0.03	185	<0.04	14300.00	0.03	729.00	1.30	0.01	5.3300	<0.2	4910.000	2.40		
S2A	9/14/2010	<0.005	14.60	0.14	18.400	<50.0	0.11	0.03	187.00	0.91	12.6000	<0.1	0.5900	14900.00	5.82	0.054	79.10	3090.000	0.07	10.10	34.500	0.3150	0.03	169	<0.04	16200.00	<0.01	664.00	<0.5	0.01	3.7100	<0.2	2790.000	<0.1		
S2A Average		0.0073	26.85	0.15	17.850	25.00	0.10	0.02	198.50	0.93	13.6000	0.18	0.4950	13950.00	5.63	0.052	79.65	3465.000	0.07	10.55	38.250	0.2730	0.03	177	0.0200	15250.00	0.02	696.50	0.78	0.01	4.5200	0.10	3850.000	1.23		
S2A N > DL		1	2	2	2	0	2	1	2	2	2	1	2	2	0	2	2	2	2	2	2	2	2	2	2	2	2	0	2	1	2	0	2	0	2	1
S2B	9/14/2010	<0.3	51.00	<1.0	21.000	<3000.0	<0.5	<0.3	518.00	17.00	378.0000	<5.0	4.0000	38500.00	14.00	0.183	1300.00	120000.000	<3.0	40.00	1560.000	0.5000	<1.0	2580	<2.0	12200.00	<0.5	2450.00	<30.0	<0.1	0.7000	<10.0	393000.000	<5.0		
SRK04-3A	9/22/2010	0.5000	1730.00	46.00	13.000	<3000.0	1.90	<0.3	413.00	51.60	1430.0000	<5.0	<3.0	745000.00	15.00	0.171	997.00	106000.000	<3.0	57.00	1220.000	49.4000	<1.0	2500	<2.0	18200.00	<0.5	3940.00	<30.0	0.20	6.1000	<10.0	490000.000	<5.0		
SRK05-ETA-BR1	9/22/2010	0.5000	893.00	8.00	12.000	<3000.0	1.10	<0.3	410.00	41.80	1360.0000	<5.0	<3.0	775000.00	12.00	0.135	752.00	99600.000	<3.0	52.00	1210.000	46.4000	<1.0	2180	<2.0	17000.00	<0.5	4330.00	<30.0	0.40	4.9000	<10.0	523000.000	<5.0		
SRK05-ETA-BR2	9/22/2010	<0.03	9.00	0.50	44.900	<300.0	0.12	<0.03	463.00	0.29	56.7000	2.30	0.4000	46000.00	3.70	0.015	107.00	6000.000	<0.3	26.00	53.300	3.9300	<0.1	630	<0.2	8540.00	<0.05	6110.00	<3.0	<0.01	0.9100	<1.0	21100.000	0.70		
SRK05-SP1A	9/14/2010	<0.02	112.00	4.00	20.000	<50.0	2.60	<1.0	220.00	0.09	7.7000	2.00	0.9000	62400.00	5.58	86.10	2050.000	<1.0	17.30	27.000	3.3000	<0.5	289	<0.1	14700.00	<5.0	1050.00	<5.0	<0.05	0.3000	<5.0	2140.000	<0.5			
SRK05-SP1B	9/14/2010	<0.02	12.00	14.80	57.000	<50.0	<0.1	<1.0	128.00	0.11	2.4000	<1.0	0.7000	17200.00	4.90	53.60	659.000	<1.0	10.20	7.000	0.8000	<0.5	93	2.7000	12400.00	<5.0	643.00	<5.0	<0.05	2.4000	<5.0	342.000	<0.5			
SRK05-SP2	9/14/2010	<0.02	12.00	<0.1																																

Table C-7: Rose Creek Drainage Water Quality
2010 - Groundwater - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
SRK08-SP8B	9/13/2010	<0.02	20.00	2.00	21.000	<50.0	<0.1	<1.0	202.00	0.08	6.6000	<1.0	0.3000	20000.00	3.91	91.30	1740.000	<1.0	14.80	14.000	<0.2	<0.5	241	<0.1	12500.00	<5.0	882.00	<5.0	<0.05	1.7000	<5.0	413.000	<0.5		
SRK08-SPW1	1/6/2010	<0.005	33.60	5.43	17.200	<50.0	0.94	<0.005	174.00	0.27	10.2000	<0.1	0.3700	22700.00	5.30	0.063	65.40	1650.000	0.14	11.50	31.900	0.5300	0.03	152	<0.4	16400.00	<0.01	686.00	<0.5	<0.002	1.0300	<0.2	2290.000	<0.1	
SRK08-SPW1	2/17/2010	<0.02	31.00	4.50	17.000	<50.0	1.10	<1.0	136.00	0.14	9.4000	<1.0	0.9000	21700.00	0.03	4.21	0.063	52.60	1320.000	<1.0	10.10	30.000	0.6000	<0.5	101	<0.1	14200.00	<5.0	644.00	<0.5	<0.05	1.0000	<5.0	1570.000	<0.5
SRK08-SPW1	3/9/2010	<0.005	33.60	5.03	16.400	<50.0	1.09	<0.005	163.00	0.11	9.8700	<0.1	1.4600	24800.00	5.27	0.063	59.50	1370.000	0.10	12.10	25.000	0.4730	0.08	131	0.0600	16600.00	<0.01	682.00	<0.5	<0.002	0.9600	<0.2	1510.000	<0.1	
SRK08-SPW1	4/13/2010	<0.005	30.60	3.75	15.600	<50.0	1.10	<0.005	131.00	0.12	8.1700	<0.1	1.7900	21900.00	4.28	0.061	46.20	1070.000	0.14	9.23	20.800	0.3490	0.11	97	<0.04	14100.00	<0.01	622.00	<0.5	<0.002	0.8600	<0.2	1290.000	<0.1	
SRK08-SPW1	5/3/2010	<0.005	32.60	4.13	16.000	<50.0	1.04	<0.005	141.00	0.12	9.4200	<0.1	1.1600	22200.00	4.62	0.062	51.90	1250.000	0.12	10.30	24.400	0.2520	0.07	107	<0.04	12700.00	<0.01	625.00	<0.5	0.01	0.8420	<0.2	1400.000	<0.1	
SRK08-SPW1	6/13/2010	<0.02	38.00	4.10	17.000	<50.0	1.30	<1.0	143.00	0.19	9.0000	<1.0	1.6000	24100.00	5.02	0.065	53.70	1270.000	<1.0	10.60	26.000	0.4600	<0.5	113	<0.1	16400.00	<5.0	672.00	<5.0	<0.05	0.8000	<5.0	1720.000	<0.5	
SRK08-SPW1	7/10/2010	<0.005	34.00	4.52	16.500	<50.0	0.93	<0.005	147.00	0.15	9.6700	<0.1	1.0400	25100.00	4.97	0.059	54.20	1350.000	0.11	10.90	25.600	0.8070	0.08	121	<0.04	16500.00	<0.01	665.00	<0.5	<0.002	0.7930	<0.2	1520.000	<0.1	
SRK08-SPW1	8/3/2010	<0.005	36.10	4.79	17.700	<50.0	1.10	<0.005	140.00	0.17	10.0000	0.20	17.3000	24700.00	5.13	0.064	55.70	1360.000	0.10	11.30	28.200	1.5600	0.09	121	<0.04	14400.00	<0.01	654.00	<0.5	<0.002	0.8500	<0.2	1630.000	<0.1	
SRK08-SPW1	9/1/2010	<0.02	33.00	4.00	17.000	<50.0	1.00	<1.0	138.00	0.14	9.1000	<1.0	0.9000	23800.00	4.96	0.062	55.00	1310.000	<1.0	10.70	26.000	1.5000	<0.5	114	<0.1	17000.00	<5.0	632.00	<0.5	<0.05	0.7000	<5.0	1560.000	<0.5	
SRK08-SPW1	10/7/2010	<0.02	31.00	4.50	17.000	<50.0	1.10	<1.0	143.00	0.12	10.0000	<1.0	0.8000	25400.00	5.17	0.065	56.00	1400.000	<1.0	12.10	26.000	0.3000	<0.5	124	<0.1	16900.00	<5.0	694.00	<0.5	<0.05	0.8000	<5.0	1470.000	<0.5	
SRK08-SPW1	11/8/2010	<0.02	30.00	4.10	15.000	<50.0	0.80	<1.0	140.00	0.28	9.8000	<1.0	1.0000	25300.00	4.98	0.049	55.00	1410.000	<1.0	11.70	25.000	0.3000	<0.5	122	<0.1	16300.00	<5.0	692.00	<0.5	<0.05	0.8000	<5.0	1850.000	<0.5	
SRK08-SPW1 Average		0.0059	33.05	4.44	16.582	<50.0	1.05	0.23	145.09	0.16	9.5118	0.27	2.5745	23790.91	0.03	4.90	0.061	55.02	1341.818	0.29	10.96	26.264	1.0246	0.16	118	0.0373	15590.91	1.14	660.73	1.27	0.01	0.8577	1.19	1619.091	0.14
SRK08-SPW1 Max		<0.02	38.00	5.43	17.700	<50.0	1.30	<1.0	174.00	0.28	10.2000	<1.0	17.3000	25400.00	0.03	5.30	0.065	65.40	1650.000	<1.0	12.10	31.900	4.6000	<0.5	152	<0.1	17000.00	<5.0	694.00	<0.5	<0.05	1.0300	<5.0	2290.000	<0.5
SRK08-SPW1 Min		<0.005	30.00	3.75	15.000	<50.0	0.80	<0.005	131.00	0.11	8.1700	<0.1	0.3700	21700.00	0.03	4.21	0.049	46.20	1070.000	0.10	9.23	20.800	0.2520	0.03	97	<0.04	12700.00	<0.01	622.00	<0.5	<0.002	0.7000	<0.2	1290.000	<0.1
SRK08-SPW1 N > DL		0	11	11	11	0	11	0	11	11	11	1	11	11	1	11	11	11	11	6	11	11	6	11	1	11	0	11	0	1	11	0	11	0	
SRK08-SPW1 Median		<0.005	33.00	4.50	17.000	<50.0	1.09	<0.005	141.00	0.14	9.6700	0.20	1.0400	24100.00	0.03	4.98	0.063	55.00	1350.000	0.14	10.90	26.000	0.5300	0.11	121	0.0600	16400.00	<0.01	665.00	<0.5	0.01	0.8420	<0.2	1560.000	<0.1
SRK08-SPW2	1/6/2010	<0.1	11.00	<0.4	15.700	<1000.0	<0.2	<0.1	426.00	36.80	122.0000	<2.0	3.0000	1410.00	11.00	0.135	690.00	50500.000	<1.0	34.10	1090.000	0.4000	<0.4	1510	<0.8	13200.00	<0.2	1530.00	<10.0	<0.4	6.3000	<4.0	185000.000	<2.0	
SRK08-SPW2	2/17/2010	0.1600	19.00	<0.4	15.000	<200.0	<0.4	<4.0	344.00	35.60	132.0000	<4.0	3.8000	1520.00	<0.08	9.00	0.128	624.00	50400.000	<4.0	30.30	1130.000	1.1000	<2.0	1230	<0.4	10900.00	<20.0	1430.00	<20.0	<0.2	5.5000	<20.0	193000.000	<2.0
SRK08-SPW2	3/9/2010	0.0800	9.00	<0.2	14.100	<500.0	<0.1	<0.05	361.00	31.20	135.0000	<1.0	2.4000	1790.00	9.90	0.124	610.00	45400.000	<0.5	29.70	1030.000	0.2300	<0.2	1300	<0.4	11400.00	<0.1	1410.00	<5.0	<0.02	5.5800	<2.0	176000.000	<1.0	
SRK08-SPW2	4/13/2010	<0.1	8.00	<0.4	13.700	<1000.0	<0.2	<0.1	285.00	27.20	129.0000	<2.0	3.0000	1620.00	8.00	0.116	474.00	36700.000	<1.0	22.00	855.000	0.4000	<0.4	845	<0.8	9490.00	<0.2	1200.00	<10.0	0.06	5.3700	<4.0	144000.000	<2.0	
SRK08-SPW2	5/3/2010	0.3000	11.00	<0.4	16.300	<1000.0	<0.2	<0.1	317.00	29.70	166.0000	<2.0	2.0000	1810.00	9.00	0.118	550.00	45600.000	<1.0	25.00	1060.000	0.4000	<0.4	966	<0.8	9330.00	<0.2	1290.00	<10.0	0.13	5.6300	<4.0	177000.000	<2.0	
SRK08-SPW2	6/13/2010	0.1100	8.00	<0.2	13.000	<50.0	<0.1	<1.0	299.00	27.70	152.0000	<1.0	2.4000	2000.00	8.77	0.110	503.00	39500.000	<1.0	22.90	876.000	0.7000	<0.5	1020	<0.1	12000.00	<5.0	1210.00	<5.0	<0.05	4.5000	<5.0	148000.000	<0.5	
SRK08-SPW2	7/10/2010	<0.1	11.00	<0.4	15.400	<1000.0	<0.2	<0.1	263.00	28.50	172.0000	<2.0	4.0000	2140.00	9.00	0.098	497.00	40100.000	<1.0	24.00	934.000	1.4000	<0.4	890	<0.8	10700.00	<0.2	1140.00	<10.0	<0.04	3.9600	<4.0	163000.000	<2.0	
SRK08-SPW2	8/3/2010	<0.1	14.00	0.50	15.200	<1000.0	<0.2	<0.1	251.00	29.10	178.0000	<2.0	3.0000	1990.00	8.00	0.105	467.00	37500.000	<1.0	22.00	904.000	1.3000	<0.4	973	<0.8	9230.00	<0.2	1040.00	<10.0	<0.04	4.1300	<4.0	153000.000	<2.0	
SRK08-SPW2	9/1/2010	0.0900	10.00	0.40	14.000	<100.0	<0.2	<2.0	250.00	28.40	190.0000	<2.0	1.9000	2100.00	7.80	0.104	463.00	38100.000	<2.0	21.90	823.000	0.6000	<1.0	954	<0.2	12000.00	<10.0	1020.00	<10.0	<0.1	3.5000	<10.0	141000.000	<1.0	
SRK08-SPW2	10/7/2010	0.1200	11.00	0.40	16.000	<100.0	<0.2	<2.0	284.00	31.00	248.0000	<2.0	2.0000	2560.00	8.50	0.102	490.00	40800.000	<2.0	23.90	908.000	<0.4	<1.0	974	<0.2	10400.00	<10.0	1110.00	<10.0	<0.1	3.7000	<10.0	159000.000	<1.0	
SRK08-SPW2	11/8/2010	<0.02	9.00	<0.1	14.000	<50.0	<0.1	<1.0	238.00	29.00	202.0000	<1.0	2.5000	2900.00	7.47	0.065	453.00	35100.000	<1.0	21.80	760.000	0.6000	<0.5	917	<0.1	10200.00	<5.0	1020.00	<5.0	&					

Table C-7: Rose Creek Drainage Water Quality
2010 - Groundwater - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
X18A Average		0.0025	5.50	9.75	176.500	25.00	0.01	0.00	303.00	0.01	1.3915	0.13	0.2250	4095.00	7.16	0.012	72.95	3980.000	0.81	23.05	4.525	0.4650	0.05	310	0.0200	6275.00	0.03	1021.50	0.25	0.00	9.3050	0.10	9.450	0.25		
X18A N > DL		0	2	2	2	0	0	0	2	1	2	1	2	2	0	2	2	2	2	2	2	2	2	2	2	0	2	1	2	0	0	2	0	2	2	
X18B	6/7/2010	<0.005	2.90	0.20	91.000	<50.0	<0.01	<0.005	341.00	0.38	0.6700	<0.1	0.5700	25.00	7.51	0.012	84.60	1640.000	0.71	24.90	16.800	0.2080	0.06	349	0.0700	7400.00	<0.01	1110.00	<0.5	0.01	13.9000	<0.2	4.000	<0.1		
X18B	9/8/2010	<0.005	3.20	0.19	77.200	<50.0	<0.01	<0.005	288.00	0.32	0.6050	<0.1	0.4700	43.00	6.70	0.013	69.10	1280.000	0.58	21.30	13.800	0.1290	0.05	287	0.0500	6030.00	<0.01	960.00	<0.5	0.01	11.9000	<0.2	7.000	<0.1		
X18B Average		0.0025	3.05	0.20	84.100	25.00	0.01	0.00	314.50	0.35	0.6375	0.05	0.5200	34.00	7.11	0.012	76.85	1460.000	0.65	23.10	15.300	0.1685	0.06	318	0.0600	6715.00	0.01	1035.00	0.25	0.01	12.9000	0.10	5.500	0.05		
X18B N > DL		0	2	2	2	0	0	0	2	2	2	2	0	2	0	2	2	2	2	2	2	2	2	2	2	2	2	0	2	0	2	0	2	0	2	
X21-96A	6/11/2010	0.2200	1240.00	20.10	5.000	157.00	9.60	<1.0	384.00	1.05	9.0000	7.00	0.3000	9960000.00	11.80	0.152	549.00	408000.000	7.00	52.30	21.000	44.6000	<0.5	6480	0.9000	21100.00	<5.0	776.00	<5.0	0.39	2.1000	<5.0	290000.000	<0.5		
X21-96A	9/22/2010	<0.02	1120.00	<0.1	7.000	833.00	8.10	<1.0	390.00	0.38	20.3000	<1.0	1.1000	9760000.00	11.50	0.147	584.00	456000.000	23.00	47.00	29.000	63.7000	<0.5	7010	<0.1	20000.00	<5.0	649.00	<5.0	<0.05	1.9000	<5.0	265000.000	<0.5		
X21-96A Average		0.1150	1180.00	10.08	6.000	495.00	8.85	0.50	387.00	0.72	14.6500	3.75	0.7000	9860000.00	11.65	0.150	566.50	432000.000	15.00	49.65	25.000	54.1500	0.25	6745	0.4750	20550.00	2.50	712.50	2.50	0.21	2.0000	2.50	277500.000	0.25		
X21-96A N > DL		1	2	1	2	2	2	0	2	2	2	1	2	2	0	2	2	2	2	2	2	2	2	2	2	2	1	2	0	2	0	2	0	2	0	
X21-96B	6/11/2010	0.1400	8.00	6.10	22.000	<50.0	<0.1	<1.0	329.00	0.13	32.6000	<1.0	0.3000	222000.00	5.00	0.017	71.00	36400.000	3.00	57.80	29.000	9.1000	<0.5	510	<0.1	9920.00	<5.0	919.00	<5.0	<0.05	3.9000	<5.0	2290.000	<0.5		
X21-96B	9/22/2010	<0.02	<3.0	<0.1	14.000	<50.0	<0.1	<1.0	353.00	0.10	64.7000	<1.0	<0.2	332000.00	5.54	0.022	83.60	45400.000	2.00	64.80	50.000	<0.2	<0.5	659	<0.1	8650.00	<5.0	948.00	<5.0	<0.05	0.6000	<5.0	13300.000	<0.5		
X21-96B Average		0.0750	4.75	3.08	18.000	25.00	0.05	0.50	341.00	0.12	48.6500	0.50	0.2000	277000.00	5.27	0.020	77.30	40900.000	2.50	61.30	39.500	4.6000	0.25	585	0.0500	9285.00	2.50	933.50	2.50	0.03	2.2500	2.50	7795.000	0.25		
X21-96B N > DL		1	1	1	2	0	0	0	2	2	2	0	1	2	2	2	2	2	2	2	2	2	1	0	2	0	2	0	2	0	2	0	2	0	2	
X24-96D	6/7/2010	<0.02	4.00	0.30	22.000	<50.0	<0.1	<1.0	855.00	3.84	135.0000	<1.0	3.0000	108.00	<0.02	8.42	0.033	171.00	87900.000	<1.0	44.60	334.000	<0.2	<0.5	923	<0.1	11800.00	<5.0	2500.00	<5.0	0.24	6.9000	<5.0	120.000	<0.5	
X24-96D	9/9/2010	<0.02	<3.0	0.30	20.000	<50.0	<0.1	<1.0	782.00	3.59	152.0000	<1.0	2.9000	94.00	7.82	0.032	163.00	87000.000	<1.0	41.70	339.000	0.3000	<0.5	867	<0.1	11100.00	<5.0	2220.00	<5.0	0.24	6.1000	<5.0	132.000	1.00		
X24-96D Average		0.0100	2.75	0.30	21.000	25.00	0.05	0.50	818.50	3.72	143.5000	0.50	2.9500	101.00	0.01	8.12	0.033	167.00	87450.000	0.50	43.15	336.500	0.2000	0.25	895	0.0500	11450.00	2.50	2360.00	2.50	0.24	6.5000	2.50	126.000	0.63	
X24-96D N > DL		0	1	2	2	0	0	0	2	2	2	0	2	2	0	2	2	2	2	2	2	2	1	0	2	0	2	0	2	0	2	0	2	0	2	
X25-96A	6/7/2010	<0.02	5.00	0.20	54.000	<50.0	<0.1	<1.0	240.00	0.20	4.1000	<1.0	1.7000	147.00	<0.02	4.86	<0.005	53.50	9070.000	2.00	22.70	4.000	0.4000	<0.5	218	<0.1	7750.00	<5.0	629.00	<5.0	<0.05	12.4000	<5.0	<5.0	<0.5	
X25-96A	9/9/2010	<0.02	<3.0	0.20	58.000	<50.0	<0.1	<1.0	228.00	0.21	7.3000	<1.0	1.8000	21.00	228.00	4.55	<0.005	52.80	8150.000	<1.0	21.40	9.000	<0.2	<0.5	203	<0.1	6790.00	<5.0	648.00	<5.0	<0.05	13.5000	<5.0	<5.0	0.60	
X25-96A Average		0.0100	3.25	0.20	56.000	25.00	0.05	0.50	234.00	0.21	5.7000	0.50	1.7500	84.00	0.01	4.71	0.003	53.15	8610.000	1.25	22.05	6.500	0.2500	0.25	211	0.0500	7270.00	2.50	638.50	2.50	0.03	12.9500	2.50	2.500	0.43	
X25-96A N > DL		0	1	2	2	0	0	0	2	2	2	0	2	2	0	2	2	2	2	2	2	1	0	2	0	2	0	2	0	2	0	2	0	2	0	
X25-96B	6/7/2010	<0.02	<3.0	0.50	30.000	<50.0	<0.1	<1.0	217.00	0.09	<0.5	<1.0	1.6000	824.00	<0.02	3.53	0.010	33.70	211.000	<1.0	44.70	<1.0	0.8000	<0.5	183	<0.1	5820.00	<5.0	505.00	<5.0	<0.05	6.7000	<5.0	<5.0	<0.5	
X25-96B	9/9/2010	<0.02	4.00	0.60	29.000	<50.0	<0.1	<1.0	199.00	0.06	<0.5	<1.0	<0.2	844.00	3.31	0.009	32.80	212.000	<1.0	42.80	<1.0	<0.2	<0.5	172	<0.1	4890.00	<5.0	486.00	<5.0	<0.05	6.3000	<5.0	<5.0	<0.5		
X25-96B Average		0.0100	2.75	0.55	29.500	25.00	0.05	0.50	208.00	0.08	0.2500	0.50	0.8500	834.00	0.01	3.42	0.010	33.25	211.500	0.50	43.75	0.500	0.4500	0.25	178	0.0500	5355.00	2.50	495.50	2.50	0.03	6.5000	2.50	2.500	0.25	
X25-96B N > DL		0	1	2	2	0	0	0	2	2	2	0	1	2	2	2	2	2	2	2	2	0	1	0	2	0	2	0	2	0	2	0	2	0	2	
X26	5/5/2010	<0.08	13.00	3.40	7.000	<200.0	<0.4	<4.0	576.00	36.30	769.0000	<4.0	<0.8	155000.00	<0.08	18.20	0.316	608.00	22700.000	6.00	93.40	1960.000	4.2000	<2.0	1550	<0.4	7190.00	<20.0	3660.00	<20.0	1.60	16.6000	<20.0	146000.000	<2.0	
X26	6/13/2010	0.0800	13.00	3.40	7.000	<100.0	0.30	<2.0	563.00	27.00	504.0000	<2.0	0.9000	85700.00	16.20	0.274	397.00	14600.000	<2.0	63.90	1380.000	59.0000	<1.0	1030	<0.2	7050.00	<10.0	3410.00	<10.0	1.50	14.8000	<10.0	92900.000	<1.0		
X26	7/10/2010	0.0400	11.00	4.30	7.000	<50.0	0.20	<1.0	500.00	23.50	484.0000	<1.0	0.7000	77900.00	15.00	0.213	355.00	13600.000	<1.0	60.70	1250.000	63.8000	<1.0	973	0.5000	7130.00	<5.0	3050.00	<5.0	1.35	15.0000	<5.0	75100.000	<0.5		
X26	8/3/2010	0.1100	15.00	4.20	7.000	<100.0	0.30	<2.0	480.00	32.00	616.0000	<2.0	1.0000	133000.00	16.70	0.266	467.00	18400.000	<2.0	66.60	1520.000	79.2000	<1.0	1220	<0.2	6790.00	<10.0	2950.00	<10.0	1.90	12.4000	<10.0	123000.000	<1.0		
X26	9/1/2010	0.0800	10.00	3.40	8.000	<50.0	0.40	<1.0	474.00	35.60	731.0000	<1.0	0.4000	167000.00	17.20	0.291	537.00	21200.000	<1.0	82.90	1640.000	89.8000	0.60	1340	<0.1	7030.00	<5.0	3250.00	<5.0	1.96	12.3000	<5.0	137000.000	<0.5		
X26	10/19/2010	0.1100	11.00	4.50	8.000	<50.0	0.30	<1.0	500.00	32.20	626.0000	<1.0	0.3000	126000.00	17.90	0.295	469.00	18300.000	<1.0	78.20	1470.000	84.4000	0.80	1290	0.2000	7220.00	<5.0	3350.00	<5.0	1.74	14.0000	<5.0	105000.000	<0.5		
X26 Average		0.0767	12.17	3.87	7.333	45.83	0.28	0.92	515.50	31.10	621.6667	0.92	0.6167	124100.00	0.04	16.87	0.276	472.17	18133.333	1.58	74.28	1536.667	63.4000	0.73	1234	0.1917	7068.33	4.58	3278.33	4.58	1.68	14.1833	4.58	113166.667	0.46	
X26 Max		0.1100	15.00	4.50	8.000	<200.0	<0.4	<4.0	576.00	36.30	769.0000	<4.0	1.00																							



Table C-8: Rose Creek Drainage Water Quality Cross Valley Pond Seepage and Discharge 2010 - Bioassay Results Summary



Station	Date	Percent Mortality				Temp. (°C)		pH		D.O. (mg/L)		Conductivity	LC ₅₀ Final Result
		24 hr	48 hr	72 hr	96 hr	Initial	Final	Initial	Final	Initial	Final	(µS/cm)	(%v/v)
X13	3/2/2010	0	0	0	0	14.7	14.6	7.2	8.1	9.3	9.3	2260	Pass: 100%
X13	6/13/2010	0	0	0	0	14.9	15.2	7.0	7.9	8.7	9.9	2211	Pass: 100%
X13	9/7/2010	0	0	0	0	14.0	15.1	7.0	8.1	9.0	9.9	2342	Pass: 100%
X13	12/2/2010	0	0	0	0	14.3	15.1	7.1	8.0	10.3	9.7	2414	Pass: 100%
X5P	3/2/2010	0	0	0	0	14.9	14.7	7.5	8.3	9.7	9.7	1760	Pass: 100%
X5	6/15/2010	0	0	0	0	15.8	14.8	7.5	8.0	9.6	9.9	1836	Pass: 100%
X5	9/7/2010	0	0	0	0	14.3	15.1	7.6	7.8	9.5	9.8	1884	Pass: 100%
X5	12/2/2010	0	0	0	0	14.3	15.2	6.9	8.0	10.6	9.8	2656	Pass: 100%

Table C-9: 2010 FMC Lab Analysis - Zinc (Total and Dissolved) at X5

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Method of Analysis	Comments
22-Mar-10	5:51 PM	0.9	7.11	1580	0.317	0.325	0.321	0.334	0.338	0.336	ICP	
23-Mar-10	1:21 PM	1.2	7.30	1740	0.314	0.325	0.320	0.316	0.320	0.318	ICP	
24-Mar-10	9:11 AM	2.2	7.05	1820	0.358	0.375	0.367	0.375	0.382	0.379	ICP	
25-Mar-10	7:04 AM	1.5	7.22	1690	0.299	0.302	0.301	0.296	0.298	0.297	ICP	
25-Mar-10	2:46 PM	2.5	7.10	1730	0.319	0.319	0.319	0.315	0.317	0.316	ICP	
26-Mar-10	8:00 AM	2.0	7.05	1700	0.311	0.321	0.316	0.311	0.312	0.312	ICP	
27-Mar-10	7:20 AM	2.5	7.03	1710	0.285	0.286	0.286	0.276	0.279	0.278	ICP	
28-Mar-10	7:25 AM	2.6	7.00	2600	0.310	0.312	0.311	0.303	0.307	0.305	ICP	
29-Mar-10	8:42 AM	1.1	7.17	1680	0.291	0.303	0.297	0.292	0.295	0.294	ICP	
30-Mar-10	8:13 AM	1.6	7.11	1480	0.286	0.294	0.290	0.287	0.288	0.288	ICP	
30-Mar-10	10:41 AM	1.7	7.02	1030	0.291	-	0.291	-	-		ICP	
31-Mar-10	9:10 AM	1.2	7.29	1424	0.275	0.271	0.273	0.274	0.279	0.277	ICP	
1-Apr-10	7:51 AM	2.3	7.35	1410	0.286	0.284	0.285	0.279	0.281	0.280	ICP	Siphon shut down at 6:30 PM.
5-Apr-10	10:54 AM	1.0	7.13	1640	0.268	0.272	0.270	0.272	-	0.272	ICP	Siphon opened at 10:10 AM (1/2 open).
6-Apr-10	8:36 AM	0.8	7.00	1100	0.297	0.315	0.306	0.295	0.296	0.296	ICP	
7-Apr-10	8:57 AM	0.8	6.88	1514	0.286	0.284	0.285	0.284	0.284	0.284	ICP	
8-Apr-10	10:34 AM	2.4	7.33	1776	0.290	0.279	0.285	0.288	0.297	0.293	ICP	
9-Apr-10	8:07 AM	1.6	7.41	1750	0.291	0.293	0.292	0.286	0.289	0.288	ICP	
9-Apr-10	2:16 PM	3.9	7.14	1760	0.280	0.286	0.283	0.280	0.287	0.284	ICP	Began discharging from mill to CVP at 11 am.
10-Apr-10	7:40 AM	2.2	7.11	1504	0.285	0.278	0.282	0.288	-	0.288	ICP	
11-Apr-10	7:40 AM	2.7	7.31	1770	0.195	0.193	0.194	0.201	-	0.201	ICP	
12-Apr-10	8:30 AM	0.6	7.32	1830	0.181	0.190	0.186	0.174	0.177	0.176	ICP	
13-Apr-10	9:10 AM	1.6	7.41	1561	0.247	0.226	0.237	0.233	-	0.233	ICP	sample 1 may be slightly high due to evaporative concentration.
14-Apr-10	8:26 AM	1.6	7.41	1578	0.192	0.184	0.188	0.177	-	0.177	ICP	
15-Apr-10	8:12 AM	1.8	6.98	1900	0.202	0.212	0.207	0.193	0.190	0.192	ICP	
16-Apr-10	7:40 AM	1.2	7.43	1890	0.177	0.172	0.175	0.165	0.164	0.165	ICP	
17-Apr-10	7:40 AM	3.4	6.82	1870	0.154	0.154	0.154	0.151	-	0.151	ICP	pH retested at 1pm: 7.07
18-Apr-10	8:20 AM	3.5	6.88	1870	0.136	0.137	0.137	0.123	-	0.123	ICP	
19-Apr-10	8:21 AM	3.4	7.22	1880	0.174	0.199	0.187	0.153	-	0.153	ICP	Began treatment of Faro pit water @ 2pm. New ICP standards prepared.
20-Apr-10	2:36 PM	4.3	6.85	1947	0.256	0.290	0.273	0.199	-	0.199	ICP	
21-Apr-10	8:52 AM	4.0	6.74	1908	0.262	0.277	0.270	0.266	-	0.266	ICP	
22-Apr-10	8:30 AM	2.4		1774	0.239	0.248	0.244	-	-		ICP	pH meter malfunctioning, no pH reading obtained.

Table C-9: 2010 FMC Lab Analysis - Zinc (Total and Dissolved) at X5

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Method of Analysis	Comments
22-Apr-10	12:15 PM	3.8	6.9	1750	0.366	-	0.366	0.235	-	0.235	ICP	10" siphon shut down @ 9am. Water collected following installation of 16" siphon (started ~11:30am). pH measured using litmus paper b/c pH meter malfunctioning.
23-Apr-10	13:55 PM	2.1	7.35	1390	0.701		0.701	0.120		0.120	ICP	Siphon turned on at 13:05 PM.
23-Apr-10	13:55 PM	2.1	7.35	1390	0.143	0.190	0.167	0.125	0.119	0.122	ICP	Rerun of X5 13:55 PM sample to verify results.
23-Apr-10	16:52 PM	2.9	7.51	1420	0.126	0.131	0.129	0.113	0.115	0.114	ICP	Siphon closed at 16:54 PM due to 1st run of 13:55 PM sample.
23-Apr-10	13:55 PM	2.1	7.35	1390	0.132	0.141	0.137	-	-		ICP	Rerun of X5 13:55 PM sample by KR and JL on Apr 24.
25-Apr-10	7:54 AM	2.1	7.47	1639	0.164	0.149	0.157	0.118	0.112	0.115	ICP	Siphon turned on at 7:10 AM.
26-Apr-10	8:32 AM	2.5	8.08	1430	0.105	0.107	0.106	0.095	0.095	0.095	ICP	
27-Apr-10	1:56 PM	2.7	7.19	1399	0.195	0.196	0.196	0.176	-	0.176	ICP	
28-Apr-10	9:00 AM	3.0	8.39	1320	0.137	0.139	0.138	0.126	-	0.126	ICP	
29-Apr-10	3:36 PM	3.7	7.12	1280	0.161	0.161	0.161	0.139	-	0.139	ICP	
30-Apr-10	8:00 AM	4.7	7.71	1370	0.181	0.181	0.181	0.160	-	0.160	ICP	
1-May-10	9:00 AM	4.9	7.76	1410	0.250	0.260	0.255	0.208	-	0.208	ICP	
2-May-10	7:50 AM	5.3	6.99	1380	0.201	0.190	0.196	0.164	-	0.164	ICP	
3-May-10	8:35 AM	4.2	7.69	1400	0.221	0.224	0.223	0.222	-	0.222	ICP	
4-May-10	8:49 AM	3.6	7.06	1490	0.290	0.286	0.288	0.269	-	0.269	ICP	
5-May-10	8:48 AM	4.7	7.29	1384	0.249	0.242	0.246	0.240	-	0.240	ICP	
6-May-10	8:56 AM	5.1	7.15	1380	0.264	0.290	0.277	0.239	-	0.239	ICP	
7-May-10	6:43 AM	3.8	7.33	1362	0.223	0.216	0.220	0.201	-	0.201	ICP	
8-May-10	7:55 AM	4.9	7.22	1409	0.254	0.256	0.255	0.251	-	0.251	ICP	
9-May-10	8:07 AM	5.4	7.21	1392	0.245	0.245	0.245	0.224	-	0.224	ICP	
10-May-10	8:25 AM	5.7	7.33	1542	0.280	0.285	0.283	0.280	-	0.280	ICP	
11-May-10	8:05 AM	5.0	7.45	1390	0.197	0.190	0.194	0.177	-	0.177	ICP	
12-May-10	8:31 AM	5.9	7.43	1425	0.241	0.241	0.241	0.238	-	0.238	ICP	
13-May-10	7:32 AM	6.5	7.12	1424	0.237	0.238	0.238	0.219	0.217	0.218	ICP	
14-May-10	7:37 AM	5.7	7.09	1374	0.251	0.259	0.255	0.235	0.232	0.234	ICP	
15-May-10	7:34 AM	5.5	7.39	1365	0.210	0.210	0.210	0.196	0.188	0.192	ICP	
16-May-10	7:55 AM	6.3	7.26	1388	0.235	0.244	0.240	0.217	0.218	0.218	ICP	
17-May-10	8:23 AM	6.1	7.26	1494	0.217	0.217	0.217	0.213	0.210	0.212	ICP	
18-May-10	8:29 AM	6.9	7.06	1404	0.237	0.241	0.239	0.230	0.225	0.228	ICP	
19-May-10	8:22 AM	7.5	7.25	1303	0.178	0.184	0.181	0.179	0.177	0.178	ICP	
20-May-10	8:14 AM	6.6	7.55	1462	0.239	0.248	0.244	0.235	-	0.235	ICP	

Table C-9: 2010 FMC Lab Analysis - Zinc (Total and Dissolved) at X5

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Method of Analysis	Comments
21-May-10	8:25 AM	6.1	7.13	1338	0.180	0.178	0.179	0.174	-	0.174	ICP	
22-May-10	7:59 AM	6.1	7.64	1395	0.193	0.187	0.190	0.186	-	0.186	ICP	
23-May-10	8:10 AM	7.4	7.80	1339	0.176	0.177	0.177	0.158	-	0.158	ICP	
24-May-10	7:27 AM	7.9	6.99	1509	0.232	0.232	0.232	0.234	-	0.234	ICP	
25-May-10	8:30 AM	9.0	7.51	1441	0.181	0.182	0.182	0.174	-	0.174	ICP	
26-May-10	8:15 AM	10.2	6.88	1429	0.255	0.254	0.255	0.250	-	0.250	ICP	
27-May-10	9:03 AM	10.5	7.60	1472	0.219	0.209	0.214	0.199	-	0.199	ICP	
28-May-10	7:48 AM	10.7	8.11	1501	0.222	0.219	0.221	0.214	-	0.214	ICP	
29-May-10	7:44 AM	11.5	8.11	1540	0.237	0.233	0.235	0.223	-	0.223	ICP	
30-May-10	7:50 AM	11.9	8.02	1588	0.218	0.223	0.221	0.215	-	0.215	ICP	
31-May-10	8:15 AM	11.9	7.65	1573	0.226	0.227	0.227	0.216	-	0.216	ICP	
1-Jun-10	8:25 AM	12.6	7.51	1740	0.259	0.249	0.254	0.239	-	0.239	ICP	
2-Jun-10	8:37 AM	12.1	8.03	1660	0.214	0.216	0.215	0.223	-	0.223	ICP	
3-Jun-10	8:24 AM	12.4	7.47	1824	0.310	0.296	0.303	0.312	-	0.312	ICP	
4-Jun-10	7:50 AM	12.0	7.31	1712	0.300	0.302	0.301	0.288	-	0.288	ICP	
5-Jun-10	6:55 AM	11.4	7.25	1705	0.296	0.290	0.293	0.294	-	0.294	ICP	
6-Jun-10	6:51 AM	11.0	7.42	1811	0.287	0.285	0.286	0.288	-	0.288	ICP	
7-Jun-10	8:10 AM	11.2	7.43	1534	0.293	0.293	0.293	0.288	-	0.288	ICP	
8-Jun-10	8:26 AM	11.6	7.49	1664	0.284	0.281	0.283	0.270	-	0.270	ICP	
9-Jun-10	8:25 AM	11.6	7.65	1345	0.282	0.282	0.282	0.270	-	0.270	ICP	
10-Jun-10	8:12 AM	12.1	7.21	1644	0.312	0.314	0.313	0.304	-	0.304	ICP	
11-Jun-10	7:55 AM	11.6	7.89	1636	0.256	0.265	0.261	0.254	-	0.254	ICP	
12-Jun-10	7:45 AM	12.1	8.21	1646	0.261	0.260	0.261	0.240	-	0.240	ICP	
13-Jun-10	8:10 AM	11.1	7.75	1737	0.336	0.326	0.331	0.256	0.259	0.258	AA	
14-Jun-10	8:21 AM	11.0	7.70	1749	0.334	0.329	0.332	0.275	-	0.275	AA	10" Siphon brought online at 10:35 AM.
15-Jun-10	8:28 AM	11.1	7.48	1670	0.278	0.281	0.280	0.266	-	0.266	ICP	
16-Jun-10	8:17 AM	12.0	8.00	1565	0.268	0.270	0.269	0.261	-	0.261	ICP	
17-Jun-10	8:10 AM	11.9	8.11	1557	0.341	0.316	0.329	0.273	-	0.273	AA	
18-Jun-10	7:24 AM	12.3	7.67	1675	0.326	0.331	0.329	0.282	-	0.282	AA	
19-Jun-10	7:57 AM	12.3	7.77	1610	0.283	0.304	0.294	0.247	-	0.247	AA	
20-Jun-10	7:30 AM	12.6	7.73	1620	0.289	0.284	0.287	0.248	-	0.248	AA	
21-Jun-10	8:07 AM	13.6	7.93	1520	0.322	0.340	0.331	0.254	-	0.254	AA	
22-Jun-10	9:43 AM	13.8	7.63	1605	0.329	0.310	0.320	0.278	-	0.278	AA	
23-Jun-10	9:05 AM	14.3	7.97	1633	0.316	0.343	0.330	0.229	-	0.229	AA	
24-Jun-10	9:07 AM	13.6	7.24	1659	0.269	0.271	0.270	0.270	-	0.270	ICP	
25-Jun-10	8:17 AM	13.5	8.03	1577	0.217	0.206	0.212	0.197	-	0.197	ICP	
26-Jun-10	9:28 AM	14.4	7.68	1251	0.215	0.218	0.217	0.217	-	0.217	ICP	
27-Jun-10	8:27 AM	14.5	7.56	1828	0.235	0.235	0.235	0.224	-	0.224	ICP	

Table C-9: 2010 FMC Lab Analysis - Zinc (Total and Dissolved) at X5

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Method of Analysis	Comments
28-Jun-10	8:20 AM	14.1	7.78	1594	0.212	0.201	0.207	0.191	-	0.191	ICP	
29-Jun-10	9:42 AM	14.9	6.80	1725	0.230	0.229	0.230	0.226	-	0.226	ICP	
30-Jun-10	9:25 AM	14.8	7.94	1693	0.221	0.216	0.219	0.211	-	0.211	ICP	
1-Jul-10	8:10 AM	13.6	7.69	1689	0.247	-	0.247	0.245	-	0.245	ICP	
2-Jul-10	8:28 AM	14.1	7.70	1579	0.218	-	0.218	0.175	-	0.175	ICP	
3-Jul-10	8:30 AM	14.6	7.57	1593	0.188	0.196	0.192	0.183	-	0.183	ICP	
4-Jul-10	8:29 AM	14.2	7.96	1810	0.161	0.155	0.158	0.151	-	0.151	ICP	
5-Jul-10	8:11 AM	13.9	7.65	1840	0.155	0.160	0.158	0.120	-	0.120	ICP	
6-Jul-10	9:43 AM	13.9	7.57	1705	0.223	0.231	0.227	0.165	-	0.165	ICP	
7-Jul-10	8:15 AM	14.0	8.06	1591	0.174	0.172	0.173	0.147	-	0.147	ICP	
8-Jul-10	8:24 AM	14.6	8.56	1651	0.148	-	0.148	0.135	-	0.135	ICP	
9-Jul-10	7:40 AM	14.8	7.62	1725	0.159	0.163	0.161	0.130	-	0.130	ICP	
10-Jul-10	7:38 AM	15.6	7.82	1702	0.145	0.144	0.145	0.131	-	0.131	ICP	
11-Jul-10	7:51 AM	14.1	7.68	1697	0.192	-	0.192	0.168	-	0.168	ICP	
12-Jul-10	8:52 AM	13.9	7.13	1903	0.244	0.250	0.247	0.243	-	0.243	ICP	
13-Jul-10	8:32 AM	14.6	7.85	1567	0.179	0.178	0.179	0.167	-	0.167	ICP	
14-Jul-10	8:35 AM	14.3	7.63	1674	0.193	-	0.193	0.180	-	0.180	ICP	
15-Jul-10	8:33 AM	14.4	7.96	1591	0.207	0.208	0.208	0.197	-	0.197	ICP	
16-Jul-10	7:43 AM	13.7	7.58	1890	0.199	0.198	0.199	0.188	-	0.188	ICP	
17-Jul-10	7:30 AM	13.1	7.98	1671	0.211	0.210	0.211	0.197	-	0.197	ICP	
18-Jul-10	7:24 AM	13.2	7.62	1950	0.234	-	0.234	0.231	-	0.231	ICP	
19-Jul-10	8:30 AM	14.2	7.79	1899	0.243	0.241	0.242	0.239	-	0.239	ICP	
20-Jul-10	9:51 AM	15.8	7.69	1674	0.219	0.215	0.217	0.204	-	0.204	ICP	
21-Jul-10	8:36 AM	15.0	7.74	1880	0.219	0.219	0.219	0.214	-	0.214	ICP	
22-Jul-10	9:03 AM	14.9	7.59	1553	0.244	0.230	0.237	0.232	-	0.232	ICP	
23-Jul-10	8:03 AM	14.4	7.92	1635	0.215	0.218	0.217	0.208	-	0.208	ICP	
24-Jul-10	8:01 AM	13.9	7.82	1842	0.211	0.212	0.212	0.202	-	0.202	ICP	
25-Jul-10	7:58 AM	13.7	7.78	1860	0.235	0.231	0.233	0.216	-	0.216	ICP	
26-Jul-10	8:10 AM	13.9	7.60	1632	0.253	0.254	0.254	0.233	-	0.233	ICP	
27-Jul-10	8:35 AM	15.0	7.83	1589	0.240	0.242	0.241	0.228	-	0.228	ICP	
28-Jul-10	8:38 AM	14.7	7.88	1535	0.253	0.255	0.254	0.241	-	0.241	ICP	
29-Jul-10	8:32 AM	15.6	7.76	1653	0.287	-	0.287	0.274	-	0.274	AA	
30-Jul-10	8:12 AM	15.5	7.72	1621	0.311	0.319	0.315	0.276	-	0.276	AA	
31-Jul-10	8:05 AM	16.0	7.95	1565	0.354	0.347	0.351	0.258	-	0.258	AA	
1-Aug-10	8:09 AM	15.7	7.15	1566	0.425	0.443	0.434	0.382	-	0.382	AA	Siphon shut down at 10:30am.
1-Aug-10	8:09 AM	15.7	7.15	1566	0.410	0.410	0.410	-	-		AA	Reanalysis of morning sample to verify previous result.
9-Aug-10	10:22 AM	15.4	7.55	1880	0.234	0.235	0.235	0.195	-	0.195	ICP	

Table C-9: 2010 FMC Lab Analysis - Zinc (Total and Dissolved) at X5

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Method of Analysis	Comments
9-Aug-10					0.244	0.263	0.254	0.235	-	0.235	AA	Duplicate analysis on AA.
10-Aug-10	8:32 AM	15.0	8.02	1806	0.208	0.209	0.209	0.139	-	0.139	ICP	
11-Aug-10	8:10 AM	14.8	8.09	1570	0.196	0.203	0.200	0.180	-	0.180	ICP	
12-Aug-10	8:14 AM	14.60	8.13	1650	0.201	0.205	0.203	0.187	-	0.187	ICP	
13-Aug-10	8:00 AM	15.1	7.63	1706	0.193	0.190	0.192	0.162	-	0.162	ICP	
14-Aug-10	8:27 AM	15.6	7.83	1568	0.199	0.199	0.199	0.147	-	0.147	ICP	
15-Aug-10	7:45 AM	15.0	7.46	1530	0.194	0.191	0.193	0.169	-	0.169	ICP	
16-Aug-10	7:58 AM	16.3	8.24	1710	0.177	0.175	0.176	0.129	-	0.129	ICP	
17-Aug-10	8:40 AM	16.5	7.74	1594	0.175	0.182	0.179	0.140	-	0.140	ICP	
18-Aug-10	9:00 AM	15.7	7.58	1491	0.176	0.179	0.178	0.152	-	0.152	ICP	
19-Aug-10	9:45 AM	15.4	7.84	1625	0.167	0.165	0.166	0.148	-	0.148	ICP	
20-Aug-10	8:00 AM	13.6	7.69	1750	0.170	0.163	0.167	0.168	-	0.168	ICP	
21-Aug-10	6:15 AM	13.2	7.63	1594	0.167	0.164	0.166	0.150	-	0.150	ICP	
22-Aug-10	7:35 AM	12.5	7.81	1601	0.201	0.203	0.202	0.153	-	0.153	ICP	
23-Aug-10	8:30 AM	12.2	8.23	1603	0.174	0.172	0.173	0.143	-	0.143	ICP	
24-Aug-10	9:00 AM	11.9	7.98	1266	0.169	0.169	0.169	0.147	-	0.147	ICP	
25-Aug-10	8:12 AM	11.7	7.91	1511	0.153	0.152	0.153	0.141	-	0.141	ICP	
26-Aug-10	8:22 AM	11.7	8.30	1740	0.224	0.225	0.225	0.188	-	0.188	AA	
27-Aug-10	7:58 AM	11.0	8.04	1570	0.222	0.225	0.224	0.196	-	0.196	AA	
28-Aug-10	8:12 AM	10.9	7.77	1661	0.204	0.207	0.206	0.169	-	0.169	AA	
29-Aug-10	8:00 AM	11.8	8.07	1625	0.238	-	0.238	0.197	-	0.197	AA	
30-Aug-10	8:23 AM	11.5	7.42	1673	0.251	0.233	0.242	0.170	-	0.170	AA	
30-Aug-10	8:23 AM	11.5	7.69	1717	0.277	-	0.277	0.169	-	0.169	AA	Reanalysis of morning sample to verify previous results. pH and conductivity measured on lab meter.
30-Aug-10	2:30 PM	13.6	7.57	1900	0.258	0.269	0.264	0.160	-	0.160	AA	Afternoon sample. Siphon shutdown at ~5 pm.
30-Aug-10	2:30 PM	13.6	7.81	1710								pH and conductivity measured on lab meter.
31-Aug-10	2:45 PM	13.4	7.64	1860	0.236	-	0.236				AA	
1-Sep-10	7:57 AM	11.8	7.33	1595	0.242	0.241	0.242	0.191	-	0.191	AA	
2-Sep-10	8:18 AM	10.2	7.68	1623	0.210	0.206	0.208	0.187	-	0.187	AA	
3-Sep-10	7:35 AM	10.7	7.22	1672	0.251	0.245	0.248	0.208	-	0.208	AA	
4-Sep-10	8:16 AM	10.8	7.38	1744	0.192	0.206	0.199	0.177	-	0.177	AA	
5-Sep-10	9:33 AM	11.0	7.68	1860	0.237	0.218	0.228	0.200	-	0.200	AA	
6-Sep-10	9:58 AM	10.7	7.00	1730	0.223	0.248	0.236	0.208	-	0.208	AA	
7-Sep-10	9:45 AM	8.0	7.65	1708	0.254	0.257	0.256	0.219	-	0.219	AA	
8-Sep-10	8:20 AM	10.2	7.50	1512	0.222	0.231	0.227	0.191	-	0.191	AA	

Table C-9: 2010 FMC Lab Analysis - Zinc (Total and Dissolved) at X5

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Method of Analysis	Comments
9-Sep-10	8:05 AM	11.0	8.34	1575	0.236	0.253	0.245	0.186	-	0.186	AA	
9-Sep-10	8:05 AM		7.51									Lab result for pH.
17-Nov-10	12:22 PM	1.1	7.35	1190	0.296	0.298	0.297	0.293	-	0.293	ICP	
18-Nov-10	10:40 AM	1.6	7.30	2219	0.304	0.306	0.305	0.283	-	0.283	ICP	
19-Nov-10	11:15 AM	1.4	6.94	2347	0.323	0.328	0.326	0.272	-	0.272	ICP	
20-Nov-10	10:05 AM	1.9	7.00	2371	0.311	0.314	0.313	0.306	-	0.306	ICP	
21-Nov-10	10:10 AM	2.0	6.76	2350	0.307	0.306	0.307	0.306	-	0.306	ICP	
22-Nov-10	10:03 AM	1.7	7.34	2335	0.312	0.311	0.312	0.318	-	0.318	ICP	
23-Nov-10	10:17 AM	2.0	7.20	2408	0.307	0.301	0.304	0.296	-	0.296	ICP	
24-Nov-10	9:26 AM	2.6	7.24	2347	0.313	0.310	0.312	0.307	-	0.307	ICP	
24-Nov-10	5:08 PM	4.7	7.18	2462	0.309	0.309	0.309	0.301	-	0.301	ICP	
25-Nov-10	10:13 AM	3.0	7.43	2293	0.307	0.305	0.306	0.301	-	0.301	ICP	
25-Nov-10	4:37 PM	3.4	7.57	2414	0.297	0.300	0.299	0.297	-	0.297	ICP	
26-Nov-10	10:15 AM	2.9	6.75	2317	0.287	0.285	0.286	0.301	-	0.301	ICP	
26-Nov-10	5:15 PM	2.5	6.99	2386	0.310	0.318	0.314	0.299	-	0.299	ICP	
27-Nov-10	8:42 AM	2.5	6.90	2440	0.291	0.292	0.292	0.286	-	0.286	ICP	
27-Nov-10	6:02 PM	3.2	6.97	2382	0.294	0.293	0.294	0.299	-	0.299	ICP	
28-Nov-10	8:22 AM	2.5	7.02	2415	0.299	0.299	0.299	0.303	-	0.303	ICP	
28-Nov-10	4:10 PM	2.2	6.80	2436	0.300	0.307	0.304	0.308	-	0.308	ICP	
29-Nov-10	10:00 AM	2.9	6.91	2322	0.306	0.306	0.306	0.295	-	0.295	ICP	
29-Nov-10	3:18 PM	3.2	6.91	2322	0.312	0.312	0.312	0.312	-	0.312	ICP	
30-Nov-10	12:02 PM	2.6	7.31	2520	0.303	0.307	0.305	0.303	-	0.303	ICP	
30-Nov-10	3:30 PM	2.8	7.13	2536	0.304	0.304	0.304	0.306	-	0.306	ICP	
1-Dec-10	8:42 AM	2.4	7.12	2493	0.300	0.304	0.302	0.304	-	0.304	ICP	
1-Dec-10	3:32 PM	2.9	6.88	2500	0.285	0.293	0.289	0.295	-	0.295	ICP	Checked calibration on pH meter & was good.
2-Dec-10	9:09 AM	2.7	6.88	2590	0.298	0.301	0.300	0.301	-	0.301	ICP	

Table C-10:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) at X14

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T	Zn-T Average	Zn-D	Zn-D Average	Method of Analysis	Comments		
22-Mar-10	5:46 PM	0.8	7.49	790	0.032	0.032	0.032	0.027	0.028	0.028	ICP	
23-Mar-10	1:10 PM	1.6	7.64	970	0.055	0.055	0.055	0.046	0.048	0.047	ICP	
24-Mar-10	9:23 AM	0.2	7.39	1190	0.143	0.147	0.145	0.141	0.142	0.142	ICP	
25-Mar-10	7:14 AM	0.4	7.48	1010	0.085	0.087	0.086	0.069	0.070	0.070	ICP	
25-Mar-10	2:49 PM	1.3	7.46	1020	0.081	0.082	0.082	0.076	0.076	0.076	ICP	
26-Mar-10	8:06 AM	0.4	7.34	1030	0.097	0.099	0.098	0.086	0.088	0.087	ICP	
27-Mar-10	7:30 AM	0.7	7.46	1040	0.082	0.082	0.082	0.080	0.082	0.081	ICP	
28-Mar-10	7:35 AM	1.2	7.48	1200	0.090	0.093	0.092	0.073	0.085	0.079	ICP	
29-Mar-10	8:32 AM	1.4	7.51	1030	0.091	0.091	0.091	0.078	0.079	0.079	ICP	
30-Mar-10	8:06 AM	1.5	7.59	913	0.086	0.088	0.087	0.079	0.079	0.079	ICP	
30-Mar-10	10:50 AM	1.0	7.37	1030	0.090	0.090	0.090	-	-		ICP	
31-Mar-10	9:03 AM	1.3	7.73	916	0.080	0.079	0.080	0.072	0.072	0.072	ICP	
1-Apr-10	7:57 AM	1.5	7.57	920	0.081	0.080	0.081	0.073	0.072	0.073	ICP	X5 Siphon shut down at 6:30 PM.
5-Apr-10	8:09 AM	1.5	7.53	820	0.027	0.028	0.028	0.023	-	0.023	ICP	X5 siphon opened at 10:10 AM (1/2 open).
5-Apr-10	11:09 AM	0.3	7.38	980	0.058	0.060	0.059	0.047	-	0.047	ICP	
6-Apr-10	8:24 AM	0.8	7.40	1100	0.091	0.092	0.092	0.084	0.085	0.085	ICP	
7-Apr-10	8:48 AM	0.2	7.14	1240	0.090	0.087	0.089	0.082	0.081	0.082	ICP	
8-Apr-10	10:43 AM	1.7	7.70	1129	0.087	0.090	0.089	0.083	0.085	0.084	ICP	
9-Apr-10	7:55 AM	1.6	7.74	1120	0.094	0.095	0.095	0.078	0.081	0.080	ICP	Began discharging from mill to CVP at 11am.
10-Apr-10	7:30 AM	1.0	7.70	994	0.089	0.089	0.089	0.090	-	0.090	ICP	
11-Apr-10	7:50 AM	1.3	7.67	1100	0.064	0.063	0.064	0.057	-	0.057	ICP	
12-Apr-10	8:14 AM	0.8	7.71	1100	0.063	0.066	0.065	0.051	0.052	0.052	ICP	
13-Apr-10	9:04 AM	0.9	7.85	1027	0.074	0.073	0.074	0.073	-	0.073	ICP	
14-Apr-10	8:20 AM	1.6	7.84	1038	0.059	0.059	0.059	0.056	-	0.056	ICP	
15-Apr-10	8:05 AM	1.9	7.14	1150	0.064	0.062	0.063	0.057	0.057	0.057	ICP	
20-Apr-10	2:43 PM	2.7	7.44	1914	0.093	-	0.093	0.043	-	0.043	ICP	
23-Apr-10	7:34 AM	0.8	7.57	696	0.056	-	0.056	-	-		ICP	
25-Apr-10	7:44 AM	1.4	7.81	604	0.058	0.070	0.064	0.025	0.024	0.025	ICP	
26-Apr-10	8:43 AM	0.9	7.93	487	0.035	0.035	0.035	0.026	0.025	0.026	ICP	
27-Apr-10	1:50 AM	2.2	7.30	357	0.034	-	0.034	0.023	-	0.023	ICP	
29-Apr-10	3:35 PM	3.2	7.36	260	0.036	-	0.036	0.018	-	0.018	ICP	
2-May-10	9:05 AM	1.3	7.20	320	0.051	-	0.051	0.028	-	0.028	ICP	
3-May-10	8:29 AM	2.6	8.65	370	0.047	0.046	0.047	0.053	-	0.053	ICP	
4-May-10	8:37 AM	0.8	7.53	560	0.066	-	0.066	0.056	-	0.056	ICP	
5-May-10	8:41 AM	1.0	7.99	544	0.064	-	0.064	0.057	-	0.057	ICP	
6-May-10	8:50 AM	1.6	7.70	566	0.085	-	0.085	0.062	-	0.062	ICP	
7-May-10	6:35 AM	1.4	7.90	530	0.058	-	0.058	0.047	-	0.047	ICP	

**Table C-10:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) at X14**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T	Zn-T Average	Zn-D	Zn-D Average	Method of Analysis	Comments		
8-May-10	8:04 AM	1.5	7.80	568	0.060	-	0.060	0.052	-	0.052	ICP	
9-May-10	8:13 AM	1.6	7.79	477	0.065	-	0.065	0.041	-	0.041	ICP	
10-May-10	8:19 AM	1.4	8.31	526	0.059	-	0.059	0.049	-	0.049	ICP	
11-May-10	8:20 AM	1.0	7.65	471	0.046	0.046	0.046	0.053	-	0.053	ICP	
12-May-10	8:39 AM	2.6	8.32	462	0.059	-	0.059	0.044	-	0.044	ICP	
13-May-10	7:37 AM	2.9	7.65	535	0.051	-	0.051	0.040	-	0.040	ICP	
14-May-10	7:46 AM	1.8	7.98	508	0.052	0.052	0.052	0.042	-	0.042	ICP	
15-May-10	7:24 AM	2.7	8.27	475	0.054	-	0.054	0.034	-	0.034	ICP	
16-May-10	8:03 AM	2.6	7.84	366	0.043	-	0.043	0.033	-	0.033	ICP	
17-May-10	8:27 AM	2.7	7.88	456	0.040	-	0.040	0.029	-	0.029	ICP	
18-May-10	8:34 AM	3.2	7.73	372	0.034	-	0.034	0.027	-	0.027	ICP	
19-May-10	8:25 AM	3.9	7.82	275	0.033	-	0.033	0.019	-	0.019	ICP	
20-May-10	8:18 AM	2.5	8.22	210	0.038	-	0.038	0.013	-	0.013	ICP	pH reading on same sample by lab personnel gave 7.78.
21-May-10	8:36 AM	2.3	7.75	233	0.026	-	0.026	0.016	-	0.016	ICP	
22-May-10	8:05 AM	2.4	8.32	269	0.022	-	0.022	0.019	-	0.019	ICP	
23-May-10	8:16 AM	4.3	8.47	275	0.026	-	0.026	0.016	-	0.016	ICP	
24-May-10	7:33 AM	3.8	7.79	277	0.024	-	0.024	0.018	-	0.018	ICP	
25-May-10	8:40 AM	5.0	8.01	243	0.022	-	0.022	0.015	-	0.015	ICP	
26-May-10	8:19 AM	4.6	7.66	246	0.024	-	0.024	0.018	-	0.018	ICP	
27-May-10	9:07 AM	5.7	8.20	265	0.028	-	0.028	0.015	-	0.015	ICP	
8-Jun-10	8:36 AM	7.0	7.93	380	0.040	-	0.040	0.032	-	0.032	ICP	
15-Jun-10	9:01 AM	7.2	7.87	420	0.046	-	0.046	0.041	-	0.041	ICP	
22-Jun-10	9:56 AM	9.6	7.75	438	0.114	-	0.114	0.046	-	0.046	ICP	
24-Jun-10	9:13 AM	9.3	7.81	457	0.044	-	0.044	0.065	-	0.065	ICP	
29-Jun-10	9:50 AM	9.4	7.35	501	0.047	-	0.047	0.044	-	0.044	ICP	
6-Jul-10	9:56 AM	9.9	8.01	395	0.048	-	0.048	0.022	-	0.022	ICP	
13-Jul-10	8:45 AM	9.4	8.19	456	0.040	-	0.040	0.031	-	0.031	ICP	
20-Jul-10	10:08 AM	11.8	8.04	563	0.046	-	0.046	0.042	-	0.042	ICP	
27-Jul-10	9:01 AM	10.2	8.11	606	0.063	-	0.063	0.054	-	0.054	ICP	
10-Aug-10	8:56 AM	9.8	7.92	658	0.054	-	0.054	0.037	-	0.037	ICP	
17-Aug-10	8:50 AM	11.5	7.92	614	0.051	-	0.051	0.043	-	0.043	ICP	
24-Aug-10	8:40 AM	8.0	8.67	423	0.037	-	0.037	0.026	-	0.026	ICP	
31-Aug-10	2:10 PM	10.9	7.96	650	0.046	-	0.046	-	-	-	AA	
7-Sep-10	9:30 AM	4.5	8.27	532	0.101	-	0.101	0.032	-	0.032	AA	
17-Nov-10	12:20 PM	0.1	7.61	510	0.113	-	0.113	0.103	-	0.103	ICP	
17-Nov-10	3:16 PM	0.1	7.66	530	0.117	-	0.117	0.101	-	0.101	ICP	
17-Nov-10	4:40 PM				0.118	-	0.118	0.100	-	0.100	ICP	Sample taken from surface at X14.

Table C-10:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) at X14

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T	Zn-T Average	Zn-D	Zn-D Average	Method of Analysis	Comments		
17-Nov-10	4:40 PM				0.119	-	0.119	0.107	-	0.107	ICP	Sample taken from depth (~0.5 m) at X14.
18-Nov-10	10:30 AM	1.5	7.75	1010	0.110	-	0.110	0.094	-	0.094	ICP	
19-Nov-10	11:25 AM	0.1	7.40	1088	0.109	0.109	0.109	0.107	-	0.107	ICP	
20-Nov-10	10:00 AM	1.0	7.31	1110	0.109	-	0.109	0.105	-	0.105	ICP	
21-Nov-10	10:00 AM	0.3	7.10	1060	0.104	-	0.104	0.105	-	0.105	ICP	
22-Nov-10	9:55 AM	<0.0	7.80	1051	0.104	-	0.104	0.089	-	0.089	ICP	
23-Nov-10	10:08 AM	0.8	7.48	1097	0.101	-	0.101	0.096	-	0.096	ICP	
24-Nov-10	9:19 AM	0.9	7.48	1046	0.099	-	0.099	0.098	-	0.098	ICP	
24-Nov-10	5:02 PM	1.0	7.55	1077	0.100	-	0.100	0.092	-	0.092	ICP	
25-Nov-10	10:06 AM	1.1	8.14	997	0.101	-	0.101	0.095	-	0.095	ICP	
25-Nov-10	4:20 PM	0.9	8.21	1008	0.092	-	0.092	0.091	-	0.091	ICP	
26-Nov-10	10:05 AM	1.0	6.98	1008	0.088	-	0.088	0.088	-	0.088	ICP	
26-Nov-10	5:10 PM	1.4	7.33	994	0.093	-	0.093	0.091	-	0.091	ICP	
27-Nov-10	8:55 AM	0.4	7.47	1022	0.087	-	0.087	0.078	-	0.078	ICP	
27-Nov-10	5:55 PM	0.9	7.39	971	0.089	-	0.089	0.086	-	0.086	ICP	
28-Nov-10	8:32 AM	0.1	7.47	982	0.088	-	0.088	0.086	-	0.086	ICP	
28-Nov-10	4:00 PM	0.8	7.49	949	0.086	-	0.086	0.081	-	0.081	ICP	
29-Nov-10	9:51 AM	0.9	7.57	995	0.091	-	0.091	0.086	-	0.086	ICP	
29-Nov-10	3:09 PM	0.7	7.39	971	0.089	-	0.089	0.085	-	0.085	ICP	
30-Nov-10	12:02 PM	0.5	7.71	988	0.089	-	0.089	0.083	-	0.083	ICP	
30-Nov-10	3:23 PM	1.1	7.61	988	0.090	-	0.090	0.080	-	0.080	ICP	
1-Dec-10	8:37 AM	<0.1	7.67	1000	0.085	-	0.085	0.084	-	0.084	ICP	
1-Dec-10	3:25 PM	0.5	7.62	970	0.083	-	0.083	0.082	-	0.082	ICP	
2-Dec-10	8:42 AM	0.1	7.70	1000	0.087	-	0.087	0.096	-	0.096	ICP	

Table C-11:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Thickener

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Config.	Method of Analysis	Comments
10-Apr-10	8:00 AM	1.3	10.59	1501	0.785	-	0.785	<0.01	-	<0.01	S	ICP	
11-Apr-10	8:00 AM	1.7	10.23	1640	0.094	-	0.094	<0.01	-	<0.01	S	ICP	
12-Apr-10	7:20 AM	2.2	10.72	1620	0.059	0.060	0.060	<0.01	-	<0.01	S	ICP	
13-Apr-10	8:40 AM	1.3	10.79	1497	0.087	-	0.087	<0.01	-	<0.01	S	ICP	
14-Apr-10	8:40 AM	1.0	10.93	1520	0.030	-	0.030	<0.01	-	<0.01	S	ICP	
15-Apr-10	8:26 AM	1.8	11.04	1730	0.069	0.074	0.072	<0.01	<0.01	<0.01	S	ICP	
16-Apr-10	6:59 AM	1.1	11.14	1730	0.052	0.059	0.056	<0.01	<0.01	<0.01	S	ICP	
17-Apr-10	8:00 AM	1.3	11.02	1700	0.026	-	0.026	<0.01	-	<0.01	S	ICP	
18-Apr-10	8:40 AM	1.0	10.82	1760	0.059	-	0.059	<0.01	-	<0.01	S	ICP	
19-Apr-10	8:27 AM	2.0	11.14	1720	0.043	-	0.043	<0.01	-	<0.01	S	ICP	Began treatment of Faro pit water @ 2pm. New ICP standards prepared.
20-Apr-10	12:16 PM	3.1	10.73	1609	0.063	-	0.063	<0.01	-	<0.01	S	ICP	
21-Apr-10	9:15 AM	1.5	10.95	1512	0.475	-	0.475	<0.01	-	<0.01	S	ICP	
22-Apr-10	8:15 AM	2.3		1453	0.086	-	0.086	<0.01	-	<0.01	S	ICP	pH meter malfunctioning, no pH reading obtained.
23-Apr-10	7:14 AM	1.7	10.77	1433	0.039	-	0.039	<0.01	-	<0.01	S	ICP	
24-Apr-10	7:50 AM	1.9	10.64	1482	0.127	-	0.127	<0.01	-	<0.01	S	ICP	
25-Apr-10	8:05 AM	1.9	10.82	1529	0.120	-	0.120	<0.01	-	<0.01	S	ICP	
26-Apr-10	7:57 AM	2.4	10.74	1411	0.093	-	0.093	<0.01	-	<0.01	S	ICP	
27-Apr-10	8:19 AM	1.9	10.51	1354	0.143	-	0.143	<0.01	-	<0.01	S	ICP	
28-Apr-10	8:04 AM	2.5	10.87	1280	0.132	-	0.132	<0.01	-	<0.01	S	ICP	
29-Apr-10	8:52 AM	2.8	10.15	1170	0.146	-	0.146	<0.01	-	<0.01	S	ICP	
30-Apr-10	7:30 AM	3.0	10.81	1220	0.181	-	0.181	<0.01	-	<0.01	S	ICP	
1-May-10		3.4	11.11	1250	0.094	-	0.094	<0.01	-	<0.01	S	ICP	
2-May-10	8:30 AM	3.7	11.07	1250	0.171	-	0.171	<0.01	-	<0.01	S	ICP	
3-May-10	8:08 AM	4.4	10.92	1230	0.208	-	0.208	<0.01	-	<0.01	S	ICP	
4-May-10	8:00 AM	4.0	10.35	1270	0.260	-	0.260	<0.01	-	<0.01	S	ICP	
4-May-10	1:15 PM	4.6	10.76	1190	0.115	-	0.115	<0.01	-	<0.01	S	ICP	
5-May-10	8:30 AM	3.7	10.79	1204	0.141	-	0.141	<0.01	-	<0.01	S	ICP	
6-May-10	7:56 AM	3.9	10.84	1204	0.222	-	0.222	<0.01	-	<0.01	S	ICP	
7-May-10	6:17 AM	3.8	10.39	1234	0.153	-	0.153	<0.01	-	<0.01	S	ICP	
8-May-10	7:40 AM	4.0	10.59	1221	0.294	-	0.294	<0.01	-	<0.01	S	ICP	
9-May-10	7:53 AM	3.8	10.59	1202	0.175	-	0.175	<0.01	-	<0.01	S	ICP	
10-May-10	7:56 AM	4.1	10.56	1284	0.298	-	0.298	<0.01	-	<0.01	S	ICP	Switched to parallel config. At 2:45 PM.
11-May-10	7:50 AM	3.5	10.47	1260	0.230	-	0.230	<0.01	-	<0.01	P	ICP	
11-May-10	2:58 PM	4.5	10.30	1180	0.153	-	0.153	<0.01	-	<0.01	P	ICP	
12-May-10	8:10 AM	4.3	10.84	1249	0.234	-	0.234	<0.01	-	<0.01	P	ICP	
13-May-10	7:20 AM	5.0	10.26	1300	0.394	-	0.394	<0.01	-	<0.01	P	ICP	

**Table C-11:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Thickener**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T	Zn-T Average	Zn-D	Zn-D Average	Config.	Method of Analysis	Comments
13-May-10	1:56 PM	4.3	9.22	1170	0.912	-	0.076	-	P	ICP	Analyzed for Zn T and Diss. May 14, 10.
14-May-10	7:12 AM	4.2	10.44	1178	0.189	-	<0.01	-	P	ICP	Sampled by Env. Crew.
15-May-10	6:00 AM	6.8	10.57	1240	0.136	-	<0.01	-	P	ICP	Sampled by Water Treatment Night Staff.
15-May-10	7:02 AM	5.2	10.94	1311	0.171	-	<0.01	-	P	ICP	Sampled by Env. Crew.
16-May-10	6:00 AM	4.7	10.72	1241	0.201	-	<0.01	-	P	ICP	Sampled by Water Treatment Night Staff.
16-May-10	7:42 AM	4.6	10.62	1143	0.229	-	<0.01	-	P	ICP	Sampled by Env. Crew.
17-May-10	6:00 AM	5.3	10.73	1207	0.160	-	<0.01	-	P	ICP	Sampled by Water Treatment Night Staff.
17-May-10	8:10 AM	5.8	10.59	1468	0.156	-	<0.01	-	P	ICP	Sampled by Env. Crew.
18-May-10	6:00 AM	5.2	10.81	1210	0.271	-	<0.01	-	P	ICP	Sampled by Water Treatment Night Staff.
18-May-10	8:06 AM	5.3	10.60	1303	0.253	-	<0.01	-	P	ICP	Sampled by Env. Crew.
19-May-10	6:00 AM	6.6	10.72	1255	0.089	-	<0.01	-	P	ICP	Sampled by Water Treatment Night Staff.
19-May-10	8:05 AM	5.2	10.73	1406	0.117	-	<0.01	-	P	ICP	Sampled by Env. Crew.
20-May-10	8:00 AM	6.7	10.90	1670	0.146	-	<0.01	-	P	ICP	Sampled by Env. Crew.
21-May-10	8:53 AM	5.7	10.91	1501	0.118	-	<0.01	-	P	ICP	Sampled by Env. Crew.
22-May-10	7:41 AM	5.6	10.98	1503	0.094	-	<0.01	-	P	ICP	Sampled by Env. Crew.
23-May-10	7:50 AM	6.9	10.50	1534	0.103	-	<0.01	-	P	ICP	Sampled by Env. Crew.
24-May-10	7:07 AM	6.2	10.48	1481	0.185	-	<0.01	-	P	ICP	
25-May-10	8:01 AM	6.8	10.48	1534	0.184	-	<0.01	-	P	ICP	
26-May-10	7:58 AM	7.2	10.44	1290	0.191	-	<0.01	-	P	ICP	
27-May-10	8:50 AM	7.5	10.50	1473	0.124	-	<0.01	-	P	ICP	
28-May-10	7:37 AM	7.5	10.88	1449	0.183	-	0.017	-	P	ICP	New sampling point: thickener port.
29-May-10	7:30 AM	8.7	10.62	1420	0.243	-	<0.01	-	P	ICP	
30-May-10	7:35 AM	8.7	10.25	1472	0.144	-	<0.01	-	P	ICP	
31-May-10	7:56 AM	9.3	10.22	1444	0.173	-	<0.01	-	P	ICP	
1-Jun-10	8:05 AM	9.2	10.55	1558	0.104	-	<0.01	-	P	ICP	
2-Jun-10	8:23 AM	9.4	10.28	1515	0.103	-	<0.01	-	P	ICP	Taken from old sampling location.
3-Jun-10	8:10 AM	9.4	10.47	1465	0.197	-	<0.01	-	P	ICP	
4-Jun-10	7:38 AM	8.4	10.49	1441	0.174	-	<0.01	-	P	ICP	
5-Jun-10	6:40 AM	8.5	10.46	1424	0.176	-	<0.01	-	P	ICP	Port not working. Taken from old sampling location.
6-Jun-10	6:30 AM	8.7	10.49	1526	0.190	-	<0.01	-	P	ICP	Port not working. Taken from old sampling location.

**Table C-11:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Thickener**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Config.	Method of Analysis	Comments
7-Jun-10	8:00 AM	8.6	10.46	1449	0.172	-	0.172	<0.01	-	<0.01	P	ICP	Port not working. Taken from old sampling location.
8-Jun-10	8:10 AM	8.4	10.61	1427	0.215	-	0.215	<0.01	-	<0.01	P	ICP	
9-Jun-10	8:11 AM	9.0	10.65	1130	0.185	-	0.185	<0.01	-	<0.01	P	ICP	
10-Jun-10	8:00 AM	9.6	10.53	1331	0.186	-	0.186	0.015	-	0.015	P	ICP	
11-Jun-10	7:45 AM	9.0	10.51	1393	0.154	-	0.154	<0.01	-	<0.01	P	ICP	
12-Jun-10	7:35 AM	9.2	10.75	1426	0.182	-	0.182	<0.01	-	<0.01	P	ICP	
13-Jun-10	7:52 AM	9.3	10.63	1493	0.246	-	0.246	<0.01	-	<0.01	P	AA	
14-Jun-10	8:09 AM	8.7	10.52	1492	0.264	-	0.264	<0.01	-	<0.01	P	AA	
15-Jun-10	9:22 AM	9.7	10.54	1360	0.432	0.436	0.434	<0.01	-	<0.01	P	ICP	
16-Jun-10	8:03 AM	10.6	10.30	1360	0.194	-	0.194	<0.01	-	<0.01	P	ICP	includes ETA water starting 4:40 PM.
17-Jun-10	7:56 AM	10.4	10.08	1450	0.155	-	0.155	<0.01	-	<0.01	P	AA	
18-Jun-10	7:18 AM	10.3	10.19	1513	0.094	-	0.094	<0.01	-	<0.01	P	AA	
19-Jun-10	8:55 AM	10.4	10.42	1460	0.131	-	0.131	<0.01	-	<0.01	P	AA	
20-Jun-10	7:21 AM	11.0	10.35	1460	0.149	-	0.149	0.015	-	0.015	P	AA	New port.
21-Jun-10	7:49 AM	10.8	10.27	1422	0.165	-	0.165	0.015	-	0.015	P	AA	
22-Jun-10	9:20 AM										P		not sampled. Pumping sludge.
23-Jun-10	7:55 AM	12.3	10.33	1304	0.154	-	0.154	<0.01	-	<0.01	P	AA	old sample site.
24-Jun-10	8:51 AM	11.3	10.26	1497	0.140	-	0.140	<0.01	-	<0.01	P	ICP	
25-Jun-10	8:02 AM	11.7	10.15	1464	0.098	-	0.098	0.072	-	0.072	P	ICP	
26-Jun-10	8:16 AM	12.8	9.78	1127	0.057	-	0.057	0.020	-	0.020	P	ICP	
27-Jun-10	8:10 AM	11.8	10.17	1644	0.146	-	0.146	<0.01	-	<0.01	P	ICP	
28-Jun-10	8:05 AM	11.5	10.19	1497	0.123	-	0.123	<0.01	-	<0.01	P	ICP	
29-Jun-10	8:25 AM	11.6	9.96	1511	0.124	-	0.124	<0.01	-	<0.01	P	ICP	
30-Jun-10	9:00 AM	11.5	9.91	1515	0.187	-	0.187	0.018	-	0.018	P	ICP	
1-Jul-10	8:40 AM	11.4	9.89	1532	0.327	-	0.327	0.015	-	0.015	P	ICP	
1-Jul-10	5:15 PM	12.2	10.18	1619	0.248	-	0.248	0.018	-	0.018	P	ICP	
2-Jul-10	7:40 AM	12.1	9.81	1640	0.134	-	0.134	0.022	-	0.022	P	ICP	
2-Jul-10	5:36 PM	12.5	9.82	1510	0.094	-	0.094					ICP	
3-Jul-10	8:05 AM	11.9	10.03	1620	0.143	-	0.143	0.035	-	0.035	P	ICP	
4-Jul-10	9:05 AM	11.4	10.00	1640	0.216	-	0.216	0.011	-	0.011	P	ICP	
5-Jul-10	8:30 AM	11.2	9.76	1660	0.219	-	0.219	0.023	-	0.023	P	ICP	
6-Jul-10	8:30 AM	11.3	9.86	1485	0.201	-	0.201	<0.01	-	<0.01	P	ICP	
7-Jul-10	8:32 AM	11.6	9.30	1427	0.209	-	0.209	0.078	-	0.078	P	ICP	
8-Jul-10	8:35 AM	12.9	9.75	1475	0.211	-	0.211	0.011	-	0.011	P	ICP	
9-Jul-10	7:40 AM	13.2	9.97	1425	0.096	0.110	0.103	0.010	-	0.010	P	ICP	
10-Jul-10	7:35 AM	13.2	10.20	1620	0.109	-	0.109	<0.01	-	<0.01	P	ICP	

**Table C-11:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Thickener**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Config.	Method of Analysis	Comments
11-Jul-10	8:10 AM	11.6	10.37	1368	0.099	-	0.099	<0.01	-	<0.01	P	ICP	
12-Jul-10	8:16 AM	12.3	10.24	1585	0.062	-	0.062	<0.01	-	<0.01	P	ICP	
13-Jul-10	8:15 AM	13.5	10.23	1303	0.090	-	0.090	<0.01	-	<0.01	P	ICP	
14-Jul-10	8:25 AM	12.4	10.02	1395	0.059	-	0.059	<0.01	-	<0.01	P	ICP	
15-Jul-10	8:13 AM	12.8	10.02	1322	0.109	-	0.109	<0.01	-	<0.01	P	ICP	
16-Jul-10	7:15 AM	13.7	10.18	1600	0.102	-	0.102	<0.01	-	<0.01	P	ICP	
17-Jul-10	7:05 AM	13.4	10.01	1394	0.096	-	0.096	0.013	-	0.013	P	ICP	
18-Jul-10	7:03 AM	13.4	10.00	1620	0.112	-	0.112	0.010	-	0.010	P	ICP	
19-Jul-10	8:10 AM	13.6	10.17	1567	0.153	-	0.153	<0.01	-	<0.01	P	ICP	
20-Jul-10	10:20 AM	13.9	10.22	1438	0.118	-	0.118	<0.01	-	<0.01	P	ICP	
21-Jul-10	8:03 AM	13.8	10.04	1630	0.113	-	0.113	<0.01	-	<0.01	P	ICP	
22-Jul-10	8:38 AM	14.1	10.04	1310	0.182	0.187	0.185	<0.01	-	<0.01	P	ICP	
22-Jul-10	-	-	9.96	1360	0.127	0.127	0.127				P	ICP	
23-Jul-10	7:55 AM	13.1	10.12	1449	0.079	-	0.079	<0.01	-	<0.01	P	ICP	
24-Jul-10	7:42 AM	13.3	10.12	1598	0.099	-	0.099	0.010	-	0.010	P	ICP	
25-Jul-10	7:44 AM	13.6	10.25	1587	0.119	0.125	0.122				P	ICP	dup run to check value.
25-Jul-10	12:10 PM	13.7	10.24	1564	0.195	0.193	0.194				P	ICP	no diss... Samples acidified.
26-Jul-10	7:45 AM	13.8	10.37	1414	0.172	-	0.172	0.011	-	0.011	P	ICP	
27-Jul-10	8:09 AM	13.9	10.27	1372	0.155	-	0.155	<0.01	-	<0.01	P	ICP	
28-Jul-10	8:05 AM	12.4	9.85	1327	0.040	-	0.040	<0.01	-	<0.01	P	ICP	
29-Jul-10	7:59 AM	14.1	10.26	1367	0.554	-	0.554	0.014	0.015	0.015	P	AA	
30-Jul-10	7:47 AM	15.1	10.27	1687	0.032	-	0.032	<0.01	<0.01	<0.01	P	AA	
31-Jul-10	7:47 AM	14.4	10.30	1375	0.198	-	0.198	<0.01	-	<0.01	P	AA	
1-Aug-10	7:45 AM	14.6	10.13	1279	0.174	-	0.174	0.010	-	0.010	P	AA	
2-Aug-10	8:07 AM	14.9	10.18	1580	0.111	-	0.111	0.013	-	0.013	P	AA	
3-Aug-10	7:56 AM	14.9	10.21	1578	0.146	-	0.146	0.025	-	0.025	P	AA	
4-Aug-10	8:00 AM	15.0	10.30	1312	0.171	-	0.171	0.021	-	0.021	P	AA	
5-Aug-10	8:01 AM	15.4	10.11	1443	0.203	-	0.203	0.010	-	0.010	P	AA	Faro pump shutdown 8:11-10:02AM.
6-Aug-10	7:46 AM	15.1	9.89	1358	0.125	-	0.125	0.014	-	0.014	P	AA	
7-Aug-10	7:50 AM	15.2	10.23	1427	0.131	-	0.131	<0.01	-	<0.01	P	AA	
8-Aug-10	8:30 AM	15.0	10.08	1600	0.132	-	0.132	0.011	-	0.011	P	AA	
9-Aug-10	8:05 AM	15.1	9.72	1569	0.148	-	0.148	<0.01	-	<0.01	P	ICP	
9-Aug-10	8:05 AM				0.119	-	0.119	0.013	-	0.013	P	AA	Duplicate analysis on AA.
10-Aug-10	8:05 AM	14.5	10.21	1572	0.164	-	0.164	<0.01	-	<0.01	P	ICP	
11-Aug-10	7:57 AM	14.7	10.01	1380	0.173	-	0.173	<0.01	-	<0.01	P	ICP	
12-Aug-10	7:57 AM	15.2	9.93	1440	0.069	-	0.069	0.011	-	0.011	P	ICP	
13-Aug-10	7:40 AM	14.3	10.33	1060	0.054	-	0.054	<0.01	-	<0.01	P	ICP	

Table C-11:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Thickener

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Config.	Method of Analysis	Comments
14-Aug-10	8:07 AM	14.9	10.37	1399	0.084	-	0.084	<0.01	-	<0.01	P	ICP	
15-Aug-10	7:55 AM	14.5	9.51	1318	0.080	-	0.080	<0.01	-	<0.01	P	ICP	
16-Aug-10	7:43 AM	15.0	10.05	1560	0.228	0.275	0.252	<0.01	-	<0.01	P	ICP	
17-Aug-10	8:10 AM	15.4	9.86	1401	0.085	-	0.085	<0.01	-	<0.01	P	ICP	
18-Aug-10	8:10 AM	14.8	10.04	1500	0.078	-	0.078	<0.01	-	<0.01	P	ICP	
19-Aug-10	9:30 AM	14.2	10.20	1689	0.128	-	0.128	<0.01	-	<0.01	P	ICP	
20-Aug-10	7:44 AM	13.7	9.90	1590	0.074	-	0.074	<0.01	-	<0.01	P	ICP	
21-Aug-10	6:05 AM	13.6	10.34	1570	0.069	-	0.069	<0.01	-	<0.01	P	ICP	
22-Aug-10	7:14 AM	13.3	10.10	1430	0.177	-	0.177	<0.01	-	<0.01	P	ICP	
23-Aug-10	8:02 AM	12.5	10.08	1463	0.141	-	0.141	<0.01	-	<0.01	P	ICP	
24-Aug-10	8:09 AM	13.1	10.05	1183	0.104	-	0.104	<0.01	-	<0.01	P	ICP	
25-Aug-10	7:46 AM	12.4	10.11	1381	0.110	-	0.110	<0.01	-	<0.01	P	ICP	
26-Aug-10	7:50 AM	11.9	9.95	1630	0.145	-	0.145	<0.01	-	<0.01	P	AA	
27-Aug-10	7:35 AM	11.2	10.20	1458	0.234	-	0.234	<0.01	-	<0.01	P	AA	
28-Aug-10	8:58 AM	11.3	9.69	2063	0.091	-	0.091	<0.01	-	<0.01	P	AA	
29-Aug-10	8:30 AM	10.8	10.17	1993	0.111	-	0.111	<0.01	-	<0.01	P	AA	
30-Aug-10	7:56 AM	11.2	9.86	2047	0.099	-	0.099	0.016	-	0.016	P	AA	
30-Aug-10	7:56 AM	11.2	9.67	2133	0.119	-	0.119	<0.01	-	<0.01		AA	Reanalysis of morning sample to verify result. pH and conductivity measured on lab meter.
30-Aug-10	2:48 PM	11.1	10.00	2330	0.129	-	0.129	<0.01	-	<0.01		AA	Sample collected from thickener tank (no discharge from tank now).
30-Aug-10	2:48 PM	11.1	9.80	2145									pH and conductivity measured on lab meter.

Table C-12:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Clarifier

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T	Zn-T Average	Zn-D	Zn-D Average	Config.	Method of Analysis	Comments
10-Apr-10	8:00 AM	1.4	10.49	1485	0.463	-	<0.01	<0.01	S	ICP	
11-Apr-10	8:00 AM	1.5	10.40	1650	0.079	-	<0.01	<0.01	S	ICP	
12-Apr-10	7:25 AM	1.0	10.47	1680	0.120	0.122	<0.01	<0.01	S	ICP	
13-Apr-10	8:36 AM	2.7	10.50	1502	0.077	-	<0.01	<0.01	S	ICP	
14-Apr-10	8:42 AM	1.1	10.83	1518	0.033	-	<0.01	<0.01	S	ICP	
15-Apr-10	8:28 AM	1.5	11.14	1760	0.067	0.068	<0.01	<0.01	S	ICP	
16-Apr-10	7:08 AM	0.9	10.93	1730	0.050	0.048	<0.01	<0.01	S	ICP	
17-Apr-10	8:05 AM	1.2	11.01	1750	0.034	-	<0.01	<0.01	S	ICP	
18-Apr-10	8:40 AM	1.0	10.78	1750	0.055	-	<0.01	<0.01	S	ICP	
19-Apr-10	8:30 AM	1.1	11.12	1710	0.049	-	<0.01	<0.01	S	ICP	Began treatment of Faro pit water @ 2pm. New ICP standards prepared.
20-Apr-10	12:19 PM	2.7	10.76	1612	0.069	-	<0.01	<0.01	S	ICP	
21-Apr-10	9:10 AM	2.3	10.90	1492	0.246	-	<0.01	<0.01	S	ICP	
22-Apr-10	8:10 AM	3.9		1440	0.091	-	<0.01	<0.01	S	ICP	pH meter malfunctioning, no pH reading obtained.
23-Apr-10	7:16 AM	1.7	10.41	1479	0.063	-	<0.01	<0.01	S	ICP	
24-Apr-10	7:52 AM	1.8	10.74	1513	0.080	-	<0.01	<0.01	S	ICP	
25-Apr-10	8:07 AM	2.0	10.66	1555	0.109	-	<0.01	<0.01	S	ICP	
26-Apr-10	7:55 AM	3.6	10.37	1374	0.135	-	<0.01	<0.01	S	ICP	
27-Apr-10	8:20 AM	2.8	10.51	1354	0.146	-	<0.01	<0.01	S	ICP	
28-Apr-10	8:02 AM	3.0	10.55	1250	0.147	-	<0.01	<0.01	S	ICP	
29-Apr-10	8:50 AM	2.8	10.23	1180	0.153	-	<0.01	<0.01	S	ICP	
30-Apr-10	7:30 AM	3.2	10.86	1230	0.135	-	<0.01	<0.01	S	ICP	
1-May-10		3.6	11.41	1270	0.142	-	<0.01	<0.01	S	ICP	
2-May-10	8:30 AM	4.0	10.73	1240	0.133	-	<0.01	<0.01	S	ICP	
3-May-10	8:09 AM	4.1	10.86	1220	0.096	-	<0.01	<0.01	S	ICP	
4-May-10	7:59 AM	4.2	10.28	1270	0.296	-	<0.01	<0.01	S	ICP	
4-May-10	1:20 PM	4.4	10.86	1190	0.141	-	<0.01	<0.01	S	ICP	
5-May-10	8:29 AM	4.6	10.64	1300	0.250	-	0.011	0.011	S	ICP	
6-May-10	7:52 AM	3.9	10.61	1221	0.270	-	<0.01	<0.01	S	ICP	
7-May-10	6:20 AM	3.7	10.56	1207	0.155	-	<0.01	<0.01	S	ICP	
8-May-10	7:38 AM	4.6	10.48	1253	0.332	-	<0.01	<0.01	S	ICP	
9-May-10	7:50 AM	5.3	10.48	1271	0.315	-	<0.01	<0.01	S	ICP	
10-May-10	7:55 AM	4.1	10.45	1288	0.278	-	<0.01	<0.01	S	ICP	Switched to parallel discharge from thickener and clarifier at 2:45 PM.
11-May-10	7:50 AM	4.5	10.33	1280	0.429	-	<0.01	<0.01	P	ICP	
11-May-10	3:00 PM	4.2	10.21	1180	0.363	-	<0.01	<0.01	P	ICP	

**Table C-12:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Clarifier**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T	Zn-T Average	Zn-D	Zn-D Average	Config.	Method of Analysis	Comments		
12-May-10	8:11 AM	4.4	10.27	1304	0.407	-	0.407	<0.01	-	<0.01	P	ICP	
13-May-10	7:20 AM	4.1	10.20	1260	0.683	-	0.683	<0.01	<0.01	<0.01	P	ICP	
13-May-10	2:01 PM	4.2	9.18	1070	2.415	-	2.415	0.023	-	0.023	P	ICP	Analyzed for Zn T and Diss. May 14, 10.
14-May-10	6:00 AM	8.2	10.55	1255	0.287	-	0.287	<0.01	-	<0.01	P	ICP	Sampled by Water Treatment Staff.
14-May-10	7:15 AM	4.1	10.49	1230	0.274	-	0.274	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
15-May-10	6:00 AM	6.9	10.50	1234	0.246	-	0.246	<0.01	-	<0.01	P	ICP	Sampled by Water Treatment Night Staff.
15-May-10	7:07 AM	5.0	10.86	1263	0.282	-	0.282	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
16-May-10	6:00 AM	5.6	10.61	1255	0.260	-	0.260	<0.01	-	<0.01	P	ICP	Sampled by Water Treatment Night Staff.
16-May-10	7:46 AM	4.7	10.46	1240	0.331	-	0.331	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
17-May-10	6:00 AM	5.1	10.66	1247	0.243	-	0.243	<0.01	-	<0.01	P	ICP	Sampled by Water Treatment Night Staff.
17-May-10	8:11 AM	4.8	10.63	1435	0.248	-	0.248	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
18-May-10	6:00 AM	5.6	10.68	1226	0.209	-	0.209	<0.01	-	<0.01	P	ICP	Sampled by Water Treatment Night Staff.
18-May-10	8:04 AM	6.3	10.58	1318	0.246	-	0.246	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
19-May-10	6:00 AM	6.1	10.82	1288	0.203	-	0.203	<0.01	-	<0.01	P	ICP	Sampled by Water Treatment Night Staff.
19-May-10	8:08 AM	5.1	10.75	1402	0.206	-	0.206	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
20-May-10	8:03 AM	5.1	10.99	1585	0.286	-	0.286	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
21-May-10	8:55 AM	5.6	10.97	1500	0.289	-	0.289	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
22-May-10	7:41 AM	5.7	10.97	1539	0.168	-	0.168	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
23-May-10	7:53 AM	6.8	10.82	1483	0.529	-	0.529	<0.01	-	<0.01	P	ICP	Sampled by Env. Crew.
24-May-10	7:10 AM	6.1	10.50	1486	0.396	-	0.396	<0.01	-	<0.01	P	ICP	
25-May-10	8:04 AM	6.5	10.53	1500	0.362	-	0.362	<0.01	-	<0.01	P	ICP	
26-May-10	8:00 AM	7.0	10.48	1272	0.349	-	0.349	<0.01	-	<0.01	P	ICP	
27-May-10	8:45 AM	8.2	10.34	1506	0.261	-	0.261	<0.01	-	<0.01	P	ICP	
28-May-10	7:28 AM	7.9	10.53	1482	0.223	-	0.223	0.012	-	0.012	P	ICP	old clarifier.
28-May-10	7:34 AM	7.7	10.85	1465	0.335	-	0.335	0.011	-	0.011	P	ICP	new sampling port clarifier.
29-May-10	7:30 AM	8.8	10.23	1486	0.416	-	0.416	<0.01	-	<0.01	P	ICP	old clarifier.
29-May-10	7:30 AM	8.8	10.23	1486	0.388	-	0.388	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
30-May-10	7:40 AM	9.9	10.06	1485	0.274	-	0.274	<0.01	-	<0.01	P	ICP	old clarifier.
30-May-10	7:40 AM	9.9	10.06	1485	0.412	-	0.412	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
31-May-10	7:53 AM	10.8	10.10	1483	0.235	-	0.235	<0.01	-	<0.01	P	ICP	old clarifier.
31-May-10	7:55 AM	9.4	10.15	1455	0.238	-	0.238	<0.01	-	<0.01	P	ICP	new sampling port clarifier.

**Table C-12:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Clarifier**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T	Zn-T Average	Zn-D	Zn-D Average	Config.	Method of Analysis	Comments	
1-Jun-10	8:04 AM	10.8	10.48	1614	0.216	-	<0.01	-	<0.01	P	ICP	old clarifier.
1-Jun-10	8:08 AM	10.0	10.49	1585	0.277	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
2-Jun-10	8:25 AM	9.3	10.43	1510	0.129	-	<0.01	-	<0.01	P	ICP	old clarifier.
2-Jun-10	8:11 AM	11.0	10.00	1543	0.445	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
3-Jun-10	8:13 AM	9.6	10.45	1449	0.140	-	<0.01	-	<0.01	P	ICP	old clarifier.
3-Jun-10	8:09 AM	10.6	10.27	1475	0.453	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
4-Jun-10	7:34 AM	9.5	10.40	1456	0.347	-	<0.01	-	<0.01	P	ICP	old clarifier.
4-Jun-10	7:35 AM	8.9	10.46	1455	0.387	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
5-Jun-10	6:29 AM	8.7	10.42	1438	0.196	-	<0.01	-	<0.01	P	ICP	old clarifier.
5-Jun-10	6:36 AM	8.2	10.44	1420	0.593	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
6-Jun-10	6:25 AM	8.5	10.47	1514	0.198	-	<0.01	-	<0.01	P	ICP	old clarifier.
6-Jun-10	6:36 AM	8.1	10.51	1518	1.053	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
7-Jun-10	7:55 AM	8.9	10.51	1460	0.468	-	<0.01	-	<0.01	P	ICP	old clarifier.
7-Jun-10	7:56 AM	10.1	10.52	1322	0.740	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
8-Jun-10	8:13 AM	8.3	10.66	1413	0.232	-	<0.01	-	<0.01	P	ICP	old clarifier.
8-Jun-10	8:07 AM	9.8	10.48	1443	0.446	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
9-Jun-10	8:15 AM	8.9	10.68	1130	0.316	-	<0.01	-	<0.01	P	ICP	old clarifier.
9-Jun-10	8:09 AM	10.2	10.58	1145	0.349	-	<0.01	-	<0.01	P	ICP	new sampling port clarifier.
10-Jun-10	8:03 AM	8.7	10.58	1343	0.272	-	0.015	-	0.015	P	ICP	old clarifier.
10-Jun-10	7:58 AM	9.7	10.50	1361	0.428	-	0.014	-	0.014	P	ICP	new sampling port clarifier.
11-Jun-10	7:45 AM	8.5	10.70	1386	0.346	-	<0.01	-	<0.01	P	ICP	old clarifier - New sampling port discontinued.
12-Jun-10	7:35 AM	9.2	10.61	1488	0.222	-	<0.01	-	<0.01	P	ICP	old clarifier - New sampling port discontinued.
13-Jun-10	7:56 AM	8.9	10.68	1479	0.290	-	<0.01	-	<0.01	P	AA	
14-Jun-10	8:02 AM	8.9	10.46	1538	0.423	-	<0.01	-	<0.01	P	AA	
15-Jun-10	9:19 AM	9.6	10.56	1350	0.272	-	<0.01	-	<0.01	P	ICP	
16-Jun-10	8:06 AM	10.0	10.43	1335	0.273	-	0.015	-	0.015	P	ICP	includes ETA water starting 4:40 PM.
17-Jun-10	8:00 AM	10.0	10.19	1439	0.161	-	<0.01	-	<0.01	P	AA	
18-Jun-10	7:13 AM	10.6	10.06	1539	0.065	-	0.011	-	0.011	P	AA	
19-Jun-10	8:50 AM	10.4	10.40	1450	0.633	-	<0.01	-	<0.01	P	AA	
20-Jun-10	7:15 AM	11.2	10.27	1480	0.170	-	0.016	-	0.016	P	AA	Old sampling point.
21-Jun-10	7:46 AM	11.8	10.22	1430	0.273	-	0.012	-	0.012	P	AA	
22-Jun-10	9:20 AM	11.2	10.14	1440	0.196	-	0.013	-	0.013	P	AA	
23-Jun-10	7:58 AM	11.3	10.39	1482	0.148	-	0.010	-	0.010	P	AA	
24-Jun-10	8:52 AM	11.0	10.32	1485	0.161	-	<0.01	-	<0.01	P	ICP	
25-Jun-10	8:05 AM	12.1	10.13	1522	0.079	-	0.100	-	0.100	P	ICP	

**Table C-12:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Clarifier**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Config.	Method of Analysis	Comments
26-Jun-10	8:20 AM	12.2	9.90	1130	0.062	-	0.062	<0.01	-	<0.01	P	ICP	
27-Jun-10	8:13 AM	11.8	10.31	1653	0.103	-	0.103	<0.01	-	<0.01	P	ICP	
28-Jun-10	8:10 AM	11.4	10.24	1489	0.143	-	0.143	<0.01	-	<0.01	P	ICP	
29-Jun-10	8:22 AM	12.3	8.89	1550	0.162	-	0.162	<0.01	-	<0.01	P	ICP	
30-Jun-10	8:55 AM	11.3	9.90	1484	0.318	-	0.318	0.015	-	0.015	P	ICP	
1-Jul-10	8:43 AM	11.5	10.10	1633	0.382	-	0.382	0.025	-	0.025	P	ICP	
1-Jul-10	5:19 PM	12.0	10.07	1448	0.319	-	0.319	0.017	-	0.017	P	ICP	
2-Jul-10	7:40 AM	11.8	9.91	1490	0.270	-	0.270	0.010	-	0.010	P	ICP	
3-Jul-10	7:55 AM	12.0	9.99	1630	0.406	-	0.406	0.013	-	0.013	P	ICP	
4-Jul-10	9:05 AM	11.6	9.94	1640	0.413	-	0.413	0.020	-	0.020	P	ICP	
5-Jul-10	8:25 AM	11.3	9.75	1650	0.504	-	0.504	0.015	-	0.015	P	ICP	
6-Jul-10	8:40 AM	11.2	9.84	1483	0.655	-	0.655	0.030	-	0.030	P	ICP	
7-Jul-10	8:43 AM	11.5	9.33	1423	0.392	-	0.392	0.038	-	0.038	P	ICP	
8-Jul-10	8:43 AM	12.7	9.76	1447	0.272	-	0.272	<0.01	-	<0.01	P	ICP	
9-Jul-10	7:37 AM	13.8	9.89	1438	0.075	0.065	0.070	<0.01	-	<0.01	P	ICP	
10-Jul-10	7:38 AM	13.1	10.26	1660	0.107	-	0.107	<0.01	-	<0.01	P	ICP	
11-Jul-10	8:03 AM	11.8	10.38	1371	0.182	-	0.182	<0.01	-	<0.01	P	ICP	
12-Jul-10	8:18 AM	12.0	10.33	1571	0.049	-	0.049	<0.01	-	<0.01	P	ICP	
13-Jul-10	8:13 AM	13.7	10.05	1330	0.152	-	0.152	<0.01	-	<0.01	P	ICP	
14-Jul-10	8:20 AM	13.1	9.95	1395	0.055	-	0.055	<0.01	-	<0.01	P	ICP	
15-Jul-10	8:09 AM	13.0	9.94	1343	0.114	-	0.114	<0.01	-	<0.01	P	ICP	
16-Jul-10	7:16 AM	13.5	10.24	1580	0.174	-	0.174	<0.01	-	<0.01	P	ICP	
17-Jul-10	7:07 AM	13.1	10.17	1386	0.085	-	0.085	<0.01	-	<0.01	P	ICP	
18-Jul-10	7:04 AM	12.9	10.31	1590	0.235	-	0.235	<0.01	-	<0.01	P	ICP	
19-Jul-10	8:07 AM	13.8	9.89	1591	0.244	-	0.244	<0.01	-	<0.01	P	ICP	
20-Jul-10	10:15 AM	14.3	10.14	1424	0.061	-	0.061	<0.01	-	<0.01	P	ICP	
21-Jul-10	8:04 AM	13.7	10.30	1630	0.213	-	0.213	<0.01	-	<0.01	P	ICP	
22-Jul-10	8:41 AM	13.6	10.21	1298	0.037	0.035	0.036	<0.01	-	<0.01	P	ICP	
22-Jul-10	-	-	9.98	1371	0.176	0.175	0.176	-	-	-	P	ICP	
23-Jul-10	7:50 AM	13.6	10.00	1455	0.064	-	0.064	0.010	-	0.010	P	ICP	
24-Jul-10	7:46 AM	13.1	10.28	1577	0.307	0.286	0.297	<0.01	-	<0.01	P	ICP	Sample reanalyzed due to high Zn conc.
24-Jul-10	11:16 AM	13.4	10.22	1588	0.156	0.160	0.158				P	ICP	New sample collected to verify previous result.
25-Jul-10	7:47 AM	13.4	10.31	1577	0.763	0.794	0.779				P	ICP	dup run to check value.
25-Jul-10	12:15 PM	13.6	10.30	1570	0.310	-	0.310				P	ICP	no diss... Samples acidified.
26-Jul-10	7:45 AM	13.7	10.34	1401	0.409	0.403	0.406	0.014	-	0.014	P	ICP	Flow reduced to clarifier at 12:00 PM.

**Table C-12:
 2010 FMC Lab Analysis - Zinc
 (Total and Dissolved) in the Clarifier**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Config.	Method of Analysis	Comments
27-Jul-10	8:10 AM	14.1	10.16	1382	0.098	-	0.098	<0.01	-	<0.01	P	ICP	
28-Jul-10	8:07 AM	13.9	10.11	1296	0.335	-	0.335	0.010	-	0.010	P	ICP	
29-Jul-10	7:58 AM	14.9	10.38	1402	0.183	-	0.183	0.015	-	0.015	P	AA	
30-Jul-10	7:43 AM	15.6	10.00	1650	0.039	-	0.039	<0.01	<0.01	<0.01	P	AA	
31-Jul-10	7:43 AM	15.2	10.23	1387	0.145	-	0.145	0.017	-	0.017	P	AA	
1-Aug-10	7:44 AM	14.7	10.29	1268	0.140	-	0.140	0.030	-	0.030	P	AA	
2-Aug-10	8:10 AM	14.9	10.20	1570	0.138	-	0.138	0.031	-	0.031	P	AA	
3-Aug-10	7:58 AM	14.9	10.21	1558	0.229	-	0.229	0.031	-	0.031	P	AA	
4-Aug-10	8:03 AM	15.1	10.40	1280	0.089	-	0.089	0.018	-	0.018	P	AA	
5-Aug-10	8:02 AM	15.2	10.10	1432	0.164	-	0.164	0.015	-	0.015	P	AA	Faro pump shutdown 8:11-10:02AM.
6-Aug-10	7:42 AM	15.4	9.59	1316	0.132	-	0.132	<0.01	-	<0.01	P	AA	
7-Aug-10	7:50 AM	15.0	10.25	1434	0.107	-	0.107	<0.01	-	<0.01	P	AA	
8-Aug-10	8:32 AM	15.0	10.15	1610	0.074	-	0.074	<0.01	-	<0.01	P	AA	
9-Aug-10	8:07 AM	14.6	10.28	1582	0.175	-	0.175	0.029	-	0.029	P	ICP	
9-Aug-10					0.178	-	0.178	0.022	-	0.022	P	AA	Duplicate analysis by AA.
10-Aug-10	8:07 AM	14.7	10.28	1561	0.109	-	0.109	0.024	-	0.024	P	ICP	
11-Aug-10	7:50 AM	14.7	10.22	1370	0.115	-	0.115	<0.01	-	<0.01	P	ICP	
12-Aug-10	7:59 AM	14.7	10.15	1440	0.115	-	0.115	0.016	-	0.016	P	ICP	
13-Aug-10	7:40 AM	14.6	10.33	1077	0.027	-	0.027	0.013	-	0.013	P	ICP	
14-Aug-10	8:05 AM	15.1	10.30	1410	0.047	-	0.047	0.012	-	0.012	P	ICP	
15-Aug-10	8:00 AM	14.7	10.14	1316	0.038	-	0.038	<0.01	-	<0.01	P	ICP	
16-Aug-10	7:46 AM	15.2	10.12	1540	0.072	0.069	0.071	<0.01	-	<0.01	P	ICP	
17-Aug-10	8:13 AM	15.4	10.09	1387	0.088	-	0.088	0.021	-	0.021	P	ICP	
18-Aug-10	8:12 AM	14.6	10.16	1486	0.080	-	0.080	0.027	-	0.027	P	ICP	
19-Aug-10	9:32 AM	14.2	10.33	1631	0.044	-	0.044	<0.01	-	<0.01	P	ICP	
20-Aug-10	7:42 AM	13.8	9.83	1620	0.047	-	0.047	<0.01	-	<0.01	P	ICP	
21-Aug-10	6:10 AM	13.6	10.41	1630	0.073	-	0.073	<0.01	-	<0.01	P	ICP	
22-Aug-10	7:15 AM	12.9	10.09	1426	0.066	-	0.066	<0.01	-	<0.01	P	ICP	
23-Aug-10	8:00 AM	12.8	10.11	1476	0.073	-	0.073	0.017	-	0.017	P	ICP	
24-Aug-10	8:11 AM	12.5	10.18	1163	0.092	-	0.092	<0.01	-	<0.01	P	ICP	
25-Aug-10	7:50 AM	12.2	10.11	1376	0.088	-	0.088	<0.01	-	<0.01	P	ICP	
26-Aug-10	7:55 AM	12.0	10.10	1580	0.166	-	0.166	0.018	-	0.018	P	AA	
27-Aug-10	7:40 AM	11.5	10.28	1418	0.164	-	0.164	0.022	-	0.022	P	AA	
28-Aug-10	8:55 AM	11.3	9.72	2093	0.073	-	0.073	<0.01	-	<0.01	P	AA	
29-Aug-10	8:30 AM	11.0	10.15	1988	0.074	-	0.074	<0.01	-	<0.01	P	AA	
30-Aug-10	7:58 AM	10.7	7.65	2060	4.011	-	4.011	2.290	-	2.290	P	AA	Discharge from mill shut down before results available.

Table C-12:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Clarifier

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Zn-T		Zn-T Average	Zn-D		Zn-D Average	Config.	Method of Analysis	Comments
30-Aug-10	7:58 AM	10.7	7.40	2141	4.180	-	4.180	2.210	-	2.210		AA	Reanalysis of morning sample to verify previous result. pH and conductivity measured on lab meter.
30-Aug-10	2:45 PM	11.1	9.24	2430	0.770	-	0.770	0.050	-	0.050		AA	Sample collected from clarifier tank (no discharge from tank now).
30-Aug-10	2:45 PM	11.1	9.14	2165									pH and conductivity measured on lab meter.

**Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments				
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg						
13-May-10	6:00 PM	6.7	10.00	1244	0.144	-	0.144	0.012	-	0.012						ICP	Mill Spill taken at sample port 6 PM	
14-May-10	12:00 AM	5.3	10.21	1245	0.120	-	0.120	<0.01	-	<0.01						ICP	Mill Spill taken at sample port 12 AM	
14-May-10	6:00 AM	8.2	10.25	1341	0.174	-	0.174	<0.01	-	<0.01						ICP	Mill Spill taken at sample port 6 AM	
14-May-10	8:30 AM	16.6	9.60	1160							0.123	0.333	0.228	<0.01	<0.01	<0.01	ICP	Combined Mill Spill, 8:30 AM; Rerun - 0.347 - ZnT dup
14-May-10	12:00 PM	6.7	10.26	1333	0.387	0.380	0.384	<0.01	-	<0.01						ICP	Rerun the undissolved sample	
14-May-10	6:00 PM	6.6	10.05	1334	0.300	0.286	0.293	<0.01	-	<0.01						ICP	Rerun the undissolved sample	
15-May-10	12:00 AM	7.1	10.60	1256	0.056	0.053	0.055	<0.01	-	<0.01						ICP	Rerun the undissolved sample	
15-May-10	6:00 AM	5.3	10.63	1254	0.317	0.305	0.311	<0.01	-	<0.01						ICP	Rerun the undissolved sample	
15-May-10	8:00 AM	19.4	9.48	1135							0.050	0.066	0.058	<0.01	<0.01	<0.01	ICP	Combined Mill Effluent
15-May-10	11:50 AM	8.5	10.52	1252	0.183	-	0.183	<0.01	-	<0.01						ICP	Mill Effluent taken at Sample Port	
15-May-10	6:00 PM	6.6	10.61	1272	0.114	-	0.114	<0.01	-	<0.01						ICP	Mill Effluent taken at Sample Port	
16-May-10	12:00 AM	6.1	10.61	1278	0.066	-	0.066	<0.01	-	<0.01						ICP	Mill Effluent taken at Sample Port	
16-May-10	6:00 AM	6.3	10.60	1259	0.097	-	0.097	<0.01	-	<0.01						ICP	Mill Effluent taken at Sample Port	
16-May-10	9:21 AM	6.3	10.60	1259							0.143	-	0.143	<0.01	-	<0.01	ICP	Combined Mill Effluent
16-May-10	12:00 PM	7.5	10.58	1251	0.201	-	0.201	<0.01	-	<0.01						ICP	Mill Effluent taken at Sample Port	
16-May-10	6:00 PM	7.9	10.56	1281	0.210	-	0.210	<0.01	-	<0.01						ICP	Mill Effluent taken at Sample Port	
17-May-10	12:00 AM	-6.8	10.61	1262	0.208	-	0.208	<0.01	-	<0.01						ICP	Mill Effluent taken at Sample Port	
17-May-10	6:00 AM	5.3	10.62	1224	0.205	-	0.205	<0.01	-	<0.01						ICP	Mill Effluent taken at Sample Port	
17-May-10	8:00 AM	19.1	9.81	1274							0.182	0.221	0.202	<0.01	<0.01	<0.01	ICP	Combined Mill Effluent; pH, EC and Temp were measured at 10:07 AM
17-May-10	12:00 PM	8.5	10.55	1254	0.364	-	0.364	<0.01	-	<0.01						ICP		
17-May-10	6:00 PM	7.2	10.61	1256	0.307	-	0.307	<0.01	-	<0.01						ICP		

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments				
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg						
18-May-10	12:00 AM	6.0	10.69	1219	0.908	-	0.908	<0.01	-	<0.01					ICP	thickener tank being flushed		
18-May-10	6:00 AM	5.7	10.72	1231	0.346	-	0.346	<0.01	-	<0.01					ICP			
18-May-10	7:51 AM	20.4	9.89	1242							0.366	0.361	0.364	<0.01	<0.01	<0.01	ICP	
18-May-10	12:00 PM	8.0	10.60	1236	0.387	-	0.387	<0.01	-	<0.01					ICP	thickener tank being flushed 10:30am to 12:30 pm		
18-May-10	6:00 PM	8.6	10.60	1261	0.315	-	0.315	<0.01	-	<0.01					ICP			
19-May-10	12:00 AM	7.1	10.62	1344	0.209	-	0.209	<0.01	-	<0.01					ICP			
19-May-10	6:00 AM	6.9	10.71	1327	0.202	-	0.202	<0.01	-	<0.01					ICP			
19-May-10	8:00 AM	21.6	9.58	1257							0.278	0.262	0.270	<0.01	<0.01	<0.01	ICP	pH, EC and temp measured at 1:16 PM
19-May-10	12:00 PM	7.7	10.58	1362	0.216	-	0.216	<0.01	-	<0.01					ICP			
19-May-10	6:00 PM	7.5	10.35	1388	0.305	-	0.305	<0.01	-	<0.01					ICP			
20-May-10	12:00 AM	6.7	10.67	1371	0.292	-	0.292	<0.01	-	<0.01					ICP			
20-May-10	6:15 AM	6.9	10.70	1405	0.293	-	0.293	<0.01	-	<0.01					ICP			
20-May-10	8:20 AM	17.4	10.09	1373							0.244	0.241	0.243	<0.01	-	<0.01	ICP	
20-May-10	12:00 PM	7.6	10.62	1455	0.210	-	0.210	<0.01	-	<0.01					ICP			
20-May-10	6:00 PM	8.0	10.48	1417	0.179	-	0.179	<0.01	-	<0.01					ICP			
21-May-10	12:00 AM	7.1	10.58	1375	0.177	-	0.177	<0.01	-	<0.01					ICP			
21-May-10	6:00 AM	7.4	10.62	1367	0.207	-	0.207	<0.01	-	<0.01					ICP			
21-May-10	9:15 AM	19.3	9.98	1388							0.178	0.178	0.178	<0.01	-	<0.01	ICP	
21-May-10	12:00 PM	9.1	10.56	1458	0.191	-	0.191	<0.01	-	<0.01					ICP			
21-May-10	6:00 PM	9.1	10.63	1439	0.258	-	0.258	<0.01	-	<0.01					ICP			
22-May-10	12:00 AM	8.2	10.70	1458	0.167	-	0.167	<0.01	-	<0.01					ICP			
22-May-10	6:00 AM	8.4	10.70	1458	0.200	-	0.200	<0.01	-	<0.01					ICP			
22-May-10	8:30 AM	20.3	9.87	1383							0.138	0.142	0.140	<0.01	-	<0.01	ICP	pH, EC and temp measured at 12pm
22-May-10	12:00 PM	10.1	10.61	1456	0.111	-	0.111	<0.01	-	<0.01					ICP			
22-May-10	6:00 PM	10.1	10.63	1388	0.178	-	0.178	<0.01	-	<0.01					ICP			
23-May-10	12:00 AM	7.7	10.67	1357	0.193	-	0.193	<0.01	-	<0.01					ICP			
23-May-10	6:00 AM	7.7	10.67	1375	0.304	-	0.304	<0.01	-	<0.01					ICP			
23-May-10	8:45 AM	20.4	9.98	1398							0.162	0.152	0.157	<0.01	-	<0.01	ICP	pH, EC and temp. measured at 12pm
23-May-10	12:00 PM	9.1	10.54	1327	0.142	-	0.142	<0.01	-	<0.01					ICP			
23-May-10	6:00 PM	8.2	10.62	1332	0.394	-	0.394	<0.01	-	<0.01					ICP			
24-May-10	12:00 AM	7.4	10.47	1340	0.308	-	0.308	<0.01	-	<0.01					ICP			

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments				
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg						
24-May-10	6:00 AM	6.9	10.51	1351	0.347	-	0.347	<0.01	-	<0.01					ICP			
24-May-10	8:10 AM	15.4	10.23	1367							0.202	0.210	0.206	<0.01	-	<0.01	ICP	pH, EC and temp. measured at 8:15am
24-May-10	12:00 PM	9.1	10.57	1320	0.233	-	0.233	<0.01	-	<0.01							ICP	
24-May-10	6:00 PM	9.0	10.59	1326	0.189	-	0.189	<0.01	-	<0.01							ICP	
25-May-10	12:00 AM	8.3	10.56	1343	0.288	-	0.288	<0.01	-	<0.01							ICP	
25-May-10	6:00 AM	7.6	10.41	1351	0.326	-	0.326	<0.01	-	<0.01							ICP	
25-May-10	8:35 AM	20.2	9.94	1363							0.255	0.239	0.247	<0.01	-	<0.01	ICP	pH, EC and temp. measured at 10:40am
25-May-10	12:00 PM	9.6	10.50	1321	0.289	-	0.289	<0.01	-	<0.01							ICP	
25-May-10	6:00 PM	9.9	10.52	1289	0.342	-	0.342	<0.01	-	<0.01							ICP	
26-May-10	12:00 AM	8.8	10.56	1351	0.269	-	0.269	<0.01	-	<0.01							ICP	
26-May-10	6:00 AM	7.8	10.56	1359	0.274	-	0.274	<0.01	-	<0.01							ICP	
26-May-10	8:10 AM	16.1	10.13	1367							0.198	0.189	0.194	<0.01	-	<0.01	ICP	pH, EC and temp. measured at 8:10am
26-May-10	12:00 PM	10.1	10.41	1349	0.259	-	0.259	<0.01	-	<0.01							ICP	
26-May-10	6:00 PM	9.2	10.54	1314	0.317	-	0.317	<0.01	-	<0.01							ICP	
27-May-10	12:00 AM	9.3	10.44	1358	0.299	-	0.299	<0.01	-	<0.01							ICP	
27-May-10	6:00 AM	8.6	10.43	1336	0.279	-	0.279	<0.01	-	<0.01							ICP	
27-May-10		-	-	-	-	-					0.293	-	0.293	<0.01	-	<0.01	ICP	Combined sample pH, EC, and temp. not measured
27-May-10	12:00 PM	10.0	10.36	1425	0.398	-	0.398	<0.01	-	<0.01							ICP	
27-May-10	6:00 PM	10.4	10.43	1427	0.227	-	0.227	<0.01	-	<0.01							ICP	
28-May-10	12:00 AM	10.0	10.36	1486	0.205	-	0.205	<0.01	-	<0.01							ICP	
28-May-10	6:00 AM	-	-	-	-	-											ICP	
28-May-10	7:53 AM	19.9	9.71	1337							0.238	0.246	0.242	<0.01	-	<0.01	ICP	pH, EC and temp measured at 9:25 AM
28-May-10	12:00 PM	10.6	10.40	1550														
28-May-10	6:00 PM	10.8	10.40	1554														
29-May-10	12:00 AM	9.5	10.30	1500														
29-May-10	6:00 AM	8.7	10.42	1492														
29-May-10	7:40 AM	20.5	9.91	1380							0.219	0.213	0.216	0.011	-	0.011	ICP	
29-May-10	12:00 PM	10.0	10.60	1440														
29-May-10	6:00 PM	10.0	10.60	1520														
30-May-10	12:00 AM	9.6	10.27	1499														
30-May-10	6:00 AM	9.3	10.26	1488														
30-May-10	7:39 AM	20.6	9.86	1346							0.222	0.219	0.221	<0.01	-	<0.01	ICP	
30-May-10	12:00 PM	10.6	10.40	1470														

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
30-May-10	6:00 PM	10.6	10.40	1500											
31-May-10	12:00 AM	10.0	10.30	1503											
31-May-10	6:00 AM	9.8	10.23	1410											
31-May-10	7:50 AM	-	-	-					0.189	0.187	0.188	<0.01	-	<0.01	ICP
31-May-10	12:00 PM	10.2	10.26	1468											
31-May-10	6:00 PM	11.3	10.36	1496											
1-Jun-10	12:00 AM	10.3	10.33	1448											
1-Jun-10	6:00 AM	10.5	10.27	1504											
1-Jun-10	7:50 AM	-	-	-					0.151	0.144	0.148	<0.01	-	<0.01	ICP
1-Jun-10	12:00 PM	10.9	10.20	1467											
1-Jun-10	6:00 PM	11.7	10.32	1472											
2-Jun-10	12:00 AM	11.0	10.24	1505											
2-Jun-10	6:00 AM	10.0	10.33	1450											
2-Jun-10	8:15 AM	-	-	-					0.112	-	0.112	<0.01	-	<0.01	ICP
2-Jun-10	12:00 PM	11.1	10.27	1454											Tanks being flushed.
2-Jun-10	6:00 PM	10.9	10.47	1452											
3-Jun-10	12:00 AM	10.5	10.20	1511											
3-Jun-10	6:00 AM	10.4	10.10	1483											
3-Jun-10	8:21 AM	-	-	-					0.169	-	0.169	<0.01	-	<0.01	ICP
3-Jun-10	12:00 PM	10.9	10.22	1497											
3-Jun-10	6:00 PM	10.4	10.66	1492											
4-Jun-10	12:00 AM	10.0	10.20	1453											
4-Jun-10	6:00 AM	10.2	10.24	1445											
4-Jun-10	7:40 AM	-	-	-					0.184	0.196	0.190	<0.01	-	<0.01	ICP
4-Jun-10	12:00 PM	9.7	10.80	1455	0.815	-	0.815								
4-Jun-10	6:00 PM	9.8	10.37	1501	0.320	-	0.320								
5-Jun-10	12:00 AM	9.8	10.40	1404	0.248	-	0.248								
5-Jun-10	6:00 AM	9.8	10.40	1498	0.349	-	0.349								
5-Jun-10	7:50 AM	-	-	-					0.411	-	0.411	<0.01	-	<0.01	ICP
5-Jun-10	12:00 PM	9.3	10.47	1476											
5-Jun-10	6:00 PM	9.8	10.40	1484											
6-Jun-10	12:00 AM	9.5	10.44	1467											
6-Jun-10	6:00 AM	9.8	10.46	1470											
6-Jun-10	7:55 AM	-	-	-					0.305	0.314	0.310	<0.01	-	<0.01	ICP
6-Jun-10	12:00 PM	9.6	10.35	1478	0.422		0.422								
6-Jun-10	6:00 PM	9.8	10.41	1509	0.300		0.300								
7-Jun-10	12:00 AM	9.8	10.45	1460	0.303		0.303								
7-Jun-10	6:00 AM	9.8	10.50	1450	0.308		0.308								

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments		
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg				
7-Jun-10	7:55 AM								0.337	0.340	0.339	<0.01	-	<0.01	ICP	
7-Jun-10	12:00 PM	10.2	10.18	1478												
7-Jun-10	6:00 PM	10.4	10.41	1512												
8-Jun-10	12:00 AM	9.8	10.50	1470												
8-Jun-10	6:00 AM	8.8	10.50	1450												
8-Jun-10	7:55 AM								0.212	0.216	0.214	0.010	-	0.010	ICP	
8-Jun-10	12:00 PM	10.5	10.45	1428												sludge being pumped out at time of the sample
8-Jun-10	6:00 PM	9.9	10.42	1430												
9-Jun-10	12:00 AM	9.6	10.35	1441												
9-Jun-10	6:00 AM	8.6	10.41	1415												
9-Jun-10	8:20 AM								0.268	0.271	0.270	<0.01	-	<0.01	ICP	
9-Jun-10	12:00 PM	10.8	10.36	1408												
9-Jun-10	6:00 PM	10.5	10.40	1416												
10-Jun-10	12:00 AM	9.2	10.26	1464												
10-Jun-10	6:00 AM	9.8	10.21	1448												
10-Jun-10	8:03 AM								0.245	0.243	0.244	0.010	-	0.010	ICP	
10-Jun-10	12:00 PM	10.8	10.32	1513												
10-Jun-10	6:00 PM	10.5	10.29	1495												
11-Jun-10	12:00 AM	10.1	10.46	1448												
11-Jun-10	6:00 AM	9.3	10.57	1442												
11-Jun-10	7:55 AM								0.213	0.272	0.243	<0.01	-	<0.01	ICP	
11-Jun-10	12:00 PM	10.6	10.40	1390												
11-Jun-10	6:00 PM	10.0	10.40	1410												
12-Jun-10	12:00 AM	10.1	10.26	1514												
12-Jun-10	6:00 AM	9.5	10.31	1451												
12-Jun-10	8:05 AM								0.187	0.189	0.188	<0.01	-	<0.01	ICP	
12-Jun-10	12:00 PM	10.6	10.40	1437												
12-Jun-10	6:00 PM	10.2	10.40	1440												
13-Jun-10	12:00 AM	9.5	10.13	1419												
13-Jun-10	6:00 AM	10.1	10.05	1489												
13-Jun-10	7:45 AM								0.388	0.386	0.387	<0.01	-	<0.01	AA	
13-Jun-10	12:00 PM	10.6	10.40	1450												
13-Jun-10	6:00 PM	10.6	10.30	1451												
14-Jun-10	12:00 AM	9.5	9.91	1469												
14-Jun-10	6:00 AM	8.4	10.05	1408												
14-Jun-10	7:54 AM								0.311	0.298	0.305	<0.01	-	<0.01	AA	
14-Jun-10	2:00 PM	10.1	10.60	1350												

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
14-Jun-10	6:00 PM	9.6	10.30	1430											
15-Jun-10	12:00 AM	10.1	10.12	1468											
15-Jun-10	6:00 AM	10.1	0.14	1458											
15-Jun-10	7:50 AM								0.329	0.309	0.319	0.014	-	0.014	ICP
15-Jun-10	12:00 PM	11.6	10.40	1440											
15-Jun-10	6:00 PM	12.1	10.40	1480											
16-Jun-10	12:00 AM	11.2	10.10	1477											
16-Jun-10	6:00 AM	10.2	10.15	1440											
16-Jun-10	8:15 AM								0.243	0.243	0.243	<0.01	-	<0.01	ICP
16-Jun-10	12:00 PM	12.2	10.36	1370											
16-Jun-10	6:00 PM	11.0	10.17	1477											
17-Jun-10	12:00 AM	10.2	10.33	1526											
17-Jun-10	6:00 AM	9.9	10.35	1527											
17-Jun-10	8:20 AM								0.219	0.211	0.215	<0.01	-	<0.01	AA
17-Jun-10	12:00 PM	12.6	10.01	1442											
17-Jun-10	6:00 PM	11.7	10.38	1554											
18-Jun-10	12:00 AM	10.5	10.26	1549											
18-Jun-10	6:00 AM	10.1	10.32	1550											
18-Jun-10	7:55 AM								0.089	0.114	0.102	<0.01	-	<0.01	AA
18-Jun-10	12:00 PM	10.9	9.85	1542											
18-Jun-10	6:00 PM	10.4	9.95	1534											
19-Jun-10	12:00 AM	10.0	10.26	1555											
19-Jun-10	6:00 AM	9.9	10.32	1497											
19-Jun-10	9:15 AM								0.368	0.374	0.371	<0.01	-	<0.01	AA
19-Jun-10	12:00 PM	11.1	9.89	1501											
19-Jun-10	6:00 PM	11.5	10.00	1532											
20-Jun-10	12:00 AM	10.7	10.31	1525											
20-Jun-10	6:00 AM	10.3	10.40	1494											
20-Jun-10	8:00 AM								0.271	0.269	0.270	0.016	-	0.016	AA
20-Jun-10	12:00 PM	11.9	9.88	1500											
20-Jun-10	6:00 PM	11.7	10.06	1522											
21-Jun-10	12:00 AM	11.9	10.10	1530											
21-Jun-10	6:00 AM	11.8	10.30	1515											
21-Jun-10	7:50 AM								0.158	0.165	0.162	0.015	-	0.015	AA
21-Jun-10	12:00 PM	12.3	9.93	1576											
21-Jun-10	6:00 PM	12.3	9.98	1545											
22-Jun-10	12:00 AM	12.0	10.06	1540											
22-Jun-10	6:00 AM	11.7	10.16	1562											

**Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments		
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg				
22-Jun-10	9:00 AM								0.181	0.182	0.182	<0.01		0.005	AA	
22-Jun-10	12:00 PM	11.7	9.88	1511												
22-Jun-10	6:00 PM	11.9	10.11	1443												
23-Jun-10	12:00 AM	11.8	10.10	1520												
23-Jun-10	6:00 AM	11.9	10.40	1540												
23-Jun-10	10:30 AM								0.173	0.189	0.181	<0.01		0.005	AA	
23-Jun-10	12:00 PM	11.6	9.85	1525												
23-Jun-10	6:00 PM	11.7	9.92	1551												
24-Jun-10	12:00 AM	11.8	10.10	1540												
24-Jun-10	6:00 AM	11.8	10.10	1548												
24-Jun-10	11:45 AM								0.138	0.142	0.140	<0.01		0.005	ICP	
24-Jun-10	12:00 PM	12.7	10.32	1556												
24-Jun-10	6:00 PM	12.6	10.29	1512												
25-Jun-10	12:00 AM	12.0	10.80	1555												
25-Jun-10	6:00 AM	11.2	10.13	1522												
25-Jun-10	10:30 AM								0.110	0.160	0.135	<0.01	-	<0.01	ICP	
25-Jun-10	12:00 PM	12.8	10.10	1483												
25-Jun-10	6:00 PM	13.5	10.13	1469												
25-Jun-10	12:00 AM	12.2	9.98	1490												
26-Jun-10	6:00 AM	11.3	9.97	1503												
26-Jun-10	10:00 AM								0.077	-	0.077	<0.01	-	<0.01	ICP	
26-Jun-10	12:00 PM	13.5	9.97	1515												
26-Jun-10	6:00 PM	13.5	10.14	1474												
27-Jun-10	12:00 AM	13.3	10.13	1485												
27-Jun-10	6:00 AM	12.2	10.15	1478												
27-Jun-10	8:50 AM								0.130	-	0.130	<0.01	-	<0.01	ICP	
27-Jun-10	12:00 PM	12.4	10.10	1490												
27-Jun-10	6:00 PM															No field parameters recorded
28-Jun-10	12:00 AM	12.1	10.16	1416												
28-Jun-10	6:00 AM	11.2	10.13	1522												
28-Jun-10	9:30 AM								0.157	-	0.157	0.012	-	0.012	ICP	
28-Jun-10	12:00 PM	11.6	9.84	1350												
28-Jun-10	6:00 PM	12.0	10.00	1350												
29-Jun-10	12:00 AM	12.4	9.63	1433												
29-Jun-10	6:00 AM	11.4	9.37	1371												
29-Jun-10	8:05 AM								0.262	-	0.262	0.011	-	0.011	ICP	
29-Jun-10	12:00 PM	13.6	10.00	1390												

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
29-Jun-10	6:00 PM	13.6	11.48	1440											
30-Jun-10	12:00 AM	12.3	9.32	1453											
30-Jun-10	6:00 AM	11.9	11.33	1557											
30-Jun-10	8:05 AM								0.191	0.194	0.193	<0.01	-	<0.01	ICP
30-Jun-10	12:00 PM		9.78	1403											
30-Jun-10	6:00 PM	13.6	10.00	1408											
1-Jul-10	12:00 AM	12.0	9.60	1397											
1-Jul-10	6:00 AM	11.8	11.95	2066											
1-Jul-10	10:15 AM								0.210	-	0.210	<0.01	-	<0.01	ICP
1-Jul-10	12:00 PM	12.6	10.00	1440											
1-Jul-10	6:00 PM	12.6	10.10	1430											
2-Jul-10	12:00 AM	12.5	9.42	1408											
2-Jul-10	6:00 AM	11.9	9.62	1413											
2-Jul-10	11:00 AM								0.262	-	0.262	<0.01	-	<0.01	ICP
2-Jul-10	12:00 PM														Tanks being flushed, no sample.
2-Jul-10	6:00 PM	13.5	10.98	1482											
3-Jul-10	12:00 AM	12.9	9.90	1398											
3-Jul-10	6:00 AM	12.0	9.96	1389											
3-Jul-10	9:00 AM								0.306	0.309	0.308				ICP No dissolved sample analyzed.
3-Jul-10	12:00 PM	13.0	9.90	1393											
3-Jul-10	6:00 PM	13.2	10.22	1390											
4-Jul-10	12:00 AM	13.5	9.91	1369											
4-Jul-10	6:00 AM	12.3	9.95	1404											
4-Jul-10	9:45 AM								0.183	-	0.183				ICP
4-Jul-10	12:00 PM	12.9	11.21	1548											
4-Jul-10	6:00 PM	13.3	9.92	1400											
5-Jul-10	12:00 AM	12.0	9.90	1387											
5-Jul-10	6:00 AM	11.6	12.22	2412											Lime line plugged up so was flushed previous to this sample.
5-Jul-10	9:50 AM								0.244	-	0.244	<0.01	-	<0.01	ICP
5-Jul-10	12:00 PM	13.6	9.63	1410											
5-Jul-10	6:00 PM	12.9	9.73	1384											
6-Jul-10	12:00 AM	12.4	9.75	1410											
6-Jul-10	6:00 AM	11.6	9.95	1414											
6-Jul-10	8:30 AM								0.341	0.336	0.339				ICP

**Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
6-Jul-10	12:00 PM	12.9	10.95	1554											
6-Jul-10	6:00 PM	15.5	9.37	1644											
7-Jul-10	12:00 AM	13.0	10.80	1554											
7-Jul-10	6:00 AM	14.0	11.00	1560											
7-Jul-10	8:45 AM								0.460	-	0.460			ICP	
7-Jul-10	12:00 PM	13.3	10.85	1588											
7-Jul-10	6:00 PM	14.5	11.60	2635											
8-Jul-10	12:00 AM	14.6	11.60	1245											
8-Jul-10	6:00 AM	14.0	11.20	2206											
8-Jul-10	9:00 AM								0.285	-	0.285	<0.01	-	<0.01	ICP
8-Jul-10	12:00 PM	14.1	9.57	-											
8-Jul-10	6:00 PM	15.3	9.42	-											
9-Jul-10	12:00 AM	14.1	10.10	-											
9-Jul-10	6:00 AM	13.4	10.10	-											
9-Jul-10	8:08 AM								0.116	-	0.116	<0.01	-	<0.01	ICP
9-Jul-10	12:00 PM	14.7	9.76	1447											
9-Jul-10	6:00 PM	16.6	9.60	1498											
10-Jul-10	12:00 AM	14.0	9.80	1440											
10-Jul-10	6:00 AM	13.6	9.80	1404											
10-Jul-10	7:46 AM								0.125	-	0.125	<0.01	-	<0.01	ICP
10-Jul-10	12:00 PM	13.2	10.09	1408											
10-Jul-10	6:00 PM	13.5	10.13	1417											
11-Jul-10	12:00 AM	12.8	10.11	1415											
11-Jul-10	6:00 AM	11.7	10.17	1410											
11-Jul-10	8:13 AM								0.183	-	0.183			ICP	
11-Jul-10	12:00 PM	12.6	10.20	1580											
11-Jul-10	6:00 PM	13.5	10.23	1570											
12-Jul-10	12:00 AM	12.0	10.27	1570											
12-Jul-10	6:00 AM	11.8	10.20	1570											
12-Jul-10	8:26 AM								0.132	0.132	0.132			ICP	
12-Jul-10	12:00 PM	13.3	10.15	1580											
12-Jul-10	6:00 PM	14.4	10.22	1560											
13-Jul-10	12:00 AM	13.5	10.21	1570											
13-Jul-10	6:00 AM	12.9	10.18	1560											
13-Jul-10	11:30 AM								0.166	0.167	0.167			ICP	
13-Jul-10	12:00 PM	15.6	10.02	1367											
13-Jul-10	6:00 PM	14.8	10.00	1395											
14-Jul-10	12:00 AM	13.5	10.09	1411											

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
14-Jul-10	6:00 AM	12.6	10.18	1400											
14-Jul-10	8:25 AM								0.117	-	0.117			ICP	
14-Jul-10	12:00 PM	14.6	9.70	1347											
14-Jul-10	6:00 PM	15.0	9.90	1420											
15-Jul-10	12:00 AM	13.9	9.35	1443											
15-Jul-10	6:00 AM	13.4	9.16	1417											
15-Jul-10	8:30 AM								0.187	-	0.187			ICP	
15-Jul-10	12:00 PM	14.4	9.90	1440											
15-Jul-10	6:00 PM	14.4	9.40	1440											
16-Jul-10	12:00 AM	13.8	9.48	1435											
16-Jul-10	6:00 AM	13.7	9.53	1406											
16-Jul-10	8:45 AM								0.184	0.182	0.183			ICP	
16-Jul-10	12:00 PM	14.4	10.00	1450											
16-Jul-10	6:00 PM	14.4	10.00	1450											
17-Jul-10	12:00 AM	13.5	9.64	1424											
17-Jul-10	6:00 AM	13.5	9.34	1411											
17-Jul-10	7:40 AM								0.301	0.303	0.302			ICP	
17-Jul-10	12:00 PM	14.4	10.00	1480											
17-Jul-10	6:00 PM	14.4	9.80	1440											
18-Jul-10	12:00 AM	13.8	9.26	1458											
18-Jul-10	6:00 AM	13.1	9.55	1445											
18-Jul-10	8:15 AM								0.166	-	0.166			ICP	
18-Jul-10	12:00 PM	14.6	10.59	1351											Tanks were being flushed
18-Jul-10	6:00 PM	14.8	10.44	1386											Tanks were being flushed
19-Jul-10	12:00 AM	14.0	10.29	1424											Tanks were being flushed
19-Jul-10	6:00 AM	13.2	10.33	1385											Tanks were being flushed
19-Jul-10	9:05 AM								0.155	0.154	0.155			ICP	
19-Jul-10	12:00 PM	14.9	10.42	1337											Faro and ETA water only
19-Jul-10	6:00 PM	14.8	10.43	1315											Faro and ETA water only
20-Jul-10	12:00 AM	14.3	10.29	1398											
20-Jul-10	6:00 AM	13.7	10.37	1404											
20-Jul-10	10:00 AM								0.154	-	0.154			ICP	
20-Jul-10	12:00 PM	15.1	10.31	1408											Tanks were being Flushed

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
20-Jul-10	6:00 PM	15.3	10.36	1414											
21-Jul-10	12:00 AM	14.1	10.22	1468											
21-Jul-10	6:00 AM	13.9	10.41	1430											
21-Jul-10	9:15 AM								0.142	0.143	0.143		ICP		
21-Jul-10	12:00 PM	14.4	10.40	1442											
21-Jul-10	6:00 PM	-	-	-											no measurments were taken
22-Jul-10	12:00 AM	14.1	10.36	1410											
22-Jul-10	6:00 AM	13.9	10.35	1408											
22-Jul-10	10:11 AM								0.085	0.085	0.085		ICP		
22-Jul-10	12:00 PM	14.7	9.70	1435											
22-Jul-10	6:00 PM	15.6	9.81	1427											
23-Jul-10	12:00 AM	14.6	10.30	1407											
23-Jul-10	6:00 AM	13.7	10.15	1420											
23-Jul-10	8:00 AM								0.257	0.258	0.258		ICP		
23-Jul-10	12:00 PM	14.6	9.61	1438											
23-Jul-10	6:00 PM	15.0	9.58	1443											
24-Jul-10	12:00 AM	14.4	10.00	1440											
24-Jul-10	6:00 AM	13.7	9.90	1440											
24-Jul-10	8:15 AM								0.205	0.204	0.205		ICP		
24-Jul-10	12:00 PM	13.9	9.82	1419	3.490	-	3.490						ICP		
24-Jul-10	6:00 PM	15.0	9.62	1447	0.444	-	0.444						ICP		
25-Jul-10	12:00 AM	14.8	9.90	1440	0.213	-	0.213						ICP		
25-Jul-10	6:00 AM	14.0	9.90	1440	0.241	-	0.241						ICP		
25-Jul-10									1.094	-	1.094		ICP	individuals run to identify source	
25-Jul-10	12:30 PM	14.5	10.20	1557	0.271	-	0.271						ICP		
25-Jul-10	12:00 PM	15.0	9.40	1473											
25-Jul-10	6:00 PM	15.4	9.65	1440											
26-Jul-10	12:00 AM	14.4	10.00	1380											
26-Jul-10	6:00 AM	14.4	10.00	1397											
26-Jul-10	8:30 AM								0.265	0.261	0.263		ICP		
26-Jul-10	12:00 PM	-	-	-											
26-Jul-10	6:00 PM	16.0	9.82	1569											
27-Jul-10	12:00 AM	14.6	10.06	1559											
27-Jul-10	6:00 AM	14.3	10.12	1561											
27-Jul-10									0.243	-	0.243		ICP		
27-Jul-10	12:00 PM	16.5	9.14	1498											no sample collected

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
27-Jul-10	6:00 PM	17.2	9.40	1417											
28-Jul-10	12:00 AM	15.2	9.78	1402											
28-Jul-10	6:00 AM	-	-	-											
28-Jul-10	8:15 AM								0.289	0.288	0.289		ICP		
28-Jul-10	12:00 PM	-	-	-											sample not collected
28-Jul-10	6:00 PM	16.6	9.35	1464											
29-Jul-10	12:00 AM	14.6	10.05	1400											
29-Jul-10	6:00 AM	14.0	10.12	1380											
29-Jul-10	8:30 AM								0.229	-	0.229		AA		
29-Jul-10	12:00 PM	16.1	9.51	1425											
29-Jul-10	6:00 PM	16.6	10.81	1392											
30-Jul-10	12:00 AM	15.4	10.28	1418											
30-Jul-10	6:00 AM	14.5	10.36	1462											ETA and IP water only
30-Jul-10	8:20 AM								0.289	0.292	0.291		AA		
30-Jul-10	12:00 PM	16.0	10.10	1440											
30-Jul-10	6:00 PM	16.5	9.95	1455											
31-Jul-10	12:00 AM	12.0	10.10	1484											
31-Jul-10	6:00 AM	15.4	9.72	1439											
31-Jul-10	7:50 AM								0.247	0.237	0.242		AA		
31-Jul-10	12:00 PM	18.0	9.97	1480											
31-Jul-10	6:00 PM	17.1	9.80	1426											
1-Aug-10	12:00 AM	15.9	9.53	1467											
1-Aug-10	6:00 AM	15.2	9.60	1422											
1-Aug-10	8:10 AM								0.148	-	0.148		AA		
1-Aug-10	12:00 PM	17.6	9.90	1480											
1-Aug-10	6:00 PM	17.8	9.89	1482											
2-Aug-10	12:00 AM	15.9	9.47	1449											
2-Aug-10	6:00 AM	15.1	9.63	1423											
2-Aug-10	8:00 AM								0.141	0.178	0.160		AA		
2-Aug-10	12:00 PM	17.1	9.90	1450											
2-Aug-10	6:00 PM	16.8	9.86	1466											
3-Aug-10	12:00 AM	16.0	9.50	1455											
3-Aug-10	6:00 AM	14.7	9.80	1422											
3-Aug-10	8:45 AM								0.291	-	0.291		AA		
3-Aug-10	12:00 PM	17.1	9.97	1451											
3-Aug-10	6:00 PM	18.2	10.00	1359											
4-Aug-10	12:00 AM	15.8	9.68	1444											
4-Aug-10	6:00 AM	16.5	9.87	1432											

**Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
4-Aug-10	8:05 AM								0.277	-	0.277			AA	
4-Aug-10	12:00 PM	17.8	9.94	1390											
4-Aug-10	6:00 PM	18.4	9.99	1390											
5-Aug-10	12:00 AM	16.5	9.97	1440											
5-Aug-10	6:00 AM	16.3	9.50	1420											
5-Aug-10	8:10 AM								0.217	-	0.217			AA	Faro pump shutdown 8:11-10:02AM.
5-Aug-10	12:00 PM	16.8	9.98	1690											
5-Aug-10	6:00 PM	17.7	9.74	1650											
6-Aug-10	12:00 AM	16.0	9.96	1600											
6-Aug-10	6:00 AM	1560.0	9.53	1630											
6-Aug-10	8:10 AM								0.149	-	0.149			AA	
6-Aug-10	12:00 PM	16.9	9.86	1471											
6-Aug-10	6:00 PM	17.1	9.93	1470											
7-Aug-10	12:00 AM	13.0	9.52	1472											
7-Aug-10	6:00 AM	13.2	9.34	1474											
7-Aug-10	8:00 AM								0.165	-	0.180			AA	
7-Aug-10	12:00 PM	17.1	9.37	1438											
7-Aug-10	6:00 PM	17.0	9.25	1478											
8-Aug-10	12:00 AM	15.6	9.80	1503											
8-Aug-10	6:00 AM	16.0	9.60	1508											
8-Aug-10	8:30 AM								0.362	-	0.362			AA	
8-Aug-10	12:00 PM	15.5	9.21	1434											
8-Aug-10	6:00 PM	15.7	9.34	1437											
9-Aug-10	12:00 AM	15.5	9.80	1480											
9-Aug-10	6:00 AM	15.5	9.80	1478											
9-Aug-10	9:00 AM								0.273	-	0.273			ICP	
9-Aug-10	9:00 AM								0.212	-	0.212			AA	Duplicate analysis by AA
9-Aug-10	12:00 PM	16.5	9.20	1438											
9-Aug-10	6:00 PM	17.4	9.14	1460											
10-Aug-10	12:00 AM	16.0	9.80	1470											
10-Aug-10	6:00 AM	15.1	9.80	1480											
10-Aug-10	8:45 AM								0.146	-	0.146			ICP	
10-Aug-10	12:00 PM	17.7	9.65	1492											
10-Aug-10	6:00 PM	17.1	9.26	1470											
11-Aug-10	12:00 AM	16.4	9.80	1480											
11-Aug-10	6:00 AM	15.0	9.80	1470											
11-Aug-10	7:45 AM								0.202	-	0.202			ICP	

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
11-Aug-10	12:00 PM	15.8	9.20	1455											
11-Aug-10	6:00 PM	16.6	9.31	1467											
12-Aug-10	12:00 AM	14.8	9.84	1452											
12-Aug-10	6:00 AM	14.1	10.28	1454											
12-Aug-10	9:00 AM								0.319	-	0.319			ICP	
12-Aug-10	12:00 PM	17.1	8.80	1482											
12-Aug-10	6:00 PM	17.6	9.50	1478											
13-Aug-10	12:00 AM	16.0	10.05	1468											
13-Aug-10	6:00 AM	14.7	10.02	1478											
13-Aug-10	9:10 AM								0.154	-	0.154			ICP	
13-Aug-10	12:00 PM	16.4	9.91	1109											
13-Aug-10	6:00 PM	17.7	9.86	1084											
14-Aug-10	12:00 AM	15.9	10.18	1085											
14-Aug-10	6:00 AM	15.1	10.15	1055											
14-Aug-10	9:30 AM								0.124	0.125	0.125			ICP	
14-Aug-10	12:00 PM	17.2	10.05	1219											
14-Aug-10	6:00 PM	17.2	10.09	1234											
15-Aug-10	12:00 AM	15.6	10.04	1181											
15-Aug-10	6:00 AM	14.8	10.23	1171											
15-Aug-10	8:15 AM								0.085	-	0.085			ICP	
15-Aug-10	12:00 PM	16.6	9.80	1170											
15-Aug-10	6:00 PM	17.6	9.59	1178											
16-Aug-10	12:00 AM	16.4	9.41	1181											
16-Aug-10	6:00 AM	15.3	9.33	1169											
16-Aug-10	7:50 AM								0.216	0.214	0.215			ICP	
16-Aug-10	12:00 PM	17.6	9.80	1420											
16-Aug-10	6:00 PM	18.6	9.80	1155											
17-Aug-10	12:00 AM	16.6	9.30	1170											
17-Aug-10	6:00 AM	15.4	9.23	1158											
17-Aug-10	9:00 AM								0.194	-	0.194			ICP	
17-Aug-10	12:00 PM														Field parameters misplaced
17-Aug-10	6:00 PM														
18-Aug-10	12:00 AM														
18-Aug-10	6:00 AM														
18-Aug-10	9:30 AM								0.170	-	0.170			ICP	
18-Aug-10	12:00 PM	16.0	9.80	1180											
18-Aug-10	6:00 PM	16.0	10.30	130											

**Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent**

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
19-Aug-10	12:00 AM	14.9	9.28	1167											
19-Aug-10	6:00 AM	14.9	9.24	1188											
19-Aug-10	10:30 AM								0.107	-	0.107			ICP	
19-Aug-10	12:00 PM	14.5	9.70	1224											
19-Aug-10	6:00 PM	14.2	9.69	1169											
20-Aug-10	12:00 AM	14.1	10.11	1202											
20-Aug-10	6:00 AM	13.2	9.50	1172											
20-Aug-10									0.109	-	0.109			ICP	
20-Aug-10	12:00 PM	14.4	9.48	1467											
20-Aug-10	6:00 PM	13.7	9.84	1432											
21-Aug-10	12:00 AM	14.4	9.87	1434											
21-Aug-10	6:00 AM	12.9	9.99	1428											
21-Aug-10	6:45 AM								0.118	-	0.118			ICP	
21-Aug-10	12:00 PM	13.9	10.18	1640											
21-Aug-10	6:00 PM	13.8	10.29	1640											
22-Aug-10	12:00 AM	12.6	9.92	1630											
22-Aug-10	6:00 AM	12.5	10.18	1610											
22-Aug-10	8:15 AM								0.162	-	0.162			ICP	
22-Aug-10	12:00 PM	13.3	9.80	1442											
22-Aug-10	6:00 PM	13.8	9.95	1422											
23-Aug-10	12:00 AM	13.2	9.96	1454											
23-Aug-10	6:00 AM	12.6	9.86	1433											
23-Aug-10	8:10 AM								0.139	-	0.139			ICP	
23-Aug-10	12:00 PM	13.0	9.22	1151											
23-Aug-10	6:00 PM	15.1	9.25	1208											
24-Aug-10	12:00 AM	13.6	9.80	1150											
24-Aug-10	6:00 AM	13.6	9.80	1163											
24-Aug-10	7:50 AM								0.184	-	0.184			ICP	
24-Aug-10	12:00 PM	13.1	9.40	1468											
24-Aug-10	6:00 PM	14.0	9.22	1475											
25-Aug-10	12:00 AM	13.6	9.80	1480											
25-Aug-10	6:00 AM	13.2	9.80	1488											
25-Aug-10	8:50 AM														
25-Aug-10	12:00 PM	14.5	8.91	1499					0.134	-	0.134			ICP	
25-Aug-10	6:00 PM	13.8	8.95	1475											
26-Aug-10	12:00 AM	11.6	9.70	1392											
26-Aug-10	6:00 AM	11.3	9.80	1380											
26-Aug-10	9:00 AM								0.360	-	0.360			AA	

Table C-13:
2010 FMC Lab Analysis - Zinc
(Total and Dissolved) in the Mill Effluent

Date	Time	Temp. (°C)	pH	EC (µS/cm)	Mill Effluent				Combined Mill Effluent				Method of Analysis	Comments	
					Zn-T	Zn-T Avg	Zn-D	Zn-D Avg	Zn-T	Zn-T Avg	Zn-D	Zn-D Avg			
26-Aug-10	12:00 PM	13.3	8.97	1481											
26-Aug-10	6:00 PM	13.8	8.81	1463											
27-Aug-10	12:00 AM	13.4	9.40	1420											
27-Aug-10	6:00 AM	10.5	9.40	1410											
27-Aug-10	8:00 AM								0.227	-	0.227		AA		
27-Aug-10	12:00 PM	13.4	9.06	1463	0.798								AA		
27-Aug-10	6:00 PM														
28-Aug-10	12:00 AM														lower flow through treatment system; no water from sampling port; could not collect sample
28-Aug-10	6:00 AM														
28-Aug-10															
28-Aug-10															
28-Aug-10															

Table C-14 and Figure C-42 Cross Valley Pond Water Quality Profile January 13, 2010

Note: Not discharging
Method of Analysis:

Table C-14

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D
-0.5	10:30 AM	0.0	7.66	0.15			-0.5	12:30 PM	0.0	7.04	1.81			-0.5	2:40 PM	0.7	6.71	1.67		
-2.0	10:33 AM	0.0	6.79	0.20			-2.0	12:25 PM	2.1	6.63	1.85			-2.0	2:38 PM	2.5	6.58	1.85		
-3.0	10:37 AM	1.1	6.47	2.16			-3.0	12:20 PM	3.2	6.56	2.07			-3.0	2:37 PM	4.1	6.32	2.23		
-4.0	10:40 AM	3.4	6.34	2.26			-4.0	12:15 PM	4.2	6.25	2.27			-4.0	2:35 PM	5.1	6.36	2.40		
-5.0	10:45 AM	2.9	6.27	2.32			-5.0	12:15 PM	4.4	6.24	2.36			-5.0						
-6.0	10:46 AM	3.4	6.22	2.43			-6.0	12:10 PM	4.0	6.20	2.43			-6.0						
-7.0	10:50 AM	2.0	6.20	2.51			-7.0	12:05 PM	3.7	6.18	2.44			-7.0						
-8.0							-8.0	12:00 PM	3.7	6.16	2.55			-8.0						
-9.0							-9.0	11:55 AM	2.5	6.19	2.64			-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D
-0.5	10:59 AM	0.0	7.06	1.84			-0.5	2:13 PM	0.0	7.39	1.82			-0.5	2:05 PM	0.2	6.78	1.80		
-2.0	11:05 AM	0.0	6.67	1.86			-2.0	2:16 PM	0.9	6.93	1.86			-2.0	2:04 PM	0.5	6.71	1.99		
-3.0	11:10 AM	1.7	6.42	2.10			-3.0	2:17 PM	2.1	6.50	2.11			-3.0	2:03 PM	1.5	6.35	2.17		
-4.0	11:15 AM	3.3	6.31	2.26			-4.0	2:20 PM	3.8	6.31	2.30			-4.0	1:58 PM	1.4	6.38	2.30		
-5.0	11:15 AM	3.7	6.27	2.36			-5.0	2:22 PM	3.6	6.26	2.38			-5.0						
-6.0	11:20 AM	3.7	6.26	2.49			-6.0	2:23 PM	4.0	6.23	2.39			-6.0						
-7.0	11:25 AM	3.9	6.16	2.49			-7.0	2:25 PM	3.6	6.23	2.42			-7.0						
-8.0	11:30 AM	4.1	6.21	2.59			-8.0	2:27 PM	3.8	6.20	2.48			-8.0						
-9.0	11:35 AM	4.2	6.20	2.61			-9.0	2:29 PM	4.0	6.78	2.50			-9.0						
-10.0							-10.0							-10.0						

Figure C-42




Table C-15 and Figure C-43 Cross Valley Pond Water Quality Profile February 9, 2010

Note: Not discharging
Method of Analysis: AAS

Table C-15

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D
-0.5							-0.5	12:30 PM	0.4	7.19	1.76	0.34		-0.5	2:40 PM	0.7	7.22	1.76	0.28	
-2.0							-2.0	12:25 PM	1.6	6.94	1.84	0.38		-2.0	2:38 PM	0.7	6.64	1.83	0.37	
-3.0							-3.0	12:20 PM	1.4	6.76	2.04			-3.0	2:37 PM	1.6	6.62	2.14		
-4.0							-4.0	12:15 PM	1.3	6.75	2.06	0.66		-4.0	2:35 PM	2.3	6.61	2.21		
-5.0							-5.0	12:15 PM	3.8	6.62	2.25			-5.0						
-6.0							-6.0	12:10 PM	3.8	6.56	2.42	0.56		-6.0						
-7.0							-7.0	12:05 PM	4.1	6.54	2.46			-7.0						
-8.0							-8.0	12:00 PM	3.7	6.59	2.34	0.63		-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D
-0.5	10:59 AM	0.9	7.32	1.75	0.35		-0.5	2:13 PM	0.0	7.29	1.73	0.31		-0.5	2:05 PM	0.3	7.10	1.59	0.55	
-2.0	11:05 AM	1.3	7.10	1.79	0.32		-2.0	2:16 PM	0.7	6.98	1.82	0.38		-2.0	2:04 PM	0.8	8.92	1.75	0.40	
-3.0	11:10 AM	2.5	6.93	1.99			-3.0	2:17 PM	2.0	6.65	2.12			-3.0	2:03 PM	1.1	6.70	2.04		
-4.0	11:15 AM	2.5	6.77	2.16	0.63		-4.0	2:20 PM	2.4	6.61	2.27	0.63		-4.0	1:58 PM	2.9	6.55	2.30	0.82	
-5.0	11:15 AM	3.4	6.67	2.30			-5.0	2:22 PM	3.5	6.55	2.30			-5.0	1:57 PM	2.8	6.64	2.21		
-6.0	11:20 AM	4.1	6.61	2.39	0.55		-6.0	2:23 PM	3.9	6.50	2.40	0.52		-6.0						
-7.0	11:25 AM	3.6	6.62	2.41			-7.0	2:25 PM	3.6	6.51	2.48			-7.0						
-8.0	11:30 AM	3.8	6.65	2.50	0.70		-8.0	2:27 PM	4.0	6.64	2.45	0.53		-8.0						
-9.0	11:35 AM	4.2	6.53	2.55	0.82		-9.0	2:29 PM	3.9	6.49	2.51			-9.0						
-10.0							-10.0	2:30 PM	3.7	6.50	2.51			-10.0						

Figure C-43




Table C-16 and Figure C-44

Cross Valley Pond Water Quality Profile

March 2, 2010

Note: Not discharging
Method of Analysis: ICP-OES

Table C-16

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D
-0.5	11:07 AM	0.3	7.03	1.42	0.287	0.277	-0.5	10:35 AM	0.4	7.03	1.42	0.248	0.225	-0.5	9:45 AM	1.0	7.21	1.36	0.266	0.251
-2.0	11:11 AM	1.2	6.90	1.52	0.314	0.317	-2.0	10:37 AM	1.8	6.75	1.56	0.340	0.274	-2.0	9:48 AM	0.7	7.07	1.51	0.297	0.287
-3.0	11:13 AM	2.0	6.63	1.70			-3.0	10:40 AM	1.7	6.71	1.58			-3.0	9:50 AM	1.7	6.86	1.61		
-4.0	11:16 AM	3.4	6.47	1.88	0.502	0.515	-4.0	10:43 AM	2.3	6.59	1.69	0.519	0.514	-4.0	9:52 AM	1.8	6.68	1.84	0.459	0.427
-5.0	11:19 AM	3.3	6.45	1.83			-5.0	10:47 AM	3.0	6.50	1.81			-5.0						
-6.0	11:21 AM	3.2	6.44	1.86	0.543	0.549	-6.0	10:49 AM	3.4	6.44	1.88	0.420	0.430	-6.0						
-7.0	11:23 AM	3.4	6.39	1.92			-7.0	10:51 AM	2.9	6.44	1.85			-7.0						
-8.0	11:26 AM	3.9	6.38	2.00	0.865	0.866	-8.0	10:53 AM	2.5	6.45	1.82	0.391	0.394	-8.0						
-9.0							-9.0	10:55 AM	3.0	6.40	1.94			-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D
-0.5							-0.5	10:05 AM	0.2	7.06	1.46	0.281	0.257	-0.5	10:45 AM	0.5	6.93	1.34	0.327	0.297
-2.0							-2.0	10:07 AM	0.1	7.06	1.41	0.328	0.324	-2.0	10:48 AM	1.4	6.80	1.53	0.319	0.317
-3.0							-3.0	10:09 AM	2.0	6.66	1.68			-3.0	10:51 AM	1.7	6.60	1.70		
-4.0							-4.0	10:11 AM	3.7	6.53	1.85	0.503	0.519	-4.0	10:54 AM	2.4	6.52	1.85	0.516	0.520
-5.0							-5.0	10:14 AM	3.3	6.47	1.86			-5.0	10:56 AM	2.4	6.46	1.85		
-6.0							-6.0	10:16 AM	4.0	6.41	1.85	0.422	0.436	-6.0						
-7.0							-7.0	10:18 AM	3.5	6.43	1.85			-7.0						
-8.0							-8.0	10:20 AM	4.0	6.36	1.99	0.398	0.404	-8.0						
-9.0							-9.0	10:23 AM	3.5	6.40	1.91			-9.0						
-10.0							-10.0	10:26 AM	4.0	6.38	1.96	0.424	0.436	-10.0						

Figure C-44




Table C-17 and Figure C-45 Cross Valley Pond Water Quality Profile March 31, 2010

Note: Discharging began March 22, 2010
Method of Analysis: ICP-OES

Table C-17

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D
-0.5	9:49 AM	0.1	7.09	1.86	0.306		-0.5	10:32 AM	0.6	7.22	1.72	0.208		-0.5	11:30 AM	1.2	7.15	1.75	0.226	
-2.0	9:59 AM	1.0	7.16	2.07	0.343		-2.0	10:34 AM	2.6	7.02	1.53	0.343		-2.0	11:31 AM	3.1	6.80	1.60	0.320	
-3.0	10:01 AM	2.6	6.88	2.37			-3.0	10:36 AM	2.3	6.84	2.37			-3.0	11:32 AM	3.9	6.63	1.80		
-4.0	10:04 AM	3.5	6.75	2.52	0.488		-4.0	10:38 AM	4.4	6.66	1.86	0.476		-4.0	11:33 AM	3.7	6.72	2.44	0.449	
-5.0	10:06 AM	3.5	6.68	2.58			-5.0	10:39 AM	3.7	6.65	2.56			-5.0						
-6.0	10:08 AM	3.6	6.61	2.65	0.510		-6.0	10:41 AM	4.3	6.55	1.94	0.377		-6.0						
-7.0	10:11 AM	3.2	6.59	2.66			-7.0	10:42 AM	3.9	6.57	2.68			-7.0						
-8.0	10:14 AM	3.7	6.51	2.82	0.651		-8.0	10:44 AM	4.0	6.55	2.74	0.600		-8.0						
-9.0							-9.0	10:45 AM	4.4	6.47	2.06			-9.0						
-10.0							-10.0	10:46 AM	4.0	6.61	2.83	0.454		-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (mS/cm)	Zn-T	Zn-D
-0.5							-0.5	11:03 AM	0.8	7.24	1.97	0.095		-0.5	11:46 AM	1.8	7.03	1.32	0.219	
-2.0							-2.0	11:04 AM	3.6	6.96	2.06	0.330		-2.0	11:50 AM	2.6	6.86	2.05	0.332	
-3.0							-3.0	11:05 AM	4.1	6.63	1.79			-3.0	11:53 AM	3.0	6.62	1.75		
-4.0							-4.0	11:07 AM	4.8	6.69	2.50	0.482		-4.0						
-5.0							-5.0	11:08 AM	4.6	6.55	1.92			-5.0						
-6.0							-6.0	11:09 AM	4.7	6.60	2.65	0.434		-6.0						
-7.0							-7.0	11:10 AM	4.2	6.49	1.99			-7.0						
-8.0							-8.0	11:11 AM	4.5	6.57	2.66	0.427		-8.0						
-9.0							-9.0	11:12 AM	4.4	6.47	2.01			-9.0						
-10.0							-10.0							-10.0						

Figure C-45




Table C-18 and Figure C-46 Cross Valley Pond Water Quality Profile April 20, 2010

Note:
Method of Analysis: ICP-OES

Table C-18

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	8:58 AM	1.6	7.19	1477	0.065		-0.5							-0.5						
-1.5	9:11 AM	2.6	6.80	1955	0.273		-1.5							-1.5						
-2.0	2:19 PM	4.3	6.89	1819	0.332		-2.0							-2.0						
-2.5	2:21 PM	3.0	6.72	1905	0.505		-2.5							-2.5						
-3.0	9:13 AM	4.7	6.37	2625			-3.0							-3.0						
-4.0	9:15 AM	4.8	6.37	2697	0.571		-4.0							-4.0						
-5.0	9:17 AM	4.7	6.34	2777			-5.0							-5.0						
-6.0	9:20 AM	4.8	6.46	2766	0.638		-6.0							-6.0						
-7.0	9:22 AM	4.6	6.38	2855			-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	10:00 AM	3.0	7.56	1808	0.120		-0.5							-0.5						
-1.5	10:05 AM	2.7	7.33	1918	0.258		-1.5							-1.5						
-2.0	2:25 PM	3.0	6.65	2074	0.117		-2.0							-2.0						
-2.5	2:28 PM	3.7	6.62	2211	0.366		-2.5							-2.5						
-3.0	10:07 AM	3.9	6.59	2501			-3.0							-3.0						
-4.0	10:10 AM	4.4	6.54	2666	0.499		-4.0							-4.0						
-5.0	10:13 AM	4.3	6.47	2696			-5.0							-5.0						
-6.0	10:15 AM	4.3	6.44	2798	0.454		-6.0							-6.0						
-7.0	10:17 AM	4.4	6.41	2827			-7.0							-7.0						
-8.0	10:20 AM	4.6	6.42	2938	0.682		-8.0							-8.0						
-9.0	10:22 AM	4.6	6.37	2993			-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-46




Table C-19 and Figure C-47 Cross Valley Pond Water Quality Profile April 22, 2010

Note:
Method of Analysis: ICP-OES

Table C-19

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	8:58 AM	1.8	7.13	1178			-0.5							-0.5						
-1.5	9:11 AM	1.7	6.95	1734			-1.5							-1.5						
-2.0	2:19 PM	3.4	6.72	2328			-2.0							-2.0						
-2.5	2:21 PM	3.3	6.43	2421			-2.5							-2.5						
-3.0	9:13 AM	4.0	6.41	2507			-3.0							-3.0						
-4.0	9:15 AM	4.5	6.35	2654			-4.0							-4.0						
-5.0	9:17 AM	4.5	6.35	2728			-5.0							-5.0						
-6.0	9:20 AM	4.3	6.34	2782			-6.0							-6.0						
-7.0	9:22 AM	4.2	6.34	2811			-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	10:00 AM	0.7	8.73	849			-0.5							-0.5						
-1.5	10:05 AM	2.4	7.05	1932			-1.5							-1.5						
-2.0	2:25 PM	2.7	6.59	2162			-2.0							-2.0						
-2.5	2:28 PM	3.7	6.49	2423			-2.5							-2.5						
-3.0	10:07 AM	4.0	6.44	2504			-3.0							-3.0						
-4.0	10:10 AM	4.4	6.38	2642			-4.0							-4.0						
-5.0	10:13 AM	4.2	6.37	2689			-5.0							-5.0						
-6.0	10:15 AM	4.2	6.36	2736			-6.0							-6.0						
-7.0	10:17 AM	4.3	6.34	2834			-7.0							-7.0						
-8.0	10:20 AM	4.4	6.34	2908			-8.0							-8.0						
-9.0	10:22 AM	4.6	6.33	2980			-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-47




Table C-20 and Figure C-48 Cross Valley Pond Water Quality Profile April 23, 2010 - Morning

Note: Siphon closed at 8:14 AM
Method of Analysis: ICP-OES

Table C-20

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	8:26 AM	0.6	7.88	1357	0.151		-0.5							-0.5						
-1.5							-1.5							-1.5						
-2.0	8:28 AM	1.8	6.81	1640	0.300		-2.0							-2.0						
-2.5							-2.5							-2.5						
-3.0	8:29 AM	2.8	6.49	2510	0.601		-3.0							-3.0						
-4.0	8:31 AM	3.9	6.44	2640	0.581		-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	8:33 AM	0.6	9.29	1060	0.014		-0.5							-0.5						
-1.5							-1.5							-1.5						
-2.0	8:34 AM	2.7	6.80	1660	0.425		-2.0							-2.0						
-2.5							-2.5							-2.5						
-3.0	8:36 AM	3.6	6.50	1980	0.533		-3.0							-3.0						
-4.0	8:38 AM	4.1	6.51	2040	0.558		-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-48




Table C-21 and Figure C-49 Cross Valley Pond Water Quality Profile April 23, 2010 - Afternoon

Note: Siphon opened at 1:05 PM - 1 turn
Method of Analysis: ICP-OES

Table C-21

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5							-0.5							-0.5						
-1.5	1:35 PM	2.5	6.56	1520		0.177	-1.5							-1.5						
-2.0							-2.0							-2.0						
-2.5	1:37 PM	2.6	6.58	1740		0.389	-2.5							-2.5						
-3.0							-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5							-0.5							-0.5						
-1.5	1:42 PM	2.4	6.80	1560		0.131	-1.5							-1.5						
-2.0							-2.0							-2.0						
-2.5	1:45 PM	2.9	6.66	1850		0.422	-2.5							-2.5						
-3.0							-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-49




Table C-22 and Figure C-50 Cross Valley Pond Water Quality Profile April 24, 2010

Note: Siphon remains closed from April 23, 2010 at 16:54. Samples not collected at 5.0 m or 7.0 m, just profiles
Method of Analysis: ICP-OES; digested with hot plate

Table C-22

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	8:12 AM	1.0	8.75	1468	0.073	0.055	-0.5							-0.5						
-1.5	8:15 AM	1.5	7.92	1692	0.162	0.145	-1.5							-1.5						
-2.0	8:23 AM	2.0	7.54	1928	0.306	0.241	-2.0							-2.0						
-2.5	8:25 AM	2.9	7.05	2256	0.473	0.477	-2.5							-2.5						
-3.0	8:27 AM	3.0	6.96	2220	0.52	0.540	-3.0							-3.0						
-4.0	8:31 AM	4.0	6.82	2553	0.485	0.529	-4.0							-4.0						
-5.0	8:34 AM	4.1	6.76	2629			-5.0							-5.0						
-6.0	8:36 AM	4.2	6.67	2695	0.494	0.535	-6.0							-6.0						
-7.0	8:39 AM	4.0	6.61	2721			-7.0							-7.0						
-8.0	8:41 AM	4.1	6.56	2793	0.593	0.631	-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:03 AM	0.8	9.24	1253	0.026	0.004	-0.5							-0.5						
-1.5	9:05 AM	2.4	7.54	1674	0.193	0.173	-1.5							-1.5						
-2.0	9:07 AM	2.5	7.38	1833	0.245	0.254	-2.0							-2.0						
-2.5	9:14 AM	3.5	6.92	2255	0.453	0.490	-2.5							-2.5						
-3.0	9:17 AM	3.9	6.82	2407	0.479	0.467	-3.0							-3.0						
-4.0	9:25 AM	5.1	6.78	2438	0.487	0.522	-4.0							-4.0						
-5.0	9:27 AM	4.9	6.65	2645			-5.0							-5.0						
-6.0	9:28 AM	4.3	6.70	2523	0.488	0.506	-6.0							-6.0						
-7.0	9:31 AM	4.4	6.62	2535			-7.0							-7.0						
-8.0	9:33 AM	4.8	6.56	2776	0.484	0.534	-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-50




Table C-23 and Figure C-51 Cross Valley Pond Water Quality Profile April 25, 2010

Note:
Method of Analysis: ICP-OES

Table C-23

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:35 AM	1.7	8.08	1476	0.088	0.080	-0.5							-0.5						
-1.5	9:37 AM	2.4	7.06	1770	0.193	0.182	-1.5							-1.5						
-2.0	9:39 AM	3.9	6.78	2345	0.478	0.490	-2.0							-2.0						
-2.5	9:41 AM	3.5	6.68	2187	0.486	0.499	-2.5							-2.5						
-3.0	9:42 AM	3.9	6.57	2390	0.489	0.507	-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0	9:43 AM	4.5	6.43	2673	0.494	0.517	-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	10:05 AM	1.2	8.03	755	0.020	0.011	-0.5							-0.5						
-1.5	10:07 AM	2.7	6.97	1645	0.178	0.169	-1.5							-1.5						
-2.0	10:09 AM	2.8	6.83	1858	0.279	0.256	-2.0							-2.0						
-2.5	10:10 AM	3.1	6.64	2056	0.424	0.420	-2.5							-2.5						
-3.0	10:12 AM	3.9	6.49	2383	0.57	0.570	-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0	10:13 AM	4.7	6.39	2692	0.576	0.505	-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-51




Table C-24 and Figure C-52 Cross Valley Pond Water Quality Profile April 27, 2010

Note:
Method of Analysis: ICP-OES

Table C-24

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:24 AM	1.6	8.50	1055	0.095	0.055	-0.5							-0.5						
-1.5	9:26 AM	2.7	7.97	1379	0.132		-1.5							-1.5						
-2.0							-2.0							-2.0						
-2.5	9:28 AM	3.5	6.99	1946	0.452	0.415	-2.5							-2.5						
-3.0	9:30 AM	3.9	6.83	2163	0.538		-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:32 AM	1.2	7.96	120	0.030	0.004	-0.5							-0.5						
-1.5	9:34 AM	3.4	7.34	1387	0.160		-1.5							-1.5						
-2.0							-2.0							-2.0						
-2.5	9:36 AM	3.5	6.96	1824	0.404	0.367	-2.5							-2.5						
-3.0	9:40 AM	3.9	6.79	2116	0.602		-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-52




Table C-25 and Figure C-53 Cross Valley Pond Water Quality Profile April 29, 2010

Note:
Method of Analysis: ICP-OES

Table C-25

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:20 AM	2.5	8.58	970	0.081		-0.5							-0.5						
-1.5	9:22 AM	3.8	8.37	1160	0.087		-1.5							-1.5						
-2.0	9:24 AM	3.8	7.78	1180	0.110		-2.0							-2.0						
-2.5	9:26 AM	4.2	7.36	1500	0.305		-2.5							-2.5						
-3.0	9:28 AM	4.6	7.06	1770	0.437		-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:32 AM	2.7	8.36	500	0.029		-0.5							-0.5						
-1.5	9:34 AM	4.0	7.91	1170	0.072		-1.5							-1.5						
-2.0	9:36 AM	3.5	8.68	950	0.039		-2.0							-2.0						
-2.5	9:38 AM	4.4	8.29	1080	0.078		-2.5							-2.5						
-3.0	9:40 AM	4.9	7.29	1670	0.416		-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-53




Table C-26 and Figure C-54 Cross Valley Pond Water Quality Profile May 22, 2010

Note:
Method of Analysis: ICP-OES

Table C-26

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP
-0.5	3:56 PM	9.0	7.59	1381	0.180	164	-0.5	3:05 PM	7.3	7.65	1340	0.157	170	-0.5	1:55 PM	6.8	7.69	1353	0.179	155
-1.5	3:57 PM	7.4	7.63	1332	0.173	167	-1.5							-1.5						
-2.0	3:59 PM	9.2	6.97	2135	0.452	182	-2.0	3:10 PM	8.0	7.10	1732	0.397	181	-2.0	1:59 PM	9.2	7.10	1926	0.398	152
-2.5	4:02 PM	10.0	7.00	2353		185	-2.5							-2.5						
-3.0	4:04 PM	9.5	6.89	2426		185	-3.0	3:15 PM	8.6	6.93	2442		165	-3.0	2:05 PM	9.5	6.93	2406		153
-4.0	4:07 PM	8.1	6.92	2510	0.533	184	-4.0	3:20 PM	9.1	6.98	2190	0.425	166	-4.0	2:10 PM	8.1	6.96	2385	0.424	162
-5.0	4:09 AM	7.3	6.88	2540		182	-5.0	3:25 PM	7.7	6.89	2547		163	-5.0						
-6.0		7.3	6.87	2574	0.523	180	-6.0	3:30 PM	6.1	6.88	2632	0.383	163	-6.0						
-7.0							-7.0	3:30 PM	6.3	6.88	2632		163	-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP
-0.5							-0.5	2:20 PM	8.3	7.63	1345	0.168	164	-0.5	3:42 PM	7.5	7.71	1310	0.160	170
-1.5							-1.5							-1.5						
-2.0							-2.0	2:25 PM	9.8	7.03	2155	0.411	168	-2.0	3:42 PM	8.3	7.30	1631	0.360	180
-2.5							-2.5							-2.5						
-3.0							-3.0	2:30 PM	9.8	6.92	2346		166	-3.0	3:45 PM	9.5	6.93	2359		149
-4.0							-4.0	2:35 PM	8.5	6.91	2528	0.403	156	-4.0	3:50 PM	9.3	6.95	2353	0.512	150
-5.0							-5.0	2:40 PM	7.3	6.91	2623		148	-5.0						
-6.0							-6.0	2:45 PM	7.1	6.91	2611	0.371	152	-6.0						
-7.0							-7.0	2:50 PM	6.1	6.90	2650		165	-7.0						
-8.0							-8.0	2:55 PM	6.6	6.89	2619	0.382	158	-8.0						
-9.0							-9.0	3:00 PM	7.5	6.92	2518		160	-9.0						
-10.0							-10.0							-10.0						

Figure C-54




Table C-27 and Figure C-55 Cross Valley Pond Water Quality Profile June 5, 2010

Note:
Method of Analysis: ICP-OES

Table C-27

a) Site: NC							b) Site: Middle							c) Site: SC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5	10:40 AM	11.3	7.16	1706	0.294		-0.5	10:25 AM	11.7	7.15	1706	0.281		-0.5							
-1.0	10:42 AM	11.2	7.11	1703	0.294		-1.0	10:27 AM	11.1	7.20	1668	0.277		-1.0							
-1.5	10:44 AM	11.3	7.09	1701	0.295		-1.5	10:29 AM	10.3	7.33	1618	0.273		-1.5							
-2.0	10:46 AM	11.2	7.12	1705	0.293		-2.0	10:31 AM	10.5	7.35	1603	0.272		-2.0							
-2.5	10:48 AM	11.3	7.11	1701	0.294		-2.5	10:33 AM	10.8	7.06	1679	0.282		-2.5							
-3.0	10:50 AM	11.5	6.69	1918	0.301		-3.0	10:35 AM	11.2	6.66	1947	0.281		-3.0							
-4.0	10:52 AM	10.8	6.45	2280	0.366		-4.0	10:37 AM	11.1	6.41	2348	0.496		-4.0							
-5.0							-5.0							-5.0							
-6.0							-6.0							-6.0							
-7.0							-7.0							-7.0							
-8.0							-8.0							-8.0							
-9.0							-9.0							-9.0							
-10.0							-10.0							-10.0							

d) Site: NC-30							e) Site: WC							f) Site: EC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5							-0.5							-0.5							
-1.0							-1.0							-1.0							
-1.5							-1.5							-1.5							
-2.0							-2.0							-2.0							
-2.5							-2.5							-2.5							
-3.0							-3.0							-3.0							
-4.0							-4.0							-4.0							
-5.0							-5.0							-5.0							
-6.0							-6.0							-6.0							
-7.0							-7.0							-7.0							
-8.0							-8.0							-8.0							
-9.0							-9.0							-9.0							
-10.0							-10.0							-10.0							

Figure C-55




Table C-28 and Figure C-56 Cross Valley Pond Water Quality Profile June 13, 2010 - AAS

Note:
Method of Analysis: AAS

Table C-28

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP
-0.5	11:42 AM	11.1	7.61	1792	0.32	149	-0.5	10:11 AM	10.9	7.68	1729	0.31	171	-0.5	10:38 AM	10.9	7.62	1757	0.32	128
-1.0	11:44 AM	11.2	7.58	1765	0.32	144	-1.0	10:13 AM	10.9	7.66	1721	0.31	161	-1.0	10:40 AM	11.3	7.60	1750	0.31	125
-2.0	11:46 AM	11.2	7.58	1769	0.34	143	-2.0	10:17 AM	10.6	7.75	1683	0.29	136	-2.0	10:42 AM	11.3	7.70	1708	0.27	117
-2.5							-2.5							-2.5						
-3.0	11:48 AM	11.5	6.72	2161		159	-3.0	10:19 AM	10.8	6.99	1952		149	-3.0	10:45 AM	12.0	6.76	2137		141
-4.0	11:49 AM	10.5	6.70	2397	0.35	164	-4.0	10:24 AM	10.7	6.72	2149	0.53	158	-4.0	10:50 AM	11.8	6.60	2475	0.57	139
-5.0	11:51 AM	9.8	6.56	2511		166	-5.0	10:25 AM	10.5	6.62	2375		161	-5.0						
-6.0							-6.0	10:28 AM	9.2	6.55	2639	0.46	165	-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP
-0.5							-0.5	11:00 AM	11.3	7.58	1775	0.31	134	-0.5	12:03 PM	11.1	7.46	1792	0.32	158
-1.0							-1.0	11:02 AM	11.0	7.61	1727	0.30	129	-1.0	12:04 PM	11.2	7.39	1788	0.33	161
-2.0							-2.0	11:04 AM	11.0	7.33	1766	0.40	132	-2.0	12:09 PM	10.8	7.42	1792	0.32	157
-2.5							-2.5							-2.5						
-3.0							-3.0	11:07 AM	12.1	6.67	2255		143	-3.0	12:11 PM	10.5	7.41	1760		157
-4.0							-4.0	11:11 AM	12.3	6.79	2049	0.52	144	-4.0						
-5.0							-5.0	11:14 AM	10.3	6.57	2577		143	-5.0						
-6.0							-6.0	11:16 AM	10.0	6.60	2494	0.52	143	-6.0						
-7.0							-7.0	11:19 AM	8.1	6.52	2749		142	-7.0						
-8.0							-8.0	11:23 AM	7.9	6.55	2769	0.55	136	-8.0						
-9.0							-9.0	11:27 AM	7.7	6.52	2788		137	-9.0						
-10.0							-10.0	11:28 AM	6.7	6.52	2853	0.50	140	-10.0						

Figure C-56




Table C-29 and Figure C-57 Cross Valley Pond Water Quality Profile June 13, 2010 - ICP-OES

Note:
Method of Analysis: ICP-OES

Table C-29

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP
-0.5	11:42 AM	11.1	7.61	1792	0.284	149	-0.5	10:11 AM	10.9	7.68	1729	0.265	171	-0.5	10:38 AM	10.9	7.62	1757	0.280	128
-1.0	11:44 AM	11.2	7.58	1765	0.299	144	-1.0	10:13 AM	10.9	7.66	1721	0.264	161	-1.0	10:40 AM	11.3	7.60	1750	0.282	125
-2.0	11:46 AM	11.2	7.58	1769	0.297	143	-2.0	10:17 AM	10.6	7.75	1683	0.253	136	-2.0	10:42 AM	11.3	7.70	1708	0.243	117
-2.5							-2.5							-2.5						
-3.0	11:48 AM	11.5	6.72	2161		159	-3.0	10:19 AM	10.8	6.99	1952		149	-3.0	10:45 AM	12.0	6.76	2137		141
-4.0	11:49 AM	10.5	6.70	2397	0.335	164	-4.0	10:24 AM	10.7	6.72	2149	0.452	158	-4.0	10:50 AM	11.8	6.60	2475	0.486	139
-5.0	11:51 AM	9.8	6.56	2511		166	-5.0	10:25 AM	10.5	6.62	2375		161	-5.0						
-6.0							-6.0	10:28 AM	9.2	6.55	2639	0.395	165	-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP	Δh	t	T	pH	EC (μS/cm)	Zn-T	ORP
-0.5							-0.5	11:00 AM	11.3	7.58	1775	0.276	134	-0.5	12:03 PM	11.1	7.46	1792	0.294	158
-1.0							-1.0	11:02 AM	11.0	7.61	1727	0.261	129	-1.0	12:04 PM	11.2	7.39	1788	0.297	161
-2.0							-2.0	11:04 AM	11.0	7.33	1766	0.357	132	-2.0	12:09 PM	10.8	7.42	1792	0.293	157
-2.5							-2.5							-2.5						
-3.0							-3.0	11:07 AM	12.1	6.67	2255		143	-3.0	12:11 PM	10.5	7.41	1760		157
-4.0							-4.0	11:11 AM	12.3	6.79	2049	0.460	144	-4.0						
-5.0							-5.0	11:14 AM	10.3	6.57	2577		143	-5.0						
-6.0							-6.0	11:16 AM	10.0	6.60	2494	0.443	143	-6.0						
-7.0							-7.0	11:19 AM	8.1	6.52	2749		142	-7.0						
-8.0							-8.0	11:23 AM	7.9	6.55	2769	0.467	136	-8.0						
-9.0							-9.0	11:27 AM	7.7	6.52	2788		137	-9.0						
-10.0							-10.0	11:28 AM	6.7	6.52	2853	0.442	140	-10.0						

Figure C-57




Table C-30 and Figure C-58 Cross Valley Pond Water Quality Profile June 25, 2010

Note:
Method of Analysis: ICP-OES

Table C-30

a) Site: NC							b) Site: Middle							c) Site: SC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5	2:10 PM	15.6	8.25	1625	0.186		-0.5	2:53 PM	14.4	7.79	1629	0.220		-0.5							
-1.0	2:12 PM	14.7	8.18	1614	0.201		-1.0	2:55 PM	14.5	7.79	1629	0.218		-1.0							
-2.0	2:14 PM	14.5	8.18	1611	0.199		-2.0	2:57 PM	14.2	7.25	1785	0.302		-2.0							
-3.0	2:16 PM	13.1	7.19	2423			-3.0	2:59 PM	13.0	6.83	2326			-3.0							
-4.0	2:18 PM	11.4	7.10	2503	0.487		-4.0	3:01 PM	11.1	6.84	2544	0.475		-4.0							
-5.0	2:20 PM	10.4	7.10	2536			-5.0	3:03 PM	10.0	6.89	2542			-5.0							
-6.0							-6.0	3:05 PM	8.9	6.94	2633	0.435		-6.0							
-7.0							-7.0	3:07 PM	8.6	6.91	2631			-7.0							
-8.0							-7.8	3:09 PM	8.2	6.94	2614	0.422		-8.0							
-9.0							-9.0							-9.0							
-10.0							-10.0							-10.0							

Bottom @ 7.8 m

d) Site: NC-30							e) Site: WC							f) Site: EC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5	2:31 PM	14.2	8.02	1627	0.220		-0.5							-0.5							
-1.0	2:33 PM	14.2	8.03	1609	0.199		-1.0							-1.0							
-2.0	2:35 PM	14.1	8.03	1602	0.205		-2.0							-2.0							
-2.5	2:37 PM	13.4	6.97	2258			-2.5							-2.5							
-3.0	2:39 PM	12.0	6.97	2393	0.472		-3.0							-3.0							
-4.0	2:41 PM	9.5	7.04	2574			-4.0							-4.0							
-5.0	2:43 PM	8.4	6.99	2657	0.453		-5.0							-5.0							
-6.0	2:45 PM	8.8	7.00	2581			-6.0							-6.0							
-7.0							-7.0							-7.0							
-8.0							-8.0							-8.0							
-9.0							-9.0							-9.0							
-10.0							-10.0							-10.0							

Bottom @ 7.5 m

Figure C-58




Table C-31 and Figure C-59 Cross Valley Pond Water Quality Profile July 11, 2010

Note:
Method of Analysis: ICP-OES

Table C-31

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:40 AM	14.3	7.60	1669	0.184		-0.5	10:09 AM	13.7	7.57	1684	0.182		-0.5	10:32 AM	13.8	7.57	1699	0.179	
-2.0	9:43 AM	14.3	7.57	1665	0.184		-2.0	10:12 AM	13.8	7.26	1765	0.234		-2.0	10:33 AM	14.0	7.47	1707	0.241	
-2.5	9:45 AM	13.8	6.69	2338	0.467		-2.5	10:13 AM	13.5	6.75	2322	0.388		-2.5	10:34 AM	14.5	6.76	2185	0.472	
-3.0	9:44 AM	13.0	6.73	2393	0.496		-3.0	10:15 AM	12.8	6.73	2406	0.429		-3.0	10:36 AM	11.7	6.79	2336	0.425	
-4.0	9:47 AM	11.5	6.77	2403	0.518		-4.0	10:17 AM	11.4	6.84	2338	0.439		-4.0						
-4.9	9:48 AM	9.8	6.85	2443			-5.0	10:18 AM	10.5	6.87	2483			-5.0						
-6.0							-6.0	10:19 AM	8.8	6.95	2540	0.350		-6.0						
-7.0							-7.0	10:21 AM	7.6	6.95	2634			-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:53 AM	13.9	7.44	1676	0.182		-0.5	10:44 AM	14.1	7.59	1706	0.177		-0.5	10:59 AM	13.8	7.64	1685	0.180	
-2.0	9:54 AM	14.2	7.41	1676	0.184		-2.0	10:45 AM	14.9	6.76	2196	0.437		-2.0	11:00 AM	13.8	7.67	1678	0.178	
-2.5	9:57 AM	13.6	6.67	2312	0.531		-2.5	10:47 AM	14.0	6.72	2351	0.496		-2.5	11:02 AM	13.3	6.97	1984	0.306	
-3.0	9:55 AM	12.9	6.76	2258	0.528		-3.0	10:48 AM	13.3	6.74	2371	0.477		-3.0	11:04 AM	12.8	6.78	2420	0.629	
-4.0	9:59 AM	10.6	6.76	2487	0.373		-4.0	10:49 AM	10.7	6.81	2533	0.443		-4.0						
-5.0	10:00 AM	9.3	6.78	2513			-5.0	10:50 AM	9.3	6.88	2535			-5.0						
-6.0	10:02 AM	9.2	6.81	2469	0.427		-6.0	10:51 AM	8.6	6.91	2502	0.404		-6.0						
-7.0	10:03 AM	8.1	6.87	2564			-7.0	10:52 AM	8.3	6.91	2497			-7.0						
-8.0							-8.0	10:53 AM	7.7	6.93	2573	0.417		-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-59




Table C-32 and Figure C-60 Cross Valley Pond Water Quality Profile August 1, 2010

Note:
Method of Analysis: AAS

Table C-32

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	11:05 AM	17.9	7.72	1580	0.32	0.25	-0.5	11:57 AM	17.6	7.58	1613	0.31	0.24	-0.5	12:25 PM	17.3	7.39	1625	0.30	0.25
-1.0	11:13 AM	17.6	7.68	1577	0.32	0.25	-1.0	12:01 PM	16.6	7.58	1604	0.30	0.24	-1.5						
-2.0	11:16 AM	16.6	7.60	1601	0.34	0.27	-2.0	12:02 PM	16.3	6.62	2090	0.50	0.40	-2.0	12:28 PM	17.4	7.39	1632	0.32	0.25
-2.5	11:24 AM	15.1	6.55	2240	0.81	0.67	-2.5							-2.5	12:32 PM	17.0	6.70	1880	0.42	0.32
-3.0	11:19 AM	14.7	6.60	2301	0.74	0.61	-3.0							-3.0	12:35 PM	15.7	6.51	2147	0.36	0.30
-3.5	11:22 AM	13.5	6.53	2356	0.86	0.69	-3.5							-3.5						
-4.0							-4.0	12:04 PM	12.9	6.47	2385	0.57	0.45	-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0	12:05 PM	11.8	6.45	2435	0.43	0.35	-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	11:30 AM	17.0	7.55	1592	0.34	0.26	-0.5	12:13 PM	17.2	7.62	1625	0.31	0.26	-0.5	12:42 PM	17.7	7.56	1616	0.35	0.25
-1.0	11:34 AM	16.9	7.52	1588	0.35	0.28	-1.0	12:15 PM	17.1	7.48	1631	0.34	0.26	-1.0						
-1.5	11:41 AM	16.7	7.16	1602	0.35	0.26	-1.5							-1.5						
-2.0	11:35 AM	16.6	6.57	2178	0.44	0.34	-2.0	12:16 PM	16.7	6.58	2135	0.55	0.45	-2.0	12:44 PM	17.2	7.56	1611	0.32	0.25
-2.5	11:43 AM	15.4	6.47	2336	0.65	0.54	-2.5							-2.5	12:45 PM	16.6	7.44	1625	0.31	0.25
-3.0	11:38 AM	14.6	6.50	2350	0.71	0.58	-3.0							-3.0	12:47 PM	15.0	6.52	2241	0.72	0.60
-4.0	11:40 AM	13.3	6.47	2430	0.64	0.54	-4.0	12:17 PM	14.5	6.52	2298	0.58	0.48	-4.0						
-5.0	11:47 AM	12.4	6.45	2360	0.59	0.49	-5.0							-5.0						
-6.0	11:45 AM	11.5	6.45	2475	0.57	0.47	-6.0	12:19 PM	12.8	6.50	2315	0.52	0.44	-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0	12:20 PM	12.2	6.45	2420	0.54	0.44	-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-60




Table C-33 and Figure C-61 Cross Valley Pond Water Quality Profile August 8, 2010

Note:
Method of Analysis: AAS

Table C-33

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:58 AM	15.5	7.80	1880	0.28		-0.5	11:15 AM	15.5	7.38	1830	0.27		-0.5						
-1.0	10:03 AM	15.4	7.68	1850	0.27		-1.0	11:16 AM	15.6	7.14	1830	0.28		-1.0						
-1.5	10:05 AM	15.4	7.64	1950	0.28		-1.5	11:17 AM	15.7	7.42	1840	0.27		-1.5						
-2.0	10:07 AM	15.5	7.62	1850	0.27		-2.0	11:18 AM	15.7	7.44	1840	0.27		-2.0						
-2.5	10:10 AM	15.5	7.56	1850	0.30		-2.5	11:20 AM	15.7	7.45	1840	0.28		-2.5						
-3.0	10:12 AM	15.6	7.12	2060	0.55		-3.0	11:21 AM	15.8	6.60	2390	0.66		-3.0						
-3.5	10:13 AM	15.2	6.62	2640	0.70		-3.5	11:22 AM	15.3	6.49	2580	0.62		-3.5						
-4.0	10:14 AM	14.5	6.52	2580	0.60		-4.0	11:24 AM	15.4	6.56	2300	0.59		-4.0						
-5.0	10:15 AM	11.8	6.44	2800	0.66		-5.0	11:25 AM	11.6	6.42	2800			-5.0						
-6.0							-6.0	11:26 AM	10.4	6.37	2910	0.55		-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Bottom @ 5.7 m							Bottom @ 6.6 m							Bottom @ 8.2 m						
d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	10:16 AM	15.3	7.35	1820	0.27		-0.5							-0.5						
-1.0	10:17 AM	15.4	7.42	1830	0.28		-1.0							-1.0						
-1.5	10:18 AM	15.5	7.44	1830	0.28		-1.5							-1.5						
-2.0	10:20 AM	15.5	7.46	1830	0.29		-2.0							-2.0						
-2.5	10:50 AM	15.5	7.44	1860	0.27		-2.5							-2.5						
-3.0	10:52 AM	15.7	6.74	2240	0.34		-3.0							-3.0						
-3.5	10:55 AM	15.2	6.56	2540	0.64		-3.5							-3.5						
-4.0	10:57 AM	14.4	6.50	2510	0.65		-4.0							-4.0						
-5.0	10:59 AM	11.6	6.45	2840	0.62		-5.0							-5.0						
-6.0	11:00 AM	10.2	6.40	2880	0.56		-6.0							-6.0						
-7.0	11:02 AM	9.0	6.36	2960			-7.0							-7.0						
-8.0	11:05 AM	9.0	6.41	2940	0.61		-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-61




Table C-34 and Figure C-62 Cross Valley Pond Water Quality Profile August 10, 2010

Note:
Method of Analysis: ICP-OES

Table C-34

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5							-0.5							-0.5	10:15 AM	15.8	7.35	1584	0.218	
-1.0							-1.0							-1.0	10:20 AM	15.3	7.37	1574	0.213	
-2.0							-2.0							-2.0	10:20 AM	15.2	6.99	1595	0.444	
-3.0							-3.0							-3.0	10:25 AM	15.9	6.39	2284	0.179	
-4.0							-4.0							-4.0	10:30 AM	12.1	6.40	2349	0.191	
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5							-0.5	10:45 AM	16.2	7.22	1594	0.191		-0.5	9:55 AM	16.2	7.49	1564	0.183	
-1.0							-1.0	10:50 AM	17.8	7.37	1593	0.199		-1.0	10:00 AM	15.2	7.47	1576	0.195	
-2.0							-2.0	10:55 AM	16.2	7.34	1595	0.193		-2.0	10:05 AM	15.4	7.44	1578	0.224	
-3.0							-3.0	11:00 AM	17.1	6.31	2293	0.448		-3.0	10:05 AM	14.3	6.85	1797	0.381	
-4.0							-4.0	11:05 AM	14.1	6.31	2466	0.402		-4.0						
-5.0							-5.0	11:10 AM	15.3	6.27	2406			-5.0						
-6.0							-6.0	11:10 AM	11.5	6.23	2426	0.346		-6.0						
-7.0							-7.0	11:15 AM	11.4	6.26	2408			-7.0						
-8.0							-8.0	11:20 AM	9.8	6.28	2496	0.355		-8.0						
-9.0							-9.0	11:30 AM	9.8	6.23	2489			-9.0						
-10.0							-10.0							-10.0						

Bottom @ 4.2 m

Bottom @ 9.3 m

Sludge @ 4 m

Figure C-62




Table C-35 and Figure C-63 Cross Valley Pond Water Quality Profile August 31, 2010

Note:
Method of Analysis: AAS

Table C-35

a) Site: NC							b) Site: Middle							c) Site: SC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5	8:40 AM	10.6	7.13	1568	0.26		-0.5	9:00 AM	10.3	7.14	1576	0.24		-0.5							
-1.0	8:42 AM	10.7	7.23	1560	0.25		-1.0	9:02 AM	10.5	7.23	1583	0.25		-1.0							
-2.0	8:44 AM	10.8	7.33	1556	0.24		-2.0	9:04 AM	10.7	7.24	1572	0.24		-2.0							
-2.5	8:46 AM	11.5	6.63	2034	0.53		-2.5	9:06 AM	11.5	6.63	1948	0.46		-2.5							
-3.0	8:48 AM	11.6	6.51	2197	0.69		-3.0	9:08 AM	11.8	6.47	2207	0.62		-3.0							
-4.0	8:50 AM	11.4	6.39	2307	0.70		-4.0	9:10 AM	11.4	6.39	2276	0.58		-4.0							
-5.0	8:52 AM	10.1	6.41	2340	0.63		-5.0	9:12 AM	10.2	6.38	2237			-5.0							
-6.0							-6.0	9:14 AM	8.0	6.36	2385	0.52		-6.0							
-7.0							-7.0	9:16 AM	7.9	6.38	2490			-7.0							
-8.0							-8.0	9:18 AM	7.4	6.37	2505	0.55		-8.0							
-9.0							-9.0							-9.0							
-10.0							-10.0							-10.0							

d) Site: NC-30							e) Site: WC							f) Site: EC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5							-0.5							-0.5	8:25 AM	10.5	7.15	1608	0.23		
-1.0							-1.0							-1.0	8:27 AM	10.6	7.18	1574	0.23		
-2.0							-2.0							-2.0	8:29 AM	10.5	7.20	1581	0.21		
-2.5							-2.5							-2.5	8:31 AM	10.3	6.90	1749	0.22		
-3.0							-3.0							-3.0	8:33 AM	11.2	6.48	2114	0.59		
-4.0							-4.0							-4.0	8:35 AM	10.6	6.46	2237	0.57		
-5.0							-5.0							-5.0							
-6.0							-6.0							-6.0							
-7.0							-7.0							-7.0							
-8.0							-8.0							-8.0							
-9.0							-9.0							-9.0							
-10.0							-10.0							-10.0							

Bottom @ 5.9 m

Bottom @ 8.9 m

Figure C-63




Table C-36 and Figure C-64 Cross Valley Pond Water Quality Profile September 2, 2010

Note:
Method of Analysis: AAS

Table C-36

a) Site: NC							b) Site: Middle							c) Site: SC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5	8:35 AM	9.8	7.53	1616	0.22		-0.5	8:54 AM	9.1	7.39	1636	0.20		-0.5	9:42 AM	9.7	7.45	1710	0.21		
-1.5	8:37 AM	9.6	7.54	1678	0.20		-1.5	8:56 AM	9.6	7.43	1688	0.23		-1.5							
-2.0	8:40 AM	10.0	7.52	1614	0.20		-2.0	8:58 AM	9.3	7.48	1688	0.23		-2.0	9:40 AM	9.8	7.34	1717	0.21		
-2.5	8:42 AM	10.7	6.66	2149	0.57		-2.5	9:02 AM	11.2	6.51	2299	0.62		-2.5							
-3.0	8:45 AM	11.3	6.50	2381	0.59		-3.0	9:00 AM	10.9	6.60	2247	0.62		-3.0	9:38 AM	11.1	6.44	2289	0.59		
-4.0	8:47 AM	9.6	6.55	2380	0.55		-4.0	9:04 AM	10.3	6.48	2392	0.62		-4.0							
-5.0	8:49 AM	9.0	6.44	2488			-5.0	9:06 AM	9.3	6.40	2524			-5.0							
-6.0							-6.0	9:08 AM	7.8	6.46	2547	0.51		-6.0							
-7.0							-7.0	9:10 AM	7.2	6.40	2564			-7.0							
-8.0							-8.0							-8.0							
-9.0							-9.0							-9.0							
-10.0							-10.0							-10.0							

Bottom @ 5.6 m

d) Site: NC-30							e) Site: WC							f) Site: EC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5							-0.5	9:16 AM	9.2	7.49	1717	0.23		-0.5	9:47 AM	9.7	7.52	1732	0.22		
-2.0							-2.0	9:18 AM	9.1	7.37	1657	0.23		-2.0	9:49 AM	9.5	7.26	1673	0.23		
-3.0							-3.0	9:20 AM	10.8	6.49	2442			-3.0	9:51 AM	10.6	6.50	2403			
-4.0							-4.0	9:23 AM	10.4	6.53	2391	0.57		-4.0	9:54 AM	9.5	6.59	2361	0.50		
-5.0							-5.0	9:25 AM	9.2	6.41	2550			-5.0							
-6.0							-6.0	9:27 AM	8.0	6.39	2639	0.50		-6.0							
-7.0							-7.0	9:29 AM	8.0	6.43	2452			-7.0							
-8.0							-8.0	9:31 AM	7.7	6.51	2487	0.51		-8.0							
-9.0							-9.0	9:33 AM	6.9	6.41	2679			-9.0							
-10.0							-10.0							-10.0							

Bottom @ 7.7 m

Bottom @ 3.7 m

Bottom @ 9.3 m

Bottom @ 4.6 m

Figure C-64




Table C-37 and Figure C-65 Cross Valley Pond Water Quality Profile September 13, 2010

Note:
Method of Analysis: AAS

Table C-37

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	9:05 AM	8.4	7.47	1665	0.28															
-1.0	9:13 AM	8.7	7.31	1667	0.29															
-1.5	9:10 AM	8.2	7.28	1672	0.31															
-2.0	9:08 AM	10.2	6.61	2241	0.67															
-3.0	9:15 AM	10.3	6.50	2425	0.71															
-4.0	9:17 AM	9.5	6.41	2448	0.67															
-5.0																				
-6.0																				
-7.0																				
-8.0																				
-9.0																				
-10.0																				

Bottom @ 5.6 m

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5																				
-1.5																				
-2.0																				
-2.5																				
-3.0																				
-4.0																				
-5.0																				
-6.0																				
-7.0																				
-8.0																				
-9.0																				
-10.0																				

Figure C-65




Table C-38 and Figure C-66 Cross Valley Pond Water Quality Profile October 4, 2010

Note:
Method of Analysis: AAS

Table C-38

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	8:40 AM	3.3	7.23	1940	0.42		-0.5	9:00 AM	2.9	7.11	1973	0.42		-0.5	9:26 AM	3.2	7.21	1993	0.38	
-2.0	8:42 AM	2.9	7.21	1941	0.40		-2.0	9:02 AM	3.1	7.10	1967	0.44		-2.0	9:28 AM	3.2	7.20	1999	0.39	
-2.5	8:48 AM	5.0	6.48	2442	0.61		-2.5							-2.5						
-3.0	8:46 AM	4.7	6.56	2442			-3.0	9:04 AM	5.5	6.49	2490			-3.0	9:30 AM	5.3	6.54	2539		
-4.0	8:51 AM	5.9	6.42	2496	0.60		-4.0	9:07 AM	6.1	6.41	2531	0.64		-4.0						
-5.0	8:54 AM	6.8	6.37	2518	0.59		-5.0	9:09 AM	6.6	6.37	2552			-5.0						
-6.0							-6.0	9:10 AM	6.7	6.34	2584	0.60		-6.0						
-7.0							-7.0	9:12 AM	6.3	6.33	2645			-7.0						
-8.0							-8.0	9:14 AM	6.1	6.30	2684	0.62		-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5							-0.5	9:38 AM	3.0	7.25	2002	0.37		-0.5	9:42 AM	2.8	7.21	2008	0.38	
-2.0							-2.0	9:36 AM	3.0	7.22	2008	0.37		-2.0	9:40 AM	2.8	7.20	2011	0.40	
-3.0							-3.0	9:34 AM	5.8	6.39	2504			-3.0						
-4.0							-4.0	9:31 AM	6.2	6.37	2512	0.60		-4.0						
-5.0							-5.0	9:29 AM	7.0	6.35	2578			-5.0						
-6.0							-6.0	9:27 AM	6.7	6.36	2581	0.60		-6.0						
-7.0							-7.0	9:25 AM	6.4	6.38	2630			-7.0						
-8.0							-8.0	9:21 AM	6.1	6.40	2649	0.62		-8.0						
-9.0							-9.0	9:19 AM	5.8	6.42	2674			-9.0						
-10.0							-10.0							-10.0						

Figure C-66




Table C-39 and Figure C-67 Cross Valley Pond Water Quality Profile October 21, 2010

Note:
Method of Analysis: ICP-OES

Table C-39

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	3:27 PM	1.6	7.54		0.306		-0.5							-0.5						
-1.5	3:30 PM	1.6	7.56		0.314		-1.5							-1.5						
-2.0	3:33 PM	1.9	7.61		0.305		-2.0							-2.0						
-2.5	3:36 PM	2.6	7.22		0.312		-2.5							-2.5						
-3.0	3:39 PM	5.6	6.68		0.481		-3.0							-3.0						
-4.0	3:42 PM	5.5	6.70		0.484		-4.0							-4.0						
-5.0	3:45 PM	5.6	6.57		0.484		-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5							-0.5							-0.5						
-1.5							-1.5							-1.5						
-2.0							-2.0							-2.0						
-2.5							-2.5							-2.5						
-3.0							-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Bottom @ 6.0 m

Figure C-67




Table C-40 and Figure C-68 Cross Valley Pond Water Quality Profile November 15, 2010

Note:
Method of Analysis: ICP-OES

Table C-40

a) Site: NC							b) Site: Middle							c) Site: SC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5	8:45 AM	0.0	7.81	2123	0.267		-0.5	10:35 AM	0.0	7.90	2189	0.287		-0.5	11:03 AM	0.1	7.65	2078	0.255		
-2.0	8:47 AM	0.2	7.67	2122	0.273		-2.0	10:40 AM	0.2	7.67	2129	0.261		-2.0	11:05 AM	0.9	7.49	2077	0.263		
-2.5	8:52 AM	1.7	7.10	2249	0.288		-2.5	10:42 AM	1.6	7.54	2175	0.271		-2.5							
-3.0	8:49 AM	2.8	7.20	2433	0.3379		-3.0	10:44 AM	2.8	7.18	2318	0.332		-3.0	11:06 AM	3.0	7.20	2366			
-4.0	8:50 AM	3.2	7.14	2493	0.387		-4.0	10:45 AM	3.8	6.95	2508	0.370		-4.0	11:08 AM	3.9	6.75	2551	0.275		
-5.0	8:55 AM	3.4	6.94	2552	0.327		-5.0	10:46 AM	4.0	6.75	2520			-5.0	11:10 AM	4.0	6.71	2486			
-6.0	9:00 AM	4.2	6.73	2595	0.313		-6.0	10:48 AM	4.5	6.63	2575	0.335		-6.0							
-7.0							-7.0	10:50 AM	4.4	6.48	2609			-7.0							
-8.0							-8.0							-8.0							
-9.0							-9.0							-9.0							
-10.0							-10.0							-10.0							

d) Site: NC-30							e) Site: WC							f) Site: EC							
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	
-0.5							-0.5	9:20 AM	0.0	7.36	2115	0.262		-0.5	10:00 AM	0.0	7.62	2137	0.287		
-2.0							-2.0	9:25 AM	1.1	7.36	2095	0.262		-2.0	10:03 AM	0.8	7.54	2117	0.264		
-3.0							-3.0	9:27 AM	2.9	6.91	2448	0.327		-3.0	10:05 AM	2.1	7.27	2389			
-4.0							-4.0	9:30 AM	4.1	6.73	2578	0.314		-4.0	10:07 AM	2.9	7.00	2508	0.345		
-5.0							-5.0	9:31 AM	4.9	6.51	2584			-5.0							
-6.0							-6.0	9:32 AM	4.4	6.46	2627	0.303		-6.0							
-7.0							-7.0	9:33 AM	4.9	6.38	2645			-7.0							
-8.0							-8.0	9:34 AM	4.6	6.36	2709	0.301		-8.0							
-9.0							-9.0	9:35 AM	4.8	6.31	2710			-9.0							
-10.0							-10.0							-10.0							

Figure C-68




Table C-41 and Figure C-69 Cross Valley Pond Water Quality Profile November 18, 2010

Note:
Method of Analysis: ICP-OES

Table C-41

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	10:10 AM	0.0			0.294		-0.5	10:15 AM	0.0			0.272		-0.5						
-2.0	10:11 AM	0.3			0.278		-2.0	10:16 AM	1.3			0.270		-2.0						
-3.0							-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0	10:12 AM	3.7			0.312		-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0	10:18 AM	3.4			0.372		-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5							-0.5							-0.5						
-1.5							-1.5							-1.5						
-2.0							-2.0							-2.0						
-2.5							-2.5							-2.5						
-3.0							-3.0							-3.0						
-4.0							-4.0							-4.0						
-5.0							-5.0							-5.0						
-6.0							-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-69




Table C-42 and Figure C-70 Cross Valley Pond Water Quality Profile November 30, 2010

Note:
Method of Analysis: ICP-OES

Table C-42

a) Site: NC							b) Site: Middle							c) Site: SC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5	11:39 AM	<0.0	7.53	2255	0.274		-0.5	11:11 AM	<0.0	7.37	2115	0.236		-0.5	12:33 PM	<0.0	7.30	1940	0.243	
-1.0	11:41 AM	<0.0	7.57	2240			-1.0							-1.0						
-1.5	11:43 AM	<0.0	7.68	2262			-1.5							-1.5						
-2.0	11:45 AM	0.2	7.61	2252	0.271		-2.0	11:13 AM	0.1	7.50	2249	0.268		-2.0	12:37 PM	0.3	7.28	2220	0.277	
-2.5	11:47 AM	0.4	7.32	2379	0.273		-2.5	11:15 AM	1.2	7.25	2291			-2.5	12:40 PM	1.3	6.86	2350		
-3.0	11:49 AM	2.1	6.93	2654	0.334		-3.0	11:17 AM	2.9	6.76	2628			-3.0	12:42 PM	2.3	6.75	2510		
-4.0	11:51 AM	3.1	6.76	2692	0.333		-4.0	11:20 AM	3.8	6.67	2696	0.342		-4.0	12:43 PM	2.2	6.63	2700	0.273	
-5.0	11:53 AM	3.8	6.64	2784			-5.0	11:22 AM	4.0	6.63	2751			-5.0	12:46 PM	4.3	6.63	2739		
-6.0	11:55 AM	3.7	6.66	2766	0.338		-6.0							-6.0						
-7.0							-7.0							-7.0						
-8.0							-8.0							-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

d) Site: NC-30							e) Site: WC							f) Site: EC						
Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D	Δh	t	T	pH	EC (μS/cm)	Zn-T	Zn-D
-0.5							-0.5	10:48 AM	<0.0	7.50	2118	0.233		-0.5	12:17 PM	<0.0	7.25	1904	0.092	
-2.0							-2.0	10:50 AM	1.4	7.41	2244	0.267		-2.0	12:19 PM	<0.0	7.38	2242	0.258	
-2.5							-2.5	10:52 AM	2.1	7.00	2416			-2.5	12:20 PM	1.0	6.93	2530		
-3.0							-3.0	10:54 AM	2.9	6.79	2558			-3.0	12:22 PM	1.1	6.82	2616		
-4.0							-4.0	10:56 AM	3.5	6.75	2712	0.292		-4.0						
-5.0							-5.0	10:57 AM	3.8	6.71	2695			-5.0						
-6.0							-6.0	10:59 AM	3.5	6.75	2734	0.296		-6.0						
-7.0							-7.0	11:00 AM	4.2	6.67	2764			-7.0						
-8.0							-8.0	11:02 AM	3.8	6.68	2730	0.295		-8.0						
-9.0							-9.0							-9.0						
-10.0							-10.0							-10.0						

Figure C-70




Table C-43: Rose Creek Drainage Water Quality
2010 - Pit Lakes - General Parameters

Station	Date	Acid(pH4.5)	Acid(pH8.3)	ALK	ALKPP	CaCO3	CaCO3-d	Chloride	Chlorophyll a	CO3	COND	CONDf	DO	DO-%	HCO3	NH3	NO2	NO2/3	NO3	OH	oPO4	ORP	pH	pHF	SO4-d	TDS	TEMP-F	TSS
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	mg/L	µmho/cm	µmho/cm	mg/L	%	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mV			mg/L	mg/L	°C	mg/L
FL-1	4/30/2010	<0.5	30	69.00	<0.5	512	519	0.60	<5.0	<0.5	1090.0	1357.0	6.1	58	84.00	0.64	0.01	0.41	0.40	<0.5	<0.005	442	7.6	7.8	540.0	850.00	2	<1.0
	6/16/2010	<0.5	39	66.00	<0.5	672	666	1.10	<5.0	<0.5	1230.0	1237.0			81.00	0.99	<0.005	0.47	0.47	<0.5	<0.005	333	7.7	6.0	610.0	620.00	11	<4.0
	7/14/2010	<0.5	42	74.00	<0.5	612	674	1.40	<5.0	<0.5	1250.0	1245.0	9.8		90.00	0.91	0.01	0.51	0.50	<0.5	<0.005	303	7.6	7.7	600.0	970.00	14	<1.0
	8/12/2010	<0.5	29	77.00	<0.5	695	590	1.60			1250.0				94.00	1.10	<0.005	0.50	0.50	<0.5	<0.005	348	7.6		610.0	1000.00		<1.0
	9/8/2010	<0.5	36	82.00	<0.5	614	623	1.50			1310.0	1258.0	6.1	64	100.00	1.20	0.01	0.50	0.49	<0.5	<0.005	349	7.8	7.6	650.0	1100.00	11	<1.0
FL-1 Average		0	35	73.60	0	621	614	1.24		0.25	1226.0	1274.3	7.3	61	89.80	0.97	0.01	0.48	0.47	0	0.00	355	7.6	7.3	602.0	908.00	10	1
FL-1 Max		<0.5	42	82.00	<0.5	695	674	1.60			1310.0	1357.0	9.8	64	100.00	1.20	0.01	0.51	0.50	<0.5	<0.005	442	7.8	7.8	650.0	1100.00	14	<4.0
FL-1 Min		<0.5	29	66.00	<0.5	512	519	0.60	<5.0	<0.5	1090.0	1237.0	6.1	58	81.00	0.64	<0.005	0.41	0.40	<0.5	<0.005	303	7.6	6.0	540.0	620.00	2	<1.0
FL-1 N > DL		0	5	5	0	5	5	5		2	0	5	4	3	2	5	3	5	5	0	0	5	5	4	5	5	4	0
FL-1 Median		<0.5	36	74.00	<0.5	614	623	1.40	<5.0	<0.5	1250.0	1251.5	6.1	61	90.00	0.99	0.01	0.50	0.49	<0.5	<0.005	348	7.6	7.7	610.0	970.00	11	<1.0
FL-15	4/30/2010	<0.5	30	89.00	<0.5	668	670	1.30	<5.0	<0.5	1360.0	1372.0	5.3	46	110.00	1.10	0.01	0.44	0.43	<0.5	<0.005	426	7.6	7.9	710.0	1100.00	3	<1.0
	6/16/2010	<0.5	38	74.00	<0.5	744	737	1.50	<5.0	<0.5	1350.0	1232.0			90.00	1.20	<0.005	0.47	0.47	<0.5	<0.005	485	7.6	6.6	710.0	760.00	8	<4.0
	7/14/2010	<0.5	42	94.00	<0.5	699	748	1.70	<5.0	<0.5	1390.0	1533.0	10.0		120.00	1.20	0.01	0.47	0.47	<0.5	<0.005	314	7.6	7.6	650.0	1200.00	5	<1.0
	8/12/2010	<0.5	34	88.00	<0.5	764	677	1.90	<5.0	<0.5	1370.0				110.00	1.30	<0.005	0.47	0.47	<0.5	<0.005	347	7.7		710.0	1100.00		<1.0
	9/8/2010	<0.5	35	86.00	<0.5	702	710	2.10	<5.0	<0.5	1410.0	1350.0	10.9	102	110.00	1.50	<0.005	0.45	0.45	<0.5	<0.005	348	7.6	7.4	730.0	1100.00	6	<1.0
FL-15 Average		0	36	86.20	0	715	708	1.70		0.25	1376.0	1371.8	8.7	74	108.00	1.26	0.00	0.46	0.46	0	0.00	384	7.6	7.4	702.0	1052.00	5	1
FL-15 Max		<0.5	42	94.00	<0.5	764	748	2.10	<5.0	<0.5	1410.0	1533.0	10.9	102	120.00	1.50	0.01	0.47	0.47	<0.5	<0.005	485	7.7	7.9	730.0	1200.00	8	<4.0
FL-15 Min		<0.5	30	74.00	<0.5	668	670	1.30	<5.0	<0.5	1350.0	1232.0	5.3	46	90.00	1.10	<0.005	0.44	0.43	<0.5	<0.005	314	7.6	6.6	650.0	760.00	3	<1.0
FL-15 N > DL		0	5	5	0	5	5	5		0	5	4	3	2	5	5	2	5	5	0	0	5	5	4	5	5	4	0
FL-15 Median		<0.5	35	88.00	<0.5	702	710	1.70	<5.0	<0.5	1370.0	1361.0	10.0	74	110.00	1.20	<0.005	0.47	0.47	<0.5	<0.005	348	7.6	7.5	710.0	1100.00	5	<1.0
FL-3	4/30/2010	<0.5	26	89.00	<0.5	660	667	1.30	<5.0	<0.5	1350.0	1357.0	7.2	59	110.00	1.00	0.01	0.45	0.45	<0.5	<0.005	432	7.7	8.1	690.0	1100.00	2	<1.0
	6/16/2010	<0.5	37	63.00	<0.5	656	661	1.10	<5.0	<0.5	1220.0	1238.0			76.00	1.00	<0.005	0.47	0.47	<0.5	<0.005	330	7.7	6.0	630.0	610.00	11	<4.0
	7/14/2010	<0.5	40	81.00	<0.5	609	680	1.10	<5.0	<0.5	1260.0	1245.0	9.9		99.00	0.89	0.01	0.50	0.49	<0.5	<0.005	303	7.6	7.6	600.0	990.00	14	<1.0
	8/12/2010	<0.5	26	78.00	<0.5	703	601	1.50			1240.0				96.00	1.20	0.01	0.51	0.51	<0.5	<0.005	337	7.7		570.0	1000.00		<1.0
	9/8/2010	<0.5	35	81.00	<0.5	641	681	1.50	<5.0	<0.5	1320.0	1257.0	5.7	60	99.00	1.10	0.01	0.51	0.50	<0.5	<0.005	347	7.7	7.8	690.0	1100.00	11	<1.0
FL-3 Average		0	33	78.40	0	654	658	1.30		0.25	1278.0	1274.3	7.6	60	96.00	1.04	0.01	0.49	0.48	0	0.00	350	7.7	7.4	636.0	960.00	9	1
FL-3 Max		<0.5	40	89.00	<0.5	703	681	1.50			1350.0	1357.0	9.9	60	110.00	1.20	0.01	0.51	0.51	<0.5	<0.005	432	7.7	8.1	690.0	1100.00	14	<4.0
FL-3 Min		<0.5	26	63.00	<0.5	609	601	1.10	<5.0	<0.5	1220.0	1238.0	5.7	59	76.00	0.89	<0.005	0.45	0.45	<0.5	<0.005	303	7.6	6.0	570.0	610.00	2	<1.0
FL-3 N > DL		0	5	5	0	5	5	5		1	0	5	4	3	2	5	4	5	5	0	0	5	5	4	5	5	4	0
FL-3 Median		<0.5	35	81.00	<0.5	656	667	1.30	<5.0	<0.5	1260.0	1251.0	7.2	60	99.00	1.00	0.01	0.50	0.49	<0.5	<0.005	337	7.7	7.7	630.0	1000.00	11	<1.0
FL-30	4/30/2010	<0.5	13	93.00	<0.5	725	756	6.50	<5.0	<0.5	1460.0	1544.0	1.4	13	110.00	1.40	<0.005	<0.02	<0.02	<0.5	<0.005	4	7.3	7.4	760.0	1200.00	4	33
	6/16/2010	<0.5	25	93.00	<0.5	691	705	6.30	<5.0	<0.5	1480.0	1233.0			110.00	1.60	<0.005	<0.02	<0.02	<0.5	<0.005	195	8.0	6.6	780.0	930.00	5	39
	7/14/2010	<0.5	20	100.00	<0.5	754	770	6.80	<5.0	<0.5	1510.0	1564.0	1.6		130.00	1.70	<0.005	<0.02	<0.02	<0.5	<0.005	112	7.1	7.0	730.0	1200.00	5	25
	8/12/2010	<0.5	19	95.00	<0.5	750	726	6.40	<5.0	<0.5	1490.0				120.00	2.10	<0.005	<0.02	<0.02	<0.5	<0.005	141	7.3		810.0	1200.00		37
	9/8/2010	<0.5	20	93.00	<0.5	761	821	6.70	<5.0	<0.5	1530.0	1513.0	1.5	14	110.00	2.00	<0.005	<0.02	<0.02	<0.5	<0.005	159	7.4	7.2	800.0	1300.00	5	35
FL-30 Average		0	19	94.80	0	736	756	6.54		0.25	1494.0	1463.5	1.5	13	116.00	1.76	0.00	0.01	0.01	0	0.00	122	7.4	7.0	776.0	1166.00	5	34
FL-30 Max		<0.5	25	100.00	<0.5	761	821	6.80	<5.0	<0.5	1530.0	1564.0	1.6	14	130.00	2.10	<0.005	<0.02	<0.02	<0.5	<0.005	195	8.0	7.4	810.0	1300.00	5	39
FL-30 Min		<0.5	13	93.00	<0.5	691	705	6.30	<5.0	<0.5	1460.0	1233.0	1.4	13	110.00	1.40	<0.005	<0.02	<0.02	<0.5	<0.005	4	7.1	6.6	730.0	930.00	4	25
FL-30 N > DL		0	5	5	0	5	5	5		0	5	4	3	2	5	5	0	0	0	0	0	5	5	4	5	5	4	5
FL-30 Median		<0.5	20	93.00	<0.5	750	756	6.50	<5.0	<0.5	1490.0	1528.5	1.5	13	110.00	1.70	<0.005	<0.02	<0.02	<0.5	<0.005	141	7.3	7.1	780.0	1200.00	5	35
FL-5	4/30/2010	<0.5	29	85.00	<0.5	656	677	1.40	<5.0	<0.5	1360.0	1366.0	6.2	53	100.00	1.00	0.01	0.45	0.44	<0.5	<0.005	428	7.6	8.1	700.0	1100.00		

Table C-44: Rose Creek Drainage Water Quality
2010 - Pit Lakes - Dissolved Metals

Station	Date	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Ti-d	U-d	V-d	Zn-d	Zr-d
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
FL-1	4/30/2010	<0.03	21.00	<0.1	18.400	<300.0	0.18	<0.03	112.00	18.70	39.4000	<0.5	18.3000	7.00	5.40	0.046	58.10	2190.000	0.40	12.20	104.000	0.8000	0.20	179	<0.2	5030.00	<0.05	441.00	<3.0	0.20	1.0500	<1.0	18800.000	<0.5
	6/16/2010	<0.03	4.00	<0.1	16.400	<300.0	0.06	<0.03	143.00	17.40	51.3000	<0.5	9.1000	<5.0	8.00	0.057	75.00	2990.000	0.50	19.00	129.000	0.1400	0.30	210	<0.2	4000.00	<0.05	591.00	<3.0	0.45	1.2700	<1.0	21400.000	<0.5
	7/14/2010	0.0160	3.80	0.20	16.300	<50.0	0.04	<0.005	146.00	16.00	53.4000	<0.1	6.5400	35.00	8.01	0.054	75.40	2990.000	0.56	19.00	129.000	0.3900	0.26	249	0.1300	3960.00	<0.01	620.00	<0.5	0.43	1.2200	<0.2	18000.000	<0.1
	8/12/2010	<0.03	3.00	0.20	16.300	<300.0	<0.05	<0.03	127.00	16.60	50.8000	<0.5	5.6000	10.00	7.10	0.058	66.30	2940.000	0.50	16.20	131.000	0.4100	0.30	212	<0.2	2880.00	<0.05	570.00	<3.0	0.45	1.1000	<1.0	20600.000	<0.5
	9/8/2010	<0.03	4.00	0.20	15.600	<300.0	0.06	<0.03	128.00	15.90	50.5000	<0.5	5.1000	18.00	7.30	0.058	73.60	2930.000	0.60	17.50	128.000	0.2600	0.20	226	<0.2	3550.00	<0.05	605.00	4.00	0.49	1.0400	<1.0	21400.000	<0.5
FL-1 Average		0.0152	7.16	0.14	16.600	125.00	0.07	0.01	131.20	16.92	49.0800	0.21	8.9280	14.50	7.16	0.055	69.68	2808.000	0.51	16.78	124.200	1.1100	0.25	215	0.1060	3884.00	0.02	565.40	1.75	0.40	1.1360	0.42	20400.000	0.21
FL-1 Max		<0.03	21.00	0.20	18.400	<300.0	0.18	<0.03	146.00	18.70	53.4000	<0.5	18.3000	35.00	8.01	0.058	75.40	2990.000	0.60	19.00	131.000	0.3900	0.30	249	<0.2	5030.00	<0.05	620.00	4.00	0.49	1.2700	<1.0	21400.000	<0.5
FL-1 Min		0.0160	3.00	<0.1	15.600	<50.0	0.04	<0.005	112.00	15.90	39.4000	<0.1	5.1000	<5.0	5.40	0.046	58.10	2190.000	0.40	12.20	104.000	0.1400	0.20	179	0.1300	2880.00	<0.01	441.00	<0.5	0.20	1.0400	<0.2	18000.000	<0.1
FL-1 N > DL		1	5	3	5	0	4	0	5	5	5	0	5	4	5	5	5	5	5	5	5	5	5	5	1	5	0	5	1	5	5	0	5	0
FL-1 Median		<0.03	4.00	0.20	16.300	<300.0	0.06	<0.03	128.00	16.60	50.8000	<0.5	6.5400	10.00	7.30	0.057	73.60	2940.000	0.50	17.50	129.000	0.4100	0.26	212	<0.2	3960.00	<0.05	591.00	<3.0	0.45	1.1000	<1.0	20600.000	<0.5
FL-15	4/30/2010	<0.03	18.00	0.20	16.200	<300.0	<0.05	<0.03	148.00	15.30	52.8000	<0.5	5.3000	6.00	8.40	0.059	72.80	3210.000	0.60	18.70	131.000	0.2900	0.30	240	<0.2	3710.00	<0.05	614.00	<3.0	0.39	1.1300	<1.0	19800.000	<0.5
	6/16/2010	<0.03	9.00	0.20	16.600	<300.0	<0.05	<0.03	153.00	16.90	57.8000	<0.5	8.1000	<5.0	9.80	0.065	86.20	3650.000	0.60	23.00	146.000	0.0900	0.30	240	<0.2	3300.00	<0.05	667.00	<3.0	0.48	1.0600	<1.0	23700.000	<0.5
	7/14/2010	0.0180	3.50	0.18	16.000	<50.0	0.06	<0.005	155.00	14.70	64.8000	<0.1	0.1500	16.00	9.49	0.064	87.80	3590.000	0.59	23.20	158.000	0.1140	0.28	293	0.1200	3440.00	<0.01	693.00	<0.5	0.46	1.2200	<0.2	19900.000	<0.1
	8/12/2010	<0.03	6.00	0.20	16.700	<300.0	0.09	<0.03	150.00	15.90	59.3000	<0.5	<0.3	7.00	8.60	0.065	73.60	3560.000	0.50	19.50	150.000	0.1800	0.30	232	<0.2	2710.00	<0.05	625.00	<3.0	0.45	1.1600	<1.0	22400.000	<0.5
	9/8/2010	<0.03	7.00	0.20	14.800	<300.0	0.06	<0.03	153.00	16.80	58.9000	<0.5	4.0000	8.00	8.90	0.061	79.90	3610.000	0.40	20.90	147.000	0.1100	0.30	277	<0.2	3700.00	<0.05	620.00	<3.0	0.45	0.9100	<1.0	23000.000	<0.5
FL-15 Average		0.0156	8.70	0.20	16.060	125.00	0.05	0.01	151.80	15.92	58.7200	0.21	3.5400	7.90	9.04	0.063	80.06	3524.000	0.54	21.06	146.400	0.1568	0.30	256	0.1040	3372.00	0.02	643.80	1.25	0.45	1.0960	0.42	21760.000	0.21
FL-15 Max		<0.03	18.00	0.20	16.700	<300.0	0.09	<0.03	155.00	16.90	64.8000	<0.5	8.1000	16.00	9.80	0.065	87.80	3650.000	0.60	23.20	158.000	0.2900	0.30	293	<0.2	3710.00	<0.05	693.00	<3.0	0.48	1.2200	<1.0	23700.000	<0.5
FL-15 Min		0.0180	3.50	0.18	14.800	<50.0	<0.05	<0.005	148.00	14.70	52.8000	<0.1	0.1500	<5.0	8.40	0.059	72.80	3210.000	0.40	18.70	131.000	0.0900	0.28	232	0.1200	2710.00	<0.01	614.00	<0.5	0.39	0.9100	<0.2	19800.000	<0.1
FL-15 N > DL		1	5	5	5	0	3	0	5	5	5	0	4	4	5	5	5	5	5	5	5	5	5	5	1	5	0	5	0	5	5	0	5	0
FL-15 Median		<0.03	7.00	0.20	16.200	<300.0	0.06	<0.03	153.00	15.90	58.9000	<0.5	4.0000	7.00	8.90	0.064	79.90	3590.000	0.59	20.90	147.000	0.1140	0.30	240	<0.2	3440.00	<0.05	625.00	<3.0	0.45	1.1300	<1.0	22400.000	<0.5
FL-3	4/30/2010	<0.03	22.00	<0.1	17.000	<300.0	0.09	<0.03	148.00	17.20	53.0000	<0.5	2.0000	8.00	8.10	0.059	72.40	3090.000	0.60	18.30	131.000	0.5300	0.30	239	<0.2	4020.00	<0.05	609.00	<3.0	0.35	1.1900	<1.0	20600.000	1.30
	6/16/2010	<0.03	3.00	0.20	16.300	<300.0	0.06	<0.03	136.00	17.30	52.9000	<0.5	8.9000	65.00	8.20	0.057	78.40	3100.000	0.50	19.70	131.000	0.0700	0.30	211	<0.2	3660.00	<0.05	602.00	<3.0	0.44	1.2500	<1.0	22100.000	<0.5
	7/14/2010	0.0140	2.00	0.19	16.100	<50.0	0.04	<0.005	143.00	16.30	56.5000	<0.1	6.8500	16.00	8.04	0.055	78.40	3050.000	0.57	20.00	136.000	0.3100	0.24	265	0.1500	3770.00	<0.01	622.00	<0.5	0.43	1.2400	<0.2	18400.000	<0.1
	8/12/2010	<0.03	8.00	0.20	16.200	<300.0	0.06	<0.03	128.00	16.30	51.6000	<0.5	6.1000	19.00	7.30	0.057	68.10	3010.000	0.50	17.00	133.000	0.5900	0.20	227	<0.2	2770.00	<0.05	561.00	<3.0	0.45	1.0600	<1.0	21000.000	<0.5
	9/8/2010	<0.03	4.00	<0.1	14.900	<300.0	0.07	<0.03	143.00	15.70	51.6000	<0.5	5.4000	15.00	7.80	0.055	78.60	3060.000	0.60	18.70	136.000	0.2800	0.20	238	<0.2	4050.00	<0.05	584.00	<3.0	0.41	0.9700	<1.0	22200.000	<0.5
FL-3 Average		0.0148	7.80	0.14	16.100	125.00	0.06	0.01	139.60	16.56	53.1200	0.21	5.8500	24.60	7.89	0.057	75.18	3062.000	0.55	18.74	133.400	0.3560	0.25	236	0.1100	3654.00	0.02	595.60	1.25	0.42	1.1420	0.42	20860.000	0.42
FL-3 Max		<0.03	22.00	0.20	17.000	<300.0	0.09	<0.03	148.00	17.30	56.5000	<0.5	8.9000	65.00	8.20	0.059	78.60	3100.000	0.60	20.00	136.000	0.5900	0.30	265	<0.2	4050.00	<0.05	622.00	<3.0	0.45	1.2500	<1.0	22200.000	1.30
FL-3 Min		0.0140	2.00	<0.1	14.900	<50.0	0.04	<0.005	128.00	15.70	51.6000	<0.1	2.0000	8.00	7.30	0.055	68.10	3010.000	0.50	17.00	131.000	0.0700	0.20	211	0.1500	2770.00	<0.01	561.00	<0.5	0.35	0.9700	<0.2	18400.000	<0.1
FL-3 N > DL		1	5	3	5	0	5	0	5	5	5	0	5	5	5	5	5	5	5	5	5	5	5	5	1	5	0	5	0	5	5	0	5	1
FL-3 Median		<0.03	4.00	0.19	16.200	<300.0	0.06	<0.03	143.00	16.30	52.9000	<0.5	6.1000	16.00	8.04	0.057	78.40	3060.000	0.57	18.70	133.000	0.3100	0.24	238	<0.2	3770.00	<0.05	602.00	<3.0	0.43	1.1900	<1.0	21000.000	<0.5
FL																																		

Table C-45: Rose Creek Drainage Water Quality
2010 - Pit Lakes - Total Metals

Station	Date	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
FL-1	4/30/2010	0.1500	24.00	0.200	<300.0	18.800	0.18	<0.03	109.00	18.70	39.8000	<0.5	21.3000	96.00	5.10	0.04	58.60	2150.000	0.60	12.50	110.000	<0.005	1.8100	169.00	0.20	<0.2	4650.00	<0.05	432.00	<3.0	0.21	1.0900	<1.0	19300.000	<0.5
	6/16/2010	<0.03	17.00	0.200	<300.0	17.200	0.09	<0.03	142.00	17.30	52.0000	<0.5	12.3000	116.00	8.30	0.06	76.80	3060.000	0.60	19.20	132.000	<0.005	1.3600	218.00	0.30	<0.2	3880.00	<0.05	600.00	<3.0	0.45	1.1800	<1.0	21800.000	<0.5
	7/14/2010	0.0140	11.60	0.220	<50.0	16.600	0.06	<0.005	121.00	16.30	52.2000	<0.1	12.7000	155.00	7.71	0.06	75.50	2920.000	0.48	18.30	129.000	<0.005	1.6700	239.00	0.25	0.1200	3460.00	<0.05	592.00	<0.5	0.42	1.2600	<0.2	18200.000	<0.1
	8/12/2010	<0.03	10.00	<0.1	<300.0	17.400	<0.05	<0.03	148.00	18.20	53.1000	<0.5	7.4000	47.00	8.20	0.06	79.10	3150.000	0.50	19.10	138.000	<0.005	0.8500	260.00	0.20	<0.2	4530.00	<0.05	631.00	<3.0	0.47	0.9200	<1.0	21900.000	<0.5
	9/8/2010	<0.03	12.00	0.200	<300.0	16.300	0.07	<0.03	126.00	18.00	50.9000	0.60	6.4000	174.00	7.80	0.06	72.60	3020.000	0.60	17.90	128.000	<0.005	2.1300	244.00	0.90	<0.2	3460.00	<0.05	604.00	8.00	0.48	1.1300	<1.0	20300.000	<0.5
FL-1 Average		0.0418	14.92	0.174	125.00	17.260	0.09	0.01	129.20	17.70	49.6000	0.28	12.0200	117.60	7.42	0.05	72.52	2860.000	0.56	17.40	127.400	0.00	1.5640	226.00	0.37	0.1040	3996.00	0.02	571.80	2.55	0.41	1.1160	0.42	20300.000	0.21
FL-1 Max		0.1500	24.00	0.220	<300.0	18.800	0.18	<0.03	148.00	18.70	53.1000	0.60	21.3000	174.00	8.30	0.06	79.10	3150.000	0.60	19.20	138.000	<0.005	2.1300	260.00	0.90	<0.2	4650.00	<0.05	631.00	8.00	0.48	1.2600	<1.0	21900.000	<0.5
FL-1 Min		0.0140	10.00	<0.1	<50.0	16.300	<0.05	<0.005	109.00	16.30	39.8000	<0.1	6.4000	47.00	5.10	0.04	58.60	2150.000	0.48	12.50	110.000	<0.005	0.8500	169.00	0.20	0.1200	3460.00	0.02	432.00	<0.5	0.21	0.9200	<0.2	18200.000	<0.1
FL-1 N > DL		2	5	4	0	5	4	0	5	5	5	1	5	5	5	5	5	5	5	5	5	0	5	5	5	1	5	1	5	1	5	5	0	5	0
FL-1 Median		<0.03	12.00	0.200	<300.0	17.200	0.07	<0.03	126.00	18.00	52.0000	<0.5	12.3000	116.00	7.80	0.06	75.50	3020.000	0.60	18.30	129.000	<0.005	1.6700	239.00	0.25	<0.2	3880.00	<0.05	600.00	<3.0	0.45	1.1300	<1.0	20300.000	<0.5
FL-15	4/30/2010	0.0900	17.00	0.200	<300.0	15.800	0.07	<0.03	145.00	15.10	53.1000	<0.5	7.4000	23.00	8.10	0.06	74.20	3190.000	0.60	19.20	134.000	<0.005	0.3000	235.00	0.30	<0.2	3400.00	<0.05	608.00	<3.0	0.42	1.1400	<1.0	20300.000	<0.5
	6/16/2010	<0.03	16.00	<0.1	<300.0	16.900	0.07	<0.03	160.00	17.10	55.8000	<0.5	9.3000	62.00	9.50	0.06	83.80	3570.000	0.50	22.10	142.000	<0.005	0.5200	244.00	0.30	<0.2	3800.00	<0.05	655.00	<3.0	0.50	1.0600	<1.0	22900.000	<0.5
	7/14/2010	0.0130	10.30	0.180	<50.0	16.000	0.07	<0.005	141.00	16.20	61.4000	<0.1	3.9000	110.00	9.09	0.06	84.50	3460.000	0.54	21.80	152.000	<0.005	0.8520	272.00	0.29	0.1200	3540.00	<0.01	666.00	<0.5	0.45	1.2100	<0.2	19600.000	<0.1
	8/12/2010	<0.03	10.00	<0.1	<300.0	17.300	0.07	<0.03	165.00	17.20	61.8000	<0.5	2.4000	64.00	9.60	0.07	85.50	3720.000	0.50	21.90	156.000	<0.005	0.7300	288.00	0.30	<0.2	4310.00	<0.05	678.00	<3.0	0.49	0.9700	<1.0	22900.000	<0.5
	9/8/2010	<0.03	11.00	0.200	<300.0	15.700	<0.05	<0.03	152.00	17.60	56.7000	<0.5	5.5000	62.00	8.90	0.06	78.50	3430.000	0.50	20.50	141.000	<0.005	0.6600	262.00	0.30	<0.2	3470.00	<0.05	634.00	9.00	0.45	1.0700	2.00	20800.000	<0.5
FL-15 Average		0.0296	12.86	0.136	125.00	16.340	0.06	0.01	152.60	16.64	57.7600	0.21	5.7000	64.20	9.04	0.06	81.30	3474.000	0.53	21.10	145.000	0.00	0.6124	260.20	0.30	0.1040	3704.00	0.02	648.20	2.75	0.46	1.0900	0.72	21300.000	0.21
FL-15 Max		0.0900	17.00	0.200	<300.0	17.300	0.07	<0.03	165.00	17.60	61.8000	<0.5	9.3000	110.00	9.60	0.07	85.50	3720.000	0.60	22.10	156.000	<0.005	0.8520	288.00	0.30	<0.2	4310.00	<0.05	678.00	9.00	0.50	1.2100	2.00	22900.000	<0.5
FL-15 Min		0.0130	10.00	<0.1	<50.0	15.700	<0.05	<0.005	141.00	15.10	53.1000	<0.1	2.4000	23.00	8.10	0.06	74.20	3190.000	0.50	19.20	134.000	<0.005	0.3000	235.00	0.29	0.1200	3400.00	<0.01	608.00	<0.5	0.42	0.9700	<0.2	19600.000	<0.1
FL-15 N > DL		2	5	3	0	5	4	0	5	5	5	0	5	5	5	5	5	5	5	5	5	0	5	5	5	1	5	0	5	1	5	5	1	5	0
FL-15 Median		<0.03	11.00	0.180	<300.0	16.000	0.07	<0.03	152.00	17.10	56.7000	<0.5	5.5000	62.00	9.09	0.06	83.80	3460.000	0.50	21.80	142.000	<0.005	0.6600	262.00	0.30	<0.2	3540.00	<0.05	655.00	<3.0	0.45	1.0700	<1.0	20800.000	<0.5
FL-3	4/30/2010	0.1100	21.00	<0.1	<300.0	16.600	0.08	<0.03	144.00	17.10	53.9000	<0.5	6.6000	48.00	7.80	0.05	73.20	3020.000	0.60	18.50	134.000	<0.005	0.8900	235.00	0.30	<0.2	4160.00	<0.05	596.00	<3.0	0.36	1.2000	<1.0	21100.000	<0.5
	6/16/2010	<0.03	17.00	0.200	<300.0	16.200	0.09	<0.03	140.00	17.30	49.7000	<0.5	11.6000	108.00	7.80	0.06	74.30	2930.000	0.50	18.60	123.000	<0.005	1.0200	218.00	0.30	<0.2	3930.00	<0.05	587.00	<3.0	0.45	1.1600	<1.0	20800.000	<0.5
	7/14/2010	0.0130	7.60	0.140	<50.0	15.700	0.06	<0.005	121.00	15.80	52.1000	<0.1	8.7000	116.00	7.52	0.05	74.30	2840.000	0.52	18.20	130.000	<0.005	0.8530	231.00	0.24	0.1200	3510.00	<0.01	589.00	<0.5	0.42	1.2500	<0.2	17900.000	<0.1
	8/12/2010	<0.03	9.00	<0.1	<300.0	17.400	<0.05	<0.03	147.00	17.80	54.0000	<0.5	7.4000	42.00	8.40	0.06	81.40	3160.000	0.40	19.70	142.000	<0.005	0.7500	262.00	0.20	<0.2	4440.00	<0.05	621.00	<3.0	0.47	0.9200	<1.0	22300.000	<0.5
	9/8/2010	<0.03	11.00	0.200	<300.0	15.600	<0.05	<0.03	139.00	17.10	48.2000	<0.5	6.6000	172.00	7.50	0.06	71.20	2850.000	0.60	17.50	121.000	<0.005	1.7000	221.00	0.90	<0.2	3640.00	<0.05	585.00	8.00	0.43	1.1200	<1.0	19700.000	<0.5
FL-3 Average		0.0336	13.12	0.128	125.00	16.300	0.06	0.01	138.20	17.02	51.5800	0.21	8.1800	97.20	7.80	0.06	74.88	2960.000	0.52	18.50	130.000	0.00	1.0426	233.40	0.39	0.1040	3936.00	0.02	595.60	2.55	0.43	1.1300	0.42	20360.000	0.21
FL-3 Max		0.1100	21.00	0.200	<300.0	17.400	0.09	<0.03	147.00	17.80	54.0000	<0.5	11.6000	172.00	8.40	0.06	81.40	3160.000	0.60	19.70	142.000	<0.005	1.7000	262.00	0.90	<0.2	4440.00	<0.05	621.00	8.00	0.47	1.2500	<1.0	22300.000	<0.5
FL-3 Min		0.0130	7.60	<0.1	<50.0	15.600	<0.05	<0.005	121.00	15.80	48.2000	<0.1	6.6000	42.00	7.50	0.05	71.20	2840.000	0.40	17.50	121.000	<0.005	0.7500	218.00	0.20	0.1200	3510.00	<0.01	585.00	<0.5	0.36	0.9200	<0.2	17900.000	<0.1
FL-3 N > DL		2	5	3	0	5	3	0	5	5	5	0	5	5	5	5	5	5	5	5	5	0	5	5	5	1	5	0	5	1	5</				

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Cl-d mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
X14	1/11/2010	FIELD BLANK			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<1.0	<0.5	<0.5	<0.01	<0.5	5.70	<0.5	<10.0	<0.5	<1.0	<0.1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	1	1	1	1	1	1	0	1	1	1	2	1	0.25	1	1	1	0.25	1
		Comments																				
		Action																				
		Result																				
X2	2/22/2010	FIELD BLANK			0.90	<0.5	<0.5	<0.5	1	<0.5		<1.0	<0.5	1.00	0.02	<0.5	5.90	<0.5	<10.0	<0.5	<1.0	<0.1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	1.8	1	1	1	1.8	1	0	1	1	2	4	1	0.05	1	1	1	0.25	1
		Comments																				
		Action																				
		Result																				
SC2	4/14/2010	FIELD BLANK			1.20	<0.5	<0.5	<0.5	<0.5	<0.5		<1.0	<0.5	1.50	<0.01	<0.5	6.10	<0.5	<10.0	<0.5	<1.0	<0.1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	2.4	1	1	1	1	1	0	1	1	3	2	1	0.15	1	1	1	0.25	0
		Comments																				
		Action																				
		Result																				
X4	5/3/2010	FIELD BLANK			1.60	<0.5	<0.5	<0.5	<0.5	<0.5		2.0		1.90	<0.01	<0.5	6.20	<0.5	<10.0		<1.0	
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	3.2	1	1	1	1	1	0	2	0	3.8	2	1	0.25	1	1	0	0.25	0
		Comments																				
		Action																				
		Result																				
NF2	6/4/2010	FIELD BLANK			1.10	<0.5	<0.5	<0.5	<0.5	<0.5		<1	<0.5	1.30	<0.05	<0.5	5.50	<0.5	<10	<0.5	<1	<1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	2.2	1	1	1	0	1	0	1	1	2.6	10	1	0.45	1	1	1	0.25	0
		Comments													Blank value not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.							
		Action													Let Value Stand							
		Result																				
X5	22/06/2010 9:3	FIELD BLANK			<0.5	<0.5	<0.5	<0.5	<0.0005	<0.5	<5	<1		<0.5	<0.05	<0.5	5.40	<0.5	<10		<1	<0.1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	1	1	1	1	0.001	1	10	1	0	1	10	1	0.55	1	1	0	0.25	1
		Comments									Blank value not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.				Blank value not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.							
		Action									Let Value Stand				Let Value Stand							
		Result																				
A30	7/7/2010	FIELD BLANK	<0.5	<0.5	1.90	<0.5		<0.5	<0.5	<0.5		2.0		2.30		<0.5	6.10		1.7			<1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	1	1	3.8	1	0	1	1	1	0	2	0	4.6	0	1	0.15	3.4	0	0	0.25	0
		Comments																				
		Action																				
		Result																				

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit, or >1 pH unit difference from DI Water)

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Cl-d mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
X14	7/20/2010	FIELD BLANK			1.50	<0.5	<0.5	<0.5	<0.5	<0.5		<1	<0.5	1.80	<0.005	<0.5	5.74	<0.5	<10	<0.5	<1	
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	3	1	1	1	1	1	0	1	1	3.6	1	1	0.21	1	1	1	0.25	0
		Comments																				
		Action																				
		Result																				
RCSG#4	8/3/2010	FIELD BLANK			2.20	<0.5	<0.5	<0.5	<0.5	<0.5		<1	<0.5	2.60	0.28	<0.5	6.15	<0.5	<10	<0.5	<1	
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	4.4	1	1	1	1	1	0	1	1	5.2	56	1	0.20	1	1	1	0.25	0
		Comments											Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine. Lab noted that "RDL raised due to sample matrix interference."							
		Action											Let Value Stand	Request Retest								
		Result											High blank value remains.	Retest not possible. Remainder of sample had been discarded.								
X5	8/10/2010	FIELD BLANK			1.30	<0.5	<0.5	<0.5	<0.5	<0.5	<5	3.0		1.60	0.27	<0.5	5.80	<0.5	<10		<4	<0.1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	2.6	1	1	1	1	1	10	3	0	3.2	54	1	0.15	1	1	0	1	1
		Comments									Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.				Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine. Lab noted that "RDL raised due to sample matrix interference."						
		Action									Let Value Stand				Request Retest							
		Result													Retest performed, see results below.							
X5 Retest	8/10/2010	FIELD BLANK													0.01	-						
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	0	0	0	0	0	0	0	0	0	0	2.4	0	#VALUE!	0	0	0	0	0
		Comments													Retest for August 10 X5 blank. Blank concentration < PQL and correctly entered into emLine.							
		Action													Let Value Stand							
		Result													New blank value entered into emLine.							
X5	8/17/2010	FIELD BLANK			2.20	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<1		2.60	0.16	<0.5	5.59	<0.5	<10		<1	<0.1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
		Times greater than DI water	0	0	4.4	1	1	1	1	1	10	1	0	5.2	32	1	0.36	1	1	0	0.25	1
		Comments									Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine. Lab noted "RDL raised due to sample matrix interference). Therefore, comparison not valid in this case.							
		Action									Let Value Stand			Let Value Stand	Let Value Stand							
		Result											High blank value remains.	High blank value remains.								

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit, or >1 pH unit difference from DI Water)

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Cl-d mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU	
X5	9/7/2010	FIELD BLANK			0.60	<0.5			<0.5	<0.5	<5		2.0		0.70	0.25	<0.5	5.75	2.6	<10		<1	<0.1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1	
		Times greater than DI water	0	0	1.2	1	0	0	1	1	10	2	0	1.4	50	1	0.20	5.2	1	0	0.25	1	
		Comments	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.										Blank concentration equal to PQL and correctly entered into emLine. Lab noted "RDL raised due to sample matrix interference."					Blank concentration > PQL and correctly entered into emLine.					
		Action	Let Value Stand										Request Retest					Let Value Stand					
		Result											Retest performed, see results below.					High blank value remains.					
X5 Retest	9/7/2010	FIELD BLANK													<0.005		-						
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1	
		Times greater than DI water	0	0	0	0	0	0	0	0	0	0	0	0	1	0	#VALUE!	0	0	0	0	0	
		Comments											Retest for September 7 X5 blank.										
		Action											Let Value Stand										
		Result											New blank value entered into emLine.										
GDHSECK	10/6/2010	FIELD BLANK			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<1		<0.5	0.04	<0.5	5.25	<0.5	<10		<1		
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1	
		Times greater than DI water	0	0	1	1	1	1	1	1	0	1	0	1	7.2	1	0.70	1	1	0	0.25	0	
		Comments											Blank concentration > PQL and correctly entered into emLine.										
		Action											Let Value Stand										
		Result											High blank value remains.										
X4	10/20/2010	FIELD BLANK			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		7.0		<0.5	0.01	<0.5	5.23	<0.5	<10		<1		
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1	
		Times greater than DI water	0	0	1	1	1	1	1	1	0	7	0	1	2	1	0.72	1	1	0	0.25	0	
		Comments											Blank concentration > PQL and correctly entered into emLine.										
		Action											Let Value Stand										
		Result											High blank value remains.										
X14	11/9/2010	FIELD BLANK			1.10	<0.5	<0.5	<0.5	<0.5	<0.5		<1	2.3	1.30	0.06	<0.5	5.86	<0.5	<10	<0.5	<4	<0.1	
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1	
		Times greater than DI water	0	0	2.2	1	1	1	1	1	0	1	4.6	2.6	11.4	1	0.09	1	1	1	1	1	
		Comments											Blank concentration > PQL and correctly entered into emLine.										
		Action											Let Value Stand										
		Result											High blank value remains.										
X5	11/18/2010	FIELD BLANK			1.40	<0.5			<0.5	<0.5	<5		2.0		1.70	<0.005	<0.5	5.81	<0.5	<10		<4	<0.1
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1	
		Times greater than DI water	0	0	2.8	1	0	0	1	1	10	2	0	3.4	1	1	0.14	1	1	0	1	1	
		Comments	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.																				
		Action	Let Value Stand																				
		Result																					

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit, or >1 pH unit difference from DI Water)

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Cl-d mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU		
X14	11/25/2010	FIELD BLANK			1.40	<0.5	<0.5	<0.5	<0.5	<0.5		2.0	<0.5	1.70	0.04	<0.5	5.88	4.8	<10	<0.5	<4			
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1		
		Times greater than DI water	0	0	2.8	1	1	1	1	1	0	2	1	3.4	7	1	0.07	9.6	1	1	1	0		
		Comments																					Blank concentration > PQL and correctly entered into emLine.	
		Action																						Blank concentration > PQL and correctly entered into emLine.
		Result																						Let Value Stand
																								High blank value remains.
X2	12/1/2010	FIELD BLANK			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		<1	<0.5	<0.5	<0.05	<0.5	5.35	0.8	<10	<0.5	<4			
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1		
		Times greater than DI water	0	0	1	1	1	1	1	1	0	1	1	1	10	1	0.60	1.6	1	1	1	0		
		Comments																					Blank concentration not > PQL (detection limit for field blank higher than that used for DI water, lab noted "RDL raised due to sample matrix interference). Therefore, comparison not valid in this case.	
		Action																						Let Value Stand
		Result																						
X14	12/2/2010	FIELD BLANK			0.60	<0.5	<0.5	<0.5	<0.5	<0.5		2.0	<0.5	0.70	<0.05	<0.5	5.49	<0.5	<10	<0.5	<1	0.00		
		Deionized Water	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1		
		Times greater than DI water	0	0	1.2	1	1	1	1	1	0	2	1	1.4	10	1	0.46	1	1	1	0.25	0		
		Comments																					Blank concentration not > PQL (detection limit for field blank higher than that used for DI water, lab noted "RDL raised due to sample matrix interference). Therefore, comparison not valid in this case.	
		Action																						Let Value Stand
		Result																						

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit, or >1 pH unit difference from DI Water)



Station	Date	Sample Type	Ag-d µg/L	Al-d µg/L	As-d µg/L	Ba-d µg/L	B-d µg/L	Be-d µg/L	Bi-d µg/L	Ca-d mg/L	Cd-d µg/L	Co-d µg/L	Cr-d µg/L	Cu-d µg/L	Fe-d µg/L	K-d mg/L	Li-d mg/L	Mg-d mg/L	
X14	1/11/2010	FIELD BLANK	<0.005	0.80	<0.02	<0.02	0.120	<50.0	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	0.1600	2.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4	1	6	1	1	1	1	1	1	1	1	3.2	2	1	0.001	1
		Comments					Blank concentration > PQL and correctly entered into emLine.												
		Action					Let Value Stand												
		Result					High blank value remains.												
X2	2/22/2010	FIELD BLANK	<0.005	0.90	<0.02	<0.02	<0.02	<50.0	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1.0	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4.5	1	1	1	1	1	1	1	1	1	1	1	1	1	0.001	1
		Comments																	
		Action																	
		Result																	
SC2	4/14/2010	FIELD BLANK	<0.005	0.70	<0.02	<0.02	0.260	<50.0	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1.0	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	3.5	1	13	1	1	1	1	1	1	1	1	1	1	1	0.001	1
		Comments					Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."												
		Action					Let Value Stand												
		Result					High blank value remains.												
X4	5/3/2010	FIELD BLANK	<0.005	2.70	<0.02	<0.02	0.360	<50.0	<0.01	<0.005	<0.05	0.01	<0.005	<0.1	0.1000	5.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	13.5	1	18	1	1	1	1	1.6	1	1	1	2	5	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."		Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."										Blank concentration equal to PQL and correctly entered into emLine.			
		Action		Let Value Stand		Let Value Stand										Let Value Stand			
		Result		High blank value remains.		High blank value remains.										Blank value remains.			
NF2	6/4/2010	FIELD BLANK	<0.005	1.10	<0.02	<0.02	0.060	<50	<0.01	0.02	<0.05	<0.005	<0.005	<0.1	0.0600	<1	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	5.5	1	3	1	1	1	3.4	1	1	1	1	1.2	1	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine.															
		Action		Let Value Stand															
		Result		High blank value remains.															
X5	22/06/2010	FIELD BLANK	<0.005	0.90	<0.02	<0.02	0.080	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	0.1600	<1	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4.5	1	4	1	1	1	1	1	1	1	1	3.2	1	1	0.001	1
		Comments																	
		Action																	
		Result																	
A30	7/7/2010	FIELD BLANK	<0.02	<3	<0.1	<1	<1	<50	<0.1	<1	<0.05	<0.01	<0.5	<1	<0.2	<5	<0.05	<0.005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	4	15	5	50	1	1	10	200	1	2	100	10	4	5	1	0.01	1
		Comments		Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	
		Action		Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand
		Result		High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.	High blank value remains.
X14	7/20/2010	FIELD BLANK	<0.005	1.20	<0.02	<0.02	0.540	<50	<0.01	<0.005	<0.05	<0.005	0.0070	<0.1	0.1000	3.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	6	1	27	1	1	1	1	1	1	1.4	1	2	3	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."		Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."													
		Action		Let Value Stand		Let Value Stand													
		Result		High blank value remains.		High blank value remains.													
RCSG#4	8/3/2010	FIELD BLANK	<0.005	0.90	<0.02	<0.02	0.080	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	2.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4.5	1	4	1	1	1	1	1	1	1	1	1	2	1	0.001	1
		Comments																	
		Action																	
		Result																	

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)



Station	Date	Sample Type	Ag-d µg/L	Al-d µg/L	As-d µg/L	Ba-d µg/L	B-d µg/L	Be-d µg/L	Bi-d µg/L	Ca-d mg/L	Cd-d µg/L	Co-d µg/L	Cr-d µg/L	Cu-d µg/L	Fe-d µg/L	K-d mg/L	Li-d mg/L	Mg-d mg/L		
X5	8/10/2010	FIELD BLANK	<0.005	1.90	<0.02	0.250	<0.02	<0.01	0.03	<0.05	<0.005	<0.005	<0.1	0.0900	3.00	<0.05	<0.0005	<0.05		
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Times greater than DI water	1	9.6	1	12.5	1	1	5.4	1	1	1	1	1.8	3	1	0.001	1		
		Comments	Blank value > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."			Blank value > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."			Blank value > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."											
		Action	Let Value Stand			Let Value Stand			Let Value Stand											
		Result	High blank value remains.			High blank value remains.			High blank value remains.											
X5	8/17/2010	FIELD BLANK	<0.005	0.70	<0.02	0.250	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	0.1900	<1	<0.05	<0.0005	<0.05		
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Times greater than DI water	1	3.5	1	12.5	1	1	1	1	1	1	1	3.8	1	1	0.001	1		
		Comments				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."														
		Action				Let Value Stand														
		Result				High blank value remains.														
X5 Retest	8/17/2010	FIELD BLANK	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Times greater than DI water	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		Comments																		
		Action																		
		Result																		
X5	9/7/2010	FIELD BLANK	<0.005	1.40	<0.02	0.110	<0.02	<0.01	<0.005	0.22	<0.005	0.0100	0.20	<0.05	<1	<0.05	<0.0005	<0.05		
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Times greater than DI water	1	7	1	5.5	1	1	1	4.4	1	2	2	1	1	1	0.001	1		
		Comments	Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.														
		Action	Let Value Stand			Let Value Stand														
		Result	High blank value remains.			High blank value remains.														
X5 Retest	9/7/2010	FIELD BLANK	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Times greater than DI water	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		Comments																		
		Action																		
		Result																		
GDHSECK	10/6/2010	FIELD BLANK	<0.005	1.60	<0.02	0.490	<0.02	<0.01	<0.005	<0.05	0.01	0.0230	<0.1	0.1500	3.00	<0.05	<0.0005	<0.05		
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Times greater than DI water	1	8	1	24.5	1	1	1	1	2.4	4.6	1	3	3	1	0.001	1		
		Comments	Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.														
		Action	Let Value Stand			Let Value Stand														
		Result	High blank value remains.			High blank value remains. Retest not requested because lab already reanalyzed full suite because dissolved > total for some metals.														
X4	10/20/2010	FIELD BLANK	<0.005	3.60	<0.02	0.460	<0.02	<0.01	<0.005	0.07	<0.005	0.0380	<0.1	0.1100	25.00	<0.05	<0.0005	<0.05		
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Times greater than DI water	1	18	1	23	1	1	1	1.4	1	7.6	1	2.2	25	1	0.001	1		
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."			Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."						Blank concentration > PQL and correctly entered into emLine. Lab noted that "Duplicate RPD for Co exceeds acceptance criteria. 10% of analytes failure in multi-element scan is allowed."			Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."					
		Action	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest		
		Result	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.		
X4 Retest	10/20/2010	FIELD BLANK	<0.005	3.50	<0.02	0.460	<0.02	<0.01	<0.005	0.07	<0.005	0.0350	<0.1	0.1400	27.00	<0.05	<0.0005	<0.05		
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.005	<0.05	<1	<0.05	<0.5	<0.05		
		Times greater than DI water	1	17.5	1	23	1	1	1	1.4	1	7	1	2.8	27	1	0.001	1		
		Comments	Retest for October 20 X4 blank.	Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank.	Retest for October 20 X4 blank.		
		Action	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand		
		Result	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.		

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)



Station	Date	Sample Type	Ag-d µg/L	Al-d µg/L	As-d µg/L	Ba-d µg/L	B-d µg/L	Be-d µg/L	Bi-d µg/L	Ca-d mg/L	Cd-d µg/L	Co-d µg/L	Cr-d µg/L	Cu-d µg/L	Fe-d µg/L	K-d mg/L	Li-d mg/L	Mg-d mg/L		
X14	11/9/2010	FIELD BLANK	0.0060	0.70	<0.02	<0.02	0.080	<50	<0.01	<0.005	<0.05	<0.005	0.0060	<0.1	0.1700	3.00	0.14	<0.0005	<0.05	
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	
		Times greater than DI water	1.2	3.5	1	1	4	1	1	1	1	1	1.2	1	3.4	3	2.8	0.001	1	
	Comments																			
	Action																			
	Result																			
X5	11/18/2010	FIELD BLANK	<0.005	1.20	<0.02	<0.02	0.030	<50	<0.01	<0.005	<0.05	<0.005	0.0060	<0.1	0.0600	2.00	0.09	<0.0005	<0.05	
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	
		Times greater than DI water	1	6	1	1	1.5	1	1	1	1	1	1.2	1	1.2	2	1.8	0.001	1	
	Comments			Blank concentration > PQL and correctly entered into emLine.																
	Action			Let Value Stand																
	Result			High blank value remains.																
X14	11/25/2010	FIELD BLANK	<0.005	0.50	<0.02	<0.02	0.070	<50	<0.01	<0.005	<0.05	0.01	<0.005	<0.1	0.0900	<1	<0.05	<0.0005	<0.05	
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	
		Times greater than DI water	1	2.5	1	1	3.5	1	1	1	1	1.4	1	1	1.8	1	1	0.001	1	
	Comments																			
	Action																			
	Result																			
X2	12/1/2010	FIELD BLANK	<0.005	0.60	<0.02	<0.02	0.050	<50	<0.01	0.01	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.0005	<0.05	
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	
		Times greater than DI water	1	3	1	1	2.5	1	1	1.6	1	1	1	1	1	1	1	0.001	1	
	Comments																			
	Action																			
	Result																			
X14	12/2/2010	FIELD BLANK	<0.005	0.30	<0.02	<0.02	0.030	<50	<0.01	0.04	<0.05	<0.005	0.0070	<0.1	0.1500	2.00	<0.05	<0.0005	<0.05	
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	
		Times greater than DI water	1	1.5	1	1	1.5	1	1	7.4	1	1	1.4	1	3	2	1	0.001	1	
	Comments								Blank concentration > PQL and correctly entered into emLine.											
	Action								Let Value Stand											
	Result								High blank value remains.											

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Mn-d µg/L	Mo-d µg/L	Na-d mg/L	Ni-d µg/L	Pb-d µg/L	Sb-d µg/L	Se-d µg/L	Si-d µg/L	Sn-d µg/L	Sr-d µg/L	Ti-d µg/L	Ti-d µg/L	U-d µg/L	V-d µg/L	Zn-d µg/L	Zr-d µg/L	
X14	1/11/2010	FIELD BLANK	0.220	<0.05	<0.05	<0.05	0.200	0.2970	<0.02	<0.04	<100.0	<0.01	0.07	<0.5	<0.002	0.0030	<0.2	1.700	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	4.4	1	1	1	10	59.4	1	1	1	1	1.4	1	1	1.5	1	17	1
		Comments				Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.											Blank concentration > PQL and correctly entered into emLine.	
		Action				Let Value Stand	Let Value Stand											Let Value Stand	
		Result				High blank value remains. Investigation of Maxxam and lab blank water planned.	High blank value remains. Investigation of Maxxam and lab blank water planned.											High blank value remains. Investigation of Maxxam and lab blank water planned.	
X2	2/22/2010	FIELD BLANK	<0.05	<0.05	<0.05	<0.05	<0.02	0.0340	<0.02	<0.04	<100.0	<0.01	<0.05	<0.5	<0.002	0.0060	<0.2	0.200	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	1	1	1	1	1	6.8	1	1	1	1	1	1	1	3	1	2	1
		Comments						Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."											
		Action					Let Value Stand												
		Result					High blank value remains.												
SC2	4/14/2010	FIELD BLANK	<0.05	<0.05	<0.05	<0.05	<0.02	0.0820	<0.02	<0.04	<100.0	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	0.500	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	1	1	1	1	1	16.4	1	1	1	1	1	1	1	1	1	5	1
		Comments						Blank concentration > PQL and correctly entered into emLine.											Blank concentration > PQL and correctly entered into emLine.
		Action					Let Value Stand												
		Result					High blank value remains.												
X4	5/3/2010	FIELD BLANK	0.510	<0.05	<0.05	<0.05	0.050	0.7010	<0.02	<0.04	<100.0	0.02	0.12	<0.5	<0.002	0.0050	<0.2	3.500	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	10.2	1	1	1	2.5	140.2	1	1	1	2	2.4	1	1	2.5	1	35	1
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."					Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."										Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."	
		Action	Let Value Stand				Let Value Stand											Let Value Stand	
		Result	High blank value remains.				High blank value remains.											High blank value remains.	
NF2	6/4/2010	FIELD BLANK	0.080	<0.05	<0.05	<0.05	0.030	0.0670	<0.02	<0.04	<100	<0.01	0.06	<0.5	<0.002	<0.002	<0.2	0.700	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	1.6	1	1	1	1.5	13.4	1	1	1	1	1.2	1	1	1	1	7	1
		Comments						Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."											Blank concentration > PQL and correctly entered into emLine.
		Action					Let Value Stand												
		Result					High blank value remains.												
X5	22/06/2010	FIELD BLANK	<0.05	<0.05	<0.05	<0.05	<0.02	0.0940	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	0.700	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	1	1	1	1	1	18.8	1	1	1	1	1	1	1	1	1	7	1
		Comments						Blank concentration > PQL and correctly entered into emLine.											Blank concentration > PQL and correctly entered into emLine.
		Action					Let Value Stand												
		Result					High blank value remains.												
A30	7/7/2010	FIELD BLANK	<1	<1	<0.05	<0.05	<1	0.6900	<0.5	<0.1	<100	<5	<1	<5	<0.05	<0.1	<5	<5	<0.5
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	20	20	1	1	50	120	25	2.5	1	500	20	10	25	60	25	50	5
		Comments	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	
		Action	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand
		Result																	
X14	7/20/2010	FIELD BLANK	1.020	<0.05	<0.05	<0.05	<0.02	0.7400	<0.02	<0.04	<100	<0.01	0.13	<0.5	<0.002	<0.002	<0.2	1.800	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	20.4	1	1	1	1	148	1	1	1	1	2.6	1	1	1	1	18	1
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."					Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."											Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."
		Action	Let Value Stand				Let Value Stand												
		Result	High blank value remains.				High blank value remains.												
RCSG#4	8/3/2010	FIELD BLANK	0.330	<0.05	<0.05	<0.05	<0.02	0.1450	<0.02	<0.04	<100	<0.01	0.15	<0.5	<0.002	0.0040	<0.2	1.100	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	6.6	1	1	1	1	29	1	1	1	1	3	1	1	2	1	11	1
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."					Blank value > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."											Blank value > PQL and correctly entered into emline. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."
		Action	Let Value Stand				Let Value Stand												
		Result	High blank value remains.				High blank value remains. Retest not requested because lab already reanalyzed.												

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Mn-d µg/L	Mo-d µg/L	Na-d mg/L	Ni-d µg/L	Pb-d µg/L	Sb-d µg/L	Se-d µg/L	Si-d µg/L	Sn-d µg/L	Sr-d µg/L	Ti-d µg/L	Ti-d µg/L	U-d µg/L	V-d µg/L	Zn-d µg/L	Zr-d µg/L	
X5	8/10/2010	FIELD BLANK	0.980	<0.05	<0.05	<0.05	<0.02	0.7440	<0.02	<0.04	<100	<0.01	0.09	<0.5	<0.002	0.0050	<0.2	1.800	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	19.6	1	1	1	1	146.8	1	1	1	1	1.8	1	1	2.5	1	18	1
		Comments	Blank value > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				Blank value > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."								Blank concentration > PQL and correctly entered into emLine.				
		Action	Let Value Stand				Let Value Stand								Let Value Stand				
		Result	High blank value remains.				High blank value remains. Retest not requested because lab already reanalyzed.								High blank value remains.				
X5	8/17/2010	FIELD BLANK	0.200	<0.05	<0.05	<0.05	0.030	0.2480	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	0.0030	<0.2	0.700	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	4	1	1	1	1.5	49.6	1	1	1	1	1	1	1	1.5	1	7	1
		Comments					Blank concentration > PQL and correctly entered into emLine.								Blank concentration > PQL and correctly entered into emLine.				
		Action					Request Retest								Let Value Stand				
		Result					Retest performed, see results below.								High blank value remains.				
X5 Retest	8/17/2010	FIELD BLANK						0.2720											
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	0	0	0	0	0	14.4	0	0	0	0	0	0	0	0	0	0	0
		Comments					Retest for August 10 X5 blank. Blank concentration > PQL and correctly entered into emLine.												
		Action					Let Value Stand												
		Result					New blank value entered into emLine.												
X5	9/7/2010	FIELD BLANK	6.910	<0.05	<0.05	<0.05	<0.02	0.1340	<0.02	<0.04	<100	<0.01	0.76	<0.5	<0.002	0.0060	<0.2	0.600	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	138.2	1	1	1	1	26.8	1	1	1	15.2	1	1	3	1	6	1	1
		Comments	Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine.				
		Action	Request Retest				Request Retest				Let Value Stand				Let Value Stand				
		Result	Retest performed, see results below.				Retest performed, see results below.				High blank value remains.				High blank value remains.				
X5 Retest	9/7/2010	FIELD BLANK	7.600					0.1510											
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	152	0	0	0	0	30.2	0	0	0	0	0	0	0	0	0	0	0
		Comments	Retest for September 7 X5 blank. Blank concentration > PQL and correctly entered into emLine.				Retest for September 7 X5 blank. Blank concentration > PQL and correctly entered into emLine.												
		Action	Let Value Stand				Let Value Stand												
		Result	New blank value entered into emLine.				New blank value entered into emLine.												
GDHSECK	10/6/2010	FIELD BLANK	0.740	<0.05	<0.05	<0.05	0.250	0.2880	<0.02	<0.04	<100	<0.01	0.07	<0.5	<0.002	<0.002	<0.2	3.600	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	14.8	1	1	1	12.5	57.6	1	1	1	1	1.4	1	1	1	1	36	1
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				
		Action	Let Value Stand				Let Value Stand				Let Value Stand				Let Value Stand				
		Result	High blank value remains.				High blank value remains.				High blank value remains. Retest not requested because lab already reanalyzed.				High blank value remains. Retest not requested because lab already reanalyzed.				
X4	10/20/2010	FIELD BLANK	4.930	<0.05	<0.05	<0.05	0.100	0.5370	<0.02	<0.04	<100	<0.01	0.26	<0.5	<0.002	<0.002	<0.2	14.800	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	98.6	1	1	1	5	107.4	1	1	1	5.2	1	1	1	1	1	148	1
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Duplicate RPD for Ni exceeds acceptance criteria. 10% of analytes failure in multielement scan is allowed."				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				
		Action	Request Retest				Request Retest				Request Retest				Request Retest				
		Result	Retest performed, see results below.				Retest performed, see results below.				Retest performed, see results below.				Retest performed, see results below.				
X4 Retest	10/20/2010	FIELD BLANK	5.280	<0.05	<0.05	<0.05	0.120	0.6410	<0.02	<0.04	<100	<0.02	0.29	<0.5	<0.002	<0.009	<0.2	16.800	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	105.6	1	1	1	6	128.2	1	1	1	2	5.8	1	1	4.5	1	168	1
		Comments	Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.				Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.				Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.				Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.				
		Action	Let Value Stand				Let Value Stand				Let Value Stand				Let Value Stand				
		Result	New blank value entered into emLine.				New blank value entered into emLine.				New blank value entered into emLine.				New blank value entered into emLine.				

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)



Station	Date	Sample Type	Mn-d µg/L	Mo-d µg/L	Na-d mg/L	Ni-d µg/L	Pb-d µg/L	Sb-d µg/L	Se-d µg/L	Si-d µg/L	Sn-d µg/L	Sr-d µg/L	Ti-d µg/L	Ti-d µg/L	U-d µg/L	V-d µg/L	Zn-d µg/L	Zr-d µg/L	
X14	11/9/2010	FIELD BLANK	0.910	<0.05	<0.05	<0.05	0.050	0.1090	<0.02	<0.04	<100	<0.01	0.18	<0.5	<0.002	<0.002	<0.2	2.900	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	18.2	1	1	1	2.5	21.8	1	1	1	1	3.6	1	1	1	1	29	1
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				Blank concentration > PQL and correctly entered into emLine.								Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				
		Action	Let Value Stand				Let Value Stand								Let Value Stand				
		Result	High blank value remains.				High blank value remains. Retest not requested because lab already reanalyzed full suite because dissolved > total for some metals.								High blank value remains. Retest not requested because lab already reanalyzed.				
X5	11/18/2010	FIELD BLANK	1.040	<0.05	<0.05	0.37	0.040	0.0870	<0.02	<0.04	<100	<0.01	0.07	<0.5	<0.002	0.0250	<0.2	2.500	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	20.8	1	1	7.4	2	17.4	1	1	1	1	1.4	1	1	12.5	1	25	1
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."		Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."		Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."						Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."		
		Action	Let Value Stand		Let Value Stand		Let Value Stand						Let Value Stand				Let Value Stand		
		Result	High blank value remains. Retest not requested because lab already reanalyzed.		High blank value remains.		High blank value remains.						High blank value remains.				High blank value remains. Retest not requested because lab already reanalyzed.		
X14	11/25/2010	FIELD BLANK	1.910	<0.05	<0.05	<0.02	0.2850	<0.02	<0.02	<0.04	<100	<0.01	0.10	<0.5	<0.002	<0.002	<0.2	0.700	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	38.2	1	1	1	57	1	1	1	1	1	2	1	1	1	1	7	1
		Comments	Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."								Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."				
		Action	Let Value Stand				Let Value Stand								Let Value Stand				
		Result	High blank value remains. Retest not requested because lab already reanalyzed.				High blank value remains. Retest not requested because lab already reanalyzed.								High blank value remains.				
X2	12/1/2010	FIELD BLANK	0.080	<0.05	<0.05	0.050	0.0200	<0.02	<0.02	<0.04	<100	<0.01	0.12	<0.5	<0.002	0.0100	<0.2	0.800	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	1.6	1	1	2.5	4	1	1	1	1	1	2.4	1	1	5	1	8	1
		Comments													Blank concentration equal to PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."		
		Action													Let Value Stand		Let Value Stand		
		Result													High blank value remains.		High blank value remains.		
X14	12/2/2010	FIELD BLANK	0.410	<0.05	<0.05	0.070	0.0420	<0.02	<0.02	<0.04	<100	<0.01	0.15	<0.5	<0.002	0.0120	<0.2	0.300	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	8.2	1	1	3.5	8.4	1	1	1	1	1	3	1	1	6	1	3	1
		Comments	Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine.								Blank concentration > PQL and correctly entered into emLine.				
		Action	Let Value Stand				Let Value Stand								Let Value Stand				
		Result	High blank value remains.				High blank value remains.								High blank value remains.				

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Ag µg/L	Al µg/L	As µg/L	B µg/L	Ba µg/L	Be µg/L	Bi µg/L	Ca mg/L	Cd µg/L	Co µg/L	Cr µg/L	Cu µg/L	Fe µg/L	K mg/L	Li mg/L	Mg mg/L
X14	1/11/2010	FIELD BLANK	<0.005	1.20	<0.02	<50.0	0.110	<0.01	<0.005	<0.05	<0.005	0.0000	<0.1	0.1600	<1.0	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	6	1	1	5.5	1	1	1	1	0.0012	1	3.2	1	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.											
		Action		Let Value Stand			Let Value Stand											
		Result		High blank value remains. Investigation of Maxxam and lab blank water planned.			High blank value remains. Investigation of Maxxam and lab blank water planned.											
X2	2/22/2010	FIELD BLANK	<0.005	0.30	<0.02	<50.0	<0.02	<0.01	<0.005	<0.05	<0.005	<0.0	<0.1	<0.05	<1.0	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	1.5	1	1	1	1	1	1	1	0	1	1	1	1	0.001	1
		Comments																
		Action																
		Result																
SC2	4/14/2010	FIELD BLANK	<0.005	0.90	<0.02	<50.0	0.030	<0.01	<0.005	<0.05	<0.005	<0.0	<0.1	<0.05	<1.0	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4.5	1	1	1.5	1	1	1	1	0	1	1	1	1	0.001	1
		Comments																
		Action																
		Result																
X4	5/3/2010	FIELD BLANK	<0.005	1.00	<0.02	<50.0	0.140	<0.01	<0.005	<0.05	<0.005	<0.0	<0.1	<0.05	2.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	5	1	1	7	1	1	1	1	0	1	1	2	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."			Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."											
		Action		Let Value Stand			Let Value Stand											
		Result		High blank value remains.			High blank value remains.											
NF2	6/4/2010	FIELD BLANK	<0.005	0.90	<0.02	<50	0.030	<0.01	0.01	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4.5	1	1	1.5	1	2.2	1	1	1	1	1	1	1	0.001	1
		Comments																
		Action																
		Result																
X5	6/22/2010	FIELD BLANK	<0.005	4.70	<0.02	<50	0.260	<0.01	0.01	0.09	0.04	0.0410	<0.1	0.8200	5.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	23.5	1	1	13	1	1.8	1.8	7.4	8.2	1	16.4	5	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.	Blank concentration equal to PQL and correctly entered into emLine.				
		Action	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest
		Result	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.
X5 Retest	6/22/2010	FIELD BLANK	<0.005	2.10	<0.02	<50	0.120	<0.01	<0.005	<0.05	0.01	<0.005	<0.1	<0.05	1.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	10.5	1	1	6	1	1	1.2	1	1	1	1	1	1	0.001	1
		Comments	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for June 22 X5 blank. Blank concentration > PQL and correctly entered into emLine.
		Action	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand
		Result	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.
X14	7/20/2010	FIELD BLANK	<0.005	0.50	<0.02	<50	0.030	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	2.5	1	1	1.5	1	1	1	1	1	1	1	1	1	0.001	1
		Comments																
		Action																
		Result																
RCSG#4	8/3/2010	FIELD BLANK	<0.005	0.40	<0.02	<50	0.030	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	2	1	1	1.5	1	1	1	1	1	1	1	1	1	0.001	1
		Comments																
		Action																
		Result																
X5	8/10/2010	FIELD BLANK	<0.005	1.50	<0.02	<50	0.110	<0.01	0.01	<0.05	<0.005	<0.005	<0.1	0.1500	2.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	7.5	1	1	5.5	1	1.8	1	1	1	1	3	2	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.											
		Action		Let Value Stand			Let Value Stand											
		Result		High blank value remains.			High blank value remains.											
X5	8/17/2010	FIELD BLANK	<0.005	1.80	<0.02	<50	0.150	<0.01	<0.005	<0.05	0.02	<0.005	<0.1	0.2400	3.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	9	1	1	7.5	1	1	1	3.6	1	1	4.8	3	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.											
		Action		Let Value Stand			Let Value Stand											
		Result		High blank value remains.			High blank value remains.											

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Ag µg/L	Al µg/L	As µg/L	B µg/L	Ba µg/L	Be µg/L	Bi µg/L	Ca mg/L	Cd µg/L	Co µg/L	Cr µg/L	Cu µg/L	Fe µg/L	K mg/L	Li mg/L	Mg mg/L
X5 Retest	8/17/2010	FIELD BLANK																
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Comments																
		Action																
		Result																
X5	9/7/2010	FIELD BLANK	<0.005	2.90	<0.02	<50	0.630	<0.01	<0.005	0.40	<0.005	0.0220	<0.1	0.0600	6.00	<0.05	<0.0005	0.06
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	14.5	1	1	31.5	1	1	8	1	4.4	1	1.2	6	1	0.001	1.2
		Comments		Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine.				
		Action	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest
		Result	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.
X5 Retest	9/7/2010	FIELD BLANK	<0.005	6.00	<0.02	<50	0.670	<0.01	<0.005	0.35	<0.005	0.0210	<0.1	0.0700	7.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	30	1	1	33.8	1	1	7	1	4.2	1	1.4	7	1	0.001	1
		Comments	Retest for September 7 X5 blank.	Retest for September 7 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.
		Action	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand
		Result	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.
GDHSECK	10/6/2010	FIELD BLANK	<0.005	6.10	<0.02	<50	0.550	<0.01	<0.005	<0.05	<0.005	0.0060	<0.1	<0.05	5.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	30.5	1	1	27.5	1	1	1	1	1.2	1	1	5	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.								Blank concentration equal to PQL and correctly entered into emLine.			
		Action		Request Retest			Request Retest								Let Value Stand			
		Result		Retest performed, see results below.			Retest performed, see results below.								High blank value remains.			
GDHSECK Retest	10/6/2010	FIELD BLANK	<0.005	2.10	<0.02	<50	0.48	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	0	10.5	0	0	24.8	0	0	0	0	0	0	0	0	0	0	0
		Comments		Retest for October 6 GDHSECK blank. Blank concentration > PQL and correctly entered into emLine.			Retest for October 6 GDHSECK blank. Blank concentration > PQL and correctly entered into emLine.											
		Action		Let Value Stand			Let Value Stand											
		Result		New blank value entered into emLine.			New blank value entered into emLine.											
X4	10/20/2010	FIELD BLANK	<0.005	0.80	<0.02	<50	0.080	<0.01	<0.005	<0.05	<0.005	0.0260	<0.1	0.0600	14.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4	1	1	4	1	1	1	1	5.2	1	1.2	14	1	0.001	1
		Comments										Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			
		Action										Let Value Stand			Let Value Stand			
		Result										High blank value remains.			High blank value remains.			
X4 Retest	10/20/2010	FIELD BLANK	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Comments																
		Action																
		Result																
X14	11/9/2010	FIELD BLANK	<0.005	0.90	<0.02	<50	0.100	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	0.0600	<1	<0.05	<0.5	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4.5	1	1	5	1	1	1	1	1	1	1.2	1	1	1	1
		Comments					Blank concentration equal to PQL and correctly entered into emLine.											
		Action					Let Value Stand											
		Result					High blank value remains.											
X5	11/18/2010	FIELD BLANK	<0.005	2.20	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	2.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	11	1	1	1	1	1	1	1	1	1	1	2	1	0.001	1
		Comments		Blank concentration > PQL and correctly entered into emLine.														
		Action		Let Value Stand														
		Result		High blank value remains.														
X14	11/25/2010	FIELD BLANK	<0.005	0.80	<0.02	<50	<0.02	<0.01	0.01	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4	1	1	1	1	1.2	1	1	1	1	1	1	1	0.001	1
		Comments																
		Action																
		Result																
X2	12/1/2010	FIELD BLANK	<0.005	0.60	<0.02	<50	0.030	<0.01	0.02	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	3	1	1	1.5	1	3.2	1	1	1	1	1	1	1	0.001	1
		Comments																
		Action																
		Result																

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)



Station	Date	Sample Type	Ag µg/L	Al µg/L	As µg/L	B µg/L	Ba µg/L	Be µg/L	Bi µg/L	Ca mg/L	Cd µg/L	Co µg/L	Cr µg/L	Cu µg/L	Fe µg/L	K mg/L	Li mg/L	Mg mg/L
X14	12/2/2010	FIELD BLANK	<0.005	0.90	<0.02	<50	0.040	<0.01	0.04	<0.05	<0.005	<0.005	<0.1	0.0800	2.00	<0.05	<0.0005	<0.05
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	1	4.5	1	1	2	1	7.6	1	1	1	1	1.6	2	1	0.001	1
		Comments							Blank concentration > PQL and correctly entered into emLine.									
		Action							Let Value Stand									
		Result							High blank value remains.									
X14 Retest	12/2/2010	FIELD BLANK																
		Deionized Water	<0.005	<0.2	<0.02	<50	<0.02	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05
		Times greater than DI water	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Comments																
		Action																
		Result																

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Mn µg/L	Mo µg/L	Na mg/L	Ni µg/L	Pb µg/L	Sb µg/L	Se µg/L	Si µg/L	Sn µg/L	Sr µg/L	Ti µg/L	Tl µg/L	U µg/L	V µg/L	Zn µg/L	Zr µg/L		
X14	1/11/2010	FIELD BLANK	0.390	<0.05	0.06	0.230	0.2620	<0.02	<0.04	<100.0	<0.01	0.13	<0.5	<0.002	<0.002	<0.2	2.500	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	7.8	1	1.2	11.5	32.4	1	1	1	1	2.6	1	1	1	1	28	1		
		Comments	Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.		
		Action	Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand		
		Result	High blank value remains. Investigation of Maxxam and lab blank water planned.			High blank value remains. Investigation of Maxxam and lab blank water planned.			High blank value remains. Investigation of Maxxam and lab blank water planned.			High blank value remains. Investigation of Maxxam and lab blank water planned.			High blank value remains. Investigation of Maxxam and lab blank water planned.			High blank value remains. Investigation of Maxxam and lab blank water planned.		
X2	2/22/2010	FIELD BLANK	0.110	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100.0	<0.01	<0.05	<0.5	<0.002	0.0070	<0.2	<0.1	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	2.2	1	1	1	1	1	1	1	1	1	1	1	3.5	1	1	1		
		Comments																		
		Action																		
		Result																		
SC2	4/14/2010	FIELD BLANK	<0.05	<0.05	<0.05	0.030	0.0810	<0.02	<0.04	<100.0	<0.01	0.08	<0.5	<0.002	0.0030	<0.2	0.700	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	1	1	1	1.5	16.2	1	1	1	1	1.6	1	1	1.5	1	7	1		
		Comments				Blank concentration > PQL and correctly entered into emLine.												Blank concentration > PQL and correctly entered into emLine.		
		Action				Let Value Stand												Let Value Stand		
		Result				High blank value remains.												High blank value remains.		
X4	5/3/2010	FIELD BLANK	0.150	<0.05	<0.05	0.030	0.1660	<0.02	<0.04	<100.0	<0.01	0.08	<0.5	<0.002	0.0040	<0.2	0.600	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	3	1	1	1.5	33.2	1	1	1	1	1.6	1	1	2	1	6	1		
		Comments				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."												Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved metals greater than total metals for some parameters; analysis from separate field prepared sample bottles."		
		Action				Let Value Stand												Let Value Stand		
		Result				High blank value remains.												High blank value remains.		
NF2	6/4/2010	FIELD BLANK	<0.05	<0.05	<0.05	<0.02	0.0250	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	0.200	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	1	1	1	1	5	1	1	1	1	1	1	1	1	1	2	1		
		Comments				Blank concentration > PQL and correctly entered into emLine. Lab noted that "Dissolved greater than total. Reanalysis yields similar results."														
		Action				Let Value Stand														
		Result				High blank value remains.												High blank value remains.		
X5	6/22/2010	FIELD BLANK	2.160	<0.05	0.08	0.490	0.3560	<0.02	<0.04	<100	0.03	0.16	<0.5	<0.002	<0.002	<0.2	10.200	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	43.2	1	1.6	24.5	71.2	1	1	1	3	3.2	1	1	1	1	102	1		
		Comments	Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.		
		Action	Request Retest			Request Retest			Request Retest			Request Retest			Request Retest			Request Retest		
		Result	Retest performed, see results below.			Retest performed, see results below.			Retest performed, see results below.			Retest performed, see results below.			Retest performed, see results below.			Retest performed, see results below.		
X5 Retest	6/22/2010	FIELD BLANK	0.120	<0.05	<0.05	0.020	0.1010	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.007	<0.2	0.800	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	2.4	1	1	1	20.2	1	1	1	1	1	1	1	3.5	1	8	1		
		Comments	Retest for June 22 X5 blank.			Retest for June 22 X5 blank.			Retest for June 22 X5 blank.			Retest for June 22 X5 blank.			Retest for June 22 X5 blank.			Retest for June 22 X5 blank.		
		Action	Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand		
		Result	New blank value entered into emLine.			New blank value entered into emLine.			New blank value entered into emLine.			New blank value entered into emLine.			New blank value entered into emLine.			New blank value entered into emLine.		
X14	7/20/2010	FIELD BLANK	0.160	<0.05	<0.05	<0.02	0.0480	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	0.200	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	3.2	1	1	1	9.6	1	1	1	1	1	1	1	1	1	2	1		
		Comments				Blank concentration > PQL and correctly entered into emLine.														
		Action				Let Value Stand														
		Result				High blank value remains.														
RCSG#4	8/3/2010	FIELD BLANK	0.070	<0.05	<0.05	<0.02	0.0460	<0.02	<0.04	<100	<0.01	0.06	<0.5	<0.002	0.0050	<0.2	0.300	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	1.4	1	1	1	9.2	1	1	1	1	1.2	1	1	2.5	1	3	1		
		Comments				Blank concentration > PQL and correctly entered into emLine.														
		Action				Let Value Stand														
		Result				High blank value remains.														
X5	8/10/2010	FIELD BLANK	0.550	<0.05	<0.05	0.350	0.2350	<0.02	<0.04	<100	<0.01	0.10	<0.5	<0.002	0.0060	<0.2	2.100	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	11	1	1	17.5	47	1	1	1	1	2	1	1	3	1	21	1		
		Comments	Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.		
		Action	Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand		
		Result	High blank value remains.			High blank value remains.			High blank value remains. Retest not requested because lab already reanalyzed full suite because dissolved > total for some metals.			High blank value remains.			High blank value remains. Retest not requested because lab already reanalyzed full suite because dissolved > total for some metals.			High blank value remains.		
X5	8/17/2010	FIELD BLANK	0.420	<0.05	<0.05	0.070	0.3440	<0.02	<0.04	<100	<0.01	0.09	<0.5	<0.002	<0.002	<0.2	1.600	<0.1		
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1		
		Times greater than DI water	8.4	1	1	3.5	68.8	1	1	1	1	1.8	1	1	1	1	16	1		
		Comments	Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.		
		Action	Let Value Stand			Request Retest												Let Value Stand		
		Result	High blank value remains.			Retest performed, see results below.												High blank value remains.		

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Mn µg/L	Mo µg/L	Na mg/L	Ni µg/L	Pb µg/L	Sb µg/L	Se µg/L	Si µg/L	Sn µg/L	Sr µg/L	Ti µg/L	Tl µg/L	U µg/L	V µg/L	Zn µg/L	Zr µg/L	
X5 Retest	8/17/2010	FIELD BLANK					0.2230												
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	0	0	0	0	44.4	0	0	0	0	0	0	0	0	0	0	0	
		Comments					Retest for August 10 X5 blank. Blank concentration > PQL and correctly entered into emLine.												
		Action					Let Value Stand												
		Result					New blank value entered into emLine.												
X5	9/7/2010	FIELD BLANK	16.400	<0.05	0.06	0.060	0.4610	0.62	<0.04	<100	0.02	1.14	<0.5	0.00	0.0080	<0.2	2.400	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	328	1	1.2	3	92.2	31	1	1	2	22.8	1	1.5	4	1	24	1	
		Comments					Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	
		Action	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	Request Retest	
		Result	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	Retest performed, see results below.	
X5 Retest	9/7/2010	FIELD BLANK	16.300	<0.05	<0.05	0.050	0.5580	0.74	<0.04	<100	<0.01	1.15	<0.5	<0.002	<0.002	<0.2	2.200	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	326	1	1	2.5	111.8	37	1	1	1	23	1	1	1	1	22	1	
		Comments					Retest for September 7 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for September 7 X5 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	Retest for September 7 X5 blank.	
		Action	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	
		Result	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	
GDHSECK	10/6/2010	FIELD BLANK	0.510	<0.05	<0.05	0.030	0.1990	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	2.100	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	10.2	1	1	1.5	39.8	1	1	1	1	1	1	1	1	1	21	1	
		Comments					Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.									Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	
		Action	Let Value Stand				Request Retest										Request Retest	Request Retest	
		Result	High blank value remains.				Retest performed, see results below.										Retest performed, see results below.	Retest performed, see results below.	
GDHSECK Retest	10/6/2010	FIELD BLANK					0.12										1.40	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	0	0	0	0	23	0	0	0	0	0	0	0	0	0	14	0	
		Comments					Retest for October 6 GDHSECK blank. Blank concentration > PQL and correctly entered into emLine.											Retest for October 6 GDHSECK blank. Blank concentration > PQL and correctly entered into emLine.	Retest for October 6 GDHSECK blank. Blank concentration > PQL and correctly entered into emLine.
		Action					Let Value Stand										Let Value Stand	Let Value Stand	
		Result	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	
X4	10/20/2010	FIELD BLANK	3.170	<0.05	<0.05	0.030	0.1030	<0.02	<0.04	<100	<0.01	0.17	<0.5	<0.002	0.0120	<0.2	8.200	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	63.4	1	1	1.5	20.6	1	1	1	1	3.4	1	1	6	1	82	1	
		Comments					Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.							Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	
		Action	Request Retest				Request Retest								Let Value Stand		Request Retest	Request Retest	
		Result	Retest performed, see results below.				Retest performed, see results below.								High blank value remains.		Retest performed, see results below.	Retest performed, see results below.	
X4 Retest	10/20/2010	FIELD BLANK	2.860	<0.05	<0.05	<0.02	0.1320	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	6.800	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	57.2	0	0	0	26.4	0	0	0	0	0	0	0	0	0	68	0	
		Comments					Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.									Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.	Retest for October 20 X4 blank. Blank concentration > PQL and correctly entered into emLine.	
		Action	Let Value Stand				Let Value Stand										Let Value Stand	Let Value Stand	
		Result	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	New blank value entered into emLine.	
X14	11/9/2010	FIELD BLANK	0.130	<0.05	<0.05	<0.02	0.1560	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	0.700	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	2.6	1	1	1	31.2	1	1	1	1	1	1	1	1	1	7	1	
		Comments					Blank concentration > PQL and correctly entered into emLine.										Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	
		Action					Let Value Stand										Let Value Stand	Let Value Stand	
		Result	High blank value remains.				High blank value remains. Retest not requested because lab already reanalyzed full suite because dissolved > total for some metals.										High blank value remains.	High blank value remains.	
X5	11/18/2010	FIELD BLANK	0.610	<0.05	<0.05	0.070	0.0210	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	0.0250	<0.2	0.200	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	12.2	1	1	3.5	4.2	1	1	1	1	1	1	1	12.5	1	2	1	
		Comments					Blank concentration > PQL and correctly entered into emLine.								Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	
		Action	Let Value Stand				Let Value Stand								Let Value Stand		Let Value Stand	Let Value Stand	
		Result	High blank value remains.				High blank value remains.								High blank value remains.		High blank value remains.	High blank value remains.	
X14	11/25/2010	FIELD BLANK	<0.05	<0.05	<0.05	<0.02	0.0210	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	0.0050	<0.2	0.300	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	1	1	1	1	4.2	1	1	1	1	1	1	1	2.5	1	3	1	
		Comments																	
		Action																	
		Result																	
X2	12/1/2010	FIELD BLANK	<0.05	<0.05	<0.05	<0.02	0.0150	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	0.0110	<0.2	0.400	<0.1	
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1	
		Times greater than DI water	1	1	1	1	3	1	1	1	1	1	1	1	5.5	1	4	1	
		Comments													Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.	Blank concentration > PQL and correctly entered into emLine.	
		Action													Let Value Stand		Let Value Stand	Let Value Stand	
		Result													High blank value remains.		High blank value remains.	High blank value remains.	

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)



Station	Date	Sample Type	Mn µg/L	Mo µg/L	Na mg/L	Ni µg/L	Pb µg/L	Sb µg/L	Se µg/L	Si µg/L	Sn µg/L	Sr µg/L	Ti µg/L	Tl µg/L	U µg/L	V µg/L	Zn µg/L	Zr µg/L
X14	12/2/2010	FIELD BLANK	1.790	<0.05	<0.05	0.050	0.0680	<0.02	<0.04	<100	<0.01	0.09	<0.5	<0.002	0.0160	<0.2	1.100	<0.1
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	35.8	1	1	2.5	13.6	1	1	1	1	1.8	1	1	8	1	11	1
		Comments	Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine.								Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.	
		Action	Request Retest				Let Value Stand								Let Value Stand		Let Value Stand	
		Result	Retest performed, see results below.				High blank value remains.								High blank value remains.		High blank value remains.	
X14 Retest	12/2/2010	FIELD BLANK	0.410															
		Deionized Water	<0.05	<0.05	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	8.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Comments	Retest for December 2 X14 blank. Blank concentration > PQL and correctly entered into emLine.															
		Action	Let Value Stand															
		Result	New blank value entered into emLine.															

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Table C-49: Rose Creek Drainage Water Quality
2010 QA/QC Duplicates - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU	
X10	1/11/2010	M			140.00	<0.5	165.00	166.00	<0.5			<0.5		326.0000	1.00	170.00	<0.01	<0.5	8.00	26.000	220.00	0.80	<1.0	0.8000	
X10	1/11/2010	DUPLICATE			140.00	<0.5	166.00	164.00	0.60			<0.5		315.0000	0.90	170.00	0.08	<0.5	8.10	30.000	190.00	0.90	<1.0	0.7000	
RPD (%)			N/A	N/A	0.00	N/A	0.60	1.21	N/A	N/A	N/A	N/A	N/A	3.43	10.53	0.00	N/A	N/A	0.10	14.29	14.63	11.76	N/A	13.33	
Comments																									
Action																									
Result																									
X3	2/22/2010	M			140.00	<0.5	164.00	163.00	1.70			<0.5		314.00	1.40	170.00	<0.01	<0.5	7.90	28.00	180.00	1.20	<1.0		
X3	2/22/2010	DUPLICATE			140.00	<0.5	164.00	160.00	<0.5			<0.5		318.00	1.70	170.00	<0.01	<0.5	7.90	29.00	230.00	1.50	<1.0	0.60	
RPD (%)			N/A	N/A	0.00	N/A	0.00	1.86	N/A	N/A	N/A	N/A	N/A	1.27	19.35	0.00	N/A	N/A	0.00	3.51	24.39	22.22	N/A	200.00	
Comments																								Turbidity not run on main sample. Accidentally requested for duplicate sample.	
Action																								Let Value Stand	
Result																								No turbidity value for main sample.	
X11	3/4/2010	M	<0.5	37.30	330.00	<0.5		1720.00	2.60			<0.5		2650.00		400.00		<0.5	7.60	1500.00				12.00	
X11	3/4/2010	DUPLICATE	<0.5	34.60	330.00	<0.5		1660.00	2.50			<0.5		2670.00		400.00		<0.5	7.70	1500.00					12.00
RPD (%)			N/A	7.51	0.00	N/A	N/A	3.55	3.92	N/A	N/A	N/A	N/A	0.75	N/A	0.00	N/A	N/A	0.10	0.00	N/A	N/A	0.00	N/A	
Comments																									
Action																									
Result																									
A30	3/28/2010	M	<0.5	6.30	28.00	<0.5		77.30	<0.5			<0.5		201.00		34.00		<0.5	7.30	56.00				<1.0	
A30	3/28/2010	DUPLICATE	<0.5	7.20	29.00	<0.5		83.90	<0.5			<0.5		204.00		36.00		<0.5	7.40	64.00				2.00	
RPD (%)			N/A	13.33	3.51	N/A	N/A	8.19	N/A	N/A	N/A	N/A	N/A	1.48	N/A	5.71	N/A	N/A	0.10	13.33	N/A	N/A	N/A	N/A	
Comments																									
Action																									
Result																									
X14	4/6/2010	M			210.00	<0.5	652.00	657.00	0.80			<0.5		1170.00	1.30	260.00		0.29	<0.5	8.00	490.00	880.00	1.00	<1	
X14	4/6/2010	DUPLICATE			210.00	<0.5	634.00	645.00	0.60			<0.5		1170.00	1.30	250.00		0.30	<0.5	7.90	470.00	840.00	1.30	<1	
RPD (%)			N/A	N/A	0.00	N/A	2.80	1.84	28.57	N/A	N/A	N/A	N/A	0.00	0.00	3.92	3.39	N/A	0.10	4.17	4.65	26.09	N/A	N/A	
Comments																									
Action																									
Result																									
X10	4/13/2010	M			150.00	<0.5	162.00	157.00	<0.5			<0.5		340.00	1.00	180.00	<0.01	<0.5	7.90	30.00	200.00			<1	
X10	4/13/2010	DUPLICATE			150.00	<0.5	159.00	155.00	<0.5			<0.5		331.00	1.00	180.00	0.07	<0.5	7.80	31.00	180.00	1.00		<1	
RPD (%)			N/A	N/A	0.00	N/A	1.87	1.28	N/A	N/A	N/A	N/A	N/A	2.68	0.00	0.00	N/A	N/A	0.10	3.28	10.53	200.00	N/A	N/A	
Comments																								TOC not run on main sample because appropriate sample accidentally not sent in.	
Action																								Let Value Stand	
Result																								No TOC value for main sample.	
X5P	5/3/2010	M			53.00	<0.5	468.00	490.00	<0.5			<0.5		877.00		64.00		0.24	<0.5	7.80	420.00	650.00		3.00	
X5P	5/3/2010	DUPLICATE			58.00	<0.5	463.00	433.00	<0.5			<0.5		859.00		71.00		0.24	<0.5	7.80	420.00	640.00		2.00	
RPD (%)			N/A	N/A	9.01	N/A	1.07	12.35	N/A	N/A	N/A	N/A	N/A	2.07	N/A	10.37	0.00	N/A	0.00	0.00	1.55	N/A	40.00	N/A	
Comments																									
Action																									
Result																									
X5	5/25/2010	M			110.00	<0.5	860.00	812.00			0.02	<0.5		1430.00		130.00		0.56	<0.5	7.90	720.00	1300.00		<1	
X5	5/25/2010	DUPLICATE			110.00	<0.5	882.00	841.00			0.02	<0.5		1440.00		130.00		0.54	<0.5	7.70	750.00	1200.00		<1	
RPD (%)			N/A	N/A	0.00	N/A	2.53	3.51	N/A	N/A	8.79	N/A	N/A	0.70	N/A	0.00	3.64	N/A	0.20	4.08	8.00	N/A	N/A	N/A	
Comments																									
Action																									
Result																									

RPD > 50%

Table C-49: Rose Creek Drainage Water Quality
2010 QA/QC Duplicates - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
X14	6/1/2010	M			55	<0.5	141	132	<0.5			<0.5		309	2.4	67	<0.005	<0.5	7.3	99	230	2.7	2	
X14	6/1/2010	DUPLICATE			63	<0.5	143	132	<0.5			<0.5		304	2.7	76	0.018	<0.5	7.7	90	200	2.3	2	
RPD (%)			N/A	N/A	13.56	N/A	1.41	0.00	N/A	N/A	N/A	N/A	N/A	1.63	11.76	12.59	N/A	N/A	0.40	9.52	13.95	16.00	0.00	N/A
Comments																								
Action																								
Result																								
X3	6/4/2010	M			40	<0.5	44.6	44.8	<0.5			<0.5		84	2.3	48	0.77	<0.5	7.7	6.3	54	2.6	5	
X3	6/4/2010	DUPLICATE			38	<0.5	45.5	43.5	<0.5			<0.5		85	2.9	47	<0.05	<0.5	7.6	6.4	50	2.6	4	
RPD (%)			N/A	N/A	5.13	N/A	2.00	2.94	N/A	N/A	N/A	N/A	N/A	1.18	23.08	2.11	N/A	N/A	0.10	1.57	7.69	0.00	22.22	N/A
Comments																								
Action																								
Result																								
A30	6/15/2010	M	<0.5	28	6.2	<0.5		122	<0.5			<0.5		320		7.5		<0.5	6.7	140			2	
A30	6/15/2010	DUPLICATE	<0.5	21.4	5.9	<0.5		120	<0.5			<0.5		320		7.2		<0.5	6.7	150			2	
RPD (%)			N/A	26.72	4.96	N/A	N/A	1.65	N/A	N/A	N/A	N/A	N/A	0.00	N/A	4.08	N/A	N/A	0.00	6.90	N/A	N/A	0.00	N/A
Comments																								
Action																								
Result																								
X14	6/15/2010	M			82	<0.5	209	211	<0.5			<0.5	15	446	3.1	100	0.06	<0.5	8.1	160	330	2.7	<1	
X14	6/15/2010	DUPLICATE			82	<0.5	203	210	<0.5			<0.5	15	445	2.8	100	0.06	<0.5	8.1	150	320	2.8	<1	
RPD (%)			N/A	N/A	0.00	N/A	2.91	0.48	N/A	N/A	N/A	N/A	0.00	0.22	10.17	0.00	0.00	N/A	0.00	6.45	3.08	3.64	N/A	0.00
Comments																								
Action																								
Result																								
R7	7/8/2010	M			64.00	<0.5	58.40	59.10	<0.5			<0.5		128.00		78.00	<0.05	<0.5	7.89	6.40	76.00		2.00	
R7	7/8/2010	DUPLICATE			64.00	<0.5	60.90	57.60	<0.5			<0.5		130.00		79.00	<0.05	<0.5	7.97	7.20	80.00		3.00	
RPD (%)			N/A	N/A	0.00	N/A	4.19	2.57	N/A	N/A	N/A	N/A	N/A	1.55	N/A	1.27	N/A	N/A	0.08	11.76	5.13	N/A	40.00	N/A
Comments																								
Action																								
Result																								
NWID	7/10/2010	M			120.00	<0.5	158.00	149.00	<0.5			<0.5		293.0000	2.90	150.00	<0.05	<0.5	8.05	31.000	140.00	3.00	<1	
NWID	7/10/2010	DUPLICATE			130.00	<0.5	148.00	145.00	<0.5			<0.5		295.0000	2.80	160.00	<0.05	<0.5	8.06	30.000	170.00	2.80	<1	
RPD (%)			N/A	N/A	8.00	N/A	6.54	2.72	N/A	N/A	N/A	N/A	N/A	0.68	3.51	6.45	N/A	N/A	0.01	3.28	19.35	6.90	N/A	N/A
Comments																								
Action																								
Result																								
X14	7/27/2010	M			97.00	<0.5	322.00	317.00	<0.5			<0.5	<5	637.00	3.00	120.00	0.16	<0.5	7.99	250.00	430.00	1.90	2.00	
X14	7/27/2010	DUPLICATE			97.00	<0.5	329.00	322.00	<0.5			<0.5	10.00	631.00	2.90	120.00	0.16	<0.5	8.00	200.00	440.00	1.60	<1	
RPD (%)			N/A	N/A	0.00	N/A	2.15	1.56	N/A	N/A	N/A	N/A	N/A	0.95	3.39	0.00	0.00	N/A	0.01	22.22	2.30	17.14	N/A	7.41
Comments																								
Action																								
Result																								
X11	8/5/2010	M	<0.5	33.70	300.00	<0.5		1640.00	2.50			<0.5		2540.00		370.00		<0.5	7.37	1400.00			8.00	
X11	8/5/2010	DUPLICATE	<0.5	33.90	310.00	<0.5		1570.00	2.10			<0.5		2540.00		370.00		<0.5	7.37	1400.00			7.00	
RPD (%)			N/A	0.59	3.28	N/A	N/A	4.36	17.39	N/A	N/A	N/A	N/A	0.00	N/A	0.00	N/A	N/A	0.00	0.00	N/A	N/A	13.33	N/A
Comments																								
Action																								
Result																								
A30	8/5/2010	M	<0.5	21.00	13.00	<0.5		116.00	<0.5			<0.5		312.00		15.00		<0.5	6.75	130.00			<1	
A30	8/5/2010	DUPLICATE	<0.5	19.20	14.00	<0.5		120.00	<0.5			<0.5		314.00		17.00		<0.5	6.83	130.00			2.00	
RPD (%)			N/A	8.96	7.41	N/A	N/A	3.39	N/A	N/A	N/A	N/A	N/A	0.64	N/A	12.50	N/A	N/A	0.08	0.00	N/A	N/A	N/A	N/A
Comments																								
Action																								
Result																								

RPD > 50%

Table C-49: Rose Creek Drainage Water Quality
2010 QA/QC Duplicates - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
X14	8/24/2010	M			94.00	<0.5	249.00	247.00	1.80			<0.5		496.00	2.50	110.00	0.07	<0.5	8.09	160.00	320.00	2.50	<1	
X14	8/24/2010	DUPLICATE			94.00	<0.5	256.00	242.00	1.10			<0.5		496.00	3.00	110.00	0.08	<0.5	8.11	180.00	330.00	3.50	<1	
RPD (%)			N/A	N/A	0.00	N/A	2.77	2.04	48.28	N/A	N/A	N/A	N/A	0.00	18.18	0.00	13.33	N/A	0.02	11.76	3.08	33.33	N/A	N/A
Comments																								
Action																								
Result																								
X5	8/31/2010	M			87.00	<0.5	1020.00	1020.00	1.30		0.04	<0.5	<5	1770.00		110.00	1.00	<0.5	7.84	1100.00	1500.00		2.00	4.80
X5	8/31/2010	DUPLICATE			87.00	<0.5	1020.00	1070.00	1.20		0.04	<0.5	<5	1770.00		110.00	0.87	<0.5	7.87	1000.00	1600.00		2.00	4.70
RPD (%)			N/A	N/A	0.00	N/A	0.00	4.78	8.00	N/A	5.77	N/A	N/A	0.00	N/A	0.00	13.90	N/A	0.03	9.52	6.45	N/A	0.00	2.11
Comments																								
Action																								
Result																								
X2	10/18/2010	M			99.00	<0.5	115.00	109.00	<0.5			<0.5		226.00	1.20	120.00	0.04	<0.5	7.96	19.00	130.00	2.00	<1	1.10
X2	10/18/2010	DUPLICATE			99.00	<0.5	112.00	115.00	<0.5			<0.5		226.00	1.20	120.00	0.02	<0.5	7.94	19.00	120.00	1.30	<1	1.30
RPD (%)			N/A	N/A	0.00	N/A	2.64	5.36	N/A	N/A	N/A	N/A	N/A	0.00	0.00	0.00	78.57	N/A	0.02	0.00	8.00	42.42	N/A	16.67
Comments																	Both values correctly entered into emLine; however, duplicate value not > PQL. Therefore, RPD analysis not valid in this case.							
Action																	Let Value Stand							
Result																	Discrepancy between values remains.							

RPD > 50%

Station	Date	Sample Type	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d		
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
X10	1/11/2010	M	<0.005	1.70	0.14	69.800	<50.0	<0.01	<0.005	47.30	0.02	0.0540	<0.1	0.4100	34.00	1.14	0.007	11.50	25.500	0.67	3.06	0.790	0.2020	0.07	11	0.4200	6080.00	<0.01	192.00	<0.5	<0.002	2.5400	<0.2	43.600	<0.1			
X10	1/11/2010	DUPLICATE	<0.005	1.10	0.16	69.400	<50.0	<0.01	<0.005	47.20	0.01	0.0490	<0.1	0.3700	32.00	1.12	0.007	11.30	24.200	0.69	3.02	0.750	0.0770	0.08	10	0.4200	5670.00	<0.01	187.00	<0.5	<0.002	2.5700	<0.2	42.800	<0.1			
		RPD (%)	N/A	42.86	13.33	0.57	N/A	N/A	N/A	0.21	22.22	9.71	N/A	10.26	6.06	N/A	1.77	2.99	1.75	5.23	2.94	1.32	5.19	89.61	13.33	9.52	0.00	6.98	N/A	2.64	N/A	N/A	1.17	N/A	1.85	N/A		
		Comments	Both values > PQL and correctly entered into emLine. Lab noted on main sample that "Dissolved greater than total. Reanalysis yields similar results."																																			
		Action	Let Value Stand																																			
		Result	Discrepancy between values remains.																																			
X3	2/22/2010	M	<0.005	1.70	0.20	69.10	<50.0	<0.01	<0.005	47.80	0.01	0.11	<0.1	0.29	28.00	1.19	0.01	10.60	48.80	0.75	3.38	0.58	0.04	0.05	11.00	0.39	6170.00	<0.01	199.0	<0.5	<0.002	2.68	<0.2	20.00	<0.1			
X3	2/22/2010	DUPLICATE	<0.005	2.10	0.22	69.60	<50.0	<0.01	<0.005	46.60	0.01	0.10	<0.1	0.28	29.00	1.15	0.01	10.60	48.30	0.79	3.40	0.58	0.09	0.05	10.00	0.41	5740.00	<0.01	200.0	<0.5	<0.002	2.72	<0.2	20.20	<0.1			
		RPD (%)	N/A	21.05	9.52	0.72	N/A	N/A	N/A	2.54	0.00	3.88	N/A	3.51	3.51	N/A	3.42	2.50	0.00	1.03	5.19	0.59	0.00	72.87	0.00	9.52	5.00	7.22	N/A	0.50	N/A	N/A	1.48	N/A	1.00	N/A		
		Comments	Both values > PQL and correctly entered into emLine.																																			
		Action	Let Value Stand																																			
		Result	Discrepancy between values remains.																																			
X11	3/4/2010	M	<0.03	4.00	3.30	51.40	<300.0	<0.05	<0.03	519.00	0.11	33.40	<0.5	<0.3	5800.00	7.90	0.02	104.00	28200.00	0.50	36.80	38.50	2.41	<0.1	526.00	<0.2	7840.00	<0.05	1380.0	<3.0	0.050	5.88	<1.0	13.50	<0.5			
X11	3/4/2010	DUPLICATE	<0.03	3.00	3.20	51.50	<300.0	<0.05	<0.03	496.00	0.14	32.40	<0.5	<0.3	5700.00	7.70	0.02	102.00	27200.00	0.40	35.80	38.00	13.40	<0.1	483.00	<0.2	7190.00	<0.05	1370.0	<3.0	0.050	6.05	<1.0	54.00	<0.5			
		RPD (%)	N/A	28.57	3.08	0.19	N/A	N/A	N/A	4.53	24.00	3.04	N/A	N/A	1.74	N/A	2.56	4.44	1.94	3.61	22.22	2.75	1.31	139.03	N/A	8.52	N/A	8.65	N/A	0.73	N/A	0.00	2.85	N/A	120.00	N/A		
		Comments	Both values > PQL and correctly entered into emLine.																																			
		Action	Request Retest																																			
		Result	Retest performed, see results below.																																			
X11 Retest	4/23/2010	M																																		13.50		
X11 Retest	4/23/2010	DUPLICATE																																			68.90	
		RPD (%)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	134.47	N/A
		Comments	Retest for April 23 X11 sample and duplicate. Both values > PQL and correctly entered into emLine. Duplicate will be performed at X11 at next sampling event.																																			
		Action	Let Value Stand																																			
		Result	New values entered into emLine.																																			
A30	3/28/2010	M	<0.02	28.00	<0.1	21.00	<50.0	<0.1	<1.0	17.60	2.69	0.60	<1.0	11.80	<5.0	<0.02	0.67	0.01	8.10	29.00	<1.0	2.20	10.00	2.70	<0.5	20.00	0.30	6120.00	<5.0	79.0	<5.0	<0.05	0.50	<5.0	2960.00	<0.5		
A30	3/28/2010	DUPLICATE	<0.02	28.00	<0.1	21.00	<50.0	<0.1	<1.0	19.10	2.99	0.60	<1.0	12.50	<5.0	<0.02	0.70	0.01	8.81	31.00	<1.0	2.35	11.00	2.40	<0.5	22.00	0.30	5280.00	<5.0	79.0	<5.0	<0.05	0.50	<5.0	3200.00	<0.5		
		RPD (%)	N/A	0.00	N/A	0.00	N/A	N/A	N/A	8.17	10.56	0.00	N/A	5.76	N/A	N/A	4.38	0.00	8.40	6.67	N/A	6.59	9.52	11.76	N/A	9.52	0.00	14.74	N/A	0.00	N/A	N/A	0.00	N/A	7.79	N/A		
		Comments																																				
		Action																																				
		Result																																				
X14	4/6/2010	M	<0.005	1.20	0.33	60.50	<50	<0.01	<0.005	196.00	0.10	8.93	<0.1	0.30	165.00	3.59	0.01	40.60	7300.00	0.92	14.90	14.90	0.08	0.09	173.00	0.34	5800.00	<0.01	590.0	0.60	0.052	4.57	<0.2	108.00	<0.1			
X14	4/6/2010	DUPLICATE	<0.005	1.00	0.34	61.60	<50	<0.01	<0.005	192.00	0.09	8.94	<0.1	0.27	206.00	3.52	0.01	40.30	7200.00	1.00	14.90	15.10	0.05	0.09	174.00	0.35	5630.00	<0.01	593.0	<0.5	0.058	4.56	<0.2	109.00	<0.1			
		RPD (%)	N/A	18.18	2.99	1.80	N/A	N/A	N/A	2.06	14.74	0.11	N/A	10.53	22.10	N/A	1.97	1.49	0.74	1.38	8.33	0.00	1.33	41.94	0.00	0.58	2.90	2.97	N/A	0.51	N/A	10.91	0.22	N/A	0.92	N/A		
		Comments																																				
		Action																																				
		Result																																				
X10	4/13/2010	M	<0.005	2.10	0.12	69.60	<50	<0.01	<0.005	45.10	0.01	0.04	<0.1	0.35	35.00	1.10	8.40	10.70	14.90	0.80	3.15	0.76	0.41	0.07	11.00	0.46	4940.00	0.02	208.0	<0.5	0.003	3.01	<0.2	43.40	<0.1			
X10	4/13/2010	DUPLICATE	<0.005	1.60	0.11	67.60	<50	<0.01	<0.005	44.80	0.01	0.04	<0.1	0.26	28.00	1.07	8.00	10.50	14.10	0.81	3.06	0.65	0.23	0.07	<10	0.44	4990.00	<0.01	203.0	<0.5	<0.002	2.99	<0.2	40.90	<0.1			
		RPD (%)	N/A	27.03	8.70	2.92	N/A	N/A	N/A	0.67	15.38	5.56	N/A	29.51	22.22	N/A	2.76	4.88	1.89	5.52	1.24	2.90	15.60	55.50	0.00	N/A	4.44	1.01	N/A	2.43	N/A	0.67	N/A	5.93	N/A			
		Comments	Both values > PQL and correctly entered into emLine.																																			
		Action	Let Value Stand																																			
		Result	Discrepancy between values remains.																																			
X5P	5/3/2010	M	<0.005	2.00	0.09	20.10	<50	<0.01	0.02	169.00	0.06	1.76	<0.1	0.29	7.00	2.81	0.01	16.70	1100.00	0.49	7.75	3.18	0.20	0.15	166.00	0.15	1460.00	<0.01	484.0	<3	0.330	1.80	<1	216.00	<0.5			
X5P	5/3/2010	DUPLICATE	<0.005	3.30	0.10	21.20	<50	<0.01	<0.005	147.00	0.06	2.01	<0.1	0.41	10.00	2.47	0.01	16.20	1230.00	0.49	7.18	3.52	0.40	0.15	145.00	0.14	1380.00	<0.01	446.0	<3	0.360	1.83	<1	223.00	<0.5			
		RPD (%)	N/A	49.06	10.53	5.33	N/A	N/A	N/A	13.92	1.77	13.26	N/A	34.29	35.29	N/A	12.88	6.84	3.04	11.16	0.00	7.64	10.15	67.79	0.00	13.50	6.90	5.63	N/A	8.17	N/A	8.70	1.65	N/A	3.19	N/A		
		Comments	Both values > PQL and correctly entered into emLine.																																			
		Action	Let Value Stand																																			
		Result	Discrepancy between values remains.																																			
X5	5/25/2010	M	<0.03	4.00	<0.1	18.30	<300	<0.05	<0.03	238.00	0.16	11.20	<0.5	<0.3	27.00	4.80	0.03	53.10	6270.00	0.40	16.60	17.00	0.66	<0.1	273.00	<0.2	2740.00	<0.05	669.0	<3	0.330	1.80	<1	216.00	<0.5			
X5	5/25/2010	DUPLICATE	<0.03	7.00	0.20	18.70	<300	<0.05	<0.03	245.00	0.14	11.10	<0.5	0.50	35.00	4.80	0.03	55.40	6330.00	<0.3	17.00	16.60	0.57	<0.1	269.00	<0.2	2780.00	<0.05	684.0	<3	0.360	1.83	<1	223.00	<0.5			
		RPD (%)	N/A	54.55	N/A	2.16	N/A	N/A	N/A	2.90	13.33	0.90	N/A	N/A	25.81	N/A	4.26	3.92	4.24	0.95	N/A	2.38	2.38	14.63	N/A	1.48	N/A	1.45	N/A	2.22	N/A	8.70	1.65	N/A	3.19	N/A		
		Comments	Both values correctly entered into emLine; however, main sample value not > PQL. Therefore, RPD analysis not valid in this case.																																			
		Action	Let Value Stand																																			
		Result	Discrepancy between values remains.																																			

RPD > 50%
RPD > 100%

Table C-50: Rose Creek Drainage Water Quality
2010 QA/QC Duplicates - Dissolved Metals



Station	Date	Sample Type	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
X14	6/1/2010	M	<0.005	18.4	0.32	28.5	<50	<0.01	0.014	38.7	0.028	1.47	<0.1	0.77	138	0.96	0.0039	8.69	984	0.3	2.9	2.7	1.82	0.07	30	0.13	3460	<0.01	138	<0.5	0.031	0.796	<0.2	30.8	<0.1		
X14	6/1/2010	DUPLICATE	<0.005	18.4	0.31	28.3	<50	<0.01	0.014	38.5	0.022	1.49	<0.1	2	124	0.94	0.0038	8.7	972	0.31	2.86	2.75	0.887	0.07	28	0.12	3370	<0.01	138	<0.5	0.029	0.78	<0.2	29.9	<0.1		
		RPD (%)	N/A	0.00	3.17	0.70	N/A	N/A	0.00	0.52	24.00	1.35	N/A	88.81	10.69	N/A	2.11	2.60	0.12	1.23	3.28	1.39	1.83	68.93	0.00	6.90	8.00	2.64	N/A	0.00	N/A	6.67	2.03	N/A	2.97	N/A	
		Comments												Both values > PQL and correctly entered into emLine. Lab noted on duplicate sample that "Dissolved greater than total. Reanalysis yields similar results."																							
		Action																																			
		Result																																			
X3	6/4/2010	M	<0.005	23.8	0.32	23.8	<50	<0.01	<0.005	13.1	0.015	0.037	<0.1	0.74	77	0.54	0.0014	2.93	8.85	0.2	1.48	0.44	0.992	0.06	<10	0.09	3940	0.02	58	<0.5	<0.002	0.505	<0.2	4.5	<0.1		
X3	6/4/2010	DUPLICATE	<0.005	24.4	0.31	24.5	<50	<0.01	0.017	12.7	0.027	0.04	<0.1	0.94	75	0.54	0.0014	2.89	9.16	0.22	1.46	0.48	1.15	0.06	<10	0.08	3860	<0.01	59.8	<0.5	<0.002	0.503	<0.2	5	<0.1		
		RPD (%)	N/A	2.49	3.17	2.90	N/A	N/A	N/A	3.10	57.14	7.79	N/A	23.81	2.63	N/A	0.00	0.00	1.37	3.44	9.52	1.36	8.70	14.75	0.00	N/A	11.76	2.05	N/A	3.06	N/A	N/A	0.40	N/A	10.53	N/A	
		Comments												Both values correctly entered into emLine; however, main sample value not > PQL. Therefore, RPD analysis not valid in this case.																							
		Action																																			
		Result																																			
A30	6/15/2010	M	0.07	599	<0.1	20	<50	0.6	<1	20.3	14	9.1	<1	120	8	0.91	0.016	17.3	366	<1	2.55	32	29.9	<0.5	48	0.2	7310	<5	99	<5	<0.05	1.2	<5	9350	<0.5		
A30	6/15/2010	DUPLICATE	0.08	592	<0.1	20	<50	0.5	<1	20.1	13.9	8.9	<1	118	12	0.92	0.015	16.8	362	<1	2.52	32	29.9	<0.5	48	0.2	7350	<5	96	<5	<0.05	1.2	<5	9240	<0.5		
		RPD (%)	13.33	1.18	N/A	0.00	N/A	18.18	N/A	0.99	0.72	2.22	N/A	1.68	40.00	N/A	1.09	6.45	2.93	1.10	N/A	1.18	0.00	0.00	N/A	0.00	0.00	0.55	N/A	3.08	N/A	N/A	0.00	N/A	1.18	N/A	
		Comments																																			
		Action																																			
		Result																																			
X14	6/15/2010	M	<0.005	8.4	0.34	33.5	<50	<0.01	<0.005	60.9	0.04	2.7	<0.1	0.57	173	<0.01	1.35	0.0061	14.3	1710	0.35	4.62	4.48	0.448	0.08	53	0.18	4090	<0.01	199	<0.5	0.051	1.15	<0.2	46	<0.1	
X14	6/15/2010	DUPLICATE	<0.005	8.2	0.33	33.1	<50	<0.01	<0.005	60.7	0.035	2.65	<0.1	0.6	181	<0.01	1.32	0.006	14.2	1710	0.33	4.6	4.45	0.376	0.08	53	0.19	4020	<0.01	203	<0.5	0.051	1.11	<0.2	44.4	<0.1	
		RPD (%)	N/A	2.41	2.99	1.20	N/A	N/A	N/A	0.33	13.33	1.87	N/A	5.13	4.52	N/A	2.25	1.65	0.70	0.00	5.88	0.43	0.67	17.48	0.00	0.00	5.41	1.73	N/A	1.99	N/A	0.00	3.54	N/A	3.54	N/A	
		Comments																																			
		Action																																			
		Result																																			
R7	7/8/2010	M	<0.005	15.60	0.55	38.800	<50	<0.01	0.01	17.80	0.02	0.0320	<0.1	0.5900	92.00	0.41	0.002	3.57	11.700	0.35	1.52	0.340	1.8000	0.09	<10	0.1800	4220.00	<0.01	79.40	<0.5	0.00	0.6560	<0.2	5.200	<0.1		
R7	7/8/2010	DUPLICATE	<0.005	14.60	0.50	37.800	<50	<0.01	0.04	17.30	0.03	0.0330	<0.1	0.6100	90.00	0.42	0.002	3.47	11.500	0.35	1.46	0.280	1.9500	0.08	<10	0.1700	4090.00	<0.01	78.40	<0.5	0.00	0.6500	<0.2	5.600	<0.1		
		RPD (%)	N/A	6.62	9.52	2.61	N/A	N/A	121.57	2.85	29.79	3.08	N/A	3.33	2.20	N/A	2.41	4.44	2.84	1.72	0.00	4.03	19.35	8.00	2.84	11.76	N/A	5.71	3.13	N/A	1.27	N/A	0.00	0.92	N/A	7.41	N/A
		Comments																																			
		Action																																			
		Result																																			
NWID	7/10/2010	M	<0.005	10.00	0.21	48.60	<50	<0.01	<0.005	48.80	0.07	0.05	<0.1	1.38	24.00	1.50	0.01	6.66	3.35	0.27	2.86	0.80	4.14	0.06	13.00	0.22	6720.00	<0.01	192.0	<0.5	0.006	1.00	<0.2	31.30	<0.1		
NWID	7/10/2010	DUPLICATE	<0.005	8.90	0.20	47.20	<50	<0.01	<0.005	47.70	0.06	0.03	<0.1	1.27	24.00	1.44	0.01	6.29	0.84	0.34	2.70	0.69	2.76	0.06	12.00	0.20	6770.00	0.02	189.0	<0.5	0.008	0.96	0.30	19.40	<0.1		
		RPD (%)	N/A	11.64	4.88	2.92	N/A	N/A	N/A	2.28	13.74	36.84	N/A	8.30	0.00	N/A	4.08	0.00	5.71	119.81	22.95	5.76	14.77	40.00	0.00	8.00	9.52	0.74	N/A	1.57	N/A	28.57	3.58	N/A	46.94	N/A	
		Comments																																			
		Action																																			
		Result																																			
X14	7/27/2010	M	<0.005	6.70	0.37	42.10	<50	<0.01	<0.005	91.20	0.08	4.01	<0.1	1.52	196.00	2.29	0.01	21.60	2330.00	0.51	6.91	6.15	3.28	0.13	91.00	0.18	4170.00	0.02	317.0	<0.5	0.127	1.38	<0.2	72.10	<0.1		
X14	7/27/2010	DUPLICATE	<0.005	5.90	0.38	42.50	<50	<0.01	<0.005	93.00	0.08	4.04	<0.1	1.24	215.00	2.26	0.01	21.90	2340.00	0.47	6.93	6.49	1.79	0.11	92.00	0.18	4260.00	0.02	315.0	<0.5	0.123	1.35	<0.2	70.20	<0.1		
		RPD (%)	N/A	12.70	2.67	0.95	N/A	N/A	N/A	1.95	3.68	0.75	N/A	20.29	9.25	N/A	1.32	1.85	1.38	0.43	8.16	0.29	5.38	58.78	16.67	1.09	0.00	2.14	0.00	0.63	N/A	3.20	2.20	N/A	2.67	N/A	
		Comments																																			
		Action																																			

Table C-50: Rose Creek Drainage Water Quality
2010 QA/QC Duplicates - Dissolved Metals



Station	Date	Sample Type	Ag-d µg/L	Al-d µg/L	As-d µg/L	Ba-d µg/L	B-d µg/L	Be-d µg/L	Bi-d µg/L	Ca-d mg/L	Cd-d µg/L	Co-d µg/L	Cr-d µg/L	Cu-d µg/L	Fe-d µg/L	Hg-d µg/L	K-d mg/L	Li-d mg/L	Mg-d mg/L	Mn-d µg/L	Mo-d µg/L	Na-d mg/L	Ni-d µg/L	Pb-d µg/L	Sb-d µg/L	S-d mg/L	Se-d µg/L	Si-d µg/L	Sn-d µg/L	Sr-d µg/L	Ti-d µg/L	Tl-d µg/L	U-d µg/L	V-d µg/L	Zn-d µg/L	Zr-d µg/L		
A30	8/5/2010	M	0.05	226.00	<0.1	16.00	<50	0.20	<1	20.70	11.90	4.70	<1	68.80	<5	0.86	0.01	15.70	201.00	<1	2.23	31.00	13.10	<0.5	44.00	<0.1	7050.00	<5	86.0	<5	<0.05	0.60	<5	9930.00	<0.5			
A30	8/5/2010	DUPLICATE	0.05	238.00	<0.1	17.00	<50	0.30	<1	20.90	12.40	5.10	<1	75.00	7.00	0.94	0.01	16.40	215.00	<1	2.67	33.00	14.40	<0.5	46.00	0.20	6710.00	<5	95.0	<5	<0.05	0.60	<5	9870.00	<0.5			
RPD (%)			0.00	5.17	N/A	6.06	N/A	40.00	N/A	0.96	4.12	8.16	N/A	8.62	N/A	N/A	8.89	0.00	4.36	6.73	N/A	17.96	6.25	9.45	N/A	4.44	N/A	4.94	N/A	9.94	N/A	N/A	0.00	N/A	0.61	N/A		
Comments																																						
Action																																						
Result																																						
X14	8/24/2010	M	<0.005	3.60	0.38	42.10	<50	<0.01	<0.005	72.80	0.04	2.04	<0.1	0.50	258.00	<0.01	1.63	0.01	15.90	1340.00	0.49	5.25	3.52	0.29	0.09	60.00	0.18	3520.00	<0.01	249.0	<0.5	0.083	1.38	<0.2	39.90	<0.1		
X14	8/24/2010	DUPLICATE	<0.005	3.70	0.39	42.60	<50	<0.01	<0.005	70.60	0.04	2.06	<0.1	0.47	260.00	<0.01	1.62	0.01	15.90	1320.00	0.49	5.21	3.47	0.24	0.09	58.00	0.19	3310.00	<0.01	245.0	<0.5	0.080	1.40	<0.2	38.60	<0.1		
RPD (%)			N/A	2.74	2.60	1.18	N/A	N/A	N/A	3.07	2.74	0.98	N/A	6.19	0.77	N/A	0.62	0.00	0.00	1.50	0.00	0.76	1.43	19.77	0.00	3.39	5.41	6.15	N/A	1.62	N/A	3.68	1.44	N/A	3.31	N/A		
Comments																																						
Action																																						
Result																																						
X5	8/31/2010	M	<0.03	5.00	0.30	14.50	<300	<0.05	<0.03	295.00	0.15	14.40	<0.5	1.20	48.00	<0.05	6.50	0.04	67.70	7580.00	0.50	20.90	19.10	1.18	0.30	347.00	<0.2	2400.00	<0.05	964.0	<3	0.720	1.51	<1	194.00	<0.5		
X5	8/31/2010	DUPLICATE	<0.03	2.00	0.20	15.20	<300	<0.05	<0.03	312.00	0.19	15.80	<0.5	<0.3	39.00	<0.05	7.00	0.04	71.10	8160.00	0.60	22.00	20.30	0.27	0.30	356.00	<0.2	2440.00	<0.05	995.0	<3	0.730	1.54	<1	208.00	<0.5		
RPD (%)			N/A	85.71	40.00	4.71	N/A	N/A	N/A	5.60	23.53	9.27	N/A	N/A	20.69	N/A	7.41	2.53	4.90	7.37	18.18	5.13	6.09	125.52	0.00	2.56	N/A	1.65	N/A	3.16	N/A	1.38	1.97	N/A	6.97	N/A		
Comments			Both values correctly entered into emLine; however, duplicate value not > PQL. Therefore, RPD analysis not valid in this case.																								Both values > PQL and correctly entered into emLine.											
Action			Let Value Stand																								Request Retest											
Result			Discrepancy between values remains.																								Retest performed, see results below.											
X5 Retest	8/31/2010	M																																				
X5 Retest	8/31/2010	DUPLICATE																																				
RPD (%)			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	109.85	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Comments			Retest for August 31 X5 sample and duplicate. Both values > PQL and correctly entered into emLine.																																			
Action			Let Value Stand																																			
Result			New values entered into emLine.																																			
X2	10/18/2010	M	<0.005	4.50	0.42	51.60	<50	<0.01	<0.005	31.50	0.02	0.14	<0.1	0.50	116.00		0.75	0.00	7.36	68.60	0.62	2.46	0.55	0.87	0.07	<10	0.34	5360.00	0.07	135.0	<0.5	0.003	1.51	<0.2	14.40	<0.1		
X2	10/18/2010	DUPLICATE	<0.005	3.50	0.37	53.60	<50	<0.01	<0.005	33.90	0.01	0.15	<0.1	0.40	126.00		0.73	0.01	7.33	66.10	0.57	2.44	0.55	0.24	0.08	<10	0.30	5410.00	<0.01	142.0	<0.5	0.003	1.60	<0.2	13.60	<0.1		
RPD (%)			N/A	25.00	12.66	3.80	N/A	N/A	N/A	7.34	30.30	2.78	N/A	22.22	8.26	N/A	2.70	8.16	0.41	3.71	8.40	0.82	0.00	114.42	13.33	N/A	12.50	0.93	N/A	5.05	N/A	0.00	5.79	N/A	5.71	N/A		
Comments			Both values > PQL and correctly entered into emLine. Lab noted on main sample that "Dissolved greater than total. Reanalysis yields similar results."																																			
Action			Let Value Stand																																			
Result			Discrepancy between values remains. Retest not requested because lab already reanalyzed.																																			
X2 Retest	10/18/2010	M																																				
X2 Retest	10/18/2010	DUPLICATE																																				
RPD (%)			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	83.55	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Comments			Retest for October 18 X2 sample and duplicate. Both values > PQL and correctly entered into emLine.																																			
Action			Let Value Stand																																			
Result			New values entered into emLine.																																			

RPD > 50%
RPD > 100%

Station	Date	Sample Type	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr	
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
X10	1/1/2010	M	<0.005	3.10	0.19	<50	70.60	<0.01	<0.005	47.10	0.02	0.0490	<0.1	0.3700	104.00	1.12	0.007	11.50	26.400	0.67	3.03	0.790	0.1450	11.00	0	0.4200	5850.00	<0.01	192.00	<0.5	<0.002	2.5300	<0.2	44.700	<0.1		
X10	1/1/2010	DUPLICATE	<0.005	2.70	0.18	<50	70.80	<0.01	<0.005	47.80	0.01	0.0530	<0.1	0.3800	104.00	1.14	0.007	11.30	26.100	0.69	3.01	0.770	0.2230	11.00	0	0.4300	5870.00	<0.01	192.00	<0.5	<0.002	2.5100	<0.2	45.200	<0.1		
		RPD (%)	N/A	13.79	5.41	N/A	0.28	N/A	N/A	1.48	56.00	7.84	N/A	2.67	0.00	N/A	1.77	1.50	1.75	1.14	2.94	0.66	2.56	42.39	0.00	0.00	2.35	0.34	N/A	0.00	N/A	N/A	0.79	N/A	1.11	N/A	
		Comments	Both values correctly entered into emLine; however, neither value > PQL. Therefore, RPD analysis not valid in this case.																																		
		Action	Let Value Stand																																		
		Result	Discrepancy between values remains.																																		
X3	2/22/2010	M	<0.005	2.80	0.29	<50	69.60	<0.01	<0.005	47.60	0.01	0.12	<0.1	0.40	72.00	1.19	0.01	10.90	50.40	0.73	3.47	0.62	0.11	12.00	0.06	0.41	6350.00	<0.01	199.0	<0.5	<0.002	2.78	<0.2	20.00	<0.1		
X3	2/22/2010	DUPLICATE	<0.005	3.10	0.31	<50	71.40	<0.01	<0.005	47.70	0.01	0.11	<0.1	0.29	74.00	1.18	0.01	10.90	50.30	0.75	3.43	0.64	0.13	11.00	0.06	0.41	6390.00	<0.01	199.0	<0.5	<0.002	2.82	<0.2	20.30	<0.1		
		RPD (%)	N/A	10.17	6.67	N/A	2.55	N/A	N/A	0.21	0.00	11.66	N/A	31.88	2.74	N/A	0.84	0.00	0.20	2.70	1.16	3.17	13.56	8.70	0.00	0.00	0.63	N/A	0.00	N/A	N/A	1.43	N/A	1.49	N/A		
		Comments																																			
		Action																																			
		Result																																			
X14	4/6/2010	M	<0.005	2.60	0.42	<50	58.80	<0.01	<0.005	193.00	0.10	8.96	0.20	0.32	442.00	3.49	0.01	41.20	7240.00	0.95	15.10	15.20	0.13	184.00	0.09	0.36	6070.00	<0.01	585.0	<0.5	0.054	4.46	<0.2	110.00	<0.1		
X14	4/6/2010	DUPLICATE	<0.005	2.90	0.39	<50	58.60	<0.01	<0.005	187.00	0.09	8.76	<0.1	0.30	399.00	3.33	0.01	40.20	6990.00	0.91	14.60	15.20	0.14	177.00	0.09	0.35	5780.00	<0.01	568.0	<0.5	0.052	4.39	<0.2	110.00	<0.1		
		RPD (%)	N/A	10.91	7.41	N/A	0.34	N/A	N/A	3.16	9.94	2.26	N/A	6.45	10.23	N/A	4.69	0.75	2.46	3.51	4.30	3.37	0.00	6.74	3.88	0.00	2.82	4.89	N/A	2.95	N/A	3.77	1.58	N/A	0.00	N/A	
		Comments																																			
		Action																																			
		Result																																			
X10	4/13/2010	M	<0.005	3.80	0.18	<50	71.30	<0.01	<0.005	47.60	0.02	0.04	<0.1	0.32	91.00	1.16	0.01	10.50	16.00	0.79	2.99	0.66	0.57	11.00	0.07	0.40	5480.00	<0.01	204.0	<0.5	<0.002	2.92	<0.2	45.70	<0.1		
X10	4/13/2010	DUPLICATE	<0.005	4.10	0.17	<50	70.50	<0.01	<0.005	46.50	0.01	0.04	<0.1	0.23	92.00	1.13	0.01	10.40	15.60	0.83	2.97	0.64	0.37	<10	0.06	0.45	5480.00	<0.01	202.0	<0.5	<0.002	2.92	<0.2	43.00	<0.1		
		RPD (%)	N/A	7.59	5.71	N/A	1.13	N/A	N/A	2.34	35.29	2.47	N/A	32.73	1.09	N/A	2.62	0.00	0.96	2.53	4.94	0.67	3.08	41.86	N/A	15.38	11.76	0.00	N/A	0.99	N/A	N/A	6.09	N/A	N/A		
		Comments																																			
		Action																																			
		Result																																			
X5P	5/3/2010	M	<0.005	16.70	0.18	<50	19.20	<0.01	<0.005	161.00	0.06	1.80	<0.1	0.57	172.00	2.61	0.01	16.40	1100.00	0.47	7.44	3.24	2.96	165.00	0.14	0.14	1600.00	<0.01	464.0	<0.5	0.165	1.06	<0.2	62.80	<0.1		
X5P	5/3/2010	DUPLICATE	<0.005	10.90	0.14	<50	21.30	<0.01	<0.005	158.00	0.06	1.99	<0.1	0.39	45.00	2.64	0.01	16.60	1280.00	0.49	7.44	3.52	1.70	163.00	0.14	0.13	1600.00	<0.01	455.0	0.70	0.151	1.16	<0.2	61.80	<0.1		
		RPD (%)	N/A	42.03	25.00	N/A	10.37	N/A	N/A	1.88	8.13	10.03	N/A	37.50	117.05	N/A	1.14	5.58	1.21	15.13	4.17	0.00	8.28	54.08	1.22	0.00	7.41	0.00	N/A	1.96	N/A	8.86	9.01	N/A	1.61	N/A	
		Comments	Both values > PQL and correctly entered into emLine.											Both values > PQL and correctly entered into emLine.																							
		Action	Request Retest											Let Value Stand																							
		Result	Retest performed, see results below.											Discrepancy between values remains.																							
X5P Retest	5/3/2010	M													234.00																						
X5P Retest	5/3/2010	DUPLICATE													71.00																						
		RPD (%)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	106.89	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Comments	Retest for May 3 X5P sample and duplicate. Both values > PQL and correctly entered into emLine.																																		
		Action	Let Value Stand																																		
		Result	New values entered into emLine.																																		
X5	5/25/2010	M	<0.005	5.20	0.21	<50	18.70	<0.01	<0.005	251.00	0.12	11.50	<0.1	0.53	151.00	<0.01	5.14	0.03	56.60	6410.00	0.51	17.90	16.60	1.12	299.00	0.12	0.14	2640.00	<0.01	763.0	<0.5	0.375	2.04	<0.2	191.00	<0.1	
X5	5/25/2010	DUPLICATE	<0.005	5.70	0.19	<50	19.60	<0.01	<0.005	256.00	0.14	12.10	<0.1	0.58	159.00	<0.01	5.24	0.03	59.10	6560.00	0.58	18.70	17.40	1.16	301.00	0.13	0.13	2740.00	<0.01	782.0	<0.5	0.394	2.13	<0.2	200.00	<0.1	
		RPD (%)	N/A	9.17	10.00	N/A	4.70	N/A	N/A	1.97	19.01	5.08	N/A	9.01	5.16	N/A	1.93	0.38	4.32	2.31	12.84	4.37	4.71	3.51	0.67	8.00	7.41	3.72	N/A	2.46	N/A	4.94	4.32	N/A	4.60	N/A	
		Comments																																			
		Action																																			
		Result																																			
X14	6/1/2010	M	<0.005	34.3	0.38	<50	27.3	<0.01	0.01	41.1	0.038	1.57	<0.1	1.14	233	1.03	0.004	9.29	1030	0.3	3.81	3.05	1.06	34	0.07	0.13	3720	<0.01	133	<0.5	0.031	0.765	<0.2	42.6	<0.1		
X14	6/1/2010	DUPLICATE	<0.005	35.1	0.39	<50	27.8	<0.01	0.029	41.8	0.03	1.62	<0.1	1.05	233	1.04	0.0041	9.3	1050	0.32	3.29	3.19	0.908	33	0.07	0.13	3760	<0.01	139	1.1	0.031	0.8	<0.2	43.1	<0.1		
		RPD (%)	N/A	2.31	2.60	N/A	1.81	N/A	97.44	1.69	23.53	3.13	N/A	8.22	0.00	N/A	0.97	2.47	0.11	1.92	6.45	14.65	4.49	15.45	2.99	0.00	0.00	1.07	N/A	4.41	N/A	0.00	4.47	N/A	1.17	N/A	
		Comments	Both values correctly entered into emLine; however, main sample value not > PQL. Therefore, RPD analysis not valid in this case.																																		
		Action	Let Value Stand																																		
		Result	Discrepancy between values remains.																																		
X3	6/4/2010	M	<0.005	62.9	0.38	<50	25.1	0.02	0.01	13	0.018	0.09	<0.1	0.76	183	0.55	0.0016	2.95	20	0.2	1.47	0.48	0.747	<10	0.05	0.08	3900	<0.01	60.7	1.5	0.003	0.534	<0.2	11.2	<0.1		
X3	6/4/2010	DUPLICATE	<0.005	66.7	0.4	<50	25.3	<0.01	0.021	13.3	0.012	0.06	<0.1	0.74	186	0.55	0.0015	3	15.7	0.21	1.5	0.44	0.587	<10	0.05	0.09	3870	<0.01	60.8	1.4	<0.002	0.544	<0.2	3.9	<0.1		
		RPD (%)	N/A	5.86	5.13	N/A	0.79	N/A	70.97	2.28	40.00	37.33	N/A	2.67	1.63	N/A	0.00	6.45	1.68	24.09	4.88	2.02	8.70	23.99	N/A	0.00	11.76	0.77	N/A	0.16	6.90	N/A	1.86	N/A	96.69	N/A	
		Comments	Both values correctly entered into emLine; however, neither value > PQL. Therefore, RPD analysis not valid in this case.											Both values > PQL and correctly entered into emLine.																							
		Action	Let Value Stand											Let Value Stand																							
		Result	Discrepancy between values remains.											Discrepancy between values remains.																							
X14	6/15/2010	M	<0.005	16.2	0.4	<50	33.6	<0.01	<0.005	59.7	0.038	2.76	<0.1	0.71	245	<0.01	1.39	0.0058	14.6	1740	0.4	4.56	4.41	0.532	55	0.08	0.18	4000	<0.01	207	<0.5	0.051	1.12	<0.2	48.4	<0.1	
X14	6/15/2010	DUPLICATE	<0.005	19	0.41	<50	33.4	<0.01	0.008	57.3	0.042	2.69	<0.1	0.7																							

Table C-51: Rose Creek Drainage Water Quality
2010 QA/QC Duplicates - Total Metals



Station	Date	Sample Type	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr		
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
NWID	7/10/2010	M	<0.005	6.70	0.20	<50	47.10	<0.01	<0.005	52.80	0.06	0.02	<0.1	1.08	9.00	1.47	0.01	6.44	1.10	0.30	2.75	0.53	0.24	12.00	0.06	0.21	7530.00	<0.01	187.0	<0.5	0.003	0.93	<0.2	16.00	<0.1			
NWID	7/10/2010	DUPLICATE	<0.005	6.80	0.20	<50	47.90	<0.01	<0.005	48.30	0.07	0.02	<0.1	1.19	7.00	1.48	0.01	6.66	1.05	0.28	2.90	0.58	0.24	13.00	0.06	0.19	6750.00	<0.01	192.0	<0.5	0.009	0.89	<0.2	17.60	<0.1			
		RPD (%)	N/A	1.48	0.00	N/A	1.68	N/A	N/A	8.90	17.89	0.00	N/A	9.69	25.00	N/A	0.68	0.00	3.36	4.65	6.90	5.31	9.01	1.25	8.00	0.00	10.00	10.92	N/A	2.64	N/A	100.00	4.85	N/A	9.52	N/A		
		Comments																																		Both values correctly entered into emLine; however, neither value > PQL. Therefore, RPD analysis not valid in this case.		
		Action																																		Let Value Stand		
		Result																																			Discrepancy between values remains.	
X14	7/27/2010	M	<0.005	11.10	0.45	<50	43.30	<0.01	<0.005	94.10	0.05	4.07	<0.1	0.58	382.00	<0.01	2.04	0.01	21.00	2330.00	0.53	6.59	6.29	0.89	89.00	0.12	0.19	4430.00	<0.01	316.0	<0.5	0.123	1.35	<0.2	72.60	<0.1		
X14	7/27/2010	DUPLICATE	<0.005	10.60	0.47	<50	44.10	<0.01	<0.005	94.90	0.05	4.34	<0.1	0.62	383.00	<0.01	2.12	0.01	22.30	2430.00	0.49	6.91	6.31	0.74	93.00	0.12	0.21	4520.00	<0.01	320.0	<0.5	0.124	1.33	<0.2	74.80	<0.1		
		RPD (%)	N/A	4.61	4.35	N/A	1.83	N/A	N/A	0.85	1.87	6.42	N/A	6.67	0.26	N/A	3.85	1.72	6.00	4.20	7.84	4.74	0.32	18.83	4.40	0.00	10.00	2.01	N/A	1.26	N/A	0.81	1.49	N/A	2.99	N/A		
		Comments																																				
		Action																																				
		Result																																				
X14	8/24/2010	M	<0.005	21.10	0.52	<50	43.20	<0.01	<0.005	73.10	0.04	2.1100	<0.1	0.5800	400.00	1.63	0.008	16.20	1380.000	0.48	5.53	3.440	0.5400	61.00	0	0.1800	4180.00	<0.01	253.00	<0.5	0.08	1.2500	<0.2	42.400	<0.1			
X14	8/24/2010	DUPLICATE	<0.005	8.60	0.50	<50	44.50	<0.01	<0.005	75.40	0.04	2.1700	<0.1	0.8000	431.00	1.61	0.008	16.40	1390.000	0.49	5.43	3.590	1.4100	61.00	0	0.2100	4100.00	<0.01	251.00	<0.5	0.08	1.3100	<0.2	44.800	<0.1			
		RPD (%)	N/A	84.18	3.92	N/A	2.96	N/A	N/A	3.10	2.53	2.80	N/A	31.88	7.46	N/A	1.23	1.24	1.23	0.72	2.06	1.82	4.27	89.23	0.00	11.76	15.38	1.93	N/A	0.79	N/A	0.00	4.69	N/A	5.50	N/A		
		Comments																																			Both values > PQL and correctly entered into emLine.	
		Action																																			Let Value Stand	
		Result																																			Discrepancy between values remains.	
X5	8/31/2010	M	<0.03	6.00	0.30	<300	14.80	<0.05	<0.03	298.00	0.17	14.30	<0.5	0.50	516.00	<0.05	7.00	0.04	67.90	7780.00	0.50	20.00	18.20	1.99	376.00	0.30	<0.2	2500.00	<0.05	933.0	<3	0.690	1.13	<1	206.00	<0.5		
X5	8/31/2010	DUPLICATE	<0.03	5.00	0.30	<300	16.10	<0.05	<0.03	297.00	0.16	14.20	<0.5	0.60	520.00	<0.05	6.90	0.04	66.80	7590.00	0.50	19.60	19.10	2.16	361.00	0.30	<0.2	2410.00	<0.05	1010.0	<3	0.750	1.22	<1	206.00	<0.5		
		RPD (%)	N/A	18.18	0.00	N/A	8.41	N/A	N/A	0.34	6.06	0.70	N/A	18.18	0.77	N/A	1.44	4.76	1.63	2.47	0.00	2.02	4.83	8.19	4.07	0.00	N/A	3.67	N/A	7.93	N/A	8.33	7.66	N/A	0.00	N/A		
		Comments																																				
		Action																																				
		Result																																				
X2	10/18/2010	M	<0.005	8.80	0.55	<50	53.10	<0.01	<0.005	33.20	0.02	0.18	<0.1	0.42	215.00	0.80	0.01	7.69	74.60	0.53	2.59	0.64	0.52	<10	0.06	0.39	5630.00	<0.01	141.0	<0.5	0.004	1.46	<0.2	14.20	<0.1			
X2	10/18/2010	DUPLICATE	<0.005	10.50	0.56	<50	53.70	<0.01	<0.005	32.70	0.02	0.16	<0.1	0.42	216.00	0.75	0.01	7.34	74.30	0.54	2.40	0.59	0.72	<10	0.06	0.31	5540.00	<0.01	139.0	<0.5	0.004	1.51	<0.2	15.40	<0.1			
		RPD (%)	N/A	17.62	1.80	N/A	1.12	N/A	N/A	1.52	10.53	15.48	N/A	0.00	0.46	N/A	6.45	0.00	4.66	0.40	1.87	7.62	8.13	31.10	N/A	0.00	22.86	1.61	N/A	1.43	N/A	0.00	3.37	N/A	8.11	N/A		
		Comments																																				
		Action																																				
		Result																																				

RPD > 50%
RPD > 100%

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU			
X14	6/29/2010	M			84	<0.5	248	258	<0.5			<0.5	<5	511		2.3		100	0.1	<0.5	7.95	180	370	1.5	<1	0.9	
X14	6/29/2010	SPLIT			84	<0.5	255	256	<0.5			<0.5	10	510		2.5		100	0.14	<0.5	7.93	180	350	2.7	<1	0.9	
		RPD (%)	N/A	N/A	0.00	N/A	2.78	0.78	N/A	N/A	N/A	N/A	N/A	0.20	8.33		0.00		33.33	N/A	0.02	0.00	5.56	57.14	N/A	0.00	
		Comments																								Both values correctly entered into emLine; however, main sample value not > PQL. Therefore, RPD analysis not valid in this case.	
		Action																								Let Value Stand	
		Result																								Discrepancy between values remains.	
X5P	7/10/2010	M			110.00	<0.5	1090.00	1010.00	1.10			<0.5		1780.00			130.00	0.69	<0.5	7.79	990.00	1500.00		4.00			
X5P	7/10/2010	SPLIT			110.00	<0.5	1100.00	1040.00	1.00			<0.5		1780.00			130.00	0.65	<0.5	7.73	950.00	1500.00		5.00			
		RPD (%)	N/A	N/A	0.00	N/A	0.91	2.93	9.52	N/A	N/A	N/A	N/A	0.00	N/A		0.00		5.97	N/A	0.06	4.12	0.00	N/A	22.22	N/A	
		Comments																									
		Action																									
		Result																									
X5	7/20/2010	M			120.00	<0.5	1050.00	1020.00	1.70		0.03	<0.5	<5	1830.00			150.00	0.79	<0.5	7.85	980.00	1600.00		2.00	1.70		
X5	7/20/2010	SPLIT			120.00	<0.5	1050.00	1010.00	1.70		0.03	<0.5	<5	1830.00			150.00	0.79	<0.5	7.87	990.00	1600.00		2.00	1.50		
		RPD (%)	N/A	N/A	0.00	N/A	0.00	0.99	0.00	N/A	4.85	N/A	N/A	0.00	N/A		0.00		0.00	N/A	0.02	1.02	0.00	N/A	0.00	12.50	
		Comments																									
		Action																									
		Result																									
X5	7/27/2010	M			110.00	<0.5	1060.00	1030.00	1.10		0.03	<0.5	<5	1780.00			130.00	0.75	<0.5	7.92	960.00	1600.00		2.00	2.50		
X5	7/27/2010	SPLIT			110.00	<0.5	1080.00	1100.00	1.30		0.03	<0.5	<5	1810.00			130.00	0.84	<0.5	7.86	930.00	1600.00		2.00	2.70		
		RPD (%)	N/A	N/A	0.00	N/A	1.87	6.57	16.67	N/A	6.48	N/A	N/A	1.67	N/A		0.00		11.32	N/A	0.06	3.17	0.00	N/A	0.00	7.69	
		Comments																									
		Action																									
		Result																									
X3	8/3/2010	M			87.00	<0.5	111.00	85.00	<0.5			<0.5		189.00		2.00	110.00	<0.05	<0.5	8.16	14.00	120.00		2.50	<1		
X3	8/3/2010	SPLIT			87.00	<0.5	84.30	87.00	<0.5			<0.5		187.00		2.20	110.00	<0.05	<0.5	8.10	14.00	130.00		2.10	<1		
		RPD (%)	N/A	N/A	0.00	N/A	27.34	2.33	N/A	N/A	N/A	N/A	N/A	1.06	9.52		0.00		N/A	N/A	0.06	0.00	8.00	17.39	N/A	N/A	
		Comments																									
		Action																									
		Result																									
X11	8/5/2010	M	<0.5	33.70	300.00	<0.5		1640.00	2.50			<0.5		2540.00			370.00		<0.5	7.37	1400.00			8.00			
X11	8/5/2010	SPLIT	<0.5	33.70	310.00	<0.5		1670.00	2.60			<0.5		2540.00			380.00		<0.5	7.42	1400.00			7.00			
		RPD (%)	N/A	0.00	3.28	N/A	N/A	1.81	3.92	N/A	N/A	N/A	N/A	0.00	N/A		2.67		N/A	N/A	0.05	0.00	N/A	N/A	13.33	N/A	
		Comments																									
		Action																									
		Result																									
X14	8/10/2010	M			100.00	<0.5	329.00	318.00	0.70			<0.5	10.00	638.00		2.20	120.00	0.19	<0.5	7.78	220.00	440.00		2.30	<4	1.40	
X14	8/10/2010	SPLIT			100.00	<0.5	332.00	317.00	0.60			<0.5	15.00	648.00		2.10	120.00	0.19	<0.5	7.97	210.00	440.00		2.30	<4	1.50	
		RPD (%)	N/A	N/A	0.00	N/A	0.91	0.31	15.38	N/A	N/A	N/A	40.00	1.56	4.65		0.00		0.00	N/A	0.19	4.65	0.00	0.00	0.00	N/A	6.90
		Comments																									
		Action																									
		Result																									
X5	8/24/2010	M			88.00	<0.5	1010.00	1150.00	2.20		0.05	<0.5	<5	1740.00			110.00	0.80	<0.5	8.01	1100.00	1500.00		<1	3.80		
X5	8/24/2010	SPLIT			88.00	<0.5	1030.00	1140.00	1.90		0.05	<0.5	<5	1750.00			110.00	0.84	<0.5	8.04	1100.00	1500.00		<1	3.90		
		RPD (%)	N/A	N/A	0.00	N/A	1.96	0.87	14.63	N/A	5.60	N/A	N/A	0.57	N/A		0.00		4.88	N/A	0.03	0.00	0.00	N/A	N/A	2.60	
		Comments																									
		Action																									
		Result																									
X14	8/31/2010	M			100.00	<0.5	296.00	314.00	<0.5			<0.5		610.00		3.70	120.00	0.11	<0.5	8.17	220.00	420.00		3.70	<1		
X14	8/31/2010	SPLIT			99.00	<0.5	300.00	301.00	<0.5			<0.5		613.00		3.10	120.00	0.12	<0.5	8.11	220.00	410.00		2.90	<1		
		RPD (%)	N/A	N/A	1.01	N/A	1.34	4.23	N/A	N/A	N/A	N/A	N/A	0.49	17.65		0.00		8.70	N/A	0.06	0.00	2.41	24.24	N/A	N/A	
		Comments																									
		Action																									
		Result																									

RPD > 50%

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
X3	9/2/2010	M			83.00	<0.5	89.40	94.30	<0.5			<0.5		186.00	2.70	100.00	0.19	<0.5	7.99	13.00	110.00	2.30	<1	0.70
X3	9/2/2010	SPLIT			82.00	<0.5	89.70	91.70	<0.5			<0.5		193.00	1.20	100.00	0.19	<0.5	7.90	15.00	110.00	1.40	<1	0.50
RPD (%)			N/A	N/A	1.21	N/A	0.34	2.80	N/A	N/A	N/A	N/A	N/A	3.69	76.92	0.00	0.00	N/A	0.09	14.29	0.00	48.65	N/A	33.33
Comments			Both values correctly entered into emLine; however, split value not > PQL. Therefore, RPD analysis not valid in this case.																					
Action			Let Value Stand																					
Result			Discrepancy between values remains.																					
X7	10/6/2010	M			7.40	<0.5	4680.00	4480.00	9.20			<0.5		8490.00		9.10	4.20	<0.5	5.18	9300.00	11000.00		100.00	
X7	10/6/2010	SPLIT			4.40	<0.5	4740.00	4310.00	9.10			<0.5		8510.00		5.30	2.70	<0.5	5.12	9400.00	10000.00		99.00	
RPD (%)			N/A	N/A	50.85	N/A	1.27	3.87	1.09	N/A	N/A	N/A	N/A	0.24	N/A	52.78	43.48	N/A	0.06	1.07	9.52	N/A	1.01	N/A
Comments			Both values > PQL and correctly entered into emLine.																					
Action			Let Value Stand																					
Result			Retest request would be filed past hold time. Discrepancy between values remains.																					
FCO	10/7/2010	M			17.00	<0.5	47.10	47.10	<0.5			<0.5		123.00		21.00	0.04	<0.5	7.20	37.00	80.00		3.00	
FCO	10/7/2010	SPLIT			22.00	<0.5	46.60	48.60	<0.5			<0.5		122.00		27.00	0.01	<0.5	7.27	40.00	80.00		3.00	
RPD (%)			N/A	N/A	25.64	N/A	1.07	3.13	N/A	N/A	N/A	N/A	N/A	0.82	N/A	25.00	140.43	N/A	0.07	7.79	0.00	N/A	0.00	N/A
Comments			Both values correctly entered into emLine; however, split value not > PQL. Therefore, RPD analysis not valid in this case.																					
Action			Let Value Stand																					
Result			Discrepancy between values remains.																					
R9	10/19/2010	M			96.00	<0.5	108.00	113.00	<0.5			<0.5		213.00	1.70	120.00	0.03	<0.5	7.99	14.00	110.00	1.40	<1	1.00
R9	10/19/2010	SPLIT			96.00	<0.5	107.00	112.00	0.60			<0.5		211.00	2.50	120.00	0.07	<0.5	7.90	15.00	130.00	1.80	<1	1.00
RPD (%)			N/A	N/A	0.00	N/A	0.93	0.89	N/A	N/A	N/A	N/A	N/A	0.94	38.10	0.00	85.71	N/A	0.09	6.90	16.67	25.00	N/A	0.00
Comments			Both values > PQL and correctly entered into emLine.																					
Action			Request Retest																					
Result			Retest performed, see results below.																					
R9 Retest	10/19/2010	M															0.02							
R9 Retest	10/19/2010	SPLIT															0.02							
RPD (%)			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12.50	N/A	0.00	N/A	N/A	N/A	N/A	N/A
Comments			Retest for October 19 R9 sample and split. Both values correctly entered into emLine; however, neither value > PQL. Therefore, RPD analysis not valid in this case.																					
Action			Let Value Stand																					
Result			Discrepancy between values resolved.																					
X23	11/4/2010	M	<0.5	1030.00	90.00	<0.5		5770.00	14.00			<0.5		7740.00		110.00		<0.5	6.81	7600.00		170.00		
X23	11/4/2010	SPLIT	<0.5	1080.00	90.00	<0.5		5820.00	15.00			<0.5		7710.00		110.00		<0.5	6.75	7100.00		190.00		
RPD (%)			N/A	4.74	0.00	N/A	N/A	0.86	6.90	N/A	N/A	N/A	N/A	0.39	N/A	0.00	N/A	N/A	0.06	6.80	N/A	N/A	11.11	N/A
Comments																								
Action																								
Result																								
X14	11/18/2010	M			170.00	<0.5	598.00	641.00	0.80			<0.5		1080.00	1.70	210.00	0.20	<0.5	8.05	420.00	800.00	1.30	6.00	3.18
X14	11/18/2010	SPLIT			170.00	<0.5	638.00	601.00	1.10			<0.5		1070.00	1.40	210.00	0.20	<0.5	7.98	420.00	790.00	1.30	5.00	3.87
RPD (%)			N/A	N/A	0.00	N/A	6.47	6.44	31.58	N/A	N/A	N/A	N/A	0.93	19.35	0.00	0.00	N/A	0.07	0.00	1.26	0.00	18.18	19.57
Comments																								
Action																								
Result																								

RPD > 50%

Table C-52: Rose Creek Drainage Water Quality
2010 QA/QC Splits - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
X5	11/25/2010	M			260.00	<0.5	1430.00	1610.00	2.80	0.01		<0.5	<5	2500.0000		320.00	0.96	<0.5	7.43	1400.000	2300.00		<4	4.8000
X5	11/25/2010	SPLIT			260.00	<0.5	1530.00	1660.00	3.20	0.01		<0.5	<5	2500.0000		320.00	0.96	<0.5	7.47	1400.000	2400.00		<4	4.9000
		RPD (%)	N/A	N/A	0.00	N/A	6.76	3.06	13.33	4.58	N/A	N/A	N/A	0.00	N/A	0.00	0.00	N/A	0.04	0.00	4.26	N/A	N/A	2.06
		Comments																						
		Action																						
		Result																						
X5	12/2/2010	M			270.00	<0.5	1560.00	1590.00	2.30	0.01		<0.5	<5	2470.00		330.00	0.97	<0.5	7.73	1400.00	2300.00		2.00	5.00
X5	12/2/2010	SPLIT			270.00	<0.5	1580.00	1580.00	1.90	0.01		<0.5	<5	2470.00		330.00	0.98	<0.5	7.66	1400.00	2200.00		2.00	5.10
		RPD (%)	N/A	N/A	0.00	N/A	1.27	0.63	19.05	0.00	N/A	N/A	N/A	0.00	N/A	0.00	1.03	N/A	0.07	0.00	4.44	N/A	0.00	1.98
		Comments																						
		Action																						
		Result																						

RPD > 50%

Station	Date	Sample Type	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d			
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
X14	6/29/2010	M	<0.005	6.6	0.36	36.8	<50	<0.01	<0.005	75	0.032	3.22	<0.1	0.64	165	<0.01	1.5	0.0061	17.1	1840	0.44	5.36	5.13	0.362	0.1	61	0.19	4490	<0.01	232	<0.5	0.08	1.07	<0.2	45.9	<0.1			
X14	6/29/2010	SPLIT	<0.005	6.2	0.34	36.5	<50	<0.01	<0.005	74.8	0.039	3.08	<0.1	0.57	160	<0.01	1.47	0.0061	16.8	1820	0.46	5.23	4.81	0.203	0.15	60	0.17	4500	<0.01	233	<0.5	0.079	1.09	<0.2	45.7	<0.1			
		RPD (%)	N/A	6.25	5.71	0.82	N/A	N/A	N/A	0.27	19.72	4.44	N/A	11.57	3.08	N/A	2.02	0.00	1.77	1.09	4.44	2.46	6.44	56.28	40.00	1.65	11.11	0.22	N/A	0.43	N/A	1.26	1.85	N/A	0.44	N/A			
		Comments																																					
		Action																																					
		Result																																					
X5P	7/10/2010	M	<0.005	4.40	0.26	14.90	<50	<0.01	0.02	287.00	0.09	17.30	<0.1	0.38	25.00		7.13	0.04	72.20	9320.00	0.63	21.90	23.00	0.96	0.23	398.00	0.12	2660.00	<0.01	1030.0	<0.5	0.582	1.55	<0.2	151.00	<0.1			
X5P	7/10/2010	SPLIT	<0.005	3.90	0.23	14.60	<50	<0.01	0.06	304.00	0.12	16.00	<0.1	0.38	28.00		6.61	0.04	68.90	8620.00	0.60	20.70	22.10	1.12	0.24	369.00	0.12	2830.00	<0.01	1000.0	<0.5	0.587	1.55	<0.2	141.00	<0.1			
		RPD (%)	N/A	12.05	12.24	2.03	N/A	N/A	90.48	5.75	23.30	7.81	N/A	0.00	11.32	N/A	7.57	4.79	4.68	7.80	4.88	5.63	3.99	15.70	4.26	7.56	0.00	6.19	N/A	2.96	N/A	0.86	0.00	N/A	6.85	N/A			
		Comments							Both values correctly entered into emLine; however, main sample value not > PQL. Therefore, RPD analysis not valid in this case.																														
		Action							Let Value Stand																														
		Result							Discrepancy between values remains.																														
X5	7/20/2010	M	<0.03	5.00	0.70	15.10	<300	<0.05	<0.03	296.00	0.14	22.80	<0.5	0.50	26.00	<0.05	6.20	0.04	67.00	11500.00	0.60	20.50	33.00	1.40	0.30	341.00	0.30	3100.00	<0.05	959.0	<3	0.540	1.96	<1	270.00	<0.5			
X5	7/20/2010	SPLIT	<0.03	7.00	0.70	15.30	<300	<0.05	<0.03	294.00	0.14	22.70	<0.5	0.50	32.00	<0.05	6.10	0.04	67.60	11500.00	0.50	20.30	33.80	1.37	0.30	336.00	0.30	3010.00	<0.05	951.0	<3	0.510	1.96	<1	270.00	<0.5			
		RPD (%)	N/A	33.33	0.00	1.32	N/A	N/A	N/A	0.68	0.00	0.44	N/A	0.00	20.69	N/A	1.63	0.00	0.89	0.00	18.18	0.98	2.40	2.17	0.00	1.48	0.00	2.95	N/A	0.84	N/A	5.71	0.00	N/A	0.00	N/A			
		Comments																																					
		Action																																					
		Result																																					
X5	7/27/2010	M	<0.03	3.00	0.20	15.60	<300	<0.05	<0.03	295.00	0.23	18.70	<0.5	1.20	26.00	<0.05	6.90	0.04	71.70	9790.00	0.90	20.70	25.30	0.38	0.30	379.00	<0.2	2920.00	<0.05	946.0	<3	0.610	1.58	<1	283.00	<0.5			
X5	7/27/2010	SPLIT	<0.03	4.00	0.20	16.40	<300	<0.05	<0.03	313.00	0.25	20.20	<0.5	1.40	32.00	<0.05	7.20	0.04	76.50	10100.00	0.60	22.20	27.10	0.91	0.30	389.00	<0.2	3150.00	0.06	1000.0	<3	0.640	1.68	<1	304.00	<0.5			
		RPD (%)	N/A	28.57	0.00	5.00	N/A	N/A	N/A	5.92	8.33	7.71	N/A	15.38	20.69	N/A	4.26	4.88	6.48	3.12	40.00	6.99	6.87	82.17	0.00	2.60	N/A	7.58	N/A	5.55	N/A	4.80	6.13	N/A	7.16	N/A			
		Comments																																					
		Action																																					
		Result																																					
X3	8/3/2010	M	<0.005	11.20	0.51	45.80	<50	<0.01	<0.005	25.20	0.01	0.06	<0.1	0.68	139.00		0.69	0.00	5.34	26.20	0.46	2.04	0.46	1.90	0.06	<10	0.19	4030.00	<0.01	116.0	<0.5	0.003	1.13	<0.2	6.80	<0.1			
X3	8/3/2010	SPLIT	<0.005	7.60	0.55	44.60	<50	<0.01	<0.005	25.70	0.01	0.06	<0.1	0.61	132.00		0.66	0.00	5.56	24.90	0.49	2.13	0.43	1.01	0.06	<10	0.19	3650.00	<0.01	117.0	<0.5	0.003	1.14	<0.2	4.70	<0.1			
		RPD (%)	N/A	38.30	7.55	2.65	N/A	N/A	N/A	1.96	18.18	5.31	N/A	10.85	5.17	N/A	4.44	2.90	4.04	5.09	6.32	4.32	6.74	61.17	0.00	N/A	0.00	9.90	N/A	0.86	N/A	0.00	0.88	N/A	36.52	N/A			
		Comments																																					
		Action																																					
		Result																																					
X11	8/5/2010	M	<0.03	3.00	1.60	34.30	<300	<0.05	<0.03	491.00	0.12	24.00	<0.5	<0.3	3530.00	<0.05	7.10	0.02	99.40	23700.00	0.40	34.60	32.00	0.20	<0.1	505.00	<0.2	8960.00	<0.05	1170.0	<3	0.040	4.99	<1	11.10	<0.5			
X11	8/5/2010	SPLIT	<0.03	3.00	1.70	34.90	<300	<0.05	<0.03	502.00	0.12	25.80	<0.5	<0.3	3660.00	<0.05	7.30	0.02	102.00	24900.00	0.50	35.40	33.60	0.77	<0.1	527.00	<0.2	9120.00	<0.05	1170.0	<3	0.040	5.10	<1	11.80	<0.5			
		RPD (%)	N/A	0.00	6.06	1.73	N/A	N/A	N/A	2.22	0.00	7.23	N/A	N/A	3.62	N/A	2.78	0.00	2.58	4.94	22.22	2.29	4.88	117.53	N/A	4.26	N/A	1.77	N/A	0.00	N/A	0.00	2.18	N/A	6.11	N/A			
		Comments																																					
		Action																																					
		Result																																					
X11 Retest	8/5/2010	M																						0.35															
X11 Retest	8/5/2010	SPLIT																						2.07															
		RPD (%)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	142.15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
		Comments																																					
		Action																																					

Table C-53: Rose Creek Drainage Water Quality
2010 QA/QC Splits - Dissolved Metals

Station	Date	Sample Type	Ag-d µg/L	Al-d µg/L	As-d µg/L	Ba-d µg/L	B-d µg/L	Be-d µg/L	Bi-d µg/L	Ca-d mg/L	Cd-d µg/L	Co-d µg/L	Cr-d µg/L	Cu-d µg/L	Fe-d µg/L	Hg-d µg/L	K-d mg/L	Li-d mg/L	Mg-d mg/L	Mn-d µg/L	Mo-d µg/L	Na-d mg/L	Ni-d µg/L	Pb-d µg/L	Sb-d µg/L	S-d mg/L	Se-d µg/L	Si-d µg/L	Sn-d µg/L	Sr-d µg/L	Ti-d µg/L	Tl-d µg/L	U-d µg/L	V-d µg/L	Zn-d µg/L	Zr-d µg/L	
			<div style="display: flex; justify-content: space-between;"> RPD > 50% RPD > 100% </div>																																		
X14	8/31/2010	M	<0.005	3.90	0.35	45.00	<50	<0.01	<0.005	93.70	0.03	2.72	<0.1	0.39	166.00		1.90	0.01	19.60	1790.00	0.51	6.33	4.08		0.49	0.11	81.00	0.22	4090.00	<0.01	309.0	<0.5	0.121	1.57	<0.2	42.00	<0.1
X14	8/31/2010	SPLIT	<0.005	3.10	0.35	44.90	<50	<0.01	<0.005	88.70	0.05	2.69	<0.1	0.47	166.00		1.90	0.01	19.30	1780.00	0.54	6.24	4.42		0.25	0.09	83.00	0.20	3800.00	<0.01	314.0	<0.5	0.125	1.60	<0.2	41.50	<0.1
		RPD (%)	N/A	22.86	0.00	0.22	N/A	N/A	N/A	5.48	49.35	1.11	N/A	18.60	0.00	N/A	0.00	0.00	1.54	0.56	5.71	1.43	8.00	66.67	20.00	2.44	9.52	7.35	N/A	1.61	N/A	3.25	1.89	N/A	1.20	N/A	
		Comments																									Both values > PQL and correctly entered into emLine.										
		Action																																			
		Result																																			
X3	9/2/2010	M	<0.005	6.20	0.47	44.50	<50	<0.01	<0.005	28.10	0.02	0.20	<0.1	0.60	137.00		0.90	0.00	5.88	34.30	0.46	2.36	0.67		0.69	0.06	<10	0.16	4940.00	<0.01	122.0	<0.5	0.003	1.12	<0.2	42.80	<0.1
X3	9/2/2010	SPLIT	<0.005	6.10	0.46	45.30	<50	<0.01	<0.005	27.20	0.02	0.13	<0.1	0.82	133.00		0.80	0.00	5.78	27.60	0.42	2.24	0.57		0.79	0.05	<10	0.17	4330.00	<0.01	127.0	<0.5	0.003	1.18	<0.2	28.10	<0.1
		RPD (%)	N/A	1.63	2.15	1.78	N/A	N/A	N/A	3.25	17.14	45.68	N/A	30.99	2.96	N/A	11.76	0.00	1.72	21.65	9.09	5.22	16.13	14.18	18.18	N/A	6.06	13.16	N/A	4.02	N/A	0.00	5.22	N/A	41.47	N/A	
		Comments																																			
		Action																																			
		Result																																			
X7	10/6/2010	M	<0.5	1890.00	26.00	14.00	<5000	<1	<0.5	405.00	20.10	1370.00	<10	<5	1610000.00		12.00	0.15	842.00	103000.00	<5	55.00	1210.00		20.40	<2	3040.00	<4	18200.00	<1	4040.0	59.00	0.300	8.70	<20	574000.00	<10
X7	10/6/2010	SPLIT	<0.5	2040.00	29.00	15.00	<5000	<1	<0.5	381.00	19.40	1340.00	<10	<5	1530000.00		12.00	0.14	816.00	101000.00	<5	54.00	1140.00		20.70	<2	2830.00	<4	16900.00	<1	4050.0	<50	0.300	5.70	<20	565000.00	<10
		RPD (%)	N/A	7.63	10.91	6.90	N/A	N/A	N/A	6.11	3.54	2.21	N/A	N/A	5.10	N/A	0.00	3.44	3.14	1.96	N/A	1.83	5.96	1.46	N/A	7.16	N/A	7.41	N/A	0.25	N/A	0.00	41.67	N/A	1.58	N/A	
		Comments																																			
		Action																																			
		Result																																			
FCO	10/7/2010	M	<0.005	81.70	0.07	34.50	<50	0.05	<0.005	12.30	1.78	2.57	<0.1	28.50	30.00		0.45	0.00	3.98	43.20	0.10	2.95	7.21		0.15	0.04	13.00	<0.04	7550.00	<0.01	64.5	<0.5	0.004	0.14	<0.2	1290.00	<0.1
FCO	10/7/2010	SPLIT	<0.005	73.30	0.05	34.50	<50	0.05	<0.005	12.90	1.81	2.55	<0.1	28.60	29.00		0.46	0.00	4.01	43.30	0.08	2.95	7.37		0.10	0.04	14.00	<0.04	7870.00	<0.01	64.4	<0.5	0.005	0.12	<0.2	1290.00	<0.1
		RPD (%)	N/A	10.84	33.33	0.00	N/A	0.00	N/A	4.76	1.67	0.78	N/A	0.35	3.39	N/A	2.20	0.00	0.75	0.23	22.22	0.00	2.19	42.28	0.00	7.41	N/A	4.15	N/A	0.16	N/A	22.22	11.76	N/A	0.00	N/A	
		Comments																																			
		Action																																			
		Result																																			
R9	10/19/2010	M	0.0060	5.40	0.56	52.300	<50	<0.01	<0.005	34.00	0.02	0.0310	<0.1	0.5300	109.00		0.85	0.005	6.84	17.100	0.61	2.50	0.380		0.7130	0.07	<10	0.3100	5700.00	0.02	135.00	<0.5	<0.002	1.6100	<0.2	4.400	<0.1
R9	10/19/2010	SPLIT	<0.005	5.50	0.56	52.400	<50	<0.01	<0.005	33.30	0.01	0.0370	<0.1	0.4800	112.00		0.81	0.005	6.99	17.900	0.62	2.51	0.360		0.6380	0.07	<10	0.3000	5570.00	<0.01	138.00	<0.5	<0.002	1.6300	<0.2	4.000	<0.1
		RPD (%)	N/A	1.83	0.00	0.19	N/A	N/A	N/A	2.08	22.22	17.65	N/A	9.90	2.71	N/A	4.82	2.11	2.17	4.57	1.63	0.40	5.41	11.10	0.00	N/A	3.28	2.31	N/A	2.20	N/A	N/A	1.23	N/A	9.52	N/A	
		Comments																																			
		Action																																			
		Result																																			
X23	11/4/2010	M	0.50	<60	<2	<20	<1000	<2	<20	500.00	75.70	1310.00	<20	6.00	177000.00	<0.4	18.00	0.22	1100.00	105000.00	<20	71.00	1410.00		<4	<10	2470.00	<2	8340.00	<100	4140.0	<100	2.000	13.00	<100	665000.00	<10
X23	11/4/2010	SPLIT	0.50	<60	<2	<20	<1000	<2	<20	486.00	77.20	1340.00	<20	5.00	173000.00	<0.4	18.00	0.21	1120.00	108000.00	<20	73.00	1440.00		<4	<10	2510.00	<2	7930.00	<100	4200.0	<100	2.000	13.00	<100	688000.00	<10
		RPD (%)	0.00	N/A	N/A	N/A	N/A	N/A	N/A	2.84	1.96	2.26	N/A	18.18	2.29	N/A	0.00	4.12	1.80	2.82	N/A	2.78	2.11	N/A	N/A	1.61	N/A	5.04	N/A	1.44	N/A	0.00	0.00	N/A	3.40	N/A	
		Comments																																			
		Action																																			
		Result																																			
X14	11/18/2010	M	<0.005	1.40	0.25	57.50	<50	<0.01	<0.005	194.00	0.09	13.00	<0.1	0.30	194.00		3.18	0.01	38.20	8710.00	0.56	12.10	18.10		0.07	0.08	175.00	0.21	6880.00	<0.01	539.0	<0.5	0.071	3.13	<0.2	123.00	<0.1
X14	11/18/2010	SPLIT	<0.005	1.40	0.26	55.80	<50	<0.01	<0.005	176.00	0.11	13.30	<0.1	0.45	173.00		3.29	0.01	39.40	8940.00	0.54	12.50	19.10		0.03	0.08	180.00	0.19	6320.00	<0.01	527.0	<0.5	0.069	3.07	<0.2	127.00	<0.1
		RPD (%)	N/A	0.00	3.92	3.00	N/A	N/A	N/A	9.73	17.26	2.28	N/A	40.00	11.44	N/A	3.40	1.71	3.09	2.61	3.64	3.25	5.38	88.66	0.00	2.82	10.00	8.48	N/A	2.25	N/A	2.86	1.94	N/A	3.20	N/A	
		Comments																									Both values > PQL and correctly entered into emLine.										
		Action																																			
		Result																																			
X5	11/25/2010	M	<0.03	2.00	0.20	22.40	<300	<0.05	<0.03	474.00	0.18	64.90	<0.5	<0.3	69.00	<0.05	6.70	0.03	103.00	34500.00	0.40	32.30	82.00		0.05	<0.1	527.00	<0.2	7690.00	<0.05	1230.0	<3	0.230	4.58	<1	393.00	<0.5
X5	11/25/2010	SPLIT	<0.03	2.00	0.20	23.60	<300	<0.05	<0.03	505.00	0.15	63.00	<0.5	<0.3	83.00	<0.05	6.60	0.03	97.90	34300.00	0.40	31.00	77.90		0.05	<0.1	522.00	<0.2	8320.00	<0.05	1260.0	<3	0.220	4.66	<1	387.00	<0.5
		RPD (%)	N/A	0.00	0.00	5.22	N/A	N/A	N/A	6.33	18.18	2.97	N/A	N/A	18.42	N/A	1.50	3.92	5.08	0.58	0.00	4.11	5.13	0.00	N/A	0.95	N/A	7.87	N/A	2.41	N/A	4.44	1.73	N/A	1.54	N/A	
		Comments																																			
		Action																																			
		Result																																			
X5	12/2/2010	M	<0.03	3.00	<0.1	22.40	<300	<0.05	<0.03	470.00	0.15	66.20	<0.5	1.00	16.00	<0.05	6.60	0.03	101.00	35700.00	0.40	31.60	88.10		0.53	<0.1	521.00	<0.2	7830.00	<0.05	1240.0	<3	0.210	4.88	<1	408.00	<0.5
X5	12/2/2010	SPLIT	<0.03	3.00	<0.1	22.90	<300	<0.05	<0.03	469.00	0.15	65.60	<0.5	0.40	100.00	<0.05	6.50	0.03	99.50	35300.00	0.40	31.20	81.90		0.06	<0.1	510.00	<0.2	7790.00	<0.05	1250.0	<3	0.220	4.99	<1	390.00	<0.5
		RPD (%)	N/A	0.00	N/A	2.21	N/A	N/A	N/A	0.21	0.00	0.91	N/A	85.71	144.83	N/A	1.53	0.00	1.50	1.13	0.00	1.27	7.29	159.32	N/A	2.13	N/A	0.51	N/A	0.80	N/A	4.65	2.23	N/A	4.51	N/A	
		Comments													Both values > PQL and correctly entered into emLine.				Both values correctly entered into emLine; however, main sample value not > PQL. Therefore, RPD analysis not valid in this case.				Both values correctly entered into emLine; however, split value not > PQL. Therefore, RPD analysis not valid in this case.														
		Action																																			
		Result																																			

RPD > 50%
RPD > 100%

Station	Date	Sample Type	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
X14	6/29/2010	M	<0.005	17.4	0.41	<50	38.8	<0.01	0.007	71.2	0.036	3.2200	0.3	0.65	274	<0.01	1.46	0.0079	17.1	1860	0.49	5.1	5.06	0.369	67	0.1	0.2	4330	<0.01	236	<0.5	0.078	1.24	<0.2	49.3	<0.1
X14	6/29/2010	SPLIT	<0.005	12.7	0.43	<50	38.1	<0.01	<0.005	73.1	0.046	3.2700	<0.1	0.63	276	<0.01	1.53	0.0073	17.5	1890	0.41	5.26	5.11	0.362	69	0.1	0.2	4470	<0.01	242	<0.5	0.077	1.23	<0.2	50.4	<0.1
RPD (%)			N/A	31.23	4.76	N/A	1.82	N/A	N/A	2.63	24.39	1.54	N/A	3.13	0.73	N/A	4.68	7.89	2.31	1.60	17.78	3.09	0.98	1.92	2.94	0.00	0.00	3.18	N/A	2.51	N/A	1.29	0.81	N/A	2.21	N/A
Comments																																				
Action																																				
Result																																				
X5P	7/10/2010	M	<0.005	31.80	0.38	<50	17.20	<0.01	0.09	318.00	0.13	16.90	<0.1	1.01	272.00		6.84	0.04	72.70	8980.00	0.63	22.10	22.70	3.10	387.00	0.28	0.12	2930.00	<0.01	1020.0	1.30	0.566	1.56	0.30	173.00	<0.1
X5P	7/10/2010	SPLIT	<0.005	30.80	0.35	<50	17.40	<0.01	0.05	318.00	0.14	17.20	<0.1	0.93	279.00		6.90	0.04	73.60	8940.00	0.63	22.30	23.30	2.88	379.00	0.28	0.13	2970.00	<0.01	1020.0	0.80	0.589	1.56	0.30	171.00	<0.1
RPD (%)			N/A	3.19	8.22	N/A	1.16	N/A	55.07	0.00	7.41	1.76	N/A	8.25	2.54	N/A	0.87	7.88	1.23	0.45	0.00	0.90	2.61	7.36	2.09	0.00	8.00	1.36	N/A	0.00	47.62	3.98	0.00	0.00	1.16	N/A
Comments			Both values > PQL and correctly entered into emLine.																																	
Action																																				
Result			Let Value Stand																																	
Result			Discrepancy between values remains.																																	
X5	7/20/2010	M	<0.03	5.00	0.50	<300	15.20	<0.05	<0.03	303.00	0.16	21.90	<0.5	0.40	379.00	<0.05	6.20	0.04	71.50	11300.00	0.60	21.80	29.20	1.89	383.00	0.30	<0.2	3490.00	<0.05	905.0	<3	0.530	1.83	<1	267.00	<0.5
X5	7/20/2010	SPLIT	<0.03	5.00	0.50	<300	15.80	<0.05	<0.03	304.00	0.16	22.10	<0.5	0.70	373.00	<0.05	6.30	0.04	71.00	11200.00	0.60	20.60	29.40	1.91	378.00	0.30	0.60	3270.00	<0.05	948.0	<3	0.530	1.80	<1	274.00	<0.5
RPD (%)			N/A	0.00	0.00	N/A	3.87	N/A	N/A	0.33	0.00	0.91	N/A	54.55	1.60	N/A	1.60	7.79	0.70	0.89	0.00	5.66	0.68	1.05	1.31	0.00	N/A	6.51	N/A	4.64	N/A	0.00	1.65	N/A	2.59	N/A
Comments			Both values correctly entered into emLine; however, neither value > PQL. Therefore, RPD analysis not valid in this case.																																	
Action																																				
Result			Let Value Stand																																	
Result			Discrepancy between values remains.																																	
X5	7/27/2010	M	<0.03	10.00	0.90	<300	15.80	<0.05	<0.03	307.00	0.15	20.10	<0.5	0.90	412.00	<0.05	6.50	0.04	71.40	9930.00	13.30	20.70	26.60	3.46	378.00	0.40	0.30	3090.00	<0.05	950.0	5.00	0.640	1.51	3.00	299.00	<0.5
X5	7/27/2010	SPLIT	<0.03	9.00	0.70	<300	16.50	<0.05	<0.03	306.00	0.16	21.00	<0.5	1.20	413.00	<0.05	6.80	0.04	76.90	10400.00	0.60	22.30	34.10	3.12	394.00	0.30	<0.2	3020.00	<0.05	970.0	<3	0.650	1.61	2.00	321.00	<0.5
RPD (%)			N/A	10.53	25.00	N/A	4.33	N/A	N/A	0.33	6.45	4.38	N/A	28.57	0.24	N/A	4.51	2.35	7.42	4.62	182.73	7.44	24.71	10.33	4.15	28.57	N/A	2.29	N/A	2.08	N/A	1.55	6.41	40.00	7.10	N/A
Comments			Both values correctly entered into emLine; however, split value not > PQL. Therefore, RPD analysis not valid in this case.																																	
Action																																				
Result			Let Value Stand																																	
Result			Discrepancy between values remains.																																	
X3	8/3/2010	M	<0.005	9.30	0.51	<50	48.30	<0.01	<0.005	35.30	0.01	0.05	<0.1	0.53	227.00		0.70	0.00	5.56	28.00	0.46	2.09	0.45	0.67	<10	0.06	0.25	5690.00	<0.01	122.0	<0.5	0.003	1.19	<0.2	5.60	<0.1
X3	8/3/2010	SPLIT	<0.005	9.60	0.57	<50	47.80	<0.01	<0.005	25.10	<0.005	0.05	<0.1	0.46	168.00		0.70	0.00	5.25	28.00	0.53	1.96	0.33	0.46	<10	0.06	0.16	3880.00	<0.01	128.0	<0.5	0.003	1.04	<0.2	4.90	<0.1
RPD (%)			N/A	3.17	11.11	N/A	1.04	N/A	N/A	33.77	N/A	8.16	N/A	14.14	29.87	N/A	0.00	2.90	5.74	0.00	14.14	6.42	30.77	N/A	37.74	N/A	0.00	43.90	37.83	N/A	4.80	N/A	0.00	13.45	N/A	13.33
Comments																																				
Action																																				
Result																																				
X14	8/10/2010	M	<0.005	9.40	0.47	<50	43.40	<0.01	<0.005	96.70	0.06	3.45	<0.1	0.63	428.00	<0.01	2.15	0.01	21.30	2120.00	0.54	6.97	5.52	1.23	91.00	0.11	0.20	4050.00	<0.01	329.0	<0.5	0.126	1.52	<0.2	61.40	<0.1
X14	8/10/2010	SPLIT	<0.005	10.70	0.48	<50	45.70	<0.01	0.01	97.50	0.06	3.48	<0.1	0.65	418.00	<0.01	2.21	0.01	21.60	2150.00	0.56	7.11	5.46	1.63	95.00	0.11	0.18	4230.00	<0.01	328.0	<0.5	0.121	1.50	<0.2	61.70	<0.1
RPD (%)			N/A	12.94	2.11	N/A	5.16	N/A	N/A	0.82	13.33	0.87	N/A	3.13	2.36	N/A	2.75	4.52	1.40	1.41	3.64	1.99	1.09	N/A	27.97	4.30	0.00	10.53	4.35	N/A	0.30	N/A	4.05	1.32	N/A	0.49
Comments																																				
Action																																				
Result																																				
X5	8/24/2010	M	<0.03	7.00	0.40	<300	14.70	<0.05	<0.03	295.00	0.19	14.70	<0.5	0.90	513.00	<0.05	6.50	0.04	66.60	7650.00	0.70	20.20	19.40	2.72	361.00	0.30	<0.2	2380.00	<0.05	942.0	<3	0.690	1.32	<1	212.00	<0.5
X5	8/24/2010	SPLIT	<0.03	5.00	0.30	<300	14.60	<0.05	<0.03	297.00	0.15	15.30	<0.5	0.70	518.00	<0.05	6.60	0.04	68.90	7790.00	0.60	21.00	19.80	2.30	370.00	0.30	<0.2	2250.00	<0.05	936.0	<3	0.680	1.34	<1	218.00	<0.5
RPD (%)			N/A	33.33	28.57	N/A	0.68	N/A	N/A	0.68	23.53	4.00	N/A	25.00	0.97	N/A	1.53	2.41	3.39	1.81	15.38	3.88	2.04	N/A	16.73	2.46	0.00	N/A	5.62	N/A	0.64	N/A	1.46	1.50	N/A	2.79
Comments																																				
Action																																				
Result																																				
X14	8/31/2010	M	<0.005	6.90	0.48	<50	44.00	<0.01	<0.005	86.00	0.06	2.76	<0.1	0.46	441.00		2.06	0.01	19.70	1840.00	0.53	6.08	4.23	0.57	87.00	0.11	0.20	3870.00	<0.01	314.0	<0.5	0.119	1.19	<0.2	49.60	<0.1
X14	8/31/2010	SPLIT	<0.005	7.50	0.46	<50	45.10	<0.01	<0.005	88.40	0.05	2.71	<0.1	0.60	449.00		1.99	0.01	19.30	1790.00	0.55	5.98	4.26	0.58	85.00	0.11	0.21	3820.00	<0.01	323.0	<0.5	0.119	1.24	<0.2	48.60	<0.1
RPD (%)			N/A	8.33	4.26	N/A	2.47	N/A	N/A	2.75	9.52	1.83	N/A	26.42	1.80	N/A	3.46	0.91	2.05	2.75	3.70	1.66	0.71	N/A	0.87	2.33	0.00	4.88	1.30	N/A	2.83	N/A	0.00	4.12	N/A	2.04
Comments																																				
Action																																				
Result																																				
X3	9/2/2010	M	<0.005	8.50	0.50	<50	44.60	<0.01	<0.005	26.70	0.01	0.06	<0.1	0.46	171.00		0.68	0.00	5.52	24.00	0.57	2.11	0.45	0.41	<10	0.04	0.16	4410.00	<0.01	124.0	<0.5	<0.002	1.11	<0.2	8.70	<0.1
X3	9/2/2010	SPLIT	<0.005	7.60	0.48	<50	45.00	<0.01	<0.005	26.60	0.01	0.06	<0.1	0.43	170.00		0.68	0.00	5.63	24.20	0.42	2.17	0.42	0.23	<10	0.05	0.17	4410.00	<0.01	125.0	<0.5	<0.002	1.20	<0.2	6.90	<0.1
RPD (%)			N/A	11.18	4.08	N/A	0.89	N/A	N/A	0.38	9.52	5.31	N/A	6.74	0.59	N/A	0.00	6.06	1.97	0.83	30.30	2.80	6.90	55.05	N/A	22.22	6.06	0.00	N/A	0.80	N/A	N/A	7.79	N/A	23.08	N/A
Comments			Both values > PQL and correctly entered into emLine.																																	
Action																																				
Result			Let Value Stand																																	
Result			Discrepancy between values remains.																																	
X7	10/6/2010	M	<0.5	2050.00	27.00	<5000	13.00	<1	<0.5	445.00	20.10	1340.00	<10	<5	1700000.00		13.00	0.14	867.00	101000.00	<5	57.00	1210.00	24.80	2930.00	<2	<4	19800.00	<1	4020.0	<50	0.300	5.00	<20	541000.00	<10
X7	10/6/2010																																			

Station	Date	Sample Type	Ag µg/L	Al µg/L	As µg/L	B µg/L	Ba µg/L	Be µg/L	Bi µg/L	Ca mg/L	Cd µg/L	Co µg/L	Cr µg/L	Cu µg/L	Fe µg/L	Hg µg/L	K mg/L	Li mg/L	Mg mg/L	Mn µg/L	Mo µg/L	Na mg/L	Ni µg/L	Pb µg/L	S mg/L	Sb µg/L	Se µg/L	Si µg/L	Sn µg/L	Sr µg/L	Ti µg/L	Tl µg/L	U µg/L	V µg/L	Zn µg/L	Zr µg/L					
FCO	10/7/2010	M	<0.005	635.00	0.08	<50	36.10	0.15	<0.005	12.40	1.79	2.46	0.30	53.00	254.00	0.46	0.00	3.91	41.50		0.21	2.98	7.12		0.48	13.00	0.04	<0.04	7620.00	<0.01	64.8	<0.5	0.004	0.28	<0.2	1210.00	<0.1				
FCO	10/7/2010	SPLIT	<0.005	637.00	0.08	<50	35.70	0.14	<0.005	12.20	1.73	2.45	0.30	54.70	255.00	0.45	0.00	3.90	40.50		0.08	2.99	7.23		0.53	13.00	0.04	<0.04	7510.00	<0.01	62.8	<0.5	0.005	0.29	<0.2	1240.00	<0.1				
		RPD (%)	N/A	0.31	0.00	N/A	1.11	6.90	N/A	1.63	3.41	0.41	0.00	3.16	0.39	N/A	2.20	2.25	0.26	2.44	89.66	0.34	1.53		8.73	0.00	0.00	N/A	1.45	N/A	3.13	N/A	22.22	1.75	N/A	2.45	N/A				
		Comments																																							
		Action																																							
		Result																																							
R9	10/19/2010	M	<0.005	8.50	0.58	<50	52.50	<0.01	<0.005	31.70	0.02	0.03	<0.1	0.39	172.00		0.73	0.00	7.00	19.60		0.60	2.42	0.30		0.22	<10	0.06	0.32	5620.00	<0.01	133.0	<0.5	<0.002	1.56	<0.2	1.90	<0.1			
R9	10/19/2010	SPLIT	<0.005	8.40	0.62	<50	52.10	<0.01	<0.005	31.80	0.02	0.03	<0.1	0.46	171.00		0.72	0.00	6.71	19.50		0.59	2.35	0.34		0.82	<10	0.07	0.30	5600.00	<0.01	131.0	<0.5	<0.002	1.54	<0.2	2.80	<0.1			
		RPD (%)	N/A	1.18	6.67	N/A	0.76	N/A	N/A	0.31	6.45	6.25	N/A	16.47	0.58	N/A	1.38	0.00	4.23	0.51		1.68	12.50		116.54	N/A	15.38	6.45	0.36	N/A	1.52	N/A	N/A	1.29	N/A	38.30	N/A				
		Comments																																							
		Action																																							
		Result																																							
R9 Retest	10/19/2010	M																																							
R9 Retest	10/19/2010	SPLIT																																							
		RPD (%)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
		Comments																																							
		Action																																							
		Result																																							
X14	11/18/2010	M	<0.005	49.40	0.64	<50	57.30	<0.01	<0.005	174.00	0.12	13.4000	<0.1	0.6900	1020.00		3.18	0.012	39.80	8780.000		0.60	12.70	19.500		0.9780	173.00	0	0.2300	6210.00	<0.01	516.00	1.60	0.07	3.1500	<0.2	135.000	<0.1			
X14	11/18/2010	SPLIT	<0.005	51.40	0.69	<50	57.90	<0.01	<0.005	188.00	0.11	14.0000	<0.1	0.7000	1190.00		3.20	0.012	40.70	8950.000		0.57	13.00	20.200		1.0100	175.00	0	0.2700	6790.00	<0.01	529.00	2.00	0.07	3.1500	<0.2	137.000	<0.1			
		RPD (%)	N/A	3.97	7.52	N/A	1.04	N/A	N/A	7.73	2.64	4.38	N/A	1.44	15.38	N/A	0.63	0.00	2.24	1.92		2.33	3.53		3.22	1.15	0.00	16.00	8.92	N/A	2.49	22.22	1.38	0.00	N/A	1.47	N/A				
		Comments																																							
		Action																																							
		Result																																							
X5	11/25/2010	M	<0.03	4.00	0.20	<300	22.40	<0.05	<0.03	418.00	0.18	60.30	<0.5	1.00	497.00	<0.05	6.50	0.03	93.70	33400.00		0.40	28.90	83.90		0.90	503.00	<0.1	<0.2	7080.00	<0.05	1220.0	<3	0.220	4.62	<1	390.00	<0.5			
X5	11/25/2010	SPLIT	<0.03	3.00	0.20	<300	23.60	<0.05	<0.03	453.00	0.22	62.60	<0.5	0.40	543.00	<0.05	6.70	0.03	97.10	34500.00		0.50	29.80	79.60		0.73	523.00	<0.1	<0.2	7430.00	<0.05	1270.0	<3	0.230	4.86	<1	399.00	<0.5			
		RPD (%)	N/A	28.57	0.00	N/A	5.22	N/A	N/A	8.04	20.00	3.74	N/A	85.71	8.85	N/A	3.03	3.92	3.56	3.24		22.22	3.07	5.26		20.86	3.90	N/A	N/A	4.82	N/A	4.02	N/A	4.44	5.06	N/A	2.28	N/A			
		Comments																																							
		Action																																							
		Result																																							
X5	12/2/2010	M	<0.03	4.00	0.30	<300	23.80	<0.05	<0.03	458.00	0.15	65.80	<0.5	0.60	547.00	<0.05	6.90	0.02	101.00	35800.00		0.50	30.80	83.50		0.56	511.00	<0.1	<0.2	7770.00	<0.05	1260.0	<3	0.210	4.74	<1	395.00	<0.5			
X5	12/2/2010	SPLIT	<0.03	3.00	0.20	<300	23.20	<0.05	<0.03	466.00	0.18	66.10	<0.5	0.50	558.00	<0.05	6.80	0.02	101.00	35900.00		<0.3	30.90	81.40		0.53	520.00	<0.1	<0.2	7920.00	<0.05	1240.0	4.00	0.220	4.72	<1	399.00	<0.5			
		RPD (%)	N/A	28.57	40.00	N/A	2.55	N/A	N/A	1.73	18.18	0.45	N/A	18.18	1.99	N/A	1.46	0.00	0.00	0.28		N/A	0.32	2.55		5.50	1.75	N/A	N/A	1.91	N/A	1.60	N/A	4.65	0.42	N/A	1.01	N/A			
		Comments																																							
		Action																																							
		Result																																							

RPD > 50%
 RPD > 100%

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
A30	2/4/2010	275	250	9.52				6.9	6.2	0.7			
A30	2/24/2010	224	188	17.48				7	6.6	0.4			
A30	3/2/2010	213	209	1.90				7.1	6.82	0.28			
A30	3/28/2010	201	160	22.71	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.3	6.87	0.43			
A30	4/10/2010	202	160	23.20	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains. Multiple flagged conductivity values on April 11, 2010 suggests calibration on field meter may have been off.	7.3	6.76	0.54			
A30	4/19/2010	187	150	21.96	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.3	6.98	0.32			
A30	5/1/2010	1670	1610	3.66				3.6	3.77	0.17			
A30	5/18/2010	752	132	140.27	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.	4.9	5.22	0.32			
A30	6/2/2010	484	549	12.58				5	5.65	0.65			
A30	6/15/2010	320	296	7.79				6.7	6.16	0.54			
A30	7/7/2010	753	810	7.29				5.82	6.09	0.27			
A30	7/22/2010	410	371	9.99				6.53	7	0.47			
A30	8/5/2010	312	339	8.29				6.75	6.85	0.1			
A30	8/18/2010	238	260	8.84				6.8	7.68	0.88			
A30	9/1/2010	224	227	1.33				6.99	6.69	0.3			
A30	10/20/2010	223	208	6.96				7.36	6.56	0.8			
A30	11/4/2010	221	223	0.90				7.4	7.33	0.07			
A30	12/1/2010	197	80	84.48	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains. Multiple flagged conductivity values on December 1, 2010 suggests calibration on field meter may have been off.	7.17	6.86	0.31			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
ETA Combined	9/2/2010	7060	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			4.85	5.98	1.13	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
ETA Combined	10/20/2010	7510	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			4.89	6.3	1.41	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
ETA Combined	11/8/2010	7450	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.05	6.05	1	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
ETA Combined	12/1/2010	7360	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.29	6.24	0.95			
FAROCCR	5/3/2010	50	78	43.75	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.3	7.54	0.24			
FAROCCR	6/5/2010	29	21	32.00	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.2	7.84	0.64			
FAROCCR	7/8/2010	48	42	13.33				7.5	8.16	0.66			
FAROCCR	8/3/2010	81	79	2.50				7.79	7.33	0.46			
FAROCCR	9/1/2010	85	80	6.06				7.69	7.75	0.06			
FAROCCR	10/19/2010	77	244	104.05	Field and lab values correctly entered into emLine.	Request Retest	Retest performed, see results below.	7.67	7.26	0.41			
FAROCCR Retest	10/19/2010	74	244	106.92	Retest for October 19 FAROCCR EC. Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.67	7.26	0.41			
FCO	6/16/2010	118	122	3.33				7.1	7.85	0.75			
FCO	10/7/2010	123	70	54.92	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains.	7.2	7.52	0.32			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
FCS-4	9/2/2010	6080	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.28	6.34	1.06	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
FCS-4	10/20/2010	7180	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			4.61	6.5	1.89	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains.
FCS-4	11/10/2010	7160	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.06	6.63	1.57	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past sample hold time. Discrepancy between values remains.
FCS-4	12/2/2010	6890	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			4.73	6.67	1.94	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past sample hold time. Discrepancy between values remains.
GDHSECK	3/4/2010	1230	1110	10.26				8.1	7.56	0.54			
GDHSECK	6/16/2010	1230	1238	0.65				8.1	8.19	0.09			
GDHSECK	10/6/2010	1110	1234	10.58				8.07	7.05	1.02	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
NE1	6/1/2010	480	627	26.56	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.8	7.46	0.34			
NF1	2/23/2010	297	240	21.23	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains. Multiple flagged conductivity values on February 23, 2010 suggests calibration on field meter may have been off.	7.9	7.77	0.13			
NF1	3/10/2010	298	269	10.23				8	7.84	0.16			
NF1	4/11/2010	325	260	22.22	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains. Multiple flagged conductivity values on April 11, 2010 suggests calibration on field meter may have been off.	7.9	7.37	0.53			
NF1	5/3/2010	103	90	13.47				7.6	7.43	0.17			
NF1	6/5/2010	97	99	2.04				7.6	7.84	0.24			
NF1	7/8/2010	134	129	3.80				7.91	7.71	0.2			
NF1	8/3/2010	355	421	17.01				7.26	6.68	0.58			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
NF2	1/12/2010	286	266	7.25				7.7	6.86	0.84			
NF2	2/23/2010	295	230	24.76	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains. Multiple flagged conductivity values on February 23, 2010 suggests calibration on field meter may have been off.	8	7.71	0.29			
NF2	3/10/2010	298	267	10.97				8	7.62	0.38			
NF2	4/14/2010	308	270	13.15				8.2	7.48	0.72			
NF2	5/3/2010	107	97	9.80				7.6	7.29	0.31			
NF2	6/4/2010	87	81	7.14				7.6	7.86	0.26			
NF2	7/8/2010	136	154	12.41				7.91	8.18	0.27			
NF2	8/3/2010	196	193	1.54				8.01	7.5	0.51			
NF2	9/1/2010	203	222	8.94				7.92	8.1	0.18			
NF2	10/18/2010	215	200	7.23				7.9	7.46	0.44			
NF2	11/9/2010	258	252	2.35				8.06	8.08	0.02			
NF2	12/1/2010	262	120	74.35	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains. Multiple flagged conductivity values on December 1, 2010 suggests calibration on field meter may have been off.	7.93	7.41	0.52			
NFRC SC-1	1/12/2010	288	252	13.33				7.6	6.84	0.76			
NFRC SC-1	2/23/2010	298	250	17.52				8	7.75	0.25			
NFRC SC-1	3/10/2010	304	269	12.22				8	7.83	0.17			
NFRC SC-1	4/14/2010	304	260	15.60				8.1	7.19	0.91			
NFRC SC-1	5/3/2010	108	96	11.76				7.6	7.57	0.03			
NFRC SC-1	6/4/2010	88	84	4.65				7.6	7.65	0.05			
NFRC SC-1	7/8/2010	137	129	6.02				7.89	8.05	0.16			
NFRC SC-1	8/3/2010	197	192	2.57				8.04	7.64	0.4			
NFRC SC-1	10/18/2010	217	197	9.66				8.03	7.47	0.56			
NFRC SC-2	1/12/2010	287	250	13.78				7.6	6.95	0.65			
NFRC SC-2	2/23/2010	300	240	22.22	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.9	7.77	0.13			
NFRC SC-2	3/10/2010	301	269	11.23				8	7.61	0.39			
NFRC SC-2	4/14/2010	309	270	13.47				8.1	7.24	0.86			
NFRC SC-2	5/3/2010	109	99	9.62				7.6	7.72	0.12			
NFRC SC-2	6/4/2010	89	86	3.43				7.6	7.68	0.08			
NFRC SC-2	7/8/2010	135	129	4.55				7.82	7.97	0.15			
NFRC SC-2	8/3/2010	196	186	5.24				8.04	7.54	0.5			
NFRC SC-2	10/18/2010	219	198	10.07				8.03	7.47	0.56			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
NFRC SC-3	1/12/2010	288	257	11.38				7.8	7	0.8			
NFRC SC-3	2/23/2010	297	260	13.29				8	7.66	0.34			
NFRC SC-3	3/10/2010	304	270	11.85				8	7.68	0.32			
NFRC SC-3	4/14/2010	308	270	13.15				8.1	7.31	0.79			
NFRC SC-3	5/3/2010	109	96	12.68				7.6	7.46	0.14			
NFRC SC-3	6/4/2010	89	84	5.78				7.6	7.69	0.09			
NFRC SC-3	7/8/2010	136	130	4.51				7.9	7.97	0.07			
NFRC SC-3	8/3/2010	195	191	2.07				8.03	7.69	0.34			
NFRC SC-3	10/18/2010	218	197	10.12				8.04	7.56	0.48			
NFRC SC-4	1/11/2010	294	255	14.21				7.8	6.95	0.85			
NFRC SC-4	2/23/2010	303	260	15.28				7.9	7.49	0.41			
NFRC SC-4	3/10/2010	305	271	11.81				8	7.82	0.18			
NFRC SC-4	4/14/2010	316	270	15.70				8.1	7.47	0.63			
NFRC SC-4	5/3/2010	112	95	16.43				7.7	7.54	0.16			
NFRC SC-4	6/4/2010	89	86	3.43				7.6	7.71	0.11			
NFRC SC-4	7/8/2010	136	128	6.06				7.83	7.87	0.04			
NFRC SC-4	8/3/2010	196	203	3.51				8.06	7.88	0.18			
NFRC SC-4	10/18/2010	220	195	12.05				8.13	7.58	0.55			
NWID	2/22/2010	399	340	15.97				8.1	8.01	0.09			
NWID	3/10/2010	405	362	11.21				8.1	7.87	0.23			
NWID	4/15/2010	411	420	2.17				8.3	7.74	0.56			
NWID	5/3/2010	155	137	12.33				7.7	7.77	0.07			
NWID	6/4/2010	202	208	2.93				8	8.03	0.03			
NWID	7/10/2010	293	307	4.67				8.05	8.15	0.1			
NWID	8/3/2010	336	340	1.18				8.19	7.79	0.4			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
R10	1/11/2010	283	241	16.03				7.7	7.06	0.64			
R10	2/23/2010	292	235	21.63	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains. Multiple flagged conductivity values on February 23, 2010 suggests calibration on field meter may have been off.	8.1	7.87	0.23			
R10	3/10/2010	292	259	11.98				8	7.79	0.21			
R10	4/11/2010	298	240	21.56	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains. Multiple flagged conductivity values on April 11, 2010 suggests calibration on field meter may have been off.	7.9	7.43	0.47			
R10	5/3/2010	111	95	15.53				7.7	7.7	0			
R10	6/5/2010	98	103	4.98				7.7	7.93	0.23			
R10	7/8/2010	132	125	5.45				7.84	7.94	0.1			
R10	8/3/2010	190	188	1.06				8.11	7.46	0.65			
R10	9/1/2010	193	187	3.16				7.99	7.79	0.2			
R10	10/19/2010	213	207	2.86				7.95	7.65	0.3			
R10	11/10/2010	256	234	8.98				7.94	7.86	0.08			
R10	12/1/2010	258	350	30.26	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	8.03	7.58	0.45			
R7	1/11/2010	254	235	7.77				7.9	7.21	0.69			
R7	2/23/2010	266	260	2.28				8	7.95	0.05			
R7	3/10/2010	268	239	11.44				8.1	7.78	0.32			
R7	4/11/2010	275	240	13.59				8.1	7.78	0.32			
R7	5/3/2010	106	91	15.23				7.8	7.66	0.14			
R7	6/5/2010	101	97	4.04				7.7	7.85	0.15			
R7	7/8/2010	128	122	4.80				7.89	8.04	0.15			
R7	8/3/2010	180	183	1.65				8.13	7.37	0.76			
R7	9/1/2010	180	186	3.28				8.03	7.84	0.19			
R7	10/19/2010	198	198	0.00				7.98	7.2	0.78			
R7	11/10/2010	229	215	6.31				8.02	7.9	0.12			
R7	12/1/2010	239	100	82.01	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains. Multiple flagged conductivity values on December 1, 2010 suggests calibration on field meter may have been off.	8.04	7.12	0.92			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
R8	1/11/2010	256	221	14.68				7.9	6.91	0.99			
R8	2/23/2010	252	220	13.56				8.2	7.94	0.26			
R8	3/10/2010	271	244	10.49				8.1	7.84	0.26			
R8	4/11/2010	274	230	17.46				8.1	7.73	0.37			
R8	5/3/2010	101	87	14.89				7.7	7.51	0.19			
R8	6/5/2010	89	89	0.00				7.7	7.92	0.22			
R8	7/8/2010	123	121	1.64				7.99	8.09	0.1			
R8	8/3/2010	176	177	0.57				8.13	7.26	0.87			
R8	9/1/2010	172	172	0.00				8	7.66	0.34			
R8	10/19/2010	191	193	1.04				7.98	7.8	0.18			
R8	11/10/2010	229	195	16.04				8.03	7.76	0.27			
R8	12/1/2010	233	100	79.88	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains. Multiple flagged conductivity values on December 1, 2010 suggests calibration on field meter may have been off.	8.05	7.28	0.77			
R9	1/11/2010	279	272	2.54				7.8	7.11	0.69			
R9	2/23/2010	289	250	14.47				8.1	7.73	0.37			
R9	3/10/2010	293	262	11.17				8.1	7.88	0.22			
R9	4/11/2010	292	230	23.75	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains. Multiple flagged conductivity values on April 11, 2010 suggests calibration on field meter may have been off.	8.1	7.81	0.29			
R9	5/3/2010	108	95	12.81				7.7	7.78	0.08			
R9	6/5/2010	97	101	4.04				7.7	8.05	0.35			
R9	7/8/2010	1	127	196.88	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.	7.91	8.01	0.1			
R9	8/3/2010	190	194	2.08				8.15	7.47	0.68			
R9	9/1/2010	197	187	5.21				7.88	7.81	0.07			
R9	10/19/2010	213	211	0.94				7.99	7.6	0.39			
R9	11/10/2010	254	254	0.00				8.01	7.87	0.14			
R9	12/1/2010	260	120	73.68	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains. Multiple flagged conductivity values on December 1, 2010 suggests calibration on field meter may have been off.	7.86	7.46	0.4			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
RCSG#4	1/12/2010	313	310	0.96				7.9	7.23	0.67			
RCSG#4	3/10/2010	320	285	11.57				8	7.75	0.25			
RCSG#4	4/13/2010	331	300	9.83				7.8	7.35	0.45			
RCSG#4	5/3/2010	130	115	12.24				7.8	7.64	0.16			
RCSG#4	6/4/2010	92	92	0.00				7.6	7.84	0.24			
RCSG#4	7/8/2010	126	126	0.00				7.78	7.94	0.16			
RCSG#4	8/3/2010	200	207	3.44				8	7.5	0.5			
SP5-6	6/1/2010	1050	1172	10.98				8	7.45	0.55			
SP5-6	7/10/2010	1080	1049	2.91				7.65	7.5	0.15			
SP5-6	8/5/2010	1280	1216	5.13				7.87	7.49	0.38			
SP5-6	9/1/2010	1450	1439	0.76				7.91	7.63	0.28			
SP5-6	10/6/2010	1590	1786	11.61				8.02	6.84	1.18	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
W10	5/3/2010	77	109	34.41	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.7	7.71	0.01			
W10	6/5/2010	75	68	9.79				7.6	7.76	0.16			
W10	7/10/2010	103	101	1.96				7.67	8.08	0.41			
W5	6/1/2010	752	1680	76.32	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.	8.1	7.63	0.47			
W8	6/17/2010	116	106	9.01				7.8	7.72	0.08			
Weir 3	3/4/2010	1780	1730	2.85				7.8	6.97	0.83			
Weir 3	8/5/2010	1840	1870	1.62				7.61	6.96	0.65			
X10	1/11/2010	326	286	13.07				8	7.13	0.87			
X10	2/22/2010	329	280	16.09				8	7.46	0.54			
X10	3/10/2010	334	292	13.42				8.1	7.51	0.59			
X10	4/13/2010	340	310	9.23				7.9	7.55	0.35			
X10	5/3/2010	129	112	14.11				7.8	7.79	0.01			
X10	6/4/2010	99	111	11.43				7.8	8.05	0.25			
X10	7/8/2010	134	128	4.58				7.95	8.09	0.14			
X10	8/3/2010	205	205	0.00				8.18	8.01	0.17			
X10	9/2/2010	196	194	1.03				8.01	7.42	0.59			
X10	10/21/2010	257	244	5.19				8.16	7.93	0.23			
X10	11/9/2010	274	268	2.21				8.18	7.52	0.66			
X10	12/1/2010	275	240	13.59				8.03	7.87	0.16			
X11	3/4/2010	2650	2460	7.44				7.6	7.05	0.55			
X11	8/5/2010	2540	2289	10.40				7.37	6.91	0.46			
X12	3/4/2010	1560	1460	6.62				7.8	7.27	0.53			
X12	8/5/2010	1490	1243	18.08				7.65	7.3	0.35			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
 2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X13	1/11/2010	1700	1430	17.25				7.9	6.08	1.82	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.
X13	2/17/2010	2220	2240	0.90				7.8	7.17	0.63			
X13	3/2/2010	2220	1780	22.00	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.7	7	0.7			
X13	4/15/2010	2100	2220	5.56				7.8	6.96	0.84			
X13	5/6/2010	2240	2229	0.49				7.6	7.13	0.47			
X13	6/10/2010	2030	1859	8.79				8.0	7.00	1	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X13	7/11/2010	2160	1999	7.74				7.49	7.38	0.11			
X13	8/5/2010	2110	1798	15.97				7.51	7.12	0.39			
X13	9/2/2010	2050	2164	5.41				7.6	7.2	0.4			
X13	10/7/2010	2170	1270	52.33	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains.	7.55	6.19	1.36	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X13	11/4/2010	2200	2165	1.60				7.8	7.17	0.63			
X13	12/2/2010	2310	2400	3.82				7.57	7.07	0.5			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X14	1/11/2010	741	624	17.14				8	6.76	1.24	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X14	2/22/2010	765	720	6.06				8	6.91	1.09	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X14	3/10/2010	837	757	10.04				7.9	7.71	0.19			
X14	3/22/2010	894	749	17.65				8.2	7.49	0.71			
X14	3/30/2010	1130	1030	9.26				8	7.37	0.63			
X14	4/6/2010	1170	1100	6.17				8	7.4	0.6			
X14	4/13/2010	1160	1027	12.16				8	7.85	0.15			
X14	4/20/2010	873	1914	74.70	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.	8	7.44	0.56			
X14	4/27/2010	362	357	1.39				8	7.3	0.7			
X14	5/4/2010	563	506	10.66				8	7.53	0.47			
X14	5/11/2010	501	471	6.17				8	7.65	0.35			
X14	5/18/2010	382	360	5.93				7.8	8.02	0.22			
X14	5/25/2010	229	243	5.93				7.8	8.01	0.21			
X14	6/1/2010	309	345	11.01				7.3	8.14	0.84			
X14	6/8/2010	376	380	1.06				7.9	7.93	0.03			
X14	6/15/2010	446	420	6.00				8.1	7.87	0.23			
X14	6/22/2010	454	438	3.59				8.1	7.75	0.35			
X14	6/29/2010	511	501	1.98				7.95	7.35	0.6			
X14	7/6/2010	383	395	3.08				7.8	8.01	0.21			
X14	7/13/2010	500	456	9.21				7.78	8.19	0.41			
X14	7/20/2010	594	1693	96.11	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see below).	7.99	7.76	0.23			
X14	7/20/2010	594	563	5.36	Lab value correctly entered into emLine, and incorrect field value amended (see above).	Let Value Stand	Discrepancy between lab and field values resolved.	7.99	7.76	0.23			
X14	7/27/2010	637	606	4.99				7.99	8.11	0.12			
X14	8/3/2010	311	338	8.32				8.08	7.99	0.09			
X14	8/10/2010	638	658	3.09				7.78	7.92	0.14			
X14	8/17/2010	660	614	7.22				8.11	7.92	0.19			
X14	8/24/2010	496	423	15.89				8.09	8.67	0.58			
X14	8/31/2010	610	650	6.35				8.17	7.96	0.21			
X14	9/7/2010	503	532	5.60				7.93	8.27	0.34			
X14	10/21/2010	471	426	10.03				8.14	7.8	0.34			
X14	11/9/2010	491	500	1.82				8.19	7.89	0.3			
X14	11/18/2010	1080	1010	6.70				8.05	7.75	0.3			
X14	11/25/2010	1020	1008	1.18				7.73	8.21	0.48			
X14	12/2/2010	984	1000	1.61				7.95	7.7	0.25			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDf µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X2	1/11/2010	305	266	13.66				7.5	6.94	0.56			
X2	2/22/2010	322	288	11.15				7.8	7.31	0.49			
X2	3/10/2010	318	132	82.67	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of sample had been discarded.	7.8	7.27	0.53			
X2	4/14/2010	352	290	19.31				8.2	7.03	1.17	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X2	5/3/2010	113	188	49.83	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.7	7.46	0.24			
X2	6/4/2010	92	94	2.15				7.6	7.81	0.21			
X2	7/8/2010	139	131	5.93				7.91	7.82	0.09			
X2	8/3/2010	201	197	2.01				8.16	7.68	0.48			
X2	9/2/2010	208	189	9.57				7.96	7.37	0.59			
X2	10/18/2010	226	220	2.69				7.96	7.6	0.36			
X2	11/9/2010	268	258	3.80				8.05	7.98	0.07			
X2	12/1/2010	271	130	70.32	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains. Multiple flagged conductivity values on December 1, 2010 suggests calibration on field meter may have been off.	7.92	7.2	0.72			
X22b	1/11/2010	1360	1146	17.08				7.5	6.4	1.1	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X22b	2/22/2010	1290	1210	6.40				7.5	7.44	0.06			
X22b	3/10/2010	1270	1171	8.11				7.6	7.04	0.56			
X22b	4/13/2010	1280	1230	3.98				7.3	6.89	0.41			
X22b	5/3/2010	369	344	7.01				7.4	7.23	0.17			
X22b	6/4/2010	1200	1178	1.85				7.5	7.14	0.36			
X22b	7/10/2010	1230	1163	5.60				7.43	7.33	0.1			
X22b	8/3/2010	1240	1215	2.04				7.63	6.55	1.08	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X22b	9/1/2010	1270	1222	3.85				7.64	7.25	0.39			
X22b	10/20/2010	1310	1328	1.36				7.67	6.25	1.42	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X22b	11/8/2010	1340	1190	11.86				7.69	7.46	0.23			
X22b	12/1/2010	1350	1340	0.74				7.63	6.9	0.73			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X23	1/12/2010	8450	7990	5.60				6.1	6.23	0.13			
X23	4/27/2010	7030	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			2.9	2.96	0.06			
X23	5/6/2010	7450	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.3	6.55	0.25			
X23	6/10/2010	7920	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.9	6.99	1.09	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X23	7/10/2010	8090	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.9	6.16	0.26			
X23	8/5/2010	7900	7450	5.86				6.28	7.12	0.84			
X23	9/2/2010	7900	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.32	6.18	0.14			
X23	10/7/2010	7610	4300	55.58	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains.	6.05	6.19	0.14			
X23	11/4/2010	7740	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.81	6.61	0.2			
X3	1/11/2010	303	266	13.01				7.6	6.92	0.68			
X3	2/22/2010	314	292	7.26				7.9	7.35	0.55			
X3	3/9/2010	316	260	19.44				7.9	7.39	0.51			
X3	4/14/2010	327	290	11.99				8.2	7.02	1.18	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X3	5/3/2010	117	114	2.60				7.4	7.74	0.34			
X3	6/4/2010	84	86	2.35				7.7	7.83	0.13			
X3	7/8/2010	118	111	6.11				7.85	7.91	0.06			
X3	8/3/2010	189	183	3.23				8.16	7.86	0.3			
X3	9/2/2010	186	205	9.72				7.99	7.34	0.65			
X3	10/21/2010	234	225	3.92				8.05	7.57	0.48			
X3	11/9/2010	258	256	0.78				8.1	7.92	0.18			
X3	12/1/2010	259	230	11.86				7.95	7.62	0.33			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X3A	9/2/2010	206	192	7.04				7.99	7.5	0.49			
X3A	10/21/2010	244	268	9.38				8.11	7.84	0.27			
X3A	11/9/2010	264	266	0.75				8.14	7.97	0.17			
X3A	12/1/2010	263	240	9.15				7.99	7.75	0.24			
X4	1/11/2010	2210	1791	20.94	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	3.4	3.02	0.38			
X4	2/22/2010	1970	1820	7.92				4	4.82	0.82			
X4	3/9/2010	1390	1350	2.92				6.5	6.35	0.15			
X4	4/13/2010	1340	1350	0.74				6.1	6.36	0.26			
X4	5/3/2010	1010	877	14.10				4.7	4.51	0.19			
X4	6/4/2010	1940	1868	3.78				3.2	3.12	0.08			
X4	7/10/2010	1930	1871	3.10				3.32	3.12	0.2			
X4	8/3/2010	1950	2020	3.53				3.39	460	456.61	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see below).
X4	8/3/2010	1950	2020	3.53				3.39	4.6	1.21	Lab value correctly entered into emLine, and incorrect field value amended (see above).	Let Value Stand	Large discrepancy between lab and field values resolved, but small discrepancy between values still remains.
X4	9/2/2010	1880	1752	7.05				3.48	4.69	1.21	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X4	10/20/2010	1590	1511	5.10				5.61	6.65	1.04	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X4	11/8/2010	1860	1632	13.06				3.73	4.49	0.76			
X4	12/1/2010	1310	1429	8.69				6.32	6.36	0.04			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X5	3/22/2010	1810	1580	13.57				8.1	7.11	0.99			
X5	3/30/2010	1800	1700	5.71				7.9	7.02	0.88			
X5	4/6/2010	1880	1720	8.89				7.8	7	0.8			
X5	4/13/2010	1840	1561	16.41				7.6	7.41	0.19			
X5	4/20/2010	1820	1947	6.74				7.7	6.85	0.85			
X5	4/27/2010	1450	1399	3.58				7.9	7.19	0.71			
X5	5/4/2010	1620	1433	12.25				7.9	7.06	0.84			
X5	5/11/2010	1490	1390	6.94				7.9	7.45	0.45			
X5	5/18/2010	1350	1310	3.01				8	7.37	0.63			
X5	5/25/2010	1430	1441	0.77				7.9	7.51	0.39			
X5	6/1/2010	1670	1740	4.11				8.1	7.51	0.59			
X5	6/8/2010	1740	1664	4.47				7.9	7.49	0.41			
X5	6/15/2010	1760	1670	5.25				8.2	7.48	0.72			
X5	6/22/2010	1710	1605	6.33				8.2	7.63	0.57			
X5	6/29/2010	1770	1725	2.58				7.82	6.80	1.02	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X5	7/6/2010	2280	1705	28.86	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.89	7.57	0.32			
X5	7/13/2010	1810	1567	14.39				7.97	7.85	0.12			
X5	7/20/2010	1830	1674	8.90				7.85	7.69	0.16			
X5	7/27/2010	1780	1589	11.34				7.92	7.83	0.09			
X5	8/10/2010	1780	1806	1.45				7.76	8.02	0.26			
X5	8/17/2010	1750	1594	9.33				7.99	7.74	0.25			
X5	8/24/2010	1740	1266	31.54	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	8.01	7.98	0.03			
X5	8/31/2010	1770	1860	4.96				7.84	7.64	0.2			
X5	9/7/2010	1840	1708	7.44				7.84	7.65	0.19			
X5	11/18/2010	2360	2219	6.16				7.94	7.3	0.64			
X5	11/25/2010	2500	2414	3.50				7.43	7.57	0.14			
X5	12/2/2010	2470	2590	4.74				7.73	6.88	0.85			
X5P	1/11/2010	1860	1559	17.61				7.6	6.63	0.97			
X5P	2/22/2010	1740	1569	10.34				7.7	7.21	0.49			
X5P	3/2/2010	1750	1420	20.82	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.7	7.03	0.67			
X5P	4/13/2010	1780	1488	17.87				7.5	7.84	0.34			
X5P	5/3/2010	877	744	16.41				7.8	7.75	0.05			
X5P	6/4/2010	1740	1682	3.39				7.7	7.13	0.57			
X5P	7/10/2010	1780	1680	5.78				7.79	7.64	0.15			
X5P	8/3/2010	1800	1665	7.79				8	7.17	0.83			
X5P	9/2/2010	1760	1687	4.24				7.75	7.53	0.22			
X5P	10/20/2010	2070	1955	5.71				8.06	7.38	0.68			
X5P	11/8/2010	2150	1918	11.41				7.92	7.84	0.08			
X5P	12/1/2010	2130	2204	3.41				7.95	7.45	0.5			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-55: Rose Creek Drainage Water Quality
 2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X7	6/1/2010	8550	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.4	5.59	0.19			
X7	10/6/2010	8490	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.18	5.42	0.24			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-56: Rose Creek Drainage Groundwater Quality
2010 QA/QC Field Blanks - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Cl-d mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
P03-06-3	6/14/2010	FIELD BLANK	<0.5	4	<0.5	<0.5		<0.5		<0.5		6.0		0.60		<0.5	5.10	<0.5			<1	
Deionized Water			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
Times greater than DI water			1	8.4	1	1	0	1	0	1	0	6	0	1.2	0	1	0.85	1	0	0	0.25	0
Comments			Blank concentration > PQL and correctly entered into emLine.									Blank concentration > PQL and correctly entered into emLine.										
Action			Let Value Stand									Let Value Stand										
Result			High blank value remains.									High blank value remains.										
SRK08-SP7B	7/25/2010	FIELD BLANK	<0.5	1	1.10	<0.5		1	<0.5	<0.5		<1		1.40		<0.5	5.67	<0.5			<1	
Deionized Water			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
Times greater than DI water			1	2	2.2	1	0	1.8	1	1	0	1	0	2.8	0	1	0.28	1	0	0	0.25	0
Comments																						
Action																						
Result																						
X26	9/1/2010	FIELD BLANK	<0.5	<0.5	1.00	<0.5		1	<0.5	<0.5		4.0		1.30		<0.5	5.42	<0.5			<1	
Deionized Water			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
Times greater than DI water			1	1	2	1	0	1.8	1	1	0	4	0	2.6	0	1	0.53	1	0	0	0.25	0
Comments																						
Action																						
Result																						
P01-01A	9/8/2010	FIELD BLANK	<0.5	1	1.50	<0.5		1	<0.5	<0.5		2.0		1.80		<0.5	6.07	<0.5			<1	
Deionized Water			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
Times greater than DI water			1	2.2	3	1	0	2.4	1	1	0	2	0	3.6	0	1	0.12	1	0	0	0.25	0
Comments																						
Action																						
Result																						
X16B	9/8/2010	FIELD BLANK	<0.5	1	<0.5	<0.5		1	<0.5	<0.5		2.0		<0.5		<0.5	5.72	<0.5			<1	
Deionized Water			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
Times greater than DI water			1	1.6	1	1	0	2.2	1	1	0	2	0	1	0	1	0.23	1	0	0	0.25	0
Comments																						
Action																						
Result																						
X24-96D	9/9/2010	FIELD BLANK	<0.5	1	1.50	<0.5		<0.5	<0.5	<0.5		2.0		1.80		<0.5	5.97	<0.5			<1	
Deionized Water			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
Times greater than DI water			1	2.4	3	1	0	1	1	1	0	2	0	3.6	0	1	0.02	1	0	0	0.25	0
Comments																						
Action																						
Result																						
SRK08-SP7A	11/2/2010	FIELD BLANK	<0.5	<0.5	0.90	<0.5		<0.5	<0.5	<0.5		2.0		1.00		<0.5	5.65	<0.5			<1	
Deionized Water			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	<0.005	<0.5	5.95	<0.5	<10.0	<0.5	<4.0	<0.1
Times greater than DI water			1	1	1.8	1	0	1	1	1	0	2	0	2	0	1	0.30	1	0	0	0.25	0
Comments																						
Action																						
Result																						

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit, or >1 pH unit difference from DI Water)

Station	Date	Sample Type	Ag-d µg/L	Al-d µg/L	As-d µg/L	Ba-d µg/L	B-d µg/L	Be-d µg/L	Bi-d µg/L	Ca-d mg/L	Cd-d µg/L	Co-d µg/L	Cr-d µg/L	Cu-d µg/L	Fe-d µg/L	K-d mg/L	Li-d mg/L	Mg-d mg/L	Mn-d µg/L	Mo-d µg/L						
P03-06-3	6/14/2010	FIELD BLANK	<0.02	<3	<0.1	2.000	<50	<0.1	<1	<0.05	<0.01	<0.5	<1	<0.2	31.00	<0.05	<0.005	<0.05	3.000	<1						
Deionized Water			<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05						
Times greater than DI water			4	15	5	100	1	10	200	1	2	100	10	4	31	1	0.01	1	60	20						
Comments			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.		
Action			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Request Retest			Let Value Stand			Let Value Stand					
Result						High blank value remains.									Retest performed, see results below.			High blank value remains.								
P03-06-3 Retest	6/14/2010	FIELD BLANK	<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	152.00	<0.05	<0.5	<0.05	<0.05	<0.05						
Deionized Water			<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05						
Times greater than DI water			0	0	0	0	0	0	0	0	0	0	0	0	152	0	0	0	0	0						
Comments															Retest for June 14 P03-06-3 blank. Blank concentration > PQL and correctly entered into emLine.											
Action															Let Value Stand											
Result															New blank value entered into emLine.											
SRK08-SP7B	7/25/2010	FIELD BLANK	<0.02	4.00	<0.1	<1	<50	<0.1	<1	0.10	0.05	<0.5	<1	<0.2	9.00	<0.05	<0.005	0.16	12.000	<1						
Deionized Water			<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05						
Times greater than DI water			4	20	5	50	1	10	200	2	10	100	10	4	9	1	0.01	3.2	240	20						
Comments			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.					
Action			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Request Retest			Let Value Stand					
Result			High blank value remains.									Blank value remains.			Blank value remains.						Retest performed, see results below.					
SRK08-SP7B Retest	7/25/2010	FIELD BLANK	<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<1						
Deionized Water			<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05						
Times greater than DI water			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20						
Comments																		Retest for July 25 SRK08-SP7B blank. Blank value correctly entered into emLine. However concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.								
Action																		Let Value Stand								
Result																		New blank value entered into emLine.								
X26	9/1/2010	FIELD BLANK	<0.02	<3	<0.1	<1	<50	<0.1	<1	0.14	<0.01	<0.5	<1	0.5000	22.00	<0.05	<0.005	0.12	6.000	<1						
Deionized Water			<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05						
Times greater than DI water			4	15	5	50	1	10	200	2.8	2	100	10	10	22	1	0.01	2.4	120	20						
Comments			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank value correctly entered into emLine. However, blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank value correctly entered into emLine. However, blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration > PQL and correctly entered into emLine.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.		
Action			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Request Retest			Let Value Stand		
Result															Blank value remains.			Blank value remains.			Retest performed, see results below.					

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Ag-d µg/L	Al-d µg/L	As-d µg/L	Ba-d µg/L	B-d µg/L	Be-d µg/L	Bi-d µg/L	Ca-d mg/L	Cd-d µg/L	Co-d µg/L	Cr-d µg/L	Cu-d µg/L	Fe-d µg/L	K-d mg/L	Li-d mg/L	Mg-d mg/L	Mn-d µg/L	Mo-d µg/L
X26 Retest	9/1/2010	FIELD BLANK	<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	4.000	<0.05
	Deionized Water		<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05
	Times greater than DI water		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	80	0
	Comments																		Retest for September 1 X26 field blank. Blank value correctly entered into emLine. However concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	
	Action																		Let Value Stand	
	Result																		New blank value entered into emLine.	
P01-01A	9/8/2010	FIELD BLANK	<0.005	2.00	<0.02	0.810	<50	<0.01	<0.005	0.35	<0.005	0.0160	<0.1	0.1600	4.00	0.17	<0.0005	0.07	2.430	<0.05
	Deionized Water		<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05
	Times greater than DI water		1	10	1	40.5	1	1	1	7	1	3.2	1	3.2	4	3.4	0.001	1.4	48.6	1
	Comments			Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine.									Blank concentration > PQL and correctly entered into emLine.	
	Action			Let Value Stand		Request Retest				Let Value Stand									Request Retest	
	Result			High blank value remains.		Retest performed, see results below.				High blank value remains.									Retest performed, see results below.	
P01-01A Retest	9/8/2010	FIELD BLANK	<0.005	<0.2	<0.02	0.810	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	2.250	<0.05
	Deionized Water		<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05
	Times greater than DI water		0	0	0	40.5	0	0	0	0	0	0	0	0	0	0	0	0	45	0
	Comments					Retest for September 8 P01-01A blank. Blank concentration > PQL and correctly entered into emLine.													Retest for September 8 P01-01A blank. Blank concentration > PQL and correctly entered into emLine.	
	Action					Let Value Stand													Let Value Stand	
	Result					New blank value entered into emLine.													New blank value entered into emLine.	
X16B	9/8/2010	FIELD BLANK	<0.005	1.40	<0.02	0.330	<50	<0.01	<0.005	0.32	<0.005	0.0060	<0.1	0.1400	2.00	0.09	<0.0005	0.06	1.760	<0.05
	Deionized Water		<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05
	Times greater than DI water		1	7	1	16.5	1	1	1	6.4	1	1.2	1	2.8	2	1.8	0.001	1.2	35.2	1
	Comments			Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.				Blank concentration > PQL and correctly entered into emLine.									Blank concentration > PQL and correctly entered into emLine.	
	Action			Let Value Stand		Let Value Stand				Let Value Stand									Request Retest	
	Result			High blank value remains.		High blank value remains.				High blank value remains.									Retest performed, see results below.	
X16B Retest	9/8/2010	FIELD BLANK	<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	1.610	<0.05
	Deionized Water		<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05
	Times greater than DI water		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	32.2	0
	Comments																		Retest for September 8 X16B blank. Blank concentration > PQL and correctly entered into emLine.	
	Action																		Let Value Stand	
	Result																		New blank value entered into emLine.	
X24-96D	9/9/2010	FIELD BLANK	<0.02	<3	<0.1	<1	<50	<0.1	<1	0.14	<0.01	<0.5	<1	<0.2	<5	0.22	<0.005	<0.05	<1	<1
	Deionized Water		<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05
	Times greater than DI water		4	15	5	50	1	200	2	100	10	4	5	4.4	0.01	1	20	20	20	20
	Comments			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.
	Action			Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand
	Result																			
X24-96D Retest	9/9/2010	FIELD BLANK	<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05
	Deionized Water		<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.005	<0.1	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05
	Times greater than DI water		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Comments																			
	Action																			
	Result																			

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Table C-57: Rose Creek Drainage Groundwater Quality
2010 QA/QC Field Blanks - Dissolved Metals

Station	Date	Sample Type	Ag-d µg/L	Al-d µg/L	As-d µg/L	Ba-d µg/L	B-d µg/L	Be-d µg/L	Bi-d µg/L	Ca-d mg/L	Cd-d µg/L	Co-d µg/L	Cr-d µg/L	Cu-d µg/L	Fe-d µg/L	K-d mg/L	Li-d mg/L	Mg-d mg/L	Mn-d µg/L	Mo-d µg/L			
SRK08-SP7A	11/2/2010	FIELD BLANK	<0.02	<3	<0.1	<1	<50	<0.1	<1	0.07	<0.01	<0.5	<1	<0.2	18.00	<0.05	<0.005	<0.05	3.000	<1			
		Deionized Water	<0.005	<0.2	<0.02	<0.02	<50	<0.01	<0.005	<0.05	<0.005	<0.1	<0.05	<0.05	<1	<0.05	<0.5	<0.05	<0.05	<0.05			
		Times greater than DI water	4	15	5	50	1	10	200	1.4	2	100	10	4	18	1	0.01	1	60	20			
		Comments	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.		
		Action	Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand			Let Value Stand		
		Result													High blank value remains.						High blank value remains.		

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Na-d mg/L	Ni-d µg/L	Pb-d µg/L	Sb-d µg/L	Se-d µg/L	Si-d µg/L	Sn-d µg/L	Sr-d µg/L	Ti-d µg/L	Tl-d µg/L	U-d µg/L	V-d µg/L	Zn-d µg/L	Zr-d µg/L
P03-06-3	6/14/2010	FIELD BLANK	<0.05	<1	2.4000	<0.5	<0.1	<100	<5	<1	<5	<0.05	<0.1	<5	<5	<0.5
Deionized Water			<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
Times greater than DI water			1	50	480	25	2.5	1	500	20	10	25	50	25	50	5
Comments			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.
Action			Let Value Stand	Let Value Stand	Request Retest	Let Value Stand			Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand
Result					Retest performed, see results below.											
P03-06-3 Retest	6/14/2010	FIELD BLANK			12.6000											
Deionized Water			<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
Times greater than DI water			0	0	2520	0	0	0	0	0	0	0	0	0	0	0
Comments					Retest for June 14 P03-06-3 blank. Blank concentration > PQL and correctly entered into emLine.											
Action					Let Value Stand											
Result					New blank value entered into emLine.											
SRK08-SP7B	7/25/2010	FIELD BLANK	<0.05	<1	0.4000	<0.5	<0.1	<100	<5	<1	<5	<0.05	<0.1	<5	68.000	<0.5
Deionized Water			<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
Times greater than DI water			1	50	80	25	2.5	1	500	20	10	25	50	25	680	5
Comments			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank value correctly entered into emLine. However concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.
Action			Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand			Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Request Retest	Let Value Stand
Result					High blank value remains.											
SRK08-SP7B Retest	7/25/2010	FIELD BLANK													<5	
Deionized Water			<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
Times greater than DI water			0	0	0	0	0	0	0	0	0	0	0	0	50	0
Comments															Retest for July 25 SRK08-SP7B blank. Blank value correctly entered into emLine. However concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	
Action															Let Value Stand	
Result															New blank value entered into emLine.	
X26	9/1/2010	FIELD BLANK	<0.05	<1	0.3000	<0.5	<0.1	<100	<5	<1	<5	<0.05	<0.1	<5	27.000	<0.5
Deionized Water			<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
Times greater than DI water			1	50	80	25	2.5	1	500	20	10	25	50	25	270	5
Comments			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank value correctly entered into emLine. However, blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration > PQL and correctly entered into emLine.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.
Action			Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand			Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Request Retest	Let Value Stand
Result					Blank value remains.										Retest performed, see results below.	

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Station	Date	Sample Type	Na-d mg/L	Ni-d µg/L	Pb-d µg/L	Sb-d µg/L	Se-d µg/L	Si-d µg/L	Sn-d µg/L	Sr-d µg/L	Ti-d µg/L	Tl-d µg/L	U-d µg/L	V-d µg/L	Zn-d µg/L	Zr-d µg/L
X26 Retest	9/1/2010	FIELD BLANK													17.000	
		Deionized Water	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	0	0	0	0	0	0	0	0	0	0	0	0	170	0
		Comments													Retest for September 1 X26 field blank. Blank value correctly entered into emLine. However concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	
		Action													Let Value Stand	
		Result													New blank value entered into emLine.	
P01-01A	9/8/2010	FIELD BLANK	0.08	0.070	0.5150	<0.02	<0.04	<100	<0.01	0.92	<0.5	<0.002	0.0350	<0.2	2.400	<0.1
		Deionized Water	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	1.6	3.5	103	1	1	1	1	18.4	1	1	17.5	1	24	1
		Comments			Blank concentration > PQL and correctly entered into emLine.					Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.	
		Action			Request Retest					Let Value Stand			Let Value Stand		Request Retest	
		Result			Retest performed, see results below.					High blank value remains.			High blank value remains.		Retest performed, see results below.	
P01-01A Retest	9/8/2010	FIELD BLANK			0.5720										2.400	
		Deionized Water	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	0	0	114.4	0	0	0	0	0	0	0	0	0	24	0
		Comments			Retest for September 8 P01-01A blank. Blank concentration > PQL and correctly entered into emLine.										Retest for September 8 P01-01A blank. Blank concentration > PQL and correctly entered into emLine.	
		Action			Let Value Stand										Let Value Stand	
		Result			New blank value entered into emLine.										New blank value entered into emLine.	
X16B	9/8/2010	FIELD BLANK	0.09	0.040	0.3280	<0.02	<0.04	<100	<0.01	0.82	<0.5	<0.002	0.0190	<0.2	5.400	<0.1
		Deionized Water	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	1.8	2	65.6	1	1	1	1	16.4	1	1	9.5	1	54	1
		Comments			Blank concentration > PQL and correctly entered into emLine.					Blank concentration > PQL and correctly entered into emLine.			Blank concentration > PQL and correctly entered into emLine.		Blank concentration > PQL and correctly entered into emLine.	
		Action			Request Retest					Let Value Stand			Let Value Stand		Request Retest	
		Result			Retest performed, see results below.					High blank value remains.			High blank value remains.		Retest performed, see results below.	
X16B Retest	9/8/2010	FIELD BLANK			0.3340										5.400	
		Deionized Water	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	0	0	66.8	0	0	0	0	0	0	0	0	0	54	0
		Comments			Retest for September 8 X16B blank. Blank concentration > PQL and correctly entered into emLine.										Retest for September 8 X16B blank. Blank concentration > PQL and correctly entered into emLine.	
		Action			Let Value Stand										Let Value Stand	
		Result			New blank value entered into emLine.										New blank value entered into emLine.	
X24-96D	9/9/2010	FIELD BLANK	1.26	<1	<0.2	<0.5	<0.1	<100	<5	<1	<5	<0.05	<0.1	<5	<5	<0.5
		Deionized Water	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	25.2	50	40	25	2.5	1	500	20	10	25	50	25	50	5
		Comments	Blank concentration > PQL and correctly entered into emLine.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.
		Action	Request Retest	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand
		Result	Retest performed, see results below.													
X24-96D Retest	9/9/2010	FIELD BLANK	1.31													
		Deionized Water	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.5	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	26.2	0	0	0	0	0	0	0	0	0	0	0	0	0
		Comments	Retest for September X24-96D blank. Blank concentration > PQL and correctly entered into emLine.													
		Action	Let Value Stand													
		Result	New blank value entered into emLine.													

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Table C-57: Rose Creek Drainage Groundwater Quality
2010 QA/QC Field Blanks - Dissolved Metals

Station	Date	Sample Type	Na-d mg/L	Ni-d µg/L	Pb-d µg/L	Sb-d µg/L	Se-d µg/L	Si-d µg/L	Sn-d µg/L	Sr-d µg/L	Ti-d µg/L	Tl-d µg/L	U-d µg/L	V-d µg/L	Zn-d µg/L	Zr-d µg/L
SRK08-SP7A	11/2/2010	FIELD BLANK	<0.05	<1	<0.2	<0.5	<0.1	<100	<5	<1	<5	<0.05	<0.1	<5	9.000	<0.5
		Deionized Water	<0.05	<0.02	<0.005	<0.02	<0.04	<100	<0.01	<0.05	<0.02	<0.002	<0.002	<0.2	<0.1	<0.1
		Times greater than DI water	1	50	40	25	2.5	1	500	20	10	25	50	25	90	5
		Comments		Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.			Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank value correctly entered into emLine. However concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.	Blank concentration not > PQL (detection limit for field blank higher than that used for DI water). Therefore, comparison not valid in this case.
		Action		Let Value Stand	Let Value Stand	Let Value Stand			Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand	Let Value Stand
		Result													High blank value remains.	

Blank value < PQL
 Blank value is a detection limit higher than that of DI water
 Blank value > PQL and < retest limit
 Blank value > retest limit (20X DI Water Detection Limit)

Table C-58: Rose Creek Drainage Groundwater Quality
2010 QA/QC Duplicates - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH (blank)	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
X26	6/13/2010	M	<0.5	288	340	<0.5		3040	4			<0.5		4190		410	<0.5	<0.5	6.4	3000				21
X26	6/13/2010	DUPLICATE	<0.5	276	350	<0.5		3020	4.2			<0.5		4200		420	<0.5	<0.5	6.5	3000				34
RPD (%)			N/A	4.26	2.90	N/A	N/A	0.66	4.88	N/A	N/A	N/A	N/A	0.24	N/A	2.41	N/A	N/A	0.10	0.00	N/A	N/A	47.27	N/A
Comments																								
Action																								
Result																								
P03-06-2	6/14/2010	M	71.2	731	<0.5	<0.5		1980	2.9			<0.5		4000		<0.5	<0.5	4.2	3200					910
P03-06-2	6/14/2010	DUPLICATE	<0.5	2140	<0.5	<0.5		1650	4.5			<0.5		4500		<0.5	<0.5	4.4	3900					2300
RPD (%)			N/A	98.15	N/A	N/A	N/A	18.18	43.24	N/A	N/A	N/A	N/A	11.76	N/A	N/A	N/A	N/A	0.20	19.72	N/A	N/A	86.60	N/A
Comments			Both values > PQL and correctly entered into emLine.																					
Action			Request Retest																					
Result			Retest performed, see results below.																					
Discrepancy between values remains. Retest not carried out because remainder of samples had been discarded.																								
P03-06-2 Retest	6/14/2010	M		700.00																				
P03-06-2 Retest	6/14/2010	DUPLICATE		2140.00																				
RPD (%)			N/A	101.41	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00	N/A	N/A	N/A	N/A	N/A
Comments			Main sample retested but request for retest on duplicate sample submitted too late. Remainder of sample had been discarded.																					
Action			Let Value Stand																					
Result			New value entered into emLine.																					
P96-6	6/15/2010	M	<0.5	43.5	320	<0.5		724	0.7			<0.5		1170		390	<0.5	7.6	350					300
P96-6	6/15/2010	DUPLICATE	<0.5	37.4	320	<0.5		703	0.7			<0.5		1190		390	<0.5	7.5	350					410
RPD (%)			N/A	15.08	0.00	N/A	N/A	2.94	0.00	N/A	N/A	N/A	N/A	1.69	N/A	0.00	N/A	N/A	0.10	0.00	N/A	N/A	30.99	N/A
Comments																								
Action																								
Result																								
P09-SIS3	7/24/2010	M	<0.5	860.00	170.00	<0.5		5820.00	4.90			<0.5		7720.00		210.00	<0.5	6.65	7200.00					1600.00
P09-SIS3	7/24/2010	DUPLICATE	<0.5	862.00	170.00	<0.5		5930.00	4.80			<0.5		7760.00		210.00	<0.5	6.60	7700.00					840.00
RPD (%)			N/A	0.23	0.00	N/A	N/A	1.87	2.06	N/A	N/A	N/A	N/A	0.52	N/A	0.00	N/A	N/A	0.05	6.71	N/A	N/A	62.30	N/A
Comments			Both values > PQL and correctly entered into emLine.																					
Action			Let Value Stand																					
Result			Discrepancy between values remains. Retest not carried out because remainder of samples had been discarded.																					
P01-02A	9/8/2010	M	<0.5	14.80	260.00	<0.5		423.00	<0.5			<0.5		794.00		310.00	<0.5	7.95	180.00					24.00
P01-02A	9/8/2010	DUPLICATE	<0.5	8.10	260.00	<0.5		418.00	<0.5			<0.5		803.00		310.00	<0.5	7.81	160.00					39.00
RPD (%)			N/A	58.52	0.00	N/A	N/A	1.19	N/A	N/A	N/A	N/A	N/A	1.13	N/A	0.00	N/A	N/A	0.14	11.76	N/A	N/A	47.62	N/A
Comments			Both values > PQL and correctly entered into emLine.																					
Action			Request Retest																					
Result			Retest performed, see results below.																					
RPD > 50%																								

Table C-58: Rose Creek Drainage Groundwater Quality
2010 QA/QC Duplicates - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH (blank)	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
P01-02A Retest	9/8/2010	M		3.20																				
P01-02A Retest	9/8/2010	DUPLICATE		3.40																				
RPD (%)			N/A	6.06	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00	N/A	N/A	N/A	N/A	N/A
Comments			Retest for September 8 P01-02A sample and duplicate. Both values > PQL and correctly entered into emLine.																					
Action			Let Value Stand																					
Result			New values entered into emLine.																					
P03-04-6	9/20/2010	M	<0.5	2900.00	85.00	<0.5		1760.00	0.60			<0.5		5440.00		100.00		<0.5	6.22	5200.00				130.00
P03-04-6	9/20/2010	DUPLICATE	<0.5	2850.00	31.00	<0.5		1730.00	0.90			<0.5		5370.00		38.00		<0.5	5.89	5100.00				110.00
RPD (%)			N/A	1.74	93.10	N/A	N/A	1.72	40.00	N/A	N/A	N/A	N/A	1.30	N/A	89.86	N/A	N/A	0.33	1.94	N/A	N/A	16.67	N/A
Comments					Both values > PQL and correctly entered into emLine.										Both values > PQL and correctly entered into emLine.									
Action					Request Retest										Request Retest									
Result					Retest performed, see results below.										Retest performed, see results below.									
P03-04-6 Retest	9/20/2010	M			<0.5											<0.5								
P03-04-6 Retest	9/20/2010	DUPLICATE			<0.5											<0.5								
RPD (%)			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00	N/A	N/A	N/A	N/A	N/A
Comments					Retest for September 20 P03-04-6 sample and duplicate. Both values > PQL and correctly entered into emLine.										Retest for September 20 P03-04-6 sample and duplicate. Both values > PQL and correctly entered into emLine.									
Action					Let Value Stand										Let Value Stand									
Result					New values entered into emLine.										New values entered into emLine.									
P09-SIS2	11/2/2010	M	<0.5	917.00	190.00	<0.5		7270.00	6.40			<0.5		9340.00		230.00		<0.5	6.93	8800.00				1500.00
P09-SIS2	11/2/2010	DUPLICATE	<0.5	936.00	190.00	<0.5		7280.00	6.20			<0.5		9300.00		240.00		<0.5	6.92	9500.00				1300.00
RPD (%)			N/A	2.05	0.00	N/A	N/A	0.14	3.17	N/A	N/A	N/A	N/A	0.43	N/A	4.26	N/A	N/A	0.01	7.65	N/A	N/A	14.29	N/A
Comments																								
Action																								
Result																								

RPD > 50%

Table C-59: Rose Creek Drainage Groundwater Quality
2010 QA/QC Duplicates - Dissolved Metals



Station	Date	Sample Type	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
X26	6/13/2010	M	0.08		13	3.4	7	<100	0.3	<2	563	27	504	<2	0.9	85700	16.2	0.274	397	14600	<2	63.9	1380	59	<1	1030	<0.2	7050	<10	3410	<10	1.5	14.8	<10	92900	<1	
X26	6/13/2010	DUPLICATE	0.05		7	3.4	7	<50	0.3	<1	551	25.8	516	<1	1.1	84000	17.1	0.267	399	14600	<1	64.7	1360	55.8	0.9	1040	<0.1	6740	<5	3420	<5	1.57	14.8	<5	85500	<0.5	
	RPD (%)		46.15	60.00	0.00	0.00	N/A	0.00	N/A	2.15	4.55	2.35	N/A	20.00	2.00	N/A	5.41	2.59	0.50	0.00	N/A	1.24	1.46	5.57	N/A	0.97	N/A	4.50	N/A	0.29	N/A	4.56	0.00	N/A	8.30	N/A	
	Comments		Both values correctly entered into emLine; however, neither value > PQL. Therefore, RPD analysis not valid in this case.																																		
	Action		Let Value Stand																																		
	Result		Discrepancy between values remains.																																		
P03-06-2	6/14/2010	M	<0.04		128	0.4	14	<100	0.3	<2	529	20.2	863	<2	0.7	444000	5.7	0.049	161	105000	3	33.2	1000	2.8	<1	1090	<0.2	19700	<10	1760	<10	<0.1	1.6	<10	8010	<1	
P03-06-2	6/14/2010	DUPLICATE	<0.08		451	<0.4	11	<200	1	<4	412	47.6	838	<4	<0.8	986000	6.5	0.079	152	87800	<4	19.7	861	1.7	<2	1270	<0.4	21600	<20	1520	<20	<0.2	2.3	<20	13900	<2	
	RPD (%)		N/A	111.57	N/A	24.00	N/A	107.69	N/A	24.87	80.83	2.94	N/A	N/A	75.80	N/A	13.11	46.88	5.75	17.84	N/A	51.04	14.94	48.89	N/A	15.25	N/A	9.20	N/A	14.63	N/A	N/A	35.90	N/A	53.77	N/A	
	Comments		Both values > PQL and correctly entered into emLine.																																		
	Action		Request Retest																																		
	Result		Retest performed, see results below.																																		
P03-06-2 Retest	6/14/2010	M			201.00																																
P03-06-2 Retest	6/14/2010	DUPLICATE			483.00																																
	RPD (%)		N/A	82.46	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Comments		Retest for June 14 P03-06-2 sample and duplicate. Both values > PQL and correctly entered into emLine.																																		
	Action		Let Value Stand																																		
	Result		New values entered into emLine.																																		
P96-6	6/15/2010	M	<0.005		2.6	0.11	18.7	<50	0.07	<0.005	188	0.219	0.023	<0.1	0.65	7	4.55	0.0374	61.5	2.24	<0.05	7.62	13.9	0.132	<0.02	153	2.89	10600	<0.01	619	<0.5	0.003	26.1	<0.2	419	<0.1	
P96-6	6/15/2010	DUPLICATE	<0.005		2.8	0.09	18.2	<50	0.07	<0.005	185	0.228	0.017	<0.1	0.6	8	4.42	0.0364	58.9	2.04	<0.05	7.26	13	0.204	<0.02	147	2.84	10100	<0.01	610	<0.5	0.003	25.5	<0.2	400	<0.1	
	RPD (%)		N/A	7.41	20.00	2.71	N/A	0.00	N/A	1.61	4.03	30.00	N/A	8.00	13.33	N/A	2.90	2.71	4.32	9.35	N/A	4.84	6.69	42.86	N/A	4.00	1.75	4.83	N/A	1.46	N/A	0.00	2.33	N/A	4.64	N/A	
	Comments																																				
	Action																																				
	Result																																				
P09-SIS3	7/24/2010	M	0.40		205.00	2.00	24.00	<500	<1	<10	341.00	141.00	305.00	<10	17.00	266.00	15.00	0.20	1210.00	101000.00	<10	41.40	2900.00	<2	<5	2350.00	<1	12100.00	<50	1980.0	<50	<0.5	3.00	<50	493000.00	<5	
P09-SIS3	7/24/2010	DUPLICATE	0.40		348.00	<1	24.00	<500	<1	<10	384.00	139.00	292.00	<10	18.00	480.00	15.10	0.20	1210.00	99100.00	<10	41.60	2920.00	3.00	<5	2370.00	<1	13700.00	<50	1930.0	<50	<0.5	3.00	<50	494000.00	<5	
	RPD (%)		0.00	51.72	N/A	0.00	N/A	N/A	N/A	11.86	1.43	4.36	N/A	5.71	57.37	N/A	0.66	1.50	0.00	1.90	N/A	0.48	0.69	N/A	N/A	0.85	N/A	12.40	N/A	2.56	N/A	N/A	0.00	N/A	0.20	N/A	
	Comments		Both values > PQL and correctly entered into emLine.																																		
	Action		Let Value Stand																																		
	Result		Discrepancy between values remains.																																		
P01-02A	9/8/2010	M	<0.005		1.80	0.60	67.20	<50	<0.01	<0.005	117.00	0.09	0.70	<0.1	0.46	22.00	3.12	0.01	31.50	1300.00	1.48	9.07	2.56	0.10	0.04	61.00	<0.04	4950.00	<0.01	345.0	<0.5	0.012	2.96	<0.2	5.10	<0.1	
P01-02A	9/8/2010	DUPLICATE	<0.005		1.90	0.64	68.70	<50	<0.01	<0.005	118.00	0.10	0.70	<0.1	0.44	23.00	3.13	0.01	30.10	1340.00	1.55	8.86	2.53	0.09	0.04	65.00	<0.04	4990.00	<0.01	347.0	<0.5	0.012	2.97	<0.2	4.80	<0.1	
	RPD (%)		N/A	5.41	6.45	2.21	N/A	N/A	N/A	0.85	8.42	0.00	N/A	4.44	4.44	N/A	0.32	1.36	4.55	3.03	4.62	2.34	1.18	5.41	0.00	6.35	N/A	0.80	N/A	0.58	N/A	0.00	0.34	N/A	6.06	N/A	
	Comments																																				
	Action																																				
	Result																																				
P03-04-6	9/20/2010	M	<0.2		<30.0	15.00	<10.0	<500.0	<1.0	<10.0	500.00	<0.1	53.00	12.00	<2.0	1650000.00	10.60	<0.05	124.00	14900.00	<10.0	87.60	133.00	<2.0	<5.0	1630.00	<1.0	12000.00	<50.0	3060.0	<50.0	<0.5	3.00	<50.0	1970.00	<5.0	
P03-04-6	9/20/2010	DUPLICATE	<0.2		<30.0	16.00	<10.0	<500.0	<1.0	<10.0	491.00	<0.1	52.00	<10.0	<2.0	1620000.00	10.40	<0.05	123.00	14700.00	<10.0	89.40	122.00	<2.0	<5.0	1600.00	<1.0	11700.00	<50.0	3070.0	<50.0	<0.5	3.00	<50.0	1840.00	<5.0	
	RPD (%)		N/A	N/A	6.45	N/A	N/A	N/A	N/A	1.82	N/A	1.90	N/A	N/A	1.83	N/A	1.90	N/A	0.81	1.35	N/A	2.03	8.63	N/A	N/A	1.86	N/A	2.53	N/A	0.33	N/A	N/A	0.00	N/A	6.82	N/A	
	Comments																																				
	Action																																				
	Result																																				
P09-SIS2	11/2/2010	M	0.60		<60	<2	28.00	<1000	<2	<20	459.00	249.00	1180.00	<20	7.00	1130.00	15.00	0.18	1490.00	149000.00	<20	44.00	3560.00	<4	<10	3190.00	<2	12900.00	<100	2110.0	<100	<1	6.00	<100	667000.00	<10	
P09-SIS2	11/2/2010	DUPLICATE	0.50		<60	<2	21.00	<1000	<2	<20	441.00	244.00	1170.00	<20	5.00	1030.00	15.00	0.18	1500.00	150000.00	<20	44.00	3570.00	<4	<10	2980.00	<2	12300.00	<100	2070.0	<100	<1	6.00	<100	666000.00	<10	
	RPD (%)		18.18	N/A	N/A	28.57	N/A	N/A	N/A	4.00	2.03	0.85	N/A	33.33	9.26	N/A	0.00	2.75	0.67	0.67	N/A	0.00	0.28	N/A	N/A	6.81	N/A	4.76	N/A	1.91	N/A	N/A	0.00	N/A	0.15	N/A	
	Comments																																				
	Action																																				
	Result																																				

RPD > 50%
RPD > 100%

Table C-60: Rose Creek Drainage Groundwater Quality
2010 QA/QC Splits - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH (blank)	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
X17A	9/8/2010	M	<0.5	6.60	230.00	<0.5		280.00	<0.5			<0.5		517.0000		280.00		<0.5	7.80	39.000			32.000	
X17A	9/8/2010	SPLIT	<0.5	5.50	230.00	<0.5		263.00	<0.5			<0.5		519.0000		280.00		<0.5	7.81	36.000			35.000	
RPD (%)			N/A	18.18	0.00	N/A	N/A	6.26	N/A	N/A	N/A	N/A	N/A	0.39	N/A	0.00	N/A	N/A	0.01	8.00	N/A	N/A	8.96	N/A
Comments																								
Action																								
Result																								
X18B	9/8/2010	M	<0.5	17.90	250.00	<0.5		1000.00	1.00			<0.5		1650.00		300.00		<0.5	7.45	710.00			<1	
X18B	9/8/2010	SPLIT	<0.5	17.70	250.00	<0.5		980.00	1.00			<0.5		1630.00		300.00		<0.5	7.50	690.00			<1	
RPD (%)			N/A	1.12	0.00	N/A	N/A	2.02	0.00	N/A	N/A	N/A	N/A	1.22	N/A	0.00	N/A	N/A	0.05	2.86	N/A	N/A	N/A	N/A
Comments																								
Action																								
Result																								
P01-11	9/8/2010	M	<0.5	52.60	350.00	<0.5		1750.00	2.70			<0.5		2880.00		430.00		<0.5	7.24	1500.00			190.00	
P01-11	9/8/2010	SPLIT	<0.5	55.80	350.00	<0.5		1760.00	2.60			<0.5		2900.00		430.00		<0.5	7.15	1500.00			200.00	
RPD (%)			N/A	5.90	0.00	N/A	N/A	0.57	3.77	N/A	N/A	N/A	N/A	0.69	N/A	0.00	N/A	N/A	0.09	0.00	N/A	N/A	5.13	N/A
Comments																								
Action																								
Result																								
BH6	9/16/2010	M	<0.5	31.40	110.00	<0.5		181.00	<0.5			<0.5		413.00		140.00		<0.5	7.15	95.00			290.00	
BH6	9/16/2010	SPLIT	<0.5	30.00	110.00	<0.5		185.00	<0.5			<0.5		413.00		140.00		<0.5	7.16	94.00			220.00	
RPD (%)			N/A	4.56	0.00	N/A	N/A	2.19	N/A	N/A	N/A	N/A	N/A	0.00	N/A	0.00	N/A	N/A	0.01	1.06	N/A	N/A	27.45	N/A
Comments																								
Action																								
Result																								
P03-08-2	9/20/2010		<0.5	22.80	250.00	<0.5		347.00	<0.5			<0.5		678.00		300.00		<0.5	7.70	110.00			8.00	
P03-08-2	9/20/2010		<0.5	31.70	250.00	<0.5		338.00	<0.5			<0.5		669.00		300.00		<0.5	7.72	130.00			11.00	
RPD (%)			N/A	32.66	0.00	N/A	N/A	2.63	N/A	N/A	N/A	N/A	N/A	1.34	N/A	0.00	N/A	N/A	0.02	16.67	N/A	N/A	31.58	N/A
Comments																								
Action																								
Result																								
P03-01-2	9/21/2010	M	<0.5	3.30	210.00	3.40		214.00	<0.5			4.10		409.00		240.00		<0.5	8.36	22.00			2.00	
P03-01-2	9/21/2010	SPLIT	<0.5	24.80	210.00	<0.5		207.00	<0.5			<0.5		423.00		260.00		<0.5	8.08	23.00			2.00	
RPD (%)			N/A	153.02	0.00	N/A	N/A	3.33	N/A	N/A	N/A	N/A	N/A	3.37	N/A	8.00	N/A	N/A	0.28	4.44	N/A	N/A	0.00	N/A
Comments				Both values > PQL and correctly entered into emLine.																				
Action				Request Retest																				
Result				Retest performed, see results below.																				
				RPD > 50%																				

Table C-60: Rose Creek Drainage Groundwater Quality
2010 QA/QC Splits - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Chloride mg/L	CN(wad) mg/L	CNTHIO mg/L	CO3 mg/L	Colour TCU	COND µmho/cm	DOC mg/L	HCO3 mg/L	NH3 mg/L	OH mg/L	pH (blank)	SO4-d mg/L	TDS mg/L	TOC mg/L	TSS mg/L	TURB NTU
P03-01-2 Retest	9/21/2010	M		1.50																				
P03-01-2 Retest	9/21/2010	SPLIT		1.70																				
RPD (%)			N/A	12.50	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00	N/A	N/A	N/A	N/A	N/A
Comments			Retest for September 21 P03-01-2 sample and split. Both values correctly entered into emLine; however, neither value > PQL. Therefore, RPD analysis not valid in this case.																					
Action			Let Value Stand																					
Result			New values entered into emLine.																					
P03-05-2	9/22/2010	M	<0.5	90.80	90.00	<0.5		758.00	3.50			<0.5		1480.00		110.00		<0.5	6.89	860.00			11.00	
P03-05-2	9/22/2010	SPLIT	<0.5	96.90	89.00	<0.5		771.00	3.10			<0.5		1480.00		110.00		<0.5	6.92	800.00			13.00	
RPD (%)			N/A	6.50	1.12	N/A	N/A	1.70	12.12	N/A	N/A	N/A	N/A	0.00	N/A	0.00	N/A	N/A	0.03	7.23	N/A	N/A	16.67	N/A
Comments																								
Action																								
Result																								
SRK08-SPW2	12/1/2010	M	<0.5	279.00	210.00	<0.5		2760.00	3.00			<0.5		4130.00		250.00		<0.5	6.91	3000.00			2.00	
SRK08-SPW2	12/1/2010	SPLIT	<0.5	279.00	210.00	<0.5		2730.00	3.00			<0.5		4130.00		250.00		<0.5	6.87	3200.00			<1	
RPD (%)			N/A	0.00	0.00	N/A	N/A	1.09	0.00	N/A	N/A	N/A	N/A	0.00	N/A	0.00	N/A	N/A	0.04	6.45	N/A	N/A	N/A	N/A
Comments																								
Action																								
Result																								

RPD > 50%

Station	Date	Sample Type	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	Hg-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d							
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L							
X17A	9/8/2010	M	<0.005	3.30		0.45	156.000	<50	<0.01	<0.005	75.80	0.04		0.0470	<0.1																						8.100	<0.1					
X17A	9/8/2010	SPLIT	<0.005	3.80		0.47	153.000	<50	<0.01	<0.005	71.40	0.04		0.0930	<0.1																							18.800	0.20				
		RPD (%)	N/A	14.08		4.35	1.94	N/A	N/A	N/A	5.98	7.79		65.71	N/A																							80.00	N/A				
		Comments												Both values > PQL and correctly entered into emLine.																								Both values > PQL and correctly entered into emLine.					
		Action																																									
		Result												Let Value Stand																									Let Value Stand				
X18B	9/8/2010	M	<0.005	3.20		0.19	77.20	<50	<0.01	<0.005	288.00	0.32		0.61	<0.1																								7.00	<0.1			
X18B	9/8/2010	SPLIT	<0.005	3.00		0.18	76.60	<50	<0.01	<0.005	281.00	0.32		0.61	<0.1																									6.30	<0.1		
		RPD (%)	N/A	6.45		5.41	0.78	N/A	N/A	N/A	2.46	0.31		1.48	N/A																								4.17	N/A			
		Comments																																									
		Action																																									
		Result																																									
P01-11	9/8/2010	M	<0.05	3.00		36.50	34.50	<500	<0.1	<0.05	505.00	<0.05		5.82	<1																									15.00	<1		
P01-11	9/8/2010	SPLIT	<0.05	3.00		35.00	33.90	<500	<0.1	<0.05	518.00	<0.05		5.45	<1																									15.00	<1		
		RPD (%)	N/A	0.00		4.20	1.75	N/A	N/A	N/A	2.54	N/A		6.57	N/A																									N/A			
		Comments																																									
		Action																																									
		Result																																									
BH6	9/16/2010	M	<0.005	40.60		0.10	34.40	<50	0.08	<0.005	50.50	1.32		28.60	<0.1																									3200.00	<0.1		
BH6	9/16/2010	SPLIT	<0.005	40.20		0.09	34.30	<50	0.07	0.01	52.90	1.27		27.60	<0.1																									3130.00	<0.1		
		RPD (%)	N/A	0.99		10.53	0.29	N/A	13.33	N/A	4.64	3.86		3.56	N/A																									16.95	N/A		
		Comments																																									
		Action																																									
		Result																																									
P03-08-2	9/20/2010	M	<0.02	8.00		0.30	184.00	<50	<0.1	<1	95.20	0.04		0.90	<1																									<5	<0.5		
P03-08-2	9/20/2010	SPLIT	<0.02	8.00		0.50	174.00	<50	<0.1	<1	91.10	0.04		0.90	<1																										<5	<0.5	
		RPD (%)	N/A	0.00		50.00	5.59	N/A	N/A	N/A	4.40	0.00		0.00	N/A																										15.38	N/A	
		Comments																																									
		Action																																									
		Result																																									
P03-01-2	9/21/2010	M	<0.02	4.00		0.80	102.00	<50	<0.1	<1	66.60	<0.01		0.90	<1																											<5	<0.5
P03-01-2	9/21/2010	SPLIT	<0.02	<3		0.80	107.00	<50	<0.1	<1	64.50	<0.01		0.80	<1																											<5	<0.5
		RPD (%)	N/A	N/A		0.00	4.78	N/A	N/A	N/A	3.20	N/A		11.76	N/A																											N/A	
		Comments																																									
		Action																																									
		Result																																									
P03-05-2	9/22/2010	M	<0.03	6.00		7.10	84.00	<300	<0.05	<0.03	233.00	<0.03		211.00	<0.5																											1510.00	<0.5
P03-05-2	9/22/2010	SPLIT	<0.03	6.00		6.70	81.10	<300	<0.05	<0.03	239.00	<0.03		208.00	<0.5																											1470.00	<0.5
		RPD (%)	N/A	0.00		5.80	3.51	N/A	N/A	N/A	2.54	N/A		1.43	N/A																											71.30	N/A
		Comments																																									
		Action																																									
		Result																																									
SRK08-SPW2	12/1/2010	M	0.13	18.00		<0.4	18.00	<200	<0.4	<4	268.00	32.10		242.00	<4																											153000.00	<2
SRK08-SPW2	12/1/2010	SPLIT	0.10	15.00		0.80	20.00	<200	<0.4	<4	269.00	32.30		241.00	<4																											152000.00	<2
		RPD (%)	26.09	18.18		N/A	10.53	N/A	N/A	N/A	0.37	0.62		0.41	N/A																												

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
BH10A	9/16/2010	795	826.3	3.86				6.42	5.74	0.68			
BH10B	9/16/2010	1070	1010	5.77				6.31	5.53	0.78			
BH13B	9/21/2010	1290	984	26.91	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.47	8.26	0.79			
BH14A	6/11/2010	4000	3413	15.84				7.8	6.78	1.02	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
BH14A	9/21/2010	3880	2594	39.73	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.58	7.04	0.54			
BH14B	6/11/2010	4010	3508	13.35				7.6	6.81	0.79			
BH14B	9/21/2010	4020	2702	39.21	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.61	7.25	0.36			
BH5	9/16/2010	667	710.2	6.27				6.23	5.63	0.6			
BH6	9/16/2010	413	450.8	8.75				7.15	6.12	1.03	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
BH8	9/18/2010	3830	3828	0.05				4.14	4.43	0.29			
P01-01A	6/6/2010	1700	1019	50.09	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.	8.0	6.41	1.59	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.
P01-01A	9/8/2010	1960	1660	16.57				7.52	8.16	0.64			
P01-01B	6/6/2010	1230	920	28.84	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	8.1	6.38	1.72	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.
P01-01B	9/8/2010	1340	1131	16.92				7.58	7.3	0.28			
P01-02A	6/6/2010	697	817	15.85				8	7.42	0.58			
P01-02A	9/8/2010	794	830	4.43				7.95	7.37	0.58			
P01-02B	6/6/2010	512	530	3.45				8.2	7.5	0.7			
P01-02B	9/8/2010	562	610	8.19				7.9	7.53	0.37			
P01-03	6/7/2010	3620	3450	4.81				7.4	6.35	1.05	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P01-03	9/9/2010	3680	622	142.17	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see correct result below).	6.7	6.22	0.48			
P01-03	9/9/2010	3680	3890	5.55	Lab value correctly entered into emLine, and incorrect field value emended (see above)	Let Value Stand	Correct value entered into emLine.	6.7	6.22	0.48			
P01-04A	6/7/2010	1050	1010	3.88				7.8	6.77	1.03	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P01-04A	9/9/2010	1140	1230	7.59				7.26	7.03	0.23			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
P01-04B	9/9/2010	2060	2200	6.57				7.29	6.88	0.41			
P01-11	6/6/2010	2760	3020	9.00				7.6	6.89	0.71			
P01-11	9/8/2010	2880	3280	12.99				7.24	6.72	0.52			
P03-01-2	9/21/2010	409	441.4	7.62				8.36	7.34	1.02	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P03-01-4	9/21/2010	167	175.7	5.08				6.92	6.93	0.01			
P03-01-6	9/21/2010	1110	1157	4.15				5.76	6.6	0.84			
P03-01-8	9/21/2010	22100	15510	35.04	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	3.46	6.11	2.65	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past sample hold time. Discrepancy between values remains.
P03-03-2	9/21/2010	2750	2595	5.80				4.17	5.36	1.19	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P03-03-4	9/21/2010	1650	1664	0.84				6.2	6.11	0.09			
P03-03-6	9/21/2010	6410	28.71	198.22	Lab value correctly entered into emLine. Field value undergoing investigation.	Let Value Stand	Retest request would be filed past sample hold time. Discrepancy between values remains.	4.82	6.4	1.58	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past sample hold time. Discrepancy between values remains.
P03-04-2	9/20/2010	1510	1294	15.41				7.15	6.82	0.33			
P03-04-4	9/20/2010	1300	1249	4.00				7.44	7.4	0.04			
P03-04-6	9/20/2010	5440	5926	8.55				6.22	7	0.78			
P03-04-8	9/20/2010	8100	8162	0.76				3.9	6.32	2.42	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past sample hold time. Discrepancy between values remains.
P03-05-2	9/22/2010	1480	1563	5.46				6.89	6.75	0.14			
P03-05-4	9/22/2010	1250	1258	0.64				7.26	7.02	0.24			
P03-05-6	9/22/2010	4790	4428	7.85				4.59	6.73	2.14	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past sample hold time. Discrepancy between values remains.

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
P03-06-1	6/14/2010	3850	38750	163.85	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see below).	6.2	5.35	0.85			
P03-06-1	6/14/2010	3850	3875	0.65	Lab value correctly entered into emLine, and incorrect field value amended (see above).	Let Value Stand	Discrepancy between lab and field values resolved.	6.2	5.35	0.85			
P03-06-1	9/22/2010	3900	3352	15.11				6.06	6.17	0.11			
P03-06-2	6/14/2010	4000	41050	164.48	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see below).	4.2	5.3	1.1	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P03-06-2	6/14/2010	4000	4105	2.59	Lab value correctly entered into emLine, and incorrect field value amended (see above).	Let Value Stand	Discrepancy between lab and field values resolved.	4.2	5.3	1.1	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P03-06-2	9/22/2010	3910	3365	14.98				5.77	6.11	0.34			
P03-06-3	6/14/2010	4530	46110	164.22	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see below).	4.3	5.35	1.05	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P03-06-3	6/14/2010	4530	4611	1.77	Lab value correctly entered into emLine, and incorrect field value amended (see above).	Let Value Stand	Discrepancy between lab and field values resolved.	4.3	5.35	1.05	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P03-06-3	9/22/2010	4640	3824	19.28				5.49	6.24	0.75			
P03-06-4	6/14/2010	2210	25150	167.69	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see below).	5.6	6.18	0.58			
P03-06-4	6/14/2010	2210	2515	12.91	Lab value correctly entered into emLine, and incorrect field value amended (see above).	Let Value Stand	Discrepancy between lab and field values resolved.	5.6	6.18	0.58			
P03-06-4	9/22/2010	2600	2516	3.28				6.2	6.65	0.45			
P03-06-5	6/14/2010	1370	17610	171.13	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see below).	5.2	6.42	1.22	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P03-06-5	6/14/2010	1370	1761	24.98	Lab value correctly entered into emLine, and incorrect field value amended (see above).	Let Value Stand	Large discrepancy between lab and field values resolved, but small discrepancy between values still remains.	5.2	6.42	1.22	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P03-06-5	9/22/2010	3570	2933	19.59				6.01	6.89	0.88			
P03-08-2	9/20/2010	678	732	7.66				7.7	8.17	0.47			
P03-08-4	9/20/2010	1260	1327	5.18				7.36	7.1	0.26			
P03-08-6	9/20/2010	948	924	2.56				7.23	7.45	0.22			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
P03-08-7	9/20/2010	612	569	7.28				7.92	7.85	0.07			
P03-08-8	9/20/2010			#DIV/0!						0			
P03-09-2	9/13/2010	1300	1430	9.52				7.85	7.01	0.84			
P03-09-4	9/13/2010	1550	1670	7.45				7.83	7	0.83			
P03-09-6	9/13/2010	1670	1822	8.71				7.83	6.91	0.92			
P03-09-8	9/13/2010	1700	1748	2.78				7.81	6.95	0.86			
P03-09-9	9/13/2010	1670	1811	8.10				7.82	6.91	0.91			
P05-01-1	9/9/2010	2790	2990	6.92				7	6.6	0.4			
P05-01-2	9/9/2010	2820	3103	9.56				7.04	6.65	0.39			
P05-01-3	9/9/2010	2790	3063	9.33				7.03	6.64	0.39			
P05-01-4	9/9/2010	2770	2972	7.04				7.02	6.64	0.38			
P05-01-5	9/9/2010	2400	2586	7.46				7.09	6.66	0.43			
P05-01-6	9/9/2010	2510	2655	5.61				7.14	6.58	0.56			
P05-02	6/6/2010	2720	2552	6.37				7.5	6.49	1.01	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P05-02	9/8/2010	2630	2910	10.11				7.05	6.6	0.45			
P05-03	6/8/2010	1610	1598	0.75				8.1	6.92	1.18	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P05-03	9/8/2010	1520	1640	7.59				7.41	7.04	0.37			
P05-04	9/16/2010	383	366.9	4.29				7.36	6.12	1.24	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P09-C1	6/7/2010	2510	2609	3.87				7.6	6.62	0.98			
P09-C1	9/15/2010	2630	2560	2.70				7.77	6.57	1.2	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P09-C2	6/8/2010	2670	2620	1.89				7	6.28	0.72			
P09-C2	9/15/2010	2770	2726	1.60				7.12	6.06	1.06	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P09-C3	6/8/2010	1070	1087	1.58				7.8	6.49	1.31	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P09-C3	9/15/2010	1070	1070	0.00				7.81	6.52	1.29	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P09-ETA1	9/16/2010	421	440.2	4.46				7.9	7.56	0.34			
P09-ETA2	9/15/2010	5190	5390	3.78				6.7	6.34	0.36			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
P09-SIS1	7/25/2010	9670	9050	6.62				6.69	6.16	0.53			
P09-SIS1	11/2/2010	8110	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			7.23	6.33	0.9			
P09-SIS1	11/2/2010	8110	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			7.23	6.33	0.9			
P09-SIS2	6/9/2010	9950	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.9	5.8	1.1	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P09-SIS2	7/24/2010	8730	9180	5.03				6.64	6.19	0.45			
P09-SIS2	9/13/2010	9190	9480	3.11				6.97	5.83	1.14	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P09-SIS2	11/2/2010	9340	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.93	6.1	0.83			
P09-SIS2	11/2/2010	9340	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.93	6.1	0.83			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
P09-SIS3	6/9/2010	10000	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.9	6.04	0.86			
P09-SIS3	7/24/2010	7720	4160	59.93	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.	6.65	8.34	1.69	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.
P09-SIS3	9/14/2010	9500	9580	0.84				7	6.05	0.95			
P09-SIS3	11/2/2010	9020	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			7	6.21	0.79			
P09-SIS3	11/2/2010	9020	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			7	6.21	0.79			
P96-6	6/15/2010	1170	1140	2.60				7.6	6.35	1.25	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P96-6	9/21/2010	1350	1010	28.81	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.27	7.08	0.19			
P96-7	6/11/2010	3090	2644	15.56				7.9	7.47	0.43			
P96-7	9/14/2010	3310	3570	7.56				7.82	7.24	0.58			
P96-8A	6/9/2010	7780	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			5.9	5.14	0.76			
P96-8A	9/14/2010	7780	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.29	5.14	1.15			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
P96-8B	6/9/2010	7380	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			4.8	4.31	0.49			
P96-8B	9/15/2010	7540	7630	1.19				4.71	4.55	0.16			
P96-9A	6/12/2010	3550	3066	14.63				7.8	6.77	1.03	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
P96-9A	9/20/2010	3840	3943	2.65				7.61	6.78	0.83			
S1A	6/9/2010	656	561	15.61				6.9	6.46	0.44			
S1A	9/14/2010	332		200.00	Lab value correctly entered into emLine, but field value not entered.	Change Value	Field value entered; now correctly entered into emLine (see correct result below).	7.12		7.12	Lab value correctly entered into emLine, but field value not entered.	Change Value	Field value entered; now correctly entered into emLine (see correct result below).
S1A	9/14/2010	332	302	9.46	Lab value correctly entered into emLine, but field value not entered.	Let Value Stand	Correct value entered into emLine.	7.12	7.29	0.17	Lab value correctly entered into emLine, but field value not entered.	Let Value Stand	Correct value entered into emLine.
S1B	9/14/2010			#DIV/0!	Sample not collected. Samplers noted "Well completely dry."					0	Sample not collected. Samplers noted "Well completely dry."		
S2A	6/9/2010	1470	1238	17.13				7	5.78	1.22	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
S2A	9/14/2010	1370	1226	11.09				6.73	6.05	0.68			
S2B	9/14/2010	8000	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.94	6.07	0.87			
SRK04-3A	9/22/2010	8130	8172	0.52				5.68	5.21	0.47			
SRK05-ETA-BR1	9/22/2010	7370	7350	0.27				5.76	5.17	0.59			
SRK05-ETA-BR2	9/22/2010	2660	2845	6.72				6.78	6.5	0.28			
SRK05-SP1A	9/14/2010	1700	1790	5.16				6.34	5.54	0.8			
SRK05-SP1B	9/14/2010	996	1050	5.28				7.37	6.31	1.06	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK05-SP2	9/14/2010	379	370	2.40				7.19	6.4	0.79			
SRK05-SP3A	9/14/2010	1410	1430	1.41				6.62	5.7	0.92			
SRK05-SP3B	9/14/2010	1190	1330	11.11				6.45	5.99	0.46			
SRK05-SP4A	6/9/2010	1040	872	17.57				6.7	5.66	1.04	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK05-SP4A	9/13/2010	1080	119	160.30	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past sample hold time. Discrepancy between values remains.	6.65	5.91	0.74			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
SRK05-SP5	9/14/2010	6260	6060	3.25				6.75	5.89	0.86			
SRK05-SP6	9/14/2010			#DIV/0!	Sample not collected. Samplers noted "not enough water for purge volume. Well too deep to get water out."					0	Sample not collected. Samplers noted "not enough water for purge volume. Well too deep to get water out."		
SRK08-P10A	6/9/2010	3630	3012	18.61				7.4	6.34	1.06	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-P10A	9/16/2010			#DIV/0!	Sample not collected. Samplers noted "Dry @ 12L."					0	Sample not collected. Samplers noted "Dry @ 12L."		
SRK08-P11A	6/9/2010	764	623	20.33	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.9	7.14	0.76			
SRK08-P11A	9/15/2010	770	860	11.04				7.91	6.83	1.08	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-P11B	6/9/2010	928	767	19.00				8.1	6.87	1.23	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-P11B	9/15/2010	1180	1370	14.90				7.81	6.52	1.29	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-P12A	9/16/2010	1240	1135	8.84				6.47	5.69	0.78			
SRK08-P12B	9/16/2010	889	965.7	8.27				6.43	5.69	0.74			
SRK08-P14	9/16/2010	1990	2080	4.42				7.9	7.38	0.52			
SRK08-P15	9/16/2010	1930	2030	5.05				7.88	7.66	0.22			
SRK08-SBR2	9/14/2010	1440	1510	4.75				6.75	5.9	0.85			
SRK08-SBR3	9/14/2010	2940	2407	19.94				7.63	6.96	0.67			
SRK08-SBR4	9/14/2010	2440	2288	6.43				7.16	6.44	0.72			
SRK08-SP7A	6/9/2010	2720	2755	1.28				6.5	5.86	0.64			
SRK08-SP7A	7/25/2010	2390	2290	4.27				6.53	6.48	0.05			
SRK08-SP7A	9/13/2010	2170	2380	9.23				6.83	6.11	0.72			
SRK08-SP7A	11/2/2010	1900	1614	16.28				6.86	6.39	0.47			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
SRK08-SP7B	6/9/2010	367	356	3.04				7.3	7.04	0.26			
SRK08-SP7B	7/25/2010	196	5.9	188.31	Lab value correctly entered into emLine, but field value incorrectly entered.	Change Value	Field value changed; now correctly entered into emLine (see below).	6.94	7.36	0.42			
SRK08-SP7B	7/25/2010	196	170	14.21	Lab value correctly entered into emLine, and incorrect field value amended (see above).	Let Value Stand	Discrepancy between lab and field values resolved.	6.94	7.36	0.42			
SRK08-SP7B	9/13/2010	211	250	16.92				7.23	6.79	0.44			
SRK08-SP7B	11/2/2010	249	246	1.21				7.26	6.83	0.43			
SRK08-SP8A	9/13/2010	1950	2250	14.29				6.97	6.17	0.8			
SRK08-SP8B	9/13/2010	1560	1770	12.61				6.92	6.25	0.67			
SRK08-SPW1	1/6/2010	1240	1115	10.62				6.6	5.82	0.78			
SRK08-SPW1	2/17/2010	1150	1070	7.21				7.1	6.15	0.95			
SRK08-SPW1	3/9/2010	1050	1090	3.74				7.3	5.98	1.32	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW1	4/13/2010	1080	1040	3.77				6.8	6.08	0.72			
SRK08-SPW1	5/3/2010	1040	945	9.57				7.1	6	1.1	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW1	6/13/2010	1070	1125	5.01				6.5	7.62	1.12	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW1	7/10/2010	1100	1220	10.34				6.43	5.95	0.48			
SRK08-SPW1	8/3/2010	1080	1150	6.28				6.43	6.36	0.07			
SRK08-SPW1	9/1/2010	1090	1360	22.04	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	6.96	6.66	0.3			
SRK08-SPW1	10/7/2010	1060	760	32.97	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	6.72	6.54	0.18			
SRK08-SPW1	11/8/2010	1050	986	6.29				6.84	5.96	0.88			

RPD > 50% or pH difference > 1.5 pH unit

RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
SRK08-SPW2	1/6/2010	5140	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.7	5.8	0.9			
SRK08-SPW2	2/17/2010	4840	4310	11.58				7.2	5.97	1.23	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW2	3/9/2010	4370	3970	9.59				7.3	6.07	1.23	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW2	4/13/2010	4150	3960	4.69				6.8	6.1	0.7			
SRK08-SPW2	5/3/2010	4340	3676	16.57				7	6.26	0.74			
SRK08-SPW2	6/13/2010	3900	3794	2.76				6.7	8.01	1.31	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW2	7/10/2010	3840	3587	6.81				6.66	6.11	0.55			
SRK08-SPW2	8/3/2010	3910	4390	11.57				7.01	6.34	0.67			
SRK08-SPW2	9/1/2010	3890	4160	6.71				7.15	6.28	0.87			
SRK08-SPW2	10/7/2010	3830	2250	51.97	Field and lab values correctly entered into emLine.	Let Value Stand	Retest request would be filed past hold time. Discrepancy between values remains.	6.85	6.3	0.55			
SRK08-SPW2	11/8/2010	4000	3304	19.06				6.87	6.16	0.71			
SRK08-SPW2	12/1/2010	4130	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.91	6.35	0.56			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
SRK08-SPW3	1/6/2010	5390	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.7	5.69	1.01	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW3	2/17/2010	6620	5800	13.20				7.2	5.93	1.27	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW3	3/9/2010	5690	4820	16.56				6.9	6.1	0.8			
SRK08-SPW3	4/13/2010	6210	5860	5.80				6.9	6.17	0.73			
SRK08-SPW3	5/3/2010	3360	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			7.3	6.24	1.06	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW3	6/13/2010	5440	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.8	7.77	0.97			
SRK08-SPW3	7/10/2010	4160	3890	6.71				6.45	5.93	0.52			
SRK08-SPW3	8/3/2010	5510	5830	5.64				6.83	6.05	0.78			
SRK08-SPW3	9/1/2010	4220	4450	5.31				7.02	6.16	0.86			
SRK08-SPW3	10/7/2010	5540	3360	48.99	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	6.97	6.19	0.78			
SRK08-SPW3	11/8/2010	5520	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.75	5.74	1.01	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
SRK08-SPW3	12/1/2010	5440	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.6	6.12	0.48			
TH86-17	9/9/2010	181	190	4.85				7.55	7.1	0.45			
TH86-2	9/13/2010	289	187	42.86	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.	7.94	8.39	0.45			
TH86-5	9/9/2010	795	836	5.03				7.26	6.94	0.32			
X16A	6/7/2010	356	340	4.60				8.3	7.61	0.69			
X16A	9/8/2010	365	337	7.98				7.78	7.36	0.42			
X16B	6/7/2010	399	390	2.28				8.2	7.84	0.36			
X16B	9/8/2010	432	392	9.71				7.9	7.52	0.38			
X17A	6/8/2010	573	633	9.95				8.1	7.36	0.74			
X17A	9/8/2010	517	519	0.39				7.8	7.5	0.3			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X17B	6/8/2010	1090	1110	1.82				7.7	6.94	0.76			
X17B	9/8/2010	899	801	11.53				7.47	6.9	0.57			
X18A	6/7/2010	1700	1807	6.10				8.0	6.93	1.07	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X18A	9/8/2010	1500	1351	10.45				7.22	6.92	0.3			
X18B	6/7/2010	1730	1727	0.17				8.1	6.85	1.25	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X18B	9/8/2010	1650	1399	16.46				7.45	6.98	0.47			
X21-96A	6/11/2010	17500	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			3.6	5.38	1.78	Field and lab values correctly entered into emLine.	Request Retest	Retest not possible because was requested too late. Remainder of samples had been discarded. Discrepancy between values remains.
X21-96A	9/22/2010	17900	17530	2.09				3.67	5.05	1.38	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X21-96B	6/11/2010	2360	2274	3.71				5.9	6.61	0.71			
X21-96B	9/22/2010	2810	3008	6.81				6.31	6.26	0.05			
X24-96D	6/7/2010	3910	3660	6.61				7.4	6.4	1	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X24-96D	9/9/2010	3950	4370	10.10				6.85	6.27	0.58			
X25-96A	6/7/2010	1420	1390	2.14				8	7.18	0.82			
X25-96A	9/9/2010	1550	1710	9.82				7.43	7.01	0.42			
X25-96B	6/7/2010	1270	1270	0.00				8.1	7.52	0.58			
X25-96B	9/9/2010	1370	1430	4.29				7.83	7.38	0.45			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-62: Rose Creek Drainage Groundwater Quality
2010 QA/QC Lab vs. Field Comparison

Station	Date	COND µmho/cm	CONDF µmho/cm	RPD %	Comments	Action	Result	pH	pHF	Difference	Comments	Action	Result
X26	5/5/2010	5300	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.5	6.28	0.22			
X26	6/13/2010	4190	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.4	7.61	1.21	Field and lab values correctly entered into emLine.	Let Value Stand	Discrepancy between lab and field values remains.
X26	7/10/2010	4120	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.55	6.33	0.22			
X26	8/3/2010	4620	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.4	6.22	0.18			
X26	9/1/2010	5060	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.71	6.06	0.65			
X26	10/19/2010	4540	>3999	#VALUE!	Field and lab values not comparable because conductivity greater than maximum measurable level for field meter used.			6.52	5.97	0.55			

RPD > 50% or pH difference > 1.5 pH unit
 RPD > 20% or pH difference > 1 pH unit

Table C-63: Rose Creek Drainage Water Quality 2010 - Ion Charge Balance

Station	Date	Surface
ETA Combined	9/2/2010	0.95
ETA Combined	10/20/2010	0.99
ETA Combined	11/8/2010	0.95
ETA Combined	12/1/2010	
FARO CR	5/3/2010	
FARO CR	6/5/2010	1.00
FARO CR	7/8/2010	
FARO CR	8/3/2010	1.00
FARO CR	9/1/2010	1.00
FARO CR	10/19/2010	1.00
FCO	6/16/2010	1.00
FCO	9/1/2010	
FCO	10/7/2010	1.00
FCO	11/4/2010	
FCS-4	9/2/2010	0.89
FCS-4	10/20/2010	0.89
FCS-4	11/10/2010	
FCS-4	12/2/2010	
GDHSECK	3/4/2010	
GDHSECK	6/16/2010	0.99
GDHSECK	10/6/2010	1.00
NF1	2/23/2010	
NF1	3/10/2010	
NF1	4/11/2010	
NF1	5/3/2010	
NF1	6/5/2010	1.00
NF1	7/8/2010	
NF1	8/3/2010	0.99
NF2	1/12/2010	
NF2	2/23/2010	
NF2	3/10/2010	
NF2	4/14/2010	
NF2	5/3/2010	
NF2	6/4/2010	1.00
NF2	7/8/2010	
NF2	8/3/2010	1.00
NF2	9/1/2010	1.00
NF2	10/18/2010	1.00
NF2	11/9/2010	1.00
NF2	12/1/2010	
NFRC SC-1	1/12/2010	
NFRC SC-1	2/23/2010	
NFRC SC-1	3/10/2010	
NFRC SC-1	4/14/2010	
NFRC SC-1	5/3/2010	
NFRC SC-1	6/4/2010	1.00
NFRC SC-1	7/8/2010	
NFRC SC-1	8/3/2010	1.00
NFRC SC-1	10/18/2010	1.00
NFRC SC-2	1/12/2010	
NFRC SC-2	2/23/2010	
NFRC SC-2	3/10/2010	
NFRC SC-2	4/14/2010	
NFRC SC-2	5/3/2010	
NFRC SC-2	6/4/2010	1.00
NFRC SC-2	7/8/2010	
NFRC SC-2	8/3/2010	1.00
NFRC SC-2	10/18/2010	1
NFRC SC-3	1/12/2010	
NFRC SC-3	2/23/2010	
NFRC SC-3	3/10/2010	
NFRC SC-3	4/14/2010	
NFRC SC-3	5/3/2010	
NFRC SC-3	6/4/2010	1
NFRC SC-3	7/8/2010	
NFRC SC-3	8/3/2010	1.00
NFRC SC-3	10/18/2010	1.00
NFRC SC-4	1/11/2010	
NFRC SC-4	2/23/2010	
NFRC SC-4	3/10/2010	
NFRC SC-4	4/14/2010	
NFRC SC-4	5/3/2010	
NFRC SC-4	6/4/2010	1.00
NFRC SC-4	7/8/2010	
NFRC SC-4	8/3/2010	1.00
NFRC SC-4	10/18/2010	1.00
NWID	2/22/2010	
NWID	3/10/2010	
NWID	4/15/2010	
NWID	5/3/2010	
NWID	6/4/2010	1.00
NWID	7/10/2010	1.00
NWID	8/3/2010	0.90
R10	1/11/2010	
R10	2/23/2010	
R10	3/10/2010	
R10	4/11/2010	
R10	5/3/2010	
R10	6/5/2010	1.00
R10	7/8/2010	
R10	8/3/2010	1.00
R10	9/1/2010	
R10	10/19/2010	1.00
R10	11/10/2010	
R10	12/1/2010	

Station	Date	Surface
R7	1/11/2010	
R7	2/23/2010	
R7	3/10/2010	
R7	4/11/2010	
R7	5/3/2010	
R7	6/5/2010	1.00
R7	7/8/2010	
R7	8/3/2010	1.00
R7	9/1/2010	1.00
R7	10/19/2010	1.00
R7	11/10/2010	
R7	12/1/2010	
R8	3/10/2010	
R8	4/11/2010	
R8	5/3/2010	
R8	6/5/2010	1.00
R8	7/8/2010	
R8	8/3/2010	1.00
R8	9/1/2010	1.00
R8	10/19/2010	1.00
R8	11/10/2010	
R8	12/1/2010	
R9	1/11/2010	
R9	2/23/2010	
R9	3/10/2010	
R9	4/11/2010	
R9	5/3/2010	
R9	6/5/2010	1.00
R9	7/8/2010	
R9	8/3/2010	1.00
R9	9/1/2010	1.00
R9	10/19/2010	1.00
R9	11/10/2010	
R9	12/1/2010	
RCSG#4	1/12/2010	
RCSG#4	3/10/2010	
RCSG#4	4/13/2010	
RCSG#4	5/3/2010	
RCSG#4	6/4/2010	1.00
RCSG#4	7/8/2010	
RCSG#4	8/3/2010	1.00
W10	5/3/2010	
W10	6/5/2010	1
W10	7/10/2010	1.00
W8	6/17/2010	1.00
X10	1/11/2010	
X10	2/22/2010	
X10	3/10/2010	
X10	4/13/2010	
X10	5/3/2010	
X10	6/4/2010	1.00
X10	7/8/2010	
X10	8/3/2010	1.00
X10	9/2/2010	1.00
X10	10/21/2010	1.00
X10	11/9/2010	1.00
X10	12/1/2010	
X14	1/11/2010	
X14	2/22/2010	
X14	3/10/2010	
X14	3/22/2010	
X14	3/30/2010	
X14	4/6/2010	
X14	4/13/2010	
X14	4/20/2010	
X14	4/27/2010	
X14	5/4/2010	
X14	5/11/2010	
X14	5/18/2010	
X14	5/25/2010	
X14	6/1/2010	
X14	6/8/2010	0.94
X14	6/15/2010	0.93
X14	6/22/2010	0.90
X14	6/29/2010	1.00
X14	6/29/2010	1.00
X14	7/6/2010	1
X14	7/13/2010	1.00
X14	7/20/2010	1.00
X14	7/27/2010	
X14	8/3/2010	0.98
X14	8/10/2010	
X14	8/17/2010	0.94
X14	8/24/2010	0.99
X14	8/31/2010	1.00
X14	9/7/2010	1
X14	10/21/2010	0.97
X14	11/9/2010	0.97
X14	11/18/2010	1.10
X14	11/25/2010	
X14	12/2/2010	1.00

Station	Date	Surface
X2	1/11/2010	
X2	2/22/2010	
X2	3/10/2010	
X2	4/14/2010	
X2	5/3/2010	
X2	6/4/2010	1.00
X2	7/8/2010	
X2	8/3/2010	1.00
X2	9/2/2010	1.00
X2	10/18/2010	1.00
X2	11/9/2010	1.00
X2	12/1/2010	
X22b	1/11/2010	
X22b	2/22/2010	
X22b	3/10/2010	
X22b	4/13/2010	
X22b	5/3/2010	
X22b	6/4/2010	1.10
X22b	7/10/2010	1.00
X22b	8/3/2010	1.10
X22b	9/1/2010	0.90
X22b	10/20/2010	0.98
X22b	11/8/2010	0.94
X22b	12/1/2010	
X3	1/11/2010	
X3	2/22/2010	
X3	3/9/2010	
X3	4/14/2010	
X3	5/3/2010	
X3	6/4/2010	1.00
X3	7/8/2010	
X3	8/3/2010	1.00
X3	9/2/2010	1.00
X3	10/21/2010	1.00
X3	11/9/2010	1.00
X3	12/1/2010	
X3A	9/2/2010	1.00
X3A	10/21/2010	1.00
X3A	11/9/2010	1.00
X3A	12/1/2010	
X4	1/11/2010	
X4	2/22/2010	
X4	3/9/2010	
X4	4/13/2010	
X4	5/3/2010	
X4	6/4/2010	1.00
X4	7/10/2010	1.00
X4	8/3/2010	0.90
X4	9/2/2010	0.94
X4	10/20/2010	0.93
X4	11/8/2010	1
X4	12/1/2010	
X5	3/22/2010	
X5	3/30/2010	
X5	4/6/2010	
X5	4/13/2010	
X5	4/20/2010	
X5	4/27/2010	
X5	5/4/2010	
X5	5/11/2010	
X5	5/18/2010	
X5	5/25/2010	
X5	6/1/2010	
X5	6/8/2010	1
X5	6/15/2010	0.96
X5	6/15/2010	
X5	6/22/2010	0.90
X5	6/29/2010	0.99
X5	7/6/2010	0.86
X5	7/13/2010	1.10
X5	7/20/2010	0.96
X5	7/27/2010	
X5	8/10/2010	
X5	8/17/2010	0.99
X5	8/24/2010	1.00
X5	8/31/2010	0.91
X5	9/7/2010	0.89
X5	9/7/2010	
X5	11/18/2010	1.00
X5	11/25/2010	
X5	12/2/2010	
X5	12/2/2010	0.98
X5P	1/11/2010	
X5P	2/22/2010	
X5P	3/2/2010	
X5P	4/13/2010	
X5P	5/3/2010	
X5P	6/4/2010	1.10
X5P	7/10/2010	0.96
X5P	8/3/2010	0.97
X5P	9/2/2010	0.97
X5P	10/20/2010	0.92
X5P	11/8/2010	0.95
X5P	12/1/2010	

Table C-63: Rose Creek Drainage Water Quality 2010 - Ion Charge Balance

Station	Date	Surface
X7	6/1/2010	
X7	10/6/2010	0.90

Station	Date	Seepage
A25	5/31/2010	
A30	2/4/2010	
A30	2/24/2010	
A30	3/2/2010	
A30	3/28/2010	
A30	4/10/2010	
A30	4/19/2010	
A30	5/1/2010	
A30	5/18/2010	
A30	6/2/2010	
A30	6/15/2010	0.84
A30	7/7/2010	0.86
A30	7/22/2010	0.93
A30	8/5/2010	1.00
A30	8/18/2010	1.00
A30	9/1/2010	1.00
A30	10/20/2010	1.00
A30	11/4/2010	1.00
A30	12/1/2010	
NE1	6/1/2010	
SP5-6	6/1/2010	
SP5-6	7/10/2010	1.00
SP5-6	8/5/2010	1.10
SP5-6	9/1/2010	1.00
SP5-6	10/6/2010	1.00
W5	6/1/2010	
Weir 3	3/4/2010	
Weir 3	8/5/2010	0.96
Weir 3	11/4/2010	
X11	3/4/2010	
X11	8/5/2010	1.00
X11	11/4/2010	
X12	3/4/2010	
X12	8/5/2010	0.98
X12	11/4/2010	
X13	1/11/2010	
X13	2/17/2010	
X13	3/2/2010	
X13	4/15/2010	
X13	5/6/2010	
X13	6/10/2010	1.10
X13	7/11/2010	0.99
X13	8/5/2010	1.00
X13	9/2/2010	1.10
X13	10/7/2010	1.00
X13	11/4/2010	1.00
X13	12/2/2010	
X23	1/12/2010	
X23	4/27/2010	
X23	5/6/2010	
X23	6/10/2010	0.80
X23	7/10/2010	0.86
X23	8/5/2010	0.95
X23	9/2/2010	0.95
X23	10/7/2010	0.94
X23	11/4/2010	0.94

Station	Date	Groundwater
BH10A	9/16/2010	1.10
BH10B	9/16/2010	1.10
BH13B	9/21/2010	1.10
BH14A	6/11/2010	0.96
BH14A	9/21/2010	1.00
BH14B	6/11/2010	0.97
BH14B	9/21/2010	1.00
BH5	9/16/2010	1.00
BH6	9/16/2010	0.95
BH8	9/18/2010	0.90
P01-01A	6/6/2010	1.10
P01-01A	9/8/2010	0.97
P01-01B	6/6/2010	1.10
P01-01B	9/8/2010	1.10
P01-02A	6/6/2010	1.20
P01-02A	9/8/2010	1.00
P01-02B	6/6/2010	1.10
P01-02B	9/8/2010	1.00
P01-03	6/7/2010	0.89
P01-03	9/9/2010	1.10
P01-04A	6/7/2010	1.00
P01-04A	9/9/2010	0.93
P01-04B	9/9/2010	0.98
P01-11	6/6/2010	1.20
P01-11	9/8/2010	1.10
P03-01-2	9/21/2010	1.00
P03-01-4	9/21/2010	1.00
P03-01-6	9/21/2010	1.00
P03-01-8	9/21/2010	0.84
P03-03-2	9/21/2010	1.00
P03-03-4	9/21/2010	1.10
P03-03-6	9/21/2010	0.78
P03-04-2	9/20/2010	1.00
P03-04-4	9/20/2010	1.10
P03-04-6	9/20/2010	0.90
P03-04-8	9/20/2010	0.88
P03-05-2	9/22/2010	0.92
P03-05-4	9/22/2010	0.92
P03-05-6	9/22/2010	0.96
P03-06-1	6/14/2010	0.87
P03-06-1	9/22/2010	1.00
P03-06-2	6/14/2010	0.91
P03-06-2	9/22/2010	0.99
P03-06-3	6/14/2010	0.85
P03-06-3	9/22/2010	0.95
P03-06-4	6/14/2010	1.10
P03-06-4	9/22/2010	1.00
P03-06-5	6/14/2010	1.00
P03-06-5	9/22/2010	1.20
P03-08-2	9/20/2010	1.00
P03-08-4	9/20/2010	1.10
P03-08-6	9/20/2010	1.10
P03-08-7	9/20/2010	0.96
P03-09-2	9/13/2010	
P03-09-4	9/13/2010	
P03-09-6	9/13/2010	
P03-09-8	9/13/2010	
P03-09-9	9/13/2010	
P05-01-1	9/9/2010	1.00
P05-01-2	9/9/2010	1.00
P05-01-3	9/9/2010	1.00
P05-01-4	9/9/2010	1.00
P05-01-5	9/9/2010	0.95
P05-01-6	9/9/2010	0.99
P05-02	6/6/2010	
P05-02	9/8/2010	0.94
P05-03	6/8/2010	1.00
P05-03	9/8/2010	0.95
P05-04	9/16/2010	0.99
P09-C1	6/7/2010	1.10
P09-C1	9/15/2010	0.95
P09-C2	6/8/2010	1.00
P09-C2	9/15/2010	0.98
P09-C3	6/8/2010	0.99
P09-C3	9/15/2010	1.10
P09-ETA1	9/16/2010	1.00
P09-ETA2	9/15/2010	0.89
P09-SIS1	7/25/2010	0.87
P09-SIS1	11/2/2010	
P09-SIS2	6/9/2010	0.85
P09-SIS2	7/24/2010	0.93
P09-SIS2	9/13/2010	0.90
P09-SIS2	11/2/2010	
P09-SIS3	6/9/2010	0.76
P09-SIS3	7/24/2010	0.89
P09-SIS3	9/14/2010	0.93
P09-SIS3	11/2/2010	
P96-6	6/15/2010	1.10
P96-6	9/21/2010	1.10
P96-7	6/11/2010	1.10
P96-7	9/14/2010	0.95
P96-8A	6/9/2010	0.88
P96-8A	9/14/2010	0.91
P96-8B	6/9/2010	0.84
P96-8B	9/15/2010	0.92
S1A	6/9/2010	1.10
S1A	9/14/2010	0.85

Station	Date	Groundwater
S2A	6/9/2010	0.95
S2A	9/14/2010	1.10
S2B	9/14/2010	0.85
SRK04-3A	9/22/2010	0.82
SRK05-ETA-BR1	9/22/2010	0.87
SRK05-ETA-BR2	9/22/2010	0.97
SRK05-SP1A	9/14/2010	
SRK05-SP1B	9/14/2010	
SRK05-SP2	9/14/2010	
SRK05-SP3A	9/14/2010	
SRK05-SP3B	9/14/2010	
SRK05-SP4A	6/9/2010	1.00
SRK05-SP4A	9/13/2010	1.10
SRK05-SP5	9/14/2010	0.92
SRK08-P10A	6/9/2010	1.00
SRK08-P11A	6/9/2010	0.99
SRK08-P11A	9/15/2010	1.10
SRK08-P11B	6/9/2010	1.00
SRK08-P11B	9/15/2010	1.00
SRK08-P12A	9/16/2010	1.00
SRK08-P12B	9/16/2010	1.10
SRK08-SBR2	9/14/2010	
SRK08-SBR3	9/14/2010	
SRK08-SBR4	9/14/2010	
SRK08-SP7A	6/9/2010	0.96
SRK08-SP7A	7/25/2010	0.92
SRK08-SP7A	9/13/2010	1.10
SRK08-SP7A	11/2/2010	
SRK08-SP7B	6/9/2010	0.96
SRK08-SP7B	7/25/2010	1.00
SRK08-SP7B	9/13/2010	1.00
SRK08-SP7B	11/2/2010	
SRK08-SP8A	9/13/2010	1.10
SRK08-SP8B	9/13/2010	1.00
SRK08-SPW1	1/6/2010	
SRK08-SPW1	2/17/2010	
SRK08-SPW1	3/9/2010	
SRK08-SPW1	4/13/2010	
SRK08-SPW1	5/3/2010	
SRK08-SPW1	6/13/2010	1.20
SRK08-SPW1	7/10/2010	1.10
SRK08-SPW1	8/3/2010	1.00
SRK08-SPW1	9/1/2010	1.00
SRK08-SPW1	10/7/2010	1.10
SRK08-SPW1	11/8/2010	1.10
SRK08-SPW2	1/6/2010	
SRK08-SPW2	2/17/2010	
SRK08-SPW2	3/9/2010	
SRK08-SPW2	4/13/2010	
SRK08-SPW2	5/3/2010	
SRK08-SPW2	6/13/2010	0.95
SRK08-SPW2	7/10/2010	0.92
SRK08-SPW2	8/3/2010	0.85
SRK08-SPW2	9/1/2010	0.94
SRK08-SPW2	10/7/2010	1.00
SRK08-SPW2	11/8/2010	0.91
SRK08-SPW2	12/1/2010	0.93
SRK08-SPW3	1/6/2010	
SRK08-SPW3	2/17/2010	
SRK08-SPW3	3/9/2010	
SRK08-SPW3	4/13/2010	
SRK08-SPW3	5/3/2010	
SRK08-SPW3	6/13/2010	0.80
SRK08-SPW3	7/10/2010	0.95
SRK08-SPW3	8/3/2010	0.87
SRK08-SPW3	9/1/2010	0.93
SRK08-SPW3	10/7/2010	0.96
SRK08-SPW3	11/8/2010	0.80
SRK08-SPW3	12/1/2010	0.95
TH86-17	9/9/2010	1.00
TH86-2	9/13/2010	
TH86-5	9/9/2010	1.00
X16A	6/7/2010	1.00
X16A	9/8/2010	0.89
X16B	6/7/2010	1.10
X16B	9/8/2010	1.00
X17A	6/8/2010	1.10
X17A	9/8/2010	1.10
X17B	6/8/2010	1.00
X17B	9/8/2010	1.00
X18A	6/7/2010	1.10
X18A	9/8/2010	1.10
X18B	6/7/2010	1.10
X18B	9/8/2010	1.10
X21-96A	6/11/2010	1.00
X21-96A	9/22/2010	1.10
X21-96B	6/11/2010	1.10
X21-96B	9/22/2010	1.00
X24-96D	6/7/2010	0.93
X24-96D	9/9/2010	0.87
X25-96A	6/7/2010	1.00
X25-96A	9/9/2010	0.96
X25-96B	6/7/2010	1.10
X25-96B	9/9/2010	0.96

Table C-63: Rose Creek Drainage Water Quality 2010 - Ion Charge Balance

Station	Date	Groundwater
X26	5/5/2010	
X26	6/13/2010	0.98
X26	7/10/2010	0.95
X26	8/3/2010	0.85
X26	9/1/2010	0.89
X26	10/19/2010	1.10

Station	Date	Pit Lakes
FL-1	4/30/2010	
	6/16/2010	
	7/14/2010	1.00
	8/12/2010	
	9/8/2010	0.90
FL-15	4/30/2010	
	6/16/2010	
	7/14/2010	
	8/12/2010	
	9/8/2010	0.92
FL-3	4/30/2010	
	6/16/2010	
	7/14/2010	1.10
	8/12/2010	
	9/8/2010	0.92
FL-30	4/30/2010	
	6/16/2010	
	7/14/2010	1.00
	8/12/2010	
	9/8/2010	1.00
FL-5	4/30/2010	
	6/16/2010	
	7/14/2010	1.00
	8/12/2010	
	9/8/2010	0.95
FL-60	4/30/2010	
	6/16/2010	
	7/14/2010	0.99
	8/12/2010	
	9/8/2010	1.10
FL-80	4/30/2010	
	6/16/2010	
	7/14/2010	1.10
	8/12/2010	
	9/8/2010	1.00

Table C-64: Rose Creek Drainage Water Quality
2010 QA/QC Duplicates - Pit Lakes - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Cl-d mg/L	CO3 mg/L	COND µmho/cm	HCO3 mg/L	NH3 mg/L	NO2 mg/L	NO2/3 mg/L	NO3 mg/L	OH mg/L	oPO4 mg/L	P mg/L	pH	SO4-d mg/L	TDS mg/L	TSS mg/L
FL-1	7/14/2010	M	<0.5	41.80	74.00	<0.5	612.00	674.00	1.40	<0.5	1250.00	90.00	0.91	0.01	0.51	0.50	<0.5	<0.005	<0.005	7.57	600.00	970.00	<1
FL-1	7/14/2010	DUP	<0.5	34.30	80.00	<0.5	619.00	680.00	1.20	<0.5	1260.00	97.00	1.00	0.01	0.49	0.48	<0.5	<0.005	<0.005	7.64	620.00	1000.00	2.00
RPD (%)			N/A	19.71	7.79	N/A	1.14	0.89	15.38	N/A	0.80	7.49	9.42	10.53	4.00	4.08	N/A	N/A	N/A	0.07	3.28	3.05	N/A
Comments																							
Action																							
Result																							
FL-3	9/8/2010	M	<0.5	34.70	81.00	<0.5	641.00	681.00	1.50	<0.5	1320.00	99.00	1.10	0.01	0.51	0.50	<0.5	<0.005	<0.005	7.72	690.00	1100.00	<1
FL-3	9/8/2010	DUP	<0.5	31.20	78.00	<0.5	652.00	667.00	1.40	<0.5	1310.00	95.00	1.30	0.01	0.50	0.49	<0.5	<0.005	<0.005	7.74	660.00	1100.00	<1
RPD (%)			N/A	10.62	3.77	N/A	1.70	2.08	6.90	N/A	0.76	4.12	16.67	9.52	1.98	2.02	N/A	N/A	N/A	0.02	4.44	0.00	N/A
Comments																							
Action																							
Result																							

RPD > 50%

Station	Date	Sample Type	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d	
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
FL-1	7/14/2010	M	0.02	3.80	0.20	16.30	<50	0.04	<0.005	146.00	16.00	53.40	<0.1	6.54	35.00	8.01	0.05	75.40	2990.00	0.56	19.00	129.00	2.75	0.26	249.00	0.13	3960.00	<0.01	620.00	<0.5	0.43	1.220	<0.2	18000.00	<0.1	
FL-1	7/14/2010	DUP	0.02	1.90	0.16	15.80	<50	0.04	<0.005	146.00	15.80	55.70	<0.1	6.71	23.00	7.69	0.05	76.40	2950.00	0.54	19.20	136.00	0.29	0.26	252.00	0.14	4000.00	<0.01	603.00	<0.5	0.44	1.210	<0.2	18400.00	<0.1	
RPD (%)			6.06	66.67	22.22	3.12	N/A	0.00	N/A	0.00	1.26	4.22	N/A	2.57	41.38	4.08	0.18	1.32	1.35	3.64	1.05	5.28	162.44	0.00	1.20	7.41	1.01	N/A	2.78	N/A	2.07	0.82	N/A	2.20	N/A	
Comments			Both values > PQL and correctly entered into emLine.											Both values > PQL and correctly entered into emLine.																						
Action			Let Value Stand											Request Retest																						
Result			Discrepancy between values remains.											Retest performed, see results below.																						
FL-1 Retest	7/14/2010	M																					3.94													
FL-1 Retest	7/14/2010	DUP																					0.33													
RPD (%)			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	169.09	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Comments														Retest for July 14 FL-1 sample and duplicate. Both values > PQL and correctly entered into emLine.																						
Action														Let Value Stand																						
Result														New values entered into emLine.																						
FL-3	9/8/2010	M	<0.03	4.00	<0.1	14.90	<300	0.07	<0.03	143.00	15.70	51.60	<0.5	5.40	15.00	7.80	0.06	78.60	3060.00	0.60	18.70	136.00	0.22	0.20	238.00	<0.2	4050.00	<0.05	584.00	<3	0.41	0.970	<1	22200.00	<0.5	
FL-3	9/8/2010	DUP	<0.03	9.00	0.20	17.20	<300	<0.05	<0.03	142.00	16.40	51.60	<0.5	6.50	29.00	7.60	0.06	75.90	3040.00	0.50	18.20	131.00	1.23	0.30	233.00	<0.2	4010.00	<0.05	583.00	<3	0.44	0.910	<1	21800.00	<0.5	
RPD (%)			N/A	76.92	N/A	14.33	N/A	N/A	N/A	0.70	4.36	0.00	N/A	18.49	63.64	2.60	5.31	3.50	0.66	18.18	2.71	3.75	139.31	40.00	2.12	N/A	0.99	N/A	0.17	N/A	7.06	6.38	N/A	1.82	N/A	
Comments			Both values correctly entered into emLine; however, main sample value not > PQL. Therefore, RPD analysis not valid in this case.											Both values correctly entered into emLine; however, main sample value not > PQL. Therefore, RPD analysis not valid in this case.											Both values > PQL and correctly entered into emLine.											
Action			Let Value Stand											Let Value Stand											Request Retest											
Result			Discrepancy between values remains.											Discrepancy between values remains.											Retest performed, see results below.											
FL-3 Retest	9/8/2010	M																					0.28													
FL-3 Retest	9/8/2010	DUP																					1.43													
RPD (%)			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	134.50	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Comments														Retest for September 8 FL-3 sample and duplicate. Both values > PQL and correctly entered into emLine.																						
Action														Let Value Stand																						
Result														New values entered into emLine.																						

RPD > 50%
 RPD > 100%

Table C-66: Rose Creek Drainage Water Quality
2010 QA/QC Duplicates - Pit Lakes - Total Metals

Station	Date	Sample Type	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr	
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	ug/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
FL-1	7/14/2010	M	0.01	11.60	0.22	<50	16.60	0.06	<0.005	121.00	16.30	52.20	<0.1	12.70	155.00	7.71	0.06	75.50	2920.00	0.48	18.30	129.00	1.67	239.00	0.25	0.12	3460.00	0.02	592.00	<0.5	0.42	1.260	<0.2	18200.00	<0.1	
FL-1	7/14/2010	DUP	0.02	12.10	0.22	<50	16.90	0.06	<0.005	123.00	16.20	53.50	<0.1	9.16	149.00	7.74	0.06	75.80	2920.00	0.52	18.50	132.00	1.65	240.00	0.26	0.14	3630.00	<0.01	597.00	<0.5	0.44	1.260	<0.2	18400.00	<0.1	
		RPD (%)	6.90	4.22	0.00	N/A	1.79	0.00	N/A	1.64	0.62	2.46	N/A	32.39	3.95	0.39	0.72	0.40	0.00	8.00	1.09	2.30	1.20	0.42	3.92	15.38	4.80	N/A	0.84	N/A	4.41	0.00	N/A	1.09	N/A	
		Comments																																		
		Action																																		
		Result																																		
FL-3	9/8/2010	M	<0.03	11.00	0.20	<300	15.60	<0.05	<0.03	139.00	17.10	48.20	<0.5	6.60	172.00	7.50	0.06	71.20	2850.00	0.60	17.50	121.00	1.70	221.00	0.90	<0.2	3640.00	<0.05	585.00	8.0	0.43	1.120	<1	19700.00	<0.5	
FL-3	9/8/2010	DUP	<0.03	12.00	0.20	<300	16.30	<0.05	<0.03	137.00	17.30	50.80	<0.5	6.80	169.00	7.90	0.06	75.40	2970.00	0.60	18.60	130.00	1.84	254.00	0.30	<0.2	3830.00	<0.05	597.00	10.0	0.47	1.090	2.00	20300.00	<0.5	
		RPD (%)	N/A	8.70	0.00	N/A	4.39	N/A	N/A	1.45	1.16	5.25	N/A	2.99	1.76	5.19	3.57	5.73	4.12	0.00	6.09	7.17	7.91	13.89	100.00	N/A	5.09	N/A	2.03	22.22	8.89	2.71	N/A	3.00	N/A	
		Comments																							Both values > PQL and correctly entered into emLine.											
		Action																								Let Value Stand										
		Result																								Discrepancy between values remains.										

RPD > 50%
 RPD > 100%

Table C-67: Rose Creek Drainage Water Quality
2010 QA/QC Splits - Pit Lakes - General Parameters

Station	Date	Sample Type	Acid(pH4.5) mg/L	Acid(pH8.3) mg/L	ALK mg/L	ALKPP mg/L	CaCO3 mg/L	CaCO3-d mg/L	Cl-d mg/L	CO3 mg/L	COND µmho/cm	HCO3 mg/L	NH3 mg/L	NO2 mg/L	NO2/3 mg/L	NO3 mg/L	OH mg/L	oPO4 mg/L	P mg/L	pH	SO4-d mg/L	TDS mg/L	TSS mg/L
FL-1	8/12/2010	M	<0.5	28.80	77.00	<0.5	695.00	590.00	1.60	<0.5	1250.00	94.00	1.10	0.01	0.50	0.50	<0.5	<0.005	<0.005	7.60	610.00	1000.00	<1
FL-1	8/12/2010	SPLIT	<0.5	20.60	76.00	<0.5	690.00	598.00	1.10	<0.5	1190.00	93.00	1.00	0.01	0.51	0.50	<0.5	<0.005	<0.005	7.63	650.00	1000.00	<1
RPD (%)			N/A	33.20	1.31	N/A	0.72	1.35	37.04	N/A	4.92	1.07	9.52	75.00	1.98	0.00	N/A	N/A	N/A	0.03	6.35	0.00	N/A
Comments			Both values correctly entered into emLine; however, neither value > PQL. Therefore RPD analysis not valid in this case. In addition, lab noted that "Samples arrived to laboratory past recommended hold time."																				
Action			Let Value Stand																				
Result			Discrepancy between values remains.																				

RPD > 50%

Table C-68: Rose Creek Drainage Water Quality
 2010 QA/QC Splits - Pit Lakes - Dissolved Metals

Station	Date	Sample Type	Ag-d	Al-d	As-d	Ba-d	B-d	Be-d	Bi-d	Ca-d	Cd-d	Co-d	Cr-d	Cu-d	Fe-d	K-d	Li-d	Mg-d	Mn-d	Mo-d	Na-d	Ni-d	Pb-d	Sb-d	S-d	Se-d	Si-d	Sn-d	Sr-d	Ti-d	Tl-d	U-d	V-d	Zn-d	Zr-d			
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
FL-1	8/12/2010	M	<0.03	3.00	0.20	16.30	<300	<0.05	<0.03	127.00	16.60	50.80	<0.5	5.60	10.00	7.10	0.06	66.30	2940.00	0.50	16.20	131.00	0.41	0.30	212.00	<0.2	2880.00	<0.05	570.00	<3	0.45	1.100	<1	20600.00	<0.5			
FL-1	8/12/2010	SPLIT	<0.03	3.00	0.30	16.20	<300	<0.05	<0.03	129.00	15.90	50.50	<0.5	5.50	13.00	7.10	0.06	67.40	2950.00	0.50	16.60	129.00	0.53	0.20	226.00	<0.2	2750.00	<0.05	557.00	<3	0.47	1.100	<1	20700.00	<0.5			
RPD (%)			N/A	0.00	40.00	0.62	N/A	N/A	N/A	1.56	4.31	0.59	N/A	1.80	26.09	0.00	1.71	1.65	0.34	0.00	2.44	1.54	25.53	40.00	6.39	N/A	4.62	N/A	2.31	N/A	4.35	0.00	N/A	0.48	N/A			
Comments																																						
Action																																						
Result																																						

RPD > 50%
 RPD > 100%

Table C-69: Rose Creek Drainage Water Quality
 2010 QA/QC Splits - Pit Lakes - Total Metals

Station	Date	Sample Type	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Li	Mg	Mn	Mo	Na	Ni	Pb	S	Sb	Se	Si	Sn	Sr	Ti	Tl	U	V	Zn	Zr			
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	ug/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
FL-1	8/12/2010	M	<0.03	10.00	<0.1	<300	17.40	<0.05	<0.03	148.00	18.20	53.10	<0.5	7.40	47.00	8.20	0.06	79.10	3150.00	0.50	19.10	138.00	0.85	260.00	0.20	<0.2	4530.00	<0.05	631.00	<3	0.47	0.920	<1	21900.00	<0.5			
FL-1	8/12/2010	SPLIT	<0.03	8.00	<0.1	<300	17.30	0.06	<0.03	148.00	17.50	52.60	<0.5	7.30	51.00	8.10	0.06	77.70	3050.00	0.50	18.70	135.00	0.80	252.00	0.20	<0.2	4580.00	<0.05	627.00	<3	0.50	0.950	<1	21700.00	<0.5			
RPD (%)			N/A	22.22	N/A	N/A	0.58	N/A	N/A	0.00	3.92	0.95	N/A	1.36	8.16	1.23	1.57	1.79	3.23	0.00	2.12	2.20	6.06	3.13	0.00	N/A	1.10	N/A	0.64	N/A	6.19	3.21	N/A	0.92	N/A			
Comments																																						
Action																																						
Result																																						

RPD > 50%
 RPD > 100%

