



ENVIRONMENTAL DYNAMICS INC.  
ATTN: Meghan Marjanovic  
2195 - 2nd Ave  
Whitehorse YT Y1A 3A2

Date Received: 20-AUG-15  
Report Date: 28-AUG-15 10:31 (MT)  
Version: FINAL

Client Phone: 867-393-4882

## Certificate of Analysis

Lab Work Order #: L1660958  
Project P.O. #: NOT SUBMITTED  
Job Reference: MOUNT NANSEN 15-Y-0146  
C of C Numbers: 1  
Legal Site Desc:

Can Dang  
Senior Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 8081 Lougheed Hwy, Suite 100, Burnaby, BC V5A 1W9 Canada | Phone: +1 604 253 4188 | Fax: +1 604 253 6700  
ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

# ALS ENVIRONMENTAL ANALYTICAL REPORT

	<b>Sample ID</b> <b>Description</b> <b>Sampled Date</b> <b>Sampled Time</b> <b>Client ID</b>	L1660958-1	Water	19-AUG-15	11:30	H-PW
Grouping	Analyte					
<b>WATER</b>						
<b>Physical Tests</b>	Colour, True (CU)	<5.0				
	Conductivity (uS/cm)	339				
	Hardness (as CaCO3) (mg/L)	187				
	pH (pH)	7.72				
	Total Dissolved Solids (mg/L)	198				
	Turbidity (NTU)	0.20				
<b>Anions and Nutrients</b>	Alkalinity, Total (as CaCO3) (mg/L)	164				
	Chloride (Cl) (mg/L)	<0.50				
	Fluoride (F) (mg/L)	0.101				
	Nitrate (as N) (mg/L)	0.131				
	Nitrite (as N) (mg/L)	<0.0010				
	Sulfate (SO4) (mg/L)	30.2				
	Anion Sum (meq/L)	3.92				
	Cation Sum (meq/L)	3.97				
	Cation - Anion Balance (%)	0.5				
<b>Total Metals</b>	Aluminum (Al)-Total (mg/L)	<0.010				
	Antimony (Sb)-Total (mg/L)	<0.00050				
	Arsenic (As)-Total (mg/L)	0.00047				
	Barium (Ba)-Total (mg/L)	0.081				
	Boron (B)-Total (mg/L)	<0.10				
	Cadmium (Cd)-Total (mg/L)	<0.00020				
	Calcium (Ca)-Total (mg/L)	43.6				
	Chromium (Cr)-Total (mg/L)	<0.0020				
	Copper (Cu)-Total (mg/L)	<0.0010				
	Iron (Fe)-Total (mg/L)	<0.030				
	Lead (Pb)-Total (mg/L)	0.00057				
	Magnesium (Mg)-Total (mg/L)	18.9				
	Manganese (Mn)-Total (mg/L)	<0.0020				
	Mercury (Hg)-Total (mg/L)	<0.00020				
	Potassium (K)-Total (mg/L)	0.92				
	Selenium (Se)-Total (mg/L)	<0.0010				
	Sodium (Na)-Total (mg/L)	4.8				
	Uranium (U)-Total (mg/L)	0.00160				
	Zinc (Zn)-Total (mg/L)	<0.050				

\* Please refer to the Reference Information section for an explanation of any qualifiers detected.

## Reference Information

### QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Duplicate	Cadmium (Cd)-Total	DLM	L1660958-1
Matrix Spike	Sulfate (SO4)	MS-B	L1660958-1
Matrix Spike	Aluminum (Al)-Total	MS-B	L1660958-1

### Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLM	Detection Limit Adjusted due to sample matrix effects.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

### Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
<b>ALK-COL-VA</b>	Water	Alkalinity by Colourimetric (Automated)	EPA 310.2
This analysis is carried out using procedures adapted from EPA Method 310.2 "Alkalinity". Total Alkalinity is determined using the methyl orange colourimetric method.			
<b>CL-IC-N-WR</b>	Water	Chloride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
<b>COLOUR-TRUE-VA</b>	Water	Colour (True) by Spectrometer	BCMOE Colour Single Wavelength
This analysis is carried out using procedures adapted from British Columbia Environmental Manual "Colour- Single Wavelength." Colour (True Colour) is determined by filtering a sample through a 0.45 micron membrane filter followed by analysis of the filtrate using the platinum-cobalt colourimetric method.			
Colour measurements can be highly pH dependent, and apply to the pH of the sample as received (at time of testing), without pH adjustment. Concurrent measurement of sample pH is recommended.			
<b>EC-MAN-WR</b>	Water	Conductivity by Meter	APHA 2510 (B)
This analysis is carried out using procedures adapted from APHA Method 2510 "Conductivity". Conductivity is determined using an electrode.			
<b>F-IC-N-WR</b>	Water	Fluoride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
<b>HARDNESS-CALC-VA</b>	Water	Hardness	APHA 2340B
Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.			
<b>HG-TOT-CVAFS-VA</b>	Water	Total Hg in Water by CVAFS LOR=50ppt	EPA 1631E (mod)
This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry or atomic absorption spectrophotometry (EPA Method 245.7).			
<b>IONBALANCE-VA</b>	Water	Ion Balance Calculation	APHA 1030E
Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.			
Cation and Anion Sums are the total meq/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance is calculated as:			
Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]			
<b>MET-T-CCMS-VA</b>	Water	Total Metals in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			
<b>MET-TOT-ICP-VA</b>	Water	Total Metals in Water by ICPOES	EPA SW-846 3005A/6010B
This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedures may involve preliminary sample treatment by acid digestion, using either hotblock or microwave oven (EPA Method 3005A). Instrumental analysis is by inductively coupled plasma - optical emission spectrophotometry (EPA Method 6010B).			
<b>NO2-L-IC-N-WR</b>	Water	Nitrite in Water by IC (Low Level)	EPA 300.1 (mod)

## Reference Information

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

**NO3-L-IC-N-WR** Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

**PH-MAN-WR** Water pH by Meter APHA 4500-H (B)

"This analysis is carried out using procedures adapted from APHA Method 4500-H ""pH Value"". The pH is determined in the laboratory using a pH electrode."

**SO4-IC-N-WR** Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

**TDS-CALC-VA** Water TDS (Calculated) APHA 1030E (20TH EDITION)

This analysis is carried out using procedures adapted from APHA 1030E "Checking Correctness of Analyses".

**TURBIDITY-VA** Water Turbidity by Meter APHA 2130 "Turbidity"

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

**TURBIDITY-VA** Water Turbidity by Meter APHA 2130 Turbidity

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

---

\*\* ALS test methods may incorporate modifications from specified reference methods to improve performance.

*The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:*

Laboratory Definition Code	Laboratory Location
VA	ALS ENVIRONMENTAL - VANCOUVER, BRITISH COLUMBIA, CANADA

### Chain of Custody Numbers:

1

### GLOSSARY OF REPORT TERMS

*Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.*

*mg/kg - milligrams per kilogram based on dry weight of sample.*

*mg/kg wwt - milligrams per kilogram based on wet weight of sample.*

*mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.*

*mg/L - milligrams per litre.*

*< - Less than.*

*D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).*

*N/A - Result not available. Refer to qualifier code and definition for explanation.*

*Test results reported relate only to the samples as received by the laboratory.*

**UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.**

*Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.*



Chain of Custody (COC) / Analytical Request Form

Canada Toll Free: 1 800 668 9878



L1660958-COFC

COC Number: 14 -

Page 1 of       

www.alsglobal.com

Report To		Report Format / Distribution			Select Service Level Below (Rush Turnaround Time (TAT) is not available for all tests)																	
Company: EDI		Select Report Format: <input checked="" type="checkbox"/> PDF <input checked="" type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL)			<b>R</b> <input checked="" type="checkbox"/> Regular (Standard TAT if received by 3 pm - business days) <b>P</b> <input type="checkbox"/> Priority (2-4 bus. days if received by 3pm) 50% surcharge - contact ALS to confirm TAT <b>E</b> <input type="checkbox"/> Emergency (1-2 bus. days if received by 3pm) 100% surcharge - contact ALS to confirm TAT <b>E2</b> <input type="checkbox"/> Same day or weekend emergency - contact ALS to confirm TAT and surcharge																	
Contact: Meghan Marjanovic		Quality Control (QC) Report with Report <input type="checkbox"/> Yes <input type="checkbox"/> No																				
Address: 2195 - 2nd Avenue Whitehorse, YT Y1A 3T8		<input type="checkbox"/> Criteria on Report - provide details below if box checked																				
Phone: 867-393-4882		Select Distribution: <input type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX			Specify Date Required for E2,E or P:																	
		Email 1 or Fax: <a href="mailto:mmarjanovic@edynamics.com">mmarjanovic@edynamics.com</a>																				
		Email 2: <a href="mailto:Emilie.Hamm@gov.yk.ca">Emilie.Hamm@gov.yk.ca</a>																				
		Email 3: <a href="mailto:erik.pit@gov.yk.ca">erik.pit@gov.yk.ca</a>																				
Invoice To Same as Report To <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Invoice Distribution			Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below																	
Copy of Invoice with Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Select Invoice Distribution: <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX																				
Company: EDI		Email 1 or Fax: <a href="mailto:sjenner@edynamics.com">sjenner@edynamics.com</a>																				
Contact: S Jenner		Email 2: <a href="mailto:mmarjanovic@edynamics.com">mmarjanovic@edynamics.com</a>																				
Project Information		Oil and Gas Required Fields (client use)																				
ALS Quote #: Q49311 and Q49312		Approver ID:		Cost Center:																		
Job #: MOUNT NANSEN 15-Y-0146		GL Account:		Routing Code:																		
PO / AFE:		Activity Code:																				
LSD:		Location:																				
ALS Lab Work Order # (lab use only)		ALS Contact: Sean Sluggett		Sampler: SD																		
ALS Sample # (lab use only)	Sample Identification and/or Coordinates (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	FULL-TOT-DW-WR			P	P	F/P											Number of Containers	
	H-PW	19-Aug-15	1130	Water	R																	3
Drinking Water (DW) Samples <sup>1</sup> (client use)		Special Instructions / Specify Criteria to add on report (client Use)			SAMPLE CONDITION AS RECEIVED (lab use only)																	
Are samples taken from a Regulated DW System? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No					Frozen <input type="checkbox"/> SIF Observations Yes <input type="checkbox"/> No <input type="checkbox"/>																	
Are samples for human drinking water use? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					Ice packs Yes <input type="checkbox"/> No <input type="checkbox"/> Custody seal intact Yes <input type="checkbox"/> No <input type="checkbox"/>																	
					Cooling Initiated <input type="checkbox"/>																	
					INITIAL COOLER TEMPERATURES °C																	
					FINAL COOLER TEMPERATURES °C																	
					1.9																	
SHIPMENT RELEASE (client use)			INITIAL SHIPMENT RECEPTION (lab use only)			FINAL SHIPMENT RECEPTION (lab use only)																
Released by: <u>SCOTT DILLING</u>			Received by: <u>SLUGG</u>			Received by:																
Date: <u>20-AUG-2015</u>			Date: <u>20AUG15</u>			Date:																
Time: <u>0940.</u>			Time: <u>1500</u>			Time:																