



Sample Receipt Confirmation

Report Distribution:

Company Name: EDI ENVIRONMENTAL DYNAMICS INC.
Contact: Lyndsay Doetzel
Address: 2195 - 2nd Ave,
 Whitehorse, YT, Y1A 3T8
Phone: 867-393-4882
Fax: --
Email: ldoetzel@edynamics.com
 emilie.hamm@gov.yk.ca
 erik.pit@gov.yk.ca
EDD Email: --
Distribution: Hard Copy: N Email: Y Fax: N EDD: N

Invoice Distribution:

Acct Name: EDI ENVIRONMENTAL DYNAMICS INC.
Contact: Accounts Payable
Address: 2195 2nd Avenue,
 Whitehorse, YT, Y1A 3T8
Phone: 867-393-4882
Fax: 867-393-4883
Invoice Email: sjenner@edynamics.com
 ldoetzel@edynamics.com
Project #: N/A
Account #: EDI100

Client Information:

Job Reference #: MOUNT NANSEN 16-Y-0089
Project PO #:
Legal Site Description: N/A
Quote #: Q55556

Date Sampled: 28-APR-16
Date Received: 29-APR-16
Sampled By:
Chain Of Custody: 1

Workorder Summary:

Lab Work Order #: L1761985
Estimated completion date: 11-MAY-16
1 Samples received at ALS in VANCOUVER

Client Job #: MOUNT NANSEN 16-Y-0089
Account Manager: Can Dang
Estimated sample disposal date: See Sample Disposal Information section below.

Lab Sample ID	Client Sample ID	Date Sampled	Date Received	Sample Due Date	Priority Flag	Sample Type
L1761985-1	WQ-PW	28-APR-16 19:45	29-APR-16 09:20	11-MAY-16		Water

Analysis Requested:	Total Alkalinity by Titration	Conductivity [Automated]	Full Drinking Water Package [Total]	pH by Meter [Automated]	Sample Handling and Disposal Fee
	WQ-PW	✓	✓	✓	✓

Hold Time Exceedences:

 The following samples have exceeded recommended holding times prior to sample receipt.

Analysis Requested	Lab Sample ID	Recommended Hold Time	Date Sampled	Date Received
pH by Meter (Automated)	L1761985-1	0.25 hours	28-APR-16	29-APR-16

Sample Integrity Observations:

 No observations were identified for this work order submission.



Notice of Sub-contract Laboratory Service

Please be advised that the following tests will be subcontracted to the corresponding laboratory:

Nitrite in Water by IC (Low Level) subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Nitrate in Water by IC (Low Level) subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Sulfate in Water by IC subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Fluoride in Water by IC subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Chloride in Water by IC subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA

Please contact your Account Manager immediately should you have questions or concerns regarding this arrangement. Approval of this arrangement shall be implied unless otherwise notified by you.

Sample Disposal Information:

Where possible, ALS will store samples for 30 days from the date a final report is issued, or 30 days from the date samples are placed on hold without analytical requests, after which samples may be discarded. Air samples collected on re-usable media are an exception, and are stored for 7 days from the date a final report is issued. Longer storage times are available upon request.

For information about ALS accreditations and certifications please contact your Account Manager or visit our webpage at www.alsglobal.com (see Canada downloads).

ALS Group strives to deliver on-time results to our clients at all times. However, there are times when due to capacity issues or other unforeseen circumstances we are unable to meet our expected turnaround times. The information above is related to a recent workorder you have submitted to our laboratory. In the event that you have an inquiry, please refer to the Lab Work Order # when calling your Account Manager.

ALS Group appreciates your business. Thank you for the opportunity to work with you.



L1761985-COFC

Report To		Report Format / Distribution			Analysis Request											
Company: EDI		Select Report Format: <input checked="" type="checkbox"/> PDF <input checked="" type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL)			R <input checked="" type="checkbox"/> Regular (Standard TAT if received by 3 pm - business days)											
Contact: Lyndsay Doetzel		Quality Control (QC) Report with Report <input type="checkbox"/> Yes <input type="checkbox"/> No			P <input type="checkbox"/> Priority (2-4 bus. days if received by 3pm) 50% surcharge - contact ALS to confirm TAT											
Address: 2195 - 2nd Avenue Whitehorse, YT Y1A 3T8		Criteria on Report - provide details below if box checked			E <input type="checkbox"/> Emergency (1-2 bus. days if received by 3pm) 100% surcharge - contact ALS to confirm TAT											
Phone: 867-393-4882		Select Distribution: <input type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX			E2 <input type="checkbox"/> Same day or weekend emergency - contact ALS to confirm TAT and surcharge											
		Email 1 or Fax: ldoetzel@edynamics.com			Specify Date Required for E2, E or P:											
		Email 2: Emilie.Hamm@gov.yk.ca														
		Email 3: erik.pit@gov.yk.ca														
Invoice To		Invoice Distribution			Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below											
Same as Report To <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Select Invoice Distribution: <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX														
Copy of Invoice with Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Email 1 or Fax: sienner@edynamics.com														
Company: EDI		Email 2: ldoetzel@edynamics.com														
Contact: S Jenner																
Project Information		Oil and Gas Required Fields (client use)			FULL-TOT-DWA-WR											
ALS Quote #: Q55556		Approver ID:		Cost Center:												
Job #: MOUNT NANSEN 16-Y-0089		GL Account:		Routing Code:												
PO / AFE:		Activity Code:														
LSD:		Location:														
ALS Lab Work Order # (lab use only)		ALS Contact: Sean Sluggett		Sampler:												
ALS Sample # (lab use only)	Sample Identification and/or Coordinates (This description will appear on the report)			Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	Number of Containers									
	WQ-PW			28-Apr-16	1945	Water	R	3								
Drinking Water (DW) Samples¹ (client use)		Special Instructions / Specify Criteria to add on report (client Use)														
Are samples taken from a Regulated DW System? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																
Are samples for human drinking water use? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																
		SAMPLE CONDITION AS RECEIVED (lab use only)														
		Frozen <input type="checkbox"/> SIF Observations Yes <input type="checkbox"/> No <input type="checkbox"/>														
		Ice packs Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Custody seal intact Yes <input type="checkbox"/> No <input type="checkbox"/>														
		Cooling initiated <input checked="" type="checkbox"/>														
		INITIAL COOLER TEMPERATURES °C					FINAL COOLER TEMPERATURES °C									
		0.2														
SHIPMENT RELEASE (client use)		INITIAL SHIPMENT RECEPTION (lab use only)				FINAL SHIPMENT RECEPTION (lab use only)										
Released by: <i>Scott Willy</i>	Date: 29 APR 2016	Time: 0910	Received by: <i>Jerry Mc...</i>	Date: 30/12/2016	Time: 9:20 AM	Received by:	Date:	Time:								

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION

WHITE - LABORATORY COPY YELLOW - CLIENT COPY

NA-FM-0326e v09 Form04 January 2014

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.