



Sample Receipt Confirmation

Report Distribution:

Company Name: EDI ENVIRONMENTAL DYNAMICS INC.

Contact: Lyndsay Doetzel
Address: 2195 - 2nd Ave,
Whitehorse, YT, Y1A 3T8

Phone: 867-393-4882
Fax: --

Email: ldoetzel@edynamics.com
emilie.hamm@gov.yk.ca
erik.pit@gov.yk.ca

EDD Email: --

Distribution: Hard Copy: N Email: Y Fax: N EDD: N

Invoice Distribution:

Acct Name: EDI ENVIRONMENTAL DYNAMICS INC.

Contact: Accounts Payable
Address: 2195 2nd Avenue,
Whitehorse, YT, Y1A 3T8

Phone: 867-393-4882

Fax: 867-393-4883

Invoice Email: sjenner@edynamics.com
ldoetzel@edynamics.com

Project #: N/A

Account #: EDI100

Client Information:

Job Reference #: MOUNT NANSEN 16-Y-0089

Project PO #:

Legal Site Description: N/A

Quote #: Q55559

Date Sampled: 04-JUL-16

Date Received: 06-JUL-16

Sampled By:

Chain Of Custody: 1, 2, 3, 4

Workorder Summary:

Lab Work Order #: L1794268

Estimated completion date: 18-JUL-16

21 Samples received at ALS in VANCOUVER

Client Job #: MOUNT NANSEN 16-Y-0089

Account Manager: Can Dang

Estimated sample disposal date: See Sample Disposal Information section below.

Lab Sample ID	Client Sample ID	Date Sampled	Date Received	Sample Due Date	Priority Flag	Sample Type
L1794268-1	WQ-DC-DX+105	05-JUL-16 17:05	06-JUL-16 15:00	18-JUL-16		Water
L1794268-2	WQ-DC-DX+105-R	05-JUL-16 17:05	06-JUL-16 15:00	18-JUL-16		Water
L1794268-3	WQ-BC	05-JUL-16 11:55	06-JUL-16 15:00	18-JUL-16		Water
L1794268-4	WQ-MS-S-03	05-JUL-16 17:30	06-JUL-16 15:00	18-JUL-16		Water
L1794268-5	WQ-PC-D	05-JUL-16 08:30	06-JUL-16 15:00	18-JUL-16		Water
L1794268-6	WQ-DC-DX	05-JUL-16 17:45	06-JUL-16 15:00	18-JUL-16		Water
L1794268-7	WQ-PC-U	05-JUL-16 08:15	06-JUL-16 15:00	18-JUL-16		Water
L1794268-8	WQ-DC-B	05-JUL-16 15:00	06-JUL-16 15:00	18-JUL-16		Water
L1794268-9	WQ-VC-DBC-R	05-JUL-16 10:20	06-JUL-16 15:00	18-JUL-16		Water
L1794268-10	WQ-DC-U	05-JUL-16 13:40	06-JUL-16 15:00	18-JUL-16		Water
L1794268-11	WQ-TP	05-JUL-16 16:00	06-JUL-16 15:00	18-JUL-16		Water
L1794268-12	WQ-SEEP	05-JUL-16 14:10	06-JUL-16 15:00	18-JUL-16		Water
L1794268-13	WQ-VC-R	04-JUL-16 14:45	06-JUL-16 15:00	18-JUL-16		Water
L1794268-14	WQ-VC-DBC	05-JUL-16 10:15	06-JUL-16 15:00	18-JUL-16		Water
L1794268-15	WQ-VC-UMN	04-JUL-16 15:50	06-JUL-16 15:00	18-JUL-16		Water
L1794268-16	WQ-DC-D1B	06-JUL-16 09:10	06-JUL-16 15:00	18-JUL-16		Water
L1794268-17	WQ-DC-R	04-JUL-16 18:35	06-JUL-16 15:00	18-JUL-16		Water
L1794268-18	WQ-CH-P-13-01	06-JUL-16 08:40	06-JUL-16 15:00	18-JUL-16		Water
L1794268-19	WQ-VC-U	05-JUL-16 10:45	06-JUL-16 15:00	18-JUL-16		Water
L1794268-20	FIELD BLANK	06-JUL-16 11:15	06-JUL-16 15:00	18-JUL-16		Water
L1794268-21	TRAVEL BLANK	06-JUL-16 00:00	06-JUL-16 15:00	18-JUL-16		Water



Analysis Requested :

	Alkalinity Species by Titration	Anions by Ion Chromatography Cyanate	Thiocyanate by Colour	Total Cyanide in water by CFA	Weak Acid Diss. Cyanide in water by CFA	Conductivity [Automated]	Ion Balance Calculation	Dissolved Metals in Water + Hg [BC MDG]	Total Metals in Water + Hg [BC MDG]	Ammonia in Water by Fluorescence	pH by Meter [Automated]	TDS [Calculated]	Total Suspended Solids by Gravimetric	Sample Handling and Disposal Fee	Sample Handling and Disposal Fee
WQ-DC-DX+105	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-DC-DX+105-R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-BC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-MS-S-03	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-PC-D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-DC-DX	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-PC-U	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-DC-B	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-VC-DBC-R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-DC-U	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-TP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-SEEP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-VC-R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-VC-DBC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-VC-UMN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-DC-D1B	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-DC-R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-CH-P-13-01	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WQ-VC-U	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
FIELD BLANK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
TRAVEL BLANK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Hold Time Exceedences: The following samples have exceeded recommended holding times prior to sample receipt.

Analysis Requested	Lab Sample ID	Recommended Hold Time	Date Sampled	Date Received
pH by Meter (Automated)	L1794268-13, 15, 17	0.25 hours	04-JUL-16	06-JUL-16
pH by Meter (Automated)	L1794268-1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 19	0.25 hours	05-JUL-16	06-JUL-16
pH by Meter (Automated)	L1794268-16, 18, 20, 21	0.25 hours	06-JUL-16	06-JUL-16

Sample Integrity Observations: No observations were identified for this work order submission.



Notice of Sub-contract Laboratory Service

Please be advised that the following tests will be subcontracted to the corresponding laboratory:

Sample Handling and Disposal Fee subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Nitrite in Water by IC (Low Level) subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Nitrate in Water by IC (Low Level) subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Sulfate in Water by IC subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Total Suspended Solids by Gravimetric subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Fluoride in Water by IC subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA
Cyanate subcontracted to: ALS ENVIRONMENTAL - WATERLOO, ONTARIO, CANADA
Chloride in Water by IC subcontracted to: ALS ENVIRONMENTAL - WHITEHORSE, YUKON, CANADA

Please contact your Account Manager immediately should you have questions or concerns regarding this arrangement. Approval of this arrangement shall be implied unless otherwise notified by you.

Sample Disposal Information:

Where possible, ALS will store samples for 30 days from the date a final report is issued, or 30 days from the date samples are placed on hold without analytical requests, after which samples may be discarded. Air samples collected on re-usable media are an exception, and are stored for 7 days from the date a final report is issued. Longer storage times are available upon request.

For information about ALS accreditations and certifications please contact your Account Manager or visit our webpage at www.alsglobal.com (see Canada downloads).

ALS Group strives to deliver on-time results to our clients at all times. However, there are times when due to capacity issues or other unforeseen circumstances we are unable to meet our expected turnaround times. The information above is related to a recent workorder you have submitted to our laboratory. In the event that you have an inquiry, please refer to the Lab Work Order # when calling your Account Manager.

ALS Group appreciates your business. Thank you for the opportunity to work with you.



Report To		Report Format / Distribution			Select Service Level Below (Rush Turnaround Time (TAT) is not available for all tests)										
Company: EDI		Select Report Format: <input checked="" type="checkbox"/> PDF <input checked="" type="checkbox"/> EXCEL <input type="checkbox"/> EDD (DIGITAL)			R <input checked="" type="checkbox"/> Regular (Standard TAT if received by 3 pm - business days)										
Contact: Lyndsay Doetzel		Quality Control (QC) Report with Report <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			P <input type="checkbox"/> Priority (2-4 bus. days if received by 3pm) 50% surcharge - contact ALS to confirm TAT										
Address: 2195 - 2nd Avenue Whitehorse, YT Y1A 3T8		<input type="checkbox"/> Criteria on Report - provide details below if box checked			E <input type="checkbox"/> Emergency (1-2 bus. days if received by 3pm) 100% surcharge - contact ALS to confirm TAT										
Phone: 867-393-4882		Select Distribution: <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX			E2 <input type="checkbox"/> Same day or weekend emergency - contact ALS to confirm TAT and surcharge										
		Email 1 or Fax: <u>ldoetzel@edynamics.com</u>			Specify Date Required for E2,E or P: _____										
		Email 2: <u>Emilie.Hamm@gov.yk.ca</u>													
		Email 3: <u>erik.pit@gov.yk.ca</u>													
Invoice To		Invoice Distribution			Analysis Request										
Same as Report To <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Select Invoice Distribution: <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> MAIL <input type="checkbox"/> FAX			Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below										
Copy of Invoice with Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Email 1 or Fax: <u>sjenner@edynamics.com</u>													
Company: EDI		Email 2: <u>ldoetzel@edynamics.com</u>													
Contact: S Jenner															
Project Information		Oil and Gas Required Fields (client use)													
ALS Quote #: Q55559		Approver ID: _____ Cost Center: _____													
Job #: MOUNT NANSEN 16-Y-0089		GL Account: _____ Routing Code: _____													
PO / AFE: _____		Activity Code: _____													
LSD: _____		Location: _____													
ALS Lab Work Order # (lab use only)		ALS Contact: Sean Slugget			Sampler:										
ALS Sample # (lab use only)	Sample Identification and/or Coordinates (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	ALK-PCT-VA	ANIONS-ALL-IC-WR	CN-WAD-CFA-VA	CN-CND-WT	CN-SCN-VA	NH3-F-VA	MET-T-BCMDG-VA	MET-D-BCMDG-VA	IONBALANC-VA	TDS-CALC-VA	Number of Containers
	FIELD BLANK	06-Jul-16	11:15	Water	R	R	R	R	R	R	R	R	R	R	9
	TRAVEL BLANK	06-Jul-16		Water	R	R	R	R	R	R	R	R	R	R	9
	WQ-Plat	06-Jul-16	11:10	Water	R	R	R	R	R	R	R	R	R	R	9
		-Jul-16		Water	R	R	R	R	R	R	R	R	R	R	9
		-Jul-16		Water	R	R	R	R	R	R	R	R	R	R	9
		-Jul-16		Water	R	R	R	R	R	R	R	R	R	R	9
Drinking Water (DW) Samples¹ (client use)		Special Instructions / Specify Criteria to add on report (client Use)			SAMPLE CONDITION AS RECEIVED (lab use only)										
Are samples taken from a Regulated DW System? <input type="checkbox"/> Yes <input type="checkbox"/> No					Frozen <input type="checkbox"/> SIF-Observations Yes <input type="checkbox"/> No <input type="checkbox"/>										
Are samples for human drinking water use? <input type="checkbox"/> Yes <input type="checkbox"/> No					Cooling initiated <input checked="" type="checkbox"/> Custody seal intact Yes <input type="checkbox"/> No <input type="checkbox"/>										
					INITIAL COOLER TEMPERATURES °C: _____ FINAL COOLER TEMPERATURES °C: _____										
					INITIAL SHIPMENT RECEPTION (lab use only) _____ FINAL SHIPMENT RECEPTION (lab use only) _____										
Released by: _____ Date: _____ Time: _____		Received by: _____ Date: _____ Time: _____													

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION

WHITE - LABORATORY COPY YELLOW - CLIENT COPY

NA.FM.0376e v09 Form04 January 2014

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.