



Sample Receipt Confirmation

Report Distribution:

Company Name: EDI ENVIRONMENTAL DYNAMICS INC.

Contact: Lyndsay Doetzel
Address: 2195 - 2nd Ave,
Whitehorse, YT, Y1A 3T8

Phone: 867-393-4882
Fax: --

Email: ldoetzel@edynamics.com
emilie.hamm@gov.yk.ca
erik.pit@gov.yk.ca

EDD Email: --

Distribution: Hard Copy: N Email: Y Fax: N EDD: N

Invoice Distribution:

Acct Name: EDI ENVIRONMENTAL DYNAMICS INC.

Contact: Accounts Payable
Address: 2195 2nd Avenue,
Whitehorse, YT, Y1A 3T8

Phone: 867-393-4882

Fax: 867-393-4883

Invoice Email: sjenner@edynamics.com
ldoetzel@edynamics.com

Project #: N/A

Account #: EDI100

Client Information:

Job Reference #: MOUNT NANSEN 16-Y-0089

Project PO #:

Legal Site Description: N/A

Quote #: Q55559

Date Sampled: 20-JUL-16

Date Received: 09-NOV-16

Sampled By:

Chain Of Custody: --

Workorder Summary:

Lab Work Order #: L1856464

Estimated completion date: 05-DEC-16

15 Samples received at ALS in VANCOUVER

Client Job #: MOUNT NANSEN 16-Y-0089

Account Manager: Can Dang

Estimated sample disposal date: See Sample Disposal Information section below.

Note: There are sample integrity issues with your samples submitted. Please see Sample Integrity Observations below for more details.

Lab Sample ID	Client Sample ID	Date Sampled	Date Received	Sample Due Date	Priority Flag	Sample Type
L1856464-1	WQ-DC-U	07-NOV-16 15:50	09-NOV-16 13:47	17-NOV-16		Water
L1856464-2	WQ-VC-U	08-NOV-16 13:30	09-NOV-16 13:47	17-NOV-16		Water
L1856464-3	WQ-DX+105	08-NOV-16 16:30	09-NOV-16 13:47	17-NOV-16		Water
L1856464-4	WQ-DC-B	08-NOV-16 08:50	09-NOV-16 13:47	17-NOV-16		Water
L1856464-5	WQ-DX+105-R	08-NOV-16 16:45	09-NOV-16 13:47	17-NOV-16		Water
L1856464-6	WQ-VC-DBC	08-NOV-16 13:05	09-NOV-16 13:47	17-NOV-16		Water
L1856464-7	WQ-DC-R	07-NOV-16 15:20	09-NOV-16 13:47	17-NOV-16		Water
L1856464-8	TRAVEL BLANK	20-JUL-16 00:00	09-NOV-16 13:47	05-DEC-16		Water
L1856464-9	WQ-TP	07-NOV-16 17:55	09-NOV-16 13:47	17-NOV-16		Water
L1856464-10	WQ-DC-U-R	07-NOV-16 16:00	09-NOV-16 13:47	17-NOV-16		Water
L1856464-11	WQ-VC-UMN	07-NOV-16 10:25	09-NOV-16 13:47	17-NOV-16		Water
L1856464-12	WQ-VC-R+150	07-NOV-16 13:55	09-NOV-16 13:47	17-NOV-16		Water
L1856464-13	WQ-SEEP	07-NOV-16 17:30	09-NOV-16 13:47	17-NOV-16		Water
L1856464-14	WQ-FIELD BLANK	09-NOV-16 09:45	09-NOV-16 13:47	17-NOV-16		Water
L1856464-15	WQ-PW	09-NOV-16 09:45	09-NOV-16 13:47	17-NOV-16		Water



Analysis Requested :

	Hold	Hold	Hold	Hold	Sample Handling and Disposal Fee
WQ-DC-U					✓
WQ-VC-U					✓
WQ-DX+105					✓
WQ-DC-B					✓
WQ-DX+105-R					✓
WQ-VC-DBC					✓
WQ-DC-R					✓
TRAVEL BLANK	✓	✓	✓	✓	✓
WQ-TP					✓
WQ-DC-U-R					✓
WQ-VC-UMN					✓
WQ-VC-R+150					✓
WQ-SEEP					✓
WQ-FIELD BLANK					✓
WQ-PW					✓

Hold Time Exceedences: The following samples have exceeded recommended holding times prior to sample receipt.

Analysis Requested	Lab Sample ID	Recommended Hold Time	Date Sampled	Date Received
Alkalinity Species by Titration	L1856464-8	14 days	20-JUL-16	09-NOV-16
Ammonia in Water by Fluorescence	L1856464-8	28 days	20-JUL-16	09-NOV-16
Bromide in Water by IC (Low Level)	L1856464-8	28 days	20-JUL-16	09-NOV-16
Chloride in Water by IC	L1856464-8	28 days	20-JUL-16	09-NOV-16
Conductivity (Automated)	L1856464-8	28 days	20-JUL-16	09-NOV-16
Fluoride in Water by IC	L1856464-8	28 days	20-JUL-16	09-NOV-16
Nitrate in Water by IC (Low Level)	L1856464-8	3 days	20-JUL-16	09-NOV-16
Nitrite in Water by IC (Low Level)	L1856464-8	3 days	20-JUL-16	09-NOV-16
Sulfate in Water by IC	L1856464-8	28 days	20-JUL-16	09-NOV-16
Total Cyanide in water by CFA	L1856464-8	14 days	20-JUL-16	09-NOV-16
Total Mercury in Water by CVAAS or	L1856464-8	28 days	20-JUL-16	09-NOV-16
Total Suspended Solids by Gravimet	L1856464-8	7 days	20-JUL-16	09-NOV-16



Hold Time Exceedences:

Analysis Requested	Lab Sample ID	Recommended Hold Time	Date Sampled	Date Received
Weak Acid Diss. Cyanide in water by	L1856464-8	14 days	20-JUL-16	09-NOV-16
pH by Meter (Automated)	L1856464-8	0.25 hours	20-JUL-16	09-NOV-16
pH by Meter (Automated)	L1856464-1, 7, 9, 10, 11, 12, 13	0.25 hours	07-NOV-16	09-NOV-16
pH by Meter (Automated)	L1856464-2, 3, 4, 5, 6	0.25 hours	08-NOV-16	09-NOV-16
pH by Meter (Automated)	L1856464-14, 15	0.25 hours	09-NOV-16	09-NOV-16

Sample Integrity Observations:

Observation	Details
Discrepancy between CofC and label	WQ-PW on CoC.WQ-PH on sample label.Labelled as per CoC.
Other observation	WQ-DC-U-R & WQ-SEEP: Samples received without some ids on some containers.Samples were received in bags so labeled as per marked samples within the same bag.

Notice of Sub-contract Laboratory Service

Please be advised that the following tests will be subcontracted to the corresponding laboratory:

Hold subcontracted to: ALS ENVIRONMENTAL - WATERLOO, ONTARIO, CANADA
Cyanate subcontracted to: ALS ENVIRONMENTAL - WATERLOO, ONTARIO, CANADA

Please contact your Account Manager immediately should you have questions or concerns regarding this arrangement. Approval of this arrangement shall be implied unless otherwise notified by you.

Sample Disposal Information:

Where possible, ALS will store samples for 30 days from the date a final report is issued, or 30 days from the date samples are placed on hold without analytical requests, after which samples may be discarded. Air samples collected on re-usable media are an exception, and are stored for 7 days from the date a final report is issued. Longer storage times are available upon request.

For information about ALS accreditations and certifications please contact your Account Manager or visit our webpage at www.alsglobal.com (see Canada downloads).

ALS Group strives to deliver on-time results to our clients at all times. However, there are times when due to capacity issues or other unforeseen circumstances we are unable to meet our expected turnaround times. The information above is related to a recent workorder you have submitted to our laboratory. In the event that you have an inquiry, please refer to the Lab Work Order # when calling your Account Manager.

ALS Group appreciates your business. Thank you for the opportunity to work with you.

