Lichen Samples

Sample ID	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Hg	Mo	Ni	P	K	Se	Si	Ag	Na	Sr	Te	Tl	Sn	Ti	U	V	Zn	Zr
CLM1-K2-1	215	1	8.9	8.9	0.03	4	0.63	2530	0.6	0.2	2.5	514	7	582	90	< 0.02	0.8	0.4	2160	2220	< 0.2	454	0.81	25	8.05	0.4	0.03	0.5	13.2	0.05	1.1	27.8	< 3
CLM1-K2-2	386	2.2	18.7	12.3	< 0.02	10	0.84	3040	1	0.3	3.8	989	15.1	751	87.3	0.027	0.8	0.7	2610	2610	< 0.2	482	2.03	51	10.3	0.3	0.02	0.3	21.6	< 0.04	1.8	48.5	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	56.9	75.0	71.0	32.1	NC	85.7	28.6	18.3	50.0	PASS	41.3	63.2	73.3	25.4	-3.0	NC	PASS	54.5	18.9	16.1	NC	PASS	85.9	68.4	24.5	-28.6	-40.0	-50.0	48.3	NC	48.3	54.3	NC
CLM1-J2-1	248	1.6	12.3	11.9	< 0.02	10	0.85	2610	0.9	0.2	3.3	602	11	705	278	0.045	0.9	0.7	2450	2760	< 0.2	579	1.52	44	6.78	0.4	0.03	0.5	13.9	0.05	1.2	57.1	< 3
CLM1-J2-2	271	2.7	19.2	10.1	< 0.02	< 2	0.77	1960	0.6	0.2	3.5	627	18.2	639	162	< 0.02	< 0.1	0.6	3240	3060	< 0.2	639	1.44	24	4.56	< 0.1	< 0.02	< 0.1	12.4	< 0.04	1.1	42	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	8.9	51.2	43.8	-16.4	NC	NC	-9.9	-28.4	-40.0	PASS	5.9	4.1	49.3	-9.8	-52.7	NC	NC	PASS	27.8	10.3	NC	9.9	-5.4	-58.8	-39.2	NC	NC	NC	-11.4	NC	PASS	-30.5	NC
CLM1-C2-1	275	1.4	15.6	18.5	< 0.02	6	0.68	2150	0.8	0.3	8.4	709	11.9	691	278	0.039	0.9	0.9	2950	2930	< 0.2	473	0.48	42	8.92	0.4	0.02	0.3	18.4	< 0.04	1.4	39.1	< 3
CLM1-C2-2	271	1.5	16.1	13.5	< 0.02	6	0.58	2220	0.8	0.3	10.5	709	13.5	793	275	< 0.02	1.1	0.8	2650	3070	< 0.2	464	0.42	39	6.44	0.4	< 0.02	0.3	16.9	< 0.04	1.3	34.3	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-1.5	PASS	3.2	-31.3	NC	PASS	-15.9	3.2	PASS	PASS	22.2	PASS	12.6	13.7	-1.1	NC	20.0	PASS	-10.7	4.7	NC	PASS	-13.3	-7.4	-32.3	PASS	NC	PASS	-8.5	NC	PASS	-13.1	NC
CLM1-F1-1	1300	0.9	7.2	20.7	0.05	5	0.64	1650	2.7	0.8	4	1880	6.4	874	111	< 0.03	1.3	1.9	2560	2680	< 0.2	725	0.87	45	6.25	0.6	0.04	0.6	97.3	0.1	4.9	29.3	< 3
CLM1-F1-2	910	0.4	3.8	21.4	0.04	6	0.43	1650	1.9	0.6	4	1330	3.3	813	167	< 0.02	1	1.6	3410	3340	< 0.2	566	0.52	35	5.84	0.5	0.03	0.4	67.7	0.06	3.6	29.6	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-35.3	-76.9	-61.8	3.3	-22.2	PASS	-39.3	PASS	-34.8	-28.6	PASS	-34.3	-63.9	-7.2	40.3	NC	-26.1	-17.1	28.5	21.9	NC	-24.6	-50.4	-25.0	-6.8	-18.2	PASS	-40.0	-35.9	PASS	-30.6	PASS	NC
CLM1-I4-1	184	0.3	2.6	13	< 0.02	< 2	0.36	2030	0.5	0.3	1.9	345	2.3	567	360	< 0.02	0.7	0.5	2600	2320	< 0.2	685	0.55	35	7.97	0.3	< 0.02	0.1	12	< 0.04	0.9	26.4	< 3
CLM1-I4-2	362	0.7	5.7	12.7	< 0.02	< 2	0.34	1560	1.2	0.3	2.6	683	5.2	511	255	< 0.03	0.7	1.1	2770	2280	< 0.2	597	1.55	39	5.29	0.2	< 0.02	0.2	23.7	< 0.04	1.6	26	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	65.2	80.0	74.7	-2.3	NC	NC	PASS	-26.2	82.4	PASS	31.1	65.8	77.3	-10.4	-34.1	NC	PASS	75.0	6.3	-1.7	NC	-13.7	95.2	10.8	-40.4	PASS	NC	PASS	65.5	NC	56.0	PASS	NC
CLM1-O2-1	403	1.2	10	18.8	< 0.02	< 2	0.59	2480	0.9	0.3	3.3	894	8.6	669	59.1	< 0.02	< 0.1	0.8	2370	2390	< 0.2	469	0.5	31	9.22	0.1	< 0.02	< 0.1	21	< 0.04	1.6	45.2	< 3
CLM1-O2-2	270	0.6	5.6	14	< 0.02	< 2	0.38	2090	0.6	0.2	2.3	517	5.2	472	69.8	< 0.02	< 0.1	0.5	2090	2220	< 0.2	543	0.39	26	6.51	0.2	< 0.02	< 0.1	12.7	< 0.04	1	35.1	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-39.5	-66.7	-56.4	-29.3	NC	NC	-43.3	-17.1	-40.0	PASS	PASS	-53.4	-49.3	-34.5	16.6	NC	NC	NC	-46.2	-12.6	-7.4	NC	14.6	-24.7	-17.5	-34.5	PASS	NC	NC	-49.3	NC	-46.2	-25.2	NC
CLM1-N3-2	538	0.9	8.1	17.1	< 0.02	< 2	0.45	1930	1.1	0.3	2.9	917	5.9	603	122	< 0.02	< 0.1	0.9	2590	2520	< 0.2	409	1.14	28	6.63	< 0.1	< 0.02	< 0.1	31.4	< 0.04	2	51.1	< 3
CLM1-N3-1	414	0.6	5.7	14.3	< 0.02	< 2	0.31	2020	0.8	0.3	2.3	653	4.6	578	108	< 0.02	< 0.1	0.7	2070	2030	< 0.2	434	0.65	21	5.82	< 0.1	< 0.02	4	24.5	< 0.04	1.5	37.2	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-26.1	-40.0	-34.8	-17.8	NC	NC	-36.8	4.6	-31.6	PASS	-23.1	-33.6	-24.8	-4.2	-12.2	NC	NC	-25.0	-22.3	-21.5	NC	5.9	-54.7	-28.6	-13.0	NC	NC	NC	-24.7	NC	PASS	-31.5	NC
CLM1-Pony3-2	151	0.2	3.9	6.9	< 0.02	< 2	0.15	1050	0.4	0.2	1.2	289	2.4	299	177	< 0.01	< 0.1	0.3	1190	1350	< 0.2	296	0.15	14	2.51	< 0.1	< 0.02	< 0.1	8.2	< 0.04	0.6	32.1	< 3
CLM1-Pony3-1	208	0.4	5	8.4	< 0.02	< 2	0.19	1280	0.5	0.2	1.5	390	3.2	356	239	< 0.01	< 0.1	0.4	1370	1370	< 0.2	609	0.16	15	3.06	< 0.1	< 0.02	< 0.1	9.3	< 0.04	0.8	37.6	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	31.8	66.7	24.7	19.6	NC	NC	23.5	19.7	PASS	PASS	22.2	29.7	28.6	17.4	29.8	NC	NC	PASS	14.1	1.5	NC	69.2	PASS	PASS	19.7	NC	NC	NC	12.6	NC	PASS	15.8	NC
CLM1-R3-1	280	0.7	17.2	9.7	< 0.02	< 2	0.44	1230	0.5	0.4	1.9	896	6.4	438	214	< 0.01	< 0.1	0.4	1580	1460	< 0.2	381	0.2	7	3.58	< 0.1	0.03	< 0.1	13.3	< 0.04	1.9	30.7	< 3
CLM1-R3-2	248	0.7	17.5	11.3	< 0.02	< 2	0.49	1390	0.6	0.4	2.2	872	5.7	514	218	< 0.01	< 0.1	0.5	2120	2010	< 0.2	283	0.27	9	3.87	< 0.1	< 0.02	< 0.1	12.3	< 0.04	1.8	35.5	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-12.1	PASS	1.7	15.2	NC	NC	10.8	12.2	PASS	PASS	14.6	-2.7	-11.6	16.0	1.9	NC	NC	PASS	29.2	31.7	NC	-29.5	29.8	25.0	7.8	NC	NC	NC	-7.8	NC	PASS	14.5	NC
CLM1-CP5-1	73.6	< 0.1	0.3	10.7	< 0.02	< 2	0.58	1900	0.3	0.1	1.8	147	0.3	747	322	0.017	0.1	0.3	4020	3110	< 0.2	334	0.15	17	6.33	< 0.1	< 0.02	0.5	5	< 0.04	< 0.5	31.9	< 3
CLM1-CP5-2	84.9	< 0.1	0.4	7.3	< 0.02	< 2	0.36	1250	0.3	0.1	1.4	138	0.3	664	233	0.016	< 0.1	0.4	3220	2450	< 0.2	229	0.13	11	4.19	< 0.1	< 0.02	< 0.1	5.2	< 0.04	< 0.5	28.7	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	14.3	NC	PASS	-37.8	NC	NC	-46.8	-41.3	PASS	PASS	-25.0	-6.3	PASS	-11.8	-32.1	-6.1	NC	PASS	-22.1	-23.7	NC	-37.3	-14.3	-42.9	-40.7	NC	NC	NC	PASS	NC	NC	-10.6	NC
CLM1-D2-1	189	< 0.1	2	12.8	< 0.02	< 2	0.65	2070	0.5	0.2	3.2	338	1.1	561	104	< 0.01	< 0.1	0.7	2330	2170	< 0.2	385	0.18	12	5.9	< 0.1	< 0.02	< 0.1	12.2	< 0.04	0.9	39.2	< 3
CLM1-D2-2	237	0.2	2.2	11.4	< 0.02	< 2	0.76	1670	0.7	0.2	2.3	436	1.4	522	134	< 0.01	< 0.1	0.7	2210	2070	< 0.2	441	0.2	13	4.41	< 0.1	< 0.02	< 0.1	14.1	< 0.04	1.1	47	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	22.5	NC	9.5	-11.6	NC	NC	15.6	-21.4	33.3	PASS	-32.7	25.3	24.0	-7.2	25.2	NC	NC	PASS	-5.3	-4.7	NC	13.6	10.5	PASS	-28.9	NC	NC	NC	14.4	NC	PASS	18.1	NC

RPD = Relative Percent Difference

PASS = Replicate sample results were in the range of one to five times the detection limit. RPD calculation is not applicable in this range. Acceptence criteria is a maximum difference between the replicates equivelent to the value of the detection limit.

NC = Not Calculated. Replicate sample results were less than the detection limit. RPD calculation is not defined for levels of less than the detection limit.

Replicate Samples

Sample ID	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Hg	Mo	Ni	P	K	Se	Si	Ag	Na	Sr	Te	Tl	Sn	Ti	U	V	Zn	Zr
CLM1-M1-1	96.7	0.1	1.9	7.3	< 0.02	< 2	0.39	1860	0.3	0.1	1.6	175	1.6	400	136	< 0.01	< 0.1	0.3	2130	2170	< 0.2	310	0.15	12	5.23	< 0.1	< 0.02	< 0.1	4.5	< 0.04	< 0.5	37.9	< 3
CLM1-M1-2	137	0.2	2.9	8.6	< 0.02	< 2	0.39	1510	0.4	0.1	1.7	252	2.5	553	207	< 0.01	< 0.1	0.3	2250	2100	< 0.2	314	0.18	8	3.59	< 0.1	< 0.02	< 0.1	6.3	< 0.04	0.6	34.4	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	34.5	PASS	41.7	16.4	NC	NC	0.0	-20.8	PASS	PASS	PASS	36.1	43.9	32.1	41.4	NC	NC	PASS	5.5	-3.3	NC	PASS	18.2	-40.0	-37.2	NC	NC	NC	33.3	NC	NC	-9.7	NC

Plant Samples

Sample ID	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Hg	Mo	Ni	P	K	Se	Si	Ag	Na	Sr	Te	Tl	Sn	Ti	U	V	Zn	Zr
LELA-PONY2-1	11.9	< 0.1	0.3	34	< 0.02	25	0.07	5850	< 0.1	< 0.1	3.8	49	< 0.1	1240	48.4	< 0.01	< 0.1	0.1	1100	5410	< 0.2	119	0.01	14	12.8	< 0.1	< 0.02	< 0.1	1.2	< 0.04	< 0.5	39.5	< 3
LELA-PONY2-2	10.2	< 0.1	0.3	36.9	< 0.02	18	0.11	6140	< 0.1	< 0.1	3.9	48	0.1	1350	39.6	< 0.01	< 0.1	0.1	1140	5170	< 0.2	119	0.01	< 1	14	< 0.1	< 0.02	< 0.1	1.1	< 0.04	< 0.5	41.6	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-15.4	NC	PASS	8.2	NC	-32.6	44.4	4.8	NC	NC	PASS	PASS	NC	8.5	-20.0	NC	NC	PASS	3.6	-4.5	NC	PASS	PASS	NC	9.0	NC	NC	NC	PASS	NC	NC	5.2	NC
SASP-PONY3-1	18.8	0.1	0.9	10.9	< 0.02	9	16	11200	< 0.1	0.4	4.4	139	0.5	2130	471	< 0.01	< 0.1	0.2	861	3690	< 0.2	59	0.03	180	54.5	< 0.1	< 0.02	< 0.1	1.4	< 0.04	< 0.5	457	< 3
SASP-PONY3-2	13	< 0.1	0.6	12.7	< 0.02	10	11.8	11300	< 0.1	0.7	4.3	138	0.3	2110	696	< 0.01	< 0.1	0.2	851	3570	< 0.2	68	0.03	286	57.2	< 0.1	< 0.02	< 0.1	1.1	< 0.04	< 0.5	416	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-36.5	NC	-40.0	15.3	NC	PASS	-30.2	0.9	NC	54.5	PASS	PASS	-50.0	-0.9	38.6	NC	NC	PASS	-1.2	-3.3	NC	14.2	PASS	45.5	4.8	NC	NC	NC	PASS	NC	NC	-9.4	NC
SASP-TAIL-1	48.5	0.5	4.5	119	< 0.02	11	12.2	18700	< 0.1	1.2	4.5	153	6	2480	413	< 0.01	0.5	2.6	1060	7410	< 0.2	74	0.09	4	101	< 0.1	< 0.02	< 0.1	1	< 0.04	< 0.5	486	< 3
SASP-TAIL-2	19.9	0.7	8.3	32.6	< 0.02	79	23.7	23200	< 0.1	2	11.2	223	6.3	1880	722	< 0.01	0.9	2.2	2190	11600	< 0.2	97	0.08	5	62.9	< 0.1	< 0.02	< 0.1	2.3	< 0.04	< 0.5	372	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-83.6	33.3	59.4	-114.0	NC	151.1	64.1	21.5	NC	50.0	85.4	37.2	4.9	-27.5	54.4	NC	57.1	-16.7	69.5	44.1	NC	26.9	PASS	PASS	-46.5	NC	NC	NC	78.8	NC	NC	-26.6	NC
VAUL-E1-1	33.6	< 0.1	0.2	94.4	< 0.02	17	0.46	7930	< 0.1	< 0.1	3.6	55	0.1	1820	1420	< 0.01	< 0.1	0.2	928	2960	< 0.2	390	< 0.01	4	24.1	< 0.1	< 0.02	< 0.1	0.9	< 0.04	< 0.5	42.1	< 3
VAUL-E1-2	33.8	< 0.1	0.2	92.7	< 0.02	17	0.39	7770	< 0.1	< 0.1	3.7	54	< 0.1	1980	1550	< 0.01	< 0.1	0.2	974	3240	< 0.2	380	< 0.01	7	23.7	< 0.1	< 0.02	< 0.1	0.9	< 0.04	< 0.5	40.8	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	0.6	NC	PASS	-1.8	NC	PASS	-16.5	-2.0	NC	NC	PASS	PASS	NC	8.4	8.8	NC	NC	PASS	4.8	9.0	NC	PASS	NC	54.5	-1.7	NC	NC	NC	PASS	NC	NC	-3.1	NC
VAVI-CP4-1	23.6	< 0.1	< 0.1	14.7	< 0.02	7	0.08	1820	< 0.1	< 0.1	4.9	20	< 0.1	807	257	< 0.01	0.2	0.7	1280	8040	< 0.2	122	< 0.01	3	3.87	< 0.1	< 0.02	< 0.1	0.9	< 0.04	< 0.5	7.9	< 3
VAVI-CP4-2	24.2	< 0.1	< 0.1	17.6	< 0.02	8	0.07	1890	< 0.1	< 0.1	4.7	20	< 0.1	815	236	< 0.01	0.2	0.5	1220	7770	< 0.2	127	< 0.01	4	4.06	< 0.1	< 0.02	< 0.1	0.8	< 0.04	< 0.5	8.3	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	2.5	NC	NC	18.0	NC	PASS	-13.3	3.8	NC	NC	-4.2	PASS	NC	1.0	-8.5	NC	PASS	-33.3	-4.8	-3.4	NC	4.0	NC	PASS	4.8	NC	NC	NC	PASS	NC	NC	PASS	NC
VAVI-D3-1	7.6	< 0.1	< 0.1	18.4	< 0.02	16	0.05	3000	< 0.1	< 0.1	2.9	19	< 0.1	793	166	< 0.01	0.1	0.2	1170	8230	< 0.2	120	< 0.01	1	7.09	< 0.1	< 0.02	< 0.1	0.8	< 0.04	< 0.5	10.2	< 3
VAVI-D3-2	6.5	< 0.1	< 0.1	16.5	< 0.02	18	0.06	3270	< 0.1	< 0.1	3.3	23	< 0.1	968	170	< 0.01	0.1	0.2	1350	9930	< 0.2	130	< 0.01	3	8.45	< 0.1	< 0.02	< 0.1	0.9	< 0.04	< 0.5	11.8	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-15.6	NC	NC	-10.9	NC	PASS	PASS	8.6	NC	NC	12.9	PASS	NC	19.9	2.4	NC	PASS	PASS	14.3	18.7	NC	PASS	NC	100.0	17.5	NC	NC	NC	PASS	NC	NC	14.5	NC
VAVI-N3-1	15.7	< 0.1	< 0.1	4.5	< 0.02	11	< 0.02	1210	< 0.1	< 0.1	4	12	< 0.1	541	256	< 0.01	< 0.1	0.2	953	7440	< 0.2	98	< 0.01	3	1.79	< 0.1	< 0.02	< 0.1	0.5	< 0.04	< 0.5	14	< 3
VAVI-N3-2	14.9	< 0.1	< 0.1	4.5	< 0.02	11	< 0.02	1040	0.2	< 0.1	3.6	10	< 0.1	511	242	< 0.01	< 0.1	0.1	884	6670	< 0.2	86	< 0.01	5	1.61	< 0.1	< 0.02	< 0.1	0.5	< 0.04	< 0.5	12.1	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-5.2	NC	NC	PASS	NC	PASS	NC	-15.1	NC	NC	-10.5	PASS	NC	-5.7	-5.6	NC	NC	PASS	-7.5	-10.9	NC	-13.0	NC	50.0	-10.6	NC	NC	NC	PASS	NC	NC	-14.6	NC
VAVI-PONY3-1	16.8	< 0.1	< 0.1	8.1	< 0.02	11	0.04	1720	< 0.1	< 0.1	4.3	16	< 0.1	692	475	< 0.01	< 0.1	0.1	1080	8000	< 0.2	96	< 0.01	2	2.52	< 0.1	< 0.02	< 0.1	0.7	< 0.04	< 0.5	10.7	< 3
VAVI-PONY3-2	17.3	< 0.1	< 0.1	7.1	< 0.02	9	< 0.02	1310	< 0.1	< 0.1	4.1	14	< 0.1	627	420	< 0.01	< 0.1	0.2	886	7460	< 0.2	92	< 0.01	2	0.94	< 0.1	< 0.02	< 0.1	0.6	< 0.04	< 0.5	9.6	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	PASS	NC	NC	-13.2	NC	-20.0	NC	-27.1	NC	NC	-4.8	PASS	NC	-9.9	-12.3	NC	NC	PASS	-19.7	-7.0	NC	PASS	NC	PASS	-91.3	NC	NC	NC	PASS	NC	NC	-10.8	NC
WHGR-TAIL-1	24.2	1.3	11.4	4.9	< 0.02	11	0.31	3500	0.3	< 0.1	7.5	207	9.4	1550	199	< 0.01	0.5	0.3	850	11000	< 0.2	271	0.12	242	20.6	< 0.1	< 0.02	< 0.1	0.7	< 0.04	< 0.5	113	< 3
WHGR-TAIL-2	15	0.7	3.5	5.8	< 0.02	13	0.07	4890	0.2	< 0.1	2.7	64	1.3	393	51.2	< 0.01	0.2	0.3	968	7620	< 0.2	193	0.06	3	16.9	< 0.1	< 0.02	< 0.1	1.1	< 0.04	< 0.5	32.3	< 3
Detection Limit	0.5	0.1	0.1	0.1	0.02	2	0.02	1	0.1	0.1	0.1	5	0.1	0.5	0.1	0.01	0.1	0.1	0.5	1	0.2	10	0.01	1	0.05	0.1	0.02	0.1	0.3	0.04	0.5	0.5	3
RPD	-46.9	-60.0	NC	16.8	NC	PASS	-126.3	33.1	PASS	NC	-94.1	-105.5	-151.4	-119.1	-118.1	NC	-85.7	PASS	13.0	-36.3	NC	-33.6	-66.7	-195.1	-19.7	NC	NC	NC	44.4	NC	NC	-111.1	NC

RPD = Relative Percent Difference

PASS = Replicate sample results were in the range of one to five times the detection limit. RPD calculation is not applicable in this range. Acceptence criteria is a maximum difference between the replicates equivelent to the value of the detection limit.

NC = Not Calculated. Replicate sample results were less than the detection limit. RPD calculation is not defined for levels of less than the detection limit.

Soil Samples

Sample ID	Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Hg	Mo	Ni	Se	Ag	Sn	V	Zn	Al	B	Ca	Fe	Mg	Mn	P	K	Na	Sr	Ti	Zr
1-C3-1	< 10	< 10	134	< 1	< 0.5	5	3	14	< 5	0.08	< 4	3	0.3	< 2	< 5	32	13	4750	< 1	3060	10500	343	265	1360	112	50	32	85	< 1
1-C3-2	< 10	22	108	< 1	< 0.5	6	4	10	7	0.06	< 4	2	0.3	< 2	< 5	59	14	4650	< 1	2590	16800	555	319	925	153	69	25	169	1
Detection Limit	10	10	1	1	0.5	2	1	1	5	0.01	4	2	0.2	2	5	1	1	10	1	1	2	0.1	1	20	10	5	1	1	1
RPD	NC	NC	-21.5	NC	NC	PASS	PASS	-33.3	NC	-28.6	NC	PASS	PASS	NC	NC	59.3	PASS	-2.1	NC	-16.6	46.2	47.2	18.5	-38.1	30.9	31.9	-24.6	66.1	NC
1-G1-1	< 10	27	206	< 1	0.6	4	2	30	8	0.08	< 4	6	0.5	< 2	< 5	8	45	6280	5	18100	6430	1320	686	1200	280	115	81	83	1
1-G1-2	< 10	48	258	< 1	0.8	5	3	33	11	0.11	< 4	7	0.5	< 2	< 5	12	73	7350	7	22000	7880	1800	731	1290	444	127	95	111	1
Detection Limit	10	10	1	1	0.5	2	1	1	5	0.01	4	2	0.2	2	5	1	1	10	1	1	2	0.1	1	20	10	5	1	1	1
RPD	NC	56.0	22.4	NC	PASS	PASS	PASS	9.5	PASS	31.6	NC	PASS	PASS	NC	NC	40.0	47.5	15.7	33.3	19.5	20.3	30.8	6.4	7.2	45.3	9.9	15.9	28.9	PASS
2-P3-1	< 10	< 10	25	< 1	< 0.5	2	2	2	< 5	< 0.01	< 4	< 2	< 0.2	< 2	< 5	26	11	1570	< 1	1200	6850	302	70	429	120	229	8	338	< 1
2-P3-2	< 10	< 10	21	< 1	< 0.5	2	2	2	< 5	< 0.01	< 4	< 2	< 0.2	< 2	< 5	28	11	1370	< 1	1330	7440	290	55	506	98	178	8	361	< 1
Detection Limit	10	10	1	1	0.5	2	1	1	5	0.01	4	2	0.2	2	5	1	1	10	1	1	2	0.1	1	20	10	5	1	1	1
RPD	NC	NC	-17.4	NC	NC	PASS	PASS	PASS	NC	NC	NC	NC	NC	NC	NC	7.4	PASS	-13.6	NC	10.3	8.3	-4.1	-24.0	16.5	-20.2	-25.1	PASS	6.6	NC
3-I1-2	< 10	97	103	< 1	0.8	15	6	28	9	0.06	< 4	8	< 0.2	< 2	< 5	50	60	13000	< 1	3330	19700	4570	260	712	934	79	20	465	1
3-I2-1	< 10	26	75	< 1	< 0.5	9	5	10	< 5	< 0.01	< 4	6	< 0.2	< 2	< 5	35	32	6620	< 1	2530	13500	3860	177	629	756	88	12	617	1
Detection Limit	10	10	1	1	0.5	2	1	1	5	0.01	4	2	0.2	2	5	1	1	10	1	1	2	0.1	1	20	10	5	1	1	1
RPD	NC	NC	-31.5	NC	NC	-50.0	PASS	-94.7	NC	NC	NC	PASS	NC	NC	NC	-35.3	-60.9	-65.0	NC	-27.3	-37.3	-16.8	-38.0	-12.4	-21.1	10.8	-50.0	28.1	PASS

Sediment Samples

Sample ID; Laboratory	Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Hg	Mo	Ni	Se	Ag	Sn	V	Zn	Al	B	Ca	Fe	Mg	Mn	P	K	Na	Sr	Ti	Zr
D5-2; CanTest	< 10	206	43	< 1	1.7	13	4	7	25	< 0.01	< 4	6	< 0.2	< 2	< 5	38	54	5060	< 1	4110	15200	2210	159	803	396	165	16	262	1
D5-1; CanTest	< 10	216	46	< 1	1.7	14	4	7	24	< 0.01	< 4	6	< 0.2	< 2	< 5	39	55	5030	< 1	4150	15600	2220	165	789	395	163	16	266	1
Detection Limit	10	10	1	1	0.5	2	1	1	5	0.01	4	2	0.2	2	5	1	1	10	1	1	2	0.1	1	20	10	5	1	1	1
RPD	NC	PASS	6.7	NC	PASS	PASS	PASS	PASS	PASS	NC	NC	PASS	NC	NC	NC	PASS	PASS	-0.6	NC	1.0	2.6	0.5	3.7	-1.8	PASS	PASS	PASS	1.5	PASS
D4-2; CanTest	< 10	38	55	< 1	0.5	13	5	16	5	< 0.01	< 4	7	< 0.2	< 2	< 5	30	46	6310	< 1	5630	12800	2770	228	715	494	201	21	306	1
D4-1; CanTest	< 10	35	47	< 1	< 0.5	13	5	15	6	< 0.01	< 4	7	< 0.2	< 2	< 5	29	43	6180	< 1	5440	12400	2730	223	681	487	185	20	298	1
Detection Limit	10	10	1	1	0.5	2	1	1	5	0.01	4	2	0.2	2	5	1	1	10	1	1	2	0.1	1	20	10	5	1	1	1
RPD	NC	PASS	-15.7	NC	NC	PASS	PASS	PASS	PASS	NC	NC	PASS	NC	NC	NC	PASS	-6.7	-2.1	NC	-3.4	-3.2	-1.5	-2.2	-4.9	-1.4	-8.3	PASS	-2.6	PASS
V3-2; CanTest	< 10	< 10	69	< 1	< 0.5	11	3	6	6	0.012	< 4	5	< 0.2	< 2	< 5	30	31	4880	< 1	2910	11500	1870	192	687	320	121	16	259	1
V3-1; CanTest	< 10	< 10	72	< 1	< 0.5	11	4	6	6	0.01	< 4	5	< 0.2	< 2	< 5	33	32	5020	< 1	3060	12100	1900	196	717	326	122	16	279	1
Detection Limit	10	10	1	1	0.5	2	1	1	5	0.01	4	2	0.2	2	5	1	1	10	1	1	2	0.1	1	20	10	5	1	1	1
RPD	NC	NC	4.3	NC	NC	PASS	PASS	PASS	PASS	-18.2	NC	PASS	NC	NC	NC	9.5	PASS	2.8	NC	5.0	5.1	1.6	2.1	4.3	1.9	PASS	PASS	7.4	PASS
V1-2; CanTest	< 10	< 10	67	< 1	< 0.5	12	3	18	< 5	< 0.01	< 4	4	< 0.2	< 2	< 5	36	28	4620	< 1	3020	12600	1760	113	774	292	115	15	287	1
V1-1; CanTest	< 10	< 10	72	< 1	< 0.5	12	3	19	5	0.012	< 4	5	< 0.2	< 2	< 5	32	30	4750	< 1	3050	12000	1830	119	753	296	109	15	269	1
Detection Limit	10	10	1	1	0.5	2	1	1	5	0.01	4	2	0.2	2	5	1	1	10	1	1	2	0.1	1	20	10	5	1	1	1
RPD	NC	NC	7.2	NC	NC	PASS	PASS	PASS	NC	NC	NC	PASS	NC	NC	NC	-11.8	6.9	2.8	NC	1.0	-4.9	3.9	5.2	-2.8	1.4	-5.4	PASS	-6.5	PASS

RPD = Relative Percent Difference

PASS = Replicate sample results were in the range of one to five times the detection limit. RPD calculation is not applicable in this range. Acceptence criteria is a maximum difference between the replicates equivelent to the value of the detection limit.

NC = Not Calculated. Replicate sample results were less than the detection limit. RPD calculation is not defined for levels of less than the detection limit.