



GEOLOGICAL SURVEY OF CANADA
COMMISSION GÉOLOGIQUE DU CANADA

PAPER 80-17

This document was produced
by scanning the original publication.

Ce document est le produit d'une
numérisation par balayage
de la publication originale.

**CATALOGUE OF THE NATIONAL
METEORITE COLLECTION OF CANADA
REVISED TO DECEMBER 31, 1979**

R.J. TRAILL



Energy, Mines and
Resources Canada

Énergie, Mines et
Ressources Canada

1980



**GEOLOGICAL SURVEY
PAPER 80-17**

**CATALOGUE OF THE NATIONAL
METEORITE COLLECTION OF CANADA
REVISED TO DECEMBER 31, 1979**

R.J. TRAILL

© Minister of Supply and Services Canada 1980

Available in Canada through

authorized bookstore agents
and other bookstores

or by mail from

Canadian Government Publishing Centre
Supply and Services Canada
Hull, Québec, Canada K1A 0S9

and from

Geological Survey of Canada
601 Booth Street
Ottawa, Canada K1A 0E8

A deposit copy of this publication is also available
for reference in public libraries across Canada

Cat. No. M44-80/17E	Canada: \$3.00
ISBN - 0-660-10636-1	Other countries: \$3.60

Price subject to change without notice

CATALOGUE OF THE NATIONAL METEORITE COLLECTION OF CANADA REVISED TO DECEMBER 31, 1979

INTRODUCTION

The National Meteorite Collection was initiated by the Geological Survey of Canada in 1855 with the acquisition of MADOC, Ontario, the first meteorite to be found in Canada. From 1855 to 1914 a small number of new Canadian finds were added. Status as an international collection was gained in 1914 under the curatorship of R.A.A. Johnston with the purchase of the original Foote Meteorite Collection from the Foote Mineral Company of Philadelphia. The Foote collection included representative specimens of 212 meteorites from worldwide finds. A period of slow growth was experienced until 1958 when K.R. Dawson was appointed curator and began an inventory of the collection, most of which had been in storage for many years.

The first published catalogue of the National Meteorite Collection of Canada was by Dawson (1963). It listed 249 distinct meteorites and included 21 of the 26 meteorites known to have been found in Canada. The catalogue was revised by Douglas (1971) who noted that the collection had increased to 292 distinct meteorites. The number of known Canadian finds had risen to 40 by 1971 and 29 of these were included in the National Collection.

The present revised catalogue lists in alphabetical order the 368 distinct meteorites that are now represented in the collection, and includes geographical location, date of fall or recovery, classification, and catalogue numbers, form and mass of all specimens. The names of meteorites found in Canada are underlined. Hey (1966) and Hutchison et al. (1977) are acknowledged as references for names, dates and locations. Classifications have been taken from: Hey (1966) for achondrites and stony-irons; Van Schmus and Wood (1966) and Motylewski (1978) for chondrites; and Buchwald (1975) for irons. An alphabetical list of the 46 meteorites known to have been recovered in Canada up to December 31, 1979 is appended; those meteorites which are represented in the National Meteorite Collection are distinguished in the listing by capital letters.

The National Meteorite Collection of Canada continues to grow by acquisition of specimens through donation, purchase and exchange. The collection is a valuable scientific resource and specimens are made available whenever possible to qualified investigators for research purposes. Active participation in the growth and use of the collection is encouraged. Enquiries should be directed to:

Curator
National Meteorite Collection of Canada
Geological Survey of Canada
601 Booth Street,
Ottawa, Ontario, Canada
K1A 0E8

INTRODUCTION

La Collection nationale de météorites voit le jour en 1855, lorsque la Commission géologique du Canada fait l'acquisition du météorite MADOC (Ontario), le premier à être trouvé au Canada. De 1855 à 1914, un petit nombre de météorites nouveaux trouvés au Canada viennent s'y ajouter. En 1914, la collection prend, sous l'impulsion de M. R.A.A. Johnston, son conservateur, une importance internationale, grâce à l'achat de la collection originale Foote de la Foote Mineral Company de Philadelphie (É.-U.), qui comprenait des spécimens de 212 météorites trouvés un peu partout dans le monde. Vient alors une période de croissance ralentie qui prend fin avec la nomination de M. K.R. Dawson au poste de conservateur en 1958. Ce dernier entreprend de faire l'inventaire de la collection, dont la plupart des composantes étaient en entreposage depuis un bon nombre d'années.

En 1963, M. Dawson publie le premier catalogue de la Collection nationale de météorites du Canada. Cet ouvrage donne la liste de 249 météorites distincts et comprend 21 des 26 météorites dont la découverte au Canada était connue. Ce catalogue est révisé par Douglas (1971), qui indique que la collection comportait alors 292 météorites distincts. Le nombre de découvertes connues au Canada est de 40 en 1971; 29 des météorites en question figurent alors dans la Collection nationale.

La présente édition révisée du catalogue donne, dans l'ordre alphabétique, la liste des 368 météorites distincts qui constituent la collection et indique le lieu de découverte, la date de chute ou de découverte, la classification, le numéro de catalogue, la forme et la masse de tous les spécimens. Les noms des météorites trouvées au Canada sont soulignés. Les noms, les dates et les lieux sont tirés de Hey (1966) et Hutchison et coll. (1977). Les classifications ont été tirées de Hey (1966) pour les achondrites et les fers pierreux, de Van Schmus et Wood (1966) et Motylewski (1978) pour les chondrites et de Buchwald (1975) pour les fers. La liste alphabétique des 46 météorites trouvées au Canada jusqu'au 31 décembre 1979 est donnée en annexe; les noms des météorites qui font partie de la Collection nationale de météorites sont écrits en majuscules.

La Collection nationale de météorites du Canada continue de prendre de l'ampleur par les dons, les achats et les échanges de spécimens. Il s'agit là d'un instrument scientifique des plus utiles; dans la mesure du possible, les spécimens sont mis à la disposition de chercheurs qualifiés. La participation active à la croissance et à l'utilisation de la Collection est encouragée. Prière d'adresser toute demande de renseignements au:

Conservateur
Collection nationale de météorites du Canada
Commission géologique du Canada
601, rue Booth
Ottawa (Ontario) Canada
K1A 0E8

REFERENCES

- Buchwald, Vagn F.
1975: Handbook of Iron Meteorites; University of California Press, Berkley and Los Angeles, 1418 p.
- Dawson, K.R.
1963: Catalogue of the Canadian National Meteorite Collection Listing Acquisitions to March 31, 1963; Geological Survey of Canada Paper 63-37, 69 p.
- Douglas, J.A.V.
1971: Revised Catalogue of the National Meteorite Collection of Canada Listing Acquisitions to August 31, 1970; Geological Survey of Canada Paper 70-66, 41 p.
- Hey, Max H.
1966: Catalogue of Meteorites, 3rd edition; Trustees of the British Museum (Natural History), London, 637 p.
- Hutchison, R., Bevan, A.W.R. and Hall, J.M.
1977: Appendix to the Catalogue of Meteorites; Trustees of the British Museum (Natural History), London, 297 p.
- Motylewski, Karen
1978: The Revised Cambridge Chondrite Compendium; Smithsonian Astrophysical Observatory, Cambridge, Massachusetts, 40 p.
- Van Schmus, W.R. and Wood, J.A.
1967: A chemical-petrologic classification for the chondritic meteorites; *Geochimica et Cosmochimica Acta*, v. 31, p. 747-765.

THE CATALOGUE¹

ABEE, Alberta, Canada,

Chondrite, E4.

Fell June 10, 1952.

0117-1	main mass, sawn	}	about 106 kg
0117-2	main mass, sawn		
0117-3	slice, equatorial		
0117-4	slice, equatorial		
0117-5	fragment, sawn		91.9 g
0117-6	fragment, sawn		156.1 g
0117-7	slice, polished		109.3 g
0117-8	fragment, sawn		88.8 g
0117-9	fragments		39.5 g
0117-10	fragments		38.5 g
0117-11	fragments, sawn		23.2 g

ACHILLES, Kansas, U.S.A.

Chondrite, H5.

Found 1924.

0101-1	slice	30.8 g
--------	-------	--------

ADMIRE, Kansas, U.S.A.

Pallasite, brecciated.

Found 1881.

0102-1	fragment	174.2 g
0102-2	fragment	17.4 g
0102-3	fragments	19.6 g
0102-4	slice, polished	95.5 g

AGEN, Lot-et-Garonne, France.

Chondrite, H5.

Fell September 5, 1914.

0103-1	fragment	23.8 g
--------	----------	--------

AHUMADA, Chihuahua, Mexico.

Pallasite.

Found 1909.

0104-1	slice, polished	275.5 g
0104-2	olivine fragments	8.0 g

AKRON (1961), Colorado, U.S.A.

Chondrite, L6.

Found 1961.

0118-1	fragment, sawn	88.8 g
--------	----------------	--------

ALAIS, Gard, France.

Carbonaceous chondrite, C1.

Fell March 17, 1806.

0105-1	fragments	2.7 g
--------	-----------	-------

ALAMOGORDO, New Mexico, U.S.A.

Chondrite, H5.

Found 1938.

0115-1	slice	18.2 g
--------	-------	--------

ALBARETO, Modena, Italy.

Chondrite, L4.

Fell July, 1766.

0106-1	fragments	3.2 g
--------	-----------	-------

ALFIANELLO, Brescia, Italy.

Chondrite, L6.

Fell February 16, 1883.

0107-1	fragment	135.0 g
--------	----------	---------

ALGOMA, Wisconsin, U.S.A.

Medium octahedrite, anomalous.

Found 1887.

0108-1	slice, polished	6.5 g
--------	-----------------	-------

ALLEGAN, Michigan, U.S.A.

Chondrite, H5.

Fell July 10, 1899.

0109-1	fragment	39.5 g
--------	----------	--------

ALLENDE, Chihuahua, Mexico.

Carbonaceous chondrite, C3V.

Fell February 8, 1969.

0122-1	individual	993.6 g
0122-2	individual	755.2 g
0122-3	individual	492.0 g
0122-4	fragment	596.2 g
0122-5	fragment	89.3 g
0122-6	fragment	70.5 g
0122-7	fragment	70.2 g
0122-8	individual	58.4 g
0122-9	individual	116.4 g
0122-10	individual	106.3 g
0122-11	individual	93.5 g
0122-12	individual	80.0 g
0122-13	individual	78.3 g
0122-14	individual	79.7 g
0122-15	individual	83.2 g
0122-16	individual	103.2 g
0122-17	individual	69.0 g
0122-18	individual	59.3 g
0122-19	individual	67.6 g
0122-20	individual	61.3 g
0122-21	fragment	43.3 g
0122-22	individual	43.4 g
0122-23	individual	43.9 g
0122-24	individual	37.1 g
0122-25	individual	30.0 g
0122-26	individual	38.9 g
0122-27	individual	34.5 g
0122-28	individual	17.5 g
0122-29	fragment, sawn	24.8 g
0122-30	fragment, sawn	11.6 g
0122-31	individual	55.1 g

ANNAHEIM, Saskatchewan, Canada.

Coarse octahedrite, I anomalous.

Found 1916, probably fell 1914.

0116-1	main mass, sawn	3100 g
0116-2	main mass, sawn	9200 g
0116-3	slice, polished	43.1 g
0116-4	slice	107.8 g
0116-5	fragments, sawn	20.8 g

ANSON, Kansas, U.S.A.

Chondrite.

Recognized 1972.

0123-1	slice, equatorial	86.9 g
--------	-------------------	--------

ARISPE, Sonora, Mexico.

Coarse octahedrite, anomalous.

Found 1896.

0111-1	slice, polished	180.8 g
0111-2	slice, polished	115.0 g

ARLINGTON, Minnesota, U.S.A.

Medium octahedrite, anomalous.

Found 1894.

0110-1	slice, polished	13.5 g
--------	-----------------	--------

¹ Underlined names denote meteorites found in Canada.

ARMEL , Colorado, U.S.A. Chondrite, L5. Found 1967.			BARWISE , Texas, U.S.A. Chondrite, H5. Found 1950, recognized 1965.		
0119-1	slice, polished	84.5 g	0228-1	slice, polished	154.0 g
ASHMORE , Texas, U.S.A. Chondrite, H5. Found 1969.			BEAR CREEK , Colorado, U.S.A. Medium octahedrite, IIIB. Found 1866.		
0120-1	slice, polished	107.0 g	0206-1	fragments, weathered	7.8 g
ASSISI , Umbria, Italy. Chondrite, H5. Fell May 24, 1886.			BEAVER CREEK , British Columbia, Canada. Chondrite, H4. Fell May 26, 1893.		
0112-1	fragments	1.1 g	0221-1	fragment	72.8 g
ATWOOD , Colorado, U.S.A. Chondrite, L6. Recognized 1963, found about 1948.			0221-2	fragment	44.1 g
0121-1	slice, polished	35.0 g	BELLA ROCA , Durango, Mexico. Medium octahedrite, IIIB. Found before 1888.		
AUGUSTA COUNTY , Virginia, U.S.A. Medium octahedrite, IIIA. Found 1858 or 1859.			0207-1	slice, polished	429.9 g
0124-1	slice, polished	62.6 g	BELLY RIVER , Alberta, Canada. Chondrite, H. Found 1944.		
AUGUSTINOVKA , Ekaterinoslav, Ukraine. Medium octahedrite, IIIB. Found 1890.			0208-1	slice, equatorial	1482.3 g
0113-1	fragment	67.5 g	0208-2	slice	23.0 g
0113-2	slice, polished	20.4 g	0208-3	fragments	13.0 g
AUSSON , Haute Garonne, France. Chondrite, L5. Fell December 9, 1858.			BENDEGO , Bahia, Brazil, South America. Coarse octahedrite, I anomalous. Found 1784.		
0114-1	fragment	6.6 g	0209-1	slice, polished	44.7 g
BACUBIRITO , Sinaloa, Mexico. Finest octahedrite, anomalous. Found 1863.			BENTON , New Brunswick, Canada. Chondrite, LL6. Fell January 16, 1949.		
0201-1	fragment, polished	11.2 g	0218-1	fragment	888.3 g
0201-2	fragment	125.7 g	0218-2	fragment	272.6 g
BALLINOO , Murchison River, Western Australia. Plessitic octahedrite, IIC. Found 1892.			0218-3	fragments	10.1 g
0202-1	slice	31.1 g	0218-4	fragment	15.0 g
BARBOTAN , Gers, France. Chondrite, H5. Fell July 24, 1790.			0218-5	fragment of crust	2.8 g
0203-1	fragments	1.0 g	0218-6	fragment	7.7 g
BARRANCA BLANCA , Atacama, Chile. Anomalous iron. Found 1855.			0218-7	fragment	5.7 g
0204-1	fragment, polished	10.4 g	BETHLEHEM , New York, U.S.A. Chondrite, H. Fell August 11, 1859.		
BARRATTA , New South Wales, Australia. Chondrite, L4. Found 1845.			0210-1	fragment	0.7 g
0205-1	block, polished	458.7 g	BISCHTÜBE , Kustanai Oblast, U.S.S.R. Coarse octahedrite, I. Found 1888.		
0205-2	block, sawn	59.5 g	0211-1	slice, polished	28.2 g
0205-3	block, sawn	12.1 g	BISHOPVILLE , South Carolina, U.S.A. Aubrite (enstatite achondrite). Fell March 25, 1843.		
			0212-1	fragments	2.0 g
			BITBURG , Trier, Germany. Pallasite. Found before 1805.		
			0213-1	slice	26.0 g

BJURBÖLE, Borga, Finland.Chondrite, L4.
Fell March 12, 1899.

0214-1 fragment 38.4 g

BLAINE LAKE, Saskatchewan, Canada.Chondrite, L6.
Found 1974.

0231-1 fragment, sawn 410.7 g

0231-2 fragment, sawn 1405.8 g

0231-3 fragments, sawn 24.2 g

BLEDSONE, Texas, U.S.A.Chondrite, H4.
Found 1970.

0225-1 slice 103.8 g

BLITHFIELD, Ontario, Canada.Chondrite, E6.
Found 1910.

0219-1 main mass 625.6 g

0219-2 fragment 51.0 g

0219-3 fragment 35.0 g

0219-4 fragments 11.8 g

BLUFF, Texas, U.S.A.Chondrite, L5.
Found about 1879.

0215-1 slice 44.2 g

BONDOC PENINSULA, Luzon Island, Philippines.Mesosiderite.
Found about 1957.

0224-1 fragment, sawn 113.1 g

0224-2 slice, polished 71.0 g

0224-3 fragment 59.0 g

BONITA SPRINGS, Florida, U.S.A.Chondrite, H5.
Found 1938.

0222-1 slice, polished 78.0 g

BOWESMONT, North Dakota, U.S.A.Chondrite, L.
Found 1962.

0226-1 fragment, sawn 52.3 g

BOXHOLE, Plenty River, Central Australia.Medium octahedrite, IIIA.
Found 1937.

0229-1 fragment 28.5 g

0229-2 fragment 6.0 g

BRENHAM, Kansas, U.S.A.Pallasite.
Found 1882.

0216-1 slice, polished 107.7 g

0216-2 slice, polished 116.4 g

0216-3 slice, polished 190.0 g

0216-4 fragment 75.0 g

0216-5 fragment 81.7 g

0216-6 fragment 28.1 g

BRIDGEWATER, North Carolina, U.S.A.Medium octahedrite, IID.
Found 1890.

0217-1 slice, polished 41.8 g

BROWNFIELD (1937), Texas, U.S.A.Chondrite, H3.
Found 1937.

0227-1 slice, polished 296.0 g

0227-2 slice, polished 38.2 g

0227-3 slice, polished 114.2 g

BRUDERHEIM, Alberta, Canada.

Chondrite, L6.

Fell March 4, 1960.

0220-1 individual 2672.0 g

0220-2 individual 2155.0 g

0220-3 individual 1275.0 g

0220-4 individual 669.1 g

0220-5 individual 440.6 g

0220-6 individual 277.5 g

0220-7 individual 30 700.0 g

0220-8 individuals, small 73.2 g

0220-9 slice 233.9 g

0220-10 block, sawn 424.0 g

0220-11 fragment 118.6 g

0220-12 individual 1268.6 g

0220-13 slice, polished 55.0 g

0220-14 fragment, sawn 10.8 g

0220-15 individual 308.0 g

0220-16 individual 173.8 g

0220-17 individual 122.8 g

0220-18 fragment 88.2 g

0220-19 individual 78.0 g

0220-20 fragment 40.1 g

0220-21 fragment 26.1 g

0220-22 slice 5.9 g

0220-23 slice 6.0 g

BRUNO, Saskatchewan, Canada.

Hexahedrite, IIA.

Found 1931.

0223-1 slice 93.3 g

BURDETT, Kansas, U.S.A.Chondrite, H5.
Found about 1940, recognized 1965.

0230-1 slice, polished 91.0 g

CABEZO DE MAYO, Murcia, Spain.

Chondrite, L6.

Fell August 18, 1870.

0301-1 fragment 4.8 g

CALLIHAM, Texas, U.S.A.

Chondrite, L6.

Found 1958.

0334-1 slice, polished 145.6 g

CAMBRIA, New York, U.S.A.

Fine octahedrite, anomalous.

Found 1818.

0302-1 slice, polished 33.7 g

CAMPO DEL CIELO, Gran Chaco Gualamba, Argentina.

Coarse octahedrite, I.

Found 1576.

0327-1 fragment, acid etched 501.2 g

0327-2 slice, acid etched 295.6 g

CAÑON CITY, Colorado, U.S.A.

Chondrite, H5.

Fell October 27, 1973.

0338-1 fragment 1.6 g

CAÑON DIABLO, Arizona, U.S.A.

Coarse octahedrite, I.
Found 1891.

0303-1	fragment	150.7 g
0303-2	fragment	2000.0 g
0303-3	fragment	370.7 g
0303-4	fragment	97.7 g
0303-5	fragment	31.5 g
0303-6	fragment, sawn	315.0 g
0303-7	fragment	289.7 g
0303-8	fragment	80.4 g
0303-9	fragment	47.0 g
0303-10	troilite fragments	4.1 g
0303-11	fragment	1338.3 g

CAPE GIRARDEAU, Missouri, U.S.A.

Chondrite, H6.
Fell August 14, 1846.

0304-1	fragment	10.9 g
--------	----------	--------

CAPE OF GOOD HOPE, Cape Province, South Africa.

Nickel-rich ataxite, IVB.
Found 1793.

0305-1	slice	36.0 g
--------	-------	--------

CAPE YORK, Northwest Greenland.

Medium octahedrite, IIIA.
Found 1818.

0306-1	drill cuttings	1.0 g
0306-2	slice	255.3 g

CARLTON, Texas, U.S.A.

Fine octahedrite, IIIC.
Found 1887.

0307-1	slice, polished	9.7 g
--------	-----------------	-------

CARTHAGE, Tennessee, U.S.A.

Medium octahedrite, IIIA.
Found 1840.

0308-1	end slice, polished	10.4 g
--------	---------------------	--------

CASAS GRANDES, Chihuahua, Mexico.

Medium octahedrite, IIIA.
Found 1867.

0309-1	slice, polished	498.9 g
--------	-----------------	---------

CASEY COUNTY, Kentucky, U.S.A.

Coarse octahedrite, I.
Found before 1877.

0310-1	slice, polished	6.1 g
--------	-----------------	-------

CASTALIA, North Carolina, U.S.A.

Chondrite, H5.
Fell May 14, 1874.

0311-1	end slice	23.8 g
--------	-----------	--------

CATHERWOOD, Saskatchewan, Canada.

Chondrite, L6.
Found 1964 or 1965, recognized 1971.

0330-1	main mass, sawn	1486.0 g
0330-2	main mass, sawn	1740.0 g
0330-3	fragments, sawn	27.2 g

CHAINPUR, Azamgarh, India.

Chondrite, LL3.
Fell May 9, 1907.

0336-1	fragments	10.6 g
--------	-----------	--------

CHAMBORD, Québec, Canada.

Medium octahedrite, IIIA.
Found 1904.

0331-1	main mass, sawn	6340.0 g
0331-2	slice, polished	52.3 g
0331-3	polished section	11.9 g
0331-4	fragment, sawn	45.8 g
0331-5	cuttings	20.0 g

CHANTONNAY, Vendée, France.

Chondrite, L6.
Fell August 5, 1812.

0312-1	fragments	1.8 g
--------	-----------	-------

CHARCAS, San Luis Potosi, Mexico.

Medium octahedrite, IIIA.
Known 1804.

0313-1	fragment, polished	4.0 g
--------	--------------------	-------

CHARLOTTE, Tennessee, U.S.A.

Fine octahedrite, IVA.
Fell July 31 or August 1, 1835.

0314-1	slice	18.4 g
--------	-------	--------

CHARSONVILLE, Loiret, France.

Chondrite, H6.
Fell November 23, 1810.

0315-1	fragment	7.0 g
--------	----------	-------

CHASSIGNY, Haute Marne, France.

Olivine achondrite (classignite).
Fell October 3, 1815.

0316-1	fragment	5.0 g
--------	----------	-------

CLAYTONVILLE, Texas, U.S.A.

Chondrite, L5.
Found 1964, recognized 1966.

0337-1	slice	258.4 g
--------	-------	---------

CLEVELAND, Tennessee, U.S.A.

Medium octahedrite, IIIB.
Found 1860.

0317-1	slice, polished	51.4 g
--------	-----------------	--------

CLOVIS (NO. 2), New Mexico, U.S.A.

Chondrite, L6.
Found 1960 or 1961, recognized 1963.

0335-1	slice, polished	96.6 g
--------	-----------------	--------

COAHUILA, Mexico.

Hexahedrite, IIA.
Known 1837.

0318-1	slice, polished	28.3 g
0318-2	slice, polished	33.2 g
0318-3	slice, polished	15.1 g
0318-4	slice, polished	30.7 g

COBIJA, Antofagasta, Chile.

Chondrite, H6.
Found 1892.

0319-1	fragment, sawn	9.7 g
--------	----------------	-------

COLBY (WISCONSIN), Wisconsin, U.S.A.

Chondrite, L6.

Fell July 4, 1917.

0333-1	fragment	147.9 g
0333-2	fragment	146.3 g
0333-3	fragment	93.3 g
0333-4	fragment	49.4 g
0333-5	fragment	46.4 g
0333-6	fragment	108.2 g

COLD BOKKEVELD, Cape Province, South Africa.

Carbonaceous chondrite, C2.

Fell October 13, 1838.

0320-1	fragments	3.6 g
--------	-----------	-------

COLFAX, North Carolina, U.S.A.

Medium octahedrite, I.

Found 1880.

0321-1	slice, polished	53.8 g
--------	-----------------	--------

CONCHO, Texas, U.S.A.

Chondrite, L6.

Recognized 1939.

0332-1	fragment, weathered	227.4 g
--------	---------------------	---------

COOPERTOWN, Tennessee, U.S.A.

Coarse octahedrite, IIIA.

Found 1860.

0322-1	slice, polished	12.3 g
--------	-----------------	--------

COSBY'S CREEK, Tennessee, U.S.A.

Coarse octahedrite, I.

Found about 1837.

0323-1	slice	68.5 g
--------	-------	--------

COSTILLA PEAK, New Mexico, U.S.A.

Medium octahedrite, IIIA.

Found 1881.

0324-1	slice, polished	20.0 g
--------	-----------------	--------

COWRA, New South Wales, Australia.

Plessitic octahedrite, anomalous.

Found 1888.

0325-1	slice, polished	37.5 g
0325-2	slice	7.5 g

CRAB ORCHARD, Tennessee, U.S.A.

Mesosiderite.

Found 1887.

0326-1	fragment, sawn	80.7 g
--------	----------------	--------

CRANBOURNE, Victoria, Australia.

Coarse octahedrite, I.

Found 1854.

0328-1	slice	98.6 g
0328-2	fragment, weathered	144.4 g

CYNTHIANA, Kentucky, U.S.A.

Chondrite, L4.

Fell January 23, 1877.

0329-1	fragment	2.0 g
--------	----------	-------

DALGARANGA, Western Australia.

Mesosiderite.

Found 1923.

0412-1	fragment	333.7 g
0412-2	fragment, oxidized	17.7 g
0412-3	fragment, oxidized	13.2 g
0412-4	fragment	4.4 g
0412-5	fragment	3.8 g
0412-6	fragments	13.1 g

DALHART, Texas, U.S.A.

Chondrite, H.

Found 1968.

0413-1	slice	47.4 g
--------	-------	--------

DALTON, Georgia, U.S.A.

Medium octahedrite, IIIA.

Found 1877.

0401-1	slice	25.8 g
--------	-------	--------

DANIEL'S KUIL, South Africa.

Chondrite, E6.

Fell March 20, 1868.

0402-1	fragments	1.7 g
--------	-----------	-------

DANVILLE, Alabama, U.S.A.

Chondrite, L6.

Fell November 27, 1868.

0403-1	fragment	0.1 g
--------	----------	-------

DEEP SPRINGS, North Carolina, U.S.A.

Nickel-rich ataxite, anomalous.

Found 1846.

0404-1	slice, polished	75.3 g
--------	-----------------	--------

DENSMORE (1879), Kansas, U.S.A.

Chondrite, L6.

Found 1879, recognized 1939.

0411-1	slice, polished	68.1 g
--------	-----------------	--------

DENSMORE (1950), Kansas, U.S.A.

Chondrite, L.

Found 1950.

0414-1	slice	957.0 g
--------	-------	---------

DESCUBRIDORA, San Luis Potosi, Mexico.

Medium octahedrite, IIIA.

Found 1780 to 1783.

0405-1	slice, polished	41.6 g
--------	-----------------	--------

DHURMSALA, Punjab, India.

Chondrite, LL6.

Fell July 14, 1860.

0406-1	fragment	58.4 g
--------	----------	--------

DIMMITT, Texas, U.S.A.

Chondrite, H4.

Known before 1947.

0410-1	slice, polished	58.9 g
0410-2	slice, polished	33.0 g

DJATI-PENGILON, Ngawi district, Java.

Chondrite, H6.

Fell March 19, 1884.

0407-1	slice	6.7 g
--------	-------	-------

DRESDEN, Ontario, Canada.

Chondrite, H6.

Fell June 11, 1939.

0408-1	fragment	29.4 g
0408-2	individual	1758.0 g

DURUMA, Mombasa, Kenya.

Chondrite, L6.

Fell March 6, 1853.

0409-1	fragment	0.3 g
--------	----------	-------

EDMONSON, Texas, U.S.A.

Chondrite, L6.

Found 1955, recognized 1965.

0504-1	slice	91.5 g
--------	-------	--------

ELBA, Colorado, U.S.A.

Chondrite, H5.

Found 1966.

0507-1	slice	114.1 g
--------	-------	---------

ELBOGEN, Bohemia.

Medium octahedrite, IID.

Found 1400?, recognized 1812.

0501-1	slice	7.9 g
--------	-------	-------

ELI ELWAH, New South Wales, Australia.

Chondrite, L6.

Found 1888.

0502-1	fragment, sawn	139.2 g
--------	----------------	---------

ELM CREEK, Kansas, U.S.A.

Chondrite, H4.

Found 1906.

0503-1	slice	30.0 g
--------	-------	--------

EMERY, South Dakota, U.S.A.

Mesosiderite.

Found about 1962, recognized 1968.

0509-1	slice, polished	317.8 g
0509-2	slice, polished	61.5 g

ENSISHEIM, Alsace, France.

Chondrite, LL6.

Fell November 16, 1492.

0505-1	fragment	13.5 g
--------	----------	--------

ESTACADO, Texas, U.S.A.

Chondrite, H6.

Found 1883.

0506-1	fragment	22.6 g
--------	----------	--------

ESTHERVILLE, Iowa, U.S.A.

Mesosiderite.

Fell May 10, 1879.

0508-1	fragment, sawn	123.9 g
0508-2	individual	38.4 g

ETTER, Texas, U.S.A.

Chondrite, H6.

Found 1965.

0510-1	slice	316.8 g
--------	-------	---------

EVA, Oklahoma, U.S.A.

Chondrite, H5.

Found 1965 or 1966.

0511-1	slice	233.4 g
0511-2	slice	57.5 g

FARMINGTON, Kansas, U.S.A.

Chondrite, L5.

Fell June 25, 1890.

0601-1	fragment, sawn	12.6 g
0601-2	fragment, sawn	400.7 g

FAUCETT, Missouri, U.S.A.

Chondrite, H4.

Found 1966.

0609-1	slice	50.4 g
--------	-------	--------

FELT, Oklahoma, U.S.A.

Chondrite.

Found 1970.

0611-1	slice	124.6 g
--------	-------	---------

FILLMORE, Saskatchewan, Canada.

Octahedrite.

Found about 1916, recognized 1968.

0610-1	polished section	3.0 g
0610-2	slice	9.8 g

FINNEY, Texas, U.S.A.

Chondrite, L5.

Found 1962.

0608-1	fragment, sawn	138.9 g
0608-2	slice	112.4 g

FLOYD, New Mexico, U.S.A.

Chondrite, H4.

Found 1966.

0612-1	slice, polished	290.5 g
0612-2	slice, polished	41.4 g

FOREST CITY, Iowa, U.S.A.

Chondrite, H5.

Fell May 2, 1890.

0602-1	individual	311.5 g
--------	------------	---------

FORSYTH, Georgia, U.S.A.

Chondrite, L6.

Fell May 8, 1829.

0603-1	fragment	0.5 g
--------	----------	-------

FORSYTH COUNTY, North Carolina, U.S.A.

Hexahedrite, IIA.

Found about 1891.

0604-1	slice, polished	9.6 g
--------	-----------------	-------

FORT PIERRE, South Dakota, U.S.A.

Medium octahedrite, IIIA.

Found 1856.

0605-1	slice, polished	16.4 g
--------	-----------------	--------

FRANCEVILLE, Colorado, U.S.A.

Medium octahedrite, IIIA.

Found 1890.

0606-1	slice, polished	14.4 g
--------	-----------------	--------

FRANKFORT (STONE), Alabama, U.S.A.

Howardite.

Fell December 5, 1868.

0607-1	slice	1.0 g
--------	-------	-------

FREMONT BUTTE, Colorado, U.S.A.

Chondrite, L4

Recognized 1963.

0613-1	slice, polished	43.4 g
--------	-----------------	--------

GARDEN HEAD, Saskatchewan, Canada.

Plessitic octahedrite, anomalous.

Found 1944, recognized 1964.

0707-1	main mass, sliced	941.0 g
0707-2	main mass, sliced	295.0 g
0707-3	slice	10.6 g
0707-4	polished section	
0707-5	slice	9.6 g

GAY GULCH, Yukon, Canada.

Plessitic octahedrite, anomalous.

Found 1901.

0701-1	main mass	446.0 g
0701-2	fragments	6.1 g
0701-3	polished section	

GIBEON, Great Namaqualand, South West Africa.

Fine octahedrite, IVA.

Known before 1836.

0702-1	fragment, polished	65 796.0 g
0702-2	equatorial slice	1793.0 g
0702-3	slice, polished	208.0 g
0702-4	fragment, polished	194.7 g
0702-5	slice, polished	17.6 g
0702-6	fragment, sawn	113.9 g

GILGOIN, New South Wales, Australia.

Chondrite, H5.

Found 1889.

0703-1	fragment	709.3 g
0703-2	fragment	155.0 g

GIRGENTI, Sicily, Italy.

Chondrite, L6.

Fell February 10, 1853.

0704-1	fragment	28.7 g
--------	----------	--------

GLADSTONE (STONE), New Mexico, U.S.A.

Chondrite, H6.

Found 1936.

0709-1	slice	8.3 g
0709-2	slice	5.6 g

GLORIETA MOUNTAIN, New Mexico, U.S.A.

Medium octahedrite, anomalous.

Found 1884.

0706-1	slice, polished	387.0 g
0706-2	slice, polished	19.7 g

GRADY (C), New Mexico, U.S.A.

Chondrite, H4.

Recognized 1970.

0701-1	slice	61.0 g
--------	-------	--------

GRAND RAPIDS, Michigan, U.S.A.

Medium octahedrite, anomalous.

Found 1883.

0705-1	slice, polished	17.9 g
--------	-----------------	--------

GRASSLAND, Texas, U.S.A.

Chondrite, L4.

Found 1964.

0708-1	slice	15.0 g
--------	-------	--------

GRUVER, Texas, U.S.A.

Chondrite, H4.

Found 1934.

0711-1	slice	109.5 g
0711-2	slice	19.5 g

HAMILTON, Queensland, Australia.

Chondrite, L6.

Found 1966.

0813-1	fragment, sawn block	290.6 g
--------	----------------------	---------

HAPPY CANYON, Texas, U.S.A.

Chondrite, E.

Found 1971.

0817-1	slice	74.6 g
--------	-------	--------

HARDTNER, Kansas, U.S.A.

Chondrite, L.

Recognized 1972.

0814-1	slice	203.2 g
--------	-------	---------

HARLETON, Texas, U.S.A.

Chondrite, L6.

Fell May 30, 1961.

0809-1	fragment	25.0 g
--------	----------	--------

HARRISONVILLE, Missouri, U.S.A.

Chondrite, L6.

Found 1933.

0812-1	slice	64.1 g
--------	-------	--------

HENBURY, Northern Territory, Australia.

Medium octahedrite, IIIA.

Found 1931.

0810-1	individual	1310.5 g
0810-2	slice, polished	115.6 g

HEREDIA, San José, Costa Rica.

Chondrite, H5.

Fell April 1, 1857.

0801-1	fragment	1.8 g
--------	----------	-------

HERMITAGE PLAINS, New South Wales, Australia.

Chondrite, L6.

Found 1909.

0802-1	fragment	261.1 g
0802-2	fragment	269.0 g
0802-3	fragment	227.0 g
0802-4	fragment	133.5 g
0802-5	fragment	23.4 g
0802-6	fragments	2.8 g

HESSLE, Uppsala, Sweden.

Chondrite, H5.

Fell January 1, 1869.

0803-1	fragment	30.3 g
--------	----------	--------

HEX RIVER MOUNTAINS, Cape Province, South Africa.

Hexahedrite, IIA.

Found 1882.

0804-1	slice, polished	42.4 g
--------	-----------------	--------

HOBBA, Grootfontein, South West Africa.
Nickel-rich ataxite, IVB.
Found 1920.

0811-1	fragment	1589.0 g
0811-2	slice	421.6 g

HOLBROOK, Arizona, U.S.A.
Chondrite, L6.
Fell July 19, 1912.

0805-1	individual	2460.0 g
0805-2	individual	1885.8 g
0805-3	individual	1148.7 g
0805-4	individual	721.4 g
0805-5	fragment	710.0 g
0805-6	individual	605.6 g
0805-7	individual	512.0 g
0805-8	individual, broken	454.5 g
0805-9	individual	319.8 g
0805-10	individual	273.4 g
0805-11	fragment, troilite nodule	204.9 g
0805-12	individual	139.1 g
0805-13	individual	19.6 g
0805-14	individual	137.1 g
0805-15	slice	33.4 g
0805-16	fragment	35.8 g
0805-17	fragment	46.0 g
0805-18	fragment	118.1 g
0805-20	individual	96.0 g
0805-21	fragment	46.9 g
0805-22	individual	112.5 g
0805-23	individual	145.5 g
0805-24	individual	67.1 g
0805-26	fragment	39.6 g
0805-27	individual	86.1 g
0805-28	individual	54.0 g
0805-29	individual	42.1 g
0805-30	fragment	37.5 g
0805-31	individual	51.4 g
0805-32	individual	199.4 g
0805-33	fragment	99.5 g
0805-34	individuals (28)	201.7 g
0805-35	individual	94.4 g
0805-36	individual	240.6 g
0805-41	individuals, 0.5 cm size	80.0 g
0805-42	individuals, up to 2 cm	1000.0 g
0805-43	individuals, up to 2 cm	1107.0 g
0805-44	individuals, up to 2 cm	1136.0 g

HOLMAN ISLAND, Northwest Territories, Canada.
Chondrite, LL.
Found 1951.

0806-1	fragment, sawn	136.2 g
0806-2	slice	21.1 g
0806-3	fragments	17.5 g

HOMESTEAD, Iowa, U.S.A.
Chondrite, L5.
Fell February 12, 1875.

0807-1	fragment, sawn	122.9 g
--------	----------------	---------

HONOLULU, Oahu Island, U.S.A.
Chondrite, L5.
Fell September 27, 1825.

0808-1	fragment	1.5 g
--------	----------	-------

HUGOTON, Kansas, U.S.A.
Chondrite, H5.
Found 1927, recognized 1936.

0815-1	fragment, weathered	12.6 g
0815-2	fragment, weathered	13.6 g
0815-3	fragment, weathered	12.1 g

HUNTER, Oklahoma, U.S.A.
Chondrite, L5.
Recognized 1971.

0816-1	slice	255.6 g
--------	-------	---------

IMILAC, Atacama, Chile.
Pallasite.
Known 1822.

0901-1	fragment	5.2 g
--------	----------	-------

INDARCH, Azerbaijan, U.S.S.R.
Chondrite, E4.
Fell April 7, 1891.

0902-1	fragments	2.5 g
0902-2	slice	32.8 g
0902-3	slice, broken	4.2 g

INDIAN VALLEY, Virginia, U.S.A.
Hexahedrite, IIA.
Found 1887.

0903-1	fragment, polished	53.0 g
--------	--------------------	--------

INNISFREE, Alberta, Canada.
Chondrite, LL5.
Fell February 7, 1977.

0906-1	individual	1856.3 g
0906-2	fragments	75.9 g
0906-4	individual	345.0 g
0906-5	individual	894.0 g
0906-6	fragments	330.3 g
0906-7	fragment	22.3 g
0906-8	individual	387.4 g
0906-9	fragments	123.8 g

IREDELL, Texas, U.S.A.
Coarsest octahedrite, IIB.
Found 1898.

0904-1	fragment	8.0 g
0904-2	slice	8.7 g

IRON CREEK, Alberta, Canada.
Medium octahedrite, IIIA.
Known before 1869.

0905-1	slice	11.9 g
--------	-------	--------

JACKSON COUNTY, Tennessee, U.S.A.
Medium octahedrite, IIIA.
Known 1846.

1001-1	fragment	13.2 g
--------	----------	--------

JAMESTOWN, North Dakota, U.S.A.
Fine octahedrite, IVA.
Found 1885.

1002-1	slice, polished	44.9 g
--------	-----------------	--------

JELICA, Serbia.
Chondrite, LL6.
Fell December 1, 1889.

1003-1	fragments	11.4 g
1003-2	fragments	1.0 g
1003-3	fragment	2.3 g

JENNY'S CREEK, West Virginia, U.S.A.
Coarse octahedrite, I.
Found 1883.

1004-1	fragments	10.5 g
--------	-----------	--------

JOHNSTOWN , Colorado, U.S.A. Diogenite (hypersthene achondrite). Fell July 6, 1924.			KINLEY , Saskatchewan, Canada. Chondrite, L6. Recognized 1968, found 1965-66.		
1006-1	slice	48.8 g	1111-1	slice	1367.7 g
JUVINAS , Ardèche, France. Eucrite (pyroxene-plagioclase achondrite). Fell June 15, 1821.			1111-2	fragment	50.0 g
1005-1	fragment	4.3 g	1111-3	fragments	117.7 g
1005-2	fragment	5.1 g	KIRIN , Kirin Province, China. Chondrite, H. Fell March 8, 1976.		
KAYAKENT , Turkey. Medium octahedrite, IIIA. Fell April 1961.			1118-1	fragment	25.3 g
1110-1	slice, polished	290.0 g	1118-2	fragment	21.7 g
KENDALL COUNTY , Texas, U.S.A. Anomalous iron. Known 1887.			KNYAHINYA , Ungvár, Ukraine. Chondrite, L5. Fell June 9, 1866.		
1101-1	slice, polished	91.0 g	1108-1	fragment, sawn	143.0 g
1101-3	slice, polished	314.0 g	KOKOMO , Indiana, U.S.A. Ataxite, IVB. Found 1862.		
KENNA , New Mexico, U.S.A. Ureilite (olivine-pigeonite achondrite). Found 1972.			1109-1	slice	23.1 g
1117-1	slice	22.4 g	KRAMER CREEK , Colorado, U.S.A. Chondrite, L4. Found 1966, recognized 1972.		
KENTON COUNTY , Kentucky, U.S.A. Medium octahedrite, IIIA. Found 1889.			1114-1	fragment, sawn	23.7 g
1102-1	fragment, polished	198.9 g	KRASNOJARSK , Yeniseisk, Siberia. Pallasite. Found 1749.		
KERMICHEL , Morbihan, France. Chondrite, L6. Found 1911.			1112-1	fragment	11.9 g
1103-1	slice	44.7 g	KRESS , Texas, U.S.A. Chondrite, L6. Recognized 1966, found about 1951.		
KERNOUVE , Morbihan, France. Chondrite, H6. Fell May 22, 1869.			1115-1	slice	67.1 g
1104-1	fragment	4.0 g	KYLE , Texas, U.S.A. Chondrite, L6. Recognized 1965.		
KESEN , Honshu, Japan. Chondrite, H4. Fell June 12, 1850.			1116-1	slice	198.3 g
1105-1	fragment	17.7 g	LA CAILLE , Grasse, France. Medium octahedrite, anomalous. Found about 1650.		
KHAIRPUR , Pakistan. Chondrite, E6. Fell September 23, 1873.			1202-1	slice, polished	15.3 g
1113-1	slice	70.5 g	LADDER CREEK , Kansas, U.S.A. Chondrite, L6. Found 1937.		
KILBOURN , Wisconsin, U.S.A. Chondrite, H5. Fell June 16, 1911.			1217-1	fragment	14.3 g
1106-1	fragment, sawn	85.9 g	LA GRANGE , Kentucky, U.S.A. Fine octahedrite, IVA. Found 1860.		
KINGSTON , New Mexico, U.S.A. Medium octahedrite, anomalous. Found 1891.			1203-1	slice, polished	20.6 g
1107-1	equatorial slice, polished	317.7 g	L'AIGLE , Orne, France. Chondrite, L6. Fell April 26, 1803.		
			1201-1	fragment	74.5 g

LAKE BROWN , Western Australia. Chondrite, L6. Found 1919.			LIXNA , Dvinsk, Latvia. Chondrite, H4. Fell July 12, 1820.		
1204-1	fragment	8.2 g	1210-1	fragment	1.0 g
LAKE LABYRINTH , South Australia. Chondrite, LL6. Found 1934.			LONE STAR , Texas, U.S.A. Chondrite. Found 1965, recognized 1966.		
1213-1	fragment, sawn	72.3 g	1221-1	slice	111.0 g
LAKEWOOD , New Mexico, U.S.A. Chondrite, L6. Found 1955, recognized 1966.			LONG ISLAND , Kansas, U.S.A. Chondrite, L6. Found 1891.		
1215-1	slice	85.3 g	1211-1	fragment	391.2 g
LA LANDE , New Mexico, U.S.A. Chondrite, L5. Found 1933.			LONG ISLAND , Kansas, U.S.A. Chondrite, L6. Found 1891.		
1218-1	fragment	14.9 g	1211-1	fragment	391.2 g
1218-2	fragment	13.1 g	LOOP , Texas, U.S.A. Chondrite, L6. Found 1962, recognized 1964.		
LANÇON , Bouches-du-Rhône, France. Chondrite, H6. Fell June 20, 1897.			1222-1	slice	89.5 g
1205-1	fragment	3.5 g	LUIS LOPEZ , New Mexico, U.S.A. Medium octahedrite, IIIB. Found 1896.		
LANDES , West Virginia, U.S.A. Octahedrite, I. Recognized 1968, found about 1930.			1212-1	slice, polished	20.5 g
1219-1	slice, polished	96.9 g	MADOC , Ontario, Canada. Medium octahedrite, IIIA. Found 1854.		
LEEDS , Québec, Canada. Coarse octahedrite, I. Recognized 1931.			1301-1	main mass	161 000.0 g
1214-1	fragment, polished	58.8 g	1301-2	slice	2835.0 g
LÉNÁRTÓ , Slovakia, Czechoslovakia. Medium octahedrite, IIIA. Found 1814.			1301-3	slice	1031.5 g
1206-1	slice, polished	13.1 g	1301-4	slice	255.1 g
LEOVILLE , Kansas, U.S.A. Carbonaceous chondrite, C3. Recognized 1965, found 1961-62.			1301-5	slice	4.3 g
1220-1	slice	25.0 g	1301-6	polished sections (2)	-
LE PRESSOIR , Indre-et-Loire, France. Chondrite, L6. Fell January 25, 1845.			MAGURA , Orava River, Czechoslovakia. Coarse octahedrite, I. Found 1840.		
1207-1	fragments	2.0 g	1302-1	fragment, polished	45.9 g
LINVILLE , North Carolina, U.S.A. Nickel-rich ataxite, anomalous. Found 1882.			MANBHOOM , West Bengal, India. Chondrite, LL6. Fell December 22, 1863.		
1208-1	fragment, polished	21.5 g	1303-1	fragment	14.0 g
LITTLE PINEY , Missouri, U.S.A. Chondrite, L5. Fell February 13, 1839.			MANITOUWABING , Ontario, Canada. Medium octahedrite, IIIA. Found 1962.		
1209-1	fragments	0.4 g	1326-1	fragment	9.4 g
LITTLE RIVER (b), Kansas, U.S.A. Chondrite. Found 1965, recognized 1968.			MANTOS BLANCOS , Antofagasta, Chile. Fine octahedrite, IVA. Found 1876.		
1216-1	slice	90.3 g	1304-1	fragment, polished	13.4 g
1216-2	slice	284.3 g	MARION , Iowa, U.S.A. Chondrite, L6. Fell February 22, 1847.		
			1305-1	fragment, sawn	45.2 g

MAYERTHORPE , Alberta, Canada. Coarse octahedrite, I. Found 1964.			MOLONG , New South Wales, Australia. Pallasite. Found 1912.		
1327-1	individual, main mass	3600.0 g	1317-1	fragment	135.0 g
1327-2	slice, polished	99.4 g	1317-2	fragment	72.6 g
1327-3	fragment, polished	24.4 g	1317-3	fragments	101.5 g
MAYFIELD , Kansas, U.S.A. Chondrite. Found 1972.			MOORES FORT , Ireland. Chondrite, H5. Fell August, 1810.		
1308-1	slice, equatorial	387.7 g	1316-1	fragments	0.9 g
McKINNEY , Texas, U.S.A. Chondrite, L4. Found 1870.			MORRISTOWN , Tennessee, U.S.A. Mesosiderite. Found 1887.		
1307-1	slice, polished	136.0 g	1318-1	fragment	8.1 g
MERCEDITAS , Atacama, Chile. Medium octahedrite, IIIA. Found 1884.			MOUNT BROWNE , New South Wales, Australia. Chondrite, H6. Fell July 7, 1902.		
1309-1	slice, polished	265.0 g	1319-1	fragment	57.6 g
1309-2	slice, polished	24.1 g	MOUNT EDITH , Western Australia. Medium octahedrite, IIIB. Found 1913.		
MIDLAND , Ontario, Canada. Octahedrite. Found 1960, recognized 1964.			1320-1	slice, polished	5400.0 g
1328-1	main mass, sawn	25.2 g	MOUNT JOY , Pennsylvania, U.S.A. Coarsest octahedrite, IIB. Found 1887.		
1328-2	fragments, sawn	7.7 g	1321-1	slice, polished	37.2 g
MIGHEI , Ukraine, U.S.S.R. Carbonaceous chondrite, C2. Fell June 18, 1889.			MOUNT STIRLING , Western Australia. Coarse octahedrite, I. Found 1892.		
1310-1	fragment	26.9 g	1322-1	slice, polished	28.3 g
1310-2	fragment	6.8 g	MOUNT VERNON , Kentucky, U.S.A. Pallasite. Known 1868.		
MILLARVILLE , Alberta, Canada. Ataxite, IVA. Found 1977.			1323-1	fragment, polished	194.4 g
1331-1	slice, polished	45.4 g	MUIZENBERG , Cape Town, South Africa. Chondrite, L6. Known about 1880-1883.		
MILLS , New Mexico, U.S.A. Chondrite, H5. Found 1970.			1329-1	fragments	35.8 g
1314-1	slice	104.7 g	MUNGINDI , New South Wales, Australia. Fine octahedrite, IIIC. Found 1897.		
MINCY , Missouri, U.S.A. Mesosiderite. Found 1857.			1325-1	slice, polished	34.2 g
1311-1	slice	20.9 g	MURCHISON , Victoria, Australia. Carbonaceous chondrite, C2. Fell September 28, 1969.		
MISSHOF , Courland, Latvia. Chondrite, H4 or H5. Fell April 10, 1890.			1330-1	fragments	2.2 g
1312-1	fragment	11.9 g	MURFREESBORO , Tennessee, U.S.A. Medium octahedrite, IIIA. Found 1847.		
MISTECA , Oaxaca, Mexico. Coarse octahedrite, I. Known 1804.			1324-1	slice, polished	17.4 g
1313-1	slice, polished	42.1 g	NAKHLA , Alexandria, Egypt. Nakhlite (diopside-olivine achondrite). Fell June 28, 1911.		
MÓCS , Transylvania, Romania. Chondrite, L6. Fell February 3, 1882.			1401-1	fragment	27.9 g
1315-1	fragment	151.0 g			
1315-2	fragment	7.7 g			

NANJEMOY , Maryland, U.S.A. Chondrite, H6. Fell February 10, 1825.			OBERNKIRCHEN , Lower Saxony, Germany. Fine octahedrite, IVA. Found before 1863.		
1402-1	fragment	21.6 g	1501-1	slice, polished	20.7 g
NASHVILLE (STONE) , Kansas, U.S.A. Chondrite, L6. Found before 1939.			OCHANSK , Perm, U.S.S.R. Chondrite, H4. Fell August 30, 1887.		
1413-1	slice	130.7 g	1502-1	fragment	23.4 g
NELSON COUNTY , Kentucky, U.S.A. Coarsest octahedrite, anomalous. Found 1856.			ODESSA (IRON) , Texas, U.S.A. Coarse octahedrite, I. Found before 1922.		
1403-1	slice	32.1 g	1503-1	fragment, sawn block	207.1 g
NESS COUNTY (1902), Kansas, U.S.A. Chondrite. Found 1902.			1503-2	slice, polished	180.0 g
1404-1	fragment, sawn	54.2 g	1503-3	fragment, sawn block	171.3 g
NESS COUNTY (1897), Kansas, U.S.A. Chondrite. Found 1897.			1503-4	fragment	34.7 g
1411-1	slice	14.6 g	1503-6	slice, polished	26.1 g
NETSCHAËVO , Tula, U.S.S.R. Medium octahedrite, anomalous. Found 1846.			1503-7	slice, polished	49.6 g
1405-1	slice, polished	27.4 g	1503-8	fragment, weathered	1637.0 g
N'GOUREYMA , Massina, West Africa. Anomalous iron. Said to have fallen June 15, 1900.			OKABE , Japan. Chondrite, H. Fell November 26, 1958.		
1406-1	fragment, polished	10.0 g	1510-1	fragment	0.9 g
NOCOLECHE , New South Wales, Australia. Anomalous iron. Found 1895.			OLIVENZA , Badajoz, Spain. Chondrite, LL5. Fell June 19, 1924.		
1407-1	slice, polished	22.8 g	1509-1	fragment	71.5 g
NOGOYA , Entre Rios, Argentina. Carbonaceous chondrite, C2(M). Fell June 30, 1879.			ORGUEIL , Montauban, France. Carbonaceous chondrite, C1. Fell May 14, 1864.		
1408-1	fragment	1.7 g	1504-1	fragment	1.0 g
NORTON COUNTY , Kansas, U.S.A. Aubrite (enstatite achondrite). Fell February 18, 1948.			ORLOVKA , Siberia, U.S.S.R. Chondrite, H5. Found 1928.		
1410-1	fragment	32.3 g	1511-1	fragment	4.0 g
NOVO-UREI , Nizhni-Novgorod, U.S.S.R. Ureilite (olivine-pigeonite achondrite). Fell September 4, 1886.			ORNANS , Doubs, France. Carbonaceous chondrite, C3. Fell July 11, 1868.		
1409-1	fragments	0.9 g	1505-1	fragment	3.7 g
NUEVO MERCURIO , Zacatecas, Mexico. Chondrite, H5. Fell December 15, 1978.			ORVINIO , Rome, Italy. Chondrite, L6. Fell August 31, 1872.		
1414-1	individual	15.7 g	1506-1	fragments	3.0 g
1414-2	individual	12.3 g	OSCURO MOUNTAINS , New Mexico, U.S.A. Coarse octahedrite, I. Found 1895.		
1414-3	individual	12.3 g	1507-1	slice, polished	23.0 g
NUTWOOD DOWNS , Australia. Octahedrite, IIIA. Probably synonym for Henbury, found 1931.			OSSEO , Ontario, Canada. Coarse octahedrite, I. Found 1931.		
1412-1	individual	37.1 g	1508-1	slice, polished	2070.8 g
1412-2	individual	12.9 g	PACULA , Hidalgo, Mexico. Chondrite, L6. Fell June 18, 1881.		
			1601-1	fragment	12.6 g

PAVLOGRAD , Ukraine, U.S.S.R. Chondrite, L6. Fell May 19, 1826.			PULTUSK , Poland. Chondrite, H5. Fell January 30, 1868.		
1602-1	fragment	0.8 g	1608-1	fragment, sawn	322.5 g
PEACE RIVER , Alberta, Canada. Chondrite, L6. Fell March 31, 1963.			1608-2	individual	5.9 g
1611-1	powder	95.0 g	1608-3	individual	45.6 g
1611-2	fragment	11 400.0 g	1608-4	fragments	20.8 g
1611-3	fragment, sawn	805.1 g	1608-5	fragment	48.6 g
1611-4	fragment, sawn	43.7 g	PUQUIOS , Atacama, Chile. Medium octahedrite, IID. Found 1885.		
1611-5	fragment, sawn	8.4 g	1609-1	slice, polished	108.1 g
PERRYVILLE , Missouri, U.S.A. Plessitic octahedrite, IIC. Found 1906.			QUENGGOUK , Lower Burma. Chondrite, H4. Fell December 26, 1857.		
1603-1	slice	76.0 g	1701-1	fragment	16.5 g
PETERSBURG , Tennessee, U.S.A. Eucrite (pyroxene-plagioclase achondrite). Fell August 5, 1855.			RAMSDORF , Westphalia, Germany. Chondrite, L. Fell July 26, 1958.		
1604-1	fragment, sawn	3.5 g	1807-1	fragments	94.7 g
PICACHO , New Mexico, U.S.A. Medium octahedrite, IIIA. Found 1952.			RED DEER HILL , Saskatchewan, Canada. Chondrite, L6. Found 1975.		
1612-1	slice	211.2 g	1810-1	fragment, sawn	7.4 g
PIERCEVILLE (IRON) , Kansas, U.S.A. Octahedrite, IIIB. Found 1917.			1810-2	slice	4.0 g
1613-1	fragment, polished	385.1 g	REED CITY , Michigan, U.S.A. Coarse octahedrite, anomalous. Found 1895.		
1613-2	slice, polished	424.9 g	1801-1	slice, polished	600.0 g
PLAINS , Texas, U.S.A. Chondrite, H5. Found 1964.			REVELSTOKE , British Columbia, Canada. Carbonaceous chondrite, CI. Fell March 31, 1965.		
1614-1	fragment, polished block	199.8 g	1809-1	fragments	0.2 g
1614-2	slice	402.7 g	RIVERTON , Manitoba, Canada. Chondrite, H5. Found 1960 or 1961, recognized 1968.		
PLAINVIEW (1917) , Texas, U.S.A. Chondrite, H5. Found 1917.			1811-1	fragment, sawn	15.3 g
1605-1	slice, polished	63.5 g	1811-2	fragment, sawn	7.1 g
1605-2	slice, end piece	41.7 g	RODEO , Durango, Mexico. Medium octahedrite, IID. Found 1852.		
PLOSKHOVITZ , Bohemia. Chondrite, L. Fell June 22, 1723.			1802-1	slice, polished	374.1 g
1606-1	fragment	2.5 g	ROEBOURNE , Western Australia. Medium octahedrite, IIIA. Found 1894.		
PLYMOUTH , Indiana, U.S.A. Medium octahedrite, IIIA. Found 1883 or 1893.			1803-1	slice	33.7 g
1610-1	slice	24.8 g	ROOSEVELT , Oklahoma, U.S.A. Chondrite, H3 or H4. Found 1972.		
PORTALES (C) , New Mexico, U.S.A. Chondrite, H4. Found 1967.			1812-1	slice, polished	76.7 g
1615-1	slice	132.9 g	ROSE CITY , Michigan, U.S.A. Chondrite, H5. Fell October 17, 1921.		
POTTER , Nebraska, U.S.A. Chondrite, L6. Found 1941.			1804-1	fragment, sawn	23.8 g
1607-1	slice	176.4 g	1804-2	fragment, sawn	13.6 g
1607-2	fragment	810.0 g			

ROY (1933), New Mexico, U.S.A. Chondrite, L5. Found 1933.			SÃO JULIÃO DE MOREIRA, Portugal. Coarsest octahedrite, IIB. Found 1883.		
1808-1	slice, polished	274.9 g	1907-1	fragment, polished	24.6 g
1808-2	fragment	123.2 g			
RUFFS MOUNTAIN, South Carolina, U.S.A. Medium octahedrite, IIIA. Found 1844.			SCOTTSVILLE, Kentucky, U.S.A. Hexahedrite, IIA. Found 1867.		
1805-1	slice, polished	12.1 g	1908-1	slice, polished	19.8 g
RUSSEL GULCH, Colorado, U.S.A. Medium octahedrite, IIIA. Found 1863.			SEARSMONT, Maine, U.S.A. Chondrite, H5. Fell May 21, 1871.		
1806-1	slice, polished	73.2 g	1909-1	fragments	2.2 g
SACRAMENTO MOUNTAINS, New Mexico, U.S.A. Medium octahedrite, IIIA. Found 1896.			SEELÄSGEN, Poland. Coarse octahedrite, I. Found before 1847.		
1901-1	slice, polished	2710.0 g	1910-1	slice, polished	80.2 g
ST. MICHEL, Finland. Chondrite, L6. Fell July 12, 1910.			SELMA, Alabama, U.S.A. Chondrite, H4. Found 1906.		
1922-1	fragment	141.2 g	1924-1	fragment	636.0 g
1922-2	fragment	5.8 g	SEMINOLE, Texas, U.S.A. Chondrite, H4. Recognized 1963.		
ST. PETER, Kansas, U.S.A. Chondrite, L5. Found before 1957.			1929-1	slice, polished	140.6 g
1928-1	slice	33.3 g	SHAW, Colorado, U.S.A. Chondrite, L6. Found 1937.		
SALINE, Kansas, U.S.A. Chondrite, H5. Found 1901.			1926-1	slice	127.7 g
1902-1	slice, polished	134.1 g	SHELBURNE, Ontario, Canada. Chondrite, L5. Fell August 13, 1904.		
SALLA, Finland. Chondrite, L6. Found 1963.			1911-1	fragment	74.1 g
1927-1	slice	30.3 g	1911-2	fragment	13.0 g
SALT RIVER, Kentucky, U.S.A. Plessitic octahedrite, IIC. Found 1850.			1911-3	fragment	6.5 g
1903-1	slice	17.1 g	SHIELDS, Kansas, U.S.A. Chondrite, H5. Found about 1962, recognized 1968.		
SAMS VALLEY, Oregon, U.S.A. Medium octahedrite, IIIB. Found 1894.			1930-1	slice	95.5 g
1904-1	slice	677.7 g	SHINGLE SPRINGS, California, U.S.A. Nickel-rich ataxite, anomalous. Found 1869-1870.		
SAN ANGELO, Texas, U.S.A. Medium octahedrite, IIIA. Found 1897.			1912-1	slice	9.7 g
1905-1	slice, polished	23.7 g	SIENA, Tuscany, Italy. Chondrite, LL. Fell June 16, 1794.		
SANTA CATHARINA, Brazil. Nickel-rich ataxite, anomalous. Found 1875.			1913-1	fragment	21.5 g
1932-1	fragment, oxidized	249.0 g	SIKHOTE-ALIN, Eastern Siberia, U.S.S.R. Coarsest octahedrite, IIB. Fell February 12, 1947.		
SANTA ROSA, Colombia. Iron, anomalous. Found 1810.			1925-1	slice	12.7 g
1906-1	slice, polished	46.0 g	1925-2	fragment, sawn	92.0 g
			1925-3	fragment, sawn	3.1 g
			1925-4	polished section	
			1925-5	slice, polished	84.7 g

SILVER CROWN , Wyoming, U.S.A. Coarse octahedrite, I. Found 1887.			TAZEWELL , Tennessee, U.S.A. Finest octahedrite, IIID. Found 1853.		
1914-1	slice, polished	48.4 g	2003-1	slice	15.7 g
SIRATIK , Upper Senegal, West Africa. Iron. Found 1716.			TELL , Texas, U.S.A. Chondrite, H. Found 1930-1932, recognized 1965.		
1915-1	slice	36.7 g	2002-1	block, polished	398.2 g
			2002-2	slice, polished	124.6 g
SKIFF , Alberta, Canada. Chondrite. Found 1966.			TEMPLE , Texas, U.S.A. Chondrite, L6. Found 1959.		
1933-1	fragment, sawn	1 426.0 g	2018-1	fragment, sawn	146.0 g
SKOOKUM , Yukon, Canada. Ataxite, IVB. Found 1905.			2018-2	slice	40.3 g
1916-1	slice, end piece	4367.0 g	TENHAM , Queensland, Australia. Chondrite, L6. Fell, spring 1879.		
1916-2	slice, end piece	2466.0 g	2011-1	individual	57.9 g
1916-3	slice	799.0 g	2011-2	individual	24.5 g
1916-4	polished section	-	2011-3	individual	13.6 g
1916-5	polished section	-	TIMOCHIN , Smolensk, U.S.S.R. Chondrite, H5. Fell March 25, 1807.		
SMITHVILLE , Tennessee, U.S.A. Coarse octahedrite, I. Found 1840.			2004-1	fragment	3.6 g
1917-1	slice, polished	511.0 g	TOKIO , Texas, U.S.A. Chondrite. Found 1974.		
SPRINGWATER , Saskatchewan, Canada. Pallasite. Found 1931.			2015-1	slice	89.2 g
1918-1	slice, polished	744.6 g	TOLUCA , Mexico. Coarse octahedrite, I. Known before 1776.		
STÄLLDALEN , Sweden Chondrite, H5. Fell June 28, 1876.			2005-1	slice	6.9 g
1919-1	fragment	71.1 g	2005-2	slice	293.2 g
STANNERN , Moravia, Czechoslovakia. Eucrite (pyroxene-plagioclase achondrite). Fell May 22, 1808.			2005-3	slice	83.5 g
1920-1	fragment	5.7 g	2005-4	slice	175.4 g
SUMMIT , Alabama, U.S.A. Coarsest octahedrite, IIB. Found before 1890.			2005-5	slice	42.5 g
1923-1	slice	13.7 g	TOMATLAN , Mexico. Chondrite, H6. Fell September 17, 1879.		
SUTTON , Nebraska, U.S.A. Chondrite, H5. Found 1964.			2006-1	fragments	1.0 g
1931-1	slice, polished	109.7 g	TOMBIGBEE RIVER , Alabama, U.S.A. Hexahedrite, anomalous. Found 1859.		
TABOR , Bohemia. Chondrite, H5. Fell July 3, 1753.			2007-1	slice, polished	275.0 g
2000-1	fragments	1.0 g	TOURINNES-LA-GROSSE , Belgium. Chondrite, L6. Fell December 7, 1863.		
TAIBAN (b) , New Mexico, U.S.A. Chondrite, L6. Found 1975.			2008-1	fragment	5.5 g
2016-1	slice	229.8 g	TRENTON , Wisconsin, U.S.A. Medium octahedrite, IIIA. Found 1858.		
			2010-2	slice, polished	41.1 g
			2010-3	slice, polished	43.4 g

TRENZANO, Italy. Chondrite, H6. Fell November 12, 1856.			WACONDA, Kansas, U.S.A. Chondrite, L6. Found 1873.		
2009-1	fragment	6.7 g	2301-1	fragment	11.1 g
TREYSA, Hesse, Germany. Medium octahedrite, III. Fell April 3, 1916.			WALKER COUNTY, Alabama, U.S.A. Hexahedrite, IIA. Found 1832.		
2014-1	slice, polished	84.0 g	2302-1	slice, polished	6.3 g
TRYON, Nebraska, U.S.A. Chondrite, L6. Recognized 1934.			WARDSWELL DRAW, Texas, U.S.A. Chondrite, L6. Found 1976.		
2012-1	fragment, sawn	37.7 g	2315-1	slice	93.6 g
TURTLE RIVER, Minnesota, U.S.A. Medium octahedrite, IIIB. Found 1953-1958, recognized 1968.			WARRENTON, Missouri, U.S.A. Carbonaceous chondrite, C3. Fell January 3, 1877.		
2019-1	slice, polished	100.0 g	2303-1	fragment	4.8 g
TWO BUTTES (a), Colorado, U.S.A. Chondrite, H. Recognized 1968.			WAYSIDE, Texas, U.S.A. Chondrite, H6. Found 1973.		
2013-1	slice	123.3 g	2310-1	slice	227.7 g
UNION COUNTY, Georgia, U.S.A. Coarsest octahedrite, anomalous. Found 1853.			WELLAND, Ontario, Canada. Medium octahedrite, IIIA. Found 1888.		
2101-1	fragment	4.6 g	2304-1	slice, polished	289.7 g
VACA MUERTA, Atacama, Chile. Mesosiderite. Found 1861.			2304-2	slice, polished	18.0 g
2201-1	slice	16.0 g	WELLMAN, Texas, U.S.A. Chondrite, H5. Found 1940.		
2201-2	fragment	23.1 g	2308-1	slice, equatorial	447.0 g
2201-3	slice, polished	36.9 g	WELLMAN (c), Texas, U.S.A. Chondrite, H4. Found 1964.		
2201-4	slice, polished	11.5 g	2316-1	slice, polished	30.7 g
2201-5	fragments, sawn	103.1 g	2316-2	end slice	24.1 g
VAVILOVKA, Ukraine, U.S.S.R. Chondrite, LL6. Fell June 19, 1876.			WEST POINT, Texas, U.S.A. Chondrite. Found 1972.		
2202-1	fragment	2.5 g	2311-1	slice	85.0 g
VERAMIN, Tehran, Iran. Mesosiderite. Fell May 3, 1880.			WICHITA COUNTY, Texas, U.S.A. Coarse octahedrite, I. Found before 1836.		
2203-1	fragment	1.7 g	2305-1	slice, equatorial	2100.0 g
VERKHNE UDINSK, Siberia, U.S.S.R. Medium octahedrite, IIIA. Found 1854.			WILLAMETTE, Oregon, U.S.A. Medium octahedrite, IIIA. Found 1902.		
2204-1	slice, polished	14.8 g	2306-1	slice, polished	1589.0 g
VULCAN, Alberta, Canada. Chondrite, H. Found 1962.			WILLOW CREEK, Wyoming, U.S.A. Coarse octahedrite, IIIE. Found about 1914, recognized 1934.		
2205-1	slice, equatorial	6000.0 g	2312-1	slice, polished	22.1 g
2205-2	slice	386.2 g			
2205-3	slice	324.9 g			
2205-4	slice	77.3 g			
2205-5	slice	9.5 g			
2205-6	slice	10.0 g			

WILUNA, Western Australia.

Chondrite, H4.

Fell September 2, 1967.

2314-1	slice	45.5 g
2314-2	fragments	15.0 g

WOLD COTTAGE, Yorkshire, England.

Chondrite, L6.

Fell December 13, 1795.

2307-1	fragment	7.8 g
--------	----------	-------

WOOLGORONG, Western Australia.

Chondrite, L6.

Fell December 1960.

2309-1	fragment	76.1 g
--------	----------	--------

WYNELLA, Queensland, Australia.

Chondrite, H4.

Found 1945, recognized 1966.

2313-1	fragment	10.9 g
--------	----------	--------

YONOZU, Honshu, Japan.

Chondrite, H4 or H5.

Fell July 14, 1837.

2502-1	slice	15.9 g
--------	-------	--------

YORKTOWN, Texas, U.S.A.

Chondrite.

Found about 1957, recognized 1965.

2503-1	slice	156.9 g
--------	-------	---------

YOUNDEGIN, Western Australia.

Coarse octahedrite, I.

Found 1884.

2501-1	slice, polished	17.1 g
--------	-----------------	--------

ZAVID, Bosnia, Yugoslavia.

Chondrite, L6.

Fell August 1, 1897.

2601-1	fragment	23.6 g
--------	----------	--------

APPENDIX**Meteorites Recovered in Canada¹**

ABEE, Alberta. Fell 1952.

Akpothon, Northwest Territories. Found 1913.

ANNAHEIM, Saskatchewan. Found 1916.

BEAVER CREEK, British Columbia. Fell 1893.

BELLY RIVER, Alberta. Found 1944.

BENTON, New Brunswick. Fell 1949.

BLAINE LAKE, Saskatchewan. Found 1974.

BLITHFIELD, Ontario. Found 1910.

BRUDERHEIM, Alberta. Fell 1960.

BRUNO, Saskatchewan. Found 1931.

CATHERWOOD, Saskatchewan. Found 1964 or 1965.

CHAMBORD, Quebec. Found 1904.

De Cewsville, Ontario. Fell 1887.

DRESDEN, Ontario. Fell 1939.

Edmonton, Alberta. Found 1939.

Ferintosh, Alberta. Found 1965.

FILLMORE, Saskatchewan. Found 1916.

GARDEN HEAD, Saskatchewan. Found 1944.

GAY GULCH, Yukon. Found 1901.

Giroux, Manitoba. Found 1954.

Great Bear Lake, Northwest Territories. Found 1936.

HOLMAN ISLAND, Northwest Territories. Found 1951.

Homewood, Manitoba. Found 1970.

INNISFREE, Alberta. Fell 1977.

IRON CREEK, Alberta. Found 1869.

KINLET, Saskatchewan. Found 1965.

Kinsella, Alberta. Found 1946.

LEEDS, Quebec. Found 1931.

MADOC, Ontario. Found 1854.

MANITOUWABING, Ontario. Found 1962.

MAYERTHORPE, Alberta. Found 1954.

MIDLAND, Ontario. Found 1960.

MILLARVILLE, Alberta. Found 1977.

OSSEO, Ontario. Found 1931.

PEACE RIVER, Alberta. Fell 1963.

RED DEER HILL, Saskatchewan. Found 1975.

REVELSTOKE, British Columbia. Fell 1965.

RIVERTON, Manitoba. Found 1960 or 1961.

SHELBURNE, Ontario. Fell 1904.

SKIFF, Alberta. Found 1966.

SKOOKUM, Yukon. Found 1905.

SPRINGWATER, Saskatchewan. Found 1931.

Thurlow, Ontario. Found 1888.

Vilna, Alberta. Fell 1967.

VULCAN, Alberta. Found 1962.

WELLAND, Ontario. Found 1888.

¹ Capitalized names denote those meteorites which are represented in the National Meteorite Collection.