

PROSPECTING REPORT

on the

RUSTY SPRINGS AREA

Yukon Territory

N.T.S. 116 K/8 and 116 K/9

Latitude 66° 30' N, Longitude 140° 25' W

prepared for

YUKON MINING INCENTIVE PROGRAM

Economic Development Dept., Government of Yukon

Box 2703, Whitehorse, Yukon

Y1A 2C6

by

T.J. Termuende, P.Geo.

on behalf of

EAGLE PLAINS RESOURCES LTD.

P.O. BOX 20022, CRANBROOK, BC

V1C 6J5

DECEMBER 31st, 1995

SUMMARY

An extensive two-phase exploration program was carried out on the Rusty Springs property during the 1995 field season. A total of 5158 feet of drilling was completed in 21 holes. Extensive trenching was also carried out in various locations on the property. Total expenditures during this field season were \$660,000, with over 400 man-days spent on the property. In conjunction with detailed work within existing property boundaries, Eagle Plains Resources Ltd., 100% owners of the property, grubstaked the author to prospect the area around the property, in an effort to locate further mineralization. This work included follow-up of anomalous mineralized drainages located during the 1994 season, as well as sampling in areas that were totally untested. This report will only provide information with respect to prospecting work undertaken under the guidelines of the YMIP program, with detailed assessment reporting of drilling and trenching work filed with DIAND.

During the course of prospecting work, 26 rock samples, 16 silt samples, and 168 soil samples were taken outside of existing claim boundaries. Results were encouraging overall, and saw the staking of a further 36 claim units undertaken in the name of Eagle Plains. Results from this work are included within this report.

INTRODUCTION



The Rusty Springs Property area has seen sporadic exploration since 1975, when rusty ground seeps were recognized during regional oil and gas exploration programs. Subsequent ground examination revealed silver-lead-zinc mineralization nearby. Staking of the area by Rio Alto Exploration followed, with systematic exploration programs carried out over the years by various operators.

High-grade mineralization was discovered in the Orma Hill area in 1978, and the focus of exploration efforts was concentrated in this area. Virtually all drilling was aimed at the Orma Vein since this time. In 1992, the claims comprising the Rusty Springs property lapsed and the area subsequently restaked by Eagle Plains Resources. Since then, Eagle Plains has spent over \$850,000 exploring the property and surrounding area.

LOCATION AND ACCESS

The Rusty Springs Ag/Pb/Zn/Cu prospect is situated in the northwestern part of the Yukon Territory at approximately 66° 30' North latitude and 140° 25' West longitude in N.T.S. 116 K/8 and 116 K/9. The property is about 8 km south of the Arctic Circle and 29 km east of the Alaska border (see Figure 1; following).

Access to the property is via wheel or ski-equipped aircraft or by winter road. An all-weather, 530m (1800') airstrip was constructed in 1994. Supply centres are located at Dawson City, Yukon (274km), Circle, Alaska (175km), or Fairbanks, Alaska (365km). Airstrip staging areas to Rusty Springs are available along the Dempster Highway at Eagle Plains (164kms), or from the "150 Mile" airstrip (137km).



EAGLE PLAINS RESOURCES LTD.		
RUSTY SPRINGS PROJECT		
LOCATION MAP		
Date:	Dec / 95	Scale: 1:6,000,000
		Fig. no.: 1

REGIONAL GEOLOGY

Bedrock exposures within the Rusty Springs area range in age from Devonian to Cretaceous. The oldest rock units exposed in the Rusty Springs area are carbonates of the Middle Devonian Ogilvie Formation. All of the mineral occurrences discovered in this area to date are hosted by this unit. Overlying this unit are shales of the Ogilvie formation, and Hart River limestones. Structurally, the property lies along the axes of two northerly oriented anticlines. Locally, along the axes of the structures, a culmination or dome occurs in the Orma Hill and the Mike Hill areas. This domal structure may be the expression of one or more intrusives emplaced along the axial portion of these anticlines. Drilling indicates that a low-angle thrust fault likely displaces the Orma Vein system at depth.

WORK COMPLETED

In 1994, a total of 36 silt samples were taken from the area east of the property, testing some 25 separate drainages. A number of Pb/Zn-anomalous regions were identified, as indicated by samples RSBBS-1,3. As well, gold and silver mineralized float material was discovered some 6 km east of the present claims (Sample # CDRS-R113 returned .005 oz/t Au, .17 oz/t Ag, with anomalous Pb, Zn values; sample # CDRS-R114 returned .016 oz/t Au, with weakly anomalous Ag). Follow-up work was carried out in all of these areas, but failed to yield encouraging results. All sample locations are shown on Figure 2, in pocket.


During the course of drilling and trenching work carried out this season, it became apparent that mineralization seen at the Orma, Mike and Big Onion Zones were primarily of a secondary nature, and likely represented low-temperature, transported oxide material which had remobilized through

late structural conduits. The lack of outcrop material necessitates that soil geochemistry be the preferred tool for the area. Past experience indicates that soil sampling is very effective locally. As the Big Onion Zone (see map, figure 3) has seen the least soil-sample coverage, it was decided that most grid work would be completed there. A number of samples returned anomalous values, some of which showed moderate continuity. Results are shown on figures 4-6, following.


RECOMMENDATIONS

The Rusty Springs property encompasses numerous high-grade Ag/Pb/Zn/Cu occurrences exposed in outcrop and in float of apparent hydrothermal "fissure-vein" type setting in a mid-Devonian carbonate sequence. These occurrences occur over widespread distances, and emphasizes the excellent mineral potential of the area. Though stream-sediment sampling in the immediate area failed to indicate further extensive mineralization locally, the same lithologic package extends for many kilometers to the north and south, and should be considered as having good potential for mineralization as is seen to date at Rusty Springs. Further silt-sampling should be considered for the region.

Bulldozer trenching should be undertaken in the Big Onion area to test geochemical anomalies outlined there.



MIKE
HILL





Big Onion

BIG ONION
ZONE

1994 Property Boundary

BIG ONION SOIL GRID
SCALE: 1:5000
RUSTY SPRINGS AREA
SURVEY DATE: JULY, AUG. /1995
T. TERMUENDE
AG IN SOILS
FIGURE 41


CONTOUR INTERVALS: 1.5 ppm



PB

BIG ONION SOIL GRID
SCALE: 1:5000
RUSTY SPRINGS AREA
SURVEY DATE: JULY, AUG. /1995
T. TERMUENDE
PB IN SOILS
FIGURE 5

CONTOUR INTERVALS: 80ppm



BIG ONION SOIL GRID
SCALE: 1:5000
RUSTY SPRINGS AREA
SURVEY DATE: JULY, AUG. /1995
T. TERMUENDE
ZN IN SOILS
FIGURE 6

BIBLIOGRAPHY

Ager, C.A. (1979): Gravity & I.P. Survey, Rusty Springs Prospect, private corporate report.

Aussant, C. and Davis, J.W. (1982): Report on the Geochemical, Geophysical and Trenching Programs on the Rusty Springs Property, Yukon Territory.

Aussant, C. (1983): Geological Report on the Rusty Springs Property, Yukon Territory.

Bacon, Donaldson & Associates Ltd. (1979):
Rusty Springs Prospect Metallurgical Testing Report, private corporate report.

Bankowski, J. & Rio Alto Exploration (1980):
Report on 1980 exploration Progress on Rusty Springs, Y.T.

Bankowski, J. & D. Hoy (1980):
Report in geochemical sampling, Rusty Springs, Y.T.

Beck, F.M. (1978): Rusty Springs Prospect 1978 Exploration Summary, private corporate report.

Chernoff, M.N. (1975): Geology of Rusty Springs Mineral Prospect.

Chernoff, M.N. (1976): Geology of the Rusty Springs Mineral Prospect.

Downie, C.C. (1994): Geologic Report on the Rusty Springs Property.

Guilbert, J.M. & Park, C.F. (1986): The Geology of Ore Deposits; W.H. Freeman and Company, pp 158-162.

Hansen, D. (1979): A Geological Model of the Rusty Springs Prospect.

Hansen, D. & Bankowski J. (1979):
Report of Geological Program Rusty Springs Prospect.

Hilland, D.W. (1979): Rusty Springs Prospect - A Brief Summary, private corporate report.

Heard, R.T. (1980): Summary Report on Rusty Springs Mineral Prospect.

Kirker, J. (1980): Thesis Proposal (M.Sc.). University of Calgary

Netolitsky, R.K. (1981): Prospect Evaluation- Rusty Springs Prospect.

Schoel, G. (1978): Preliminary Report on the Rusty Springs Zn-Pb-Cu-Ag Prospect, private corporate report.

Tschanz, C.M. and Pampeyan, E.H. (1970): Geology and Mineral Deposits of Lincoln County, Nevada; Nevada Bureau of Mines and Geology, Bulletin #73.

White, P.S. (1978): Report of 1977 Exploration of Rusty Springs Prospect.

White, P.S. (1978): Interim Geologic Report Rusty Springs Prospect. Private corporate report.

White, P.S. (1979): Report of 1978 Exploration on Rusty Springs Mineral Prospect.

White, P.S. (1979): Report of 1979 Exploration of Rusty Springs Mineral Prospect.

27-Jul-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

TOKLAT RESOURCES INC. AK 95-447
2720-17th STREET SOUTH
CRANBROOK, B.C.
V1C 4H4

ATTENTION: TIM TERMUENDE

51 Rock samples received July 11, 1995
PROJECT #: Rusty Springs
SHIPMENT #: RS02

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	TTRS 95 - 1	5	1.2	0.33	<5	35	<5	0.02	<1	5	71	3	3.53	<10	<0.1	81	7	<0.1	34	230	26	<5	<20	<1	<0.1	<10	12	<10	7	221
2	TTRS 95 - 2	5	0.6	0.48	<5	40	15	0.02	2	11	85	19	10.70	<10	<0.1	28	15	<0.1	53	80	<2	<5	<20	<1	<0.1	<10	44	<10	<1	216
3	TTRS 95 - 3	5	0.6	0.73	20	125	<5	0.02	<1	<1	129	2	1.10	<10	<0.1	8	3	0.02	4	240	30	<5	<20	57	<0.1	<10	48	<10	<1	53
4	TTRS 95 - 4	5	0.6	0.12	10	75	<5	0.04	<1	<1	100	<1	1.48	<10	<0.1	11	5	<0.1	4	50	10	<5	<20	8	<0.1	<10	24	<10	<1	8
5	TTRS 95 - 5	5	0.6	0.14	<5	65	10	6.45	5	28	48	3	6.57	<10	0.40	304	6	<0.1	107	410	6	<5	<20	12	<0.1	<10	36	<10	12	261
6	TTRS 95 - 6	5	0.6	0.09	<5	10	<5	0.09	<1	2	148	<1	0.69	<10	<0.1	27	5	<0.1	16	100	<2	<5	<20	<1	<0.1	<10	6	<10	<1	48
7	TTRS 95 - 7	5	0.6	0.52	<5	75	10	0.05	1	12	89	25	7.12	<10	<0.1	29	9	<0.1	96	420	6	<5	<20	19	<0.1	<10	33	<10	2	315
8	TTRS 95 - 8	5	0.4	0.20	<5	35	<5	0.02	1	10	101	13	2.39	<10	<0.1	36	6	<0.1	58	240	2	<5	<20	18	<0.1	<10	6	<10	5	241
9	TTRS 95 - 9	5	0.4	6.78	455	140	10	0.13	<1	34	89	86	13.20	<10	<0.1	307	16	<0.1	349	580	264	<5	<20	8	<0.1	<10	28	<10	21	2067
10	TTRS 95 - 10	5	>30	0.07	3615	25	<5	>15	<1	<1	65	>10000	0.49	<10	9.92	174	7	<0.1	9	370	>10000	5185	<20	110	<0.1	<10	27	<10	12	776
11	TTRS 95 - 11	5	>30	0.43	1760	10	<5	1.88	12	2	11	3577	0.34	<10	0.97	56	2	<0.1	39	220	>10000	2205	<20	8	<0.1	<10	12	<10	7	351
12	TTRS 95 - 12A	5	7.2	7.58	185	230	<5	9.05	44	72	26	1132	5.84	<10	5.29	816	9	<0.1	535	840	3990	130	<20	27	0.01	<10	111	<10	42	4181
13	TTRS 95 - 12B	5	4.4	0.38	55	45	<5	>15	3	17	17	64	6.56	<10	10.30	408	8	0.01	58	980	1020	35	<20	61	<0.1	<10	16	<10	6	404
14	TTRS 95 - 13	5	0.4	3.26	<5	170	<5	0.63	3	105	613	149	9.33	20	3.86	697	41	<0.1	907	3210	298	<5	<20	52	0.03	<10	139	<10	11	750
15	TTRS 95 - 14	5	1.0	0.30	30	100	<5	0.07	1	15	134	139	12.10	<10	0.02	384	101	<0.1	183	1290	306	<5	<20	6	<0.1	<10	165	<10	<1	666
16	TTRS 95 - 15	5	<2	0.51	650	230	<5	0.05	<1	15	52	164	>15	<10	<0.1	2	330	<0.1	32	2840	88	<5	<20	32	<0.1	<10	327	<10	<1	534
17	TTRS 95 - 16	5	0.2	0.35	45	40	<5	0.03	<1	9	141	45	5.01	<10	0.23	43	57	<0.1	101	540	92	<5	<20	2	<0.1	<10	194	<10	5	801
18	TTRS 95 - 17	5	2.4	0.24	420	85	<5	0.04	<1	14	66	128	13.50	<10	<0.1	47	41	<0.1	161	1050	178	<5	<20	<1	<0.1	<10	104	<10	<1	809
19	TTRS 95 - 18	5	0.4	0.04	1005	250	50	1.63	<1	106	<1	29	>15	<10	0.14	809	232	<0.1	265	<10	16	<5	<20	55	<0.1	<10	4	<10	48	1087
20	TTRS 95 - 19	5	<2	0.07	900	260	55	2.05	<1	119	<1	19	>15	<10	0.23	931	96	<0.1	310	<10	74	<5	<20	43	<0.1	<10	6	<10	<1	1408
21	TTRS 95 - 20	5	<2	0.28	35	550	5	0.26	2	10	107	165	>15	<10	0.02	286	46	<0.1	35	1780	62	<5	<20	15	<0.1	<10	855	<10	<1	186
22	TTRS 95 - 21	5	0.4	0.26	5	1375	<5	0.07	1	<1	103	19	3.39	<10	0.01	37	9	<0.1	23	860	24	<5	<20	18	<0.1	<10	24	<10	<1	58
23	TTRS 95 - 22	5	0.4	0.45	295	470	10	3.60	<1	42	33	23	>15	<10	1.73	271	31	<0.1	285	490	44	<5	<20	27	<0.1	<10	33	<10	<1	465
24	TTRS 95 - 23	5	2.0	0.60	700	850	<5	0.23	7	25	118	979	10.90	<10	0.05	1375	27	<0.1	587	790	1286	<5	<20	4	<0.1	<10	129	<10	22	1937
25	TTRS 95 - 24	5	1.8	4.07	440	520	<5	0.17	<1	36	92	443	10.40	<10	0.05	181	42	<0.1	537	1800	194	<5	<20	11	<0.1	<10	236	<10	5	1220

Et #. Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26 TTRS 95 - 25	5	0.8	4.21	660	1825	<5	0.09	<1	28	49	138	9.77	<10	0.03	337	25	<0.1	506	1220	262	<5	<20	6	<0.1	<10	212	<10	<1	864
27 TTRS 95 - 26	5	<2	8.34	165	825	<5	0.29	8	81	82	963	> 15	<10	<0.1	366	59	<0.1	816	2290	326	<5	<20	5	<0.1	<10	485	<10	63	3045
28 TTRS 95 - 27	5	0.6	0.43	90	1515	<5	1.11	2	6	68	60	3.97	<10	0.02	193	22	<0.1	142	5350	82	<5	<20	24	<0.1	<10	83	<10	47	636
29 TTRS 95 - 28	5	<2	0.51	<5	115	<5	0.50	<1	4	25	<1	1.46	<10	0.11	122	3	<0.1	18	480	10	<5	<20	22	<0.1	<10	20	<10	4	65
30 TTRS 95 - 29	5	0.4	3.27	95	250	<5	0.08	<1	6	75	801	7.36	<10	<0.1	272	11	<0.1	167	2530	146	<5	<20	111	0.01	<10	153	<10	5	49
31 TTRS 95 - 30	5	<2	0.72	25	55	<5	13.40	10	19	25	132	3.60	<10	7.87	363	5	<0.1	123	320	20	25	<20	43	<0.1	<10	39	<10	22	462
32 CDRS 95 - 1	5	<2	0.15	<5	165	<5	0.23	<1	<1	76	<1	1.75	<10	0.11	14	4	<0.1	5	50	16	<5	<20	4	<0.1	<10	43	<10	<1	10
33 CDRS 95 - 2	5	<2	0.05	<5	35	<5	0.03	<1	<1	98	<1	0.88	<10	0.01	18	3	<0.1	7	40	26	<5	<20	2	<0.1	<10	7	<10	<1	20
34 CDRS 95 - 3	5	<2	0.55	15	70	<5	0.02	<1	5	110	66	1.90	<10	<0.1	21	52	<0.1	69	420	14	<5	<20	12	<0.1	<10	114	<10	4	499
35 CDRS 95 - 4	5	<2	0.24	<5	35	<5	0.02	<1	2	100	<1	1.18	<10	<0.1	37	3	<0.1	8	240	14	<5	<20	6	<0.1	<10	3	<10	2	25
36 CDRS 95 - 5	5	<2	0.05	<5	25	<5	0.01	<1	4	103	<1	2.98	<10	<0.1	55	4	<0.1	9	330	<2	<5	<20	2	<0.1	<10	2	<10	<1	32
37 CDRS 95 - 6	5	<2	0.42	55	15	15	0.02	<1	15	108	7	10.20	<10	<0.1	122	13	0.03	16	810	18	<5	<20	257	<0.1	<10	68	<10	<1	135
38 CDRS 95 - 7	5	<2	0.28	<5	30	5	0.07	<1	13	95	4	6.68	<10	<0.1	87	8	<0.1	24	1870	2	<5	<20	59	<0.1	<10	44	<10	<1	134
39 CDRS 95 - 8	5	>30	0.16	370	25	<5	> 15	<1	2	5	3897	0.53	<10	14.70	122	<1	0.01	20	350	230	565	<20	56	<0.1	<10	12	<10	9	136
40 CDRS 95 - 9	5	10.0	0.27	35	75	10	8.60	19	87	21	234	> 15	<10	4.99	326	30	<0.1	866	970	70	20	<20	29	<0.1	<10	79	<10	43	5593
41 MBRS 95 - 1	5	<2	0.22	15	160	<5	0.10	6	11	119	99	9.31	<10	<0.1	120	59	<0.1	94	1340	8	<5	<20	3	<0.1	<10	314	<10	<1	330
42 MBRS 95 - 2	5	0.4	0.11	15	145	<5	0.03	<1	<1	156	16	2.51	<10	<0.1	35	73	<0.1	9	360	12	<5	<20	44	<0.1	<10	140	<10	<1	60
43 MBRS 95 - 3	5	<2	0.14	25	335	<5	6.52	1	3	68	103	6.15	<10	3.54	85	53	<0.1	41	1170	4	5	<20	53	<0.1	<10	324	<10	<1	143
44 Gas 1	5	<2	6.29	620	480	<5	0.25	<1	36	128	374	> 15	<10	<0.1	306	210	<0.1	170	2410	298	<5	<20	<1	<0.1	<10	2592	<10	<1	1884
45 Gas 2	5	1.6	3.34	145	1090	<5	0.17	28	726	26	1642	6.48	30	0.01	8207	11	<0.1	1562	1160	3622	10	<20	4	0.01	<10	113	<10	302	3333
46 GOH	5	<2	0.40	545	270	35	1.37	<1	84	8	32	> 15	<10	0.35	389	62	<0.1	423	150	20	<5	<20	26	<0.1	<10	23	<10	<1	767
47 FC	5	0.4	0.78	<5	110	<5	0.07	1	8	42	71	11.90	<10	0.17	22	13	<0.1	35	770	26	<5	<20	10	<0.1	<10	44	<10	<1	95
48 BS	5	0.2	0.53	15	85	<5	0.10	<1	2	153	<1	3.37	<10	0.10	20	7	<0.1	20	1290	8	<5	<20	53	<0.1	<10	30	<10	<1	25
49 QZ	5	<2	2.26	<5	80	10	0.03	<1	7	57	86	9.43	<10	0.47	53	9	<0.1	31	1140	14	<5	<20	24	<0.1	<10	96	<10	<1	281
50 SS	5	<2	0.72	10	215	<5	0.05	<1	3	59	27	4.06	<10	0.10	35	6	<0.1	14	490	16	<5	<20	44	<0.1	<10	45	<10	<1	63
51 NO TAG	5	>30	0.11	180	275	<5	0.67	366	142	23	6932	1.58	<10	0.32	1033	<1	<0.1	718	690	244	80	<20	<1	<0.1	<10	11	<10	<1	10000

27-Jul-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

TOKLAT RESOURCES INC. AK 95-438
2720-17th STREET SOUTH
CRANBROOK, B.C.
V1C 4H4

ATTENTION: TIM TERMUENDE

16 Silt samples received July 11, 1995
PROJECT #: Rusty Springs
SHIPMENT #: RS02

Values in ppm unless otherwise reported

Et #	Tag #	Au (ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	RS95MBSS1	<5	<2	0.96	5	90	<5	0.39	<1	22	18	17	3.14	<10	0.27	367	3	<.01	56	490	16	<5	<20	26	<.01	<10	25	<10	2	199
2	RS95MBSS2	<5	<2	0.70	<5	85	<5	0.29	<1	13	14	14	2.19	<10	0.16	225	2	<.01	63	380	12	<5	<20	16	<.01	<10	19	<10	2	192
3	RS95MBSS3	<5	0.2	0.73	<5	85	<5	0.50	1	23	15	15	2.29	<10	0.17	428	2	<.01	52	500	16	<5	<20	20	<.01	<10	19	<10	3	213
4	RS95MBSS4	<5	0.2	1.12	<5	80	<5	0.24	1	42	19	19	3.89	<10	0.33	925	4	<.01	74	530	14	<5	<20	24	<.01	<10	24	<10	2	206
5	RS95MBSS5	<5	<2	0.43	<5	100	<5	1.80	1	14	12	20	2.22	<10	0.13	192	3	<.01	93	570	14	<5	<20	32	<.01	<10	19	<10	2	253
6	RS95MBSS6	<5	0.4	1.04	<5	95	5	0.39	1	23	16	14	2.77	<10	0.25	592	3	<.01	52	580	14	<5	<20	26	<.01	<10	19	<10	4	149
7	RS95MBSS7	<5	<2	1.17	<5	80	5	0.17	1	48	18	19	3.86	<10	0.36	1143	4	<.01	78	510	14	<5	<20	29	<.01	<10	21	<10	2	187
8	RS95MBSS8	<5	0.2	1.11	<5	105	<5	0.29	<1	17	17	13	3.02	<10	0.27	458	3	<.01	37	610	16	<5	<20	26	<.01	<10	20	<10	2	111
9	RS95MBSS9	<5	0.4	1.10	<5	90	<5	0.22	1	28	17	14	3.14	<10	0.28	714	3	<.01	51	530	14	<5	<20	26	<.01	<10	20	<10	2	142
10	RS95MBSS10	<5	0.2	1.14	<5	105	<5	0.25	<1	15	17	14	3.13	<10	0.28	422	3	<.01	31	640	16	<5	<20	27	<.01	<10	21	<10	2	92
11	RS95MBSS11	<5	0.4	1.12	5	90	5	0.20	<1	14	17	12	2.98	<10	0.27	392	3	<.01	28	620	16	<5	<20	24	<.01	<10	20	<10	2	89
12	RS95MBSS12	<5	0.2	1.24	<5	80	<5	0.17	1	28	20	19	3.99	<10	0.33	661	4	<.01	41	630	18	<5	<20	31	<.01	<10	23	<10	1	116
13	RS95MBSS13	<5	0.4	0.40	<5	85	<5	1.75	2	5	14	10	1.83	<10	0.14	127	2	<.01	27	1000	8	<5	<20	21	<.01	<10	17	<10	12	123
14	RS95MBSS14	<5	0.4	1.06	<5	75	5	0.19	<1	8	16	13	3.04	<10	0.28	153	4	<.01	23	580	18	<5	<20	25	<.01	20	19	<10	<1	69
15	RS95MBSS15	<5	0.2	0.84	10	80	<5	0.41	1	33	21	15	3.85	<10	0.20	782	4	<.01	62	690	14	<5	<20	42	<.01	<10	29	<10	4	163
16	RS95MBSS16	<5	0.6	0.57	30	150	5	2.55	1	14	17	22	4.61	<10	0.15	1434	6	<.01	34	1400	12	<5	<20	84	<.01	<10	20	<10	8	132

QC/DATA:


Repeat #:

1	RS95MBSS1	<5	0.2	0.87	5	90	<5	0.47	<1	20	16	16	2.91	<10	0.23	379	3	<.01	57	450	14	<5	<20	24	<.01	<10	22	<10	3	178
10	RS95MBSS10	<5	0.2	1.12	<5	100	<5	0.26	<1	15	17	13	3.05	<10	0.28	412	4	<.01	30	610	16	<5	<20	28	<.01	<10	21	<10	2	117

Standard:

GEO'95		145	1.2	1.57	50	145	<5	1.54	<1	17	54	83	3.71	<10	0.86	617	<1	0.02	26	620	16	10	<20	49	0.10	<10	70	<10	4	96
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/490
XLS/95Toklat


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

27-Jul-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

TOKLAT RESOURCES INC. AK 95-437
2720-17th STREET SOUTH
CRANBROOK, B.C.
V1C 4H4

ATTENTION: TIM TERMUENDE

250 Soil samples received July 11, 1995
PROJECT #: Rusty Springs
SHIPMENT #: RS02

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L0 0+75E	0.4	0.33	10	660	<5	2.32	3	19	8	36	2.20	<10	0.37	3777	4	<0.1	28	670	14	<5	<20	20	0.01	<10	23	<10	3	150
2	L0 1+00E	<2	1.08	<5	315	<5	0.69	1	7	21	31	1.78	<10	0.37	187	2	0.01	26	590	20	5	<20	18	0.03	<10	43	<10	6	121
3	L0 1+25E	<2	1.23	15	700	<5	0.37	<1	8	23	22	2.87	<10	0.29	364	24	<0.1	22	800	22	<5	<20	16	0.02	<10	132	<10	3	106
4	L0 1+50E	0.4	1.31	15	720	<5	0.34	<1	5	24	19	2.61	<10	0.31	303	18	<0.1	20	760	22	<5	<20	16	0.02	<10	100	<10	3	89
5	L0 1+75E	0.2	1.36	20	780	<5	0.89	1	10	26	37	3.14	<10	0.42	583	20	<0.1	27	870	28	10	<20	21	0.02	<10	116	<10	5	149
6	L0 2+00E	<2	0.94	15	510	<5	1.78	2	7	18	49	2.03	<10	0.46	507	7	<0.1	25	730	20	15	<20	17	0.01	<10	63	<10	5	133
7	L0 2+25E	0.2	1.11	15	660	<5	1.30	1	8	23	36	2.51	<10	0.42	786	13	0.01	29	900	28	<5	<20	22	0.01	<10	81	<10	8	148
8	L0 2+50E	0.2	0.52	10	510	<5	2.34	4	3	10	48	1.22	<10	0.44	263	4	<0.1	22	530	14	10	<20	18	<0.1	<10	31	<10	4	195
9	L0 2+75E	0.8	0.89	25	810	<5	1.83	3	5	17	71	2.11	<10	0.46	323	9	<0.1	32	760	38	20	<20	19	0.01	<10	62	<10	6	332
10	L0 3+00E	1.4	0.68	25	695	<5	1.79	2	4	13	81	1.68	<10	0.38	320	7	<0.1	29	620	46	20	<20	18	0.01	<10	52	<10	6	286
11	L0 3+25E	1.2	1.07	40	765	<5	1.46	2	5	19	75	2.28	<10	0.40	315	11	<0.1	41	780	68	25	<20	19	0.01	<10	77	<10	12	294
12	L0 3+50E	0.4	0.79	15	670	<5	1.38	4	4	14	45	1.69	<10	0.37	230	10	<0.1	30	680	40	10	<20	23	<0.1	<10	64	<10	9	160
13	L0 3+75E	<2	1.20	20	695	<5	0.46	2	4	23	30	2.36	<10	0.30	177	20	<0.1	37	850	106	5	<20	17	0.01	<10	121	<10	5	181
14	L0 4+00E	<2	1.32	15	920	<5	0.82	1	7	25	45	2.67	<10	0.38	405	14	<0.1	37	860	30	5	<20	20	0.02	<10	101	<10	10	182
15	L0 4+25E	<2	0.48	10	845	<5	2.30	2	<1	9	32	1.02	<10	0.39	490	4	<0.1	16	590	14	10	<20	18	<0.1	<10	42	<10	5	76
16	L0 4+50E	0.2	0.49	10	750	<5	2.24	3	4	8	54	0.98	<10	0.36	784	7	<0.1	24	550	16	10	<20	16	<0.1	<10	36	<10	10	64
17	L0 4+75E	<2	0.48	10	295	<5	2.11	1	3	10	27	1.13	<10	0.36	234	6	<0.1	15	640	18	10	<20	17	<0.1	<10	54	<10	7	59
18	L0 5+00E	<2	0.31	5	240	<5	3.40	4	<1	4	55	0.65	<10	0.47	97	2	<0.1	31	560	10	10	<20	23	<0.1	<10	28	<10	7	66
19	L0 5+25E	<2	0.31	10	140	<5	2.24	2	4	6	20	0.74	<10	0.36	205	3	<0.1	16	480	18	5	<20	12	<0.1	<10	34	<10	6	73
20	L0 5+50E	0.8	0.98	25	395	<5	1.70	7	12	19	68	2.33	<10	0.38	435	12	<0.1	63	670	78	10	<20	19	0.01	<10	97	<10	16	320
21	L0 5+75E	0.4	0.30	<5	280	<5	3.22	3	<1	3	60	0.52	<10	0.49	223	<1	<0.1	8	570	18	15	<20	15	<0.1	<10	22	<10	5	88
22	L0 6+00E	0.8	0.66	15	175	<5	2.07	<1	4	13	61	1.35	<10	0.36	240	5	<0.1	19	600	36	15	<20	18	0.01	<10	46	<10	8	115
23	L0 6+25E	<2	1.26	20	165	<5	1.97	1	9	24	25	2.76	<10	0.66	430	14	0.01	35	580	48	5	<20	23	0.02	<10	92	<10	10	116
24	L0 6+50E	<2	0.40	<5	75	<5	2.42	<1	2	5	9	0.60	<10	0.37	74	1	<0.1	6	490	10	5	<20	14	<0.1	<10	12	<10	4	48
25	L0 6+75E	<2	1.06	15	185	<5	2.11	2	8	21	28	2.32	<10	0.45	635	14	<0.1	39	890	60	5	<20	22	0.01	<10	77	<10	12	158

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L0 7+00E	<2	0.99	5	325	<5	1.34	6	5	16	17	1.95	<10	0.39	479	6	<0.1	31	420	40	<5	<20	17	0.01	<10	73	<10	2	252
27	L0 7+25E	0.2	1.95	<5	100	<5	0.14	2	7	30	22	3.90	<10	0.19	227	23	<0.1	16	730	22	<5	<20	9	0.03	<10	89	<10	<1	73
28	L0 7+50E	<2	1.10	10	80	<5	0.05	<1	3	17	11	2.40	<10	0.06	61	10	<0.1	7	190	18	<5	<20	7	0.02	<10	81	<10	<1	38
29	L0 7+75E	<2	0.55	10	150	<5	0.08	<1	2	13	20	1.62	<10	0.02	56	21	<0.1	9	520	18	<5	<20	11	0.02	<10	57	<10	<1	48
30	L1+00S 1+75E	<2	1.29	10	405	<5	0.62	<1	9	24	28	2.50	<10	0.33	284	3	<0.1	26	640	22	<5	<20	18	0.02	<10	60	<10	7	106
31	L1+00S 2+00E	<2	0.20	<5	325	<5	3.38	2	2	2	28	0.56	<10	0.51	589	3	0.01	16	640	12	15	<20	29	<0.1	<10	8	<10	3	122
32	L1+00S 2+25E	<2	1.11	10	690	<5	1.30	2	7	23	38	2.42	<10	0.42	826	14	<0.1	28	890	28	<5	<20	21	0.01	<10	78	<10	9	125
33	L1+00S 2+50E	<2	1.17	15	405	<5	1.48	2	9	24	36	2.65	<10	0.49	466	13	<0.1	30	830	30	5	<20	22	0.01	<10	82	<10	7	131
34	L1+00S 2+75E	<2	0.73	10	295	<5	2.18	2	6	16	34	1.92	<10	0.47	692	6	<0.1	24	640	30	10	<20	19	0.01	<10	50	<10	6	122
35	L1+00S 3+00E	<2	0.88	10	265	<5	2.18	2	8	19	37	2.03	<10	0.50	404	5	<0.1	30	650	38	10	<20	16	0.01	<10	53	<10	8	174
36	L1+00S 3+25E	<2	0.78	10	285	<5	2.29	2	6	16	41	1.78	<10	0.61	415	3	<0.1	25	630	34	10	<20	16	0.01	<10	46	<10	7	154
37	L1+00S 3+50E	0.4	0.92	15	320	<5	2.18	<1	6	19	55	2.20	<10	0.78	291	5	<0.1	28	730	42	15	<20	17	0.01	<10	56	<10	9	167
38	L1+00S 3+75E	<2	0.66	20	275	<5	3.08	2	5	13	52	1.47	<10	0.81	376	2	<0.1	23	590	30	15	<20	17	0.01	<10	35	<10	8	152
39	L1+00S 4+00E	0.2	0.38	10	235	<5	3.08	2	3	8	46	0.88	<10	0.62	335	1	<0.1	18	520	18	15	<20	14	<0.1	<10	20	<10	4	142
40	L1+00S 4+25E	0.4	0.86	20	320	<5	2.20	1	7	18	50	2.02	<10	0.55	517	3	<0.1	27	750	32	15	<20	17	0.01	<10	47	<10	9	144
41	L1+00S 4+50E	<2	0.98	10	235	<5	2.67	<1	5	20	39	1.84	<10	1.12	157	2	<0.1	25	780	42	15	<20	17	0.02	<10	51	<10	10	112
42	L1+00S 4+75E	<2	0.89	15	180	<5	6.53	<1	8	17	24	2.11	<10	3.48	381	4	0.01	26	700	32	25	<20	26	0.02	<10	51	<10	8	115
43	L1+00S 5+00E	<2	0.44	<5	190	<5	2.56	1	4	9	31	1.05	<10	0.45	244	2	<0.1	21	620	16	10	<20	15	<0.1	<10	25	<10	5	86
44	L1+00S 5+25E	0.2	0.69	15	210	<5	5.37	2	6	14	40	1.44	<10	2.18	553	5	<0.1	28	810	32	30	<20	22	0.01	<10	45	<10	9	93
45	L1+00S 5+50E	0.4	0.88	15	270	<5	1.86	2	6	19	48	1.93	<10	0.43	360	8	<0.1	36	710	38	10	<20	16	0.01	<10	59	<10	10	173
46	L1+00S 5+75E	0.6	0.82	10	420	<5	2.13	2	5	18	53	1.87	<10	0.43	251	9	<0.1	34	720	34	10	<20	20	0.01	<10	62	<10	11	148
47	L1+00S 6+00E	0.8	1.10	30	510	<5	2.01	2	6	23	72	2.48	<10	0.53	380	17	<0.1	41	860	38	15	<20	21	0.02	<10	104	<10	14	177
48	L1+00S 6+25E	1.0	0.80	15	500	<5	2.18	2	4	17	69	1.79	<10	0.42	314	13	<0.1	32	750	30	10	<20	21	0.01	<10	81	<10	11	157
49	L1+00S 6+50E	0.8	0.32	15	655	<5	2.86	4	<1	6	80	0.68	<10	0.41	239	4	<0.1	23	530	24	15	<20	21	<0.1	<10	34	<10	9	132
50	L1+00S 6+75E	2.0	0.74	25	1115	<5	2.54	5	1	16	120	1.41	<10	0.42	320	12	<0.1	45	850	48	15	<20	29	<0.1	<10	80	<10	21	170
51	L1+00S 7+00E	<2	0.39	5	1220	<5	1.03	5	<1	7	18	0.88	<10	0.13	21	7	<0.1	12	640	10	<5	<20	22	<0.1	<10	28	<10	3	63
52	L1+00S 7+25E	<2	0.29	<5	1060	<5	3.45	8	<1	3	29	0.45	<10	0.49	207	1	<0.1	14	410	8	15	<20	22	<0.1	<10	8	<10	3	91
53	L1+00S 7+50E	1.4	0.44	20	885	<5	3.92	17	8	6	85	0.88	<10	0.90	433	2	<0.1	42	650	42	25	<20	21	<0.1	<10	21	<10	13	364
54	L1+00S 7+75E	<2	2.28	25	460	<5	0.12	<1	10	36	27	4.73	<10	0.32	248	19	<0.1	30	720	20	<5	20	16	0.03	<10	99	<10	<1	88
55	L1+00S 8+00E	0.4	0.61	<5	175	<5	0.07	<1	1	13	21	1.22	<10	0.04	47	4	<0.1	9	720	10	<5	<20	10	<0.1	<10	29	<10	<1	46
56	L1+00S 8+25E	<2	2.57	10	215	<5	0.08	<1	13	38	16	3.47	<10	0.43	309	3	<0.1	24	270	20	<5	<20	8	0.04	<10	62	<10	<1	75
57	L1+00S 8+50E	<2	2.69	15	120	<5	0.10	<1	13	35	18	3.72	<10	0.35	270	7	<0.1	22	390	20	<5	<20	10	0.04	<10	71	<10	<1	69
58	L2+00S 2+25E	<2	1.30	10	445	<5	0.94	2	19	24	22	3.99	<10	0.38	1369	6	<0.1	29	610	16	<5	<20	15	0.02	<10	65	<10	4	117
59	L2+00S 2+50E	<2	1.36	25	595	<5	1.13	1	13	25	27	4.32	<10	0.49	586	6	0.01	35	850	26	<5	<20	20	0.02	<10	58	<10	4	148
60	L2+00S 2+75E	<2	1.04	<5	525	<5	1.25	2	4	22	37	1.37	<10	0.43	122	2	<0.1	25	580	24	10	<20	17	0.02	<10	56	<10	8	110

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L2+00S 3+00E	<2	1.13	15	880	<5	1.32	1	5	23	41	2.03	<10	0.44	216	6	<0.1	28	740	30	10	<20	19	0.02	<10	75	<10	8	117
62	L2+00S 3+25E	<2	0.86	35	640	<5	1.00	2	8	22	41	3.79	<10	0.27	602	29	<0.1	36	730	90	5	<20	23	0.02	<10	143	<10	3	146
63	L2+00S 3+50E	0.6	0.91	20	1640	<5	2.10	3	7	22	57	3.21	<10	0.47	3752	24	0.01	32	820	30	5	<20	30	0.02	<10	108	<10	10	122
64	L2+00S 3+75E	<2	1.02	15	1305	<5	1.64	<1	4	21	35	2.52	<10	0.48	1070	11	<0.1	24	830	22	5	<20	24	0.01	<10	75	<10	6	104
65	L2+00S 4+00E	<2	0.99	10	1135	<5	1.58	1	1	20	35	2.01	<10	0.46	249	6	<0.1	24	750	20	<5	<20	23	0.01	<10	65	<10	5	100
66	L2+00S 4+25E	<2	1.22	15	1090	<5	1.25	<1	3	23	31	2.86	<10	0.45	308	12	<0.1	26	760	24	5	<20	24	0.02	<10	95	<10	5	110
67	L2+00S 4+50E	<2	1.01	10	1355	<5	1.82	2	3	21	40	2.51	<10	0.48	567	10	<0.1	32	860	36	5	<20	26	0.01	<10	70	<10	7	137
68	L2+00S 4+75E	<2	1.00	25	1185	<5	1.68	2	5	21	40	2.77	<10	0.45	1016	15	<0.1	34	820	40	5	<20	24	0.02	<10	94	<10	5	134
69	L2+00S 5+00E	<2	0.47	15	1160	<5	2.45	2	5	10	27	1.86	<10	0.45	1996	7	<0.1	19	630	20	5	<20	18	0.01	<10	43	<10	2	98
70	L2+00S 5+25E	<2	0.55	10	960	<5	2.23	<1	1	11	26	1.63	<10	0.43	723	5	<0.1	17	580	20	5	<20	17	<0.1	<10	36	<10	3	93
71	L2+00S 5+50E	0.4	0.95	10	965	<5	1.77	1	3	19	45	2.23	<10	0.47	475	5	<0.1	30	740	36	10	<20	21	0.02	<10	60	<10	7	112
72	L2+00S 5+75E	<2	1.17	<5	705	<5	1.25	1	6	24	31	2.04	<10	0.56	214	4	0.01	33	740	36	10	<20	21	0.03	<10	62	<10	7	149
73	L2+00S 6+00E	<2	0.65	55	1120	<5	2.17	<1	2	15	33	3.73	<10	0.38	476	12	<0.1	23	660	36	<5	<20	19	0.01	<10	39	<10	3	114
74	L2+00S 6+25E	0.4	0.60	40	1170	<5	2.34	1	1	12	48	2.03	<10	0.34	156	5	<0.1	27	710	38	5	<20	17	<0.1	<10	39	<10	8	79
75	L2+00S 6+50E	0.6	0.80	30	995	<5	2.25	3	10	16	66	1.67	<10	0.41	646	6	<0.1	60	800	54	10	<20	19	0.01	<10	59	<10	13	208
76	L2+00S 6+75E	<2	0.38	5	770	<5	2.92	3	<1	6	32	0.72	<10	0.32	197	3	<0.1	24	420	22	15	<20	33	<0.1	<10	21	<10	5	91
77	L2+00S 7+00E	<2	0.28	15	300	<5	4.24	4	1	5	14	0.74	<10	1.34	144	4	<0.1	15	530	16	30	<20	23	<0.1	<10	21	<10	3	123
78	L2+00S 7+25E	<2	0.35	60	170	<5	1.53	4	5	8	39	2.43	<10	0.59	183	20	<0.1	92	380	104	10	<20	13	<0.1	<10	66	<10	2	474
79	L2+00S 7+50E	0.6	1.61	45	370	<5	5.35	14	36	19	83	2.71	<10	2.53	915	13	<0.1	149	1080	78	25	<20	25	0.02	<10	70	<10	55	568
80	L2+00S 7+75E	0.8	2.19	40	280	<5	0.17	2	14	33	56	4.49	<10	0.27	263	24	<0.1	79	620	36	<5	20	15	0.04	<10	112	<10	3	407
81	L2+00S 8+00E	<2	1.44	30	190	<5	0.11	<1	8	33	36	4.83	<10	0.16	162	45	<0.1	33	790	24	<5	20	29	0.04	<10	156	<10	<1	120
82	L2+00S 8+25E	<2	2.87	15	180	5	0.12	<1	15	41	21	3.47	<10	0.49	314	3	0.02	31	310	26	<5	<20	12	0.05	<10	64	<10	1	1332
83	L3+00S 2+25E	1.0	0.71	80	345	<5	3.95	22	32	11	123	3.54	<10	1.21	891	6	0.01	221	800	102	25	<20	17	<0.1	<10	30	<10	18	720
84	L3+00S 2+50E	<2	0.29	10	175	<5	2.20	4	7	5	36	0.79	<10	0.33	559	2	<0.1	35	570	22	15	<20	8	<0.1	<10	12	<10	5	189
85	L3+00S 2+75E	0.4	1.11	<5	370	5	1.71	2	17	20	26	3.81	<10	0.48	1396	8	0.01	32	770	20	5	<20	14	0.01	<10	42	<10	3	180
86	L3+00S 3+25E	0.4	1.29	20	720	<5	0.98	1	11	25	48	3.29	<10	0.42	769	10	<0.1	38	670	92	10	<20	19	0.02	<10	62	<10	7	181
87	L3+00S 3+50E	0.8	1.30	15	695	<5	1.00	2	9	25	43	2.59	<10	0.46	683	8	0.01	37	710	78	15	<20	18	0.02	<10	58	<10	6	197
88	L3+00S 3+75E	1.2	1.35	25	745	<5	0.88	4	14	27	53	2.78	<10	0.43	927	12	<0.1	40	750	100	15	<20	18	0.02	<10	70	<10	6	222
89	L3+00S 4+00E	1.6	0.78	15	1510	<5	2.03	7	12	18	53	2.59	<10	0.40	8461	19	<0.1	55	710	58	15	<20	20	0.02	<10	45	<10	5	192
90	L3+00S 4+25E	0.8	1.25	15	740	<5	1.52	3	6	25	61	1.80	<10	0.51	158	3	<0.1	34	750	72	15	<20	20	0.02	<10	48	<10	9	216
91	L3+00S 4+50E	0.6	1.46	15	710	<5	1.14	3	15	28	75	2.92	<10	0.51	359	8	0.01	50	740	72	15	<20	20	0.02	<10	71	<10	13	189
92	L3+00S 4+75E	0.6	0.69	10	750	<5	2.59	5	14	13	53	1.63	<10	0.46	749	4	<0.1	49	670	50	15	<20	19	0.01	<10	40	<10	8	141
93	L3+00S 5+00E	0.4	1.37	25	675	<5	1.49	3	10	25	45	2.73	<10	0.53	860	7	0.01	47	900	86	10	<20	20	0.02	<10	66	<10	11	195
94	L3+00S 5+25E	<2	0.32	10	825	<5	3.74	3	4	5	36	0.93	<10	0.50	809	2	<0.1	26	570	28	10	<20	19	<0.1	<10	19	<10	5	109
95	L3+00S 5+50E	<2	0.40	<5	530	<5	1.94	2	1	8	37	0.69	<10	0.33	74	<1	<0.1	24	470	18	15	<20	12	<0.1	<10	15	<10	3	52

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
96	L3+00S 5+75E	0.4	0.75	15	680	<5	2.92	2	5	15	35	1.78	<10	0.55	588	4	<.01	30	790	52	15	<20	20	0.01	<10	47	<10	6	153
97	L3+00S 6+00E	<2	0.61	<5	815	<5	2.32	4	13	12	37	3.30	<10	0.40	328	6	<.01	45	690	24	<5	<20	17	<.01	<10	43	<10	5	92
98	L3+00S 6+25E	<2	0.27	5	515	<5	2.45	1	3	5	24	0.67	<10	0.35	768	2	<.01	19	550	8	10	<20	14	<.01	<10	14	<10	2	111
99	L3+00S 6+50E	<2	1.49	15	740	<5	2.12	3	8	28	82	1.91	<10	1.00	134	3	0.01	60	770	76	20	<20	26	0.02	<10	72	<10	16	288
100	L3+00S 6+75E	<2	0.30	35	995	<5	3.69	2	4	6	29	1.27	<10	0.52	1591	5	<.01	22	580	26	10	<20	19	<.01	<10	29	<10	3	150
101	L3+00S 7+00E	<2	0.13	<5	725	<5	2.62	4	<1	2	28	0.31	<10	0.33	152	<1	<.01	17	380	10	10	<20	10	<.01	<10	6	<10	1	126
102	L3+00S 7+25E	3.0	0.40	40	595	<5	4.40	4	5	7	112	1.03	<10	1.25	236	2	<.01	31	550	56	55	<20	20	<.01	<10	20	<10	7	264
103	L3+00S 7+50E	2.8	0.54	50	480	<5	2.61	4	8	9	242	1.29	<10	0.48	276	2	<.01	50	640	106	25	<20	16	<.01	<10	28	<10	9	286
104	L3+00S 7+75E	2.0	0.57	35	400	<5	3.41	3	5	9	126	1.25	<10	0.52	315	2	<.01	31	560	82	20	<20	16	<.01	<10	26	<10	8	262
105	L3+00S 8+00E	2.4	1.47	65	810	<5	3.59	9	11	26	158	3.23	<10	1.83	531	9	0.01	108	1000	166	45	<20	23	0.02	<10	82	<10	25	730
106	L3+00S 8+25E	0.2	0.34	15	570	<5	2.69	9	<1	6	75	0.72	<10	0.40	194	2	<.01	34	550	26	15	<20	15	<.01	<10	18	<10	6	229
107	L3+00S 8+50E	<2	0.88	50	425	<5	2.60	2	9	11	54	1.71	<10	0.82	528	6	<.01	55	820	38	35	<20	16	0.01	<10	45	<10	23	242
108	L3+00S 8+75E	0.2	0.45	10	270	<5	0.34	5	2	9	31	1.24	<10	0.03	32	11	<.01	39	670	14	<5	<20	10	<.01	<10	31	<10	3	101
109	L3+00S 9+00E	<2	1.75	35	165	<5	0.16	1	17	30	27	3.84	<10	0.31	341	28	<.01	160	510	26	<5	20	13	0.03	<10	111	<10	5	917
110	L3+00S 9+25E	<2	2.31	15	175	<5	0.10	<1	15	35	27	3.76	<10	0.45	310	11	<.01	31	280	18	<5	<20	13	0.04	<10	75	<10	<1	90
111	L1+00N 0+25W	<2	1.31	50	470	5	0.92	<1	17	24	32	4.72	<10	0.40	747	11	<.01	31	780	26	<5	<20	19	0.02	<10	68	<10	5	154
112	L1+00N 0+50W	<2	1.26	10	445	<5	0.91	1	14	24	31	2.73	<10	0.43	445	4	<.01	30	620	22	<5	<20	17	0.02	<10	54	<10	6	133
113	L1+00N 0+75W	<2	1.36	<5	385	<5	0.87	3	6	25	42	1.65	<10	0.43	100	2	<.01	37	640	32	10	<20	19	0.02	<10	40	<10	9	159
114	L1+00N 1+00W	<2	1.35	5	400	<5	0.86	2	10	25	47	1.64	<10	0.40	276	3	<.01	39	640	36	5	<20	17	0.02	<10	52	<10	8	269
115	L1+00N 1+25W	<2	1.14	<5	345	<5	0.84	2	12	21	29	2.90	<10	0.39	555	4	<.01	30	610	26	<5	<20	17	0.02	<10	50	<10	5	143
116	L1+00N 1+50W	0.4	1.42	10	385	<5	0.92	2	11	27	65	2.55	<10	0.47	458	3	0.01	48	710	58	5	<20	22	0.02	<10	50	<10	10	365
117	L1+00N 1+75W	<2	0.67	5	145	<5	0.49	<1	4	14	16	1.53	<10	0.18	105	2	<.01	15	550	14	<5	<20	22	0.01	<10	31	<10	4	55
118	L1+00N 2+00W	<2	0.67	10	160	<5	0.77	<1	4	15	17	1.96	<10	0.18	109	3	<.01	18	610	14	<5	<20	29	0.01	<10	31	<10	4	68
119	L1+00N 0+25E	<2	1.07	<5	270	<5	1.35	2	7	23	44	1.56	<10	0.42	510	7	<.01	40	810	94	5	<20	20	0.01	<10	52	<10	8	155
120	L1+00N 0+50E	<2	1.53	10	390	<5	1.00	2	14	29	51	2.75	<10	0.44	1331	19	<.01	52	880	68	<5	<20	22	0.02	<10	89	<10	8	183
121	L1+00N 0+75E	<2	1.22	15	305	<5	0.75	<1	10	23	30	2.16	<10	0.34	303	18	<.01	41	760	52	<5	<20	19	0.01	<10	87	<10	5	136
122	L1+00N 1+00E	<2	0.42	<5	390	<5	0.69	<1	9	3	21	2.25	<10	0.07	258	13	<.01	12	900	14	<5	<20	24	<.01	<10	27	<10	3	83
123	L1+00N 1+25E	<2	1.04	15	265	<5	0.10	<1	3	19	20	2.12	<10	0.17	50	12	<.01	16	620	22	<5	<20	10	0.01	<10	59	<10	2	56
124	L1+00N 1+50E	<2	1.38	5	510	<5	0.25	<1	3	23	26	2.27	<10	0.27	94	10	<.01	28	640	30	<5	<20	16	0.02	<10	70	<10	3	104
125	L1+00N 1+75E	<2	1.31	10	440	<5	1.12	2	9	24	51	2.52	<10	0.45	425	12	<.01	38	770	28	<5	<20	21	0.02	<10	73	<10	6	165
126	L1+00N 2+00E	<2	1.36	10	380	<5	0.82	1	9	24	45	2.74	<10	0.41	230	11	<.01	37	610	28	<5	<20	16	0.02	<10	85	<10	7	157
127	L1+00N 2+25E	<2	0.85	10	500	<5	2.06	2	5	16	65	1.78	<10	0.46	255	7	<.01	44	690	16	5	<20	20	0.01	<10	60	<10	8	143
128	L1+00N 2+50E	<2	1.44	20	555	<5	1.27	1	13	27	48	3.30	<10	0.49	402	16	<.01	40	840	26	<5	<20	19	0.02	<10	119	<10	9	177
129	L1+00N 2+75E	<2	1.04	25	645	<5	1.52	<1	8	20	50	2.51	<10	0.40	368	13	<.01	35	810	20	<5	<20	20	0.01	<10	94	<10	8	131
130	L1+00N 3+00E	<2	1.27	25	840	<5	1.19	<1	8	24	45	2.81	<10	0.44	432	17	<.01	36	960	22	<5	<20	21	0.01	<10	108	<10	8	144

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
131	L1+00N 3+25E	<2	1.20	30	965	<5	0.49	<1	2	24	22	2.61	<10	0.28	185	17	<0.1	22	950	24	<5	<20	17	0.01	<10	137	<10	4	73
132	L1+00N 3+50E	<2	0.27	<5	940	<5	0.73	1	<1	4	11	1.35	<10	0.17	37	9	<0.1	6	1050	8	<5	<20	21	<0.1	<10	10	<10	2	56
133	L1+00N 3+75E	<2	0.12	10	1030	<5	1.42	<1	<1	2	12	0.60	<10	0.50	25	6	0.02	4	680	12	15	<20	37	<0.1	<10	7	<10	<1	119
134	L1+00N 4+00E	<2	0.21	<5	955	<5	1.49	<1	<1	4	12	0.48	<10	0.30	48	3	0.01	4	710	12	10	<20	33	<0.1	<10	12	<10	1	59
135	L1+00N 4+25E	4.8	0.90	65	1255	<5	1.60	1	2	23	137	2.65	<10	0.29	261	35	0.01	47	1940	54	25	<20	27	<0.1	<10	121	<10	12	298
136	L1+00N 4+50E	1.8	1.83	65	910	<5	1.41	<1	6	30	111	3.36	<10	0.43	240	24	<0.1	63	800	52	55	<20	22	0.02	<10	120	<10	17	201
137	L1+00N 4+75E	<2	0.92	45	235	<5	0.11	<1	6	25	25	5.74	<10	0.16	166	65	<0.1	12	750	22	<5	40	12	0.04	<10	180	<10	<1	64
138	L1+00N 5+00E	<2	0.75	15	315	<5	1.95	<1	2	10	31	1.30	<10	0.32	55	11	<0.1	20	860	12	10	<20	23	<0.1	<10	52	<10	11	119
139	L1+00N 5+25E	<2	1.15	60	280	<5	0.13	<1	7	27	28	4.53	<10	0.27	170	78	<0.1	20	840	36	<5	20	24	0.04	<10	126	<10	<1	63
140	L1+00N 5+50E	<2	1.54	20	165	<5	0.10	<1	9	27	21	3.80	<10	0.26	218	45	<0.1	19	500	22	<5	<20	12	0.04	<10	85	<10	<1	57
141	L1+00N 5+75E	<2	2.19	15	155	<5	0.08	<1	13	36	23	3.85	<10	0.42	267	17	<0.1	26	270	22	<5	<20	9	0.05	<10	75	<10	<1	71
142	L1+00N 6+00E	<2	1.63	15	145	<5	0.06	<1	8	31	21	3.74	<10	0.31	254	18	<0.1	18	200	22	<5	20	7	0.04	<10	86	<10	<1	63
143	L1+00N 6+25E	<2	0.63	15	105	<5	0.04	<1	2	13	13	1.63	<10	0.03	65	8	<0.1	5	270	16	<5	<20	5	0.03	<10	72	<10	<1	36
144	L1+00N 6+50E	<2	1.50	<5	60	<5	0.05	<1	5	21	9	3.42	<10	0.14	116	6	<0.1	9	150	16	<5	20	5	0.03	<10	84	<10	<1	35
145	L1+00N 6+75E	<2	1.58	10	75	<5	0.05	<1	6	24	10	3.54	<10	0.20	131	10	<0.1	11	200	16	<5	20	6	0.03	<10	68	<10	<1	42
146	L1+00N 7+00E	<2	2.25	10	125	<5	0.07	<1	11	32	18	3.65	<10	0.33	219	9	<0.1	22	260	20	<5	20	7	0.04	<10	73	<10	<1	62
147	L2+00N 0+25W	0.2	1.37	20	335	<5	1.54	4	20	26	53	2.92	<10	0.43	1479	9	<0.1	61	930	92	<5	<20	18	0.02	<10	94	<10	9	215
148	L2+00N 0+50W	<2	1.82	10	385	<5	1.11	3	12	31	72	2.41	<10	0.47	362	8	<0.1	79	880	158	5	<20	19	0.02	<10	105	<10	10	230
149	L2+00N 0+75W	<2	1.62	15	270	<5	0.93	2	8	29	55	2.35	<10	0.41	265	7	<0.1	51	780	110	<5	<20	19	0.02	<10	83	<10	8	183
150	L2+00N 1+00W	<2	1.59	10	245	<5	0.78	1	8	30	38	2.20	<10	0.44	150	5	<0.1	35	690	52	5	<20	17	0.02	<10	75	<10	7	143
151	L2+00N 1+25W	<2	1.60	10	295	<5	0.52	1	8	31	37	1.86	<10	0.42	118	3	<0.1	34	560	48	5	<20	16	0.02	<10	86	<10	9	134
152	L2+00N 1+50W	<2	1.52	20	345	<5	1.29	1	13	28	48	3.20	<10	0.44	648	10	<0.1	56	880	132	<5	<20	19	0.01	<10	78	<10	9	223
153	L2+00N 1+75W	<2	1.39	20	385	<5	0.83	<1	7	25	30	2.63	<10	0.41	209	5	<0.1	31	700	46	<5	<20	18	0.02	<10	64	<10	5	143
154	L2+00N 2+00W	<2	0.84	10	195	<5	0.72	<1	5	19	28	2.00	<10	0.24	134	3	<0.1	23	570	20	<5	<20	25	0.01	<10	39	<10	6	88
155	L2+00N 0+25E	<2	1.28	10	260	<5	1.26	2	10	25	30	2.70	<10	0.45	329	5	<0.1	36	680	22	<5	<20	16	0.02	<10	75	<10	8	148
156	L2+00N 0+50E	0.6	0.88	5	505	<5	1.98	5	50	20	29	2.46	<10	0.41	5672	29	<0.1	53	750	16	<5	<20	17	0.02	<10	76	<10	4	163
157	L2+00N 0+75E	<2	1.00	10	230	<5	1.59	<1	10	21	22	2.14	<10	0.45	555	7	<0.1	28	730	16	<5	<20	17	0.01	<10	73	<10	5	133
158	L2+00N 1+00E	<2	1.12	15	200	<5	1.34	<1	10	23	21	2.63	<10	0.43	324	9	<0.1	30	750	18	<5	<20	17	0.02	<10	87	<10	5	156
159	L2+00N 1+25E	<2	1.05	15	235	<5	1.52	<1	9	22	28	2.32	<10	0.41	573	9	<0.1	35	760	18	5	<20	17	0.02	<10	86	<10	6	142
160	L2+00N 1+50E	<2	1.39	5	245	<5	0.88	1	7	30	40	1.75	<10	0.46	161	3	<0.1	34	540	24	5	<20	18	0.02	<10	75	<10	9	160
161	L2+00N 1+75E	<2	1.07	5	240	<5	1.40	2	7	23	39	1.96	<10	0.45	190	4	<0.1	34	660	16	5	<20	17	0.02	<10	72	<10	8	138
162	L2+00N 2+00E	<2	0.55	10	190	<5	2.50	1	5	11	24	1.24	<10	0.44	636	5	<0.1	21	740	10	10	<20	17	<0.1	<10	42	<10	4	108
163	L2+00N 2+25E	<2	1.23	20	250	<5	1.08	2	12	25	31	2.66	<10	0.42	342	18	<0.1	36	670	22	<5	<20	16	0.02	<10	95	<10	8	152
164	L2+00N 2+50E	<2	1.54	40	460	<5	0.59	4	56	24	59	5.12	<10	0.13	2527	90	<0.1	95	810	24	<5	20	18	0.02	<10	214	<10	4	246
165	L2+00N 2+75E	<2	0.64	10	305	<5	2.97	4	24	7	58	1.50	<10	0.38	996	13	<0.1	36	1120	6	10	<20	34	<0.1	<10	48	<10	11	101

Et #. Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166 L2+00N 3+00E	<2	0.52	10	315	<5	0.46	<1	2	8	14	1.91	<10	0.10	61	14	<0.1	9	1090	10	<5	<20	18	<0.1	<10	16	<10	4	73
167 L2+00N 3+25E	0.4	0.76	<5	360	<5	0.34	<1	<1	10	12	2.11	<10	0.09	12	13	<0.1	6	1030	18	<5	<20	17	<0.1	<10	20	<10	7	42
168 L2+00N 3+50E	0.4	2.77	40	330	<5	0.04	<1	1	31	52	3.12	30	0.04	44	38	<0.1	15	1280	42	<5	<20	8	0.01	<10	114	<10	18	70
169 L2+00N 3+75E	<2	2.07	190	355	<5	0.02	<1	6	34	70	6.82	<10	<0.1	33	106	<0.1	120	3930	76	<5	<20	28	0.01	<10	310	<10	8	649
170 L2+00N 4+00E	<2	0.39	270	285	15	0.02	<1	5	38	37	12.40	<10	<0.1	11	205	<0.1	14	3950	28	<5	<20	17	0.01	<10	521	<10	<1	144
171 L2+00N 4+25E	<2	1.18	15	110	<5	0.05	<1	5	22	15	4.09	<10	0.14	92	54	<0.1	8	320	22	<5	<20	7	0.02	<10	120	<10	<1	40
172 L2+00N 4+50E	<2	1.20	15	90	<5	0.05	<1	5	25	29	4.58	<10	0.11	129	84	<0.1	9	400	32	<5	<20	5	0.02	<10	169	<10	<1	50
173 L2+00N 4+75E	<2	1.97	15	70	<5	0.05	<1	7	28	13	3.89	<10	0.18	152	22	<0.1	13	310	28	<5	<20	5	0.03	<10	96	<10	<1	47
174 L2+00N 5+00E	<2	0.72	25	90	<5	0.02	<1	5	19	32	5.01	<10	0.02	113	68	<0.1	8	310	16	<5	<20	4	0.04	<10	214	<10	<1	54
175 L2+00N 5+25E	<2	1.48	15	70	<5	0.04	<1	5	24	11	3.27	<10	0.14	121	10	<0.1	10	310	14	<5	<20	5	0.02	<10	77	<10	<1	47
176 L2+00N 5+50E	<2	1.85	10	80	<5	0.05	<1	7	28	12	4.18	<10	0.26	177	6	<0.1	14	240	16	<5	<20	5	0.02	<10	71	<10	<1	49
177 L3+00N 0+25W	<2	1.40	15	305	<5	0.46	<1	9	24	22	2.71	<10	0.31	287	10	<0.1	28	590	54	<5	<20	15	0.01	<10	96	<10	2	112
178 L3+00N 0+50W	<2	1.13	10	365	<5	0.83	<1	23	20	30	2.41	<10	0.33	1291	16	<0.1	25	800	38	<5	<20	20	0.01	<10	69	<10	4	103
179 L3+00N 0+75W	<2	1.08	15	345	<5	0.83	<1	11	18	32	2.19	<10	0.32	615	12	<0.1	25	830	32	<5	<20	22	0.01	<10	61	<10	5	89
180 L3+00N 1+00W	<2	1.39	25	360	<5	0.75	1	14	24	43	3.66	<10	0.30	598	20	<0.1	33	930	40	<5	<20	28	0.01	<10	99	<10	2	129
181 L3+00N 1+25W	<2	1.37	15	320	<5	0.34	<1	6	23	24	2.53	<10	0.31	153	11	<0.1	26	640	34	<5	<20	17	<0.1	<10	81	<10	2	87
182 L3+00N 1+50W	<2	1.37	15	340	<5	0.38	<1	11	23	24	2.92	<10	0.30	303	10	<0.1	28	730	34	<5	<20	17	<0.1	<10	77	<10	3	95
183 L3+00N 1+75W	<2	1.30	5	350	<5	0.54	<1	19	22	26	2.60	<10	0.32	722	12	<0.1	29	810	32	<5	<20	20	0.01	<10	71	<10	4	97
184 L3+00N 2+00W	<2	1.06	10	255	<5	0.37	<1	6	18	15	1.87	<10	0.28	224	8	<0.1	20	580	28	<5	<20	14	<0.1	<10	55	<10	2	77
185 L3+00N 0+25E	<2	1.05	10	280	<5	1.25	3	8	20	25	2.20	<10	0.41	367	8	<0.1	26	670	34	<5	<20	17	0.01	<10	68	<10	3	164
186 L3+00N 0+50E	<2	0.93	5	340	<5	1.64	4	8	19	32	2.05	<10	0.45	535	6	<0.1	32	720	28	5	<20	18	0.01	<10	56	<10	6	152
187 L3+00N 0+75E	<2	0.93	10	225	<5	1.59	2	6	19	23	1.88	<10	0.45	370	5	<0.1	21	730	22	10	<20	17	<0.1	<10	51	<10	5	131
188 L3+00N 1+00E	<2	1.07	10	280	<5	1.17	3	12	22	29	2.09	<10	0.45	895	6	<0.1	31	660	32	10	<20	16	0.01	<10	64	<10	6	145
189 L3+00N 1+25E	<2	0.89	15	235	<5	2.13	3	7	18	34	1.99	<10	0.50	494	6	<0.1	27	760	24	10	<20	18	<0.1	<10	54	<10	6	133
190 L3+00N 1+50E	<2	0.43	15	170	<5	3.59	4	4	9	24	1.02	<10	0.54	707	3	0.01	20	880	12	15	<20	17	<0.1	<10	24	<10	3	129
191 L3+00N 1+75E	<2	0.80	10	210	<5	2.86	3	5	15	35	1.68	<10	0.52	112	3	<0.1	33	890	28	10	<20	17	<0.1	<10	60	<10	8	142
192 L3+00N 2+00E	<2	0.77	15	215	<5	3.50	6	10	15	56	1.98	<10	0.93	410	3	<0.1	58	900	32	15	<20	17	<0.1	<10	65	<10	11	246
193 L3+00N 2+25E	<2	0.24	20	100	<5	8.44	3	3	4	25	0.79	<10	4.27	88	1	<0.1	27	420	30	45	<20	22	<0.1	<10	37	<10	8	191
194 L3+00N 2+50E	<2	0.33	<5	145	<5	7.54	16	4	6	103	0.37	<10	3.73	49	<1	<0.1	72	500	42	40	<20	24	<0.1	<10	50	<10	20	331
195 L3+00N 2+75E	<2	0.87	10	215	<5	4.54	7	14	15	66	1.94	<10	1.52	375	4	<0.1	82	820	30	15	<20	18	<0.1	<10	61	<10	16	365
196 L3+00N 3+00E	<2	0.99	15	215	<5	2.77	7	17	19	51	2.47	<10	0.58	654	8	<0.1	92	990	28	5	<20	17	0.01	<10	73	<10	14	461
197 L3+00N 3+25E	<2	1.30	20	225	<5	1.44	3	16	25	38	2.70	<10	0.43	378	15	<0.1	57	690	30	10	<20	16	0.01	<10	103	<10	10	177
198 L3+00N 3+50E	<2	0.84	15	180	<5	1.98	3	7	18	28	1.89	<10	0.42	250	16	<0.1	32	820	20	<5	<20	19	<0.1	<10	102	<10	8	106
199 L3+00N 3+75E	<2	0.48	15	165	<5	3.09	1	5	9	25	1.06	<10	0.47	271	9	0.01	18	660	16	10	<20	22	<0.1	<10	75	<10	6	68
200 L3+00N 4+00E	<2	0.45	10	155	<5	1.29	<1	3	12	15	1.03	<10	0.28	33	7	<0.1	14	550	16	5	<20	15	<0.1	<10	47	<10	3	156

Et #, Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
201 L3+00N 4+25E	<2	0.41	<5	140	<5	0.35	2	2	7	10	1.16	<10	0.05	40	15	<0.1	9	590	10	<5	<20	10	<0.1	<10	39	<10	<1	62
202 L3+00N 4+50E	<2	0.87	30	125	5	0.06	<1	5	18	22	4.05	<10	0.09	140	41	<0.1	11	440	18	<5	<20	6	0.03	<10	138	<10	<1	56
203 L3+00N 4+75E	<2	1.18	<5	155	<5	0.07	<1	3	19	12	2.39	<10	0.05	32	11	<0.1	8	550	18	<5	<20	6	<0.1	<10	53	<10	<1	27
204 L3+00N 5+00E	<2	2.07	15	95	<5	0.07	<1	10	33	17	4.36	<10	0.39	293	4	<0.1	20	250	18	<5	<20	7	0.04	<10	63	<10	<1	61
205 L4+00N 0+25W	<2	1.36	10	250	<5	0.64	<1	10	26	29	2.69	<10	0.40	166	5	<0.1	31	550	32	<5	<20	15	0.01	<10	66	<10	7	127
206 L4+00N 0+50W	<2	1.46	15	285	<5	0.85	<1	12	26	32	3.09	<10	0.41	347	8	<0.1	35	800	40	<5	<20	19	0.01	<10	78	<10	6	108
207 L4+00N 0+75W	<2	0.65	10	245	<5	2.11	2	4	14	28	1.53	<10	0.39	393	4	<0.1	21	800	18	10	<20	22	<0.1	<10	39	<10	4	77
208 L4+00N 1+00W	<2	0.50	10	275	<5	3.08	2	6	9	36	1.31	<10	0.43	712	4	<0.1	24	760	14	10	<20	32	<0.1	<10	33	<10	6	85
209 L4+00N 1+25W	<2	1.32	<5	275	<5	1.02	1	12	26	27	1.97	<10	0.39	453	6	<0.1	28	800	40	<5	<20	26	0.01	<10	55	<10	7	98
210 L4+00N 1+50W	<2	0.90	<5	285	<5	2.06	2	12	17	24	1.97	<10	0.45	1753	7	<0.1	26	980	24	<5	<20	29	0.01	<10	38	<10	5	118
211 L4+00N 1+75W	<2	0.89	<5	285	<5	1.69	2	18	17	25	2.80	<10	0.39	1855	11	<0.1	23	800	24	<5	<20	27	0.01	<10	49	<10	4	120
212 L4+00N 2+00W	<2	0.68	5	305	<5	2.23	1	15	14	29	1.81	<10	0.44	2228	10	<0.1	20	1050	16	5	<20	27	<0.1	<10	40	<10	5	78
213 L4+00N 0+25E	<2	0.67	5	210	<5	2.76	1	8	13	24	1.59	<10	0.48	756	4	<0.1	21	830	14	10	<20	21	<0.1	<10	33	<10	4	83
214 L4+00N 0+50E	<2	0.70	<5	295	<5	2.58	2	13	15	26	1.96	<10	0.49	2146	6	<0.1	35	820	14	5	<20	20	0.01	<10	40	<10	3	156
215 L4+00N 0+75E	<2	0.89	10	205	<5	2.13	1	9	16	27	2.10	<10	0.48	538	6	<0.1	28	750	18	10	<20	18	0.01	<10	48	<10	4	116
216 L4+00N 1+00E	<2	1.41	<5	260	<5	0.74	2	14	29	52	2.57	<10	0.48	127	6	<0.1	52	610	34	<5	<20	16	0.02	<10	81	<10	12	152
217 L4+00N 1+25E	<2	0.95	15	215	<5	2.20	1	17	18	33	2.31	<10	0.51	313	5	<0.1	33	580	20	5	<20	16	0.01	<10	55	<10	7	125
218 L4+00N 1+50E	<2	0.49	5	180	<5	3.41	2	5	9	30	1.02	<10	0.53	255	2	<0.1	24	740	10	15	<20	21	<0.1	<10	28	<10	4	67
219 L4+00N 1+75E	<2	0.18	<5	135	<5	3.99	7	3	3	22	0.45	<10	0.54	267	3	<0.1	15	560	2	15	<20	20	<0.1	<10	9	<10	2	85
220 L4+00N 2+00E	<2	0.19	<5	145	<5	4.07	4	5	3	44	0.40	<10	0.54	223	2	0.01	23	640	4	15	<20	19	<0.1	<10	18	<10	4	78
221 L4+00N 2+25E	3.8	1.67	15	235	<5	3.49	5	30	24	118	3.00	20	1.56	197	8	<0.1	130	920	62	20	<20	19	0.01	<10	79	<10	26	312
222 L4+00N 2+50E	<2	0.44	5	150	<5	2.93	<1	2	5	27	0.86	<10	0.41	135	2	<0.1	19	460	14	10	<20	13	<0.1	<10	15	<10	3	67
223 L4+00N 2+75E	<2	0.50	15	125	<5	0.09	<1	2	11	11	2.32	<10	0.01	39	20	<0.1	6	420	14	<5	<20	2	0.02	<10	100	20	<1	21
224 L4+00N 3+00E	<2	1.19	15	300	5	0.16	1	8	24	22	4.78	<10	0.22	179	27	<0.1	25	700	22	<5	<20	10	0.02	<10	137	<10	<1	64
225 L4+00N 3+25E	<2	0.75	10	75	<5	0.06	<1	3	11	5	1.84	10	0.07	45	6	<0.1	5	180	14	<5	<20	<1	0.04	<10	64	<10	<1	25
226 L4+00N 3+50E	<2	0.95	<5	105	5	0.14	<1	4	14	6	2.59	20	0.11	92	6	<0.1	6	220	18	<5	<20	4	0.03	<10	66	<10	<1	31
227 L4+00N 3+75E	<2	1.42	10	235	15	0.07	2	7	33	12	6.05	30	0.23	179	23	<0.1	15	720	26	<5	<20	10	0.03	<10	99	<10	<1	57
228 L4+00N 4+00E	0.6	0.95	<5	220	<5	2.00	3	8	15	21	2.04	10	0.48	617	9	<0.1	25	850	4	40	<20	44	<0.1	10	38	<10	3	84
229 L4+00N 4+25E	<2	0.47	10	200	<5	3.06	2	3	8	43	1.03	<10	0.48	473	4	<0.1	25	600	8	10	<20	14	<0.1	<10	38	<10	4	77
230 L4+00N 4+50E	0.8	1.52	15	185	<5	1.06	3	16	28	78	3.16	10	0.68	448	3	0.01	61	780	26	10	<20	14	0.02	<10	69	<10	16	331
231 L4+00N 4+75E	0.8	1.29	10	160	<5	2.54	7	19	21	85	2.64	10	0.94	651	6	<0.1	86	790	32	25	<20	14	0.02	<10	68	<10	18	456
232 L4+00N 5+00E	<2	0.92	<5	105	<5	2.80	2	6	12	19	1.84	<10	0.49	473	4	<0.1	17	850	16	10	<20	12	0.01	<10	44	<10	7	163
233 L4+00N 5+25E	<2	1.65	<5	195	<5	1.21	1	10	22	17	3.31	10	0.42	426	5	<0.1	33	540	52	15	<20	12	0.02	<10	79	<10	6	146
234 L4+00N 5+50E	1.6	0.73	20	130	<5	7.61	6	9	13	56	1.25	10	3.65	484	7	<0.1	79	1450	20	55	<20	23	<0.1	<10	65	<10	21	304
235 BL 0+25N	<2	0.39	10	95	5	5.55	4	5	6	20	1.03	<10	2.06	526	<1	<0.1	27	660	48	35	<20	13	<0.1	<10	21	<10	5	297

6-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

TOKLAT RESOURCES INC. AK 95-852
2720-17th STREET SOUTH
CRANBROOK, B.C.
V1C 4H4

ATTENTION: TIM TERMUENDE

89 Soil samples received Sept. 16, 1995

PROJECT #: None given


SHIPMENT #: None given



Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L2+00S-8+75E	<2	2.10	30	180	<5	0.12	<1	13	33	20	3.21	<10	0.40	328	11	<0.1	23	350	24	<5	<20	13	0.04	<10	59	<10	<1	61
2	L2+00S-9+00E	<2	1.10	35	100	5	0.06	<1	7	24	17	3.59	<10	0.22	161	25	<0.1	14	530	16	<5	<20	11	0.03	<10	131	<10	<1	63
3	L2+00S-9+25E	<2	0.66	85	220	5	0.04	<1	4	22	21	4.74	<10	0.13	116	118	<0.1	10	760	36	<5	<20	50	0.03	<10	204	<10	<1	36
4	L2+00S-9+50E	<2	0.39	<5	65	<5	0.03	<1	1	7	9	0.87	<10	0.01	24	8	<0.1	4	910	10	<5	<20	6	<0.1	<10	21	<10	<1	38
5	L4+00S-5+00E	0.8	0.88	25	495	<5	2.46	3	8	18	50	1.82	<10	0.54	709	4	0.03	42	820	34	15	<20	23	0.01	<10	44	<10	7	192
6	L4+00S-5+25E	0.4	0.75	20	565	<5	2.40	2	5	15	52	1.51	<10	0.49	823	3	<0.1	42	690	22	15	<20	21	<0.1	<10	37	<10	6	182
7	L4+00S-5+50E	<2	0.18	5	315	<5	3.50	3	2	3	28	0.48	<10	0.54	561	2	0.02	21	470	4	10	<20	19	<0.1	<10	12	<10	2	141
8	L4+00S-5+75E	0.4	0.38	15	405	<5	3.48	2	4	7	27	1.10	<10	0.56	642	3	0.02	24	680	14	15	<20	18	<0.1	<10	20	<10	3	194
9	L4+00S-6+00E	0.8	0.69	30	575	<5	4.44	4	7	13	74	1.72	<10	1.82	1090	2	<0.1	48	780	32	30	<20	23	0.01	<10	36	<10	10	213
10	L4+00S-6+25E	1.0	1.06	20	375	<5	1.97	3	7	22	90	1.63	<10	0.64	119	2	<0.1	63	880	50	20	<20	21	0.01	<10	61	<10	14	219
11	L4+00S-6+50E	0.8	0.58	15	495	<5	3.03	4	10	12	68	2.09	<10	0.50	909	5	<0.1	62	810	24	10	<20	22	<0.1	<10	34	<10	7	174
12	L4+00S-6+75E	<2	0.21	5	325	<5	3.89	4	3	4	35	0.57	<10	0.61	943	2	0.02	36	740	8	20	<20	25	<0.1	<10	11	<10	2	138
13	L4+00S-7+00E	0.4	0.40	10	340	<5	3.03	6	14	8	59	1.09	<10	0.49	1267	10	0.01	54	720	10	15	<20	29	<0.1	<10	36	<10	7	193
14	L4+00S-7+25E	0.4	1.25	20	415	<5	1.25	1	11	29	59	2.50	<10	0.41	350	16	<0.1	56	1170	24	<5	<20	32	0.01	<10	110	<10	10	167
15	L4+00S-7+50E	0.2	0.94	30	330	<5	0.12	<1	4	18	48	2.57	<10	0.09	124	25	<0.1	34	470	32	<5	<20	23	0.02	<10	113	<10	1	140
16	L4+00S-7+75E	0.4	0.33	10	725	<5	1.78	9	2	4	18	0.67	<10	0.31	81	6	0.02	13	400	10	15	<20	25	<0.1	<10	23	<10	4	165
17	L4+00S-8+00E	<2	0.14	15	50	<5	3.60	9	<1	1	44	0.32	<10	0.49	174	2	0.01	16	570	<2	15	<20	<1	<0.1	<10	10	<10	<1	241
18	L4+00S-8+25E	2.2	0.56	40	85	<5	3.90	3	4	8	123	1.12	<10	0.59	267	4	<0.1	32	630	62	20	<20	21	<0.1	<10	39	<10	8	134
19	L4+00S-8+50E	0.8	0.54	30	120	<5	3.79	4	4	9	100	0.89	<10	0.52	497	11	<0.1	26	760	16	20	<20	23	<0.1	<10	58	<10	7	103
20	L4+00S-8+75E	<2	1.56	25	105	10	0.16	<1	7	31	24	4.30	<10	0.24	179	39	<0.1	16	440	18	<5	<20	16	0.03	<10	137	<10	<1	57
21	L4+00S-9+00E	<2	1.12	35	105	5	0.06	<1	6	26	30	4.93	<10	0.13	96	42	<0.1	12	440	14	<5	<20	21	0.03	<10	204	<10	<1	56
22	L4+00S-9+25E	<2	0.70	20	65	<5	0.05	<1	4	15	13	2.71	<10	0.09	70	22	<0.1	7	210	10	<5	<20	12	0.04	<10	123	<10	<1	29
23	L4+00S-9+50E	<2	1.73	50	185	5	0.09	<1	10	32	30	4.70	<10	0.30	306	25	<0.1	18	740	18	<5	<20	19	0.03	<10	120	<10	<1	59
24	L4+00S-9+75E	<2	1.11	60	95	10	0.04	<1	6	30	21	4.26	<10	0.14	106	30	<0.1	11	500	16	<5	<20	18	0.03	<10	156	<10	<1	41
25	L4+00S-10+00E	<2	0.68	20	95	5	0.03	<1	3	16	20	2.79	<10	0.03	55	22	<0.1	7	340	16	<5	<20	9	0.02	<10	141	<10	<1	28

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L4+00S-10+25E	<2	0.85	50	160	5	0.05	<1	6	36	44	5.72	<10	0.15	131	70	<0.1	11	920	18	<5	<20	33	0.03	<10	196	<10	<1	44
27	L5+00S-5+00E	<2	1.11	5	375	5	0.63	1	6	22	33	2.22	<10	0.36	186	7	<0.1	35	740	24	<5	<20	21	0.01	<10	61	<10	6	125
28	L5+00S-5+25E	<2	1.40	15	425	<5	0.61	2	9	28	59	2.29	<10	0.38	187	6	<0.1	51	610	32	<5	<20	15	0.01	<10	84	<10	6	148
29	L5+00S-5+50E	0.4	1.12	10	480	<5	1.08	2	9	24	35	2.34	<10	0.40	562	10	<0.1	37	920	22	5	<20	24	0.01	<10	63	<10	6	147
30	L5+00S-5+75E	0.6	1.32	20	940	<5	0.74	<1	31	30	55	3.73	<10	0.37	2471	21	<0.1	54	1000	26	<5	<20	25	0.02	<10	98	<10	12	141
31	L5+00S-6+00E	0.2	1.30	15	710	<5	0.59	1	5	27	50	2.07	<10	0.37	340	7	<0.1	40	780	30	<5	<20	24	0.01	<10	74	<10	8	120
32	L5+00S-6+25E	0.2	0.99	30	795	<5	0.50	<1	3	22	35	2.44	<10	0.36	146	10	<0.1	26	730	20	20	<20	21	0.02	<10	66	<10	4	108
33	L5+00S-6+50E	0.8	1.25	25	1075	<5	0.48	<1	2	27	47	2.44	<10	0.39	196	9	<0.1	31	730	22	25	<20	22	0.02	<10	74	<10	6	125
34	L5+00S-6+75E	1.4	0.97	30	875	<5	1.59	3	1	21	60	2.65	<10	0.43	119	10	<0.1	30	810	20	15	<20	22	<0.1	<10	70	<10	5	101
35	L5+00S-7+00E	1.2	1.05	20	610	<5	1.67	2	4	22	83	1.89	<10	0.47	257	4	<0.1	39	790	30	20	<20	21	0.01	<10	55	<10	10	144
36	L5+00S-7+25E	1.6	0.90	35	340	<5	3.42	5	15	19	102	3.58	<10	1.39	731	11	<0.1	78	700	58	25	<20	22	0.01	<10	70	<10	13	324
37	L5+00S-7+50E	0.4	0.13	10	130	<5	3.27	5	1	3	35	0.35	<10	0.48	205	3	0.05	19	460	12	20	<20	12	<0.1	<10	10	<10	1	68
38	L5+00S-7+75E	0.8	0.28	10	215	<5	3.21	7	1	6	123	0.57	<10	0.37	88	2	0.01	41	550	20	20	<20	14	<0.1	20	27	<10	7	134
39	L5+00S-8+00E	3.2	0.41	50	125	<5	2.47	1	3	10	82	1.21	<10	0.34	214	6	0.01	26	640	86	35	<20	17	<0.1	<10	49	<10	6	166
40	L5+00S-8+25E	0.4	0.25	10	120	<5	3.18	<1	2	6	18	0.54	<10	0.40	232	3	0.02	15	580	10	10	<20	20	<0.1	<10	32	<10	3	103
41	L5+00S-8+50E	<2	1.20	20	115	5	0.15	<1	7	28	18	4.30	<10	0.23	181	33	<0.1	17	460	22	<5	<20	18	0.04	<10	148	<10	<1	79
42	L5+00S-8+75E	0.2	0.76	15	40	<5	0.05	<1	3	14	6	1.91	<10	0.05	46	10	<0.1	4	170	14	<5	<20	5	0.06	<10	115	<10	<1	28
43	L5+00S-9+00E	<2	1.29	30	100	<5	0.06	<1	7	34	23	5.67	<10	0.17	157	48	<0.1	14	640	16	<5	<20	17	0.05	20	161	<10	<1	57
44	L5+00S-9+25E	<2	1.64	25	130	<5	0.10	<1	9	35	23	4.71	<10	0.33	277	21	<0.1	17	560	18	<5	<20	12	0.04	<10	98	<10	<1	62
45	L5+00S-9+50E	0.4	0.86	65	420	<5	0.27	<1	3	32	26	3.39	<10	0.21	69	54	<0.1	16	1480	24	<5	<20	43	0.02	10	151	<10	1	56
46	L5+00S-9+75E	0.2	1.13	20	285	<5	0.60	<1	6	28	17	2.74	<10	0.39	173	16	<0.1	21	930	24	<5	<20	27	0.03	<10	82	<10	3	87
47	L5+00S-10+00E	<2	1.19	25	315	<5	0.43	<1	10	35	36	4.12	<10	0.39	248	29	<0.1	25	880	20	<5	<20	31	0.05	<10	109	<10	4	94
48	L6+00S-5+00E	0.2	1.15	10	255	<5	0.16	<1	3	23	11	1.54	<10	0.24	70	3	<0.1	13	350	20	<5	<20	14	0.02	<10	36	<10	2	58
49	L6+00S-5+25E	0.2	1.02	<5	250	<5	0.19	<1	3	20	10	1.32	<10	0.23	67	3	<0.1	13	340	16	<5	<20	14	0.02	<10	39	<10	2	58
50	L6+00S-5+50E	<2	1.16	5	255	5	0.19	<1	7	23	10	2.43	<10	0.26	193	10	<0.1	15	500	18	<5	<20	15	0.02	<10	52	<10	1	60
51	L6+00S-5+75E	<2	0.91	20	255	10	0.27	<1	5	19	9	5.33	<10	0.17	72	23	0.04	11	850	14	<5	<20	19	0.01	20	107	<10	<1	100
52	L6+00S-6+00E	0.6	0.50	<5	275	<5	0.43	2	5	8	13	3.66	<10	0.05	89	17	0.08	12	1100	12	<5	<20	26	<0.1	10	31	<10	2	244
53	L6+00S-6+25E	0.4	1.14	5	235	<5	0.16	<1	3	24	12	2.36	<10	0.24	69	9	<0.1	15	630	18	<5	<20	17	0.02	20	65	<10	2	69
54	L6+00S-6+50E	<2	1.16	15	195	<5	0.13	<1	4	25	13	3.03	<10	0.22	65	14	<0.1	14	670	18	<5	<20	14	0.02	<10	72	<10	<1	54
55	L6+00S-6+75E	<2	1.09	5	215	<5	0.15	<1	3	22	11	2.12	<10	0.21	61	8	<0.1	12	590	18	<5	<20	14	0.01	<10	44	<10	1	63
56	L6+00S-7+00E	<2	1.08	15	180	<5	0.11	<1	3	22	10	2.58	<10	0.21	56	10	<0.1	13	530	18	<5	<20	12	0.01	10	51	<10	<1	53
57	L6+00S-7+25E	<2	1.04	5	190	<5	0.12	<1	2	21	9	1.52	<10	0.20	53	5	<0.1	10	460	20	<5	<20	11	0.01	<10	41	<10	1	42
58	L6+00S-7+50E	<2	1.00	<5	190	<5	0.16	<1	3	22	10	1.98	<10	0.20	61	9	<0.1	11	510	18	<5	<20	14	0.01	10	34	<10	<1	47
59	L6+00S-7+75E	<2	1.04	10	185	<5	0.16	<1	4	21	8	2.06	<10	0.23	82	7	<0.1	12	420	16	<5	<20	14	0.02	10	46	<10	1	46
60	L6+00S-8+00E	<2	1.00	<5	210	<5	0.21	<1	4	20	11	2.37	<10	0.21	69	8	<0.1	14	680	16	<5	<20	15	0.01	<10	37	<10	1	76

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
61	L6+00S-8+25E	<2	0.91	<5	180	<5	0.19	<1	4	18	8	1.61	<10	0.22	145	4	<0.1	12	410	14	<5	<20	15	0.02	<10	34	<10	1	55
62	L6+00S-8+50E	<2	1.04	10	180	<5	0.16	<1	4	21	8	1.90	<10	0.24	84	6	<0.1	12	410	16	<5	<20	13	0.02	<10	45	<10	1	52
63	L6+00S-8+75E	0.2	0.91	<5	245	<5	0.24	<1	2	18	18	1.38	<10	0.21	48	5	<0.1	13	380	14	<5	<20	14	0.01	10	27	<10	2	36
64	L6+00S-9+00E	1.4	1.15	20	570	<5	0.33	<1	1	26	16	1.85	<10	0.21	74	11	<0.1	18	850	34	<5	<20	28	<0.1	<10	76	<10	3	67
65	L6+00S-9+25E	2.4	1.45	55	765	<5	0.38	<1	10	31	25	3.95	<10	0.20	439	71	<0.1	25	1430	50	<5	<20	39	<0.1	<10	217	<10	5	79
66	L6+00S-9+50E	3.0	1.23	30	445	<5	1.00	1	9	30	32	2.73	<10	0.33	489	76	0.04	30	1220	56	15	<20	78	<0.1	<10	160	<10	7	197
67	L6+00S-9+75E	0.4	0.66	10	140	<5	0.07	<1	2	12	12	1.39	<10	0.03	57	9	<0.1	11	450	18	<5	<20	6	<0.1	10	44	<10	<1	43
68	L6+00S-10+00E	<2	1.68	20	95	<5	0.08	<1	8	29	12	3.55	<10	0.28	208	12	<0.1	14	380	18	<5	<20	8	0.04	<10	94	<10	<1	55
69	L7S-5+00E	0.2	0.90	<5	175	<5	0.18	<1	4	19	9	3.25	<10	0.23	64	6	<0.1	14	650	14	<5	<20	12	0.02	10	43	<10	<1	53
70	L7S-5+25E	<2	1.08	<5	255	<5	0.26	<1	4	22	9	1.88	<10	0.32	99	4	<0.1	14	530	18	<5	<20	15	0.02	<10	46	<10	2	64
71	L7S-5+50E	0.2	1.01	<5	375	<5	0.40	<1	9	21	9	4.28	<10	0.28	456	8	<0.1	15	560	14	<5	<20	18	0.02	<10	41	<10	<1	63
72	L7S-5+75E	<2	1.27	5	385	<5	0.31	<1	4	25	11	2.03	<10	0.34	114	4	<0.1	17	480	20	<5	<20	15	0.02	10	55	<10	3	73
73	L7S-6+00E	0.2	1.15	<5	450	<5	0.43	<1	6	23	9	2.37	<10	0.37	304	9	<0.1	17	610	18	<5	<20	20	0.02	<10	53	<10	2	80
74	L7S-6+25E	0.2	1.17	<5	525	<5	0.50	<1	6	24	13	2.04	<10	0.37	498	6	<0.1	19	610	18	<5	<20	17	0.02	<10	50	<10	3	85
75	L7S-6+50E	0.2	1.29	<5	505	<5	0.35	<1	6	26	12	2.69	<10	0.37	245	8	<0.1	20	560	20	<5	<20	14	0.02	<10	50	<10	3	88
76	L7S-6+75E	<2	1.42	10	605	<5	0.40	1	6	29	18	2.44	<10	0.44	189	6	0.01	25	580	24	<5	<20	16	0.02	<10	61	<10	4	107
77	L7S-7+00E	<2	1.31	10	660	<5	0.84	<1	7	27	15	2.67	<10	0.48	464	7	0.01	24	790	18	<5	<20	21	0.02	<10	58	<10	2	130
78	L7S-7+25E	<2	1.16	5	670	<5	0.85	<1	6	24	12	2.48	<10	0.44	577	10	0.01	21	830	16	<5	<20	19	0.02	<10	50	<10	2	96
79	L7S-7+50E	0.4	1.08	<5	755	<5	0.78	2	13	22	15	3.44	<10	0.37	1115	18	0.01	23	800	16	<5	<20	20	0.02	<10	52	<10	2	103
80	L7S-7+75E	0.6	1.13	15	795	<5	0.92	1	15	24	20	4.14	<10	0.41	1512	26	0.01	28	820	20	<5	<20	22	0.02	<10	67	<10	3	145
81	L7S-8+00E	0.2	1.44	<5	865	<5	0.68	<1	12	29	27	3.87	<10	0.44	689	16	0.01	29	810	18	<5	<20	19	0.02	<10	72	<10	7	111
82	L7S-8+25E	0.2	1.39	10	740	<5	0.70	<1	8	29	20	3.14	<10	0.47	392	12	0.01	29	790	24	<5	<20	19	0.02	<10	73	<10	4	130
83	L7S-8+50E	0.4	0.34	<5	910	<5	3.50	3	8	5	31	1.06	<10	0.48	1203	6	0.01	33	800	6	10	<20	29	<0.1	<10	14	<10	4	169
84	L7S-8+75E	0.6	0.87	10	1070	<5	1.98	3	28	17	27	3.36	<10	0.42	1426	18	<0.1	57	970	22	<5	<20	21	0.01	<10	65	<10	10	325
85	L7S-9+00E	1.0	0.59	5	1305	<5	2.52	2	8	9	45	1.46	<10	0.37	2848	15	<0.1	26	940	14	10	<20	25	<0.1	<10	41	<10	9	67
86	L7S-9+25E	0.6	1.27	5	470	<5	0.30	<1	5	28	19	2.16	<10	0.41	154	12	<0.1	24	620	22	<5	<20	20	0.03	<10	78	<10	4	96
87	L7S-9+50E	0.8	0.94	<5	535	<5	0.18	<1	<1	24	15	1.16	<10	0.24	65	5	<0.1	15	320	20	<5	<20	15	0.02	<10	43	<10	3	49
88	L7S-9+75E	0.8	1.44	20	770	<5	0.39	<1	2	27	33	2.69	<10	0.33	91	21	0.01	53	650	20	<5	<20	25	0.02	<10	99	<10	6	109
89	L7S-10+00E	2.2	1.00	20	1165	<5	0.62	2	<1	22	34	2.61	<10	0.19	120	31	0.03	34	1680	22	<5	<20	43	<0.1	10	108	<10	8	117





Eagle Plains Resources Ltd.
RUSTY SPRINGS PROJECT

Sample Location Map
95-055

Date: Dec / 95 Scale: see bar N.T.S. 16 K/B, K/9
Map no.: 2

1995 Sample Locations: Slit; Rock