



ANALYSIS REPORT BBM20-05216

To **BMC MINERALS (NO 1) LTD**
ROBIN BLACK – PELLY PROJECT
SUITE 750-789 WEST PENDER ST
VANCOUVER V6C 1H2
BC
CANADA

Order Number	PO: BMC20-02_01	Date Received	22-Oct-2020
Project	PELLY PROJECT	Date Analysed	29-Oct-2020 - 02-Nov-2020
Submission Number	*BBY* PELLY PROJECT/BMC20-	Date Completed	03-Nov-2020
02_01/14 Samples		SGS Order Number	BBM20-05216
Number of Samples	14		

Methods Summary

<u>Number of Sample</u>	<u>Method Code</u>	<u>Description</u>
13	GO_XRF70V	Pyrosulphate Fusion, XRF, Ore Grade, 0.2g
1	GO_FUZ90Q100	Ore grade Na2O2 Fusion, HNO3, ICPAES, 0.2g-100ml
1	GO_ICP90Q100	Ore grade Na2O2 Fusion, HNO3, ICPAES, 0.2g-100ml

Authorised Signatory

John Chiang
Laboratory Operations
Manager

This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

3-Nov-2020 5:29PM BBM_U0004478032

Page 1 of 2

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PO: BMC20-02_01
Project PELLY PROJECT
Submission Number *BBY* PELLY PROJECT/ BMC20-02_01/ 14 Samples
Number of Samples 14

ANALYSIS REPORT BBM20-05216

Element Method	BA GO_XRF70V	@Zn GO_ICP90Q100
Lower Limit	0.01	0.01
Upper Limit	100	30
Unit	%	%
E00044010	2.99	-
E00044015	19.15	-
E00044016	23.52	-
E00044020	1.15	-
E00044023	9.12	-
E00044024	4.69	-
E00042452	3.73	-
E00042453	4.89	-
E00042454	1.18	-
E00042460	2.83	-
E00042461	10.27	-
E00044025	-	1.06
*Rep E00044025	-	1.12
*Bik BLANK	-	<0.01
*Std OREAS135	-	2.82
*Rep E00044016	23.57	-
*Std CRM3594-86	10.15	-
*Bik BLANK	<0.01	-
*Std RM183-89	3.18	-

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
 Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received