



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom
Receiving Lab: Canada-Vancouver
Received: October 03, 2022
Analysis Start: November 16, 2022
Report Date: December 07, 2022
Page: 1 of 9

CERTIFICATE OF ANALYSIS

WHI22000848.1

CLIENT JOB INFORMATION

Project: Aurex
Shipment ID: AX-BV-2022-178
P.O. Number
Number of Samples: 223

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Jason McLaughlin

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	216	Crush, split and pulverize 250 g rock to 200 mesh			VAN
SLBHP	7	Sort, label and box pulps			VAN
FA450	223	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ200	223	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	223	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


Martin Wong
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 2 of 9 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4551173	Drill Core	7.42	0.006	0.5	9.4	6.2	25	<0.1	7.2	3.8	387	1.23	219.0	5.9	5.4	6	<0.1	0.5	0.2	3	0.11
4551174	Drill Core	7.30	0.006	0.2	8.7	4.8	25	0.1	8.9	4.2	338	1.33	65.6	2.7	6.0	5	<0.1	0.9	0.1	3	0.03
4551175	Drill Core	5.70	0.007	0.8	19.1	7.0	62	<0.1	18.2	8.1	552	2.60	21.0	3.0	6.4	7	<0.1	0.6	0.2	8	0.04
4551176	Drill Core	9.23	<0.005	0.4	24.5	7.8	78	0.2	32.8	14.7	750	3.07	23.1	0.6	7.6	11	<0.1	3.4	0.2	9	0.10
4551177	Drill Core	6.44	0.010	0.8	29.2	23.7	94	0.5	24.1	12.3	679	3.11	18.1	1.8	6.1	10	0.3	2.4	0.2	8	0.09
4551178	Drill Core	8.43	<0.005	0.4	18.1	26.9	50	0.4	16.9	7.5	521	1.73	20.6	1.2	4.7	9	0.2	1.6	0.3	4	0.08
4551179	Drill Core	7.24	0.008	0.5	17.2	5.6	48	0.2	17.3	7.7	494	1.93	56.3	9.6	5.9	9	<0.1	1.2	0.1	5	0.07
4551180	Rock Pulp	0.11	1.282	158.8	6311.6	4610.4	9789	>100	210.4	47.8	706	7.51	568.7	706.7	1.8	93	48.4	170.5	97.8	71	1.82
4551181	Drill Core	7.62	0.005	0.3	31.8	23.8	58	0.7	33.3	15.1	833	2.92	45.0	<0.5	5.0	16	0.1	1.9	0.3	9	0.20
4551182	Drill Core	5.30	0.036	0.7	30.5	20.8	85	0.5	27.6	14.4	956	3.40	180.6	18.3	8.3	16	0.3	1.4	0.5	9	0.21
4551183	Drill Core	8.38	<0.005	0.6	23.2	13.5	43	0.4	16.3	7.5	438	1.86	11.3	0.8	4.4	7	0.2	0.7	0.2	3	0.08
4551184	Drill Core	5.03	<0.005	0.8	29.3	16.2	69	0.4	29.0	13.4	607	2.88	17.1	0.9	10.1	15	0.1	1.8	0.2	6	0.19
4551185	Drill Core	4.98	0.563	1.1	234.1	181.6	51	13.8	35.4	17.8	1762	4.72	684.0	428.6	11.5	74	0.3	1.6	38.0	22	2.25
4551186	Drill Core	8.02	0.027	0.4	21.1	135.8	102	3.0	66.9	28.2	7622	5.76	303.6	15.8	3.2	106	0.4	2.8	2.6	48	2.53
4551187	Drill Core	8.87	0.018	0.5	25.7	13.5	46	0.8	24.0	10.6	1061	2.97	37.4	11.2	7.4	30	0.1	1.5	0.6	7	0.50
4551188	Drill Core	8.42	0.007	0.3	16.7	16.6	74	0.5	10.7	5.1	1021	1.45	70.4	6.9	4.0	31	0.7	0.9	0.3	3	0.40
4551189	Drill Core	4.06	<0.005	0.6	35.6	29.3	50	1.1	32.9	16.6	1066	2.97	20.0	2.7	6.2	22	0.2	1.3	0.3	6	0.25
4551190	Drill Core	4.63	0.014	0.5	35.5	40.8	68	1.4	34.3	18.0	1059	3.05	30.5	8.9	5.4	21	0.4	1.9	0.4	6	0.25
4551191	Drill Core	4.97	0.077	0.7	36.8	45.8	99	1.2	86.4	16.3	886	2.77	260.6	192.7	6.7	51	0.8	8.7	2.1	13	1.11
4551192	Drill Core	6.94	0.343	2.1	81.0	23.9	111	2.6	83.0	25.4	1102	4.33	156.2	331.5	5.3	85	0.4	3.1	17.2	42	1.84
4551193	Drill Core	7.34	0.291	1.2	104.4	91.3	190	5.6	69.9	23.5	2042	4.71	318.3	418.3	2.8	119	1.3	7.6	15.3	47	2.23
4551194	Drill Core	8.33	<0.005	0.3	11.5	7.3	33	0.2	9.4	4.0	407	1.20	5.7	3.1	4.9	12	<0.1	1.2	0.2	3	0.14
4551195	Drill Core	8.43	0.005	1.0	21.5	11.7	125	0.7	16.9	7.8	902	1.92	18.1	2.1	4.7	17	1.0	1.5	0.3	3	0.23
4551196	Drill Core	6.02	<0.005	0.3	15.1	13.3	46	0.3	16.5	7.4	458	1.84	63.3	2.1	5.1	12	0.1	1.7	0.1	4	0.15
4551197	Drill Core	6.08	<0.005	0.6	22.1	5.9	46	0.1	20.4	8.6	589	2.23	12.5	0.7	4.5	14	<0.1	0.4	0.1	6	0.13
4551198	Drill Core	7.60	<0.005	0.2	11.3	6.5	35	0.2	12.7	6.4	518	1.70	10.7	0.8	4.5	8	<0.1	0.4	0.2	4	0.09
4551199	Drill Core	8.76	<0.005	0.3	8.3	9.2	34	0.2	7.8	3.7	452	1.02	8.9	4.0	4.5	7	0.1	0.7	0.1	2	0.10
4551200	Rock	0.61	<0.005	0.9	2.7	1.0	24	<0.1	0.9	3.3	431	1.81	0.6	<0.5	2.1	19	<0.1	<0.1	<0.1	22	0.57
4551201	Drill Core	7.67	0.005	0.7	25.9	18.4	148	0.7	22.3	11.2	791	2.31	11.7	3.1	4.8	14	1.2	0.5	0.2	5	0.14
4551202	Drill Core	9.03	0.006	0.5	30.4	10.0	59	0.2	23.1	10.3	600	2.68	46.4	5.5	6.4	34	<0.1	0.3	0.2	6	0.33



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 2 of 9 Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551173	Drill Core	0.007	11	6	0.13	30	0.001	<20	0.43	0.003	0.14	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
4551174	Drill Core	0.008	13	5	0.13	25	0.001	<20	0.44	0.001	0.15	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2			
4551175	Drill Core	0.012	14	12	0.28	41	0.008	<20	0.88	0.005	0.19	<0.1	<0.01	1.3	0.1	<0.05	2	<0.5	<0.2			
4551176	Drill Core	0.040	15	9	0.28	41	0.002	<20	0.88	0.003	0.18	<0.1	<0.01	1.4	<0.1	<0.05	2	<0.5	<0.2			
4551177	Drill Core	0.021	11	12	0.34	29	0.002	<20	0.86	0.005	0.20	<0.1	<0.01	1.4	0.1	0.16	2	<0.5	<0.2			
4551178	Drill Core	0.018	9	6	0.19	22	0.001	<20	0.46	0.005	0.18	<0.1	<0.01	0.7	<0.1	0.22	1	<0.5	<0.2			
4551179	Drill Core	0.009	11	8	0.21	26	0.001	<20	0.55	0.007	0.19	<0.1	<0.01	0.8	<0.1	0.20	1	<0.5	<0.2			
4551180	Rock Pulp	0.074	7	43	1.32	92	0.076	<20	1.43	0.089	0.25	7.4	2.44	4.3	2.5	5.48	6	9.9	11.4			
4551181	Drill Core	0.065	11	9	0.40	30	0.002	<20	0.95	0.005	0.22	<0.1	0.01	1.4	<0.1	0.27	3	<0.5	<0.2			
4551182	Drill Core	0.027	12	10	0.44	34	0.002	<20	0.70	0.005	0.26	0.2	<0.01	1.5	0.1	0.74	2	<0.5	<0.2			
4551183	Drill Core	0.014	8	5	0.14	19	<0.001	<20	0.21	0.004	0.15	0.1	<0.01	0.7	<0.1	0.61	<1	<0.5	<0.2			
4551184	Drill Core	0.040	20	7	0.31	31	0.001	<20	0.65	0.005	0.22	0.1	<0.01	0.9	<0.1	0.56	2	<0.5	<0.2			
4551185	Drill Core	0.024	24	24	0.84	48	0.001	<20	0.98	0.003	0.35	>100	<0.01	3.7	0.4	2.31	3	5.6	1.3			
4551186	Drill Core	0.057	7	113	2.27	35	0.003	<20	2.51	0.001	0.28	1.7	<0.01	5.9	0.4	0.19	7	0.8	0.3			
4551187	Drill Core	0.030	15	9	0.44	54	0.001	<20	0.59	0.008	0.24	1.1	<0.01	1.3	0.1	0.31	2	<0.5	<0.2			
4551188	Drill Core	0.043	8	4	0.19	34	<0.001	<20	0.26	0.007	0.18	0.3	<0.01	0.7	0.1	0.32	<1	<0.5	<0.2			
4551189	Drill Core	0.026	12	8	0.36	44	0.001	<20	0.67	0.010	0.25	0.2	<0.01	1.1	0.1	0.71	2	<0.5	<0.2			
4551190	Drill Core	0.029	11	7	0.35	40	0.001	<20	0.63	0.010	0.24	0.2	<0.01	1.1	0.1	0.92	2	<0.5	<0.2			
4551191	Drill Core	0.018	11	83	1.00	62	0.002	<20	0.95	0.007	0.21	0.2	<0.01	1.8	0.2	0.42	3	0.8	<0.2			
4551192	Drill Core	0.047	9	112	1.90	79	0.041	<20	2.12	0.024	0.30	11.0	<0.01	4.3	0.4	0.76	6	2.3	0.9			
4551193	Drill Core	0.048	5	113	2.29	65	0.007	<20	2.37	0.004	0.30	13.3	<0.01	5.0	0.4	0.86	7	3.0	0.8			
4551194	Drill Core	0.013	10	5	0.14	22	0.001	<20	0.27	0.005	0.15	0.1	<0.01	0.5	<0.1	0.15	<1	<0.5	<0.2			
4551195	Drill Core	0.012	9	6	0.21	21	<0.001	<20	0.32	0.004	0.18	0.1	<0.01	0.6	0.1	0.59	<1	<0.5	<0.2			
4551196	Drill Core	0.019	12	5	0.25	22	0.001	<20	0.42	0.004	0.20	<0.1	<0.01	0.8	<0.1	0.29	1	<0.5	<0.2			
4551197	Drill Core	0.021	11	9	0.28	24	0.002	<20	0.60	0.005	0.19	<0.1	<0.01	1.1	<0.1	0.36	2	<0.5	<0.2			
4551198	Drill Core	0.013	9	5	0.20	22	0.001	<20	0.38	0.003	0.18	<0.1	<0.01	0.7	<0.1	0.32	<1	<0.5	<0.2			
4551199	Drill Core	0.006	9	4	0.10	14	<0.001	<20	0.20	0.002	0.15	<0.1	<0.01	0.4	<0.1	0.19	<1	<0.5	<0.2			
4551200	Rock	0.042	5	3	0.40	47	0.080	<20	0.76	0.067	0.08	0.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2			
4551201	Drill Core	0.026	10	8	0.25	25	0.002	<20	0.52	0.004	0.21	<0.1	<0.01	0.9	<0.1	0.36	1	<0.5	<0.2			
4551202	Drill Core	0.034	14	9	0.40	31	0.002	<20	0.67	0.007	0.23	<0.1	<0.01	1.2	0.1	0.30	2	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 3 of 9 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4551203	Drill Core	7.03	<0.005	0.7	18.0	4.8	39	0.4	12.5	6.4	380	1.27	18.0	0.9	5.2	5	0.2	0.3	0.1	3	0.03
4551204	Drill Core	7.59	0.006	0.3	9.1	12.3	34	0.2	8.5	3.6	453	1.11	13.1	1.9	4.0	4	0.2	0.5	0.1	2	0.04
4551205	Drill Core	7.20	0.020	0.6	33.9	49.9	304	1.1	22.9	9.7	1252	2.63	101.8	57.4	7.3	18	3.1	1.3	0.7	6	0.29
4551206	Drill Core	8.59	0.018	0.4	25.9	51.4	81	1.0	21.1	9.9	1096	2.50	94.1	21.9	7.4	57	0.6	0.6	1.0	7	0.82
4551207	Drill Core	7.78	<0.005	0.6	9.9	8.2	89	0.2	11.6	5.6	594	1.76	9.3	3.4	7.5	16	0.3	0.8	<0.1	4	0.19
4551208	Drill Core	8.24	<0.005	0.3	15.7	25.4	53	0.3	15.1	6.8	482	1.80	10.0	<0.5	7.2	22	<0.1	0.6	0.2	5	0.25
4551209	Drill Core	4.48	<0.005	0.5	7.9	10.2	29	0.2	10.9	3.6	366	1.32	7.6	2.0	7.3	21	<0.1	0.9	0.3	4	0.32
4551210	Drill Core	5.18	0.007	0.3	10.8	7.2	30	0.2	9.1	3.4	373	1.24	7.1	4.7	6.5	24	<0.1	0.6	0.2	3	0.40
4551211	Drill Core	4.21	0.034	0.5	11.9	16.2	52	0.2	12.5	5.7	557	1.96	6.8	29.5	8.2	36	<0.1	0.7	1.7	7	0.56
4551212	Drill Core	7.67	<0.005	0.4	37.2	9.3	87	<0.1	38.5	19.3	537	4.11	23.2	2.9	9.4	35	<0.1	0.2	0.3	16	0.42
4551213	Drill Core	4.91	0.014	0.5	31.1	13.7	76	0.2	26.0	12.5	697	3.46	15.3	19.5	7.3	45	<0.1	0.3	0.6	14	0.60
4551214	Drill Core	7.27	<0.005	0.4	39.0	22.1	91	0.2	39.9	19.3	734	4.06	15.2	3.5	7.2	22	<0.1	0.2	0.4	15	0.22
4551215	Drill Core	5.24	0.028	0.6	44.5	37.6	149	0.2	42.4	19.0	692	4.46	1440.6	19.1	7.3	26	2.4	0.8	0.2	15	0.22
4551216	Drill Core	4.77	0.005	0.7	27.4	20.3	86	0.3	31.6	14.9	955	3.46	37.0	3.1	11.2	17	0.1	1.2	0.4	11	0.20
4551217	Drill Core	8.43	<0.005	0.7	19.1	9.5	43	0.3	19.0	9.7	583	2.12	19.9	1.2	6.2	11	<0.1	0.6	0.2	5	0.09
4551218	Drill Core	4.03	0.042	0.8	14.9	15.2	37	1.4	11.0	5.0	466	1.80	398.9	22.5	6.2	6	0.2	0.9	2.4	3	0.05
4551219	Drill Core	6.08	<0.005	3.7	31.5	21.5	69	0.9	22.5	10.7	795	2.63	88.3	3.2	9.4	16	0.4	0.9	0.3	6	0.11
4551220	Rock Pulp	0.07	0.856	6.5	4330.6	2817.6	9778	43.7	24.2	49.6	842	16.91	1332.6	265.5	0.4	37	57.3	108.3	20.5	23	1.57
4551221	Drill Core	6.43	0.023	1.6	34.0	138.9	154	2.3	22.5	12.3	1453	2.56	551.6	18.1	9.3	9	1.6	2.5	0.6	6	0.09
4551222	Drill Core	7.87	0.043	19.1	29.6	202.8	285	2.4	5.6	2.9	286	0.70	1332.2	168.0	5.1	2	3.6	1.8	0.5	1	0.01
4551223	Drill Core	8.65	0.008	2.7	11.7	102.4	157	1.3	5.7	2.8	891	0.85	321.1	6.9	4.6	4	1.9	1.1	0.2	2	0.02
4551224	Drill Core	4.65	0.024	9.3	44.6	514.4	584	3.9	19.8	7.7	2240	1.72	114.2	12.7	6.6	5	7.5	2.6	0.5	4	0.06
4551225	Drill Core	5.50	<0.005	1.7	41.4	9.1	65	0.5	34.6	17.9	875	3.77	27.0	4.2	7.5	17	<0.1	1.9	0.1	9	0.14
4551226	Drill Core	6.58	<0.005	0.3	33.1	5.3	60	0.1	32.0	15.0	739	3.07	10.3	0.6	7.4	13	<0.1	0.9	0.1	8	0.09
4551227	Drill Core	6.55	<0.005	1.0	19.5	11.1	18	0.3	13.1	6.8	232	0.95	14.4	1.7	5.6	15	0.1	0.7	<0.1	3	0.22
4551228	Drill Core	6.24	<0.005	3.8	29.8	21.4	60	0.6	26.0	12.5	1076	3.04	12.2	0.6	6.7	10	0.3	0.5	<0.1	7	0.12
4551229	Drill Core	7.02	<0.005	1.3	19.2	3.2	12	0.1	5.5	2.0	268	0.99	6.2	3.0	5.0	4	<0.1	0.5	0.2	3	0.03
4551230	Drill Core	9.14	<0.005	0.8	20.8	3.5	13	0.1	5.7	2.0	237	0.90	5.7	3.1	4.8	4	<0.1	0.5	0.2	3	0.03
4551231	Drill Core	6.15	0.028	1.1	51.2	5.8	43	0.2	19.7	9.9	756	2.88	11.7	18.3	5.6	12	<0.1	1.4	1.5	7	0.09
4551232	Drill Core	8.51	<0.005	2.2	17.3	5.2	23	0.3	11.7	6.6	358	1.27	16.1	1.2	4.9	6	<0.1	0.7	0.2	2	0.05



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 3 of 9 Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551203	Drill Core	0.005	10	6	0.09	17	<0.001	<20	0.25	0.006	0.17	<0.1	<0.01	0.4	<0.1	0.28	<1	<0.5	<0.2			
4551204	Drill Core	0.005	9	5	0.09	13	<0.001	<20	0.17	0.004	0.13	0.1	<0.01	0.5	<0.1	0.20	<1	<0.5	<0.2			
4551205	Drill Core	0.018	15	9	0.32	35	<0.001	<20	0.37	0.007	0.25	0.1	<0.01	1.1	0.2	0.33	1	<0.5	<0.2			
4551206	Drill Core	0.017	12	9	0.38	31	0.001	<20	0.66	0.005	0.23	<0.1	<0.01	1.2	0.1	0.41	2	<0.5	<0.2			
4551207	Drill Core	0.011	15	7	0.20	21	0.001	<20	0.36	0.006	0.19	<0.1	<0.01	0.6	0.1	0.08	<1	<0.5	<0.2			
4551208	Drill Core	0.009	14	6	0.23	24	0.002	<20	0.54	0.007	0.19	<0.1	<0.01	0.7	<0.1	0.13	1	<0.5	<0.2			
4551209	Drill Core	0.007	14	9	0.16	20	0.002	<20	0.39	0.007	0.17	<0.1	<0.01	0.5	<0.1	0.08	<1	<0.5	<0.2			
4551210	Drill Core	0.010	12	8	0.17	17	0.002	<20	0.37	0.006	0.15	<0.1	<0.01	0.6	<0.1	0.09	<1	<0.5	<0.2			
4551211	Drill Core	0.018	16	11	0.32	29	0.002	<20	0.75	0.008	0.23	<0.1	<0.01	1.1	0.1	0.08	2	<0.5	<0.2			
4551212	Drill Core	0.049	16	21	0.79	45	0.005	<20	1.74	0.012	0.24	<0.1	<0.01	1.6	0.1	0.21	5	<0.5	<0.2			
4551213	Drill Core	0.026	13	19	0.69	43	0.004	<20	1.48	0.010	0.26	<0.1	<0.01	1.8	0.1	0.24	4	<0.5	<0.2			
4551214	Drill Core	0.052	18	19	0.72	39	0.004	<20	1.65	0.016	0.29	<0.1	<0.01	1.6	0.2	0.27	4	<0.5	<0.2			
4551215	Drill Core	0.078	17	21	0.81	54	0.005	<20	1.71	0.016	0.32	<0.1	<0.01	1.5	0.2	0.66	4	<0.5	<0.2			
4551216	Drill Core	0.039	26	13	0.41	43	0.001	<20	0.81	0.008	0.28	<0.1	<0.01	1.9	0.2	0.23	2	<0.5	<0.2			
4551217	Drill Core	0.026	15	9	0.23	28	<0.001	<20	0.38	0.009	0.25	<0.1	<0.01	1.0	0.2	0.23	<1	<0.5	<0.2			
4551218	Drill Core	0.009	13	7	0.15	20	<0.001	<20	0.27	0.006	0.21	0.6	<0.01	0.7	0.2	0.36	<1	<0.5	<0.2			
4551219	Drill Core	0.026	23	6	0.28	32	<0.001	<20	0.30	0.006	0.24	0.3	<0.01	1.5	0.2	0.32	<1	<0.5	<0.2			
4551220	Rock Pulp	0.022	2	23	0.99	29	0.001	<20	0.72	0.006	0.09	3.2	7.58	2.0	8.9	>10	3	>100	0.3			
4551221	Drill Core	0.020	24	9	0.23	32	<0.001	<20	0.35	0.007	0.26	0.2	0.02	1.6	0.2	0.34	<1	<0.5	<0.2			
4551222	Drill Core	0.004	9	4	0.02	12	<0.001	<20	0.16	0.003	0.15	0.2	0.01	0.2	0.2	0.41	<1	0.7	<0.2			
4551223	Drill Core	0.005	9	4	0.03	14	<0.001	<20	0.17	0.004	0.14	0.1	<0.01	0.3	0.1	0.30	<1	<0.5	<0.2			
4551224	Drill Core	0.016	15	5	0.15	22	<0.001	<20	0.29	0.005	0.23	0.2	0.01	1.0	0.3	0.52	<1	0.7	<0.2			
4551225	Drill Core	0.032	20	10	0.49	41	0.002	<20	0.44	0.009	0.29	<0.1	<0.01	2.0	0.2	0.28	1	<0.5	<0.2			
4551226	Drill Core	0.017	18	8	0.34	36	0.003	<20	0.38	0.007	0.24	<0.1	<0.01	1.6	0.2	0.24	1	<0.5	<0.2			
4551227	Drill Core	0.100	13	6	0.07	29	0.001	<20	0.31	0.007	0.22	0.1	<0.01	0.6	0.2	0.23	<1	<0.5	<0.2			
4551228	Drill Core	0.027	16	7	0.20	31	0.002	<20	0.33	0.005	0.23	<0.1	<0.01	1.4	0.2	0.29	<1	<0.5	<0.2			
4551229	Drill Core	0.004	8	5	0.05	14	0.002	<20	0.20	0.003	0.13	<0.1	<0.01	0.5	<0.1	0.20	<1	<0.5	<0.2			
4551230	Drill Core	0.005	8	5	0.05	14	0.002	<20	0.20	0.003	0.13	0.1	<0.01	0.5	0.1	0.23	<1	0.5	<0.2			
4551231	Drill Core	0.013	13	8	0.29	27	0.001	<20	0.32	0.006	0.23	0.2	<0.01	1.4	0.2	0.48	<1	0.8	<0.2			
4551232	Drill Core	0.017	11	3	0.14	20	<0.001	<20	0.21	0.004	0.18	0.1	<0.01	0.5	0.1	0.19	<1	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 4 of 9 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4551233	Drill Core	8.45	<0.005	1.4	12.3	4.4	15	0.1	6.9	2.7	185	0.95	16.3	2.8	3.4	3	<0.1	0.9	<0.1	2	0.03
4551234	Drill Core	8.12	<0.005	0.5	47.9	9.0	84	0.2	42.5	22.0	1605	4.22	13.5	1.3	5.8	13	<0.1	1.1	0.2	9	0.12
4551235	Drill Core	7.41	<0.005	1.4	14.5	4.2	16	0.3	8.9	3.5	367	1.27	13.1	1.2	4.4	4	<0.1	0.8	<0.1	2	0.03
4551236	Drill Core	8.58	<0.005	3.0	25.8	8.8	25	0.9	14.3	6.5	342	1.20	50.4	0.9	4.8	7	0.2	0.5	0.2	2	0.04
4551237	Drill Core	7.44	<0.005	2.3	24.8	5.9	34	0.2	15.4	8.0	237	1.55	321.0	6.0	4.1	6	<0.1	1.7	0.2	3	0.06
4551238	Drill Core	8.62	<0.005	1.1	22.8	6.8	56	0.3	20.0	8.7	350	2.16	9.7	0.9	4.9	9	<0.1	4.5	<0.1	4	0.08
4551239	Drill Core	7.11	<0.005	2.0	16.5	7.8	48	0.2	18.5	8.4	530	2.20	9.2	1.5	6.6	13	<0.1	2.5	<0.1	7	0.09
4551240	Rock Pulp	0.11	1.432	151.3	6473.5	4296.2	9789	>100	202.9	46.8	676	7.96	556.3	601.3	1.8	90	48.5	165.6	97.4	67	1.75
4551241	Drill Core	7.03	0.005	7.1	33.5	8.9	57	0.5	25.5	13.4	549	2.50	54.7	2.4	5.1	9	0.1	2.1	0.2	6	0.07
4551242	Drill Core	8.89	<0.005	1.0	15.0	6.3	42	0.2	16.3	7.6	456	2.09	10.9	0.5	4.8	11	<0.1	1.8	<0.1	5	0.10
4551243	Drill Core	5.84	0.013	0.8	35.1	8.1	51	0.4	25.5	14.6	465	2.49	144.2	5.4	5.3	9	<0.1	1.9	0.2	5	0.07
4551244	Drill Core	8.32	<0.005	0.4	15.3	6.1	41	0.2	13.1	6.2	308	1.40	18.0	2.9	4.3	6	0.1	1.5	<0.1	4	0.04
4551245	Drill Core	8.41	<0.005	1.0	25.8	9.6	37	0.3	14.7	6.6	271	1.54	4.8	1.1	4.4	5	<0.1	1.0	0.2	5	0.07
4551246	Drill Core	10.02	0.009	1.1	20.1	11.4	32	0.2	15.6	7.5	297	1.53	150.1	4.6	4.6	7	<0.1	1.5	0.1	5	0.11
4551247	Drill Core	7.69	<0.005	0.8	21.8	8.8	44	<0.1	19.0	8.5	549	1.96	10.0	<0.5	5.8	9	<0.1	1.3	<0.1	10	0.09
4551248	Drill Core	9.37	<0.005	0.7	21.5	6.9	61	<0.1	21.5	9.4	632	2.55	17.0	0.7	6.3	13	<0.1	1.8	0.1	8	0.11
4551249	Drill Core	5.99	<0.005	0.5	13.8	8.3	34	0.1	11.2	4.7	432	1.48	59.0	1.4	5.1	7	<0.1	0.8	<0.1	6	0.09
4551250	Drill Core	7.14	0.005	0.5	17.8	6.2	34	0.1	11.6	4.9	426	1.49	67.1	3.9	4.6	6	<0.1	1.0	0.1	6	0.08
4551251	Drill Core	8.61	<0.005	0.6	22.8	8.4	46	0.1	18.6	7.6	615	2.20	6.4	2.2	5.8	7	<0.1	1.6	0.1	8	0.10
4551252	Drill Core	8.99	0.007	0.8	27.8	15.0	75	0.3	26.0	13.2	934	3.47	21.0	13.4	7.4	8	0.1	1.8	0.3	13	0.12
4551253	Drill Core	4.09	0.042	0.3	19.2	9.9	35	0.2	11.8	5.4	470	2.22	9.2	22.4	7.2	7	<0.1	2.1	0.9	6	0.10
4551254	Drill Core	6.92	0.028	0.4	41.3	10.9	103	0.3	40.9	19.1	666	4.81	12.8	1.9	11.8	13	<0.1	10.4	0.1	18	0.15
4551255	Drill Core	7.30	<0.005	0.3	44.4	12.9	107	0.1	40.5	18.7	557	4.46	5.8	0.6	16.1	17	<0.1	3.1	0.2	19	0.29
4551256	Drill Core	8.59	<0.005	0.4	26.7	9.4	83	0.1	32.0	14.3	715	4.16	55.6	2.2	11.8	46	<0.1	4.9	0.2	19	0.82
4551257	Drill Core	8.86	<0.005	0.3	46.2	12.2	81	0.3	36.5	15.5	504	4.28	6.7	1.1	13.5	13	<0.1	2.5	0.3	18	0.17
4551258	Drill Core	8.89	0.005	0.5	36.6	9.8	73	0.4	36.8	16.6	475	3.69	18.9	5.7	13.5	11	<0.1	3.6	0.2	16	0.11
4551259	Drill Core	8.44	0.012	0.4	24.8	9.1	59	0.2	30.4	14.0	469	2.92	37.3	3.0	12.9	6	<0.1	4.7	0.1	13	0.07
4551260	Rock	0.60	<0.005	1.4	4.2	0.9	26	<0.1	1.5	3.6	435	1.91	0.9	<0.5	2.1	20	<0.1	<0.1	<0.1	25	0.59
4551261	Drill Core	8.66	0.009	0.7	41.7	9.9	53	0.2	32.7	14.0	627	3.77	24.6	6.8	11.5	10	<0.1	5.1	0.3	13	0.15
4551262	Drill Core	8.33	0.008	0.6	37.1	20.7	56	0.2	23.4	11.6	581	2.56	13.4	7.7	8.6	6	<0.1	1.9	0.3	11	0.09



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 4 of 9 Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551233	Drill Core	0.011	8	4	0.06	16	0.001	<20	0.17	0.004	0.15	0.2	<0.01	0.4	0.1	0.26	<1	<0.5	<0.2			
4551234	Drill Core	0.027	16	9	0.56	37	0.003	<20	0.53	0.008	0.27	<0.1	<0.01	1.7	0.2	0.39	1	<0.5	<0.2			
4551235	Drill Core	0.007	10	5	0.13	18	<0.001	<20	0.20	0.005	0.16	<0.1	<0.01	0.5	0.1	0.15	<1	<0.5	<0.2			
4551236	Drill Core	0.012	11	5	0.11	22	0.001	<20	0.22	0.005	0.20	0.1	<0.01	0.6	0.2	0.29	<1	<0.5	<0.2			
4551237	Drill Core	0.016	9	6	0.14	22	0.001	<20	0.24	0.004	0.19	0.3	<0.01	0.9	0.1	0.35	<1	<0.5	<0.2			
4551238	Drill Core	0.018	10	5	0.26	23	0.001	<20	0.22	0.005	0.18	0.1	<0.01	1.0	0.2	0.27	<1	<0.5	<0.2			
4551239	Drill Core	0.019	12	9	0.20	32	0.002	<20	0.30	0.005	0.20	0.1	<0.01	1.2	0.2	0.15	<1	<0.5	<0.2			
4551240	Rock Pulp	0.074	6	42	1.26	69	0.065	<20	1.33	0.082	0.24	7.0	2.30	4.1	2.5	5.48	5	9.9	10.4			
4551241	Drill Core	0.014	11	5	0.27	27	0.002	<20	0.25	0.005	0.20	0.2	0.01	1.4	0.2	0.37	<1	<0.5	<0.2			
4551242	Drill Core	0.031	11	6	0.26	24	0.002	<20	0.28	0.005	0.19	0.2	<0.01	1.0	0.1	0.17	<1	<0.5	<0.2			
4551243	Drill Core	0.010	12	7	0.35	29	0.001	<20	0.25	0.007	0.21	0.3	<0.01	1.3	0.1	0.33	<1	<0.5	<0.2			
4551244	Drill Core	0.010	9	4	0.16	18	<0.001	<20	0.19	0.004	0.16	0.3	<0.01	0.8	0.1	0.26	<1	<0.5	<0.2			
4551245	Drill Core	0.019	8	6	0.17	21	<0.001	<20	0.23	0.003	0.17	0.2	<0.01	0.8	0.2	0.54	<1	<0.5	<0.2			
4551246	Drill Core	0.037	10	5	0.21	18	<0.001	<20	0.21	0.004	0.16	0.5	<0.01	1.0	0.2	0.29	<1	<0.5	<0.2			
4551247	Drill Core	0.017	12	10	0.15	29	0.001	<20	0.31	0.005	0.18	0.2	<0.01	1.6	0.2	0.26	<1	<0.5	<0.2			
4551248	Drill Core	0.023	13	11	0.24	31	0.001	<20	0.27	0.005	0.18	0.2	<0.01	1.5	0.2	0.20	<1	<0.5	<0.2			
4551249	Drill Core	0.021	10	8	0.10	25	0.001	<20	0.28	0.005	0.17	0.2	<0.01	1.0	0.2	0.18	<1	<0.5	<0.2			
4551250	Drill Core	0.017	9	6	0.11	22	0.001	<20	0.25	0.003	0.15	0.6	<0.01	1.0	0.2	0.23	<1	<0.5	<0.2			
4551251	Drill Core	0.018	13	10	0.15	30	0.002	<20	0.37	0.006	0.19	<0.1	<0.01	1.3	0.1	0.30	<1	<0.5	<0.2			
4551252	Drill Core	0.018	15	15	0.29	41	0.003	<20	0.67	0.007	0.23	<0.1	<0.01	2.0	0.2	0.26	2	<0.5	<0.2			
4551253	Drill Core	0.013	13	6	0.22	32	<0.001	<20	0.32	0.005	0.16	0.1	<0.01	1.1	0.1	0.21	<1	<0.5	<0.2			
4551254	Drill Core	0.037	24	23	0.75	46	0.005	<20	1.47	0.011	0.30	<0.1	<0.01	1.9	0.2	0.40	4	<0.5	<0.2			
4551255	Drill Core	0.024	33	25	0.85	40	0.009	<20	1.72	0.014	0.26	<0.1	<0.01	1.7	0.2	0.36	4	<0.5	<0.2			
4551256	Drill Core	0.150	26	22	0.81	49	0.007	<20	1.82	0.018	0.27	<0.1	<0.01	2.0	0.1	0.20	5	<0.5	<0.2			
4551257	Drill Core	0.046	27	21	0.76	59	0.011	<20	1.70	0.016	0.30	0.2	<0.01	1.7	0.2	0.27	4	<0.5	<0.2			
4551258	Drill Core	0.029	31	18	0.49	76	0.004	<20	1.34	0.020	0.35	<0.1	<0.01	1.9	0.2	0.15	3	<0.5	<0.2			
4551259	Drill Core	0.016	26	15	0.38	52	0.002	<20	0.91	0.013	0.25	<0.1	<0.01	1.5	0.1	0.24	2	<0.5	<0.2			
4551260	Rock	0.040	5	6	0.44	50	0.078	<20	0.87	0.098	0.09	0.1	<0.01	2.1	<0.1	<0.05	3	<0.5	<0.2			
4551261	Drill Core	0.044	26	13	0.27	53	0.002	<20	0.85	0.013	0.26	<0.1	<0.01	1.7	0.2	0.25	2	<0.5	<0.2			
4551262	Drill Core	0.019	16	10	0.13	33	0.002	<20	0.44	0.006	0.19	<0.1	<0.01	1.5	0.3	0.42	1	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 5 of 9

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
4551263	Drill Core	8.00	0.016	1.5	49.0	8.6	75	0.4	41.7	17.6	760	3.87	32.6	6.3	14.5	13	<0.1	9.2	0.6	14	0.21
4551264	Drill Core	8.12	0.008	2.8	62.7	20.2	69	0.4	27.2	11.6	446	1.81	12.5	3.7	8.9	5	0.2	1.0	0.4	13	0.11
4551265	Drill Core	7.42	0.008	1.4	59.8	20.1	79	0.2	29.9	16.4	679	2.82	22.5	4.4	13.2	7	<0.1	0.7	0.4	16	0.14
4551266	Drill Core	8.29	0.033	4.0	48.4	18.9	63	0.3	15.6	7.2	443	1.90	15.8	23.2	10.5	6	<0.1	0.4	1.5	11	0.11
4551267	Drill Core	5.35	0.046	10.5	63.9	20.3	66	0.4	31.6	18.0	896	3.62	83.1	32.1	13.7	8	<0.1	0.4	2.1	20	0.17
4551268	Drill Core	8.14	0.008	1.1	45.5	16.4	61	0.1	24.5	12.1	652	3.10	23.2	3.4	10.6	8	<0.1	1.3	0.3	15	0.17
4551269	Drill Core	4.09	0.009	1.3	49.6	13.5	82	0.2	35.7	17.1	783	4.48	29.8	5.8	12.5	9	<0.1	1.7	0.4	17	0.24
4551270	Drill Core	5.17	0.008	0.9	49.9	13.8	78	0.2	32.4	15.4	991	4.77	27.2	3.8	11.4	8	<0.1	1.8	0.4	16	0.22
4551271	Drill Core	7.75	0.092	1.4	76.5	20.0	71	0.5	34.0	14.9	658	3.47	59.7	121.2	14.5	9	0.2	1.8	5.1	18	0.18
4551272	Drill Core	7.59	0.007	0.5	51.9	11.8	98	0.4	41.6	15.8	441	4.20	20.9	2.1	15.2	8	0.3	1.5	0.4	17	0.17
4551273	Drill Core	3.86	0.709	0.6	56.6	18.1	114	0.5	47.7	18.4	746	5.14	53.4	367.4	13.0	10	<0.1	1.3	0.5	23	0.27
4551274	Drill Core	6.57	0.066	0.6	40.0	27.4	109	0.4	41.2	15.7	888	5.25	61.1	25.9	13.3	7	<0.1	3.4	0.5	18	0.20
4551275	Drill Core	7.47	0.012	0.8	38.6	14.2	69	0.3	35.1	15.1	643	3.59	35.9	2.9	11.3	10	<0.1	4.8	0.3	16	0.22
4551276	Drill Core	6.93	0.007	0.5	37.6	12.3	64	0.4	31.7	10.9	1030	4.18	27.6	2.1	10.3	8	<0.1	7.8	0.4	14	0.19
4551277	Drill Core	9.32	0.011	1.0	36.1	14.4	71	0.4	33.2	12.9	1063	3.83	29.0	11.0	11.0	11	0.2	7.7	0.1	12	0.25
4551278	Drill Core	6.03	0.019	0.7	40.9	18.2	64	0.3	23.0	8.2	1346	3.74	212.3	12.1	8.6	10	<0.1	2.7	0.5	11	0.22
4551279	Drill Core	8.05	0.013	0.5	33.6	22.5	83	0.6	28.0	11.6	1039	3.18	52.4	8.0	9.4	7	0.3	3.3	0.7	9	0.14
4551280	Rock Pulp	0.07	0.799	6.6	4241.5	2941.1	9778	44.5	24.3	48.0	825	17.35	1382.6	300.7	0.4	37	55.8	110.1	22.1	22	1.55
4551281	Drill Core	8.84	0.007	0.8	43.9	20.9	58	0.5	26.5	11.2	1425	4.02	27.6	6.4	8.7	10	0.1	4.3	0.3	8	0.22
4551282	Drill Core	6.99	0.013	2.2	47.2	19.7	65	0.6	19.8	7.7	2424	4.99	14.5	6.5	8.4	9	0.1	2.6	0.6	7	0.30
4551283	Drill Core	7.32	0.035	5.6	49.3	24.9	75	0.9	21.6	10.0	3025	6.28	56.8	22.8	10.6	11	0.2	2.6	1.3	11	0.35
4551284	Drill Core	4.57	0.021	5.7	55.4	33.4	123	0.9	26.0	10.5	2959	6.09	14.4	9.1	12.8	12	0.4	2.5	0.9	12	0.35
4551285	Drill Core	6.23	0.007	1.4	36.5	28.7	64	0.6	27.6	14.8	1788	4.35	21.5	3.8	14.2	9	0.2	1.5	0.3	8	0.23
4551286	Drill Core	7.30	0.005	3.3	34.4	17.9	69	0.3	18.5	8.1	2376	4.85	10.8	2.4	11.0	9	0.1	1.9	0.3	11	0.24
4551287	Drill Core	8.97	<0.005	1.0	24.2	13.9	49	0.2	16.8	7.8	1418	3.24	11.1	1.0	9.6	8	<0.1	0.5	0.2	9	0.18
4551288	Drill Core	8.87	0.010	1.1	26.4	15.6	47	0.3	19.9	8.5	1063	2.67	98.3	8.1	9.1	7	<0.1	0.7	0.3	10	0.13
4551289	Drill Core	6.41	<0.005	1.8	36.8	13.6	51	0.3	22.2	9.5	908	2.39	20.6	1.4	9.6	6	<0.1	1.1	0.5	12	0.13
4551290	Drill Core	8.39	<0.005	2.1	35.2	12.2	46	0.3	20.4	8.6	806	2.13	14.2	4.2	9.0	5	<0.1	0.9	0.5	11	0.11
4551291	Drill Core	8.51	0.023	9.2	61.8	21.0	88	0.2	26.6	13.3	786	2.35	15.4	17.2	14.3	8	0.1	0.7	0.8	19	0.17
4551292	Drill Core	8.14	0.044	19.0	91.7	30.0	123	0.3	28.2	11.3	810	2.64	23.0	28.7	14.9	12	0.4	1.0	2.1	24	0.28



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 5 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551263	Drill Core	0.060	28	15	0.19	60	0.002	<20	0.53	0.010	0.29	<0.1	<0.01	2.3	0.2	0.26	1	<0.5	<0.2			
4551264	Drill Core	0.026	20	12	0.05	42	0.004	<20	0.45	0.005	0.18	<0.1	<0.01	2.0	0.4	0.60	<1	1.1	<0.2			
4551265	Drill Core	0.030	30	15	0.07	58	0.008	<20	0.63	0.008	0.26	<0.1	<0.01	3.2	0.4	0.56	1	1.1	<0.2			
4551266	Drill Core	0.028	27	11	0.07	41	0.003	<20	0.51	0.006	0.17	<0.1	<0.01	2.4	0.2	0.61	1	1.1	<0.2			
4551267	Drill Core	0.036	41	16	0.17	57	0.007	<20	0.76	0.010	0.29	<0.1	<0.01	5.6	0.3	0.85	2	1.3	<0.2			
4551268	Drill Core	0.029	25	14	0.20	43	0.004	<20	0.67	0.007	0.26	<0.1	<0.01	2.9	0.3	0.38	2	0.9	<0.2			
4551269	Drill Core	0.049	29	19	0.19	46	0.002	<20	0.76	0.010	0.27	0.3	<0.01	2.1	0.3	0.41	2	0.7	<0.2			
4551270	Drill Core	0.031	26	15	0.20	35	0.002	<20	0.62	0.007	0.22	0.4	<0.01	2.3	0.3	0.46	2	0.9	<0.2			
4551271	Drill Core	0.038	36	19	0.11	73	0.004	<20	0.71	0.008	0.23	13.6	<0.01	3.1	0.3	0.94	2	2.0	<0.2			
4551272	Drill Core	0.043	38	18	0.40	68	0.007	<20	1.31	0.014	0.27	<0.1	<0.01	2.3	0.2	0.41	3	0.7	<0.2			
4551273	Drill Core	0.064	28	23	0.53	72	0.007	<20	1.45	0.010	0.33	<0.1	<0.01	3.0	0.3	0.48	4	0.9	<0.2			
4551274	Drill Core	0.024	27	19	0.39	50	0.002	<20	1.02	0.011	0.22	0.4	<0.01	2.2	0.3	0.88	3	0.6	<0.2			
4551275	Drill Core	0.054	22	18	0.30	42	0.002	<20	0.81	0.007	0.27	0.2	<0.01	2.2	0.2	0.43	2	0.5	<0.2			
4551276	Drill Core	0.023	23	14	0.23	41	0.001	<20	0.50	0.006	0.28	0.5	<0.01	2.5	0.2	0.27	1	<0.5	<0.2			
4551277	Drill Core	0.054	22	13	0.21	36	0.001	<20	0.42	0.006	0.26	0.4	<0.01	2.0	0.2	0.30	1	0.5	<0.2			
4551278	Drill Core	0.035	19	13	0.16	41	0.001	<20	0.42	0.005	0.21	0.1	<0.01	2.1	0.2	0.43	1	0.8	<0.2			
4551279	Drill Core	0.014	16	10	0.18	31	<0.001	<20	0.33	0.004	0.22	0.2	<0.01	1.6	0.2	0.38	<1	0.6	<0.2			
4551280	Rock Pulp	0.023	2	23	0.96	29	0.001	<20	0.68	0.006	0.09	1.7	7.64	2.0	9.3	>10	3	>100	0.3			
4551281	Drill Core	0.030	18	9	0.27	31	<0.001	<20	0.34	0.004	0.27	0.2	0.01	1.8	0.2	0.33	<1	0.7	<0.2			
4551282	Drill Core	0.029	18	7	0.22	27	<0.001	<20	0.31	0.003	0.23	0.3	0.01	1.9	0.2	0.34	<1	0.6	<0.2			
4551283	Drill Core	0.037	23	9	0.21	28	<0.001	<20	0.34	0.005	0.23	1.1	<0.01	2.9	0.3	0.66	<1	1.0	<0.2			
4551284	Drill Core	0.049	25	10	0.26	39	0.001	<20	0.46	0.006	0.31	0.7	0.01	3.7	0.3	0.54	1	1.1	<0.2			
4551285	Drill Core	0.031	21	7	0.20	36	0.001	<20	0.34	0.005	0.25	0.3	<0.01	2.2	0.2	0.64	<1	0.6	<0.2			
4551286	Drill Core	0.016	23	9	0.24	28	<0.001	<20	0.36	0.004	0.21	0.4	<0.01	4.0	0.2	0.35	<1	0.7	<0.2			
4551287	Drill Core	0.022	21	8	0.19	27	0.001	<20	0.34	0.003	0.18	<0.1	<0.01	2.2	0.2	0.24	<1	<0.5	<0.2			
4551288	Drill Core	0.018	18	10	0.18	33	0.002	<20	0.39	0.005	0.20	<0.1	<0.01	1.9	0.2	0.31	1	0.5	<0.2			
4551289	Drill Core	0.021	21	11	0.07	36	0.002	<20	0.36	0.004	0.20	<0.1	<0.01	1.9	0.2	0.33	<1	<0.5	<0.2			
4551290	Drill Core	0.017	20	11	0.07	34	0.002	<20	0.35	0.004	0.18	<0.1	<0.01	1.7	0.2	0.25	<1	<0.5	<0.2			
4551291	Drill Core	0.031	39	18	0.09	45	0.004	<20	0.58	0.004	0.16	<0.1	<0.01	3.5	0.2	0.51	2	0.9	<0.2			
4551292	Drill Core	0.075	35	24	0.29	44	0.007	<20	0.97	0.006	0.16	0.3	<0.01	4.7	0.2	0.52	3	1.4	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 6 of 9 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
4551293	Drill Core	3.98	0.006	1.0	22.1	11.9	38	<0.1	10.6	4.5	759	1.77	9.7	2.4	7.5	4	<0.1	0.7	0.2	8	0.10
4551294	Drill Core	5.91	<0.005	0.6	35.0	11.6	59	<0.1	28.3	10.9	770	3.01	29.4	1.8	10.3	7	<0.1	0.6	0.1	15	0.15
4551295	Drill Core	5.20	0.005	0.5	35.6	8.6	80	0.1	33.7	16.5	576	2.69	17.7	<0.5	11.4	6	<0.1	1.4	0.2	10	0.10
4551296	Drill Core	4.84	<0.005	0.7	25.4	6.6	71	<0.1	30.7	14.3	615	2.90	25.4	1.3	12.2	12	<0.1	1.5	<0.1	13	0.23
4551297	Drill Core	5.93	0.016	0.2	23.1	10.8	54	0.1	24.3	11.6	665	2.56	22.7	6.7	9.2	6	<0.1	0.7	0.4	10	0.13
4551298	Drill Core	8.55	0.053	0.4	22.6	24.6	85	0.6	28.2	11.8	758	2.82	38.2	95.6	11.4	9	0.2	0.5	1.6	16	0.21
4551299	Drill Core	8.87	0.041	0.3	27.3	14.5	67	0.2	27.8	11.5	646	2.72	269.2	39.9	10.0	10	<0.1	0.7	1.1	13	0.20
4551300	Rock Pulp	0.11	1.146	163.5	6507.2	4331.5	>10000	>100	210.6	49.7	715	7.81	574.9	749.0	1.9	93	46.3	156.6	102.2	72	1.86
4551301	Drill Core	5.18	0.037	0.6	31.0	12.3	60	0.2	24.6	9.3	794	2.63	13.4	25.9	11.4	9	<0.1	0.4	0.8	14	0.17
4551302	Drill Core	6.44	0.007	0.3	24.8	10.7	59	<0.1	25.9	10.9	570	2.53	21.4	1.5	11.8	8	<0.1	1.0	0.2	11	0.13
4551303	Drill Core	6.02	0.008	0.4	42.3	11.8	116	<0.1	41.2	18.9	608	3.88	26.2	2.2	13.6	16	<0.1	1.7	0.1	18	0.23
4551304	Drill Core	7.49	<0.005	0.4	30.9	8.3	86	<0.1	39.1	18.1	414	3.53	24.7	0.5	12.4	12	<0.1	0.7	0.1	15	0.21
4551305	Drill Core	7.06	0.006	0.4	23.9	9.9	73	<0.1	31.7	13.2	485	3.05	38.3	1.4	10.1	30	<0.1	3.0	0.1	11	0.56
4551306	Drill Core	6.92	<0.005	0.3	18.2	12.9	53	0.1	24.2	10.0	512	2.51	34.1	2.4	7.7	65	<0.1	2.0	0.2	10	1.28
4551307	Drill Core	4.38	0.108	0.3	27.8	16.1	84	0.2	33.9	14.3	690	3.39	40.6	71.4	14.3	58	<0.1	1.7	3.0	17	1.82
4551308	Drill Core	5.47	0.008	0.5	26.5	7.7	70	<0.1	31.9	20.7	390	3.29	46.4	3.9	11.0	21	<0.1	3.4	0.1	14	0.42
4551309	Drill Core	7.03	0.010	0.4	36.4	14.5	93	0.8	33.6	11.4	872	4.01	75.7	3.3	8.5	22	0.2	3.0	0.3	14	0.40
4551310	Drill Core	8.53	0.008	0.4	36.4	13.1	83	0.8	32.5	13.4	847	3.78	90.5	4.6	8.9	20	0.1	3.1	0.2	14	0.39
4551311	Drill Core	8.87	0.010	0.4	17.2	137.2	307	1.1	19.9	9.7	1288	2.79	34.0	4.6	8.4	6	3.6	2.4	0.3	9	0.11
4551312	Drill Core	8.14	0.013	0.2	9.5	57.9	154	0.4	10.0	6.0	734	1.60	32.4	7.6	8.4	6	1.6	0.8	0.2	6	0.09
4551313	Drill Core	8.71	0.010	0.3	18.2	22.2	56	0.6	16.5	9.4	671	2.09	23.5	12.3	8.0	6	0.2	0.6	0.3	10	0.10
4551314	Drill Core	8.73	<0.005	0.3	28.7	10.8	65	0.7	32.0	14.8	633	3.82	20.3	5.3	9.0	16	0.1	0.8	0.4	13	0.29
4551315	Drill Core	9.21	0.027	0.4	20.3	24.8	87	1.3	22.4	10.2	1057	2.81	260.3	46.0	9.3	10	0.7	1.6	0.6	9	0.15
4551316	Drill Core	8.93	0.009	0.3	23.9	22.9	75	0.9	18.3	7.6	946	2.27	37.7	6.3	9.3	37	0.5	2.0	0.2	7	0.74
4551317	Drill Core	8.65	0.011	0.4	26.4	22.1	81	0.8	20.4	10.2	916	2.74	185.3	8.8	8.7	37	0.4	2.8	0.2	8	0.74
4551318	Drill Core	7.02	0.014	0.2	9.9	19.3	47	0.7	8.7	3.7	1991	1.89	55.6	9.1	6.8	52	0.4	1.3	0.2	5	1.15
4551319	Drill Core	2.34	0.020	0.4	20.2	50.5	92	1.2	26.4	11.3	3136	2.55	111.8	6.9	9.6	50	1.1	2.9	0.3	4	1.21
4551320	Rock	0.66	<0.005	0.8	6.5	0.8	33	<0.1	2.1	4.6	507	2.09	0.8	<0.5	2.0	20	<0.1	<0.1	<0.1	29	0.66
4551321	Drill Core	8.25	0.010	0.3	15.0	32.5	47	0.9	21.2	13.3	1610	2.34	67.3	4.5	7.2	21	0.3	2.0	0.3	6	0.53
4551322	Drill Core	8.75	0.030	1.4	18.6	27.6	53	1.1	22.4	11.5	1548	2.87	77.5	20.6	7.9	38	0.2	2.1	0.7	7	0.87



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 6 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551293	Drill Core	0.009	17	9	0.05	23	0.004	<20	0.32	0.004	0.14	<0.1	<0.01	1.5	0.1	0.13	<1	<0.5	<0.2			
4551294	Drill Core	0.021	23	16	0.18	41	0.009	<20	0.58	0.007	0.24	<0.1	<0.01	2.0	0.2	0.35	2	<0.5	<0.2			
4551295	Drill Core	0.018	23	13	0.28	33	0.008	<20	0.75	0.007	0.22	<0.1	<0.01	1.2	<0.1	0.33	2	<0.5	<0.2			
4551296	Drill Core	0.067	22	18	0.29	36	0.003	<20	0.81	0.006	0.22	<0.1	<0.01	1.6	0.1	0.15	2	<0.5	<0.2			
4551297	Drill Core	0.017	18	12	0.17	34	0.004	<20	0.51	0.005	0.19	<0.1	<0.01	1.5	0.2	0.34	1	<0.5	<0.2			
4551298	Drill Core	0.045	26	17	0.20	42	0.008	<20	0.66	0.005	0.27	<0.1	<0.01	2.4	0.3	0.22	2	<0.5	<0.2			
4551299	Drill Core	0.053	26	15	0.27	45	0.010	<20	0.79	0.009	0.32	<0.1	<0.01	2.1	0.3	0.29	2	<0.5	<0.2			
4551300	Rock Pulp	0.073	7	46	1.34	69	0.078	<20	1.45	0.092	0.25	6.8	2.37	4.5	2.6	5.81	6	10.5	11.4			
4551301	Drill Core	0.021	29	14	0.22	90	0.010	<20	0.69	0.017	0.26	<0.1	<0.01	2.1	0.3	0.34	2	<0.5	<0.2			
4551302	Drill Core	0.022	28	13	0.26	58	0.005	<20	0.58	0.009	0.25	<0.1	<0.01	1.4	0.2	0.22	1	<0.5	<0.2			
4551303	Drill Core	0.063	36	24	0.55	44	0.006	<20	1.24	0.016	0.29	<0.1	<0.01	1.6	0.2	0.16	3	<0.5	<0.2			
4551304	Drill Core	0.030	31	20	0.61	47	0.007	<20	1.34	0.013	0.30	<0.1	<0.01	1.4	0.1	0.12	3	<0.5	<0.2			
4551305	Drill Core	0.042	22	15	0.50	36	0.002	<20	0.85	0.007	0.25	<0.1	<0.01	1.6	0.1	0.16	2	<0.5	<0.2			
4551306	Drill Core	0.095	17	12	0.41	38	0.003	<20	0.80	0.005	0.24	<0.1	<0.01	1.6	0.1	0.17	2	<0.5	<0.2			
4551307	Drill Core	0.039	35	18	0.67	58	0.012	<20	1.31	0.019	0.32	<0.1	<0.01	2.2	0.2	0.34	3	<0.5	<0.2			
4551308	Drill Core	0.024	26	17	0.55	50	0.010	<20	1.27	0.010	0.31	<0.1	<0.01	1.5	0.1	0.11	3	<0.5	<0.2			
4551309	Drill Core	0.063	14	17	0.63	43	0.005	<20	1.35	0.011	0.26	<0.1	<0.01	1.7	0.2	0.36	4	<0.5	<0.2			
4551310	Drill Core	0.049	16	16	0.58	42	0.005	<20	1.24	0.012	0.26	<0.1	<0.01	1.6	0.1	0.31	3	<0.5	<0.2			
4551311	Drill Core	0.027	15	11	0.43	30	0.002	<20	0.97	0.004	0.24	<0.1	<0.01	1.3	0.3	0.21	2	<0.5	<0.2			
4551312	Drill Core	0.018	18	7	0.23	26	0.002	<20	0.48	0.002	0.21	<0.1	<0.01	1.0	0.2	0.11	1	<0.5	<0.2			
4551313	Drill Core	0.010	16	11	0.33	38	0.009	<20	0.73	0.003	0.25	<0.1	<0.01	1.4	0.2	0.12	2	<0.5	<0.2			
4551314	Drill Core	0.059	18	12	0.47	71	0.004	<20	1.01	0.009	0.24	<0.1	<0.01	1.7	0.1	0.10	3	<0.5	<0.2			
4551315	Drill Core	0.017	18	10	0.38	37	0.002	<20	0.71	0.005	0.22	<0.1	<0.01	1.4	0.1	0.19	2	<0.5	<0.2			
4551316	Drill Core	0.011	18	8	0.35	35	0.002	<20	0.70	0.005	0.23	<0.1	<0.01	1.1	0.1	0.21	2	<0.5	<0.2			
4551317	Drill Core	0.013	14	9	0.46	33	0.002	<20	0.80	0.004	0.20	<0.1	<0.01	1.3	0.1	0.26	2	<0.5	<0.2			
4551318	Drill Core	0.007	10	5	0.36	28	0.001	<20	0.42	0.003	0.19	<0.1	<0.01	1.0	0.1	0.23	1	<0.5	<0.2			
4551319	Drill Core	0.009	8	5	0.41	29	<0.001	<20	0.33	0.003	0.22	<0.1	<0.01	1.2	0.3	0.93	<1	<0.5	<0.2			
4551320	Rock	0.042	5	6	0.56	43	0.088	<20	0.97	0.068	0.08	<0.1	<0.01	2.3	<0.1	<0.05	4	<0.5	<0.2			
4551321	Drill Core	0.013	11	6	0.36	30	<0.001	<20	0.40	0.005	0.21	<0.1	<0.01	1.1	0.2	0.34	1	<0.5	<0.2			
4551322	Drill Core	0.021	14	14	0.50	45	0.002	<20	0.59	0.007	0.29	<0.1	<0.01	1.4	0.2	0.29	2	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 7 of 9 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method	Analyte	Unit	MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4551323	Drill Core				8.83	0.010	1.5	27.9	44.2	105	1.0	23.5	10.4	988	2.86	40.9	3.2	7.1	27	0.8	1.3	0.2	7	0.54
4551324	Drill Core				9.57	<0.005	1.0	5.7	10.5	17	0.2	4.3	1.7	238	0.71	48.7	3.2	3.7	2	<0.1	0.3	<0.1	2	0.03
4551325	Drill Core				9.76	0.008	1.3	7.5	59.9	30	0.5	4.8	2.5	556	1.00	174.9	4.8	3.9	8	0.2	0.5	0.3	2	0.19
4551326	Drill Core				6.68	<0.005	1.4	13.9	16.0	55	0.3	10.2	4.3	449	1.54	9.7	2.6	4.6	12	0.4	0.2	0.1	3	0.27
4551327	Drill Core				8.15	0.007	1.5	38.6	37.0	83	1.7	28.9	12.7	1093	3.36	26.5	2.1	7.1	22	0.4	1.6	0.5	8	0.55
4551328	Drill Core				8.00	<0.005	1.9	21.7	24.5	38	1.0	20.5	10.0	685	2.09	19.8	2.2	6.8	12	0.2	0.6	0.2	5	0.23
4551329	Drill Core				4.73	<0.005	1.2	10.4	7.1	34	0.2	7.4	3.2	326	1.22	9.9	1.0	4.6	8	<0.1	0.2	<0.1	3	0.23
4551330	Drill Core				5.36	<0.005	1.6	9.5	8.0	36	0.2	7.4	3.2	326	1.19	12.5	1.0	4.6	9	0.1	0.2	<0.1	3	0.22
4551331	Drill Core				5.34	<0.005	1.1	36.5	50.5	128	1.1	27.4	13.0	1107	3.42	38.5	1.5	7.6	38	0.7	1.0	0.3	13	0.93
4551332	Drill Core				8.94	<0.005	1.0	28.4	50.4	153	1.3	32.4	15.5	1135	3.64	43.9	1.5	9.8	25	1.2	3.5	0.3	12	0.40
4551333	Drill Core				8.00	0.011	1.1	29.0	15.1	59	0.5	23.0	10.8	846	3.02	77.9	7.6	8.3	38	<0.1	1.2	0.5	11	0.67
4551334	Drill Core				8.90	0.005	0.6	29.0	9.4	66	0.6	31.3	13.7	621	3.10	51.2	3.3	12.2	21	<0.1	1.3	0.4	11	0.29
4551335	Drill Core				8.15	0.010	0.3	29.7	32.9	90	1.0	30.9	15.7	888	3.58	44.6	8.0	10.1	16	0.4	2.5	0.7	12	0.24
4551336	Drill Core				8.50	0.021	0.7	41.4	15.8	87	1.8	41.0	21.2	1017	4.11	652.1	19.4	8.2	27	0.2	3.4	0.4	15	0.49
4551337	Drill Core				8.15	0.011	0.2	27.1	16.5	63	1.8	21.9	10.0	962	3.08	49.3	16.1	6.7	37	0.2	0.5	0.6	10	0.72
4551338	Drill Core				8.43	0.066	2.1	33.7	156.5	209	3.5	21.2	9.4	1275	2.45	73.5	25.8	6.7	47	2.3	0.4	1.8	9	1.27
4551339	Drill Core				8.31	0.016	1.2	27.4	31.9	107	1.0	24.6	11.2	849	2.78	35.5	7.5	8.1	44	0.5	0.3	0.4	12	0.95
4551340	Rock Pulp				0.07	0.758	6.8	4366.1	2891.5	9765	43.5	23.5	49.4	847	17.03	1335.8	204.7	0.4	38	58.1	100.8	21.4	23	1.59
4551341	Drill Core				8.89	0.007	2.1	29.0	12.0	96	0.2	27.1	11.8	539	2.96	25.5	3.5	9.5	26	0.4	0.2	0.3	14	0.59
4551342	Drill Core				8.62	<0.005	1.1	34.0	15.2	83	0.5	33.8	15.6	797	3.69	29.7	0.9	11.7	44	<0.1	0.4	0.3	14	0.69
4551343	Drill Core				9.01	<0.005	1.1	33.9	13.3	91	0.4	33.7	13.4	613	3.58	22.3	0.8	11.2	40	0.1	2.2	0.2	12	0.53
4551344	Drill Core				8.44	0.005	1.1	19.0	12.2	58	0.2	21.9	11.0	632	2.90	98.2	1.2	9.8	33	<0.1	0.3	0.2	10	0.60
4551345	Drill Core				8.68	0.006	1.0	27.9	14.9	87	0.4	31.9	17.2	765	3.63	83.7	4.6	9.6	30	<0.1	1.2	0.2	13	0.57
4551346	Drill Core				8.54	0.009	1.3	17.8	27.2	60	0.5	26.4	14.1	610	2.33	63.9	4.0	10.2	35	<0.1	0.2	0.6	9	0.65
4551347	Drill Core				5.42	0.010	0.8	15.5	14.0	63	0.2	18.0	8.4	507	2.37	25.3	6.4	10.0	40	<0.1	0.4	0.5	12	1.05
4551348	Drill Core				6.02	0.038	0.9	24.4	23.3	97	0.2	33.0	11.5	755	3.03	68.0	28.7	15.0	45	<0.1	0.3	1.8	19	1.72
4551349	Drill Core				4.88	0.025	1.1	34.4	14.4	94	0.3	39.6	15.3	506	3.43	42.1	15.4	16.5	45	<0.1	0.8	1.1	15	1.26
4551350	Drill Core				5.71	0.044	0.6	50.0	15.0	90	0.2	36.5	15.3	563	3.62	42.5	48.2	16.9	41	<0.1	0.6	1.7	16	1.26
4551351	Drill Core				8.57	0.011	1.0	34.7	16.3	85	0.3	34.1	12.1	509	3.04	40.8	10.4	15.4	37	<0.1	0.5	0.6	16	1.21
4551352	Drill Core				8.27	0.025	0.6	30.6	34.6	143	1.4	38.4	16.8	929	3.55	56.6	6.7	17.4	72	0.7	0.8	1.5	16	2.04



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 7 of 9 Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551323	Drill Core	0.016	15	14	0.43	41	0.002	<20	0.54	0.008	0.30	<0.1	<0.01	1.3	0.2	0.40	2	<0.5	<0.2			
4551324	Drill Core	0.004	8	8	0.04	13	<0.001	<20	0.18	0.003	0.13	<0.1	<0.01	0.2	<0.1	0.12	<1	<0.5	<0.2			
4551325	Drill Core	0.009	8	9	0.09	15	<0.001	<20	0.20	0.003	0.14	<0.1	<0.01	0.4	<0.1	0.19	<1	<0.5	<0.2			
4551326	Drill Core	0.006	9	11	0.17	18	0.001	<20	0.23	0.004	0.16	<0.1	<0.01	0.5	<0.1	0.39	<1	<0.5	<0.2			
4551327	Drill Core	0.023	12	12	0.47	33	0.002	<20	0.71	0.006	0.27	<0.1	<0.01	1.4	0.1	1.00	2	<0.5	<0.2			
4551328	Drill Core	0.015	13	12	0.26	28	0.002	<20	0.55	0.007	0.24	<0.1	<0.01	0.8	0.1	0.53	1	<0.5	<0.2			
4551329	Drill Core	0.006	10	10	0.14	19	0.001	<20	0.34	0.005	0.17	<0.1	<0.01	0.5	<0.1	0.30	<1	<0.5	<0.2			
4551330	Drill Core	0.006	10	12	0.13	19	0.001	<20	0.31	0.004	0.17	<0.1	<0.01	0.4	<0.1	0.31	<1	<0.5	<0.2			
4551331	Drill Core	0.082	16	19	0.63	38	0.004	<20	1.34	0.006	0.28	<0.1	<0.01	1.8	0.1	0.27	3	<0.5	<0.2			
4551332	Drill Core	0.041	18	19	0.69	47	0.004	<20	1.56	0.007	0.27	<0.1	<0.01	1.4	0.1	0.24	4	<0.5	<0.2			
4551333	Drill Core	0.013	15	17	0.58	42	0.004	<20	1.23	0.007	0.25	0.6	<0.01	1.4	0.1	0.30	3	<0.5	<0.2			
4551334	Drill Core	0.046	18	15	0.55	47	0.004	<20	1.23	0.008	0.26	0.1	<0.01	1.2	0.1	0.24	3	<0.5	<0.2			
4551335	Drill Core	0.028	17	14	0.63	47	0.003	<20	1.32	0.008	0.25	<0.1	<0.01	1.5	0.1	0.27	3	<0.5	<0.2			
4551336	Drill Core	0.039	15	18	0.76	52	0.004	<20	1.63	0.009	0.27	<0.1	<0.01	1.7	0.1	0.29	4	<0.5	<0.2			
4551337	Drill Core	0.034	12	10	0.58	34	0.003	<20	1.22	0.008	0.26	1.4	<0.01	1.3	0.2	0.28	3	<0.5	<0.2			
4551338	Drill Core	0.031	12	12	0.44	37	0.003	<20	1.01	0.005	0.31	0.3	<0.01	1.2	0.3	0.38	3	0.5	<0.2			
4551339	Drill Core	0.033	17	17	0.54	50	0.017	<20	1.32	0.010	0.36	0.2	<0.01	1.6	0.2	0.21	3	<0.5	<0.2			
4551340	Rock Pulp	0.022	2	23	1.00	18	0.002	<20	0.74	0.005	0.09	2.2	7.89	2.0	9.7	>10	3	99.7	0.3			
4551341	Drill Core	0.017	21	20	0.56	61	0.032	<20	1.34	0.017	0.38	0.1	<0.01	1.6	0.2	0.34	3	<0.5	<0.2			
4551342	Drill Core	0.052	16	19	0.69	54	0.005	<20	1.57	0.016	0.30	<0.1	<0.01	2.2	0.1	0.35	4	<0.5	<0.2			
4551343	Drill Core	0.049	16	19	0.66	44	0.009	<20	1.52	0.010	0.30	<0.1	<0.01	1.9	0.1	0.29	4	<0.5	<0.2			
4551344	Drill Core	0.032	17	17	0.58	48	0.009	<20	1.20	0.011	0.28	<0.1	<0.01	1.6	0.1	0.16	3	<0.5	<0.2			
4551345	Drill Core	0.028	17	21	0.70	56	0.006	<20	1.37	0.011	0.29	<0.1	<0.01	2.0	0.1	0.19	4	<0.5	<0.2			
4551346	Drill Core	0.018	18	16	0.45	48	0.017	<20	1.01	0.020	0.30	<0.1	<0.01	1.6	0.1	0.15	3	<0.5	<0.2			
4551347	Drill Core	0.019	20	20	0.49	49	0.010	<20	1.11	0.019	0.25	<0.1	<0.01	1.7	0.1	0.12	3	<0.5	<0.2			
4551348	Drill Core	0.045	26	24	0.66	67	0.034	<20	1.47	0.037	0.28	0.5	<0.01	2.3	0.1	0.44	4	<0.5	<0.2			
4551349	Drill Core	0.043	39	25	0.65	47	0.008	<20	1.65	0.018	0.29	<0.1	<0.01	2.1	0.1	0.23	5	<0.5	<0.2			
4551350	Drill Core	0.030	36	24	0.71	42	0.008	<20	1.71	0.017	0.27	7.2	<0.01	2.6	0.1	0.29	5	<0.5	<0.2			
4551351	Drill Core	0.040	30	22	0.58	65	0.020	<20	1.45	0.028	0.31	0.1	<0.01	2.1	0.2	0.38	4	<0.5	<0.2			
4551352	Drill Core	0.040	33	21	0.73	52	0.010	<20	1.76	0.014	0.36	0.1	<0.01	2.5	0.2	0.31	4	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 8 of 9 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4551353	Drill Core	8.39	0.022	0.9	17.1	46.0	86	1.1	19.8	9.2	1688	2.12	49.6	13.7	13.7	62	0.7	0.8	1.5	11	2.45
4551354	Drill Core	8.58	0.011	0.8	21.9	23.2	63	0.2	23.1	8.6	597	2.03	47.3	6.8	15.4	57	0.1	0.2	0.8	15	1.94
4551355	Drill Core	6.97	0.008	1.1	31.7	20.5	70	0.2	30.7	10.6	499	2.46	56.6	6.1	14.6	58	<0.1	1.1	0.6	15	1.39
4551356	Drill Core	4.54	0.049	1.2	19.4	24.7	86	0.5	21.5	9.9	1496	2.83	767.8	36.8	16.4	206	0.2	2.3	2.7	15	4.19
4551357	Drill Core	7.90	0.015	0.9	21.0	19.3	80	0.2	25.9	10.6	583	2.63	121.6	13.0	15.3	48	<0.1	0.4	0.7	16	1.44
4551358	Drill Core	7.85	0.006	1.1	19.3	20.1	83	0.3	32.3	13.3	468	2.75	84.7	6.7	14.9	51	0.1	1.0	0.3	14	1.02
4551359	Drill Core	8.55	0.011	0.9	36.4	35.0	120	1.8	33.9	17.9	1331	3.28	139.7	7.1	12.0	32	1.1	1.9	0.2	11	0.65
4551360	Rock Pulp	0.11	1.401	163.9	6533.2	4484.0	>10000	>100	210.1	47.8	710	7.54	567.2	886.6	4.6	99	53.9	174.6	118.3	70	1.86
4551361	Drill Core	8.61	0.012	1.2	19.8	237.0	64	1.9	17.6	8.9	1147	2.00	138.5	5.8	8.3	33	0.7	1.7	0.2	6	0.65
4551362	Drill Core	7.56	0.015	1.3	12.2	64.2	35	0.6	12.2	5.8	840	1.67	109.1	9.0	9.7	19	0.2	1.0	<0.1	5	0.32
4551363	Drill Core	7.64	<0.005	0.6	8.9	11.5	28	0.2	11.4	5.5	590	1.66	57.5	7.7	8.2	27	0.1	1.8	<0.1	4	0.45
4551364	Drill Core	5.24	<0.005	1.1	9.9	12.2	46	0.1	15.8	6.9	526	2.27	25.2	5.1	10.0	38	<0.1	1.2	<0.1	7	0.64
4551365	Drill Core	4.54	<0.005	0.9	11.9	19.9	66	<0.1	21.3	9.3	568	2.58	38.4	3.6	9.6	39	<0.1	0.8	0.1	14	0.93
4551366	Drill Core	9.57	0.028	0.7	18.0	16.5	64	0.2	21.4	9.9	556	2.41	170.5	21.9	8.5	41	0.3	1.9	0.1	8	0.73
4551367	Drill Core	7.91	0.014	0.9	12.5	29.9	56	0.2	13.0	5.9	300	1.52	314.6	6.2	4.9	14	0.6	1.0	0.2	4	0.15
4551368	Drill Core	8.38	0.023	1.1	6.2	10.6	35	<0.1	11.6	7.1	322	1.48	135.7	28.5	7.2	24	<0.1	0.7	0.1	6	0.37
4551369	Drill Core	7.26	0.005	0.7	14.1	21.4	82	0.1	14.8	7.7	331	1.61	33.9	1.4	8.3	21	0.3	1.0	0.2	6	0.26
4551370	Drill Core	8.25	0.006	1.2	14.7	23.0	138	0.1	16.8	9.3	356	1.84	40.9	3.5	8.8	21	0.6	1.4	0.2	6	0.27
4551371	Drill Core	6.39	<0.005	0.6	15.9	6.4	23	<0.1	11.0	5.5	287	1.39	9.6	2.9	5.5	17	<0.1	0.9	<0.1	4	0.22
4551372	Drill Core	6.21	0.019	0.6	12.8	9.0	85	<0.1	9.0	5.2	219	1.07	547.4	17.8	5.3	9	0.1	0.8	<0.1	3	0.06
4551373	Drill Core	4.70	0.009	0.9	25.3	10.1	48	0.1	29.2	12.1	440	3.42	1.7	4.6	5.3	27	<0.1	1.5	0.2	8	0.33
4551374	Drill Core	8.67	0.008	0.6	20.5	11.8	70	0.1	23.4	11.0	548	3.11	19.4	6.9	6.2	20	<0.1	2.1	0.1	10	0.21
4551375	Drill Core	8.21	0.010	0.7	26.3	10.4	59	0.1	23.3	10.2	411	2.56	96.2	7.4	7.9	27	<0.1	2.6	0.2	8	0.38
4551376	Drill Core	7.60	0.011	0.9	30.2	6.9	70	0.2	33.5	15.3	330	3.82	130.9	19.9	9.3	25	<0.1	0.9	0.9	13	0.31
4551377	Drill Core	9.44	0.006	0.9	26.1	15.5	78	0.1	28.9	14.7	467	3.25	94.0	4.2	6.5	37	<0.1	2.4	0.3	13	0.49
4551378	Drill Core	8.52	<0.005	1.8	32.3	22.9	91	0.2	34.0	14.9	621	3.80	15.8	1.1	5.9	38	<0.1	3.8	0.7	13	0.49
4551379	Drill Core	8.47	0.011	1.1	26.3	9.3	49	0.2	21.8	10.4	498	2.42	291.7	9.3	5.5	31	<0.1	3.3	0.2	8	0.37
4551380	Rock	0.68	<0.005	1.4	6.1	1.0	23	<0.1	1.8	3.7	412	1.79	0.9	0.7	2.1	20	<0.1	<0.1	<0.1	23	0.55
4551381	Drill Core	8.27	0.008	0.4	36.3	11.0	62	0.3	27.3	15.6	642	3.03	111.2	5.2	6.6	32	<0.1	2.8	0.4	9	0.34
4551382	Drill Core	5.79	<0.005	0.9	25.7	12.0	76	0.9	24.0	10.8	734	2.72	63.0	2.9	6.8	14	0.3	1.3	0.7	8	0.11



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 07, 2022

Page: 8 of 9

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
4551353	Drill Core	0.021	22	15	0.41	48	0.006	<20	0.97	0.011	0.29	<0.1	<0.01	1.7	0.2	0.31	3	<0.5	<0.2			
4551354	Drill Core	0.023	23	19	0.42	69	0.036	<20	1.05	0.042	0.28	2.6	<0.01	1.8	0.2	0.38	3	<0.5	<0.2			
4551355	Drill Core	0.022	25	20	0.43	63	0.024	<20	1.12	0.039	0.32	<0.1	<0.01	2.0	0.2	0.55	3	<0.5	<0.2			
4551356	Drill Core	0.026	31	21	0.49	51	0.002	<20	1.17	0.019	0.24	31.5	<0.01	2.5	0.1	0.39	4	<0.5	<0.2			
4551357	Drill Core	0.030	28	21	0.55	76	0.028	<20	1.29	0.031	0.40	0.2	<0.01	2.2	0.3	0.34	4	<0.5	<0.2			
4551358	Drill Core	0.038	29	21	0.51	72	0.016	<20	1.24	0.016	0.40	0.1	<0.01	2.0	0.3	0.20	3	<0.5	<0.2			
4551359	Drill Core	0.034	16	16	0.56	51	0.003	<20	1.29	0.008	0.29	<0.1	<0.01	1.7	0.2	0.27	3	<0.5	<0.2			
4551360	Rock Pulp	0.074	8	43	1.30	114	0.076	20	1.41	0.089	0.25	8.5	2.76	4.7	2.9	5.75	5	11.1	11.0			
4551361	Drill Core	0.035	16	13	0.33	47	0.002	<20	0.69	0.007	0.27	<0.1	<0.01	1.3	0.2	0.18	2	<0.5	<0.2			
4551362	Drill Core	0.009	17	12	0.23	43	0.001	<20	0.47	0.006	0.24	<0.1	<0.01	0.9	0.2	0.15	1	<0.5	<0.2			
4551363	Drill Core	0.015	14	7	0.28	35	0.001	<20	0.31	0.005	0.19	<0.1	<0.01	0.9	0.1	0.08	<1	<0.5	<0.2			
4551364	Drill Core	0.009	20	13	0.42	53	0.003	<20	0.58	0.007	0.25	<0.1	<0.01	1.2	0.1	<0.05	2	<0.5	<0.2			
4551365	Drill Core	0.027	19	18	0.54	83	0.021	<20	1.12	0.017	0.41	<0.1	<0.01	2.0	0.2	0.07	3	<0.5	<0.2			
4551366	Drill Core	0.134	13	12	0.38	39	0.003	<20	0.75	0.007	0.25	<0.1	<0.01	1.3	0.1	0.20	2	<0.5	<0.2			
4551367	Drill Core	0.006	9	9	0.21	27	0.001	<20	0.41	0.007	0.18	<0.1	<0.01	0.8	<0.1	0.24	1	<0.5	<0.2			
4551368	Drill Core	0.009	16	12	0.24	40	0.005	<20	0.58	0.007	0.22	<0.1	<0.01	0.9	<0.1	0.10	1	<0.5	<0.2			
4551369	Drill Core	0.020	15	9	0.21	40	0.004	<20	0.47	0.007	0.21	<0.1	<0.01	1.0	<0.1	0.14	1	<0.5	<0.2			
4551370	Drill Core	0.020	15	12	0.25	43	0.004	<20	0.52	0.008	0.23	<0.1	<0.01	1.2	0.1	0.16	1	<0.5	<0.2			
4551371	Drill Core	0.011	10	8	0.19	35	0.002	<20	0.35	0.007	0.17	<0.1	<0.01	0.8	<0.1	0.15	<1	<0.5	<0.2			
4551372	Drill Core	0.007	11	8	0.13	38	0.002	<20	0.34	0.009	0.16	<0.1	<0.01	0.7	<0.1	0.15	<1	<0.5	<0.2			
4551373	Drill Core	0.080	9	11	0.39	56	0.003	<20	0.69	0.011	0.25	<0.1	<0.01	1.7	0.1	0.62	2	<0.5	<0.2			
4551374	Drill Core	0.013	11	13	0.45	46	0.005	<20	0.85	0.011	0.24	<0.1	<0.01	1.7	0.1	0.22	2	<0.5	<0.2			
4551375	Drill Core	0.028	12	11	0.37	48	0.004	<20	0.68	0.008	0.24	<0.1	<0.01	1.3	0.1	0.31	2	<0.5	<0.2			
4551376	Drill Core	0.030	16	17	0.55	94	0.016	<20	1.30	0.009	0.39	<0.1	<0.01	1.9	0.2	0.37	3	<0.5	<0.2			
4551377	Drill Core	0.045	14	20	0.67	49	0.009	<20	1.37	0.009	0.25	<0.1	<0.01	1.5	0.1	0.24	4	<0.5	<0.2			
4551378	Drill Core	0.079	12	25	0.77	42	0.004	<20	1.52	0.008	0.21	<0.1	<0.01	1.6	<0.1	0.23	4	<0.5	<0.2			
4551379	Drill Core	0.016	11	12	0.38	47	0.002	<20	0.79	0.006	0.21	<0.1	<0.01	1.1	<0.1	0.23	2	<0.5	<0.2			
4551380	Rock	0.039	5	8	0.43	46	0.068	<20	0.78	0.071	0.08	<0.1	<0.01	1.9	<0.1	<0.05	3	<0.5	<0.2			
4551381	Drill Core	0.017	11	9	0.50	45	0.002	<20	1.00	0.006	0.22	<0.1	<0.01	1.2	<0.1	0.38	3	<0.5	<0.2			
4551382	Drill Core	0.018	12	11	0.41	51	0.002	<20	1.02	0.009	0.23	<0.1	<0.01	0.9	0.1	0.30	3	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Page: 9 of 9 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4551383	Drill Core	5.11	<0.005	0.2	11.7	9.8	42	0.5	25.2	12.7	1578	2.56	41.6	1.7	4.8	18	0.1	0.4	0.2	9	0.41
4551384	Drill Core	6.42	<0.005	0.2	46.2	6.1	94	1.0	37.2	20.2	372	4.16	4.6	1.5	6.2	21	<0.1	0.3	0.3	17	0.16
4551385	Drill Core	6.62	<0.005	<0.1	42.7	6.1	94	0.1	34.1	20.0	251	4.01	8.6	0.9	14.9	14	<0.1	0.2	0.5	19	0.13
4551386	Drill Core	3.51	<0.005	0.6	9.8	34.5	45	0.1	13.5	7.9	1821	1.80	27.4	1.0	7.7	343	<0.1	0.6	0.2	11	14.88
4551387	Drill Core	7.85	<0.005	0.5	29.2	20.0	79	0.3	24.8	13.5	423	3.06	21.0	1.5	11.9	45	0.2	0.2	0.6	13	1.09
4551388	Drill Core	7.87	0.007	0.4	45.7	6.6	89	<0.1	34.1	20.3	295	4.07	146.3	4.9	11.0	14	<0.1	0.2	0.8	17	0.20
4551389	Drill Core	7.55	0.018	0.1	42.5	3.7	91	<0.1	34.0	16.7	219	4.02	0.7	1.0	14.2	15	<0.1	0.1	0.3	19	0.14
4551390	Drill Core	8.56	<0.005	0.1	34.5	4.4	93	<0.1	35.0	16.9	216	4.04	1.3	0.8	13.9	14	<0.1	0.1	0.4	20	0.11
4551391	Drill Core	9.18	<0.005	0.2	26.4	8.1	90	<0.1	34.5	17.8	384	3.81	1.1	0.8	13.2	18	<0.1	0.2	0.3	19	0.17
4551392	Drill Core	9.06	<0.005	0.4	41.7	3.8	88	<0.1	35.5	17.6	332	4.32	4.5	1.7	14.7	12	<0.1	<0.1	0.4	20	0.09
4551393	Drill Core	8.57	<0.005	0.6	24.1	15.2	67	<0.1	24.6	14.1	1057	2.93	25.3	1.2	15.6	33	<0.1	0.1	0.4	12	0.56
4551394	Drill Core	4.72	<0.005	0.2	25.2	25.6	93	0.2	34.3	15.6	452	3.95	19.4	2.5	22.5	23	<0.1	0.2	1.3	13	0.31
4551395	Drill Core	5.11	<0.005	0.3	28.4	16.2	91	0.1	34.2	15.4	394	4.01	25.3	1.0	18.9	40	<0.1	0.4	0.5	14	0.56



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Page: 9 of 9 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000848.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551383	Drill Core	0.032	12	11	0.45	37	0.002	<20	1.12	0.009	0.19	<0.1	<0.01	1.0	0.2	<0.05	3	<0.5	<0.2
4551384	Drill Core	0.027	17	23	0.88	58	0.003	<20	2.04	0.022	0.25	<0.1	<0.01	1.4	0.1	<0.05	5	<0.5	<0.2
4551385	Drill Core	0.027	33	22	0.83	49	0.006	<20	1.97	0.017	0.18	<0.1	<0.01	1.5	<0.1	<0.05	5	<0.5	<0.2
4551386	Drill Core	0.020	16	12	0.49	89	0.003	<20	0.96	0.011	0.16	<0.1	<0.01	1.5	<0.1	0.08	2	<0.5	<0.2
4551387	Drill Core	0.030	16	16	0.66	66	0.003	<20	1.35	0.012	0.21	0.2	<0.01	1.3	<0.1	0.35	4	<0.5	<0.2
4551388	Drill Core	0.035	21	22	0.87	52	0.004	<20	1.90	0.014	0.19	<0.1	<0.01	1.4	<0.1	0.24	5	<0.5	<0.2
4551389	Drill Core	0.030	36	20	0.80	44	0.002	<20	1.57	0.022	0.19	<0.1	<0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
4551390	Drill Core	0.030	35	20	0.82	47	0.002	<20	1.62	0.025	0.21	<0.1	<0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
4551391	Drill Core	0.030	31	20	0.78	47	0.002	<20	1.62	0.022	0.19	<0.1	<0.01	1.2	<0.1	0.08	4	<0.5	<0.2
4551392	Drill Core	0.029	35	26	0.79	51	0.016	<20	2.06	0.017	0.21	<0.1	<0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
4551393	Drill Core	0.048	39	17	0.65	48	0.013	<20	1.42	0.013	0.24	<0.1	<0.01	1.2	<0.1	0.22	3	<0.5	<0.2
4551394	Drill Core	0.051	59	21	0.97	77	0.014	<20	1.89	0.013	0.25	<0.1	<0.01	1.4	<0.1	0.29	5	<0.5	<0.2
4551395	Drill Core	0.044	48	22	0.89	75	0.006	<20	1.86	0.014	0.28	<0.1	<0.01	1.4	<0.1	0.31	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 4

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000848.1

Method Analyte Unit MDL		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
4551185	Drill Core	4.98	0.563	1.1	234.1	181.6	51	13.8	35.4	17.8	1762	4.72	684.0	428.6	11.5	74	0.3	1.6	38.0	22	2.25
REP 4551185	QC	0.584																			
4551187	Drill Core	8.87	0.018	0.5	25.7	13.5	46	0.8	24.0	10.6	1061	2.97	37.4	11.2	7.4	30	0.1	1.5	0.6	7	0.50
REP 4551187	QC			0.5	27.0	13.5	46	0.8	24.4	12.1	1064	3.01	37.5	19.2	7.3	31	0.1	1.4	0.6	7	0.51
4551221	Drill Core	6.43	0.023	1.6	34.0	138.9	154	2.3	22.5	12.3	1453	2.56	551.6	18.1	9.3	9	1.6	2.5	0.6	6	0.09
REP 4551221	QC			1.7	34.0	137.9	152	2.4	21.7	11.9	1451	2.56	552.4	18.6	9.2	9	1.6	2.1	0.6	6	0.09
4551235	Drill Core	7.41	<0.005	1.4	14.5	4.2	16	0.3	8.9	3.5	367	1.27	13.1	1.2	4.4	4	<0.1	0.8	<0.1	2	0.03
REP 4551235	QC	<0.005																			
4551256	Drill Core	8.59	<0.005	0.4	26.7	9.4	83	0.1	32.0	14.3	715	4.16	55.6	2.2	11.8	46	<0.1	4.9	0.2	19	0.82
REP 4551256	QC			0.4	26.6	9.1	83	0.1	30.8	12.5	696	4.09	51.5	3.8	11.8	45	<0.1	4.8	0.2	19	0.79
4551258	Drill Core	8.89	0.005	0.5	36.6	9.8	73	0.4	36.8	16.6	475	3.69	18.9	5.7	13.5	11	<0.1	3.6	0.2	16	0.11
REP 4551258	QC	0.005																			
4551291	Drill Core	8.51	0.023	9.2	61.8	21.0	88	0.2	26.6	13.3	786	2.35	15.4	17.2	14.3	8	0.1	0.7	0.8	19	0.17
REP 4551291	QC			8.5	64.1	20.9	89	0.3	27.8	14.5	798	2.37	18.1	208.5	14.6	8	0.1	0.8	1.3	19	0.17
4551310	Drill Core	8.53	0.008	0.4	36.4	13.1	83	0.8	32.5	13.4	847	3.78	90.5	4.6	8.9	20	0.1	3.1	0.2	14	0.39
REP 4551310	QC	0.009																			
4551326	Drill Core	6.68	<0.005	1.4	13.9	16.0	55	0.3	10.2	4.3	449	1.54	9.7	2.6	4.6	12	0.4	0.2	0.1	3	0.27
REP 4551326	QC			1.5	14.3	16.9	57	0.3	11.1	4.5	453	1.56	8.4	3.4	4.9	13	0.5	0.2	0.1	3	0.27
4551333	Drill Core	8.00	0.011	1.1	29.0	15.1	59	0.5	23.0	10.8	846	3.02	77.9	7.6	8.3	38	<0.1	1.2	0.5	11	0.67
REP 4551333	QC	0.011																			
4551356	Drill Core	4.54	0.049	1.2	19.4	24.7	86	0.5	21.5	9.9	1496	2.83	767.8	36.8	16.4	206	0.2	2.3	2.7	15	4.19
REP 4551356	QC	0.054																			
4551361	Drill Core	8.61	0.012	1.2	19.8	237.0	64	1.9	17.6	8.9	1147	2.00	138.5	5.8	8.3	33	0.7	1.7	0.2	6	0.65
REP 4551361	QC			0.8	18.9	207.6	61	1.9	16.6	8.3	1118	1.96	124.7	310.0	8.1	30	0.6	1.5	0.2	6	0.63
4551371	Drill Core	6.39	<0.005	0.6	15.9	6.4	23	<0.1	11.0	5.5	287	1.39	9.6	2.9	5.5	17	<0.1	0.9	<0.1	4	0.22
REP 4551371	QC	0.005																			
4551395	Drill Core	5.11	<0.005	0.3	28.4	16.2	91	0.1	34.2	15.4	394	4.01	25.3	1.0	18.9	40	<0.1	0.4	0.5	14	0.56
REP 4551395	QC			0.4	27.7	15.9	90	0.1	34.2	14.7	386	3.96	28.7	0.6	18.5	41	<0.1	0.4	0.5	14	0.55



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 4

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000848.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
4551185	Drill Core	0.024	24	24	0.84	48	0.001	<20	0.98	0.003	0.35	>100	<0.01	3.7	0.4	2.31	3	5.6	1.3
REP 4551185	QC																		
4551187	Drill Core	0.030	15	9	0.44	54	0.001	<20	0.59	0.008	0.24	1.1	<0.01	1.3	0.1	0.31	2	<0.5	<0.2
REP 4551187	QC	0.033	14	9	0.46	56	0.001	<20	0.59	0.007	0.24	0.8	<0.01	1.4	0.1	0.31	2	<0.5	<0.2
4551221	Drill Core	0.020	24	9	0.23	32	<0.001	<20	0.35	0.007	0.26	0.2	0.02	1.6	0.2	0.34	<1	<0.5	<0.2
REP 4551221	QC	0.020	22	10	0.23	32	<0.001	<20	0.35	0.007	0.25	0.2	0.01	1.6	0.2	0.33	<1	<0.5	<0.2
4551235	Drill Core	0.007	10	5	0.13	18	<0.001	<20	0.20	0.005	0.16	<0.1	<0.01	0.5	0.1	0.15	<1	<0.5	<0.2
REP 4551235	QC																		
4551256	Drill Core	0.150	26	22	0.81	49	0.007	<20	1.82	0.018	0.27	<0.1	<0.01	2.0	0.1	0.20	5	<0.5	<0.2
REP 4551256	QC	0.144	26	22	0.80	48	0.007	<20	1.78	0.018	0.27	<0.1	<0.01	2.0	0.1	0.20	5	<0.5	<0.2
4551258	Drill Core	0.029	31	18	0.49	76	0.004	<20	1.34	0.020	0.35	<0.1	<0.01	1.9	0.2	0.15	3	<0.5	<0.2
REP 4551258	QC																		
4551291	Drill Core	0.031	39	18	0.09	45	0.004	<20	0.58	0.004	0.16	<0.1	<0.01	3.5	0.2	0.51	2	0.9	<0.2
REP 4551291	QC	0.031	39	18	0.10	45	0.005	<20	0.61	0.005	0.17	<0.1	<0.01	3.6	0.2	0.52	2	1.1	<0.2
4551310	Drill Core	0.049	16	16	0.58	42	0.005	<20	1.24	0.012	0.26	<0.1	<0.01	1.6	0.1	0.31	3	<0.5	<0.2
REP 4551310	QC																		
4551326	Drill Core	0.006	9	11	0.17	18	0.001	<20	0.23	0.004	0.16	<0.1	<0.01	0.5	<0.1	0.39	<1	<0.5	<0.2
REP 4551326	QC	0.006	10	12	0.18	19	0.001	<20	0.24	0.005	0.16	<0.1	<0.01	0.6	<0.1	0.39	<1	<0.5	<0.2
4551333	Drill Core	0.013	15	17	0.58	42	0.004	<20	1.23	0.007	0.25	0.6	<0.01	1.4	0.1	0.30	3	<0.5	<0.2
REP 4551333	QC																		
4551356	Drill Core	0.026	31	21	0.49	51	0.002	<20	1.17	0.019	0.24	31.5	<0.01	2.5	0.1	0.39	4	<0.5	<0.2
REP 4551356	QC																		
4551361	Drill Core	0.035	16	13	0.33	47	0.002	<20	0.69	0.007	0.27	<0.1	<0.01	1.3	0.2	0.18	2	<0.5	<0.2
REP 4551361	QC	0.030	15	11	0.32	46	0.001	<20	0.68	0.006	0.27	<0.1	<0.01	1.0	0.2	0.18	2	<0.5	<0.2
4551371	Drill Core	0.011	10	8	0.19	35	0.002	<20	0.35	0.007	0.17	<0.1	<0.01	0.8	<0.1	0.15	<1	<0.5	<0.2
REP 4551371	QC																		
4551395	Drill Core	0.044	48	22	0.89	75	0.006	<20	1.86	0.014	0.28	<0.1	<0.01	1.4	<0.1	0.31	4	<0.5	<0.2
REP 4551395	QC	0.044	49	21	0.88	76	0.006	<20	1.84	0.014	0.28	<0.1	<0.01	1.4	<0.1	0.30	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client:

Banyan Gold Corp.

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Project:

Aurex

Report Date:

December 07, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page:

2 of 4

Part:

1 of 2

QUALITY CONTROL REPORT

WHI22000848.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Core Reject Duplicates																					
4551182	Drill Core	5.30	0.036	0.7	30.5	20.8	85	0.5	27.6	14.4	956	3.40	180.6	18.3	8.3	16	0.3	1.4	0.5	9	0.21
DUP 4551182	QC		0.030	0.8	30.1	23.6	85	0.5	29.0	15.3	943	3.42	208.3	58.4	8.3	16	0.2	1.4	0.5	9	0.21
4551216	Drill Core	4.77	0.005	0.7	27.4	20.3	86	0.3	31.6	14.9	955	3.46	37.0	3.1	11.2	17	0.1	1.2	0.4	11	0.20
DUP 4551216	QC		<0.005	0.7	27.9	16.7	81	0.3	29.7	14.6	930	3.41	39.6	20.5	11.0	17	0.1	1.2	0.3	11	0.21
4551250	Drill Core	7.14	0.005	0.5	17.8	6.2	34	0.1	11.6	4.9	426	1.49	67.1	3.9	4.6	6	<0.1	1.0	0.1	6	0.08
DUP 4551250	QC		0.006	0.4	17.4	6.3	35	0.2	11.1	4.8	443	1.54	60.9	1.7	4.6	6	<0.1	1.0	0.1	6	0.08
4551284	Drill Core	4.57	0.021	5.7	55.4	33.4	123	0.9	26.0	10.5	2959	6.09	14.4	9.1	12.8	12	0.4	2.5	0.9	12	0.35
DUP 4551284	QC		0.021	5.9	54.3	33.3	121	0.8	25.7	10.9	2915	6.00	15.4	9.2	12.6	12	0.4	2.1	0.9	12	0.34
4551318	Drill Core	7.02	0.014	0.2	9.9	19.3	47	0.7	8.7	3.7	1991	1.89	55.6	9.1	6.8	52	0.4	1.3	0.2	5	1.15
DUP 4551318	QC		0.015	0.2	10.2	19.6	45	0.6	9.2	3.4	1979	1.90	51.5	6.8	6.6	52	0.4	1.2	0.2	5	1.12
4551352	Drill Core	8.27	0.025	0.6	30.6	34.6	143	1.4	38.4	16.8	929	3.55	56.6	6.7	17.4	72	0.7	0.8	1.5	16	2.04
DUP 4551352	QC		0.015	0.6	30.8	35.8	140	1.5	37.5	15.1	907	3.48	62.9	9.4	17.6	68	0.7	0.7	1.6	16	2.03
4551386	Drill Core	3.51	<0.005	0.6	9.8	34.5	45	0.1	13.5	7.9	1821	1.80	27.4	1.0	7.7	343	<0.1	0.6	0.2	11	14.88
DUP 4551386	QC		<0.005	0.5	9.4	37.7	46	0.1	13.4	7.6	1795	1.84	24.3	1.5	7.9	341	<0.1	0.7	0.2	12	14.64
Reference Materials																					
STD BVGEO01	Standard			9.8	4387.5	176.7	1746	2.6	162.2	24.5	733	3.70	122.8	201.2	13.3	56	6.0	3.1	23.5	72	1.32
STD BVGEO01	Standard			9.7	4267.8	177.2	1686	2.6	158.1	24.9	692	3.64	123.4	203.8	13.5	53	5.9	2.5	23.2	74	1.26
STD BVGEO01	Standard			9.8	4330.8	173.1	1698	2.5	160.0	24.8	707	3.69	119.4	206.3	13.0	53	5.8	2.6	22.6	75	1.28
STD BVGEO01	Standard			9.8	4367.7	185.0	1684	2.5	161.3	24.7	701	3.90	121.1	196.9	13.8	53	5.9	2.7	23.9	72	1.27
STD BVGEO01	Standard			9.6	4401.6	176.1	1695	2.5	161.3	24.6	709	3.71	117.6	200.8	12.9	52	5.7	2.4	23.5	72	1.30
STD BVGEO01	Standard			11.2	4537.7	190.2	1746	2.6	167.5	25.3	725	3.86	118.7	224.0	15.9	55	6.6	2.5	25.5	75	1.33
STD BVGEO01	Standard			9.7	4317.9	175.5	1720	2.4	164.9	24.1	699	3.63	121.2	193.9	13.7	52	6.0	2.4	23.8	72	1.28
STD OREAS233	Standard		1.002																		
STD OREAS233	Standard		1.071																		
STD OREAS233	Standard		1.041																		
STD OREAS262	Standard			0.6	115.0	54.2	157	0.5	64.1	28.7	558	3.35	36.7	59.1	8.6	35	0.7	3.8	0.9	21	2.96
STD OREAS262	Standard			0.6	113.4	54.4	152	0.5	64.9	27.6	528	3.24	36.5	62.7	8.4	35	0.6	3.4	0.9	21	2.97
STD OREAS262	Standard			0.6	112.8	52.0	150	0.5	63.9	27.4	517	3.20	36.1	66.0	8.2	35	0.6	3.6	0.8	21	2.94



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Page: 2 of 4

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000848.1

		AQ200 P % 0.001	AQ200 La ppm 1	AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
Core Reject Duplicates																			
4551182	Drill Core	0.027	12	10	0.44	34	0.002	<20	0.70	0.005	0.26	0.2	<0.01	1.5	0.1	0.74	2	<0.5	<0.2
DUP 4551182	QC	0.029	11	11	0.45	34	0.002	<20	0.71	0.005	0.26	0.2	<0.01	1.5	0.1	0.76	2	<0.5	<0.2
4551216	Drill Core	0.039	26	13	0.41	43	0.001	<20	0.81	0.008	0.28	<0.1	<0.01	1.9	0.2	0.23	2	<0.5	<0.2
DUP 4551216	QC	0.038	25	11	0.40	40	0.001	<20	0.81	0.009	0.29	<0.1	<0.01	2.0	0.2	0.24	2	<0.5	<0.2
4551250	Drill Core	0.017	9	6	0.11	22	0.001	<20	0.25	0.003	0.15	0.6	<0.01	1.0	0.2	0.23	<1	<0.5	<0.2
DUP 4551250	QC	0.018	9	6	0.11	22	0.001	<20	0.26	0.005	0.16	0.2	<0.01	1.0	0.2	0.24	<1	<0.5	<0.2
4551284	Drill Core	0.049	25	10	0.26	39	0.001	<20	0.46	0.006	0.31	0.7	0.01	3.7	0.3	0.54	1	1.1	<0.2
DUP 4551284	QC	0.049	25	10	0.26	38	0.001	<20	0.46	0.006	0.31	0.7	<0.01	3.7	0.3	0.54	1	0.9	<0.2
4551318	Drill Core	0.007	10	5	0.36	28	0.001	<20	0.42	0.003	0.19	<0.1	<0.01	1.0	0.1	0.23	1	<0.5	<0.2
DUP 4551318	QC	0.007	10	7	0.36	28	0.001	<20	0.42	0.002	0.19	<0.1	<0.01	1.0	0.1	0.23	1	<0.5	<0.2
4551352	Drill Core	0.040	33	21	0.73	52	0.010	<20	1.76	0.014	0.36	0.1	<0.01	2.5	0.2	0.31	4	<0.5	<0.2
DUP 4551352	QC	0.038	33	22	0.72	53	0.009	<20	1.71	0.014	0.35	<0.1	<0.01	2.3	0.2	0.30	5	<0.5	<0.2
4551386	Drill Core	0.020	16	12	0.49	89	0.003	<20	0.96	0.011	0.16	<0.1	<0.01	1.5	<0.1	0.08	2	<0.5	<0.2
DUP 4551386	QC	0.020	16	12	0.49	84	0.003	<20	0.96	0.010	0.16	<0.1	<0.01	1.5	<0.1	0.08	2	<0.5	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.074	25	162	1.31	326	0.240	<20	2.26	0.184	0.90	4.2	0.09	5.5	0.6	0.69	7	5.0	1.0
STD BVGEO01	Standard	0.071	24	162	1.28	320	0.239	<20	2.21	0.193	0.87	4.1	0.10	5.5	0.6	0.65	7	5.0	1.0
STD BVGEO01	Standard	0.073	24	171	1.31	313	0.240	<20	2.28	0.202	0.89	3.8	0.09	5.5	0.6	0.66	7	4.8	1.0
STD BVGEO01	Standard	0.073	25	163	1.27	330	0.232	<20	2.19	0.184	0.87	3.9	0.09	5.5	0.6	0.68	6	5.0	1.0
STD BVGEO01	Standard	0.072	24	165	1.28	323	0.238	<20	2.24	0.187	0.87	3.7	0.09	5.6	0.6	0.68	7	5.0	1.0
STD BVGEO01	Standard	0.074	27	163	1.30	342	0.250	<20	2.28	0.187	0.89	3.6	0.11	5.7	0.6	0.72	7	5.6	1.0
STD BVGEO01	Standard	0.076	24	147	1.26	317	0.230	<20	2.16	0.174	0.84	4.3	0.08	5.4	0.6	0.66	7	5.0	0.9
STD OREAS233	Standard																		
STD OREAS233	Standard																		
STD OREAS233	Standard																		
STD OREAS262	Standard	0.041	17	42	1.22	247	0.003	<20	1.24	0.068	0.32	0.2	0.16	3.0	0.5	0.27	4	0.6	0.2
STD OREAS262	Standard	0.039	13	41	1.18	233	0.003	<20	1.13	0.070	0.29	0.1	0.18	2.9	0.4	0.26	3	0.6	0.3
STD OREAS262	Standard	0.039	14	42	1.17	227	0.003	<20	1.16	0.071	0.30	0.1	0.17	2.9	0.4	0.26	3	0.6	0.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 3 of 4

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000848.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS262	Standard			0.6	117.3	55.7	152	0.4	63.9	27.4	527	3.36	36.4	67.8	8.4	35	0.6	3.4	0.9	21	2.98
STD OREAS262	Standard			0.6	111.0	51.6	148	0.4	63.3	27.3	525	3.21	34.7	61.2	8.2	33	0.6	3.2	0.9	21	2.86
STD OREAS262	Standard			0.6	118.3	55.9	150	0.5	67.7	29.7	542	3.34	39.7	63.2	9.9	34	0.6	2.5	1.0	21	2.97
STD OREAS262	Standard			0.6	112.1	52.3	148	0.4	59.0	26.3	530	3.18	35.0	51.7	8.0	34	0.6	2.9	0.9	21	2.99
STD OREASL11	Standard		0.307																		
STD OREASL13	Standard		1.296																		
STD OREASL15	Standard		7.144																		
STD OXB146	Standard		0.130																		
STD OXB146	Standard		0.130																		
STD OXB146	Standard		0.133																		
STD OXB146	Standard		0.130																		
STD OXN173	Standard		7.246																		
STD OXN173	Standard		7.696																		
STD OXN173	Standard		7.449																		
STD OXN173	Standard		7.315																		
STD OREASL11 Expected			0.305																		
STD OREASL13 Expected			1.29																		
STD OREASL15 Expected			7.18																		
STD OXB146 Expected			0.132																		
STD OXN173 Expected			7.668																		
STD OREAS233 Expected			1.05																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 3 of 4

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000848.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Tl ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS262	Standard	0.040	15	41	1.15	246	0.003	<20	1.14	0.068	0.29	0.1	0.18	2.9	0.4	0.27	3	0.7	0.2
STD OREAS262	Standard	0.036	15	43	1.12	228	0.003	<20	1.13	0.066	0.29	0.1	0.17	2.9	0.4	0.26	3	0.7	0.3
STD OREAS262	Standard	0.040	15	41	1.19	244	0.003	<20	1.20	0.069	0.30	<0.1	0.21	3.2	0.4	0.27	4	0.8	0.2
STD OREAS262	Standard	0.038	14	38	1.15	227	0.003	<20	1.05	0.065	0.28	0.1	0.17	2.8	0.4	0.26	3	0.5	0.2
STD OREASL11	Standard																		
STD OREASL13	Standard																		
STD OREASL15	Standard																		
STD OXB146	Standard																		
STD OXB146	Standard																		
STD OXB146	Standard																		
STD OXB146	Standard																		
STD OXN173	Standard																		
STD OXN173	Standard																		
STD OXN173	Standard																		
STD OXN173	Standard																		
STD OREASL11 Expected																			
STD OREASL13 Expected																			
STD OREASL15 Expected																			
STD OXB146 Expected																			
STD OXN173 Expected																			
STD OREAS233 Expected																			
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.3	0.071	0.312	0.13	0.17	3.24	0.47	0.269	3.9	0.4	0.23
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 4 of 4

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000848.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-VAN	Prep Blank		<0.005	1.2	4.3	1.0	26	<0.1	1.4	3.7	446	1.85	1.0	<0.5	2.0	20	<0.1	<0.1	<0.1	25	0.61
ROCK-VAN	Prep Blank		<0.005	0.7	3.3	0.9	27	<0.1	1.1	3.5	451	1.81	1.2	<0.5	2.1	21	<0.1	<0.1	<0.1	24	0.58



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 07, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 4 of 4

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000848.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-VAN	Prep Blank	0.040	5	5	0.43	47	0.077	<20	0.82	0.069	0.08	0.1	0.01	2.0	<0.1	<0.05	3	<0.5	<0.2
ROCK-VAN	Prep Blank	0.042	5	3	0.43	51	0.077	<20	0.80	0.062	0.07	0.1	<0.01	2.1	<0.1	<0.05	3	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Banyan Gold Corp.

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom
Receiving Lab: Canada-Whitehorse
Received: October 07, 2022
Analysis Start: December 01, 2022
Report Date: December 13, 2022
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI22000887.1

CLIENT JOB INFORMATION

Project: Aurex
Shipment ID: AX-BV-2022-188
P.O. Number
Number of Samples: 74

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7
Canada


CC: Paul Gray
Jason McLaughlin

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	70	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FA450	74	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	74	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	74	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	74	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.


Martin Wong
Data Validation Specialist



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 13, 2022

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000887.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4512829	Drill Core	7.49	<0.005	1.0	10.0	2.7	16	0.1	12.1	4.0	624	1.00	17.1	1.0	5.0	5	<0.1	0.1	<0.1	2	0.03
4512830	Rock Pulp	0.14	0.833	7.2	4640.7	2954.0	>10000	44.1	25.5	52.3	900	18.15	1430.7	276.8	0.4	41	62.3	107.9	22.7	24	1.70
4512831	Drill Core	6.51	<0.005	0.8	6.9	2.1	30	<0.1	7.5	3.0	191	1.14	21.8	3.0	4.6	4	<0.1	0.2	<0.1	2	0.01
4512832	Drill Core	7.33	<0.005	5.6	13.4	4.1	21	0.2	13.3	5.4	608	1.06	19.3	1.7	5.2	5	0.1	0.4	0.1	2	0.04
4512833	Drill Core	7.93	<0.005	1.1	18.3	12.1	44	0.3	13.8	6.9	303	1.75	23.2	1.9	5.6	11	0.2	0.7	0.1	4	0.07
4512834	Drill Core	7.67	0.006	5.6	25.9	16.2	54	1.0	10.4	4.8	509	1.45	125.5	3.1	5.7	7	0.3	0.4	0.4	3	0.03
4512835	Drill Core	7.87	0.006	13.5	19.5	5.4	47	0.5	13.5	6.8	175	1.52	34.9	7.0	6.7	5	<0.1	0.4	0.2	3	0.01
4512836	Drill Core	7.36	<0.005	4.7	18.7	13.9	35	0.8	5.6	2.1	108	1.20	77.7	2.6	4.9	3	<0.1	0.5	0.2	2	<0.01
4512837	Drill Core	7.61	0.016	1.4	23.5	7.1	42	0.6	8.7	5.8	221	1.52	25.9	5.0	4.4	4	<0.1	0.5	0.1	3	0.02
4512838	Drill Core	7.69	<0.005	4.4	10.9	5.2	24	0.5	9.2	3.5	380	1.19	18.9	3.1	3.9	5	<0.1	0.3	0.1	3	0.03
4512839	Drill Core	8.25	0.020	6.7	37.3	25.1	35	1.5	12.9	7.3	256	1.58	59.0	8.4	4.0	5	0.3	0.5	0.4	3	0.03
4512840	Drill Core	2.79	0.006	7.2	36.9	16.1	29	1.3	12.7	6.7	176	1.29	45.4	5.7	3.7	4	0.4	0.4	0.3	2	0.02
4512841	Drill Core	8.37	0.008	32.3	50.8	41.0	44	2.1	19.5	9.2	1524	2.01	219.0	7.2	5.6	15	0.5	0.7	0.6	3	0.18
4512842	Drill Core	7.88	0.006	0.7	22.4	7.0	49	0.6	16.0	8.5	1023	1.83	21.0	4.6	5.1	6	0.3	0.9	0.2	3	0.06
4512843	Drill Core	6.18	0.016	6.4	58.0	36.0	68	1.7	27.1	12.7	1676	3.59	132.5	10.5	4.5	27	0.6	1.8	1.8	5	0.42
4512844	Drill Core	7.61	0.037	55.8	47.5	45.1	163	1.4	38.4	14.0	1384	3.25	116.9	12.5	6.7	19	1.7	0.3	0.8	10	0.18
4512845	Drill Core	8.17	<0.005	19.4	39.7	37.5	181	1.3	25.3	11.2	816	2.76	49.5	2.3	7.4	12	1.8	0.2	0.4	10	0.11
4512846	Drill Core	8.48	0.046	9.8	56.8	73.3	214	2.7	35.7	15.7	1238	3.72	393.3	90.8	5.7	15	2.3	1.3	1.1	11	0.17
4512847	Drill Core	5.72	0.033	75.4	41.4	261.7	127	3.1	30.4	12.6	1951	3.44	461.3	22.0	5.6	9	3.0	2.1	1.6	6	0.13
4512848	Drill Core	6.81	0.006	2.0	47.0	207.4	407	5.3	36.5	17.7	2730	3.52	102.6	4.6	11.8	35	4.7	3.4	0.5	8	0.14
4512849	Drill Core	7.89	0.005	0.9	30.0	10.2	48	0.9	23.3	10.7	623	2.28	42.7	2.9	4.6	11	0.2	2.7	0.2	4	0.09
4512850	Rock Pulp	0.14	1.273	152.7	6468.0	4511.0	>10000	>100	213.6	50.5	719	7.95	563.4	1377.2	1.9	98	49.6	166.6	98.9	74	1.85
4512851	Drill Core	7.15	0.038	0.7	26.5	23.9	71	0.6	19.8	9.0	467	1.93	127.2	12.4	4.6	9	1.1	2.0	0.2	4	0.07
4512852	Drill Core	7.48	0.010	0.6	29.1	202.0	1113	2.5	20.1	10.4	843	2.24	63.2	7.8	5.2	9	16.5	1.6	0.2	4	0.07
4512853	Drill Core	7.90	0.007	0.3	22.4	15.1	57	0.5	17.6	8.7	506	2.14	29.5	4.1	4.7	9	0.3	0.4	0.3	5	0.06
4512854	Drill Core	8.04	0.011	1.5	38.5	10.8	74	0.3	31.3	16.2	545	3.21	115.4	9.8	5.6	12	0.2	0.5	0.3	7	0.13
4512855	Drill Core	7.32	<0.005	0.3	40.7	66.2	127	1.1	29.5	15.1	571	2.75	27.4	1.4	6.1	16	0.9	0.7	0.3	6	0.09
4512856	Drill Core	7.69	<0.005	0.6	22.2	35.1	91	0.9	19.2	8.3	1375	1.96	32.7	2.4	6.5	7	1.0	0.6	0.2	3	0.06
4512857	Drill Core	6.80	<0.005	0.4	36.8	10.0	94	0.3	34.2	16.5	540	2.44	28.8	1.6	8.0	21	<0.1	0.4	0.2	8	0.10
4512858	Drill Core	7.33	0.021	0.6	17.8	9.8	67	<0.1	16.1	7.6	602	1.80	23.2	9.6	6.3	9	<0.1	0.4	0.7	8	0.06



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 13, 2022

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000887.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
4512829	Drill Core	0.004	10	9	0.07	17	0.003	<20	0.28	0.005	0.11	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
4512830	Rock Pulp	0.025	2	26	1.07	34	0.002	<20	0.81	0.004	0.10	1.7	7.57	2.3	10.1	>10	4	>100	0.3			
4512831	Drill Core	0.006	10	4	0.07	14	0.002	<20	0.34	0.004	0.12	<0.1	0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
4512832	Drill Core	0.008	11	9	0.07	16	0.002	<20	0.30	0.003	0.13	0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
4512833	Drill Core	0.033	14	5	0.07	21	0.001	<20	0.42	0.005	0.20	0.1	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2			
4512834	Drill Core	0.010	13	8	0.05	21	0.001	<20	0.29	0.004	0.18	0.1	<0.01	0.5	0.1	<0.05	<1	<0.5	<0.2			
4512835	Drill Core	0.009	14	4	0.02	21	0.001	<20	0.31	0.006	0.20	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2			
4512836	Drill Core	0.005	11	7	<0.01	15	<0.001	<20	0.21	0.004	0.14	0.2	<0.01	0.4	0.1	<0.05	<1	<0.5	<0.2			
4512837	Drill Core	0.009	12	4	0.02	19	<0.001	<20	0.26	0.004	0.17	0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2			
4512838	Drill Core	0.006	9	7	0.04	14	<0.001	<20	0.24	0.003	0.14	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2			
4512839	Drill Core	0.008	9	4	0.06	20	0.001	<20	0.34	0.006	0.18	0.1	<0.01	0.5	<0.1	0.26	<1	<0.5	<0.2			
4512840	Drill Core	0.006	8	7	0.05	18	0.001	<20	0.29	0.003	0.16	0.1	<0.01	0.4	<0.1	0.26	<1	<0.5	<0.2			
4512841	Drill Core	0.011	11	4	0.14	25	0.001	<20	0.36	0.005	0.23	0.1	<0.01	0.8	0.2	0.35	<1	<0.5	<0.2			
4512842	Drill Core	0.012	11	8	0.13	21	<0.001	<20	0.26	0.005	0.18	0.1	<0.01	0.8	0.1	0.21	<1	<0.5	<0.2			
4512843	Drill Core	0.014	8	5	0.38	31	0.001	<20	0.50	0.006	0.21	0.2	<0.01	1.5	0.2	0.71	1	0.8	<0.2			
4512844	Drill Core	0.027	12	15	0.48	38	0.004	<20	1.09	0.007	0.27	0.2	<0.01	1.6	0.2	0.39	3	0.5	<0.2			
4512845	Drill Core	0.032	13	12	0.45	43	0.005	<20	1.10	0.008	0.28	0.1	<0.01	1.3	0.2	0.25	3	0.5	<0.2			
4512846	Drill Core	0.023	11	13	0.64	48	0.003	<20	1.33	0.007	0.30	8.7	<0.01	1.8	0.2	0.45	4	0.9	<0.2			
4512847	Drill Core	0.026	10	11	0.26	41	0.001	<20	0.53	0.005	0.23	1.3	<0.01	1.3	0.2	0.73	2	0.6	<0.2			
4512848	Drill Core	0.036	31	8	0.36	52	<0.001	<20	0.42	0.009	0.29	0.4	<0.01	2.7	0.3	0.47	1	<0.5	<0.2			
4512849	Drill Core	0.022	12	9	0.24	36	<0.001	<20	0.29	0.006	0.21	0.2	<0.01	1.2	0.1	0.35	<1	<0.5	<0.2			
4512850	Rock Pulp	0.070	8	47	1.37	85	0.083	<20	1.52	0.100	0.25	7.2	2.34	4.7	2.6	5.37	6	10.1	11.1			
4512851	Drill Core	0.017	9	8	0.19	22	<0.001	<20	0.26	0.004	0.19	0.2	<0.01	1.0	0.2	0.43	<1	<0.5	<0.2			
4512852	Drill Core	0.018	9	9	0.17	31	0.001	<20	0.31	0.005	0.24	0.2	0.01	1.1	0.2	0.72	<1	<0.5	<0.2			
4512853	Drill Core	0.014	11	6	0.22	30	0.001	<20	0.38	0.007	0.22	<0.1	<0.01	1.0	0.1	0.31	1	<0.5	<0.2			
4512854	Drill Core	0.035	12	12	0.44	34	0.002	<20	0.63	0.007	0.26	<0.1	<0.01	1.5	0.1	0.43	2	<0.5	<0.2			
4512855	Drill Core	0.022	12	7	0.28	37	0.002	<20	0.50	0.008	0.26	<0.1	<0.01	1.3	0.2	0.50	2	<0.5	<0.2			
4512856	Drill Core	0.017	12	8	0.19	25	0.001	<20	0.30	0.006	0.25	0.2	<0.01	0.9	0.2	0.35	<1	<0.5	<0.2			
4512857	Drill Core	0.021	17	9	0.27	39	0.005	<20	0.66	0.007	0.25	<0.1	<0.01	1.5	0.2	0.26	2	<0.5	<0.2			
4512858	Drill Core	0.010	12	12	0.19	28	0.004	<20	0.54	0.004	0.18	<0.1	<0.01	1.4	0.1	0.15	2	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 13, 2022

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000887.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
4512859	Drill Core	7.36	0.016	0.3	31.5	10.5	74	0.2	31.8	15.9	746	3.36	36.6	10.5	7.6	11	<0.1	3.8	0.4	10	0.11
4512860	Drill Core	3.46	0.019	0.5	30.7	10.2	77	0.3	29.3	13.2	660	3.04	30.7	6.3	7.5	11	<0.1	4.6	0.7	9	0.11
4512861	Drill Core	7.89	0.017	0.4	31.9	12.6	82	0.6	30.2	13.7	886	4.25	91.7	184.7	7.5	16	<0.1	6.9	0.3	9	0.21
4512862	Drill Core	7.23	0.006	0.4	22.1	14.3	65	0.3	26.5	11.2	707	3.55	33.5	6.7	8.1	13	<0.1	8.8	0.2	9	0.17
4512863	Drill Core	8.22	0.007	0.2	29.3	14.0	70	0.3	24.7	11.7	667	3.41	26.9	3.4	8.2	15	<0.1	7.3	0.2	10	0.23
4512864	Drill Core	8.41	0.009	0.4	15.5	11.7	52	0.1	19.1	8.1	460	2.56	15.9	4.5	8.7	10	<0.1	3.2	0.4	9	0.11
4512865	Drill Core	8.20	0.011	0.2	28.5	12.1	62	0.2	27.4	12.0	664	3.44	22.2	3.5	11.6	12	<0.1	5.2	0.3	10	0.14
4512866	Drill Core	7.27	0.011	0.4	36.4	14.7	87	0.1	33.7	14.9	663	3.69	27.0	5.0	10.4	12	<0.1	3.8	0.2	14	0.13
4512867	Drill Core	7.09	0.024	0.6	22.4	17.2	109	0.1	17.8	9.5	484	1.95	29.3	21.9	8.8	11	0.4	1.4	0.7	9	0.17
4512868	Drill Core	6.66	0.008	0.6	22.2	17.9	93	0.2	25.3	10.3	610	2.57	47.2	3.2	13.3	9	0.2	2.2	0.4	10	0.11
4512869	Drill Core	6.72	<0.005	0.2	24.0	8.8	63	0.2	25.9	13.6	600	3.05	28.2	2.5	11.5	10	<0.1	5.9	<0.1	9	0.11
4512870	Rock Pulp	0.14	0.827	7.7	4592.5	2986.2	>10000	44.6	26.8	52.7	931	17.83	1430.2	319.8	1.2	44	71.4	122.0	27.9	23	1.79
4512871	Drill Core	7.20	0.016	0.3	26.4	8.9	57	0.1	27.1	9.6	506	3.10	29.3	11.7	11.2	7	<0.1	2.4	0.4	12	0.10
4512872	Drill Core	6.66	0.020	1.1	34.6	14.1	78	0.2	29.9	15.5	786	2.80	44.2	17.9	14.4	8	0.1	2.2	1.3	17	0.12
4512873	Drill Core	6.58	0.072	1.3	48.8	25.8	125	0.2	39.8	14.1	803	2.45	68.7	56.1	18.9	21	0.3	0.6	6.4	21	0.33
4512874	Drill Core	6.98	0.119	0.4	51.0	29.7	101	0.4	30.5	12.0	1850	4.28	117.7	155.9	15.7	12	0.3	1.9	8.7	27	0.25
4512875	Drill Core	6.74	0.247	0.6	75.0	22.8	67	0.5	26.3	10.7	872	3.44	49.2	208.7	16.5	8	0.2	1.0	15.5	19	0.14
4512876	Drill Core	6.44	0.131	0.4	79.3	20.8	70	0.8	23.2	10.3	844	2.98	18.3	101.5	13.3	14	0.2	1.9	8.4	20	0.24
4512877	Drill Core	7.24	0.072	1.7	62.1	22.2	57	0.8	27.3	11.2	1781	4.68	117.9	64.5	17.5	12	0.2	3.1	5.9	18	0.23
4512878	Drill Core	7.80	0.043	2.2	32.0	23.0	94	0.6	26.2	9.6	4639	7.49	31.3	32.8	14.0	13	0.4	5.3	3.3	18	0.37
4512879	Drill Core	7.39	0.092	1.3	56.2	21.9	88	1.6	36.0	14.3	2793	5.39	24.1	69.5	16.5	13	0.2	3.9	7.8	15	0.30
4512880	Drill Core	3.58	0.088	1.0	50.5	21.3	87	1.1	34.0	14.2	2415	4.78	20.8	63.6	17.0	12	0.2	3.0	7.4	15	0.25
4512881	Drill Core	8.65	0.028	0.5	23.0	15.3	61	0.3	25.9	12.6	1313	3.32	33.5	3.6	10.9	8	<0.1	3.3	0.4	9	0.15
4512882	Drill Core	7.25	0.042	0.5	48.3	39.2	100	0.6	29.2	12.8	810	3.58	26.1	40.0	16.2	17	0.2	2.6	2.5	21	0.27
4512883	Drill Core	6.78	0.008	0.2	37.1	17.7	94	0.2	39.3	17.2	704	4.78	115.6	5.1	11.0	8	<0.1	4.1	0.4	21	0.16
4512884	Drill Core	8.11	0.018	0.4	44.9	44.4	131	0.6	37.6	18.6	648	3.97	415.1	15.7	10.3	8	0.8	3.5	0.5	15	0.12
4512885	Drill Core	7.60	<0.005	0.3	39.4	11.7	66	0.2	29.4	12.5	702	3.38	21.1	0.7	12.3	8	<0.1	2.6	0.2	14	0.16
4512886	Drill Core	7.91	0.006	0.4	35.1	9.3	75	<0.1	33.9	11.8	617	3.53	20.2	<0.5	13.1	9	<0.1	2.2	0.2	16	0.15
4512887	Drill Core	7.43	0.010	0.2	32.9	10.9	82	0.1	33.9	15.0	581	3.47	58.9	10.7	13.2	8	<0.1	1.3	0.5	15	0.12
4512888	Drill Core	6.76	0.017	0.6	30.5	17.7	85	0.2	31.8	15.1	911	3.67	31.5	11.6	12.8	9	0.1	3.1	0.5	15	0.13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 13, 2022

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000887.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4512859	Drill Core	0.020	17	10	0.38	40	0.003	<20	0.86	0.008	0.26	<0.1	<0.01	1.7	0.1	0.34	2	<0.5	<0.2			
4512860	Drill Core	0.021	16	12	0.36	35	0.002	<20	0.77	0.007	0.23	<0.1	<0.01	1.5	0.1	0.33	2	<0.5	<0.2			
4512861	Drill Core	0.036	17	8	0.47	40	0.002	<20	0.60	0.007	0.27	<0.1	<0.01	1.6	0.2	0.23	2	<0.5	<0.2			
4512862	Drill Core	0.026	19	12	0.46	34	0.002	<20	0.61	0.004	0.23	<0.1	<0.01	1.5	0.1	0.06	2	<0.5	<0.2			
4512863	Drill Core	0.057	15	9	0.46	34	0.002	<20	0.70	0.004	0.25	<0.1	<0.01	1.5	0.1	0.15	2	<0.5	<0.2			
4512864	Drill Core	0.019	17	12	0.32	43	0.003	<20	0.53	0.006	0.23	<0.1	<0.01	1.4	0.2	0.09	2	<0.5	<0.2			
4512865	Drill Core	0.032	23	11	0.44	42	0.003	<20	0.80	0.007	0.24	<0.1	<0.01	1.6	0.1	0.21	2	<0.5	<0.2			
4512866	Drill Core	0.038	21	18	0.58	42	0.005	<20	1.12	0.006	0.24	<0.1	<0.01	2.0	0.2	0.31	3	<0.5	<0.2			
4512867	Drill Core	0.062	18	9	0.30	52	0.005	<20	0.68	0.004	0.23	<0.1	<0.01	1.6	0.1	0.20	2	<0.5	<0.2			
4512868	Drill Core	0.028	23	12	0.31	49	0.004	<20	0.63	0.005	0.20	<0.1	<0.01	1.3	0.1	0.24	2	<0.5	<0.2			
4512869	Drill Core	0.024	24	8	0.36	43	0.002	<20	0.61	0.005	0.23	<0.1	<0.01	1.2	0.1	0.15	2	<0.5	<0.2			
4512870	Rock Pulp	0.026	2	24	1.02	40	0.002	<20	0.72	0.003	0.08	2.1	8.87	2.1	10.9	>10	4	>100	0.3			
4512871	Drill Core	0.024	26	14	0.31	50	0.005	<20	0.74	0.006	0.22	<0.1	0.01	1.5	0.2	0.30	2	<0.5	<0.2			
4512872	Drill Core	0.026	29	15	0.28	65	0.010	<20	0.85	0.008	0.29	<0.1	0.01	2.9	0.2	0.41	3	0.6	<0.2			
4512873	Drill Core	0.080	34	25	0.40	71	0.009	<20	1.18	0.018	0.16	0.2	0.01	3.5	0.1	0.67	4	<0.5	<0.2			
4512874	Drill Core	0.042	40	21	0.39	63	0.003	<20	1.05	0.009	0.18	5.4	<0.01	6.0	0.1	0.80	4	1.4	<0.2			
4512875	Drill Core	0.025	38	19	0.36	51	0.006	<20	0.84	0.008	0.23	22.2	<0.01	3.5	0.2	1.14	3	1.5	0.3			
4512876	Drill Core	0.052	32	13	0.14	56	0.003	<20	0.70	0.010	0.15	18.7	<0.01	4.4	0.1	1.15	2	2.0	<0.2			
4512877	Drill Core	0.040	44	16	0.15	41	<0.001	<20	0.48	0.005	0.25	8.0	<0.01	5.3	0.1	0.81	1	0.8	<0.2			
4512878	Drill Core	0.032	38	15	0.35	39	<0.001	<20	0.66	0.005	0.26	8.6	<0.01	4.4	0.2	0.50	2	0.8	<0.2			
4512879	Drill Core	0.057	41	19	0.39	42	<0.001	<20	0.71	0.004	0.26	6.5	<0.01	2.9	0.1	1.02	2	<0.5	<0.2			
4512880	Drill Core	0.043	44	15	0.38	45	<0.001	<20	0.78	0.004	0.28	4.1	<0.01	2.9	0.1	0.92	3	0.6	<0.2			
4512881	Drill Core	0.026	25	14	0.23	35	<0.001	<20	0.56	0.006	0.25	1.5	<0.01	1.5	0.1	0.36	2	<0.5	<0.2			
4512882	Drill Core	0.047	33	27	0.59	71	0.012	<20	1.26	0.034	0.32	0.3	<0.01	3.1	0.3	0.97	4	0.5	<0.2			
4512883	Drill Core	0.044	19	20	0.75	60	0.017	<20	1.60	0.007	0.46	<0.1	<0.01	3.2	0.3	0.51	5	<0.5	<0.2			
4512884	Drill Core	0.033	20	19	0.58	48	0.008	<20	1.28	0.007	0.31	<0.1	<0.01	1.9	0.2	0.57	4	<0.5	<0.2			
4512885	Drill Core	0.054	26	14	0.50	47	0.007	<20	1.12	0.011	0.30	<0.1	<0.01	2.2	0.2	0.36	4	<0.5	<0.2			
4512886	Drill Core	0.042	26	20	0.64	57	0.040	<20	1.50	0.013	0.43	<0.1	<0.01	2.1	0.2	0.22	4	<0.5	<0.2			
4512887	Drill Core	0.033	25	16	0.62	48	0.035	<20	1.42	0.013	0.39	0.1	<0.01	2.1	0.2	0.37	4	<0.5	<0.2			
4512888	Drill Core	0.030	25	18	0.61	44	0.016	<20	1.30	0.009	0.33	<0.1	<0.01	2.2	0.2	0.38	4	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 13, 2022

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000887.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4512889	Drill Core	7.85	<0.005	0.2	36.7	12.9	89	0.2	37.3	16.1	629	3.65	38.3	4.1	13.9	21	<0.1	3.1	0.2	14	0.49
4512890	Rock Pulp	0.14	1.275	179.0	6949.4	4972.9	>10000	>100	222.1	53.3	785	8.03	625.4	4588.8	3.0	106	56.4	174.3	116.9	79	1.99
4512891	Drill Core	7.55	0.005	0.3	21.5	10.5	46	<0.1	17.7	6.7	424	2.51	13.6	3.3	8.8	17	<0.1	0.8	0.1	10	0.47
4512892	Drill Core	6.34	0.017	0.2	25.2	15.4	77	0.1	27.9	12.3	622	3.35	27.6	12.4	13.3	9	<0.1	2.3	0.8	14	0.14
4512893	Drill Core	7.37	0.081	0.6	39.3	19.9	82	0.3	32.0	15.9	941	4.24	28.0	93.1	13.2	10	0.1	3.6	2.2	16	0.22
4512894	Drill Core	6.41	0.084	0.2	39.2	21.0	88	0.2	34.6	16.6	639	3.69	27.1	77.2	13.6	9	<0.1	3.4	2.7	16	0.16
4512895	Drill Core	6.48	0.008	0.5	27.8	15.6	75	0.1	27.1	14.0	725	2.83	16.9	3.0	9.7	10	<0.1	1.2	0.4	13	0.17
4512896	Drill Core	6.26	0.071	0.2	26.3	32.5	108	0.4	23.6	10.9	1146	2.93	52.7	60.8	14.2	8	0.2	0.6	3.2	20	0.17
4512897	Drill Core	6.48	0.020	0.4	21.1	20.6	76	0.1	26.2	10.5	844	2.45	28.3	9.7	10.9	8	<0.1	0.8	0.7	12	0.14
4512898	Drill Core	6.61	0.013	0.3	17.4	20.8	31	0.4	14.6	7.4	714	2.22	16.8	2.2	6.7	5	<0.1	1.0	0.8	4	0.09
4512899	Drill Core	5.77	0.007	0.6	22.9	27.6	44	0.6	17.9	7.8	551	2.30	10.0	2.4	6.0	6	<0.1	0.9	1.0	4	0.10
4512900	Drill Core	3.30	<0.005	0.3	20.7	23.7	41	0.4	18.0	8.5	609	2.39	17.8	0.9	6.5	6	<0.1	0.8	0.7	4	0.09
4512901	Drill Core	6.64	<0.005	0.6	34.4	9.9	77	<0.1	32.3	16.0	898	3.58	18.5	2.8	6.4	19	<0.1	0.3	0.3	7	0.30
4512902	Drill Core	6.69	0.005	0.3	22.7	9.5	66	0.1	23.7	10.6	709	2.88	35.0	2.3	7.8	17	<0.1	0.5	0.2	7	0.24



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 13, 2022

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000887.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
4512889	Drill Core	0.029	25	14	0.62	50	0.021	<20	1.42	0.011	0.33	<0.1	<0.01	1.9	0.2	0.39	4	<0.5	<0.2
4512890	Rock Pulp	0.078	9	50	1.40	78	0.089	26	1.55	0.097	0.27	8.2	2.80	5.1	3.0	5.86	7	10.4	11.6
4512891	Drill Core	0.021	20	14	0.39	50	0.020	<20	0.94	0.008	0.32	<0.1	<0.01	1.4	0.2	0.23	3	<0.5	<0.2
4512892	Drill Core	0.033	28	15	0.52	64	0.009	<20	1.15	0.012	0.33	<0.1	0.02	2.2	0.2	0.38	4	<0.5	<0.2
4512893	Drill Core	0.030	27	20	0.32	47	0.005	<20	0.77	0.008	0.30	<0.1	<0.01	2.4	0.3	0.57	3	0.6	<0.2
4512894	Drill Core	0.030	28	15	0.38	52	0.008	<20	0.95	0.010	0.33	<0.1	<0.01	2.4	0.3	0.56	3	<0.5	<0.2
4512895	Drill Core	0.038	19	15	0.27	37	0.003	<20	0.75	0.007	0.22	<0.1	0.01	2.0	0.2	0.28	2	<0.5	<0.2
4512896	Drill Core	0.026	30	18	0.13	43	0.004	<20	0.67	0.004	0.17	<0.1	<0.01	3.3	0.3	0.38	2	<0.5	<0.2
4512897	Drill Core	0.022	24	16	0.19	35	0.004	<20	0.56	0.006	0.21	<0.1	<0.01	2.4	0.2	0.23	1	<0.5	<0.2
4512898	Drill Core	0.014	12	5	0.12	28	0.001	<20	0.34	0.006	0.23	<0.1	<0.01	1.1	0.1	0.32	<1	<0.5	<0.2
4512899	Drill Core	0.018	11	9	0.18	26	0.001	<20	0.29	0.005	0.21	<0.1	<0.01	0.8	<0.1	0.37	<1	<0.5	<0.2
4512900	Drill Core	0.016	13	5	0.19	30	0.002	<20	0.34	0.007	0.24	<0.1	<0.01	0.9	0.1	0.32	<1	<0.5	<0.2
4512901	Drill Core	0.021	12	10	0.44	36	0.002	<20	0.50	0.007	0.23	<0.1	<0.01	1.3	<0.1	0.26	1	<0.5	<0.2
4512902	Drill Core	0.025	15	9	0.33	37	0.002	<20	0.74	0.009	0.24	<0.1	<0.01	1.2	<0.1	0.15	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 13, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000887.1

Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
4512838	Drill Core	7.69	<0.005	4.4	10.9	5.2	24	0.5	9.2	3.5	380	1.19	18.9	3.1	3.9	5	<0.1	0.3	0.1	3	0.03
REP 4512838	QC		0.009	4.5	10.9	5.4	24	0.4	9.3	3.4	384	1.20	18.9	9.8	4.1	5	<0.1	0.3	0.1	3	0.03
4512858	Drill Core	7.33	0.021	0.6	17.8	9.8	67	<0.1	16.1	7.6	602	1.80	23.2	9.6	6.3	9	<0.1	0.4	0.7	8	0.06
REP 4512858	QC		0.023																		
4512877	Drill Core	7.24	0.072	1.7	62.1	22.2	57	0.8	27.3	11.2	1781	4.68	117.9	64.5	17.5	12	0.2	3.1	5.9	18	0.23
REP 4512877	QC			1.4	58.8	20.1	51	0.7	26.0	10.6	1735	4.57	111.2	65.2	16.0	10	0.1	3.4	5.8	17	0.22
Core Reject Duplicates																					
4512846	Drill Core	8.48	0.046	9.8	56.8	73.3	214	2.7	35.7	15.7	1238	3.72	393.3	90.8	5.7	15	2.3	1.3	1.1	11	0.17
DUP 4512846	QC		0.086	10.7	57.1	80.2	208	2.5	37.9	17.7	1255	3.73	418.2	30.4	5.9	15	2.2	1.3	1.1	11	0.17
4512880	Drill Core	3.58	0.088	1.0	50.5	21.3	87	1.1	34.0	14.2	2415	4.78	20.8	63.6	17.0	12	0.2	3.0	7.4	15	0.25
DUP 4512880	QC		0.082	1.1	50.7	22.3	93	1.1	35.6	14.0	2428	4.96	20.5	46.8	17.0	12	0.2	3.4	6.5	16	0.25
Reference Materials																					
STD BVGEO01	Standard			10.4	4534.6	188.2	1780	2.4	166.4	25.7	736	3.86	124.6	203.4	13.9	56	6.1	2.7	23.8	76	1.37
STD BVGEO01	Standard			10.3	4432.1	197.2	1789	2.6	163.4	24.1	750	3.77	123.8	224.5	15.8	57	6.8	2.7	26.2	73	1.33
STD BVGEO01	Standard			9.8	4323.7	172.6	1694	2.4	160.1	25.3	690	3.69	112.6	202.8	13.3	52	5.6	2.1	22.5	73	1.30
STD OREAS233	Standard		1.048																		
STD OREAS262	Standard			0.7	122.5	57.2	159	0.5	69.8	28.8	556	3.47	38.1	73.5	9.2	37	0.7	3.9	1.0	22	3.05
STD OREAS262	Standard			0.6	120.0	60.3	157	0.5	66.4	27.4	562	3.36	39.5	63.8	9.9	37	0.6	3.4	1.1	22	3.04
STD OREAS262	Standard			0.6	114.8	54.6	152	0.4	63.1	29.1	529	3.29	34.8	53.9	8.6	34	0.6	2.1	0.9	21	2.89
STD OREASL11	Standard		0.308																		
STD OREASL13	Standard		1.313																		
STD OREASL15	Standard		6.964																		
STD OXB146	Standard		0.130																		
STD OXN173	Standard		7.574																		
STD OXB146 Expected			0.132																		
STD OXN173 Expected			7.668																		
STD OREAS233 Expected			1.05																		
STD OREASL11 Expected			0.305																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 13, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000887.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
4512838	Drill Core	0.006	9	7	0.04	14	<0.001	<20	0.24	0.003	0.14	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
REP 4512838	QC	0.006	10	8	0.04	15	<0.001	<20	0.25	0.005	0.14	0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
4512858	Drill Core	0.010	12	12	0.19	28	0.004	<20	0.54	0.004	0.18	<0.1	<0.01	1.4	0.1	0.15	2	<0.5	<0.2
REP 4512858	QC																		
4512877	Drill Core	0.040	44	16	0.15	41	<0.001	<20	0.48	0.005	0.25	8.0	<0.01	5.3	0.1	0.81	1	0.8	<0.2
REP 4512877	QC	0.039	38	15	0.14	37	<0.001	<20	0.45	0.004	0.23	7.4	<0.01	4.8	0.1	0.80	1	0.9	<0.2
Core Reject Duplicates																			
4512846	Drill Core	0.023	11	13	0.64	48	0.003	<20	1.33	0.007	0.30	8.7	<0.01	1.8	0.2	0.45	4	0.9	<0.2
DUP 4512846	QC	0.023	11	13	0.64	48	0.003	<20	1.33	0.008	0.29	9.6	<0.01	1.8	0.2	0.44	4	1.0	<0.2
4512880	Drill Core	0.043	44	15	0.38	45	<0.001	<20	0.78	0.004	0.28	4.1	<0.01	2.9	0.1	0.92	3	0.6	<0.2
DUP 4512880	QC	0.043	43	16	0.39	47	<0.001	<20	0.80	0.006	0.29	4.2	<0.01	2.9	0.2	0.97	2	0.8	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.073	26	185	1.37	336	0.256	<20	2.40	0.205	0.92	4.0	0.09	6.1	0.6	0.67	7	5.0	1.0
STD BVGEO01	Standard	0.074	28	173	1.31	353	0.247	<20	2.28	0.184	0.87	3.9	0.10	5.9	0.7	0.67	7	4.3	1.0
STD BVGEO01	Standard	0.073	24	163	1.28	310	0.242	44	2.22	0.198	0.86	3.6	0.09	5.4	0.6	0.66	7	4.8	1.0
STD OREAS233	Standard																		
STD OREAS262	Standard	0.042	16	45	1.25	243	0.004	<20	1.31	0.073	0.32	0.1	0.16	3.2	0.5	0.27	4	0.5	0.2
STD OREAS262	Standard	0.040	16	44	1.22	251	0.004	<20	1.18	0.070	0.30	0.2	0.18	3.4	0.5	0.26	4	<0.5	<0.2
STD OREAS262	Standard	0.038	15	43	1.19	232	0.003	33	1.21	0.074	0.30	<0.1	0.15	2.9	0.5	0.25	4	0.7	0.3
STD OREASL11	Standard																		
STD OREASL13	Standard																		
STD OREASL15	Standard																		
STD OXB146	Standard																		
STD OXN173	Standard																		
STD OXB146 Expected																			
STD OXN173 Expected																			
STD OREAS233 Expected																			
STD OREASL11 Expected																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 13, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000887.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREASL13 Expected		1.29																			
STD OREASL15 Expected		7.18																			
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.9	11.8	1.0	28	<0.1	2.8	5.0	443	2.14	0.8	0.6	2.2	29	<0.1	<0.1	<0.1	34	0.71
ROCK-WHI	Prep Blank		<0.005	0.5	16.5	1.0	29	<0.1	2.4	6.2	465	2.31	0.8	<0.5	2.0	37	<0.1	<0.1	<0.1	40	0.87



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 13, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000887.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREASL13 Expected																			
STD OREASL15 Expected																			
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.3	0.071	0.312	0.13	0.17	3.24	0.47	0.269	3.9	0.4	0.23
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.040	6	7	0.53	51	0.100	<20	1.09	0.103	0.07	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.041	5	4	0.59	54	0.109	<20	1.36	0.138	0.08	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Banyan Gold Corp.

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom
Receiving Lab: Canada-Whitehorse
Received: October 11, 2022
Analysis Start: December 12, 2022
Report Date: January 06, 2023
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI22000904.1

CLIENT JOB INFORMATION

Project: Aurex
Shipment ID: AX-BV-2022-195
P.O. Number
Number of Samples: 85

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	83	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA450	85	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ200	85	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	85	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Jason McLaughlin


Martin Wong
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: January 06, 2023

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000904.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
4512903	Drill Core	7.07	0.012	0.4	31.5	12.0	77	0.2	33.5	18.9	552	3.17	282.5	4.8	10.6	18	<0.1	0.9	0.2	11	0.24
4512904	Drill Core	7.30	<0.005	0.6	10.9	11.6	44	<0.1	9.9	4.7	1075	2.33	10.2	4.3	11.2	6	<0.1	0.7	0.2	5	0.11
4512905	Drill Core	7.13	<0.005	0.2	6.7	11.6	31	<0.1	7.1	3.8	342	1.19	11.1	0.6	8.6	5	<0.1	0.9	0.2	4	0.06
4512906	Drill Core	7.40	0.025	0.3	28.7	14.1	92	0.2	36.8	13.7	618	2.80	38.1	20.8	17.0	11	<0.1	1.9	1.4	14	0.18
4512907	Drill Core	7.47	0.013	0.2	29.2	12.8	73	0.2	32.3	13.0	438	2.59	21.5	26.3	17.4	10	<0.1	2.1	0.6	11	0.11
4512908	Drill Core	7.31	0.017	0.5	23.6	17.0	64	0.2	26.6	10.4	771	2.34	33.8	15.4	13.9	10	<0.1	1.8	0.6	12	0.16
4512909	Drill Core	7.23	0.012	0.2	29.3	29.1	91	0.3	27.5	11.6	576	2.82	18.1	11.4	12.9	11	0.2	1.8	0.7	14	0.19
4512910	Rock	0.50	<0.005	0.8	15.5	1.1	30	<0.1	3.3	6.0	491	2.23	1.3	<0.5	2.5	34	<0.1	<0.1	<0.1	41	0.84
4512911	Drill Core	7.31	0.008	0.9	24.3	24.4	87	0.3	30.4	12.2	461	3.25	27.4	3.3	11.0	28	0.2	3.3	0.2	14	0.57
4512912	Drill Core	7.65	0.009	0.5	37.3	31.9	69	0.3	32.1	14.5	638	3.36	37.7	6.1	10.2	36	0.1	0.3	0.8	16	0.88
4512913	Drill Core	8.18	0.012	0.6	43.8	314.5	228	0.8	31.6	14.4	776	3.32	643.7	6.8	9.8	35	10.0	1.1	0.9	11	0.72
4512914	Drill Core	7.10	0.006	1.3	33.0	60.5	249	0.2	31.6	15.0	647	3.06	98.3	1.0	9.9	35	1.3	0.7	0.3	11	0.67
4512915	Drill Core	7.50	<0.005	0.4	37.5	13.7	93	<0.1	38.2	17.0	683	3.86	20.3	1.5	10.7	29	<0.1	0.5	0.2	16	0.36
4512916	Drill Core	8.01	<0.005	0.2	43.5	8.0	77	<0.1	41.1	18.2	440	4.12	23.1	1.0	14.2	25	<0.1	0.9	0.2	16	0.30
4512917	Drill Core	8.37	0.005	0.6	41.2	13.5	83	<0.1	38.0	16.9	681	3.66	59.0	1.4	12.5	37	<0.1	1.3	0.5	14	0.57
4512918	Drill Core	7.00	0.019	0.2	36.3	26.1	87	0.3	29.8	14.6	828	3.49	192.0	11.3	10.1	38	0.3	3.0	0.4	12	0.56
4512919	Drill Core	7.62	<0.005	0.4	39.9	10.6	84	<0.1	40.7	19.6	944	4.18	25.0	1.0	13.0	30	<0.1	0.5	0.2	18	0.35
4512920	Drill Core	8.36	<0.005	0.3	41.5	14.2	89	<0.1	41.1	19.0	928	4.20	20.3	1.9	13.9	32	<0.1	0.5	0.2	18	0.34
4512921	Drill Core	7.45	<0.005	0.5	49.0	18.5	106	0.1	44.1	26.1	789	4.15	26.6	0.9	13.0	29	<0.1	0.3	0.5	18	0.31
4512922	Drill Core	8.04	<0.005	0.3	50.0	16.2	80	0.2	39.7	22.1	644	4.03	22.7	<0.5	12.1	25	<0.1	0.7	0.3	18	0.27
4512923	Drill Core	7.77	<0.005	0.4	41.9	8.9	84	0.2	36.9	17.5	567	3.87	40.8	1.5	13.7	26	<0.1	1.1	0.3	15	0.28
4512924	Drill Core	7.35	0.006	0.3	30.6	18.6	58	0.1	22.2	11.1	827	2.88	46.4	6.1	8.4	43	<0.1	1.3	0.5	13	0.77
4512925	Drill Core	8.13	0.012	0.5	26.1	17.7	68	<0.1	33.5	15.7	733	3.53	114.5	2.9	11.2	44	<0.1	1.0	0.3	17	0.65
4512926	Drill Core	7.43	<0.005	0.3	30.7	13.9	65	0.1	28.1	13.9	580	2.90	50.7	<0.5	9.4	21	<0.1	1.2	0.2	11	0.30
4512927	Drill Core	7.71	<0.005	0.5	29.7	20.5	78	0.1	30.1	13.6	600	3.26	26.3	<0.5	8.5	19	<0.1	2.4	0.2	11	0.25
4512928	Drill Core	7.22	0.013	0.1	13.6	13.3	45	0.2	13.5	6.1	566	1.98	33.9	1.4	6.3	30	<0.1	1.8	0.2	6	0.49
4512929	Drill Core	7.54	0.013	0.6	33.2	23.6	79	0.2	29.0	14.5	764	3.23	69.3	4.0	8.0	28	0.1	2.0	0.2	10	0.40
4512930	Rock Pulp	0.14	0.899	7.3	4450.9	2921.7	9731	43.6	24.9	52.5	891	17.10	1277.7	278.5	1.0	42	68.1	120.6	25.1	24	1.72
4512931	Drill Core	7.58	0.008	0.2	34.2	9.2	71	0.2	27.1	12.4	754	2.92	29.3	2.5	8.2	29	<0.1	1.2	0.2	10	0.42
4512932	Drill Core	6.97	0.012	0.6	19.5	14.8	68	0.2	32.6	15.5	747	3.39	285.8	13.3	8.8	33	<0.1	4.2	0.3	14	0.59



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: January 06, 2023

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000904.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4512903	Drill Core	0.025	22	12	0.43	66	0.002	<20	1.09	0.014	0.37	<0.1	<0.01	1.7	0.1	0.29	3	<0.5	<0.2			
4512904	Drill Core	0.012	21	10	0.11	35	0.002	<20	0.38	0.003	0.21	<0.1	<0.01	1.4	0.1	0.11	1	<0.5	<0.2			
4512905	Drill Core	0.014	19	5	0.08	34	0.002	<20	0.33	0.005	0.20	<0.1	<0.01	1.0	<0.1	0.08	1	<0.5	<0.2			
4512906	Drill Core	0.047	41	18	0.28	60	0.004	<20	0.83	0.010	0.27	<0.1	<0.01	2.1	0.2	0.29	3	<0.5	<0.2			
4512907	Drill Core	0.022	38	13	0.30	51	0.003	<20	0.77	0.009	0.26	<0.1	<0.01	1.5	0.1	0.29	2	<0.5	<0.2			
4512908	Drill Core	0.030	31	16	0.14	86	0.002	<20	0.56	0.006	0.27	<0.1	<0.01	2.1	0.2	0.20	2	<0.5	<0.2			
4512909	Drill Core	0.036	27	14	0.22	72	0.003	<20	0.67	0.007	0.27	<0.1	<0.01	2.0	0.2	0.36	2	<0.5	<0.2			
4512910	Rock	0.041	5	7	0.60	49	0.111	<20	1.32	0.118	0.07	<0.1	<0.01	2.4	<0.1	<0.05	4	<0.5	<0.2			
4512911	Drill Core	0.050	21	12	0.35	64	0.003	<20	0.84	0.007	0.29	<0.1	<0.01	2.0	0.2	0.29	2	<0.5	<0.2			
4512912	Drill Core	0.082	23	17	0.60	75	0.020	<20	1.30	0.010	0.39	0.1	<0.01	2.4	0.2	0.17	4	<0.5	<0.2			
4512913	Drill Core	0.057	17	11	0.54	57	0.005	<20	1.03	0.007	0.29	<0.1	<0.01	1.6	0.2	0.70	3	<0.5	<0.2			
4512914	Drill Core	0.076	16	11	0.51	57	0.007	<20	1.10	0.007	0.33	<0.1	<0.01	1.8	0.1	0.59	3	0.5	<0.2			
4512915	Drill Core	0.030	19	20	0.78	62	0.030	<20	1.73	0.011	0.36	<0.1	<0.01	2.2	0.2	0.21	5	<0.5	<0.2			
4512916	Drill Core	0.043	24	18	0.81	81	0.026	<20	1.88	0.011	0.36	<0.1	<0.01	2.1	0.2	0.17	5	<0.5	<0.2			
4512917	Drill Core	0.020	19	19	0.74	67	0.014	<20	1.55	0.010	0.30	<0.1	<0.01	1.8	0.1	0.25	4	<0.5	<0.2			
4512918	Drill Core	0.069	16	13	0.65	52	0.004	<20	1.35	0.009	0.27	<0.1	<0.01	1.9	0.1	0.33	4	<0.5	<0.2			
4512919	Drill Core	0.045	22	21	0.87	62	0.030	<20	1.90	0.011	0.36	<0.1	<0.01	2.4	0.2	0.16	5	<0.5	<0.2			
4512920	Drill Core	0.050	25	20	0.88	70	0.033	<20	1.96	0.012	0.37	<0.1	<0.01	2.4	0.2	0.16	5	<0.5	<0.2			
4512921	Drill Core	0.066	22	23	0.87	64	0.035	<20	1.95	0.012	0.37	<0.1	<0.01	2.1	0.2	0.16	6	<0.5	<0.2			
4512922	Drill Core	0.030	27	20	0.81	77	0.031	<20	1.89	0.012	0.39	<0.1	<0.01	2.2	0.3	0.15	5	<0.5	<0.2			
4512923	Drill Core	0.027	34	21	0.78	70	0.016	<20	1.75	0.012	0.33	<0.1	<0.01	2.0	0.2	0.14	5	<0.5	<0.2			
4512924	Drill Core	0.018	19	13	0.59	69	0.011	<20	1.22	0.011	0.32	<0.1	<0.01	2.2	0.1	0.14	4	<0.5	<0.2			
4512925	Drill Core	0.039	26	19	0.69	67	0.013	<20	1.55	0.010	0.38	<0.1	<0.01	2.4	0.2	0.13	4	<0.5	<0.2			
4512926	Drill Core	0.040	22	10	0.49	49	0.008	<20	0.98	0.006	0.30	<0.1	<0.01	1.8	0.1	0.21	3	<0.5	<0.2			
4512927	Drill Core	0.026	19	13	0.51	47	0.003	<20	0.93	0.008	0.24	<0.1	<0.01	1.8	<0.1	0.21	3	<0.5	<0.2			
4512928	Drill Core	0.015	14	6	0.33	33	0.002	<20	0.60	0.005	0.21	<0.1	<0.01	1.2	<0.1	0.12	2	<0.5	<0.2			
4512929	Drill Core	0.030	19	12	0.52	47	0.005	<20	0.96	0.006	0.27	<0.1	<0.01	1.9	0.1	0.28	3	<0.5	<0.2			
4512930	Rock Pulp	0.022	2	24	1.01	21	0.002	<20	0.74	0.004	0.09	2.8	8.61	2.4	10.5	>10	4	>100	0.2			
4512931	Drill Core	0.018	18	9	0.54	41	0.010	<20	0.94	0.005	0.26	<0.1	<0.01	1.7	0.1	0.28	3	<0.5	<0.2			
4512932	Drill Core	0.023	19	15	0.61	45	0.003	<20	1.03	0.005	0.25	<0.1	<0.01	2.2	0.1	0.14	3	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: January 06, 2023

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000904.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
4512933	Drill Core	7.53	<0.005	0.2	23.2	11.7	79	<0.1	26.7	12.3	663	3.32	45.2	<0.5	10.7	46	<0.1	0.7	0.1	14	0.79
4512934	Drill Core	7.66	<0.005	0.4	30.9	10.2	70	0.1	27.0	12.7	558	3.02	59.4	<0.5	14.6	31	<0.1	1.9	0.3	10	0.44
4512935	Drill Core	7.49	0.006	0.2	37.0	11.0	73	0.3	36.7	18.3	515	3.64	72.7	3.2	11.3	29	<0.1	3.7	0.5	12	0.38
4512936	Drill Core	8.56	0.015	0.6	20.9	21.2	63	0.3	18.9	8.6	609	2.48	47.7	9.3	9.2	25	0.2	1.7	0.7	8	0.48
4512937	Drill Core	7.57	0.005	0.4	31.8	10.7	86	<0.1	30.4	14.3	753	3.56	18.6	31.9	11.3	29	<0.1	0.3	0.3	13	0.49
4512938	Drill Core	7.15	0.012	1.0	30.1	22.4	99	0.3	24.4	11.1	667	3.02	234.6	9.7	9.0	29	0.3	1.6	0.5	10	0.58
4512939	Drill Core	7.23	0.016	0.3	19.8	20.5	85	0.3	16.7	7.5	836	2.16	176.7	11.7	8.3	31	0.1	2.0	0.8	6	0.58
4512940	Drill Core	8.09	0.012	0.5	19.2	13.6	61	0.2	16.9	7.8	736	2.17	93.7	12.1	8.7	25	<0.1	1.7	0.8	7	0.43
4512941	Drill Core	7.79	<0.005	0.4	21.7	23.8	77	0.8	27.4	11.6	2038	2.98	77.0	2.5	8.4	22	0.4	2.6	0.1	9	0.57
4512942	Drill Core	8.08	<0.005	0.6	9.2	13.3	58	0.4	20.3	11.3	6279	2.31	78.4	3.2	9.0	25	0.6	2.6	0.1	4	0.57
4512943	Drill Core	7.63	0.010	0.3	40.6	14.6	96	1.5	39.5	17.5	954	3.94	37.0	1.6	10.4	27	0.3	3.7	0.2	12	0.43
4512944	Drill Core	7.57	<0.005	0.5	25.6	12.1	69	0.1	27.4	12.1	610	3.17	19.6	0.9	9.0	33	<0.1	2.1	0.2	11	0.57
4512945	Drill Core	7.57	<0.005	0.3	26.1	12.7	78	<0.1	27.8	13.2	550	3.03	13.6	0.8	10.6	31	<0.1	2.3	0.2	10	0.59
4512946	Drill Core	7.58	<0.005	0.3	23.9	11.4	80	0.1	27.0	11.0	681	3.20	49.2	1.5	8.3	40	<0.1	2.7	0.2	12	0.78
4512947	Drill Core	7.08	0.010	0.3	27.7	13.3	76	0.1	30.6	14.3	535	3.36	42.0	6.0	9.4	38	<0.1	2.0	0.3	12	0.74
4512948	Drill Core	3.49	<0.005	0.4	49.3	11.1	100	<0.1	43.2	19.8	448	4.01	21.8	1.0	10.8	25	<0.1	1.3	0.2	16	0.41
4512949	Drill Core	5.76	0.012	0.3	33.5	13.2	89	<0.1	32.9	13.8	655	3.64	39.0	5.2	9.7	33	<0.1	0.4	0.4	15	1.06
4512950	Rock Pulp	0.17	1.216	162.8	6518.5	4473.0	>10000	>100	216.0	49.5	736	7.80	585.9	1529.1	2.0	98	50.1	148.3	99.2	77	1.89
4512951	Drill Core	5.94	<0.005	0.5	22.5	15.7	70	0.1	25.4	11.0	480	3.06	15.1	11.5	8.5	29	<0.1	1.0	0.3	13	0.48
4512952	Drill Core	7.54	0.008	0.5	30.8	9.0	66	0.1	31.6	15.4	560	3.29	43.9	3.3	8.9	44	<0.1	3.3	0.3	14	0.93
4512953	Drill Core	7.13	0.006	0.6	19.0	13.4	58	0.2	20.8	14.3	632	2.49	48.2	3.4	7.7	58	<0.1	1.0	0.3	9	1.22
4512954	Drill Core	8.08	0.014	0.3	50.1	9.0	80	0.2	43.7	20.7	470	4.03	51.3	15.3	13.0	35	<0.1	2.1	0.5	16	0.72
4512955	Drill Core	7.50	0.017	0.5	26.0	14.6	85	0.1	29.9	13.1	690	2.89	60.8	16.4	11.7	102	<0.1	0.6	0.7	15	1.67
4512956	Drill Core	7.46	0.021	0.7	16.0	14.5	71	0.1	20.2	8.0	508	2.29	130.7	14.4	10.5	42	<0.1	0.9	0.7	10	1.11
4512957	Drill Core	7.73	0.005	0.6	28.2	9.5	74	0.1	36.5	16.3	462	3.14	57.2	1.9	11.5	44	<0.1	0.7	0.2	13	0.91
4512958	Drill Core	7.31	0.024	0.5	15.1	13.6	59	0.1	18.6	10.2	524	2.11	45.9	19.1	12.1	61	<0.1	0.8	0.8	8	1.18
4512959	Drill Core	7.64	0.029	0.4	31.9	47.1	610	0.6	36.6	15.6	923	3.75	104.8	14.4	10.9	65	7.4	1.7	0.5	15	1.30
4512960	Drill Core	8.44	0.036	0.3	37.6	53.0	787	0.7	37.6	15.5	886	3.78	102.8	69.5	11.5	65	9.6	1.7	0.6	14	1.36
4512961	Drill Core	7.63	0.007	0.4	24.4	25.5	71	0.6	20.8	10.0	723	2.70	38.4	4.6	7.5	44	0.2	0.6	0.4	11	0.99
4512962	Drill Core	7.20	0.009	0.3	20.9	12.4	55	<0.1	23.7	10.5	559	2.47	64.8	2.8	8.0	69	<0.1	0.8	0.2	10	1.05



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: January 06, 2023

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000904.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4512933	Drill Core	0.054	23	15	0.67	56	0.011	<20	1.37	0.006	0.35	<0.1	<0.01	1.8	0.2	0.18	4	<0.5	<0.2			
4512934	Drill Core	0.025	27	13	0.46	54	0.003	<20	1.02	0.007	0.27	<0.1	<0.01	1.7	0.1	0.22	3	<0.5	<0.2			
4512935	Drill Core	0.035	24	11	0.63	56	0.002	<20	1.05	0.006	0.26	<0.1	<0.01	2.0	0.1	0.25	3	<0.5	<0.2			
4512936	Drill Core	0.013	18	10	0.43	39	0.003	<20	0.62	0.005	0.23	1.7	<0.01	1.2	0.1	0.25	2	<0.5	<0.2			
4512937	Drill Core	0.028	25	16	0.68	46	0.007	<20	1.41	0.008	0.24	<0.1	<0.01	1.7	0.1	0.19	4	<0.5	<0.2			
4512938	Drill Core	0.019	18	15	0.56	45	0.002	<20	1.03	0.008	0.25	<0.1	<0.01	1.6	0.1	0.32	3	<0.5	<0.2			
4512939	Drill Core	0.011	16	7	0.40	39	0.001	<20	0.34	0.005	0.20	0.1	<0.01	1.1	0.1	0.23	<1	<0.5	<0.2			
4512940	Drill Core	0.011	17	9	0.35	46	0.002	<20	0.41	0.006	0.23	<0.1	<0.01	1.2	0.1	0.22	1	<0.5	<0.2			
4512941	Drill Core	0.029	14	10	0.53	42	0.002	<20	0.88	0.006	0.23	<0.1	<0.01	1.4	0.2	0.29	2	<0.5	<0.2			
4512942	Drill Core	0.025	19	7	0.36	40	0.001	<20	0.48	0.008	0.28	<0.1	<0.01	1.2	0.3	0.12	1	<0.5	<0.2			
4512943	Drill Core	0.072	15	14	0.71	41	0.003	<20	1.34	0.006	0.22	<0.1	<0.01	1.7	0.2	0.35	4	<0.5	<0.2			
4512944	Drill Core	0.023	16	15	0.67	44	0.004	<20	1.22	0.008	0.23	<0.1	<0.01	1.6	0.1	0.17	3	<0.5	<0.2			
4512945	Drill Core	0.074	22	14	0.63	41	0.004	<20	1.20	0.008	0.21	<0.1	<0.01	1.4	<0.1	0.14	3	<0.5	<0.2			
4512946	Drill Core	0.019	18	17	0.73	42	0.004	<20	1.38	0.008	0.27	<0.1	<0.01	1.7	0.1	0.17	4	<0.5	<0.2			
4512947	Drill Core	0.044	22	16	0.66	50	0.005	<20	1.44	0.010	0.26	<0.1	<0.01	1.7	<0.1	0.18	4	<0.5	<0.2			
4512948	Drill Core	0.027	27	20	0.80	62	0.018	<20	1.88	0.014	0.34	<0.1	<0.01	1.9	0.1	0.21	5	<0.5	<0.2			
4512949	Drill Core	0.018	21	20	0.87	44	0.020	<20	1.78	0.014	0.27	3.5	<0.01	1.7	0.1	0.23	5	<0.5	<0.2			
4512950	Rock Pulp	0.075	8	46	1.38	44	0.082	<20	1.56	0.103	0.27	6.8	2.49	4.6	2.5	5.91	6	10.9	11.7			
4512951	Drill Core	0.022	20	19	0.64	54	0.016	<20	1.45	0.011	0.32	<0.1	<0.01	1.7	0.1	0.11	4	<0.5	<0.2			
4512952	Drill Core	0.044	20	14	0.65	53	0.011	<20	1.36	0.012	0.30	1.1	<0.01	1.9	0.2	0.16	4	<0.5	<0.2			
4512953	Drill Core	0.015	16	12	0.51	47	0.003	<20	0.94	0.009	0.26	<0.1	<0.01	1.5	0.1	0.19	2	<0.5	<0.2			
4512954	Drill Core	0.039	34	18	0.70	68	0.007	<20	1.56	0.009	0.33	<0.1	<0.01	2.0	0.1	0.29	4	<0.5	<0.2			
4512955	Drill Core	0.026	28	18	0.63	71	0.012	<20	1.18	0.019	0.39	<0.1	<0.01	2.3	0.2	0.27	3	<0.5	<0.2			
4512956	Drill Core	0.020	20	12	0.44	46	0.010	<20	0.83	0.010	0.28	<0.1	<0.01	1.5	0.1	0.19	2	<0.5	<0.2			
4512957	Drill Core	0.033	28	16	0.52	61	0.006	<20	1.29	0.013	0.34	<0.1	<0.01	1.8	0.2	0.32	3	<0.5	<0.2			
4512958	Drill Core	0.028	28	10	0.37	43	0.002	<20	0.78	0.009	0.21	4.9	<0.01	1.4	0.1	0.14	2	<0.5	<0.2			
4512959	Drill Core	0.038	24	20	0.74	51	0.004	<20	1.66	0.012	0.28	<0.1	<0.01	1.9	0.1	0.32	4	<0.5	<0.2			
4512960	Drill Core	0.038	24	19	0.74	46	0.004	<20	1.58	0.008	0.24	<0.1	<0.01	1.8	0.1	0.36	4	<0.5	<0.2			
4512961	Drill Core	0.031	15	14	0.56	42	0.006	<20	1.01	0.005	0.25	<0.1	<0.01	1.6	0.1	0.24	3	<0.5	<0.2			
4512962	Drill Core	0.166	16	11	0.49	51	0.009	<20	1.01	0.007	0.30	<0.1	<0.01	1.6	0.2	0.11	3	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: January 06, 2023

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000904.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4512963	Drill Core	8.34	0.010	0.5	25.0	12.5	71	0.1	25.2	13.1	647	2.91	77.3	3.8	8.4	44	<0.1	0.7	0.4	11	0.73
4512964	Drill Core	7.01	0.015	0.3	14.1	9.8	39	0.1	17.1	7.1	329	1.86	48.8	12.9	8.4	44	<0.1	0.5	0.5	8	0.62
4512965	Drill Core	7.57	0.009	0.6	29.7	9.8	79	<0.1	31.1	15.0	625	3.42	61.5	6.4	8.2	39	<0.1	0.7	0.4	15	0.55
4512966	Drill Core	7.57	<0.005	0.4	38.4	10.3	80	0.4	40.4	18.4	667	3.66	83.5	3.4	8.3	44	<0.1	0.7	0.5	14	0.48
4512967	Drill Core	5.86	0.014	0.5	21.0	14.2	69	0.2	22.2	9.8	716	2.93	112.9	9.3	8.2	48	<0.1	0.5	0.4	13	0.93
4512968	Drill Core	3.10	0.008	0.3	34.2	11.3	98	0.2	37.2	18.8	831	4.15	101.0	3.2	10.4	19	<0.1	0.4	0.4	17	0.18
4512969	Drill Core	6.11	0.024	0.4	18.5	14.8	93	0.4	13.2	5.7	463	1.85	338.1	21.3	6.4	14	0.8	0.5	0.2	5	0.17
4512970	Rock	0.50	<0.005	0.6	11.1	0.9	29	<0.1	2.5	5.3	423	2.00	1.6	<0.5	2.1	24	<0.1	<0.1	<0.1	35	0.69
4512971	Drill Core	7.86	0.085	0.7	20.9	70.8	111	1.1	18.3	10.6	521	2.02	3099.7	88.6	5.7	16	1.3	2.2	0.5	5	0.23
4512972	Drill Core	7.54	0.007	0.3	19.1	23.4	53	0.4	16.1	8.6	425	1.81	106.2	2.2	7.6	18	0.3	0.2	0.4	6	0.24
4512973	Drill Core	6.78	<0.005	0.9	13.9	18.4	66	0.5	13.2	6.1	405	1.80	50.6	2.5	7.6	17	0.4	0.1	0.2	6	0.23
4512974	Drill Core	7.61	0.010	0.3	14.0	20.8	77	0.6	17.1	8.3	712	2.36	109.3	3.2	6.3	17	0.4	0.8	0.2	6	0.23
4512975	Drill Core	7.73	0.005	0.4	14.3	9.9	56	0.3	20.6	9.1	468	2.56	49.7	2.8	9.6	34	<0.1	0.8	0.1	9	0.40
4512976	Drill Core	7.65	<0.005	0.5	8.4	15.4	60	0.2	12.6	6.7	452	1.90	32.8	4.3	9.6	38	<0.1	1.1	0.3	6	0.45
4512977	Drill Core	7.44	0.034	0.7	11.8	35.5	46	0.3	14.0	8.9	468	1.94	299.4	28.0	10.1	49	0.2	1.1	1.0	8	0.63
4512978	Drill Core	7.28	0.008	0.3	43.2	6.4	85	<0.1	39.4	26.1	387	3.88	65.9	3.8	8.6	28	0.2	1.1	0.3	14	0.28
4512979	Drill Core	7.84	0.005	0.3	39.1	14.5	91	<0.1	36.7	16.7	788	3.98	41.9	3.7	8.6	33	<0.1	1.0	0.3	16	0.36
4512980	Drill Core	8.49	0.011	0.6	36.3	13.6	93	<0.1	37.2	17.6	793	4.04	53.1	3.5	9.0	35	<0.1	1.1	0.3	17	0.37
4512981	Drill Core	8.23	0.009	0.3	29.3	13.1	76	0.3	26.7	13.6	570	3.23	89.4	3.0	7.8	32	0.7	2.0	0.5	10	0.35
4512982	Drill Core	7.56	<0.005	0.5	10.1	12.9	36	0.2	9.9	6.0	357	1.37	16.4	1.7	6.3	9	<0.1	0.7	0.1	4	0.07
4512983	Drill Core	7.06	<0.005	0.2	6.6	9.9	28	<0.1	7.9	3.0	310	1.06	15.3	<0.5	6.1	7	<0.1	0.3	<0.1	3	0.05
4512984	Drill Core	8.84	0.009	0.5	15.0	36.1	39	<0.1	15.8	7.6	433	1.99	33.7	11.2	7.9	19	<0.1	0.1	0.2	7	0.24
4512985	Drill Core	8.87	0.009	0.3	23.6	9.0	68	0.1	23.5	13.3	524	2.73	103.1	7.4	8.7	26	<0.1	0.3	0.9	11	0.34
4512986	Drill Core	6.72	0.009	0.4	24.8	10.7	62	0.2	27.7	15.1	643	3.23	136.9	16.0	9.8	41	<0.1	1.0	0.3	11	0.69
4512987	Drill Core	7.30	0.012	<0.1	32.6	8.8	95	0.2	32.4	16.5	367	4.21	125.6	3.3	14.2	20	<0.1	0.4	0.3	17	0.15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: January 06, 2023

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000904.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4512963	Drill Core	0.036	18	16	0.61	53	0.007	<20	1.22	0.009	0.28	<0.1	<0.01	1.6	0.1	0.15	3	<0.5	<0.2
4512964	Drill Core	0.020	18	10	0.35	47	0.010	<20	0.72	0.006	0.28	<0.1	<0.01	1.1	0.2	0.14	2	<0.5	<0.2
4512965	Drill Core	0.040	16	18	0.70	60	0.020	<20	1.53	0.012	0.35	<0.1	<0.01	2.0	0.2	0.24	4	<0.5	<0.2
4512966	Drill Core	0.033	14	16	0.73	43	0.008	<20	1.44	0.007	0.21	<0.1	<0.01	1.9	0.1	0.28	4	<0.5	<0.2
4512967	Drill Core	0.023	17	15	0.58	50	0.011	<20	1.11	0.006	0.33	<0.1	<0.01	1.9	0.2	0.19	3	<0.5	<0.2
4512968	Drill Core	0.024	22	16	0.79	46	0.030	<20	1.47	0.005	0.36	<0.1	<0.01	2.3	0.2	0.27	4	<0.5	<0.2
4512969	Drill Core	0.009	11	8	0.27	28	0.002	<20	0.53	0.005	0.18	<0.1	<0.01	0.8	<0.1	0.30	1	<0.5	<0.2
4512970	Rock	0.040	5	5	0.52	34	0.092	<20	1.03	0.078	0.06	<0.1	<0.01	2.1	<0.1	<0.05	4	<0.5	<0.2
4512971	Drill Core	0.019	11	7	0.23	39	0.002	<20	0.51	0.006	0.20	<0.1	<0.01	0.7	<0.1	0.62	1	<0.5	<0.2
4512972	Drill Core	0.037	14	7	0.27	34	0.004	<20	0.61	0.005	0.17	<0.1	<0.01	1.1	<0.1	0.22	2	<0.5	<0.2
4512973	Drill Core	0.010	13	10	0.24	31	0.002	<20	0.62	0.006	0.19	<0.1	<0.01	0.8	0.1	0.19	2	<0.5	<0.2
4512974	Drill Core	0.016	11	7	0.34	30	0.002	<20	0.63	0.005	0.17	<0.1	<0.01	1.3	<0.1	0.16	2	<0.5	<0.2
4512975	Drill Core	0.016	17	11	0.35	43	0.002	<20	0.81	0.008	0.23	<0.1	<0.01	1.4	<0.1	0.11	2	<0.5	<0.2
4512976	Drill Core	0.012	19	7	0.32	28	0.001	<20	0.38	0.005	0.17	<0.1	<0.01	1.0	<0.1	0.10	1	<0.5	<0.2
4512977	Drill Core	0.010	20	10	0.35	46	0.003	<20	0.57	0.004	0.24	<0.1	<0.01	1.3	0.1	0.17	2	<0.5	<0.2
4512978	Drill Core	0.036	18	18	0.72	52	0.014	<20	1.49	0.005	0.24	<0.1	<0.01	2.0	0.1	0.21	4	<0.5	<0.2
4512979	Drill Core	0.049	17	19	0.78	46	0.023	<20	1.58	0.005	0.28	<0.1	<0.01	2.2	0.2	0.24	4	<0.5	<0.2
4512980	Drill Core	0.048	19	22	0.78	61	0.023	<20	1.69	0.009	0.36	<0.1	<0.01	2.5	0.2	0.25	5	<0.5	<0.2
4512981	Drill Core	0.024	13	11	0.53	39	0.004	<20	1.05	0.007	0.18	<0.1	<0.01	1.6	0.1	0.27	3	<0.5	<0.2
4512982	Drill Core	0.008	13	7	0.17	25	0.002	<20	0.49	0.007	0.18	<0.1	<0.01	0.6	<0.1	0.08	1	<0.5	<0.2
4512983	Drill Core	0.009	12	5	0.13	24	0.001	<20	0.37	0.006	0.13	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
4512984	Drill Core	0.033	18	10	0.29	41	0.009	<20	0.72	0.007	0.22	<0.1	<0.01	1.2	0.1	0.14	2	<0.5	<0.2
4512985	Drill Core	0.016	18	12	0.46	50	0.019	<20	0.93	0.005	0.29	<0.1	<0.01	1.6	0.2	0.29	3	<0.5	<0.2
4512986	Drill Core	0.027	22	12	0.60	52	0.003	<20	1.09	0.006	0.22	<0.1	<0.01	1.4	<0.1	0.38	3	<0.5	<0.2
4512987	Drill Core	0.026	33	19	0.81	47	0.005	<20	1.61	0.009	0.15	<0.1	<0.01	1.7	<0.1	0.09	5	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: January 06, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000904.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
4512928	Drill Core	7.22	0.013	0.1	13.6	13.3	45	0.2	13.5	6.1	566	1.98	33.9	1.4	6.3	30	<0.1	1.8	0.2	6	0.49
REP 4512928	QC			0.2	14.7	13.8	50	0.5	14.7	6.9	570	1.98	39.1	272.1	6.5	31	<0.1	2.0	0.2	6	0.50
REP 4512946	QC	<0.005																			
4512947	Drill Core	7.08	0.010	0.3	27.7	13.3	76	0.1	30.6	14.3	535	3.36	42.0	6.0	9.4	38	<0.1	2.0	0.3	12	0.74
REP 4512947	QC	0.010																			
4512948	Drill Core	3.49	<0.005	0.4	49.3	11.1	100	<0.1	43.2	19.8	448	4.01	21.8	1.0	10.8	25	<0.1	1.3	0.2	16	0.41
REP 4512948	QC	<0.005																			
4512959	Drill Core	7.64	0.029	0.4	31.9	47.1	610	0.6	36.6	15.6	923	3.75	104.8	14.4	10.9	65	7.4	1.7	0.5	15	1.30
REP 4512959	QC	0.016																			
4512962	Drill Core	7.20	0.009	0.3	20.9	12.4	55	<0.1	23.7	10.5	559	2.47	64.8	2.8	8.0	69	<0.1	0.8	0.2	10	1.05
REP 4512962	QC			0.3	21.8	13.4	55	<0.1	22.5	10.2	562	2.46	69.8	2.6	7.7	68	<0.1	0.7	0.2	10	1.06
4512964	Drill Core	7.01	0.015	0.3	14.1	9.8	39	0.1	17.1	7.1	329	1.86	48.8	12.9	8.4	44	<0.1	0.5	0.5	8	0.62
REP 4512964	QC	0.014																			
Core Reject Duplicates																					
4512912	Drill Core	7.65	0.009	0.5	37.3	31.9	69	0.3	32.1	14.5	638	3.36	37.7	6.1	10.2	36	0.1	0.3	0.8	16	0.88
DUP 4512912	QC		0.010	0.4	37.4	29.7	71	0.3	31.7	14.0	633	3.35	34.7	6.0	10.1	36	<0.1	0.3	0.8	16	0.87
4512946	Drill Core	7.58	<0.005	0.3	23.9	11.4	80	0.1	27.0	11.0	681	3.20	49.2	1.5	8.3	40	<0.1	2.7	0.2	12	0.78
DUP 4512946	QC		<0.005	0.3	22.6	12.0	78	0.1	27.1	11.5	688	3.23	43.1	1.7	8.2	41	<0.1	2.4	0.2	13	0.78
4512980	Drill Core	8.49	0.011	0.6	36.3	13.6	93	<0.1	37.2	17.6	793	4.04	53.1	3.5	9.0	35	<0.1	1.1	0.3	17	0.37
DUP 4512980	QC		0.010	0.6	37.7	13.7	95	<0.1	37.5	18.0	803	4.00	49.5	4.4	9.6	37	<0.1	1.1	0.3	17	0.37
Reference Materials																					
STD BVGEO01	Standard			10.2	4465.6	183.6	1764	2.5	164.2	25.4	728	3.75	122.6	213.0	13.4	54	6.2	2.5	23.3	76	1.35
STD BVGEO01	Standard			10.6	4390.2	197.2	1739	2.7	172.3	25.2	732	3.67	123.7	227.0	15.3	56	7.1	2.4	25.1	75	1.33
STD BVGEO01	Standard			10.9	4565.6	200.5	1760	2.7	174.8	26.1	751	3.70	128.8	223.0	16.3	61	7.0	2.6	26.3	77	1.38
STD KO74309	Standard		0.233																		
STD KO74309	Standard		0.216																		
STD KO74309	Standard		0.240																		
STD OREAS233	Standard		1.062																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Banyan Gold Corp.

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Project:

Aurex

Report Date:

January 06, 2023

Page:

1 of 3

Part:

2 of 2

QUALITY CONTROL REPORT

WHI22000904.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
4512928	Drill Core	0.015	14	6	0.33	33	0.002	<20	0.60	0.005	0.21	<0.1	<0.01	1.2	<0.1	0.12	2	<0.5	<0.2
REP 4512928	QC	0.014	15	7	0.33	34	0.002	<20	0.60	0.004	0.21	<0.1	<0.01	1.1	<0.1	0.12	2	<0.5	<0.2
REP 4512946	QC																		
4512947	Drill Core	0.044	22	16	0.66	50	0.005	<20	1.44	0.010	0.26	<0.1	<0.01	1.7	<0.1	0.18	4	<0.5	<0.2
REP 4512947	QC																		
4512948	Drill Core	0.027	27	20	0.80	62	0.018	<20	1.88	0.014	0.34	<0.1	<0.01	1.9	0.1	0.21	5	<0.5	<0.2
REP 4512948	QC																		
4512959	Drill Core	0.038	24	20	0.74	51	0.004	<20	1.66	0.012	0.28	<0.1	<0.01	1.9	0.1	0.32	4	<0.5	<0.2
REP 4512959	QC																		
4512962	Drill Core	0.166	16	11	0.49	51	0.009	<20	1.01	0.007	0.30	<0.1	<0.01	1.6	0.2	0.11	3	<0.5	<0.2
REP 4512962	QC	0.165	16	12	0.49	49	0.009	<20	1.01	0.006	0.29	<0.1	<0.01	1.6	0.2	0.11	3	<0.5	<0.2
4512964	Drill Core	0.020	18	10	0.35	47	0.010	<20	0.72	0.006	0.28	<0.1	<0.01	1.1	0.2	0.14	2	<0.5	<0.2
REP 4512964	QC																		
Core Reject Duplicates																			
4512912	Drill Core	0.082	23	17	0.60	75	0.020	<20	1.30	0.010	0.39	0.1	<0.01	2.4	0.2	0.17	4	<0.5	<0.2
DUP 4512912	QC	0.083	23	16	0.61	74	0.020	<20	1.28	0.009	0.39	0.2	<0.01	2.4	0.2	0.17	4	<0.5	<0.2
4512946	Drill Core	0.019	18	17	0.73	42	0.004	<20	1.38	0.008	0.27	<0.1	<0.01	1.7	0.1	0.17	4	<0.5	<0.2
DUP 4512946	QC	0.019	18	17	0.73	42	0.004	<20	1.39	0.008	0.27	<0.1	<0.01	1.7	0.1	0.17	4	<0.5	<0.2
4512980	Drill Core	0.048	19	22	0.78	61	0.023	<20	1.69	0.009	0.36	<0.1	<0.01	2.5	0.2	0.25	5	<0.5	<0.2
DUP 4512980	QC	0.051	20	22	0.78	65	0.024	<20	1.75	0.009	0.36	<0.1	<0.01	2.3	0.2	0.25	5	<0.5	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.077	25	167	1.34	326	0.245	<20	2.35	0.197	0.90	3.7	0.09	5.8	0.6	0.72	7	5.3	1.1
STD BVGEO01	Standard	0.077	26	161	1.29	343	0.239	<20	2.23	0.186	0.87	3.6	0.10	5.8	0.7	0.69	7	4.6	1.0
STD BVGEO01	Standard	0.077	28	173	1.34	357	0.250	<20	2.34	0.200	0.89	3.7	0.10	5.9	0.6	0.69	8	4.7	1.1
STD KO74309	Standard																		
STD KO74309	Standard																		
STD KO74309	Standard																		
STD OREAS233	Standard																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: January 06, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000904.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS262	Standard			0.6	118.4	55.8	161	0.5	68.5	28.7	555	3.37	38.0	60.2	9.0	36	0.6	2.6	1.0	23	3.10
STD OREAS262	Standard			0.6	116.8	59.8	154	0.5	63.7	29.4	569	3.30	38.5	61.9	10.0	35	0.6	2.6	1.0	22	3.15
STD OREAS262	Standard			0.6	122.5	59.1	157	0.5	66.4	28.5	576	3.33	38.8	59.9	10.0	38	0.7	2.5	1.0	23	3.21
STD OREAS233	Standard		1.071																		
STD OREASL11	Standard		0.307																		
STD OREASL13	Standard		1.277																		
STD OREASL15	Standard		7.214																		
STD OREASL11	Standard		0.299																		
STD OREASL13	Standard		1.308																		
STD OREASL15	Standard		6.770																		
STD OXN173	Standard		7.807																		
STD OXN173	Standard		7.888																		
STD OXN173	Standard		7.223																		
STD BVGE001 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
STD OXN173 Expected			7.668																		
STD OREAS233 Expected			1.05																		
STD KO74309 Expected			0.228																		
STD OREASL11 Expected			0.305																		
STD OREASL13 Expected			1.29																		
STD OREASL15 Expected			7.18																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: January 06, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000904.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Tl ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS262	Standard	0.042	16	43	1.25	246	0.003	<20	1.33	0.074	0.33	<0.1	0.16	3.2	0.5	0.27	4	0.7	0.2
STD OREAS262	Standard	0.041	17	41	1.20	255	0.003	<20	1.20	0.072	0.30	0.1	0.17	3.1	0.5	0.27	4	<0.5	0.2
STD OREAS262	Standard	0.043	18	43	1.23	267	0.003	<20	1.29	0.071	0.32	<0.1	0.17	3.7	0.5	0.27	4	<0.5	0.2
STD OREAS233	Standard																		
STD OREASL11	Standard																		
STD OREASL13	Standard																		
STD OREASL15	Standard																		
STD OREASL11	Standard																		
STD OREASL13	Standard																		
STD OREASL15	Standard																		
STD OXN173	Standard																		
STD OXN173	Standard																		
STD OXN173	Standard																		
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.3	0.071	0.312	0.13	0.17	3.24	0.47	0.269	3.9	0.4	0.23
STD OXN173 Expected																			
STD OREAS233 Expected																			
STD KO74309 Expected																			
STD OREASL11 Expected																			
STD OREASL13 Expected																			
STD OREASL15 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: January 06, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000904.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.4	11.5	0.9	27	<0.1	1.8	4.8	440	1.97	0.7	<0.5	2.5	29	<0.1	<0.1	<0.1	31	0.69
ROCK-WHI	Prep Blank		<0.005	0.6	12.2	1.0	28	<0.1	2.4	4.9	443	1.99	0.6	<0.5	2.4	29	<0.1	<0.1	<0.1	30	0.69



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: January 06, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000904.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.044	6	3	0.53	52	0.105	<20	1.03	0.091	0.07	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	6	6	0.52	51	0.106	<20	1.03	0.093	0.07	0.1	<0.01	2.4	<0.1	<0.05	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Banyan Gold Corp.

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom
Receiving Lab: Canada-Vancouver
Received: October 20, 2022
Analysis Start: December 09, 2022
Report Date: December 22, 2022
Page: 1 of 7

CERTIFICATE OF ANALYSIS

WHI22000944.1

CLIENT JOB INFORMATION

Project: Aurex
Shipment ID: AX-BV-2022-203
P.O. Number
Number of Samples: 153

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Jason McLaughlin

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	148	Crush, split and pulverize 250 g rock to 200 mesh			VAN
SLBHP	5	Sort, label and box pulps			VAN
FA450	153	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ200	153	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	153	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.


Martin Wong
Data Validation Specialist



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 2 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

	Method	Analyte	Unit	MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4551396	Drill Core	4.30	<0.005	1.6	29.3	24.7	161	1.0	21.8	13.2	557	1.84	25.3	2.9	9.6	5	3.4	0.7	0.2	6	0.04			
4551397	Drill Core	5.24	0.010	0.6	23.2	23.3	186	0.6	20.1	7.8	407	1.98	46.8	4.8	9.8	7	2.3	0.9	0.3	7	0.07			
4551398	Drill Core	7.92	0.010	1.5	26.9	14.7	116	0.4	24.9	13.9	1009	2.95	46.4	4.2	8.8	7	1.3	1.4	0.7	8	0.09			
4551399	Drill Core	7.47	0.006	1.6	12.7	13.7	81	0.3	13.8	5.3	769	2.28	28.8	3.8	7.2	6	1.3	1.1	0.6	8	0.07			
4551400	Rock Pulp	0.07	0.835	6.5	4388.4	2829.8	9784	43.6	22.8	47.8	852	17.50	1332.1	224.3	0.4	37	59.1	102.9	21.7	23	1.58			
4551401	Drill Core	8.25	0.007	0.9	34.2	11.5	107	0.2	35.6	20.0	1229	3.21	173.2	3.5	12.8	10	0.7	1.9	0.9	9	0.12			
4551402	Drill Core	7.98	0.009	1.8	42.3	12.2	82	0.3	31.9	14.6	808	2.57	138.3	5.0	10.8	12	0.9	1.1	0.7	10	0.16			
4551403	Drill Core	7.82	0.011	1.3	29.4	17.1	93	0.2	29.6	11.9	764	2.46	44.0	7.5	10.9	12	0.5	1.0	0.7	12	0.14			
4551404	Drill Core	7.88	0.006	2.0	25.4	13.8	83	0.2	23.8	12.5	732	2.64	50.7	1.4	9.3	12	0.2	1.7	0.3	10	0.13			
4551405	Drill Core	8.00	<0.005	1.6	14.2	6.4	50	0.2	13.6	6.6	732	1.79	27.3	1.0	5.8	5	0.3	1.1	0.2	5	0.07			
4551406	Drill Core	7.05	0.007	0.8	8.0	3.4	34	0.3	5.9	2.1	371	1.18	24.1	2.2	5.0	3	0.4	1.0	0.2	3	0.03			
4551407	Drill Core	4.70	0.005	2.2	14.9	4.3	39	0.2	12.0	6.2	472	1.70	35.5	1.8	7.1	5	0.5	1.0	0.2	4	0.05			
4551408	Drill Core	4.20	<0.005	1.4	33.9	7.8	82	0.1	28.5	14.9	841	2.99	19.5	<0.5	7.0	13	0.6	0.9	0.2	9	0.15			
4551409	Drill Core	5.63	<0.005	0.8	45.2	10.4	88	0.7	32.9	15.7	951	3.59	25.1	1.3	8.0	9	0.3	4.1	0.4	8	0.10			
4551410	Drill Core	6.52	<0.005	2.0	39.9	8.1	86	0.6	30.6	13.8	922	3.71	24.8	1.3	7.4	11	0.2	3.6	0.2	8	0.11			
4551411	Drill Core	8.72	0.020	1.7	33.8	6.6	67	0.4	25.8	12.2	620	2.94	14.9	9.1	6.9	9	<0.1	2.1	0.5	6	0.10			
4551412	Drill Core	8.57	<0.005	0.9	29.3	6.8	71	0.1	25.3	12.4	804	2.84	18.4	0.7	9.2	10	<0.1	0.8	0.2	7	0.09			
4551413	Drill Core	8.20	0.008	1.7	32.4	7.6	75	0.3	28.2	13.3	1118	3.40	29.5	3.2	10.0	13	0.1	1.5	0.3	8	0.16			
4551414	Drill Core	8.85	0.013	1.7	22.1	8.5	58	0.2	16.2	7.5	1069	2.74	22.3	9.1	7.4	7	0.2	1.1	0.6	7	0.08			
4551415	Drill Core	8.31	0.007	0.8	49.5	10.0	101	0.1	44.9	21.1	1199	4.05	83.5	2.1	13.2	19	0.1	1.5	0.5	9	0.25			
4551416	Drill Core	8.09	0.030	2.3	52.9	23.3	119	0.6	29.1	14.8	1030	3.66	1085.6	79.1	8.6	10	2.9	1.4	1.4	7	0.12			
4551417	Drill Core	8.49	0.007	2.2	47.7	6.6	91	0.2	32.4	15.7	887	3.56	145.2	3.0	10.3	9	0.7	0.7	0.5	7	0.10			
4551418	Drill Core	8.35	0.033	1.0	42.7	12.4	43	0.2	21.9	10.9	396	2.15	266.0	17.3	5.3	9	0.2	0.5	1.2	5	0.11			
4551419	Drill Core	3.34	<0.005	0.4	35.5	4.1	52	<0.1	23.4	10.8	495	2.28	19.0	1.2	5.1	7	<0.1	0.3	0.3	4	0.07			
4551420	Rock Pulp	0.11	1.679	145.7	6069.8	3819.6	9470	>100	200.4	48.1	696	7.68	568.5	929.4	1.8	88	45.8	147.1	99.5	67	1.75			
4551421	Drill Core	7.94	0.016	1.5	29.4	5.4	35	0.1	13.4	6.1	349	1.77	15.6	4.7	4.4	5	0.2	0.2	1.0	4	0.05			
4551422	Drill Core	6.97	<0.005	2.2	20.4	7.6	43	<0.1	16.3	7.2	312	1.86	9.7	1.4	4.6	5	0.3	0.2	0.3	4	0.05			
4551423	Drill Core	5.87	0.016	0.8	36.1	14.1	58	0.3	21.9	11.2	665	2.64	122.5	6.2	6.1	6	1.1	0.4	0.7	3	0.08			
4551424	Drill Core	6.50	<0.005	2.4	10.1	11.7	30	<0.1	7.9	3.2	257	1.14	19.3	1.4	3.6	3	0.3	0.4	0.2	3	0.03			
4551425	Drill Core	5.57	0.035	1.7	17.1	4.7	15	0.2	5.5	2.1	301	1.12	9.2	22.4	3.8	3	<0.1	0.7	2.4	2	0.03			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 2 of 7 Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551396	Drill Core	0.012	17	14	0.04	122	0.001	<20	0.37	0.007	0.28	0.2	<0.01	1.1	0.2	0.20	<1	<0.5	<0.2			
4551397	Drill Core	0.023	17	9	0.07	53	0.002	<20	0.35	0.005	0.23	0.1	<0.01	1.3	0.2	0.21	<1	<0.5	<0.2			
4551398	Drill Core	0.015	16	14	0.24	62	0.001	<20	0.43	0.008	0.29	0.2	<0.01	1.9	0.2	0.21	1	<0.5	<0.2			
4551399	Drill Core	0.010	13	14	0.15	39	<0.001	<20	0.33	0.004	0.19	0.2	<0.01	1.8	0.2	0.20	<1	<0.5	<0.2			
4551400	Rock Pulp	0.025	2	23	1.00	18	0.001	<20	0.72	0.007	0.09	1.8	7.94	2.0	9.4	>10	3	>100	0.2			
4551401	Drill Core	0.018	26	11	0.28	58	0.001	<20	0.39	0.006	0.28	0.1	0.02	1.9	0.2	0.35	<1	<0.5	<0.2			
4551402	Drill Core	0.049	20	18	0.18	45	0.001	<20	0.45	0.007	0.26	0.3	0.01	1.9	0.2	0.59	1	<0.5	<0.2			
4551403	Drill Core	0.037	21	19	0.20	45	0.001	<20	0.55	0.006	0.22	0.2	0.01	2.2	0.2	0.53	1	<0.5	<0.2			
4551404	Drill Core	0.037	21	18	0.29	52	0.002	<20	0.52	0.009	0.30	0.2	<0.01	1.9	0.2	0.21	1	<0.5	<0.2			
4551405	Drill Core	0.020	12	13	0.13	25	0.001	<20	0.33	0.007	0.23	0.2	<0.01	1.0	0.1	0.20	<1	<0.5	<0.2			
4551406	Drill Core	0.007	9	7	0.04	15	<0.001	<20	0.19	0.004	0.14	0.3	<0.01	0.6	<0.1	0.18	<1	<0.5	<0.2			
4551407	Drill Core	0.014	12	16	0.12	23	0.001	<20	0.29	0.006	0.20	0.2	<0.01	0.8	0.1	0.25	<1	<0.5	<0.2			
4551408	Drill Core	0.046	15	15	0.33	43	0.002	<20	0.50	0.010	0.31	<0.1	<0.01	1.8	0.1	0.38	1	<0.5	<0.2			
4551409	Drill Core	0.016	16	10	0.49	32	0.001	<20	0.33	0.007	0.25	<0.1	<0.01	1.7	0.1	0.26	<1	<0.5	<0.2			
4551410	Drill Core	0.020	15	17	0.52	39	0.001	<20	0.42	0.009	0.28	<0.1	<0.01	1.8	0.1	0.23	1	<0.5	<0.2			
4551411	Drill Core	0.021	14	15	0.33	36	0.001	<20	0.35	0.008	0.24	<0.1	<0.01	1.3	0.1	0.50	<1	<0.5	<0.2			
4551412	Drill Core	0.016	21	10	0.33	37	0.002	<20	0.39	0.006	0.24	<0.1	<0.01	1.4	<0.1	0.31	<1	<0.5	<0.2			
4551413	Drill Core	0.044	23	15	0.36	41	0.002	<20	0.42	0.008	0.26	<0.1	<0.01	1.8	<0.1	0.37	1	<0.5	<0.2			
4551414	Drill Core	0.010	14	15	0.23	31	0.002	<20	0.35	0.006	0.22	0.1	<0.01	1.4	0.1	0.30	<1	<0.5	<0.2			
4551415	Drill Core	0.078	28	10	0.43	52	0.002	<20	0.43	0.007	0.28	<0.1	<0.01	1.8	0.1	0.59	<1	<0.5	<0.2			
4551416	Drill Core	0.030	17	17	0.25	44	0.002	<20	0.42	0.008	0.27	0.4	<0.01	1.5	0.2	0.88	1	0.5	<0.2			
4551417	Drill Core	0.026	19	15	0.25	37	0.002	<20	0.40	0.008	0.28	0.1	<0.01	1.6	0.1	0.66	1	<0.5	<0.2			
4551418	Drill Core	0.035	12	9	0.09	27	0.001	<20	0.31	0.006	0.21	0.1	<0.01	0.9	0.1	0.63	<1	0.5	<0.2			
4551419	Drill Core	0.011	11	6	0.16	31	0.002	<20	0.31	0.006	0.21	<0.1	<0.01	1.0	<0.1	0.62	<1	<0.5	<0.2			
4551420	Rock Pulp	0.069	7	41	1.30	49	0.072	<20	1.39	0.087	0.24	6.7	2.39	4.2	2.5	5.54	6	9.8	10.7			
4551421	Drill Core	0.008	10	12	0.10	27	0.002	<20	0.29	0.005	0.20	<0.1	<0.01	0.8	<0.1	0.45	<1	<0.5	<0.2			
4551422	Drill Core	0.010	11	16	0.13	26	0.001	<20	0.28	0.005	0.21	<0.1	<0.01	0.7	<0.1	0.40	<1	<0.5	<0.2			
4551423	Drill Core	0.010	11	6	0.15	23	<0.001	<20	0.30	0.005	0.18	0.2	<0.01	0.8	0.1	0.71	<1	<0.5	<0.2			
4551424	Drill Core	0.007	9	16	0.06	17	0.001	<20	0.23	0.005	0.16	<0.1	<0.01	0.4	<0.1	0.21	<1	<0.5	<0.2			
4551425	Drill Core	0.005	8	12	0.05	13	0.001	<20	0.18	0.004	0.13	0.3	<0.01	0.3	0.2	0.31	<1	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 3 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
4551426	Drill Core	7.93	0.005	0.6	5.6	2.7	17	<0.1	4.7	1.5	314	1.00	5.8	5.7	3.0	3	<0.1	0.3	0.2	2	0.03
4551427	Drill Core	6.42	<0.005	2.0	19.8	5.7	53	<0.1	17.8	7.8	576	2.45	17.5	1.4	4.9	8	<0.1	0.6	0.2	5	0.09
4551428	Drill Core	6.92	0.006	2.6	5.4	3.9	14	<0.1	4.8	1.5	286	1.00	3.7	3.6	3.4	2	0.2	0.5	<0.1	2	0.02
4551429	Drill Core	7.49	0.006	0.7	21.5	6.9	56	<0.1	16.0	7.3	575	2.33	16.0	3.7	5.9	9	0.2	0.7	0.3	5	0.10
4551430	Drill Core	8.54	0.006	2.1	26.9	7.3	63	<0.1	19.6	8.5	620	2.68	17.1	2.3	5.9	10	0.2	0.7	0.3	6	0.11
4551431	Drill Core	7.72	0.033	1.5	28.1	13.2	71	0.1	22.4	11.1	715	2.74	31.6	19.2	8.7	19	<0.1	1.0	1.7	8	0.27
4551432	Drill Core	5.09	0.008	1.1	36.1	12.1	87	0.1	31.5	16.8	776	3.51	46.5	3.0	9.1	17	<0.1	2.8	0.4	9	0.15
4551433	Drill Core	7.94	0.038	2.2	32.1	24.9	84	0.3	23.8	11.7	746	2.94	778.2	21.6	6.2	25	0.8	2.2	1.3	8	0.33
4551434	Drill Core	5.95	0.016	2.4	19.7	11.0	60	<0.1	20.6	10.3	535	2.35	50.1	7.6	8.2	20	<0.1	1.2	0.2	8	0.28
4551435	Drill Core	5.22	0.008	0.6	23.0	11.7	81	<0.1	25.5	12.4	614	2.97	34.3	4.8	6.9	29	<0.1	1.8	0.4	8	0.46
4551436	Drill Core	8.82	0.006	1.7	19.9	11.8	63	0.2	21.9	10.9	690	2.56	38.4	3.1	6.6	37	<0.1	1.8	0.4	9	0.58
4551437	Drill Core	7.94	<0.005	2.3	37.8	8.8	73	0.1	32.2	15.9	703	3.54	30.8	0.7	6.6	26	<0.1	2.5	0.2	13	0.30
4551438	Drill Core	8.29	0.020	0.5	24.9	14.1	56	0.5	23.6	11.7	639	2.71	78.1	28.4	7.8	32	0.1	2.0	0.5	8	0.45
4551439	Drill Core	8.75	0.015	1.8	21.5	12.3	63	0.2	21.0	8.2	530	2.82	63.7	23.7	10.7	48	<0.1	0.9	0.7	11	0.83
4551440	Rock	0.58	<0.005	1.7	2.3	0.9	24	<0.1	1.7	3.3	428	1.74	0.8	<0.5	2.2	23	<0.1	<0.1	<0.1	21	0.61
4551441	Drill Core	8.37	0.012	0.5	27.3	11.9	64	0.2	24.5	11.7	546	2.82	47.4	15.1	7.4	36	<0.1	0.8	0.6	9	0.48
4551442	Drill Core	8.38	0.015	2.6	39.7	11.5	64	0.2	31.4	15.9	705	3.23	34.2	39.8	6.6	36	<0.1	1.1	0.9	10	0.55
4551443	Drill Core	8.49	0.012	1.6	48.2	10.1	59	0.2	33.1	16.1	661	3.45	65.0	4.3	6.0	31	<0.1	1.5	0.6	10	0.40
4551444	Drill Core	8.33	0.007	0.6	24.1	14.0	49	0.2	19.8	8.9	683	2.67	23.7	3.1	6.7	25	<0.1	2.5	0.5	8	0.35
4551445	Drill Core	4.70	<0.005	1.6	31.9	10.1	69	<0.1	33.8	20.3	546	3.66	21.9	0.5	6.1	19	<0.1	1.6	0.3	12	0.17
4551446	Drill Core	6.50	0.007	1.5	35.9	9.3	61	<0.1	30.1	15.4	609	3.77	22.6	3.4	5.8	34	<0.1	0.4	0.5	14	0.47
4551447	Drill Core	6.68	<0.005	1.3	48.4	11.1	69	<0.1	38.1	17.6	722	4.34	30.3	1.4	7.9	33	<0.1	0.2	0.3	21	0.48
4551448	Drill Core	8.30	<0.005	0.9	27.1	8.7	75	<0.1	31.0	13.7	651	3.36	24.7	<0.5	7.7	27	<0.1	0.2	0.2	17	0.36
4551449	Drill Core	7.27	0.009	0.5	30.1	10.1	75	<0.1	24.2	10.9	667	2.91	24.9	4.2	6.0	32	<0.1	0.6	0.4	14	0.58
4551450	Drill Core	8.34	0.008	2.1	26.7	9.5	69	<0.1	24.8	11.5	669	2.91	31.3	6.8	6.8	40	<0.1	0.8	0.4	14	0.69
4551451	Drill Core	6.48	0.008	1.5	38.2	19.3	88	0.1	34.7	19.3	740	3.64	34.6	4.0	6.2	28	<0.1	0.3	0.5	17	0.39
4551452	Drill Core	6.26	0.006	1.2	53.1	39.5	79	0.2	42.9	22.9	667	3.43	69.0	1.1	6.8	32	<0.1	0.3	0.9	16	0.34
4551453	Drill Core	5.00	0.005	0.5	40.0	9.1	95	0.1	36.9	18.5	963	4.06	128.0	6.6	6.3	22	<0.1	0.5	0.5	18	0.21
4551454	Drill Core	4.21	0.031	1.9	50.7	23.6	90	0.5	41.1	19.9	778	3.83	109.5	5.3	7.7	26	<0.1	0.2	0.9	18	0.23
4551455	Drill Core	4.42	<0.005	1.3	49.9	10.9	106	0.2	39.3	22.3	747	3.93	51.2	2.0	6.7	17	<0.1	0.2	0.5	18	0.17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 3 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551426	Drill Core	0.004	7	6	0.07	14	0.001	<20	0.18	0.004	0.12	<0.1	<0.01	0.4	<0.1	0.08	<1	<0.5	<0.2			
4551427	Drill Core	0.022	12	15	0.29	31	0.001	<20	0.36	0.007	0.24	<0.1	<0.01	1.1	0.1	0.19	<1	<0.5	<0.2			
4551428	Drill Core	0.004	7	16	0.06	12	<0.001	<20	0.17	0.004	0.13	<0.1	<0.01	0.3	<0.1	0.13	<1	<0.5	<0.2			
4551429	Drill Core	0.019	12	8	0.29	28	0.001	<20	0.30	0.005	0.22	<0.1	<0.01	1.1	0.1	0.26	<1	<0.5	<0.2			
4551430	Drill Core	0.023	12	16	0.32	31	0.001	<20	0.36	0.006	0.24	<0.1	<0.01	1.3	0.1	0.33	<1	<0.5	<0.2			
4551431	Drill Core	0.015	17	16	0.39	45	0.001	<20	0.56	0.007	0.26	0.2	<0.01	1.4	0.1	0.32	2	<0.5	<0.2			
4551432	Drill Core	0.027	18	12	0.53	40	<0.001	<20	0.37	0.008	0.25	<0.1	<0.01	1.7	0.2	0.30	1	<0.5	<0.2			
4551433	Drill Core	0.022	13	18	0.48	37	0.002	<20	0.45	0.008	0.26	<0.1	<0.01	1.7	0.1	0.40	1	<0.5	<0.2			
4551434	Drill Core	0.060	14	20	0.36	40	0.002	<20	0.71	0.007	0.26	<0.1	<0.01	1.3	0.1	0.22	2	<0.5	<0.2			
4551435	Drill Core	0.034	13	11	0.49	34	0.002	<20	0.81	0.006	0.25	<0.1	<0.01	1.5	0.1	0.23	2	<0.5	<0.2			
4551436	Drill Core	0.065	15	18	0.46	42	0.003	<20	0.88	0.008	0.29	<0.1	<0.01	1.5	0.1	0.13	2	<0.5	<0.2			
4551437	Drill Core	0.044	14	22	0.63	48	0.008	<20	1.21	0.008	0.33	<0.1	<0.01	2.1	0.2	0.31	3	<0.5	<0.2			
4551438	Drill Core	0.038	14	11	0.49	36	0.002	<20	0.94	0.006	0.24	<0.1	<0.01	1.2	0.2	0.34	2	<0.5	<0.2			
4551439	Drill Core	0.013	20	22	0.56	51	0.003	<20	1.13	0.010	0.28	<0.1	<0.01	1.3	0.1	0.25	3	<0.5	<0.2			
4551440	Rock	0.037	5	7	0.42	61	0.073	<20	0.81	0.101	0.10	<0.1	<0.01	2.1	<0.1	<0.05	3	<0.5	<0.2			
4551441	Drill Core	0.028	16	12	0.52	42	0.003	<20	0.96	0.007	0.24	<0.1	<0.01	1.2	0.1	0.25	2	<0.5	<0.2			
4551442	Drill Core	0.048	12	21	0.59	48	0.003	<20	0.91	0.009	0.30	<0.1	<0.01	1.7	0.1	0.35	2	<0.5	<0.2			
4551443	Drill Core	0.076	14	17	0.55	60	0.003	<20	0.99	0.011	0.32	<0.1	<0.01	1.8	0.2	0.29	2	<0.5	<0.2			
4551444	Drill Core	0.028	14	11	0.47	47	0.002	<20	0.74	0.008	0.24	<0.1	<0.01	1.4	0.1	0.08	2	<0.5	<0.2			
4551445	Drill Core	0.025	13	21	0.55	60	0.004	<20	1.28	0.011	0.29	<0.1	<0.01	1.7	0.3	0.18	3	<0.5	<0.2			
4551446	Drill Core	0.034	11	21	0.65	67	0.011	<20	1.52	0.010	0.37	0.5	<0.01	1.9	0.2	0.19	4	<0.5	<0.2			
4551447	Drill Core	0.028	14	26	0.82	98	0.056	<20	2.03	0.010	0.63	0.2	<0.01	2.9	0.4	0.18	5	<0.5	<0.2			
4551448	Drill Core	0.031	14	20	0.64	68	0.047	<20	1.59	0.010	0.46	<0.1	<0.01	2.1	0.3	0.09	4	<0.5	<0.2			
4551449	Drill Core	0.031	13	15	0.58	62	0.028	<20	1.31	0.009	0.40	0.3	<0.01	2.0	0.2	0.12	3	<0.5	<0.2			
4551450	Drill Core	0.055	15	23	0.56	69	0.025	<20	1.28	0.011	0.43	<0.1	<0.01	2.0	0.2	0.12	3	<0.5	<0.2			
4551451	Drill Core	0.067	13	21	0.65	73	0.045	<20	1.59	0.010	0.49	<0.1	<0.01	2.5	0.3	0.15	4	<0.5	<0.2			
4551452	Drill Core	0.045	11	16	0.57	72	0.055	<20	1.32	0.009	0.58	0.1	<0.01	2.1	0.5	0.48	4	<0.5	<0.2			
4551453	Drill Core	0.021	11	18	0.69	73	0.076	<20	1.61	0.009	0.68	0.1	<0.01	2.4	0.6	0.33	4	<0.5	<0.2			
4551454	Drill Core	0.024	15	24	0.65	92	0.075	<20	1.69	0.012	0.74	0.2	<0.01	2.5	0.6	0.43	4	<0.5	<0.2			
4551455	Drill Core	0.044	15	23	0.69	84	0.076	<20	1.87	0.010	0.67	0.1	<0.01	2.6	0.6	0.20	5	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 4 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
4551456	Drill Core	8.86	<0.005	0.7	19.3	10.3	54	<0.1	28.8	15.6	524	2.81	37.7	2.6	7.8	29	<0.1	1.0	0.2	9	0.34
4551457	Drill Core	7.94	<0.005	2.6	26.6	10.5	58	0.1	23.8	12.7	602	2.85	28.9	1.9	7.5	38	<0.1	1.5	0.3	7	0.48
4551458	Drill Core	4.14	0.020	1.4	34.9	80.9	99	0.7	33.2	14.2	616	3.47	661.2	14.4	9.2	41	2.1	1.1	0.6	8	0.44
4551459	Drill Core	4.80	<0.005	0.5	24.1	24.7	59	0.7	25.6	11.7	1116	2.64	30.6	0.8	8.7	60	0.3	0.6	0.5	6	0.78
4551460	Rock Pulp	0.07	0.875	7.0	4640.7	3089.8	9938	45.2	24.8	51.5	931	17.51	1437.2	178.7	0.4	39	60.8	97.2	22.4	23	1.72
4551461	Drill Core	5.60	<0.005	2.7	22.7	15.5	53	0.2	18.3	7.3	465	2.36	23.7	0.9	10.2	30	0.1	0.3	0.6	8	0.37
4551462	Drill Core	5.77	0.012	1.3	47.6	6.3	70	0.2	42.5	23.3	359	3.31	208.1	10.5	6.3	43	<0.1	0.2	0.3	10	0.44
4551463	Drill Core	5.19	0.016	0.5	27.9	196.0	351	1.4	19.9	8.4	585	2.58	155.1	16.4	6.6	56	7.9	0.2	3.4	8	0.55
4551464	Drill Core	8.36	0.012	1.9	14.0	19.2	54	0.3	13.9	5.7	484	2.13	195.7	9.4	6.2	43	0.8	0.4	0.4	6	0.47
4551465	Drill Core	7.35	0.017	1.5	22.9	11.2	54	0.2	21.0	10.0	517	2.38	89.3	8.5	7.5	69	<0.1	0.3	0.8	8	0.75
4551466	Drill Core	8.58	0.020	0.5	32.6	9.2	45	0.1	27.5	12.5	427	2.44	28.3	15.3	6.4	32	<0.1	0.3	0.9	8	0.39
4551467	Drill Core	7.80	0.025	2.0	26.6	10.6	46	0.1	20.9	9.3	545	2.48	22.1	42.6	7.7	34	<0.1	0.7	1.4	9	0.58
4551468	Drill Core	7.79	0.011	1.3	10.2	13.2	29	<0.1	10.9	4.9	225	1.33	20.3	2.5	8.9	27	<0.1	0.1	0.5	6	0.49
4551469	Drill Core	8.30	0.013	1.0	36.2	13.3	68	<0.1	31.7	16.9	537	3.25	88.9	4.4	12.2	34	<0.1	0.2	1.0	16	0.62
4551470	Drill Core	8.69	0.014	1.6	35.7	14.2	71	<0.1	32.9	18.4	507	3.28	86.1	8.0	11.9	37	<0.1	0.2	0.6	16	0.61
4551471	Drill Core	8.53	0.031	1.4	39.5	9.4	42	<0.1	22.1	13.1	382	2.47	357.0	25.1	10.8	33	<0.1	0.3	1.0	10	0.71
4551472	Drill Core	7.61	0.017	0.6	30.4	14.6	39	0.1	24.5	12.6	345	2.48	275.8	5.7	10.7	45	<0.1	0.3	0.7	11	0.55
4551473	Drill Core	7.65	0.009	1.4	24.8	6.4	51	<0.1	33.2	15.2	280	2.71	44.7	6.3	12.6	25	<0.1	0.2	0.3	12	0.36
4551474	Drill Core	8.71	<0.005	1.3	10.8	11.2	36	<0.1	11.0	4.8	273	1.58	18.7	1.0	8.2	25	<0.1	0.2	0.2	8	0.39
4551475	Drill Core	8.44	<0.005	0.6	18.9	12.6	59	<0.1	22.2	11.7	427	2.40	37.2	0.5	10.5	40	<0.1	0.2	0.2	13	0.52
4551476	Drill Core	8.54	0.006	1.5	20.4	11.8	63	<0.1	22.8	11.2	469	2.74	50.0	1.9	10.1	33	<0.1	0.2	0.3	16	0.57
4551477	Drill Core	7.87	0.012	1.1	21.5	10.6	54	<0.1	25.2	14.7	495	2.41	41.6	3.9	10.7	37	<0.1	0.2	0.5	13	0.58
4551478	Drill Core	7.97	<0.005	1.8	14.0	10.4	48	<0.1	18.5	7.6	376	2.32	22.1	2.7	10.0	25	<0.1	0.1	0.2	11	0.36
4551479	Drill Core	9.29	0.056	1.6	24.9	30.1	64	0.2	22.6	11.2	617	2.59	2322.9	46.4	9.7	35	0.6	1.8	0.5	9	0.57
4551480	Rock Pulp	0.11	1.612	154.7	6444.2	4616.0	9950	>100	218.6	49.1	746	7.48	576.6	788.8	1.9	94	48.9	136.6	106.5	72	1.87
4551481	Drill Core	7.99	0.009	0.6	11.9	12.9	45	0.2	13.6	5.9	497	1.96	36.2	2.3	7.7	50	<0.1	1.1	0.2	7	0.86
4551482	Drill Core	8.38	0.008	2.2	16.0	12.1	53	0.1	19.6	9.6	466	2.53	25.4	2.9	9.0	26	<0.1	1.2	0.4	8	0.46
4551483	Drill Core	8.11	0.010	1.9	22.1	11.5	47	0.2	20.1	9.5	466	2.36	34.6	3.8	10.9	30	<0.1	0.8	0.3	7	0.43
4551484	Drill Core	8.28	<0.005	0.5	18.7	9.0	44	0.2	20.7	8.7	405	2.30	19.7	0.7	9.2	28	<0.1	0.2	0.2	8	0.40
4551485	Drill Core	6.66	0.023	2.2	27.7	10.5	67	<0.1	24.7	10.8	556	3.09	46.2	21.2	7.0	34	<0.1	0.1	0.7	12	0.61



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 4 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551456	Drill Core	0.021	16	15	0.48	58	0.010	<20	1.08	0.009	0.31	<0.1	<0.01	1.3	0.2	0.13	3	<0.5	<0.2			
4551457	Drill Core	0.020	14	21	0.48	59	0.003	<20	0.88	0.009	0.31	<0.1	<0.01	1.3	0.1	0.21	2	<0.5	<0.2			
4551458	Drill Core	0.032	17	18	0.57	63	0.002	<20	1.14	0.010	0.31	<0.1	<0.01	1.3	0.1	0.41	3	<0.5	<0.2			
4551459	Drill Core	0.029	15	10	0.48	50	0.002	<20	0.74	0.009	0.29	<0.1	<0.01	1.0	0.2	0.32	2	<0.5	<0.2			
4551460	Rock Pulp	0.024	2	24	0.99	11	0.002	<20	0.76	0.006	0.09	2.3	8.28	2.1	9.2	>10	3	>100	0.3			
4551461	Drill Core	0.009	18	26	0.38	42	0.003	<20	0.83	0.030	0.20	<0.1	0.02	1.1	<0.1	0.23	2	<0.5	<0.2			
4551462	Drill Core	0.105	14	19	0.56	72	0.003	<20	1.37	0.012	0.34	2.3	0.01	1.4	0.1	0.30	3	<0.5	<0.2			
4551463	Drill Core	0.014	11	13	0.41	42	0.002	<20	0.88	0.013	0.24	<0.1	0.01	1.1	0.1	0.38	2	<0.5	<0.2			
4551464	Drill Core	0.011	12	19	0.31	37	0.002	<20	0.79	0.013	0.23	0.2	<0.01	0.8	<0.1	0.22	2	<0.5	<0.2			
4551465	Drill Core	0.026	13	16	0.40	54	0.004	<20	0.85	0.011	0.29	0.4	<0.01	1.2	0.1	0.26	2	<0.5	<0.2			
4551466	Drill Core	0.030	15	12	0.46	51	0.008	<20	1.06	0.011	0.27	<0.1	<0.01	1.3	0.1	0.13	3	<0.5	<0.2			
4551467	Drill Core	0.023	15	20	0.45	53	0.005	<20	1.06	0.013	0.28	1.0	<0.01	1.3	0.1	0.19	3	<0.5	<0.2			
4551468	Drill Core	0.018	17	14	0.24	38	0.013	<20	0.65	0.010	0.22	0.4	<0.01	0.8	<0.1	0.11	1	<0.5	<0.2			
4551469	Drill Core	0.025	20	19	0.58	69	0.042	<20	1.48	0.013	0.46	0.8	<0.01	2.2	0.3	0.29	4	<0.5	<0.2			
4551470	Drill Core	0.058	20	24	0.56	71	0.041	<20	1.51	0.017	0.49	0.7	<0.01	2.2	0.3	0.25	4	<0.5	<0.2			
4551471	Drill Core	0.017	18	18	0.44	65	0.022	<20	1.04	0.011	0.39	2.1	<0.01	1.4	0.2	0.52	3	<0.5	<0.2			
4551472	Drill Core	0.033	18	14	0.44	60	0.020	<20	1.16	0.013	0.37	0.2	<0.01	1.5	0.2	0.27	3	<0.5	<0.2			
4551473	Drill Core	0.055	23	21	0.47	70	0.029	<20	1.33	0.013	0.44	<0.1	<0.01	1.5	0.3	0.21	3	<0.5	<0.2			
4551474	Drill Core	0.009	16	17	0.27	60	0.026	<20	0.81	0.019	0.34	<0.1	<0.01	1.0	0.2	0.13	2	<0.5	<0.2			
4551475	Drill Core	0.090	21	19	0.46	91	0.048	<20	1.32	0.020	0.50	<0.1	<0.01	1.6	0.3	0.12	3	<0.5	<0.2			
4551476	Drill Core	0.060	19	26	0.51	83	0.044	<20	1.40	0.017	0.57	<0.1	<0.01	2.2	0.4	0.18	4	<0.5	<0.2			
4551477	Drill Core	0.018	23	20	0.43	75	0.034	<20	1.23	0.017	0.50	0.4	<0.01	1.7	0.3	0.14	3	<0.5	<0.2			
4551478	Drill Core	0.013	22	23	0.39	69	0.040	<20	1.18	0.015	0.51	0.1	<0.01	1.5	0.3	0.12	3	<0.5	<0.2			
4551479	Drill Core	0.015	20	17	0.40	53	0.003	<20	0.97	0.012	0.32	0.1	<0.01	1.4	0.1	0.36	2	<0.5	<0.2			
4551480	Rock Pulp	0.073	7	45	1.32	27	0.074	<20	1.52	0.092	0.25	7.2	2.43	4.4	2.6	5.51	6	10.0	11.2			
4551481	Drill Core	0.012	15	10	0.35	42	0.007	<20	0.65	0.008	0.27	<0.1	<0.01	1.1	0.2	0.14	2	<0.5	<0.2			
4551482	Drill Core	0.013	16	20	0.40	49	0.007	<20	0.94	0.010	0.30	0.2	<0.01	1.3	0.1	0.12	2	<0.5	<0.2			
4551483	Drill Core	0.014	19	19	0.37	49	0.006	<20	0.88	0.010	0.31	<0.1	<0.01	1.2	0.1	0.16	2	<0.5	<0.2			
4551484	Drill Core	0.030	17	11	0.38	50	0.004	<20	0.96	0.009	0.26	<0.1	<0.01	1.1	0.1	0.10	2	<0.5	<0.2			
4551485	Drill Core	0.037	14	25	0.57	68	0.019	<20	1.32	0.010	0.40	<0.1	<0.01	1.8	0.3	0.23	3	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 5 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

	Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4551486	Drill Core	4.85	0.034	1.6	59.7	18.2	67	0.4	36.9	19.9	896	3.91	155.2	49.0	7.4	61	<0.1	0.3	1.5	17	0.67
4551487	Drill Core	6.95	0.083	0.8	54.4	17.4	55	0.1	27.7	14.2	650	3.09	36.1	72.2	5.5	28	<0.1	0.2	4.3	11	0.35
4551488	Drill Core	6.50	0.007	0.6	34.2	13.4	78	0.3	32.1	15.0	804	3.63	30.9	1.1	6.8	36	<0.1	0.1	0.3	14	0.35
4551489	Drill Core	7.79	0.009	1.5	38.8	36.4	93	0.8	29.5	15.4	951	3.86	42.5	2.8	7.7	42	0.1	<0.1	0.7	13	0.50
4551490	Drill Core	8.42	0.009	1.3	27.0	11.4	97	0.4	30.4	14.7	830	3.65	49.2	8.1	8.0	38	0.1	0.1	0.4	15	0.41
4551491	Drill Core	8.09	0.012	0.6	23.4	10.8	73	0.1	26.0	12.3	688	3.21	37.4	7.8	7.2	41	<0.1	0.2	0.6	10	0.46
4551492	Drill Core	8.37	0.018	1.6	31.8	18.8	70	0.7	32.8	15.3	692	3.49	32.0	8.7	8.6	34	<0.1	0.7	1.2	11	0.39
4551493	Drill Core	8.52	0.007	0.9	29.9	29.7	119	1.1	31.0	15.8	875	3.24	49.5	3.1	7.3	34	0.8	1.4	0.3	9	0.45
4551494	Drill Core	7.78	0.010	0.8	35.0	107.0	357	2.0	32.4	15.2	2293	3.44	105.6	9.2	7.3	19	4.6	2.1	0.2	8	0.37
4551495	Drill Core	7.40	0.024	1.4	20.4	630.8	1454	6.7	12.5	6.2	8529	2.71	78.9	19.3	4.4	8	22.6	1.5	1.4	4	0.25
4551496	Drill Core	4.83	0.037	1.7	11.3	201.8	394	1.2	9.0	5.8	2911	1.63	29.0	435.3	4.7	12	5.9	0.9	0.5	3	0.22
4551497	Drill Core	5.35	0.030	0.6	17.6	93.5	146	0.6	12.9	6.8	1958	2.14	137.1	14.2	4.8	16	1.7	1.7	0.3	4	0.25
4551498	Drill Core	5.76	0.015	1.9	25.4	18.0	61	0.3	23.5	15.6	775	2.84	144.4	10.6	4.9	32	<0.1	1.4	0.8	8	0.52
4551499	Drill Core	6.31	0.042	1.3	51.0	14.3	76	0.1	31.1	15.2	784	3.50	35.2	50.1	4.3	31	<0.1	0.6	2.3	9	0.61
4551500	Rock	0.54	<0.005	1.4	2.3	0.8	27	<0.1	1.3	3.5	426	1.77	0.8	<0.5	2.2	22	<0.1	<0.1	<0.1	22	0.52
4515001	Drill Core	8.82	<0.005	1.4	41.4	10.6	104	<0.1	39.4	16.2	808	4.63	8.9	0.8	6.6	41	<0.1	0.1	0.2	13	0.41
4515002	Drill Core	8.26	0.006	1.5	26.2	9.4	53	0.1	24.3	14.1	517	2.89	20.9	2.2	7.5	31	<0.1	0.1	0.4	9	0.28
4515003	Drill Core	9.16	0.046	0.6	30.7	10.5	45	0.3	23.6	12.2	437	2.63	164.7	106.0	6.5	41	<0.1	0.6	1.8	6	0.44
4515004	Drill Core	7.30	0.009	1.6	15.3	6.3	34	0.2	14.0	6.1	350	1.92	13.9	3.9	5.7	12	<0.1	0.8	0.2	4	0.09
4515005	Drill Core	8.12	0.007	1.9	22.4	22.8	38	0.6	13.9	6.6	490	1.78	33.5	7.1	5.5	16	0.3	0.8	0.3	3	0.16
4515006	Drill Core	8.55	0.024	0.7	10.3	9.7	41	0.2	11.4	4.6	470	1.87	550.3	20.9	4.4	25	0.1	0.6	0.6	4	0.31
4515007	Drill Core	9.06	0.019	1.9	29.0	12.7	58	0.3	20.3	10.4	564	2.44	125.2	18.9	6.4	27	<0.1	0.6	1.0	7	0.28
4515008	Drill Core	7.28	0.007	1.3	27.9	5.8	51	<0.1	21.1	10.2	479	2.64	46.9	2.6	5.3	29	<0.1	0.5	0.3	9	0.30
4515009	Drill Core	7.01	<0.005	1.3	19.2	6.3	73	<0.1	35.0	17.6	334	4.28	10.0	0.7	7.5	34	<0.1	0.4	0.2	20	0.33
4515010	Drill Core	6.98	<0.005	1.1	23.6	6.0	65	<0.1	32.8	16.6	338	3.86	4.8	2.1	7.6	34	<0.1	0.3	0.3	17	0.34
4515011	Drill Core	8.42	<0.005	1.0	43.0	7.8	58	0.2	30.5	15.6	589	2.93	5.5	1.3	7.3	20	<0.1	0.9	0.6	10	0.23
4515012	Drill Core	6.77	<0.005	1.7	12.9	25.2	46	0.1	16.2	7.7	407	2.11	60.9	3.8	10.9	43	0.1	0.3	0.3	9	0.61
4515013	Drill Core	6.02	0.016	2.2	21.1	100.7	232	0.9	19.2	8.1	505	2.58	308.4	12.2	11.4	32	10.2	0.4	1.9	11	0.63
4515014	Drill Core	7.82	0.012	0.5	16.3	14.0	48	<0.1	17.4	7.9	627	2.25	10.2	32.5	10.6	76	<0.1	0.7	0.6	9	1.32
4515015	Drill Core	8.94	0.068	2.0	37.2	15.5	63	0.1	23.8	15.8	490	2.93	97.0	37.5	14.9	45	<0.1	0.4	3.3	13	1.26



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 5 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4551486	Drill Core	0.048	13	23	0.73	82	0.016	<20	1.49	0.013	0.41	<0.1	<0.01	2.7	0.5	0.53	4	<0.5	<0.2			
4551487	Drill Core	0.016	10	14	0.59	55	0.018	<20	1.19	0.008	0.33	0.8	<0.01	1.7	0.3	0.46	3	0.6	<0.2			
4551488	Drill Core	0.022	13	17	0.68	52	0.013	<20	1.50	0.009	0.30	<0.1	<0.01	2.1	0.2	0.18	4	<0.5	<0.2			
4551489	Drill Core	0.029	12	20	0.70	52	0.005	<20	1.47	0.010	0.28	<0.1	<0.01	2.1	0.2	0.42	4	<0.5	<0.2			
4551490	Drill Core	0.035	15	20	0.68	53	0.006	<20	1.47	0.012	0.30	<0.1	<0.01	2.0	0.2	0.23	4	<0.5	<0.2			
4551491	Drill Core	0.023	13	14	0.59	50	0.005	<20	1.07	0.009	0.26	<0.1	<0.01	1.7	0.2	0.21	3	<0.5	<0.2			
4551492	Drill Core	0.037	16	20	0.62	56	0.004	<20	1.24	0.011	0.28	<0.1	<0.01	1.7	0.1	0.27	3	<0.5	<0.2			
4551493	Drill Core	0.025	12	13	0.49	56	0.002	<20	0.81	0.009	0.31	<0.1	<0.01	1.6	0.2	0.52	2	<0.5	<0.2			
4551494	Drill Core	0.023	12	10	0.48	43	<0.001	<20	0.58	0.008	0.26	<0.1	<0.01	1.6	0.2	0.44	2	<0.5	<0.2			
4551495	Drill Core	0.008	9	11	0.29	30	<0.001	<20	0.30	0.006	0.23	0.1	0.02	0.9	0.2	0.31	<1	<0.5	<0.2			
4551496	Drill Core	0.009	10	12	0.22	24	<0.001	<20	0.24	0.006	0.19	0.1	<0.01	0.7	0.1	0.09	<1	<0.5	<0.2			
4551497	Drill Core	0.012	9	8	0.31	23	<0.001	<20	0.22	0.006	0.18	0.2	<0.01	0.9	0.1	0.20	<1	<0.5	<0.2			
4551498	Drill Core	0.039	11	17	0.46	48	0.001	<20	0.41	0.008	0.26	<0.1	<0.01	1.6	0.2	0.29	1	<0.5	<0.2			
4551499	Drill Core	0.021	11	15	0.56	57	0.002	<20	0.48	0.010	0.26	<0.1	<0.01	2.1	0.1	0.47	1	<0.5	<0.2			
4551500	Rock	0.041	5	5	0.44	56	0.076	<20	0.77	0.087	0.08	<0.1	<0.01	2.2	<0.1	<0.05	3	<0.5	<0.2			
4515001	Drill Core	0.072	15	21	0.75	60	0.003	<20	1.18	0.012	0.28	<0.1	<0.01	2.3	0.1	0.26	3	<0.5	<0.2			
4515002	Drill Core	0.024	16	18	0.45	55	0.003	<20	0.99	0.011	0.28	<0.1	<0.01	1.4	0.1	0.21	2	<0.5	<0.2			
4515003	Drill Core	0.015	12	11	0.42	43	0.002	<20	0.62	0.009	0.23	<0.1	<0.01	1.0	0.1	0.37	2	<0.5	<0.2			
4515004	Drill Core	0.011	12	13	0.23	32	0.001	<20	0.37	0.008	0.23	<0.1	<0.01	0.7	0.1	0.27	<1	<0.5	<0.2			
4515005	Drill Core	0.012	11	14	0.20	37	<0.001	<20	0.32	0.008	0.23	<0.1	<0.01	0.7	0.1	0.28	<1	<0.5	<0.2			
4515006	Drill Core	0.009	9	7	0.31	41	0.001	<20	0.35	0.009	0.21	0.1	<0.01	0.7	<0.1	0.23	<1	<0.5	<0.2			
4515007	Drill Core	0.013	13	17	0.38	59	0.002	<20	0.79	0.012	0.30	<0.1	<0.01	1.1	0.1	0.34	2	<0.5	<0.2			
4515008	Drill Core	0.021	11	17	0.48	56	0.003	<20	1.13	0.012	0.28	<0.1	<0.01	1.1	<0.1	0.19	3	<0.5	<0.2			
4515009	Drill Core	0.041	17	29	0.69	66	0.007	<20	1.76	0.017	0.27	<0.1	<0.01	2.1	<0.1	0.12	5	<0.5	<0.2			
4515010	Drill Core	0.040	17	26	0.64	66	0.007	<20	1.62	0.018	0.28	<0.1	<0.01	2.0	<0.1	0.13	5	<0.5	<0.2			
4515011	Drill Core	0.029	17	14	0.52	64	0.003	<20	1.27	0.013	0.26	<0.1	<0.01	1.3	<0.1	0.16	3	<0.5	<0.2			
4515012	Drill Core	0.015	22	21	0.43	43	0.004	<20	0.98	0.012	0.22	0.1	<0.01	1.1	<0.1	0.21	2	<0.5	<0.2			
4515013	Drill Core	0.018	22	25	0.52	48	0.003	<20	1.15	0.013	0.22	0.9	<0.01	1.2	<0.1	0.27	3	<0.5	<0.2			
4515014	Drill Core	0.047	22	15	0.50	50	0.005	<20	1.02	0.010	0.20	0.1	<0.01	1.1	<0.1	0.15	3	<0.5	<0.2			
4515015	Drill Core	0.029	34	25	0.64	63	0.004	<20	1.35	0.017	0.28	3.1	<0.01	1.7	0.1	0.35	4	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Banyan Gold Corp.

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Project:

Aurex

Report Date:

December 22, 2022

Page:

6 of 7

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

Method	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
4515016	Drill Core	8.47	0.010	1.2	50.8	9.3	67	<0.1	26.5	14.9	415	3.18	153.6	3.3	14.6	36	<0.1	0.3	0.5	14	1.05
4515017	Drill Core	8.65	<0.005	0.3	17.0	8.1	73	<0.1	35.3	17.8	387	3.61	8.2	0.9	13.6	38	<0.1	0.3	0.2	21	0.56
4515018	Drill Core	8.72	0.005	0.8	71.5	19.0	82	0.2	37.0	18.9	408	3.93	15.6	1.9	12.9	26	<0.1	0.2	0.4	23	0.23
4515019	Drill Core	6.28	0.008	0.8	6.5	9.8	79	0.1	35.9	18.0	479	3.82	9.2	2.7	11.7	26	<0.1	0.3	0.3	18	0.35
4515020	Rock	0.55	<0.005	1.1	1.9	0.7	27	<0.1	1.3	3.5	443	1.67	0.6	<0.5	2.0	21	<0.1	<0.1	<0.1	20	0.56
4515021	Drill Core	5.35	<0.005	0.2	24.4	9.4	83	0.3	36.8	16.4	387	4.18	21.5	1.6	14.4	19	<0.1	0.4	0.5	19	0.24
4515022	Drill Core	7.17	0.006	1.0	11.9	14.5	22	<0.1	7.1	4.5	1847	1.20	22.7	1.3	5.5	328	<0.1	1.1	0.2	7	22.79
4515023	Drill Core	7.26	<0.005	0.7	5.3	10.2	20	<0.1	2.8	3.0	2006	0.50	6.8	<0.5	2.5	498	0.2	0.7	<0.1	2	33.77
4515024	Drill Core	8.90	<0.005	0.3	139.9	10.1	77	0.3	36.4	18.3	330	3.90	1.8	1.7	15.5	24	<0.1	0.5	0.4	16	0.35
4515025	Drill Core	8.81	<0.005	1.2	45.8	8.5	75	0.2	34.3	19.8	551	3.95	0.7	0.8	14.4	20	<0.1	0.5	0.4	17	0.29
4515026	Drill Core	8.06	<0.005	0.3	49.5	18.4	61	0.3	25.6	15.0	743	2.78	8.7	1.9	12.2	32	<0.1	0.3	0.5	12	0.57
4515027	Drill Core	6.92	0.005	1.2	37.8	10.3	83	0.2	33.3	18.6	901	3.54	9.7	1.3	13.8	25	<0.1	0.4	0.5	17	0.41
4515028	Drill Core	5.53	0.010	4.9	35.6	11.9	69	<0.1	28.7	15.0	896	3.11	251.8	2.2	13.4	25	<0.1	0.3	0.9	14	0.52
4515029	Drill Core	6.51	<0.005	1.1	19.3	15.6	43	<0.1	15.2	6.8	632	2.09	70.4	2.6	9.8	20	<0.1	1.1	0.3	8	0.49
4515030	Drill Core	8.65	<0.005	1.6	19.9	14.2	42	<0.1	14.7	5.8	631	2.07	77.0	1.0	9.7	20	<0.1	0.8	0.2	9	0.50
4515031	Drill Core	6.83	<0.005	1.7	24.4	11.9	55	<0.1	19.8	10.3	887	2.38	41.4	1.2	11.1	21	<0.1	0.2	0.3	11	0.47
4515032	Drill Core	6.88	<0.005	0.3	96.9	4.6	95	<0.1	38.9	20.6	633	3.33	<0.5	3.6	15.4	40	<0.1	<0.1	0.2	24	0.31
4515033	Drill Core	8.49	<0.005	1.2	52.3	3.9	85	<0.1	35.6	16.8	621	3.20	0.6	<0.5	13.6	29	<0.1	<0.1	0.1	21	0.24
4515034	Drill Core	9.66	<0.005	1.2	5.6	3.9	90	<0.1	37.6	18.5	408	3.21	<0.5	<0.5	14.0	20	<0.1	<0.1	0.1	23	0.20
4515035	Drill Core	6.39	<0.005	0.3	48.1	3.2	86	<0.1	36.9	18.0	370	3.31	<0.5	<0.5	15.0	23	<0.1	<0.1	0.2	22	0.14
4515036	Drill Core	6.00	<0.005	1.2	6.5	8.3	90	<0.1	38.0	17.2	513	3.75	4.6	10.9	15.8	30	<0.1	0.4	0.2	21	0.28
4515037	Drill Core	5.41	0.007	0.4	35.3	6.1	77	0.2	31.3	15.7	560	3.88	14.5	4.4	13.0	27	<0.1	0.7	0.2	15	0.37
4515038	Drill Core	5.08	0.007	1.6	21.3	16.0	50	0.1	19.3	7.5	858	2.48	117.7	30.1	10.5	44	<0.1	3.4	0.3	11	0.97
4515039	Drill Core	2.18	<0.005	0.6	20.0	8.8	67	0.2	23.1	8.9	941	3.45	63.6	6.2	11.3	59	<0.1	5.8	0.2	13	0.88
4515040	Rock Pulp	0.07	0.817	6.7	4378.2	2992.9	9807	43.7	23.7	48.2	847	17.30	1358.6	251.6	0.4	38	65.6	103.7	22.3	23	1.60
4515041	Drill Core	5.67	<0.005	1.3	58.6	8.5	112	0.2	48.8	25.7	939	5.15	24.7	0.7	17.4	25	<0.1	4.8	0.5	19	0.26
4515042	Drill Core	4.50	<0.005	0.6	19.6	9.0	57	0.1	22.1	9.6	1510	2.78	12.3	<0.5	10.3	50	<0.1	3.0	0.2	12	1.35
4515043	Drill Core	8.48	<0.005	1.7	34.4	14.8	81	0.3	33.8	15.5	987	3.66	41.5	1.6	11.6	44	<0.1	3.6	0.4	14	0.76
4515044	Drill Core	8.57	0.007	0.5	21.5	10.5	54	0.3	20.4	11.5	712	2.48	233.8	4.1	8.6	39	<0.1	3.2	0.3	10	0.67
4515045	Drill Core	8.70	<0.005	1.4	26.1	16.3	74	0.2	29.3	14.6	950	3.51	28.1	7.2	10.8	40	<0.1	4.6	0.4	15	0.67



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 6 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
4515016	Drill Core	0.036	37	22	0.66	85	0.005	<20	1.48	0.015	0.30	<0.1	<0.01	1.9	0.1	0.24	4	<0.5	<0.2
4515017	Drill Core	0.025	33	26	0.82	88	0.010	<20	1.62	0.014	0.26	<0.1	<0.01	2.1	<0.1	0.07	4	<0.5	<0.2
4515018	Drill Core	0.024	20	30	0.80	66	0.007	<20	1.76	0.019	0.25	<0.1	<0.01	2.1	<0.1	0.21	5	<0.5	<0.2
4515019	Drill Core	0.024	22	26	0.79	62	0.006	<20	1.55	0.014	0.23	<0.1	<0.01	2.0	<0.1	0.22	4	<0.5	<0.2
4515020	Rock	0.041	5	4	0.47	55	0.067	<20	0.79	0.086	0.08	<0.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2
4515021	Drill Core	0.023	26	25	0.84	61	0.005	<20	1.62	0.012	0.21	<0.1	<0.01	1.8	<0.1	0.39	4	<0.5	<0.2
4515022	Drill Core	0.017	14	10	0.35	93	0.004	<20	0.48	0.006	0.20	<0.1	<0.01	1.3	<0.1	<0.05	1	0.8	<0.2
4515023	Drill Core	0.015	7	4	0.20	21	0.001	<20	0.19	0.003	0.07	<0.1	0.02	0.8	<0.1	<0.05	<1	1.4	<0.2
4515024	Drill Core	0.024	34	21	0.78	65	0.002	<20	1.40	0.015	0.24	<0.1	<0.01	1.8	<0.1	0.20	4	<0.5	<0.2
4515025	Drill Core	0.028	39	26	0.81	76	0.002	<20	1.68	0.015	0.28	<0.1	<0.01	1.7	<0.1	0.17	4	<0.5	<0.2
4515026	Drill Core	0.023	26	16	0.61	43	0.002	<20	1.20	0.015	0.19	<0.1	<0.01	1.3	<0.1	0.09	3	<0.5	<0.2
4515027	Drill Core	0.030	36	28	0.78	63	0.002	<20	1.76	0.025	0.24	<0.1	<0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
4515028	Drill Core	0.038	34	24	0.67	58	0.002	<20	1.57	0.020	0.24	<0.1	<0.01	1.8	<0.1	0.21	4	<0.5	<0.2
4515029	Drill Core	0.015	21	16	0.39	33	0.002	<20	0.89	0.021	0.14	<0.1	<0.01	1.1	<0.1	0.14	3	<0.5	<0.2
4515030	Drill Core	0.019	21	19	0.39	37	0.002	<20	0.97	0.024	0.15	<0.1	<0.01	1.1	<0.1	0.11	3	<0.5	<0.2
4515031	Drill Core	0.017	28	21	0.50	54	0.002	<20	1.20	0.025	0.18	<0.1	<0.01	1.2	<0.1	0.07	3	<0.5	<0.2
4515032	Drill Core	0.026	43	26	0.96	856	0.016	<20	1.58	0.026	0.20	<0.1	<0.01	2.0	<0.1	<0.05	4	<0.5	<0.2
4515033	Drill Core	0.030	39	27	0.89	117	0.045	<20	1.34	0.027	0.22	<0.1	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
4515034	Drill Core	0.029	41	29	0.86	73	0.051	<20	1.25	0.024	0.23	<0.1	<0.01	1.4	<0.1	<0.05	3	<0.5	<0.2
4515035	Drill Core	0.027	42	26	0.80	170	0.041	<20	1.38	0.029	0.25	<0.1	<0.01	1.6	<0.1	<0.05	3	<0.5	<0.2
4515036	Drill Core	0.027	45	29	0.83	281	0.009	<20	1.47	0.021	0.28	<0.1	<0.01	2.1	<0.1	0.16	4	<0.5	<0.2
4515037	Drill Core	0.022	32	21	0.78	58	0.003	<20	1.39	0.019	0.26	<0.1	<0.01	1.9	<0.1	0.27	4	<0.5	<0.2
4515038	Drill Core	0.023	22	24	0.50	64	0.002	<20	1.11	0.016	0.20	<0.1	<0.01	1.4	<0.1	0.06	3	<0.5	<0.2
4515039	Drill Core	0.021	25	22	0.74	48	0.002	<20	1.30	0.015	0.19	<0.1	<0.01	1.8	<0.1	<0.05	4	<0.5	<0.2
4515040	Rock Pulp	0.024	2	24	1.01	25	0.002	<20	0.76	0.006	0.10	3.0	8.44	2.1	9.5	>10	3	>100	0.3
4515041	Drill Core	0.059	50	36	1.12	44	0.003	<20	2.59	0.028	0.25	<0.1	0.02	2.1	<0.1	0.20	6	<0.5	<0.2
4515042	Drill Core	0.035	24	21	0.59	42	0.002	<20	1.40	0.017	0.23	<0.1	0.01	1.5	<0.1	0.05	4	<0.5	<0.2
4515043	Drill Core	0.038	26	28	0.78	53	0.002	<20	1.67	0.015	0.24	<0.1	0.01	1.7	<0.1	0.19	4	<0.5	<0.2
4515044	Drill Core	0.025	17	17	0.52	45	0.002	<20	1.09	0.014	0.19	<0.1	<0.01	1.3	<0.1	0.11	3	<0.5	<0.2
4515045	Drill Core	0.031	23	28	0.74	56	0.003	<20	1.67	0.014	0.24	<0.1	<0.01	1.7	<0.1	0.07	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 22, 2022

Page: 7 of 7 Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
4515046	Drill Core	8.65	0.007	0.6	26.1	8.4	71	0.2	28.3	14.5	797	3.50	196.4	4.8	11.8	43	<0.1	3.5	0.4	12
4515047	Drill Core	8.09	0.009	1.5	23.4	24.0	63	0.3	22.5	10.8	879	2.85	121.9	7.8	9.6	42	0.2	3.9	1.0	12
4515048	Drill Core	8.67	<0.005	0.5	24.6	10.8	73	0.1	28.0	13.2	846	3.45	31.3	1.3	11.4	29	<0.1	4.2	0.2	14



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 22, 2022

Page: 7 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000944.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4515046	Drill Core	0.036	27	21	0.69	83	0.002	<20	1.43	0.015	0.28	<0.1	<0.01	1.6	<0.1	0.15	4	<0.5	<0.2
4515047	Drill Core	0.033	22	26	0.59	50	0.002	<20	1.37	0.016	0.23	<0.1	<0.01	1.6	<0.1	0.13	4	<0.5	<0.2
4515048	Drill Core	0.029	30	24	0.76	60	0.003	<20	1.73	0.016	0.26	<0.1	<0.01	1.6	<0.1	0.07	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: December 22, 2022

Page: 1 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000944.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
4551403	Drill Core	7.82	0.011	1.3	29.4	17.1	93	0.2	29.6	11.9	764	2.46	44.0	7.5	10.9	12	0.5	1.0	0.7	12	0.14
REP 4551403	QC			1.3	29.7	16.4	89	0.2	29.8	12.5	754	2.44	44.4	5.0	10.6	12	0.5	1.1	0.7	12	0.13
4551418	Drill Core	8.35	0.033	1.0	42.7	12.4	43	0.2	21.9	10.9	396	2.15	266.0	17.3	5.3	9	0.2	0.5	1.2	5	0.11
REP 4551418	QC		0.030																		
4551437	Drill Core	7.94	<0.005	2.3	37.8	8.8	73	0.1	32.2	15.9	703	3.54	30.8	0.7	6.6	26	<0.1	2.5	0.2	13	0.30
REP 4551437	QC			1.9	36.7	8.3	70	0.1	29.6	14.8	674	3.35	28.4	0.8	5.9	25	<0.1	2.8	0.2	12	0.29
4551466	Drill Core	8.58	0.020	0.5	32.6	9.2	45	0.1	27.5	12.5	427	2.44	28.3	15.3	6.4	32	<0.1	0.3	0.9	8	0.39
REP 4551466	QC		0.019																		
4551472	Drill Core	7.61	0.017	0.6	30.4	14.6	39	0.1	24.5	12.6	345	2.48	275.8	5.7	10.7	45	<0.1	0.3	0.7	11	0.55
REP 4551472	QC			0.7	30.9	12.9	40	0.1	24.6	12.0	345	2.46	272.8	10.4	10.6	45	<0.1	0.3	0.6	10	0.55
4551492	Drill Core	8.37	0.018	1.6	31.8	18.8	70	0.7	32.8	15.3	692	3.49	32.0	8.7	8.6	34	<0.1	0.7	1.2	11	0.39
REP 4551492	QC		0.015																		
4515007	Drill Core	9.06	0.019	1.9	29.0	12.7	58	0.3	20.3	10.4	564	2.44	125.2	18.9	6.4	27	<0.1	0.6	1.0	7	0.28
REP 4515007	QC			1.6	28.6	12.9	58	0.3	20.0	11.1	575	2.44	125.4	9.1	5.9	27	<0.1	0.5	1.1	7	0.28
4515036	Drill Core	6.00	<0.005	1.2	6.5	8.3	90	<0.1	38.0	17.2	513	3.75	4.6	10.9	15.8	30	<0.1	0.4	0.2	21	0.28
REP 4515036	QC			1.1	6.2	7.9	90	<0.1	37.4	16.8	514	3.70	4.2	1.3	15.5	29	<0.1	0.4	0.2	21	0.28
4515040	Rock Pulp	0.07	0.817	6.7	4378.2	2992.9	9807	43.7	23.7	48.2	847	17.30	1358.6	251.6	0.4	38	65.6	103.7	22.3	23	1.60
REP 4515040	QC		0.844																		
Core Reject Duplicates																					
4551419	Drill Core	3.34	<0.005	0.4	35.5	4.1	52	<0.1	23.4	10.8	495	2.28	19.0	1.2	5.1	7	<0.1	0.3	0.3	4	0.07
DUP 4551419	QC		<0.005	0.5	34.6	3.9	51	<0.1	22.7	10.4	491	2.25	16.5	1.3	4.7	7	<0.1	0.3	0.3	4	0.07
4551453	Drill Core	5.00	0.005	0.5	40.0	9.1	95	0.1	36.9	18.5	963	4.06	128.0	6.6	6.3	22	<0.1	0.5	0.5	18	0.21
DUP 4551453	QC		0.007	0.6	40.3	9.5	97	0.1	36.9	18.7	974	3.99	138.2	5.7	6.3	22	<0.1	0.6	0.5	18	0.22
4551487	Drill Core	6.95	0.083	0.8	54.4	17.4	55	0.1	27.7	14.2	650	3.09	36.1	72.2	5.5	28	<0.1	0.2	4.3	11	0.35
DUP 4551487	QC		0.075	0.7	54.6	16.6	54	0.1	27.3	15.0	650	3.10	37.0	37.9	5.5	28	<0.1	0.2	4.0	11	0.35
4515021	Drill Core	5.35	<0.005	0.2	24.4	9.4	83	0.3	36.8	16.4	387	4.18	21.5	1.6	14.4	19	<0.1	0.4	0.5	19	0.24
DUP 4515021	QC		<0.005	0.2	26.3	9.3	86	0.3	37.3	16.8	389	4.19	20.5	2.1	14.3	20	<0.1	0.4	0.5	20	0.24
Reference Materials																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 22, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000944.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
4551403	Drill Core	0.037	21	19	0.20	45	0.001	<20	0.55	0.006	0.22	0.2	0.01	2.2	0.2	0.53	1	<0.5	<0.2
REP 4551403	QC	0.037	21	19	0.19	46	0.002	<20	0.59	0.007	0.23	0.2	<0.01	2.2	0.2	0.56	1	<0.5	<0.2
4551418	Drill Core	0.035	12	9	0.09	27	0.001	<20	0.31	0.006	0.21	0.1	<0.01	0.9	0.1	0.63	<1	0.5	<0.2
REP 4551418	QC																		
4551437	Drill Core	0.044	14	22	0.63	48	0.008	<20	1.21	0.008	0.33	<0.1	<0.01	2.1	0.2	0.31	3	<0.5	<0.2
REP 4551437	QC	0.042	12	21	0.59	43	0.008	<20	1.13	0.006	0.30	<0.1	<0.01	2.0	0.2	0.29	3	<0.5	<0.2
4551466	Drill Core	0.030	15	12	0.46	51	0.008	<20	1.06	0.011	0.27	<0.1	<0.01	1.3	0.1	0.13	3	<0.5	<0.2
REP 4551466	QC																		
4551472	Drill Core	0.033	18	14	0.44	60	0.020	<20	1.16	0.013	0.37	0.2	<0.01	1.5	0.2	0.27	3	<0.5	<0.2
REP 4551472	QC	0.033	18	14	0.43	57	0.019	<20	1.13	0.014	0.37	0.2	<0.01	1.4	0.2	0.27	3	<0.5	<0.2
4551492	Drill Core	0.037	16	20	0.62	56	0.004	<20	1.24	0.011	0.28	<0.1	<0.01	1.7	0.1	0.27	3	<0.5	<0.2
REP 4551492	QC																		
4515007	Drill Core	0.013	13	17	0.38	59	0.002	<20	0.79	0.012	0.30	<0.1	<0.01	1.1	0.1	0.34	2	<0.5	<0.2
REP 4515007	QC	0.013	12	16	0.39	55	0.002	<20	0.79	0.011	0.29	<0.1	<0.01	1.1	0.1	0.35	2	<0.5	<0.2
4515036	Drill Core	0.027	45	29	0.83	281	0.009	<20	1.47	0.021	0.28	<0.1	<0.01	2.1	<0.1	0.16	4	<0.5	<0.2
REP 4515036	QC	0.029	44	28	0.83	276	0.008	<20	1.47	0.021	0.27	<0.1	<0.01	2.1	<0.1	0.17	4	<0.5	<0.2
4515040	Rock Pulp	0.024	2	24	1.01	25	0.002	<20	0.76	0.006	0.10	3.0	8.44	2.1	9.5	>10	3	>100	0.3
REP 4515040	QC																		
Core Reject Duplicates																			
4551419	Drill Core	0.011	11	6	0.16	31	0.002	<20	0.31	0.006	0.21	<0.1	<0.01	1.0	<0.1	0.62	<1	<0.5	<0.2
DUP 4551419	QC	0.010	9	6	0.16	29	0.002	<20	0.29	0.005	0.19	<0.1	<0.01	0.9	<0.1	0.60	<1	<0.5	<0.2
4551453	Drill Core	0.021	11	18	0.69	73	0.076	<20	1.61	0.009	0.68	0.1	<0.01	2.4	0.6	0.33	4	<0.5	<0.2
DUP 4551453	QC	0.022	11	18	0.68	74	0.075	<20	1.63	0.009	0.67	0.1	<0.01	2.4	0.7	0.33	4	<0.5	<0.2
4551487	Drill Core	0.016	10	14	0.59	55	0.018	<20	1.19	0.008	0.33	0.8	<0.01	1.7	0.3	0.46	3	0.6	<0.2
DUP 4551487	QC	0.016	10	13	0.59	57	0.019	<20	1.20	0.008	0.33	0.7	<0.01	1.7	0.3	0.46	3	<0.5	<0.2
4515021	Drill Core	0.023	26	25	0.84	61	0.005	<20	1.62	0.012	0.21	<0.1	<0.01	1.8	<0.1	0.39	4	<0.5	<0.2
DUP 4515021	QC	0.023	26	25	0.84	61	0.005	<20	1.63	0.011	0.22	<0.1	<0.01	1.8	<0.1	0.39	4	<0.5	<0.2
Reference Materials																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client:

Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project:

Aurex

Report Date:

December 22, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page:

2 of 3

Part:

1 of 2

QUALITY CONTROL REPORT

WHI22000944.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD BVGEO01	Standard			9.8	4428.4	181.4	1684	2.4	160.0	24.2	711	3.75	121.6	205.4	13.4	53	5.9	2.1	23.3	71	1.30
STD BVGEO01	Standard			10.2	4333.4	173.9	1733	2.5	159.1	24.1	705	3.69	120.9	200.9	12.9	54	6.3	2.2	22.9	74	1.29
STD BVGEO01	Standard			10.1	4459.3	182.0	1762	2.6	165.5	24.6	732	3.77	123.5	214.0	13.3	53	6.0	2.4	23.8	77	1.31
STD BVGEO01	Standard			9.4	4250.6	176.5	1677	2.3	158.4	23.8	723	3.56	115.4	200.6	13.1	52	5.8	1.9	23.3	71	1.28
STD BVGEO01	Standard			9.8	4355.5	182.7	1796	2.5	165.5	25.1	724	3.85	125.9	206.4	14.6	56	6.1	2.0	24.1	76	1.35
STD KO74309	Standard		0.213																		
STD OREAS233	Standard		1.090																		
STD OREAS262	Standard			0.6	114.1	52.0	151	0.4	62.5	27.0	521	3.19	35.2	52.2	8.3	33	0.6	2.5	0.9	22	3.07
STD OREAS262	Standard			0.6	116.2	52.7	157	0.5	65.3	27.4	537	3.31	37.6	58.7	8.3	35	0.6	2.9	0.9	22	2.98
STD OREAS262	Standard			0.6	113.4	52.0	153	0.5	63.0	27.1	527	3.18	36.1	47.2	7.8	35	0.6	2.8	0.9	21	3.02
STD OREAS262	Standard			0.6	115.7	54.0	151	0.4	65.2	27.4	539	3.14	35.3	51.4	8.6	33	0.6	2.3	0.9	21	2.93
STD OREAS262	Standard			0.6	120.0	54.1	158	0.5	66.3	28.3	542	3.35	35.8	53.2	8.4	35	0.6	2.4	0.9	22	3.00
STD OREASL11	Standard		0.296																		
STD OREASL13	Standard		1.221																		
STD OREASL15	Standard		7.075																		
STD OREASL11	Standard		0.311																		
STD OREASL13	Standard		1.314																		
STD OREASL15	Standard		7.157																		
STD OXN173	Standard		7.614																		
STD OXN173 Expected			7.668																		
STD OREAS233 Expected			1.05																		
STD KO74309 Expected			0.228																		
STD OREASL11 Expected			0.305																		
STD OREASL13 Expected			1.29																		
STD OREASL15 Expected			7.18																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 22, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000944.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD BVGE001	Standard	0.074	25	163	1.29	323	0.233	<20	2.24	0.182	0.87	3.3	0.09	5.6	0.6	0.67	6	4.9	1.0
STD BVGE001	Standard	0.074	24	162	1.31	317	0.231	<20	2.29	0.202	0.89	3.4	0.09	5.6	0.6	0.65	7	5.0	1.0
STD BVGE001	Standard	0.075	25	164	1.35	328	0.240	<20	2.35	0.202	0.92	3.6	0.09	5.7	0.6	0.69	7	5.0	1.0
STD BVGE001	Standard	0.070	24	160	1.26	315	0.231	<20	2.16	0.183	0.84	3.2	0.09	5.3	0.6	0.64	6	4.6	1.0
STD BVGE001	Standard	0.076	25	165	1.32	329	0.247	<20	2.32	0.196	0.90	3.6	0.10	5.7	0.6	0.69	7	5.0	1.1
STD KO74309	Standard																		
STD OREAS233	Standard																		
STD OREAS262	Standard	0.040	15	41	1.15	236	0.003	<20	1.19	0.067	0.29	<0.1	0.15	2.9	0.4	0.27	3	0.6	0.2
STD OREAS262	Standard	0.042	14	42	1.22	239	0.003	<20	1.26	0.074	0.31	<0.1	0.18	3.1	0.5	0.27	4	0.6	0.2
STD OREAS262	Standard	0.040	12	38	1.18	226	0.003	<20	1.10	0.070	0.28	0.1	0.15	2.9	0.4	0.25	3	0.7	<0.2
STD OREAS262	Standard	0.039	15	42	1.16	238	0.003	<20	1.22	0.068	0.29	<0.1	0.15	2.9	0.4	0.26	3	0.7	0.2
STD OREAS262	Standard	0.040	14	41	1.20	238	0.003	<20	1.16	0.073	0.28	0.1	0.18	2.9	0.5	0.27	4	0.7	0.2
STD OREASL11	Standard																		
STD OREASL13	Standard																		
STD OREASL15	Standard																		
STD OREASL11	Standard																		
STD OREASL13	Standard																		
STD OREASL15	Standard																		
STD OXN173	Standard																		
STD OXN173 Expected																			
STD OREAS233 Expected																			
STD KO74309 Expected																			
STD OREASL11 Expected																			
STD OREASL13 Expected																			
STD OREASL15 Expected																			
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.3	0.071	0.312	0.13	0.17	3.24	0.47	0.269	3.9	0.4	0.23
BLK	Blank																		
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 22, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000944.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	0.3	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-VAN	Prep Blank		<0.005	2.6	4.0	0.7	28	<0.1	1.7	3.4	460	1.87	1.0	<0.5	2.1	19	<0.1	<0.1	<0.1	21	0.57
ROCK-VAN	Prep Blank		<0.005	1.7	3.3	0.7	27	<0.1	1.5	3.5	451	1.83	2.1	<0.5	2.1	22	<0.1	<0.1	<0.1	22	0.61



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: December 22, 2022

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000944.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-VAN	Prep Blank	0.041	5	11	0.42	52	0.073	<20	0.83	0.083	0.09	0.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2
ROCK-VAN	Prep Blank	0.041	5	7	0.43	61	0.074	<20	0.85	0.079	0.09	0.1	<0.01	2.1	<0.1	<0.05	3	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: James Thom
Receiving Lab: Canada-Whitehorse
Received: November 22, 2022
Analysis Start: January 20, 2023
Report Date: February 01, 2023
Page: 1 of 7

CERTIFICATE OF ANALYSIS

WHI22000999.1

CLIENT JOB INFORMATION

Project: Aurex
Shipment ID: AX-BV-2022-216
P.O. Number
Number of Samples: 172

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Jason McLaughlin

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	169	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA450	172	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ200	172	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	172	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


Martin Wong
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 2 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4308344	Drill Core	2.11	<0.005	0.2	11.7	4.5	19	0.2	9.1	4.0	186	1.19	59.0	2.1	5.7	5	<0.1	0.6	0.2	4	0.02
4308345	Drill Core	4.82	<0.005	0.6	15.4	10.2	39	0.1	59.1	12.2	691	2.22	152.0	3.0	5.8	25	0.2	1.9	0.2	13	0.40
4308346	Drill Core	1.04	<0.005	0.2	12.3	14.7	36	0.3	16.1	6.6	374	1.65	30.3	3.0	5.8	8	0.2	0.9	0.5	9	0.07
4308347	Drill Core	1.80	0.011	0.7	29.0	9.3	56	0.8	23.0	11.1	400	2.48	77.3	13.3	8.4	8	<0.1	0.6	0.2	13	0.06
4308348	Drill Core	1.33	<0.005	0.4	47.0	35.8	78	0.2	31.1	17.7	715	4.16	14.7	2.3	9.3	15	<0.1	0.3	2.0	17	0.22
4308349	Drill Core	3.20	0.009	0.4	24.3	76.1	142	1.6	18.0	8.2	625	2.16	85.4	6.3	6.8	9	1.3	1.3	0.3	7	0.08
4308350	Drill Core	3.59	0.016	0.8	24.1	84.2	181	1.9	22.7	8.8	1034	2.48	134.2	11.6	7.9	9	1.9	1.8	0.4	8	0.07
4308351	Drill Core	2.27	0.050	0.4	21.2	12.1	46	0.6	15.7	6.5	576	2.14	168.9	26.5	7.2	8	0.2	1.1	1.8	11	0.09
4308352	Drill Core	2.04	0.006	0.5	14.6	14.3	42	0.3	8.8	3.4	244	1.22	43.5	5.1	6.1	5	0.1	0.7	0.2	4	0.04
4308353	Drill Core	2.82	0.007	0.2	18.6	10.3	48	0.5	13.6	6.1	459	2.12	83.9	4.0	5.9	7	0.2	0.3	0.2	7	0.05
4308354	Drill Core	4.82	0.017	0.6	38.1	12.5	84	1.3	33.7	18.4	1269	3.21	44.0	14.5	7.5	16	0.4	0.2	1.0	11	0.12
4308355	Drill Core	4.58	0.010	0.4	34.6	23.8	99	1.3	28.2	14.8	895	3.19	51.1	7.3	8.6	9	0.5	0.2	0.5	12	0.06
4308356	Drill Core	6.26	0.022	0.5	35.6	86.2	187	1.7	36.2	16.8	1061	4.24	25.1	5.5	11.3	12	1.6	0.2	0.5	16	0.07
4308357	Drill Core	6.67	<0.005	0.2	42.7	18.5	107	1.1	40.4	17.4	730	4.56	17.6	2.2	10.1	14	0.2	0.1	0.5	17	0.12
4308358	Drill Core	6.29	0.028	0.5	41.0	20.0	91	0.7	28.3	14.7	920	3.47	26.4	22.1	8.4	53	0.2	0.2	2.6	14	0.88
4308359	Drill Core	7.11	<0.005	0.2	34.0	15.6	97	0.3	30.8	14.2	635	3.71	17.2	<0.5	6.8	24	<0.1	0.2	0.4	15	0.23
4308360	Drill Core	6.44	<0.005	0.2	35.1	16.2	100	0.3	31.5	15.3	622	3.65	18.1	<0.5	6.7	24	<0.1	0.2	0.4	15	0.23
4308361	Drill Core	4.39	0.005	0.8	20.7	12.3	81	0.2	25.9	10.6	812	3.36	14.5	1.1	5.4	58	0.1	0.1	0.3	16	0.81
4308362	Drill Core	3.99	<0.005	0.2	30.1	12.3	76	0.3	30.6	14.8	725	3.33	11.4	<0.5	6.5	45	<0.1	0.3	0.2	11	0.65
4308363	Drill Core	6.79	<0.005	0.3	28.9	15.5	92	0.4	30.9	14.8	910	3.81	16.8	<0.5	5.1	22	0.2	0.2	0.2	14	0.25
4308364	Drill Core	7.97	0.007	0.2	28.7	23.5	171	1.1	31.6	15.2	1124	3.54	33.9	3.7	4.8	43	1.4	0.5	0.2	12	0.46
4308365	Drill Core	4.50	0.009	0.5	28.2	74.1	153	1.7	33.1	14.8	1447	3.16	42.9	4.0	6.0	44	1.4	0.6	0.4	10	0.63
4308366	Drill Core	3.66	0.006	0.1	44.8	389.1	671	8.1	28.3	12.4	4239	3.62	64.2	14.7	5.4	14	8.0	2.9	0.3	8	0.19
4308367	Drill Core	5.47	0.024	0.5	36.9	2036.3	848	76.1	11.6	5.9	5173	2.61	217.8	19.9	4.0	15	27.9	27.6	<0.1	3	0.04
4308368	Drill Core	5.91	0.005	0.2	26.8	29.6	87	1.5	10.6	6.9	1810	1.66	35.6	1.6	6.7	13	2.8	1.1	0.1	4	0.05
4308369	Drill Core	8.13	<0.005	0.5	27.0	11.6	83	0.2	23.7	12.0	599	2.14	12.8	<0.5	8.2	21	6.1	0.3	0.2	7	0.12
4308370	Drill Core	6.66	<0.005	0.3	26.1	6.8	89	0.1	22.2	12.7	598	2.19	11.6	<0.5	8.2	21	5.7	0.3	0.1	8	0.12
4308371	Drill Core	7.49	0.006	0.5	24.9	7.8	66	0.1	20.6	9.3	473	1.43	38.3	3.8	6.8	23	1.5	0.3	0.2	7	0.17
4308372	Drill Core	8.76	<0.005	0.3	21.5	7.6	63	<0.1	20.5	10.0	631	2.11	37.9	1.4	6.5	7	1.1	0.2	0.1	7	0.06
4308373	Drill Core	7.08	0.007	0.7	22.4	9.5	67	0.1	18.7	9.1	361	1.23	39.9	1.9	6.6	14	0.6	0.6	0.3	6	0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: February 01, 2023

Page: 2 of 7 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4308344	Drill Core	0.008	11	6	0.09	34	0.002	<20	0.30	0.008	0.11	1.4	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
4308345	Drill Core	0.014	13	109	0.92	87	0.003	<20	0.69	0.011	0.15	1.1	<0.01	2.0	<0.1	<0.05	2	<0.5	<0.2
4308346	Drill Core	0.015	12	17	0.31	64	0.011	<20	0.68	0.020	0.17	0.4	<0.01	1.0	<0.1	<0.05	2	<0.5	<0.2
4308347	Drill Core	0.021	21	17	0.46	50	0.004	<20	0.99	0.015	0.15	2.5	<0.01	1.3	<0.1	<0.05	3	<0.5	<0.2
4308348	Drill Core	0.095	23	15	0.82	66	0.005	<20	1.84	0.010	0.19	0.3	<0.01	2.5	<0.1	<0.05	5	<0.5	<0.2
4308349	Drill Core	0.032	16	8	0.19	76	0.002	<20	0.61	0.009	0.15	0.6	<0.01	1.0	<0.1	<0.05	2	<0.5	<0.2
4308350	Drill Core	0.024	20	13	0.21	86	0.002	<20	0.63	0.009	0.16	1.0	<0.01	1.2	0.1	<0.05	2	<0.5	<0.2
4308351	Drill Core	0.020	15	13	0.30	59	0.004	<20	0.72	0.019	0.16	0.7	<0.01	1.4	0.1	<0.05	2	<0.5	<0.2
4308352	Drill Core	0.013	13	9	0.10	43	0.002	<20	0.36	0.010	0.15	0.5	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
4308353	Drill Core	0.015	13	8	0.28	39	0.002	<20	0.80	0.007	0.18	0.3	<0.01	1.0	<0.1	<0.05	2	<0.5	<0.2
4308354	Drill Core	0.048	16	16	0.60	76	0.003	<20	1.33	0.008	0.19	2.0	<0.01	1.4	0.1	0.07	4	<0.5	<0.2
4308355	Drill Core	0.018	18	15	0.62	52	0.002	<20	1.45	0.009	0.22	<0.1	<0.01	1.4	0.1	0.08	4	<0.5	<0.2
4308356	Drill Core	0.021	22	22	0.73	52	0.004	<20	1.84	0.015	0.29	<0.1	<0.01	2.0	0.2	0.14	5	<0.5	<0.2
4308357	Drill Core	0.036	17	23	0.90	44	0.006	<20	2.05	0.011	0.24	<0.1	<0.01	2.0	0.1	0.15	5	<0.5	<0.2
4308358	Drill Core	0.028	13	20	0.80	38	0.003	<20	1.60	0.012	0.24	0.9	<0.01	2.2	0.1	0.23	4	<0.5	<0.2
4308359	Drill Core	0.019	12	18	0.74	35	0.004	<20	1.64	0.014	0.24	<0.1	<0.01	1.9	0.1	0.22	4	<0.5	<0.2
4308360	Drill Core	0.026	12	17	0.71	34	0.004	<20	1.58	0.013	0.24	<0.1	<0.01	1.7	0.1	0.22	4	<0.5	<0.2
4308361	Drill Core	0.011	10	21	0.79	29	0.003	<20	1.53	0.006	0.21	<0.1	<0.01	1.9	0.1	0.10	4	<0.5	<0.2
4308362	Drill Core	0.014	12	14	0.70	33	0.002	<20	1.29	0.009	0.23	<0.1	<0.01	1.4	0.1	0.20	3	<0.5	<0.2
4308363	Drill Core	0.015	10	21	0.75	30	0.003	<20	1.56	0.010	0.22	<0.1	<0.01	1.5	0.1	0.17	4	<0.5	<0.2
4308364	Drill Core	0.036	9	15	0.67	31	0.002	<20	1.36	0.008	0.24	0.2	<0.01	1.5	0.2	0.40	3	<0.5	<0.2
4308365	Drill Core	0.065	10	15	0.54	31	0.002	<20	1.02	0.008	0.26	0.1	<0.01	1.4	0.2	0.42	2	<0.5	<0.2
4308366	Drill Core	0.017	11	7	0.35	32	<0.001	<20	0.53	0.007	0.26	0.2	<0.01	2.0	0.3	0.44	2	<0.5	<0.2
4308367	Drill Core	0.007	9	7	0.08	18	<0.001	<20	0.17	0.005	0.13	1.0	0.04	1.0	0.1	1.57	<1	<0.5	<0.2
4308368	Drill Core	0.012	17	4	0.10	26	<0.001	<20	0.29	0.007	0.22	0.3	<0.01	1.0	0.2	0.37	<1	<0.5	<0.2
4308369	Drill Core	0.039	19	11	0.25	31	0.002	<20	0.53	0.008	0.22	0.1	<0.01	1.3	0.1	0.21	1	<0.5	<0.2
4308370	Drill Core	0.041	19	7	0.25	30	0.002	<20	0.53	0.009	0.22	<0.1	<0.01	1.3	0.1	0.23	1	<0.5	<0.2
4308371	Drill Core	0.064	15	9	0.15	26	0.003	<20	0.48	0.006	0.19	0.3	<0.01	1.2	0.2	0.24	1	<0.5	<0.2
4308372	Drill Core	0.012	15	6	0.20	24	0.002	<20	0.46	0.007	0.21	0.1	<0.01	1.2	0.2	0.27	1	<0.5	<0.2
4308373	Drill Core	0.013	13	9	0.11	26	0.004	<20	0.45	0.005	0.19	0.3	<0.01	1.2	0.3	0.23	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 3 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4308374	Drill Core	7.83	0.006	0.2	22.3	11.1	68	<0.1	21.4	11.6	551	1.74	47.9	3.1	7.6	6	0.1	0.3	0.2	9	0.06
4308375	Drill Core	7.83	<0.005	0.5	29.4	20.6	85	0.1	30.2	16.5	819	2.75	57.3	0.8	9.6	10	0.1	0.5	0.2	11	0.09
4308376	Drill Core	7.38	<0.005	0.2	25.2	12.6	67	0.2	24.9	12.2	976	3.15	40.4	0.9	8.3	7	<0.1	2.1	0.2	11	0.10
4308377	Drill Core	6.32	<0.005	1.1	13.6	19.0	51	0.2	13.7	5.6	411	1.29	38.8	1.6	7.6	7	0.1	0.7	0.4	7	0.07
4308378	Drill Core	7.86	<0.005	0.5	37.1	10.9	108	0.1	35.5	16.6	895	3.61	30.1	0.8	13.5	10	<0.1	0.7	0.2	14	0.09
4308379	Drill Core	7.07	0.022	1.1	29.2	15.0	62	0.2	28.5	12.2	782	2.96	19.4	21.0	11.3	7	<0.1	0.2	0.7	12	0.11
4308380	Drill Core	6.38	0.011	1.1	26.4	9.3	60	0.1	27.4	10.1	667	2.65	14.8	7.5	9.0	7	<0.1	0.2	0.4	11	0.12
4308381	Drill Core	4.77	0.040	0.4	31.6	17.9	63	0.2	24.7	10.7	469	1.84	796.3	35.7	11.0	6	0.2	0.9	0.8	8	0.09
4308382	Drill Core	6.93	0.012	2.2	23.3	24.6	93	0.5	22.3	10.7	831	1.85	23.9	10.2	10.4	19	1.2	0.7	0.5	8	0.36
4308383	Drill Core	5.78	<0.005	0.6	22.6	91.7	114	1.7	13.1	5.6	120	0.57	13.4	1.6	8.2	8	1.3	1.1	0.2	3	0.05
4308384	Drill Core	3.78	0.088	1.3	53.4	346.3	364	9.5	34.5	13.0	127	1.28	35.2	78.7	11.3	11	4.7	2.9	5.9	3	0.14
4308385	Drill Core	5.87	0.021	1.7	26.7	174.5	271	2.5	21.6	10.4	191	0.81	30.2	12.5	10.4	9	3.6	2.1	1.0	4	0.10
4308386	Drill Core	4.64	0.033	2.6	50.5	239.9	202	5.4	27.7	11.2	145	1.14	18.2	15.1	10.3	9	2.7	2.5	2.4	3	0.08
4308387	Drill Core	6.99	0.153	0.4	47.5	52.8	111	1.4	35.5	17.3	1423	2.73	136.5	139.1	11.1	10	0.5	1.2	8.8	18	0.21
4308388	Drill Core	6.24	0.015	1.2	34.3	241.1	295	3.1	24.2	9.7	3487	3.20	31.6	16.7	9.7	7	4.1	2.2	0.3	10	0.15
4308389	Drill Core	5.07	0.014	<0.1	17.8	855.9	652	11.7	20.8	8.9	>10000	6.42	74.2	7.1	8.1	5	9.3	4.4	0.2	5	0.30
4308390	Drill Core	4.32	0.010	0.4	14.0	614.7	885	8.1	19.2	9.1	>10000	6.11	69.0	4.7	7.6	4	12.6	3.2	0.2	5	0.31
4308391	Drill Core	7.57	0.026	1.8	32.5	399.3	684	4.7	25.6	11.4	2495	3.05	53.5	18.1	9.6	4	10.1	2.3	1.2	7	0.12
4308392	Drill Core	6.56	0.020	0.9	54.4	89.7	226	1.5	32.7	15.2	4353	4.27	26.4	11.7	11.2	9	2.4	1.0	1.1	13	0.26
4308393	Drill Core	7.23	0.048	0.4	51.4	31.1	96	0.5	34.7	16.2	1203	3.95	36.0	30.4	11.4	8	0.2	0.7	2.0	15	0.17
4308394	Drill Core	8.23	0.081	0.9	38.2	29.7	117	0.4	32.4	14.0	1076	3.59	56.5	50.0	11.5	9	0.2	0.9	2.8	18	0.21
4308395	Drill Core	7.71	0.045	0.3	34.5	16.9	91	0.2	33.9	15.3	699	3.14	35.8	31.0	9.7	7	<0.1	0.6	1.7	16	0.14
4308396	Drill Core	8.35	<0.005	0.6	23.5	12.2	68	<0.1	28.0	14.1	828	3.16	43.2	2.4	11.0	6	<0.1	0.5	0.2	14	0.09
4308397	Drill Core	7.97	0.010	0.3	20.0	11.7	74	0.2	32.1	15.2	613	3.22	38.0	1.5	10.5	8	<0.1	0.6	0.2	19	0.12
4308398	Drill Core	8.10	0.008	0.7	36.1	7.5	91	<0.1	43.1	19.3	514	3.52	35.5	2.8	13.5	10	<0.1	0.2	0.5	19	0.14
4308399	Drill Core	7.92	<0.005	0.4	25.9	14.6	89	0.2	32.5	15.8	587	3.29	30.7	4.1	10.6	7	<0.1	0.4	0.2	15	0.09
4308400	Drill Core	6.82	0.008	0.7	27.3	14.5	90	0.1	32.7	16.5	547	3.20	31.3	1.5	10.5	7	<0.1	0.4	0.2	16	0.09
4308401	Drill Core	8.29	0.007	0.4	37.0	8.6	89	<0.1	33.7	14.6	467	3.71	60.5	2.1	10.3	7	<0.1	0.3	0.3	17	0.09
4308402	Drill Core	8.62	0.005	0.8	27.9	10.3	69	<0.1	25.4	11.6	458	2.72	34.6	9.4	7.8	7	<0.1	0.3	0.2	15	0.11
4308403	Drill Core	8.42	<0.005	0.5	29.3	10.4	67	<0.1	26.7	13.8	585	2.95	22.8	1.6	9.3	8	<0.1	0.3	0.2	15	0.12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 3 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4308374	Drill Core	0.017	12	7	0.19	27	0.005	<20	0.60	0.005	0.18	<0.1	<0.01	1.5	0.3	0.24	1	<0.5	<0.2			
4308375	Drill Core	0.028	18	11	0.27	35	0.004	<20	0.71	0.006	0.21	<0.1	<0.01	1.9	0.2	0.30	2	<0.5	<0.2			
4308376	Drill Core	0.019	14	9	0.28	30	0.002	<20	0.63	0.006	0.23	<0.1	<0.01	1.7	0.2	0.28	2	<0.5	<0.2			
4308377	Drill Core	0.021	13	13	0.14	28	0.002	<20	0.52	0.006	0.21	2.5	<0.01	1.1	0.2	0.22	1	<0.5	<0.2			
4308378	Drill Core	0.026	28	18	0.46	39	0.010	<20	1.22	0.009	0.25	<0.1	<0.01	1.5	0.2	0.23	3	<0.5	<0.2			
4308379	Drill Core	0.035	27	17	0.27	50	0.010	<20	0.83	0.009	0.24	0.1	<0.01	1.8	0.2	0.29	2	<0.5	<0.2			
4308380	Drill Core	0.038	21	16	0.25	41	0.009	<20	0.77	0.008	0.22	0.1	<0.01	1.5	0.2	0.29	2	<0.5	<0.2			
4308381	Drill Core	0.028	23	11	0.09	37	0.004	<20	0.52	0.007	0.21	<0.1	<0.01	1.1	0.2	0.57	<1	<0.5	<0.2			
4308382	Drill Core	0.143	18	13	0.05	39	0.002	<20	0.51	0.006	0.26	0.3	<0.01	1.2	0.4	0.31	1	<0.5	<0.2			
4308383	Drill Core	0.018	11	6	0.02	27	0.001	<20	0.32	0.003	0.23	0.4	<0.01	0.5	0.4	0.29	<1	<0.5	<0.2			
4308384	Drill Core	0.043	17	11	0.04	37	0.001	<20	0.37	0.004	0.26	0.5	<0.01	0.7	0.7	1.05	<1	0.7	<0.2			
4308385	Drill Core	0.036	13	7	0.03	38	<0.001	<20	0.35	0.002	0.25	0.5	<0.01	0.6	0.5	0.46	<1	<0.5	<0.2			
4308386	Drill Core	0.030	15	10	0.02	44	<0.001	<20	0.36	0.003	0.25	0.7	<0.01	0.8	0.5	0.90	<1	0.7	<0.2			
4308387	Drill Core	0.067	20	16	0.04	27	0.005	<20	0.59	0.004	0.19	<0.1	<0.01	3.3	0.5	0.92	1	<0.5	<0.2			
4308388	Drill Core	0.029	16	14	0.12	33	0.001	<20	0.49	0.005	0.26	0.2	<0.01	2.2	0.4	0.65	1	<0.5	<0.2			
4308389	Drill Core	0.024	9	6	0.40	27	<0.001	<20	0.29	0.006	0.24	0.3	<0.01	1.6	0.4	0.84	<1	<0.5	<0.2			
4308390	Drill Core	0.029	11	8	0.48	27	<0.001	<20	0.28	0.005	0.24	0.2	<0.01	1.5	0.4	0.65	<1	<0.5	<0.2			
4308391	Drill Core	0.027	11	8	0.11	28	<0.001	<20	0.40	0.005	0.26	<0.1	<0.01	1.7	0.6	1.20	<1	<0.5	<0.2			
4308392	Drill Core	0.067	23	16	0.25	39	0.003	<20	0.57	0.004	0.21	<0.1	<0.01	3.3	0.4	0.98	1	0.6	<0.2			
4308393	Drill Core	0.040	26	14	0.17	54	0.005	<20	0.63	0.005	0.24	<0.1	<0.01	3.5	0.3	0.83	1	0.7	<0.2			
4308394	Drill Core	0.074	28	20	0.32	74	0.011	<20	0.98	0.004	0.21	<0.1	<0.01	4.1	0.4	0.62	3	<0.5	<0.2			
4308395	Drill Core	0.042	21	17	0.35	52	0.018	<20	1.04	0.007	0.37	<0.1	<0.01	2.7	0.4	0.51	3	<0.5	<0.2			
4308396	Drill Core	0.020	24	18	0.34	38	0.009	<20	0.93	0.009	0.25	<0.1	<0.01	1.9	0.2	0.20	2	<0.5	<0.2			
4308397	Drill Core	0.037	24	21	0.48	52	0.022	<20	1.25	0.010	0.36	<0.1	<0.01	2.4	0.3	0.15	3	<0.5	<0.2			
4308398	Drill Core	0.051	38	24	0.66	68	0.026	<20	1.57	0.013	0.47	<0.1	<0.01	2.1	0.3	0.12	4	<0.5	<0.2			
4308399	Drill Core	0.024	25	18	0.55	44	0.010	<20	1.35	0.015	0.30	<0.1	<0.01	1.8	0.2	0.17	3	<0.5	<0.2			
4308400	Drill Core	0.027	25	20	0.55	42	0.009	<20	1.35	0.014	0.30	<0.1	<0.01	1.8	0.2	0.16	3	<0.5	<0.2			
4308401	Drill Core	0.027	27	20	0.67	54	0.023	<20	1.59	0.014	0.36	<0.1	<0.01	1.9	0.2	0.28	4	<0.5	<0.2			
4308402	Drill Core	0.026	16	18	0.49	81	0.035	<20	1.20	0.011	0.54	<0.1	<0.01	1.8	0.3	0.19	3	<0.5	<0.2			
4308403	Drill Core	0.038	22	17	0.45	60	0.027	<20	1.21	0.011	0.42	<0.1	<0.01	1.9	0.2	0.11	3	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 4 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
4308404	Drill Core	8.34	<0.005	0.8	15.7	11.8	74	<0.1	34.1	15.1	511	3.64	50.1	0.8	11.6	10	<0.1	0.5	0.1	21	0.16
4308405	Drill Core	8.35	0.006	0.4	22.8	12.7	67	<0.1	27.8	14.6	489	2.96	31.4	2.3	10.9	8	<0.1	0.5	0.3	14	0.10
4308406	Drill Core	9.20	0.008	0.8	32.3	10.6	79	0.2	31.4	13.0	648	3.37	17.7	3.8	12.0	8	<0.1	2.3	0.3	12	0.11
4308407	Drill Core	7.48	0.007	0.4	25.7	13.1	62	0.1	25.5	12.8	519	3.05	32.4	5.3	12.1	10	<0.1	2.7	0.3	11	0.14
4308408	Drill Core	6.54	0.008	0.9	18.4	15.1	62	0.2	18.7	8.7	681	2.66	22.3	14.6	9.5	7	<0.1	2.7	0.4	8	0.11
4308409	Drill Core	1.91	0.152	0.4	23.4	21.8	65	0.8	18.8	7.4	811	3.07	22.1	100.1	8.3	8	<0.1	3.8	6.9	9	0.11
4308410	Rock Pulp	0.14	0.860	7.0	4558.3	3012.2	9777	44.0	23.5	49.0	921	18.74	1326.4	263.8	0.4	39	62.3	106.1	22.7	24	1.74
4308411	Drill Core	6.20	<0.005	0.6	5.0	2.5	13	<0.1	5.3	2.4	251	0.94	4.3	1.6	4.7	3	<0.1	0.6	<0.1	2	0.04
4308412	Drill Core	6.59	<0.005	0.6	6.3	3.1	21	<0.1	7.3	3.4	358	1.13	8.2	1.7	5.2	5	<0.1	1.0	<0.1	3	0.07
4308413	Drill Core	7.00	0.007	0.8	8.4	5.0	27	0.1	8.8	4.0	362	1.33	34.7	1.7	4.9	5	<0.1	1.5	<0.1	3	0.09
4308414	Drill Core	6.10	0.029	0.6	17.7	42.4	54	0.3	15.5	6.7	577	2.06	259.3	37.1	4.7	6	0.3	2.6	0.9	6	0.10
4308415	Drill Core	6.25	0.008	1.2	38.6	12.8	96	0.4	41.4	22.6	1133	4.48	32.1	2.8	7.1	16	<0.1	11.0	0.2	11	0.23
4308416	Drill Core	6.71	0.008	0.9	17.7	7.1	49	0.1	15.8	7.1	621	2.34	10.1	1.1	4.7	6	<0.1	2.0	0.1	6	0.09
4308417	Drill Core	4.59	0.025	0.8	35.8	15.3	77	0.3	27.5	13.6	842	3.49	18.2	3.1	7.2	15	<0.1	5.8	0.2	8	0.25
4308418	Drill Core	10.52	0.040	0.5	31.9	14.3	85	0.2	32.9	14.8	618	3.49	52.5	31.7	11.8	36	<0.1	3.1	1.2	13	1.12
4308419	Drill Core	7.78	0.020	0.4	30.6	11.1	67	0.1	35.6	15.5	431	3.23	60.7	15.0	12.2	50	<0.1	1.6	1.1	11	1.30
4308420	Drill Core	6.47	0.018	0.4	30.6	11.1	72	0.2	37.7	15.0	453	3.45	52.1	10.7	12.9	52	<0.1	1.8	1.0	12	1.33
4308421	Drill Core	4.48	0.010	0.7	35.4	10.8	42	0.3	27.1	9.7	404	2.90	113.6	4.3	9.7	45	<0.1	1.9	0.6	9	0.84
4308422	Drill Core	7.98	0.025	0.5	26.2	16.3	69	0.1	21.7	8.1	516	2.61	178.6	17.6	9.1	37	0.5	1.6	0.8	10	1.09
4308423	Drill Core	8.67	0.027	0.9	14.6	13.3	42	0.1	14.3	5.2	449	1.97	154.7	16.6	9.5	37	<0.1	1.1	1.0	10	1.12
4308424	Drill Core	8.65	0.038	0.7	20.6	16.9	43	0.2	17.3	8.2	392	1.95	1446.6	30.7	10.6	32	<0.1	1.9	0.9	8	1.03
4308425	Drill Core	8.07	0.009	0.6	15.1	12.6	60	0.1	18.0	7.8	417	2.02	32.2	3.5	9.9	31	<0.1	0.8	0.5	11	0.95
4308426	Drill Core	8.96	0.012	0.4	29.3	11.1	74	0.1	35.1	15.2	575	3.92	39.9	5.2	13.9	28	<0.1	1.1	0.7	17	0.61
4308427	Drill Core	8.83	0.014	0.6	37.5	10.1	89	<0.1	36.9	17.6	465	3.41	387.8	13.8	11.6	25	<0.1	0.8	0.3	13	0.51
4308428	Drill Core	8.14	0.008	0.6	20.9	8.6	68	<0.1	25.6	12.3	366	2.81	93.5	7.7	10.7	25	<0.1	0.4	0.2	15	0.48
4308429	Drill Core	8.81	0.007	1.3	32.8	10.9	72	0.1	33.1	16.4	578	3.22	32.0	4.8	10.9	30	<0.1	2.0	0.3	16	0.55
4308430	Drill Core	7.43	0.006	0.9	31.6	11.3	71	0.1	30.5	14.6	616	3.23	33.9	1.4	10.6	35	<0.1	1.9	0.3	16	0.67
4308431	Drill Core	8.30	<0.005	0.5	16.1	9.3	61	<0.1	21.8	10.6	580	2.94	21.0	1.1	8.3	22	<0.1	0.9	0.2	15	0.48
4308432	Drill Core	7.82	<0.005	0.7	25.9	68.1	123	1.0	29.1	13.9	910	3.25	41.4	1.1	9.5	25	0.9	0.9	0.2	15	0.53
4308433	Drill Core	9.60	<0.005	0.7	32.5	29.5	118	0.8	33.0	15.6	718	3.38	42.2	3.3	9.2	19	0.7	0.5	0.1	15	0.37



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Banyan Gold Corp.

1000-1050 West Pender St.

Vancouver British Columbia V6E 3S7 Canada

Project:

Aurex

Report Date:

February 01, 2023

Page:

4 of 7

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4308404	Drill Core	0.045	31	27	0.66	89	0.032	<20	1.57	0.012	0.57	<0.1	<0.01	2.6	0.3	0.09	4	<0.5	<0.2
4308405	Drill Core	0.022	27	18	0.52	60	0.011	<20	1.20	0.014	0.32	<0.1	<0.01	1.8	0.2	0.16	3	<0.5	<0.2
4308406	Drill Core	0.020	26	17	0.42	48	0.009	<20	0.99	0.010	0.30	<0.1	<0.01	1.8	0.2	0.29	2	<0.5	<0.2
4308407	Drill Core	0.041	26	14	0.44	48	0.007	<20	0.97	0.010	0.28	<0.1	<0.01	1.7	0.1	0.24	2	<0.5	<0.2
4308408	Drill Core	0.013	21	11	0.22	36	0.001	<20	0.36	0.003	0.23	<0.1	<0.01	1.6	0.2	0.22	<1	<0.5	<0.2
4308409	Drill Core	0.013	12	11	0.20	20	<0.001	<20	0.34	0.002	0.15	0.6	0.02	2.1	0.3	0.82	<1	<0.5	<0.2
4308410	Rock Pulp	0.024	2	23	1.03	26	0.001	<20	0.70	0.004	0.08	3.1	8.50	2.1	9.8	>10	3	>100	0.3
4308411	Drill Core	0.005	8	6	0.08	13	0.001	<20	0.18	0.003	0.12	<0.1	0.04	0.3	<0.1	0.07	<1	<0.5	<0.2
4308412	Drill Core	0.006	9	7	0.09	17	0.001	<20	0.22	0.005	0.16	<0.1	<0.01	0.5	<0.1	0.09	<1	<0.5	<0.2
4308413	Drill Core	0.021	9	8	0.11	18	0.001	<20	0.24	0.005	0.17	<0.1	<0.01	0.6	<0.1	0.16	<1	<0.5	<0.2
4308414	Drill Core	0.021	11	8	0.19	24	0.001	<20	0.27	0.005	0.18	0.4	<0.01	1.3	0.1	0.27	<1	<0.5	<0.2
4308415	Drill Core	0.054	14	11	0.60	40	0.002	<20	0.46	0.008	0.28	<0.1	<0.01	2.3	0.2	0.34	1	<0.5	<0.2
4308416	Drill Core	0.015	11	9	0.28	27	0.001	<20	0.27	0.005	0.19	<0.1	<0.01	1.3	<0.1	0.16	<1	<0.5	<0.2
4308417	Drill Core	0.024	14	9	0.49	34	0.001	<20	0.32	0.007	0.24	<0.1	<0.01	1.6	0.2	0.17	<1	<0.5	<0.2
4308418	Drill Core	0.055	28	15	0.59	50	0.005	<20	0.96	0.009	0.26	<0.1	<0.01	2.1	0.1	0.36	2	<0.5	<0.2
4308419	Drill Core	0.054	30	14	0.58	58	0.005	<20	1.19	0.009	0.31	8.8	<0.01	1.6	0.1	0.36	3	<0.5	<0.2
4308420	Drill Core	0.057	33	15	0.63	63	0.005	<20	1.29	0.009	0.33	1.6	<0.01	1.6	0.1	0.36	3	<0.5	<0.2
4308421	Drill Core	0.066	11	13	0.48	51	0.002	<20	0.87	0.018	0.28	0.1	<0.01	1.3	0.1	0.62	2	<0.5	<0.2
4308422	Drill Core	0.023	13	14	0.48	54	0.006	<20	0.92	0.012	0.28	<0.1	<0.01	1.4	0.1	0.38	2	<0.5	<0.2
4308423	Drill Core	0.024	15	17	0.39	86	0.013	<20	0.89	0.030	0.26	<0.1	<0.01	1.3	0.1	0.23	2	<0.5	<0.2
4308424	Drill Core	0.019	20	11	0.33	77	0.004	<20	0.71	0.016	0.23	<0.1	<0.01	1.1	<0.1	0.40	2	<0.5	<0.2
4308425	Drill Core	0.022	18	15	0.46	61	0.020	<20	1.00	0.020	0.35	<0.1	<0.01	1.3	0.2	0.16	2	<0.5	<0.2
4308426	Drill Core	0.044	27	19	0.67	77	0.031	<20	1.58	0.012	0.48	<0.1	<0.01	2.2	0.3	0.20	4	<0.5	<0.2
4308427	Drill Core	0.043	27	19	0.61	64	0.015	<20	1.42	0.011	0.35	<0.1	<0.01	1.6	0.2	0.37	3	<0.5	<0.2
4308428	Drill Core	0.031	21	20	0.57	79	0.034	<20	1.43	0.020	0.47	<0.1	<0.01	1.7	0.3	0.13	4	<0.5	<0.2
4308429	Drill Core	0.029	24	23	0.60	70	0.028	<20	1.46	0.013	0.45	<0.1	<0.01	2.1	0.2	0.22	4	<0.5	<0.2
4308430	Drill Core	0.026	23	20	0.61	66	0.027	<20	1.50	0.013	0.43	<0.1	<0.01	2.2	0.2	0.21	4	<0.5	<0.2
4308431	Drill Core	0.039	19	17	0.54	69	0.035	<20	1.35	0.010	0.48	<0.1	<0.01	1.9	0.2	0.08	4	<0.5	<0.2
4308432	Drill Core	0.023	17	17	0.60	62	0.023	<20	1.31	0.008	0.47	<0.1	<0.01	2.0	0.3	0.16	4	<0.5	<0.2
4308433	Drill Core	0.035	17	18	0.59	75	0.032	<20	1.47	0.008	0.47	<0.1	<0.01	2.0	0.3	0.25	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 5 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method	Analyte	Unit	MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
4308434	Drill Core	8.68	0.013	0.7	30.3	49.5	180	1.6	31.8	14.4	1398	3.83	344.7	7.4	9.2	26	1.7	0.7	0.3	15	0.54			
4308435	Drill Core	8.56	<0.005	0.6	26.1	13.8	59	0.2	25.0	12.7	675	2.82	29.3	0.7	9.1	18	<0.1	1.2	0.2	13	0.31			
4308436	Drill Core	7.48	0.253	0.7	23.2	16.7	74	0.4	26.9	12.3	624	3.39	24.8	14.7	8.5	25	<0.1	3.6	0.7	12	0.43			
4308437	Drill Core	8.82	0.010	0.7	23.8	25.3	77	0.1	25.5	13.3	677	3.06	43.5	1.3	8.3	39	<0.1	1.5	0.3	12	0.79			
4308438	Drill Core	7.78	0.011	1.5	29.9	44.2	244	0.5	33.4	14.3	535	3.03	158.5	6.1	6.6	41	2.5	1.7	0.6	9	0.95			
4308439	Drill Core	8.49	0.008	0.9	41.3	12.1	79	0.1	38.5	18.3	703	3.80	286.3	2.5	8.1	37	<0.1	2.7	0.3	13	0.55			
4308440	Drill Core	7.82	0.007	0.9	37.4	13.7	85	0.1	35.9	15.9	737	3.86	48.3	2.1	7.6	38	<0.1	2.4	0.3	14	0.63			
4308441	Drill Core	8.60	<0.005	1.0	37.8	11.2	77	0.1	36.9	20.0	795	3.93	28.6	1.4	8.7	30	<0.1	1.2	0.2	11	0.39			
4308442	Drill Core	8.59	0.009	0.8	41.7	19.4	103	0.1	39.3	19.2	902	4.05	168.4	8.2	9.7	35	0.2	0.7	0.2	12	0.46			
4308443	Drill Core	8.61	0.005	0.7	27.7	12.5	71	<0.1	25.8	14.2	677	3.26	26.4	0.9	8.1	51	<0.1	1.2	0.2	11	0.92			
4308444	Drill Core	8.06	0.015	0.7	33.1	8.9	57	0.2	26.1	13.2	494	2.71	131.3	10.7	5.4	19	<0.1	2.2	0.7	6	0.38			
4308445	Drill Core	8.22	<0.005	0.4	5.2	7.3	18	<0.1	5.3	2.0	249	0.95	3.3	1.0	4.0	3	<0.1	0.6	<0.1	2	0.03			
4308446	Drill Core	7.63	<0.005	0.4	3.9	5.0	12	<0.1	4.4	1.6	270	0.85	4.8	1.2	3.4	2	<0.1	0.5	<0.1	2	0.03			
4308447	Drill Core	8.76	<0.005	0.2	4.8	3.3	11	<0.1	3.7	1.3	219	0.73	7.3	2.5	3.2	2	<0.1	0.5	0.2	2	0.03			
4308448	Drill Core	8.34	<0.005	0.4	5.7	3.4	14	<0.1	3.6	1.1	252	0.80	4.9	1.7	3.3	2	<0.1	0.4	0.1	2	0.03			
4308449	Drill Core	7.31	0.131	0.3	14.4	12.0	19	0.7	3.9	2.0	224	0.77	409.5	42.3	3.1	2	<0.1	1.1	4.9	1	0.02			
4308450	Drill Core	7.71	0.120	0.3	12.3	6.6	18	0.4	3.5	1.2	220	0.67	73.1	34.1	2.8	2	<0.1	0.7	2.7	1	0.02			
4308451	Drill Core	6.19	<0.005	0.6	12.9	6.4	28	0.1	8.1	3.4	256	0.98	47.2	1.2	3.3	3	<0.1	0.6	0.1	2	0.03			
4308452	Drill Core	6.46	0.012	0.3	8.2	7.4	23	0.1	6.5	2.9	196	0.85	42.2	1.6	2.9	2	<0.1	0.3	0.2	<1	0.03			
4308453	Drill Core	3.73	0.029	0.5	19.1	10.9	43	0.3	14.2	6.5	375	1.91	7.7	1.3	3.3	6	<0.1	0.5	0.3	3	0.07			
4308454	Drill Core	8.61	<0.005	0.4	34.5	13.1	87	0.2	26.3	13.6	798	3.33	26.0	1.1	3.9	8	<0.1	2.5	0.2	6	0.09			
4308455	Drill Core	7.91	<0.005	0.7	29.1	13.0	66	0.3	22.3	10.6	759	2.39	15.4	1.8	4.6	4	0.3	1.2	0.3	4	0.06			
4308456	Drill Core	8.97	<0.005	0.5	19.0	11.4	40	0.2	17.0	7.3	458	1.90	10.3	0.6	5.5	4	<0.1	0.7	0.2	3	0.05			
4308457	Drill Core	8.47	0.008	0.7	16.4	9.1	34	0.2	12.0	6.4	401	1.49	13.4	1.6	4.4	4	<0.1	0.6	0.3	3	0.05			
4308458	Drill Core	3.62	<0.005	2.9	21.3	23.0	57	0.4	14.8	5.6	257	1.12	9.4	1.0	3.9	5	0.1	1.1	0.3	2	0.12			
4308459	Drill Core	4.71	0.009	0.6	18.5	13.4	50	0.7	15.0	7.1	481	1.30	16.3	3.4	3.5	4	<0.1	1.1	0.2	3	0.05			
4308460	Drill Core	4.27	0.006	0.4	11.4	10.3	68	0.4	8.6	3.8	531	1.29	10.0	2.4	3.1	4	0.1	0.9	0.2	2	0.05			
4308461	Drill Core	4.45	0.011	0.7	22.4	18.0	46	0.8	21.1	9.1	552	2.30	12.8	5.6	4.2	5	<0.1	1.2	0.3	4	0.08			
4308462	Drill Core	6.22	<0.005	0.5	16.1	11.8	138	0.3	14.2	6.5	422	1.80	16.8	1.3	3.8	4	0.2	0.6	0.2	3	0.06			
4308463	Drill Core	7.39	0.007	0.8	20.0	9.0	50	0.4	17.9	7.3	515	2.24	14.3	2.1	5.2	7	<0.1	0.8	0.2	5	0.08			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 5 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4308434	Drill Core	0.065	17	17	0.65	66	0.010	<20	1.63	0.008	0.32	<0.1	<0.01	1.8	0.2	0.22	4	<0.5	<0.2			
4308435	Drill Core	0.018	20	14	0.48	64	0.022	<20	1.24	0.009	0.38	<0.1	<0.01	1.6	0.2	0.12	3	<0.5	<0.2			
4308436	Drill Core	0.049	18	15	0.58	60	0.006	<20	1.22	0.008	0.34	<0.1	<0.01	1.9	0.2	0.28	3	<0.5	<0.2			
4308437	Drill Core	0.031	16	15	0.55	66	0.012	<20	1.16	0.009	0.40	<0.1	<0.01	1.8	0.2	0.24	3	<0.5	<0.2			
4308438	Drill Core	0.082	11	12	0.44	50	0.004	<20	0.96	0.008	0.30	0.2	<0.01	1.2	0.2	1.06	2	<0.5	<0.2			
4308439	Drill Core	0.034	16	16	0.67	72	0.007	<20	1.32	0.010	0.36	<0.1	<0.01	2.1	0.2	0.26	3	<0.5	<0.2			
4308440	Drill Core	0.033	15	16	0.71	67	0.007	<20	1.33	0.009	0.36	<0.1	<0.01	2.2	0.2	0.24	3	<0.5	<0.2			
4308441	Drill Core	0.026	17	17	0.69	55	0.004	<20	1.22	0.010	0.30	<0.1	<0.01	1.6	0.1	0.23	3	<0.5	<0.2			
4308442	Drill Core	0.058	17	17	0.72	54	0.004	<20	1.34	0.009	0.28	<0.1	<0.01	2.0	0.1	0.24	3	<0.5	<0.2			
4308443	Drill Core	0.201	14	14	0.54	55	0.004	<20	1.14	0.008	0.31	<0.1	<0.01	1.8	0.1	0.20	3	<0.5	<0.2			
4308444	Drill Core	0.015	11	8	0.40	33	0.001	<20	0.36	0.007	0.23	0.2	<0.01	1.3	0.1	0.53	<1	<0.5	<0.2			
4308445	Drill Core	0.005	8	4	0.06	14	0.001	<20	0.17	0.004	0.13	<0.1	<0.01	0.3	<0.1	0.17	<1	<0.5	<0.2			
4308446	Drill Core	0.004	7	5	0.05	13	0.001	<20	0.16	0.003	0.12	<0.1	<0.01	0.3	<0.1	0.08	<1	<0.5	<0.2			
4308447	Drill Core	0.004	7	3	0.05	9	<0.001	<20	0.12	0.001	0.09	<0.1	0.03	0.3	<0.1	0.09	<1	<0.5	<0.2			
4308448	Drill Core	0.003	7	5	0.04	12	0.001	<20	0.16	0.003	0.12	<0.1	0.02	0.3	<0.1	0.12	<1	<0.5	<0.2			
4308449	Drill Core	0.004	6	4	0.03	11	<0.001	<20	0.12	0.003	0.10	22.6	<0.01	0.3	<0.1	0.31	<1	<0.5	<0.2			
4308450	Drill Core	0.003	5	3	0.03	10	<0.001	<20	0.12	0.002	0.10	13.1	<0.01	0.2	<0.1	0.23	<1	<0.5	<0.2			
4308451	Drill Core	0.006	7	6	0.05	15	<0.001	<20	0.17	0.004	0.14	0.2	<0.01	0.4	<0.1	0.28	<1	<0.5	<0.2			
4308452	Drill Core	0.005	6	3	0.03	12	<0.001	<20	0.13	0.002	0.12	0.1	<0.01	0.2	<0.1	0.31	<1	<0.5	<0.2			
4308453	Drill Core	0.013	7	6	0.22	21	0.001	<20	0.19	0.004	0.16	<0.1	<0.01	0.7	<0.1	0.48	<1	<0.5	<0.2			
4308454	Drill Core	0.017	8	6	0.48	27	0.001	<20	0.21	0.004	0.16	<0.1	<0.01	1.5	<0.1	0.46	<1	<0.5	<0.2			
4308455	Drill Core	0.008	8	6	0.18	21	0.001	<20	0.19	0.003	0.15	0.2	0.02	0.9	0.1	0.67	<1	<0.5	<0.2			
4308456	Drill Core	0.009	8	4	0.17	17	0.001	<20	0.16	0.003	0.14	<0.1	0.02	0.6	<0.1	0.54	<1	<0.5	<0.2			
4308457	Drill Core	0.011	8	6	0.09	18	0.001	<20	0.21	0.004	0.15	0.3	<0.01	0.6	<0.1	0.47	<1	<0.5	<0.2			
4308458	Drill Core	0.046	6	3	0.03	12	<0.001	<20	0.13	0.002	0.10	0.6	<0.01	0.3	<0.1	0.56	<1	<0.5	<0.2			
4308459	Drill Core	0.009	8	6	0.09	14	<0.001	<20	0.17	0.002	0.14	0.3	<0.01	0.5	<0.1	0.29	<1	<0.5	<0.2			
4308460	Drill Core	0.007	7	4	0.10	11	<0.001	<20	0.12	0.002	0.10	0.2	<0.01	0.5	<0.1	0.26	<1	<0.5	<0.2			
4308461	Drill Core	0.010	7	7	0.18	20	<0.001	<20	0.22	0.005	0.19	0.2	0.02	0.7	0.1	0.78	<1	<0.5	<0.2			
4308462	Drill Core	0.009	7	4	0.16	16	<0.001	<20	0.15	0.002	0.13	0.1	<0.01	0.6	<0.1	0.56	<1	<0.5	<0.2			
4308463	Drill Core	0.013	10	8	0.22	24	0.001	<20	0.28	0.005	0.20	<0.1	<0.01	0.9	0.1	0.60	<1	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 6 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method Analyte Unit MDL	WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
4308464	Drill Core	4.79	<0.005	0.4	24.6	13.7	65	0.4	19.4	8.9	384	1.87	11.0	1.0	7.1	9	<0.1	0.9	0.4	3	0.16
4308465	Drill Core	8.11	<0.005	1.1	17.1	21.0	45	0.3	13.3	5.2	320	1.47	5.2	1.0	4.8	8	<0.1	0.5	0.2	2	0.22
4308466	Drill Core	6.76	0.031	0.6	24.2	5.1	22	<0.1	8.9	3.2	282	1.29	28.2	13.4	4.6	5	<0.1	0.2	1.3	2	0.07
4308467	Drill Core	5.47	0.022	0.4	25.1	8.7	39	0.2	10.3	4.3	234	1.42	2.1	6.3	3.8	6	<0.1	0.3	0.5	2	0.10
4308468	Drill Core	8.16	0.039	0.5	24.0	11.8	55	0.1	18.3	8.1	485	2.04	16.2	28.5	7.8	20	<0.1	1.2	1.4	6	0.37
4308469	Drill Core	8.68	0.006	0.3	22.4	15.9	74	0.3	28.3	12.6	530	2.65	30.9	3.9	8.6	33	<0.1	3.8	0.3	6	0.57
4308470	Rock Pulp	0.15	0.791	6.8	4455.3	2893.2	9654	42.4	23.6	48.4	846	17.17	1307.8	507.3	0.4	38	62.8	107.7	21.8	22	1.66
4308471	Drill Core	7.78	0.006	0.6	31.9	13.5	71	0.3	32.0	14.2	577	3.13	32.6	2.0	8.8	26	<0.1	5.7	0.2	10	0.42
4308472	Drill Core	7.96	0.034	0.5	32.0	21.5	66	0.7	25.3	10.6	636	2.80	679.7	25.8	7.2	35	<0.1	5.2	1.4	9	0.74
4308473	Drill Core	8.70	<0.005	0.6	46.4	12.1	77	<0.1	38.4	20.7	697	3.92	25.7	4.8	10.6	26	<0.1	1.4	0.6	15	0.33
4308474	Drill Core	9.61	0.005	0.5	39.9	10.7	92	0.1	44.3	24.8	640	3.97	47.0	1.8	10.4	28	0.1	2.5	0.5	15	0.42
4308475	Drill Core	7.62	0.008	0.5	39.0	10.5	88	0.3	34.6	14.8	644	3.84	27.2	3.0	11.3	39	<0.1	5.5	0.3	14	0.59
4308476	Drill Core	7.73	0.005	0.4	35.2	8.6	78	0.3	33.6	15.3	658	3.37	36.5	21.0	11.3	36	<0.1	6.2	1.1	9	0.52
4308477	Drill Core	8.88	0.067	0.6	46.8	12.9	91	0.6	34.2	16.1	625	3.70	245.8	81.4	13.4	37	<0.1	5.4	0.5	11	0.59
4308478	Drill Core	2.59	0.013	1.4	39.6	13.4	50	0.5	22.0	8.4	793	2.66	23.1	7.1	8.1	79	<0.1	2.6	0.6	7	1.27
4308479	Drill Core	8.10	0.019	0.2	23.1	9.4	68	0.2	23.5	10.0	822	3.42	25.6	2.9	6.2	43	<0.1	2.9	0.2	12	0.91
4308480	Drill Core	6.55	0.005	0.4	26.4	11.4	70	0.2	22.4	10.5	860	3.33	30.5	2.0	6.2	46	<0.1	2.5	0.3	11	1.03
4308481	Drill Core	8.39	0.018	0.2	23.3	14.0	83	0.3	27.9	12.9	756	3.37	79.4	8.2	7.6	40	<0.1	3.0	0.4	13	0.87
4308482	Drill Core	7.61	<0.005	0.5	33.0	11.2	83	<0.1	34.6	16.9	586	3.84	20.1	1.1	9.0	27	<0.1	1.9	0.4	17	0.43
4308483	Drill Core	8.58	0.036	0.3	27.4	15.1	76	0.2	30.5	13.8	685	3.63	1384.1	28.7	8.3	41	<0.1	3.4	0.5	15	0.71
4308484	Drill Core	9.08	0.011	0.8	21.4	20.1	73	0.1	27.1	12.5	633	3.41	96.1	4.7	10.8	25	<0.1	0.4	0.3	20	0.46
4308485	Drill Core	7.30	0.009	0.5	18.1	12.9	67	0.2	24.0	9.8	549	2.74	35.5	3.2	9.5	37	<0.1	0.4	0.4	15	1.06
4308486	Drill Core	7.60	0.012	0.3	28.0	73.0	182	1.8	31.1	13.0	1704	3.18	64.1	4.9	9.7	41	1.6	0.5	0.9	15	1.30
4308487	Drill Core	7.81	0.021	0.5	19.9	89.7	246	1.7	22.0	10.2	1504	2.82	47.4	16.6	6.8	35	2.7	1.3	0.5	11	0.80
4308488	Drill Core	8.50	0.006	0.2	30.4	216.6	155	2.6	33.2	15.8	1203	3.40	75.2	3.2	8.0	30	1.3	1.7	0.5	12	0.61
4308489	Drill Core	7.36	0.005	0.7	41.7	39.8	105	1.1	34.6	13.9	1168	3.44	46.1	3.1	9.2	42	0.4	1.4	0.4	11	0.59
4308490	Rock Pulp	0.14	1.374	160.1	6768.5	4630.6	9874	>100	208.4	48.9	712	7.65	552.9	1002.5	1.9	94	48.2	161.0	99.3	73	1.90
4308491	Drill Core	7.92	0.008	0.3	44.0	11.1	86	0.3	35.4	17.1	766	3.98	68.2	3.4	8.6	40	<0.1	3.0	0.4	15	0.50
4308492	Drill Core	7.83	0.024	0.8	51.1	9.2	70	0.3	32.3	16.8	626	3.43	54.0	19.6	7.6	32	<0.1	1.7	1.1	13	0.49
4308493	Drill Core	6.10	<0.005	0.3	23.3	12.7	75	0.1	27.8	13.0	793	3.44	29.7	1.0	7.8	38	<0.1	3.3	0.2	14	0.49



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 6 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4308464	Drill Core	0.051	10	4	0.10	20	0.001	<20	0.23	0.004	0.17	0.1	<0.01	0.6	<0.1	0.71	<1	<0.5	<0.2			
4308465	Drill Core	0.076	9	4	0.09	16	<0.001	<20	0.20	0.004	0.15	0.2	<0.01	0.4	<0.1	0.58	<1	<0.5	<0.2			
4308466	Drill Core	0.022	9	6	0.06	17	<0.001	<20	0.20	0.005	0.13	0.9	<0.01	0.4	<0.1	0.42	<1	<0.5	<0.2			
4308467	Drill Core	0.019	7	3	0.10	16	<0.001	<20	0.16	0.005	0.13	1.0	<0.01	0.4	<0.1	0.46	<1	<0.5	<0.2			
4308468	Drill Core	0.013	15	9	0.31	40	0.001	<20	0.38	0.006	0.22	0.1	<0.01	1.0	<0.1	0.25	<1	<0.5	<0.2			
4308469	Drill Core	0.044	15	7	0.48	29	0.001	<20	0.37	0.006	0.16	<0.1	<0.01	1.2	<0.1	0.27	1	<0.5	<0.2			
4308470	Rock Pulp	0.025	2	23	1.00	26	0.001	<20	0.73	0.004	0.09	1.6	7.84	2.0	9.0	>10	3	>100	0.3			
4308471	Drill Core	0.038	15	13	0.54	41	0.002	<20	0.89	0.008	0.23	<0.1	0.04	1.4	<0.1	0.20	2	<0.5	<0.2			
4308472	Drill Core	0.034	14	10	0.53	35	0.002	<20	0.84	0.006	0.22	<0.1	<0.01	1.3	0.1	0.32	2	<0.5	<0.2			
4308473	Drill Core	0.050	22	20	0.74	60	0.010	<20	1.59	0.009	0.29	<0.1	<0.01	1.7	0.1	0.21	4	<0.5	<0.2			
4308474	Drill Core	0.031	21	18	0.79	43	0.009	<20	1.61	0.009	0.23	<0.1	<0.01	1.7	0.1	0.20	4	<0.5	<0.2			
4308475	Drill Core	0.094	24	18	0.72	52	0.003	<20	1.56	0.009	0.28	<0.1	<0.01	1.9	0.1	0.29	4	<0.5	<0.2			
4308476	Drill Core	0.020	20	12	0.64	36	0.002	<20	1.10	0.008	0.22	<0.1	<0.01	1.4	<0.1	0.30	3	<0.5	<0.2			
4308477	Drill Core	0.097	25	14	0.70	50	0.003	<20	1.09	0.009	0.30	<0.1	<0.01	1.7	0.2	0.37	3	<0.5	<0.2			
4308478	Drill Core	0.005	13	10	0.63	36	0.001	<20	0.47	0.005	0.21	<0.1	<0.01	1.4	0.2	0.41	1	<0.5	<0.2			
4308479	Drill Core	0.023	12	11	0.71	39	0.003	<20	1.11	0.008	0.23	<0.1	<0.01	1.8	<0.1	0.24	3	<0.5	<0.2			
4308480	Drill Core	0.021	11	14	0.71	38	0.003	<20	1.07	0.007	0.21	<0.1	<0.01	1.8	<0.1	0.27	3	<0.5	<0.2			
4308481	Drill Core	0.014	15	14	0.73	47	0.003	<20	1.26	0.008	0.26	<0.1	<0.01	1.8	0.1	0.27	3	<0.5	<0.2			
4308482	Drill Core	0.022	21	24	0.80	75	0.018	<20	1.81	0.016	0.39	<0.1	<0.01	1.9	0.2	0.22	5	<0.5	<0.2			
4308483	Drill Core	0.021	18	18	0.75	55	0.009	<20	1.52	0.011	0.35	<0.1	<0.01	1.9	0.2	0.37	4	<0.5	<0.2			
4308484	Drill Core	0.016	17	23	0.70	64	0.047	<20	1.61	0.012	0.50	0.1	<0.01	2.3	0.3	0.18	4	<0.5	<0.2			
4308485	Drill Core	0.042	19	22	0.59	60	0.020	<20	1.37	0.017	0.34	<0.1	<0.01	1.9	0.2	0.20	4	<0.5	<0.2			
4308486	Drill Core	0.034	17	18	0.64	60	0.008	<20	1.48	0.008	0.35	<0.1	<0.01	1.8	0.3	0.36	4	<0.5	<0.2			
4308487	Drill Core	0.019	12	18	0.53	44	0.004	<20	1.27	0.007	0.28	<0.1	<0.01	1.4	0.2	0.23	3	<0.5	<0.2			
4308488	Drill Core	0.038	15	14	0.62	52	0.008	<20	1.46	0.009	0.30	<0.1	<0.01	1.5	0.2	0.31	4	<0.5	<0.2			
4308489	Drill Core	0.055	19	14	0.50	64	0.007	<20	1.18	0.008	0.35	<0.1	<0.01	1.6	0.2	0.37	3	<0.5	<0.2			
4308490	Rock Pulp	0.071	7	45	1.32	80	0.078	<20	1.46	0.094	0.25	8.0	2.47	4.4	2.5	5.45	6	10.5	11.6			
4308491	Drill Core	0.020	20	15	0.71	71	0.018	<20	1.44	0.008	0.41	<0.1	<0.01	2.1	0.2	0.40	4	<0.5	<0.2			
4308492	Drill Core	0.030	15	16	0.61	63	0.012	<20	1.13	0.009	0.35	<0.1	<0.01	1.8	0.2	0.45	3	<0.5	<0.2			
4308493	Drill Core	0.017	17	14	0.61	70	0.009	<20	1.24	0.010	0.34	<0.1	<0.01	1.9	0.1	0.11	3	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: Aurex
Report Date: February 01, 2023

Page: 7 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

Method Analyte Unit MDL		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
4308494	Drill Core	4.94	<0.005	0.6	42.4	11.1	91	0.3	37.2	15.9	679	4.06	136.8	3.4	8.4	28	0.1	3.7	0.4	14
4308495	Drill Core	8.03	0.006	0.1	28.7	11.3	79	0.1	25.7	12.1	780	3.53	20.0	4.8	7.1	17	<0.1	1.4	0.4	12
4308496	Drill Core	7.81	<0.005	0.5	16.7	12.0	52	0.2	18.0	7.8	962	2.64	19.5	4.3	6.7	16	<0.1	0.5	0.3	9
4308497	Drill Core	8.44	0.010	0.5	24.8	11.1	51	0.3	23.8	11.4	580	2.65	34.7	6.3	6.9	13	<0.1	1.3	0.3	6
4308498	Drill Core	7.53	0.005	1.0	16.7	10.6	40	<0.1	16.4	6.7	614	2.13	46.7	3.0	5.9	10	<0.1	0.9	0.2	5
4308499	Drill Core	7.37	0.009	0.2	26.2	21.1	55	0.2	21.9	10.3	594	2.80	109.2	5.7	6.7	13	<0.1	1.8	0.4	6
4308500	Drill Core	7.44	0.007	0.6	33.4	42.7	55	0.3	22.3	11.2	601	2.71	78.0	3.2	7.2	12	0.1	1.4	0.4	6
4308501	Drill Core	8.01	<0.005	0.1	7.2	11.9	42	0.1	8.9	4.2	256	1.37	7.4	1.1	5.5	7	<0.1	0.7	<0.1	4
4308502	Drill Core	8.17	<0.005	0.5	8.8	13.5	47	0.2	11.4	5.6	435	1.81	13.3	1.1	6.3	9	<0.1	0.4	0.1	5
4308503	Drill Core	7.42	0.021	0.4	8.0	19.2	52	0.3	13.8	8.1	575	1.45	80.3	4.6	10.8	8	0.3	0.9	<0.1	4
4308504	Drill Core	6.30	0.006	0.6	8.3	13.9	43	0.2	11.2	5.5	497	1.73	26.5	2.3	6.0	7	0.1	0.4	<0.1	4
4308505	Drill Core	7.36	0.007	0.2	11.1	32.4	55	0.3	14.4	8.5	613	2.09	185.9	5.5	10.2	10	0.2	0.8	0.1	7
4308506	Drill Core	4.73	0.008	0.3	29.4	4.0	56	0.1	23.0	13.8	397	3.61	89.1	5.0	8.3	22	<0.1	1.0	<0.1	10
4308507	Drill Core	7.89	0.011	0.2	39.5	9.0	87	0.3	36.4	17.6	578	4.19	36.2	7.3	8.9	32	<0.1	4.1	0.3	13
4308508	Drill Core	7.69	<0.005	0.5	34.5	10.5	79	0.2	30.7	12.9	639	3.73	10.2	5.1	7.5	41	<0.1	4.9	0.2	13
4308509	Drill Core	7.65	<0.005	0.1	19.4	13.7	39	0.1	16.2	7.3	405	1.95	111.6	1.1	5.6	18	0.1	1.2	0.2	6
4308510	Drill Core	7.39	0.007	0.5	17.7	16.3	40	0.1	17.2	7.1	385	1.92	130.5	2.5	6.4	17	0.1	1.3	0.2	6
4308511	Drill Core	8.24	0.015	0.3	21.9	4.8	62	0.1	26.4	10.7	509	3.17	547.6	7.1	7.0	30	<0.1	1.2	0.3	11
4308512	Drill Core	8.10	<0.005	0.6	29.3	36.7	96	0.5	20.1	8.8	674	2.68	28.5	1.1	5.6	19	0.5	0.9	0.4	7
4308513	Drill Core	7.75	0.029	0.3	44.6	21.7	67	0.8	37.7	20.8	894	4.10	1641.0	25.9	6.0	35	0.2	2.3	3.9	13
4308514	Drill Core	6.16	<0.005	0.5	23.3	8.6	68	0.1	24.1	8.8	626	2.98	6.4	1.0	9.2	18	<0.1	0.8	0.2	10
4308515	Drill Core	5.28	<0.005	0.4	9.7	10.4	46	0.1	11.9	5.5	490	2.25	11.5	2.1	14.7	44	<0.1	0.6	0.3	7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: February 01, 2023

Page: 7 of 7 **Part:** 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000999.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
4308494	Drill Core	0.044	18	17	0.69	73	0.004	<20	1.24	0.010	0.28	<0.1	<0.01	1.9	0.1	0.21	3	<0.5	<0.2			
4308495	Drill Core	0.024	16	10	0.53	64	0.003	<20	0.85	0.010	0.25	<0.1	<0.01	2.2	0.1	0.14	2	<0.5	<0.2			
4308496	Drill Core	0.037	13	13	0.32	40	0.002	<20	0.52	0.007	0.21	<0.1	<0.01	2.0	0.1	0.13	1	<0.5	<0.2			
4308497	Drill Core	0.023	14	5	0.33	59	0.002	<20	0.47	0.008	0.26	<0.1	<0.01	1.4	0.1	0.19	1	<0.5	<0.2			
4308498	Drill Core	0.011	11	10	0.28	48	0.002	<20	0.44	0.007	0.20	<0.1	<0.01	1.0	<0.1	0.13	1	<0.5	<0.2			
4308499	Drill Core	0.017	13	6	0.33	54	0.001	<20	0.41	0.009	0.25	<0.1	<0.01	1.3	0.2	0.25	1	<0.5	<0.2			
4308500	Drill Core	0.013	15	10	0.34	53	0.001	<20	0.38	0.010	0.25	<0.1	<0.01	1.2	0.1	0.12	<1	<0.5	<0.2			
4308501	Drill Core	0.006	12	4	0.14	22	0.001	<20	0.28	0.009	0.19	<0.1	<0.01	0.6	<0.1	0.07	<1	<0.5	<0.2			
4308502	Drill Core	0.016	13	9	0.20	26	0.001	<20	0.31	0.008	0.21	<0.1	<0.01	0.9	<0.1	0.11	<1	<0.5	<0.2			
4308503	Drill Core	0.008	17	5	0.14	34	0.001	<20	0.33	0.008	0.26	<0.1	<0.01	0.8	0.2	0.15	<1	<0.5	<0.2			
4308504	Drill Core	0.009	13	9	0.19	32	0.001	<20	0.29	0.006	0.21	<0.1	<0.01	0.8	0.1	0.11	<1	<0.5	<0.2			
4308505	Drill Core	0.011	20	7	0.22	31	0.002	<20	0.37	0.005	0.22	<0.1	<0.01	1.4	0.1	0.16	<1	<0.5	<0.2			
4308506	Drill Core	0.035	18	12	0.47	70	0.001	<20	0.52	0.010	0.26	<0.1	<0.01	1.6	0.1	0.12	1	<0.5	<0.2			
4308507	Drill Core	0.041	17	15	0.66	60	0.002	<20	1.23	0.009	0.28	<0.1	<0.01	1.9	<0.1	0.21	3	<0.5	<0.2			
4308508	Drill Core	0.044	14	19	0.69	47	0.003	<20	1.34	0.009	0.24	<0.1	<0.01	1.8	<0.1	0.16	4	<0.5	<0.2			
4308509	Drill Core	0.015	11	7	0.27	36	0.003	<20	0.64	0.010	0.19	<0.1	<0.01	0.9	<0.1	0.15	2	<0.5	<0.2			
4308510	Drill Core	0.013	13	11	0.25	40	0.003	<20	0.66	0.009	0.21	<0.1	<0.01	0.9	<0.1	0.13	2	<0.5	<0.2			
4308511	Drill Core	0.085	13	10	0.44	69	0.004	<20	1.00	0.009	0.27	<0.1	<0.01	1.6	<0.1	0.31	3	<0.5	<0.2			
4308512	Drill Core	0.021	11	11	0.36	50	0.003	<20	0.84	0.010	0.24	<0.1	<0.01	1.1	0.1	0.45	2	<0.5	<0.2			
4308513	Drill Core	0.043	13	13	0.69	69	0.004	<20	1.46	0.009	0.30	<0.1	<0.01	1.9	0.1	0.51	4	<0.5	<0.2			
4308514	Drill Core	0.025	19	15	0.46	55	0.003	<20	1.24	0.011	0.26	<0.1	<0.01	1.2	<0.1	0.23	3	<0.5	<0.2			
4308515	Drill Core	0.015	26	9	0.43	55	0.003	<20	0.96	0.007	0.24	<0.1	<0.01	1.1	0.1	0.14	2	<0.5	<0.2			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: February 01, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000999.1

Method Analyte Unit MDL		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
4308356	Drill Core	6.26	0.022	0.5	35.6	86.2	187	1.7	36.2	16.8	1061	4.24	25.1	5.5	11.3	12	1.6	0.2	0.5	16	0.07
REP 4308356	QC			0.5	36.9	88.9	187	1.7	36.6	16.9	1063	4.21	25.5	3.2	11.3	12	1.7	0.2	0.5	15	0.07
4308373	Drill Core	7.08	0.007	0.7	22.4	9.5	67	0.1	18.7	9.1	361	1.23	39.9	1.9	6.6	14	0.6	0.6	0.3	6	0.05
REP 4308373	QC			0.7	23.5	9.8	68	0.1	19.7	10.4	368	1.25	41.6	4.7	6.2	14	0.6	0.5	0.3	6	0.05
4308379	Drill Core	7.07	0.022	1.1	29.2	15.0	62	0.2	28.5	12.2	782	2.96	19.4	21.0	11.3	7	<0.1	0.2	0.7	12	0.11
REP 4308379	QC		0.009																		
4308391	Drill Core	7.57	0.026	1.8	32.5	399.3	684	4.7	25.6	11.4	2495	3.05	53.5	18.1	9.6	4	10.1	2.3	1.2	7	0.12
REP 4308391	QC			1.8	31.5	391.8	692	5.1	24.9	10.7	2445	3.01	46.7	224.2	9.7	4	10.1	2.4	1.1	6	0.12
4308443	Drill Core	8.61	0.005	0.7	27.7	12.5	71	<0.1	25.8	14.2	677	3.26	26.4	0.9	8.1	51	<0.1	1.2	0.2	11	0.92
REP 4308443	QC			0.8	27.6	10.9	67	<0.1	23.8	13.2	658	3.15	26.0	0.6	7.5	50	<0.1	1.3	0.4	11	0.90
4308448	Drill Core	8.34	<0.005	0.4	5.7	3.4	14	<0.1	3.6	1.1	252	0.80	4.9	1.7	3.3	2	<0.1	0.4	0.1	2	0.03
REP 4308448	QC		<0.005																		
4308461	Drill Core	4.45	0.011	0.7	22.4	18.0	46	0.8	21.1	9.1	552	2.30	12.8	5.6	4.2	5	<0.1	1.2	0.3	4	0.08
REP 4308461	QC			0.7	22.7	18.0	46	0.8	21.2	9.3	551	2.33	13.2	4.7	4.1	5	<0.1	1.2	0.3	4	0.08
4308484	Drill Core	9.08	0.011	0.8	21.4	20.1	73	0.1	27.1	12.5	633	3.41	96.1	4.7	10.8	25	<0.1	0.4	0.3	20	0.46
REP 4308484	QC		0.009																		
4308506	Drill Core	4.73	0.008	0.3	29.4	4.0	56	0.1	23.0	13.8	397	3.61	89.1	5.0	8.3	22	<0.1	1.0	<0.1	10	0.19
REP 4308506	QC		0.008																		
4308512	Drill Core	8.10	<0.005	0.6	29.3	36.7	96	0.5	20.1	8.8	674	2.68	28.5	1.1	5.6	19	0.5	0.9	0.4	7	0.27
REP 4308512	QC			0.6	28.8	32.7	95	0.5	19.9	9.0	658	2.64	31.0	1.1	5.4	19	0.5	0.9	0.3	7	0.27
Core Reject Duplicates																					
4308347	Drill Core	1.80	0.011	0.7	29.0	9.3	56	0.8	23.0	11.1	400	2.48	77.3	13.3	8.4	8	<0.1	0.6	0.2	13	0.06
DUP 4308347	QC		0.007	0.7	30.8	9.1	56	0.3	23.4	11.5	406	2.52	76.1	3.8	8.1	8	<0.1	0.6	0.2	13	0.06
4308381	Drill Core	4.77	0.040	0.4	31.6	17.9	63	0.2	24.7	10.7	469	1.84	796.3	35.7	11.0	6	0.2	0.9	0.8	8	0.09
DUP 4308381	QC		0.038	0.4	31.8	17.6	59	0.2	24.5	11.4	477	1.85	791.3	28.7	11.4	6	0.1	0.9	0.8	8	0.09
4308415	Drill Core	6.25	0.008	1.2	38.6	12.8	96	0.4	41.4	22.6	1133	4.48	32.1	2.8	7.1	16	<0.1	11.0	0.2	11	0.23
DUP 4308415	QC		0.007	1.1	37.9	11.4	93	0.3	40.7	22.6	1136	4.46	32.0	2.7	7.2	15	<0.1	10.1	0.2	11	0.22
4308449	Drill Core	7.31	0.131	0.3	14.4	12.0	19	0.7	3.9	2.0	224	0.77	409.5	42.3	3.1	2	<0.1	1.1	4.9	1	0.02



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: Banyan Gold Corp.
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: February 01, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000999.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
4308356 Drill Core	0.021	22	22	0.73	52	0.004	<20	1.84	0.015	0.29	<0.1	<0.01	2.0	0.2	0.14	5	<0.5	<0.2	
REP 4308356 QC	0.021	21	21	0.73	50	0.004	<20	1.84	0.015	0.28	<0.1	<0.01	2.0	0.2	0.14	5	<0.5	<0.2	
4308373 Drill Core	0.013	13	9	0.11	26	0.004	<20	0.45	0.005	0.19	0.3	<0.01	1.2	0.3	0.23	1	<0.5	<0.2	
REP 4308373 QC	0.013	12	10	0.11	24	0.004	<20	0.44	0.005	0.18	0.3	<0.01	1.2	0.3	0.24	1	<0.5	<0.2	
4308379 Drill Core	0.035	27	17	0.27	50	0.010	<20	0.83	0.009	0.24	0.1	<0.01	1.8	0.2	0.29	2	<0.5	<0.2	
REP 4308379 QC																			
4308391 Drill Core	0.027	11	8	0.11	28	<0.001	<20	0.40	0.005	0.26	<0.1	<0.01	1.7	0.6	1.20	<1	<0.5	<0.2	
REP 4308391 QC	0.027	11	8	0.11	28	<0.001	<20	0.40	0.004	0.26	<0.1	<0.01	1.7	0.5	1.18	<1	<0.5	<0.2	
4308443 Drill Core	0.201	14	14	0.54	55	0.004	<20	1.14	0.008	0.31	<0.1	<0.01	1.8	0.1	0.20	3	<0.5	<0.2	
REP 4308443 QC	0.191	14	15	0.53	52	0.004	<20	1.10	0.009	0.30	<0.1	<0.01	1.7	0.1	0.19	3	<0.5	<0.2	
4308448 Drill Core	0.003	7	5	0.04	12	0.001	<20	0.16	0.003	0.12	<0.1	0.02	0.3	<0.1	0.12	<1	<0.5	<0.2	
REP 4308448 QC																			
4308461 Drill Core	0.010	7	7	0.18	20	<0.001	<20	0.22	0.005	0.19	0.2	0.02	0.7	0.1	0.78	<1	<0.5	<0.2	
REP 4308461 QC	0.011	7	7	0.18	20	<0.001	<20	0.22	0.004	0.19	0.2	0.02	0.7	0.1	0.78	<1	<0.5	<0.2	
4308484 Drill Core	0.016	17	23	0.70	64	0.047	<20	1.61	0.012	0.50	0.1	<0.01	2.3	0.3	0.18	4	<0.5	<0.2	
REP 4308484 QC																			
4308506 Drill Core	0.035	18	12	0.47	70	0.001	<20	0.52	0.010	0.26	<0.1	<0.01	1.6	0.1	0.12	1	<0.5	<0.2	
REP 4308506 QC																			
4308512 Drill Core	0.021	11	11	0.36	50	0.003	<20	0.84	0.010	0.24	<0.1	<0.01	1.1	0.1	0.45	2	<0.5	<0.2	
REP 4308512 QC	0.020	11	11	0.36	48	0.002	<20	0.81	0.010	0.23	<0.1	<0.01	1.0	0.1	0.44	2	<0.5	<0.2	
Core Reject Duplicates																			
4308347 Drill Core	0.021	21	17	0.46	50	0.004	<20	0.99	0.015	0.15	2.5	<0.01	1.3	<0.1	<0.05	3	<0.5	<0.2	
DUP 4308347 QC	0.021	20	18	0.46	50	0.004	<20	1.02	0.016	0.16	1.2	<0.01	1.3	<0.1	<0.05	3	<0.5	<0.2	
4308381 Drill Core	0.028	23	11	0.09	37	0.004	<20	0.52	0.007	0.21	<0.1	<0.01	1.1	0.2	0.57	<1	<0.5	<0.2	
DUP 4308381 QC	0.028	23	11	0.09	38	0.004	<20	0.51	0.006	0.21	<0.1	<0.01	1.1	0.2	0.54	<1	<0.5	<0.2	
4308415 Drill Core	0.054	14	11	0.60	40	0.002	<20	0.46	0.008	0.28	<0.1	<0.01	2.3	0.2	0.34	1	<0.5	<0.2	
DUP 4308415 QC	0.050	14	10	0.59	41	0.002	<20	0.47	0.009	0.29	<0.1	<0.01	2.3	0.2	0.34	1	<0.5	<0.2	
4308449 Drill Core	0.004	6	4	0.03	11	<0.001	<20	0.12	0.003	0.10	22.6	<0.01	0.3	<0.1	0.31	<1	<0.5	<0.2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: February 01, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000999.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
DUP 4308449	QC		0.124	0.4	13.3	10.3	17	0.6	3.9	1.4	231	0.87	146.8	47.6	3.0	2	<0.1	0.9	4.2	1	0.02
4308483	Drill Core	8.58	0.036	0.3	27.4	15.1	76	0.2	30.5	13.8	685	3.63	1384.1	28.7	8.3	41	<0.1	3.4	0.5	15	0.71
DUP 4308483	QC		0.044	0.2	28.6	15.2	77	0.2	29.7	13.0	678	3.61	1332.1	25.9	8.4	42	<0.1	3.3	0.5	14	0.70
Reference Materials																					
STD BVGEO01	Standard			10.1	4366.8	174.6	1711	2.5	166.1	24.4	714	3.65	125.8	200.0	13.4	52	6.1	2.4	22.9	72	1.30
STD BVGEO01	Standard			9.3	4302.5	182.1	1672	2.4	161.0	23.2	693	3.50	119.5	200.6	13.2	50	6.0	2.6	23.0	69	1.27
STD BVGEO01	Standard			9.7	4369.1	169.8	1663	2.4	159.3	23.9	697	3.59	117.5	192.7	12.8	52	5.8	2.7	22.9	72	1.29
STD BVGEO01	Standard			9.8	4401.9	174.2	1720	2.4	161.3	23.8	707	3.64	124.1	201.1	13.3	52	6.0	2.5	23.3	73	1.30
STD BVGEO01	Standard			9.9	4453.7	178.4	1682	2.4	160.1	24.8	702	3.61	119.4	208.8	13.5	52	5.9	2.8	22.9	72	1.30
STD BVGEO01	Standard			9.8	4376.2	171.1	1722	2.4	163.8	24.4	721	3.58	118.9	200.1	12.8	53	6.1	2.7	22.7	73	1.29
STD BVGEO01	Standard			9.6	4301.0	172.6	1656	2.4	156.3	23.9	699	3.49	117.3	194.9	12.7	51	5.7	2.4	22.2	71	1.28
STD OREAS233	Standard		1.057																		
STD OREAS263	Standard		0.225																		
STD OREAS262	Standard			0.6	110.5	51.7	148	0.4	62.7	27.0	530	3.15	35.3	59.1	8.0	34	0.6	3.6	0.9	20	2.89
STD OREAS262	Standard			0.6	111.0	51.9	152	0.5	61.7	26.9	532	3.24	35.9	58.4	7.9	34	0.6	3.0	0.9	20	3.02
STD OREAS262	Standard			0.6	110.0	52.6	153	0.4	63.0	25.8	529	3.19	36.0	57.3	8.1	34	0.6	2.9	0.9	21	2.92
STD OREAS262	Standard			0.6	114.2	53.6	158	0.5	65.2	27.5	549	3.31	36.4	58.2	8.5	35	0.6	3.1	0.9	22	3.01
STD OREAS262	Standard			0.6	116.4	53.9	155	0.4	65.8	27.6	546	3.22	36.3	59.4	8.4	34	0.6	2.7	0.9	22	2.93
STD OREAS262	Standard			0.6	113.2	54.2	157	0.5	65.4	28.1	548	3.25	35.9	66.5	8.8	34	0.6	4.0	0.9	21	2.91
STD OREAS262	Standard			0.6	111.4	51.0	151	0.4	61.9	26.4	536	3.13	35.7	57.6	7.8	34	0.6	2.9	0.9	21	2.84
STD OREAS262	Standard			0.6	108.8	52.8	148	0.4	60.9	26.9	527	3.11	34.1	61.5	7.8	32	0.5	2.9	0.8	21	2.88
STD OREASL11	Standard		0.303																		
STD OREASL13	Standard		1.229																		
STD OREASL15	Standard		7.155																		
STD OREASL11	Standard		0.287																		
STD OREASL13	Standard		1.309																		
STD OREASL15	Standard		7.055																		
STD OXN173	Standard		7.602																		
STD OXN173 Expected			7.668																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: February 01, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000999.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Ti ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
DUP 4308449	QC	0.003	6	5	0.03	12	<0.001	<20	0.15	0.003	0.11	16.0	<0.01	0.3	<0.1	0.33	<1	<0.5	<0.2
4308483	Drill Core	0.021	18	18	0.75	55	0.009	<20	1.52	0.011	0.35	<0.1	<0.01	1.9	0.2	0.37	4	<0.5	<0.2
DUP 4308483	QC	0.020	19	17	0.75	52	0.010	<20	1.47	0.009	0.33	<0.1	<0.01	1.9	0.2	0.38	4	<0.5	<0.2
Reference Materials																			
STD BVGEO01	Standard	0.074	24	154	1.28	310	0.233	<20	2.17	0.179	0.84	3.9	0.10	5.5	0.6	0.66	6	4.8	1.0
STD BVGEO01	Standard	0.074	24	148	1.26	319	0.230	<20	2.10	0.171	0.84	4.3	0.09	5.4	0.6	0.65	7	4.9	1.0
STD BVGEO01	Standard	0.072	23	163	1.27	303	0.229	<20	2.21	0.189	0.87	3.4	0.09	5.3	0.5	0.66	6	4.8	1.1
STD BVGEO01	Standard	0.074	23	162	1.29	315	0.235	<20	2.22	0.187	0.88	3.6	0.09	5.5	0.6	0.67	7	5.0	1.0
STD BVGEO01	Standard	0.073	24	160	1.28	307	0.233	<20	2.20	0.190	0.87	3.9	0.09	5.5	0.6	0.65	6	4.9	1.0
STD BVGEO01	Standard	0.075	24	162	1.29	310	0.230	<20	2.19	0.176	0.86	3.8	0.10	5.5	0.6	0.68	7	4.8	1.1
STD BVGEO01	Standard	0.068	24	162	1.25	297	0.225	<20	2.17	0.188	0.86	3.3	0.10	5.3	0.6	0.65	7	5.0	1.1
STD OREAS233	Standard																		
STD OREAS263	Standard																		
STD OREAS262	Standard	0.040	13	40	1.16	229	0.003	<20	1.09	0.067	0.28	0.1	0.15	2.8	0.4	0.26	3	<0.5	0.2
STD OREAS262	Standard	0.040	13	39	1.15	231	0.003	<20	1.07	0.067	0.28	0.1	0.15	2.9	0.4	0.26	3	0.6	0.2
STD OREAS262	Standard	0.040	13	39	1.18	229	0.003	<20	1.09	0.069	0.28	0.1	0.16	2.9	0.4	0.26	4	0.5	0.2
STD OREAS262	Standard	0.040	15	42	1.22	235	0.003	<20	1.27	0.070	0.31	0.1	0.16	3.0	0.4	0.27	4	0.6	0.2
STD OREAS262	Standard	0.039	15	41	1.18	239	0.003	<20	1.25	0.069	0.31	<0.1	0.16	3.0	0.4	0.26	4	0.5	0.2
STD OREAS262	Standard	0.041	14	41	1.19	239	0.003	<20	1.18	0.070	0.29	0.1	0.17	3.0	0.4	0.26	3	0.5	0.3
STD OREAS262	Standard	0.039	14	40	1.19	228	0.002	<20	1.19	0.068	0.29	<0.1	0.17	2.9	0.4	0.27	4	0.6	0.2
STD OREAS262	Standard	0.038	14	41	1.15	220	0.003	<20	1.20	0.069	0.30	0.1	0.18	2.9	0.4	0.26	4	0.7	0.3
STD OREASL11	Standard																		
STD OREASL13	Standard																		
STD OREASL15	Standard																		
STD OREASL11	Standard																		
STD OREASL13	Standard																		
STD OREASL15	Standard																		
STD OXN173	Standard																		
STD OXN173 Expected																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: February 01, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000999.1

		WGHT	FA450	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS233 Expected			1.05																		
STD OREAS263 Expected			0.214																		
STD OREASL11 Expected			0.305																		
STD OREASL13 Expected			1.29																		
STD OREASL15 Expected			7.18																		
STD BVGEO01 Expected				10.8	4415	187	1741	2.53	163	25	733	3.7	121	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.7	3.1	0.9	25	<0.1	1.0	3.5	432	1.82	0.7	0.8	2.0	18	<0.1	<0.1	<0.1	22	0.52
ROCK-WHI	Prep Blank		<0.005	1.0	7.6	1.1	26	<0.1	2.0	3.7	446	1.86	1.0	0.8	2.1	20	<0.1	<0.1	0.5	24	0.60



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **Banyan Gold Corp.**
1000-1050 West Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Aurex
Report Date: February 01, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000999.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS233 Expected																			
STD OREAS263 Expected																			
STD OREASL11 Expected																			
STD OREASL13 Expected																			
STD OREASL15 Expected																			
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.3	0.071	0.312	0.13	0.17	3.24	0.47	0.269	3.9	0.4	0.23
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.039	5	3	0.44	49	0.063	<20	0.79	0.089	0.09	1.6	<0.01	1.8	<0.1	<0.05	3	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	5	6	0.44	57	0.080	<20	0.84	0.089	0.09	6.6	<0.01	2.2	<0.1	<0.05	4	<0.5	<0.2