



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SENOA GOLD CORP.
 1201 - 1166 ALBERNI STREET
 VANCOUVER BC V6E 3Z3

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-FEB-2023
 Account: SNOLIGO

CERTIFICATE WH22358843

Project: Tosh
 P.O. No.: SNO-22-0828-RT
 This report is for 27 samples of Rock submitted to our lab in Whitehorse, YT, Canada on 22-AUG-2022.
 The following have access to data associated with this certificate:

| | | |
|-------------------------------|---------------------------------|----------------|
| SCOTT BERDAHL ZOE GOODYEAR | THOMAS BRANSON ANDREW TURNER | SERGIO GAMONAL |
|-------------------------------|---------------------------------|----------------|

| SAMPLE PREPARATION | |
|--------------------|---------------------------------|
| ALS CODE | DESCRIPTION |
| WEI-21 | Received Sample Weight |
| LOG-21 | Sample logging - ClientBarCode |
| SOR-01 | Additional sorting of samples |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize up to 250g 85% <75 um |

| ANALYTICAL PROCEDURES | | |
|-----------------------|------------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS61L | Super Trace Lowest DL 4A by ICP-MS | |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SENOA GOLD CORP.
 1201 - 1166 ALBERNI STREET
 VANCOUVER BC V6E 3Z3

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-FEB-2023
 Account: SNOLIGO

Project: Tosh

CERTIFICATE OF ANALYSIS WH22358843

| Sample Description | Method Analyte Units LOD | WEI-21 | Au-AA23 | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | |
|--------------------|--------------------------|--------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------|
| | | Recvd Wt. kg | Au ppm | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Ce ppm | Co ppm | Cr ppm | Cs ppm | Cu ppm |
| | | 0.02 | 0.005 | 0.002 | 0.01 | 0.02 | 1 | 0.02 | 0.002 | 0.01 | 0.005 | 0.01 | 0.005 | 0.3 | 0.01 | 0.02 |
| ST075801 | | 1.93 | 0.006 | 0.010 | 8.67 | 5.01 | 221 | 2.70 | 0.149 | 8.32 | 0.048 | 95.7 | 12.20 | 66.0 | 2.17 | 0.89 |
| ST075802 | | 2.52 | <0.005 | 0.020 | 3.35 | 11.05 | 84 | 0.86 | 0.043 | 8.01 | 0.030 | 21.5 | 9.16 | 26.8 | 1.70 | 11.15 |
| ST075803 | | 1.95 | <0.005 | 0.015 | 1.12 | 11.05 | 49 | 0.37 | 0.039 | 18.00 | 0.023 | 21.5 | 2.97 | 12.5 | 0.57 | 4.12 |
| ST075804 | | 1.77 | <0.005 | 0.067 | 7.25 | 3.10 | 347 | 1.84 | 0.207 | 9.24 | 0.036 | 92.5 | 14.20 | 57.4 | 2.75 | 31.2 |
| ST075805 | | 1.20 | <0.005 | 0.040 | 6.70 | 22.4 | 194 | 2.52 | 0.191 | 6.51 | 0.024 | 43.3 | 12.90 | 38.8 | 1.98 | 16.40 |
| ST075806 | | 0.89 | <0.005 | 0.019 | 1.71 | 15.15 | 68 | 0.62 | 0.034 | 9.20 | 0.018 | 15.55 | 3.22 | 14.5 | 0.63 | 7.48 |
| ST075807 | | 1.21 | <0.005 | 0.025 | 4.43 | 29.7 | 245 | 1.12 | 0.086 | 14.50 | 0.046 | 49.7 | 8.92 | 30.2 | 1.86 | 18.40 |
| ST075808 | | 2.30 | 0.010 | 0.178 | 0.60 | 19.35 | 21 | 0.21 | 0.167 | 1.59 | 0.018 | 2.39 | 26.1 | 9.6 | 0.22 | 159.0 |
| ST075809 | | 2.61 | <0.005 | 0.042 | 8.35 | 14.40 | 780 | 2.25 | 0.429 | 7.95 | <0.005 | 71.0 | 18.20 | 71.4 | 4.84 | 29.8 |
| ST075810 | | 1.60 | <0.005 | 0.051 | 7.99 | 6.98 | 45 | 0.99 | 0.076 | 5.78 | 0.068 | 75.2 | 33.3 | 25.7 | 1.10 | 31.2 |
| ST075811 | | 1.42 | <0.005 | 0.043 | 8.15 | 1.58 | 430 | 2.35 | 0.241 | 4.67 | <0.005 | 63.2 | 14.75 | 70.7 | 6.15 | 23.3 |
| ST075812 | | 2.11 | 0.006 | 0.196 | 5.11 | 12.20 | 300 | 1.14 | 0.774 | 17.05 | 0.123 | 66.8 | 16.95 | 36.7 | 1.92 | 29.5 |
| ST075813 | | 2.11 | 0.009 | 0.166 | 8.70 | 4.86 | 610 | 2.53 | 1.535 | 0.33 | <0.005 | 73.1 | 18.85 | 69.9 | 5.33 | 63.5 |
| ST075814 | | 1.24 | <0.005 | 0.020 | 0.80 | 4.57 | 223 | 14.40 | 0.054 | 1.38 | 0.018 | 6.22 | 3.16 | 12.0 | 0.26 | 6.10 |
| ST075815 | | 1.79 | <0.005 | 0.060 | 8.39 | 4.29 | 171 | 4.29 | 0.360 | 7.36 | 0.013 | 56.9 | 18.40 | 58.2 | 4.73 | 58.3 |
| ST078051 | | 1.20 | 0.013 | 0.099 | 3.25 | 508 | 189 | 0.90 | 0.235 | 22.4 | 0.018 | 39.8 | 20.0 | 48.5 | 2.14 | 21.7 |
| ST078052 | | 1.31 | <0.005 | 0.027 | 5.64 | 58.7 | 193 | 1.74 | 0.268 | 9.01 | 0.041 | 63.9 | 18.65 | 44.6 | 3.85 | 31.5 |
| ST078053 | | 1.21 | <0.005 | 0.011 | 0.58 | 7.42 | 22 | 0.21 | 0.021 | 8.63 | 0.013 | 5.68 | 1.625 | 11.1 | 0.33 | 4.38 |
| ST078054 | | 1.04 | <0.005 | 0.032 | 0.60 | 11.60 | 24 | 0.22 | 0.046 | 3.06 | <0.005 | 4.08 | 4.84 | 19.0 | 0.44 | 8.69 |
| ST078055 | | 1.06 | 0.062 | 0.817 | 6.56 | 201 | 127 | 1.35 | 0.304 | 8.67 | 0.117 | 40.5 | 67.1 | 54.6 | 4.63 | 443 |
| ST078056 | | 1.28 | 0.012 | 0.160 | 5.19 | 32.2 | 58 | 1.10 | 0.292 | 9.16 | 0.105 | 32.9 | 34.8 | 40.8 | 1.76 | 51.9 |
| ST078057 | | 0.80 | 0.008 | 0.106 | 4.09 | 6.14 | 165 | 1.60 | 0.266 | 1.58 | 0.063 | 20.5 | 16.80 | 27.5 | 1.66 | 107.0 |
| ST078058 | | 0.80 | <0.005 | 0.271 | 0.31 | 3.15 | 8 | 0.19 | 1.005 | 0.24 | 0.007 | 2.04 | 6.23 | 9.6 | 0.19 | 35.8 |
| ST078059 | | 1.15 | <0.005 | 0.052 | 4.59 | 5.05 | 196 | 2.17 | 0.274 | 0.48 | 0.021 | 36.3 | 29.9 | 49.0 | 1.22 | 28.8 |
| ST078060 | | 1.56 | 0.014 | 0.012 | 1.11 | 107.0 | 47 | 0.43 | 0.051 | 33.4 | 0.009 | 16.15 | 2.34 | 7.3 | 0.43 | 3.06 |
| ST078061 | | 1.18 | 0.039 | 0.035 | 0.32 | 139.0 | 15 | 0.08 | 0.020 | 7.74 | <0.005 | 3.64 | 1.990 | 8.7 | 0.21 | 4.56 |
| ST078062 | | 1.20 | 0.128 | 0.135 | 1.76 | 314 | 74 | 0.44 | 0.073 | 18.80 | 0.018 | 18.40 | 3.90 | 11.6 | 0.76 | 6.45 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SENOA GOLD CORP.
 1201 - 1166 ALBERNI STREET
 VANCOUVER BC V6E 3Z3

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-FEB-2023
 Account: SNOLIGO

Project: Tosh

CERTIFICATE OF ANALYSIS WH22358843

| Sample Description | Method Analyte Units LOD | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-------|
| | | Fe % | Ga ppm | Ge ppm | Hf ppm | In ppm | K % | La ppm | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Nb ppm | Ni ppm | P % |
| | | 0.002 | 0.05 | 0.05 | 0.004 | 0.005 | 0.01 | 0.005 | 0.2 | 0.01 | 0.2 | 0.02 | 0.001 | 0.005 | 0.08 | 0.001 |
| ST075801 | | 4.85 | 22.9 | 0.15 | 0.225 | 0.063 | 1.25 | 51.3 | 68.3 | 1.82 | 517 | 0.04 | 3.21 | 11.45 | 31.6 | 0.032 |
| ST075802 | | 3.02 | 7.49 | 0.05 | 0.037 | 0.032 | 1.04 | 10.55 | 14.4 | 0.93 | 728 | 0.25 | 0.717 | 5.18 | 12.60 | 0.032 |
| ST075803 | | 1.200 | 2.88 | <0.05 | 0.136 | 0.012 | 0.41 | 10.70 | 4.7 | 0.22 | 247 | 0.09 | 0.117 | 1.720 | 6.02 | 0.014 |
| ST075804 | | 3.94 | 19.00 | 0.15 | 0.414 | 0.050 | 2.36 | 47.8 | 42.8 | 0.77 | 298 | 0.21 | 1.245 | 16.10 | 29.3 | 0.025 |
| ST075805 | | 2.80 | 14.15 | 0.09 | 0.206 | 0.032 | 1.55 | 22.4 | 32.0 | 0.72 | 449 | 0.50 | 1.795 | 7.47 | 25.5 | 0.046 |
| ST075806 | | 1.110 | 3.79 | <0.05 | 0.108 | 0.014 | 0.54 | 7.88 | 7.9 | 0.20 | 149.0 | 0.18 | 0.326 | 2.14 | 6.64 | 0.009 |
| ST075807 | | 2.15 | 11.35 | 0.07 | 0.331 | 0.027 | 1.71 | 26.3 | 16.6 | 0.56 | 333 | 0.16 | 0.479 | 3.45 | 17.30 | 0.021 |
| ST075808 | | 8.28 | 1.70 | <0.05 | 0.060 | 0.009 | 0.06 | 1.035 | 7.3 | 0.14 | 171.5 | 0.50 | 0.121 | 1.355 | 28.9 | 0.014 |
| ST075809 | | 4.79 | 25.0 | 0.12 | 0.506 | 0.055 | 3.57 | 34.1 | 56.1 | 1.11 | 226 | 0.18 | 0.556 | 17.40 | 36.4 | 0.027 |
| ST075810 | | 11.00 | 25.2 | 0.15 | 0.311 | 0.090 | 0.40 | 36.8 | 67.1 | 2.84 | 1125 | 1.36 | 1.815 | 44.1 | 19.30 | 0.278 |
| ST075811 | | 3.87 | 23.7 | 0.12 | 0.428 | 0.049 | 3.27 | 33.7 | 68.0 | 1.41 | 164.0 | 0.11 | 0.797 | 8.88 | 27.3 | 0.041 |
| ST075812 | | 3.44 | 13.65 | 0.10 | 0.386 | 0.037 | 2.00 | 34.4 | 34.6 | 0.40 | 339 | 0.19 | 0.391 | 6.65 | 26.7 | 0.032 |
| ST075813 | | 6.33 | 24.0 | 0.13 | 0.337 | 0.065 | 2.78 | 37.0 | 38.1 | 1.03 | 542 | 1.48 | 1.225 | 15.90 | 31.5 | 0.043 |
| ST075814 | | 1.830 | 1.74 | <0.05 | 0.050 | 0.008 | 0.16 | 3.34 | 7.0 | 0.37 | 427 | 0.19 | 0.223 | 0.648 | 6.26 | 0.007 |
| ST075815 | | 3.64 | 22.6 | 0.11 | 0.241 | 0.050 | 1.53 | 26.9 | 33.5 | 0.99 | 301 | 0.15 | 2.39 | 13.65 | 38.1 | 0.026 |
| ST078051 | | 3.73 | 9.27 | 0.06 | 0.256 | 0.031 | 1.29 | 20.9 | 12.8 | 1.03 | 399 | 0.69 | 0.195 | 2.14 | 46.0 | 0.071 |
| ST078052 | | 3.83 | 14.30 | 0.09 | 0.131 | 0.046 | 2.02 | 33.1 | 28.4 | 0.94 | 563 | 0.20 | 0.732 | 12.65 | 33.3 | 0.044 |
| ST078053 | | 0.790 | 1.25 | <0.05 | 0.036 | 0.009 | 0.14 | 2.96 | 2.0 | 0.10 | 131.0 | 0.14 | 0.170 | 0.774 | 3.48 | 0.004 |
| ST078054 | | 0.860 | 1.28 | <0.05 | 0.026 | 0.005 | 0.18 | 2.19 | 2.9 | 0.06 | 74.1 | 0.12 | 0.113 | 1.230 | 8.94 | 0.010 |
| ST078055 | | 12.25 | 16.10 | 0.12 | 0.137 | 0.049 | 0.63 | 17.60 | 68.9 | 1.21 | 922 | 0.41 | 2.39 | 22.3 | 63.5 | 0.153 |
| ST078056 | | 8.31 | 16.45 | 0.09 | 0.198 | 0.065 | 0.22 | 13.45 | 62.3 | 1.68 | 918 | 0.37 | 1.500 | 12.45 | 20.9 | 0.110 |
| ST078057 | | 4.54 | 10.25 | 0.06 | 0.045 | 0.073 | 0.88 | 9.94 | 31.7 | 0.61 | 2290 | 0.69 | 1.000 | 4.71 | 14.90 | 0.022 |
| ST078058 | | 1.780 | 0.76 | <0.05 | 0.014 | <0.005 | 0.05 | 1.025 | 3.1 | 0.08 | 148.5 | 0.36 | 0.076 | 4.78 | 4.21 | 0.002 |
| ST078059 | | 3.63 | 10.75 | 0.09 | 0.239 | 0.026 | 0.79 | 17.85 | 36.1 | 0.68 | 534 | 0.35 | 1.200 | 7.04 | 23.7 | 0.032 |
| ST078060 | | 0.680 | 2.23 | <0.05 | 0.216 | 0.016 | 0.31 | 8.00 | 4.3 | 0.32 | 209 | 0.10 | 0.202 | 1.940 | 4.60 | 0.026 |
| ST078061 | | 0.620 | 0.88 | <0.05 | 0.027 | <0.005 | 0.13 | 2.05 | 1.6 | 0.08 | 102.0 | 0.17 | 0.021 | 0.416 | 4.03 | 0.013 |
| ST078062 | | 1.300 | 4.06 | <0.05 | 0.100 | 0.020 | 0.71 | 8.95 | 5.4 | 0.29 | 390 | 0.16 | 0.083 | 2.14 | 6.68 | 0.024 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SENOA GOLD CORP.
 1201 - 1166 ALBERNI STREET
 VANCOUVER BC V6E 3Z3

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-FEB-2023
 Account: SNOLIGO

Project: Tosh

CERTIFICATE OF ANALYSIS WH22358843

| Sample Description | Method Analyte Units LOD | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-------|
| | | Pb ppm | Rb ppm | Re ppm | S % | Sb ppm | Sc ppm | Se ppm | Sn ppm | Sr ppm | Ta ppm | Te ppm | Th ppm | Ti % | Tl ppm | U ppm |
| ST075801 | | 14.65 | 71.4 | 0.0007 | 0.87 | 0.71 | 15.35 | 0.062 | 1.69 | 907 | 0.74 | <0.005 | 13.55 | 0.249 | 0.299 | 1.84 |
| ST075802 | | 6.34 | 57.4 | 0.0005 | 0.11 | 2.77 | 9.16 | 0.029 | 0.85 | 582 | 0.31 | <0.005 | 2.59 | 0.189 | 0.308 | 0.56 |
| ST075803 | | 8.86 | 22.1 | <0.0004 | 0.22 | 1.48 | 2.54 | 0.023 | 0.36 | 2310 | 0.10 | 0.006 | 2.74 | 0.033 | 0.111 | 0.58 |
| ST075804 | | 14.35 | 123.0 | 0.0005 | 0.76 | 2.41 | 11.95 | 0.094 | 2.20 | 1170 | 0.95 | 0.021 | 13.20 | 0.267 | 0.545 | 1.94 |
| ST075805 | | 16.95 | 76.0 | 0.0004 | 0.26 | 0.85 | 7.65 | 0.062 | 1.00 | 1190 | 0.42 | 0.014 | 6.11 | 0.167 | 0.395 | 0.87 |
| ST075806 | | 5.94 | 25.8 | <0.0004 | 0.12 | 0.52 | 2.98 | 0.022 | 0.37 | 803 | 0.13 | <0.005 | 2.23 | 0.034 | 0.134 | 0.42 |
| ST075807 | | 9.00 | 78.3 | <0.0004 | 0.40 | 2.71 | 8.06 | 0.049 | 1.12 | 1470 | 0.21 | 0.008 | 7.62 | 0.107 | 0.388 | 1.21 |
| ST075808 | | 18.30 | 3.17 | <0.0004 | 0.60 | 4.69 | 2.86 | 0.673 | 0.30 | 143.5 | 0.06 | 0.090 | 0.167 | 0.085 | 0.025 | 1.36 |
| ST075809 | | 11.60 | 125.5 | <0.0004 | 0.63 | 1.88 | 13.65 | 0.149 | 2.79 | 815 | 1.22 | 0.021 | 14.60 | 0.350 | 0.762 | 1.50 |
| ST075810 | | 5.89 | 16.90 | 0.0009 | 0.09 | 2.32 | 35.7 | 0.117 | 2.19 | 1345 | 2.63 | 0.048 | 3.89 | 2.41 | 0.085 | 1.04 |
| ST075811 | | 9.94 | 94.4 | 0.0005 | 0.46 | 0.21 | 12.50 | 0.047 | 2.53 | 665 | 0.56 | 0.017 | 11.15 | 0.240 | 0.664 | 2.57 |
| ST075812 | | 70.9 | 94.9 | <0.0004 | 1.39 | 1.39 | 9.08 | 0.204 | 1.57 | 1915 | 0.33 | 0.026 | 10.80 | 0.129 | 0.456 | 1.85 |
| ST075813 | | 27.3 | 136.0 | <0.0004 | 0.37 | 0.28 | 16.30 | 0.495 | 2.28 | 123.0 | 0.95 | 0.166 | 11.55 | 0.383 | 0.627 | 1.29 |
| ST075814 | | 7.25 | 7.37 | <0.0004 | 0.02 | 0.41 | 1.44 | 0.030 | 0.19 | 74.3 | 0.04 | <0.005 | 2.07 | 0.023 | 0.048 | 0.37 |
| ST075815 | | 16.75 | 50.5 | <0.0004 | 0.20 | 1.22 | 11.90 | 0.124 | 2.01 | 1025 | 0.94 | 0.073 | 9.26 | 0.276 | 0.484 | 2.02 |
| ST078051 | | 14.00 | 69.9 | 0.0004 | 1.27 | 12.50 | 7.66 | 0.135 | 0.83 | 2580 | 0.12 | 0.021 | 4.72 | 0.091 | 0.398 | 0.93 |
| ST078052 | | 12.10 | 120.5 | 0.0005 | 0.85 | 5.94 | 10.80 | 0.086 | 1.85 | 488 | 0.84 | 0.021 | 8.80 | 0.537 | 0.676 | 1.58 |
| ST078053 | | 2.68 | 7.39 | <0.0004 | 0.06 | 0.56 | 1.64 | 0.016 | 0.18 | 854 | 0.04 | <0.005 | 0.783 | 0.014 | 0.049 | 0.18 |
| ST078054 | | 2.04 | 10.00 | <0.0004 | 0.14 | 0.68 | 0.81 | 0.040 | 0.14 | 240 | 0.06 | 0.006 | 0.693 | 0.021 | 0.093 | 0.27 |
| ST078055 | | 13.30 | 37.0 | 0.0011 | 5.47 | 5.30 | 16.30 | 1.325 | 0.89 | 1370 | 1.07 | 0.146 | 3.69 | 1.115 | 0.293 | 1.48 |
| ST078056 | | 13.80 | 13.00 | 0.0006 | 0.87 | 2.50 | 24.3 | 0.368 | 1.86 | 1370 | 0.76 | 0.035 | 2.47 | 1.105 | 0.091 | 1.18 |
| ST078057 | | 13.70 | 39.8 | <0.0004 | 0.50 | 0.28 | 8.58 | 0.269 | 0.87 | 154.0 | 0.28 | 0.097 | 3.50 | 0.210 | 0.220 | 0.73 |
| ST078058 | | 21.9 | 2.20 | <0.0004 | 0.23 | 0.23 | 0.56 | 0.328 | 0.14 | 17.20 | 0.31 | 0.233 | 2.89 | 0.179 | 0.015 | 0.58 |
| ST078059 | | 16.70 | 37.3 | 0.0004 | 0.22 | 0.15 | 7.83 | 0.187 | 0.75 | 103.0 | 0.47 | 0.026 | 5.89 | 0.237 | 0.204 | 0.69 |
| ST078060 | | 6.21 | 13.70 | <0.0004 | 0.07 | 1.52 | 2.36 | 0.029 | 0.20 | 2280 | 0.12 | <0.005 | 2.05 | 0.032 | 0.085 | 0.70 |
| ST078061 | | 1.73 | 6.04 | <0.0004 | 0.09 | 1.89 | 1.22 | 0.027 | 0.16 | 405 | 0.02 | <0.005 | 0.512 | 0.008 | 0.037 | 0.16 |
| ST078062 | | 8.18 | 31.3 | <0.0004 | 0.14 | 2.10 | 3.85 | 0.024 | 0.48 | 1620 | 0.14 | 0.005 | 2.32 | 0.039 | 0.190 | 0.48 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SENOA GOLD CORP.
 1201 - 1166 ALBERNI STREET
 VANCOUVER BC V6E 3Z3

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-FEB-2023
 Account: SNOLIGO

Project: Tosh

CERTIFICATE OF ANALYSIS WH22358843

| Sample Description | Method Analyte Units LOD | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L |
|--------------------|--------------------------|----------|----------|----------|----------|----------|
| | | V | W | Y | Zn | Zr |
| | | ppm | ppm | ppm | ppm | ppm |
| | | 0.1 | 0.008 | 0.01 | 0.2 | 0.1 |
| ST075801 | | 73.3 | 1.500 | 22.9 | 130.0 | 7.8 |
| ST075802 | | 67.1 | 0.388 | 9.91 | 33.8 | 1.2 |
| ST075803 | | 9.1 | 0.360 | 8.17 | 13.6 | 5.4 |
| ST075804 | | 58.8 | 1.125 | 16.80 | 84.6 | 15.4 |
| ST075805 | | 42.5 | 0.528 | 8.66 | 55.7 | 7.5 |
| ST075806 | | 8.1 | 0.215 | 5.75 | 12.8 | 3.8 |
| ST075807 | | 29.7 | 1.025 | 11.55 | 43.1 | 10.9 |
| ST075808 | | 21.5 | 0.157 | 2.48 | 24.1 | 1.3 |
| ST075809 | | 65.0 | 1.325 | 13.05 | 82.3 | 16.9 |
| ST075810 | | 380 | 1.570 | 37.0 | 143.0 | 7.3 |
| ST075811 | | 63.3 | 0.723 | 13.20 | 86.3 | 14.2 |
| ST075812 | | 37.6 | 0.697 | 14.90 | 122.5 | 13.9 |
| ST075813 | | 89.9 | 1.130 | 14.95 | 76.9 | 11.2 |
| ST075814 | | 6.2 | 0.139 | 3.53 | 18.9 | 1.3 |
| ST075815 | | 57.1 | 0.768 | 19.60 | 56.2 | 7.0 |
| ST078051 | | 41.1 | 1.685 | 13.20 | 42.4 | 9.4 |
| ST078052 | | 46.9 | 8.75 | 14.10 | 79.6 | 4.2 |
| ST078053 | | 3.1 | 0.118 | 4.46 | 5.9 | 1.1 |
| ST078054 | | 2.5 | 0.100 | 1.70 | 6.1 | 0.9 |
| ST078055 | | 133.5 | 9.55 | 23.9 | 76.6 | 5.2 |
| ST078056 | | 229 | 4.16 | 22.4 | 88.0 | 4.5 |
| ST078057 | | 36.7 | 0.489 | 8.78 | 41.7 | 1.5 |
| ST078058 | | 4.7 | 0.876 | 2.15 | 8.1 | 0.4 |
| ST078059 | | 47.8 | 0.353 | 11.40 | 58.0 | 3.4 |
| ST078060 | | 5.8 | 0.324 | 7.20 | 8.8 | 8.4 |
| ST078061 | | 2.7 | 0.251 | 2.29 | 3.5 | 1.2 |
| ST078062 | | 9.4 | 1.255 | 11.05 | 10.6 | 3.6 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: SENOA GOLD CORP.
 1201 - 1166 ALBERNI STREET
 VANCOUVER BC V6E 3Z3

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 7-FEB-2023
 Account: SNOLIGO

Project: Tosh

CERTIFICATE OF ANALYSIS WH22358843

| CERTIFICATE COMMENTS | | | | | | | | | |
|-----------------------------|---|---------|----------|--------|--------|--------|--------|--------|--------|
| | LABORATORY ADDRESSES | | | | | | | | |
| Applies to Method: | <p>Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">LOG-21</td> <td style="width: 25%;">PUL-31</td> </tr> <tr> <td>PUL-QC</td> <td>SOR-01</td> <td>SPL-21</td> <td>WEI-21</td> </tr> </table> | CRU-31 | CRU-QC | LOG-21 | PUL-31 | PUL-QC | SOR-01 | SPL-21 | WEI-21 |
| CRU-31 | CRU-QC | LOG-21 | PUL-31 | | | | | | |
| PUL-QC | SOR-01 | SPL-21 | WEI-21 | | | | | | |
| Applies to Method: | <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Au-AA23</td> <td style="width: 50%;">ME-MS61L</td> </tr> </table> | Au-AA23 | ME-MS61L | | | | | | |
| Au-AA23 | ME-MS61L | | | | | | | | |