



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Submitted By: Debbie James
Receiving Lab: Canada-Whitehorse
Received: August 15, 2022
Analysis Start: October 05, 2022
Report Date: October 22, 2022
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000535.1

CLIENT JOB INFORMATION

Project: Catalyst
Shipment ID: CAT22-01
P.O. Number: PGE-Catalyst
Number of Samples: 16

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
DISP-RJT Dispose of Reject After 60 days

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| PRP70-250 | 16 | Crush, split and pulverize 250 g rock to 200 mesh | | | WHI |
| FA330 | 16 | Fire assay fusion Au Pt Pd by ICP-ES | 30 | Completed | VAN |
| AQ300 | 16 | 1:1:1 Aqua Regia digestion ICP-ES analysis | 0.5 | Completed | VAN |
| SHP01 | 16 | Per sample shipping charges for branch shipments | | | VAN |
| BAT01 | 1 | Batch charge of <50 samples | | | VAN |
| AQ370 | 5 | 1:1:1 Aqua Regia Digestion ICP-ES Finish | 1 | Completed | VAN |

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2
Canada

CC: Jacob Longridge


Martin Wong
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Catalyst
Report Date: October 22, 2022

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI22000535.1

| Method | Analyte | WGHT | FA330 | FA330 | FA330 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|---------|---------|------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | Wgt | Au | Pt | Pd | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Th | Sr | Cd | Sb |
| Unit | kg | ppb | ppb | ppb | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| MDL | 0.01 | 2 | 3 | 2 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 8 | 2 | 1 | 0.5 | 3 | 3 | |
| 4509685 | Rock | 1.00 | 4 | 4 | 18 | 1 | 179 | <3 | 20 | 0.4 | 43 | 18 | 232 | 3.80 | <2 | <8 | <2 | 55 | <0.5 | <3 | <3 |
| 4509686 | Rock | 1.85 | 10 | 9 | 30 | 2 | >10000 | <3 | 28 | 5.4 | 39 | 21 | 632 | 4.95 | 5 | <8 | <2 | 31 | 2.6 | <3 | <3 |
| 4509687 | Rock | 1.61 | 12 | 8 | 17 | 4 | >10000 | <3 | 48 | 0.3 | 37 | 20 | 696 | 3.81 | 6 | <8 | <2 | 32 | 1.8 | <3 | <3 |
| 4509688 | Rock | 1.56 | 33 | 15 | 50 | 2 | >10000 | <3 | 62 | 0.4 | 60 | 25 | 860 | 6.07 | 8 | <8 | 2 | 115 | <0.5 | <3 | <3 |
| 4509689 | Rock | 1.16 | 22 | 10 | 22 | 2 | >10000 | <3 | 34 | 14.8 | 44 | 22 | 500 | 5.13 | <2 | <8 | <2 | 40 | 1.5 | <3 | <3 |
| 4509690 | Rock | 2.27 | 16 | 10 | 45 | 1 | >10000 | <3 | 23 | 1.8 | 31 | 15 | 333 | 8.06 | 3 | <8 | <2 | 46 | 1.2 | <3 | <3 |
| 4509691 | Rock | 1.76 | 8 | 14 | 32 | 2 | 8848 | <3 | 27 | 3.2 | 47 | 25 | 636 | 3.96 | <2 | <8 | <2 | 76 | 0.8 | <3 | <3 |
| 4509692 | Rock | 1.84 | 7 | 7 | 15 | 2 | 5041 | <3 | 25 | <0.3 | 37 | 18 | 342 | 3.42 | 2 | <8 | <2 | 143 | <0.5 | <3 | <3 |
| 4509693 | Rock | 1.22 | 9 | 11 | 32 | <1 | 1993 | <3 | 12 | 0.7 | 26 | 10 | 512 | 1.82 | <2 | <8 | <2 | 237 | <0.5 | <3 | <3 |
| 4509694 | Rock | 1.55 | 14 | 19 | 61 | 16 | 2083 | <3 | 32 | 0.8 | 58 | 31 | 1185 | 11.04 | 18 | <8 | 2 | 34 | 2.1 | <3 | <3 |
| 4509695 | Rock | 0.98 | 8 | 15 | 20 | <1 | 151 | <3 | 72 | <0.3 | 71 | 33 | 1111 | 6.01 | <2 | 8 | <2 | 21 | <0.5 | <3 | <3 |
| 4509696 | Rock | 1.26 | 7 | 11 | 14 | <1 | 101 | <3 | 55 | <0.3 | 48 | 31 | 565 | 6.16 | <2 | <8 | <2 | 21 | <0.5 | <3 | <3 |
| 4509697 | Rock | 0.78 | 8 | 10 | 43 | 2 | 8720 | <3 | 34 | 3.2 | 58 | 31 | 1038 | 6.66 | 2 | <8 | <2 | 61 | 0.9 | <3 | <3 |
| 4509698 | Rock | 3.23 | 15 | 11 | 34 | 1 | 2740 | <3 | 43 | 0.8 | 55 | 29 | 903 | 5.25 | <2 | 8 | <2 | 32 | <0.5 | <3 | <3 |
| 4509699 | Rock | 1.24 | 7 | 5 | 14 | 1 | 2796 | <3 | 103 | <0.3 | 52 | 32 | 1223 | 5.78 | 4 | <8 | <2 | 75 | <0.5 | <3 | <3 |
| 4509700 | Rock | 1.57 | 10 | 3 | 7 | <1 | 1075 | <3 | 9 | 0.4 | 16 | 7 | 265 | 2.00 | <2 | <8 | <2 | 122 | <0.5 | <3 | <3 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: True Point Exploration Inc.
904 – 409 Granville St.
Vancouver British Columbia V6G 1T2 Canada

Project: Catalyst
Report Date: October 22, 2022

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI22000535.1

| Method | Analyte | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ370 | |
|---------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc | Cu |
| Unit | | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | ppm | % | ppm | ppm | ppm | ppm | % | |
| MDL | | 1 | 0.01 | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 | 0.001 |
| 4509685 | Rock | 140 | 7.07 | 0.025 | 2 | 44 | 0.50 | 4 | 0.285 | <20 | 4.96 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | 18 | 11 | |
| 4509686 | Rock | 1775 | 8.29 | 0.042 | 3 | 70 | 1.03 | 8 | 0.538 | 21 | 5.06 | 0.02 | 0.01 | 3 | 0.34 | 1 | <5 | 26 | 21 | 2.051 |
| 4509687 | Rock | 232 | 10.88 | 0.034 | 2 | 77 | 1.03 | 12 | 0.434 | 28 | 5.27 | <0.01 | 0.01 | <2 | 0.29 | <1 | <5 | 27 | 19 | 1.014 |
| 4509688 | Rock | 266 | 5.78 | 0.042 | 4 | 103 | 1.44 | 11 | 0.593 | 28 | 3.19 | 0.05 | 0.06 | <2 | 0.08 | <1 | <5 | 23 | 23 | 1.012 |
| 4509689 | Rock | 285 | 9.02 | 0.035 | 3 | 78 | 0.93 | 8 | 0.454 | 26 | 5.52 | <0.01 | <0.01 | 4 | 0.47 | <1 | <5 | 34 | 21 | 2.689 |
| 4509690 | Rock | 308 | 6.18 | 0.047 | 3 | 41 | 0.53 | 6 | 0.479 | <20 | 4.31 | <0.01 | <0.01 | 3 | 0.24 | 3 | <5 | 21 | 19 | 2.081 |
| 4509691 | Rock | 145 | 13.49 | 0.024 | 3 | 54 | 0.99 | 7 | 0.375 | <20 | 4.76 | 0.01 | 0.01 | <2 | 0.15 | <1 | <5 | 20 | 17 | |
| 4509692 | Rock | 150 | 6.01 | 0.042 | 3 | 90 | 0.64 | 3 | 0.435 | <20 | 3.13 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | 19 | 14 | |
| 4509693 | Rock | 72 | 11.14 | 0.011 | 1 | 52 | 0.57 | 8 | 0.175 | 38 | 2.13 | 0.03 | 0.02 | <2 | <0.05 | <1 | <5 | 5 | 6 | |
| 4509694 | Rock | 3227 | 9.65 | 0.018 | 6 | 106 | 0.97 | 11 | 0.265 | <20 | 2.82 | 0.01 | 0.08 | <2 | 0.67 | 7 | <5 | 15 | 14 | |
| 4509695 | Rock | 162 | 1.81 | 0.055 | 3 | 37 | 3.79 | 14 | 0.314 | <20 | 3.61 | 0.05 | 0.04 | <2 | <0.05 | <1 | <5 | 8 | 15 | |
| 4509696 | Rock | 213 | 6.73 | 0.061 | 4 | 39 | 2.11 | 23 | 0.322 | 23 | 5.87 | 0.03 | <0.01 | <2 | <0.05 | <1 | <5 | 24 | 20 | |
| 4509697 | Rock | 269 | 10.22 | 0.043 | 5 | 103 | 1.01 | 14 | 0.559 | 60 | 7.06 | 0.01 | 0.03 | <2 | 0.13 | <1 | <5 | 40 | 27 | |
| 4509698 | Rock | 217 | 6.30 | 0.050 | 4 | 98 | 1.74 | 6 | 0.587 | <20 | 4.90 | 0.01 | 0.02 | <2 | <0.05 | <1 | <5 | 23 | 23 | |
| 4509699 | Rock | 213 | 4.80 | 0.049 | 4 | 71 | 2.32 | 14 | 0.540 | 20 | 4.50 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | 17 | 14 | |
| 4509700 | Rock | 111 | 5.55 | 0.012 | 1 | 55 | 0.47 | 5 | 0.273 | <20 | 3.46 | <0.01 | 0.01 | <2 | <0.05 | <1 | <5 | 15 | 8 | |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: Catalyst
Report Date: October 22, 2022

Page: 1 of 1 Part: 1 of 2

QUALITY CONTROL REPORT

WHI22000535.1

| Method | WGHT | FA330 | FA330 | FA330 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 |
|-------------------------|------------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Au | Pt | Pd | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Th | Sr | Cd | Sb | Bi | |
| Unit | kg | ppb | ppb | ppb | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | |
| MDL | 0.01 | 2 | 3 | 2 | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 8 | 2 | 1 | 0.5 | 3 | 3 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| REP 4509690 | QC | | | | | | | | | | | | | | | | | | | | |
| 4509696 | Rock | 1.26 | 7 | 11 | 14 | <1 | 101 | <3 | 55 | <0.3 | 48 | 31 | 565 | 6.16 | <2 | <8 | <2 | 21 | <0.5 | <3 | <3 |
| REP 4509696 | QC | | 7 | 12 | 14 | 1 | 100 | <3 | 57 | <0.3 | 51 | 31 | 569 | 6.18 | <2 | <8 | 3 | 21 | <0.5 | <3 | <3 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 4509690 | Rock | 2.27 | 16 | 10 | 45 | 1 | >10000 | <3 | 23 | 1.8 | 31 | 15 | 333 | 8.06 | 3 | <8 | <2 | 46 | 1.2 | <3 | <3 |
| DUP 4509690 | QC | | 17 | 10 | 43 | 1 | >10000 | <3 | 22 | 1.8 | 31 | 14 | 339 | 8.01 | 3 | <8 | <2 | 47 | 0.9 | <3 | <3 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD BVGEO01 | Standard | | | | | 10 | 4363 | 178 | 1623 | 2.6 | 156 | 23 | 672 | 3.70 | 118 | <8 | 15 | 51 | 6.0 | <3 | 22 |
| STD CDN-ME-9A | Standard | | | | | | | | | | | | | | | | | | | | |
| STD CDN-ME-14A | Standard | | | | | | | | | | | | | | | | | | | | |
| STD KO74421 | Standard | | 527 | 463 | 497 | | | | | | | | | | | | | | | | |
| STD OREAS262 | Standard | | | | | <1 | 109 | 50 | 149 | 0.4 | 64 | 27 | 543 | 3.42 | 37 | <8 | 11 | 36 | 0.5 | <3 | <3 |
| STD PD05 | Standard | | 538 | 440 | 606 | | | | | | | | | | | | | | | | |
| STD PD05 Expected | | | 519 | 430 | 596 | | | | | | | | | | | | | | | | |
| STD KO74421 Expected | | | 518 | 459 | 466 | | | | | | | | | | | | | | | | |
| STD BVGEO01 Expected | | | | | | 10.8 | 4415 | 187 | 1741 | 2.53 | 163 | 25 | 733 | 3.7 | 121 | | 14.4 | 55 | 6.5 | 2.2 | 25.6 |
| STD OREAS262 Expected | | | | | | | 118 | 56 | 154 | 0.45 | 62 | 26.9 | 530 | 3.284 | 35.8 | | 9.33 | 36 | 0.61 | 3.39 | |
| STD CDN-ME-9A Expected | | | | | | | | | | | | | | | | | | | | | |
| STD CDN-ME-14A Expected | | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | 4 | <3 | <2 | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <8 | <2 | <1 | <0.5 | <3 | <3 |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | | 3 | <3 | <2 | 2 | 2 | <3 | 34 | <0.3 | 2 | 3 | 459 | 1.81 | <2 | <8 | <2 | 19 | <0.5 | <3 | <3 |
| ROCK-WHI | Prep Blank | | 2 | <3 | <2 | <1 | 16 | <3 | 25 | <0.3 | 1 | 3 | 481 | 1.81 | <2 | <8 | 4 | 19 | <0.5 | <3 | <3 |



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: Catalyst
Report Date: October 22, 2022

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI22000535.1

| Method | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ300 | AQ370 | |
|-------------------------|------------|-------|--------|--------|-------|-------|--------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|--------|
| Analyte | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | S | Hg | Tl | Ga | Sc | Cu | |
| Unit | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | % | ppm | ppm | ppm | ppm | % | |
| MDL | 1 | 0.01 | 0.001 | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.01 | 0.01 | 2 | 0.05 | 1 | 5 | 5 | 5 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | |
| REP 4509690 | QC | | | | | | | | | | | | | | | | | | | 2.072 |
| 4509696 | Rock | 213 | 6.73 | 0.061 | 4 | 39 | 2.11 | 23 | 0.322 | 23 | 5.87 | 0.03 | <0.01 | <2 | <0.05 | <1 | <5 | 24 | 20 | |
| REP 4509696 | QC | 212 | 6.60 | 0.062 | 4 | 39 | 2.13 | 24 | 0.333 | 30 | 5.86 | 0.03 | <0.01 | <2 | <0.05 | <1 | <5 | 20 | 20 | |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | |
| 4509690 | Rock | 308 | 6.18 | 0.047 | 3 | 41 | 0.53 | 6 | 0.479 | <20 | 4.31 | <0.01 | <0.01 | 3 | 0.24 | 3 | <5 | 21 | 19 | 2.081 |
| DUP 4509690 | QC | 313 | 6.29 | 0.048 | 3 | 43 | 0.54 | 7 | 0.496 | 21 | 4.31 | <0.01 | <0.01 | 3 | 0.24 | 3 | <5 | 23 | 19 | 2.064 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | |
| STD BVGEO01 | Standard | 70 | 1.24 | 0.073 | 25 | 149 | 1.23 | 331 | 0.217 | <20 | 2.13 | 0.19 | 0.88 | 8 | 0.64 | <1 | <5 | 15 | 6 | |
| STD CDN-ME-9A | Standard | | | | | | | | | | | | | | | | | | | 0.674 |
| STD CDN-ME-14A | Standard | | | | | | | | | | | | | | | | | | | 1.197 |
| STD KO74421 | Standard | | | | | | | | | | | | | | | | | | | |
| STD OREAS262 | Standard | 22 | 2.89 | 0.040 | 15 | 41 | 1.16 | 263 | 0.002 | <20 | 1.21 | 0.07 | 0.31 | <2 | 0.27 | <1 | <5 | <5 | <5 | |
| STD PD05 | Standard | | | | | | | | | | | | | | | | | | | |
| STD PD05 Expected | | | | | | | | | | | | | | | | | | | | |
| STD KO74421 Expected | | | | | | | | | | | | | | | | | | | | |
| STD BVGEO01 Expected | | 73 | 1.3219 | 0.0727 | 25.9 | 171 | 1.2963 | 340 | 0.233 | | 2.347 | 0.1924 | 0.89 | 3.5 | 0.6655 | | | 7.37 | 5.97 | |
| STD OREAS262 Expected | | 22.5 | 2.98 | 0.04 | 15.9 | 41.7 | 1.17 | 248 | 0.003 | | 1.3 | 0.071 | 0.312 | | 0.269 | | | 3.9 | 3.24 | |
| STD CDN-ME-9A Expected | | | | | | | | | | | | | | | | | | | | 0.654 |
| STD CDN-ME-14A Expected | | | | | | | | | | | | | | | | | | | | 1.24 |
| BLK | Blank | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <1 | <0.01 | <0.001 | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.01 | <0.01 | <2 | <0.05 | <1 | <5 | <5 | <5 | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | <0.001 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | 23 | 0.52 | 0.040 | 6 | 9 | 0.46 | 50 | 0.074 | <20 | 0.77 | 0.09 | 0.09 | <2 | <0.05 | <1 | <5 | 6 | <5 | |
| ROCK-WHI | Prep Blank | 23 | 0.54 | 0.040 | 5 | 6 | 0.51 | 51 | 0.068 | <20 | 0.76 | 0.07 | 0.08 | <2 | <0.05 | <1 | <5 | <5 | <5 | |