



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

CERTIFICATE WH22273465

Project: Livingstone
 P.O. No.: 22-LVS-S
 This report is for 110 samples of Soil submitted to our lab in Whitehorse, YT, Canada on 26-SEP-2022.
 The following have access to data associated with this certificate:

MAX FUERSTNER	JESSICA PICKETT	DAVID STORM
---------------	-----------------	-------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
AuME-TL43	25g Trace Au + Multi Element PKG	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.001	0.01	0.01	0.1	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
S22001		0.48	0.010	0.14	1.14	9.9	<10	80	0.29	0.17	1.19	0.19	29.5	10.7	34	0.61
S22002		1.17	0.002	0.10	1.43	17.9	<10	110	0.33	0.26	1.54	0.17	50.1	18.4	41	0.80
S22003		0.53	0.004	0.17	2.08	15.2	<10	150	0.60	0.18	2.31	0.18	42.3	27.0	148	1.06
S22004		0.73	0.004	0.27	1.64	20.9	<10	130	0.44	0.29	0.89	0.14	37.6	17.2	49	0.73
S22005		0.50	0.006	0.24	1.21	14.5	<10	50	0.30	0.91	0.37	0.08	61.8	15.1	34	0.94
S22006		0.90	0.018	0.10	2.86	7.5	<10	160	0.97	0.17	0.78	0.15	59.2	39.0	147	2.34
S22007		0.63	0.015	0.33	1.44	8.6	<10	100	0.35	1.33	0.30	0.09	56.9	15.2	35	1.74
S22008		0.45	0.029	0.08	1.56	9.9	<10	100	0.46	0.44	0.37	0.05	53.0	15.2	51	0.72
S22009		1.06	0.032	0.22	2.05	32.9	<10	180	0.63	0.32	1.02	0.09	58.6	26.3	78	2.10
S22010		0.66	0.024	0.22	1.61	13.5	<10	190	0.54	0.21	1.18	0.19	47.0	19.4	67	1.88
S22011		0.58	0.008	0.14	1.29	9.8	<10	110	0.33	0.24	0.62	0.13	50.6	16.5	49	0.89
S22012		0.35	0.010	0.13	1.22	8.7	<10	150	0.37	0.24	1.20	0.13	35.0	14.6	52	0.90
S22013		0.54	0.004	0.08	0.97	5.8	<10	90	0.28	0.13	0.91	0.07	29.1	12.0	39	0.42
S22014		0.52	0.061	0.12	1.12	8.3	<10	100	0.34	0.16	1.18	0.09	32.9	12.4	38	0.48
S22015		0.67	0.009	0.10	0.92	7.9	<10	100	0.32	0.14	0.93	0.12	29.0	10.1	27	0.53
S22016		0.71	0.008	0.12	1.20	9.5	<10	130	0.35	0.17	1.00	0.09	39.1	14.2	43	0.49
S22017		0.59	0.009	0.07	1.20	9.2	<10	110	0.36	0.19	0.61	0.05	43.1	11.7	37	0.48
S22018		0.70	0.016	0.23	1.27	9.6	<10	160	0.41	0.21	0.74	0.14	42.3	15.4	49	0.68
S22019		0.45	0.008	0.13	1.30	8.6	<10	130	0.37	0.19	1.12	0.11	36.7	16.0	52	0.45
S22020		0.79	0.010	0.12	1.25	10.2	<10	120	0.40	0.18	0.59	0.05	48.1	16.2	54	0.57
S22021		0.77	0.009	0.14	1.25	9.2	<10	100	0.38	0.20	0.56	0.16	48.6	15.9	50	0.54
S22022		0.59	0.011	0.12	1.62	8.0	<10	120	0.48	0.19	0.87	0.08	46.9	18.9	71	0.62
S22023		0.74	0.084	0.10	1.44	6.4	<10	140	0.50	0.16	1.04	0.08	50.6	21.2	68	0.77
S22024		0.59	0.010	0.13	1.35	7.0	<10	140	0.43	0.19	0.70	0.15	41.9	16.1	65	0.53
S22025		0.64	0.004	0.08	1.40	6.7	<10	70	0.36	0.22	0.25	0.07	28.2	9.0	32	0.85
S22026		0.57	0.003	0.12	1.28	5.5	<10	110	0.30	0.18	0.22	0.05	18.70	6.9	29	0.76
S22027		0.72	0.001	0.22	0.48	2.4	<10	70	0.08	0.09	0.07	0.12	8.39	3.5	9	0.29
S22028		1.02	0.002	0.17	1.05	5.4	<10	60	0.17	0.18	0.11	0.09	26.3	6.3	25	0.53
S22029		0.88	0.002	0.06	1.17	8.6	<10	80	0.28	0.21	0.28	0.12	26.9	9.8	28	0.74
S22030		0.55	0.004	0.06	1.03	6.2	<10	90	0.17	0.19	0.35	0.10	30.4	7.8	23	0.51
S22031		0.73	0.005	0.11	1.92	7.9	<10	220	0.65	0.14	0.85	0.08	33.5	22.2	177	1.26
S22032		0.64	0.003	0.09	2.81	6.6	<10	210	0.76	0.07	0.98	0.07	13.60	34.0	239	3.00
S22033		0.69	0.006	0.08	2.09	12.5	<10	170	0.74	0.10	0.74	0.13	36.2	26.9	157	2.02
S22034		0.87	0.005	0.06	2.29	12.7	<10	160	0.72	0.16	0.61	0.08	39.4	27.5	157	1.68
S22035		0.78	0.010	0.06	1.85	10.4	<10	100	0.50	0.14	0.59	0.10	37.9	21.0	120	1.02
S22036		0.77	0.008	0.14	1.95	11.6	<10	150	0.63	0.12	0.85	0.12	36.5	26.1	135	1.13
S22037		0.81	0.002	0.07	0.99	15.9	<10	60	0.24	0.25	0.16	0.09	31.4	7.2	26	1.25
S22038		0.57	0.005	0.12	1.00	5.7	<10	80	0.22	0.19	0.12	0.04	29.9	10.1	30	0.65
S22039		0.67	0.002	0.13	1.26	11.0	<10	50	0.25	0.26	0.08	0.13	32.4	8.2	33	0.63
S22040		0.75	0.004	0.21	1.17	10.9	<10	90	0.24	0.28	0.09	0.08	34.0	14.3	32	0.59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
S22001		35.4	2.43	3.68	<0.05	0.12	0.07	0.016	0.07	15.3	9.1	0.70	430	0.63	0.01	0.62
S22002		46.6	3.47	4.65	0.07	0.08	0.04	0.017	0.11	24.1	12.0	0.96	762	0.99	<0.01	0.05
S22003		70.3	4.39	7.97	0.08	0.09	0.15	0.032	0.14	20.2	15.4	1.86	785	1.04	0.01	0.29
S22004		55.8	3.62	5.22	0.07	0.12	0.24	0.028	0.10	18.4	11.9	1.05	718	1.30	0.01	0.42
S22005		37.9	3.41	3.89	0.07	0.09	0.05	0.017	0.11	29.6	7.9	0.64	487	0.93	<0.01	0.24
S22006		64.4	5.99	12.25	0.11	0.11	0.08	0.062	0.26	32.0	19.3	2.41	953	0.80	<0.01	0.27
S22007		34.5	3.41	4.85	0.08	0.11	0.04	0.018	0.09	25.6	13.3	0.80	717	0.93	<0.01	0.20
S22008		32.8	3.36	5.81	0.07	0.05	0.05	0.026	0.06	31.7	12.3	0.92	608	0.63	0.01	0.33
S22009		47.8	4.75	8.21	0.10	0.15	0.06	0.036	0.24	27.9	15.8	1.54	718	1.27	<0.01	0.59
S22010		41.1	3.93	6.44	0.08	0.11	0.14	0.036	0.12	25.4	11.6	1.09	629	1.01	0.01	0.73
S22011		24.5	3.26	4.80	0.06	0.06	0.06	0.022	0.06	24.4	9.4	0.82	890	0.89	<0.01	0.37
S22012		30.9	3.10	4.53	0.06	0.10	0.07	0.025	0.05	17.7	9.0	0.92	464	0.70	0.01	0.43
S22013		21.8	2.30	3.81	<0.05	0.05	0.07	0.019	0.04	14.0	7.5	0.66	428	0.40	0.01	0.40
S22014		24.8	2.84	3.99	<0.05	0.09	0.08	0.020	0.04	16.2	8.0	0.72	475	0.56	0.01	0.46
S22015		27.3	2.15	3.31	0.05	0.07	0.07	0.015	0.04	14.8	5.8	0.48	560	0.61	0.01	0.43
S22016		26.4	2.89	4.26	0.05	0.09	0.09	0.020	0.05	19.4	8.1	0.68	622	0.81	<0.01	0.48
S22017		23.9	2.71	4.25	0.05	0.07	0.06	0.019	0.05	22.9	7.7	0.59	471	0.91	<0.01	0.45
S22018		32.0	2.81	4.47	0.05	0.03	0.08	0.023	0.05	20.9	9.1	0.65	985	0.80	<0.01	0.41
S22019		28.0	2.87	4.62	0.05	0.09	0.15	0.021	0.04	17.5	9.3	0.76	975	1.02	0.01	0.43
S22020		33.6	3.03	4.70	0.06	0.04	0.09	0.023	0.04	23.5	9.2	0.78	698	0.77	<0.01	0.33
S22021		35.6	3.21	4.61	0.06	0.06	0.09	0.022	0.05	24.2	8.7	0.74	768	0.83	0.01	0.30
S22022		39.0	3.57	5.99	0.06	0.11	0.12	0.027	0.05	23.4	11.5	1.06	689	0.85	<0.01	0.50
S22023		31.5	4.13	5.93	0.07	0.07	0.10	0.037	0.07	23.8	10.4	1.06	764	0.76	<0.01	0.39
S22024		30.6	2.90	4.91	0.06	0.07	0.08	0.024	0.05	20.8	9.5	0.83	798	0.68	<0.01	0.40
S22025		20.5	2.42	4.79	<0.05	<0.02	0.01	0.018	0.06	14.0	13.2	0.53	380	0.60	0.01	0.52
S22026		13.0	2.00	4.44	<0.05	0.04	0.01	0.016	0.04	8.9	10.0	0.45	243	0.52	<0.01	0.53
S22027		5.2	0.94	2.72	<0.05	<0.02	0.02	0.005	0.03	4.1	3.0	0.14	393	0.37	0.01	0.26
S22028		11.0	1.86	4.50	<0.05	<0.02	0.02	0.011	0.05	13.7	8.5	0.43	181	0.57	<0.01	0.66
S22029		18.3	2.30	4.14	<0.05	<0.02	0.01	0.018	0.06	11.5	10.6	0.45	353	0.75	<0.01	0.60
S22030		15.0	2.03	3.68	<0.05	0.02	0.01	0.011	0.06	14.8	8.7	0.44	296	0.76	0.01	0.55
S22031		45.0	3.75	7.21	0.06	0.05	0.03	0.042	0.09	17.1	14.7	1.62	671	0.59	0.01	0.75
S22032		82.1	5.53	12.60	0.07	0.03	0.20	0.021	0.79	6.4	24.3	2.47	714	0.55	0.01	0.54
S22033		44.9	5.01	8.09	0.09	0.03	0.26	0.047	0.14	18.7	13.7	1.93	936	0.74	0.01	0.51
S22034		48.2	5.00	8.82	0.08	0.03	0.24	0.046	0.10	18.8	16.0	1.99	641	0.62	0.01	0.40
S22035		38.4	4.05	6.97	0.07	0.02	0.13	0.032	0.07	18.3	13.0	1.59	459	0.69	0.01	0.34
S22036		43.1	4.36	7.21	0.07	0.05	0.14	0.039	0.09	18.0	13.3	1.64	1495	0.86	0.01	0.55
S22037		14.5	2.37	3.93	<0.05	<0.02	0.03	0.016	0.09	15.0	9.9	0.42	198	0.59	0.01	0.61
S22038		11.8	1.89	4.27	<0.05	<0.02	0.02	0.012	0.04	14.3	6.4	0.38	627	0.59	0.01	0.53
S22039		13.2	2.60	5.45	<0.05	<0.02	0.02	0.016	0.05	15.5	10.4	0.45	267	0.86	0.01	0.66
S22040		17.6	2.65	5.17	<0.05	<0.02	0.02	0.015	0.06	16.0	9.4	0.48	523	0.82	0.01	0.73



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
S22001		33.5	720	9.3	6.0	<0.001	0.04	0.79	3.0	0.8	0.3	47.9	<0.01	0.04	2.3	0.022
S22002		48.6	690	12.8	6.7	<0.001	<0.01	0.91	4.1	0.4	0.2	50.5	<0.01	0.06	8.6	0.027
S22003		124.5	1380	10.4	7.9	<0.001	0.01	1.03	8.2	0.4	0.3	60.5	<0.01	0.06	5.1	0.042
S22004		50.0	820	9.9	7.3	<0.001	0.01	1.75	7.4	0.6	0.3	38.1	<0.01	0.06	3.2	0.029
S22005		39.0	570	16.3	8.8	<0.001	<0.01	0.65	3.6	0.3	0.2	18.6	<0.01	0.09	9.1	0.017
S22006		135.0	1500	15.1	21.7	<0.001	<0.01	0.38	15.0	0.4	0.4	30.1	<0.01	0.05	6.5	0.095
S22007		37.2	510	24.3	9.0	<0.001	<0.01	0.32	3.3	0.2	0.2	14.0	<0.01	0.20	9.8	0.021
S22008		46.5	690	10.4	6.7	<0.001	<0.01	0.50	6.0	0.4	0.3	22.0	<0.01	0.06	7.7	0.041
S22009		80.8	1520	17.5	17.2	<0.001	0.01	0.48	6.6	0.5	0.3	44.8	<0.01	0.11	7.7	0.045
S22010		64.4	1390	15.9	10.9	<0.001	0.03	0.67	6.9	0.5	0.3	50.2	<0.01	0.06	3.7	0.040
S22011		44.7	1050	9.8	6.8	<0.001	0.02	0.47	3.5	0.4	0.2	35.3	<0.01	0.06	3.8	0.021
S22012		50.1	1150	11.1	6.3	0.001	0.05	0.66	4.1	1.0	0.2	69.0	<0.01	0.07	2.7	0.017
S22013		37.1	890	5.0	4.4	0.001	0.04	0.37	2.7	0.9	<0.2	51.6	<0.01	0.03	1.6	0.023
S22014		37.8	1140	7.0	4.9	<0.001	0.05	0.56	2.8	0.8	0.2	61.5	<0.01	0.05	2.1	0.016
S22015		31.0	980	5.8	4.9	<0.001	0.04	0.70	2.0	0.7	<0.2	47.2	<0.01	0.05	1.6	0.018
S22016		40.4	1080	7.2	5.0	<0.001	0.04	0.74	3.3	0.5	0.2	49.9	<0.01	0.06	2.5	0.017
S22017		32.2	880	7.7	5.4	<0.001	0.03	0.57	2.9	0.4	0.2	35.9	<0.01	0.05	2.7	0.013
S22018		46.7	1140	8.3	7.6	<0.001	0.02	0.60	3.2	0.4	0.3	37.3	<0.01	0.05	1.6	0.022
S22019		50.1	1180	6.6	4.9	0.001	0.05	0.51	3.5	1.1	0.2	55.7	<0.01	0.06	2.6	0.017
S22020		53.4	1310	7.2	5.5	<0.001	0.01	0.59	4.2	0.4	0.2	30.6	<0.01	0.05	3.4	0.023
S22021		51.7	1240	7.9	5.3	<0.001	0.02	0.50	3.7	0.5	0.2	35.6	<0.01	0.05	3.0	0.017
S22022		65.7	1210	7.7	5.7	<0.001	0.03	0.54	5.0	0.6	0.2	53.5	<0.01	0.03	3.7	0.024
S22023		68.4	1750	5.9	5.3	0.001	0.03	0.68	5.7	0.6	0.2	57.6	<0.01	0.04	3.1	0.023
S22024		58.7	1140	7.1	6.9	<0.001	0.03	0.41	3.4	0.6	0.2	35.8	<0.01	0.05	2.1	0.020
S22025		23.4	410	8.1	8.5	<0.001	<0.01	0.39	2.9	<0.2	0.4	13.6	<0.01	0.05	3.1	0.041
S22026		18.5	280	7.3	7.5	<0.001	<0.01	0.37	2.6	<0.2	0.4	12.0	<0.01	0.03	3.5	0.043
S22027		6.1	270	3.7	4.7	<0.001	<0.01	0.15	0.5	<0.2	0.2	6.5	<0.01	0.01	0.2	0.028
S22028		18.1	310	5.8	10.6	<0.001	<0.01	0.35	2.0	<0.2	0.4	7.9	<0.01	0.03	2.0	0.040
S22029		23.8	390	7.4	7.4	<0.001	<0.01	0.52	2.6	0.3	0.4	15.1	<0.01	0.04	2.6	0.032
S22030		21.4	370	7.2	9.8	<0.001	0.01	0.39	1.5	0.2	0.2	16.9	<0.01	0.03	2.2	0.022
S22031		132.0	1130	7.4	9.4	<0.001	0.02	0.41	7.9	0.5	0.3	32.8	<0.01	0.03	2.7	0.051
S22032		111.5	1600	3.4	43.1	<0.001	0.01	0.31	6.8	0.3	0.3	28.8	<0.01	0.02	2.0	0.158
S22033		135.5	1690	5.3	11.0	<0.001	0.02	0.89	10.6	0.4	0.4	29.4	<0.01	0.03	2.5	0.063
S22034		131.0	1410	6.5	10.6	<0.001	0.01	0.83	10.2	0.3	0.4	25.0	<0.01	0.04	4.2	0.080
S22035		98.7	1610	6.7	7.4	<0.001	0.01	0.62	7.1	<0.2	0.3	26.4	<0.01	0.03	4.3	0.058
S22036		119.0	1620	7.4	8.7	<0.001	0.02	0.64	8.3	0.4	0.3	36.7	<0.01	0.04	2.8	0.054
S22037		19.2	470	8.8	11.0	<0.001	0.01	0.96	2.2	0.2	0.4	13.8	<0.01	0.03	1.7	0.027
S22038		20.7	420	6.1	8.5	<0.001	0.01	0.32	1.5	0.2	0.3	10.0	<0.01	0.04	1.2	0.032
S22039		21.6	680	7.1	8.3	<0.001	0.01	0.46	2.0	0.2	0.5	8.2	<0.01	0.04	2.3	0.039
S22040		25.0	640	7.2	9.8	<0.001	0.01	0.55	2.0	0.2	0.4	11.7	<0.01	0.08	2.6	0.040



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
S22001		0.05	1.22	29	0.10	8.30	47	4.4
S22002		0.06	0.78	34	0.11	7.86	76	6.1
S22003		0.09	0.59	77	0.07	11.90	89	4.5
S22004		0.11	0.90	59	0.06	12.45	74	4.1
S22005		0.05	0.88	30	0.08	7.78	64	5.8
S22006		0.13	0.51	119	0.06	17.60	101	6.0
S22007		0.04	0.66	27	0.09	6.27	65	6.9
S22008		0.05	1.22	46	0.12	15.15	58	3.2
S22009		0.11	0.89	68	0.08	12.70	85	6.3
S22010		0.07	1.13	57	0.08	15.60	68	4.0
S22011		0.05	1.74	37	0.10	8.91	57	2.1
S22012		0.04	1.84	39	0.09	9.59	61	3.8
S22013		0.03	1.38	32	0.06	6.54	42	2.0
S22014		0.04	2.03	34	0.13	8.55	51	3.1
S22015		0.04	1.52	27	0.16	7.99	35	2.5
S22016		0.04	1.45	36	0.25	9.26	49	2.9
S22017		0.04	2.09	34	0.31	8.91	42	2.2
S22018		0.05	1.12	39	0.23	9.81	47	1.2
S22019		0.04	2.56	36	0.13	8.30	53	3.1
S22020		0.04	0.84	41	0.16	11.25	47	1.6
S22021		0.04	0.91	36	0.12	10.75	58	2.0
S22022		0.04	1.70	47	0.08	11.15	63	4.2
S22023		0.04	2.11	56	0.07	11.20	71	2.4
S22024		0.04	2.54	41	0.08	9.53	55	2.1
S22025		0.06	0.55	39	0.17	4.02	42	0.6
S22026		0.07	0.45	39	0.21	3.40	35	1.9
S22027		0.03	0.17	21	0.09	0.85	16	<0.5
S22028		0.05	0.45	34	0.21	3.17	33	<0.5
S22029		0.06	0.57	36	0.21	3.80	39	0.7
S22030		0.04	0.41	27	0.18	2.73	36	0.9
S22031		0.06	0.63	75	0.11	9.52	60	2.1
S22032		0.14	0.34	125	0.14	5.60	86	1.3
S22033		0.09	0.51	93	0.15	14.35	73	1.4
S22034		0.08	0.50	93	0.18	9.41	77	1.4
S22035		0.06	0.40	69	0.12	8.01	71	1.3
S22036		0.07	0.96	76	0.11	12.35	70	1.9
S22037		0.08	0.73	32	0.30	4.79	45	<0.5
S22038		0.05	0.46	35	0.25	2.89	27	<0.5
S22039		0.06	0.50	46	0.23	2.50	39	<0.5
S22040		0.06	0.62	42	0.28	2.58	42	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.001	0.01	0.01	0.1	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
S22041		0.67	0.005	0.06	1.10	10.0	<10	50	0.26	0.21	0.09	0.05	45.2	9.9	35	0.64
S22042		0.61	0.005	0.03	1.40	8.4	<10	70	0.34	0.25	0.25	0.05	61.7	14.7	53	0.77
S22043		0.82	0.003	0.03	1.37	7.1	<10	70	0.26	0.23	0.16	0.03	43.3	10.6	46	0.51
S22044		0.54	0.003	0.05	1.34	14.0	<10	90	0.35	0.24	0.22	0.05	40.0	11.4	47	0.79
S22045		0.81	0.002	0.04	1.24	5.7	<10	70	0.28	0.21	0.25	0.05	38.4	10.1	42	0.65
S22046		0.93	0.004	0.03	1.44	8.7	<10	110	0.30	0.23	0.28	0.03	44.9	13.8	41	0.66
S22047		0.70	0.008	0.09	1.20	15.3	<10	110	0.33	0.19	0.41	0.08	43.1	13.0	31	0.93
S22048		0.86	0.016	0.08	1.30	17.2	<10	110	0.35	0.20	0.44	0.12	43.0	14.9	43	0.72
S22049		0.75	0.006	0.20	0.83	5.9	<10	70	0.20	0.16	0.07	0.08	22.0	9.1	17	0.54
S22050		0.62	0.004	0.03	1.14	7.8	<10	80	0.22	0.12	0.31	0.04	30.1	9.2	38	0.46
S22051		0.67	0.001	0.08	0.34	1.2	<10	50	0.11	0.08	0.15	0.01	11.70	2.4	5	0.19
S22052		0.97	0.001	0.03	3.46	6.6	<10	330	1.02	0.10	0.62	0.04	32.0	42.6	139	5.78
S22053		0.84	0.010	0.05	1.14	4.2	<10	100	0.28	0.19	0.28	0.01	48.7	10.6	43	0.51
S22054		0.88	0.004	0.11	1.42	11.2	<10	100	0.40	0.19	0.20	0.04	33.1	12.0	55	0.76
S22055		0.65	0.001	0.03	1.25	8.2	<10	90	0.23	0.20	0.16	0.06	31.3	10.1	47	0.61
S22056		0.54	<0.001	0.05	0.32	1.0	<10	70	0.08	0.09	0.05	0.14	7.96	1.6	6	0.57
S22057		0.75	0.002	0.03	1.20	13.7	<10	90	0.29	0.17	0.23	0.06	30.8	9.3	29	0.78
S22058		0.69	0.004	0.06	1.21	22.5	<10	80	0.30	0.20	0.15	0.10	29.0	8.6	26	0.96
S22059		0.97	0.003	0.15	1.24	9.8	<10	80	0.37	0.23	0.16	0.12	23.5	6.0	26	0.93
S22060		0.68	0.004	0.06	0.95	12.5	<10	90	0.22	0.21	0.18	0.04	32.7	7.5	21	0.65
S22061		0.81	0.003	0.09	1.30	17.8	<10	60	0.36	0.24	0.14	0.05	31.3	10.0	27	0.96
S22062		0.62	0.004	0.10	1.46	14.4	<10	90	0.42	0.23	0.15	0.05	32.3	10.3	31	0.97
S22063		0.90	0.017	0.07	1.24	23.4	<10	60	0.32	0.22	0.12	0.05	38.6	9.8	29	0.58
S22064		0.69	0.005	0.05	1.36	12.3	<10	60	0.38	0.20	0.11	0.04	40.0	9.9	30	0.59
S22065		0.60	0.006	0.07	1.34	10.6	<10	100	0.36	0.18	0.19	0.04	41.8	10.0	33	0.66
S22066		0.68	0.002	0.03	1.10	9.6	<10	70	0.27	0.19	0.15	0.03	29.1	9.4	32	0.70
S22067		1.03	0.003	0.04	1.27	13.4	<10	110	0.28	0.19	0.12	0.03	32.6	11.8	53	0.49
S22068		0.83	0.004	0.04	1.60	11.5	<10	120	0.47	0.18	0.22	0.03	34.1	16.3	107	1.28
S22069		0.83	0.006	0.08	1.11	8.5	<10	80	0.23	0.17	0.18	0.05	35.5	9.3	44	0.47
S22070		0.63	0.005	0.09	1.36	15.5	<10	140	0.41	0.17	0.41	0.06	48.7	16.0	63	0.65
S22071		0.56	0.002	0.06	1.15	10.6	<10	90	0.27	0.18	0.14	0.08	27.2	8.1	30	0.65
S22072		0.79	0.001	0.07	1.01	4.8	<10	130	0.21	0.14	0.25	0.10	15.95	6.4	24	0.59
S22073		0.44	0.002	0.14	1.22	7.3	<10	250	0.41	0.17	0.45	0.08	26.7	8.8	33	0.62
S22074		0.59	0.002	0.04	1.24	4.8	<10	150	0.27	0.17	0.21	0.07	18.15	7.1	27	0.62
S22075		0.90	0.003	0.08	0.94	10.3	<10	60	0.39	0.15	0.15	0.05	34.8	9.3	41	0.33
S22076		0.79	0.002	0.10	1.43	8.7	<10	150	0.55	0.17	0.34	0.10	42.5	8.2	32	0.46
S22077		0.61	0.002	0.05	1.14	7.0	<10	110	0.19	0.19	0.16	0.15	19.20	5.7	24	0.59
S22078		0.30	<0.001	0.18	0.83	1.8	<10	220	0.24	0.24	0.12	0.29	36.4	10.0	11	0.43
S22079		0.51	0.001	0.05	1.15	4.9	<10	130	0.28	0.15	0.26	0.05	16.80	6.3	26	0.44
S22080		0.79	0.001	0.56	0.59	7.4	<10	50	0.12	0.15	0.11	0.15	13.75	2.8	12	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
S22041		19.0	2.57	3.89	0.05	0.02	0.02	0.014	0.06	21.4	9.1	0.49	307	0.60	0.01	0.54
S22042		27.9	2.99	4.40	0.06	0.03	0.02	0.017	0.05	25.5	11.8	0.76	509	0.57	0.01	0.33
S22043		18.5	2.74	4.79	0.05	<0.02	0.01	0.015	0.05	20.1	11.5	0.68	314	0.58	0.01	0.44
S22044		22.4	2.74	4.62	<0.05	<0.02	0.02	0.019	0.06	19.0	13.6	0.64	421	0.70	0.01	0.57
S22045		18.9	2.43	4.13	<0.05	<0.02	0.02	0.015	0.07	18.2	11.7	0.60	320	0.53	0.01	0.43
S22046		25.2	2.84	4.45	0.05	0.02	0.02	0.018	0.05	20.5	14.4	0.79	393	0.59	0.01	0.40
S22047		33.3	2.74	3.65	0.05	0.03	0.03	0.016	0.09	21.0	10.4	0.72	525	0.54	0.01	0.29
S22048		33.0	3.07	4.22	0.05	0.05	0.04	0.019	0.10	20.3	10.4	0.80	573	0.68	0.01	0.30
S22049		12.4	1.82	2.99	<0.05	0.02	0.02	0.011	0.04	9.1	4.4	0.26	594	0.46	0.01	0.27
S22050		16.8	2.23	3.85	<0.05	<0.02	0.02	0.013	0.04	14.8	9.3	0.70	277	0.48	0.01	0.34
S22051		11.1	0.77	1.50	<0.05	<0.02	0.02	0.005	0.02	5.5	1.1	0.09	63	0.24	0.02	0.18
S22052		75.0	7.21	14.85	0.08	0.05	0.02	0.053	0.75	10.7	24.5	2.80	935	0.45	<0.01	0.11
S22053		24.7	2.57	3.50	0.05	0.02	0.03	0.012	0.04	25.0	8.9	0.62	270	0.42	0.01	0.15
S22054		21.3	2.75	4.31	<0.05	0.02	0.03	0.020	0.05	15.5	12.6	0.71	353	0.66	0.01	0.47
S22055		14.8	2.54	4.83	<0.05	0.02	0.01	0.015	0.04	14.7	11.3	0.60	269	0.63	0.01	0.49
S22056		10.4	0.59	2.28	<0.05	<0.02	0.03	0.005	0.03	4.0	1.0	0.06	88	0.33	0.01	0.14
S22057		15.8	2.41	3.84	<0.05	0.02	0.01	0.013	0.06	14.7	10.3	0.53	300	0.56	0.01	0.47
S22058		13.7	2.28	3.96	<0.05	<0.02	0.02	0.017	0.06	12.0	11.7	0.44	379	0.52	0.01	0.72
S22059		11.3	2.19	4.71	<0.05	<0.02	0.02	0.016	0.07	10.9	10.6	0.41	285	0.64	0.01	0.88
S22060		14.0	2.06	3.63	<0.05	<0.02	0.02	0.011	0.08	15.3	7.3	0.36	523	0.60	0.01	0.61
S22061		17.8	2.38	3.25	<0.05	0.02	0.02	0.015	0.07	14.8	13.1	0.50	237	0.50	0.01	0.60
S22062		17.1	2.48	3.58	<0.05	0.03	0.03	0.017	0.06	14.9	13.4	0.50	290	0.57	0.01	0.71
S22063		18.1	2.84	3.62	<0.05	0.02	0.02	0.015	0.05	18.6	13.0	0.54	218	0.72	0.01	0.50
S22064		19.8	2.29	3.14	<0.05	0.04	0.03	0.015	0.04	18.1	10.1	0.50	246	0.47	0.01	0.45
S22065		19.6	2.33	4.05	<0.05	0.02	0.02	0.015	0.04	20.5	10.2	0.57	401	0.53	0.01	0.46
S22066		14.6	2.37	4.01	<0.05	<0.02	0.01	0.016	0.06	13.1	11.0	0.53	287	0.58	0.01	0.48
S22067		21.2	2.98	5.45	<0.05	<0.02	0.01	0.022	0.05	16.0	10.1	0.73	297	0.76	0.01	0.60
S22068		31.0	3.20	6.30	<0.05	0.02	0.01	0.029	0.04	15.1	13.2	0.99	401	0.68	0.01	0.70
S22069		16.6	2.56	4.78	<0.05	<0.02	0.01	0.016	0.05	17.0	8.8	0.65	181	0.65	0.01	0.62
S22070		33.9	3.31	5.36	0.06	0.03	0.05	0.022	0.05	26.1	9.9	0.91	543	0.80	0.01	0.27
S22071		14.6	2.24	5.13	<0.05	0.02	0.02	0.017	0.04	13.1	8.2	0.39	283	0.79	0.01	0.71
S22072		9.5	1.72	4.18	<0.05	<0.02	0.01	0.013	0.06	7.4	10.1	0.41	213	0.46	0.01	0.77
S22073		21.8	2.16	3.92	<0.05	0.02	0.04	0.017	0.05	13.7	10.7	0.54	463	0.42	0.01	0.79
S22074		9.0	1.87	4.70	<0.05	0.04	0.01	0.015	0.03	9.0	9.4	0.45	223	0.45	0.01	0.79
S22075		20.2	2.52	2.52	<0.05	0.17	0.02	0.020	0.05	15.3	5.3	0.45	283	0.87	0.01	0.27
S22076		16.0	2.57	4.23	<0.05	0.18	0.02	0.021	0.07	17.9	8.0	0.42	181	0.77	0.01	0.61
S22077		8.5	1.85	5.07	<0.05	<0.02	0.01	0.013	0.03	8.8	12.4	0.41	156	0.61	0.01	0.81
S22078		21.5	1.98	4.26	<0.05	0.02	0.04	0.009	0.04	18.7	9.6	0.17	220	0.72	0.02	0.49
S22079		8.8	1.77	4.10	<0.05	0.04	0.01	0.015	0.03	7.9	8.6	0.44	293	0.34	0.01	0.81
S22080		8.3	1.14	3.97	<0.05	<0.02	0.02	0.008	0.04	6.5	3.6	0.15	88	0.80	0.01	0.74



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43		
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti		
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
S22041		27.0	380	7.7	6.9	<0.001	0.01	0.53	1.9	<0.2	0.3	7.6	<0.01	0.03	4.7	0.037		
S22042		48.0	620	7.1	7.4	<0.001	0.01	0.54	3.4	0.2	0.3	14.8	<0.01	0.03	6.7	0.029		
S22043		35.3	360	6.4	6.9	<0.001	0.01	0.39	2.3	0.2	0.3	10.3	<0.01	0.03	4.1	0.024		
S22044		36.8	560	7.7	8.5	<0.001	0.01	0.62	2.3	0.2	0.4	13.0	<0.01	0.03	2.2	0.030		
S22045		33.2	550	4.8	8.2	<0.001	0.01	0.38	1.9	0.2	0.3	14.6	<0.01	0.03	1.8	0.028		
S22046		37.4	660	7.3	7.6	<0.001	0.01	0.65	3.2	<0.2	0.3	17.0	<0.01	0.04	4.7	0.028		
S22047		31.6	950	7.6	8.0	<0.001	0.01	1.27	3.9	0.2	0.2	18.8	<0.01	0.05	5.3	0.031		
S22048		43.3	980	9.4	8.3	<0.001	0.01	1.41	4.1	0.3	0.2	18.6	<0.01	0.05	4.4	0.026		
S22049		17.3	390	8.3	3.9	<0.001	0.01	0.40	1.0	0.2	0.2	6.8	<0.01	0.05	1.1	0.015		
S22050		32.2	1020	6.1	5.1	<0.001	0.01	0.57	2.4	0.2	0.2	16.0	<0.01	0.03	2.8	0.024		
S22051		4.3	370	1.7	1.6	<0.001	0.01	0.10	0.5	<0.2	<0.2	10.2	<0.01	<0.01	0.3	0.020		
S22052		129.5	1260	5.2	49.8	<0.001	0.01	0.36	11.8	0.2	0.4	26.5	<0.01	0.03	3.4	0.222		
S22053		37.1	660	3.9	4.6	<0.001	0.01	0.40	2.4	0.3	0.2	12.7	<0.01	0.02	6.0	0.017		
S22054		41.6	490	7.8	6.7	<0.001	0.01	0.66	2.9	0.2	0.3	11.8	<0.01	0.04	3.8	0.030		
S22055		34.3	820	6.1	7.0	<0.001	0.01	0.55	2.1	<0.2	0.3	11.4	<0.01	0.03	2.9	0.028		
S22056		3.7	260	4.0	5.0	<0.001	0.01	0.12	0.1	0.2	0.3	6.7	<0.01	0.01	<0.2	0.009		
S22057		22.6	720	6.4	9.1	<0.001	<0.01	0.84	2.4	<0.2	0.3	13.3	<0.01	0.03	4.1	0.032		
S22058		18.9	620	7.5	8.8	<0.001	0.01	0.74	2.1	0.2	0.4	10.8	<0.01	0.05	2.7	0.035		
S22059		14.6	970	7.7	17.0	<0.001	0.01	0.42	2.3	0.2	0.4	11.2	<0.01	0.03	2.6	0.046		
S22060		16.0	680	6.3	11.0	<0.001	0.01	0.59	1.8	0.2	0.3	13.5	<0.01	0.06	3.8	0.040		
S22061		26.3	470	7.2	7.5	<0.001	0.01	0.84	2.0	0.3	0.3	11.0	<0.01	0.05	4.2	0.025		
S22062		24.5	410	6.9	7.9	<0.001	0.01	0.89	2.5	0.3	0.3	11.6	<0.01	0.07	4.6	0.033		
S22063		26.1	380	7.6	6.5	<0.001	0.01	1.08	2.0	0.2	0.2	10.4	<0.01	0.08	3.4	0.020		
S22064		29.1	260	8.1	4.7	<0.001	0.01	0.71	2.3	0.2	0.3	8.6	<0.01	0.04	5.2	0.026		
S22065		25.9	590	6.8	7.5	<0.001	0.01	0.60	3.0	0.2	0.3	12.6	<0.01	0.03	3.6	0.027		
S22066		26.9	460	6.4	11.2	<0.001	0.01	0.53	2.0	0.2	0.3	11.0	<0.01	0.04	1.6	0.028		
S22067		46.1	230	6.8	9.5	<0.001	0.01	0.74	2.7	<0.2	0.3	9.7	<0.01	0.05	2.3	0.030		
S22068		60.8	490	6.4	6.7	<0.001	0.01	0.57	3.6	0.2	0.4	12.6	<0.01	0.03	3.2	0.035		
S22069		37.6	580	6.1	8.4	<0.001	0.02	0.43	2.2	0.2	0.3	14.8	<0.01	0.06	2.6	0.024		
S22070		66.1	1180	7.3	5.6	<0.001	0.01	0.80	5.3	0.3	0.3	22.9	<0.01	0.04	5.1	0.032		
S22071		24.7	480	7.8	7.5	<0.001	0.01	0.60	2.2	0.3	0.4	10.8	<0.01	0.02	2.9	0.035		
S22072		26.9	230	5.8	9.0	<0.001	0.01	0.34	2.1	<0.2	0.4	13.0	<0.01	0.02	1.7	0.047		
S22073		29.8	520	7.2	6.9	<0.001	0.01	0.44	3.3	0.3	0.4	17.7	<0.01	0.02	2.2	0.037		
S22074		18.2	150	7.6	5.4	<0.001	<0.01	0.30	2.5	<0.2	0.5	12.4	<0.01	0.02	2.9	0.037		
S22075		32.6	160	23.9	5.8	<0.001	<0.01	0.98	3.7	0.3	0.2	8.9	<0.01	0.03	4.8	0.014		
S22076		25.7	100	9.7	8.8	<0.001	0.01	0.72	6.2	0.4	0.4	13.1	<0.01	0.03	5.7	0.029		
S22077		16.8	240	8.6	6.1	<0.001	0.01	0.42	2.0	<0.2	0.5	10.3	<0.01	0.03	2.4	0.037		
S22078		13.7	330	7.0	6.9	<0.001	0.02	0.35	0.7	<0.2	0.3	11.0	<0.01	0.03	1.0	0.014		
S22079		15.8	100	6.5	4.6	<0.001	0.01	0.27	2.3	<0.2	0.5	13.3	<0.01	0.02	2.7	0.043		
S22080		7.7	200	6.3	6.7	<0.001	0.01	0.34	0.9	0.2	0.4	8.4	<0.01	0.02	0.7	0.031		



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
S22041		0.05	0.69	33	0.15	3.59	41	1.0
S22042		0.04	0.78	36	0.17	6.45	52	1.3
S22043		0.05	0.52	38	0.13	3.76	46	0.7
S22044		0.05	0.68	39	0.17	4.90	44	<0.5
S22045		0.05	0.49	35	0.14	4.25	41	<0.5
S22046		0.05	0.62	40	0.14	4.25	49	0.8
S22047		0.06	0.62	36	0.20	8.11	54	1.3
S22048		0.05	0.56	40	0.13	8.13	62	1.9
S22049		0.03	0.37	24	0.11	2.12	31	0.6
S22050		0.04	0.37	34	0.11	4.94	39	0.6
S22051		<0.02	0.25	13	<0.05	1.86	11	<0.5
S22052		0.23	0.41	170	0.08	5.52	101	2.4
S22053		0.04	0.49	28	0.05	6.07	44	1.3
S22054		0.05	0.59	40	0.18	4.28	45	1.0
S22055		0.04	0.41	42	0.26	2.82	44	0.9
S22056		0.03	0.31	13	0.08	0.86	21	<0.5
S22057		0.05	0.49	36	0.24	3.91	37	1.3
S22058		0.07	0.56	35	0.28	3.54	38	0.5
S22059		0.06	0.62	41	0.32	3.54	44	0.6
S22060		0.06	0.56	31	0.29	3.50	29	0.7
S22061		0.06	0.57	28	0.32	3.76	37	0.9
S22062		0.07	0.65	35	0.33	3.71	38	1.4
S22063		0.05	0.54	32	0.25	3.19	39	0.7
S22064		0.06	0.62	29	0.16	4.45	35	1.8
S22065		0.06	0.70	35	0.18	6.41	37	0.6
S22066		0.05	0.43	36	0.28	2.91	33	<0.5
S22067		0.06	0.40	49	0.15	3.48	39	<0.5
S22068		0.07	0.44	62	0.19	3.71	43	1.0
S22069		0.05	0.41	39	0.21	3.40	36	0.6
S22070		0.06	0.75	47	0.14	12.55	53	1.3
S22071		0.06	0.43	40	0.19	2.80	36	0.9
S22072		0.06	0.35	36	0.22	2.45	28	0.6
S22073		0.06	0.86	34	0.19	8.78	36	0.8
S22074		0.07	0.40	38	0.20	2.53	34	1.7
S22075		0.05	0.66	28	0.10	5.79	36	8.2
S22076		0.08	0.53	40	0.16	13.40	31	7.7
S22077		0.06	0.35	41	0.25	2.45	29	0.6
S22078		0.03	0.44	24	0.11	1.74	35	1.0
S22079		0.05	0.40	36	0.18	2.56	27	1.8
S22080		0.05	0.40	26	0.16	1.36	17	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	WEI-21	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.001	0.01	0.01	0.1	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
S22081		0.88	0.001	0.08	1.31	11.5	<10	120	0.33	0.19	0.30	0.06	24.7	8.8	30	0.70
S22082		0.69	0.003	0.11	1.22	10.6	<10	180	0.39	0.17	0.33	0.08	33.0	10.2	36	0.79
S22083		0.62	0.006	0.12	1.10	18.0	<10	110	0.34	0.23	0.27	0.07	43.3	13.4	34	0.52
S22084		0.67	0.002	0.17	1.45	14.8	<10	80	0.34	0.19	0.13	0.05	31.7	11.2	36	0.46
S22085		0.76	0.003	0.27	1.10	29.6	<10	160	0.65	0.28	1.70	0.32	40.6	13.2	24	0.22
S22086		0.82	0.001	0.11	1.11	9.2	<10	140	0.41	0.16	0.37	0.08	25.9	8.7	29	0.43
S22087		0.80	0.001	0.05	1.25	10.7	<10	100	0.33	0.18	0.19	0.03	26.9	9.6	30	0.55
S22088		0.93	0.009	0.07	1.17	10.4	<10	70	0.32	0.22	0.29	0.05	62.4	15.4	48	0.62
S22089		0.70	0.021	0.08	1.35	13.2	<10	60	0.31	0.29	0.14	0.05	55.0	14.0	36	0.45
S22090		0.52	0.006	0.07	1.27	6.8	<10	70	0.34	0.22	0.40	0.06	62.4	16.4	54	0.57
S22091		0.67	0.011	0.12	1.34	8.7	<10	90	0.38	0.24	0.44	0.06	64.6	16.3	52	0.70
S22092		0.80	0.010	0.19	1.61	7.4	<10	60	0.42	0.21	0.68	0.09	52.1	21.1	122	0.65
S22093		0.76	0.008	0.06	1.11	6.8	<10	70	0.31	0.22	0.34	0.03	63.2	13.0	49	0.57
S22094		0.63	0.006	0.06	1.20	8.0	<10	90	0.36	0.25	0.31	0.03	72.6	13.6	41	0.50
S22095		0.82	0.007	0.07	1.25	8.3	<10	100	0.37	0.24	0.34	0.04	73.4	15.6	41	0.51
S22096		0.81	0.008	0.05	1.24	7.3	<10	120	0.35	0.29	0.20	0.02	83.1	15.4	45	0.51
S22097		0.57	0.004	0.06	0.70	7.5	<10	70	0.20	0.13	0.18	0.03	67.5	9.5	30	0.48
S22098		0.52	0.004	0.10	1.36	13.0	<10	150	0.36	0.19	0.34	0.04	37.4	15.3	68	0.87
S22099		0.69	0.001	0.03	3.51	5.9	<10	370	1.27	0.05	0.92	0.04	29.5	50.6	200	6.71
S22100		0.53	0.010	0.05	1.46	22.1	<10	90	0.44	0.17	0.37	0.07	53.5	18.5	51	0.60
S22101		0.52	0.035	0.16	2.30	16.3	<10	280	1.10	0.13	1.83	0.14	37.8	43.3	240	3.96
S22102		0.65	0.010	0.09	1.22	38.2	<10	100	0.36	0.25	0.31	0.07	42.0	15.7	42	0.53
S22103		0.65	0.030	0.07	1.40	26.7	<10	80	0.37	0.19	0.18	0.07	34.5	14.7	41	0.57
S22104		0.73	0.005	0.14	1.40	22.3	<10	80	0.35	0.20	0.19	0.09	30.0	13.5	37	0.69
S22105		0.58	0.004	0.21	1.38	42.4	<10	70	0.36	0.25	0.27	0.09	28.0	16.6	49	0.68
S22106		0.73	0.005	0.10	1.39	15.6	<10	90	0.36	0.19	0.24	0.05	26.2	10.2	37	0.82
S22107		0.67	0.012	0.17	2.37	50.0	<10	90	0.57	0.12	1.60	0.15	60.4	45.7	89	0.98
S22108		0.49	0.001	0.14	1.43	20.7	<10	90	0.35	0.11	0.90	0.10	26.6	17.0	44	0.48
S22109		0.80	0.009	0.11	1.90	7.8	<10	110	0.40	0.16	0.30	0.08	31.2	14.6	63	0.79
S22110		0.81	<0.001	0.06	1.10	6.3	<10	70	0.27	0.17	0.32	0.06	21.6	7.2	28	0.71



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
S22081		15.4	2.31	4.59	<0.05	<0.02	0.02	0.018	0.05	11.9	12.5	0.53	377	0.64	0.01	0.66
S22082		21.1	2.35	4.09	<0.05	<0.02	0.03	0.016	0.05	16.7	10.0	0.57	461	0.61	0.01	0.54
S22083		34.8	2.99	3.58	0.06	0.04	0.10	0.017	0.06	22.5	9.2	0.55	525	1.44	0.01	0.29
S22084		28.6	2.86	4.28	<0.05	0.02	0.02	0.017	0.05	15.9	12.1	0.61	286	1.13	0.01	0.31
S22085		32.0	4.62	3.28	0.07	0.11	0.05	0.028	0.04	22.3	7.2	1.31	1290	1.64	0.01	0.26
S22086		16.2	2.24	3.64	<0.05	0.03	0.03	0.016	0.04	13.1	8.8	0.51	439	0.56	0.01	0.42
S22087		14.1	2.38	3.89	<0.05	0.02	0.02	0.018	0.06	10.5	11.1	0.54	334	0.68	0.01	0.58
S22088		34.4	3.12	4.42	0.07	<0.02	0.05	0.018	0.04	30.5	10.4	0.76	578	0.74	0.01	0.19
S22089		35.3	3.38	4.59	0.05	0.03	0.02	0.017	0.05	25.6	12.6	0.64	458	1.91	0.01	0.30
S22090		34.1	3.01	4.91	0.06	0.03	0.05	0.021	0.04	30.1	11.6	0.87	388	0.73	0.01	0.27
S22091		35.1	3.09	4.94	0.07	0.05	0.08	0.021	0.06	32.2	12.7	0.87	587	0.85	0.01	0.32
S22092		40.6	3.49	5.76	0.06	0.07	0.09	0.025	0.05	26.8	12.7	1.28	715	0.98	0.01	0.29
S22093		26.7	2.92	4.17	0.06	0.02	0.03	0.018	0.04	31.3	10.3	0.75	503	0.62	0.01	0.24
S22094		30.5	3.02	4.22	0.07	<0.02	0.04	0.016	0.04	35.9	11.0	0.65	545	0.62	0.01	0.18
S22095		27.7	3.02	4.35	0.07	0.02	0.06	0.017	0.04	34.8	10.9	0.64	788	0.65	0.01	0.19
S22096		29.4	3.09	4.36	0.08	<0.02	0.04	0.016	0.04	40.6	10.9	0.70	676	0.62	0.01	0.17
S22097		18.0	2.25	2.97	0.06	<0.02	0.10	0.012	0.05	33.0	4.0	0.34	270	0.57	0.01	0.21
S22098		27.9	2.92	5.84	0.05	<0.02	0.06	0.022	0.05	20.9	10.8	0.80	562	0.90	0.01	0.42
S22099		66.4	7.31	18.75	0.09	0.03	0.07	0.071	0.79	10.6	27.0	3.37	789	0.39	0.01	0.21
S22100		39.4	3.65	5.48	0.08	0.02	0.04	0.025	0.07	30.4	10.5	0.87	637	1.22	0.01	0.19
S22101		62.9	5.90	13.45	0.09	0.04	0.08	0.056	0.39	18.7	19.0	2.28	969	0.72	0.01	0.10
S22102		49.9	3.39	4.14	0.05	0.02	0.07	0.020	0.07	20.5	8.9	0.64	683	1.44	0.01	0.21
S22103		35.7	3.30	4.10	0.05	0.02	0.03	0.023	0.06	15.0	10.4	0.64	430	1.39	0.01	0.33
S22104		28.5	3.07	4.14	<0.05	0.04	0.02	0.022	0.07	13.3	13.0	0.57	446	1.10	0.01	0.47
S22105		33.2	4.12	5.31	<0.05	0.02	0.03	0.036	0.09	11.9	12.0	0.68	535	1.90	0.01	0.37
S22106		21.3	2.52	4.40	<0.05	0.05	0.02	0.018	0.05	12.0	12.8	0.57	375	0.78	0.01	0.37
S22107		74.1	7.83	9.61	0.12	0.08	0.14	0.064	0.08	28.2	14.3	1.67	1595	1.84	0.01	0.11
S22108		33.8	3.38	5.01	<0.05	0.06	0.05	0.026	0.04	13.9	9.9	0.79	850	0.69	0.02	0.48
S22109		21.5	3.29	6.27	<0.05	0.02	0.01	0.026	0.06	15.0	16.0	1.06	297	0.74	0.01	0.33
S22110		15.0	2.08	3.78	<0.05	<0.02	0.01	0.014	0.05	10.4	10.5	0.49	251	0.66	0.01	0.68



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
S22081		24.5	430	10.7	6.6	<0.001	0.01	0.60	2.6	0.2	0.4	17.5	<0.01	0.03	2.1	0.026
S22082		31.3	590	8.4	6.7	<0.001	0.01	0.72	3.5	0.3	0.4	16.4	<0.01	0.03	3.0	0.031
S22083		42.1	620	12.9	6.4	<0.001	0.01	1.08	3.2	0.4	0.2	18.0	<0.01	0.04	4.7	0.012
S22084		38.3	260	9.8	5.7	<0.001	0.01	0.91	2.4	0.4	0.3	11.6	<0.01	0.04	3.0	0.009
S22085		38.8	350	37.3	6.9	<0.001	0.02	1.00	6.3	1.0	0.2	28.4	<0.01	0.08	2.8	0.009
S22086		26.2	400	8.5	4.1	<0.001	0.01	0.66	2.9	0.3	0.3	12.7	<0.01	0.03	2.4	0.021
S22087		24.8	190	9.8	7.8	<0.001	0.01	0.96	2.7	0.2	0.3	10.3	<0.01	0.04	2.9	0.018
S22088		52.1	1080	6.0	4.8	<0.001	0.01	0.74	3.8	0.2	0.2	17.7	<0.01	0.07	6.1	0.023
S22089		42.3	550	5.0	5.3	0.001	0.03	0.48	2.3	0.3	0.2	34.4	<0.01	0.19	7.0	0.013
S22090		54.1	1020	6.2	5.6	<0.001	0.01	0.52	4.4	0.3	0.2	28.5	<0.01	0.06	6.6	0.028
S22091		56.4	1060	6.7	6.9	<0.001	0.01	0.61	4.5	0.5	0.2	28.6	<0.01	0.07	5.9	0.024
S22092		103.5	1260	8.3	7.2	0.002	0.04	0.38	4.7	1.0	0.2	51.6	<0.01	0.08	3.0	0.016
S22093		47.8	1070	5.0	4.6	<0.001	0.01	0.53	3.4	0.3	0.2	22.1	<0.01	0.04	6.4	0.026
S22094		44.2	760	6.3	4.9	<0.001	0.01	0.59	3.2	0.3	0.2	17.1	<0.01	0.04	5.6	0.017
S22095		45.9	770	6.1	5.6	<0.001	0.01	0.76	2.8	0.2	0.2	20.2	<0.01	0.04	4.4	0.013
S22096		47.0	670	6.9	4.8	<0.001	0.01	0.50	3.2	0.2	0.2	20.3	<0.01	0.04	7.4	0.017
S22097		33.4	560	4.4	5.0	<0.001	0.01	0.41	1.4	0.3	0.2	16.8	<0.01	0.03	3.6	0.015
S22098		55.3	870	9.0	6.9	<0.001	0.01	0.65	3.4	<0.2	0.4	22.7	<0.01	0.04	2.1	0.030
S22099		175.0	1610	3.5	49.8	<0.001	0.01	0.27	13.6	0.2	0.4	32.6	<0.01	0.02	2.1	0.251
S22100		67.1	1150	11.4	5.8	<0.001	0.01	1.16	6.2	0.5	0.3	22.9	<0.01	0.05	5.4	0.026
S22101		245	2180	7.7	33.2	<0.001	0.01	0.83	13.8	0.4	0.4	46.7	<0.01	0.08	3.8	0.093
S22102		52.6	1130	14.0	6.3	<0.001	0.02	1.90	4.2	0.4	0.2	28.9	<0.01	0.10	4.8	0.020
S22103		47.8	640	11.8	6.8	<0.001	0.01	1.24	3.0	0.4	0.3	16.8	<0.01	0.07	3.6	0.018
S22104		39.5	570	9.8	7.5	<0.001	0.01	1.05	2.7	0.3	0.3	14.1	<0.01	0.05	4.1	0.026
S22105		54.8	1480	13.5	9.1	<0.001	0.03	1.91	3.5	0.4	0.3	30.3	<0.01	0.13	3.4	0.026
S22106		32.4	610	8.8	7.6	<0.001	<0.01	0.77	3.2	0.3	0.4	15.2	<0.01	0.04	4.3	0.034
S22107		167.0	4030	9.8	6.5	<0.001	0.01	1.95	10.2	0.5	0.3	48.6	<0.01	0.07	4.2	0.019
S22108		59.7	1260	5.8	5.2	<0.001	0.02	0.78	3.9	0.4	0.2	33.5	<0.01	0.04	1.6	0.019
S22109		50.5	560	9.4	10.0	<0.001	<0.01	0.46	4.1	<0.2	0.4	15.8	<0.01	0.04	3.6	0.033
S22110		21.2	400	7.2	7.0	<0.001	0.01	0.37	2.2	<0.2	0.4	15.3	<0.01	0.03	2.8	0.036



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
 9-7373 BROOKS LANES
 VERNON BC V1H 1G6

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2022
 Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

Sample Description	Method Analyte Units LOD	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	AuME-TL43	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
S22081		0.08	0.66	38	0.24	4.58	36	0.5
S22082		0.07	0.94	38	0.22	8.64	39	0.6
S22083		0.05	0.95	27	0.12	7.97	55	2.2
S22084		0.06	0.59	32	0.10	3.38	48	1.0
S22085		0.05	0.69	26	0.13	34.7	51	3.6
S22086		0.04	0.69	32	0.19	7.16	43	1.0
S22087		0.05	0.51	35	0.25	2.94	36	1.1
S22088		0.04	0.79	35	0.16	8.65	54	0.6
S22089		0.04	1.65	30	0.14	5.19	46	1.3
S22090		0.04	1.06	40	0.21	8.97	53	1.3
S22091		0.05	2.23	38	0.11	11.15	55	1.9
S22092		0.04	12.70	44	0.11	12.30	60	2.4
S22093		0.03	1.77	34	0.12	7.84	49	1.0
S22094		0.03	0.76	32	0.09	7.87	52	0.5
S22095		0.04	0.78	29	0.07	7.72	52	0.7
S22096		0.03	0.69	31	0.10	7.29	57	0.7
S22097		0.04	0.61	24	0.06	4.33	35	<0.5
S22098		0.05	0.77	49	0.13	7.15	43	<0.5
S22099		0.16	0.23	180	<0.05	5.61	102	1.3
S22100		0.06	0.80	46	0.11	16.85	56	1.3
S22101		0.19	0.50	122	0.08	16.50	114	2.1
S22102		0.06	0.79	36	0.10	10.65	50	1.3
S22103		0.06	0.65	38	0.13	4.77	48	0.9
S22104		0.07	0.60	37	0.29	4.19	45	1.3
S22105		0.06	0.58	52	0.22	5.39	57	1.1
S22106		0.07	0.69	40	0.23	4.72	40	1.6
S22107		0.07	0.99	95	0.09	26.5	116	3.6
S22108		0.05	0.72	42	0.10	10.95	48	2.5
S22109		0.07	0.43	55	0.14	3.86	52	1.0
S22110		0.05	0.51	34	0.25	3.37	35	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: STORM EXPLORATION LLC
9-7373 BROOKS LANES
VERNON BC V1H 1G6

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 19-NOV-2022
Account: STOREX

Project: Livingstone

CERTIFICATE OF ANALYSIS WH22273465

CERTIFICATE COMMENTS	
	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada. Applies to Method: LOG-22 SCR-41 WEI-21</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Applies to Method: AuME-TL43</p>