



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Submitted By: Cam Norton
Receiving Lab: Canada-Whitehorse
Received: July 24, 2023
Analysis Start: August 09, 2023
Report Date: August 18, 2023
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

CLIENT JOB INFORMATION

Project: TOO
Shipment ID: TOO230723-03-RB
P.O. Number
Number of Samples: 64

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: White Gold Corp.
82 Richmond St. E
Toronto Ontario M5C 1P1
Canada

CC: Terry Brace

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	63	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	64	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
MA250	64	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN
SHP01	64	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


Martin Wong
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: TOO
Report Date: August 18, 2023

Page: 2 of 4

Part: 1 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
2367523	Rab Sample	2.80	0.054	13.73	245.8	23.84	157.8	275	11.3	12.1	771	4.95	1.7	1.4	5.2	479	0.88	0.23	0.25	97	1.37
2367524	Rab Sample	5.67	0.061	12.89	249.1	18.75	199.0	283	6.2	15.1	1181	6.93	1.1	0.8	3.2	678	0.86	0.10	0.10	178	2.83
2367525	Rab Sample	2.84	0.079	13.35	445.9	19.93	356.1	457	6.3	16.2	1174	6.41	1.3	0.7	3.0	771	1.86	0.08	0.07	209	4.11
2367526	Rab Sample	3.60	0.063	17.35	390.5	17.33	281.4	421	7.8	16.7	1044	6.55	0.8	0.7	3.0	741	1.21	0.07	0.06	190	3.76
2367527	Rab Sample	3.06	0.040	15.53	166.5	21.28	220.1	252	5.0	13.7	1208	6.28	4.3	0.7	2.8	801	1.13	0.14	0.09	169	3.68
2367528	Rab Sample	3.84	0.046	18.33	184.1	21.49	185.5	236	5.2	13.3	1196	5.73	1.2	0.7	3.0	896	1.12	0.07	0.19	173	3.54
2367529	Rab Sample	3.24	0.038	12.91	155.2	18.87	196.4	212	6.6	13.2	1443	5.46	1.2	0.7	3.1	962	1.11	0.05	0.09	163	3.76
2367530	Rab Sample	3.32	0.071	9.90	203.7	22.17	355.0	276	5.6	16.5	1383	7.15	0.9	0.7	2.7	837	2.01	0.05	0.09	174	3.02
2367531	Rab Sample	3.51	0.040	10.08	138.2	21.11	214.9	243	5.4	14.0	1565	6.22	<0.2	0.6	2.4	974	1.14	0.05	0.07	174	3.85
2367532	Rab Sample	3.28	0.068	15.39	209.9	22.56	198.2	292	5.7	14.0	1315	6.49	0.5	0.6	2.3	816	1.11	0.05	0.12	192	3.70
2367533	Rab Sample	3.18	0.099	14.28	276.4	20.64	222.6	407	5.9	14.6	1234	7.06	0.3	0.6	2.2	734	1.36	0.05	0.21	186	4.41
2367534	Rab Sample	3.75	0.262	21.75	643.3	20.56	312.9	759	5.7	16.3	1445	6.60	0.2	0.7	2.4	728	2.01	0.06	0.12	173	5.01
2367535	Rab Sample	2.73	0.263	21.48	617.8	21.42	282.8	618	5.8	15.4	1271	6.56	<0.2	0.7	2.6	775	1.69	0.05	0.16	181	4.44
2367536	Rab Sample	3.27	0.090	17.57	354.9	21.60	388.4	466	6.5	16.2	1125	6.45	0.3	0.7	2.4	766	2.20	0.04	0.08	199	4.04
2367537	Rab Sample	3.19	0.065	14.65	296.7	21.63	434.8	393	6.2	16.5	1173	6.09	<0.2	0.6	2.6	826	2.53	0.04	0.06	214	4.18
2367538	Rab Sample	2.96	0.054	11.82	249.7	18.82	291.8	330	6.5	17.2	1113	5.56	0.2	0.6	2.5	830	1.38	0.05	0.08	210	4.23
2367539	Rab Sample	3.70	0.128	14.22	376.0	17.27	235.3	534	5.3	14.6	1419	6.83	7.2	0.7	2.1	632	1.30	0.12	0.31	173	4.36
2367540	Rock	0.79	0.007	0.74	12.5	4.81	37.7	<20	2.3	1.8	171	1.46	1.7	1.9	8.9	703	0.06	0.11	<0.04	75	0.33
2367541	Rab Sample	3.34	0.123	11.78	255.9	19.70	226.1	357	6.1	15.6	1207	7.69	0.9	0.7	2.4	775	1.09	0.05	0.18	212	3.49
2367542	Rab Sample	2.75	0.109	11.41	318.8	21.09	286.7	403	5.8	15.9	1162	5.94	0.7	0.7	2.4	866	1.75	0.03	0.05	177	3.99
2367543	Rab Sample	3.36	0.111	12.30	350.3	22.94	454.3	426	5.5	14.2	1126	7.00	0.4	0.7	2.5	800	3.03	0.03	0.05	190	3.87
2367544	Rab Sample	3.02	0.125	14.09	359.0	23.94	359.0	452	5.7	16.1	1115	5.88	<0.2	0.7	2.4	818	2.19	0.03	0.06	194	4.06
2367545	Rab Sample	3.31	0.128	13.63	248.2	23.62	358.0	354	6.1	15.5	1265	5.67	0.5	0.7	2.4	851	1.99	0.03	0.04	206	4.25
2367546	Rab Sample	2.49	0.085	13.77	223.3	61.48	228.2	325	5.7	15.1	1147	5.65	0.3	0.9	2.8	756	1.31	0.03	0.08	161	3.72
2367547	Rab Sample	2.53	0.224	14.26	427.6	28.76	374.0	466	4.8	11.6	847	5.92	0.9	1.2	3.9	694	1.32	0.03	0.09	128	3.31
2367548	Rab Sample	2.61	0.120	16.33	576.9	35.36	120.4	547	4.1	6.2	431	3.54	0.5	2.1	6.5	444	0.80	0.07	0.16	42	1.69
2367549	Rab Sample	2.70	0.080	14.32	457.2	32.07	128.3	476	4.0	5.4	364	3.23	2.0	2.1	6.4	361	0.92	0.14	0.17	33	1.35
2367550	Rab Sample	2.85	0.067	14.82	443.0	36.65	236.6	526	3.5	5.7	548	3.53	1.1	2.0	6.7	368	1.78	0.10	0.12	29	1.29
2367551	Rab Sample	3.27	0.053	14.95	337.1	49.25	317.1	469	4.4	5.9	614	3.73	1.2	2.1	6.9	443	2.87	0.06	0.07	32	1.64
2367552	Rab Sample	3.16	0.052	15.70	334.1	43.99	344.2	464	4.5	5.9	553	3.83	0.9	2.0	6.5	444	2.91	0.04	0.07	30	1.62



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: TOO
Report Date: August 18, 2023

Page: 2 of 4

Part: 2 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method	Analyte	Unit	MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250		
					P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
					%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
					0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
2367523	Rab Sample	0.080	18.3	24	1.01	1178	0.295	7.07	2.427	2.43	1.9	35.7	1.5	1	10.2	<0.04	15.0	35.05	4.0	16.4	3.3			
2367524	Rab Sample	0.145	22.3	20	1.74	1122	0.493	8.09	2.646	2.62	1.3	16.3	1.7	1	18.4	<0.04	19.9	44.60	5.5	22.3	4.7			
2367525	Rab Sample	0.154	24.3	20	2.16	730	0.555	8.26	2.745	1.51	1.5	13.7	1.7	1	21.1	0.05	21.5	47.18	5.7	23.6	4.9			
2367526	Rab Sample	0.148	21.5	23	2.04	751	0.511	8.20	2.698	1.59	1.4	13.9	1.7	1	18.8	0.07	19.5	43.36	5.2	21.7	4.5			
2367527	Rab Sample	0.142	19.9	17	1.63	949	0.511	8.07	3.344	1.58	1.3	13.3	1.6	1	18.3	0.05	19.6	41.61	5.2	21.9	4.6			
2367528	Rab Sample	0.148	20.3	19	1.81	820	0.489	8.04	3.487	1.45	1.5	15.3	1.7	1	19.6	0.19	21.4	43.43	5.4	22.7	4.8			
2367529	Rab Sample	0.140	21.2	18	1.92	718	0.488	7.98	3.769	1.49	1.2	16.8	1.5	1	19.5	0.09	20.8	42.55	5.3	22.1	4.7			
2367530	Rab Sample	0.145	19.9	22	2.21	661	0.473	8.15	3.631	1.57	1.0	17.4	1.6	1	20.0	0.09	16.3	38.58	4.5	17.9	3.4			
2367531	Rab Sample	0.147	19.6	25	2.21	783	0.497	8.38	3.655	1.41	1.7	16.7	1.5	1	21.2	0.10	21.0	39.25	4.8	20.4	4.4			
2367532	Rab Sample	0.142	18.7	25	2.10	698	0.495	7.92	3.191	1.57	1.8	12.5	1.5	1	20.5	0.21	19.9	38.94	4.8	20.3	4.4			
2367533	Rab Sample	0.141	20.1	23	1.62	641	0.463	7.70	2.963	1.53	2.1	12.2	1.7	1	19.0	0.49	19.4	42.62	5.3	21.9	4.6			
2367534	Rab Sample	0.138	19.3	25	1.64	810	0.477	7.75	2.875	2.20	1.5	14.6	1.9	1	20.3	0.19	19.6	40.67	5.0	20.7	4.3			
2367535	Rab Sample	0.135	20.4	25	2.14	702	0.495	8.15	2.938	1.75	2.0	13.6	2.4	1	20.8	0.30	18.9	42.26	5.2	21.4	4.4			
2367536	Rab Sample	0.147	20.3	28	2.34	551	0.493	8.32	3.009	1.55	2.2	13.7	2.3	1	22.0	0.13	19.9	41.52	5.1	21.4	4.5			
2367537	Rab Sample	0.150	22.2	27	2.33	720	0.545	8.54	3.012	1.81	1.9	13.7	1.9	1	22.5	0.05	19.8	43.28	5.2	21.9	4.6			
2367538	Rab Sample	0.150	23.0	28	2.35	708	0.542	8.60	2.829	1.84	1.5	13.4	1.7	1	22.9	0.21	19.3	44.24	5.3	21.8	4.5			
2367539	Rab Sample	0.132	16.7	24	1.26	241	0.453	7.46	2.228	2.28	2.4	14.6	1.7	1	18.9	0.84	17.8	33.61	4.1	16.4	3.5			
2367540	Rock	0.015	8.8	4	0.11	1260	0.090	7.59	3.327	6.19	0.2	65.7	1.1	3	3.0	<0.04	6.7	11.30	1.3	4.6	0.9			
2367541	Rab Sample	0.145	19.8	27	1.87	1383	0.487	8.20	2.759	2.91	1.5	17.1	1.8	1	20.7	0.36	18.6	40.58	4.9	20.5	4.3			
2367542	Rab Sample	0.147	20.2	26	2.19	1470	0.491	8.29	2.835	2.64	1.3	16.9	1.6	1	21.5	0.09	20.3	41.31	5.2	21.7	4.5			
2367543	Rab Sample	0.141	19.0	27	1.89	1477	0.498	8.04	2.773	2.62	1.9	16.8	1.7	1	20.9	0.08	20.2	38.32	4.7	19.6	4.2			
2367544	Rab Sample	0.146	21.3	26	2.17	922	0.534	8.31	2.727	2.35	2.0	15.4	1.6	1	21.4	0.15	20.2	43.49	5.4	22.4	4.7			
2367545	Rab Sample	0.151	23.7	26	2.36	874	0.544	8.50	2.780	1.87	1.8	14.0	1.7	1	22.2	0.07	20.1	47.03	5.7	23.3	4.7			
2367546	Rab Sample	0.130	19.6	23	1.89	1325	0.476	7.94	2.536	2.94	2.1	21.0	1.7	1	18.6	0.21	19.4	38.48	4.6	18.8	3.9			
2367547	Rab Sample	0.105	18.2	15	1.24	1048	0.374	7.69	2.829	2.25	1.2	29.8	1.5	1	13.7	0.21	15.4	35.43	4.3	17.4	3.6			
2367548	Rab Sample	0.049	18.0	10	0.47	414	0.178	6.95	1.789	3.94	1.8	42.2	1.5	1	4.5	0.44	8.8	31.09	3.3	12.1	2.1			
2367549	Rab Sample	0.048	16.5	10	0.38	142	0.165	6.79	1.580	3.69	2.0	40.3	1.3	2	3.8	0.63	7.5	29.50	3.1	11.4	1.9			
2367550	Rab Sample	0.049	22.0	10	0.38	388	0.164	6.98	1.515	4.31	1.6	38.1	1.3	2	3.8	0.34	8.6	38.77	4.1	14.4	2.4			
2367551	Rab Sample	0.050	24.8	10	0.36	2065	0.172	6.92	1.756	4.31	1.4	41.3	1.1	2	3.9	0.16	9.5	42.82	4.4	15.3	2.6			
2367552	Rab Sample	0.047	22.8	10	0.40	1885	0.163	6.80	1.814	4.23	1.2	42.1	1.1	1	3.7	0.14	9.0	38.14	3.8	13.5	2.3			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: TOO
Report Date: August 18, 2023

Page: 2 of 4

Part: 3 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3
2367523	Rab Sample	0.9	3.1	0.4	2.6	0.5	1.5	0.2	1.4	0.2	0.94	14.2	63.9	0.4	6.21	1.2	15.29	0.14	0.004	<0.3
2367524	Rab Sample	1.2	4.4	0.6	3.7	0.7	2.0	0.3	1.8	0.2	0.50	16.9	69.3	0.4	7.72	1.1	17.44	0.22	0.009	<0.3
2367525	Rab Sample	1.4	4.6	0.6	3.9	0.7	2.1	0.3	1.9	0.3	0.44	16.0	57.7	0.4	7.67	1.2	18.16	0.19	0.019	<0.3
2367526	Rab Sample	1.3	4.2	0.6	3.6	0.7	1.9	0.3	1.7	0.2	0.45	13.8	61.2	0.4	7.37	1.1	17.78	0.18	0.026	<0.3
2367527	Rab Sample	1.2	4.3	0.6	3.6	0.7	1.9	0.3	1.7	0.2	0.45	15.7	43.8	0.3	7.26	0.7	17.31	0.23	0.013	0.3
2367528	Rab Sample	1.2	4.7	0.6	3.9	0.7	2.1	0.3	1.9	0.3	0.49	15.1	42.5	0.3	7.56	0.8	17.39	0.21	0.009	<0.3
2367529	Rab Sample	1.1	4.5	0.6	3.8	0.7	2.1	0.3	1.9	0.3	0.55	13.9	44.2	0.3	7.45	0.8	16.99	0.20	0.009	<0.3
2367530	Rab Sample	0.9	3.2	0.4	2.8	0.5	1.6	0.2	1.7	0.3	0.49	16.9	41.7	0.3	7.29	0.6	17.46	0.18	0.012	0.4
2367531	Rab Sample	1.1	4.3	0.6	3.8	0.7	2.1	0.3	1.9	0.3	0.55	13.9	38.9	0.3	7.95	0.5	16.99	0.19	0.009	<0.3
2367532	Rab Sample	1.1	4.3	0.6	3.8	0.7	2.0	0.3	1.8	0.2	0.52	15.2	41.0	0.3	6.25	0.6	16.59	0.18	0.017	0.3
2367533	Rab Sample	1.2	4.3	0.6	3.7	0.7	1.9	0.3	1.7	0.2	0.42	15.8	35.5	0.3	5.88	0.6	16.91	0.22	0.015	<0.3
2367534	Rab Sample	1.2	4.1	0.6	3.6	0.7	2.0	0.3	1.7	0.2	0.47	15.4	50.8	0.3	6.39	0.6	16.44	0.28	0.030	0.5
2367535	Rab Sample	1.4	4.2	0.6	3.5	0.7	1.9	0.3	1.7	0.2	0.48	13.5	51.6	0.3	6.93	0.7	17.11	0.31	0.035	0.4
2367536	Rab Sample	1.3	4.3	0.6	3.7	0.7	1.9	0.3	1.7	0.2	0.49	12.7	62.2	0.3	6.59	0.9	17.94	0.23	0.030	<0.3
2367537	Rab Sample	1.4	4.4	0.6	3.7	0.7	1.9	0.3	1.7	0.2	0.44	12.8	70.9	0.3	6.95	1.0	17.54	0.22	0.019	<0.3
2367538	Rab Sample	1.3	4.4	0.6	3.7	0.7	1.9	0.3	1.8	0.2	0.44	14.3	77.2	0.3	7.02	1.3	18.21	0.16	0.016	0.3
2367539	Rab Sample	1.0	3.6	0.5	3.1	0.6	1.7	0.2	1.5	0.2	0.45	13.8	63.3	0.3	5.88	1.0	16.09	0.20	0.015	0.5
2367540	Rock	0.1	0.9	0.1	0.9	0.2	0.7	0.1	0.9	0.2	1.83	2.4	113.3	0.2	6.74	0.9	23.58	0.03	<0.002	<0.3
2367541	Rab Sample	1.1	4.2	0.6	3.5	0.7	1.9	0.3	1.7	0.2	0.48	13.9	68.0	0.3	6.09	0.8	17.56	0.18	0.012	0.4
2367542	Rab Sample	1.1	4.3	0.6	3.7	0.7	2.0	0.3	1.7	0.2	0.51	13.8	76.7	0.3	6.91	1.0	17.20	0.27	0.015	<0.3
2367543	Rab Sample	1.1	4.2	0.6	3.6	0.7	2.0	0.3	1.7	0.2	0.50	12.2	71.9	0.3	6.72	0.9	17.16	0.27	0.014	<0.3
2367544	Rab Sample	1.2	4.5	0.6	3.8	0.7	2.0	0.3	1.8	0.2	0.49	13.5	80.6	0.3	7.67	1.2	17.33	0.18	0.015	0.3
2367545	Rab Sample	1.3	4.4	0.6	3.7	0.7	2.0	0.3	1.7	0.2	0.49	14.0	71.0	0.3	7.36	1.2	17.46	0.21	0.014	0.3
2367546	Rab Sample	1.1	3.9	0.5	3.5	0.7	1.9	0.3	1.7	0.2	0.62	15.9	87.6	0.3	7.85	1.2	15.38	0.25	0.017	<0.3
2367547	Rab Sample	1.0	3.4	0.5	2.9	0.5	1.5	0.2	1.4	0.2	0.82	10.4	64.9	0.4	7.60	1.1	15.84	0.18	0.014	<0.3
2367548	Rab Sample	0.9	1.8	0.2	1.6	0.3	0.9	0.1	0.9	0.1	1.17	6.6	89.3	0.5	6.49	1.7	14.17	0.13	0.022	0.4
2367549	Rab Sample	0.8	1.6	0.2	1.3	0.3	0.8	0.1	0.8	0.1	1.15	8.8	86.0	0.5	6.68	1.8	13.78	0.10	0.018	<0.3
2367550	Rab Sample	0.8	2.0	0.2	1.6	0.3	0.9	0.1	0.9	0.1	1.08	7.4	100.8	0.5	8.01	2.1	14.51	0.12	0.016	<0.3
2367551	Rab Sample	0.7	2.1	0.3	1.7	0.3	0.9	0.1	0.9	0.1	1.13	5.1	97.7	0.5	7.44	1.8	14.27	0.11	0.017	<0.3
2367552	Rab Sample	0.6	1.9	0.2	1.6	0.3	0.9	0.1	0.9	0.1	1.10	5.4	98.3	0.5	6.98	1.5	14.41	0.11	0.018	0.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 2 of 4

Part: 4 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

Method	MA250
Analyte	Ti
Unit	ppm
MDL	0.05
2367523	Rab Sample 0.33
2367524	Rab Sample 0.32
2367525	Rab Sample 0.26
2367526	Rab Sample 0.27
2367527	Rab Sample 0.22
2367528	Rab Sample 0.22
2367529	Rab Sample 0.23
2367530	Rab Sample 0.22
2367531	Rab Sample 0.21
2367532	Rab Sample 0.21
2367533	Rab Sample 0.16
2367534	Rab Sample 0.23
2367535	Rab Sample 0.22
2367536	Rab Sample 0.24
2367537	Rab Sample 0.27
2367538	Rab Sample 0.30
2367539	Rab Sample 0.34
2367540	Rock 0.61
2367541	Rab Sample 0.30
2367542	Rab Sample 0.30
2367543	Rab Sample 0.30
2367544	Rab Sample 0.30
2367545	Rab Sample 0.26
2367546	Rab Sample 0.33
2367547	Rab Sample 0.26
2367548	Rab Sample 0.46
2367549	Rab Sample 0.52
2367550	Rab Sample 0.59
2367551	Rab Sample 0.50
2367552	Rab Sample 0.45



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: TOO
Report Date: August 18, 2023

Page: 3 of 4

Part: 1 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
2367553	Rab Sample	2.93	0.043	14.43	262.2	38.47	304.8	372	4.5	6.6	530	3.78	0.9	1.8	6.6	411	2.63	0.04	0.08	29	1.32
2367554	Rab Sample	2.94	0.046	14.32	278.1	35.08	210.1	379	4.8	5.5	453	3.37	0.5	1.9	6.6	390	1.72	0.03	0.13	31	1.27
2367555	Rab Sample	3.44	0.064	13.75	309.0	35.55	340.5	450	7.0	5.7	488	3.24	0.5	2.1	6.9	410	2.64	0.04	0.07	32	1.40
2367556	Rab Sample	3.23	0.064	12.64	258.4	36.33	357.3	447	4.1	4.9	466	2.45	0.5	2.2	6.8	458	3.13	0.05	0.10	29	1.57
2367557	Rab Sample	3.34	0.085	14.25	273.7	30.46	233.3	393	4.1	4.5	481	2.39	0.6	2.3	6.8	447	1.73	0.05	0.09	30	1.66
2367558	Rab Sample	3.00	0.081	15.51	278.2	29.10	179.4	397	4.3	4.8	498	2.21	0.4	2.2	6.9	465	1.21	0.05	0.08	31	1.72
2367559	Rab Sample	3.07	0.125	16.33	393.3	26.86	185.1	553	5.2	4.9	458	2.19	0.7	2.1	6.6	434	1.46	0.06	0.11	31	1.58
2367560	Rab Sample	2.97	0.120	16.16	366.1	26.16	169.9	496	4.2	4.9	455	2.11	0.5	2.1	6.5	425	1.32	0.05	0.11	31	1.59
2367561	Rab Sample	3.38	0.145	16.93	419.8	28.00	311.2	593	4.2	4.9	453	2.39	0.5	2.0	6.4	411	2.67	0.06	0.09	30	1.50
2367562	Rab Sample	2.67	0.183	17.92	459.3	31.84	373.2	628	3.9	5.4	588	2.94	0.3	2.1	6.4	480	3.02	0.05	0.11	31	1.79
2367563	Rab Sample	3.27	0.163	17.55	540.2	34.98	431.0	673	3.6	5.4	685	3.20	0.7	2.1	6.1	462	3.45	0.05	0.09	30	1.87
2367564	Rab Sample	3.06	0.087	16.18	422.2	39.17	489.3	689	3.4	5.6	712	3.11	0.3	2.1	6.1	446	3.74	0.05	0.07	31	1.81
2367565	Rab Sample	3.30	0.167	16.90	418.8	33.56	532.3	530	3.8	5.4	656	3.09	0.4	2.0	6.2	468	4.13	0.05	0.07	31	1.88
2367566	Rab Sample	3.12	0.127	16.32	448.2	26.05	230.3	533	3.7	4.3	476	2.80	0.3	1.9	6.0	471	1.56	0.04	0.07	31	1.68
2367567	Rab Sample	3.22	0.098	14.60	418.4	37.99	477.5	505	3.9	5.0	680	2.87	<0.2	2.2	6.4	520	3.94	0.04	0.07	34	1.77
2367568	Rab Sample	3.27	0.089	14.14	372.6	58.45	577.0	519	3.7	5.2	797	2.91	0.4	2.2	6.6	498	5.37	0.05	0.06	33	1.81
2367569	Rab Sample	3.84	0.083	13.07	334.7	50.07	482.2	513	3.8	4.9	777	2.64	<0.2	2.2	6.4	475	4.13	0.07	0.05	32	1.85
2367570	Rab Sample	3.76	0.086	14.48	352.9	53.30	369.8	481	3.6	5.3	806	2.65	0.7	2.1	6.1	457	3.01	0.07	0.06	30	2.13
2367571	Rab Sample	3.25	0.083	15.68	321.1	48.81	421.6	489	4.0	5.4	752	2.41	0.8	2.2	6.3	464	3.06	0.08	0.07	30	2.12
2367572	Rab Sample	2.99	0.070	15.44	374.1	64.48	690.3	624	3.7	5.7	886	2.63	<0.2	2.2	6.1	510	6.18	0.05	0.07	32	2.02
2367573	Rab Sample	2.55	0.076	18.17	473.4	49.12	712.4	822	3.5	6.6	896	3.13	0.6	1.9	5.8	524	6.53	0.05	0.08	39	2.16
2367574	Rab Sample	2.81	0.172	20.55	625.7	50.82	696.7	1154	3.6	7.5	891	3.23	<0.2	2.0	5.5	515	6.46	0.04	0.09	45	2.04
2367575	Rab Sample	3.06	0.192	21.60	676.4	50.73	617.7	1212	3.5	7.8	815	2.85	0.4	2.1	6.0	481	5.83	0.05	0.10	35	1.83
2367576	Rab Sample	3.59	0.128	23.13	563.5	52.92	615.9	938	3.4	6.7	760	2.63	0.5	2.1	6.1	494	5.81	0.05	0.08	32	1.79
2367577	Rab Sample	2.88	0.090	23.10	383.4	31.48	339.9	607	3.4	5.4	537	2.24	1.4	2.1	6.1	466	2.78	0.07	0.10	29	1.72
2367578	Rab Sample	2.83	0.065	21.79	347.5	21.74	171.5	455	3.1	4.4	526	2.12	0.8	2.0	5.8	444	1.36	0.06	0.13	27	1.70
2367579	Rab Sample	2.55	0.059	18.30	337.1	26.08	167.9	409	3.6	4.2	559	2.28	0.9	2.0	6.0	447	1.30	0.08	0.14	29	1.63
2367580	Rock Pulp	0.09	0.540	2.07	42.2	8.54	43.9	421	9.7	5.6	632	2.20	3.4	1.2	2.8	185	0.05	0.68	1.22	36	1.66
2367581	Rab Sample	2.92	0.066	18.72	318.4	119.67	2367.8	545	4.4	4.2	388	2.43	1.6	2.0	6.6	455	22.02	0.13	0.13	28	1.19
2367582	Rab Sample	2.57	0.099	18.03	375.6	89.84	1400.8	575	4.1	4.2	356	2.30	1.1	2.3	6.7	453	12.83	0.11	0.10	27	1.11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 3 of 4

Part: 2 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
2367553	Rab Sample	0.046	20.9	10	0.44	1928	0.158	6.85	1.917	4.21	1.5	40.9	1.1	2	3.6	0.18	8.8	35.24	3.6	12.7	2.1
2367554	Rab Sample	0.047	23.7	10	0.44	518	0.159	6.91	2.022	4.09	1.5	45.9	1.1	2	3.8	0.31	9.1	39.82	4.1	14.3	2.4
2367555	Rab Sample	0.048	25.0	10	0.44	2207	0.172	7.03	2.090	4.03	1.4	46.5	1.0	2	3.9	0.16	9.1	40.44	4.1	14.3	2.4
2367556	Rab Sample	0.044	23.4	10	0.38	2050	0.164	6.82	2.071	3.56	1.4	52.2	1.0	1	3.7	0.17	9.6	39.99	4.1	14.0	2.3
2367557	Rab Sample	0.046	23.4	10	0.42	1882	0.166	6.92	2.128	3.42	1.3	51.1	1.0	1	3.7	0.18	9.6	41.15	4.2	14.6	2.4
2367558	Rab Sample	0.049	24.5	10	0.47	1793	0.173	6.94	2.239	3.21	1.4	51.8	0.8	2	3.8	0.17	9.4	42.87	4.3	15.2	2.5
2367559	Rab Sample	0.049	22.7	9	0.48	1623	0.175	6.87	2.236	3.10	1.3	54.0	1.1	2	3.7	0.29	9.1	40.46	4.2	14.7	2.5
2367560	Rab Sample	0.050	22.5	9	0.49	1588	0.171	6.84	2.250	3.06	1.3	50.3	1.0	2	3.6	0.29	8.9	39.34	4.1	14.7	2.4
2367561	Rab Sample	0.048	19.3	10	0.47	1706	0.169	6.77	2.154	3.26	1.1	50.4	1.0	2	3.5	0.20	8.8	34.35	3.5	12.8	2.2
2367562	Rab Sample	0.049	20.5	10	0.48	1762	0.173	6.88	2.179	3.50	1.4	48.8	1.2	2	3.7	0.22	9.2	36.08	3.7	13.3	2.2
2367563	Rab Sample	0.046	18.2	9	0.49	1754	0.162	6.52	1.975	3.49	1.0	45.7	1.3	2	3.5	0.23	9.8	33.37	3.5	12.5	2.2
2367564	Rab Sample	0.049	19.8	9	0.43	1720	0.169	6.64	1.971	3.70	0.9	45.1	1.3	1	3.7	0.18	9.5	34.74	3.6	12.6	2.2
2367565	Rab Sample	0.047	19.7	9	0.45	1773	0.169	6.65	2.061	3.53	1.2	46.8	1.2	1	3.6	0.26	9.2	34.43	3.5	12.7	2.1
2367566	Rab Sample	0.049	16.2	9	0.43	1615	0.168	6.59	2.123	3.30	1.0	47.7	1.2	2	3.7	0.15	8.3	28.02	3.0	10.6	1.8
2367567	Rab Sample	0.053	19.8	9	0.47	1808	0.185	6.89	2.216	3.55	1.2	50.1	1.2	2	4.0	0.10	9.7	34.86	3.7	13.0	2.3
2367568	Rab Sample	0.057	21.0	9	0.60	1867	0.187	6.85	2.073	3.59	1.1	50.4	1.3	2	4.0	0.14	10.0	37.16	3.9	14.1	2.4
2367569	Rab Sample	0.054	22.0	9	0.57	1760	0.177	6.71	2.035	3.35	1.0	49.8	1.2	1	3.7	0.18	9.4	38.65	3.9	13.8	2.3
2367570	Rab Sample	0.049	20.8	9	0.57	1737	0.169	6.86	2.006	3.29	1.0	47.6	1.3	1	3.6	0.21	8.9	35.91	3.7	12.8	2.1
2367571	Rab Sample	0.047	21.6	9	0.57	1802	0.168	6.60	1.919	3.27	0.9	48.6	1.3	1	3.7	0.27	9.3	37.06	3.8	13.2	2.2
2367572	Rab Sample	0.051	19.9	9	0.56	1940	0.176	6.63	2.084	3.62	1.0	52.2	1.3	1	3.8	0.13	9.3	34.76	3.6	12.7	2.2
2367573	Rab Sample	0.060	17.7	9	0.64	1943	0.196	6.75	2.054	3.70	1.2	45.8	1.6	1	4.4	0.12	9.9	32.50	3.5	12.8	2.3
2367574	Rab Sample	0.066	16.8	11	0.65	1793	0.211	6.84	2.138	3.55	1.1	45.7	1.5	1	4.9	0.16	10.2	31.28	3.4	12.6	2.3
2367575	Rab Sample	0.052	17.9	9	0.57	1827	0.182	6.61	2.061	3.55	1.2	48.1	1.4	1	4.0	0.23	8.8	31.62	3.3	12.1	2.1
2367576	Rab Sample	0.052	19.6	10	0.52	1940	0.172	6.71	2.072	3.77	1.3	47.1	1.4	1	3.8	0.16	8.5	35.09	3.6	12.8	2.2
2367577	Rab Sample	0.049	19.7	9	0.51	1548	0.153	6.58	1.978	3.13	0.9	50.2	1.0	1	3.5	0.34	8.5	34.00	3.4	12.0	2.0
2367578	Rab Sample	0.048	18.8	8	0.45	831	0.143	6.52	1.930	3.31	0.9	50.0	1.2	1	3.4	0.44	8.2	33.05	3.3	11.7	1.9
2367579	Rab Sample	0.048	19.6	9	0.40	497	0.143	6.59	1.841	3.28	1.0	49.4	1.1	1	3.4	0.49	7.9	34.72	3.5	12.2	2.0
2367580	Rock Pulp	0.044	12.9	11	0.48	753	0.196	6.81	3.250	1.69	15.8	52.8	0.9	1	6.6	<0.04	16.9	24.93	2.9	11.4	2.5
2367581	Rab Sample	0.047	23.3	8	0.39	1019	0.139	6.79	1.864	2.86	0.9	50.6	1.2	1	3.4	0.57	8.6	39.94	4.0	13.7	2.2
2367582	Rab Sample	0.049	22.7	8	0.37	1244	0.131	6.88	1.960	2.87	0.9	50.2	1.0	2	3.3	0.46	8.4	39.09	3.9	13.6	2.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 3 of 4

Part: 3 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3
2367553	Rab Sample	0.6	1.8	0.2	1.6	0.3	0.9	0.1	0.9	0.1	1.11	7.2	99.1	0.5	6.64	1.3	14.27	0.10	0.012	<0.3
2367554	Rab Sample	0.7	2.0	0.2	1.6	0.3	0.9	0.1	0.9	0.1	1.25	8.4	97.9	0.5	6.87	1.2	13.90	0.10	0.012	0.4
2367555	Rab Sample	0.6	2.0	0.2	1.6	0.3	0.9	0.1	0.9	0.1	1.33	7.8	105.2	0.5	7.35	1.2	14.17	0.12	0.019	<0.3
2367556	Rab Sample	0.7	1.9	0.3	1.6	0.3	0.9	0.1	1.0	0.2	1.38	5.1	102.4	0.5	7.53	1.3	14.25	0.10	0.016	<0.3
2367557	Rab Sample	0.8	2.0	0.3	1.7	0.3	1.0	0.1	1.0	0.2	1.45	5.6	99.0	0.5	7.41	1.5	14.42	0.09	0.021	<0.3
2367558	Rab Sample	0.8	2.1	0.3	1.7	0.3	0.9	0.1	1.0	0.2	1.39	6.6	91.7	0.5	7.57	1.5	14.71	0.08	0.020	<0.3
2367559	Rab Sample	0.8	2.0	0.3	1.6	0.3	0.9	0.1	1.0	0.1	1.35	7.1	89.7	0.5	7.55	1.5	14.36	0.09	0.018	<0.3
2367560	Rab Sample	0.8	2.0	0.3	1.6	0.3	0.9	0.1	1.0	0.1	1.33	7.1	87.5	0.5	7.25	1.5	14.06	0.09	0.022	<0.3
2367561	Rab Sample	0.7	1.8	0.3	1.5	0.3	0.9	0.1	1.0	0.1	1.34	7.9	91.4	0.5	7.21	1.4	13.80	0.11	0.028	<0.3
2367562	Rab Sample	0.7	1.9	0.3	1.6	0.3	0.9	0.1	1.0	0.1	1.26	7.3	95.0	0.5	7.14	1.3	14.11	0.16	0.028	<0.3
2367563	Rab Sample	0.7	2.0	0.3	1.7	0.3	1.0	0.1	1.1	0.2	1.25	6.8	92.9	0.5	6.45	1.4	13.43	0.20	0.030	<0.3
2367564	Rab Sample	0.7	1.9	0.3	1.6	0.3	0.9	0.1	1.0	0.1	1.20	6.4	99.5	0.5	6.45	1.3	13.45	0.19	0.028	<0.3
2367565	Rab Sample	0.7	1.8	0.3	1.5	0.3	0.9	0.1	1.0	0.1	1.21	6.8	93.5	0.5	6.80	1.3	13.53	0.21	0.029	<0.3
2367566	Rab Sample	0.7	1.6	0.2	1.4	0.3	0.8	0.1	0.9	0.1	1.19	6.6	87.6	0.4	6.69	1.4	13.79	0.18	0.021	<0.3
2367567	Rab Sample	0.7	1.9	0.3	1.7	0.3	1.0	0.1	1.1	0.1	1.28	6.6	94.5	0.5	7.14	1.1	14.09	0.21	0.017	<0.3
2367568	Rab Sample	0.7	2.1	0.3	1.8	0.3	1.0	0.1	1.1	0.2	1.33	7.5	98.5	0.5	7.60	1.3	14.01	0.21	0.018	<0.3
2367569	Rab Sample	0.7	1.9	0.3	1.6	0.3	0.9	0.1	1.0	0.1	1.32	7.2	93.1	0.5	7.49	1.7	13.74	0.21	0.016	<0.3
2367570	Rab Sample	0.7	1.8	0.3	1.5	0.3	0.9	0.1	1.0	0.1	1.26	7.7	88.7	0.5	6.87	1.7	12.92	0.26	0.016	<0.3
2367571	Rab Sample	0.7	1.9	0.3	1.6	0.3	0.9	0.1	1.0	0.1	1.34	7.5	91.4	0.5	6.97	1.8	12.88	0.32	0.020	<0.3
2367572	Rab Sample	0.7	1.8	0.3	1.6	0.3	0.9	0.1	1.0	0.1	1.30	7.8	97.9	0.5	7.15	1.2	12.91	0.34	0.020	<0.3
2367573	Rab Sample	0.8	2.0	0.3	1.7	0.3	1.0	0.1	1.1	0.2	1.21	9.1	95.1	0.5	6.57	1.2	13.02	0.34	0.025	<0.3
2367574	Rab Sample	0.8	2.0	0.3	1.7	0.3	1.0	0.1	1.1	0.2	1.18	10.6	92.7	0.5	6.60	1.2	13.26	0.29	0.022	<0.3
2367575	Rab Sample	0.8	1.8	0.3	1.5	0.3	0.9	0.1	1.0	0.1	1.25	9.6	92.8	0.5	6.43	1.2	12.87	0.25	0.025	<0.3
2367576	Rab Sample	0.8	1.8	0.3	1.5	0.3	0.9	0.1	1.0	0.1	1.25	8.4	95.7	0.5	6.66	1.2	12.70	0.23	0.028	<0.3
2367577	Rab Sample	0.7	1.7	0.2	1.4	0.3	0.8	0.1	0.9	0.1	1.33	8.2	82.7	0.4	6.24	1.7	12.90	0.16	0.033	<0.3
2367578	Rab Sample	0.6	1.6	0.2	1.4	0.3	0.8	0.1	0.9	0.1	1.31	6.2	90.6	0.4	6.17	1.5	12.64	0.12	0.035	<0.3
2367579	Rab Sample	0.6	1.6	0.2	1.4	0.3	0.8	0.1	0.9	0.1	1.33	6.8	85.3	0.4	6.06	1.9	12.46	0.11	0.025	<0.3
2367580	Rock Pulp	0.6	2.5	0.4	2.7	0.6	1.8	0.3	1.9	0.3	1.57	3.4	35.7	0.4	5.24	0.5	12.57	0.02	<0.002	<0.3
2367581	Rab Sample	0.7	1.8	0.3	1.5	0.3	0.9	0.1	0.9	0.1	1.38	9.8	79.8	0.4	6.27	2.3	13.34	0.13	0.028	<0.3
2367582	Rab Sample	0.7	1.8	0.3	1.5	0.3	0.9	0.1	0.9	0.1	1.38	9.9	78.0	0.4	5.97	2.3	13.16	0.13	0.025	<0.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 3 of 4

Part: 4 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

Method	MA250
Analyte	Ti
Unit	ppm
MDL	0.05
2367553	Rab Sample 0.44
2367554	Rab Sample 0.42
2367555	Rab Sample 0.44
2367556	Rab Sample 0.40
2367557	Rab Sample 0.42
2367558	Rab Sample 0.40
2367559	Rab Sample 0.37
2367560	Rab Sample 0.37
2367561	Rab Sample 0.39
2367562	Rab Sample 0.41
2367563	Rab Sample 0.44
2367564	Rab Sample 0.47
2367565	Rab Sample 0.42
2367566	Rab Sample 0.38
2367567	Rab Sample 0.43
2367568	Rab Sample 0.49
2367569	Rab Sample 0.49
2367570	Rab Sample 0.49
2367571	Rab Sample 0.51
2367572	Rab Sample 0.49
2367573	Rab Sample 0.45
2367574	Rab Sample 0.42
2367575	Rab Sample 0.43
2367576	Rab Sample 0.46
2367577	Rab Sample 0.40
2367578	Rab Sample 0.45
2367579	Rab Sample 0.48
2367580	Rock Pulp 0.16
2367581	Rab Sample 0.57
2367582	Rab Sample 0.59



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 4 of 4

Part: 1 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
2367583	Rab Sample	2.86	0.096	21.05	409.4	46.04	465.5	622	3.7	4.4	507	2.17	1.0	2.2	6.2	508	4.30	0.09	0.12	27	1.68
2367584	Rab Sample	2.68	0.069	21.75	357.3	33.86	272.3	593	3.8	4.2	538	2.04	1.0	2.1	6.0	483	2.35	0.06	0.16	29	1.60
2367585	Rab Sample	2.70	0.100	20.11	339.5	39.11	271.2	637	3.9	4.3	572	2.10	<0.2	2.3	6.2	519	2.38	0.06	0.13	28	1.69
2367586	Rab Sample	2.62	0.091	17.08	310.1	30.13	243.4	527	3.6	4.0	544	2.06	<0.2	2.2	6.3	509	1.88	0.05	0.11	27	1.63



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 4 of 4

Part: 2 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1
2367583	Rab Sample	0.051	19.0	8	0.37	1165	0.130	6.66	2.004	2.83	0.9	51.5	1.0	2	3.2	0.45	8.5	33.77	3.5	12.3
2367584	Rab Sample	0.051	18.3	9	0.47	450	0.147	6.74	2.214	3.07	1.0	52.5	1.1	1	3.5	0.52	8.4	32.40	3.3	11.8
2367585	Rab Sample	0.049	19.2	9	0.51	649	0.150	6.74	2.334	2.95	1.1	54.5	1.1	2	3.6	0.43	8.8	34.09	3.5	12.3
2367586	Rab Sample	0.045	19.5	9	0.49	1738	0.146	6.83	2.284	3.19	0.9	66.3	1.0	2	3.5	0.36	8.4	33.21	3.4	11.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 4 of 4

Part: 3 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3
2367583	Rab Sample	0.6	1.8	0.3	1.5	0.3	0.9	0.1	0.9	0.1	1.42	9.6	75.8	0.4	5.68	2.0	13.07	0.11	0.038	<0.3
2367584	Rab Sample	0.6	1.7	0.2	1.5	0.3	0.9	0.1	0.9	0.1	1.36	9.0	79.4	0.4	6.30	1.6	12.94	0.09	0.043	<0.3
2367585	Rab Sample	0.7	1.8	0.3	1.5	0.3	0.9	0.1	0.9	0.1	1.44	9.3	76.7	0.4	6.40	1.7	13.03	0.09	0.038	<0.3
2367586	Rab Sample	0.6	1.6	0.2	1.4	0.3	0.8	0.1	0.9	0.1	1.49	9.5	82.9	0.4	6.41	1.7	13.54	0.08	0.030	<0.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 4 of 4

Part: 4 of 4

CERTIFICATE OF ANALYSIS

WHI23000230.1

Method		MA250
Analyte		Ti
Unit		ppm
MDL		0.05
2367583	Rab Sample	0.50
2367584	Rab Sample	0.44
2367585	Rab Sample	0.37
2367586	Rab Sample	0.38



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: TOO
Report Date: August 18, 2023

Page: 1 of 2

Part: 1 of 4

QUALITY CONTROL REPORT

WHI23000230.1

	Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
Pulp Duplicates																					
2367534	Rab Sample	3.75	0.262	21.75	643.3	20.56	312.9	759	5.7	16.3	1445	6.60	0.2	0.7	2.4	728	2.01	0.06	0.12	173	5.01
REP 2367534	QC			21.52	645.0	20.43	320.1	713	7.8	16.1	1436	6.77	0.6	0.7	2.3	722	2.03	0.05	0.11	172	4.78
2367565	Rab Sample	3.30	0.167	16.90	418.8	33.56	532.3	530	3.8	5.4	656	3.09	0.4	2.0	6.2	468	4.13	0.05	0.07	31	1.88
REP 2367565	QC			17.83	415.1	34.05	532.9	545	3.7	5.4	661	3.09	0.7	2.0	6.2	465	4.22	0.05	0.07	31	1.87
Core Reject Duplicates																					
2367544	Rab Sample	3.02	0.125	14.09	359.0	23.94	359.0	452	5.7	16.1	1115	5.88	<0.2	0.7	2.4	818	2.19	0.03	0.06	194	4.06
DUP 2367544	QC		0.129	13.22	356.2	24.81	379.2	434	6.3	16.2	1130	5.93	0.4	0.7	2.3	825	2.29	0.03	0.06	195	4.12
2367578	Rab Sample	2.83	0.065	21.79	347.5	21.74	171.5	455	3.1	4.4	526	2.12	0.8	2.0	5.8	444	1.36	0.06	0.13	27	1.70
DUP 2367578	QC		0.074	22.08	355.3	23.01	173.7	516	3.3	4.5	523	2.15	0.7	2.2	6.2	444	1.42	0.06	0.13	28	1.71
Reference Materials																					
STD OREAS263	Standard		0.227																		
STD OREAS233	Standard		1.079																		
STD OREAS263	Standard		0.208																		
STD OREAS233	Standard		1.014																		
STD OREAS45H	Standard			1.39	772.0	11.52	38.8	100	433.0	90.0	422	20.08	15.8	1.5	6.6	28	<0.02	0.54	0.16	262	0.14
STD OREAS45H	Standard			1.34	756.6	10.79	36.9	148	415.9	86.4	384	19.62	14.3	1.4	6.3	26	<0.02	0.52	0.16	254	0.13
STD OREAS501D	Standard			95.47	2604.8	24.77	89.3	620	21.8	9.6	364	3.27	16.6	3.7	13.1	214	0.27	2.11	1.26	72	1.80
STD OREAS501D	Standard			87.59	2574.2	23.53	84.2	646	21.7	9.1	354	3.21	11.8	3.6	12.7	196	0.26	1.94	1.20	69	1.73
STD OREASL11	Standard		0.306																		
STD OREASL13	Standard		1.305																		
STD OREASL15	Standard		7.021																		
STD OREASL11	Standard		0.303																		
STD OREASL13	Standard		1.258																		
STD OREASL15	Standard		7.027																		
STD OXN173	Standard		7.685																		
STD OXN173	Standard		7.727																		
STD OREASL11 Expected			0.305																		
STD OREASL13 Expected			1.29																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 1 of 2

Part: 2 of 4

QUALITY CONTROL REPORT

WHI23000230.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
Method Analyte Unit MDL		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
Pulp Duplicates																					
2367534	Rab Sample	0.138	19.3	25	1.64	810	0.477	7.75	2.875	2.20	1.5	14.6	1.9	1	20.3	0.19	19.6	40.67	5.0	20.7	4.3
REP 2367534	QC	0.140	19.4	24	1.62	805	0.489	7.76	2.789	2.17	1.5	13.1	2.0	1	19.6	0.19	19.6	40.16	4.9	20.5	4.3
2367565	Rab Sample	0.047	19.7	9	0.45	1773	0.169	6.65	2.061	3.53	1.2	46.8	1.2	1	3.6	0.26	9.2	34.43	3.5	12.7	2.1
REP 2367565	QC	0.049	19.8	10	0.45	1768	0.169	6.65	2.069	3.54	1.2	45.6	1.2	1	3.6	0.25	9.0	34.41	3.6	12.8	2.2
Core Reject Duplicates																					
2367544	Rab Sample	0.146	21.3	26	2.17	922	0.534	8.31	2.727	2.35	2.0	15.4	1.6	1	21.4	0.15	20.2	43.49	5.4	22.4	4.7
DUP 2367544	QC	0.151	22.6	27	2.19	907	0.542	8.54	2.783	2.36	2.1	15.1	1.6	1	21.8	0.15	20.7	44.93	5.6	23.0	4.8
2367578	Rab Sample	0.048	18.8	8	0.45	831	0.143	6.52	1.930	3.31	0.9	50.0	1.2	1	3.4	0.44	8.2	33.05	3.3	11.7	1.9
DUP 2367578	QC	0.047	20.4	8	0.45	1617	0.142	6.49	1.920	3.36	1.0	49.7	1.3	1	3.4	0.46	8.1	35.35	3.6	12.4	2.1
Reference Materials																					
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS45H	Standard	0.022	12.0	649	0.25	322	0.856	7.99	0.095	0.21	0.8	119.1	1.8	1	58.7	<0.04	9.4	22.81	2.7	10.5	2.3
STD OREAS45H	Standard	0.021	11.7	640	0.24	301	0.825	7.81	0.087	0.19	0.8	115.4	1.7	1	54.6	<0.04	9.2	22.38	2.6	10.2	2.2
STD OREAS501D	Standard	0.086	35.5	38	0.78	994	0.367	7.59	2.117	3.15	9.3	66.7	4.4	2	9.0	0.37	17.1	70.18	8.3	32.2	6.6
STD OREAS501D	Standard	0.087	34.4	40	0.77	957	0.353	7.45	2.034	3.04	8.9	64.8	4.2	3	8.6	0.36	15.9	69.76	8.4	31.8	6.5
STD OREASL11	Standard																				
STD OREASL13	Standard																				
STD OREASL15	Standard																				
STD OREASL11	Standard																				
STD OREASL13	Standard																				
STD OREASL15	Standard																				
STD OXN173	Standard																				
STD OXN173	Standard																				
STD OREASL11 Expected																					
STD OREASL13 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

82 Richmond St. E

Toronto Ontario M5C 1P1 Canada

Project:

TOO

Report Date:

August 18, 2023

Page:

1 of 2

Part:

3 of 4

QUALITY CONTROL REPORT

WHI23000230.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3
Pulp Duplicates																					
2367534	Rab Sample	1.2	4.1	0.6	3.6	0.7	2.0	0.3	1.7	0.2	0.47	15.4	50.8	0.3	6.39	0.6	16.44	0.28	0.030	0.5	0.08
REP 2367534	QC	1.3	4.1	0.5	3.5	0.7	1.9	0.3	1.7	0.2	0.43	15.3	51.3	0.3	6.56	0.6	16.40	0.28	0.025	0.6	0.07
2367565	Rab Sample	0.7	1.8	0.3	1.5	0.3	0.9	0.1	1.0	0.1	1.21	6.8	93.5	0.5	6.80	1.3	13.53	0.21	0.029	<0.3	0.08
REP 2367565	QC	0.7	1.9	0.3	1.6	0.3	0.9	0.1	1.0	0.1	1.31	6.8	93.5	0.5	6.83	1.3	13.27	0.21	0.033	<0.3	0.08
Core Reject Duplicates																					
2367544	Rab Sample	1.2	4.5	0.6	3.8	0.7	2.0	0.3	1.8	0.2	0.49	13.5	80.6	0.3	7.67	1.2	17.33	0.18	0.015	0.3	0.06
DUP 2367544	QC	1.2	4.6	0.6	3.8	0.7	2.0	0.3	1.8	0.2	0.48	13.7	83.6	0.3	7.73	1.2	17.81	0.18	0.014	0.4	0.06
2367578	Rab Sample	0.6	1.6	0.2	1.4	0.3	0.8	0.1	0.9	0.1	1.31	6.2	90.6	0.4	6.17	1.5	12.64	0.12	0.035	<0.3	0.10
DUP 2367578	QC	0.7	1.7	0.2	1.4	0.3	0.8	0.1	0.9	0.1	1.36	6.4	90.7	0.4	6.11	1.6	12.88	0.11	0.038	<0.3	0.12
Reference Materials																					
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS45H	Standard	0.6	2.1	0.3	2.2	0.4	1.2	0.2	1.2	0.2	3.13	13.0	23.1	0.8	12.87	2.2	20.30	0.09	<0.002	2.0	0.07
STD OREAS45H	Standard	0.6	2.0	0.3	2.1	0.4	1.2	0.2	1.2	0.2	3.01	12.2	21.8	0.8	12.82	2.1	19.61	0.09	<0.002	1.9	0.12
STD OREAS501D	Standard	1.3	5.6	0.7	3.7	0.6	1.5	0.2	1.2	0.2	1.89	46.3	163.7	0.9	11.37	10.0	19.09	0.08	0.047	2.2	0.22
STD OREAS501D	Standard	1.3	5.5	0.7	3.7	0.6	1.5	0.2	1.3	0.2	1.88	47.8	152.2	0.9	11.10	10.1	18.62	0.07	0.042	2.0	0.23
STD OREASL11	Standard																				
STD OREASL13	Standard																				
STD OREASL15	Standard																				
STD OREASL11	Standard																				
STD OREASL13	Standard																				
STD OREASL15	Standard																				
STD OXN173	Standard																				
STD OXN173	Standard																				
STD OREASL11 Expected																					
STD OREASL13 Expected																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 4 of 4

QUALITY CONTROL REPORT

WHI23000230.1

Method Analyte Unit MDL		MA250 TI ppm 0.05
Pulp Duplicates		
2367534	Rab Sample	0.23
REP 2367534	QC	0.24
2367565	Rab Sample	0.42
REP 2367565	QC	0.43
Core Reject Duplicates		
2367544	Rab Sample	0.30
DUP 2367544	QC	0.30
2367578	Rab Sample	0.45
DUP 2367578	QC	0.46
Reference Materials		
STD OREAS263	Standard	
STD OREAS233	Standard	
STD OREAS263	Standard	
STD OREAS233	Standard	
STD OREAS45H	Standard	0.15
STD OREAS45H	Standard	0.14
STD OREAS501D	Standard	0.88
STD OREAS501D	Standard	0.86
STD OREASL11	Standard	
STD OREASL13	Standard	
STD OREASL15	Standard	
STD OREASL11	Standard	
STD OREASL13	Standard	
STD OREASL15	Standard	
STD OXN173	Standard	
STD OXN173	Standard	
STD OREASL11 Expected		
STD OREASL13 Expected		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 2

Part: 1 of 4

QUALITY CONTROL REPORT

WHI23000230.1

		WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
STD OREASL15 Expected		7.18																			
STD OREAS263 Expected		0.214																			
STD OXN173 Expected		7.668																			
STD OREAS233 Expected		1.05																			
STD OREAS45H Expected		1.5576712.239.71474519240520.416.91.687.6280.630.172750.135																			
STD OREAS501D Expected		95272025.290664219.573703.3715.13.88142120.32.251.26711.85																			
BLK	Blank	<0.005																			
BLK	Blank	0.005																			
BLK	Blank	0.006																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.05<0.10.140.3<200.1<0.2<1<0.01<0.2<0.1<0.1<1<0.02<0.02<0.04<2<0.01																			
BLK	Blank	<0.050.20.050.4<20<0.1<0.2<1<0.01<0.2<0.1<0.1<1<0.02<0.02<0.04<2<0.01																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.0051.437.515.55100.41132.84.56432.202.41.23.02310.290.170.12381.77																			
ROCK-WHI	Prep Blank	<0.0051.043.72.6233.6<202.13.96232.071.41.32.92210.020.09<0.04341.69																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 2

Part: 2 of 4

QUALITY CONTROL REPORT

WHI23000230.1

		MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
STD OREASL15 Expected																					
STD OREAS263 Expected																					
STD OXN173 Expected																					
STD OREAS233 Expected																					
STD OREAS45H Expected		0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215	0.9	126	1.93	1.09	59	0.035	10.4	24.3	2.91	11.2	2.5
STD OREAS501D Expected		0.087	34.8	45.4	0.827	993	0.359	7.69	2.07	3.01	8.56	62	4.86	2.65	9.47	0.38	15.7	73	8.37	32.6	6.79
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.002	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.002	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
Prep Wash																					
ROCK-WHI	Prep Blank	0.044	14.9	5	0.56	789	0.219	7.19	3.645	1.63	0.3	48.8	1.0	<1	7.6	<0.04	17.9	27.76	3.2	12.7	2.7
ROCK-WHI	Prep Blank	0.041	16.0	4	0.49	817	0.209	7.24	3.649	1.68	0.3	51.5	0.8	1	6.9	<0.04	18.1	29.16	3.4	13.3	2.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 2 of 2

Part: 3 of 4

QUALITY CONTROL REPORT

WHI23000230.1

		MA250 Eu ppm 0.1	MA250 Gd ppm 0.1	MA250 Tb ppm 0.1	MA250 Dy ppm 0.1	MA250 Ho ppm 0.1	MA250 Er ppm 0.1	MA250 Tm ppm 0.1	MA250 Yb ppm 0.1	MA250 Lu ppm 0.1	MA250 Hf ppm 0.02	MA250 Li ppm 0.1	MA250 Rb ppm 0.1	MA250 Ta ppm 0.1	MA250 Nb ppm 0.04	MA250 Cs ppm 0.1	MA250 Ga ppm 0.02	MA250 In ppm 0.01	MA250 Re ppm 0.002	MA250 Se ppm 0.3	MA250 Te ppm 0.05
STD OREASL15 Expected																					
STD OREAS263 Expected																					
STD OXN173 Expected																					
STD OREAS233 Expected																					
STD OREAS45H Expected		0.65	2.34	0.39	2.42	0.48	1.44	0.23	1.44	0.21	3.42	13.9	22.5	1	13.8	2.29	21.3	0.1		2.02	
STD OREAS501D Expected		1.44	5.89	0.76	3.76	0.62	1.49	0.19	1.22	0.19	2	51	164	1.09	12.2	10.7	20.8	0.086	0.049		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	0.1	<0.1	<0.1	<0.04	<0.1	<0.02	<0.01	<0.002	<0.3	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	0.04	<0.01	<0.002	<0.3	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	0.7	2.8	0.4	2.9	0.6	1.8	0.3	1.9	0.3	1.61	2.4	36.5	0.4	5.67	0.3	12.92	0.07	<0.002	<0.3	<0.05
ROCK-WHI	Prep Blank	0.7	2.9	0.4	2.9	0.6	1.8	0.3	2.0	0.3	1.70	2.1	38.1	0.4	5.67	0.3	13.04	0.03	<0.002	<0.3	<0.05



BUREAU
VERITAS MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 18, 2023

Page: 2 of 2

Part: 4 of 4

QUALITY CONTROL REPORT

WHI23000230.1

		MA250 Ti ppm 0.05
STD OREASL15 Expected		
STD OREAS263 Expected		
STD OXN173 Expected		
STD OREAS233 Expected		
STD OREAS45H Expected		0.15
STD OREAS501D Expected		0.91
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.05
BLK	Blank	<0.05
Prep Wash		
ROCK-WHI	Prep Blank	0.16
ROCK-WHI	Prep Blank	0.16