



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

82 Richmond St. E

Toronto Ontario M5C 1P1 Canada

Submitted By: Cam Norton
Receiving Lab: Canada-Whitehorse
Received: July 24, 2023
Analysis Start: August 08, 2023
Report Date: August 15, 2023
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI23000231.1

CLIENT JOB INFORMATION

Project: TOO
Shipment ID: TOO230723-04-RB
P.O. Number
Number of Samples: 31

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: White Gold Corp.
82 Richmond St. E
Toronto Ontario M5C 1P1
Canada

CC: Terry Brace

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	31	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FA430	31	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
MA250	31	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN
SHP01	31	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


Martin Wong
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: TOO
Report Date: August 15, 2023

Page: 2 of 3

Part: 1 of 4

CERTIFICATE OF ANALYSIS

WHI23000231.1

	Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
2367587	Rab Sample	3.93	0.034	16.86	101.4	41.30	228.0	985	18.6	10.3	1008	3.83	18.4	2.1	6.9	476	1.20	0.30	0.53	104	1.46
2367588	Rab Sample	5.67	0.010	13.43	17.8	16.55	129.3	141	18.6	9.1	1060	3.76	4.8	2.0	6.5	672	0.64	0.22	0.07	101	2.93
2367589	Rab Sample	3.33	0.012	13.73	26.9	15.68	119.2	89	19.5	11.3	1217	3.66	6.0	1.9	6.6	593	0.45	0.23	0.05	103	2.99
2367590	Rab Sample	3.79	0.024	9.96	39.0	20.12	144.8	128	19.3	11.7	1193	3.98	7.3	1.9	6.5	582	0.68	0.23	0.08	105	3.01
2367591	Rab Sample	3.92	0.082	23.20	47.0	22.12	131.2	704	18.6	12.7	1147	4.20	17.0	2.0	6.4	418	0.46	0.21	0.11	105	1.68
2367592	Rab Sample	3.83	0.153	11.30	62.9	120.65	155.3	793	20.1	10.7	620	3.17	16.0	2.0	6.0	174	0.74	0.30	0.23	106	1.44
2367593	Rab Sample	2.15	0.136	10.64	60.9	110.50	150.1	711	18.9	9.9	591	3.02	15.0	1.9	5.7	173	0.69	0.28	0.21	105	1.34
2367594	Rab Sample	2.19	0.113	29.47	84.0	132.59	157.8	575	13.9	10.0	738	2.77	11.6	1.8	5.4	182	1.70	0.29	0.28	92	2.60
2367595	Rab Sample	2.05	0.145	9.17	144.9	87.06	138.2	677	15.8	12.3	523	2.82	15.4	2.3	5.8	168	1.07	0.36	0.17	97	1.87
2367596	Rab Sample	2.70	0.172	10.23	98.0	78.24	160.7	844	12.6	11.1	835	4.25	22.8	2.0	5.3	164	0.94	0.28	0.45	83	2.65
2367597	Rab Sample	2.34	0.065	10.36	122.6	57.00	175.0	619	7.1	8.9	877	3.04	11.5	2.3	6.3	254	0.87	0.21	0.17	64	1.91
2367598	Rab Sample	3.05	0.053	5.25	36.6	59.48	126.8	246	5.9	5.6	703	2.63	10.6	2.2	6.2	218	0.81	0.17	0.13	59	2.31
2367599	Rab Sample	2.29	0.062	3.84	5.8	22.22	59.2	175	4.9	3.2	858	2.51	8.3	1.8	5.8	179	0.25	0.16	0.12	51	3.19
2367600	Rock	0.94	0.006	1.06	2.1	4.42	35.1	<20	2.5	1.1	187	1.16	1.0	2.0	12.1	849	0.04	0.07	<0.04	54	0.24
2367601	Rab Sample	3.26	0.028	3.66	9.9	46.80	115.4	274	5.3	3.9	591	2.58	6.9	2.0	6.1	182	0.71	0.16	0.45	55	2.30
2367602	Rab Sample	2.89	0.017	3.66	3.6	50.61	83.2	293	3.3	3.0	419	2.29	5.6	2.9	7.8	124	0.57	0.17	0.32	30	1.94
2367603	Rab Sample	3.18	0.044	5.37	23.3	76.21	128.5	559	6.9	10.0	567	3.71	15.5	2.1	5.5	212	0.91	0.18	0.63	53	2.06
2367604	Rab Sample	2.96	0.020	3.30	4.9	48.94	76.0	272	10.7	6.0	766	3.38	12.8	2.0	6.0	301	0.39	0.18	0.35	66	2.38
2367605	Rab Sample	3.07	0.029	6.48	13.3	73.07	165.2	563	16.1	9.5	747	4.15	13.9	2.0	6.0	297	1.18	0.26	0.61	77	2.24
2367606	Rab Sample	2.77	0.034	4.92	8.6	84.34	191.8	603	15.2	13.1	756	4.94	27.2	1.6	4.5	316	1.20	0.37	0.71	112	2.00
2367607	Rab Sample	2.58	0.023	5.42	23.9	76.65	147.5	531	12.2	8.4	1007	4.16	13.6	1.6	5.2	419	0.91	0.23	0.72	89	3.06
2367608	Rab Sample	2.79	0.012	3.23	18.5	51.40	123.4	281	16.4	8.0	927	3.69	13.0	2.0	6.2	438	0.73	0.27	0.34	79	2.72
2367609	Rab Sample	3.23	0.013	3.26	32.9	36.08	115.6	198	14.8	8.1	936	3.65	13.4	2.1	6.2	433	0.63	0.20	0.23	77	2.59
2367610	Rab Sample	3.34	0.014	5.82	8.1	37.66	104.3	128	15.4	9.9	1030	3.74	9.8	2.0	6.0	431	0.37	0.22	0.19	72	2.66
2367611	Rab Sample	2.07	0.010	4.39	7.5	70.69	285.2	174	12.5	5.8	931	3.12	8.9	1.9	5.9	413	1.93	0.19	0.22	67	2.58
2367612	Rab Sample	3.36	0.015	5.50	9.8	89.50	398.8	196	12.6	6.5	982	3.17	8.7	1.8	5.7	427	2.72	0.18	0.27	69	2.77
2367613	Rab Sample	2.11	0.017	3.76	9.2	65.99	521.7	198	10.1	5.5	1057	3.22	8.3	1.7	5.6	260	3.88	0.23	0.28	65	2.71
2367614	Rab Sample	1.94	0.037	2.90	7.0	220.67	1415.7	386	10.0	8.8	967	3.82	19.4	2.3	6.4	207	11.47	0.28	0.47	48	2.82
2367615	Rab Sample	2.43	0.016	2.78	8.7	160.67	1081.9	298	10.7	6.3	948	3.15	12.5	2.3	6.6	312	8.45	0.21	0.35	53	2.68
2367616	Rab Sample	2.52	0.019	2.94	8.7	138.81	839.8	246	11.1	6.1	1028	3.30	10.9	2.0	6.2	411	6.49	0.20	0.29	61	2.59



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Page: 2 of 3

Part: 2 of 4

CERTIFICATE OF ANALYSIS

WHI23000231.1

	Method	Analyte	Unit	MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250		
					P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
					%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
					0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1
2367587	Rab Sample	0.109	30.2	43	1.30	1956	0.355	8.37	2.096	2.45	1.3	59.2	2.6	2	11.7	0.14	17.1	55.96	6.2	23.0	4.3			
2367588	Rab Sample	0.114	27.9	45	1.31	1994	0.348	7.89	2.529	2.50	1.4	56.2	1.9	2	11.1	0.08	15.8	51.37	5.8	21.7	4.0			
2367589	Rab Sample	0.112	28.8	43	1.42	1993	0.361	7.96	2.400	2.30	1.3	56.0	2.3	2	11.5	0.14	16.6	53.12	6.0	22.2	4.2			
2367590	Rab Sample	0.115	29.0	45	1.46	1848	0.362	8.10	2.181	2.22	0.9	58.1	1.8	2	11.7	0.27	16.7	52.65	6.0	22.7	4.2			
2367591	Rab Sample	0.112	30.9	46	1.34	1858	0.351	8.12	1.878	2.04	1.0	63.8	2.3	2	11.8	0.20	17.1	54.86	6.2	23.6	4.3			
2367592	Rab Sample	0.116	27.4	46	0.86	448	0.313	8.33	0.412	3.15	2.7	68.1	4.3	2	11.5	0.70	14.4	48.90	5.6	21.1	3.9			
2367593	Rab Sample	0.110	24.0	45	0.85	806	0.300	8.15	0.418	3.10	2.4	65.7	4.1	2	11.1	0.63	13.8	44.34	5.1	19.0	3.6			
2367594	Rab Sample	0.104	21.3	39	0.98	211	0.287	7.93	0.255	3.22	3.6	65.4	4.2	2	10.0	0.84	13.9	39.39	4.5	17.2	3.3			
2367595	Rab Sample	0.115	24.1	40	0.75	102	0.275	8.57	0.427	3.03	2.2	69.5	3.7	2	10.7	0.95	12.9	45.06	5.2	19.4	3.6			
2367596	Rab Sample	0.104	15.6	37	0.99	54	0.208	8.22	0.320	3.35	1.7	63.3	2.6	2	8.7	1.92	12.9	30.65	3.5	13.8	2.8			
2367597	Rab Sample	0.076	25.3	16	0.64	129	0.172	8.05	1.165	2.59	0.9	74.4	1.5	2	6.5	0.77	12.7	46.92	5.1	18.8	3.4			
2367598	Rab Sample	0.072	23.9	14	0.51	178	0.164	7.87	0.906	3.01	1.2	78.9	1.6	2	6.0	0.91	12.6	44.89	4.9	18.0	3.2			
2367599	Rab Sample	0.066	17.5	13	1.17	663	0.154	7.28	0.690	3.07	0.9	74.6	1.3	1	5.4	0.92	11.2	33.81	3.8	14.3	2.6			
2367600	Rock	0.009	7.8	5	0.08	1977	0.079	7.42	3.059	6.43	<0.1	88.4	1.2	3	1.3	<0.04	6.1	11.74	1.3	4.3	0.8			
2367601	Rab Sample	0.066	21.5	14	0.85	198	0.136	7.35	1.122	2.86	1.3	73.1	1.1	1	5.7	1.11	11.5	40.36	4.4	16.4	2.9			
2367602	Rab Sample	0.045	23.7	8	0.77	128	0.104	7.12	0.365	2.98	1.1	78.3	0.6	1	3.5	1.32	11.0	41.46	4.3	15.0	2.5			
2367603	Rab Sample	0.066	15.9	16	0.69	45	0.128	7.58	0.983	2.68	1.2	73.2	0.9	2	5.3	2.42	11.3	29.79	3.4	12.8	2.4			
2367604	Rab Sample	0.093	29.0	30	0.99	76	0.245	7.45	1.497	2.29	2.0	68.9	1.3	1	7.5	1.48	14.0	53.25	5.9	21.9	3.9			
2367605	Rab Sample	0.110	24.4	39	1.18	37	0.310	7.43	1.404	2.10	2.0	61.0	1.8	2	8.9	2.45	14.0	47.82	5.5	21.1	3.8			
2367606	Rab Sample	0.109	19.8	26	1.26	30	0.370	7.86	0.904	2.26	2.1	43.2	1.8	2	11.9	3.04	13.0	41.24	4.9	19.2	3.8			
2367607	Rab Sample	0.103	24.2	33	1.50	54	0.331	7.64	1.380	2.13	1.8	53.6	1.8	1	10.0	2.09	14.4	46.30	5.3	20.3	3.8			
2367608	Rab Sample	0.113	28.3	39	1.51	89	0.348	7.82	1.532	1.85	1.8	67.0	1.7	2	9.5	1.72	15.1	52.52	5.9	22.1	4.0			
2367609	Rab Sample	0.110	27.9	39	1.37	84	0.321	7.62	1.657	2.08	1.5	66.5	1.6	2	9.0	1.45	14.6	53.01	5.9	22.0	4.0			
2367610	Rab Sample	0.107	29.2	35	1.31	121	0.311	7.65	1.666	2.14	1.2	68.0	1.5	2	8.6	1.22	14.4	51.83	5.8	21.5	3.8			
2367611	Rab Sample	0.104	27.4	33	1.16	160	0.306	7.24	1.720	1.91	1.4	67.1	1.5	1	8.3	1.10	13.6	49.00	5.5	20.7	3.7			
2367612	Rab Sample	0.108	27.4	35	1.16	112	0.284	7.52	1.468	1.97	1.7	63.8	1.4	2	8.1	1.21	13.8	50.50	5.6	21.2	3.8			
2367613	Rab Sample	0.105	26.0	32	1.10	77	0.216	7.21	0.781	2.37	1.3	65.3	1.2	1	7.3	1.20	14.3	47.34	5.3	20.1	3.7			
2367614	Rab Sample	0.079	24.2	28	1.14	60	0.157	7.01	0.337	2.64	1.1	70.1	0.9	1	5.8	2.27	13.9	45.34	5.0	18.6	3.4			
2367615	Rab Sample	0.081	27.0	28	1.12	85	0.150	7.35	0.924	2.50	0.9	68.2	0.8	1	6.1	1.39	13.3	49.33	5.4	19.8	3.5			
2367616	Rab Sample	0.093	27.9	28	1.18	116	0.174	7.38	1.259	2.33	1.0	65.8	0.9	2	6.6	1.25	13.4	50.09	5.5	20.6	3.6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: TOO
Report Date: August 15, 2023

Page: 2 of 3

Part: 3 of 4

CERTIFICATE OF ANALYSIS

WHI23000231.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3
2367587	Rab Sample	1.2	3.8	0.5	3.2	0.6	1.8	0.2	1.7	0.2	1.55	18.4	72.1	0.6	8.86	3.1	16.82	0.16	0.003	<0.3
2367588	Rab Sample	1.1	3.6	0.5	2.9	0.6	1.6	0.2	1.5	0.2	1.44	15.4	65.4	0.5	8.60	1.8	16.26	0.10	0.008	<0.3
2367589	Rab Sample	1.1	3.6	0.5	3.1	0.6	1.7	0.2	1.6	0.2	1.41	19.1	57.8	0.5	8.81	2.5	16.58	0.09	0.006	<0.3
2367590	Rab Sample	1.2	3.7	0.5	3.1	0.6	1.7	0.2	1.6	0.2	1.50	19.2	60.2	0.5	8.71	3.3	16.70	0.10	0.004	0.4
2367591	Rab Sample	1.2	3.9	0.5	3.1	0.6	1.7	0.2	1.6	0.2	1.59	21.7	60.9	0.5	8.57	4.3	17.00	0.07	0.011	0.5
2367592	Rab Sample	1.1	3.4	0.5	2.8	0.5	1.6	0.2	1.4	0.2	1.72	17.7	123.1	0.4	7.05	5.0	16.65	0.08	0.006	0.4
2367593	Rab Sample	1.0	3.1	0.4	2.6	0.5	1.4	0.2	1.3	0.2	1.58	17.3	119.0	0.4	6.83	4.7	16.05	0.08	0.004	0.5
2367594	Rab Sample	0.9	3.1	0.4	2.6	0.5	1.5	0.2	1.4	0.2	1.61	13.8	127.0	0.4	7.18	9.8	15.46	0.09	0.006	0.3
2367595	Rab Sample	1.0	3.2	0.4	2.6	0.5	1.5	0.2	1.4	0.2	1.78	15.4	108.1	0.4	6.69	7.7	18.07	0.09	0.008	<0.3
2367596	Rab Sample	0.8	2.7	0.4	2.3	0.5	1.4	0.2	1.3	0.2	1.48	12.2	124.7	0.3	5.79	5.3	15.71	0.10	0.005	0.4
2367597	Rab Sample	1.0	3.0	0.4	2.5	0.5	1.4	0.2	1.4	0.2	1.86	10.5	73.1	0.4	4.93	4.5	16.61	0.10	0.003	<0.3
2367598	Rab Sample	0.8	2.7	0.4	2.3	0.4	1.3	0.2	1.3	0.2	1.92	7.7	89.1	0.4	4.91	4.2	16.37	0.05	0.002	<0.3
2367599	Rab Sample	0.6	2.4	0.3	2.0	0.4	1.2	0.2	1.1	0.2	1.88	5.2	115.6	0.3	3.80	2.9	15.37	0.06	<0.002	<0.3
2367600	Rock	0.1	0.8	0.1	0.9	0.2	0.7	0.1	1.0	0.2	2.57	2.9	131.7	0.3	7.52	0.7	23.82	0.02	<0.002	<0.3
2367601	Rab Sample	0.7	2.6	0.4	2.2	0.4	1.2	0.2	1.2	0.2	1.86	6.2	86.8	0.3	4.06	4.1	15.16	0.06	0.003	<0.3
2367602	Rab Sample	0.7	2.2	0.3	1.9	0.4	1.2	0.2	1.2	0.2	2.13	9.2	79.3	0.3	4.14	4.4	13.67	0.04	0.003	<0.3
2367603	Rab Sample	0.7	2.2	0.3	2.0	0.4	1.2	0.2	1.2	0.2	1.77	11.7	71.0	0.3	3.98	3.9	14.88	0.05	0.004	0.5
2367604	Rab Sample	1.2	3.3	0.4	2.6	0.5	1.4	0.2	1.3	0.2	1.68	11.0	67.7	0.4	6.96	3.4	15.94	0.06	0.003	<0.3
2367605	Rab Sample	1.1	3.4	0.4	2.7	0.5	1.4	0.2	1.3	0.2	1.51	14.9	62.5	0.5	8.13	4.0	15.98	0.06	0.003	<0.3
2367606	Rab Sample	1.1	3.3	0.4	2.6	0.5	1.4	0.2	1.2	0.2	1.08	19.4	70.9	0.4	7.45	4.3	16.54	0.06	0.004	0.4
2367607	Rab Sample	1.1	3.3	0.4	2.8	0.5	1.5	0.2	1.4	0.2	1.30	19.7	66.0	0.5	8.05	3.8	15.40	0.07	0.009	0.5
2367608	Rab Sample	1.2	3.4	0.5	2.9	0.5	1.5	0.2	1.4	0.2	1.54	21.4	57.1	0.5	9.32	4.6	16.05	0.06	0.003	<0.3
2367609	Rab Sample	1.1	3.3	0.4	2.7	0.5	1.4	0.2	1.3	0.2	1.56	16.5	61.1	0.5	9.13	4.7	15.78	0.08	0.003	<0.3
2367610	Rab Sample	1.2	3.3	0.4	2.6	0.5	1.4	0.2	1.4	0.2	1.58	15.5	54.5	0.5	8.87	5.0	15.82	0.10	0.003	<0.3
2367611	Rab Sample	1.1	3.1	0.4	2.5	0.5	1.4	0.2	1.3	0.2	1.61	16.4	57.0	0.5	8.32	4.6	15.00	0.06	<0.002	<0.3
2367612	Rab Sample	1.2	3.3	0.4	2.6	0.5	1.4	0.2	1.3	0.2	1.52	17.6	60.4	0.4	7.80	4.5	15.15	0.07	0.002	<0.3
2367613	Rab Sample	1.1	3.2	0.4	2.6	0.5	1.4	0.2	1.4	0.2	1.52	25.6	77.0	0.4	5.93	4.0	14.47	0.06	0.003	<0.3
2367614	Rab Sample	1.0	3.0	0.4	2.5	0.5	1.4	0.2	1.4	0.2	1.80	22.4	88.1	0.3	4.82	5.0	13.69	0.08	<0.002	0.4
2367615	Rab Sample	1.0	3.0	0.4	2.4	0.5	1.3	0.2	1.3	0.2	1.73	13.9	74.6	0.3	4.58	4.8	14.54	0.08	<0.002	<0.3
2367616	Rab Sample	1.1	3.1	0.4	2.5	0.5	1.4	0.2	1.3	0.2	1.61	14.0	68.4	0.3	5.11	4.9	14.90	0.07	<0.002	<0.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Page: 2 of 3

Part: 4 of 4

CERTIFICATE OF ANALYSIS

WHI23000231.1

Method	MA250
Analyte	Ti
Unit	ppm
MDL	0.05
2367587	Rab Sample 0.99
2367588	Rab Sample 0.79
2367589	Rab Sample 0.80
2367590	Rab Sample 0.85
2367591	Rab Sample 1.07
2367592	Rab Sample 2.24
2367593	Rab Sample 2.06
2367594	Rab Sample 2.18
2367595	Rab Sample 2.07
2367596	Rab Sample 1.97
2367597	Rab Sample 1.49
2367598	Rab Sample 1.58
2367599	Rab Sample 1.75
2367600	Rock 0.72
2367601	Rab Sample 1.40
2367602	Rab Sample 1.20
2367603	Rab Sample 1.13
2367604	Rab Sample 1.04
2367605	Rab Sample 1.09
2367606	Rab Sample 1.22
2367607	Rab Sample 0.95
2367608	Rab Sample 0.84
2367609	Rab Sample 0.87
2367610	Rab Sample 0.81
2367611	Rab Sample 0.77
2367612	Rab Sample 0.82
2367613	Rab Sample 1.05
2367614	Rab Sample 1.13
2367615	Rab Sample 0.94
2367616	Rab Sample 0.82



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Page: 3 of 3

Part: 1 of 4

CERTIFICATE OF ANALYSIS

WHI23000231.1

	Method Analyte Unit MDL	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
2367617	Rab Sample	2.31	0.018	2.82	5.4	63.27	573.3	234	11.3	6.1	1151	3.47	9.2	1.8	5.8	468	4.47	0.20	0.23	63	2.59



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Page: 3 of 3

Part: 2 of 4

CERTIFICATE OF ANALYSIS

WHI23000231.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
2367617	Rab Sample	0.117	28.5	33	1.29	161	0.180	7.38	1.546	2.12	1.1	59.5	1.0	2	7.3	1.04	15.2	51.64	5.8	22.2	4.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Page: 3 of 3

Part: 3 of 4

CERTIFICATE OF ANALYSIS

WHI23000231.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3	0.05
2367617	Rab Sample	1.2	3.5	0.5	2.7	0.5	1.4	0.2	1.4	0.2	1.43	22.7	65.4	0.3	4.99	4.5	15.27	0.06	<0.002	<0.3	0.19



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Page: 3 of 3

Part: 4 of 4

CERTIFICATE OF ANALYSIS

WHI23000231.1

	Method	MA250
	Analyte	Ti
	Unit	ppm
	MDL	0.05
2367617	Rab Sample	0.73



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 1

Part: 1 of 4

QUALITY CONTROL REPORT

WHI23000231.1

	Method	WGHT	FA430	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
Analyte	Unit	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.05	0.1	0.02	0.2	20	0.1	0.2	1	0.01	0.2	0.1	0.1	1	0.02	0.02	0.04	2	0.01
Pulp Duplicates																					
REP 2367593	QC			11.00	62.0	114.67	154.3	999	19.8	10.2	587	3.08	16.1	2.0	6.1	173	0.73	0.30	0.23	106	1.36
2367604	Rab Sample	2.96	0.020	3.30	4.9	48.94	76.0	272	10.7	6.0	766	3.38	12.8	2.0	6.0	301	0.39	0.18	0.35	66	2.38
REP 2367604	QC		0.023																		
2367615	Rab Sample	2.43	0.016	2.78	8.7	160.67	1081.9	298	10.7	6.3	948	3.15	12.5	2.3	6.6	312	8.45	0.21	0.35	53	2.68
REP 2367615	QC		0.017																		
Core Reject Duplicates																					
2367593	Rab Sample	2.15	0.136	10.64	60.9	110.50	150.1	711	18.9	9.9	591	3.02	15.0	1.9	5.7	173	0.69	0.28	0.21	105	1.34
DUP 2367593	QC		0.139	10.93	62.4	117.79	154.5	862	19.7	10.3	592	3.07	15.5	2.0	6.1	177	0.72	0.29	0.23	106	1.37
Reference Materials																					
STD OREAS263	Standard		0.216																		
STD OREAS233	Standard		1.017																		
STD OREAS45H	Standard			1.48	807.0	12.31	40.6	129	452.1	92.5	420	20.61	16.5	1.6	7.2	29	0.02	0.58	0.18	277	0.14
STD OREAS501D	Standard			97.79	2693.3	25.32	90.7	654	22.6	10.2	380	3.38	10.9	3.9	13.6	217	0.31	2.20	1.35	75	1.85
STD OXN173	Standard		7.494																		
STD OREAS263 Expected			0.214																		
STD OXN173 Expected			7.668																		
STD OREAS233 Expected			1.05																		
STD OREAS45H Expected				1.55	767	12.2	39.7	147	451	92	405	20.4	16.9	1.68	7.6	28		0.63	0.17	275	0.135
STD OREAS501D Expected				95	2720	25.2	90	664	21	9.57	370	3.37	15.1	3.88	14	212	0.3	2.25	1.26	71	1.85
BLK	Blank		<0.005																		
BLK	Blank		0.008																		
BLK	Blank			<0.05	<0.1	0.13	<0.2	<20	<0.1	<0.2	<1	<0.01	0.5	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<2	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		0.006	2.42	3.6	2.36	35.7	<20	2.7	4.7	709	2.38	0.9	1.3	2.9	217	0.03	0.09	0.11	39	1.76
ROCK-WHI	Prep Blank		0.005	1.90	3.5	2.30	33.0	<20	2.5	4.5	665	2.25	0.9	1.2	2.8	213	<0.02	0.10	0.04	37	1.68



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 1

Part: 2 of 4

QUALITY CONTROL REPORT

WHI23000231.1

	Method	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
Pulp Duplicates																					
REP 2367593	QC	0.113	25.2	45	0.86	394	0.316	8.51	0.425	3.19	2.6	70.0	4.2	2	11.6	0.65	14.1	46.98	5.4	20.5	3.8
2367604	Rab Sample	0.093	29.0	30	0.99	76	0.245	7.45	1.497	2.29	2.0	68.9	1.3	1	7.5	1.48	14.0	53.25	5.9	21.9	3.9
REP 2367604	QC																				
2367615	Rab Sample	0.081	27.0	28	1.12	85	0.150	7.35	0.924	2.50	0.9	68.2	0.8	1	6.1	1.39	13.3	49.33	5.4	19.8	3.5
REP 2367615	QC																				
Core Reject Duplicates																					
2367593	Rab Sample	0.110	24.0	45	0.85	806	0.300	8.15	0.418	3.10	2.4	65.7	4.1	2	11.1	0.63	13.8	44.34	5.1	19.0	3.6
DUP 2367593	QC	0.114	25.8	45	0.86	410	0.311	8.37	0.429	3.17	2.7	69.1	4.2	2	11.6	0.66	14.1	47.39	5.4	20.4	3.9
Reference Materials																					
STD OREAS263	Standard																				
STD OREAS233	Standard																				
STD OREAS45H	Standard	0.024	13.1	663	0.26	355	0.916	8.13	0.098	0.21	0.9	121.9	1.9	1	60.8	<0.04	9.8	24.76	3.0	11.6	2.5
STD OREAS501D	Standard	0.091	36.3	40	0.81	986	0.381	7.78	2.368	3.15	9.7	65.2	4.7	3	9.3	0.38	17.2	71.58	8.8	34.1	6.8
STD OXN173	Standard																				
STD OREAS263 Expected																					
STD OXN173 Expected																					
STD OREAS233 Expected																					
STD OREAS45H Expected		0.023	13.3	660	0.2575	342	0.878	8.2	0.09	0.215	0.9	126	1.93	1.09	59	0.035	10.4	24.3	2.91	11.2	2.5
STD OREAS501D Expected		0.087	34.8	45.4	0.827	993	0.359	7.69	2.07	3.01	8.56	62	4.86	2.65	9.47	0.38	15.7	73	8.37	32.6	6.79
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.001	<0.01	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
Prep Wash																					
ROCK-WHI	Prep Blank	0.043	14.6	7	0.58	786	0.218	7.38	3.735	1.71	0.4	47.6	0.8	1	7.6	<0.04	17.8	27.56	3.3	12.8	2.8
ROCK-WHI	Prep Blank	0.043	14.8	7	0.54	759	0.213	7.20	3.770	1.62	0.3	48.6	0.8	1	7.2	<0.04	17.4	28.08	3.3	12.7	2.7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 1

Part: 3 of 4

QUALITY CONTROL REPORT

WHI23000231.1

	Method Analyte Unit MDL	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250	MA250
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	In	Re	Se
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	0.01	0.002	0.3
Pulp Duplicates																				
REP 2367593	QC	1.0	3.3	0.5	2.7	0.5	1.5	0.2	1.4	0.2	1.71	17.9	123.9	0.4	7.20	5.0	16.66	0.08	0.006	0.4
2367604	Rab Sample	1.2	3.3	0.4	2.6	0.5	1.4	0.2	1.3	0.2	1.68	11.0	67.7	0.4	6.96	3.4	15.94	0.06	0.003	<0.3
REP 2367604	QC																			
2367615	Rab Sample	1.0	3.0	0.4	2.4	0.5	1.3	0.2	1.3	0.2	1.73	13.9	74.6	0.3	4.58	4.8	14.54	0.08	<0.002	<0.3
REP 2367615	QC																			
Core Reject Duplicates																				
2367593	Rab Sample	1.0	3.1	0.4	2.6	0.5	1.4	0.2	1.3	0.2	1.58	17.3	119.0	0.4	6.83	4.7	16.05	0.08	0.004	0.5
DUP 2367593	QC	1.1	3.4	0.5	2.8	0.5	1.5	0.2	1.4	0.2	1.73	17.9	125.2	0.5	7.09	5.1	16.65	0.08	0.004	0.4
Reference Materials																				
STD OREAS263	Standard																			
STD OREAS233	Standard																			
STD OREAS45H	Standard	0.6	2.3	0.4	2.4	0.4	1.3	0.2	1.4	0.2	3.37	13.7	23.3	0.9	13.28	2.4	21.08	0.11	<0.002	2.4
STD OREAS501D	Standard	1.3	5.9	0.7	3.7	0.6	1.5	0.2	1.3	0.2	1.96	51.6	170.5	0.9	11.63	10.4	19.78	0.09	0.044	2.2
STD OXN173	Standard																			
STD OREAS263 Expected																				
STD OXN173 Expected																				
STD OREAS233 Expected																				
STD OREAS45H Expected		0.65	2.34	0.39	2.42	0.48	1.44	0.23	1.44	0.21	3.42	13.9	22.5	1	13.8	2.29	21.3	0.1		2.02
STD OREAS501D Expected		1.44	5.89	0.76	3.76	0.62	1.49	0.19	1.22	0.19	2	51	164	1.09	12.2	10.7	20.8	0.086	0.049	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02	<0.01	<0.002	<0.3
Prep Wash																				
ROCK-WHI	Prep Blank	0.8	2.8	0.4	2.9	0.6	1.9	0.3	2.0	0.3	1.70	2.3	40.5	0.4	5.71	0.3	13.42	0.03	<0.002	<0.3
ROCK-WHI	Prep Blank	0.7	2.7	0.4	2.8	0.6	1.8	0.3	1.9	0.3	1.59	2.4	36.6	0.4	5.59	0.3	12.96	0.02	<0.002	<0.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bvna.com/mining-laboratory-services

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
82 Richmond St. E
Toronto Ontario M5C 1P1 Canada

Project: TOO
Report Date: August 15, 2023

Page: 1 of 1

Part: 4 of 4

QUALITY CONTROL REPORT

WHI23000231.1

Method	MA250
Analyte	Tl
Unit	ppm
MDL	0.05
Pulp Duplicates	
REP 2367593	QC 2.22
2367604	Rab Sample 1.04
REP 2367604	QC
2367615	Rab Sample 0.94
REP 2367615	QC
Core Reject Duplicates	
2367593	Rab Sample 2.06
DUP 2367593	QC 2.24
Reference Materials	
STD OREAS263	Standard
STD OREAS233	Standard
STD OREAS45H	Standard 0.16
STD OREAS501D	Standard 0.94
STD OXN173	Standard
STD OREAS263 Expected	
STD OXN173 Expected	
STD OREAS233 Expected	
STD OREAS45H Expected	0.15
STD OREAS501D Expected	0.91
BLK	Blank
BLK	Blank
BLK	Blank <0.05
Prep Wash	
ROCK-WHI	Prep Blank 0.18
ROCK-WHI	Prep Blank 0.16