











Figure 33
Distribution of lode and placer deposits,
Keno Hill-Galena Hill area, Yukon Territory

Scale 1:253,440






LEGEND

-  Granodiorite, granite
- MINERAL DEPOSITS OR PROSPECTS**
- Gold (lode) 
- Gold (placer) 
- Lead-Zinc-Silver-Cadmium 
- Lead-Antimony 
- Tin (lode) 
- Tungsten (lode) 
- Tungsten (placer) 
- Mercury (placer cinnabar) 

Compiled by R. W. Boyle from various published and private reports and personal communication with H. S. Bostock. For detailed geology see Map 1147A.



To accompany G. S. C. Bulletin 111, by R. W. Boyle

Geological cartography by the Geological Survey of Canada

- Road, all weather 
- Other roads 
- Contours (interval 500 feet) 
- Height in feet above mean sea-level 2200

Base-map cartography by the Geological Survey of Canada from maps published by the Surveys and Mapping Branch and the Army Survey Establishment, R. C. E., with minor revisions by the Geological Survey of Canada.

Mean magnetic declination, 33°50' East, decreasing 4.2' annually. Readings vary from 34°00' in the SE corner to 33°48' in the NW corner of the map-area.



Published, 1964

Printed by the Surveys and Mapping Branch

This document was produced
 by scanning the original publication.

Ce document est le produit d'une
 numérisation par balayage
 de la publication originale.