

LEGEND



Note: this legend is common to maps 1282A, 1283A and 1284A

NORTHERN PART

SOUTHERN PART


- QUATERNARY**
- 26 Unconsolidated glacial and alluvial deposits
- CRETACEOUS AND TERTIARY (?)**
- UPPER CRETACEOUS AND LATER (?)
- 22 MONSTER FORMATION: 22a, brown-weathering, thin-bedded, brown chert-grain sandstone, siltstone, shale, and fine chert-pebble conglomerate
- MESOZOIC**
- 20a Orange- to brown-weathering diorite and gabbro; altered equivalents; may be older than 20
- JURASSIC**
- 17 LOWER SCHIST division: dark grey argillite, slate, and phyllite, commonly graphitic, thin-bedded dark grey quartzite, platy to phyllitic quartzite, minor phyllite and limy quartzite
- TRIASSIC**
- 16 Black-weathering, platy, black limy shale and limestone; thin bands of grey- to buff-weathering limestone
- PERMIAN**
- 15 TAHKANDIT FORMATION: white, light grey, and dark grey chert, cherty limestone, and limestone
- CARBONIFEROUS TO PERMIAN**
- 14 Buff-weathering, dark grey, thin- to medium-bedded limestone; minor black shale, chert, and chert-pebble conglomerate; 14a, dark shale, argillaceous limestone, and thin-bedded brown sandstone; minor chert-pebble conglomerate, 14b, black- and silvery-weathering shale and slate; minor platy, buff-weathering grey limestone, impure sandstone
- DEVONIAN TO CARBONIFEROUS**
- MIDDLE DEVONIAN TO CARBONIFEROUS
- 13 Black shale, argillite, and slate, black platy limestone, chert; minor chert-pebble conglomerate and quartzite; 13a, Nason River Formation: brown-weathering fine chert-pebble conglomerate and chert-grain sandstone may, in part, be younger Monster Formation (22)
- DEVONIAN**
- LOWER DEVONIAN
- 11 Limestone, dark grey, brown and black, massive to thin-bedded, very fine grained, buff-grey-weathering
 - 10 Limestone and dolomite, light grey and dark brownish grey, fine to medium grained, mostly alternating dark and light beds 2 to 5 feet thick
- SILURIAN (?) TO MIDDLE DEVONIAN**
- 12 Dark grey-weathering, black, thin-bedded, platy limestone, commonly argillaceous and locally siliceous, and interbedded black chert
- ORDOVICIAN AND SILURIAN**
- 9 ROAD RIVER FORMATION: mainly interbedded black chert and black argillite, also grey-green, olive-green, and grey chert and grey-green argillite; minor quartzite, and chert-pebble conglomerate
- CAMBRIAN**
- MIDDLE (?) AND UPPER CAMBRIAN
- 6 Buff, brown, and grey-weathering, thin- to medium-bedded limestone, and grey-weathering thin- to thick-bedded dolomite; minor brown and green shale and orange-weathering dolomite
- LOWER CAMBRIAN TO ORDOVICIAN (?)**
- 7 Grey-weathering, brown to buff limestone and limestone conglomerate; 7a, grey-weathering, medium- to thick-bedded limestone and dolomite (may include some Precambrian)
- CAMBRIAN (?)**
- 5 Mainly brick-red, thick-bedded to massive sandstone and red to buff massive conglomerate; minor red shale; local andesitic or basaltic flows and sills
- PROTEROZOIC**
- 2 Orange-weathering, platy, grey-green dolomite, dark slate; minor phyllite and quartzite; 2a, pink-orange- and grey-weathering dolomite, grey and maroon shale, white, green and mauve quartzite, minor conglomerate, mottled green and maroon shale and black limestone; 2b, buff and orange dolomite, dark shale; minor quartzite limestone and conglomerate; 2c, massive cherty and quartzose, grey dolomite, thin-bedded, buff-weathering, grey dolomite; minor black shale and white quartzite; 2d, buff-weathering dolomite-boulder conglomerate; 2e, dark shale and argillite, buff-weathering, grey siltstone, minor buff- to orange-weathering dolomite
 - 1 Mainly dark grey, grey-green, and black, thin-bedded argillite, slate, and phyllite; minor grey quartzite, orange-weathering dolomite, and conglomerate; 1a, grey-weathering, thinly laminated, siliceous limestone
- METAMORPHIC ROCKS SOUTHWEST OF TINTINA TRENCH**
(occurs only on Map 1284A, Dawson)
- E Reddish brown-weathering, dark green serpentinized ultrabasic rocks
 - D Fine- to medium-grained, granitic, textured, quartz-biotite gneiss; minor quartzite, quartz-mica and biotite-chlorite schist, and quartz-feldspar pegmatite
 - C Dark weathering greenstone and banded amphibolite gneiss; minor chloritic quartz-mica schist, graphitic quartz-mica schist, quartzite, and limestone
 - B KLONDIKE "SCHIST": mainly buff weathering, light pale green quartz-muscovite-chlorite schist, and schistose, chloritic quartzite, with all intermediate rock types also present; minor silvery muscovite schist, fine-grained quartz-biotite gneiss, thinly laminated quartz-graphite-sericite schist and quartzite
 - A NASINA "SERIES": grey and grey-green micaceous quartzite; dark grey, light grey and silvery quartz-mica schist, minor fine-grained quartz-biotite gneiss, graphitic schist and quartz-muscovite-chlorite schist; Aa, higher rank metamorphic rocks with biotite and garnet; Ab, coarsely crystalline, whitish limestone

- QUATERNARY**
- 26 Unconsolidated glacial and alluvial deposits
- TERTIARY**
- 25 Quartz porphyry
 - 24 Dark grey and brown andesite and basalt, commonly porphyritic; minor shale, sandstone, and conglomerate
 - 23 Poorly consolidated, brown, buff, and grey, arkosic and micaceous sandstone, light and dark shale, poorly sorted conglomerate; minor lignite
- CRETACEOUS**
- 21 21a, fine- to coarse-grained, uneven textured, biotite granodiorite and biotite quartz monzonite; 21b, mainly hornblende and hornblende/biotite syenite, commonly porphyritic (potassium feldspar phenocrysts), uneven textured, mostly medium grained, locally fine or coarse grained, minor diorite
 - 20 Orange- to brown-weathering diorite and gabbro; altered equivalents; 20a, may be older
 - 19 Mottled green and maroon shale and brown-weathering, thin-bedded, brown siltstone, commonly limy
- JURASSIC**
- 18 KENO HILL QUARTZITE: grey and blue-grey, massive quartzite; minor slate and phyllite, commonly graphitic, argillaceous quartzite; 18a, thin-bedded and phyllitic quartzite, graphitic and chloritic slate and phyllite; minor limestone and massive quartzite; 18b, as 18 but may be older
- TRIASSIC**
- 16 Black-weathering, platy, black limy shale and limestone; thin bands of grey- to buff-weathering limestone
- PERMIAN**
- 15a Limestone with some chert
- MINERALS**
- | | | | |
|-------------|-----|----------|----|
| Antimony | Sb | Lead | Pb |
| Asbestos | asb | Silver | Ag |
| Coal | C | Tin | Sn |
| Copper | Cu | Tungsten | W |
| Gold placer | Au | Zinc | Zn |
| Iron | Fe | | |
- Geological boundary (defined, approximate, assumed)
 Bedding, tops known (horizontal, inclined, vertical)
 Bedding, tops unknown (dip known)
 Bedding, estimated attitudes, may in part be of foliation: horizontal, inclined, vertical (dip: g, gentle; m, medium; s, steep)
 Foliation (horizontal, inclined, vertical)
 Fault (defined, approximate, assumed)
 Thrust fault (teeth in direction of dip: defined, approximate, assumed)
 Anticline (defined, approximate; arrow indicates plunge)
 Syncline (defined, approximate; arrow indicates plunge)
 Anticline, syncline (overturned)
 Fossil locality
 Mineral occurrence
 Goldfield
- Geology by L.H. Green and J.A. Roddick, 1961
 To accompany GSC Memoir 384 by L.H. Green
 Geological cartography by the Geological Survey of Canada
 Base-map at the same scale published by the Surveys and Mapping Branch in 1954, 1957 and 1958. Roads were revised by the Geological Survey of Canada for this edition.
 Copies of the topographical edition of this map may be obtained from the Map Distribution Office, Department of Energy, Mines and Resources, Ottawa
 Any revisions or additional information known to the user would be welcomed by the Geological Survey of Canada
 The following name has not been approved by the Canadian Permanent Committee on Geographical Names: Angel Lake




Published, 1972
 Copies of this map may be obtained from the Geological Survey of Canada, Ottawa

Printed by the Surveys and Mapping Branch



MAP 1282A
 GEOLOGY
NASH CREEK
 YUKON TERRITORY

Scale 1:250,000



Magnetic declination 1970 varies from 34°15' easterly at centre of west edge to 35°01' easterly at centre of east edge. Mean annual change decreasing 4.8'

Elevations in feet above mean sea-level

116 G-116 F (E1/2)	116 H	106 E
116 B-116 C (E1/2)	116 A	106 D
1284A	1283A	1282A
115 O-115 N (E1/2)	115 P	105 M
711A	1143A	890A

NATIONAL TOPOGRAPHIC SYSTEM REFERENCE AND INDEX TO GEOLOGICAL SURVEY OF CANADA MAPS

NASH CREEK
 YUKON TERRITORY