

The regional geochemical trend map displayed above utilized a moving weighted average using an inverse distance function (1/d<sup>2</sup>) to filter out minor irregularities and emphasize broad-scale regional features. Single point anomalies may be suppressed or eliminated, however, geological units which are chemically enriched, or large metallic deposits undergoing weathering would be expected to produce identifiable anomalies.

- Thermokarst depression developed on alluvial floodplain
- Pits and kettles developed on gravelly glaciofluvial plain
- Organic deposits mantling lacustrine floodplain, glaciofluvial plain, or less commonly, moraine deposits
- Undivided surficial deposits; includes alluvium, glacial till, glaciofluvial and glaciolacustrine deposits, ice contact deposits, colluvium, volcanic ash, loess, and scattered bedrock exposures.
- Colluvium; poorly sorted blanket of rubble commonly <3 m thick overlying bedrock, ubiquitous in unglaciated terrain.
- Bedrock exposures; includes discontinuous veneer of undivided glacial drift, local alpine glaciation features.

- Symbols
- Surficial deposit boundary
  - Limit of Reid ice advance, maximum extent of glaciation
  - Major meltwater channels, outwash deposits, indicating direction of flow
  - Drumlinoid form; rock drumlin, crag and tail, fluted bedrock or till, direction of movement not inferred
  - Esker, direction of flow indicated

Sources of information:  
Hughes, O.L., Campbell, R.B., Muller, J.E., and Wheeler, J.O. (1968) Glacial Map of Yukon Territory, Geological Survey of Canada, Map 6-1968, (1:1,000,000 scale) to accompany GSC Paper 68-34.  
Prest, V.K., Grant, D.R., and Rampton, V.N. (1967) Glacial Map of Canada, Geological Survey of Canada (1:5,000,000 scale).  
Rampton, V.N. (1977) Surficial Geology and Geomorphology, Koidern Mountain - Yukon Territory, Geological Survey of Canada, Map 5-1978, 1:100,000 scale.  
(1977) Surficial Geology and Geomorphology, Mirror Creek - Yukon Territory, Geological Survey of Canada, Map 4-1978, 1:100,000 scale.  
Templeman-Kluit, D.J. (1973) Geology, Snag - Yukon Territory, Geological Survey of Canada, Map 16-1973 (1:250,000 scale) to accompany GSC Paper 73-41.

Geological Survey of Canada  
Mineral Resources Division  
Exploration Geochemistry Subdivision

CONTRACTORS  
Sample collection by Monaghan Delph Miller Limited, Don Mills, Ontario  
Sample preparation by Golder Associates, Ottawa

Sediment chemical analyses by Bondar Clegg and Company Ltd., Ottawa, Ontario



Analyses by Chemex Labs Limited, Vancouver  
Water chemical analyses by Barringer Argenta Laboratories (Alberta) Ltd., Calgary

Copies of map material and listings of field observations, analytical data and methods, from which the open file was prepared, are available from:



K.G. Campbell Corporation  
880 Wellington St.  
Bay 238  
Ottawa, Ontario  
K1R 6K7

Digital data are available on IBM-PC compatible diskette from:

Geological Survey of Canada  
Publications Distribution  
601 Booth St.  
Ottawa, Ontario K1A 0E8  
Tel.: (613)995-4342



CONCENTRATION	FREQUENCY	N =	%
111 to >75	+	22	1.7%
85 to 110	+	37	2.8%
66 to 85	+	59	4.5%
36 to 65	+	248	19.0%
<10 to 35	+	936	71.9%



Elevation in feet above mean sea level  
Mean magnetic declination 1987, 29°37' East, decreasing 13.4' annually. Readings vary from 29°37'E in the SE corner to 29°32'E in the NW corner of the map area

MERCURY (ppb)  
STREAM SEDIMENTS  
GSC OPEN FILE 1363  
REGIONAL GEOCHEMICAL RECONNAISSANCE MAP 99-1986  
CANADA - YUKON  
SUBSIDIARY AGREEMENT ON MINERAL RESOURCES (1985-1989)  
STREAM SEDIMENT AND WATER GEOCHEMICAL SURVEY  
SOUTH-WEST YUKON, 1986

Base map at the same scale published by the Surveys and Mapping Branch in 1971

Scale 1:250 000 - Échelle 1/250 000  
Universal Transverse Mercator Projection  
Projection transverse universelle de Mercator  
© Crown Copyrights reserved © Droits de la Couronne réservés

- LEGEND
- QUATERNARY
    - 37 Q5 64\* Glacial and surficial deposits
  - TERTIARY AND QUATERNARY
  - PLEISTOCENE AND PLISTOCENE
    - 36 PPF 63 Olivine basalt
  - TERTIARY
    - LATE TERTIARY
      - 35 LTG 62 Rhyolite porphyry, granite, granodiorite
    - OLIGOCENE AND MIOCENE
      - 34 OM 61 AMPHITHEATRE: Sandstone, conglomerate, shale, coal
    - CARMACKS GROUP
      - 33 ONCV 61 Andesite, basalt, breccia
      - 32 ONO 61 DONJEX: Tuff, breccia
    - Eocene
      - MOUNT NANSEN GROUP
        - 31 DM 59 Acid to intermediate tuff, breccia
    - LOWER (?) TERTIARY
      - 29 TC 58 CASINO: Tuff, ignimbrite, breccia
      - 28 TFF 58 Feldspar porphyry dykes, flow
      - 27 TVO 58 Andesite, porphyritic basalt flows and dykes
    - EARLY TERTIARY
      - 27 ETG 57 Granodiorite, granite
      - 26 ETGA 57 Alaskan, granite, quartz monzonite
      - 25 FPPP 57 Feldspar porphyry dykes
  - CRETACEOUS
    - 24 KY 52 Syenite, monzonite
    - 23 KG 52 Granite
    - 22 KQM 52 Quartz monzonite, granodiorite; CASSIAR quartz monzonite, alkali
    - 21 KDM 52 Granodiorite, quartz diorite, diorite, agmatite complex
  - JURASSIC AND CRETACEOUS
  - DEZADEASH GROUP
    - 20 JKO 51 Argillite, greywacke, conglomerate, volcanics
  - TRIASSIC
    - 19 TGM 42 Foliated hornblende granodiorite, quartz
  - MESOZOIC UNDIVIDED
    - 18 NPM 41 Porphyritic quartz monzonite
    - 17 NSD 41 Granodiorite, quartz monzonite
    - 16 MDI 41 Diorite
  - PERMIAN AND TRIASSIC
    - 15 PTV 40 Greenstone, greywacke, shale, limestone
    - 14 PTV 40 Greenstone, diorite
    - 13 PTUB 40 Pyroxenite, serpentinite
  - PALEOZOIC AND MESOZOIC UNDIVIDED
    - 12 PMW 40 Basic to intermediate volcanic rocks
    - 11 PNB 40 Hornblende gabbro
    - 10 PNB 40 Ultramafic rocks
  - PALEOZOIC UNDIVIDED
    - 9 PM 09 NSASIA: Graphitic quartzite, schist
    - 8 PC 09 Limestone
    - 7 PGM 09 PELY GNEISS: Foliated to gneissic granodiorite
    - 6 PM 09 Amphibolite, schist, gneiss
    - 5 PTP 09 Chert, argillite, quartzite
    - 4 PV 09 Greenstone, amphibolite
  - CARBONIFEROUS AND PERMIAN
    - 3 CPS 35 Quartz-muscovite schist
    - 2 CPSN 35 Schist, gneiss, includes BIG SALMON METAMORPHIC COMPLEX
  - HARDYNIAN AND CARBONIFEROUS
    - 1 HCSN 08 Schist, gneiss, quartzite

\*A mnemonic code assigned to rock types and recorded as part of field observations.  
Geological boundary  
Fault  
No analytical result  
Field duplicate sample sites

Geological base and legend are derived from: Gabrielle, R., Templeman-Kluit, D.J., Blusson, S.L. and Campbell, R.B. (1980) Map 1398A, McMillan River, Yukon - District of Mackenzie - Alaska, NTS Sheet 105, 115, Geological Survey of Canada, Energy, Mines and Resources Canada, 1:110 000 Scale.