


GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105G



ANTIMONY
 IN
 STREAM SEDIMENTS


PPM	%TILE
32.5-	- MAX
7.5-	- 98
4.0-	- 95
3.0-	- 90
1.1-	- 70
0.6-	- 50
0.1-	- MIN
912 SAMPLES	

PPM	%TILE
32.5	MAX
4.0	95
3.0	90
1.1	70
0.6	50
0.1	MIN
912 SAMPLES	



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



ARSENIC
 IN
 STREAM SEDIMENTS


PPM	%TILE
450.0 -	- MAX
150.0 -	- 98
70.0 -	- 95
40.0 -	- 90
15.0 -	- 70
9.0 -	- 50
0.5 -	- MIN
913 SAMPLES	

PPM	%TILE
450.0	MAX
70.0	95
40.0	90
15.0	70
9.0	50
0.5	MIN
913 SAMPLES	



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



BARIUM
 IN
 STREAM SEDIMENTS

PPM	%TILE
11550 -	- MAX
4080 -	- 98
2993 -	- 95
2290 -	- 90
1540 -	- 70
1180 -	- 50
159 -	- MIN
911 SAMPLES	

PPM	%TILE
11550	MAX
2993	95
2290	90
1540	70
1180	50
159	MIN
911 SAMPLES	




GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056

CADMIUM
 IN
 STREAM SEDIMENTS


PPM	%TILE
46.8 -	- MAX
6.6 -	- 98
4.4 -	- 95
2.9 -	- 90
1.4 -	- 70
0.6 -	- 50
0.1 -	- MIN
913 SAMPLES	

PPM	%TILE
46.8	MAX
4.4	95
2.9	90
1.4	70
0.6	50
0.1	MIN
913 SAMPLES	



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



COBALT
 IN
 STREAM SEDIMENTS

PPM	%TILE
98 -	- MAX
29 -	- 98
23 -	- 95
19 -	- 90
13 -	- 70
10 -	- 50
1 -	- MIN

913 SAMPLES


PPM	%TILE
98	MAX
23	95
19	90
13	70
10	50
1	MIN

913 SAMPLES



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



COPPER
 IN
 STREAM SEDIMENTS

PPM	%TILE
4510 -	- MAX
94 -	- 98
68 -	- 95
54 -	- 90
36 -	- 70
29 -	- 50
1 -	- MIN

913 SAMPLES


PPM	%TILE
4510	MAX
68	95
54	90
36	70
29	50
1	MIN

913 SAMPLES



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



FLUORIDE
 IN
 STREAM WATERS

PPB	%TILE
1170 -	- MAX
480 -	- 98
290 -	- 95
190 -	- 90
90 -	- 70
60 -	- 50
20 -	- MIN

903 SAMPLES

PPB	%TILE
1170	MAX
290	95
190	90
90	70
60	50
20	MIN

903 SAMPLES




GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105G

FLUORINE
 IN
 STREAM SEDIMENTS


PPM	%TILE
2100 -	- MAX
1030 -	- 98
920 -	- 95
795 -	- 90
600 -	- 70
495 -	- 50
60 -	- MIN
913 SAMPLES	

PPM	%TILE
2100	MAX
920	95
795	90
600	70
495	50
60	MIN
913 SAMPLES	



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



GOLD
 IN
 STREAM SEDIMENTS

PPB	%TILE
412.0 -	- MAX
32.0 -	- 98
9.0 -	- 95
5.0 -	- 90
0.5 -	- 70
0.5 -	- MIN

912 SAMPLES


PPB	%TILE
412.0	MAX
9.0	95
5.0	90
0.5	70
0.5	MIN

912 SAMPLES



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



IRON
 IN
 STREAM SEDIMENTS

PCT	%TILE
29.90 -	- MAX
4.58 -	- 98
4.01 -	- 95
3.66 -	- 90
2.88 -	- 70
2.46 -	- 50
0.23 -	- MIN
913 SAMPLES	

PCT	%TILE
29.90	MAX
4.01	95
3.66	90
2.88	70
2.46	50
0.23	MIN
913 SAMPLES	



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105G


LEAD
 IN
 STREAM SEDIMENTS

PPM	%TILE
135 -	- MAX
60 -	- 98
45 -	- 95
33 -	- 90
19 -	- 70
14 -	- 50
1 -	- MIN

913 SAMPLES

PPM	%TILE
135	MAX
45	95
33	90
19	70
14	50
1	MIN

913 SAMPLES




GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056

LOSS ON IGNITION
 IN
 STREAM SEDIMENTS

PCT	%TILE
85.6 -	- MAX
30.0 -	- 94
15.0 -	- 82
0.5 -	- MIN
893 SAMPLES	





GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056

MANGANESE
 IN
 STREAM SEDIMENTS


PPM	%TILE
20000 -	- MAX
5460 -	- 98
2102 -	- 95
1037 -	- 90
471 -	- 70
345 -	- 50
16 -	- MIN
913 SAMPLES	

PPM	%TILE
20000	MAX
2102	95
1037	90
471	70
345	50
16	MIN
913 SAMPLES	



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



MERCURY
 IN
 STREAM SEDIMENTS

PPB	%TILE
1505 -	- MAX
260 -	- 98
205 -	- 95
155 -	- 90
85 -	- 70
50 -	- 50
5 -	- MIN

910 SAMPLES

PPB	%TILE
1505	MAX
205	95
155	90
85	70
50	50
5	MIN

910 SAMPLES



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056


MOLYBDENUM
 IN
 STREAM SEDIMENTS

PPM	%TILE
91 -	MAX
13 -	98
8 -	95
6 -	90
2 -	75
1 -	MIN

913 SAMPLES


PPM	%TILE
91	MAX
8	95
6	90
2	75
1	MIN

913 SAMPLES



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105G



NICKEL
 IN
 STREAM SEDIMENTS

PPM	%TILE
886 -	- MAX
156 -	- 98
120 -	- 95
86 -	- 90
49 -	- 70
37 -	- 50
1 -	- MIN

913 SAMPLES


PPM	%TILE
886	MAX
120	95
86	90
49	70
37	50
1	MIN

913 SAMPLES



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



PH
 IN
 STREAM WATERS

	%TILE
8.3 -	- MAX
7.6 -	- 45
7.2 -	- 20
6.7 -	- 3
6.3 -	- 1
4.5 -	- MIN




903 SAMPLES



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)


YUKON 1988
 NTS 1056

SILVER
 IN
 STREAM SEDIMENTS



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056



TIN
 IN
 STREAM SEDIMENTS

PPM	%TILE
36.0-	- MAX
17.0-	- 98
12.0-	- 95
8.0-	- 90
5.0-	- 70
3.0-	- 50
0.5-	- MIN

910 SAMPLES

PPM	%TILE
36.0	MAX
12.0	95
8.0	90
5.0	70
3.0	50
0.5	MIN




910 SAMPLES



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056

TUNGSTEN
 IN
 STREAM SEDIMENTS




GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105G

URANIUM
 IN
 STREAM SEDIMENTS

PPM	%TILE
236.0 -	- MAX
49.4 -	- 98
30.3 -	- 95
13.1 -	- 90
5.6 -	- 70
4.2 -	- 50
0.3 -	- MIN
911 SAMPLES	

PPM	%TILE
236.0	MAX
30.3	95
13.1	90
5.6	70
4.2	50
0.3	MIN
911 SAMPLES	



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 1056


URANIUM
 IN
 STREAM WATERS

PPB	%TILE
32.60 -	- MAX
4.70 -	- 98
3.10 -	- 95
2.40 -	- 90
0.92 -	- 70
0.45 -	- 50
0.03 -	- MIN

903 SAMPLES

PPB	%TILE
32.60	MAX
3.10	95
2.40	90
0.92	70
0.45	50
0.03	MIN

903 SAMPLES




GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105G

VANADIUM
 IN
 STREAM SEDIMENTS


PPM	%TILE
470 -	- MAX
91 -	- 98
63 -	- 95
53 -	- 90
36 -	- 70
28 -	- 50
2 -	- MIN
913 SAMPLES	

PPM	%TILE
470	MAX
63	95
53	90
36	70
28	50
2	MIN
913 SAMPLES	



GSC OPEN FILE 1648
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105G



ZINC
 IN
 STREAM SEDIMENTS

PPM	%TILE
2140 -	- MAX
773 -	- 98
501 -	- 95
322 -	- 90
185 -	- 70
131 -	- 50
19 -	- MIN
913 SAMPLES	

PPM	%TILE
2140	MAX
501	95
322	90
185	70
131	50
19	MIN
913 SAMPLES	

