


GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 10SH



ANTIMONY
 IN
 STREAM SEDIMENTS

PPM	%TILE
10.0 -	- MAX
2.6 -	- 98
1.5 -	- 95
1.0 -	- 90
0.5 -	- 70
0.2 -	- 50
0.1 -	- MIN

909 SAMPLES


PPM	%TILE
10.0	MAX
1.5	95
1.0	90
0.5	70
0.2	50
0.1	MIN

909 SAMPLES



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



ARSENIC
 IN
 STREAM SEDIMENTS


PPM	%TILE
425.0 -	- MAX
70.0 -	- 98
35.0 -	- 95
18.0 -	- 90
8.0 -	- 70
5.0 -	- 50
0.5 -	- MIN
916 SAMPLES	

PPM	%TILE
425.0	MAX
35.0	95
18.0	90
8.0	70
5.0	50
0.5	MIN
916 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



**BARIUM
 IN
 STREAM SEDIMENTS**


PPM	%TILE
3830 -	- MAX
2277 -	- 98
1690 -	- 95
1390 -	- 90
894 -	- 70
761 -	- 50
20 -	- MIN
912 SAMPLES	

PPM	%TILE
3830	MAX
1690	95
1390	90
894	70
761	50
20	MIN
912 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 10SH



CADMIUM
 IN
 STREAM SEDIMENTS

PPM	%TILE
12.6 -	- MAX
3.5 -	- 98
2.2 -	- 95
1.3 -	- 90
0.4 -	- 70
0.2 -	- 60
0.1 -	- MIN

916 SAMPLES


PPM	%TILE
12.6	MAX
2.2	95
1.3	90
0.4	70
0.2	60
0.1	MIN

916 SAMPLES



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



COBALT
 IN
 STREAM SEDIMENTS

PPM	%TILE
386 -	- MAX
53 -	- 98
37 -	- 95
24 -	- 90
15 -	- 70
10 -	- 50
1 -	- MIN

916 SAMPLES

PPM	%TILE
386	MAX
37	95
24	90
15	70
10	50
1	MIN

916 SAMPLES




GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H

COPPER
 IN
 STREAM SEDIMENTS


PPM	%TILE
296 -	- MAX
95 -	- 98
70 -	- 95
53 -	- 90
33 -	- 70
22 -	- 50
2 -	- MIN
916 SAMPLES	

PPM	%TILE
296	MAX
70	95
53	90
33	70
22	50
2	MIN
916 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



FLUORIDE
 IN
 STREAM WATERS

PPB	%TILE
600 -	- MAX
130 -	- 98
100 -	- 95
80 -	- 90
70 -	- 80
50 -	- 60
10 -	- MIN

904 SAMPLES

PPB	%TILE
600	MAX
100	95
80	90
70	80
50	60
10	MIN

904 SAMPLES




GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H

FLUORINE
 IN
 STREAM SEDIMENTS


PPM	%TILE
2440 -	- MAX
865 -	- 98
630 -	- 95
550 -	- 90
425 -	- 70
365 -	- 50
60 -	- MIN
915 SAMPLES	

PPM	%TILE
2440	MAX
630	95
550	90
425	70
365	50
60	MIN
915 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



**GOLD
 IN
 STREAM SEDIMENTS**


PPB	%TILE
65.0 -	- MAX
18.0 -	- 98
7.0 -	- 95
3.0 -	- 90
1.0 -	- 82
0.5 -	- MIN
917 SAMPLES	

PPB	%TILE
65.0	MAX
18.0	98
7.0	95
3.0	90
1.0	82
0.5	MIN
917 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



IRON
 IN
 STREAM SEDIMENTS


PCT	%TILE
7.26 -	- MAX
5.15 -	- 98
4.64 -	- 95
4.18 -	- 90
3.33 -	- 70
2.71 -	- 50
0.36 -	- MIN
916 SAMPLES	

PCT	%TILE
7.26	MAX
4.64	95
4.18	90
3.33	70
2.71	50
0.36	MIN
916 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



LEAD
 IN
 STREAM SEDIMENTS

PPM	%TILE
223 -	- MAX
84 -	- 98
57 -	- 95
43 -	- 90
25 -	- 70
18 -	- 50
1 -	- MIN
916 SAMPLES	

PPM	%TILE
223	MAX
57	95
43	90
25	70
18	50
1	MIN
916 SAMPLES	




GSC OPEN FILE 1649
CANADA - YUKON
MINERAL DEVELOPMENT
AGREEMENT (1984-1989)

YUKON 1988
NTS 105H


LOSS ON IGNITION
IN
STREAM SEDIMENTS

PCT	%TILE
93.6 -	- MAX
30.0 -	- 98
15.0 -	- 90
0.5 -	- MIN
913 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



MANGANESE
 IN
 STREAM SEDIMENTS


PPM	%TILE
10800 -	- MAX
1120 -	- 98
862 -	- 95
673 -	- 90
457 -	- 70
355 -	- 50
24 -	- MIN
916 SAMPLES	

PPM	%TILE
10800	MAX
862	95
673	90
457	70
355	50
24	MIN
916 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



MERCURY
 IN
 STREAM SEDIMENTS

PPB	%TILE
1800 -	- MAX
260 -	- 98
160 -	- 95
90 -	- 90
30 -	- 70
20 -	- 50
5 -	- MIN

916 SAMPLES

PPB	%TILE
1800	MAX
160	95
90	90
30	70
20	50
5	MIN




916 SAMPLES



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)


YUKON 1988
 NTS 105H

MOLYBDENUM
 IN
 STREAM SEDIMENTS



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



NICKEL
 IN
 STREAM SEDIMENTS

PPM	%TILE
800 -	- MAX
200 -	- 98
116 -	- 95
73 -	- 90
34 -	- 70
24 -	- 50
1 -	- MIN

916 SAMPLES

PPM	%TILE
800	MAX
116	95
73	90
34	70
24	50
1	MIN

916 SAMPLES





GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H


PH
 IN
 STREAM WATERS

- | | |
|-------------|-------|
| | %TILE |
| 8.4- | - MAX |
| 7.6- | - 80 |
| 7.2- | - 50 |
| 6.7- | - 20 |
| 6.3- | - 5 |
| 4.6- | - MIN |
| 904 SAMPLES | |



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



SILVER
 IN
 STREAM SEDIMENTS

PPM	%TILE
2.7 -	- MAX
0.6 -	- 98
0.4 -	- 95
0.3 -	- 90
0.2 -	- 80
0.1 -	- MIN

916 SAMPLES


PPM	%TILE
2.7	MAX
0.4	95
0.3	90
0.2	80
0.1	MIN

916 SAMPLES





GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H






TIN
 IN
 STREAM SEDIMENTS



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)


YUKON 1988
 NTS 105H

TUNGSTEN
 IN
 STREAM SEDIMENTS



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



URANIUM
 IN
 STREAM SEDIMENTS

PPM	%TILE
130.0 -	- MAX
37.5 -	- 98
22.8 -	- 95
16.8 -	- 90
8.9 -	- 70
6.0 -	- 50
0.3 -	- MIN
910 SAMPLES	

PPM	%TILE
130.0	MAX
22.8	95
16.8	90
8.9	70
6.0	50
0.3	MIN
910 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H


URANIUM
 IN
 STREAM WATERS

PPB	%TILE
12.90 -	- MAX
3.30 -	- 98
1.70 -	- 95
0.87 -	- 90
0.40 -	- 70
0.24 -	- 50
0.03 -	- MIN

904 SAMPLES


PPB	%TILE
12.90	MAX
1.70	95
0.87	90
0.40	70
0.24	50
0.03	MIN

904 SAMPLES



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



VANADIUM
 IN
 STREAM SEDIMENTS


PPM	%TILE
194 -	MAX
71 -	98
59 -	95
50 -	90
34 -	70
26 -	50
2 -	MIN
916 SAMPLES	

PPM	%TILE
194	MAX
59	95
50	90
34	70
26	50
2	MIN
916 SAMPLES	



GSC OPEN FILE 1649
 CANADA - YUKON
 MINERAL DEVELOPMENT
 AGREEMENT (1984-1989)

YUKON 1988
 NTS 105H



ZINC
 IN
 STREAM SEDIMENTS

PPM	%TILE
2510 -	- MAX
508 -	- 98
327 -	- 95
237 -	- 90
129 -	- 70
98 -	- 50
6 -	- MIN
916 SAMPLES	

PPM	%TILE
2510	MAX
327	95
237	90
129	70
98	50
6	MIN
916 SAMPLES	

