




GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)



GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)






GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)

YUKON 1989  
NTS 105E


# ARSENIC IN STREAM SEDIMENTS

PPM %TILE  
 124.0 - - MAX  
 15.0 -   
 12.0 -  - 98  
 9.0 -   
 5.0 -  - 95  
 4.0 -  - 90  
 0.5 -  - 70  
 +  
 0.5 - - MIN  
 907 SAMPLES



A horizontal scale bar consisting of a thick black line with numerical markings at 0 and 20, labeled "KILOMETRES" below it.



GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)



GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)


YUKON 1989  
NTS 105E

CADMIUM  
IN  
STREAM SEDIMENTS






0 20  
KILOMETRES

GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)




GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)




0 20  
KILOMETRES

GSC OPEN FILE 1960  
 CANADA - YUKON  
 MINERAL DEVELOPMENT  
 AGREEMENT (1985-1989)



GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)



YUKON 1989  
NTS 105E



FLUORINE  
IN  
STREAM SEDIMENTS

PPM	%TILE
698	MAX
517	- 98
460	- 95
395	- 90
292	- 70
248	- 50
20	MIN
906	SAMPLES

PPM	%TILE
698	MAX
460	- 95
395	- 90
292	- 70
248	- 50
20	MIN
906	SAMPLES

0 20  
KILOMETRES

GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)




0 20  
KILOMETRES

GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)

YUKON 1989  
NTS 10SE



# IRON IN STREAM SEDIMENTS



GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)


YUKON 1989  
NTS 105E

# LEAD IN STREAM SEDIMENTS




This figure is a world map illustrating spatial distribution patterns. The map features a grid of latitude and longitude lines. Shaded regions, consisting of small dots, are concentrated in several areas: the North Atlantic (between 30°W and 15°E, 45°N to 62°N), the North Pacific (between 135°E and 45°W, 30°N to 62°N), and the Southern Ocean (between 136°E and 15°W, 61°S to 62°S). Data points are represented by three symbols: crosses (+), open triangles (Δ), and open squares (□). These symbols are scattered across the map, with higher concentrations in the same shaded regions as the dots. A prominent black line, likely representing a coastline or a specific latitude/longitude boundary, runs through the map, intersecting many of the data points.

GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)




GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)



0 20  
KILOMETRES

GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)



YUKON 1989  
NTS 105E



MOLYBDENUM  
IN  
STREAM SEDIMENTS

PPM %TILE  
 40 - MAX  
 7 - 99  
 5 - 98  
 2 - 95  
 1 - MIN  
 907 SAMPLES

PPM %TILE  
 40 - MAX  
 5 - 98  
 2 - 95  
 1 - MIN  
 907 SAMPLES


0 20  
KILOMETRES

GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)



0 20  
KILOMETRES

GSC OPEN FILE 1960  
 CANADA - YUKON  
 MINERAL DEVELOPMENT  
 AGREEMENT (1985-1989)




YUKON 1989  
 NTS 10SE

PH  
 IN  
 STREAM WATERS

8.7 -	%TILE
7.6 -	MAX
7.2 -	45
6.7 -	17
6.3 -	3
5.4 -	1
5.4 -	MIN
892 SAMPLES	

0 20  
 KILOMETRES

GSC OPEN FILE 1960  
 CANADA - YUKON  
 MINERAL DEVELOPMENT  
 AGREEMENT (1985-1989)



YUKON 1989  
 NTS 10SE

SILVER  
 IN  
 STREAM SEDIMENTS

PPM	%TILE
0.50	MAX
0.30	99
0.20	98
0.19	94
0.10	MIN

907 SAMPLES

PPM	%TILE
0.50	MAX
0.30	99
0.20	98
0.19	94
0.10	MIN

907 SAMPLES



0 20  
 KILOMETRES

GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)

YUKON 1989  
NTS 105E

TIN  
IN  
STREAM SEDIMENTS

PPM	%TILE
49.0	- MAX
17.0	- 98
10.0	- 95
8.0	- 90
5.0	- 70
3.0	- 50
0.5	- MIN
907	SAMPLES






0 20  
KILOMETRES

GSC OPEN FILE 1960  
 CANADA - YUKON  
 MINERAL DEVELOPMENT  
 AGREEMENT (1985-1989)

YUKON 1989  
 NTS 105E




TUNGSTEN  
 IN  
 STREAM SEDIMENTS




GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)

YUKON 1989  
NTS 105E



# URANIUM IN STREAM SEDIMENTS



GSC OPEN FILE 1960  
 CANADA - YUKON  
 MINERAL DEVELOPMENT  
 AGREEMENT (1985-1989)



GSC OPEN FILE 1960  
CANADA - YUKON  
MINERAL DEVELOPMENT  
AGREEMENT (1985-1989)



0                    20  
KILOMETRES

GSC OPEN FILE 1960  
 CANADA - YUKON  
 MINERAL DEVELOPMENT  
 AGREEMENT (1985-1989)

