


THE DECLINATION OF THE COMPASS NEEDLE 1954



The declination of the compass needle at any place along a broken line is the declination given on that broken line. At other places the declination is between those given on the neighbouring broken lines; thus at the place marked A, the declination is between 35°00' E. and 35°30' E. The declination of the compass needle is decreasing 4 1/2 minutes annually.

Produced by the Surveys and Mapping Branch, Department of Mines and Technical Surveys, 1954, from an orthophoto taken in 1951. Printed by the Army Survey Establishment, R.C.E., Department of National Defence, 1954.

REFERENCE

Wagon or Winter Road	---
Trail or Portage	.....
Village or Settlement	□
Post Office	○
Building or Cabin	▭
Horizontal Control Point	△
Astronomical Position	●
Spot Elevation (in feet)	4275

Universal Transverse Mercator Projection

**HART RIVER**  
 YUKON TERRITORY

Scale 1:250,000  
 1 Inch to 4 Miles Approximately




All Elevations in Feet above Mean Sea Level  
 Contour interval 500 Feet  
 North American Datum 1927

Copies may be obtained from the Map Distribution Office, Department of Mines and Technical Surveys, Ottawa.

REFERENCE

Contours, Elevation	.....
Contours, Depression	.....
Contours, Approximate	.....
Stream, Intermittent or Dry	.....
Sand, Gravel or Mud	.....
Rocks and Falls	.....
Mud or Swamp	.....
Wooded Area	.....



HART SHE