

GROUND TEMPERATURE AVAILABLE AT ONLY ONE DEPTH																	
SITE LOCATION	SITE IDENTIFIER	LATITUDE (°N)	LONGITUDE (°W)	ELEVATION metres (a.s.l.)	TYPE OF INFORMATION	STATUS	PERIOD	MEAN ANNUAL AIR TEMPERATURE (°C)	MAX MONTHLY AIR TEMPERATURE (°C)	MONTH	MIN MONTHLY TEMPERATURE (°C)	MONTH	AVERAGE ANNUAL SNOWFALL (cm)	MONTH OF MAX SNOWFALL (cm)	MAX THICKNESS OF SNOWCOVER (cm)	DURATION OF SNOWCOVER	DEPTH (metre)
<b>NORTHWEST TERRITORIES/NUNAVUT</b>																	
<b>Arctic Islands</b>																	
Melville Island	16-1	76.35	108.45	61	EBA	I	1978 - 1982	na	na	na	na	na	na	na	-	-	13.00
Melville Island	D2-5 (PGP)	76.23	108.84	84	EBA	I	1977 - 1982	na	na	na	na	na	na	na	-	-	11.40
Melville Island	13-2	76.15	108.86	34	EBA	I	1978 - 1982	na	na	na	na	na	na	na	-	-	13.00
Melville Island	R239-4 (PGP)	75.56	104.49	8	EBA	I	1977 - 1978	na	na	na	na	na	na	na	-	-	13.00
Melville Island	R240A-1-3 (PGP)	75.56	104.89	61	EBA	I	1977 - 1978	na	na	na	na	na	na	na	-	-	11.20
Melville Island	R240A-1 (PGP)	75.56	104.93	61	EBA	I	1977 - 1978	na	na	na	na	na	na	na	-	-	13.00
Melville Island	10-2	75.90	109.04	46	EBA	I	1978 - 1982	na	na	na	na	na	na	na	-	-	8.10
Melville Island	245-1 (PGP)	75.51	108.58	23	EBA	I	1978 - 1981	na	na	na	na	na	na	na	-	-	9.15
Melville Island	2-6	75.21	108.55	122	EBA	I	1978 - 1981	na	na	na	na	na	na	na	-	-	10.80
Melville Island	1-8	75.12	108.61	23	EBA	I	1978 - 1981	na	na	na	na	na	na	na	-	-	13.00
Melville Island	R245A-2 (PGP)	75.76	108.81	61	EBA	I	1977 - 1982	na	na	na	na	na	na	na	-	-	13.00
Melville Island	247-3 (PGP)	75.68	108.79	8	EBA	I	1977 - 1982	na	na	na	na	na	na	na	-	-	8.65
Melville Island	7-2	75.75	108.67	8	EBA	I	1978 - 1981	na	na	na	na	na	na	na	-	-	11.00
Truelove Lowlands, Devon Is.	A1) Beach ridge, S slope	75.55	84.67	38	DBR	I	05/1972 - 05/1973	(Resolute) -18.7	na	na	na	na	na	na	23.0	Oct - Jun	0.0
Truelove Lowlands, Devon Is.	A2) -top	75.55	84.67	38	DBR	I	05/1972 - 05/1973	(Resolute) -18.7	na	na	na	na	na	na	30.0	Oct - Jun	0.0
Truelove Lowlands, Devon Is.	A3) -north slope	75.55	84.67	38	DBR	I	05/1972 - 05/1973	(Resolute) -18.7	na	na	na	na	na	na	53.0	Oct - Jun	0.0
Truelove Lowlands, Devon Is.	B) Tundra-meadow	75.55	84.67	53	DBR	I	05/1972 - 05/1973	(Resolute) -18.7	na	na	na	na	na	na	46.0	Oct - Jun	0.0
Truelove Lowlands, Devon Is.	C) Limestone-coast	75.55	84.67	1	DBR	I	05/1972 - 05/1973	(Resolute) -18.7	na	na	na	na	na	na	33.0	Oct - Jun	0.0
Truelove Lowlands, Devon Is.	D) Limestone-inland	75.55	84.67	9	DBR	I	05/1972 - 05/1973	(Resolute) -18.7	na	na	na	na	na	na	33.0	Oct - Jun	0.0
Truelove Lowlands, Devon Is.	E) Granite Gneiss	75.55	84.67	75	DBR	I	05/1972 - 05/1973	(Resolute) -18.7	na	na	na	na	na	na	15.0	Oct - Jun	0.0
Truelove Lowlands, Devon Is.	F) Upland Plateau	75.55	84.67	306	DBR	I	05/1972 - 05/1973	(Resolute) -18.7	na	na	na	na	na	na	38.0	Oct - Jun	0.0
Resolute	-	74.68	94.90	17	na	I	1954 - 1957	-16.2	na	na	na	na	na	na	-	-	15.2 - 30.5
Miine Inlet	-	72.33	80.50	-	na	I	na	(Pond Inlet) -14.3	na	na	na	na	na	na	-	-	15.20
Mary River	-	71.18	79.35	-	na	I	na	(Pond Inlet) -14.3	na	na	na	na	na	na	-	-	9.10
Pangnirtung		66.00	65.50	-	other	I	na	-10	na	na	na	na	na	na	na	na	0
Iqaluit Permafrost Site	North borehole	63.80	68.50	-	other	A	08/89-1994	-9.3	7.6	July	-25.9	Feb	255.5	Oct	na	na	5
<b>Mackenzie Delta</b>																	
Garry Island	1	69.50	135.77	-	na	I	07/1969 - 06/1970	na	na	na	na	na	na	na	avg snow depth 10.8	-	0.91
Garry Island	2	69.50	135.77	-	na	I	07/1969 - 06/1970	na	na	na	na	na	na	na	avg snow depth 38.7	-	0.91



SITE LOCATION	SITE IDENTIFIER	LATITUDE (°N)	LONGITUDE (°W)	ELEVATION metres (a.s.l.)	TYPE OF INFORMATION	STATUS	PERIOD	MEAN ANNUAL TEMPERATURE (°C)	AIR TEMPERATURE (°C)	MAX MONTHLY TEMPERATURE (°C)	MONTH	MIN MONTHLY TEMPERATURE (°C)	MONTH	AVERAGE ANNUAL SNOWFALL (cm)	MONTH OF MAX SNOWFALL (cm)	MAX THICKNESS OF SNOWCOVER (cm)	DURATION OF SNOWCOVER	DEPTH (metre)
Tundra Mines Ltd.	-	67.43	115.53	-	DBR	I	na	-8.3	na	na	na	na	na	na	na	-	-	99.10
Meadowbank River	-	65.30	95.42	130	DBR	I	1974 - 1976	approx. -12.8	na	na	na	na	na	na	na	avg snowdepth 51	-	8.23
Norman Wells	-	65.30	126.82	73	DBR	I	1958 - 1962	-6.2	na	na	na	na	na	na	na	-	-	15.2 - 30.5
Norman Wells	mainland#495	65.29	120.57	63	EBA	I	03/82-05/82	-	na	na	na	na	na	na	na	-	-	ZeroAmp
Norman Wells	Maninland#497	65.28	120.85	55.6	EBA	I	03/82-05/82	-	na	na	na	na	na	na	na	-	-	ZeroAmp
Norman Wells	Bear Is.#496	65.25	120.88	51.2	EBA	I	03/82-05/82	-	na	na	na	na	na	na	na	-	-	ZeroAmp
Norman Wells	Bear Is#498	65.26	120.89	49	EBA	I	03/82-05/82	-	na	na	na	na	na	na	na	-	-	ZeroAmp
Contwoyto Lake	Lupin Gold Mine	65.75	111.20	470-505	EBA	I	-	-12.1	na	na	na	na	na	137	na	-	-	0
Thelon River	-	64.50	96.70	61	DBR	I	1974 - 1976	approx. -12.5	na	na	na	na	na	na	na	avg snow depth 28	-	8.23
Baker Lake	Kiggavik Mine	64.50	97.50	170	other	I	-	-12.2	na	na	na	na	na	100	na	-	-	0
Thirty Mile Lake	-	63.50	96.80	91	DBR	I	1974 - 1976	approx. -12.0	na	na	na	na	na	na	na	avg snow depth 41	-	5.49
Kazan River	-	63.04	97.10	168	DBR	I	1974 - 1976	approx. -11.7	na	na	na	na	na	na	na	-	-	8.80
Rankin Inlet	-	62.82	92.08	-	DBR	I	1960	esterfield In.) -11.6	na	na	na	na	na	na	na	-	-	30.50
Rankin Inlet	1	62.83	92.00	24	DBR	I	1974 - 1976	-11.6	na	na	na	na	na	na	na	6	-	13.87
Rankin Inlet	2	62.83	92.00	26	DBR	I	1974 - 1976	-11.6	na	na	na	na	na	na	na	18	-	12.50
Rankin Inlet	3	62.83	92.00	32	DBR	I	1974 - 1976	-11.6	na	na	na	na	na	na	na	14	-	4.88
Rankin Inlet	4	62.83	92.00	30	DBR	I	1974 - 1976	-11.6	na	na	na	na	na	na	na	73	-	4.27
Yellowknife	-	62.47	114.45	208	DBR	I	1954 - 1957	-5.4	na	na	na	na	na	na	na	-	-	0.7 - 2.5
Kogtok River	-	62.09	97.05	183	DBR	I	1974 - 1976	approx. -10.3	na	na	na	na	na	na	na	-	-	6.50
Fort Simpson	-	61.87	121.35	127	DBR	I	1959 - 1962	-3.9	na	na	na	na	na	na	na	-	-	0 - 1.5
Maguse Lake	1	61.83	95.15	61	DBR	I	1974 - 1976	approx. -9.7	na	na	na	na	na	na	na	21	-	15.54
Maguse Lake	2	61.83	95.15	61	DBR	I	1974 - 1976	approx. -9.7	na	na	na	na	na	na	na	-	-	
Heninga Lake	1	61.75	96.33	107	DBR	I	1974 - 1976	approx. -9.7	na	na	na	na	na	na	na	21	-	15.54
Heninga Lake	2	61.75	96.33	114	DBR	I	1974 - 1976	approx. -9.7	na	na	na	na	na	na	na	18	-	14.78
Heninga Lake	3	61.75	96.33	99	DBR	I	1974 - 1976	approx. -9.7	na	na	na	na	na	na	na	23	-	14.94
Heninga Lake	4	61.75	96.33	91	DBR	I	1974 - 1976	approx. -9.7	na	na	na	na	na	na	na	20	-	14.94
Noomut River	-	61.50	96.83	152	DBR	I	1974 - 1976	approx. -9.7	na	na	na	na	na	na	na	-	-	5.90
Tha-Anne River	-	61.02	96.70	175	DBR	I	1974 - 1976	approx. -9.4	na	na	na	na	na	na	na	-	-	6.10
Fort Smith	-	60.02	111.97	203	DBR	I	1950's	-3.2	na	na	na	na	na	na	na	-	-	4.60
Mountain River	C9 alluvial terrace	65.67	126.83	39	GSC	A	1993-1997	-6.77	29.49	na	na	<-37.37	na	na	na	-	-	0.07
Norman Wells	C11 alluvial terrace	65.20	126.46	51	GSC	A	1994-1997	-6.62	32.49	na	na	<-37.37	na	na	na	-	-	0.07
Ochre River	C13 fluvial terrace	63.47	123.69	97	GSC	A	1993-1996	-4.67	31.89	na	na	-44.74	na	na	na	-	-	0.07

SITE LOCATION	SITE IDENTIFIER	LATITUDE (°N)	LONGITUDE (°W)	ELEVATION metres (a.s.l.)	TYPE OF INFORMATION	STATUS	PERIOD	MEAN ANNUAL AIR TEMPERATURE (°C)	MAX MONTHLY AIR TEMPERATURE (°C)	MONTH	MIN MONTHLY TEMPERATURE (°C)	MONTH	AVERAGE ANNUAL SNOWFALL (cm)	MONTH OF MAX SNOWFALL (cm)	MAX THICKNESS OF SNOWCOVER (cm)	DURATION OF SNOWCOVER	DEPTH (metre)
Willowlake River	C14 top of inactive fluvial bar	62.70	123.06	103	GSC	A	1993-1996	-4.02	29.96	na	<-37.3	na	na	na	-	-	0.07
Fort Simpson	C15 glaciolacustrine plain	61.89	121.60	-165	GSC	A	1993-1996	-3.28	32.33	na	-44.16	na	na	na	-	-	0.07
<b>YUKON</b>																	
Aishihik	-	61.65	137.48	966	DBR	I	1953 - 1959	-4.2	na	na	na	na	na	na	-	-	6.10
Kay Point -7	#205	69.21	138.39	5	EPB	I	-	na	na	na	na	na	na	na	-	-	10.00
Alcan Foothills -1	#226	62.53	140.95	686	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -2	#226	62.29	140.77	747	EPB	I	-	na	na	na	na	na	na	na	-	-	7.00
Alcan Foothills -3	#226	61.59	139.45	747	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -4	#226	61.45	139.23	820	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -5	#226	61.27	138.84	823	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -6	#226	61.24	138.78	845	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -7	#226	61.72	139.84	780	EPB	I	-	na	na	na	na	na	na	na	-	-	3.00
Alcan Foothills -8	#226	61.71	139.84	780	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -9	#226	61.68	139.73	716	EPB	I	-	na	na	na	na	na	na	na	-	-	5.00
Alcan Foothills -10	#226	61.51	139.32	777	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -11	#226	61.25	138.80	823	EPB	I	-	na	na	na	na	na	na	na	-	-	4.00
Alcan Foothills -12	#226	60.92	137.87	840	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -13	#226	60.85	136.99	698	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Alcan Foothills -14	#226	60.82	136.70	750	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Monenco -3	#232	62.34	136.38	547	EPB	I	-	na	na	na	na	na	na	na	-	-	10.00
Clinton Creek -2	#112	64.44	140.74	557	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Clinton Creek -3	#112	64.44	140.74	476	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
Clinton Creek -4	#112	64.44	140.74	506	EPB	I	-	na	na	na	na	na	na	na	-	-	6.00
<b>BRITISH COLUMBIA</b>																	
Ruby Creek -4	#188	59.71	133.40	1475	EPB	I	-	na	na	na	na	na	na	na	-	-	16
<b>ALBERTA</b>																	
Fort Vermilion	-	58.38	116.05	290	DBR	I	1959 - 1962	-2.1	na	na	na	na	na	na	-	-	0 - 1.5
Keg River	-	57.78	117.83	427	DBR	I	Sept. 1963	-0.6	na	na	na	na	na	na	-	-	1.50
<b>SASKATCHEWAN</b>																	
Uranium City	-	59.57	108.62	-	DBR	I	1954 - 1957	-4.4	na	na	na	na	na	na	-	-	9.10
<b>MANITOBA</b>																	
Churchill	-	58.77	94.13	24	DBR	I	July 1955	-7.2	na	na	na	na	na	na	-	-	7.6 - 16.5
Kelsey	-	56.03	96.53	183	DBR	I	1958 - 1963	-3.6	na	na	na	na	na	na	-	-	9.10

SITE LOCATION	SITE IDENTIFIER	LATITUDE (°N)	LONGITUDE (°W)	ELEVATION metres (a.s.l.)	TYPE OF INFORMATION	STATUS	PERIOD	MEAN ANNUAL	MAX MONTHLY	MONTH	MIN MONTHLY	MONTH	AVERAGE	MONTH OF	MAX THICKNESS OF SNOWCOVER (cm)	DURATION OF SNOWCOVER	DEPTH (metre)
								TEMPERATURE (°C)	AIR TEMPERATURE (°C)		TEMPERATURE (°C)		ANNUAL SNOWFALL (cm)	MAX SNOWFALL (cm)			
Thompson	-	55.60	98.70	213	DBR	I	1961 -1963	-3.9	na	na	na	na	na	na	-	-	7.70
Churchill	1	58.75	94.05	35	DBR	I	1974 - 1976	-7.3	-3.3	na	-11.3	na	183.9	na	31	-	14.94
Churchill	2	58.75	94.05	15	DBR	I	1974 - 1976	-7.3	-3.3	na	-11.3	na	183.9	na	26	-	15.24
Churchill	3	58.75	94.05	23	DBR	I	1974 - 1976	-7.3	-3.3	na	-11.3	na	183.9	na	40	-	15.54
Churchill	4	58.75	94.05	20	DBR	I	1974 - 1976	-7.3	-3.3	na	-11.3	na	183.9	na	59	-	14.63
Nejanilini River	-	59.83	96.50	168	DBR	I	1974 - 1976	approx. -7.5	na	na	na	na	na	na	21	-	15.54
<b>QUEBEC</b>																	
Asbestos Hill	-	61.90	73.97	457	DBR	I	1962-1964	-10.6	na	na	na	na	183	na	-	-	<15.24
Asbestos Hill	-	61.83	73.75	503	DBR	I	Avg 15/04/62&8/7/6 2	-8.3	na	na	na	na	na	na	-	-	15.2 - 61.0
Schefferville	-	54.82	66.68	489	DBR	I	1962	-4.5	na	na	na	na	na	na	-	-	7.6 - 57.9
Kangihsualujuaq	rock	58.70	66.00	115	other	A	06/89-12/89	-5.2	na	na	na	na	250	na	-	-	ZeroAmp
Kangihsualujuaq	Till	58.70	66.00	130	other	A	06/89-12/89	-5.2	na	na	na	na	250	na	-	-	zeroAmp
Kangihsualujuaq	Silt clay	58.70	66.00	15	other	A	06/89-12/89	-5.2	na	na	na	na	250	na	-	-	ZeroAmp
Quaqtaq	Sediment	61.03	69.50	30	other	A	07/88-12/92	-8	na	na	na	na	175	na	-	-	ZeroAmp
Quaqtaq	Sedimet	61.03	69.50	30	other	A	07/88-12/92	-8	na	na	na	na	175	na	-	-	ZeroAmp
Kangihsujuaq	rock	61.50	72.00	155	other	A	08/88-12/93	-8	na	na	na	na	175	na	-	-	ZeroAmp

GROUND TEMPERATURE AVAILABLE												
SITE LOCATION	SITE IDENTIFIER	MEAN ANNUAL GROUND TEMPERATURE (MAGT °C)	MAX TEMP (°C)	MONTH	MIN TEMP (°C)	MONTH	VEGETATION TYPE	EARTH MATERIALS	ACTIVE LAYER THICKNESS (cm)	PERMAFROST REGION	COMMENTS	REFERENCE SOURCE(S)
<b>NORTHWEST TERRITORIES/NUNAVUT</b>												
<b>Arctic Islands</b>												
Melville Island	16-1	--17.0	-	-	-	-	Mosses and sedges	Clay and ice	~10-20	Cont.		28,29
Melville Island	D2-5 (PGP)	--16.8	-	-	-	-	Mosses,lichen, sedges	Silt, ice and clay	~10	Cont.		28,29
Melville Island	13-2	--16.3	-	-	-	-	Mosses and sedges	Clay, ice and silt	~10	Cont.		28,29
Melville Island	R239-4 (PGP)	--15.5	-	-	-	-	Sparse sedges, moss	Sand, silt and clay	~35	Cont.		28
Melville Island	R240A-1-3 (PGP)	--16.1	-	-	-	-	Mosses,lichen, sedges	Silt and clay	~30	Cont.		28
Melville Island	R240A-1 (PGP)	--17.0	-	-	-	-	Mosses,lichen, sedges	Silt, ice and clay	~20	Cont.		28
Melville Island	10-2	--17.6	-	-	-	-	Well vegetated	Sand and clay	~10	Cont.		28,29
Melville Island	245-1 (PGP)	--16.1	-	-	-	-	Dense tundra types	Silt, clay and ice	~10	Cont.		28,29
Melville Island	2-6	--17.5	-	-	-	-	Trace of moss,lichen	Silt and sand	~30-38	Cont.		28,29
Melville Island	1-8	--15.9	-	-	-	-	Sparse sedge tussocks	Sands	~25-40	Cont.		28,29
Melville Island	R245A-2 (PGP)	--17.3	-	-	-	-	na	Sand and silt	~40	Cont.		28,29
Melville Island	247-3 (PGP)	--16.9	-	-	-	-	Dense lichens,sedges	Sand and clay	~30	Cont.		28,29
Melville Island	7-2	--17.1	-	-	-	-	Unvegetated	Sand and silt	~22-35	Cont.		28,29
Truelove Lowlands,Devon Is.	A1) Beach ridge, S slope	-16.7	-	-	-	-	High arctic tundra	Sandy gravel	110.0	Cont.		12,43,4
Truelove Lowlands,Devon Is.	A2) -top	-16.3	-	-	-	-	High arctic tundra	Sandy gravel	91.0	Cont.		12,43,4
Truelove Lowlands,Devon Is.	A3) -north slope	-15.6	-	-	-	-	High arctic tundra	Peat	61.0	Cont.		12,43,4
Truelove Lowlands,Devon Is.	B) Tundra-meadow	-14.8	-	-	-	-	High arctic tundra	Peat,stone clayey silt	70.0	Cont.		12,43,4
Truelove Lowlands,Devon Is.	C) Limestone-coast	-16.8	-	-	-	-	High arctic tundra	na	122.0	Cont.		12,43,4
Truelove Lowlands,Devon Is.	D) Limestone-inland	-14.9	-	-	-	-	High arctic tundra	na	140.0	Cont.		12,43,4
Truelove Lowlands,Devon Is.	E) Granite Gneiss	-14.8	-	-	-	-	High arctic tundra	na	223.0	Cont.		12,43,4
Truelove Lowlands,Devon Is.	F) Upland Plateau	-14.6	-	-	-	-	High arctic tundra	Stoney clayey silt	<30	Cont.		12,43,4
Resolute	-	-12.2 to -13.1	na	na	na	na	na	na	na	Cont.		8,13
Milne Inlet	-	-12.2	na	na	na	na	na	na	na	Cont.		8,9,4
Mary River	-	-12.2	na	na	na	na	na	na	na	Cont.		8,4
Pangnirtung		-8 to -9	na	na	na	na	Tundra	Sand,gravel	160	Cont.		36
Iqaluit Permafrost Site	North borehole	-9.2	-5.5	na	-13.0	na	na	Massive gneiss bedrock	na	Cont.		38,4,5
<b>Mackenzie Delta</b>												
Garry Island	1	-7.9	-2.4	Oct	-16.4	Mar	Grass,lichen, moss	Stoney, silty clay	15 - 50	Cont.		47
Garry Island	2	-6.8	-2.1	Oct	-13.7	Mar	-	na	na	Cont.		47



SITE LOCATION	SITE IDENTIFIER	MEAN ANNUAL GROUND TEMPERATURE (MAGT °C)	MAX TEMP (°C)	MONTH	MIN TEMP (°C)	MONTH	VEGETATION TYPE	EARTH MATERIALS	ACTIVE LAYER THICKNESS (cm)	PERMAFROST REGION	COMMENTS	REFERENCE SOURCE(S)
Tundra Mines Ltd.	-	-1.7	na	na	na	na	na	na	na	Disc.		8
Meadowbank River	-	-3.2	na	na	na	na	na	Sand-stones	77	Cont.		10
Norman Wells	-	-3.3 to -1.9	na	na	na	na	na	na	na	Disc.		8,13
Norman Wells	mainland#495	-1.5	na	na	na	na	-	na	na	Disc.		27
Norman Wells	Maninland#497	-0.8	na	na	na	na	-	na	na	Disc.		27
Norman Wells	Bear Is.#496	-2.0	na	na	na	na	-	Peat sand silt	na	Disc.		27
Norman Wells	Bear Is#498	-1.5	na	na	na	na	-	Peat sand silt	na	Disc.		27
Contwoyto Lake	Lupin Gold Mine	-9.0	na	na	na	na	-	Organic, sandy till	60-250	Cont.		24,42
Thelon River	-	-5.2	na	na	na	na	na	Sand-silt-stones	58	Cont.		10
Baker Lake	Kiggavik Mine	-8.0	na	na	na	na	-	na	15-60	Cont.		31,4,5
Thirty Mile Lake	-	-4.9	na	na	na	na	na	Sand-silt-stones	216	Cont.		10
Kazan River	-	-8.8	na	na	na	na	na	Sand-silt-stones	111	Cont.		10
Rankin Inlet	-	-9.4 to -8.3	na	na	na	na	na	na	na	Cont.		8,13,4
Rankin Inlet	1	-7.9	na	na	na	na	na	Greenstone	333	Cont.		10
Rankin Inlet	2	-7.9	na	na	na	na	na	Gravel	150	Cont.		10
Rankin Inlet	3	-7.9	na	na	na	na	na	Silt-clay-stones	117	Cont.		10
Rankin Inlet	4	-6.4	na	na	na	na	na	Gravel	124	Cont.		10
Yellowknife	-	0.5 to -0.3	na	na	na	na	na	na	na	Disc.		8,13
Kogtok River	-	-6.3	na	na	na	na	na	Sand-silt-stones	51	Cont.		10
Fort Simpson	-	1.9 to 0.7	na	na	na	na	na	na	na	Disc.		8,13
Maguse Lake	1	-6.2	na	na	na	na	na	Sand-silt-stones	38	Cont.		10
Maguse Lake	2		na	na	na	na	na	Sand-silt-stones	91	Cont.		10
Heninga Lake	1	-6.2	na	na	na	na	na	Silt-clay-stones	324	Cont.		10
Heninga Lake	2	-6.4	na	na	na	na	na	Granite gneiss	254	Cont.		10
Heninga Lake	3	-4.9	na	na	na	na	na	Granite gneiss	171	Cont.		10
Heninga Lake	4	-5.6	na	na	na	na	na	Granite gneiss	130	Cont.		10
Noomut River	-	-5.4	na	na	na	na	na	Silt-sand	31	Cont.		10
Tha-Anne River	-	-3.9	na	na	na	na	na	Silt-sand	61	Cont.		10
Fort Smith	-	-0.0	na	na	na	na	na	na	na	Disc.		8,13
Mountain River	C9 alluvial terrace	-0.9	9.8	na	-8.9	na	scattered vascular plants, dense birch alder thicket	organic litter over stony sand	60	Disc.		37a
Norman Wells	C11 alluvial terrace	-0.7	12.2	na	-12.9	na	Boreal vascular plants, mixed spruce	organic litter over sandy silt	60	Disc.		37a
Ochre River	C13 fluvial terrace	-0.1	18.2	na	-12.6	na	Boreal vascular plants, mixed black spruce	organic litter over silt	60	Disc.		37a

SITE LOCATION	SITE IDENTIFIER	MEAN ANNUAL GROUND TEMPERATURE (MAGT °C)	MAX TEMP (°C)	MONTH	MIN TEMP (°C)	MONTH	VEGETATION TYPE	EARTH MATERIALS	ACTIVE LAYER THICKNESS (cm)	PERMAFROST REGION	COMMENTS	REFERENCE SOURCE(S)
Willowlake River	C14 top of inactive fluvial bar	-0.1	21.1	na	-18.3	na	moss, Boreal vascular plants, white spruce	organic litter over silt	84	Disc.		37a
Fort Simpson	C15 glaciolacustrine plain	0.2	19.7	na	-14.6	na	moss, Boreal vascular plants, mixed spruce	organic litter over sand	113	Disc.		37a
<b>YUKON</b>												
Aishihik	-	-2.1	na	na	na	na	na	na	na	Disc.		8,13
Kay Point -7	#205	-7.8	-	-	-	-	na	Silt, sand, gravel	na	Cont.		18
Alcan Foothills -1	#226	-2.6	-	-	-	-	na	Silt, organics, ice	na	Disc.		18
Alcan Foothills -2	#226	-2.0	-	-	-	-	na	Organics and silt	na	Disc.		18
Alcan Foothills -3	#226	-1.9	-	-	-	-	na	Peat, silt, clay	na	Disc.		18
Alcan Foothills -4	#226	-0.8	-	-	-	-	na	Sand, silt, clay	na	Disc.		18
Alcan Foothills -5	#226	-1.7	-	-	-	-	na	Silt, organics, clay	na	Disc.		18
Alcan Foothills -6	#226	-0.9	-	-	-	-	na	Peat, clay, sand	na	Disc.		18
Alcan Foothills -7	#226	-0.9	-	-	-	-	na	na	na	Disc.		18
Alcan Foothills -8	#226	-0.9	-	-	-	-	na	na	na	Disc.		18
Alcan Foothills -9	#226	-1.0	-	-	-	-	na	na	na	Disc.		18
Alcan Foothills -10	#226	-2.5	-	-	-	-	na	na	na	Disc.		18
Alcan Foothills -11	#226	-1.4	-	-	-	-	na	na	na	Disc.		18
Alcan Foothills -12	#226	0.2	-	-	-	-	na	na	na	Disc.		18
Alcan Foothills -13	#226	1.6	-	-	-	-	na	na	na	Disc.		18
Alcan Foothills -14	#226	1.3	-	-	-	-	na	na	na	Disc.		18
Monenco -3	#232	-0.5	-	-	-	-	na	Silt and sand	na	Disc.		18
Clinton Creek -2	#112	1.2	-	-	-	-	na	na	na	Disc.		18
Clinton Creek -3	#112	0.4	-	-	-	-	na	na	na	Disc.		18
Clinton Creek -4	#112	-5.3	-	-	-	-	na	na	na	Disc.		18
<b>BRITISH COLUMBIA</b>												
Ruby Creek -4	#188	1.3	-	-	-	-	na	na	na	Disc.		18
<b>ALBERTA</b>												
Fort Vermilion	-	4.3 to 3.8	na	na	na	na	na	na	na	Disc.		8,13
Keg River	-	-0.6 to 0.0	na	na	na	na	na	na	na	Disc.		8,13
<b>SASKATCHEWAN</b>												
Uranium City	-	-0.6 to 0.0	na	na	na	na	na	na	na	Disc.		8,13
<b>MANITOBA</b>												
Churchill	-	-2.5 to -1.7	na	na	na	na	na	na	na	Cont.		8,13
Kelsey	-	-0.8 to -0.3	na	na	na	na	na	na	na	Disc.		8,13

SITE LOCATION	SITE IDENTIFIER	MEAN ANNUAL GROUND TEMPERATURE (MAGT °C)	MAX TEMP (°C)	MONTH	MIN TEMP (°C)	MONTH	VEGETATION TYPE	EARTH MATERIALS	ACTIVE LAYER THICKNESS (cm)	PERMAFROST REGION	COMMENTS	REFERENCE SOURCE(S)
Thompson	-	-0.6 to 0.0	na	na	na	na	na	na	na	Disc.		8,13
Churchill	1	om hole temp -2.9	na	na	na	na	na	Quartzite	761	Cont.		10
Churchill	2	om hole temp -2.6	na	na	na	na	na	Silt-clay-stones	77	Cont.		10
Churchill	3	om hole temp -0.9	na	na	na	na	na	Silt-clay-stones	50	Cont.		10
Churchill	4	tom hole temp 0.4	na	na	na	na	na	Silt-clay-stones	-	Cont.		10
Nejanilini River	-	-6.2	na	na	na	na	na	Sand	na	Cont.		10
<b>QUEBEC</b>												
Asbestos Hill	-	-7.2 to -6.7	na	na	na	na	Tundra Communities	na	106.7 - 121.9	Cont.		51
Asbestos Hill	-	-7.2 to -6.7	na	na	na	na	na	na	na	Cont.		8,13
Schefferville	-	-0.8 to -0.3	na	na	na	na	na	na	na	Disc.		8,13
Kangihsualujuaq	rock	-2.0	na	na	na	na	na	Granite gneiss	500	Disc.		46
Kangihsualujuaq	Till	-2.6	na	na	na	na	na	Till	200	Disc.		46
Kangihsualujuaq	Silt clay	-0.3	na	na	na	na	na	Silty clay	150	Disc.		46
Quaqtaq	Sediment	-5.1	na	na	na	na	na	Sand gravel	140	Cont.		1,46
Quaqtaq	Sedimet	-4.8	na	na	na	na	na	Sand gravel	220	Cont.		1,46
Kangihsujuaq	rock	-5.8	na	na	na	na	na	Granite gneiss	340	Cont.		1,46