

SAMPLE LOCATION	
OPEN FILE 564	
SOUTHERN YUKON TERRITORY 1978	
LEGEND	
QUATERNARY OR TERTIARY	
16	Basalt and basalt breccia (Qtvb)
TERTIARY	
15	Sandstone, conglomerate and shale (Tscg); 15a, Buff weathering white rhyolite (Tqfp)
CRETACEOUS	
14	Quartz-feldspar porphyry dykes (KTqfp); 14a, biotite quartz monzonite (Kqm); 14b, porphyritic biotite quartz monzonite (Kpqm)
TRIASSIC AND JURASSIC	
13	Dark grey buff weathering bioclastic limestone (uTsc); 13a, dark green volcaniclastic sandstone (uTjv)
CARBONIFEROUS	
12	Thin-bedded interlaminated buff to yellowish siltstone and brown argillite (Cs1); 12a, thin-bedded chert and cherty tuff (Mt); 12b, green and maroon tuff and volcanic breccia (Mv); 12c, rusty, black, white and orange weathering lapilli and sand sized tuff, volcanic breccia and flow rocks (Mva); 12d, equigranular syenite and trachyte (My)
CARBONIFEROUS AND PERMIAN	
11	Amphibolite, greenstone and altered basalt (CPAv); 11a, dunite, peridotite and pyroxene (CPAvb); 11b, serpentinite (CPAs); 11c, gasper-red and apple-green chert and cherty tuff (CPAt); 11d, recrystallized crinoidal limestone (Pc)
DEVONIAN AND MISSISSIPPIAN	
10	Chert granule grit and chert pebble conglomerate (uDMcg); 10a, black siliceous slate with interbedded chert granule grit and greywacke (uDMS)
DEVONIAN (UPPER)	
9	Basalt, basaltic tuff and breccia; calcareous calcarinite (Dvc); 9a, fetid crinoidal limestone with minor interbedded slate (Dc)
SILURIAN AND LOWER DEVONIAN	
8	Dolomite, sandy dolomite and dolomitic sandstone (SDdq); 8a, dolomitized (SDd); 8b, coarsely sucrose dolomite and sandy dolomite (SDd); 8c, crinoidal limestone and dolomite (SDc); 8d, calcareous siltstone and calcareous orthoquartzite (SDsq)
SILURIAN	
7	Dolomitic siltstone and silty dolomite (Ss); 7a, lapilli tuff and volcanic breccia with interbedded bioclastic dolomite (Sv); 7b, algal laminate and sparry dolomite, orthoquartzite and sandy dolomite (Sdq); 7c, medium-grained mature orthoquartzite (Sq); 7d, laminated to sucrose dolomite (Sd); 7e, thinly laminated white and green hornfels (Sshf)
ORDOVICIAN, SILURIAN AND DEVONIAN	
6	Dark grey to black "sooty" limey or dolomitic graphitic siltstone and fine grained impure quartzite with interbedded graphitic silty shale (OSdc)
ORDOVICIAN AND SILURIAN	
5	Black, locally calcareous fissile graptolitic slate; includes thin sills or flows of dark green basalt (OSS1); 5a, quartz biotite and quartz chlorite schist and chlorite amphibolite (OSS1v); 5b, black graphitic siliceous and pyritic slate (OSS1q); 5c, black calcareous graphitic "sooty" slate and silty slate (OSS1c)
CAMBRIAN AND ORDOVICIAN	
4	Grey chlorite muscovite quartz phyllite containing lenses of greenstone (uG0s1v); 4a, grey chlorite muscovite quartz phyllite and slaty phyllite (uG0s1); 4b, calcareous shale and silty limestone (uG0c); 4c, ankeritic shale, slate and phyllitic slate (uG0c2); 4d, olive green tuff and tuffaceous slate (E0v); 4e, massive dark green and maroon amygdaloidal basalt (OvB); 4f, massive saussuritized dark green diabase or diorite sills (Eb); 4g, medium to dark grey calcareous shale, siltstone and argillaceous limestone (E0Ds1)
LOWER CAMBRIAN	
3	Coarsely crystalline dolomite (1cd); 3a, grey calcareous argillite, limestone and calcareous siltstone; locally includes biotite schist and quartz tremolite diopside skarn (1cc); 3b, grey limestone and argillaceous limestone (1cl); 3c, marble, recrystallized lime mud and bioclastic limestone (1cc2)
PROTEROZOIC AND/OR LOWER CAMBRIAN	
2	Muscovite biotite granodiorite gneiss (Pns); 2a, muscovite biotite granodiorite gneiss and augen gneiss (Pn); 2b, injection migmatite consisting of muscovite biotite gneiss, augen gneiss and schist with sills and plugs of biotite granite, biotite quartz monzonite, aplite and pegmatite (Pn+); 2c, silty slate and shaly quartzite (P1fqs); 2d, muscovite biotite schist, garnet mica quartz schist and micaceous quartzite with minor amphibolite (P1fqs); 2e, silty slate with some interbedded greywacke (P1fsg); 2f, banded hornfels (P1chf)
AGE UNKNOWN (KLONDIKE SCHIST)	
1	Light grey weathering marble (Mc); 1a, muscovite quartz blastomylonite, muscovite quartz schist and muscovite quartzite (PPk1); 1b, black siliceous phyllite and amphibole chlorite phyllite (PPk2); 1c, klondike schist undivided (PPk)
Geological boundary.....	
Fault.....	
No analytical result.....	

This legend was modified and the geology derived for this geochemical map from Geological Survey of Canada, Open File 468


Geological Survey of Canada
Resource Geophysics and Geochemistry Division

CONTRACTORS

Sample collection by BEMA Ltd
Sample preparation by Golder Associates
Uranium in sediment chemical analyses by Atomic Energy of Canada Ltd
Other sediment chemical analyses by Chemex Labs Ltd
Water chemical analyses by Barringer Magenta Ltd

This map forms one of a series of 45 maps released by the Geological Survey of Canada, Open Files 563, 564 and 565. Each Open File consists of maps for 12 elements for stream sediments, 1 element for stream waters, and 1 each for sample site location and water pH

SAMPLE LOCATION
OPEN FILE 564
SOUTHERN YUKON TERRITORY 1978



Elevation in feet above mean sea level

OPEN FILE 564
NATIONAL GEOCHEMICAL RECONNAISSANCE MAP 44-1978


Mean magnetic declination 1978, 32°17.1' East,
decreasing 3.1' annually. Readings vary from
32°03.6' in the SE corner to 32°30.6' in
the NW corner of the map

URANIUM RECONNAISSANCE PROGRAM

STREAM SEDIMENT AND WATER GEOCHEMICAL SURVEY

SOUTHERN YUKON TERRITORY 1978

Scale 1:250,000
Kilometres 6 0 6 12 18 Kilometres
Miles 4 0 4 8 Miles
Universal Transverse Mercator Projection
© Crown Copyrights reserved



N.T.S. REFERENCE