



GEOLOGICAL SURVEY OF CANADA
DEPARTMENT OF ENERGY, MINES AND RESOURCES


NATIONAL TOPOGRAPHIC SYSTEM

1:250,000

CANADA

FIRST EDITION


SHEET 116-I



D.K. Norris, 1975

This document was produced by scanning the original publication.
Ce document est le produit d'une numérisation par balayage de la publication originale.

THE DECLINATION OF THE COMPASS NEEDLE 1958



The declination of the compass needle at any place along a broken line is the declination given on that broken line. At other places the declination is between those given on the neighbouring broken lines, thus at the place marked A, the declination is between 36° 00' E. and 36° 30' E. The declination of the compass needle is decreasing 6 minutes annually.


Produced and created by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF MINES AND TECHNICAL SURVEYS, 1959, from air photographs taken in 1950.

Transverse Mercator Projection

EAGLE RIVER

YUKON TERRITORY

Scale 1:250,000
1 Inch to 4 Miles Approximately



Contour interval 500 Feet
Elevations in Feet above Mean Sea Level
North American Datum 1927.


Copies may be obtained from the Map Distribution Office, Department of Mines and Technical Surveys, Ottawa, at 25 cents each.

REFERENCE

- Wagon or winter road.....
- Trail or portage.....
- Boundary: provincial.....
- Village or settlement.....
- Post office.....
- Building or dam.....
- R.C.M.P. post.....
- Horizontal control point.....
- Astronomical position.....
- Spot elevation (in feet).....

REFERENCE

- Streams: intermittent or dry.....
- dry river bed.....
- Sand, gravel or mud.....
- Marsh or swamp.....
- Contours: elevation.....
- depression.....
- approximate.....
- Forest.....



OPEN FILE
DOSSIER PUBLIC
621
1979
GEOLOGICAL SURVEY
COMMISSION GÉOLOGIQUE
OTTAWA