

References for: Hayward, N., and Paradis, S. 2022. Geophysical reassessment of the role of ancient lineaments on the development of the western margin of Laurentia and its sediment-hosted Zn-Pb deposits, Yukon and NWT.

[1] Colpron, M., and Nelson, J.L. 2011. A Digital Atlas of Terranes for the northern Cordillera. Yukon Geological Survey. <http://www.geology.gov.yk.ca> (accessed May 2018).

[2] Gabrielse, H., and Campbell, R.B. 1992. Upper Proterozoic assemblages. In *Geology of the Cordilleran Orogen in Canada*, Geological Survey of Canada, no. 4, (also Geological Society of America, *The Geology of North America*, Vol. G-2). Edited by H. Gabrielse and C. J. Yorath. pp. 127-150.

[3] Cecile, M. P., Morrow, D.W., and Williams, G.K. 1997. Early Paleozoic (Cambrian to Early Devonian) tectonic framework, Canadian Cordillera. *Bulletin of Canadian Petroleum Geology*, 45: 54-74.

[4] Cook, F.A., van der Velden, A.J., Hall, K.W., and Roberts, B.J. 1999. Frozen subduction in Canada's Northwest Territories: lithoprobe deep lithospheric profiling on the western Canadian Shield. *Tectonics*, 18: 1-24. doi:10.1029/1998TC900016.

[5] Cook, F.A., Clowes, R.M., Snyder, D.B., van der Velden, A. J., Hall, K. W., Erdmer, P. and Evenchick, C.A. 2004. Precambrian crust beneath the Mesozoic northern Canadian Cordillera discovered by Lithoprobe seismic reflection profiling, *Tectonics*, 23: 28p. doi:10.1029/2002TC001412.

[6] Aitken, J. D., and Pugh, D.C. 1984. The Fort Norman and Leith Ridge structures, major, buried, Precambrian features underlying Franklin Mountains and Great Bear and Mackenzie Plains. *Bulletin of Canadian Petroleum Geology*, 32: 139-146.

[7] Williams, G.K. 1989. Tectonic evolution of the Fort Norman area, Mackenzie Corridor, N.W.T. Geological Survey of Canada, Open File 2045, 98p. doi:10.4095/130647.

[8] Morrow, D.W., and Miles, W.C. 2000. The Beaver River Structure: a cross-strike discontinuity of possible crustal dimensions in the southern Mackenzie Fold Belt, Yukon and Northwest Territories, Canada. *Bulletin of Canadian Petroleum Geology*, 48: 19-29.

[9] Nelson, J.L., Colpron, M., and Israel, S. 2013. The Cordillera of British Columbia, Yukon, and Alaska: Tectonics and Metallogeny. Society of Economic Geologists, Special Publication 17, pp. 53-109.

[10] Hayward, N. 2015. Geophysical investigation and reconstruction of lithospheric structure and its control on geology, structure, and mineralization in the Cordillera of northern Canada and eastern Alaska, *Tectonics*, 34: 2165-2189.

- [11] Goodfellow, W. D., Lydon, J.W., and Turner, R.J.W. 1993. Geology and genesis of stratiform sediment-hosted (SEDEX) Zine-Lead-Silver sulphide deposits. In *Mineral Deposit Modeling*. Edited by R.V. Kirkham, W.D. Sinclair., R.I. Thorpe and J.M. Duke. Geological Association of Canada Special paper 40, pp. 201-251.
- [12] Pilkington, M., and Roest, W.R. 1996. An assessment of long-wavelength magnetic anomalies over Canada. *Canadian Journal of Earth Sciences*, 33: 12-23.
- [13] Dumont, R. 2009. Geophysical Series, NTS 96 E, 106 H and parts of 96 C, 96 D, 96 F, and 106 A, central Mackenzie Valley airborne gravity survey, Norman Wells, Northwest Territories, Geological Survey of Canada, Open File 6154, 2 sheets. doi:10.4095/247764.
- [14] Gabrielse, H., Murphy, D.C., and Mortensen, J.K. 2006. Cretaceous and Cenozoic dextral orogen-parallel displacements, magmatism, and paleogeography, north-central Canadian Cordillera. In *Paleogeography of the North American Cordillera: Evidence for and Against Large-Scale Displacements*. Edited by J.W. Haggart, R.J. Enkin and J.W.H. Monger. Geological Association of Canada, Special Paper 46, pp. 255-276.
- [15] Hayward, N. 2019. The 3D Geophysical investigation of a middle Cretaceous to Paleocene regional crustal detachment in the Cordillera of Northern Canada and Alaska. *Tectonics*, 38. Doi:10.1029/2018TC005295.
- [16] Lund, K. 2008. Geometry of the Neoproterozoic and Paleozoic rift margin of western Laurentia: Implications for mineral deposit settings. *Geosphere*, 4: 429-444.
- [17] Cook, F.A., Varsek, J.L., and Clark, E.A. 1991. Proterozoic craton to basin crustal transition in western Canada and its influence on the evolution of the Cordillera. *Canadian Journal of Earth Sciences*, 28: 1148-1158.
- [18] Ross, G.M. 1991. Precambrian basement in the Canadian Cordillera: an introduction. *Canadian Journal of Earth Sciences*, 28: 1133-1139.
- [19] Gordey, S.P., and Anderson, R.G. 1993. Evolution of the northern Cordilleran Miogeocline, Nahanni Map Area (105I), Yukon and Northwest Territories. Geological Survey of Canada Memoir 428, 214p.
- [20] Meijer Drees, N.C. 1993. The Devonian succession in the subsurface of the Great Slave and Great Bear plains, Northwest Territories. Geological Survey of Canada, Bulletin 393, 222p.
- [21] Cook, D.G., and MacLean, B.C. 2004. Subsurface Proterozoic stratigraphy and tectonics of the western plains of the Northwest Territories, Geological Survey of Canada, Bulletin 575, 92p., 1 CD-ROM, doi:10.4095/215739.
- [22] Cook, F.A., and Erdmer, P. 2005. An 1800 km cross section of the lithosphere through the northwestern North American plate: lessons from 4.0 billion years of Earth's history. *Canadian Journal of Earth Sciences*, 42: 1295-1311. doi: 10.1139/E04-106.

- [23] Thorkelson, D.J., Abbott, J.G., Mortensen, J.K., Creaser, R.A., Villeneuve, M.E., McNicoll, V.J., and Layer, P.W. 2005. Early and Middle Proterozoic evolution of Yukon, Canada. *Canadian Journal of Earth Sciences*, 42: 1045-1071.
- [24] Mair, J.L., Hart, C.J.R., and Stephens, J.R. 2006. Deformation history of the northwestern Selwyn Basin, Yukon, Canada: Implications for orogen evolution and mid-Cretaceous magmatism. *GSA Bulletin*, 118: 304-323; doi: 10.1130/B25763.1.
- [25] Gordey, S.P., MacDonald, J.D., Roots, C.F., Fallas, K.M., and Martel, E. 2011. Regional cross-sections, detachment levels and origin of the Plateau Fault, central Mackenzie Mountains, Northwest Territories. Geological Survey of Canada, Open File 6593, 1 sheet. doi:10.4095/288749.
- [26] Geological Survey of Canada. 2017a. Geoscience Data Repository for Geophysical Data, Gravity, Point Data, Natural Resources Canada. <http://gdr.agg.nrcan.gc.ca/gdrdap/dap/searcheng.php1> (accessed October 2017).
- [27] Geological Survey of Canada. 2017b. Geoscience Data Repository for Geophysical Data, Magnetic-Radiometric-EM, Compilations, Canada-200m-MAG, Natural Resources Canada. <http://gdr.agg.nrcan.gc.ca/gdrdap/dap/searcheng.php1> (accessed October 2017).
- [28] Li, Y., and Oldenburg, D.W. 1996. 3-D inversion of magnetic data, *Geophysics*, 61: 394-408.
- [29] Li, Y., and Oldenburg, D.W. 1998. "3D inversion of gravity data", *Geophysics*, 63: 109-119.
- [30] Williams, N.C. 2008. Geologically-constrained UBC-GIF gravity and magnetic inversions with examples from the Agnew-Wiluna greenstone belt, Western Australia. Ph.D. thesis, The University of British Columbia, Vancouver, B.C.
- [31] Amante, C., and Eakins, B.W. 2009. ETOPO1 1 Arc-Minute Global Relief Model: Procedures, Data Sources and Analysis. NOAA Technical Memorandum NESDIS NGDC-24. National Geophysical Data Center, NOAA. doi:10.7289/V5C8276M [accessed October 2017].
- [32] Cecile, M.P. and Cook, D.G. 1981. Structural cross-section northern Selwyn and Mackenzie mountains, Yukon and District of Mackenzie. Geological Survey of Canada, Open File 807, 1981, 1 sheet. doi:10.4095/129734.
- [33] Cecile, M.P., Cook, D.G., Snowdon, L.R. 1982. Plateau Overthrust and Its Hydrocarbon Potential, Mackenzie Mountains, Northwest Territories. Geological Survey of Canada, Paper 82-1A, pp. 89-94
- [34] Fernández-Viejo, G., Clowes, R.M., and Welford, J.K. 2005. Constraints on the composition of the crust and uppermost mantle in northwestern Canada: Vp/Vs variations along Lithoprobe's SNorCLE transect, *Canadian Journal of Earth Sciences*: 42, 1205-1222.

- [35] Li, C-F., and Wang, J. 2017. A global reference model of Curie-point depths based on EMAG2. *Sci. Rep.* 7, 45129; doi:10.1038/srep45129.
- [36] Cecile, M. P. 1982. The Lower Paleozoic Misty Creek Embayment, Selwyn Basin, Yukon and Northwest Territories. *Geological Survey of Canada Bulletin* 335, 78p.
- [37] Clark, E.A., and Cook, F.A. 1992. Crustal-scale ramp in a Middle Proterozoic orogen, Northwest Territories, Canada. *Canadian Journal of Earth Sciences*, 29: 142-157.
- [38] Okulitch, A.V., and Irwin, D. 2014. Geological compilation of the western mainland and southern Arctic Islands regions, Northwest Territories, NWT Open File 2014-01.
- [39] Yukon Geological Survey, 2018. Update of the Yukon Bedrock Geology Map. Yukon Geol. Surv. http://www.geology.gov.yk.ca/update_yukon_bedrock_geology_map.html, (accessed May 2018).
- [40] Audet, P., Schutt D.L., Schaeffer, A.J., Estève, C., Aster, R.C. and Cubley, J.F. 2020. Moho Variations across the Northern Canadian Cordillera, *Seismological Research Letters* XX, 1-10, doi: 10.1785/0220200166.
- [41] Hoggard, M.J., Czarnota, K., Richards, F.D., Huston, D.L., Jaques, A.L., and Ghelichkhan, S. 2020. Global distribution of sediment-hosted metals controlled by craton edge stability. *Nature Geoscience*, 13: 504-510.