


Structure sections along lines A-B, C-D, E-F, G-H, I-J, K-L.



LEGEND

- RECENT AND PLEISTOCENE**
- 7 Recent alluvium and glacial drift
- TERTIARY QUATERNARY**
- 6 TUYA FORMATION (basalt, tuff, breccia, sandstone and conglomerate)
- UPPER CRETACEOUS (?)**
- 5 BEADY FORMATION (conglomerate)
- LOWER CRETACEOUS (?)**
- 4 CASSIAR BATHOLITH (granite, granodiorite, diorite, gabbro; part may be Upper Jurassic)
- JURASSIC (?)**
- 3 MULEOOD SERIES (conglomerate, tuff, basalt, breccia, argillite, quartzite and slate)
- MESOZOIC**
- 2 THIBERT SERIES (conglomerate, serpentine and limestone)
- PERMIAN TO ORDOVICIAN (?)**
- 1 DEASE SERIES (diorite, slate, schist and quartzite)

- Geological boundary
- Geological boundary (assumed)
- Glacial stria
- Possil locality
- Road and trail

Sources of Information
 Geology and topography by F. A. Kerr, 1925.

DEASE LAKE AREA
 CASSIAR DISTRICT
 BRITISH COLUMBIA

Scale, 1:25000 or 1 inch to 2 Miles
 Contour Interval 500 Feet

To accompany report by F. A. Kerr in Summary Report, Part A, 1925.

Dease Lake
 5.1.2
 A, Geol.

NOT TO BE TAKEN FROM LIBRARY
 NE PAS SORTIR DE LA BIBLIOTHEQUE