



LEGEND

	EXPLOITABLE TAILINGS PILE		N/A
	SOIL CLASSIFICATION BY USCS		0-5 %
	COBBLES AND BOULDERS		5-20 %
	GW - WELL GRADED GRAVEL		>20 %
	GP - POORLY GRADED GRAVEL		GP - POORLY GRADED GRAVEL
	SW - WELL GRADED SAND		SM - SILTY SAND
	SM - SILTY SAND		SW - WELL GRADED SAND
	NA - NON-SUITABLE MATERIAL		NA - NON-SUITABLE MATERIAL

EXAMPLE: <2

WELL GRADED SAND, <2% OF MATERIAL IS GREATER THAN 75MM.

NOTES

1. PROPOSED INFRASTRUCTURE LAYOUT RECEIVED FROM WARDROP MAR. 28, 2012.
2. GRAIN SIZE OBSERVATIONS ARE FROM VISUAL OBSERVATION ONLY.
3. VOLUME ESTIMATES FOR DUBLIN GULCH PLACER TAILINGS BASED ON TEST HOLE AND GEOPHYSICAL OBSERVATIONS.
4. VOLUME ESTIMATES FOR HAGGART CREEK PLACER TAILINGS ARE INFERRED FROM SURFACE OBSERVATIONS AND TOPOGRAPHY. NO SUBSURFACE DATA ARE AVAILABLE IN THIS AREA.
5. IMAGERY PROVIDED BY VICTORIA GOLD CORPORATION.

EAGLE GOLD PROJECT
YUKON TERRITORY

Borrow Materials Placer Tailings

PROJECTION UTM Zone 8	DATUM NAD83	CLIENT
Scale: AS SHOWN		
FILE NO. GIS_11x17_l-bottom_template_BASE.mxd	BGC ENGINEERING INC. 100 CAPITAL GATEWAY CENTRE VICTORIA BC	
PROJECT Eagle Gold	DWN XXX	CKD XXX
OFFICE XXXXXX	APVD XXX	REV 0
DATE January, 2013	Figure 5.3-2	

STATUS
ISSUED FOR REVIEW