

January 18, 2008

Chief Gordon Peter.
Ross River Dena Council
General Delivery
Ross River, Yukon
YOB 1S0

Dear Chief Peter:

Subject: North American Tungsten's MacTung Property and meetings with Ross River Dena Council.

North American Tungsten Corporation (NATC) is currently planning to develop its MacTung property at the Macmillan Pass, Yukon, located off the North Canal Road. Therefore, NATC will be submitting a Project Description and an application under the *Yukon Environmental and Socio-economic Assessment Act (YESAA)*.

NATC understands that the MacTung property is located within your traditional territory. NATC would therefore be pleased to meet with Ross River Dena Chief and Council to discuss the proposed project. NATC would also be very pleased to invite your members to attend additional information meetings, if you feel this would be beneficial. At these meetings NATC would work with the residents to identify environmental, social, and economic areas of interests and investigate methods to ensure that the project proceeds in the most positive way possible.

If agreeable, NATC representatives would meet with Ross River Dena Chief and Council in the middle of February to discuss the project and the best way to liaise with the Ross River community. Our consultant, EBA Engineering Consultants Ltd., will make the necessary arrangements on our behalf and will contact your office within the next few days.

Yours sincerely,
North American Tungsten Corporation Ltd.



Mr. Wade Stogran
Vice-President of Environmental and Corporate Affairs
Email: wstogran@natungsten.com

Cc: Yukon Environmental and Socio-Economic Assessment Board

Ross River

Community Meeting

MACTUNG MINE PROPOSAL

(Near MacMillan Pass)

*Tuesday, February 19th
The Community Hall,
Ross River*

6:00pm

An opportunity to discuss the MacTung Mine proposal with representatives from North American Tungsten Corporation. A light supper will be available to participants at the start of the evening.

*Further information available from:
Glenn Rudman, EBA Engineering Consultants Ltd.,
Whitehorse.
Tel: 867 668 2071 x236
Email: grudman@eba.ca*



Ross River

Community Meeting

MACTUNG MINE PROPOSAL

(Near MacMillan Pass)

*Tuesday, February 19th
The Community Hall,
Ross River*

6:00pm

An opportunity to discuss the MacTung Mine proposal with representatives from North American Tungsten Corporation. A light supper will be available to participants at the start of the evening.

*Further information available from:
Glenn Rudman, EBA Engineering Consultants Ltd.,
Whitehorse.
Tel: 867 668 2071 x236
Email: grudman@eba.ca*



NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY



Mactung – the future

February 19, 2008

NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY

4

North American Tungsten Corporation Ltd

- Why Tungsten?
- North American Tungsten
- Cantung
- Mactung

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY

2

Why Tungsten?

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY

4

Unique Metal

- Tungsten is unique – hardest metal – highest melting temperature – more dense than lead and uranium – corrosion resistant – environmentally benign.
- Tungsten is mostly used in hard metal construction but has many existing and growing applications:
 - Lead Replacement
 - Radiation Shielding
 - Electronics
 - Ballistics
- Many tungsten applications have no substitution and do not provide a scrap source i.e., tungsten carbide drill bits.

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Tungsten Industrial Products

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Applications

2006 Ford Tungsten GT Limited Edition

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Applications

BEHRETTA 391
IMP C1L 8 60 YDS
TWS 4 25L OZ 2 70"
#5 W 1240 FFG
146120 90%

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

APT (ammonium para tungstate) Price

Year	APT Price (US\$/MTU)
2001	~75
2002	~55
2003	~65
2004	~95
2005	~265
2006	~245
2007	~255

TSX VENTURE EXCHANGE: NTC

2

NORTH AMERICAN TUNGSTEN
CORPORATION LTD

A WORLD CLASS TUNGSTEN COMPANY

North American Tungsten

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN
CORPORATION LTD

A WORLD CLASS TUNGSTEN COMPANY

North American Tungsten

- Head Office in Vancouver
- Project office in Whitehorse
- Operating mine – Cantung
- 200+ employees
- Mine in development – Mactung

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN
CORPORATION LTD

A WORLD CLASS TUNGSTEN COMPANY

Property Locations



TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN
CORPORATION LTD

A WORLD CLASS TUNGSTEN COMPANY

Cantung / Mactung




TSX VENTURE EXCHANGE: NTC

Cantung




Cantung

Cantung - Purchase Values by Community 2005 - 2007



Cantung Yukon Employees (57/200)

Yukon Employees at Cantung January 2008



Mactung



Mactung Deposit

- Over \$25.0 million spent on the Mactung Deposit
- Estimated production startup in 2012
- World's largest known high grade tungsten ore body
- Estimated 10 year underground mine life
- Potential additional 20 years



Mactung Deposit

- 89% of mineral resource in Yukon
- Underground mine operation, camp, site infrastructure, mill, tailings disposal and water supply in Yukon
- Site access alternatives under study
 - (1) Yukon via new road from Mac Pass Airstrip
 - (2) NWT access over existing access road
 - (3) Air service alternatives MacPass or Tishu River, NWT



Mactung



Mactung deposit
View of Mt. Sagar looking east
and underground access to deposit. (2007) (NTC)



Mill Conception



Mill concept
3D rendering of mill



Mactung



Mactung Benefit to the Community

- Direct employment and potential associated businesses
- Education and Training
- Tax Revenue
- While caring for the environment and supporting traditional ways



Mactung Benefit to the Community

- Direct employment and potential associated businesses
 - Transportation – Hot shots and cargo
 - Food services
 - Camp and vehicle maintenance
 - Environmental monitoring



Mactung Benefit to the Community

- Education and Training
 - Basic training as required
 - Training in equipment operations
 - Training for surface and underground
 - Health and Safety training
 - Apprenticeship potential





A WORLD CLASS TUNGSTEN COMPANY

Mactung Benefit to the Community

- The project will pay taxes and royalties to the federal and Yukon Government
- Significant workforce during construction
- There will be approximately 250 direct employees and 30 contract employees
- There will be secondary jobs and businesses supported
- The project will allow the development of infrastructure such as roads, bridges, etc.
- Mactung will contribute about three round trips a day including concentrate and supply trucks



TSX VENTURE EXCHANGE: NTC



A WORLD CLASS TUNGSTEN COMPANY

Mactung Environmental Vision

- Environment
 - Compliant with laws and international standards
 - Developed in consultation with government and local communities
 - Water quality maintained during and following operations
 - Mine closure planned and executed to minimize impacts



TSX VENTURE EXCHANGE: NTC



A WORLD CLASS TUNGSTEN COMPANY

Mactung Environmental Vision

- Environmental Studies
 - Fisheries and Aquatic Resources
 - Archaeological Investigations
 - Vegetation and Ecosystem Land Classification
 - Rare Plant Survey and Ecosystem Land Classification Update



TSX VENTURE EXCHANGE: NTC



A WORLD CLASS TUNGSTEN COMPANY

Mactung Environmental Vision

- Environmental Studies
 - Terrain and Surficial Geology
 - Wildlife
 - Hydrometeorological Survey
 - Water Quality Sampling Program



TSX VENTURE EXCHANGE: NTC



A WORLD CLASS TUNGSTEN COMPANY

Environmental Studies - Wildlife



TSX VENTURE EXCHANGE: NTC



A WORLD CLASS TUNGSTEN COMPANY

Environmental Studies - Hydrology



TSX VENTURE EXCHANGE: NTC



A WORLD CLASS TUNGSTEN COMPANY

Environmental Studies - Archaeological




TSX VENTURE EXCHANGE: NTC




A WORLD CLASS TUNGSTEN COMPANY

Environmental Studies - Fisheries



TSX VENTURE EXCHANGE: NTC

Mactung Project Schedule



Louvicourt Mine During Operation



Louvicourt Mine Following Closure



Louvicourt Tailings Facilities





A WORLD CLASS TUNGSTEN COMPANY

Mine Closure Experience



TSX VENTURE EXCHANGE: NTC



A WORLD CLASS TUNGSTEN COMPANY

Mactung Objective

Our Objective -
Working together
for the future!



TSX VENTURE EXCHANGE: NTC

Ross River
Community Open House

**MACTUNG MINE
PROPOSAL**

(Near MacMillan Pass)

*Tuesday, May 6
The Community Hall,
Ross River*

3.00pm - 8.30pm
*with presentations
at
3.30pm and 7.30pm*

*An informal opportunity to drop by
and learn more about
the Mactung Mine proposal.*

Light refreshments will be available.

*Further information available from:
Glenn Rudman, EBA Engineering Consultants Ltd.,
Whitehorse.*

Tel: 867 668 2071 x236

Email: grudman@eba.ca



Ross River
Community Open House

**MACTUNG MINE
PROPOSAL**

(Near MacMillan Pass)

*Tuesday, May 6
The Community Hall,
Ross River*

3.00pm - 8.30pm
*with presentations
at
3.30pm and 7.30pm*

*An informal opportunity to drop by
and learn more about
the Mactung Mine proposal.*

Light refreshments will be available.

*Further information available from:
Glenn Rudman, EBA Engineering Consultants Ltd.,
Whitehorse.*

Tel: 867 668 2071 x236

Email: grudman@eba.ca



Introduction

North American Tungsten Corporation (NATC) proposes to mine for tungsten at the Mactung property near MacMillan Pass within four years. There are many steps that are required before the mine can move into production, including public consultation at several stages. The information below provides some background on the project proposal and details of people to contact if you would like further information or have any questions about the proposed project.

North American Tungsten – the company

NATC is based in Vancouver and is focused on the mining of Tungsten at its Cantung property in NWT and the development of the tungsten deposit at Mactung. The company is a public company and trades on the TSX Venture exchange.

The Company's goals for the Mactung property are:

- To have a feasibility study completed by the Fall 2008
- To reach a production decision by late Fall 2009
- To have a mine and mill in operation in late 2012; producing up to 2,000 tonnes of ore per day

The company is currently raising financing to take the Mactung project into production. NATC has recently announced that Hunan Nonferrous Metals Corporation (HSE:2626) ("Hunan Nonferrous"), a company based in China, will acquire approximately 9.9% of the issued and outstanding shares of NATC.

Mactung Property – Location, History and Ownership

The proposed mine site is located in the Yukon very close to the border with NWT, north of MacMillan Pass at latitude 63° 17' N. The site is approximately 250 km by road north east of Ross River, about six hours by vehicle.

The Mactung tungsten deposit, which contains a mineral resource of over 30 million tonnes grading 0.88% tungsten trioxide (43-101 compliant report available), is comparable to some of the largest tungsten deposits in the world. The deposit was discovered and staked in 1962 and over the ensuing 20 years an extensive exploration and property evaluation program was completed. Diamond drilling and an exploration adit for bulk sampling and an underground drilling program were completed in 1973. A mineral reserve was delineated that showed that about 90% of the ore body is on the Yukon side of the Yukon and NWT border. Extensive analytical and metallurgical testing was conducted as well as small pilot plant programs to evaluate the economics of the project. Climate and environmental base line data were also collected and analyzed to initiate the permitting process in the early 1980's. At the time, the property did not go into production due to a significant downturn in the price of tungsten caused by the over supply of tungsten to the world market by China.

In 2005, after two decades of inactivity, NATC resumed work on the project with a 6,000m surface diamond drilling programme designed to test the extension of the main underground deposit. This led to the new resource estimate in April of 2007 that is quoted above. During the same time period EBA Engineering resumed the baseline environmental studies to support data collected some twenty years before by Amax, a previous owner of the property. This information will be used for environmental assessment and permit applications that are expected to be submitted later this year.

In May 2007 Wardrop Engineering of Vancouver was retained to review the economics of the project. This work was partly funded by the Yukon Territorial Government. The review was completed in October of 2007, and a final feasibility study is now in progress. Below is a summary of the main features of the proposed mine operation:

Mine Construction

Information regarding the construction of the mine and its associated infrastructure is being developed. Currently, the plan is to start constructing the access road, camp accommodation and power plant in mid-2010. Other facilities include the water pump house, mill and dams. The construction phase is expected to take approximately two years. Further information on the construction phase will be provided later in 2008.

Mine Operations

The mine is planned to deliver ore at the rate of 2,000 tonnes per day and 730,000 tonnes per year for the estimated underground mine life of 10 years. NATC is investigating the feasibility of extending the mine life by a further 20 years by using open pit mining methods after the underground mining is completed. The mined ore will be crushed and delivered to the process plant via a conveyor belt system.

The mine is planned to operate on two 10 hour shifts per day and 365 days per year with a total workforce of approximately 250 people. The anticipated labour crew rotation is three weeks on/three weeks off based on a fly in/fly out schedule. Based on this rotation, the number of staff at the mine at any one time will be approximately 150.

During a pre-production period of approximately two years, two primary ramps will be developed. The ramp near the plant will act as a service corridor for the ore conveyor belt and for personnel and equipment to access the mine. The conveyor connects to an underground crushing station. Another ramp will be used blow ventilation air into the underground workings. From the ramps, a series of underground access ramps, cross-cuts and drifts will branch out to connect to the ore body.

To mine the ore, Long Hole Blast and Cut & Fill underground mining methods are planned. In sequence with ore extraction, mined-out areas will be stabilized with backfill from dewatered plant tailings and mine waste rock. Remote controlled load-haul-dump equipment will load broken ore into 30 tonne haul trucks. The ore will be hauled to a primary crusher. The empty truck will be loaded with tailings from a nearby stockpile and will then haul the tailings back through another route to backfill the mined area.

Process Operations

Primary crushing will be performed underground with a jaw crusher then conveyed to a coarse ore storage bin at the surface via the main access portal. Secondary and tertiary crushing will be carried out in the processing plant at the surface using cone crushers.

Fine ore will be transported to a fine ore bin in the grinding area then fed to conventional rod mills (for additional crushing) with size classification by screens. The grinding circuit product will go to a thickener, where the thickener underflow will be processed to remove sulphide minerals with wet magnetic separators followed by bulk sulphide flotation.

After the removal of sulphides, the process stream will then be split into three size fractions – coarse, fine and slimes. The products will undergo a gravity concentration process using spirals and tables to produce a scheelite concentrate. The gravity concentrate will then be submitted to a flotation step to further remove sulphide minerals. The clean gravity concentrate will be dewatered to produce a dry product which will be sent to high intensity magnetic separators for final cleaning and then bagged for shipment. The gravity tailings fraction will be thickened in a conventional thickener. Thickener underflow will be processed in a flotation circuit to recover scheelite that is too fine for gravity concentration. Final scheelite flotation concentrate will be dewatered to a dry product and bagged for shipment.

Scheelite flotation tailings will be dewatered using a thickener and filters. The filter cake produced will then either be transported underground by conveyors to be used as backfill, or transported to the dry stacked tailings site on the surface.

It is anticipated that 42% (3.4 million tonnes) of the mine tailings will be returned underground and used as backfill. The remaining tailings will be dry stacked on the surface.

Tungsten Markets

Concentrate is produced and bagged as either clean gravity concentrate or flotation concentrate. Bagged concentrates will be trucked to Edmonton for shipment to Europe, and to Vancouver for shipment to Asia.

The Mine and the Environment

NATC recognizes the importance of environmental stewardship as part of its business practices. The company considers good environmental management to be a corporate priority. Environmental concerns are included in the decision-making process throughout the company.

Sufficient resources will be devoted to environmental protection to ensure that environmental risks are minimized, that the environment and public welfare are protected during and after the company's activities, and that it complies with all regulatory requirements for its operation.

In 2006 and 2007, with assistance from EBA Engineering Consultants Ltd, the company collected baseline environmental data, including information on wildlife (birds, sheep, caribou, moose, fish), water quality, soil, and archaeology. More studies are planned for 2008 for different locations in and close to the property, including groundwater and surface water studies and wildlife surveys.

Employment, Training and the Local Economy

It is anticipated that 250 people will be employed at the mine when it is operating. The jobs will include geologists, engineers, drillers, underground miners, mill operators, heavy equipment operators, maintenance personnel, assayers, environmental scientists, camp cooks and managers and auxiliary staff. It is anticipated that most staff will rotate on a three week shift and will be accommodated at the mine during the work shift.

The company will provide appropriate training and education programs for new employees at the mine site. This will include training for specific work duties, health and safety and other related programs. This will build capacity in local communities and improve opportunities for future mining-related employment in the region.

Employment and contracts with local businesses in Ross River, Faro and other communities will increase when the mine moves into production.

Mine Reclamation and Closure

A Mine Abandonment and Reclamation Plan will be developed as part of the process for mine permitting and mine development. The purpose of the plan is to ensure that a minimum of area is disturbed during the construction and operation of the mine and that there will be little to no evidence that mining occurred on the site following closure. The execution of the plan will also ensure that there will be no impacts to the environment following the closure of the mine. The general objectives of the plan are to ensure the chemical and physical stability of the site and that the future use and aesthetics of the property are maintained. Progressive reclamation will be conducted at the mine to minimize long and short term impacts and the cost required for final closure. The amount of money required to close the site at any given time by a third party contractor will be made available to the government by NATC prior to construction to ensure that no negative environmental legacy will be left by the mine.

Traditional Use in the Area

NATC appreciates and welcomes the interest and participation of local communities in the exploration and development of the Mactung tungsten deposit. The company is confident that both local communities and the company will benefit from the mutual respect, cooperation and support that are currently enjoyed by both parties.

The area around the Mactung property is used for hunting moose, caribou and bears. Although hunting will not be permitted by NATC within its property, NATC will respect traditional uses of the land in the vicinity of the mine and manage the mine to minimize any adverse effects on the wildlife in the area.

The company recognizes it will be mining within the traditional area of the Kaska and Na Cho Nyak Dun First Nations and therefore will respect the heritage and the Traditional Knowledge of the area.

The Consultation Process

There are three opportunities for community input regarding the mine proposal.

- Before the project proposal is submitted to the Yukon Environmental and Socio-economic Assessment Board (YESAB);
- During YESAB's assessment process; and
- During the regulatory process for permits and licences

Before regulatory approvals can be issued, the project proposal must be assessed under the Yukon Environmental and Socio-economic Assessment Act (YESAA). This project will be assessed by the Executive Committee of the Yukon Environmental and Socio-economic Assessment Board (YESAB). The process is expected to take approximately one year from the time the project proposal is submitted and the information is deemed adequate for assessment. It is anticipated that the complete project proposal will be submitted to YESAB in the fall of 2008.

Community consultation is an essential element of a project proposal under YESAA. Once the application has been submitted there will be further opportunities to comment on the project through the YESAA process.

Once the YESAA assessment is completed, the company will apply for the permits and licences that are required for the project. For instance, a quartz mining licence and a water licence will be required. A number of other permits and licences will also be required before the mine production can begin. The process for approving some of the permits and licences will also require consultation with communities.

Contacts

If you have any questions or comments about the proposed Mactung project proposal please contact one of the following:

Wade Stogran
Vice-President of Environmental and Corporate Affairs
North American Tungsten Corporation
#1640 – 1188 West Georgia St.
Vancouver, B.C.
V6E 4A2
T: 604-684-5300
F: 604-684-2992
E: wstogran@natungsten.com

Glenn Rudman
EBA Engineering Consultants, Whitehorse
6 – 151 Industrial Road
Whitehorse, Yukon
Y1A 2V3
T: 867-668-2071 x236
F: 867-668-4349
E: grudman@eba.ca

Introduction

North American Tungsten Corporation (NATC) proposes to mine for tungsten at the Mactung property near MacMillan Pass within four years. There are many steps that are required before the mine can move into production, including public consultation at several stages. The information below provides some background on the project proposal and details of people to contact if you would like further information or have any questions about the proposed project.

North American Tungsten Corporation – The Company

NATC is based in Vancouver and is focused on the mining of Tungsten at its Cantung property in NWT and the development of the tungsten deposit at Mactung. The company is a public company and trades on the TSX Venture exchange.

The Company's goals for the Mactung property are:

- To have a feasibility study completed by the Fall 2008
- To reach a production decision by late Fall 2009
- To have a mine and mill in operation in late 2012; producing up to 2,000 tonnes of ore per day

The company is currently raising financing to take the Mactung project into production. NATC has recently announced that Hunan Nonferrous Metals Corporation (HSE:2626; "Hunan Nonferrous"), a company based in China, will acquire approximately 9.9% of the issued and outstanding shares of NATC.

Mactung Property – Location, History and Ownership

The proposed mine site is located in the Yukon very close to the border with NWT, north of MacMillan Pass at latitude 63° 17' N. The site is approximately 250 km by road north east of Ross River, about six hours by vehicle.

The Mactung tungsten deposit, which contains a mineral resource of more than 30 million tonnes, grading 0.88% tungsten trioxide (43-101 compliant report available), is comparable to some of the largest tungsten deposits in the world. The deposit was discovered and staked in 1962 and over the following 20 years an extensive exploration and property evaluation program was completed. Diamond drilling and an exploration adit for bulk sampling and an underground drilling program were completed in 1973. A mineral reserve was delineated that showed that about 90% of the ore body is on the Yukon side of the Yukon and NWT border. Extensive analytical and metallurgical testing was conducted as well as small pilot plant programs to evaluate the economics of the project. Climate and environmental base line data were also collected and analyzed to initiate the permitting process in the early 1980's. At the time, the property did not go into production due to a significant downturn in the price of tungsten caused by the over supply of tungsten to the world market by China.



Tungsten has many uses including machine parts, fishing weights and armaments.

In 2005, after two decades of inactivity, NATC resumed work on the project with a 6,000 m surface diamond drilling programme designed to test the extension of the main underground deposit. This led to the new resource estimate in April of 2007 that is quoted above. During the same time period EBA Engineering resumed the baseline environmental studies to support data collected some twenty years before by Amax, a previous owner of the property. This information will be used for environmental assessment and permit applications that are expected to be submitted later this year.



About 90% of the ore body at MacTung is in the Yukon.

In May 2007 Wardrop Engineering of Vancouver was retained to review the economics of the project. This work was partly funded by the Yukon Territorial Government. The review was completed in October of 2007 and a final feasibility study is now in progress. Below is a summary of the main features of the proposed mine operation:

Mine Construction

Information regarding the construction of the mine and its associated infrastructure is being developed. Currently, the plan is to start constructing the access road, camp accommodation and power plant in mid-2010. Other facilities include the water pump house, mill and dams. The construction phase is expected to take approximately two years. Further information on the construction phase will be provided later in 2008.

Mine Operations

The mine is planned to deliver ore at the rate of 2,000 tonnes per day and 730,000 tonnes per year for the estimated underground mine life of 10 years. The mined ore will be crushed and delivered to the process plant via a conveyor belt system. NATC is investigating the feasibility of extending the mine life by a further 20 years by using open pit mining methods after the underground mining is completed.

The mine is planned to operate on two 10 hour shifts per day and 365 days per year with a total workforce of approximately 250 people. The anticipated labour crew rotation is three weeks on/three weeks off based on a fly in/fly out schedule. Based on this rotation, the number of staff at the mine at any one time will be approximately 150.

During a pre-production period of approximately two years, two primary ramps will be developed. The ramp near the plant will act as a service corridor for the ore conveyor belt and for personnel and equipment to access the mine. The conveyor connects to an underground crushing station. Another ramp will be used to blow ventilation air into the underground workings. From the ramps, a series of underground access ramps, cross-cuts and drifts will branch out to connect to the ore body.

To mine the ore, Long Hole Blast and Cut & Fill underground mining methods are planned. In sequence with ore extraction, mined-out areas will be stabilized with backfill from dewatered plant tailings and mine waste rock. Remote controlled load-haul-dump equipment will load broken ore into 30 tonne haul trucks. The ore will be hauled to a primary crusher. The empty truck will be loaded with tailings from a nearby stockpile and will then haul the tailings back through another route to backfill the mined area.

Process Operations

Primary crushing will be performed underground with a jaw crusher then conveyed to a coarse ore storage bin at the surface via the main access portal. Secondary and tertiary crushing will be carried out in the processing plant at the surface using cone crushers.

Fine ore will be transported to a fine ore bin in the grinding area then fed to conventional rod mills (for additional crushing) with size classification by screens. The grinding circuit product will go to a thickener, where the thickener underflow will be processed to remove sulphide minerals with wet magnetic separators followed by bulk sulphide flotation.

After the removal of sulphides, the process stream will then be split into three size fractions – coarse, fine and slimes. The products will undergo a gravity concentration process using spirals and tables to produce a scheelite concentrate. The gravity concentrate will then be submitted to a flotation step to further remove sulphide minerals. The clean gravity concentrate will be dewatered to produce a dry product which will be sent to high intensity magnetic separators for final cleaning and then bagged for shipment. The gravity tailings fraction will be thickened in a conventional thickener. Thickener underflow will be processed in a flotation circuit to recover scheelite that is too fine for gravity concentration. Final scheelite flotation concentrate will be dewatered to a dry product and bagged for shipment.

Scheelite flotation tailings will be dewatered using a thickener and filters. The filter cake produced will then either be transported underground by conveyors to be used as backfill, or transported to the dry stacked tailings site on the surface.

It is anticipated that 42% (3.4 million tonnes) of the mine tailings will be returned underground and used as backfill. The remaining tailings will be dry stacked on the surface.

Tungsten Markets

Concentrate is produced and bagged as either clean gravity concentrate or flotation concentrate. Bagged concentrates will be trucked to Edmonton for shipment to Europe, and to Vancouver for shipment to Asia.

The Mine and the Environment

NATC recognizes the importance of environmental stewardship as part of its business practices. The company considers good environmental management to be a corporate priority. Environmental concerns are included in the decision-making process throughout the company.

Sufficient resources will be devoted to environmental protection to ensure that environmental risks are minimized, that the environment and public welfare are protected during and after the company's activities, and that it complies with all regulatory requirements for its operation.

In 2006 and 2007, with assistance from EBA Engineering Consultants Ltd, the company collected baseline environmental data, including information on wildlife (birds, sheep, caribou, moose, fish), water quality, soil, and archaeology. More studies are planned for 2008 for different locations in and close to the property, including groundwater and surface water studies and wildlife surveys.

Employment, Training and the Local Economy

It is anticipated that 250 people will be employed at the mine when it is operating. The jobs will include geologists, engineers, drillers, underground miners, mill operators, heavy equipment operators, maintenance personnel, assayers, environmental scientists, camp cooks



Excellent environmental stewardship is a corporate priority for NATC.



Environmental work such as fish studies is being completed at the MacTung property.

and managers and auxiliary staff. It is anticipated that most staff will rotate on a three week shift and will be accommodated at the mine during the work shift.

The company will provide appropriate training and education programs for new employees at the mine site. This will include training for specific work duties, health and safety and other related programs. This will build capacity in local communities and improve opportunities for future mining-related employment in the region.

Employment and contracts with local businesses in Ross River, Faro and other communities will increase when the mine moves into production.

Mine Reclamation and Closure

A Mine Abandonment and Reclamation Plan will be developed as part of the process for mine permitting and mine development. The purpose of the plan is to ensure that a minimum area is disturbed during the construction and operation of the mine and that there will be little to no evidence that mining occurred on the site following closure. The execution of the plan will also ensure that there will be no impacts to the environment following the closure of the mine. The general objectives of the plan are to ensure the chemical and physical stability of the site and that the future use and aesthetics of the property are maintained. Progressive reclamation will be conducted at the mine to minimize long and short term impacts and the cost required for final closure. The amount of money required to close the site at any given time by a third party contractor will be made available to the government by NATC prior to construction to ensure that no negative environmental legacy will be left by the mine.

Traditional Use in the Area

NATC appreciates and welcomes the interest and participation of local communities in the exploration and development of the Mactung tungsten deposit. The company is confident that both local communities and the company will benefit from the mutual respect, cooperation and support that are currently enjoyed by both parties.

The area around the Mactung property is used for hunting moose, caribou and bears. Although hunting will not be permitted by NATC within its property, NATC will respect traditional uses of the land in the vicinity of the mine and manage the mine to minimize any adverse effects on the wildlife in the area.

The company recognizes it will be mining within the traditional area of the Kaska and Na-Cho Nyak Dun First Nations and therefore will respect the heritage and the Traditional Knowledge of the area.

The Consultation Process

There are three opportunities for community input regarding the mine proposal.

- Before the project proposal is submitted to the Yukon Environmental and Socio-economic Assessment Board (YESAB);
- During YESAB's assessment process; and
- During the regulatory process for permits and licences

Before regulatory approvals can be issued, the project proposal must be assessed under the Yukon Environmental and Socio-economic Assessment Act (YESAA). This project will be assessed by the Executive Committee of the Yukon Environmental and Socio-economic Assessment Board (YESAB). The process is expected to take approximately one year from the time the project proposal is submitted and the information is deemed adequate for assessment. It is anticipated that the complete project proposal will be submitted to YESAB in late fall, 2008.

Community consultation is an essential element of a project proposal under YESAA. Once the application has been submitted there will be further opportunities to comment on the project through the YESAA process.

Once the YESAA assessment is completed, the company will apply for the permits and licences that are required for the project. For instance, a quartz mining licence and a water licence will be required. A number of other permits and licences will also be required before the mine production can begin. The process for approving some of the permits and licences will also require consultation with communities.

Contacts

If you have any questions or comments about the proposed Mactung project proposal please contact one of the following:

Wade Stogran
Vice-President of Environmental and Corporate Affairs
North American Tungsten Corporation
#1640 – 1188 West Georgia St.
Vancouver, B.C.
V6E 4A2
T: 604-684-5300
F: 604-684-2992
E: wstogran@natungsten.com

Glenn Rudman
EBA Engineering Consultants, Whitehorse
6 – 151 Industrial Road
Whitehorse, Yukon
Y1A 2V3
T: 867-668-2071 x236
F: 867-668-4349
E: grudman@eba.ca

If you would like to provide comments or ask questions regarding the MacTung Project before the project proposal is submitted to YESAB please contact the above BEFORE September 1, 2008.

***Ross River
Open House
MACTUNG MINE
PROPOSAL***

(Near MacMillan Pass)

***The Community Hall,
Ross River***

***Wednesday, October 15, 2008
3:00 pm - 9:30 pm***

*This will be an opportunity to
discuss the Mactung mine proposal
before it is submitted for the
environmental and socio-economic
assessment.*

Refreshments available.

*Further information available from:
Glenn Rudman, EBA Engineering Consultants Ltd.,
Whitehorse.*

*Tel: 867 668 2071 x236
Email: grudman@eba.ca*



***Ross River
Open House
MACTUNG MINE
PROPOSAL***

(Near MacMillan Pass)

***The Community Hall,
Ross River***

***Wednesday, October 15, 2008
3:00 pm - 9:30 pm***

*This will be an opportunity to
discuss the Mactung mine proposal
before it is submitted for the
environmental and socio-economic
assessment.*

Refreshments available.

*Further information available from:
Glenn Rudman, EBA Engineering Consultants Ltd.,
Whitehorse.*

*Tel: 867 668 2071 x236
Email: grudman@eba.ca*



NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY



Mactung – the future

October, 2008

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY 2

North American Tungsten

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY


North American Tungsten

- Head Office in Vancouver
- Project office in Whitehorse
- Operating mine – Cantung
- 200+ employees
- Mine in development – Mactung

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Property Locations



TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Cantung / Mactung





TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY 2

Cantung

TSX VENTURE EXCHANGE: NTC



NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY


2

Mactung

TSX VENTURE EXCHANGE: NTC

- NORTH AMERICAN TUNGSTEN CORPORATION LTD**
A WORLD CLASS TUNGSTEN COMPANY
- ### Mactung Deposit
- Over \$25.0 million spent on the Mactung Deposit
 - Estimated production startup in 2012
 - World's largest known high grade tungsten ore body
 - Estimated 10 year underground mine life
 - Potential additional 20 years
- TSX VENTURE EXCHANGE: NTC

- NORTH AMERICAN TUNGSTEN CORPORATION LTD**
A WORLD CLASS TUNGSTEN COMPANY
- ### Mactung Deposit
- 89% of mineral resource in Yukon
 - Underground mine operation, camp, site infrastructure, mill, tailings disposal and water supply in Yukon
 - Site access alternatives under study
 - (1) Yukon via new road from Mac Pass Airstrip
 - (2) NWT access over existing access road
 - (3) Air service alternatives MacPass or Tischu River, NWT
- TSX VENTURE EXCHANGE: NTC



MacMillan Pass Airfield Upgrade

- The airstrip will be upgraded from a 1500' x 50' strip to a 4000' x 100' strip.
- NATC will upgrade the airstrip and lease it from the Yukon government during the operation of mine. After closure, the airstrip will return to the Yukon Government to operate.



MacMillan Pass Airfield Upgrade






Mactung Access Road

- The Mactung site will be accessible by the Upper Canol road that the Yukon Government is currently upgrading.
- An access road will be constructed from Upper Canol Road to the mill site.
- The access road will be approximately 8 m wide and 35 km long.



MacMillan Access Road






NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Mactung Water Supply


- Water supply will come from Tributary C of the Hess River by a pipeline.
- The water demand will be approximately 10% of the available flow in the river.

TSX VENTURE EXCHANGE: NTC



NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY



Mactung Water Supply




TSX VENTURE EXCHANGE: NTC

Mactung Mill Site

- Mill site will consist of the following:
 - Process Mill Building with laboratory
 - Powerhouse
 - Truckshop/Warehouse
 - Administration Building
 - 150 person camp
- All buildings will be connected by an enclosed walkway doubling as a pipe bridge. Pipes with flammable fluids will not be in the enclosure.



Mactung Mill Site



Mactung Processing Plant

- The mill will process about 2,000 tonnes per day.
- Three-stage crushing circuit consists of a primary jaw crusher, secondary and tertiary cone crushers.
- Two-stage grinding circuit consists of two rod mills.
- The processing circuit consists of sulphide magnetic separation, bulk sulphide flotation, gravity separation (spirals and tables), scheelite flotation, and scheelite concentrate dewatering.



Mactung Benefit to the Community

- Direct employment and potential associated businesses
- Education and Training
- Tax Revenue
- While caring for the environment and supporting traditional ways



NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY

Mactung Benefit to the Community

- Direct employment and potential associated businesses
 - Transportation – Hot shots and cargo
 - Food services
 - Camp and vehicle maintenance
 - Environmental monitoring

TSX VENTURE EXCHANGE: NTC

Contract type – construction phase

- Slide removed as confidential

Peak labour demand during construction. July-August, 2011

- Slide removed as confidential

Operating cost summary

- Slide removed as confidential

Employment figures, Yukon – 2006 census data

	Yukon	Ross River	Faro	Mayo	Watson Lake
2006 Census Population	30,372	313	341	248	1,207
% Aboriginal Population	25%	86%	16%	52%	52%
December 2007 "Health Care" Population	32,714	349	372	423	1,596
Total Labour Force	18,895	165	175	150	700
Natural Resource Industry Labour Force	5.1%	21.2%	17.1%	10.0%	11.4%
Trades, Operators & Primary Industry Occupations	19.7%	33.3%	28.6%	26.7%	26.4%
Employment Rate	71%	56%	56%	64%	60%
Unemployment Rate	9.4%	21%	16%	17%	20%

NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY

Mactung Benefit to the Community

- Education and Training
 - Basic training as required
 - Training in equipment operations
 - Training for surface and underground
 - Health and Safety training
 - Apprenticeship potential

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Mactung Benefit to the Community

- The project will pay taxes and royalties to the federal and Yukon Government
- Significant workforce during construction
- There will be approximately 250 direct employees and 30 contract employees
- There will be secondary jobs and businesses supported
- The project will allow the development of infrastructure such as roads, bridges, etc.
- Mactung will contribute about three round trips a day including concentrate and supply trucks

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Mactung Environmental Vision

- Environment
 - Compliant with laws and international standards
 - Developed in consultation with government and local communities
 - Water quality maintained during and following operations
 - Mine closure planned and executed to minimize impacts

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Mactung Environmental Vision

- Environmental Studies
 - Fisheries and Aquatic Resources
 - Archaeological Investigations
 - Vegetation and Ecosystem Land Classification
 - Rare Plant Survey and Ecosystem Land Classification Update

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY

Mactung Environmental Vision

- Environmental Studies
 - Terrain and Surficial Geology
 - Wildlife
 - Hydrometeorological Survey
 - Water Quality Sampling Program

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY


Environmental Studies - Wildlife



TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD A WORLD CLASS TUNGSTEN COMPANY


Environmental Studies - Hydrology



TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY


Environmental Studies - Archaeological




TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY

Environmental Studies - Fisheries



TSX VENTURE EXCHANGE: NTC



NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY

Matcuting Objective

Our Objective - Working together for the future!

TSX VENTURE EXCHANGE: NTC

NORTH AMERICAN TUNGSTEN CORPORATION LTD
A WORLD CLASS TUNGSTEN COMPANY

North American Tungsten

Wade Stogran
North American Tungsten
Vice President Environmental and Corporate Affairs
wstogran@natungsten.com
604-684-5300
www.natungsten.com

TSX VENTURE EXCHANGE: NTC

North American Tungsten Corporation. Mining Proposal for Mactung

October 2008

Introduction

North American Tungsten Corporation (NATC) proposes to mine and process tungsten ore at the Mactung property near MacMillan Pass, Yukon, within five years. The property location is provided on the (Figure 2) plan. There are many steps that are required before the mine can move into production, including public consultation at several stages. The information below provides background on the project proposal and details of the people to contact if you would like further information or have any questions about the proposed project.

North American Tungsten Corporation – The Company

NATC is based in Vancouver and is focused on mining tungsten ore at its Cantung property in NWT and the development of the tungsten deposit at Mactung. The company is a public company and trades on the TSX Venture exchange.

The Company's goals for the Mactung property are:

- To have a feasibility study completed by the Fall 2008
- To reach a production decision by late Fall 2009
- To have a mine and mill in operation in 2013; processing up to 2,000 tonnes of ore per day

The company is currently raising funds to take the Mactung project into production. NATC announced earlier in 2008 that Hunan Nonferrous Metals Corporation (HSE:2626; "Hunan Nonferrous"), a company based in China, will acquire approximately 9.9% of the issued and outstanding shares of NATC.

Mactung Property – Location, History and Ownership

The proposed mine site is located in the Yukon very close to the border with NWT, north of MacMillan Pass at latitude 63° 17' N. The site is approximately 250 km by road north east of Ross River, about six hours by vehicle. See attached map (Figure 2).

The Mactung tungsten deposit, which contains a mineral resource of 33 million tonnes, grading 0.88% tungsten trioxide (43-101 compliant report available), is comparable to some of the largest tungsten deposits in the world. The deposit was discovered and staked in 1962 and over the following 20 years an extensive exploration and property evaluation program was completed. Diamond drilling and an exploration adit for bulk sampling and an underground drilling program were completed in 1973. Extensive analytical and metallurgical testing was conducted as well as small pilot plant programs to evaluate the economics of the project. Climate and environmental baseline data were also collected and analyzed to initiate the permitting process in the early 1980's. At the time, the property did not go into production due to a significant downturn in the price of tungsten caused by the over supply of tungsten to the world market by China.

In 2005, after two decades of inactivity, NATC resumed work on the project with a 6,000 m surface diamond drilling programme designed to test the extension of the main underground deposit. This led to the new resource estimate in April of 2007 that is quoted above. During the same time period EBA Engineering resumed the baseline environmental studies to support data collected some twenty years before by Amax, a previous owner of the property. This information will be used for environmental assessment and permit applications that are expected to be submitted later this year.



Tungsten has many uses including machine parts, fishing weights and armaments.

North American Tungsten Corporation. Mining Proposal for Mactung

October 2008



About 90% of the ore body at Mactung is in the Yukon.

In May 2007 Wardrop Engineering of Vancouver was retained to review the economics of the project. This work was partly funded by the Yukon Territorial Government. The economic update review was completed in October of 2007 and a bankable feasibility study is now in progress. Below is a summary of the main features of the proposed mine operation:

Mine Construction

Construction of the mine infrastructure is scheduled to begin in the first half of 2010 and take approximately 27 months to complete. This will depend on the timely completion of the environmental and socio-economic assessment and permitting processes. The main infrastructure required for the project is listed below and is shown in Figures 1 and 2, attached:

- 48 km of upgraded and new access roads to provide access from the existing North Canal Road to the project site
- Upgrade to the MacMillan Pass airstrip (wider and longer) to accommodate larger aircraft
- A pumping station at a tributary of the Hess River to provide fresh water for the mine
- A water pipeline from the pumping station to the mine site (approximately 10 km)
- On-site waste disposal systems such as a sewage treatment plant and garbage incinerators
- Truckshop/warehouse, administration buildings, mill, bunkhouse complex and mess hall
- A power plant for five diesel generators with heat recovery systems to promote fuel efficiency
- The construction of a dam to collect water from the dry-stack tailings facility, mill and surrounding area for re-use
- A telecommunications system to aid on-site safety and comfort.
- Wind power generation is currently being investigated for the site to off set some diesel consumption

Mine Operations

The mine is planned to process ore at the rate of 2,000 tonnes per day and 730,000 tonnes per year for the estimated underground mine life of 11 years. The mined ore will be crushed and delivered to the process plant via a conveyor belt system. NATC is investigating the feasibility of extending the mine life by a further 15 years by using open pit mining methods after the underground mining is completed.

The mine is planned to operate on two 12 hour shifts per day and 365 days per year with a total workforce of approximately 250 people. The anticipated labour crew rotation is three weeks on/three weeks off, based on a fly in/fly out schedule. Based on this rotation, the number of staff at the mine at any one time will be approximately 150.

During a pre-production period of approximately two and a half years, two primary ramps will be developed. The ramp near the plant will act as a service corridor for the ore conveyor belt and for personnel and equipment to access the mine. The conveyor connects to an underground crushing station. Another ramp will be used to provide ventilation air into the underground workings. From the ramps, a series of underground access ramps, cross-cuts and drifts will branch out to connect to the ore body.

To mine the ore, Long Hole Blast and Cut & Fill underground mining methods are planned. In sequence with ore extraction, mined-out areas will be stabilized with backfill from dewatered mill tailings (waste material from the mill) and mine waste rock. Remote controlled load-haul-dump equipment will load broken ore into 30 tonne haul

North American Tungsten Corporation. Mining Proposal for Mactung

October 2008

trucks. The ore will be hauled to a primary crusher. The empty truck will be loaded with tailings from a nearby stockpile and will then haul the tailings through another route to backfill the mined area.

Ore Process Operations

The mined ore will be first crushed underground with a jaw crusher then conveyed to a coarse ore storage bin at the surface via the main access portal. Secondary and tertiary crushing will be carried out in the processing plant at the surface using cone crushers. The crushed ore will be transported to a fine ore bin in the grinding area then fed to conventional rod mills (for grinding) and classified according to size using screens.

After the crushing and grinding there will be three processes to extract the scheelite, which is the mineral that contains tungsten. The three processes used are magnetic and gravity separation, and flotation (a process where minerals are brought to the top of a wet mixture and skimmed off the top).

The finely ground ore will be consolidated (thickened). The consolidated material will then be processed to remove unwanted sulphide minerals with magnetic separators and bulk sulphide flotation. The sulphides will become part of the tailings (waste product from the mill).

After the removal of sulphides, the process stream will then be split into three sizes – coarse, fine and slimes. These products will undergo a gravity concentration process using a centrifugal system (spirals) and tables to produce a scheelite gravity concentrate.

The gravity concentrate will then be processed again (flotation step) to further remove sulphide minerals. The clean gravity concentrate will be filtered and dried to remove water (dewatered) to produce a dry product which will be sent to high intensity magnetic separators for final cleaning. The final product is a sandy/silt-sized material which is then bagged for shipment.

The gravity tailings will be thickened. The thickened tailings will be processed in a flotation circuit to recover scheelite that is too fine for gravity concentration. The final scheelite flotation concentrate will be dewatered to a dry product and bagged for shipment (silt/clay-sized particles). Scheelite flotation tailings (the waste product) will be dewatered using presses and filters. The filtered 'cake' will then either be transported underground by conveyors to be used as backfill, or transported to the dry-stacked tailings site on the surface.

It is anticipated that 50% of the mine tailings (waste from the mill) will be returned underground and used as backfill. The remaining tailings will be dry-stacked on the surface. The waste rock produced as part of the underground mining will also be used as backfill material underground.

Tungsten Markets and Transport

Bagged concentrates will be trucked to Edmonton for shipment to Europe and USA, and to Vancouver for shipment to Asia. Approximately four trucks per day will arrive at and depart from the site. Two trucks will haul the tungsten concentrate (Scheelite), while the other two will haul fuel and supplies. The North Canol Road will be used to transport the concentrate to Ross River, then the Robert Campbell Highway (South) will be used to Watson Lake, then the Alaska Highway.



Environmental work such as fish studies have been completed at the Mactung property.

North American Tungsten Corporation. Mining Proposal for Mactung

October 2008

The Mine and the Environment

NATC recognizes the importance of environmental stewardship as part of its business practices. The company considers good environmental management to be a corporate priority. Environmental concerns are included in the decision-making process throughout the company.

Sufficient resources will be devoted to environmental protection to ensure that environmental risks are minimized, that the environment and public welfare are protected during and after the company's activities, and that it complies with all regulatory requirements for its operation.

In 2006 and 2007, with assistance from EBA Engineering Consultants Ltd, the company collected baseline environmental data, including information on wildlife (birds, sheep, caribou, moose, fish), water quality, soil, and archaeology. Further studies were completed in 2008 for different locations in and close to the property and for the proposed access route.

Employment, Training and the Local Economy

It is anticipated that 250 people will be employed at the mine when it is operating. The jobs will include geologists, engineers, drillers, underground miners, mill operators, heavy equipment operators, maintenance personnel, assayers, environmental scientists, camp cooks, managers and auxiliary staff. Many of the workers will be transferred from NATC's existing mine at Cantung in NWT. However, additional personnel will be employed from the Yukon and wider labour market. It is anticipated that most staff will rotate on a three week shift and will be accommodated at the mine during the work shift.

The company will provide appropriate training and education programs for new employees at the mine site. This will include training for specific work duties, health and safety and other related programs. This will build capacity in local communities and improve opportunities for future mining-related employment in the region.

Employment and contracts with local businesses in Ross River, Faro, Whitehorse, and other communities will increase as the mine progresses from the construction phase to the production phase.



Excellent environmental stewardship is a corporate priority for NATC.

Mine Reclamation and Closure

A Mine Abandonment and Reclamation Plan will be developed as part of the process for mine permitting and mine development. The purpose of the plan is to ensure that a minimum area is disturbed during the construction and operation of the mine and that the land be returned as close to its natural state as possible after closure. The general objectives of the plan are to ensure the chemical and physical stability of the site and that the future use and aesthetics of the property are maintained. Progressive reclamation will be conducted at the mine to minimize long and short term impacts and the cost required for final closure. The surface tailings will be capped in accordance with industry best practices. The dam and related ageing pond will be decommissioned and the natural drainage pattern will be returned to the site, including making the diverted stream continuous again from its headwaters. The amount of money required to close the site at any given time by a third party contractor will be made available to the government by NATC prior to construction to ensure that no negative environmental legacy will be left by the mine. Periodic inspection and monitoring of the site will be required as per the Metal Mining Effluent Regulations (MMER) for a period of three years following closure.

North American Tungsten Corporation. Mining Proposal for Mactung

October 2008

Traditional Use in the Area

NATC appreciates and welcomes the interest and participation of local communities in the exploration and development of the Mactung tungsten deposit. The company is confident that both local communities and the company will benefit from the mutual respect, cooperation and support that are currently enjoyed by both parties.

The area around the Mactung property is used for hunting moose, caribou and bears. Although hunting will not be permitted by NATC within its property, NATC will respect traditional uses of the land in the vicinity of the mine and manage the mine to minimize any adverse effects on the wildlife in the area. The company recognizes it will be mining within the traditional area of the Kaska and Na-Cho Nyak Dun First Nations and therefore will respect the heritage and the Traditional Knowledge of the area.

The Consultation Process

There are three opportunities for community input regarding the mine proposal.

- Before the project proposal is submitted to the Yukon Environmental and Socio-economic Assessment Board (YESAB);
- During YESAB's assessment process; and
- During the regulatory process for permits and licences

Before regulatory approvals can be issued, the project proposal must be assessed under the Yukon Environmental and Socio-economic Assessment Act (YESAA). This project will be assessed by the Executive Committee of the Yukon Environmental and Socio-economic Assessment Board (YESAB). The process is expected to take approximately one year from the time the project proposal is submitted and the information is deemed adequate for assessment. It is anticipated that the complete project proposal will be submitted to YESAB in late fall, 2008.

Community consultation is an essential element of a project proposal under YESAA. Once the application has been submitted there will be further opportunities to comment on the project through the YESAA process.

Once the YESAA assessment is completed and a final decision document is issued by the Government of Yukon and other decision bodies, the company will apply for the permits and licences that are required for the project. For instance, a quartz mining licence and a water licence will be required. A number of other permits and licences will also be required before the mine production can begin. The process for approving some of the permits and licences will also require consultation with communities.


Contacts

If you have any questions or comments about the proposed Mactung project proposal please contact one of the following:

Wade Stogran
Vice-President of Environmental and Corporate Affairs
North American Tungsten Corporation
#1640 – 1188 West Georgia St.
Vancouver, B.C.
V6E 4A2
T: 604-684-5300
F: 604-684-2992
E: wstogran@natungsten.com

Glenn Rudman
Environmental Scientist
EBA Engineering Consultants, Whitehorse
6 – 151 Industrial Road
Whitehorse, Yukon
Y1A 2V3
T: 867-668-2071 x236
F: 867-668-4349
E: grudman@eba.ca


If you would like to provide comments or ask questions regarding the Mactung Project before the project proposal is submitted to YESAB, please contact the above BEFORE November 7, 2008.



Q:\Vancouver\GIS\ENVIRONMENTAL\W231\W23101110_Mactung_APM\Map04\W23101110_004_Figure1.mxd


NOTES
Base data source: Wardrop

MACTUNG						
Proposed Site Plan						
PROJECTION UTM Zone 9	DATUM NAD83					
Scale: 1:10,000						
FILE NO. W23101110_004_Figure1.mxd						
PROJECT NO. W23101110.004				DWN MEZ	CKD GR	REV 0
OFFICE EBA-VANC				DATE October 10, 2008		
Figure 1						



G:\Vancouver\GIS\ENVIRONMENTAL\W231\W23101110_Mactung_APM\Map04\W23101110_004_Figure2.mxd

NOTES
Base data source: Wardrop



MACTUNG			
Proposed Site Layout and Access Roads			
PROJECTION UTM Zone 9	DATUM NAD83		
Scale: 1:100,000			
FILE NO. W23101110_004_Figure2.mxd	EBA Engineering Consultants Ltd.		
PROJECT NO. W23101110.004	DWN MEZ	CKD GR	REV 0
OFFICE EBA-VANC	DATE October 10, 2008		
			Figure 2