

4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

## **CANTEST Ltd.**

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

web: http://cantest.com

Cantest Sample # : 801080168 Report # : 2-11-200-053-08-001

Sample Taken: Jan. 6, 2008 11:46 AM Sample pH: 7.7

Sample Collected By:C. WerbickiSample Dissolved Oxygen:10.1 mg/LSample Received:Jan. 8, 2008Sample Temperature:13.9 °CStart Date/Time:Jan. 9, 2008 6:10 PMSample Conductance:1162 μmho/cm

		Ter	np.	рН		D.	Ο.					
Conc. (%v/v)	Cond. (μmho/cm)	Initial (°C)	Final (°C)	Initial	Final	Initial (mg/L)	Final (mg/L)	24 hr	48 hr	72 hr	96 hr	Number of Mortalities
0	86	14.1	16.0	7.6	7.1	10.3	8.9	0	0	0	0	0
100	1171	14.3	16.0	7.7	8.4	10.1	8.9	0	0	0	0	0

#### Comments:

All fish appeared and behaved normally during the test.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 18 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.29 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.53 \pm 0.11$  g Length (Mean + SD):  $4 \pm 0.3$  cm Weight (Range): 0.29 - 0.87 g Length (Range): 3.3 - 4.7 cm

Reference Toxicant: Phenol

Test was conducted on: 01/02/2008

Test gave a 96-h LC50 of 11.1 (9.93, 12.35) mg/L

Dilution Water: Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 25 mg CaCO<sub>2</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.



S4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

### **CANTEST Ltd.**

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

tax: 604 /31-2386 web: http://cantest.com

Cantest Sample #: 803040253 G# 90304075 Report #: 2-11-200-053-08-006

Sample Taken: Sample pH: Mar. 2, 2008 10:30 AM 7.7 9.6 mg/L Sample Collected By: C. Werbicki Sample Dissolved Oxygen: Sample Received: Mar. 5, 2008 Sample Temperature: 15.6 °C Sample Conductance: Start Date/Time: Mar. 6, 2008 3:48 PM 1107 µmho/cm

D.O. **Percent Mortality** Temp. pН Conc. Cond. Initial Final Initial Final Initial Final 24 hr 48 hr 72 hr 96 hr Number of (%v/v) (umho/cm) (°C) (mg/L) **Mortalities** (°C) (mg/L) 15.6 0 64 15.4 7.6 7.5 9.9 9.5 0 0 0 0 0 100 1101 15.1 15.6 7.8 8.4 9.5 9.6 0 0 0 0 0

### Comments:

All fish appeared and behaved normally during the test.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 12 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.48 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.58 \pm 0.15$  g Length (Mean + SD):  $4 \pm 0.3$  cm Weight (Range): 0.32 - 1.16 g Length (Range): 3.4 - 4.7 cm

Reference Toxicant: Phenol

Test was conducted on: 03/05/2008 Test gave a 96-h LC50 of 13 (10, 22) mg/L

Dilution Water: Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 22 mg CaCO<sub>2</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.

S4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

### **CANTEST Ltd.**

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

web: http://cantest.com

Cantest Sample #: 804080382 G# 90408092 Report #: 2-11-200-053-08-008

Sample Taken: Apr. 6, 2008 12:30 PM Sample pH: 7.7

Sample Collected By:C. WerbickiSample Dissolved Oxygen:10.2 mg/LSample Received:Apr. 8, 2008Sample Temperature:13.7 °CStart Date/Time:Apr. 9, 2008 1:42 PMSample Conductance:1048 μmho/cm

		Te	mp.	mp. pH		D.	D.O.		Percent Mortality				
Cond		Initial	Final	Initial	Final	Initial	Final	24 hr	48 hr	72 hr		Number of	
(%v/v	) (μmho/cr	n) (°C)	(°C)			(mg/L)	(mg/L)					Mortalities	
0	77	14.6	15.8	7.5	7.3	9.8	9.6	0	0	0	0	0	
100	1097	15.5	15.8	7.7	7.9	9.2	9.7	0	0	0	0	0	

#### Comments:

All fish appeared and behaved normally during the test.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 13 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.45 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.59 \pm 0.17$  g Length (Mean + SD):  $4.1 \pm 0.4$  cm Weight (Range): 0.31 - 1.22 g Length (Range): 3.3 - 5.2 cm

Reference Toxicant: Phenol

Test was conducted on: 04/02/2008

Test gave a 96-h LC50 of 11.14 (9.63, 13.24) mg/L

Dilution Water: Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 24 mg CaCO<sub>2</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.



S4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

### **CANTEST Ltd.**

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

tax: 604 /31-2386 web: http://cantest.com

Cantest Sample # : 805130333 G# 90513100 Report # : 2-11-200-053-08-010

Sample Taken: May 11, 2008 11:45 AM Sample pH: 7.6
Sample Collected By: C. Werbicki Sample Dissolved Oxygen: 9.9 mg/L
Sample Received: May 13, 2008 Sample Temperature: 14.7 °C
Start Date/Time: May 14, 2008 2:17 PM Sample Conductance: 1130 umho

Start Date/Time: May 14, 2008 2:17 PM Sample Conductance: 1130 µmho/cm

		Ter	np.	рН		D.O.		Percent Mortality				
<b>Conc.</b> (%v/v)	Cond. (μmho/cm)	Initial (°C)	Final (°C)	Initial	Final	Initial (mg/L)	Final (mg/L)	24 hr	48 hr	72 hr	96 hr	Number of Mortalities
0	67	14.9	18.3	7.4	6.5	10.1	9.4	0	0	0	0	0
100	1129	15.0	18.4	7.4	8.1	10.1	9.4	0	0	0	0	0

#### Comments:

All fish appeared and behaved normally during the test. Due to very high outside temperatures the final temperatures were above the recommend range of 14-16°C.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 20 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.48 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.96 \pm 0.15$  g Length (Mean + SD):  $4.4 \pm 0.3$  cm Weight (Range): 0.79 - 1.22 g Length (Range): 4 - 5 cm

Reference Toxicant: Phenol

Test was conducted on: 04/30/2008

Test gave a 96-h LC50 of 10.8 (9.42, 12.11) mg/L

**Dilution Water:** Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 18 mg CaCO<sub>4</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.

4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

### **CANTEST Ltd.**

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

web: http://cantest.com

Cantest Sample #: 806170416 G# 90617090 Report #: 2-11-200-053-08-012

Sample Taken: Jun. 15, 2008 9:20 AM Sample pH: 7.7

Sample Collected By:J. P.Sample Dissolved Oxygen:10.0 mg/LSample Received:Jun. 17, 2008Sample Temperature:14.8 °CStart Date/Time:Jun. 18, 2008 11:50 AMSample Conductance:1153 μmho/cm

		Ter	np.	р	рН		D.O.		Percent Mortality			
Conc. (%v/v)	Cond. (μmho/cm)	Initial (°C)	Final (°C)	Initial	Final	Initial (mg/L)	Final (mg/L)	24 hr	48 hr	72 hr	96 hr	Number of Mortalities
0	62	14.7	16.1	8.0	7.6	10.2	9.9	0	0	0	0	0
100	1164	14.7	16.1	7.8	8.1	10.0	9.9	0	0	0	0	0

#### Comments:

All fish appeared and behaved normally during the test. The final temperatures were slightly outside the recommended temperature range of 14-16 °C.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 20 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.28 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.56 \pm 0.08$  g Length (Mean + SD):  $4.1 \pm 0.2$  cm Weight (Range): 0.42 - 0.68 g Length (Range): 3.7 - 4.3 cm

Reference Toxicant: Phenol

Test was conducted on: 06/04/2008

Test gave a 96-h LC50 of 11.4 (10.37, 12.53) mg/L

**<u>Dilution Water:</u>** Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 16 mg CaCO<sub>4</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.



4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

## **CANTEST Ltd.**

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

web: http://cantest.com

Cantest Sample # : 807160073 G# 90716031 Report # : 2-11-200-053-08-015

Sample Taken:Jul. 13, 2008 11:00 AMSample pH:7.4Sample Collected By:J. P.Sample Dissolved Oxygen:9.4 mg/LSample Received:Jul. 15, 2008Sample Temperature:14.9 °C

Start Date/Time: Jul. 16, 2008 11:30 AM Sample Conductance: 1041 µmho/cm

		Ter	np.	pН		D.	Ο.	Percent Mortality				
Conc. (%v/v)	Cond. (μmho/cm)	Initial (°C)	Final (°C)	Initial	Final	Initial (mg/L)	Final (mg/L)	24 hr	48 hr	72 hr	96 hr	Number of Mortalities
0	58	14.3	15.7	8.4	7.4	10.4	9.8	0	0	0	0	0
100	1030	14.9	15.7	7.5	7.8	9.8	9.5	0	0	0	0	0

#### Comments:

All fish appeared and behaved normally during the test.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 21 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.36 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.76 \pm 0.15$  g Length (Mean + SD):  $4.4 \pm 0.3$  cm Weight (Range): 0.53 - 1.08 g Length (Range): 3.9 - 4.8 cm

Reference Toxicant: Phenol

Test was conducted on: 07/02/2008
Test gave a 96-h LC50 of 13.9 (10, 22) mg/L

Dilution Water: Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 18 mg CaCO<sub>2</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.



S4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

### **CANTEST Ltd.**

web: http://cantest.com

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

Cantest Sample # : 808120479 G# 90812135 Report # : 2-11-200-053-08-016

Sample Taken:Aug. 10, 2008 11:30 AMSample pH:7.9Sample Collected By:C. WerbickiSample Dissolved Oxygen:9.4 mg/LSample Received:Aug. 12, 2008Sample Temperature:15.1 °CStart Date/Time:Aug. 13, 2008 12:40 PMSample Conductance:1125 μmho/cm

		Tei	Temp. pH		D.	Ο.						
Conc.	Cond.	Initial	Final	Initial	Final	Initial	Final	24 hr	48 hr	72 hr	96 hr	Number of
(%v/v)	(µmho/cm)	(°C)	(°C)			(mg/L)	(mg/L)					Mortalities
0	64	14.9	15.5	8.5	6.7	10.1	10.1	0	0	0	0	0
100	1115	15.0	15.2	8.0	8.3	9.8	10.5	0	0	0	0	0

#### Comments:

All fish appeared and behaved normally during the test.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 13 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.38 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.49 \pm 0.09$  g Length (Mean + SD):  $3.7 \pm 0.2$  cm Weight (Range): 0.38 - 0.65 g Length (Range): 3.1 - 4 cm

Reference Toxicant: Phenol

Test was conducted on: 08/06/2008
Test gave a 96-h LC50 of 10.8 (9.42, 12.11) mg/L

Dilution Water: Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 16 mg CaCO<sub>2</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.



S 4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

### **CANTEST Ltd.**

web: http://cantest.com

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

Report #: 2-11-200-053-08-017

Cantest Sample #: 809300290 G# 90930063

Sample Taken: Sep. 28, 2008 2:15 PM Sample pH: 7.7 Sample Collected By: V. Benwood Sample Dissolved Oxygen: 9.3 mg/L Sample Received: Sep. 30, 2008 Sample Temperature: 14.4 °C Start Date/Time: Oct. 1, 2008 10:58 AM Sample Conductance: 1150 µmho/cm

		Ter	Temp. pH		D.	Ο.						
Conc.	Cond.	Initial	Final	Initial	Final	Initial	Final	24 hr	48 hr	72 hr	96 hr	Number of
(%v/v)	(µmho/cm)	(°C)	(°C)			(mg/L)	(mg/L)					Mortalities
0	37	14.2	14.3	7.3	7.5	9.9	10.3	0	0	0	0	0
100	1131	14.5	14.3	7.7	8.3	9.7	10.2	0	0	0	0	0

#### Comments:

All fish appeared and behaved normally during the test.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 15 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.24 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.36 \pm 0.13$  g Length (Mean + SD):  $3.7 \pm 0.4$  cm Weight (Range): 0.23 - 0.61 g Length (Range): 3.3 - 4.4 cm

Reference Toxicant: Phenol

Test was conducted on: 09/25/2008

Test gave a 96-h LC50 of 8.92 (7.74, 10.09) mg/L

Dilution Water: Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 20 mg CaCO<sub>2</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.

NATC S4-28-1 Grab

Rainbow Trout Bioassay 96-h LC50 %v/v: >100%

### **CANTEST Ltd.**

4606 Canada Way Burnaby, BC Canada V5G 1K5 tel: 604 734-7276 fax: 604 731-2386

web: http://cantest.com

Cantest Sample #: 810150210 G# 91015036 Report #: 2-11-200-053-08-019

Sample Taken: Oct. 12, 2008 4:00 PM Sample pH: 7.7

Sample Collected By:V. BenwoodSample Dissolved Oxygen:10.4 mg/LSample Received:Oct. 14, 2008Sample Temperature:13.9 °CStart Date/Time:Oct. 16, 2008 12:22 PMSample Conductance:1138 μmho/cm

Γ			Ter	np.	np. pH		D.	D.O.		Percent Mortality				
	Conc. (%v/v)	Cond.	Initial (°C)	Final (°C)	Initial	Final	Initial	Final	24 hr	48 hr	72 hr		Number of Mortalities	
ŀ	(700/0)	(μmho/cm)	` '	` '	7.5	77	(mg/L)	(mg/L)	0	0	0	0	Wortanties	
L	U	42	14.3	14.7	7.5	1.1	10.2	10.0	U	U	U	U	0	
ı	100	1130	14.0	14.8	7.7	7.9	10.4	9.9	0	0	0	0	0	

#### Comments:

All fish appeared and behaved normally during the test.

**Test Conditions:** 

Organisms per Replicate: 10 Preaeration Time: 30 min.

Test Volume: 19 L Rate of aeration: 6.5 ml/min/L

Loading Density: 0.22 g/L

**Test Organism:** Rainbow Trout (*Oncorhynchus mykiss* )

Weight (Mean + SD):  $0.41 \pm 0.09$  g Length (Mean + SD):  $3.6 \pm 0.2$  cm Weight (Range): 0.27 - 0.55 g Length (Range): 3.1 - 4 cm

Reference Toxicant: Phenol

Test was conducted on: 10/08/2008 Test gave a 96-h LC50 of 8.6 (7.42, 9.83) mg/L

Dilution Water: Vancouver Tapwater hardened and dechlorinated

EDTA Hardness: 20 mg CaCO<sub>2</sub>/L Other parameters available on request

#### **Test Method:**

Biological Test Method: Reference Method for Determining Acute Lethality of Effluent to Rainbow Trout, EPS 1/RM/13, Second Edition, December 2000. Results contained in this report refer only to the testing of samples as submitted.