Water Quality Objective Monitoring, Yukon River South, 2009

<u>Hydrologic and Geomorphic Characteristics of the Yukon River South Drainage</u> Basin

The Yukon River is a major watercourse of north western North America. Over half of the river lies in the U.S. state of Alaska, with most of the other portion lying in and giving its name to Canada's Yukon Territory, and a small part of the river starts near the rivers source in British Columbia. The river is 3,700 km long and empties into the Bering Sea at the Yukon-Kuskokwim Delta. The average flow is 6,430 m³/s. The total drainage area is 832,700 km² of which 323,800 km² is in Canada. By comparison, the total area is more than 25% larger than the province of Alberta.

The Yukon River is divided into two sections, the North Yukon section, downstream from the Yukon Rivers confluence with the White River and the South Yukon, the section of the Yukon River upstream from its confluence with the White River. The average water quality of the North Yukon River is much more turbid and higher in suspended solids concentrations than that of the South Yukon due to the huge contribution of sediment and glacial material entering the Yukon River from the White River drainage. Total suspended solids concentrations in the North Yukon can be 10-25 times higher than those found in the South Yukon. Many large tributary rivers and streams flow into the catchment area of the Yukon River basin.

In 2009, 19 grab samples were taken by inspection staff on behalf of the Water Quality Team at 19 different locations in the Yukon River South basin. An additional 25 samples were collected by E.M.R staff during routine mine inspections.

<u>Site Codes and Global Position of Water Quality Sampling Locations in the Yukon</u> River South Watershed

SITE CODE	LOCATION	LAT_Y	LONG_X
08-0678	Yukon River d/s Pedlar Creek	62.87356	-138.78517
08-0682	unknown tributary to the Yukon River	62.88438	-138.95703
08-0683	unknown tributary to the Yukon River	62.88437	-138.95552
08-0684	Yukon River	62.89671	-138.99060
YS 01	Yukon River u/s of the White River	63.17276	-139.56602
YS 02	Yukon River d/s Los Angeles Creek, u/s Thistle Creek	63.07411	-139.50436
YS 03	Yukon River d/s Kirkman Creek, u/s Thistle and u/s LA Creek	63.00394	-139.47209
YS 04	Yukon River u/s Kirkman Creek	62.98285	-139.31924
YS 05	Yukon River u/s Sparkling Creek	62.92245	-139.17300
YS 06	Yukon River u/s Coffee Creek, d/s Ballarat Creek	62.91109	-139.03923
YS 07	Yukon River u/s Ballarat, d/s Pedlar Creek	62.88658	-138.85291
YS 08	Yukon River u/s Pedlar Creek, d/s Britannia Creek	62.87306	-138.77945
YS 09	Yukon River u/s Britannia Creek	62.87556	-138.68182
YS 10	Yukon River d/s Selwyn River	62.82779	-138.44238
YS 11	Yukon River u/s Selwyn River	62.80207	-138.25978
YS 12	Yukon River d/s Pelly River	62.81443	-137.48848
YS 13	Yukon River u/s Pelly River	62.75300	-137.30100
YS 14	Yukon River u/s Big Creek	62.61576	-136.99323
YS BAL 01	Ballarat Creek South Below All Mining (BAM)	62.89784	-138.96138
YS BRIT 01	Britannia Creek Below All Mining (BAM)	62.87063	-138.68726
YS CAR 01	Carlisle Creek mouth	63.00539	-139.49359
YS COF 01	Coffee Creek mouth	62.90965	-139.04201
YS KIR 01	Kirkman Creek mouth	62.99714	-139.46533
YS LOS 01	Los Angeles Creek mouth	63.04897	-139.52612
YS PED 01	Pedlar Creek mouth	62.87419	-138.77946
YS SEL 01	Selwyn River Below All Mining (BAM)	62.74988	-138.28221
YS SPA 01	Sparkling Creek mouth	62.92348	-139.17473
YS THI 01	Thistle Ck Below All Mining (BAM)	63.07133	-139.46533
08-0739	Yukon River u/s Excelsior Ck	63.43961	-139.70804

Water Quality Objective monitoring, Yukon River South Watershed – Summary

On average, the water quality in the basin, met the minimum objectives set under the *Fish Habitat Management System* throughout the monitoring season. On those occasions when the WQO were not met and the Total Suspended Solids levels were greater than the objectives, a direct correlation between environmental conditions and the volume of solids in the water was observed.

The Fish Habitat Management System - Yukon River South Watershed (Category A) Sample Results that Exceed Water Quality Objectives for 2009

Sampling Station	YS 01	YS THI 01	YS 03	YS KIR 01	YS 05	YS BRIT 01	YS 09	YS SEL 01	<u>></u>	YS 13	Δ.	YS 14	Other
Location Description		Mouth	u/s YS THI 01		u/s YS SPA 01	Mouth	u/s YS BRIT 01	Mouth	Pe Pe	u/s Pelly	ed Bi	u/s Big Creek	
Sample Type	Grab		Grab		Grab	Grab	Grab	Grab	with Pelly tershed	Grab	vith	Grab	
	63.17276	63.07133		62.99714	62.92245		62.87556	62.74988	e w ate	establish	se v ate	62.61576	
Long X	-139.56602	-139.46533	-139.47209	-139.46533	-139.17300	-138.68726	-138.68182	-138.28221	S ≥	establish	en 🖔	-136.99323	
11.1 11.4 6111111			Area of special			Area of special			flue		ntlu ee		
Habitat Classification Water Quality Objective (mg/L)	High 25			High 25	High 25		High 25	Moderate-H	S R	establish establish High	نَ ق	YS 14 u/s Big Creek Grab 62.61576 -136.99323 High	
Date of Sampling	23	23	23	23	20	20		20	_	20		23	
Date of Sampling		<u> </u>		0 111 011 11									
		No samples o	exceeded the Water	Quality Objectives									
					_								
						-							
Total Seasonal Average TSS (mg/L) by site		1.3		10.6	4.4	0.1	5.7						
Number of days sampled		1		1	1	1	1						

Not continuously monitored
Water Samples that are: Above / Below the Water Quality Objective Legend