Silverquest
87-004

ARCHER, CATHRO
& ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

1016-510 WEST HASTINGS STREET
VANCOUVER, B.C. V6B 1L8

(604) 688-2568

Report On

SOIL GEOCHEMISTRY AND BULLDOZER TRENCHING

QUEST PROPERTY

Quest 1-21F Claims (YA77756-YA77759, YA83039-YA83054, YA83185)

Silver 1-24 Claims (YA83015-YA83038)

Amino 1-27 Claims (YA83533-YA83545, YA83548-YA83561)

Bold 1-25 Claims (YA83653-YA83677)

NTS 115P/15

Latitude 63°46'; Longitude 136°45'

W.D. Eaton, B.A., B.Sc.

January, 1988

Work done between June 18 and September 19, 1987

BOX 4127, 3125 THIRD AVENUE, WHITEHORSE, Y.T. Y1A 3S9

(403) 667-4415

TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	3
HISTORY	4
PHYSIOGRAPHY	4
GEOLOGY	5
MINERALIZATION	6
SOIL GEOCHEMISTRY	9
BULLDOZER TRENCHING	13
SUMMARY AND RECOMMENDATIONS	16

APPENDICES

I Author's Statement of Qualifications

II Personnel

III Geochemical and Assay Results

LIST OF TABLES

1	Background and Anomalous Thresholds	10
2	Soil Geochemical Anomalies	Following Page 10
3	Significant Trench Assays	Following Page 13

LIST OF FIGURES

NO.	DESCRIPTION	LOCATION
1	Location Map	Following Page 1
2	Claim Locations	In Pocket
3	Geology and Ag Geochemistry	In Pocket
4	Sample Location (1:5,000)	In Pocket
5	Sample Locations (1:20,000)	In Pocket
6	Silver Geochemistry	In Pocket
7	Lead Geochemistry	In Pocket
8	Arsenic Geochemistry	In Pocket
9	Zinc Geochemistry	In Pocket
10	Copper Geochemistry	In Pocket
11	Gold Geochemistry	In Pocket
12	Trench Data; Amino & Weng Zones	In Pocket
13	Trench Data; CCH Zone	Following Page 14

INTRODUCTION

In August 1985, galena-, sphalerite- and arsenopyrite-bearing, quartz-carbonate vein float containing up to 158.2 oz/ton Ag and 0.23 oz/ton Au was discovered in the May Creek area by Archer, Cathro & Associates (1981) Limited. The discovery was made by following up silver soil geochemical anomalies released in assessment reports filed by Cortin Project (CCH Resources Ltd., INCO and Billiton Exploration Canada Limited) which explored the area for tin and tungsten from 1978 to 1981. The Quest 1-4 claims were staked the same day as the discovery to cover the float occurrence while the Quest 5-20 and Silver 1-24 claims were located in the following spring to protect other nearby soil anomalies.

In late spring, 1986, all of the claims were sold to Silverquest Resources Ltd. which conducted a series of prospecting traverses from a two-man fly camp on the property the following summer. This work identified two areas containing intensely oxidized carbonate vein fragments in soil patches exposed between blocky talus boulders on the Quest claims, 1500 m west of the Discovery Zone on May Creek, and narrow, widespread, manganese stained quartz veins on the Silver claims. Composite samples consisting of vein fragments collected over a 75 m length from one of the areas on the Quest claims averaged 95.5 oz/ton Ag with 2.3% Pb while two specimens from the other area, located 700 m to the east, averaged 75.5 oz/ton Ag with 4.1% Pb. Samples taken from the Silver claims returned lower silver and lead values (up to 5.7 oz/ton Ag with 5.9% Pb) but contained more gold and zinc (up to 0.08 oz/ton and greater than 1% respectively). Silver to lead ratios for the samples taken from the Quest claims are extremely favourable, averaging about 60 oz/ton Ag for each 1% Pb.

Figure 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LOCATION MAP

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.



but are marginal for samples collected from the Silver claims where the average is only 1 to 1. Silver to lead ratios exceeding 10 to 1 are rare and the ratios from the Quest claims compare well with those in the best ore shoots at the world class Keno Hill Mines operation centered at Elsa, 60 km to the east.

The Quest 21 fractional claim was staked in July, 1986 to cover open ground between the Quest claims and a large block of adjoining claims, all of which expired in spring, 1987.

The 1987 exploration program was done in two phases, one between June 18 and July 9 and the other between August 24 and September 19. The first phase consisted of multi-element grid soil geochemistry over the Quest claims, plus reconnaissance prospecting and soil sampling in the surrounding area, while the second involved additional soil geochemistry in areas where anomalies trended off the grid and 2646 m of bulldozer trenching to test the float occurrences and geochemical anomalies. A total of 27 Amino and 25 Bold claims was added to the periphery of the claim block at various times during the summer. The work was done under the author's supervision by a three- to four-man crew operating from a fly camp on the property. The Author's Statement of Qualifications appears in Appendix I while a list of personnel who worked on the property is included in Appendix II.

PROPERTY, LOCATION AND ACCESS

The property consists of 96 full sized claims and one fractional claim which form a single contiguous block as shown on Figure 2 in the pocket. All claims are registered in the name of Silverquest Resources Ltd. with the Mayo Mining Recorder as follows:

Claim Name	Grant Numbers	Expiry Date*
Quest 1-4	YA77756-YA77759	February 9, 1988
Quest 5-20	YA83039-YA83054	March 12, 1989
Quest 21 Fr	YA83185	March 12, 1989
Silver 1-24	YA83015-YA83038	March 12, 1989
Amino 1-13	YA83533-YA83545	June 29, 1988
Amino 14-27	YA83548-YA83561	July 28, 1988
Bold 1-25	YA83653-YA83677	August 14, 1988

* Note: Expiry dates listed do not include assessment credits from the 1987 field program.

The claims are located at latitude 63°46' and longitude 135°46' on NTS map sheet 115P/15, some 45 km west-northwest of Mayo. The closest road access is the 32 km long Conservation Trail which terminates on the banks of the McQuesten River, 7 km south of the property. The river can be forded during periods of lower runoff or crossed on an ice bridge in the winter. A bulldozer trail extends from the crossing to the claims.

In 1987, personnel, field equipment and fuel were flown to the property by a Trans North Air Ltd. Bell 206B helicopter operating from a seasonal base at Mayo. The bulldozer mobilized and demobilized using the Conservation Trail and pre-existing bulldozer trail.

HISTORY

In 1922, prospectors N. Niddery and G. Ortell drove a short adit on a silver-lead vein immediately east of the Quest claims. The occurrence and surrounding area has been restaked a number of times and explored by several groups, including Zulco Exploration Limited (1962 and 1963) and Quintana Minerals (1971 and 1972) which explored for copper and zinc using soil geochemistry. A. Triggs restaked the silver-lead vein as the Tee claims in 1976 and conducted hand trenching in 1977. He sold the property to CCH in 1978 which performed mapping and geochemical sampling and bulldozer trenching from 1979 to 1981 with Inco and Billiton Exploration (Cortin Project). Cortin Project simultaneously carried out reconnaissance-scale exploration for tin and tungsten on a large block of claims which included the area of the present Quest property. The Tee claims are currently owned by J. Strebchuk, an independent prospector from Mayo.

PHYSIOGRAPHY

The Quest property lies at the south end of East Ridge, one of the southernmost foothills of the Ogilvie Mountains and is drained by May, Forty Mile and Boulder Creeks, all of which are tributaries of the McQuesten River. Elevations locally range from 1035 m to slightly over 1700 m. Most of the area lies above the limit of the last valley glaciation so that overburden on the property is generally thin and soils are locally derived. Large rotated slump blocks and landslides are common. Vegetation consists of spruce forests at lower elevations gradually giving way to buck brush, slide alder and stunted spruce at high elevations and mosses and lichens above 1500 m.

GEOLOGY

Regional mapping by the Geological Survey of Canada (GSC) shows that the property lies in a broad belt of weakly metamorphosed sedimentary rocks that have traditionally been assigned Upper Proterozoic to Lower Cambrian ages but are now thought to be younger, possibly Mississippian to Devonian. The sedimentary rocks are intruded by a series of granitic stocks and dykes of Cretaceous age.

Property geology is shown on Figure 3 in the pocket. Most of the claims are underlain by a flat lying to shallowly north-dipping monotonous succession of gradationally interbedded gritty quartzose phyllite and quartzite with lesser calcareous phyllite and limestone horizons. In the northern part of the Silver claims, this sequence is conformably overlain by calcareous and non-calcareous phyllite with massive quartzite and limestone interbeds.

Intrusive rocks occur on the Silver claims and immediately south and east of the property. They include medium-grained, biotite-clinopyroxene quartz monzonite and medium- to coarse-grained, two-mica granite plugs and stocks and porphyritic, quartz-feldspar porphyry dykes. The granite commonly contains zircon, tourmaline and fluorite as accessory minerals. Contact and age relationships between the quartz monzonite and granite are uncertain. The quartz-feldspar porphyry dykes are narrow, widely scattered and cut all other units. Hornfels and skarn zones are often developed peripheral to the larger intrusions and one of these zones is located along the boundary between the property and the Tee claims. This zone has a strong, positive aeromagnetic response, as shown on GSC Geophysics Paper 7212.

Airphoto analysis has defined numerous topographic linears cutting across the property and ground inspection has shown that most are recessive weathering faults which are largely obscured by blocky talus from the surrounding wallrocks. Most of the structures trend north to northeasterly and exhibit near vertical to steep westerly dips. However, the strongest single structure (May Creek Fault) strikes northwest and appears to terminate or offset the linears. On some steep hillsides, large slumps have occurred downhill from linears that parallel the slope.

MINERALIZATION

Three types of mineralization have been identified to date on the Quest property:

1. sphalerite-, magnetite-, pyrite-, and chalcopyrite-bearing skarn with occasional high values for tin, gold and silver;
2. galena-, sphalerite-, and pyrite-rich, quartz $\pm$ carbonate veins exhibiting minor arsenopyrite, chalcopyrite and tetrahedrite and consistently high silver and moderate to high gold contents; and,
3. intensely oxidized siderite veins exhibiting brown to bright yellow limonite and rare anglesite in pits and consistently high silver but low gold contents.

The mineralization appears to be zoned around the granitic intrusions centred on the eastern fringe of the property with the skarn adjacent to the intrusions, the silver- and gold-bearing quartz $\pm$ carbonate veins in a halo extending from within the intrusions to 500 m beyond the limit of the skarn, and the silver-rich carbonate veins on the periphery.

Mineralized skarn float is scattered over a 1500 by 800 m area immediately east of the headwaters of May and Forty Mile Creeks on the Amino and Tee claims. Seven specimens of mineralization were collected and submitted to Chemex Labs in North Vancouver where they were geochemically analyzed for gold using a fire assay preparation with a neutron activation finish and thirty-two other elements by the induced coupled plasma technique. Sample locations are shown on Figure 4 in the pocket while complete analytical results are tabulated in Appendix III. Two types of skarns are present: a dark green variety composed primarily of actinolite and a pale green variety composed of diopside(?). Both commonly contain abundant blackjack sphalerite and magnetite with varying amounts of pyrite and chalcopyrite. Analyses of the two types returned generally similar results, including values up to 6.05% Zn, 1.05% Cu, 0.23% Pb, 0.43% Sn and 1.3 oz/ton Ag. Gold values in the seven specimens were low but samples taken by the Department of Indian and Northern Affairs (personal communication D. Ehman) returned up to 0.06 oz/ton Au. Tungsten analyses yielded low values to a maximum of 105 ppm.

Silver- and gold-bearing, quartz $\pm$ carbonate veins are found on the Silver claims and at the Discovery Zone in the eastern part of the Quest claims. They are associated with up to 20 m wide, north to north-northeast trending shear zones and occur as lenses, narrow veins and fracture fillings. Specimens taken from the Silver claims assayed up to 5.7 oz/ton Ag and 0.08 oz/ton Au, while those from the Discovery Zone returned up to 158.2 oz/ton Ag and 0.23 oz/ton Au. This type of mineralization is also characterized by high lead, zinc and arsenic values, as illustrated in Appendix III. Silver to lead ratios range from 0.5 to 1 up to 233 to 1 (oz/ton Ag for each 1% Pb) and appear to increase as the distance from the intrusion increases.

Silver-rich, carbonate veins are found in the central and western part of the Quest claims, 1 to 2 km west of the Discovery Zone. This mineralization occurs as veins, lenses and fracture fillings within up to 6 m wide northeast-trending shear zones. It is characteristically dark brown to black and intensely oxidized. The only sulphide minerals observed are galena encapsulated in anglesite and rare grains of chalcopyrite, arsenopyrite and pyrite. Zinc contents remain high but lead, gold and arsenic are lower than those in the quartz-carbonate veins, both in absolute values and relative to silver. Samples from this zone returned silver assays up to 332.00 oz/ton Ag but only 0.046 oz/ton Au. Silver to lead ratios are universally high varying from 15 to 1 up to 600 to 1 and averaging about 60 to 1.

Mineralization encountered in the 1987 bulldozer trenches is described later in the report under Bulldozer Trenching.

SOIL GEOCHEMISTRY

General

Grid soil geochemistry was conducted over a 2800 by 2200 m area in the central part of the property while wider spaced reconnaissance soil sampling was done to the south, west and north.

The grid samples were taken at 50 m intervals on lines spaced 100 m apart using two east-west trending baselines for control. Sample locations were marked with 0.5 m high wooden lath pickets bearing aluminum tags inscribed with grid coordinates and sample number. Baselines were marked at 50 m intervals with 1 m high wooden lath.

The reconnaissance sampling south of the property covered a 3.4 by 2.6 km area with samples taken at 100 m intervals on lines spaced 500 m apart using the bulldozer trail to the McQuesten River for control. Samples taken to the north and west of the property were collected at 25 to 100 m intervals during prospecting traverses along ridge crests and recessive linears using topographic maps for control. Reconnaissance sample sites were marked with flagging bearing the sample number.

All samples were sent to Chemex Labs where they were analyzed for thirty-two elements by the induced coupled plasma technique. Selected samples were later reanalyzed for gold using a fire assay preparation and a neutron activation finish. Grid and reconnaissance sample locations are illustrated on Figures 4 and 5, respectively, while complete analytical results are included in Appendix III.

Results

Figures 6 to 11 inclusive illustrate grid soil geochemical results for silver, lead, arsenic, zinc, copper and gold, respectively. Metal backgrounds and anomalous thresholds are listed on Table 1 below, while details concerning the seven main areas of anomalous response are summarized on Table 2 on the following page.

Table 1: Background and Anomalous Thresholds, Quest Property

Metal	Background	Anomalous Threshold			Highest Value
		Weak	Moderate	Strong	
Ag (ppm)	0.2	2	4	8	94
Pb (ppm)	20.0	50	100	200	2,060
As (ppm)	50.0	100	200	400	965
Zn (ppm)	50.0	100	200	400	>10,000
Cu (ppm)	20.0	50	100	200	>10,000
Au (ppb)	5.0	25	50	100	355

Silver returned the highest proportion of anomalous values and copper the lowest. Gold analyses were only done on selected samples containing high arsenic, thus, many parts of the grid were not covered and results are difficult to interpret.

Of the seven main anomalies on the grid, six are located on the southwest side of May Creek Fault and consist of approximately coincident silver, lead, arsenic and zinc results, plus scattered gold values. All of the anomalous results were obtained from samples taken along or downhill from north- to northeast-trending, airphoto linears and appear to be derived from veins. Although silver values are high in all six areas, results for the other metals are variable. The highest silver to lead ratios are found in the western part of the property (Anomalies D and E) but the largest, most intense anomaly is in the vicinity of the Discovery Zone (Anomaly A). Anomaly G, which is located

Table 2: Soil Geochemical Anomalies, Quest Property

Anomaly	Dimensions (m)	Probable Source	Maxmimum Values Ag (ppm)	Pb (ppm)	As (ppm)	Zn (ppm)	Cu (ppm)	Au (ppb)	Average Ag:Pb Ratio (oz/ton:%)
A	600 x 700	linear	94.0	2060	965	1560	113	170	24:1
B	450 x 300	skarn	1.0	84	470	1780	178	5	0.25:1
C	400 x 450	linear	25.2	610	290	473	29	110	23:1
D	1100 x 200	linear	27.0	152	210	242	30	355	50:1
E	650 x 200	linear	56.0	266	380	601	36	260	38:1
F	1000 x 900	linear	45.0	406	430	>10000	>10000	160	21:1
G	1000 x 200	fluvial dispersion?	8.0	182	205	412	57	245	5:1

downstream from the Discovery Zone on the west bank of May Creek, is probably caused by fluvial dispersion. Anomalies C and F are patchy and less intense than the others but this may be due to geomorphology as both are located in areas where linears are oriented subparallel to steep slopes and there is irregular downhill dispersion. Copper contents are negligible in most anomalous samples derived from veins; however, one sample in Anomaly F returned greater than 10,000 ppm. This sample also produced surprisingly high values in zinc (>10,000 ppm) and silver (45 ppm) but yielded low values for the other metals.

The seventh anomaly (Anomaly B) is located on the northeast side of the May Creek Fault and is characterized by intense zinc values with moderate to strong copper and arsenic support but low lead, silver and gold. This anomaly is in the area where sphalerite- and chalcopyrite-bearing skarn float was discovered. It is cutoff on the southwest side by the fault but is open to the north and east. The northern extension is covered by the Quest property but the area to the east lies on Strebchuk's Tee claims.

Reconnaissance sampling by Silverquest is compiled, together with the old Cortin Project silver data, on Figure 3. The area directly south of the property returned generally low values but interesting results were obtained from traverses to the north and west. Samples taken immediately north of the property returned a series of strongly anomalous lead and zinc values with weak to moderate copper, silver and arsenic support, as shown on the grid geochemical maps. Although this target appears to be an extension of Anomaly B, it is on the southwest side of the May Creek Fault and the lead values are much higher than those on the northeast side of the fault. Several strong

airphoto linears project into the area and the source is probably a quartz-carbonate type vein.

The area west of the property contains several clusters of weakly to moderately anomalous silver values, most of which lie along or downhill from strong airphoto linears. Unfortunately the CCH samples were not assayed for the other metals so it is not possible to determine metal ratios. No follow-up prospecting or sampling has been done on these targets.

BULLDOZER TRENCHING

General

The bulldozer trenching program was conducted using a ripper-equipped Caterpillar D7-G bulldozer contracted from Ewing Holdings of Mayo. The work was directed toward the strongest soil geochemical anomalies and areas where high grade vein float has been discovered. A total of 2646 linear m of vegetation and soil were stripped from 24 proposed trench sites; however, due to severe frost encountered on north- and east-facing slopes, only 1183 linear m of bedrock was exposed in 19 wholly or partially completed trenches, as shown on Figure 4.

Ninety-nine chip samples and rock specimens were collected from completed trenches while 176 soil samples were taken from the floors of trenches that did not reach bedrock. All were sent to Chemex Labs where the rocks were fire assayed for silver, gold and lead and the soils geochemically analyzed for thirty-two metals by the induced coupled plasma technique.

Results

At least six vein faults were exposed in the trenches. They range from 0.5 to 6 m in width and consist of strongly sheared and, in part, brecciated wallrock containing gougy bands, limonitic fractures and lenses of massive siderite with varying amounts of sulphides or limonite after sulphides. The distribution of the mineralization appears to be controlled in part by the wallrock competence, with the best mineralization occurring where the faults cut quartzite beds. The strongest, best mineralized structures are the Amino and Weng Veins in the western part of the property and the CCH and Discovery Veins in the vicinity of the Discovery Zone. Significant assays are listed on Table 3 on the following page, while individual zones are described below.

Table 3: Significant Trench Assays, Quest Property

Trench	Vein	Width (m)	oz/ton Ag	oz/ton Au	% Pb
TR-87-1	Amino	6.40	6.34	0.005	NA
	including	0.40	67.20	0.015	NA
TR-87-2	Amino	1.30	36.40	0.022	0.827
	including	0.30	79.44	0.011	0.160
TR-87-3	Amino	3.30	2.83	0.002	0.216
TR-87-3A	Amino	2.45	5.47	0.001	0.307
TR-87-5	Weng	1.60	26.36	0.009	2.171
	including	0.10	332.00	0.046	32.60
TR-87-6A	Weng	0.30*	111.00	0.010	2.44
TR-87-17	CCH	2.15	5.89	0.002	0.273
Hand Pit	Discovery?	0.35**	6.85	0.030	NA

NA - Not Analyzed

* - Adjacent rocks not sampled

** - Soliflucted soil horizon

The Amino Vein has been exposed in four trenches over a 300 m strike length and consists of a 6.0 m wide, steeply northwest-dipping shear zone containing irregular, high grade lenses, usually along the footwall, as shown on Figure 12 in the pocket. The rocks are strongly oxidized and the only sulphides observed were rare galena grains. Silver to lead ratios average about 30 to 1. The trenches lie at the southwest end of Anomaly D and high soil values continue intermittently along strike for 700 m beyond the trenches to the northeast.

The Weng Vein is located 300 m southeast of the Amino Vein and is oriented subparallel to it, as shown on Figure 12. This structure is poorly exposed but appears to be narrower (0.5 to 2 m) but higher grade (up to 332 oz/ton Ag over 0.1 m). The vein is exposed in three trenches over a 150 m strike length but only the two eastern trenches are mineralized. The trenches lie near the centre of Anomaly E, which has a total length of 750 m.

The CCH Vein lies uphill from the Discovery Zone float near the top of Anomaly A. Although several trenches were started, only five, covering a 400 m strike length, were completed. The vein averages about 5 m in width and forms a recessive weathering gully that is easily recognized on airphotos. Four of the five trenches returned low values in the range of 1.00 to 3.55 oz/ton Ag but one containing a lens of massive siderite with bright yellow limonite in pits assayed 99.00 oz/ton Ag over 0.5 m, as shown on Figure 13 on the following page. The silver to lead ratios are lower than in the Amino or Weng Veins but still highly favourable, averaging 22 to 1.



Figure 13

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENCH DATA
CCH ZONE

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE 1:1000

0 10 20 30 40 50 60 70 80 Meters

To accompany report dated Jan/88

The Discovery Vein was not exposed in bedrock however, a hand pit dug downhill from it intersected a 35 cm thick light grey soil horizon that contains numerous carbonate vein fragments, many of which contain galena, sphalerite, pyrite and arsenopyrite. Specimens of the vein fragments assayed up to 190.85 oz/ton Ag, 0.342 oz/ton Au and 65.8% Pb while a chip sample taken across the entire thickness of the horizon returned 6.85 oz/ton Ag and 0.030 oz/ton Au. Attempts to bulldozer trench uphill from this pit were frustrated by frost in the soil.

SUMMARY AND RECOMMENDATIONS

The Quest property consists of 97 mineral claims located in central Yukon, some 60 km west of the United Keno Hill Mines Ltd. mill at Elsa. Veins comprising the Keno Hill Camp have produced more silver than any other district in Canada, a total of 210 million ounces since 1921.

Exploration at the Quest property has outlined an extensive, silver-rich vein system and a zinc-rich skarn zone developed in a 16 sq km area of predominantly clastic sedimentary rocks situated on the margin of a small intrusive centre. Most of the work has been directed toward the veins which are strongly oxidized at surface and weather recessively to form gullies that are readily visible on airphotos. Multi-element grid soil geochemistry returned strongly anomalous values for silver, lead, zinc, arsenic and gold along the veins. Reconnaissance sampling and airphoto analysis suggests that the veins extend off the property to the west. Interpretation of soil geochemical results and assays from mineralized specimens indicate that the vein system is zoned with the lower silver to lead ratios (about 1 oz/ton Ag: 1% Pb) occurring in and directly adjacent to the intrusions and the highest (20:1 and greater) on the western flanks of the system. Typical vein faults consist of 1 to 6 m wide, fractured and brecciated shear zones with 0.1 to 0.3 m wide massive siderite $\pm$ sulphide or limonite after sulphide lenses intermittently developed along the hanging wall or footwall contacts. Weakly mineralized shears normally assay between 1 and 5 oz/ton Ag, while higher grade lenses have yielded up to 332 oz/ton Ag. Although gold values are generally low, individual specimens have assayed up to 0.342 oz/ton Au.

The skarn zone is relatively unexplored, however grid sampling over a portion of it returned moderately to strongly anomalous zinc, copper and arsenic values. Prospecting has shown that sphalerite- and copper-bearing float is widespread and mineralized specimens have assayed up to 6.05% Zn and 1.05% Cu. High tin (up to 0.43%) and gold (up to 0.06 oz/ton) values have been obtained from a few specimens.

The size of the vein system, continuity of individual structures, strength of the soil geochemical response, high grade of some samples, and exceptionally favourable silver to lead ratios combine to make the Quest property an excellent exploration target for Keno Hill-type mineralization. In addition, mineralized skarn is widespread and deserves further exploration. The next work program should consist of close spaced bulldozer trenching along Anomalies A,C,D and E plus a few widespread trenches to test outlining anomalies and reconnaissance prospecting and sampling traverses to explore airphoto linears and high silver values in the area immediately west of the property. The program is estimated to cost $238,500 as calculated on the following page.

Bulldozer - 600 hr with ripper-equipped D7E @ $120/hr fuel and operator included	$ 72,000
Labour - senior supervision 150 hrs @ $55/hr and 400 hr @ $50/hr, plus party chief for 100 days and assistant for 75 days and surveyor for 10 days	65,000
Helicopter - 70 hrs Bell 206B @ $600/hr	42,000
Room & Board - 275 mandays @ $60/day	16,500
Assays and Geochemical Analysis - 300 assays for Au,Ag,Pb @ $21 /sample, plus 500 32-element ICP analyses @ $9.25/sample ...	11,000
Truck and Freight	10,000
Office, Drafting and Printing	10,000
Assessment	2,500
Management	9,500
TOTAL -	$238,500

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

W.D. Eaton, B.A., B.Sc.

/mc

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, W. Douglas Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia, and residential address in Burnaby, British Columbia, do hereby declare:

1. I graduated from the University of British Columbia in 1980 with a B.Sc.
2. From 1971 to present, I have been actively engaged in mineral exploration in British Columbia and Yukon Territory and on June 1, 1981, I became a partner in Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the field work reported herein and have interpreted all data resulting from this work.



W. Douglas Eaton, B.A., B.Sc.

APPENDIX II

PERSONNEL

NAME	POSITION	DATES ON PROPERTY
D. Eaton	Geologist	June 29; July 9; August 9, 27-28; September 2-3, 18
B. Wengzynowski	Party Chief	June 18-30; July 1-9; August 20-31; September 1-19
K. Stewart	Fieldman	June 18-30; September 18-19
L. Vano	Fieldman	June 18-30; July 1-8
D. Parry	Fieldman	June 18-30; July 1-8
J. Sebben	Fieldman	August 20-28
R. Streicer	Fieldman	August 27-31; September 1-19

APPENDIX III

GEOCHEMICAL AND ASSAY RESULTS

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8718122

Comments:

CERTIFICATE A8718122

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : QUEST
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 7-AUG-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
208	4	Assay: Crush, split, ring -140
238	4	ICP: Aqua regia digestion

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
101	4	Au ppb: Fuse 10 g sample	FA-NAA	1	10000
316	4	Zn %: HClO4-HNO3 digestion	AAS	0.01	100.0
921	4	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
922	4	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
923	4	As ppm: 32 element, soil & rock	ICP-AES	5	10000
924	4	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
925	4	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
926	4	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
927	4	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
928	4	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
929	4	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
930	4	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
931	4	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
932	4	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
933	4	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
951	4	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
934	4	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
935	4	La ppm: 32 element, soil & rock	ICP-AES	10	10000
936	4	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
937	4	Mn ppm: 32 element, soil & rock	ICP-AES	1	10000
938	4	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
939	4	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
940	4	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
941	4	P ppm: 32 element, soil & rock	ICP-AES	10	10000
942	4	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
943	4	Sb ppm: 32 element, soil & rock	ICP-AES	5	10000
952	4	Se ppm: 32 element, soil & rock	ICP-AES	10	10000
944	4	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
945	4	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
946	4	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
947	4	U ppm: 32 element, soil & rock	ICP-AES	10	10000
948	4	V ppm: 32 element, soil & rock	ICP-AES	1	10000
949	4	W ppm: 32 element, soil & rock	ICP-AES	5	10000
950	4	Zn ppm: 32 element, soil & rock	ICP-AES	1	10000

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QUEST
Comments:

Page No. : 1-A
Tot. : 1
Date : 7-AUG-87
Invoice # : I-8718122
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718122

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Zn %	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
DI 43455	208	238	4	1.77	1.02	19.6	25	320	< 0.5	2	0.85	>99.9	5	145	402	3.87	< 10	< 1	< 0.01	10	0.29
DI 43456	208	238	4	2.13	0.82	8.8	20	10	< 0.5	< 2	1.00	>99.9	8	218	248	2.52	< 10	< 1	< 0.01	10	0.04
DI 43457	208	238	< 1	2.60	0.67	2.6	10	10	< 0.5	2	0.79	>99.9	9	206	166	1.52	< 10	2	< 0.01	10	0.02
DI 43459	208	238	< 1	2.50	2.04	6.4	25	180	< 0.5	2	0.15	>99.9	8	130	304	8.06	< 10	< 1	0.19	< 10	0.25

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T CHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QUEST
Comments:

Page : B
Tot. :
Date : 7-AUG-87
Invoice # : I-8718122
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718122

SAMPLE DESCRIPTION	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
H 43455	208	238	734	< 1	< 0.01	3	120	2310	< 5	< 10	47	0.06	< 10	< 10	5	25	>10000
H 43456	208	238	438	< 1	< 0.01	4	100	1050	< 5	< 10	41	0.12	< 10	< 10	4	25	>10000
H 43457	208	238	247	< 1	< 0.01	6	110	116	< 5	< 10	32	0.10	< 10	< 10	2	30	>10000
H 43459	208	238	1355	< 1	0.01	1	100	438	< 5	< 10	9	0.04	< 10	< 10	6	25	>10000

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: [illegible]CHER CATHRO & ASSOC. (1981) LTD.
(4127
25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QUEST
Comments:

Page N[illegible]-A
Tot.
Date : 7-AUG-87
Invoice # : I-8718124
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718124

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
DI 43458	205	238	8	3.98	1.2	20	40	1.0	2	3.19	12.0	10	71	641	7.66	< 10	< 1	0.14	20	0.54	2440
DI 43460	205	238	35	2.49	1.6	40	10	< 0.5	2	0.17	< 0.5	11	244	211	12.10	< 10	< 1	0.09	10	0.10	58

CERTIFICATION : [signature]

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T HER CATHRO & ASSOC. (1981) LTD.
 K 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QUEST
Comments:

Page -B
Tot.
Date : 7-AUG-87
Invoice # : I-8718124
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718124

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
I 43458	205	238	< 1	0.40	16	450	6	< 5	< 10	196	0.14	< 10	< 10	18	5	1100
I 43460	205	238	< 1	0.01	17	130	< 2	< 5	< 10	6	0.07	< 10	< 10	3	< 5	105

CERTIFICATION: B. Laughlin

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8718802

Comments:

CERTIFICATE A8718802

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : SQ QUEST
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 4-AUG-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
214	1	Received sample as pulp

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
343	1	Sn %: Peroxide-NaOH fusion	AAS	0.01	100.0

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
POX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Pag : 1
Tot : 1
Date : 4-AUG-87
Invoice # : I-8718802
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718802

SAMPLE DESCRIPTION	PREP CODE		Sn %
R 15820	214	--	0.43

ALL ASS DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CER D ASSAYERS

CERTIFICATION : B. Charles

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: CHER CATHRO & ASSOC. (1981) LTD.
X 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page No. -A
Tot.
Date : 13-JUL-87
Invoice # : I-8717248
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717248

SAMPLE DESCRIPTION	PREP CODE		Sn ppm	Au ppb RUSH	Zn %	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
R 15820	208	238	>1000	50	4.60	0.43	5.8	40 -	20	< 0.5	54	0.47	>99.9	15	93	1015 -	3.07	< 10	1	< 0.01	10

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY BC CERTIFIED ASSAYERS

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T CHER CATHRO & ASSOC. (1981) LTD.
OX 4127
5125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page N- -B
Tot.
Date :13-JUL-87
Invoice # :I-8717248
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717248

SAMPLE DESCRIPTION	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15820	208	238	0.03	831	< 1	0.01	13	160	14	< 5	30	33	0.03	< 10	< 10	1	105	>10000

ALL ASS DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERT D ASSAYERS

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8717246

Comments:

CERTIFICATE A8717246

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : SQ QUEST
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 15-JUL-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
208	2	Assay: Crush, split, ring -140

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
19	2	Sn ppm: NH4I sublimation, extrac	AAS	2	1000
301	2	Cu %: HClO4-HNO3 digestion	AAS	0.01	100.0
472	2	Rh ppb: 10 g	FA-AAS	5	10000
975	2	Au ppb: ICP-fluorescence package	FA-ICP-APS	2	10000
977	2	Pd ppb: ICP-fluorescence package	FA-ICP-APS	2	10000
976	2	Pt ppb: ICP-Fluorescence package	FA-ICP-APS	5	10000

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T CHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Date :15-JUL-87
Invoice # :I-8717246
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717246

SAMPLE DESCRIPTION	PREP CODE		Sn ppm	Cu %	Rh ppb FA+AA	Au ppb AFS	Pd ppb AFS	Pt ppb AFS				
R 15765	208	--	61	1.07	< 5	38	< 2	< 5				
R 15766	208	--	72	0.22	< 5	110	< 2	< 5				

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : _____

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8718124

Comments:

CERTIFICATE A8718124

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : QUEST
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 7-AUG-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	2	Rock & core: Ring
238	2	ICP: Aqua regia digestion

• NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
101	2	Au ppb: Fuse 10 g sample	FA-NAA	1	10000
921	2	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
922	2	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
923	2	As ppm: 32 element, soil & rock	ICP-AES	5	10000
924	2	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
925	2	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
926	2	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
927	2	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
928	2	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
929	2	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
930	2	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
931	2	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
932	2	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
933	2	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
951	2	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
934	2	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
935	2	La ppm: 32 element, soil & rock	ICP-AES	10	10000
936	2	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
937	2	Mn ppm: 32 element, soil & rock	ICP-AES	1	10000
938	2	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
939	2	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
940	2	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
941	2	P ppm: 32 element, soil & rock	ICP-AES	10	10000
942	2	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
943	2	Sb ppm: 32 element, soil & rock	ICP-AES	5	10000
952	2	Se ppm: 32 element, soil & rock	ICP-AES	10	10000
944	2	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
945	2	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
946	2	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
947	2	U ppm: 32 element, soil & rock	ICP-AES	10	10000
948	2	V ppm: 32 element, soil & rock	ICP-AES	1	10000
949	2	W ppm: 32 element, soil & rock	ICP-AES	5	10000
950	2	Zn ppm: 32 element, soil & rock	ICP-AES	1	10000

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

\RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QUEST
Comments:

Page : 1-A
Tot. : 1
Date : 7-AUG-87
Invoice # : I-8718124
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718124

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
H 43458	205	238	8	3.98	1.2	20	40	1.0	2	3.19	12.0	10	71	641	7.66	< 10	< 1	0.14	20	0.54	2440
H 43460	205	238	35	2.49	1.6	40	10	< 0.5	2	0.17	< 0.5	11	244	211	12.10	< 10	< 1	0.09	10	0.10	58

CERTIFICATION : B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QUEST
Comments:

Page : 1-B
Tot. : 1
Date : 7-AUG-87
Invoice # : I-8718124
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718124

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
H 43458	205	238	< 1	0.40	16	450	6	< 5	< 10	196	0.14	< 10	< 10	18	5	1100
H 43460	205	238	< 1	0.01	17	130	< 2	< 5	< 10	6	0.07	< 10	< 10	3	< 5	105

CERTIFICATION : B. Caughlin

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QUEST
Comments:

Page : 1
Tot. Pages: 1
Date : 23-JUL-87
Invoice # : I-8718123
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718123

SAMPLE DESCRIPTION	PREP CODE		Ag FA oz/T	Au FA oz/T								
H 43452	207	--	2.07	0.008								
H 43453	207	--	6.85	0.030								

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTI ASSAYERS

CERTIFICATION : B. Grantes

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Pag : 1
Tot. : 1
Date : 27-JUL-87
Invoice # : I-8718128
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718128

SAMPLE DESCRIPTION	PREP CODE		Pb %	Ag FA oz/T	Au FA oz/T					
1986 A	207	--	42.3	60.20	0.022	— go to Haun TR maps for location.				

ALL ASS DETERMINATIONS ARE PERFORMED OR SUPERVISED BY BC CERT) ASSAYERS

CERTIFICATION : B Thomsett

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE . NORTH VANCOUVER.
BRITISH COLUMBIA. CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 1
Total : 1
Date : 27-JUL-87
Invoice # : I-8718129
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718129

SAMPLE DESCRIPTION	PREP CODE		Pb %	Ag FA oz/T	Au FA oz/T	
R 17135	207	--	0.34	3.98	< 0.002	
R 17136	207	--	2.44	190.85	0.146	
R 17137	207	--	0.27	7.89	0.014	
R 17138	207	--	41.5	70.77	0.012	
R 17139	207	--	2.56	30.95	0.014	
R 17140	207	--	not/ss	not/ss	0.026	
R 17141	207	--	0.14	10.70	0.002	
R 17142	207	--	0.23	10.22	0.002	
R 17143	207	--	31.9	78.03	0.092	→ 25 m S → of Discovery 86' HWND TRENCH.
R 17144	207	--	0.16	3.28	0.002	
R 17146	207	--	0.02	0.36	0.002	
R 17149	207	--	0.15	0.28	0.004	
R 17150	207	--	65.8	79.40	0.342	

ALL ASS DETERMINATIONS ARE PERFORMED OR SUPERVISED BY BC CERT D ASSAYERS

CERTIFICATION : V. Stewart

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCHER CATHRO & ASSOC. (1981) LTD.
4127
5 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page No. : 1
Tot. Pages : 2
Date : 0-JUL-87
Invoice : -8717249
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717249

SAMPLE DESCRIPTION	PREP CODE		Pb %	Zn %	Ag FA oz/T	Au FA oz/T
			100 or >		.5 or >	.01 or >
R 15502	207	---	< 0.01	< 0.02	< 0.01	< 0.002
R 15503	207	---	0.01	< 0.04	< 1.98	0.002
R 15504	207	---	< 0.01	< 0.01	< 0.02	< 0.002
R 15505	207	---	< 0.01	< 0.01	< 0.01	< 0.002
R 15506	207	---	< 0.01	< 0.01	< 0.05	< 0.002
R 15507	207	---	0.23	< 1.21	< 27.00	< 0.002
R 15508	207	---	< 0.01	< 0.01	< 0.01	< 0.002
R 15509	207	---	< 0.01	< 0.01	< 0.01	< 0.002
R 15510	207	---	0.59	< 0.72	< 13.40	< 0.002
R 15511	207	---	0.20	< 0.14	< 2.86	0.004
R 15512	207	---	< 0.01	< 0.01	< 0.13	< 0.002
R 15513	207	---	< 0.01	< 0.02	< 0.16	< 0.022
R 15514	207	---	< 0.01	< 0.01	< 0.05	< 0.002
R 15515	207	---	< 0.01	< 0.01	< 0.04	< 0.002
R 15597	207	---	< 0.01	0.01	< 0.25	< 0.002
R 15598	207	---	0.03	< 0.15	< 0.22	< 0.002
R 15599	207	---	0.02	< 0.05	< 1.17	0.002
R 15600	207	---	0.01	< 0.06	< 0.67	0.002
R 15601	207	---	0.05	< 0.12	< 1.40	0.007
R 15602	207	---	< 0.01	< 0.01	< 0.11	< 0.002
R 15603	207	---	< 0.01	< 0.02	< 0.02	< 0.002
R 15604	207	---	0.06	< 0.84	< 4.17	0.008
R 15637	207	---	0.30	< 0.07	< 1.00	0.002
R 15638	207	---	< 0.01	< 1.18	< 7.58	< 0.002
R 15640	207	---	< 0.01	< 0.02	< 0.07	< 0.002
R 15641	207	---	< 0.01	< 0.01	< < 0.01	< 0.002
R 15642	207	---	< 0.01	< 0.01	< < 0.01	< 0.002
R 15643	207	---	< 0.01	< 0.01	< < 0.01	< 0.002
R 15644	207	---	< 0.01	< 0.01	< < 0.01	< 0.002
R 15645	207	---	< 0.01	< 0.01	< < 0.01	< 0.002
R 15646	207	---	< 0.01	0.01	< 0.02	< 0.002
R 15647	207	---	< 0.01	< 0.02	< < 0.01	< 0.002
R 15648	207	---	< 0.01	< 0.50	< 0.08	< 0.002
R 15649	207	---	< 0.01	< 0.01	< 0.03	< 0.002
R 15650	207	---	< 0.01	< 0.01	< 0.03	< 0.002
R 16001	207	---	< 0.01	< 6.05	< 0.11	0.002
R 16002	207	---	< 0.01	< 0.44	< 0.25	0.007
R 16003	207	---	< 0.01	< 0.04	< 0.05	0.002
R 16004	207	---	< 0.01	< 6.00	< 0.07	0.009
R 16005	207	---	< 0.01	< 0.22	< 0.19	0.002

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C CERTIFIED ASSAYERS

CERTIFICATION : W. Ken Buchanan

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T ACHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Date :10-JUL-87
Invoice # :I-8717249
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717249

SAMPLE DESCRIPTION	PREP CODE		Pb %	Zn %	Ag FA oz/T	Au FA oz/T	
R 16006	207	--	< 0.01	0.03	0.08	< 0.002	
R 16007	207	--	< 0.01	0.02	0.04	< 0.002	
R 16008	207	--	< 0.01	0.03	0.57	0.002	
R 16009	207	--	< 0.01	0.01	0.01	< 0.002	
R 16010	207	--	< 0.01	1.28	4.29	0.006	
R 16011 - NA							
R 16012	207	--	0.03	0.01	0.09	0.021	-> OFF MAP - RELOG
R 16013	207	--	0.05	0.05	0.52	0.002	
R 16014	207	--	0.02	0.02	0.12	< 0.002	
R 16014 SPLIT	207	--	0.02	0.03	0.11	0.002	

ALL ASS DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTI ASSAYERS

CERTIFICATION : W. Stan Jovanovic

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8719246

Comments:

CERTIFICATE A8719246

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : SQ QUEST
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 5-AUG-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
214	138	Received sample as pulp

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
990	138	Au ppb: RUSH, fuse 10 g sample	FA-AAS	5	10000

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T[illegible]RCHER CATHRO & ASSOC. (1981) LTD.
[illegible]X 4127
[illegible]125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page # 1
Tot. # 4
Date : 5-AUG-87
Invoice # : I-8719246
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8719246

SAMPLE DESCRIPTION	PREP CODE		Au ppb RUSH										
R 17181	214	--	< 5										
R 17182	214	--	< 5										
R 17183	214	--	90										
R 17225	214	--	< 20										
R 17226	214	--	245										
R 17229	214	--	190										
R 17251	214	--	< 5										
R 17258	214	--	< 5										
R 17259	214	--	< 5										
R 17260	214	--	< 5										
R 17261	214	--	< 5										
R 17262	214	--	5										
R 17268	214	--	15										
R 17274	214	--	< 5										
R 17275	214	--	< 10										
R 17276	214	--	< 5										
R 17277	214	--	< 5										
R 17278	214	--	< 5										
R 17279	214	--	< 5										
R 17280	214	--	< 5										
R 17283	214	--	30										
R 17284	214	--	< 5										
R 17285	214	--	< 5										
R 17292	214	--	30										
R 17293	214	--	110										
R 17294	214	--	25										
R 17295	214	--	75										
R 16365	214	--	< 5										
R 16419	214	--	< 5	→ OVERLAP RECON.									
R 16446	214	--	< 5	- RECON SOUTH									
R 16475	214	--	< 5	- RECON SOUTH.									
R 16484	214	--	< 5										
R 17174	214	--	< 5										
R 17175	214	--	< 5										
R 17179	214	--	< 5										
R 15676	214	--	15										
R 15767	214	--	25										
R 15770	214	--	80										
R 15779	214	--	< 5										
R 15780	214	--	< 5										

CERTIFICATION : Hans Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 2
Tot. Pages: 4
Date : 5-AUG-87
Invoice # : I-8719246
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8719246

SAMPLE DESCRIPTION	PREP CODE		Au ppb RUSH
R 15786	214	--	50
R 15788	214	--	260
R 15791	214	--	160
R 15796	214	--	55
R 15872	214	--	20
R 15873	214	--	5
R 15874	214	--	170
R 15875	214	--	10
R 15881	214	--	< 5
R 15885	214	--	< 5
R 15886	214	--	35
R 15887	214	--	< 5
R 15889	214	--	15
R 15890	214	--	< 5
R 15891	214	--	< 5
R 15894	214	--	40
R 15901	214	--	10
R 15951	214	--	5
R 15952	214	--	15
R 15955	214	--	25
R 15958	214	--	35
R 15959	214	--	40
R 15960	214	--	125
R 16168	214	--	< 5
R 16170	214	--	< 5
R 16211	214	--	< 5
R 16213	214	--	5
R 16214	214	--	< 5
R 16215	214	--	< 5
R 16216	214	--	25
R 16217	214	--	< 5
R 16224	214	--	< 5
R 16227	214	--	< 5
R 16228	214	--	15
R 16229	214	--	5
R 16275	214	--	< 5
R 16282	214	--	15
R 16290	214	--	5
R 15846	214	--	35
R 15847	214	--	50

?(RELOG)

CERTIFICATION : David Fowler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 3
Tot. : 4
Date : 5-AUG-87
Invoice # : I-8719246
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8719246

SAMPLE DESCRIPTION	PREP CODE		Au ppb RUSH
R 15854	214	---	30
R 15864	214	---	145
R 15865	214	---	5
R 15906	214	---	355
R 15907	214	---	20
R 15916	214	---	45
R 15939	214	---	25
R 15949	214	---	< 5
R 15950	214	---	100
R 15976	214	---	175
R 15977	214	---	30
R 15995	214	---	55
R 15999	214	---	25
R 16051	214	---	5
R 16053	214	---	< 5
R 16061	214	---	40
R 16062	214	---	< 5
R 16068	214	---	20
R 16073	214	---	5
R 16078	214	---	< 5
R 16079	214	---	25
R 16116	214	---	30
R 16119	214	---	45
R 16120	214	---	40
R 16126	214	---	< 50
R 16127	214	---	30
R 16128	214	---	5
R 16138	214	---	30
R 16151	214	---	< 5
R 16178	214	---	40
R 16186	214	---	190
R 16197	214	---	40
R 16240	214	---	< 5
R 16248	214	---	30
R 16249	214	---	5
R 17165	214	---	65
R 17166	214	---	35
R 17167	214	---	95
R 17168	214	---	105
R 17170	214	---	115

CERTIFICATION : Ian R. Bichler

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T: ARCHER CATHRO & ASSOC. (1981) LTD.
DX 4127
2125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page N° :4
Tot. :4
Date : 5-AUG-87
Invoice # :I-8719246
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8719246

SAMPLE DESCRIPTION	PREP CODE		Au ppb RUSH									
R 15550	214	—	< 5									
R 15552	214	—	< 5									
R 15606	214	—	< 5									
R 15608	214	—	5									
R 15636	214	—	10									
R 15656	214	—	< 5									
R 15664	214	—	80									
R 15685	214	—	5									
R 15712	214	—	5									
R 15733	214	—	35									
R 15754	214	—	15									
R 15755	214	—	30									
R 15756	214	—	20									
R 15757	214	—	80									
R 15814	214	—	15									
R 15815	214	—	10									
R 15823	214	—	45									
R 15824	214	—	75									

CERTIFICATION : Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8719019

Comments:

CERTIFICATE A8719019

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : SQ — Quill
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 30-JUL-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
207	7	Assay: Crush, split, pulv -140

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
996	7	Au oz/T: 1 assay ton	FA-GRAVIMETRIC	0.002	20.000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: _HER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ
Comments:

Page No. :
Tot. Pages: 1
Date : 30-JUL-87
Invoice # : I-8719019
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8719019

SAMPLE DESCRIPTION	PREP CODE		Au FA oz/T
R 17316	207	--	< 0.002
R 17320	207	--	0.004
R 17327	207	--	0.004
R 17339	207	--	0.002
R 17351	207	--	< 0.002
R 17352	207	--	0.006
R 17500	207	--	0.002

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : B. Stewart

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 1-A
Total Pages : 6
Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16342	203	238	1.56	< 0.2	5	140	< 0.5	4	0.14	< 0.5	6	56	12	2.54	< 10	< 1	0.12	20	0.32	174	< 1
R 16343	203	238	1.59	< 0.2	5	160	< 0.5	4	0.15	< 0.5	8	63	16	2.66	< 10	< 1	0.12	20	0.37	212	< 1
R 16344	203	238	1.65	< 0.2	< 5	170	< 0.5	< 2	0.16	< 0.5	6	45	14	2.59	< 10	4	0.12	20	0.37	162	< 1
R 16345	203	238	1.39	< 0.2	10	150	< 0.5	< 2	0.15	< 0.5	8	61	19	2.32	< 10	1	0.12	20	0.37	196	< 1
R 16346	203	238	1.56	< 0.2	5	120	< 0.5	2	0.13	< 0.5	7	56	11	3.55	< 10	1	0.12	20	0.38	174	1
R 16347	203	238	1.35	< 0.2	< 5	210	< 0.5	< 2	0.19	< 0.5	8	65	20	2.39	< 10	< 1	0.16	30	0.35	255	< 1
R 16348	203	238	1.53	0.2	10	250	< 0.5	< 2	0.19	< 0.5	11	59	26	2.89	< 10	1	0.19	40	0.44	256	< 1
R 16349	203	238	1.60	< 0.2	< 5	220	< 0.5	< 2	0.22	< 0.5	11	69	24	2.86	< 10	1	0.17	30	0.48	268	< 1
R 16350	203	238	1.56	< 0.2	< 5	220	< 0.5	2	0.21	< 0.5	9	64	23	2.75	< 10	1	0.16	30	0.47	259	< 1
R 16351	203	238	1.59	< 0.2	< 5	120	< 0.5	6	0.09	< 0.5	11	109	35	2.99	< 10	< 1	0.20	40	0.41	463	< 1
R 16360	203	238	1.99	< 0.2	5	180	< 0.5	4	0.15	< 0.5	10	51	22	2.75	< 10	3	0.19	30	0.50	321	< 1
R 16361	203	238	1.37	< 0.2	< 5	130	< 0.5	< 2	0.12	< 0.5	10	54	21	2.47	< 10	< 1	0.12	30	0.36	373	< 1
R 16362	203	238	1.63	0.2	< 5	150	< 0.5	6	0.17	< 0.5	12	61	27	2.77	< 10	< 1	0.16	30	0.45	477	< 1
R 16363	203	238	1.45	< 0.2	5	110	< 0.5	8	0.14	< 0.5	12	58	26	2.70	< 10	2	0.14	30	0.45	464	< 1
R 16364	203	238	1.58	< 0.2	< 5	160	< 0.5	< 2	0.20	< 0.5	13	53	28	2.69	< 10	< 1	0.14	20	0.44	424	< 1
R 16365	203	238	2.39	0.2	105	120	< 0.5	< 2	0.05	< 0.5	35	66	46	3.74	< 10	2	0.17	50	0.51	1210	< 1
R 16366	203	238	1.59	0.2	20	140	< 0.5	< 2	0.16	< 0.5	11	55	27	2.76	< 10	< 1	0.14	30	0.43	352	< 1
R 16367	203	238	1.23	< 0.2	15	130	< 0.5	< 2	0.14	< 0.5	5	95	11	1.88	< 10	< 1	0.12	30	0.28	197	< 1
R 16368	203	238	1.55	< 0.2	15	160	< 0.5	< 2	0.15	< 0.5	6	79	15	2.48	< 10	2	0.12	30	0.34	195	< 1
R 16369	203	238	1.86	< 0.2	25	140	< 0.5	< 2	0.08	< 0.5	8	122	22	2.68	< 10	< 1	0.18	40	0.43	254	1
R 16370	203	238	1.73	< 0.2	10	110	< 0.5	2	0.12	< 0.5	11	65	33	3.06	< 10	1	0.14	40	0.48	556	3
R 16371	203	238	1.46	< 0.2	15	110	< 0.5	2	0.13	< 0.5	11	72	27	2.55	< 10	< 1	0.11	30	0.40	434	< 1
R 16372	203	238	1.55	< 0.2	20	120	< 0.5	< 2	0.11	< 0.5	10	56	20	2.64	< 10	< 1	0.09	20	0.39	405	< 1
R 16373	203	238	1.41	< 0.2	10	130	< 0.5	< 2	0.10	< 0.5	11	64	21	2.59	< 10	< 1	0.10	30	0.36	402	< 1
R 16374	203	238	1.51	< 0.2	25	130	< 0.5	< 2	0.11	< 0.5	8	92	18	2.56	< 10	1	0.11	20	0.37	308	< 1
R 16375	203	238	1.29	< 0.2	20	110	< 0.5	2	0.12	< 0.5	10	81	18	2.51	< 10	< 1	0.09	20	0.34	420	< 1
R 16376	203	238	1.30	< 0.2	10	140	< 0.5	< 2	0.15	< 0.5	11	77	17	2.74	< 10	< 1	0.11	30	0.40	466	< 1
R 16377	203	238	1.35	< 0.2	25	110	< 0.5	< 2	0.14	< 0.5	11	61	17	2.56	< 10	< 1	0.09	20	0.37	589	< 1
R 16378	203	238	1.42	< 0.2	5	220	< 0.5	< 2	0.16	< 0.5	12	43	28	2.42	< 10	< 1	0.13	30	0.37	456	< 1
R 16379	203	238	1.62	< 0.2	15	160	< 0.5	< 2	0.16	< 0.5	9	63	28	2.55	< 10	< 1	0.12	30	0.41	253	1
R 16380	203	238	1.08	0.2	10	140	< 0.5	2	0.22	< 0.5	11	38	23	2.22	< 10	< 1	0.12	30	0.35	382	< 1
R 16381	203	238	1.35	< 0.2	25	160	< 0.5	2	0.19	< 0.5	12	66	23	2.59	< 10	< 1	0.17	40	0.38	517	< 1
R 16382	203	238	1.97	< 0.2	30	210	< 0.5	< 2	0.14	< 0.5	12	72	34	3.07	< 10	< 1	0.26	30	0.43	391	4
R 16383	203	238	1.51	< 0.2	5	140	< 0.5	< 2	0.17	< 0.5	11	51	21	2.56	< 10	1	0.13	30	0.41	450	< 1
R 16384	203	238	1.37	< 0.2	5	140	< 0.5	< 2	0.14	< 0.5	14	54	24	2.75	< 10	< 1	0.11	30	0.37	495	< 1
R 16385	203	238	1.41	< 0.2	25	180	< 0.5	< 2	0.15	< 0.5	10	58	22	2.65	< 10	3	0.12	30	0.38	426	< 1
R 16386	203	238	1.39	< 0.2	30	120	< 0.5	< 2	0.12	< 0.5	7	55	18	2.63	< 10	< 1	0.09	30	0.35	267	< 1
R 16387	203	238	1.82	0.4	25	120	< 0.5	< 2	0.08	< 0.5	9	74	22	2.88	< 10	6	0.17	50	0.47	217	1
R 16388	203	238	1.50	< 0.2	20	110	< 0.5	< 2	0.08	< 0.5	2	65	10	1.77	< 10	3	0.11	30	0.24	124	< 1
R 16389	203	238	1.67	0.4	45	120	< 0.5	< 2	0.10	< 0.5	18	53	46	3.15	< 10	< 1	0.15	50	0.54	1100	1

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date :28-JUL-87
Invoice # :I-8718097
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16342	203	238	0.01	14	270	16	< 5	< 10	16	0.08	< 10	< 10	52	5	38
R 16343	203	238	0.01	18	360	10	< 5	< 10	16	0.08	< 10	< 10	49	5	46
R 16344	203	238	0.01	12	390	2	< 5	< 10	17	0.08	< 10	< 10	54	5	44
R 16345	203	238	0.02	17	350	6	< 5	< 10	16	0.06	< 10	< 10	40	5	43
R 16346	203	238	0.01	12	270	6	< 5	< 10	15	0.08	< 10	< 10	56	5	43
R 16347	203	238	0.02	19	350	16	5	< 10	21	0.07	< 10	< 10	48	5	48
R 16348	203	238	0.02	25	340	2	< 5	< 10	22	0.06	< 10	< 10	41	5	60
R 16349	203	238	0.02	21	430	16	< 5	< 10	21	0.09	< 10	< 10	52	< 5	51
R 16350	203	238	0.02	16	420	12	< 5	< 10	20	0.09	< 10	< 10	49	5	49
R 16351	203	238	0.02	25	500	16	< 5	< 10	14	0.03	< 10	< 10	27	5	57
R 16360	203	238	0.02	20	440	10	< 5	< 10	18	0.05	< 10	< 10	44	< 5	55
R 16361	203	238	0.01	18	320	22	5	< 10	13	0.04	< 10	< 10	33	< 5	47
R 16362	203	238	0.02	25	360	22	< 5	< 10	17	0.06	< 10	< 10	39	5	62
R 16363	203	238	0.01	25	360	14	< 5	< 10	14	0.04	< 10	< 10	32	< 5	60
R 16364	203	238	0.01	25	560	10	< 5	< 10	19	0.06	< 10	< 10	40	5	59
R 16365	203	238	0.02	42	370	30	< 5	< 10	11	0.01	< 10	< 10	22	< 5	90
R 16366	203	238	0.02	21	370	12	< 5	< 10	18	0.06	< 10	< 10	40	< 5	60
R 16367	203	238	0.01	11	360	18	< 5	< 10	18	0.07	< 10	< 10	47	< 5	35
R 16368	203	238	0.02	14	560	12	< 5	< 10	18	0.07	< 10	< 10	46	< 5	43
R 16369	203	238	0.02	21	470	16	< 5	< 10	15	0.03	< 10	< 10	35	< 5	51
R 16370	203	238	0.01	19	730	16	< 5	< 10	18	0.05	< 10	< 10	43	< 5	69
R 16371	203	238	0.01	20	670	8	< 5	< 10	16	0.05	< 10	< 10	38	< 5	65
R 16372	203	238	0.01	14	520	18	< 5	< 10	14	0.05	< 10	< 10	43	< 5	60
R 16373	203	238	0.01	17	470	22	< 5	< 10	13	0.04	< 10	< 10	39	< 5	61
R 16374	203	238	0.01	15	460	14	< 5	< 10	14	0.05	< 10	< 10	46	< 5	55
R 16375	203	238	0.01	16	460	2	< 5	< 10	13	0.06	< 10	< 10	42	< 5	56
R 16376	203	238	0.01	16	440	18	< 5	10	16	0.07	< 10	< 10	48	< 5	63
R 16377	203	238	0.01	16	580	4	< 5	10	14	0.07	< 10	< 10	45	< 5	62
R 16378	203	238	0.01	23	500	12	< 5	< 10	17	0.05	< 10	< 10	37	< 5	68
R 16379	203	238	0.01	20	540	8	< 5	< 10	18	0.06	< 10	< 10	43	< 5	62
R 16380	203	238	0.01	20	600	12	< 5	< 10	20	0.07	< 10	< 10	38	< 5	56
R 16381	203	238	0.01	21	530	10	< 5	< 10	20	0.07	< 10	< 10	38	< 5	63
R 16382	203	238	0.02	23	880	20	< 5	10	21	0.03	< 10	< 10	45	< 5	71
R 16383	203	238	0.01	20	570	8	< 5	< 10	17	0.07	< 10	< 10	43	< 5	65
R 16384	203	238	0.01	23	540	10	< 5	< 10	16	0.05	< 10	< 10	36	< 5	58
R 16385	203	238	0.01	20	570	18	< 5	< 10	17	0.05	< 10	< 10	42	< 5	63
R 16386	203	238	0.01	13	350	10	< 5	< 10	15	0.06	< 10	< 10	47	< 5	47
R 16387	203	238	0.02	21	380	14	< 5	< 10	14	0.03	< 10	< 10	30	< 5	57
R 16388	203	238	0.01	8	330	14	< 5	< 10	12	0.05	< 10	< 10	37	< 5	36
R 16389	203	238	0.01	28	460	24	< 5	10	12	0.02	< 10	< 10	25	< 5	79

CERTIFICATION : BCG

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 2-A
Tot. : 6
Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16390	203	238	2.08	6.2	75	240	< 0.5	< 2	0.17	< 0.5	12	71	41	3.31	< 10	1	0.25	40	0.49	573	4
R 16391	203	238	1.53	0.6	40	150	< 0.5	< 2	0.20	< 0.5	16	48	31	3.28	< 10	4	0.20	50	0.51	765	< 1
R 16392	203	238	1.34	0.2	25	160	< 0.5	< 2	0.19	< 0.5	10	73	23	2.82	< 10	< 1	0.23	40	0.35	537	< 1
R 16393	203	238	1.55	< 0.2	35	130	< 0.5	< 2	0.10	< 0.5	8	57	27	3.08	< 10	< 1	0.14	30	0.37	311	< 1
R 16394	203	238	1.61	0.4	55	190	< 0.5	< 2	0.18	< 0.5	12	56	28	3.00	< 10	1	0.17	40	0.41	576	< 1
R 16395	203	238	1.60	< 0.2	30	240	< 0.5	< 2	0.19	< 0.5	11	74	23	2.94	< 10	1	0.18	30	0.41	487	< 1
R 16396	203	238	1.53	0.2	25	150	< 0.5	< 2	0.14	< 0.5	11	53	16	2.68	< 10	1	0.14	30	0.37	320	1
R 16397	203	238	1.57	< 0.2	20	190	< 0.5	< 2	0.15	< 0.5	11	68	19	2.84	< 10	< 1	0.16	30	0.37	363	1
R 16401	203	238	1.47	< 0.2	10	110	< 0.5	< 2	0.11	< 0.5	10	56	26	2.64	< 10	1	0.13	30	0.38	339	< 1
R 16402	203	238	1.71	< 0.2	35	130	< 0.5	< 2	0.08	< 0.5	16	50	41	3.10	< 10	3	0.16	50	0.51	451	1
R 16403	203	238	1.48	< 0.2	20	120	< 0.5	< 2	0.10	< 0.5	12	53	29	2.68	< 10	2	0.15	40	0.39	442	< 1
R 16404	203	238	1.45	< 0.2	20	130	< 0.5	< 2	0.12	< 0.5	9	49	25	2.65	< 10	< 1	0.11	30	0.37	283	< 1
R 16405	203	238	1.31	0.2	20	130	< 0.5	< 2	0.18	< 0.5	9	49	26	2.39	< 10	< 1	0.09	30	0.37	319	< 1
R 16406	203	238	1.30	< 0.2	20	120	< 0.5	< 2	0.11	< 0.5	8	64	18	2.52	< 10	< 1	0.10	20	0.33	449	< 1
R 16407	203	238	1.78	0.4	25	160	< 0.5	2	0.10	< 0.5	14	39	37	2.97	< 10	< 1	0.16	50	0.56	718	1
R 16408	203	238	1.32	< 0.2	5	120	< 0.5	< 2	0.12	< 0.5	8	66	14	2.44	< 10	3	0.09	20	0.30	339	< 1
R 16413	203	238	1.66	1.6	15	150	< 0.5	< 2	0.15	< 0.5	10	63	24	2.53	< 10	1	0.12	30	0.40	392	1
R 16414	203	238	1.30	< 0.2	20	100	< 0.5	< 2	0.08	< 0.5	4	73	9	2.51	< 10	2	0.10	20	0.17	297	1
R 16415	203	238	2.29	0.2	15	230	< 0.5	< 2	0.08	< 0.5	9	66	46	3.18	< 10	< 1	0.24	50	0.41	307	< 1
R 16416	203	238	1.36	< 0.2	20	160	< 0.5	< 2	0.13	< 0.5	9	76	18	2.78	< 10	2	0.11	30	0.30	669	< 1
R 16417	203	238	2.02	0.4	20	140	< 0.5	< 2	0.09	0.5	19	155	35	3.29	< 10	1	0.22	40	0.53	1100	< 1
R 16418	203	238	1.29	< 0.2	20	140	< 0.5	< 2	0.16	< 0.5	5	81	14	2.44	< 10	2	0.13	30	0.32	336	< 1
R 16419	203	238	1.74	2.0	120	180	< 0.5	< 2	0.36	< 0.5	10	67	26	2.91	< 10	2	0.16	40	0.43	706	1
R 16420	203	238	1.55	1.0	45	190	< 0.5	< 2	0.16	< 0.5	8	123	26	2.48	< 10	< 1	0.18	40	0.33	438	< 1
R 16421	203	238	1.42	0.2	20	150	< 0.5	< 2	0.18	< 0.5	10	67	24	2.80	< 10	2	0.13	40	0.44	523	1
R 16422	203	238	1.77	0.6	40	110	< 0.5	< 2	0.06	< 0.5	10	81	43	3.61	< 10	2	0.27	70	0.48	417	2
R 16423	203	238	1.72	< 0.2	10	140	< 0.5	< 2	0.13	< 0.5	9	75	24	3.00	< 10	< 1	0.12	30	0.39	347	1
R 16424	203	238	1.37	< 0.2	25	110	< 0.5	< 2	0.13	< 0.5	7	79	17	2.34	< 10	2	0.10	30	0.35	208	< 1
R 16428	203	238	1.13	< 0.2	20	110	< 0.5	< 2	0.08	< 0.5	4	89	10	2.72	< 10	1	0.08	20	0.24	121	< 1
R 16429	203	238	1.42	0.2	15	100	< 0.5	< 2	0.08	< 0.5	7	85	18	3.06	< 10	< 1	0.11	30	0.42	188	1
R 16430	203	238	1.17	< 0.2	15	120	< 0.5	< 2	0.17	< 0.5	7	189	14	2.24	< 10	< 1	0.08	20	0.32	133	14
R 16431	203	238	1.12	< 0.2	20	120	< 0.5	2	0.13	< 0.5	4	74	12	1.95	< 10	1	0.08	20	0.31	146	1
R 16432	203	238	0.87	< 0.2	10	80	< 0.5	< 2	0.09	< 0.5	3	81	8	1.36	< 10	< 1	0.07	20	0.18	100	< 1
R 16433	203	238	1.39	0.2	< 5	120	< 0.5	< 2	0.12	< 0.5	6	95	11	2.41	< 10	< 1	0.11	20	0.28	124	< 1
R 16434	203	238	1.41	0.2	10	120	< 0.5	2	0.11	< 0.5	10	117	18	2.94	< 10	2	0.16	30	0.32	219	1
R 16435	203	238	1.58	< 0.2	5	150	< 0.5	< 2	0.10	< 0.5	8	74	21	2.66	< 10	2	0.13	30	0.33	223	< 1
R 16436	203	238	1.64	< 0.2	5	160	< 0.5	< 2	0.12	< 0.5	7	72	12	2.59	< 10	< 1	0.15	20	0.29	213	< 1
R 16437	203	238	1.51	< 0.2	20	130	< 0.5	< 2	0.10	< 0.5	10	73	24	2.77	< 10	< 1	0.18	30	0.33	283	< 1
R 16438	203	238	1.67	< 0.2	10	150	< 0.5	< 2	0.10	< 0.5	7	115	19	2.61	< 10	1	0.20	30	0.32	212	< 1
R 16439	203	238	1.57	< 0.2	< 5	150	< 0.5	2	0.08	< 0.5	9	72	22	2.59	< 10	< 1	0.14	30	0.32	190	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16390	203	238	0.02	23	770	44	< 5	< 10	24	0.02	< 10	< 10	35	< 5	84
R 16391	203	238	0.01	32	540	32	< 5	< 10	18	0.01	< 10	< 10	18	< 5	76
R 16392	203	238	0.01	24	420	22	< 5	< 10	17	0.02	< 10	< 10	19	< 5	72
R 16393	203	238	0.01	15	450	12	< 5	< 10	16	0.03	< 10	< 10	34	< 5	58
R 16394	203	238	0.02	24	420	12	< 5	< 10	21	0.05	< 10	< 10	39	< 5	72
R 16395	203	238	0.02	24	410	14	< 5	< 10	21	0.05	< 10	< 10	42	< 5	67
R 16396	203	238	0.01	19	370	22	< 5	< 10	18	0.05	< 10	< 10	39	< 5	47
R 16397	203	238	0.02	21	400	20	< 5	< 10	19	0.06	< 10	< 10	43	< 5	50
R 16401	203	238	0.01	22	270	14	< 5	< 10	15	0.06	< 10	< 10	37	< 5	55
R 16402	203	238	0.01	29	240	20	< 5	< 10	12	0.03	< 10	< 10	29	< 5	71
R 16403	203	238	0.01	20	350	20	< 5	< 10	14	0.04	< 10	< 10	34	< 5	59
R 16404	203	238	0.01	16	370	10	< 5	< 10	13	0.04	< 10	< 10	37	< 5	56
R 16405	203	238	0.01	19	560	18	< 5	< 10	18	0.06	< 10	< 10	40	< 5	55
R 16406	203	238	0.01	13	450	10	< 5	< 10	13	0.05	< 10	< 10	43	< 5	54
R 16407	203	238	0.01	27	350	24	< 5	< 10	13	0.02	< 10	< 10	25	< 5	71
R 16408	203	238	0.01	15	430	4	< 5	< 10	14	0.05	< 10	< 10	43	< 5	45
R 16413	203	238	0.01	17	410	14	< 5	< 10	17	0.06	< 10	< 10	42	< 5	71
R 16414	203	238	0.01	4	340	16	< 5	< 10	13	0.06	< 10	< 10	58	< 5	29
R 16415	203	238	0.02	22	860	28	< 5	< 10	16	0.01	< 10	< 10	36	< 5	66
R 16416	203	238	0.01	14	540	18	< 5	10	15	0.07	< 10	< 10	49	< 5	53
R 16417	203	238	0.01	43	440	38	5	< 10	13	0.01	< 10	< 10	19	< 5	96
R 16418	203	238	0.01	15	430	14	< 5	< 10	18	0.08	< 10	< 10	49	< 5	46
R 16419	203	238	0.02	19	950	18	< 5	< 10	30	0.03	< 10	< 10	47	< 5	88
R 16420	203	238	0.02	16	460	34	< 5	< 10	21	0.03	< 10	< 10	42	< 5	69
R 16421	203	238	0.01	20	400	14	< 5	< 10	18	0.06	< 10	< 10	40	< 5	63
R 16422	203	238	0.02	22	420	38	5	< 10	16	< 0.01	< 10	< 10	17	< 5	67
R 16423	203	238	0.01	17	570	6	< 5	< 10	16	0.06	< 10	< 10	44	< 5	49
R 16424	203	238	0.01	14	440	6	< 5	10	15	0.05	< 10	< 10	38	< 5	44
R 16428	203	238	0.01	8	360	4	< 5	< 10	11	0.07	< 10	< 10	52	< 5	34
R 16429	203	238	0.01	25	220	< 2	< 5	< 10	11	0.05	< 10	< 10	34	< 5	46
R 16430	203	238	0.01	89	470	2	< 5	< 10	17	0.05	< 10	< 10	44	< 5	39
R 16431	203	238	0.01	16	320	14	< 5	< 10	14	0.05	< 10	< 10	40	< 5	38
R 16432	203	238	0.01	8	220	10	5	< 10	11	0.05	< 10	< 10	30	< 5	24
R 16433	203	238	0.01	13	380	10	< 5	< 10	13	0.06	< 10	< 10	42	< 5	34
R 16434	203	238	0.02	22	240	10	5	< 10	13	0.04	< 10	< 10	37	< 5	52
R 16435	203	238	0.02	18	240	16	5	< 10	15	0.05	< 10	< 10	41	< 5	49
R 16436	203	238	0.02	11	380	12	< 5	< 10	17	0.07	< 10	< 10	57	< 5	42
R 16437	203	238	0.02	22	360	14	5	< 10	14	0.03	< 10	< 10	26	< 5	66
R 16438	203	238	0.03	18	290	8	5	< 10	16	0.04	< 10	< 10	33	< 5	63
R 16439	203	238	0.02	18	180	8	< 5	< 10	13	0.04	< 10	< 10	31	< 5	63

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 3-A
Total Pages: 6
Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16440	203	238	1.54	0.2	15	130	< 0.5	2	0.08	< 0.5	10	64	22	2.96	< 10	3	0.15	40	0.36	232	< 1
R 16441	203	238	1.40	< 0.2	10	130	< 0.5	< 2	0.12	< 0.5	6	72	12	2.22	< 10	< 1	0.13	20	0.30	158	< 1
R 16442	203	238	1.72	0.2	10	150	< 0.5	< 2	0.12	< 0.5	6	60	13	2.92	< 10	3	0.15	30	0.32	204	1
R 16443	203	238	1.66	0.2	< 5	240	< 0.5	< 2	0.25	< 0.5	12	79	27	3.05	< 10	3	0.20	40	0.48	408	1
R 16444	203	238	1.54	< 0.2	20	160	< 0.5	< 2	0.29	< 0.5	10	114	16	2.41	< 10	< 1	0.20	40	0.45	283	< 1
R 16445	203	238	1.62	0.4	75	130	< 0.5	< 2	0.27	1.0	12	93	31	2.88	< 10	< 1	0.24	40	0.53	807	< 1
R 16446	203	238	1.95	2.2	110	170	0.5	< 2	0.65	1.5	14	87	42	3.18	< 10	1	0.29	50	0.60	1030	1
R 16447	203	238	1.51	1.2	80	110	< 0.5	< 2	0.28	< 0.5	13	91	26	2.92	< 10	< 1	0.21	40	0.54	617	< 1
R 16448	203	238	1.41	0.2	< 5	150	< 0.5	< 2	0.14	< 0.5	12	101	16	2.65	< 10	< 1	0.21	40	0.36	227	< 1
R 16449	203	238	1.52	1.0	65	100	< 0.5	< 2	0.42	1.5	12	130	27	2.87	< 10	< 1	0.23	40	0.53	694	< 1
R 16450	203	238	1.51	0.2	25	200	< 0.5	< 2	0.37	< 0.5	23	67	27	3.27	< 10	< 1	0.20	40	0.39	1885	< 1
R 16451	203	238	1.35	0.4	15	100	< 0.5	< 2	0.08	< 0.5	8	98	14	2.51	< 10	< 1	0.16	30	0.27	228	< 1
R 16452	203	238	0.84	< 0.2	< 5	110	< 0.5	2	0.24	< 0.5	4	81	9	1.47	< 10	< 1	0.11	20	0.23	118	< 1
R 16453	203	238	1.39	< 0.2	10	120	< 0.5	< 2	0.06	< 0.5	11	75	22	2.99	< 10	< 1	0.16	40	0.34	279	< 1
R 16454	203	238	1.88	< 0.2	20	160	< 0.5	< 2	0.12	< 0.5	8	71	16	2.81	< 10	1	0.12	20	0.36	178	1
R 16455	203	238	1.85	< 0.2	< 5	520	< 0.5	< 2	0.66	< 0.5	15	139	20	2.46	< 10	1	0.17	30	0.42	577	< 1
R 16456	203	238	2.20	0.2	20	370	< 0.5	4	1.22	< 0.5	17	71	31	3.00	10	1	0.23	30	0.50	982	< 1
R 16457	203	238	1.61	< 0.2	< 5	180	< 0.5	4	0.16	0.5	9	80	18	2.59	< 10	1	0.16	30	0.36	263	< 1
R 16458	203	238	1.94	< 0.2	< 5	140	< 0.5	6	0.06	< 0.5	22	104	48	4.26	< 10	3	0.26	50	0.53	575	< 1
R 16459	203	238	1.41	< 0.2	5	160	< 0.5	4	0.13	< 0.5	3	107	5	1.68	< 10	2	0.17	30	0.22	110	< 1
R 16460	203	238	1.36	0.4	5	130	< 0.5	< 2	0.14	< 0.5	7	73	13	2.33	< 10	< 1	0.19	40	0.38	253	< 1
R 16461	203	238	1.30	< 0.2	25	100	< 0.5	< 2	0.08	< 0.5	8	59	13	2.66	< 10	< 1	0.15	30	0.34	475	< 1
R 16462	203	238	1.67	0.4	20	120	< 0.5	< 2	0.08	< 0.5	9	75	33	3.28	< 10	< 1	0.18	40	0.39	390	< 1
R 16463	203	238	0.75	< 0.2	< 5	60	< 0.5	2	0.04	< 0.5	4	60	12	0.99	< 10	< 1	0.12	40	0.10	64	< 1
R 16464	203	238	1.91	0.2	5	170	< 0.5	< 2	0.17	< 0.5	15	49	36	3.33	< 10	1	0.18	50	0.59	476	< 1
R 16465	203	238	1.74	< 0.2	< 5	110	< 0.5	2	0.07	< 0.5	15	56	33	3.30	< 10	1	0.18	50	0.51	519	1
R 16466	203	238	1.81	< 0.2	10	140	< 0.5	6	0.11	< 0.5	13	49	29	3.16	< 10	< 1	0.15	50	0.52	459	< 1
R 16467	203	238	1.84	0.4	60	160	< 0.5	4	0.14	< 0.5	18	64	28	3.49	< 10	1	0.17	40	0.55	1175	< 1
R 16468	203	238	2.10	1.2	60	190	< 0.5	< 2	0.47	< 0.5	19	63	32	3.30	< 10	2	0.22	40	0.59	1410	< 1
R 16469	203	238	1.50	< 0.2	20	190	< 0.5	4	0.16	< 0.5	9	85	18	2.69	< 10	2	0.17	30	0.36	607	< 1
R 16470	203	238	1.31	< 0.2	< 5	140	< 0.5	2	0.17	< 0.5	10	51	23	2.62	< 10	2	0.14	30	0.38	444	< 1
R 16471	203	238	1.52	0.2	5	130	< 0.5	< 2	0.13	< 0.5	19	38	37	3.39	< 10	< 1	0.21	60	0.49	901	< 1
R 16472	203	238	1.20	< 0.2	5	110	< 0.5	< 2	0.16	< 0.5	7	50	22	2.77	< 10	1	0.12	40	0.36	247	< 1
R 16473	203	238	1.47	0.2	10	210	< 0.5	4	0.23	< 0.5	13	49	36	2.81	< 10	1	0.17	40	0.48	527	< 1
R 16474	203	238	1.49	< 0.2	15	170	< 0.5	2	0.14	< 0.5	9	51	20	2.72	< 10	3	0.13	20	0.41	440	< 1
R 16475	203	238	1.64	2.2	115	130	< 0.5	< 2	0.25	< 0.5	20	64	29	3.44	< 10	1	0.14	40	0.61	1730	< 1
R 16476	203	238	1.70	< 0.2	10	150	< 0.5	< 2	0.15	< 0.5	20	64	33	3.40	< 10	1	0.18	50	0.53	886	1
R 16477	203	238	1.62	< 0.2	25	140	< 0.5	< 2	0.11	< 0.5	13	63	31	2.96	< 10	< 1	0.17	40	0.44	793	< 1
R 16478	203	238	1.62	0.2	20	120	< 0.5	2	0.12	< 0.5	18	44	35	3.12	< 10	1	0.17	40	0.47	1340	< 1
R 16479	203	238	1.56	< 0.2	40	180	< 0.5	2	0.21	< 0.5	10	53	30	3.18	< 10	4	0.16	50	0.49	325	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
/OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 3-B
Tot. : 6
Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16440	203	238	0.02	21	270	4	< 5	< 10	11	0.03	< 10	< 10	30	< 5	57
R 16441	203	238	0.01	13	270	8	< 5	< 10	15	0.06	< 10	< 10	39	< 5	44
R 16442	203	238	0.02	17	360	14	< 5	< 10	16	0.05	< 10	< 10	44	< 5	52
R 16443	203	238	0.02	29	530	8	< 5	< 10	24	0.03	< 10	< 10	34	< 5	84
R 16444	203	238	0.02	19	260	14	< 5	< 10	28	0.04	< 10	< 10	28	< 5	52
R 16445	203	238	0.01	23	420	56	< 5	< 10	29	0.03	< 10	< 10	22	< 5	205
R 16446	203	238	0.01	26	620	76	< 5	< 10	65	0.02	< 10	< 10	24	< 5	269
R 16447	203	238	0.01	22	410	56	5	< 10	27	0.02	< 10	< 10	17	< 5	180
R 16448	203	238	0.02	20	320	12	< 5	< 10	18	0.01	< 10	< 10	17	< 5	57
R 16449	203	238	0.01	22	460	54	< 5	< 10	37	0.03	< 10	< 10	16	< 5	183
R 16450	203	238	0.01	28	560	10	5	< 10	36	0.01	< 10	< 10	19	< 5	71
R 16451	203	238	0.01	14	250	8	< 5	< 10	13	0.03	< 10	< 10	30	< 5	51
R 16452	203	238	0.01	14	260	< 2	< 5	< 10	19	0.05	< 10	< 10	32	< 5	32
R 16453	203	238	0.01	22	260	6	< 5	< 10	11	0.02	< 10	< 10	19	< 5	68
R 16454	203	238	0.02	17	260	26	< 5	< 10	15	0.06	< 10	< 10	46	5	41
R 16455	203	238	0.02	24	710	20	< 5	< 10	60	0.03	< 10	< 10	34	10	62
R 16456	203	238	0.03	30	690	8	5	< 10	101	0.01	< 10	< 10	26	10	72
R 16457	203	238	0.02	21	310	6	< 5	< 10	18	0.06	< 10	< 10	37	< 5	62
R 16458	203	238	0.05	44	560	12	< 5	< 10	18	< 0.01	< 10	< 10	19	5	93
R 16459	203	238	0.02	9	670	4	< 5	< 10	18	0.06	< 10	< 10	42	5	25
R 16460	203	238	0.01	16	340	16	< 5	< 10	16	0.03	< 10	< 10	34	5	54
R 16461	203	238	0.01	15	320	22	5	< 10	10	0.03	< 10	< 10	30	< 5	60
R 16462	203	238	0.01	20	530	22	< 5	< 10	14	0.02	< 10	< 10	35	< 5	64
R 16463	203	238	0.01	10	350	10	< 5	< 10	9	0.01	< 10	< 10	25	5	16
R 16464	203	238	0.02	28	560	12	< 5	< 10	20	0.03	< 10	< 10	27	5	73
R 16465	203	238	0.02	26	510	26	< 5	< 10	12	0.01	< 10	< 10	22	< 5	64
R 16466	203	238	0.01	23	400	8	< 5	< 10	14	0.03	< 10	< 10	30	5	62
R 16467	203	238	0.01	23	530	20	< 5	< 10	16	0.04	< 10	< 10	34	5	87
R 16468	203	238	0.02	25	680	28	< 5	< 10	29	0.01	< 10	< 10	28	10	96
R 16469	203	238	0.02	18	680	18	< 5	< 10	21	0.03	< 10	< 10	44	< 5	65
R 16470	203	238	0.01	21	550	22	< 5	< 10	19	0.04	< 10	< 10	35	5	53
R 16471	203	238	0.01	31	510	14	< 5	< 10	14	0.01	< 10	< 10	16	< 5	72
R 16472	203	238	0.01	18	490	14	< 5	< 10	15	0.05	< 10	< 10	36	< 5	50
R 16473	203	238	0.02	32	580	18	< 5	< 10	21	0.05	< 10	< 10	39	5	78
R 16474	203	238	0.01	20	490	16	< 5	< 10	16	0.05	< 10	< 10	42	5	59
R 16475	203	238	0.01	45	620	42	< 5	< 10	18	0.02	< 10	< 10	25	5	127
R 16476	203	238	0.02	27	590	22	< 5	< 10	17	0.03	< 10	< 10	30	< 5	81
R 16477	203	238	0.01	22	560	16	< 5	< 10	14	0.02	< 10	< 10	32	5	67
R 16478	203	238	0.01	26	560	46	< 5	< 10	15	0.02	< 10	< 10	29	10	89
R 16479	203	238	0.01	29	470	10	< 5	< 10	18	0.02	< 10	< 10	27	5	72

CERTIFICATION : BCS

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 4-A
To : 6
Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

* Found later.

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16480	203 238	1.37	0.2	10	110	< 0.5	2	0.14	< 0.5	14	43	36	2.87	< 10	< 1	0.11	40	0.42	552	< 1
R 16481	203 238	1.43	0.2	15	180	< 0.5	6	0.15	< 0.5	13	46	32	2.60	< 10	2	0.13	30	0.43	445	< 1
R 16482	203 238	1.26	0.2	10	120	< 0.5	2	0.11	< 0.5	11	49	28	2.48	< 10	< 1	0.12	30	0.39	383	< 1
R 16483	203 238	1.20	0.2	< 5	90	< 0.5	2	0.11	< 0.5	8	39	22	2.60	< 10	< 1	0.10	30	0.34	314	< 1
R 16484	203 238	1.51	0.4	100	110	< 0.5	< 2	0.22	2.0	13	54	33	3.06	< 10	1	0.19	40	0.58	999	< 1
R 16485	203 238	1.40	0.2	< 5	180	< 0.5	< 2	0.62	< 0.5	12	72	21	2.35	< 10	3	0.13	40	0.44	409	< 1
R 16486	203 238	1.59	0.2	20	180	< 0.5	2	0.79	< 0.5	11	71	29	2.50	< 10	1	0.18	40	0.51	287	< 1
R 16487	203 238	1.67	0.2	5	290	< 0.5	2	0.50	< 0.5	14	82	20	2.66	< 10	1	0.14	40	0.47	1745	< 1
R 16488	203 238	1.55	0.4	< 5	110	< 0.5	8	0.14	< 0.5	12	81	38	2.98	< 10	2	0.19	50	0.42	472	< 1
R 16489	203 238	1.28	0.8	15	80	< 0.5	< 2	0.04	< 0.5	25	63	30	2.72	< 10	< 1	0.15	40	0.19	2370	< 1
R 16490	203 238	1.72	0.2	5	120	< 0.5	2	0.08	< 0.5	8	63	19	3.19	< 10	2	0.10	30	0.35	209	< 1
R 16491	203 238	1.75	0.2	< 5	210	< 0.5	< 2	0.24	< 0.5	15	79	20	3.08	< 10	< 1	0.11	30	0.50	721	< 1
R 16492	203 238	1.64	0.2	< 5	100	< 0.5	2	0.20	< 0.5	18	52	38	3.39	< 10	< 1	0.12	50	0.56	667	< 1
R 16493	203 238	1.23	0.2	< 5	150	< 0.5	< 2	0.14	< 0.5	7	57	15	2.00	< 10	1	0.11	20	0.32	216	< 1
R 16494	203 238	1.29	0.2	15	120	< 0.5	< 2	0.17	< 0.5	6	47	13	2.11	< 10	3	0.10	30	0.37	192	< 1
R 16495	203 238	1.34	0.2	10	110	< 0.5	< 2	0.16	< 0.5	5	65	13	2.20	< 10	3	0.11	30	0.37	191	< 1
R 16496	203 238	1.41	0.2	< 5	150	< 0.5	< 2	0.16	< 0.5	10	59	27	2.60	< 10	1	0.12	30	0.41	380	< 1
R 16497	203 238	1.42	0.2	10	110	< 0.5	< 2	0.15	< 0.5	7	52	13	2.34	< 10	2	0.09	20	0.32	201	< 1
R 16498	203 238	0.95	0.2	10	130	< 0.5	4	0.10	< 0.5	5	62	13	2.84	< 10	2	0.09	20	0.23	223	< 1
R 16499	203 238	1.37	0.2	5	160	< 0.5	< 2	0.19	< 0.5	10	68	14	2.67	< 10	4	0.10	20	0.34	424	< 1
R 16500	203 238	1.33	0.2	15	100	< 0.5	2	0.10	< 0.5	8	53	21	2.58	< 10	1	0.10	30	0.39	265	< 1
R 17001	203 238	1.29	0.4	50	130	< 0.5	< 2	0.10	< 0.5	8	48	17	2.51	< 10	< 1	0.11	30	0.32	683	< 1
R 17002	203 238	1.24	2.4	65	110	< 0.5	< 2	0.13	< 0.5	8	66	17	2.51	< 10	1	0.11	30	0.33	539	< 1
R 17003	203 238	1.49	0.6	15	100	< 0.5	2	0.12	< 0.5	6	53	18	2.47	< 10	< 1	0.10	30	0.38	310	< 1
R 17004	203 238	1.50	0.4	< 5	120	< 0.5	4	0.14	< 0.5	7	67	23	2.70	< 10	2	0.12	30	0.41	258	< 1
R 17005	203 238	1.53	0.2	10	110	< 0.5	< 2	0.14	< 0.5	9	59	21	2.53	< 10	2	0.13	30	0.41	259	< 1
R 17006	203 238	1.41	0.2	5	150	< 0.5	< 2	0.14	< 0.5	9	48	29	2.74	< 10	1	0.11	40	0.44	230	< 1
R 17007	203 238	1.38	1.2	60	150	< 0.5	4	0.18	< 0.5	10	46	18	2.65	< 10	< 1	0.14	40	0.35	873	< 1
R 17008	203 238	1.34	1.0	45	140	< 0.5	< 2	0.15	< 0.5	10	61	13	2.36	< 10	< 1	0.16	30	0.28	1035	< 1
R 17009	203 238	1.34	0.6	25	100	< 0.5	< 2	0.11	< 0.5	7	44	13	2.24	< 10	1	0.12	30	0.31	365	< 1
R 17010	203 238	1.35	0.2	25	100	< 0.5	4	0.10	< 0.5	7	47	15	2.41	< 10	< 1	0.12	30	0.35	276	< 1
R 17011	203 238	1.51	0.8	10	110	< 0.5	< 2	0.13	< 0.5	10	48	18	2.53	< 10	2	0.15	30	0.43	316	< 1
R 17012	203 238	1.62	0.6	15	100	< 0.5	< 2	0.11	< 0.5	9	51	17	2.61	< 10	< 1	0.14	30	0.45	254	< 1
R 17013	203 238	1.24	0.8	10	170	< 0.5	< 2	0.18	< 0.5	9	52	16	2.46	< 10	2	0.14	30	0.32	472	< 1
R 17014	203 238	1.40	0.8	< 5	140	< 0.5	< 2	0.15	< 0.5	10	54	23	2.62	< 10	< 1	0.14	30	0.39	374	< 1
R 17015	203 238	1.34	0.2	5	140	< 0.5	< 2	0.17	< 0.5	11	47	15	2.48	< 10	< 1	0.12	30	0.38	485	< 1
R 17016	203 238	1.32	0.8	10	120	< 0.5	< 2	0.16	< 0.5	9	63	17	2.48	< 10	< 1	0.14	30	0.38	298	< 1
R 17017	203 238	1.48	1.0	20	110	< 0.5	< 2	0.14	< 0.5	9	54	16	2.59	< 10	< 1	0.13	30	0.39	412	< 1
R 17018	203 238	1.53	0.8	< 5	110	< 0.5	< 2	0.10	0.5	10	54	16	2.91	< 10	< 1	0.14	30	0.41	535	< 1
R 17019	203 238	1.48	0.6	< 5	130	< 0.5	< 2	0.10	0.5	7	54	17	2.56	< 10	< 1	0.14	20	0.32	371	< 1

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

T[illegible]RCHER CATHRO & ASSOC. (1981) LTD.
[illegible]X 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date :28-JUL-87
Invoic[illegible] :I-8718097
P.O. [illegible] :NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16480	203	238	0.01	28	590	8	< 5	< 10	15	0.03	< 10	< 10	30	5	71
R 16481	203	238	0.01	30	410	20	< 5	< 10	16	0.04	< 10	< 10	31	5	60
R 16482	203	238	0.01	25	350	14	< 5	< 10	14	0.04	< 10	< 10	30	< 5	53
R 16483	203	238	0.01	18	390	14	< 5	< 10	14	0.04	< 10	< 10	34	< 5	50
R 16484	203	238	0.01	26	390	62	5	< 10	26	0.02	< 10	< 10	15	5	250
R 16485	203	238	0.01	25	550	10	5	< 10	47	0.03	< 10	< 10	24	5	66
R 16486	203	238	0.02	26	470	24	< 5	< 10	60	0.02	< 10	< 10	23	5	68
R 16487	203	238	0.01	24	610	20	5	< 10	41	0.02	< 10	< 10	27	< 5	70
R 16488	203	238	0.02	23	470	20	< 5	< 10	15	0.02	< 10	< 10	36	5	58
R 16489	203	238	< 0.01	24	370	36	< 5	< 10	8	< 0.01	< 10	< 10	7	5	75
R 16490	203	238	0.01	21	380	18	< 5	< 10	13	0.04	< 10	< 10	40	< 5	43
R 16491	203	238	0.01	25	550	10	< 5	< 10	20	0.04	< 10	< 10	35	< 5	67
R 16492	203	238	0.01	36	410	16	< 5	< 10	15	0.02	< 10	< 10	18	5	81
R 16493	203	238	0.01	11	460	4	< 5	< 10	16	0.05	< 10	< 10	38	< 5	41
R 16494	203	238	0.01	14	450	< 2	< 5	< 10	16	0.06	< 10	< 10	41	5	42
R 16495	203	238	0.01	16	360	2	< 5	< 10	16	0.06	< 10	< 10	40	< 5	44
R 16496	203	238	0.01	22	420	14	5	< 10	16	0.06	< 10	< 10	38	5	55
R 16497	203	238	0.01	16	420	12	< 5	< 10	15	0.07	< 10	< 10	45	< 5	39
R 16498	203	238	0.01	13	310	8	< 5	< 10	12	0.07	< 10	< 10	46	< 5	42
R 16499	203	238	0.01	16	380	12	< 5	< 10	18	0.07	< 10	< 10	47	5	45
R 16500	203	238	0.01	19	380	24	< 5	< 10	11	0.04	< 10	< 10	34	< 5	48
R 17001	203	238	0.01	17	430	28	< 5	< 10	12	0.04	< 10	< 10	34	< 5	74
R 17002	203	238	0.01	15	520	68	< 5	< 10	13	0.04	< 10	< 10	34	< 5	99
R 17003	203	238	< 0.01	15	460	22	< 5	< 10	13	0.04	< 10	< 10	34	< 5	61
R 17004	203	238	0.01	19	560	16	5	< 10	14	0.04	< 10	< 10	39	5	65
R 17005	203	238	0.01	20	430	10	< 5	< 10	14	0.04	< 10	< 10	36	< 5	61
R 17006	203	238	0.01	25	470	12	< 5	< 10	16	0.03	< 10	< 10	31	5	64
R 17007	203	238	< 0.01	17	410	46	< 5	< 10	15	0.02	< 10	< 10	27	5	95
R 17008	203	238	0.01	9	470	36	< 5	< 10	16	0.03	< 10	< 10	33	5	67
R 17009	203	238	0.01	13	360	20	< 5	< 10	12	0.03	< 10	< 10	28	5	55
R 17010	203	238	0.01	15	400	16	< 5	< 10	12	0.03	< 10	< 10	29	5	57
R 17011	203	238	0.01	12	430	28	< 5	< 10	13	0.02	< 10	< 10	24	5	71
R 17012	203	238	0.01	17	370	< 2	< 5	< 10	13	0.03	< 10	< 10	29	< 5	63
R 17013	203	238	0.01	18	510	32	5	< 10	17	0.03	< 10	< 10	33	< 5	68
R 17014	203	238	0.01	14	460	20	< 5	< 10	16	0.04	< 10	< 10	38	< 5	64
R 17015	203	238	0.01	13	370	20	< 5	< 10	15	0.02	< 10	< 10	30	< 5	58
R 17016	203	238	0.01	16	410	16	5	< 10	15	0.05	< 10	< 10	35	< 5	64
R 17017	203	238	0.01	14	410	42	< 5	< 10	14	0.04	< 10	< 10	37	< 5	75
R 17018	203	238	0.01	12	400	38	< 5	< 10	12	0.03	< 10	< 10	34	< 5	72
R 17019	203	238	0.01	10	360	16	< 5	< 10	12	0.03	< 10	< 10	38	< 5	51

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 17020	203	238	1.26	0.2	5	150	< 0.5	< 2	0.14	< 0.5	7	69	19	2.32	< 10	2	0.17	30	0.35	314	< 1
R 17021	203	238	1.42	1.0	< 5	140	< 0.5	< 2	0.15	0.5	8	81	16	2.34	< 10	2	0.19	30	0.38	281	< 1
R 17022	203	238	1.34	1.2	< 5	150	< 0.5	< 2	0.21	< 0.5	7	68	18	2.27	< 10	< 1	0.17	30	0.37	320	< 1
R 17023	203	238	1.58	0.6	< 5	140	< 0.5	< 2	0.13	0.5	8	88	16	2.49	< 10	< 1	0.21	30	0.37	339	< 1
R 17025	203	238	1.24	1.0	50	120	< 0.5	< 2	0.12	0.5	8	71	17	2.21	< 10	< 1	0.19	30	0.31	606	< 1
R 17026	203	238	1.40	4.0	25	160	< 0.5	< 2	0.10	0.5	7	103	13	2.23	< 10	< 1	0.20	20	0.25	551	< 1
R 17027	203	238	1.74	0.8	15	200	< 0.5	< 2	0.14	< 0.5	6	116	15	2.55	< 10	< 1	0.19	20	0.34	282	< 1
R 17028	203	238	1.32	1.0	20	140	< 0.5	< 2	0.10	< 0.5	7	100	16	2.52	< 10	< 1	0.17	20	0.29	587	< 1
R 17029	203	238	1.51	0.2	10	130	< 0.5	< 2	0.10	< 0.5	9	153	16	2.58	< 10	< 1	0.13	20	0.34	460	10
R 17030	203	238	1.51	1.0	20	130	< 0.5	< 2	0.10	< 0.5	7	96	14	2.49	< 10	1	0.15	20	0.35	507	< 1
R 17031	203	238	1.68	0.8	15	120	< 0.5	< 2	0.11	< 0.5	10	68	19	2.71	< 10	< 1	0.14	30	0.41	516	< 1
R 17032	203	238	1.48	0.4	15	120	< 0.5	< 2	0.13	< 0.5	6	80	18	2.32	< 10	< 1	0.14	30	0.37	219	1
R 17033	203	238	1.54	0.4	10	110	< 0.5	< 2	0.11	< 0.5	6	79	16	2.35	< 10	< 1	0.14	30	0.36	196	< 1
R 17034	203	238	1.83	0.8	5	140	< 0.5	< 2	0.15	0.5	10	80	20	2.72	< 10	< 1	0.18	40	0.46	291	2
R 17035	203	238	1.51	0.8	10	140	< 0.5	< 2	0.12	< 0.5	7	214	16	2.40	< 10	< 1	0.20	30	0.33	317	< 1
R 17036	203	238	1.19	0.4	15	130	< 0.5	< 2	0.13	< 0.5	5	79	14	1.90	< 10	< 1	0.16	20	0.29	205	< 1
R 17037	203	238	1.07	0.2	20	110	< 0.5	< 2	0.13	< 0.5	4	85	9	1.64	< 10	< 1	0.14	20	0.24	170	< 1
R 17038	203	238	1.28	0.2	< 5	110	< 0.5	< 2	0.16	0.5	5	89	15	1.96	< 10	< 1	0.11	20	0.31	213	< 1
R 17039	203	238	1.35	0.4	15	130	< 0.5	< 2	0.14	< 0.5	5	150	9	1.74	< 10	< 1	0.14	20	0.28	141	< 1
R 17040	203	238	1.57	0.4	25	130	< 0.5	< 2	0.13	< 0.5	5	92	12	2.06	< 10	< 1	0.13	30	0.33	171	< 1
R 17041	203	238	1.60	0.2	10	130	< 0.5	< 2	0.16	< 0.5	6	105	15	2.24	< 10	< 1	0.15	30	0.36	188	1
R 17042	203	238	1.63	0.4	20	120	< 0.5	< 2	0.11	< 0.5	7	69	18	2.35	< 10	< 1	0.17	40	0.38	196	< 1
R 17043	203	238	1.62	0.2	25	120	< 0.5	< 2	0.11	< 0.5	7	87	17	2.38	< 10	< 1	0.16	30	0.39	190	< 1
R 17044	203	238	1.51	0.2	10	110	< 0.5	< 2	0.10	< 0.5	6	99	13	2.18	< 10	< 1	0.14	30	0.35	185	< 1
R 17045	203	238	1.49	0.2	< 5	110	< 0.5	< 2	0.11	< 0.5	5	104	12	2.26	< 10	< 1	0.13	30	0.37	190	< 1
R 17046	203	238	1.64	0.2	10	120	< 0.5	< 2	0.11	< 0.5	6	120	14	2.31	< 10	< 1	0.16	30	0.35	140	< 1
R 17047	203	238	1.35	0.2	25	130	< 0.5	< 2	0.11	< 0.5	6	97	11	2.26	< 10	< 1	0.13	20	0.31	184	< 1
R 17048	203	238	1.48	0.6	60	130	< 0.5	< 2	0.12	0.5	9	71	17	2.48	< 10	< 1	0.14	30	0.32	358	< 1
R 17049	203	238	1.24	0.2	15	120	< 0.5	< 2	0.10	< 0.5	2	139	7	1.60	< 10	< 1	0.11	20	0.16	81	< 1
R 17050	203	238	1.65	0.2	55	150	< 0.5	< 2	0.05	< 0.5	11	70	24	2.88	< 10	2	0.18	40	0.28	437	1
R 17051	203	238	1.89	0.2	30	140	< 0.5	< 2	0.06	< 0.5	8	82	22	2.59	< 10	< 1	0.18	40	0.34	187	2
R 17052	203	238	1.51	0.2	20	120	< 0.5	< 2	0.12	< 0.5	4	93	11	1.97	< 10	< 1	0.13	20	0.29	145	< 1
R 17053	203	238	1.77	0.6	20	150	< 0.5	< 2	0.13	< 0.5	5	132	13	2.22	< 10	< 1	0.17	30	0.32	132	< 1
R 17054	203	238	1.71	0.2	< 5	130	< 0.5	< 2	0.14	0.5	5	79	12	2.22	< 10	4	0.13	30	0.38	159	< 1
R 17055	203	238	1.73	0.4	25	130	< 0.5	< 2	0.13	< 0.5	6	95	16	2.45	< 10	< 1	0.15	30	0.41	190	1
R 17056	203	238	1.37	0.2	15	130	< 0.5	< 2	0.16	< 0.5	9	84	20	2.42	< 10	< 1	0.15	30	0.37	382	< 1
R 17057	203	238	1.57	0.2	20	150	< 0.5	< 2	0.15	< 0.5	5	204	13	2.12	< 10	< 1	0.18	20	0.33	201	< 1
R 17101	203	238	1.25	0.2	45	160	0.5	< 2	0.19	< 0.5	11	98	21	2.75	< 10	< 1	0.33	40	0.17	486	< 1
R 17102	203	238	1.36	1.2	50	160	< 0.5	< 2	0.40	0.5	17	90	31	3.12	< 10	< 1	0.23	40	0.31	1150	< 1
R 17103	203	238	1.47	0.8	10	150	< 0.5	< 2	0.70	< 0.5	25	74	29	3.70	< 10	< 1	0.22	50	0.38	1755	2

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 17020	203 238	0.01	15	340	28	< 5	< 10	15	0.03	10	< 10	30	< 5	53
R 17021	203 238	0.01	13	350	32	< 5	< 10	17	0.04	20	< 10	36	< 5	57
R 17022	203 238	0.01	13	390	28	< 5	< 10	17	0.05	10	< 10	34	< 5	63
R 17023	203 238	0.01	13	300	28	5	< 10	15	0.04	10	< 10	34	< 5	57
R 17025	203 238	0.01	13	310	28	< 5	< 10	14	0.03	10	< 10	29	< 5	66
R 17026	203 238	0.01	10	420	112	< 5	< 10	14	0.03	10	< 10	38	< 5	83
R 17027	203 238	0.02	14	490	34	< 5	< 10	17	0.04	10	< 10	48	< 5	56
R 17028	203 238	0.01	19	540	26	< 5	< 10	15	0.04	< 10	< 10	41	< 5	70
R 17029	203 238	0.02	60	490	16	< 5	< 10	15	0.05	< 10	< 10	49	< 5	66
R 17030	203 238	0.01	16	420	16	< 5	< 10	14	0.04	< 10	< 10	41	< 5	68
R 17031	203 238	0.01	16	400	22	< 5	< 10	15	0.05	< 10	< 10	42	< 5	65
R 17032	203 238	0.01	21	410	12	< 5	< 10	15	0.04	< 10	< 10	35	< 5	58
R 17033	203 238	0.01	14	400	12	10	< 10	14	0.04	< 10	< 10	36	< 5	54
R 17034	203 238	0.01	22	490	16	< 5	< 10	18	0.04	< 10	< 10	37	< 5	73
R 17035	203 238	0.03	16	600	12	5	< 10	21	0.03	< 10	< 10	44	< 5	53
R 17036	203 238	0.01	15	320	12	< 5	< 10	15	0.04	< 10	< 10	35	< 5	53
R 17037	203 238	0.01	10	280	14	< 5	< 10	15	0.05	< 10	< 10	36	< 5	44
R 17038	203 238	0.01	15	420	20	5	< 10	16	0.05	< 10	< 10	36	< 5	46
R 17039	203 238	0.01	14	300	14	< 5	< 10	17	0.05	< 10	< 10	40	< 5	36
R 17040	203 238	0.01	14	340	14	< 5	< 10	16	0.05	< 10	< 10	41	< 5	43
R 17041	203 238	0.01	13	410	14	< 5	< 10	18	0.06	< 10	< 10	41	< 5	51
R 17042	203 238	0.01	19	370	20	< 5	< 10	14	0.03	< 10	< 10	27	< 5	56
R 17043	203 238	0.01	15	420	16	< 5	< 10	14	0.04	< 10	< 10	32	< 5	55
R 17044	203 238	0.01	14	430	12	5	< 10	15	0.03	< 10	< 10	34	< 5	46
R 17045	203 238	0.01	13	410	6	< 5	< 10	15	0.04	< 10	< 10	36	< 5	49
R 17046	203 238	0.02	16	520	16	5	< 10	16	0.03	< 10	< 10	40	< 5	46
R 17047	203 238	0.01	13	330	18	< 5	< 10	13	0.04	< 10	< 10	38	< 5	48
R 17048	203 238	0.01	18	360	38	< 5	< 10	14	0.04	< 10	< 10	37	< 5	101
R 17049	203 238	0.01	6	330	22	< 5	< 10	14	0.03	< 10	< 10	43	< 5	20
R 17050	203 238	0.01	20	360	28	5	< 10	11	0.03	< 10	< 10	30	< 5	71
R 17051	203 238	0.01	20	280	14	< 5	< 10	11	0.02	< 10	< 10	31	< 5	63
R 17052	203 238	0.01	12	480	18	< 5	< 10	15	0.03	< 10	< 10	40	< 5	47
R 17053	203 238	0.02	14	490	12	< 5	< 10	18	0.04	< 10	< 10	46	< 5	40
R 17054	203 238	0.01	13	490	14	5	< 10	16	0.05	< 10	< 10	43	< 5	47
R 17055	203 238	0.01	18	440	18	5	< 10	16	0.05	< 10	< 10	41	< 5	57
R 17056	203 238	0.01	21	480	14	< 5	< 10	17	0.05	< 10	< 10	35	< 5	66
R 17057	203 238	0.02	16	520	8	< 5	< 10	20	0.05	< 10	< 10	47	< 5	46
R 17101	203 238	0.01	22	650	40	5	< 10	13	< 0.01	< 10	< 10	14	< 5	61
R 17102	203 238	0.01	35	300	32	< 5	< 10	23	0.01	< 10	< 10	22	< 5	85
R 17103	203 238	< 0.01	61	350	24	5	< 10	31	< 0.01	< 10	< 10	5	< 5	83

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 17104	203	238	1.15	0.2	40	140	< 0.5	< 2	0.05	< 0.5	6	88	25	3.76	< 10	2	0.33	50	0.13	305	1
R 17105	203	238	2.21	0.4	35	190	< 0.5	< 2	0.02	< 0.5	26	40	48	5.64	< 10	< 1	0.40	70	0.40	559	< 1
R 17106	203	238	1.49	0.2	10	200	< 0.5	< 2	0.17	< 0.5	6	101	10	2.11	< 10	< 1	0.14	20	0.26	171	< 1
R 17107	203	238	2.84	0.2	40	310	< 0.5	< 2	0.13	< 0.5	28	113	29	3.82	< 10	2	0.21	40	0.55	811	< 1
R 17108	203	238	3.04	0.2	25	80	< 0.5	< 2	0.03	< 0.5	17	44	85	6.28	< 10	4	0.26	80	0.95	499	< 1
R 17109	203	238	2.22	0.2	25	200	< 0.5	< 2	0.16	< 0.5	12	87	23	3.18	< 10	2	0.16	20	0.47	374	< 1
R 17110	203	238	2.26	0.2	25	310	0.5	< 2	0.21	< 0.5	18	62	24	3.18	< 10	< 1	0.24	40	0.61	627	< 1
R 17111	203	238	1.56	0.6	40	210	< 0.5	< 2	0.13	< 0.5	16	82	26	2.90	< 10	1	0.35	40	0.32	737	< 1
R 17112	203	238	1.67	0.2	< 5	240	< 0.5	< 2	0.08	0.5	17	83	37	3.12	< 10	< 1	0.35	50	0.31	732	2
R 17113	203	238	1.76	0.2	20	190	< 0.5	< 2	0.16	< 0.5	10	88	23	2.54	< 10	4	0.20	30	0.41	317	1
R 17114	203	238	1.55	0.2	5	160	< 0.5	< 2	0.11	< 0.5	8	104	21	2.60	< 10	< 1	0.22	30	0.27	181	< 1
R 17115	203	238	1.79	0.2	20	180	< 0.5	< 2	0.11	< 0.5	7	92	19	2.67	< 10	< 1	0.24	30	0.30	171	2
R 17116	203	238	1.51	0.2	10	160	< 0.5	< 2	0.14	< 0.5	7	90	17	2.44	< 10	< 1	0.22	30	0.29	155	< 1
R 17117	203	238	1.63	0.4	20	170	< 0.5	< 2	0.19	< 0.5	9	84	21	2.39	< 10	< 1	0.30	40	0.32	384	1
R 17118	203	238	1.34	0.2	30	120	< 0.5	< 2	0.11	< 0.5	8	105	16	2.40	< 10	< 1	0.18	30	0.27	272	< 1
R 17119	203	238	0.77	0.4	60	140	< 0.5	< 2	0.05	< 0.5	6	59	25	2.96	< 10	< 1	0.33	50	0.07	176	< 1
R 17120	203	238	1.24	0.2	35	140	< 0.5	< 2	0.28	< 0.5	10	174	26	3.00	< 10	< 1	0.26	40	0.29	329	< 1
R 17121	203	238	1.58	0.2	5	160	< 0.5	< 2	0.14	< 0.5	8	91	16	2.56	< 10	< 1	0.18	20	0.32	255	< 1
R 17122	203	238	1.38	0.2	20	150	< 0.5	< 2	0.13	< 0.5	12	134	17	2.43	< 10	1	0.18	20	0.29	577	< 1
R 17123	203	238	1.31	0.2	15	120	< 0.5	< 2	0.11	< 0.5	7	117	14	2.41	< 10	< 1	0.16	20	0.25	258	< 1
R 17124	203	238	1.33	0.4	10	90	< 0.5	< 2	0.06	< 0.5	6	112	18	2.77	< 10	< 1	0.16	30	0.25	161	1
R 17125	203	238	1.72	0.2	20	170	< 0.5	< 2	0.16	< 0.5	10	81	21	2.60	< 10	< 1	0.20	30	0.41	321	1
R 17126	203	238	1.70	0.2	20	160	< 0.5	< 2	0.12	< 0.5	11	136	25	2.78	< 10	1	0.20	40	0.41	439	1
R 17127	203	238	2.22	0.2	45	180	< 0.5	< 2	0.06	0.5	23	73	39	3.44	< 10	4	0.32	50	0.52	905	< 1
R 17128	203	238	1.49	0.2	20	170	< 0.5	< 2	0.13	< 0.5	9	106	17	2.17	< 10	< 1	0.18	20	0.31	287	< 1
R 17129	203	238	1.53	0.2	60	150	< 0.5	< 2	0.12	< 0.5	5	96	9	2.08	< 10	1	0.20	20	0.27	229	< 1
R 17130	203	238	1.38	0.2	25	140	< 0.5	< 2	0.11	< 0.5	4	94	7	1.70	< 10	< 1	0.14	20	0.27	276	< 1
R 17131	203	238	1.37	1.0	55	120	< 0.5	< 2	0.11	< 0.5	6	63	13	2.06	< 10	< 1	0.17	30	0.28	352	< 1
R 17132	203	238	1.36	5.0	60	150	< 0.5	< 2	0.15	0.5	10	77	22	2.47	< 10	< 1	0.16	30	0.34	742	< 1
R 17133	203	238	1.38	0.2	30	110	< 0.5	< 2	0.09	< 0.5	8	96	32	1.71	< 10	< 1	0.12	30	0.35	416	< 1
R 17134	203	238	1.44	0.8	15	270	< 0.5	< 2	0.17	< 0.5	8	97	24	2.36	< 10	< 1	0.16	30	0.38	346	1
R 17171	203	238	1.31	0.2	40	140	< 0.5	< 2	0.14	0.5	5	169	18	2.13	< 10	< 1	0.13	20	0.29	213	< 1
R 17172	203	238	1.28	0.2	80	150	< 0.5	< 2	0.14	0.5	9	98	35	2.66	< 10	< 1	0.20	20	0.31	480	< 1
R 17173	203	238	1.84	1.0	50	150	< 0.5	< 2	0.19	< 0.5	9	148	20	2.78	< 10	1	0.31	40	0.55	267	2
R 17174	203	238	1.86	14.8	495	150	< 0.5	< 2	0.14	3.5	14	118	37	3.39	< 10	2	0.33	50	0.58	1505	< 1
R 17175	203	238	1.93	8.0	110	180	< 0.5	< 2	0.17	0.5	8	101	30	2.93	< 10	1	0.32	40	0.53	388	4
R 17176	203	238	2.15	3.0	95	120	< 0.5	< 2	0.16	0.5	18	79	42	3.67	< 10	1	0.29	60	0.72	547	< 1
R 17177	203	238	2.14	4.4	95	170	< 0.5	< 2	0.16	0.5	11	92	35	2.98	< 10	3	0.36	50	0.60	486	< 1
R 17178	203	238	1.98	10.6	75	150	< 0.5	< 2	0.16	2.0	10	109	33	2.91	< 10	< 1	0.35	50	0.57	653	< 1
R 17179	203	238	2.19	9.6	155	150	< 0.5	< 2	0.17	2.0	21	85	45	3.69	< 10	< 1	0.35	60	0.66	1695	< 1

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 6-B
Total Pages: 6
Date : 28-JUL-87
Invoice # : I-8718097
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718097

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 17104	203	238	0.02	11	500	36	< 5	< 10	14	0.01	< 10	< 10	22	< 5	56
R 17105	203	238	0.02	59	470	20	10	< 10	21	< 0.01	< 10	< 10	12	< 5	104
R 17106	203	238	0.01	16	160	14	< 5	< 10	19	0.05	< 10	< 10	43	< 5	39
R 17107	203	238	0.02	26	360	28	< 5	< 10	20	0.02	< 10	< 10	42	< 5	92
R 17108	203	238	0.05	58	510	38	< 5	< 10	25	< 0.01	< 10	< 10	14	< 5	128
R 17109	203	238	0.02	21	390	6	< 5	< 10	22	0.08	< 10	< 10	61	< 5	71
R 17110	203	238	0.02	36	390	12	5	< 10	22	0.03	< 10	< 10	43	< 5	74
R 17111	203	238	0.02	30	300	34	< 5	< 10	15	0.03	< 10	< 10	30	< 5	82
R 17112	203	238	0.01	36	280	30	< 5	< 10	12	0.01	< 10	< 10	17	< 5	61
R 17113	203	238	0.02	24	520	6	< 5	< 10	20	0.04	< 10	< 10	39	< 5	57
R 17114	203	238	0.01	20	360	14	< 5	< 10	15	0.03	< 10	< 10	31	< 5	46
R 17115	203	238	0.02	21	420	10	5	< 10	15	0.02	< 10	< 10	32	< 5	51
R 17116	203	238	0.01	17	410	18	< 5	< 10	15	0.02	< 10	< 10	30	< 5	51
R 17117	203	238	0.01	26	420	10	< 5	< 10	14	0.01	< 10	< 10	18	< 5	63
R 17118	203	238	0.01	17	300	16	< 5	< 10	13	0.03	< 10	< 10	32	< 5	42
R 17119	203	238	0.03	22	260	34	5	< 10	12	< 0.01	< 10	< 10	8	< 5	52
R 17120	203	238	0.02	29	460	14	5	< 10	20	0.01	< 10	< 10	17	< 5	65
R 17121	203	238	0.01	19	240	8	< 5	< 10	17	0.05	< 10	< 10	40	< 5	49
R 17122	203	238	0.02	23	380	6	5	< 10	15	0.04	< 10	< 10	30	< 5	57
R 17123	203	238	0.01	15	260	2	< 5	< 10	14	0.05	< 10	< 10	38	< 5	53
R 17124	203	238	0.02	15	270	14	< 5	< 10	12	0.01	< 10	< 10	27	< 5	45
R 17125	203	238	0.02	23	360	10	< 5	< 10	20	0.05	< 10	< 10	40	< 5	62
R 17126	203	238	0.02	23	440	16	< 5	< 10	17	0.03	< 10	< 10	33	< 5	63
R 17127	203	238	0.02	44	340	22	< 5	< 10	14	0.01	< 10	< 10	27	< 5	99
R 17128	203	238	0.01	18	350	16	< 5	< 10	16	0.05	< 10	< 10	36	< 5	57
R 17129	203	238	0.02	9	390	16	< 5	< 10	17	0.04	< 10	< 10	45	< 5	53
R 17130	203	238	0.01	11	330	16	< 5	< 10	13	0.03	< 10	< 10	29	< 5	57
R 17131	203	238	0.01	16	350	24	< 5	< 10	13	0.03	< 10	< 10	30	< 5	65
R 17132	203	238	0.01	23	450	56	5	< 10	17	0.04	< 10	< 10	35	< 5	105
R 17133	203	238	0.01	13	270	4	< 5	< 10	12	0.01	< 10	< 10	18	< 5	38
R 17134	203	238	0.02	22	480	10	< 5	< 10	18	0.05	< 10	< 10	37	< 5	66
R 17171	203	238	0.02	12	480	6	< 5	< 10	18	0.06	< 10	< 10	44	< 5	60
R 17172	203	238	0.01	18	410	18	< 5	< 10	19	0.08	< 10	< 10	43	5	126
R 17173	203	238	0.02	21	320	32	< 5	< 10	16	0.01	< 10	< 10	19	< 5	129
R 17174	203	238	0.01	28	400	280	5	< 10	16	< 0.01	< 10	< 10	16	< 5	559
R 17175	203	238	0.02	21	410	100	< 5	< 10	18	0.01	< 10	< 10	22	< 5	211
R 17176	203	238	0.01	35	290	36	< 5	< 10	17	< 0.01	< 10	< 10	12	< 5	133
R 17177	203	238	0.01	26	360	54	< 5	< 10	19	< 0.01	< 10	< 10	18	< 5	170
R 17178	203	238	0.02	25	340	142	< 5	< 10	17	0.01	< 10	< 10	19	< 5	362
R 17179	203	238	0.02	41	410	142	< 5	< 10	20	< 0.01	< 10	< 10	17	< 5	372

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8718098

Comments :

CERTIFICATE A8718098

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : SQ QUEST
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 27-JUL-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
203	119	Dry, sieve -35 mesh and ring
236	119	ICP: Aqua regia digestion

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
921	119	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
922	119	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
923	119	As ppm: 32 element, soil & rock	ICP-AES	5	10000
924	119	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
925	119	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
926	119	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
927	119	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
928	119	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
929	119	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
930	119	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
931	119	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
932	119	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
933	119	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
951	119	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
934	119	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
935	119	La ppm: 32 element, soil & rock	ICP-AES	10	10000
936	119	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
937	119	Mn ppm: 32 element, soil & rock	ICP-AES	1	10000
938	119	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
939	119	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
940	119	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
941	119	P ppm: 32 element, soil & rock	ICP-AES	10	10000
942	119	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
943	119	Sb ppm: 32 element, soil & rock	ICP-AES	5	10000
952	119	Se ppm: 32 element, soil & rock	ICP-AES	10	10000
944	119	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
945	119	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
946	119	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
947	119	U ppm: 32 element, soil & rock	ICP-AES	10	10000
948	119	V ppm: 32 element, soil & rock	ICP-AES	1	10000
949	119	W ppm: 32 element, soil & rock	ICP-AES	5	10000
950	119	Zn ppm: 32 element, soil & rock	ICP-AES	1	10000

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
.OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page No. : 1-A
Tot. : 3
Date : 27-JUL-87
Invoice # : I-8718098
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718098

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 17180	203	238	1.38	2.4	90	100	< 0.5	< 2	0.11	< 0.5	11	68	42	2.81	< 10	< 1	0.16	40	0.50	391	< 1
R 17181	203	238	1.43	4.0	125	170	< 0.5	< 2	0.19	0.5	13	53	31	2.98	< 10	< 1	0.15	40	0.48	836	< 1
R 17182	203	238	1.52	5.2	145	170	< 0.5	< 2	0.19	0.5	12	62	34	3.07	< 10	< 1	0.20	40	0.52	799	< 1
R 17183	203	238	1.47	1.0	100	100	< 0.5	2	0.10	< 0.5	12	57	29	2.98	< 10	< 1	0.16	40	0.43	646	< 1
R 17184	203	238	1.48	< 0.2	20	140	< 0.5	< 2	0.18	< 0.5	10	66	26	2.69	< 10	< 1	0.10	30	0.43	314	< 1
R 17185	203	238	1.50	< 0.2	50	140	< 0.5	< 2	0.19	< 0.5	9	62	22	2.56	< 10	< 1	0.12	30	0.41	397	< 1
R 17186	203	238	1.78	< 0.2	15	140	< 0.5	< 2	0.18	< 0.5	14	59	30	2.83	< 10	3	0.14	30	0.46	603	1
R 17187	203	238	1.53	< 0.2	55	110	< 0.5	< 2	0.14	< 0.5	11	61	21	2.64	< 10	1	0.09	20	0.33	258	< 1
R 17188	203	238	1.49	< 0.2	50	150	< 0.5	< 2	0.13	< 0.5	12	62	17	2.94	< 10	3	0.10	20	0.31	690	1
R 17189	203	238	1.47	< 0.2	30	140	< 0.5	< 2	0.15	< 0.5	12	73	19	2.74	< 10	< 1	0.12	30	0.40	422	< 1
R 17190	203	238	1.71	< 0.2	40	170	< 0.5	< 2	0.18	< 0.5	13	70	24	3.03	< 10	< 1	0.15	30	0.44	537	1
R 17191	203	238	2.02	< 0.2	40	150	0.5	< 2	0.05	< 0.5	20	66	37	3.57	< 10	< 1	0.18	50	0.51	1035	< 1
R 17192	203	238	1.73	< 0.2	35	190	< 0.5	< 2	0.14	< 0.5	11	89	26	3.08	< 10	< 1	0.17	40	0.44	312	1
R 17193	203	238	1.51	< 0.2	30	120	< 0.5	< 2	0.10	< 0.5	10	52	22	2.95	< 10	< 1	0.12	30	0.31	241	< 1
R 17194	203	238	1.49	< 0.2	30	140	0.5	2	0.13	< 0.5	12	50	26	2.92	< 10	< 1	0.12	30	0.33	323	< 1
R 17195	203	238	1.30	< 0.2	35	170	< 0.5	< 2	0.22	< 0.5	21	52	33	2.92	< 10	< 1	0.13	30	0.38	664	< 1
R 17196	203	238	1.69	< 0.2	30	210	0.5	4	0.19	< 0.5	13	49	17	2.92	< 10	< 1	0.10	20	0.39	357	< 1
R 17197	203	238	1.67	< 0.2	25	170	0.5	< 2	0.20	< 0.5	16	48	22	2.60	< 10	< 1	0.10	20	0.40	328	< 1
R 17198	203	238	1.17	< 0.2	35	140	0.5	< 2	0.12	< 0.5	14	56	41	3.51	< 10	< 1	0.21	50	0.30	339	< 1
R 17199	203	238	1.49	< 0.2	45	160	0.5	4	0.14	< 0.5	20	54	44	3.86	< 10	1	0.19	40	0.39	757	< 1
R 17200	203	238	1.83	< 0.2	45	200	0.5	< 2	0.18	< 0.5	14	63	31	3.42	< 10	1	0.17	40	0.51	424	< 1
R 17201	203	238	1.52	< 0.2	40	150	< 0.5	< 2	0.14	< 0.5	6	63	12	2.26	< 10	< 1	0.11	10	0.33	177	< 1
R 17202	203	238	1.41	< 0.2	15	180	0.5	< 2	0.19	< 0.5	13	48	28	2.50	< 10	< 1	0.11	30	0.42	364	< 1
R 17203	203	238	1.10	< 0.2	40	150	< 0.5	< 2	0.09	< 0.5	5	51	14	1.85	< 10	< 1	0.09	30	0.22	172	< 1
R 17204	203	238	1.27	< 0.2	50	170	0.5	< 2	0.20	< 0.5	15	56	17	2.82	< 10	< 1	0.16	40	0.31	753	< 1
R 17205	203	238	1.48	< 0.2	35	260	< 0.5	< 2	0.17	< 0.5	7	56	22	2.23	< 10	< 1	0.11	20	0.38	154	1
R 17206	203	238	1.43	< 0.2	15	180	< 0.5	< 2	0.19	< 0.5	10	74	19	2.34	< 10	< 1	0.14	30	0.40	261	< 1
R 17207	203	238	1.54	< 0.2	35	180	< 0.5	< 2	0.16	< 0.5	7	81	16	2.20	< 10	2	0.12	30	0.36	167	< 1
R 17208	203	238	1.42	< 0.2	25	190	< 0.5	< 2	0.27	< 0.5	6	66	11	1.99	< 10	< 1	0.12	30	0.35	128	< 1
R 17209	203	238	1.23	< 0.2	10	160	< 0.5	< 2	0.22	< 0.5	9	70	12	2.10	< 10	1	0.12	40	0.36	231	1
R 17210	203	238	1.37	< 0.2	10	210	< 0.5	< 2	0.29	< 0.5	9	82	14	2.18	< 10	< 1	0.13	40	0.35	322	1
R 17211	203	238	1.56	< 0.2	35	190	< 0.5	< 2	0.10	< 0.5	9	94	28	2.64	< 10	< 1	0.19	40	0.32	300	< 1
R 17212	203	238	1.95	< 0.2	10	210	0.5	< 2	0.29	< 0.5	8	99	24	3.03	< 10	< 1	0.22	50	0.30	162	< 1
R 17213	203	238	1.89	0.2	25	90	1.0	< 2	0.14	< 0.5	26	53	54	4.04	< 10	< 1	0.22	70	0.65	528	< 1
R 17214	203	238	1.55	< 0.2	25	240	< 0.5	< 2	0.52	< 0.5	12	91	12	2.25	< 10	2	0.15	30	0.36	321	< 1
R 17215	203	238	1.71	0.2	20	230	0.5	< 2	0.11	< 0.5	14	56	38	3.19	< 10	2	0.25	60	0.41	343	< 1
R 17216	203	238	1.19	< 0.2	40	180	< 0.5	< 2	0.20	< 0.5	4	90	10	1.46	< 10	< 1	0.12	20	0.25	105	< 1
R 17217	203	238	1.38	< 0.2	45	160	< 0.5	< 2	0.15	< 0.5	5	86	16	1.95	< 10	< 1	0.11	20	0.29	126	< 1
R 17218	203	238	1.35	< 0.2	30	140	0.5	< 2	0.14	< 0.5	7	61	13	2.27	< 10	< 1	0.11	30	0.31	196	1
R 17219	203	238	1.85	< 0.2	10	200	0.5	2	0.12	< 0.5	10	75	17	3.43	< 10	< 1	0.12	30	0.35	230	< 1

Regional South East

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 1-B
Total : 3
Date : 27-JUL-87
Invoice # : I-8718098
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718098

SAMPLE DESCRIPTION	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 17180	203 238	0.01	26	280	52	< 5	< 10	13	0.03	< 10	< 10	21	< 5	115
R 17181	203 238	0.01	26	520	56	< 5	< 10	18	0.02	< 10	< 10	23	< 5	156
R 17182	203 238	0.01	25	430	64	< 5	10	19	0.01	< 10	< 10	19	< 5	177
R 17183	203 238	0.01	18	540	26	< 5	< 10	12	0.02	< 10	< 10	23	< 5	93
R 17184	203 238	0.01	17	680	10	< 5	< 10	17	0.06	< 10	< 10	45	< 5	72
R 17185	203 238	0.01	14	580	22	20	< 10	18	0.06	< 10	< 10	44	< 5	60
R 17186	203 238	0.01	22	450	16	< 5	< 10	17	0.06	< 10	< 10	42	< 5	66
R 17187	203 238	0.01	15	420	4	< 5	< 10	15	0.06	< 10	< 10	46	< 5	40
R 17188	203 238	0.01	12	540	4	< 5	< 10	16	0.06	< 10	< 10	54	< 5	46
R 17189	203 238	0.01	12	560	8	< 5	< 10	17	0.06	< 10	< 10	49	< 5	55
R 17190	203 238	0.01	17	590	22	< 5	< 10	19	0.07	< 10	< 10	49	< 5	68
R 17191	203 238	0.01	26	550	14	10	< 10	11	0.02	< 10	< 10	25	< 5	76
R 17192	203 238	0.01	22	390	22	< 5	< 10	19	0.04	< 10	< 10	44	< 5	59
R 17193	203 238	0.01	13	340	< 2	< 5	< 10	15	0.06	< 10	< 10	42	< 5	44
R 17194	203 238	0.01	19	380	10	< 5	< 10	17	0.05	< 10	< 10	40	< 5	51
R 17195	203 238	0.01	29	690	16	< 5	< 10	22	0.05	< 10	< 10	35	< 5	69
R 17196	203 238	0.01	20	470	10	< 5	< 10	18	0.07	< 10	< 10	49	< 5	58
R 17197	203 238	0.01	25	510	24	5	< 10	19	0.06	< 10	< 10	42	< 5	57
R 17198	203 238	0.02	26	560	16	< 5	< 10	19	0.01	< 10	< 10	22	< 5	73
R 17199	203 238	0.02	28	680	20	5	< 10	19	0.02	< 10	< 10	32	< 5	82
R 17200	203 238	0.01	21	550	18	5	< 10	21	0.05	< 10	< 10	44	< 5	75
R 17201	203 238	0.01	10	680	6	< 5	< 10	17	0.05	< 10	< 10	54	< 5	38
R 17202	203 238	0.01	24	540	20	10	< 10	17	0.06	< 10	< 10	41	< 5	61
R 17203	203 238	0.01	9	410	< 2	< 5	< 10	12	0.03	< 10	< 10	37	< 5	30
R 17204	203 238	0.01	20	630	30	5	< 10	17	0.02	< 10	< 10	32	< 5	74
R 17205	203 238	0.01	12	550	22	10	< 10	18	0.04	< 10	< 10	41	< 5	52
R 17206	203 238	0.01	17	520	4	< 5	< 10	19	0.06	< 10	< 10	41	< 5	55
R 17207	203 238	0.01	14	440	10	5	< 10	18	0.07	< 10	< 10	53	< 5	42
R 17208	203 238	0.01	11	480	16	< 5	< 10	23	0.05	< 10	< 10	45	< 5	44
R 17209	203 238	0.01	13	390	4	5	< 10	19	0.05	< 10	< 10	31	< 5	45
R 17210	203 238	0.01	12	420	16	< 5	< 10	23	0.05	< 10	< 10	32	< 5	53
R 17211	203 238	0.02	15	520	8	< 5	< 10	16	0.02	< 10	< 10	32	< 5	51
R 17212	203 238	0.01	12	460	24	< 5	< 10	26	0.02	< 10	< 10	35	< 5	48
R 17213	203 238	0.01	40	520	18	< 5	< 10	19	< 0.01	< 10	< 10	9	< 5	93
R 17214	203 238	0.01	16	440	28	< 5	< 10	43	0.03	< 10	< 10	30	< 5	51
R 17215	203 238	0.01	21	370	28	5	< 10	16	< 0.01	< 10	< 10	16	< 5	71
R 17216	203 238	0.01	9	630	26	10	< 10	22	0.05	< 10	< 10	33	< 5	30
R 17217	203 238	0.01	8	500	< 2	5	< 10	17	0.04	< 10	< 10	49	< 5	36
R 17218	203 238	0.01	13	380	< 2	< 5	< 10	15	0.06	< 10	< 10	44	< 5	46
R 17219	203 238	0.01	16	490	18	5	< 10	15	0.06	< 10	< 10	55	< 5	54

Rock sent to BC

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 2-A
To : 3
Date : 27-JUL-87
Invoice # : I-8718098
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718098

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 17220	203	238	1.48	0.2	35	190	1.0	< 2	0.20	< 0.5	9	74	17	2.35	< 10	< 1	0.11	20	0.37	227	< 1
R 17221	203	238	1.31	0.2	< 5	140	< 0.5	< 2	0.14	< 0.5	7	82	11	2.35	< 10	< 1	0.10	20	0.29	193	< 1
R 17222	203	238	1.61	0.2	< 5	170	< 0.5	< 2	0.20	< 0.5	8	70	16	2.50	< 10	< 1	0.13	20	0.38	191	< 1
R 17223	203	238	1.59	0.2	25	230	< 0.5	< 2	0.13	< 0.5	8	113	23	2.62	< 10	< 1	0.13	20	0.33	222	< 1
R 17224	203	238	1.34	0.2	< 5	130	< 0.5	< 2	0.15	< 0.5	8	93	11	2.26	< 10	< 1	0.12	30	0.34	195	< 1
R 17225	203	238	2.18	2.0	160	220	1.0	< 2	0.15	2.0	22	347	57	3.81	< 10	6	0.38	50	0.55	1890	< 1
R 17226	203	238	1.73	1.4	130	130	1.0	< 2	0.19	1.5	17	91	41	3.36	< 10	< 1	0.26	40	0.62	1255	< 1
R 17227	203	238	1.72	0.8	85	150	0.5	< 2	0.51	< 0.5	16	70	27	3.07	10	< 1	0.16	60	0.50	459	< 1
R 17228	203	238	1.61	2.8	65	180	0.5	< 2	0.24	0.5	12	93	30	2.91	< 10	4	0.21	30	0.52	634	< 1
R 17229	203	238	1.54	2.2	110	110	0.5	< 2	0.18	1.0	16	100	42	3.09	< 10	1	0.21	40	0.59	864	< 1
R 17230	203	238	1.40	1.8	60	110	0.5	< 2	0.23	2.0	35	49	49	3.99	< 10	< 1	0.33	60	0.38	884	< 1
R 17231	203	238	1.05	0.4	< 5	80	< 0.5	< 2	0.08	0.5	5	107	8	2.00	< 10	< 1	0.06	10	0.18	113	< 1
R 17232	203	238	0.87	0.2	5	100	0.5	< 2	0.05	< 0.5	3	95	16	0.92	< 10	< 1	0.10	30	0.10	67	< 1
R 17233	203	238	2.49	0.6	35	80	1.0	2	0.04	< 0.5	21	72	52	5.03	< 10	< 1	0.21	60	0.88	589	< 1
R 17234	203	238	1.47	0.4	5	110	0.5	2	0.14	< 0.5	10	83	24	2.78	< 10	< 1	0.14	30	0.45	227	< 1
R 17235	203	238	1.42	0.2	< 5	130	< 0.5	< 2	0.11	< 0.5	5	103	9	1.83	< 10	< 1	0.13	20	0.26	100	< 1
R 17236	203	238	1.65	0.2	5	160	0.5	< 2	0.13	0.5	10	86	21	2.86	< 10	1	0.15	30	0.40	269	< 1
R 17237	203	238	1.42	0.2	10	160	0.5	2	0.16	< 0.5	9	72	21	2.55	< 10	< 1	0.13	30	0.40	233	< 1
R 17238	203	238	1.73	0.4	20	140	0.5	< 2	0.08	< 0.5	11	82	23	2.81	< 10	< 1	0.17	40	0.48	276	< 1
R 17239	203	238	1.45	0.2	5	140	< 0.5	< 2	0.11	< 0.5	12	104	23	3.10	< 10	< 1	0.14	40	0.38	618	< 1
R 17240	203	238	1.27	0.2	10	150	< 0.5	< 2	0.11	< 0.5	5	90	17	2.11	< 10	< 1	0.11	30	0.31	144	< 1
R 17241	203	238	1.29	0.2	< 5	110	< 0.5	< 2	0.10	< 0.5	12	123	24	2.94	< 10	< 1	0.13	30	0.39	566	1
R 17242	203	238	1.31	0.2	30	150	< 0.5	< 2	0.13	< 0.5	7	97	14	2.07	< 10	< 1	0.14	20	0.19	385	< 1
R 17243	203	238	1.66	0.2	< 5	150	0.5	< 2	0.11	< 0.5	12	72	20	2.79	< 10	< 1	0.13	20	0.37	261	< 1
R 17244	203	238	1.32	0.2	< 5	160	< 0.5	< 2	0.13	< 0.5	7	91	12	2.27	< 10	< 1	0.10	30	0.27	142	< 1
R 17245	203	238	1.45	0.2	10	140	< 0.5	< 2	0.16	< 0.5	13	70	22	2.73	< 10	< 1	0.11	30	0.37	261	< 1
R 17246	203	238	1.65	0.2	< 5	220	< 0.5	< 2	0.12	< 0.5	7	98	35	2.50	< 10	< 1	0.13	30	0.29	120	< 1
R 17247	203	238	1.31	0.2	< 5	140	< 0.5	< 2	0.13	< 0.5	8	79	20	2.36	< 10	< 1	0.12	30	0.38	199	< 1
R 17248	203	238	1.07	0.2	< 5	100	< 0.5	< 2	0.11	< 0.5	8	75	14	2.26	< 10	1	0.09	30	0.23	192	< 1
R 17249	203	238	1.43	0.2	5	180	< 0.5	< 2	0.13	< 0.5	10	57	21	2.58	< 10	< 1	0.11	30	0.38	294	< 1
R 17250	203	238	1.02	0.4	< 5	80	< 0.5	< 2	0.07	< 0.5	7	57	9	2.38	< 10	< 1	0.08	20	0.20	154	< 1
R 17251	203	238	1.99	0.2	135	490	1.0	2	0.17	2.5	16	55	89	3.35	< 10	< 1	0.26	30	0.43	689	< 1
R 17252	203	238	1.67	0.2	65	220	< 0.5	< 2	0.22	0.5	8	74	40	2.65	< 10	< 1	0.18	30	0.42	201	< 1
R 17253	203	238	1.95	0.2	70	320	0.5	< 2	0.30	3.0	12	56	80	2.73	10	< 1	0.27	30	0.63	342	< 1
R 17254	203	238	2.23	0.4	55	330	0.5	< 2	0.28	4.5	10	76	60	2.74	10	< 1	0.23	30	0.59	292	< 1
R 17255	203	238	2.28	0.8	65	300	0.5	< 2	0.30	6.5	16	74	79	2.73	10	< 1	0.32	30	0.69	504	< 1
R 17256	203	238	1.93	0.2	50	190	< 0.5	< 2	0.20	2.5	10	100	36	3.01	< 10	< 1	0.17	20	0.41	386	< 1
R 17257	203	238	1.84	0.2	60	250	< 0.5	< 2	0.27	4.0	14	70	57	2.99	10	1	0.19	30	0.42	546	< 1
R 17258	203	238	2.24	0.4	145	340	1.0	< 2	0.27	6.5	14	136	102	3.64	10	< 1	0.40	30	0.38	930	< 1
R 17259	203	238	1.86	1.0	185	270	0.5	< 2	0.30	18.0	16	90	129	3.37	10	< 1	0.23	30	0.39	902	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 2-B
To : [illegible]
Date : 27-JUL-87
Invoice # : I-8718098
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718098

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 17220	203	238	0.01	15	490	16	< 5	< 10	18	0.07	< 10	< 10	45	< 5	52
R 17221	203	238	0.01	11	370	10	< 5	< 10	16	0.06	< 10	< 10	49	< 5	35
R 17222	203	238	0.02	17	570	20	< 5	< 10	20	0.08	< 10	< 10	49	< 5	50
R 17223	203	238	0.01	16	650	6	< 5	< 10	18	0.03	< 10	< 10	46	< 5	45
R 17224	203	238	0.02	11	360	16	< 5	< 10	16	0.07	< 10	< 10	46	< 5	37
R 17225	203	238	0.02	35	580	120	< 5	< 10	29	0.05	< 10	< 10	30	< 5	238
R 17226	203	238	0.01	23	440	80	< 5	< 10	26	0.02	< 10	< 10	19	< 5	218
R 17227	203	238	0.01	29	520	60	< 5	< 10	34	0.02	< 10	< 10	21	< 5	99
R 17228	203	238	0.01	19	550	60	< 5	< 10	32	0.02	< 10	< 10	22	< 5	152
R 17229	203	238	0.01	22	450	90	5	< 10	27	0.02	< 10	< 10	19	< 5	226
R 17230	203	238	0.01	54	640	182	< 5	< 10	44	< 0.01	< 10	< 10	10	< 5	336
R 17231	203	238	0.01	7	270	36	< 5	< 10	10	0.04	< 10	< 10	41	< 5	32
R 17232	203	238	0.01	8	100	20	< 5	< 10	11	0.04	< 10	< 10	23	< 5	14
R 17233	203	238	0.02	39	500	36	< 5	< 10	11	< 0.01	< 10	< 10	17	< 5	78
R 17234	203	238	0.01	24	450	38	< 5	< 10	14	0.04	< 10	< 10	34	< 5	60
R 17235	203	238	0.03	8	720	20	< 5	< 10	16	0.03	< 10	< 10	45	< 5	27
R 17236	203	238	0.01	22	350	< 2	< 5	< 10	15	0.06	< 10	< 10	43	< 5	54
R 17237	203	238	0.01	20	460	12	5	< 10	16	0.06	< 10	< 10	41	< 5	52
R 17238	203	238	0.01	22	440	40	5	< 10	14	0.02	< 10	< 10	30	< 5	57
R 17239	203	238	0.01	20	540	22	< 5	< 10	15	0.05	< 10	< 10	42	< 5	52
R 17240	203	238	0.01	16	520	26	< 5	< 10	14	0.04	< 10	< 10	34	< 5	38
R 17241	203	238	0.01	18	440	20	< 5	< 10	15	0.05	< 10	< 10	43	< 5	54
R 17242	203	238	0.01	12	620	26	< 5	< 10	19	0.03	< 10	< 10	46	< 5	47
R 17243	203	238	0.01	25	240	20	< 5	< 10	13	0.06	< 10	< 10	49	< 5	61
R 17244	203	238	0.01	17	260	14	< 5	< 10	14	0.06	< 10	< 10	40	< 5	41
R 17245	203	238	0.01	28	390	< 2	< 5	< 10	15	0.07	< 10	< 10	41	< 5	60
R 17246	203	238	0.02	17	670	18	< 5	< 10	18	0.03	< 10	< 10	42	< 5	38
R 17247	203	238	0.01	20	340	10	< 5	< 10	14	0.05	< 10	< 10	34	< 5	51
R 17248	203	238	0.01	15	320	20	< 5	< 10	12	0.06	< 10	< 10	40	< 5	35
R 17249	203	238	0.01	20	250	18	< 5	< 10	15	0.05	< 10	< 10	39	< 5	48
R 17250	203	238	0.01	12	290	16	< 5	< 10	9	0.05	< 10	< 10	42	< 5	32
R 17251	203	238	0.01	26	610	32	< 5	< 10	26	0.07	< 10	< 10	40	< 5	393
R 17252	203	238	0.01	19	560	6	< 5	< 10	21	0.08	< 10	< 10	43	< 5	242
R 17253	203	238	0.01	26	620	10	< 5	< 10	28	0.09	< 10	< 10	43	< 5	397
R 17254	203	238	0.01	26	550	8	< 5	< 10	33	0.09	< 10	< 10	48	< 5	471
R 17255	203	238	0.02	26	550	18	< 5	< 10	33	0.10	< 10	< 10	48	< 5	691
R 17256	203	238	0.01	15	570	20	5	< 10	22	0.09	< 10	< 10	56	< 5	381
R 17257	203	238	0.01	23	580	28	< 5	< 10	26	0.11	< 10	< 10	54	< 5	701
R 17258	203	238	0.03	24	700	26	< 5	< 10	41	0.10	< 10	< 10	45	< 5	841
R 17259	203	238	0.02	27	740	78	< 5	< 10	38	0.08	< 10	< 10	49	< 5	1780

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

7 RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Date : 27-JUL-87
Invoice # : I-8718098
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718098

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 17260	203	238	2.08	0.8	130	250	< 0.5	< 2	0.33	4.0	12	129	70	3.18	< 10	2	0.30	30	0.42	377	1
R 17261	203	238	2.11	0.8	470	230	0.5	8	0.33	22.5	25	76	178	4.89	< 10	1	0.34	40	0.43	1675	< 1
R 17262	203	238	2.17	0.8	125	260	< 0.5	6	0.14	12.0	20	70	172	3.91	< 10	4	0.28	40	0.41	2010	< 1
R 17263	203	238	2.31	0.6	55	230	< 0.5	< 2	0.19	4.0	13	123	66	3.01	< 10	1	0.19	20	0.49	477	< 1
R 17264	203	238	2.26	0.4	55	230	< 0.5	< 2	0.20	1.5	12	99	60	2.86	< 10	< 1	0.21	30	0.55	465	< 1
R 17265	203	238	1.73	0.2	30	190	< 0.5	< 2	0.18	0.5	8	100	29	2.34	< 10	5	0.17	20	0.36	295	< 1
R 17266	203	238	2.18	0.2	50	350	< 0.5	< 2	0.17	0.5	9	115	31	2.89	< 10	< 1	0.22	30	0.45	350	< 1
R 17267	203	238	2.07	0.2	20	210	< 0.5	2	0.16	0.5	10	127	23	2.68	< 10	1	0.23	30	0.84	309	
R 17268	203	238	1.87	0.6	105	210	< 0.5	< 2	0.18	0.5	13	95	29	2.80	< 10	< 1	0.20	30	0.43	564	< 1
R 17269	203	238	1.97	0.4	50	220	< 0.5	< 2	0.19	0.5	9	156	26	2.59	< 10	4	0.19	30	0.49	180	< 1
R 17270	203	238	2.43	0.2	50	260	< 0.5	< 2	0.13	0.5	13	135	21	2.83	< 10	< 1	0.22	40	0.73	299	< 1
R 17271	203	238	2.37	0.2	75	310	< 0.5	< 2	0.15	2.0	13	100	68	3.05	< 10	< 1	0.27	40	0.59	630	< 1
R 17272	203	238	1.46	0.2	55	140	< 0.5	< 2	0.18	< 0.5	14	91	26	2.54	< 10	2	0.13	20	0.41	502	< 1
R 17273	203	238	1.37	0.2	20	100	< 0.5	< 2	0.11	< 0.5	9	82	16	2.62	< 10	2	0.09	20	0.31	299	< 1
R 17274	203	238	1.53	1.0	425	130	< 0.5	4	0.22	0.5	21	73	47	3.21	< 10	2	0.17	40	0.49	908	< 1
R 17275	203	238	1.80	0.4	225	110	< 0.5	< 2	0.20	0.5	16	75	40	3.35	< 10	1	0.19	50	0.64	642	< 1
R 17276	203	238	1.78	0.4	165	120	< 0.5	4	0.14	< 0.5	15	68	41	3.24	< 10	< 1	0.18	50	0.60	513	< 1
R 17277	203	238	1.56	0.6	160	170	< 0.5	2	0.20	7.0	12	77	25	2.54	< 10	< 1	0.18	40	0.43	431	< 1
R 17278	203	238	2.34	1.6	240	240	< 0.5	2	0.31	21.5	20	88	68	4.24	< 10	< 1	0.33	50	0.57	2560	< 1
R 17279	203	238	2.01	0.8	170	220	< 0.5	2	0.26	3.0	14	75	64	2.99	< 10	< 1	0.28	30	0.56	513	1
R 17280	203	238	2.26	0.6	125	160	< 0.5	2	0.34	3.0	19	92	52	4.04	< 10	4	0.36	50	0.71	730	< 1
R 17281	203	238	1.81	0.4	50	170	< 0.5	2	0.19	< 0.5	9	118	19	2.58	< 10	< 1	0.20	40	0.47	284	< 1
R 17282	203	238	1.75	0.4	85	160	< 0.5	< 2	0.25	< 0.5	14	95	39	3.11	< 10	< 1	0.20	50	0.55	467	< 1
R 17283	203	238	1.72	1.6	420	160	< 0.5	2	0.20	3.5	21	98	39	3.48	< 10	3	0.28	50	0.52	905	< 1
R 17284	203	238	2.02	1.2	290	160	< 0.5	< 2	0.12	3.5	28	64	46	3.17	< 10	2	0.32	50	0.58	955	1
R 17285	203	238	1.64	0.4	120	130	< 0.5	2	0.12	0.5	13	99	20	2.54	< 10	< 1	0.15	30	0.38	585	< 1
R 17286	203	238	2.36	0.4	70	190	< 0.5	< 2	0.12	< 0.5	13	113	21	2.96	< 10	< 1	0.24	40	0.80	476	< 1
R 17287	203	238	1.99	0.6	50	190	< 0.5	< 2	0.13	< 0.5	12	83	23	2.83	< 10	4	0.19	40	0.52	473	< 1
R 17288	203	238	2.05	0.2	65	230	< 0.5	< 2	0.14	< 0.5	9	113	20	2.74	< 10	3	0.25	30	0.40	244	< 1
R 17289	203	238	1.87	0.2	60	200	< 0.5	< 2	0.16	< 0.5	12	91	16	2.53	< 10	6	0.23	30	0.37	668	< 1
R 17290	203	238	1.87	0.2	40	180	< 0.5	< 2	0.16	< 0.5	9	94	17	2.57	< 10	< 1	0.15	20	0.44	351	< 1
R 17291	203	238	1.85	0.2	45	140	< 0.5	< 2	0.12	< 0.5	12	100	24	2.92	< 10	< 1	0.17	30	0.57	523	< 1
R 17292	203	238	1.51	0.4	210	150	< 0.5	< 2	0.22	0.5	15	85	26	3.09	< 10	< 1	0.20	40	0.49	787	< 1
R 17293	203	238	1.55	0.8	505	210	< 0.5	< 2	0.15	1.5	15	97	44	3.28	< 10	< 1	0.22	40	0.38	409	< 1
R 17294	203	238	1.44	0.4	190	190	< 0.5	< 2	0.20	< 0.5	9	105	24	2.47	< 10	8	0.17	30	0.41	387	< 1
R 17295	203	238	1.64	0.8	175	190	< 0.5	< 2	0.37	0.5	10	101	19	2.21	< 10	< 1	0.16	30	0.41	377	< 1
R 17296	203	238	1.86	0.2	70	140	< 0.5	< 2	0.17	< 0.5	12	96	21	2.96	< 10	< 1	0.18	40	0.56	438	< 1
R 17297	203	238	2.07	0.4	35	120	< 0.5	< 2	0.15	< 0.5	21	90	36	3.20	< 10	< 1	0.24	40	0.69	391	1
R 17298	203	238	1.47	0.2	85	170	< 0.5	< 2	0.40	3.0	11	110	36	2.46	< 10	1	0.25	40	0.39	461	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
JOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : J-B
Tot : 3
Date : 27-JUL-87
Invoice # : I-8718098
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718098

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 17260	203	238	0.02	20	560	12	< 5	< 10	44	0.07	< 10	< 10	42	15	576
R 17261	203	238	0.02	33	600	22	< 5	< 10	44	0.06	< 10	< 10	41	20	1200
R 17262	203	238	0.01	29	470	22	< 5	< 10	27	0.04	< 10	< 10	40	5	1100
R 17263	203	238	0.02	18	690	18	< 5	< 10	26	0.07	< 10	< 10	53	10	512
R 17264	203	238	0.01	21	510	12	< 5	< 10	22	0.10	< 10	< 10	52	5	524
R 17265	203	238	0.01	16	490	8	< 5	< 10	20	0.08	< 10	< 10	45	< 5	180
R 17266	203	238	0.01	20	560	42	< 5	< 10	23	0.06	< 10	< 10	50	5	151
R 17267	203	238	0.02	18	560	24	< 5	< 10	18	0.05	< 10	< 10	43	< 5	101
R 17268	203	238	0.01	20	570	160	< 5	< 10	20	0.05	< 10	< 10	42	< 5	162
R 17269	203	238	0.02	22	510	52	< 5	< 10	22	0.06	< 10	< 10	47	< 5	99
R 17270	203	238	0.01	19	370	58	< 5	< 10	17	0.02	< 10	< 10	31	5	90
R 17271	203	238	0.01	25	510	12	< 5	< 10	20	0.08	< 10	< 10	39	5	356
R 17272	203	238	0.01	22	460	84	< 5	< 10	18	0.06	< 10	< 10	39	< 5	109
R 17273	203	238	0.01	15	370	26	< 5	< 10	13	0.06	< 10	< 10	42	5	57
R 17274	203	238	0.01	32	530	66	< 5	< 10	21	0.03	< 10	< 10	27	5	133
R 17275	203	238	< 0.01	27	480	56	< 5	< 10	15	< 0.01	< 10	< 10	13	5	147
R 17276	203	238	0.01	27	510	36	5	< 10	15	0.01	< 10	< 10	18	< 5	107
R 17277	203	238	0.01	19	370	46	< 5	< 10	18	0.02	< 10	< 10	21	5	584
R 17278	203	238	0.01	30	440	84	< 5	< 10	55	0.01	< 10	< 10	26	< 5	1260
R 17279	203	238	0.01	27	550	14	< 5	< 10	35	0.07	< 10	< 10	42	5	478
R 17280	203	238	0.01	35	450	30	< 5	< 10	33	0.03	< 10	< 10	24	5	498
R 17281	203	238	0.02	17	480	20	< 5	< 10	21	0.05	< 10	< 10	37	< 5	85
R 17282	203	238	0.02	30	630	28	< 5	< 10	24	0.05	< 10	< 10	38	5	109
R 17283	203	238	0.01	34	500	132	< 5	< 10	20	0.01	< 10	< 10	18	< 5	204
R 17284	203	238	0.01	39	310	250	< 5	< 10	18	< 0.01	< 10	< 10	9	5	527
R 17285	203	238	0.01	16	490	58	< 5	< 10	15	0.05	< 10	< 10	42	< 5	81
R 17286	203	238	0.01	20	420	36	< 5	< 10	16	0.02	< 10	< 10	34	< 5	81
R 17287	203	238	0.01	19	420	40	< 5	< 10	16	0.03	< 10	< 10	31	< 5	88
R 17288	203	238	0.01	16	520	30	< 5	< 10	18	0.05	< 10	< 10	42	< 5	61
R 17289	203	238	0.01	13	560	30	< 5	< 10	17	0.02	< 10	< 10	35	< 5	56
R 17290	203	238	0.01	18	430	30	< 5	< 10	17	0.05	< 10	< 10	41	< 5	72
R 17291	203	238	0.02	16	490	26	< 5	< 10	16	0.05	< 10	< 10	41	5	74
R 17292	203	238	0.01	29	460	44	5	< 10	17	0.03	< 10	< 10	27	< 5	103
R 17293	203	238	0.01	34	370	50	< 5	< 10	18	0.02	< 10	< 10	29	< 5	99
R 17294	203	238	0.01	19	450	42	< 5	< 10	18	0.04	< 10	< 10	35	5	87
R 17295	203	238	0.01	19	540	24	< 5	< 10	24	0.04	< 10	< 10	35	5	99
R 17296	203	238	0.01	20	460	26	< 5	< 10	18	0.04	< 10	< 10	32	< 5	103
R 17297	203	238	0.01	31	420	34	< 5	< 10	20	0.02	< 10	< 10	22	< 5	125
R 17298	203	238	0.02	21	530	18	< 5	< 10	35	0.06	< 10	< 10	36	< 5	417

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8718096

Comments:

CERTIFICATE A8718096

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : SQ QUEST
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 27-JUL-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
203	259	Dry, sieve -35 mesh and ring
238	259	ICP, Aqua regia digestion

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
921	259	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
922	259	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
923	259	As ppm: 32 element, soil & rock	ICP-AES	5	10000
924	259	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
925	259	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
926	259	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
927	259	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
928	259	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
929	259	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
930	259	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
931	259	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
932	259	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
933	259	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
951	259	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
934	259	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
935	259	La ppm: 32 element, soil & rock	ICP-AES	10	10000
936	259	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
937	259	Mn ppm: 32 element, soil & rock	ICP-AES	1	10000
938	259	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
939	259	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
940	259	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
941	259	P ppm: 32 element, soil & rock	ICP-AES	10	10000
942	259	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
943	259	Sb ppm: 32 element, soil & rock	ICP-AES	5	10000
952	259	Se ppm: 32 element, soil & rock	ICP-AES	10	10000
944	259	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
945	259	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
946	259	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
947	259	U ppm: 32 element, soil & rock	ICP-AES	10	10000
948	259	V ppm: 32 element, soil & rock	ICP-AES	1	10000
949	259	W ppm: 32 element, soil & rock	ICP-AES	5	10000
950	259	Zn ppm: 32 element, soil & rock	ICP-AES	1	10000

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
DX 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page No. : 1-A
Tot. : 7
Date : 26-JUL-87
Invoice # : I-87-3094
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15667	203 238	1.51	2.8	50	140	< 0.5	< 2	0.13	< 0.5	11	39	22	2.82	< 10	< 1	0.16	40	0.32	825	1
R 15668	203 238	1.37	0.8	20	140	< 0.5	< 2	0.12	< 0.5	10	26	20	2.47	< 10	< 1	0.12	40	0.39	735	< 1
R 15669	203 238	1.76	1.4	15	90	< 0.5	< 2	0.08	< 0.5	10	35	31	3.19	< 10	< 1	0.15	40	0.52	334	< 1
R 15670	203 238	1.95	0.8	35	140	< 0.5	< 2	0.10	< 0.5	9	80	23	3.06	< 10	< 1	0.25	40	0.46	361	< 1
R 15671	203 238	1.86	0.6	25	200	< 0.5	< 2	0.13	< 0.5	13	75	25	3.12	< 10	< 1	0.22	40	0.40	728	< 1
R 15672	203 238	1.88	0.2	< 5	100	< 0.5	< 2	0.07	< 0.5	14	51	34	3.27	10	< 1	0.18	50	0.59	322	< 1
R 15674	203 238	1.66	2.4	25	140	< 0.5	2	0.14	< 0.5	28	50	46	3.64	10	1	0.23	70	0.63	915	< 1
R 15676	203 238	1.37	4.6	100	140	< 0.5	< 2	0.14	2.0	17	47	42	3.30	10	< 1	0.21	50	0.44	1590	< 1
R 15677	203 238	1.56	2.6	30	120	< 0.5	2	0.14	1.0	15	54	34	3.20	10	< 1	0.19	50	0.51	1055	< 1
R 15678	203 238	1.97	1.4	25	210	< 0.5	< 2	0.17	< 0.5	16	74	23	3.33	< 10	< 1	0.23	40	0.47	1400	< 1
R 15679	203 238	1.82	0.4	20	220	< 0.5	< 2	0.16	< 0.5	10	60	19	2.82	< 10	< 1	0.15	30	0.47	484	1
R 15680	203 238	1.36	0.8	35	170	< 0.5	< 2	0.15	0.5	11	68	21	2.61	< 10	< 1	0.17	40	0.34	983	< 1
R 15681	203 238	1.44	2.2	35	160	< 0.5	< 2	0.10	< 0.5	7	68	34	3.25	< 10	< 1	0.06	30	0.25	875	1
R 15682	203 238	1.71	0.2	< 5	160	< 0.5	< 2	0.22	< 0.5	8	69	21	2.88	< 10	< 1	0.13	40	0.47	239	1
R 15767	203 238	1.74	1.6	140	150	< 0.5	4	1.08	< 0.5	18	57	43	3.27	10	< 1	0.33	50	0.48	1130	< 1
R 15768	203 238	2.05	1.8	85	150	< 0.5	4	0.88	0.5	21	70	53	3.55	10	< 1	0.30	60	0.63	912	< 1
R 15769	203 238	1.82	2.4	55	190	< 0.5	2	0.59	0.5	17	61	36	3.32	10	< 1	0.26	60	0.54	1200	< 1
R 15770	203 238	1.29	2.4	230	140	< 0.5	< 2	0.02	< 0.5	11	85	22	3.36	10	< 1	0.46	50	0.15	557	2
R 15771	203 238	1.67	0.2	< 5	150	< 0.5	2	0.12	< 0.5	4	118	14	1.93	< 10	< 1	0.16	20	0.22	159	1
R 15772	203 238	1.58	1.0	10	150	< 0.5	< 2	0.21	0.5	14	52	30	2.82	10	< 1	0.23	50	0.54	605	1
R 15773	203 238	1.52	1.6	30	110	< 0.5	2	0.59	< 0.5	15	55	36	3.05	10	< 1	0.14	60	0.55	484	2
R 15774	203 238	1.25	0.2	20	150	< 0.5	< 2	0.17	< 0.5	12	58	22	2.79	< 10	< 1	0.17	40	0.37	323	< 1
R 15776	203 238	1.09	0.4	35	120	< 0.5	< 2	0.27	< 0.5	8	55	20	2.63	< 10	< 1	0.26	40	0.22	310	< 1
R 15777	203 238	1.51	2.2	90	170	< 0.5	4	0.16	< 0.5	16	68	29	2.80	< 10	< 1	0.29	50	0.42	830	< 1
R 15778	203 238	1.76	0.8	35	150	< 0.5	4	0.31	< 0.5	18	87	32	3.39	10	< 1	0.20	50	0.65	978	< 1
R 15779	203 238	1.59	1.0	105	120	< 0.5	2	0.22	< 0.5	22	55	35	3.34	10	< 1	0.22	60	0.53	660	< 1
R 15780	203 238	1.89	3.8	140	160	< 0.5	2	0.21	0.5	22	78	49	3.64	10	< 1	0.23	50	0.49	2460	< 1
R 15781	203 238	1.65	2.0	20	90	< 0.5	6	0.26	< 0.5	17	51	37	3.39	10	< 1	0.14	60	0.63	534	< 1
R 15782	203 238	1.40	0.2	15	100	< 0.5	4	0.44	< 0.5	16	57	45	3.26	10	< 1	0.10	50	0.44	694	1
R 15783	203 238	1.64	0.4	20	90	< 0.5	2	0.15	< 0.5	19	58	43	3.34	10	< 1	0.19	50	0.57	677	< 1
R 15784	203 238	2.04	0.2	25	70	< 0.5	2	0.22	< 0.5	18	50	72	4.09	10	< 1	0.14	70	0.75	386	< 1
R 15786	203 238	1.24	0.2	130	100	< 0.5	2	0.18	< 0.5	14	39	28	3.03	10	< 1	0.22	60	0.39	338	< 1
R 15787	203 238	1.43	0.2	75	130	< 0.5	< 2	0.20	0.5	10	52	26	3.06	10	< 1	0.18	50	0.44	260	< 1
R 15788	203 238	1.28	0.2	225	140	< 0.5	2	0.21	0.5	9	49	23	2.85	10	< 1	0.17	50	0.35	328	< 1
R 15789	203 238	1.26	0.2	70	130	< 0.5	2	0.27	< 0.5	8	55	21	2.46	< 10	1	0.12	30	0.36	305	< 1
R 15790	203 238	0.92	0.2	35	60	< 0.5	< 2	0.23	< 0.5	7	55	12	1.24	< 10	< 1	0.12	20	0.26	753	1
R 15791	203 238	1.88	0.2	205	130	< 0.5	< 2	0.26	< 0.5	27	63	52	4.37	10	1	0.25	70	0.66	500	< 1
R 15792	203 238	1.52	0.2	85	110	< 0.5	< 2	0.18	< 0.5	15	43	35	3.21	10	< 1	0.16	50	0.54	329	2
R 15793	203 238	1.66	0.2	65	110	< 0.5	< 2	0.20	< 0.5	17	42	40	3.29	10	< 1	0.18	60	0.58	574	< 1
R 15794	203 238	1.75	3.8	50	100	< 0.5	2	0.18	2.0	21	99	44	3.74	10	< 1	0.25	60	0.65	1375	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 1-B
Tot. : 7
Date : 26-JUL-87
Invoice # : I-87-18096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15667	203	238	< 0.01	18	460	42	5	< 10	14	0.02	< 10	< 10	30	< 5	112
R 15668	203	238	< 0.01	21	310	24	< 5	< 10	13	0.02	< 10	< 10	22	< 5	69
R 15669	203	238	< 0.01	21	370	38	5	< 10	11	0.02	< 10	< 10	28	< 5	91
R 15670	203	238	0.01	20	270	8	< 5	< 10	16	0.03	< 10	< 10	38	< 5	63
R 15671	203	238	0.01	24	320	32	< 5	< 10	18	0.05	< 10	< 10	45	< 5	75
R 15672 *	203	238	0.01	26	290	16	< 5	< 10	12	0.02	< 10	< 10	28	< 5	69
R 15674	203	238	0.01	49	440	38	< 5	< 10	15	0.01	< 10	< 10	17	< 5	84
R 15676	203	238	0.01	34	420	126	< 5	< 10	15	0.02	< 10	< 10	22	< 5	254
R 15677	203	238	0.01	31	420	70	5	< 10	15	0.02	< 10	< 10	23	< 5	159
R 15678	203	238	0.01	21	770	40	< 5	< 10	21	0.02	< 10	< 10	45	< 5	76
R 15679	203	238	0.01	18	590	22	< 5	< 10	18	0.02	< 10	< 10	41	< 5	71
R 15680	203	238	0.01	17	870	26	< 5	< 10	17	< 0.01	< 10	< 10	21	< 5	64
R 15681	203	238	0.01	11	1650	36	< 5	< 10	14	0.01	< 10	< 10	44	< 5	36
R 15682	203	238	0.01	21	590	24	< 5	< 10	21	0.06	< 10	< 10	48	< 5	57
R 15767	203	238	0.01	33	500	30	< 5	< 10	64	< 0.01	< 10	< 10	11	< 5	111
R 15768	203	238	0.01	40	540	54	5	< 10	54	< 0.01	< 10	< 10	13	< 5	130
R 15769	203	238	0.01	36	550	54	5	< 10	38	< 0.01	< 10	< 10	17	< 5	132
R 15770	203	238	< 0.01	10	300	64	5	< 10	41	< 0.01	< 10	< 10	9	< 5	53
R 15771	203	238	0.01	9	200	8	< 5	< 10	19	0.07	< 10	< 10	59	5	30
R 15772	203	238	< 0.01	30	420	30	< 5	< 10	20	< 0.01	< 10	< 10	14	< 5	96
R 15773	203	238	0.01	29	510	22	< 5	< 10	43	0.01	< 10	< 10	15	< 5	85
R 15774	203	238	0.01	23	460	24	10	< 10	15	0.02	< 10	< 10	26	< 5	64
R 15776	203	238	< 0.01	18	390	16	< 5	< 10	17	0.01	< 10	< 10	20	< 5	61
R 15777	203	238	< 0.01	28	330	58	< 5	< 10	16	< 0.01	< 10	< 10	10	< 5	92
R 15778	203	238	0.01	34	540	16	5	< 10	25	0.01	< 10	< 10	21	< 5	88
R 15779	203	238	< 0.01	39	410	28	5	< 10	22	< 0.01	< 10	< 10	12	< 5	83
R 15780	203	238	0.01	40	560	78	5	< 10	24	0.01	< 10	< 10	24	< 5	136
R 15781	203	238	0.01	36	550	30	< 5	< 10	19	0.01	< 10	< 10	15	< 5	89
R 15782	203	238	0.01	31	620	18	5	< 10	18	0.02	< 10	< 10	20	< 5	78
R 15783	203	238	0.01	35	440	28	< 5	< 10	18	0.01	< 10	< 10	16	< 5	88
R 15784	203	238	0.02	39	1020	28	< 5	< 10	17	< 0.01	< 10	< 10	14	< 5	94
R 15786 *	203	238	< 0.01	28	420	26	< 5	< 10	13	< 0.01	< 10	< 10	7	< 5	67
R 15787	203	238	0.01	25	390	22	5	< 10	16	0.01	< 10	< 10	19	< 5	75
R 15788	203	238	< 0.01	22	370	20	5	< 10	16	0.01	< 10	< 10	16	< 5	69
R 15789	203	238	0.01	17	590	20	< 5	< 10	18	0.01	< 10	< 10	29	< 5	59
R 15790	203	238	< 0.01	13	230	48	5	< 10	10	< 0.01	< 10	< 10	1	< 5	39
R 15791	203	238	0.01	39	410	36	5	< 10	21	< 0.01	< 10	< 10	11	< 5	90
R 15792	203	238	< 0.01	33	340	20	5	< 10	15	< 0.01	< 10	< 10	13	< 5	72
R 15793	203	238	< 0.01	35	370	32	5	< 10	17	< 0.01	< 10	< 10	11	< 5	75
R 15794	203	238	0.01	44	410	70	5	< 10	18	< 0.01	< 10	< 10	10	< 5	288

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
JOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : A
Tot. pages: 7
Date : 26-JUL-87
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15795	203	238	1.97	0.2	70	120	< 0.5	< 2	0.19	< 0.5	19	97	26	3.73	10	< 1	0.38	50	0.54	580	< 1
R 15796	203	238	1.21	2.0	210	130	< 0.5	< 2	0.14	0.5	17	49	31	3.42	10	< 1	0.32	60	0.22	1315	< 1
R 15797	203	238	1.68	1.6	65	110	< 0.5	2	0.16	< 0.5	39	62	64	3.84	10	< 1	0.38	60	0.52	812	< 1
R 15798	203	238	1.72	1.4	45	130	< 0.5	< 2	0.32	1.0	17	62	36	3.24	10	2	0.32	60	0.54	664	< 1
R 15799	203	238	1.83	0.2	35	140	0.5	4	0.19	0.5	24	94	34	3.56	10	1	0.29	50	0.51	934	< 1
R 15818 (RECON SOUTH E)	203	238	0.92	0.2	15	90	< 0.5	< 2	0.06	< 0.5	3	68	8	1.60	< 10	< 1	0.10	20	0.15	127	1
R 15819	203	238	1.21	0.2	10	130	< 0.5	< 2	0.10	< 0.5	4	77	7	2.16	< 10	< 1	0.11	20	0.19	143	1
R 15822	203	238	0.91	0.2	< 5	120	< 0.5	< 2	0.09	< 0.5	5	71	10	1.84	< 10	< 1	0.09	20	0.22	139	1
R 15838	203	238	1.65	0.2	5	180	< 0.5	< 2	0.12	< 0.5	13	99	26	3.30	< 10	2	0.30	50	0.36	239	< 1
R 15871	203	238	1.58	0.2	40	160	< 0.5	2	0.23	< 0.5	11	60	28	2.79	< 10	< 1	0.19	40	0.52	375	1
R 15872	203	238	1.62	20.0	170	130	0.5	< 2	0.42	5.0	18	74	45	3.34	10	< 1	0.29	60	0.56	1670	< 1
R 15873	203	238	1.70	7.6	195	110	< 0.5	< 2	0.15	1.5	16	43	41	3.46	10	< 1	0.27	60	0.57	1575	< 1
R 15874	203	238	1.72	94.0	965	150	< 0.5	2	0.17	10.0	21	58	80	3.92	10	1	0.25	50	0.58	2310	< 1
R 15875	203	238	1.71	11.6	140	130	0.5	2	0.19	1.0	18	63	41	3.50	10	1	0.26	60	0.61	1080	< 1
R 15876	203	238	1.99	1.8	80	140	< 0.5	4	0.25	0.5	23	62	46	4.10	10	< 1	0.29	60	0.73	830	< 1
R 15877	203	238	1.83	1.6	70	200	< 0.5	2	0.39	< 0.5	15	68	38	3.34	10	1	0.32	50	0.58	460	< 1
R 15878	203	238	1.55	0.8	40	190	< 0.5	< 2	0.19	< 0.5	12	65	28	2.88	10	< 1	0.20	40	0.47	551	1
R 15879	203	238	1.75	1.2	90	240	< 0.5	2	0.25	< 0.5	10	66	22	2.75	10	< 1	0.21	40	0.47	616	< 1
R 15880	203	238	1.97	1.6	40	260	< 0.5	< 2	0.21	0.5	13	77	26	3.25	10	2	0.24	40	0.48	929	< 1
R 15881	203	238	1.35	16.0	325	230	< 0.5	2	0.36	1.0	11	61	19	2.63	10	< 1	0.16	40	0.33	1345	< 1
R 15882	203	238	1.48	0.4	25	200	< 0.5	< 2	0.26	0.5	9	61	19	2.69	< 10	1	0.15	30	0.38	724	< 1
R 15883	203	238	1.60	0.6	40	150	< 0.5	2	0.16	< 0.5	10	64	19	2.50	< 10	< 1	0.21	40	0.49	338	1
R 15884	203	238	1.67	1.6	80	120	< 0.5	2	0.25	0.5	11	49	33	3.17	10	< 1	0.21	60	0.61	393	< 1
R 15885	203	238	1.85	17.2	130	100	< 0.5	< 2	0.20	2.5	18	46	44	3.42	< 10	< 1	0.25	60	0.63	1205	< 1
R 15886	203	238	1.82	20.6	260	150	< 0.5	< 2	0.34	5.0	22	70	59	3.76	< 10	< 1	0.29	50	0.56	1645	< 1
R 15887	203	238	1.83	4.4	105	190	< 0.5	< 2	0.13	< 0.5	15	63	28	2.97	< 10	< 1	0.19	40	0.48	613	2
R 15888	203	238	1.82	3.8	75	170	< 0.5	< 2	0.20	< 0.5	19	81	35	3.35	< 10	< 1	0.28	50	0.58	621	3
R 15889	203	238	1.72	23.4	180	110	< 0.5	< 2	0.23	3.5	23	39	41	3.30	< 10	< 1	0.19	60	0.56	1855	2
R 15890	203	238	1.89	11.6	180	150	< 0.5	< 2	0.19	2.0	25	44	50	3.74	< 10	< 1	0.25	60	0.63	1405	< 1
R 15891	203	238	1.66	0.6	110	180	< 0.5	< 2	0.17	2.5	24	53	32	3.29	< 10	< 1	0.22	50	0.53	1570	1
R 15892	203	238	2.09	3.6	85	310	< 0.5	< 2	0.62	0.5	15	73	23	2.90	< 10	< 1	0.28	40	0.48	813	< 1
R 15893	203	238	1.66	2.6	95	270	< 0.5	< 2	0.34	< 0.5	14	63	22	2.80	< 10	1	0.19	30	0.40	1065	< 1
R 15894	203	238	1.58	2.8	175	250	< 0.5	< 2	0.47	2.0	15	95	25	2.87	< 10	2	0.22	40	0.38	1570	< 1
R 15901 *	203	238	1.72	0.2	120	200	< 0.5	< 2	0.20	1.5	14	60	52	2.84	< 10	< 1	0.21	30	0.41	503	< 1
R 15925 (RECON)	203	238	1.15	0.2	< 5	100	< 0.5	< 2	0.13	< 0.5	9	92	9	1.87	< 10	< 1	0.09	20	0.31	148	< 1
R 15926	203	238	1.25	0.2	10	120	< 0.5	< 2	0.11	< 0.5	8	84	11	1.94	< 10	< 1	0.10	20	0.28	182	< 1
R 15927	203	238	1.08	0.2	5	120	< 0.5	< 2	0.14	< 0.5	9	60	14	1.87	< 10	< 1	0.07	20	0.29	147	< 1
R 15928	203	238	1.34	0.2	25	110	< 0.5	< 2	0.12	< 0.5	15	54	18	2.60	< 10	< 1	0.11	30	0.38	458	< 1
R 15929	203	238	1.41	0.2	15	100	< 0.5	< 2	0.08	< 0.5	11	67	15	2.39	< 10	< 1	0.10	20	0.32	263	< 1
R 15930	203	238	1.69	0.2	10	170	< 0.5	< 2	0.14	< 0.5	23	52	31	3.65	< 10	1	0.12	40	0.57	534	3

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 2-B
Total Pages : 7
Date : 26-JUL-87
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15795	203	238	0.01	27	230	30	< 5	< 10	19	< 0.01	< 10	< 10	15	< 5	78
R 15796	203	238	0.01	31	330	44	5	< 10	21	< 0.01	< 10	< 10	9	< 5	77
R 15797	203	238	0.01	62	510	50	< 5	10	22	< 0.01	< 10	< 10	8	< 5	86
R 15798	203	238	0.01	34	490	68	5	< 10	24	< 0.01	< 10	< 10	14	< 5	162
R 15799	203	238	0.02	34	410	52	5	< 10	19	< 0.01	< 10	< 10	15	< 5	100
R 15818 (RECON SOUTH)	203	238	0.01	9	200	6	< 5	< 10	9	0.03	< 10	< 10	34	< 5	23
R 15819 (RECON SOUTH)	203	238	0.01	8	220	10	< 5	< 10	14	0.06	< 10	< 10	50	< 5	27
R 15822 (RECON SOUTH)	203	238	0.01	11	260	12	< 5	< 10	11	0.04	< 10	< 10	41	< 5	29
R 15838 (RECON SOUTH)	203	238	0.03	29	320	18	5	< 10	17	0.02	< 10	< 10	21	< 5	62
R 15871	203	238	0.01	25	470	34	< 5	10	16	0.02	< 10	< 10	23	< 5	82
R 15872	203	238	0.01	32	470	598	5	10	19	< 0.01	< 10	< 10	12	< 5	637
R 15873	203	238	0.01	29	380	158	< 5	< 10	15	0.01	< 10	< 10	15	< 5	340
R 15874	203	238	0.01	38	440	2060	5	10	17	0.01	< 10	< 10	17	< 5	1035
R 15875	203	238	0.01	34	440	176	5	10	17	0.01	< 10	< 10	16	< 5	266
R 15876	203	238	0.01	42	480	66	< 5	10	19	< 0.01	< 10	< 10	15	< 5	112
R 15877	203	238	0.01	36	500	28	< 5	< 10	27	0.01	< 10	< 10	21	< 5	100
R 15878	203	238	0.01	23	380	40	5	< 10	16	0.02	< 10	< 10	23	< 5	93
R 15879	203	238	0.01	25	510	34	< 5	< 10	20	0.03	< 10	< 10	29	< 5	115
R 15880	203	238	0.01	22	560	38	< 5	< 10	21	0.04	< 10	< 10	39	< 5	154
R 15881	203	238	0.01	18	530	150	< 5	< 10	25	0.02	< 10	< 10	27	< 5	170
R 15882	203	238	0.01	23	440	30	< 5	< 10	19	0.03	< 10	< 10	32	< 5	79
R 15883	203	238	0.01	20	340	38	5	10	13	0.02	< 10	< 10	23	< 5	83
R 15884	203	238	0.01	27	430	68	< 5	10	14	0.01	< 10	< 10	16	< 5	170
R 15885	203	238	0.01	27	350	264	< 5	< 10	15	0.01	< 10	< 10	16	45	372
R 15886	203	238	0.01	33	470	602	< 5	< 10	24	0.01	< 10	< 10	18	5	908
R 15887	203	238	0.01	17	480	112	< 5	< 10	16	0.01	< 10	< 10	27	5	168
R 15888	203	238	0.01	29	410	64	5	< 10	19	0.01	< 10	< 10	20	< 5	122
R 15889	203	238	< 0.01	31	340	222	< 5	< 10	17	< 0.01	< 10	< 10	9	5	738
R 15890	203	238	0.01	38	420	176	< 5	< 10	20	0.01	< 10	< 10	17	< 5	284
R 15891	203	238	0.01	27	370	46	< 5	< 10	18	0.02	< 10	< 10	24	5	320
R 15892	203	238	0.02	17	820	70	< 5	< 10	45	0.03	< 10	< 10	41	< 5	129
R 15893	203	238	0.01	18	730	54	< 5	10	29	0.05	< 10	< 10	43	5	115
R 15694	203	238	0.01	22	530	84	< 5	< 10	30	0.03	< 10	< 10	33	5	281
R 15901 -7*	203	238	0.01	20	610	28	< 5	< 10	24	0.07	< 10	< 10	46	< 5	158
R 15925 (RECON)	203	238	0.01	11	390	10	5	< 10	13	0.06	< 10	< 10	40	< 5	39
R 15926 (RECON)	203	238	0.01	11	400	4	< 5	< 10	14	0.04	< 10	< 10	45	< 5	34
R 15927 (RECON)	203	238	0.01	10	420	14	< 5	< 10	13	0.05	< 10	< 10	37	< 5	39
R 15928 (RECON)	203	238	0.01	19	470	< 2	< 5	< 10	13	0.05	< 10	< 10	37	< 5	56
R 15929 (RECON)	203	238	0.01	12	370	< 2	< 5	< 10	11	0.04	< 10	< 10	42	< 5	43
R 15930 (RECON)	203	238	0.02	41	490	2	< 5	< 10	17	0.04	< 10	< 10	37	5	68

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 3-A
Total : 7
Date : 26-JUL-87
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15931	203	238	1.88	< 0.2	< 5	170	< 0.5	< 2	0.11	< 0.5	11	79	18	2.83	< 10	< 1	0.14	20	0.31	218	
R 15951	203	238	1.74	4.0	125	160	< 0.5	2	0.85	2.0	17	41	32	2.83	< 10	< 1	0.24	50	0.42	915	
R 15952	203	238	1.49	0.8	120	80	< 0.5	< 2	0.41	1.0	29	43	53	3.71	< 10	< 1	0.20	60	0.44	797	
R 15953	203	238	1.70	< 0.2	5	120	< 0.5	< 2	0.16	0.5	18	45	31	3.12	< 10	< 1	0.15	50	0.53	457	
R 15954	203	238	1.26	1.0	45	100	< 0.5	< 2	0.28	< 0.5	12	48	16	2.48	< 10	< 1	0.14	30	0.30	285	< 1
R 15955	203	238	1.66	0.4	325	110	< 0.5	< 2	0.09	1.0	31	40	39	4.15	< 10	< 1	0.22	50	0.32	985	< 1
R 15956	203	238	1.78	< 0.2	60	200	< 0.5	< 2	0.19	< 0.5	23	56	42	3.33	< 10	< 1	0.18	40	0.48	643	
R 15957	203	238	1.30	< 0.2	60	180	< 0.5	< 2	0.14	< 0.5	16	40	26	2.56	< 10	< 1	0.12	30	0.37	376	< 1
R 15958	203	238	1.55	< 0.2	185	120	< 0.5	2	0.10	0.5	15	61	27	2.74	< 10	< 1	0.20	50	0.33	255	< 1
R 15959	203	238	1.54	< 0.2	220	100	< 0.5	< 2	0.10	1.0	21	47	28	3.30	< 10	< 1	0.15	40	0.42	440	< 1
R 15960	203	238	1.50	< 0.2	430	150	< 0.5	< 2	0.16	1.0	16	42	18	2.77	< 10	< 1	0.14	30	0.33	469	< 1
R 15961	203	238	1.43	< 0.2	30	160	< 0.5	< 2	0.18	0.5	16	55	21	2.71	< 10	1	0.19	40	0.34	545	< 1
R 16015	203	238	1.02	< 0.2	10	100	< 0.5	2	0.08	0.5	10	40	10	2.67	< 10	< 1	0.09	20	0.18	154	< 1
R 16016	203	238	1.52	< 0.2	15	130	< 0.5	2	0.09	0.5	20	52	33	2.78	< 10	< 1	0.20	60	0.39	464	< 1
R 16017	203	238	1.67	< 0.2	5	230	< 0.5	< 2	0.23	< 0.5	16	69	24	2.91	< 10	< 1	0.17	30	0.46	491	
R 16018	203	238	1.36	< 0.2	< 5	100	< 0.5	< 2	0.11	0.5	12	46	18	2.51	< 10	< 1	0.10	30	0.38	359	< 1
R 16019	203	238	1.33	< 0.2	< 5	100	< 0.5	< 2	0.11	< 0.5	15	53	21	2.82	< 10	< 1	0.11	30	0.40	348	< 1
R 16020	203	238	1.31	< 0.2	< 5	100	< 0.5	< 2	0.08	< 0.5	11	63	15	2.45	< 10	< 1	0.14	30	0.31	312	
R 16021	203	238	1.41	< 0.2	5	110	< 0.5	< 2	0.13	< 0.5	12	35	24	2.67	< 10	< 1	0.12	40	0.41	221	< 1
R 16022	203	238	1.53	< 0.2	10	150	< 0.5	< 2	0.15	< 0.5	14	51	20	2.50	< 10	< 1	0.15	40	0.36	369	< 1
R 16023	203	238	1.50	< 0.2	5	120	< 0.5	< 2	0.15	< 0.5	13	43	23	2.68	< 10	< 1	0.13	30	0.45	325	< 1
R 16024	203	238	1.59	< 0.2	10	150	< 0.5	< 2	0.16	< 0.5	12	60	18	2.76	< 10	< 1	0.11	20	0.40	248	< 1
R 16025	203	238	1.84	< 0.2	5	100	< 0.5	< 2	0.08	< 0.5	15	55	26	2.82	< 10	< 1	0.16	40	0.54	305	
R 16026	203	238	1.73	< 0.2	15	160	< 0.5	2	0.15	< 0.5	15	52	28	2.74	< 10	< 1	0.15	30	0.47	265	
R 16027	203	238	2.00	< 0.2	< 5	110	< 0.5	< 2	0.10	0.5	21	40	36	4.09	< 10	< 1	0.13	40	0.47	516	< 1
R 16028	203	238	1.43	< 0.2	< 5	110	< 0.5	< 2	0.12	0.5	12	66	28	2.37	< 10	< 1	0.11	30	0.33	204	< 1
R 16029	203	238	1.65	< 0.2	< 5	160	< 0.5	< 2	0.13	< 0.5	13	59	26	2.58	< 10	< 1	0.13	30	0.39	253	< 1
R 16030	203	238	1.29	< 0.2	10	150	< 0.5	< 2	0.16	< 0.5	11	54	17	2.46	< 10	< 1	0.10	30	0.35	245	< 1
R 16031	203	238	1.33	< 0.2	< 5	200	< 0.5	< 2	0.25	0.5	12	60	15	1.85	< 10	< 1	0.13	30	0.29	545	< 1
R 16032	203	238	1.39	< 0.2	15	120	< 0.5	< 2	0.13	< 0.5	14	61	24	2.71	< 10	< 1	0.16	40	0.38	272	< 1
R 16033	203	238	1.34	< 0.2	< 5	230	< 0.5	< 2	0.19	< 0.5	13	46	18	2.10	< 10	2	0.14	30	0.31	255	< 1
R 16034	203	238	1.43	< 0.2	10	150	< 0.5	< 2	0.22	< 0.5	17	67	26	2.66	< 10	< 1	0.17	40	0.39	375	< 1
R 16035	203	238	1.51	< 0.2	10	90	< 0.5	< 2	0.01	< 0.5	11	66	27	2.61	< 10	< 1	0.23	30	0.16	199	< 1
R 16036	203	238	1.92	1.0	20	160	< 0.5	< 2	0.17	< 0.5	18	54	32	3.17	< 10	< 1	0.26	40	0.43	371	< 1
R 16037	203	238	1.51	< 0.2	< 5	210	< 0.5	< 2	0.29	0.5	18	72	25	2.68	< 10	< 1	0.21	40	0.41	593	< 1
R 16038	203	238	1.64	< 0.2	10	290	< 0.5	< 2	0.38	< 0.5	14	70	22	2.52	< 10	3	0.21	40	0.37	373	< 1
R 16039	203	238	1.37	< 0.2	< 5	200	< 0.5	< 2	0.24	< 0.5	15	52	23	2.38	< 10	< 1	0.13	30	0.38	269	< 1
R 16040	203	238	1.12	< 0.2	10	120	< 0.5	< 2	0.15	< 0.5	12	46	19	2.09	< 10	< 1	0.13	30	0.29	251	< 1
R 16041	203	238	1.13	< 0.2	10	140	< 0.5	< 2	0.16	< 0.5	10	53	14	1.76	< 10	< 1	0.11	20	0.26	197	< 1
R 16042	203	238	1.27	< 0.2	30	100	< 0.5	2	0.13	< 0.5	10	52	14	2.14	< 10	< 1	0.12	20	0.33	272	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T .RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 3-B
Tot. : 8.7
Date : 26-JUL-87
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15931 RECON	203	238	0.02	11	1060	< 2	< 5	< 10	17	0.06	< 10	< 10	54	< 5	32
R 15951	203	238	0.01	24	620	104	5	< 10	62	0.01	< 10	< 10	22	5	296
R 15952	203	238	0.01	42	510	58	5	< 10	26	< 0.01	< 10	< 10	13	5	148
R 15953	203	238	0.01	26	380	6	5	< 10	17	0.02	< 10	< 10	25	5	82
R 15954	203	238	0.01	15	270	22	< 5	< 10	25	0.03	< 10	< 10	33	< 5	68
R 15955	203	238	0.01	39	370	74	10	< 10	15	< 0.01	< 10	< 10	18	5	184
R 15956	203	238	0.01	33	420	12	< 5	< 10	21	0.04	< 10	< 10	35	5	78
R 15957	203	238	0.01	26	340	16	< 5	< 10	14	0.03	< 10	< 10	29	< 5	62
R 15958	203	238	0.01	16	310	20	5	< 10	16	0.02	< 10	< 10	29	< 5	53
R 15959	203	238	0.01	28	330	10	< 5	< 10	14	0.02	< 10	< 10	26	< 5	74
R 15960	203	238	0.01	19	360	60	5	< 10	16	0.03	< 10	< 10	33	< 5	76
R 15961	203	238	0.01	25	540	16	5	< 10	17	0.03	< 10	< 10	31	< 5	72
R 16015	203	238	0.01	10	220	8	< 5	< 10	11	0.07	< 10	< 10	52	< 5	32
R 16016	203	238	0.01	34	480	14	< 5	< 10	12	0.01	< 10	< 10	18	< 5	111
R 16017	203	238	0.01	20	570	12	5	< 10	24	0.05	< 10	< 10	41	< 5	78
R 16018	203	238	0.01	18	490	10	5	< 10	12	0.04	< 10	< 10	38	< 5	59
R 16019	203	238	0.01	19	380	8	< 5	< 10	13	0.04	< 10	< 10	35	< 5	57
R 16020	203	238	0.01	13	410	8	< 5	< 10	13	0.02	< 10	< 10	33	< 5	48
R 16021	203	238	0.02	15	430	< 2	< 5	< 10	15	0.03	< 10	< 10	30	< 5	58
R 16022	203	238	0.01	22	620	10	< 5	10	18	0.05	< 10	< 10	41	< 5	57
R 16023 RECON	203	238	0.02	20	420	6	< 5	< 10	17	0.04	< 10	< 10	33	< 5	61
R 16024	203	238	0.01	17	480	14	5	< 10	17	0.07	< 10	< 10	48	< 5	53
R 16025	203	238	0.01	23	370	8	< 5	< 10	14	0.02	< 10	< 10	27	5	67
R 16026	203	238	0.01	22	440	6	< 5	< 10	18	0.04	< 10	< 10	39	< 5	61
R 16027	203	238	0.03	30	570	< 2	< 5	< 10	16	0.02	< 10	< 10	36	5	78
R 16028	203	238	0.02	15	420	< 2	< 5	< 10	17	0.05	< 10	< 10	41	< 5	46
R 16029	203	238	0.02	19	370	4	< 5	< 10	17	0.05	< 10	< 10	43	< 5	54
R 16030	203	238	0.01	15	350	8	< 5	< 10	17	0.07	< 10	< 10	46	< 5	49
R 16031	203	238	0.01	14	440	6	5	< 10	24	0.05	< 10	< 10	38	< 5	40
R 16032	203	238	0.01	23	400	14	< 5	< 10	14	0.03	< 10	< 10	25	< 5	71
R 16033	203	238	0.01	15	410	12	< 5	< 10	17	0.03	< 10	< 10	27	< 5	55
R 16034	203	238	0.01	25	370	16	< 5	< 10	18	0.02	< 10	< 10	22	< 5	66
R 16035	203	238	0.01	17	170	14	< 5	< 10	5	< 0.01	< 10	< 10	9	< 5	32
R 16036	203	238	0.02	23	420	22	< 5	< 10	18	0.02	< 10	< 10	30	< 5	77
R 16037	203	238	0.02	25	490	8	< 5	< 10	21	0.03	< 10	< 10	23	< 5	71
R 16038	203	238	0.02	21	470	20	< 5	< 10	28	0.05	< 10	< 10	38	< 5	59
R 16039	203	238	0.01	19	500	2	< 5	< 10	21	0.05	< 10	< 10	33	< 5	63
R 16040	203	238	0.01	18	380	10	< 5	< 10	15	0.04	< 10	< 10	30	< 5	50
R 16041	203	238	0.01	11	400	12	< 5	< 10	16	0.04	< 10	< 10	34	< 5	41
R 16042	203	238	0.01	15	350	10	< 5	< 10	14	0.04	< 10	< 10	29	< 5	52

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date : 26-JUL-87
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16043	203	238	1.91	< 0.2	< 5	180	< 0.5	< 2	0.11	< 0.5	12	50	11	2.83	< 10	< 1	0.11	20	0.35	219	2
R 16044	203	238	2.05	< 0.2	< 5	180	< 0.5	< 2	0.10	< 0.5	17	38	21	3.03	< 10	< 1	0.16	30	0.30	237	4
R 16045	203	238	1.59	< 0.2	10	160	< 0.5	< 2	0.12	< 0.5	12	42	15	2.37	< 10	< 1	0.12	20	0.36	218	< 1
R 16046	203	238	1.52	0.6	< 5	180	< 0.5	< 2	0.14	< 0.5	12	34	18	2.51	< 10	< 1	0.16	30	0.33	241	< 1
R 16047	203	238	1.36	< 0.2	15	120	< 0.5	< 2	0.09	< 0.5	8	33	9	1.98	< 10	< 1	0.08	20	0.29	127	< 1
R 16048	203	238	1.85	< 0.2	15	180	< 0.5	< 2	0.30	< 0.5	18	39	32	2.94	< 10	< 1	0.10	40	0.51	577	1
R 16049	203	238	1.50	< 0.2	5	120	< 0.5	< 2	0.10	< 0.5	14	33	19	2.62	< 10	< 1	0.08	30	0.44	272	< 1
R 16050	203	238	1.46	< 0.2	25	120	< 0.5	4	0.09	< 0.5	18	40	27	3.07	< 10	1	0.12	30	0.39	584	1
R 16084	203	238	2.05	< 0.2	30	70	< 0.5	< 2	0.31	< 0.5	32	34	61	4.19	< 10	< 1	0.15	60	0.75	592	< 1
R 16085	203	238	1.83	1.4	< 5	150	< 0.5	< 2	0.78	1.0	22	41	39	3.16	< 10	< 1	0.19	50	0.61	932	3
R 16086	203	238	1.83	0.6	< 5	110	< 0.5	< 2	1.61	1.0	22	32	49	3.15	< 10	3	0.23	60	0.57	617	< 1
R 16087	203	238	1.31	0.4	50	150	< 0.5	2	0.64	< 0.5	18	29	28	2.92	< 10	< 1	0.25	50	0.32	504	< 1
R 16088	203	238	1.27	0.4	50	110	< 0.5	< 2	0.56	< 0.5	20	26	37	3.39	< 10	< 1	0.28	70	0.29	466	< 1
R 16089	203	238	1.26	0.6	95	80	< 0.5	< 2	0.53	0.5	24	25	42	3.36	< 10	< 1	0.20	60	0.38	981	< 1
R 16090	203	238	1.23	< 0.2	< 5	80	< 0.5	< 2	0.07	0.5	9	33	14	2.09	< 10	< 1	0.12	20	0.26	193	< 1
R 16091	203	238	1.93	1.0	50	90	< 0.5	< 2	0.36	< 0.5	23	38	43	3.24	< 10	< 1	0.19	60	0.66	722	< 1
R 16092	203	238	1.88	0.2	25	150	< 0.5	< 2	0.40	< 0.5	23	31	38	3.23	< 10	1	0.13	60	0.61	650	3
R 16093	203	238	1.35	2.0	15	120	< 0.5	< 2	0.13	< 0.5	12	44	14	2.37	< 10	< 1	0.17	30	0.28	363	< 1
R 16105	203	238	1.33	1.6	80	120	< 0.5	2	0.71	1.0	16	29	28	2.42	< 10	< 1	0.15	50	0.36	1080	< 1
R 16106	203	238	1.61	2.2	85	160	< 0.5	< 2	0.64	0.5	17	30	34	2.70	< 10	< 1	0.20	50	0.44	966	< 1
R 16107	203	238	2.11	0.2	30	130	0.5	< 2	0.08	< 0.5	18	41	42	3.82	10	2	0.17	60	0.52	803	< 1
R 16108	203	238	1.41	0.6	45	140	0.5	< 2	0.53	< 0.5	14	36	26	2.61	10	< 1	0.15	50	0.47	737	1
R 16109	203	238	1.94	1.0	55	170	< 0.5	2	0.45	< 0.5	13	40	25	3.00	10	< 1	0.23	40	0.46	538	< 1
R 16110	203	238	1.89	1.4	45	120	< 0.5	< 2	0.40	< 0.5	20	42	47	3.58	10	< 1	0.16	60	0.66	805	< 1
R 16111	203	238	1.40	0.2	< 5	110	0.5	< 2	0.72	< 0.5	14	38	46	2.82	10	< 1	0.12	40	0.43	456	< 1
R 16112	203	238	1.15	0.4	< 5	210	0.5	< 2	0.28	0.5	12	29	27	2.51	< 10	< 1	0.17	40	0.25	459	< 1
R 16113	203	238	1.43	< 0.2	10	140	0.5	2	0.14	< 0.5	11	41	20	2.55	< 10	< 1	0.14	30	0.34	339	< 1
R 16114	203	238	1.68	0.2	20	100	0.5	< 2	0.25	< 0.5	19	27	43	3.21	10	< 1	0.13	60	0.63	632	< 1
R 16115	203	238	1.61	< 0.2	25	280	0.5	2	0.38	< 0.5	13	42	27	2.94	< 10	< 1	0.17	40	0.37	618	2
R 16156 *	203	238	1.13	2.0	35	90	< 0.5	2	0.09	< 0.5	6	35	15	2.46	< 10	< 1	0.09	20	0.29	286	< 1
R 16168	203	238	1.25	0.4	100	210	1.0	< 2	0.18	2.0	17	31	56	2.79	< 10	< 1	0.17	30	0.38	563	1
R 16169	203	238	1.39	< 0.2	80	130	0.5	< 2	0.13	0.5	8	38	39	2.76	< 10	< 1	0.16	20	0.34	272	< 1
R 16170	203	238	1.66	0.2	125	130	0.5	< 2	0.11	1.0	6	45	61	2.84	< 10	< 1	0.14	20	0.30	189	2
R 16171	203	238	1.52	< 0.2	25	120	0.5	< 2	0.12	< 0.5	7	49	21	2.53	< 10	< 1	0.10	20	0.37	236	< 1
R 16172	203	238	1.58	< 0.2	80	130	0.5	< 2	0.14	< 0.5	7	43	27	2.48	< 10	1	0.12	20	0.41	281	1
R 16173	203	238	1.47	< 0.2	85	140	0.5	2	0.21	1.0	13	52	39	2.55	< 10	< 1	0.15	30	0.39	493	< 1
R 16174	203	238	1.20	< 0.2	70	180	0.5	< 2	0.25	0.5	12	45	43	2.68	< 10	< 1	0.21	30	0.35	468	< 1
R 16175	203	238	1.31	< 0.2	50	150	0.5	2	0.15	0.5	7	44	34	2.49	< 10	< 1	0.16	20	0.36	318	< 1
R 16201	203	238	1.52	1.2	45	100	0.5	< 2	0.05	0.5	31	36	53	4.14	10	< 1	0.18	70	0.40	2290	< 1
R 16202	203	238	1.23	0.4	25	140	0.5	2	0.11	< 0.5	10	31	24	2.41	< 10	< 1	0.10	20	0.34	611	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 4-B
Tot. : 7
Date : 26-JUL-8
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

FINE WATER

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16043	203	238	0.01	15	220	12	< 5	< 10	14	0.06	< 10	< 10	57	< 5	52
R 16044	203	238	0.01	25	230	10	< 5	< 10	12	0.04	< 10	< 10	38	< 5	60
R 16045	203	238	0.01	15	190	6	< 5	< 10	13	0.05	< 10	< 10	41	10	54
R 16046	203	238	0.01	18	170	20	< 5	< 10	14	0.03	< 10	< 10	31	5	62
R 16047	203	238	< 0.01	9	150	4	< 5	< 10	11	0.05	< 10	< 10	37	< 5	40
R 16048	203	238	0.02	26	660	4	< 5	< 10	28	0.01	< 10	< 10	24	5	79
R 16049	203	238	0.01	18	440	14	< 5	< 10	11	0.03	< 10	< 10	30	< 5	66
R 16050	203	238	0.01	23	490	24	< 5	< 10	13	0.03	< 10	< 10	32	5	64
R 16084	203	238	0.01	49	590	22	5	< 10	17	< 0.01	< 10	< 10	14	10	108
R 16085	203	238	0.01	37	430	136	5	< 10	37	0.02	< 10	< 10	24	5	113
R 16086	203	238	0.02	31	550	20	5	< 10	129	< 0.01	< 10	< 10	16	5	165
R 16087	203	238	0.01	24	430	28	5	< 10	46	0.01	< 10	< 10	16	< 5	74
R 16088	203	238	0.01	36	400	32	< 5	< 10	40	< 0.01	< 10	< 10	10	< 5	77
R 16089	203	238	0.01	34	480	32	5	< 10	37	< 0.01	< 10	< 10	9	5	88
R 16090	203	238	< 0.01	14	210	10	< 5	< 10	11	0.02	< 10	< 10	25	< 5	38
R 16091	203	238	0.01	32	440	30	< 5	< 10	29	< 0.01	< 10	< 10	16	5	91
R 16092	203	238	0.01	32	510	16	< 5	< 10	30	< 0.01	< 10	< 10	18	< 5	85
R 16093	203	238	0.01	11	400	148	< 5	< 10	15	0.03	< 10	< 10	14	< 5	63
R 16105	203	238	0.01	24	460	32	< 5	< 10	44	0.01	< 10	< 10	18	< 5	138
R 16106	203	238	0.01	23	510	62	< 5	< 10	42	< 0.01	< 10	< 10	18	< 5	143
R 16107	203	238	0.01	31	500	38	< 5	< 10	11	0.01	< 10	< 10	23	< 5	138
R 16108	203	238	0.01	25	450	16	< 5	< 10	36	0.01	< 10	< 10	16	< 5	75
R 16109	203	238	0.01	23	420	38	< 5	10	34	< 0.01	< 10	< 10	21	< 5	82
R 16110	203	238	0.01	39	540	42	< 5	10	26	0.01	< 10	< 10	18	< 5	98
R 16111	203	238	0.02	28	570	10	5	< 10	53	0.02	< 10	< 10	21	< 5	74
R 16112	203	238	< 0.01	25	790	40	< 5	< 10	29	0.01	< 10	< 10	22	< 5	51
R 16113	203	238	0.01	16	350	16	5	< 10	15	0.04	< 10	< 10	35	< 5	46
R 16114	203	238	0.01	34	510	28	< 5	< 10	19	< 0.01	< 10	< 10	13	< 5	85
R 16115	203	238	0.01	23	580	46	5	< 10	47	0.03	< 10	< 10	34	< 5	62
R 16156 *	203	238	< 0.01	15	290	34	< 5	< 10	11	0.05	< 10	< 10	44	< 5	51 → MISSING
R 16168	203	238	0.01	21	600	22	< 5	< 10	20	0.05	< 10	< 10	34	< 5	186
R 16169	203	238	0.01	14	510	18	< 5	< 10	17	0.05	< 10	< 10	39	< 5	99
R 16170	203	238	0.01	14	840	46	< 5	< 10	18	0.04	< 10	< 10	48	< 5	183
R 16171	203	238	0.01	13	800	18	< 5	10	15	0.05	< 10	< 10	51	< 5	65
R 16172	203	238	0.01	15	500	12	< 5	< 10	17	0.07	< 10	< 10	49	< 5	112
R 16173	203	238	0.01	21	680	2	< 5	10	20	0.07	< 10	< 10	49	< 5	131
R 16174	203	238	0.01	21	710	16	5	< 10	26	0.07	< 10	< 10	43	< 5	110
R 16175	203	238	0.01	18	510	22	< 5	< 10	19	0.06	< 10	< 10	43	< 5	105
R 16201	203	238	0.01	49	380	46	10	< 10	11	< 0.01	< 10	< 10	12	< 5	145
R 16202	203	238	0.01	18	380	12	< 5	< 10	12	0.04	< 10	< 10	33	< 5	66

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 5-A
Total Pages: 7
Date : 26-JUL-87
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16203	203	238	1.54	2.6	10	120	0.5	< 2	0.13	< 0.5	9	44	18	2.75	10	< 1	0.14	20	0.30	410	1
R 16204	203	238	1.98	0.4	60	330	0.5	< 2	0.17	0.5	19	53	29	3.60	< 10	1	0.25	30	0.45	1180	< 1
R 16205	203	238	1.33	< 0.2	25	120	< 0.5	< 2	0.14	< 0.5	5	47	8	2.08	< 10	1	0.07	20	0.32	209	< 1
R 16206	203	238	1.10	< 0.2	10	130	< 0.5	< 2	0.18	< 0.5	9	46	16	2.71	< 10	< 1	0.11	20	0.32	525	< 1
R 16207	203	238	2.21	1.2	85	400	0.5	2	0.60	< 0.5	17	42	50	3.56	10	< 1	0.18	50	0.49	972	< 1
R 16208	203	238	1.47	< 0.2	< 5	140	< 0.5	2	0.18	0.5	7	43	12	2.69	< 10	< 1	0.11	20	0.36	237	< 1
R 16209	203	238	1.37	< 0.2	5	150	< 0.5	< 2	0.19	< 0.5	8	45	17	2.52	< 10	< 1	0.10	30	0.37	363	< 1
R 16210	203	238	1.22	< 0.2	10	120	< 0.5	< 2	0.12	< 0.5	5	56	13	1.90	< 10	< 1	0.11	20	0.27	159	2
R 16211	203	238	1.65	0.2	160	130	0.5	< 2	0.10	0.5	26	39	46	4.10	10	< 1	0.19	60	0.44	748	< 1
R 16212	203	238	1.23	0.4	30	100	< 0.5	< 2	0.13	< 0.5	12	49	31	2.64	< 10	2	0.12	30	0.42	439	< 1
R 16213	203	238	1.44	1.4	145	90	0.5	2	0.15	1.5	13	47	45	3.11	< 10	2	0.16	30	0.50	806	< 1
R 16214	203	238	1.50	2.6	185	130	0.5	6	0.25	4.5	16	46	57	3.16	10	< 1	0.18	40	0.54	1240	1
R 16215	203	238	1.37	2.8	170	110	0.5	< 2	0.22	2.5	14	41	50	3.09	< 10	< 1	0.17	30	0.50	1360	< 1
R 16216	203	238	1.60	4.0	205	120	0.5	4	0.23	2.5	15	42	51	3.25	10	< 1	0.22	40	0.56	1360	1
R 16217	203	238	1.74	0.8	145	110	< 0.5	2	0.17	0.5	36	34	26	4.17	10	< 1	0.21	80	0.69	1130	< 1
R 16218	203	238	1.69	0.8	35	150	< 0.5	2	0.22	< 0.5	13	45	31	3.04	10	< 1	0.14	40	0.51	460	2
R 16219	203	238	1.35	< 0.2	10	120	< 0.5	< 2	0.06	< 0.5	10	36	25	2.95	10	< 1	0.15	40	0.31	267	< 1
R 16224	203	238	1.70	< 0.2	120	190	1.0	< 2	0.12	1.0	10	37	52	2.89	< 10	< 1	0.12	20	0.42	321	2
R 16225	203	238	1.15	< 0.2	75	130	0.5	< 2	0.14	0.5	9	39	32	2.42	< 10	2	0.13	20	0.33	262	1
R 16226	203	238	1.23	< 0.2	40	110	< 0.5	2	0.14	< 0.5	7	41	25	2.33	< 10	< 1	0.09	20	0.35	204	< 1
R 16227	203	238	2.19	0.4	220	240	1.5	< 2	0.19	5.5	48	47	126	4.88	10	1	0.29	40	0.67	1955	< 1
R 16228	203	238	1.53	0.4	145	280	1.0	6	0.34	3.5	13	48	97	3.08	10	< 1	0.26	30	0.53	697	1
R 16229	203	238	2.44	< 0.2	165	270	1.5	2	0.20	1.5	16	48	73	3.47	< 10	< 1	0.23	20	0.57	812	1
R 16230	203	238	1.82	< 0.2	90	170	1.0	< 2	0.23	1.5	11	46	60	2.83	< 10	< 1	0.19	20	0.51	457	3
R 16231	203	238	1.61	0.4	55	160	0.5	< 2	0.19	< 0.5	13	49	23	2.69	< 10	< 1	0.18	40	0.53	450	< 1
R 16232	203	238	1.67	0.4	80	170	0.5	6	0.24	0.5	14	55	31	3.01	10	< 1	0.21	40	0.69	414	< 1
R 16251	203	238	1.39	< 0.2	30	120	0.5	< 2	0.14	< 0.5	11	43	28	2.72	< 10	< 1	0.11	30	0.43	349	< 1
R 16252	203	238	1.54	< 0.2	< 5	120	< 0.5	< 2	0.11	< 0.5	15	41	31	3.01	< 10	< 1	0.11	40	0.47	459	1
R 16253	203	238	1.47	< 0.2	< 5	150	< 0.5	4	0.10	< 0.5	12	46	27	2.73	< 10	1	0.09	40	0.50	344	2
R 16263	203	238	1.67	1.0	40	120	0.5	< 2	0.10	< 0.5	10	33	16	2.55	< 10	< 1	0.14	40	0.44	468	1
R 16264	203	238	1.73	0.8	5	190	0.5	< 2	0.46	< 0.5	13	60	22	2.42	10	< 1	0.18	40	0.46	306	1
R 16265	203	238	2.32	0.8	40	80	0.5	< 2	0.24	< 0.5	20	42	41	3.84	10	< 1	0.19	60	0.82	949	< 1
R 16266	203	238	1.50	0.4	45	100	< 0.5	< 2	0.13	< 0.5	15	42	30	3.03	< 10	< 1	0.13	40	0.54	490	< 1
R 16267	203	238	1.26	3.2	50	120	< 0.5	< 2	0.13	< 0.5	14	41	24	2.84	< 10	< 1	0.14	40	0.42	1285	< 1
R 16268	203	238	1.98	0.4	15	120	< 0.5	< 2	0.63	< 0.5	13	45	38	3.39	10	< 1	0.16	70	0.64	442	< 1
R 16269	203	238	1.63	1.4	25	80	< 0.5	< 2	0.25	< 0.5	14	45	35	3.07	10	1	0.14	50	0.59	581	1
R 16270	203	238	1.63	0.2	15	120	< 0.5	6	0.22	< 0.5	16	39	47	2.87	10	< 1	0.15	50	0.57	508	1
R 16271	203	238	1.99	0.2	10	80	< 0.5	4	0.12	< 0.5	23	42	78	4.01	10	1	0.12	50	0.66	459	< 1
R 16272	203	238	1.54	1.4	50	180	< 0.5	< 2	0.44	< 0.5	15	49	24	2.50	10	< 1	0.19	30	0.42	1210	1
R 16273	203	238	1.57	0.2	5	110	< 0.5	< 2	0.12	< 0.5	14	38	27	2.86	10	< 1	0.11	40	0.49	460	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
DX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : 5-B
Tot. : 7
Date : 26-JUL-87
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16203	203	238	0.01	14	380	50	5	< 10	15	0.06	< 10	< 10	51	< 5	63
R 16204	203	238	0.01	29	740	64	< 5	< 10	20	0.03	< 10	< 10	41	< 5	105
R 16205	203	238	0.01	9	440	20	< 5	< 10	15	0.06	< 10	< 10	56	< 5	34
R 16206	203	238	0.01	15	510	22	5	< 10	16	0.06	< 10	< 10	42	< 5	64
R 16207	203	238	0.02	39	900	78	< 5	< 10	33	0.01	< 10	< 10	26	< 5	101
R 16208	203	238	0.01	14	430	8	< 5	< 10	17	0.07	< 10	< 10	51	< 5	48
R 16209	203	238	0.01	19	550	8	5	< 10	17	0.07	< 10	< 10	46	< 5	55
R 16210	203	238	0.01	12	600	14	5	< 10	15	0.03	< 10	< 10	43	< 5	37
R 16211	203	238	0.01	47	660	42	15	< 10	13	< 0.01	< 10	< 10	18	< 5	114
R 16212	203	238	0.01	26	400	26	< 5	< 10	15	0.04	< 10	< 10	28	< 5	68
R 16213	203	238	0.01	19	420	102	< 5	< 10	26	0.01	< 10	< 10	19	< 5	224
R 16214	203	238	0.01	31	520	120	< 5	< 10	30	0.02	< 10	< 10	20	< 5	412
R 16215	203	238	0.01	27	500	114	< 5	< 10	31	0.02	< 10	< 10	19	< 5	308
R 16216	203	238	0.01	26	500	142	5	< 10	29	0.02	< 10	< 10	20	< 5	315
R 16217	203	238	0.01	40	1200	42	< 5	< 10	22	< 0.01	< 10	< 10	13	< 5	82
R 16218	203	238	0.01	27	430	24	< 5	< 10	20	0.04	< 10	< 10	38	< 5	83
R 16219	203	238	0.01	22	230	12	5	< 10	10	0.01	< 10	< 10	23	< 5	47
R 16224	203	238	0.01	19	500	10	< 5	< 10	16	0.05	< 10	< 10	41	< 5	185
R 16225	203	238	0.01	21	450	< 2	< 5	< 10	17	0.05	< 10	< 10	34	< 5	95
R 16226	203	238	0.01	17	510	6	< 5	< 10	14	0.05	< 10	< 10	38	< 5	73
R 16227	203	238	0.01	60	630	76	< 5	10	107	0.04	< 10	< 10	32	< 5	446
R 16228	203	238	0.02	25	700	48	< 5	< 10	32	0.08	< 10	< 10	43	5	356
R 16229	203	238	0.01	32	690	46	5	< 10	22	0.08	< 10	< 10	54	< 5	303
R 16230	203	238	0.01	19	600	26	< 5	< 10	21	0.08	< 10	< 10	46	< 5	221
R 16231	203	238	0.01	22	440	48	< 5	10	16	0.03	< 10	< 10	29	< 5	91
R 16232	203	238	0.01	38	510	40	< 5	< 10	17	0.02	< 10	< 10	27	< 5	97
R 16251	203	238	0.01	27	450	16	5	< 10	13	0.05	< 10	< 10	35	< 5	56
R 16252	203	238	0.01	27	370	22	< 5	< 10	12	0.05	< 10	< 10	37	< 5	57
R 16253	203	238	0.01	33	250	16	5	10	12	0.04	< 10	< 10	30	< 5	57
R 16263	203	238	0.01	19	340	46	5	< 10	12	0.02	< 10	< 10	28	< 5	66
R 16264	203	238	0.02	22	630	18	< 5	< 10	36	0.03	< 10	< 10	31	< 5	65
R 16265	203	238	0.01	43	390	28	< 5	< 10	18	< 0.01	< 10	< 10	13	< 5	88
R 16266	203	238	0.01	29	500	26	< 5	< 10	13	0.02	< 10	< 10	22	< 5	68
R 16267	203	238	0.01	23	480	30	< 5	< 10	14	0.02	< 10	< 10	26	< 5	67
R 16268	203	238	0.02	32	530	24	< 5	< 10	40	< 0.01	< 10	< 10	17	< 5	78
R 16269	203	238	0.01	29	420	44	< 5	< 10	16	< 0.01	< 10	< 10	11	< 5	79
R 16270	203	238	0.02	31	510	6	< 5	< 10	20	0.01	< 10	< 10	17	< 5	72
R 16271	203	238	0.03	45	590	24	< 5	< 10	11	0.01	< 10	< 10	19	< 5	106
R 16272	203	238	0.01	26	540	32	5	< 10	34	0.02	< 10	< 10	26	< 5	81
R 16273	203	238	0.01	30	360	18	< 5	< 10	11	0.03	< 10	< 10	27	< 5	65

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page N 3-A
Tot. 7
Date :26-JUL-87
Invoice # :I-8718096
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718096

* FIND LATER

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16274	203	238	1.91	2.6	70	100	<0.5	2	0.17	<0.5	12	55	28	2.98	10	<1	0.17	50	0.64	297	<1
R 16275	203	238	1.71	0.6	135	120	<0.5	<2	0.09	0.5	15	53	36	3.65	10	<1	0.17	50	0.52	830	<1
R 16276	203	238	1.65	0.2	20	240	<0.5	6	0.37	<0.5	13	63	16	2.91	10	<1	0.16	40	0.43	1595	2
R 16277	203	238	2.12	0.4	5	140	<0.5	6	0.42	0.5	17	81	42	3.85	10	2	0.22	70	0.69	711	<1
R 16278	203	238	2.44	2.6	20	370	<0.5	<2	0.48	<0.5	159	56	73	4.55	10	2	0.22	70	0.51	>10000	<1
R 16279	203	238	1.22	0.2	15	160	<0.5	<2	0.33	<0.5	12	50	32	2.74	10	2	0.14	40	0.38	501	<1
R 16280	203	238	1.82	0.2	5	120	<0.5	4	0.34	0.5	23	60	47	3.64	10	<1	0.17	50	0.51	1285	<1
R 16281	203	238	1.46	0.4	20	150	<0.5	<2	0.16	<0.5	9	43	17	2.48	<10	<1	0.12	30	0.42	501	1
R 16282-RE16281	203	238	1.60	1.8	120	120	0.5	4	0.20	1.0	13	59	47	3.11	10	1	0.21	40	0.59	887	2
R 16288	203	238	1.43	1.8	25	150	<0.5	2	0.16	0.5	12	49	29	2.53	<10	<1	0.14	30	0.42	306	<1
R 16289	203	238	1.56	0.2	5	180	<0.5	<2	0.15	<0.5	9	59	21	2.61	10	<1	0.17	40	0.41	319	<1
R 16290	203	238	1.85	2.0	130	140	<0.5	<2	0.07	0.5	26	77	48	3.83	10	1	0.24	60	0.60	1590	<1
R 16291	203	238	1.59	0.2	55	160	<0.5	2	0.17	<0.5	10	57	15	2.71	<10	<1	0.13	30	0.39	1000	2
R 16292	203	238	1.96	0.8	<5	100	<0.5	2	0.11	0.5	18	62	35	3.84	10	<1	0.18	50	0.74	677	<1
R 16293	203	238	2.02	0.4	<5	100	<0.5	4	0.14	<0.5	17	61	42	3.45	10	<1	0.19	50	0.74	552	<1
R 16294	203	238	1.55	0.6	<5	80	<0.5	2	0.11	<0.5	18	46	44	3.27	10	<1	0.17	60	0.66	497	<1
R 16295	203	238	2.00	0.2	10	150	<0.5	4	0.12	<0.5	17	95	34	3.12	<10	<1	0.21	50	0.58	335	<1
R 16296	203	238	1.85	<0.2	15	90	<0.5	<2	0.06	<0.5	25	82	51	3.82	<10	<1	0.23	50	0.52	740	<1
R 16301	203	238	1.20	<0.2	10	130	<0.5	<2	0.13	<0.5	9	59	10	2.35	<10	<1	0.10	20	0.32	182	<1
R 16302	203	238	1.74	<0.2	10	120	<0.5	<2	0.22	<0.5	18	88	31	3.13	<10	<1	0.18	40	0.43	528	1
R 16303	203	238	1.89	<0.2	35	120	<0.5	<2	0.06	0.5	19	81	35	3.09	<10	<1	0.39	50	0.24	219	3
R 16304	203	238	1.41	<0.2	5	120	<0.5	<2	0.17	<0.5	17	68	20	2.68	<10	<1	0.12	30	0.36	511	<1
R 16305	203	238	1.64	<0.2	<5	170	<0.5	<2	0.18	0.5	12	67	15	2.27	<10	<1	0.13	30	0.37	225	<1
R 16306	203	238	1.52	<0.2	10	130	<0.5	<2	0.17	<0.5	13	60	15	2.43	<10	<1	0.10	20	0.35	306	<1
R 16307	203	238	1.06	<0.2	10	100	<0.5	<2	0.09	<0.5	10	64	21	2.10	<10	<1	0.14	20	0.29	188	<1
R 16308	203	238	1.42	<0.2	15	140	<0.5	2	0.12	<0.5	15	58	26	2.39	<10	<1	0.15	30	0.45	347	<1
R 16309	203	238	1.32	<0.2	15	160	<0.5	<2	0.13	0.5	14	39	21	2.19	<10	<1	0.13	30	0.34	466	<1
R 16310	203	238	1.30	<0.2	<5	120	<0.5	<2	0.13	<0.5	12	106	25	2.22	<10	<1	0.09	20	0.30	258	<1
R 16311	203	238	1.63	<0.2	15	130	<0.5	<2	0.09	<0.5	13	47	19	2.81	<10	<1	0.10	30	0.42	200	<1
R 16312	203	238	1.54	<0.2	<5	130	<0.5	<2	0.11	<0.5	13	66	20	2.58	<10	<1	0.10	20	0.37	212	<1
R 16313	203	238	1.46	<0.2	20	120	<0.5	2	0.09	<0.5	12	61	15	2.45	<10	<1	0.10	20	0.32	200	<1
R 16314	203	238	1.55	<0.2	5	130	<0.5	<2	0.17	<0.5	17	95	23	3.03	<10	<1	0.12	30	0.52	506	<1
R 16315	203	238	1.83	<0.2	<5	200	<0.5	<2	0.17	0.5	16	66	22	2.62	<10	<1	0.13	30	0.45	294	1
R 16316	203	238	1.74	<0.2	<5	170	<0.5	<2	0.13	0.5	11	60	14	2.67	<10	1	0.10	20	0.39	186	<1
R 16317	203	238	2.00	<0.2	<5	140	<0.5	<2	0.07	0.5	15	87	22	3.22	<10	<1	0.12	30	0.70	239	<1
R 16318	203	238	1.46	<0.2	<5	140	<0.5	<2	0.11	<0.5	11	60	14	2.18	<10	1	0.10	20	0.31	165	<1
R 16319	203	238	1.54	<0.2	5	190	<0.5	<2	0.13	<0.5	11	56	14	2.26	<10	<1	0.10	20	0.35	187	<1
R 16320	203	238	2.10	<0.2	<5	290	<0.5	<2	0.17	<0.5	15	120	15	3.03	<10	<1	0.13	20	0.46	296	<1
R 16321	203	238	1.79	<0.2	20	160	<0.5	<2	0.10	<0.5	15	68	18	3.00	<10	<1	0.11	20	0.42	314	2
R 16322	203	238	1.87	<0.2	5	170	<0.5	<2	0.11	<0.5	9	68	10	2.62	<10	<1	0.09	20	0.32	144	1

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
DX 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : -B
Tot. :
Date :26-JUL-87
Invoice # : I-8718096
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16274	203 238	0.01	32	320	42	5	< 10	18	0.01	< 10	< 10	17	< 5	85
R 16275	203 238	0.02	34	410	34	< 5	< 10	15	0.02	< 10	< 10	26	< 5	81
R 16276	203 238	0.01	20	820	36	< 5	10	27	0.04	< 10	< 10	45	< 5	65
R 16277	203 238	0.03	37	610	36	< 5	< 10	27	0.01	< 10	< 10	21	< 5	86
R 16278	203 238	0.03	33	1240	138	< 5	20	34	0.01	< 10	< 10	27	< 5	88
R 16279	203 238	0.02	24	650	24	< 5	10	23	0.05	< 10	< 10	35	< 5	64
R 16280	203 238	0.02	31	1090	44	< 5	< 10	29	0.02	< 10	< 10	25	< 5	86
R 16281	203 238	0.01	20	420	12	< 5	< 10	15	0.04	< 10	< 10	33	< 5	66
R 16282	203 238	0.01	23	470	96	< 5	< 10	36	0.03	< 10	< 10	21	< 5	218
R 16288	203 238	0.01	29	410	36	5	< 10	16	0.04	< 10	< 10	31	< 5	115
R 16289	203 238	0.01	21	430	12	< 5	10	17	0.05	< 10	< 10	36	< 5	59
R 16290	203 238	0.02	40	420	56	< 5	< 10	14	< 0.01	< 10	< 10	13	< 5	107
R 16291	203 238	0.01	14	690	24	< 5	< 10	16	0.03	< 10	< 10	40	< 5	51
R 16292	203 238	0.02	34	490	40	< 5	< 10	13	< 0.01	< 10	< 10	17	< 5	93
R 16293	203 238	0.01	35	450	30	< 5	< 10	16	< 0.01	< 10	< 10	16	< 5	81
R 16294	203 238	0.01	37	320	30	< 5	< 10	15	< 0.01	< 10	< 10	15	< 5	83
R 16295	203 238	0.02	26	570	6	< 5	< 10	17	0.01	< 10	< 10	29	5	74
R 16296	203 238	0.02	43	370	22	< 5	< 10	15	< 0.01	< 10	< 10	17	5	84
R 16301	203 238	0.01	13	260	6	< 5	< 10	14	0.06	< 10	< 10	37	< 5	44
R 16302	203 238	0.03	28	480	2	< 5	< 10	19	0.03	< 10	< 10	27	< 5	78
R 16303	203 238	0.03	22	230	28	5	< 10	13	< 0.01	< 10	< 10	13	< 5	77
R 16304	203 238	0.01	19	530	4	< 5	< 10	16	0.06	< 10	< 10	42	< 5	65
R 16305	203 238	0.01	15	480	12	< 5	< 10	21	0.07	< 10	< 10	53	< 5	51
R 16306	203 238	0.01	15	480	12	< 5	< 10	18	0.07	< 10	< 10	50	< 5	53
R 16307	203 238	0.01	15	230	< 2	< 5	< 10	12	0.05	< 10	< 10	38	< 5	49
R 16308	203 238	0.01	22	410	4	5	< 10	13	0.04	< 10	< 10	34	< 5	56
R 16309	203 238	0.01	20	310	16	< 5	< 10	14	0.03	< 10	< 10	29	< 5	73
R 16310	203 238	0.01	15	330	6	< 5	< 10	14	0.06	< 10	< 10	39	< 5	44
R 16311	203 238	0.01	16	250	2	< 5	< 10	12	0.05	< 10	< 10	41	< 5	49
R 16312	203 238	0.01	15	340	2	< 5	< 10	13	0.06	< 10	< 10	40	< 5	50
R 16313	203 238	0.01	16	240	2	< 5	< 10	12	0.05	< 10	< 10	41	< 5	45
R 16314	203 238	0.01	25	570	12	< 5	< 10	17	0.07	< 10	< 10	52	< 5	60
R 16315	203 238	0.01	20	490	18	< 5	< 10	20	0.07	< 10	< 10	53	< 5	59
R 16316	203 238	0.01	12	320	10	< 5	< 10	16	0.08	< 10	< 10	53	< 5	52
R 16317	203 238	0.01	24	270	< 2	< 5	< 10	12	0.04	< 10	< 10	56	5	50
R 16318	203 238	0.01	17	300	< 2	< 5	< 10	13	0.07	< 10	< 10	41	< 5	43
R 16319	203 238	0.01	14	340	6	< 5	< 10	16	0.06	< 10	< 10	42	< 5	46
R 16320	203 238	0.02	20	320	4	< 5	< 10	20	0.07	< 10	< 10	56	< 5	68
R 16321	203 238	0.01	20	310	4	< 5	< 10	13	0.05	< 10	< 10	46	< 5	63
R 16322	203 238	0.01	12	180	14	< 5	< 10	15	0.07	< 10	< 10	57	< 5	44

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1.

PHONE (604) 984-0221

T. [illegible]CHER CATHRO & ASSOC. (1981) LTD.
X 4127
[illegible]125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page N[illegible] 1-A
Tot. I 7
Date :26-JUL-87
Invoice # :I-8718096
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16323	203	238	1.62	< 0.2	< 5	140	< 0.5	< 2	0.10	< 0.5	10	61	12	2.28	< 10	< 1	0.09	20	0.30	152	< 1
R 16324	203	238	2.10	< 0.2	< 5	210	< 0.5	< 2	0.13	0.5	10	74	16	2.69	< 10	< 1	0.10	20	0.33	204	3
R 16325	203	238	1.54	< 0.2	5	140	< 0.5	< 2	0.16	< 0.5	15	115	22	2.96	< 10	< 1	0.17	30	0.36	322	< 1
R 16326	203	238	2.05	< 0.2	< 5	180	< 0.5	< 2	0.10	< 0.5	15	65	21	3.21	< 10	< 1	0.11	30	0.33	275	< 1
R 16327	203	238	2.19	< 0.2	15	190	< 0.5	< 2	0.09	< 0.5	15	65	15	3.16	< 10	< 1	0.13	20	0.34	227	< 1
R 16328	203	238	1.55	< 0.2	< 5	140	< 0.5	< 2	0.11	< 0.5	13	61	22	2.52	< 10	< 1	0.12	30	0.36	234	< 1
R 16329	203	238	0.94	< 0.2	< 5	90	< 0.5	< 2	0.10	< 0.5	5	64	9	1.38	< 10	< 1	0.08	20	0.22	104	< 1
R 16330	203	238	1.23	< 0.2	5	110	< 0.5	< 2	0.15	< 0.5	10	57	13	2.03	< 10	< 1	0.11	30	0.30	205	< 1
R 16331	203	238	1.57	< 0.2	15	130	< 0.5	< 2	0.15	< 0.5	14	71	15	2.75	< 10	< 1	0.13	30	0.43	316	< 1
R 16332	203	238	1.57	< 0.2	< 5	160	< 0.5	< 2	0.17	< 0.5	11	133	11	2.34	< 10	< 1	0.14	30	0.37	202	< 1
R 16333	203	238	1.33	< 0.2	5	360	< 0.5	< 2	0.22	< 0.5	15	59	26	2.50	< 10	< 1	0.14	40	0.40	314	< 1
R 16334	203	238	1.38	< 0.2	< 5	140	< 0.5	< 2	0.12	0.5	8	86	19	1.99	< 10	< 1	0.09	30	0.25	164	< 1
R 16335	203	238	1.18	< 0.2	< 5	130	< 0.5	< 2	0.17	< 0.5	9	59	13	2.06	< 10	< 1	0.09	30	0.32	180	< 1
R 16336	203	238	1.15	< 0.2	10	120	< 0.5	< 2	0.13	< 0.5	8	79	10	1.83	< 10	< 1	0.09	30	0.28	134	1
R 16337	203	238	1.40	< 0.2	< 5	160	< 0.5	< 2	0.14	< 0.5	12	65	20	2.32	< 10	< 1	0.11	30	0.34	272	< 1
R 16338	203	238	1.64	< 0.2	< 5	140	< 0.5	< 2	0.15	< 0.5	14	64	18	2.57	< 10	< 1	0.12	30	0.41	241	< 1
R 16339	203	238	1.39	< 0.2	5	110	< 0.5	< 2	0.13	< 0.5	9	70	9	2.27	< 10	< 1	0.08	20	0.30	153	< 1
R 16340	203	238	1.67	< 0.2	5	130	< 0.5	< 2	0.13	< 0.5	13	56	14	2.58	< 10	< 1	0.09	20	0.41	272	< 1
R 16341	203	238	1.22	< 0.2	< 5	100	< 0.5	< 2	0.09	< 0.5	8	108	8	1.54	< 10	1	0.07	20	0.20	117	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 1-B
Total Pages: 7
Date : 26-JUL-87
Invoice # : I-8718096
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718096

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16323	203	238	0.01	12	210	6	< 5	< 10	15	0.07	< 10	< 10	50	5	38
R 16324	203	238	0.01	12	270	18	< 5	< 10	18	0.09	< 10	< 10	65	5	46
R 16325	203	238	0.03	19	380	10	< 5	< 10	20	0.06	< 10	< 10	41	15	59
R 16326	203	238	0.02	19	350	2	< 5	< 10	15	0.05	< 10	< 10	47	10	55
R 16327	203	238	0.01	16	240	14	< 5	< 10	14	0.05	< 10	< 10	45	10	47
R 16328	203	238	0.02	19	360	8	< 5	< 10	15	0.04	< 10	< 10	35	10	51
R 16329	203	238	0.01	8	260	2	< 5	< 10	11	0.04	< 10	< 10	28	5	32
R 16330	203	238	0.01	11	510	14	< 5	< 10	15	0.06	< 10	< 10	38	5	43
R 16331	203	238	0.02	16	530	8	< 5	< 10	15	0.05	< 10	< 10	40	5	58
R 16332	203	238	0.02	13	490	4	< 5	< 10	17	0.06	< 10	< 10	38	5	53
R 16333	203	238	0.02	24	540	2	< 5	< 10	22	0.06	< 10	< 10	41	10	73
R 16334	203	238	0.01	11	530	< 2	< 5	< 10	14	0.05	< 10	< 10	45	10	32
R 16335	203	238	0.01	13	490	6	< 5	< 10	15	0.07	< 10	< 10	43	10	43
R 16336	203	238	0.01	11	390	< 2	< 5	< 10	15	0.06	< 10	< 10	46	5	36
R 16337	203	238	0.01	16	500	< 2	< 5	< 10	16	0.05	< 10	< 10	44	5	50
R 16338	203	238	0.01	20	440	8	< 5	< 10	15	0.06	< 10	< 10	40	15	51
R 16339	203	238	0.01	10	430	< 2	< 5	< 10	15	0.06	< 10	< 10	47	5	35
R 16340	203	238	0.01	13	310	2	< 5	< 10	15	0.06	< 10	< 10	45	10	47
R 16341	203	238	0.01	7	340	6	< 5	< 10	13	0.06	< 10	< 10	45	5	24

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : 1-A
Tot. : 6
Date : 14-JUL-87
Invoice # : I-8717251
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15837	203	238	2.05	0.2	50	90	3.0	< 2	0.22	< 0.5	31	41	75	3.97	< 10	< 1	0.20	70	0.61	557	< 1
R 15839	203	238	1.29	8.0	45	110	< 0.5	< 2	0.16	< 0.5	8	33	16	2.14	< 10	< 1	0.11	30	0.34	389	1
R 15840	203	238	1.38	1.0	25	140	< 0.5	2	0.16	< 0.5	10	47	18	2.45	< 10	< 1	0.16	40	0.36	507	< 1
R 15841	203	238	1.14	0.6	15	120	< 0.5	4	0.19	< 0.5	9	47	22	2.20	< 10	1	0.13	30	0.33	381	< 1
R 15842	203	238	1.37	0.4	45	110	0.5	< 2	0.10	< 0.5	9	46	18	2.55	< 10	< 1	0.15	30	0.33	565	< 1
R 15843	203	238	1.36	1.0	35	180	< 0.5	< 2	0.14	< 0.5	11	37	21	2.46	< 10	< 1	0.15	30	0.37	743	< 1
R 15844	203	238	1.26	0.6	30	140	0.5	< 2	0.09	< 0.5	10	35	17	2.50	< 10	< 1	0.10	30	0.29	552	< 1
R 15845	203	238	1.06	2.0	40	120	< 0.5	< 2	0.11	< 0.5	9	38	19	2.31	< 10	< 1	0.11	30	0.26	396	< 1
R 15846	203	238	1.08	3.2	150	170	< 0.5	< 2	0.14	< 0.5	13	41	27	2.76	< 10	< 1	0.17	30	0.28	784	< 1
R 15847	203	238	0.89	56.0	295	180	< 0.5	< 2	0.09	6.0	13	45	36	2.67	< 10	< 1	0.20	40	0.20	3840	< 1
R 15848	203	238	0.57	3.2	45	110	< 0.5	< 2	0.08	< 0.5	5	46	23	3.07	< 10	< 1	0.25	60	0.10	314	< 1
R 15849	203	238	1.10	5.4	70	210	< 0.5	< 2	0.37	< 0.5	10	54	19	2.65	< 10	< 1	0.16	30	0.27	1215	< 1
R 15850	203	238	1.00	3.6	85	220	< 0.5	2	0.25	0.5	15	43	31	3.05	< 10	< 1	0.24	50	0.23	2340	< 1
R 15851	203	238	1.25	2.2	5	160	< 0.5	< 2	0.14	0.5	8	49	17	2.42	< 10	9	0.14	20	0.31	504	< 1
R 15852	203	238	1.27	4.4	55	150	< 0.5	< 2	0.15	0.5	7	54	18	2.54	< 10	< 1	0.17	30	0.32	372	< 1
R 15853	203	238	1.21	2.4	80	140	< 0.5	< 2	0.16	0.5	8	46	21	2.43	< 10	< 1	0.17	30	0.35	493	1
R 15854	203	238	2.07	25.0	190	250	< 0.5	10	0.19	1.0	10	51	30	3.41	< 10	2	0.22	20	0.35	618	< 1
R 15855	203	238	1.18	9.0	65	130	< 0.5	6	0.14	< 0.5	7	50	17	2.44	< 10	< 1	0.14	20	0.30	567	< 1
R 15856	203	238	0.87	0.2	30	110	< 0.5	< 2	0.13	< 0.5	8	34	13	1.96	< 10	< 1	0.19	20	0.26	611	< 1
R 15857	203	238	1.24	0.6	60	130	< 0.5	< 2	0.11	< 0.5	5	50	16	2.52	< 10	< 1	0.13	30	0.30	334	< 1
R 15858	203	238	1.47	1.0	20	250	< 0.5	4	0.18	0.5	9	63	18	2.82	< 10	< 1	0.14	20	0.40	505	< 1
R 15859	203	238	1.28	5.0	75	180	< 0.5	< 2	0.16	0.5	11	54	23	2.59	< 10	< 1	0.17	30	0.35	1270	< 1
R 15860	203	238	1.30	11.2	45	200	< 0.5	< 2	0.34	1.0	4	64	17	2.04	< 10	< 1	0.24	20	0.21	382	< 1
R 15861	203	238	1.23	0.6	10	170	< 0.5	< 2	0.18	0.5	8	48	19	2.38	< 10	< 1	0.15	20	0.35	372	< 1
R 15862	203	238	1.20	5.6	45	120	< 0.5	< 2	0.09	< 0.5	6	97	17	2.24	< 10	2	0.21	20	0.24	289	< 1
R 15863	203	238	1.14	3.2	95	100	< 0.5	< 2	0.12	< 0.5	6	49	15	2.17	< 10	4	0.16	30	0.25	555	< 1
R 15864	203	238	1.47	2.8	210	150	< 0.5	< 2	0.12	1.0	15	51	26	2.93	< 10	< 1	0.19	40	0.38	1400	< 1
R 15865	203	238	1.52	1.0	100	150	< 0.5	< 2	0.12	< 0.5	10	51	20	2.89	< 10	< 1	0.17	30	0.35	689	< 1
R 15866	203	238	1.15	2.4	35	110	< 0.5	2	0.12	0.5	5	67	14	2.35	< 10	< 1	0.12	20	0.30	361	< 1
R 15867	203	238	1.05	0.2	45	110	< 0.5	4	0.08	< 0.5	6	80	10	2.29	< 10	6	0.14	20	0.21	537	< 1
R 15868	203	238	1.33	2.0	30	110	< 0.5	< 2	0.08	0.5	7	64	12	2.07	< 10	< 1	0.18	20	0.22	582	< 1
R 15869	203	238	1.38	1.6	70	180	< 0.5	< 2	0.19	< 0.5	10	48	17	2.52	< 10	< 1	0.21	30	0.34	791	3
R 15870	203	238	1.46	0.6	65	230	< 0.5	< 2	0.15	< 0.5	10	54	20	2.53	< 10	< 1	0.22	30	0.35	623	< 1
R 15906	203	238	1.36	3.4	145	200	< 0.5	4	0.17	0.5	11	50	24	2.69	< 10	< 1	0.22	30	0.33	1255	< 1
R 15907	203	238	1.47	2.0	165	220	< 0.5	< 2	0.16	0.5	10	51	21	2.89	< 10	< 1	0.24	30	0.30	1910	2
R 15908	203	238	1.93	3.8	40	360	< 0.5	2	0.30	0.5	10	44	22	2.97	< 10	< 1	0.22	30	0.38	910	< 1
R 15909	203	238	1.56	0.4	15	210	< 0.5	4	0.20	< 0.5	11	44	21	2.70	< 10	< 1	0.17	30	0.42	412	1
R 15910	203	238	1.19	0.4	35	150	< 0.5	< 2	0.21	< 0.5	9	48	21	2.48	< 10	9	0.16	30	0.32	519	< 1
R 15911	203	238	2.06	2.8	15	300	< 0.5	8	0.28	0.5	12	60	30	3.33	< 10	< 1	0.33	30	0.44	716	< 1
R 15912	203	238	1.32	8.0	40	150	< 0.5	8	0.12	< 0.5	10	47	24	2.64	< 10	< 1	0.20	30	0.30	1185	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T `CHER CATHRO & ASSOC. (1981) LTD.
X 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : :-B
Tot. : 6
Date : 14-JUL-8?
Invoice # : 1-8?17251
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15837	203	238	0.02	72	390	28	5	< 10	18	< 0.01	< 10	< 10	20	< 5	112
R 15839	203	238	< 0.01	15	440	116	< 5	< 10	13	0.03	< 10	< 10	32	< 5	85
R 15840	203	238	< 0.01	18	450	32	5	< 10	15	0.04	< 10	< 10	33	< 5	77
R 15841	203	238	0.01	19	590	16	< 5	< 10	16	0.04	< 10	< 10	37	< 5	64
R 15842	203	238	< 0.01	16	370	18	< 5	< 10	12	0.02	< 10	< 10	32	< 5	65
R 15843	203	238	< 0.01	20	480	22	< 5	< 10	14	0.03	< 10	< 10	34	< 5	77
R 15844	203	238	< 0.01	19	400	18	< 5	< 10	10	0.03	< 10	< 10	31	< 5	70
R 15845	203	238	< 0.01	19	520	32	< 5	< 10	11	0.03	< 10	< 10	29	< 5	64
R 15846	203	238	0.01	26	500	52	< 5	< 10	13	0.03	< 10	< 10	26	< 5	95
R 15847	203	238	< 0.01	25	450	266	< 5	10	15	0.01	10	< 10	19	5	601
R 15848	203	238	0.02	15	320	34	< 5	< 10	19	< 0.01	10	< 10	10	< 5	61
R 15849	203	238	0.01	24	480	46	< 5	< 10	23	0.03	< 10	< 10	28	< 5	109
R 15850	203	238	0.01	29	510	44	< 5	10	19	0.01	10	< 10	21	< 5	167
R 15851	203	238	0.01	16	630	38	< 5	< 10	14	0.02	< 10	< 10	31	< 5	64
R 15852	203	238	0.01	17	560	112	< 5	< 10	15	0.03	< 10	< 10	35	< 5	90
R 15853	203	238	0.01	20	480	38	< 5	< 10	15	0.04	< 10	< 10	34	< 5	119
R 15854	203	238	0.01	23	1390	152	< 5	< 10	22	0.02	< 10	< 10	47	< 5	148
R 15855	203	238	0.01	12	530	136	< 5	< 10	14	0.04	< 10	< 10	38	< 5	109
R 15856	203	238	0.01	21	410	38	< 5	10	12	0.03	< 10	< 10	25	< 5	92
R 15857	203	238	0.01	17	510	< 2	< 5	< 10	12	0.03	< 10	< 10	38	< 5	61
R 15858	203	238	0.01	19	540	26	< 5	< 10	19	0.05	< 10	< 10	47	< 5	72
R 15859	203	238	0.01	23	420	96	< 5	< 10	16	0.03	< 10	< 10	30	< 5	131
R 15860	203	238	0.02	20	980	64	< 5	< 10	22	0.02	< 10	< 10	34	< 5	114
R 15861	203	238	0.01	21	600	16	< 5	< 10	16	0.05	< 10	< 10	41	5	66
R 15862	203	238	0.01	15	880	40	< 5	< 10	11	0.02	< 10	< 10	33	< 5	56
R 15863	203	238	0.01	17	420	86	< 5	< 10	13	0.03	< 10	< 10	33	< 5	79
R 15864	203	238	0.01	24	460	66	< 5	< 10	15	0.01	< 10	< 10	26	< 5	124
R 15865	203	238	0.01	20	430	84	< 5	< 10	14	0.03	< 10	< 10	37	< 5	115
R 15866	203	238	0.01	15	420	52	< 5	< 10	12	0.03	< 10	< 10	34	< 5	67
R 15867	203	238	0.01	12	340	4	< 5	< 10	11	0.03	< 10	< 10	43	< 5	43
R 15868	203	238	0.01	12	200	72	< 5	< 10	10	0.03	< 10	< 10	31	< 5	138
R 15869	203	238	0.01	14	430	10	< 5	< 10	17	0.03	< 10	< 10	32	< 5	89
R 15870	203	238	0.01	23	420	18	< 5	< 10	17	0.03	< 10	< 10	35	< 5	65
R 15906	203	238	0.01	26	550	110	< 5	< 10	17	0.04	< 10	< 10	37	< 5	148
R 15907	203	238	0.01	21	490	54	< 5	10	16	0.02	10	< 10	31	< 5	142
R 15908	203	238	0.02	16	1020	68	< 5	< 10	22	0.02	< 10	< 10	43	< 5	117
R 15909	203	238	0.01	18	580	20	< 5	< 10	18	0.04	< 10	< 10	42	< 5	74
R 15910	203	238	0.01	20	620	6	< 5	< 10	18	0.05	< 10	< 10	38	< 5	63
R 15911	203	238	0.02	34	710	50	< 5	< 10	26	0.03	< 10	< 10	44	< 5	107
R 15912	203	238	0.01	26	490	34	< 5	< 10	14	0.03	10	< 10	33	< 5	92

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
X 4127
25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page N: :-A
Tot. :
Date :14-JUL-87
Invoice # :I-8717251
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15913	203	238	1.30	0.6	45	120	< 0.5	4	0.10	< 0.5	9	28	23	2.60	< 10	< 1	0.12	30	0.35	641	< 1
R 15914	203	238	1.47	0.2	50	120	0.5	< 2	0.10	< 0.5	8	34	19	2.99	< 10	1	0.13	30	0.35	335	< 1
R 15915	203	238	1.24	2.8	50	150	0.5	< 2	0.17	< 0.5	8	44	28	2.56	< 10	2	0.16	30	0.34	789	< 1
R 15916	203	238	1.22	2.0	170	180	0.5	< 2	0.20	< 0.5	11	42	25	3.16	< 10	< 1	0.28	40	0.28	690	< 1
R 15933	203	238	1.58	0.2	30	220	0.5	6	0.16	0.5	11	63	22	2.79	< 10	< 1	0.17	30	0.44	436	1
R 15934	203	238	1.66	0.2	65	190	0.5	2	0.17	< 0.5	10	52	23	2.91	< 10	< 1	0.22	30	0.41	420	< 1
R 15935	203	238	1.82	0.4	45	250	0.5	< 2	0.17	0.5	10	73	23	3.10	< 10	7	0.29	40	0.37	719	< 1
R 15936	203	238	1.52	0.2	30	150	0.5	12	0.14	< 0.5	11	56	18	2.79	< 10	< 1	0.21	30	0.40	553	< 1
R 15937	203	238	1.64	0.2	20	160	0.5	2	0.15	< 0.5	9	65	22	2.82	< 10	< 1	0.22	30	0.42	320	2
R 15938	203	238	1.22	0.2	70	110	< 0.5	< 2	0.07	< 0.5	8	49	21	2.91	< 10	< 1	0.19	40	0.36	343	< 1
R 15939	203	238	1.17	0.8	150	150	< 0.5	< 2	0.11	0.5	10	62	19	2.67	< 10	< 1	0.20	30	0.31	717	< 1
R 15940	203	238	1.21	0.2	30	110	< 0.5	2	0.13	0.5	9	47	17	2.38	< 10	< 1	0.13	30	0.32	348	< 1
R 15941	203	238	1.21	0.2	40	140	< 0.5	< 2	0.10	< 0.5	5	56	15	2.26	< 10	< 1	0.16	40	0.21	196	< 1
R 15942	203	238	1.34	0.4	65	190	< 0.5	2	0.16	< 0.5	8	55	23	2.83	< 10	4	0.16	30	0.39	360	< 1
R 15943	203	238	1.19	1.4	85	180	< 0.5	< 2	0.20	< 0.5	13	49	26	2.84	< 10	< 1	0.23	40	0.37	862	< 1
R 15944	203	238	1.41	2.0	60	170	0.5	< 2	0.15	0.5	13	53	27	3.18	< 10	4	0.19	40	0.40	632	< 1
R 15945	203	238	1.58	0.2	60	170	0.5	10	0.11	< 0.5	14	60	27	3.16	< 10	< 1	0.23	40	0.40	491	< 1
R 15946	203	238	1.35	0.2	30	150	0.5	4	0.09	0.5	12	52	26	3.03	< 10	2	0.25	50	0.39	397	< 1
R 15947	203	238	1.26	0.2	30	120	< 0.5	2	0.11	< 0.5	6	50	14	2.35	< 10	< 1	0.13	30	0.29	220	< 1
R 15948	203	238	1.33	0.2	60	180	< 0.5	6	0.18	1.0	13	44	22	2.50	< 10	< 1	0.23	50	0.34	547	< 1
R 15949	203	238	1.40	0.2	100	120	0.5	4	0.10	< 0.5	10	44	19	2.59	< 10	< 1	0.17	30	0.32	493	< 1
R 15950	203	238	1.35	0.4	255	120	< 0.5	< 2	0.12	< 0.5	9	44	18	2.53	< 10	3	0.21	40	0.27	297	< 1
R 15972	203	238	2.43	1.8	55	350	1.0	6	0.21	0.5	12	50	34	3.95	10	< 1	0.29	30	0.55	572	1
R 15973	203	238	1.48	0.6	35	170	< 0.5	< 2	0.14	< 0.5	8	54	19	2.64	< 10	< 1	0.20	30	0.37	305	< 1
R 15974	203	238	1.38	0.6	50	180	0.5	< 2	0.13	0.5	13	50	24	3.04	< 10	5	0.23	40	0.37	721	2
R 15975	203	238	1.45	0.6	15	170	< 0.5	6	0.13	0.5	11	53	20	2.90	< 10	< 1	0.22	40	0.40	590	2
R 15976	203	238	1.23	0.4	135	140	< 0.5	< 2	0.10	0.5	10	57	21	3.04	< 10	1	0.20	40	0.33	510	< 1
R 15977	203	238	1.26	0.6	110	150	< 0.5	< 2	0.13	< 0.5	13	50	26	2.95	< 10	< 1	0.24	30	0.35	708	1
R 15978	203	238	1.41	0.4	60	170	< 0.5	< 2	0.14	< 0.5	6	83	18	2.55	< 10	< 1	0.22	30	0.32	262	< 1
R 15979	203	238	1.12	0.2	50	130	< 0.5	< 2	0.12	0.5	8	76	19	2.49	< 10	< 1	0.24	30	0.27	276	< 1
R 15980	203	238	1.25	0.2	5	140	< 0.5	< 2	0.12	0.5	5	95	11	2.09	< 10	< 1	0.21	30	0.27	147	< 1
R 15981	203	238	1.41	1.6	65	140	< 0.5	< 2	0.13	0.5	13	108	21	3.04	< 10	1	0.25	40	0.41	654	< 1
R 15982	203	238	1.31	0.8	55	160	< 0.5	< 2	0.14	< 0.5	12	73	23	2.49	< 10	5	0.25	30	0.40	909	< 1
R 15983	203	238	1.26	2.6	40	160	< 0.5	< 2	0.18	0.5	9	74	20	2.72	< 10	6	0.18	30	0.36	414	< 1
R 15984	203	238	1.31	0.2	65	190	< 0.5	< 2	0.21	0.5	10	115	22	2.60	< 10	< 1	0.25	30	0.36	667	< 1
R 15985	203	238	1.55	0.2	45	190	< 0.5	< 2	0.15	0.6	13	105	21	3.00	< 10	< 1	0.24	40	0.39	631	2
R 15986	203	238	1.20	0.2	60	160	< 0.5	< 2	0.13	< 0.5	5	100	14	2.41	< 10	< 1	0.16	20	0.25	296	< 1
R 15987	203	238	1.22	0.2	55	130	< 0.5	2	0.12	0.5	6	66	16	2.71	< 10	6	0.22	40	0.32	324	< 1
R 15988	203	238	2.54	0.4	75	330	0.5	< 2	0.18	< 0.5	15	619	23	3.17	10	2	0.78	40	0.43	1115	< 1
R 15989	203	238	1.73	0.2	70	230	< 0.5	< 2	0.22	< 0.5	11	321	21	2.89	< 10	6	0.38	40	0.39	605	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
)X 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Date :14-JUL-87
Invoice # :I-8717251
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15913	203 238	0.01	26	450	34	< 5	< 10	11	0.03	< 10	< 10	27	< 5	69
R 15914	203 238	0.01	20	390	4	< 5	< 10	11	0.03	< 10	< 10	34	< 5	60
R 15915	203 238	0.01	30	530	42	< 5	< 10	17	0.04	< 10	< 10	37	< 5	91
R 15916	203 238	0.01	28	480	16	< 5	< 10	15	0.02	< 10	< 10	24	< 5	100
R 15933	203 238	0.01	16	550	< 2	< 5	< 10	16	0.05	10	< 10	43	< 5	68
R 15934	203 238	0.01	20	550	10	< 5	< 10	16	0.04	< 10	< 10	38	< 5	80
R 15935	203 238	0.02	30	670	18	< 5	< 10	17	0.02	< 10	< 10	34	< 5	82
R 15936	203 238	0.01	16	460	14	< 5	10	14	0.04	< 10	< 10	35	< 5	61
R 15937	203 238	0.01	22	490	< 2	< 5	< 10	15	0.05	< 10	< 10	38	< 5	57
R 15938	203 238	0.01	19	380	12	< 5	< 10	10	0.01	< 10	< 10	23	< 5	62
R 15939	203 238	0.01	20	490	78	< 5	< 10	9	0.01	< 10	< 10	20	< 5	83
R 15940	203 238	0.01	17	390	8	< 5	< 10	11	0.03	< 10	< 10	29	< 5	53
R 15941	203 238	0.01	15	450	6	< 5	< 10	10	0.01	10	< 10	25	< 5	44
R 15942	203 238	0.02	26	530	8	< 5	< 10	15	0.04	< 10	< 10	35	< 5	72
R 15943	203 238	0.01	34	540	16	< 5	< 10	17	0.02	< 10	< 10	20	< 5	86
R 15944	203 238	0.01	32	550	14	< 5	< 10	15	0.03	< 10	< 10	29	< 5	81
R 15945	203 238	0.01	33	430	38	< 5	10	13	0.03	< 10	< 10	29	< 5	72
R 15946	203 238	0.01	28	360	44	< 5	< 10	13	0.02	10	< 10	22	< 5	71
R 15947	203 238	0.01	17	500	2	< 5	< 10	11	0.02	< 10	< 10	31	< 5	44
R 15948	203 238	0.01	24	390	34	< 5	< 10	11	0.01	10	< 10	20	< 5	66
R 15949	203 238	0.01	21	340	64	< 5	< 10	11	0.04	< 10	< 10	30	< 5	73
R 15950	203 238	0.01	25	390	58	< 5	< 10	16	0.03	< 10	< 10	33	< 5	82
R 15972	203 238	0.02	29	970	26	< 5	< 10	22	0.05	< 10	< 10	57	< 5	97
R 15973	203 238	0.01	20	480	28	< 5	< 10	15	0.04	10	< 10	34	< 5	64
R 15974	203 238	0.01	25	420	36	< 5	< 10	13	0.02	< 10	< 10	25	< 5	82
R 15975	203 238	0.01	28	450	30	< 5	< 10	14	0.03	< 10	< 10	30	< 5	65
R 15976	203 238	0.01	22	420	90	< 5	< 10	12	0.02	< 10	< 10	24	< 5	100
R 15977	203 238	0.01	30	480	70	< 5	< 10	13	0.02	< 10	< 10	23	< 5	82
R 15978	203 238	0.01	19	480	50	< 5	< 10	16	0.05	< 10	< 10	42	< 5	60
R 15979	203 238	0.01	20	440	18	< 5	< 10	12	0.02	< 10	< 10	26	< 5	56
R 15980	203 238	0.01	17	390	12	< 5	< 10	13	0.04	< 10	< 10	33	< 5	38
R 15981	203 238	0.01	18	530	8	< 5	< 10	15	0.03	< 10	< 10	31	< 5	71
R 15982	203 238	0.01	28	450	32	< 5	< 10	13	0.02	< 10	< 10	24	< 5	69
R 15983	203 238	0.01	20	520	10	< 5	< 10	16	0.04	< 10	< 10	36	< 5	71
R 15984	203 238	0.01	25	670	58	< 5	< 10	20	0.05	< 10	< 10	36	< 5	86
R 15985	203 238	0.01	28	520	4	5	< 10	17	0.03	< 10	< 10	32	< 5	80
R 15986	203 238	0.01	18	430	< 2	< 5	< 10	16	0.06	< 10	< 10	48	< 5	42
R 15987	203 238	0.01	19	290	24	< 5	< 10	15	0.04	< 10	< 10	34	< 5	61
R 15988	203 238	0.08	27	360	26	< 5	< 10	26	0.05	10	< 10	40	< 5	72
R 15989	203 238	0.03	30	480	< 2	< 5	< 10	19	0.03	< 10	< 10	32	< 5	62

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
)X 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Date :14-JUL-87
Invoice # :I-8717251
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15993	203	238	1.50	0.8	40	230	< 0.5	< 2	0.15	< 0.5	11	50	23	3.01	< 10	2	0.20	30	0.41	653	2
R 15994	203	238	1.51	0.2	35	130	< 0.5	< 2	0.12	0.5	7	62	18	2.84	< 10	1	0.15	30	0.32	373	1
R 15995	203	238	1.26	0.6	110	140	< 0.5	< 2	0.14	< 0.5	8	47	18	2.55	< 10	5	0.18	30	0.30	455	< 1
R 15996	203	238	1.32	1.4	90	170	< 0.5	2	0.11	1.0	11	67	24	3.03	< 10	1	0.23	40	0.36	648	< 1
R 15997	203	238	1.22	0.4	45	130	< 0.5	2	0.10	< 0.5	9	43	19	2.41	< 10	< 1	0.12	30	0.31	310	< 1
R 15998	203	238	1.23	0.2	20	170	< 0.5	4	0.20	< 0.5	10	62	19	2.42	< 10	< 1	0.11	30	0.35	397	< 1
R 15999	203	238	1.21	3.0	185	130	< 0.5	4	0.11	0.5	9	65	24	2.78	< 10	< 1	0.21	40	0.28	831	1
R 16000	203	238	1.43	1.0	30	120	< 0.5	< 2	0.10	< 0.5	9	62	17	2.44	< 10	< 1	0.13	30	0.31	394	2
R 16051	203	238	1.32	15.0	140	130	< 0.5	2	0.10	1.5	11	49	23	2.68	< 10	< 1	0.17	40	0.35	836	2
R 16052	203	238	1.22	4.4	60	100	< 0.5	6	0.13	0.5	8	68	14	2.51	< 10	< 1	0.15	30	0.34	464	1
R 16053	203	238	1.34	3.4	100	150	< 0.5	2	0.12	0.5	14	52	17	2.54	< 10	< 1	0.13	30	0.32	910	2
R 16054	203	238	1.97	0.8	70	300	< 0.5	2	0.16	< 0.5	11	58	29	3.19	< 10	< 1	0.22	30	0.47	590	< 1
R 16055	203	238	1.50	0.4	45	160	< 0.5	4	0.17	< 0.5	14	65	23	2.77	< 10	< 1	0.20	40	0.46	524	< 1
R 16056	203	238	1.73	0.8	60	230	< 0.5	< 2	0.18	< 0.5	10	54	25	3.11	< 10	< 1	0.19	30	0.40	462	< 1
R 16057	203	238	1.86	1.0	50	240	< 0.5	4	0.18	< 0.5	9	58	22	2.75	< 10	< 1	0.25	30	0.37	374	< 1
R 16058	203	238	1.43	0.2	25	150	< 0.5	2	0.14	< 0.5	10	67	17	2.55	< 10	< 1	0.18	30	0.35	464	< 1
R 16059	203	238	1.78	4.0	40	150	0.5	4	0.17	0.5	16	41	43	3.34	< 10	< 1	0.22	60	0.52	859	< 1
R 16060	203	238	1.58	0.6	25	130	< 0.5	< 2	0.09	< 0.5	11	71	20	2.61	< 10	< 1	0.17	30	0.36	576	< 1
R 16061	203	238	1.43	1.0	200	160	0.5	< 2	0.18	< 0.5	15	68	29	2.78	< 10	< 1	0.21	40	0.40	846	< 1
R 16062	203	238	1.52	2.2	115	200	< 0.5	< 2	0.15	< 0.5	8	65	20	2.35	< 10	< 1	0.17	30	0.37	373	3
R 16063	203	238	1.48	0.2	35	140	< 0.5	< 2	0.14	< 0.5	11	53	25	3.00	< 10	< 1	0.15	30	0.46	357	< 1
R 16064	203	238	1.43	0.2	60	240	0.5	< 2	0.17	< 0.5	10	76	19	2.72	< 10	< 1	0.13	30	0.37	546	< 1
R 16065	203	238	1.21	1.4	60	150	< 0.5	< 2	0.18	< 0.5	10	76	22	2.46	< 10	1	0.15	30	0.34	665	< 1
R 16066	203	238	1.23	0.8	45	110	< 0.5	< 2	0.09	< 0.5	7	78	21	2.49	< 10	< 1	0.15	30	0.29	318	< 1
R 16067	203	238	1.72	0.8	40	110	< 0.5	< 2	0.11	< 0.5	8	51	12	3.01	< 10	< 1	0.09	20	0.30	318	< 1
R 16068	203	238	2.45	6.0	100	270	0.5	4	0.20	< 0.5	14	48	27	3.57	< 10	< 1	0.20	30	0.44	871	< 1
R 16069	203	238	0.96	0.4	5	160	< 0.5	4	0.47	0.5	10	127	15	2.23	< 10	< 1	0.14	40	0.17	1295	< 1
R 16072	203	238	1.09	8.6	95	100	< 0.5	< 2	0.08	< 0.5	5	89	9	1.59	< 10	< 1	0.11	20	0.11	102	< 1
R 16073	203	238	1.77	1.2	130	110	0.5	< 2	0.13	< 0.5	14	52	32	3.30	< 10	2	0.15	40	0.58	442	< 1
R 16074	203	238	1.41	0.2	55	110	< 0.5	< 2	0.09	< 0.5	10	51	19	2.71	< 10	< 1	0.16	30	0.34	455	< 1
R 16075	203	238	1.63	0.6	55	260	< 0.5	2	0.18	< 0.5	10	43	19	2.86	< 10	< 1	0.13	30	0.41	542	< 1
R 16076	203	238	1.22	0.4	15	150	< 0.5	< 2	0.09	0.5	5	130	10	1.92	< 10	1	0.15	30	0.15	429	< 1
R 16077	203	238	1.14	1.6	60	160	< 0.5	2	0.15	< 0.5	10	63	21	2.78	< 10	< 1	0.15	40	0.28	969	< 1
R 16078	203	238	1.13	2.8	115	160	< 0.5	< 2	0.16	0.5	15	89	28	3.47	< 10	< 1	0.18	40	0.26	2270	2
R 16079	203	238	1.26	5.0	275	100	< 0.5	2	0.10	1.0	9	58	32	3.04	< 10	< 1	0.16	50	0.27	619	< 1
R 16080	203	238	1.26	0.2	25	140	< 0.5	< 2	0.27	< 0.5	10	64	23	3.02	< 10	< 1	0.20	40	0.36	558	2
R 16116	203	238	1.47	0.2	210	150	0.5	2	0.17	< 0.5	20	58	35	2.81	< 10	1	0.16	40	0.47	720	< 1
R 16117	203	238	1.34	0.6	45	160	< 0.5	< 2	0.26	< 0.5	10	75	23	2.55	< 10	< 1	0.18	40	0.42	347	2
R 16118	203	238	1.16	0.6	90	140	< 0.5	2	0.26	0.5	11	56	29	2.60	< 10	< 1	0.14	40	0.42	431	< 1
R 16119	203	238	1.47	0.2	320	100	0.5	4	0.22	< 0.5	25	64	40	4.31	< 10	2	0.25	70	0.49	1220	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T [illegible]CHER CATHRO & ASSOC. (1981) LTD.
[illegible]X 4127
[illegible]125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page N [illegible]J-B
Tot. l 6
Date :14-JUL-87
Invoice # :I-8717251
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15993	203	238	0.01	27	610	8	< 5	< 10	15	0.03	< 10	< 10	34	< 5	87
R 15994	203	238	0.01	16	540	20	< 5	< 10	14	0.04	< 10	< 10	45	< 5	51
R 15995	203	238	0.01	16	450	82	< 5	< 10	14	0.03	< 10	< 10	30	< 5	78
R 15996	203	238	0.01	20	500	66	< 5	< 10	12	0.02	< 10	< 10	25	< 5	105
R 15997	203	238	< 0.01	18	470	32	< 5	< 10	11	0.02	< 10	< 10	28	< 5	57
R 15998	203	238	0.01	22	530	26	5	10	17	0.04	< 10	< 10	37	< 5	68
R 15999	203	238	0.01	22	530	54	5	< 10	14	0.01	< 10	< 10	20	< 5	103
R 16000	203	238	0.01	18	410	18	< 5	< 10	11	0.02	< 10	< 10	31	< 5	54
R 16051	203	238	< 0.01	22	420	148	< 5	< 10	13	0.01	< 10	< 10	21	< 5	292
R 16052	203	238	0.01	14	440	104	5	< 10	13	0.04	< 10	< 10	32	< 5	178
R 16053	203	238	0.01	14	480	156	< 5	< 10	14	0.02	< 10	< 10	33	< 5	115
R 16054	203	238	0.01	25	630	48	< 5	< 10	18	0.03	< 10	< 10	41	< 5	95
R 16055	203	238	0.01	24	480	24	< 5	< 10	18	0.03	< 10	< 10	29	< 5	75
R 16056	203	238	0.01	21	750	24	< 5	< 10	19	0.03	< 10	< 10	41	< 5	79
R 16057	203	238	0.01	18	640	28	< 5	< 10	21	0.03	< 10	< 10	41	< 5	67
R 16058	203	238	0.01	19	400	26	< 5	< 10	15	0.03	< 10	< 10	29	< 5	70
R 16059	203	238	< 0.01	32	390	62	< 5	< 10	17	< 0.01	< 10	< 10	17	< 5	156
R 16060	203	238	0.01	18	370	48	< 5	< 10	12	0.03	< 10	< 10	30	< 5	71
R 16061	203	238	0.01	31	470	62	< 5	< 10	18	0.01	< 10	< 10	17	< 5	81
R 16062	203	238	0.01	17	580	70	< 5	< 10	18	0.01	< 10	< 10	28	< 5	78
R 16063	203	238	< 0.01	22	480	18	< 5	< 10	14	0.02	< 10	< 10	28	< 5	73
R 16064	203	238	0.01	19	540	22	< 5	< 10	17	0.04	< 10	< 10	41	< 5	66
R 16065	203	238	0.01	24	490	28	< 5	< 10	17	0.03	< 10	< 10	29	< 5	74
R 16066	203	238	0.01	16	510	20	< 5	< 10	12	0.02	< 10	< 10	29	< 5	63
R 16067	203	238	< 0.01	11	230	28	< 5	< 10	13	0.06	< 10	< 10	48	< 5	51
R 16068	203	238	0.01	26	820	74	< 5	< 10	19	0.02	< 10	< 10	41	< 5	136
R 16069	203	238	0.01	20	460	38	5	< 10	34	0.01	< 10	< 10	17	< 5	80
R 16072	203	238	0.01	5	300	48	< 5	< 10	14	0.06	< 10	< 10	53	< 5	30
R 16073	203	238	< 0.01	26	490	52	< 5	10	16	0.01	< 10	< 10	21	< 5	109
R 16074	203	238	0.01	17	500	22	< 5	< 10	12	0.02	< 10	< 10	29	< 5	62
R 16075	203	238	0.01	17	630	34	< 5	< 10	18	0.02	< 10	< 10	37	< 5	62
R 16076	203	238	0.01	8	410	26	< 5	< 10	15	0.02	< 10	< 10	36	< 5	36
R 16077	203	238	0.01	20	420	48	< 5	< 10	14	0.02	< 10	< 10	23	< 5	113
R 16078	203	238	0.01	33	440	40	5	< 10	15	0.01	< 10	< 10	12	< 5	114
R 16079	203	238	< 0.01	24	560	104	< 5	< 10	11	< 0.01	< 10	< 10	11	< 5	167
R 16080	203	238	< 0.01	19	480	20	< 5	< 10	19	0.01	< 10	< 10	18	< 5	80
R 16116	203	238	< 0.01	25	520	66	< 5	< 10	17	0.03	< 10	< 10	31	< 5	91
R 16117	203	238	0.01	23	560	32	< 5	< 10	20	0.03	< 10	< 10	28	< 5	72
R 16118	203	238	0.01	24	560	44	< 5	< 10	20	0.03	< 10	< 10	26	< 5	90
R 16119	203	238	< 0.01	45	450	82	5	< 10	16	< 0.01	< 10	< 10	10	< 5	120

DONE,

CERTIFICATION : [signature]

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
X 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date :14-JUL-87
Invoice # :I-8717251
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16120	203	238	1.36	0.6	210	140	0.5	2	0.23	< 0.5	16	96	35	3.19	< 10	< 1	0.25	50	0.41	1060	< 1
R 16121	203	238	2.12	1.8	90	290	0.5	2	0.22	0.5	14	453	32	3.15	< 10	< 1	0.50	50	0.40	910	< 1
R 16122	203	238	1.34	3.8	95	150	0.5	< 2	0.20	0.5	16	66	27	2.73	< 10	< 1	0.29	50	0.30	1155	< 1
R 16123	203	238	1.44	0.2	25	180	< 0.5	2	0.22	< 0.5	9	82	19	2.38	< 10	< 1	0.13	20	0.38	401	2
R 16124	203	238	1.24	0.2	20	90	< 0.5	< 2	0.08	< 0.5	10	90	15	2.44	< 10	< 1	0.12	30	0.33	533	1
R 16125	203	238	1.42	0.2	20	130	< 0.5	< 2	0.11	< 0.5	10	101	19	2.74	< 10	< 1	0.13	30	0.40	535	< 1
R 16126	203	238	1.96	0.2	260	240	0.5	< 2	0.32	< 0.5	12	328	19	2.78	< 10	< 1	0.25	30	0.44	519	< 1
R 16127	203	238	1.82	0.2	125	120	< 0.5	< 2	0.17	0.5	13	89	24	2.95	< 10	< 1	0.12	20	0.49	566	< 1
R 16128	203	238	1.79	0.6	405	190	0.5	2	0.32	< 0.5	11	83	22	2.74	< 10	< 1	0.14	30	0.47	517	< 1
R 16129	203	238	1.58	0.2	40	150	< 0.5	< 2	0.17	< 0.5	10	105	17	2.70	< 10	< 1	0.16	30	0.44	551	< 1
R 16130	203	238	1.80	0.2	20	160	< 0.5	< 2	0.21	< 0.5	10	102	21	2.66	< 10	< 1	0.16	20	0.50	332	< 1
R 16131	203	238	1.67	0.2	20	150	< 0.5	< 2	0.18	< 0.5	9	133	21	2.81	< 10	< 1	0.16	30	0.44	358	< 1
R 16132	203	238	2.38	0.2	40	170	0.5	2	0.08	< 0.5	10	68	33	3.84	< 10	< 1	0.30	40	0.58	456	< 1
R 16133	203	238	2.10	0.2	30	220	0.5	2	0.18	< 0.5	13	94	28	3.17	< 10	< 1	0.27	50	0.48	681	< 1
R 16134	203	238	1.90	0.2	35	170	0.5	< 2	0.11	< 0.5	15	110	27	3.07	< 10	< 1	0.24	40	0.45	795	< 1
R 16135	203	238	1.50	0.2	25	120	< 0.5	< 2	0.13	< 0.5	6	96	18	2.35	< 10	< 1	0.13	30	0.37	200	3
R 16136	203	238	1.52	0.2	90	200	< 0.5	2	0.20	< 0.5	12	171	27	2.72	< 10	< 1	0.22	40	0.41	443	< 1
R 16137	203	238	1.58	0.2	85	210	0.5	2	0.17	< 0.5	10	130	28	2.71	< 10	< 1	0.20	40	0.40	413	< 1
R 16138	203	238	1.65	0.8	240	150	0.5	4	0.19	< 0.5	16	100	42	3.01	< 10	< 1	0.18	40	0.48	646	< 1
R 16139	203	238	1.74	0.2	75	180	0.5	< 2	0.17	< 0.5	11	183	32	2.92	< 10	< 1	0.20	40	0.49	497	< 1
R 16140	203	238	2.60	0.2	35	300	1.0	4	0.23	< 0.5	8	482	22	3.21	< 10	< 1	0.44	40	0.51	231	< 1
R 16141	203	238	1.99	0.2	50	200	0.5	< 2	0.17	< 0.5	10	333	23	2.73	< 10	< 1	0.31	40	0.41	274	< 1
R 16142	203	238	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss
R 16143	203	238	2.39	0.2	30	310	0.5	2	0.23	< 0.5	10	746	18	2.84	10	< 1	0.55	40	0.40	485	< 1
R 16144	203	238	1.50	0.2	20	120	0.5	< 2	0.13	< 0.5	7	90	20	2.52	< 10	< 1	0.11	20	0.37	226	< 1
R 16145	203	238	1.42	0.2	< 5	130	0.5	2	0.16	< 0.5	9	113	21	2.43	< 10	< 1	0.11	30	0.38	317	2
R 16146	203	238	1.80	0.2	40	210	0.5	< 2	0.18	< 0.5	11	102	21	2.27	< 10	< 1	0.26	30	0.44	220	< 1
R 16147	203	238	1.97	0.2	55	140	0.5	2	0.15	< 0.5	11	95	28	2.72	< 10	< 1	0.18	40	0.53	319	< 1
R 16148	203	238	1.88	0.2	70	150	0.5	< 2	0.17	< 0.5	9	142	22	2.67	< 10	4	0.22	30	0.50	256	< 1
R 16149	203	238	1.55	0.2	20	270	0.5	2	0.23	< 0.5	10	158	19	2.34	< 10	< 1	0.22	30	0.41	374	< 1
R 16150	203	238	1.55	0.2	30	220	0.5	< 2	0.24	< 0.5	9	89	22	2.34	< 10	< 1	0.22	40	0.40	305	< 1
R 16151	203	238	1.61	0.8	120	200	0.5	2	0.14	1.0	16	96	30	2.96	< 10	3	0.32	50	0.46	505	< 1
R 16152	203	238	1.53	0.2	5	170	< 0.5	< 2	0.10	< 0.5	8	82	17	2.14	< 10	< 1	0.20	30	0.35	293	2
R 16153	203	238	2.70	0.4	50	360	1.0	< 2	0.19	< 0.5	15	472	32	3.34	< 10	< 1	0.50	40	0.50	889	< 1
R 16154	203	238	1.58	0.2	40	160	1.0	< 2	0.14	< 0.5	12	108	25	2.75	< 10	< 1	0.24	50	0.50	443	< 1
R 16157	203	238	1.93	1.0	45	250	0.5	< 2	0.28	0.5	14	216	38	2.73	< 10	< 1	0.21	30	0.47	299	< 1
R 16158	203	238	2.19	0.2	30	350	0.5	< 2	0.27	0.5	11	399	48	2.74	< 10	< 1	0.42	40	0.54	436	< 1
R 16159	203	238	1.68	0.2	85	220	0.5	2	0.19	< 0.5	13	97	20	2.40	< 10	< 1	0.20	30	0.51	567	< 1
R 16160	203	238	3.71	0.2	75	370	1.0	2	0.15	< 0.5	14	647	38	3.69	< 10	< 1	0.88	50	0.63	567	< 1
R 16161	203	238	2.48	0.2	35	310	0.5	2	0.31	< 0.5	12	455	27	2.78	< 10	< 1	0.52	40	0.58	443	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
X 4127
25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page No :
Tot. Pa :
Date : 14-JUL-87
Invoic : I-8717251
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16120	203	238	< 0.01	33	510	46	5	< 10	15	0.01	< 10	< 10	15	< 5	88
R 16121	203	238	0.05	31	500	52	< 5	< 10	30	0.04	< 10	< 10	35	< 5	113
R 16122	203	238	0.01	22	550	62	< 5	< 10	20	0.01	< 10	< 10	18	< 5	77
R 16123	203	238	0.01	16	690	14	< 5	< 10	20	0.04	< 10	< 10	41	< 5	66
R 16124	203	238	0.01	15	440	24	< 5	< 10	10	0.03	< 10	< 10	33	< 5	57
R 16125	203	238	0.01	19	580	22	5	< 10	13	0.03	< 10	< 10	36	< 5	72
R 16126	203	238	0.03	25	560	32	< 5	< 10	29	0.03	< 10	< 10	39	< 5	83
R 16127	203	238	0.01	22	680	32	< 5	< 10	16	0.06	< 10	< 10	51	< 5	92
R 16128	203	238	0.01	20	630	20	5	< 10	26	0.04	< 10	< 10	41	< 5	82
R 16129	203	238	0.01	15	490	20	< 5	< 10	17	0.04	< 10	< 10	42	< 5	61
R 16130	203	238	0.02	21	650	16	< 5	< 10	21	0.07	< 10	< 10	50	< 5	77
R 16131	203	238	0.01	19	560	16	< 5	< 10	19	0.07	< 10	< 10	49	< 5	72
R 16132	203	238	0.01	25	700	36	< 5	< 10	14	0.01	< 10	< 10	32	< 5	94
R 16133	203	238	0.02	27	620	22	< 5	< 10	21	0.04	< 10	< 10	38	< 5	90
R 16134	203	238	0.02	23	670	32	< 5	< 10	17	0.03	< 10	< 10	40	< 5	75
R 16135	203	238	0.01	15	590	30	< 5	< 10	15	0.04	< 10	< 10	41	< 5	55
R 16136	203	238	0.02	25	510	46	< 5	< 10	19	0.04	< 10	< 10	35	< 5	82
R 16137	203	238	0.01	24	460	16	< 5	< 10	19	0.03	< 10	< 10	35	< 5	63
R 16138	203	238	0.02	30	680	46	< 5	< 10	22	0.05	< 10	< 10	42	< 5	94
R 16139	203	238	0.02	25	510	36	< 5	< 10	20	0.05	< 10	< 10	38	< 5	72
R 16140	203	238	0.05	23	480	20	5	< 10	28	0.05	< 10	< 10	49	< 5	63
R 16141	203	238	0.03	24	430	30	< 5	< 10	21	0.03	< 10	< 10	37	< 5	68
R 16142	203	238	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss
R 16143	203	238	0.09	22	340	36	< 5	< 10	32	0.09	< 10	< 10	53	< 5	68
R 16144	203	238	0.01	17	470	10	5	< 10	14	0.04	< 10	< 10	41	< 5	54
R 16145	203	238	0.01	19	530	20	< 5	< 10	16	0.05	< 10	< 10	42	< 5	59
R 16146	203	238	0.01	16	390	28	< 5	< 10	17	0.03	< 10	< 10	33	< 5	62
R 16147	203	238	0.01	21	450	26	< 5	10	19	0.04	< 10	< 10	39	< 5	64
R 16148	203	238	0.02	20	430	36	< 5	< 10	20	0.04	< 10	< 10	40	< 5	66
R 16149	203	238	0.02	19	400	18	< 5	< 10	24	0.05	< 10	< 10	40	< 5	55
R 16150	203	238	0.01	23	400	20	< 5	< 10	20	0.04	< 10	< 10	33	< 5	58
R 16151	203	238	0.01	29	330	58	5	< 10	15	0.01	< 10	< 10	23	< 5	134
R 16152	203	238	0.01	12	410	20	< 5	< 10	12	0.02	< 10	< 10	27	< 5	46
R 16153	203	238	0.06	31	430	26	5	< 10	28	0.05	< 10	< 10	52	< 5	74
R 16154	203	238	0.01	22	490	30	< 5	< 10	14	0.02	< 10	< 10	27	< 5	70
R 16157	203	238	0.03	22	610	436	< 5	< 10	27	0.08	< 10	< 10	56	< 5	222
R 16158	203	238	0.05	27	480	34	< 5	< 10	32	0.06	< 10	< 10	46	< 5	91
R 16159	203	238	0.01	17	470	28	5	< 10	20	0.04	< 10	< 10	36	< 5	66
R 16160	203	238	0.15	32	370	20	< 5	< 10	53	0.03	< 10	< 10	52	< 5	85
R 16161	203	238	0.08	26	490	24	< 5	< 10	41	0.06	< 10	< 10	47	< 5	67

DONE

CERTIFICATION : _____

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T. ?CHER CATHRO & ASSOC. (1981) LTD.
?X 4127
?125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date : 14-JUL-87
Invoice # : I-871?251
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16162	203	238	1.55	0.2	20	100	< 0.5	< 2	0.08	< 0.5	15	61	31	2.42	< 10	< 1	0.16	40	0.50	536	< 1
R 16163	203	238	1.76	0.2	65	150	< 0.5	< 2	0.12	0.5	16	82	42	3.42	< 10	< 1	0.24	50	0.57	471	< 1
R 16164	203	238	1.46	1.0	70	160	0.5	< 2	0.10	< 0.5	12	66	27	3.11	< 10	1	0.21	40	0.44	1150	< 1
R 16165	203	238	1.88	0.2	25	180	< 0.5	4	0.13	0.5	15	65	32	3.17	< 10	< 1	0.24	50	0.60	453	< 1
R 16177	203	238	1.36	1.2	45	210	< 0.5	< 2	0.23	< 0.5	10	69	22	2.51	< 10	< 1	0.16	30	0.39	448	< 1
R 16178	203	238	1.56	1.2	200	140	< 0.5	2	0.11	< 0.5	12	78	28	2.98	< 10	< 1	0.24	50	0.39	740	< 1
R 16180	203	238	1.58	0.6	55	190	< 0.5	< 2	0.14	< 0.5	11	65	23	2.88	< 10	< 1	0.15	30	0.38	624	< 1
R 16181	203	238	1.58	1.2	30	190	0.5	< 2	0.16	< 0.5	11	123	24	2.86	< 10	< 1	0.21	40	0.36	542	< 1
R 16182	203	238	1.39	0.2	20	140	< 0.5	< 2	0.12	< 0.5	11	68	17	2.49	< 10	< 1	0.11	30	0.33	535	2
R 16183	203	238	1.27	0.2	20	130	< 0.5	< 2	0.10	< 0.5	8	97	17	2.47	< 10	< 1	0.15	30	0.29	258	1
R 16184	203	238	1.34	0.2	65	90	< 0.5	< 2	0.08	< 0.5	9	65	15	2.40	< 10	< 1	0.10	30	0.25	416	2
R 16185	203	238	1.52	0.2	55	100	< 0.5	< 2	0.08	< 0.5	12	42	23	2.59	< 10	< 1	0.13	30	0.38	336	< 1
R 16186	203	238	1.35	0.2	250	110	< 0.5	< 2	0.07	0.5	11	53	21	2.52	< 10	< 1	0.18	40	0.26	384	2
R 16187	203	238	1.30	0.2	50	150	< 0.5	< 2	0.11	< 0.5	9	84	14	2.69	< 10	1	0.12	20	0.27	394	2
R 16188	203	238	1.22	0.8	35	140	< 0.5	< 2	0.15	< 0.5	9	60	22	2.42	< 10	< 1	0.11	30	0.35	492	< 1
R 16189	203	238	1.21	1.0	35	140	< 0.5	2	0.15	0.5	9	96	19	2.27	< 10	< 1	0.14	30	0.32	724	< 1
R 16190	203	238	1.83	4.2	45	300	< 0.5	< 2	0.46	< 0.5	13	79	26	3.14	< 10	1	0.15	30	0.42	1475	< 1
R 16191	203	238	1.34	1.4	30	160	< 0.5	4	0.16	< 0.5	10	82	18	2.67	< 10	< 1	0.13	30	0.33	1045	< 1
R 16192	203	238	1.68	2.2	10	190	< 0.5	< 2	0.19	< 0.5	9	65	20	2.71	< 10	< 1	0.12	20	0.38	385	< 1
R 16193	203	238	1.56	1.4	15	180	< 0.5	2	0.19	< 0.5	9	62	25	2.78	< 10	< 1	0.17	30	0.40	456	< 1
R 16194	203	238	1.38	7.0	60	150	< 0.5	4	0.09	< 0.5	10	71	26	2.96	< 10	< 1	0.24	40	0.26	1165	< 1
R 16195	203	238	1.35	4.0	50	210	< 0.5	< 2	0.10	0.5	11	69	22	2.50	< 10	< 1	0.23	30	0.27	1840	2
R 16196	203	238	1.43	1.0	20	140	< 0.5	2	0.14	< 0.5	7	77	18	2.47	< 10	1	0.12	20	0.34	368	3
R 16197	203	238	0.87	0.6	165	140	< 0.5	< 2	0.13	< 0.5	13	56	27	2.90	< 10	< 1	0.20	50	0.16	742	< 1
R 16198	203	238	1.23	4.6	25	110	< 0.5	< 2	0.14	< 0.5	9	57	18	2.33	< 10	< 1	0.08	20	0.28	346	< 1
R 16199	203	238	1.19	1.6	20	220	< 0.5	< 2	0.31	0.5	10	75	19	2.61	< 10	< 1	0.13	40	0.27	914	1
R 16200	203	238	1.49	0.2	30	210	< 0.5	< 2	0.15	< 0.5	11	44	16	2.61	< 10	< 1	0.11	30	0.30	1415	< 1
R 16234	203	238	1.45	0.2	50	160	< 0.5	< 2	0.17	1.0	9	42	42	2.39	< 10	< 1	0.14	20	0.39	279	< 1
R 16235	203	238	1.43	0.2	65	330	< 0.5	< 2	0.25	1.5	11	59	46	2.45	< 10	< 1	0.20	30	0.43	328	< 1
R 16236	203	238	1.40	0.2	10	160	< 0.5	< 2	0.19	0.5	< 1	58	29	1.65	< 10	< 1	0.13	20	0.35	136	1
R 16237	203	238	1.58	0.2	5	210	< 0.5	< 2	0.19	0.5	2	59	26	1.46	< 10	< 1	0.12	20	0.36	131	1
R 16238	203	238	1.67	0.2	45	180	< 0.5	2	0.19	< 0.5	9	97	31	2.42	< 10	1	0.15	20	0.42	355	< 1
R 16239	203	238	1.45	0.2	30	160	< 0.5	< 2	0.13	< 0.5	8	61	18	2.29	< 10	2	0.09	20	0.33	450	< 1
R 16240	203	238	1.61	1.2	100	170	< 0.5	< 2	0.20	< 0.5	18	67	23	2.68	< 10	< 1	0.16	40	0.48	1770	< 1
R 16241	203	238	2.01	0.6	35	210	< 0.5	< 2	0.15	< 0.5	16	58	40	3.51	< 10	< 1	0.23	50	0.58	791	< 1
R 16242	203	238	1.63	0.4	70	120	< 0.5	< 2	0.12	< 0.5	18	75	34	2.62	< 10	< 1	0.26	50	0.49	455	< 1
R 16243	203	238	1.44	0.2	30	300	< 0.5	2	0.18	1.5	9	58	42	2.37	< 10	< 1	0.13	20	0.36	395	< 1
R 16244	203	238	1.62	0.2	25	210	< 0.5	< 2	0.18	0.5	11	59	26	2.29	< 10	< 1	0.14	30	0.39	537	< 1
R 16245	203	238	1.37	0.2	20	240	< 0.5	< 2	0.23	< 0.5	2	45	16	1.91	< 10	< 1	0.12	30	0.40	227	1
R 16246	203	238	1.22	0.2	45	250	< 0.5	< 2	0.21	< 0.5	10	53	27	2.21	< 10	< 1	0.12	30	0.42	470	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T [illegible]CHER CATHRO & ASSOC. (1981) LTD.
[illegible] X 4127
[illegible]125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date :14-JUL-87
Invoice # :I-8717251
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16162	203	238	< 0.01	23	350	16	< 5	< 10	10	0.01	< 10	< 10	19	< 5	61
R 16163	203	238	< 0.01	34	300	22	< 5	< 10	14	0.01	< 10	< 10	21	< 5	84
R 16164	203	238	< 0.01	24	380	54	< 5	< 10	11	0.01	< 10	< 10	21	< 5	123
R 16165	203	238	< 0.01	30	390	26	< 5	< 10	12	0.01	< 10	< 10	18	< 5	83
R 16177	203	238	0.01	20	550	22	< 5	< 10	18	0.04	< 10	< 10	34	< 5	77
R 16178	203	238	< 0.01	23	460	36	< 5	< 10	13	0.01	< 10	< 10	19	< 5	102
R 16180	203	238	< 0.01	21	460	28	< 5	< 10	15	0.03	< 10	< 10	35	< 5	78
R 16181	203	238	0.01	24	470	22	< 5	< 10	17	0.03	< 10	< 10	32	< 5	79
R 16182	203	238	< 0.01	16	410	28	< 5	< 10	13	0.04	< 10	< 10	36	< 5	51
R 16183	203	238	0.01	17	440	22	< 5	< 10	12	0.02	< 10	< 10	28	< 5	50
R 16184	203	238	< 0.01	16	340	26	< 5	< 10	9	0.02	< 10	< 10	28	< 5	48
R 16185	203	238	< 0.01	22	300	16	< 5	< 10	9	0.02	< 10	< 10	25	< 5	59
R 16186	203	238	< 0.01	19	320	54	5	< 10	10	0.02	< 10	< 10	24	< 5	83
R 16187	203	238	< 0.01	15	270	24	< 5	< 10	13	0.03	< 10	< 10	35	< 5	51
R 16188	203	238	< 0.01	15	530	24	< 5	< 10	15	0.04	< 10	< 10	35	< 5	88
R 16189	203	238	0.01	16	510	26	< 5	< 10	14	0.03	< 10	< 10	31	< 5	75
R 16190	203	238	0.01	21	1110	52	< 5	< 10	27	0.03	< 10	< 10	48	< 5	119
R 16191	203	238	< 0.01	17	550	28	< 5	< 10	16	0.04	< 10	< 10	41	< 5	86
R 16192	203	238	0.01	18	650	26	< 5	< 10	19	0.04	< 10	< 10	47	< 5	70
R 16193	203	238	0.01	21	550	28	< 5	< 10	19	0.05	< 10	< 10	42	< 5	78
R 16194	203	238	< 0.01	21	500	68	< 5	< 10	14	0.01	< 10	< 10	23	< 5	115
R 16195	203	238	< 0.01	21	420	48	< 5	< 10	14	0.02	< 10	< 10	27	< 5	113
R 16196	203	238	0.01	15	440	22	< 5	< 10	16	0.05	< 10	< 10	44	< 5	57
R 16197	203	238	< 0.01	22	460	22	< 5	< 10	13	0.01	< 10	< 10	14	< 5	58
R 16198	203	238	< 0.01	16	530	32	< 5	< 10	14	0.04	< 10	< 10	35	< 5	55
R 16199	203	238	0.01	22	460	78	< 5	< 10	26	0.04	< 10	< 10	32	< 5	122
R 16200	203	238	< 0.01	15	650	72	< 5	< 10	14	0.02	< 10	< 10	33	< 5	90
R 16234	203	238	< 0.01	18	600	20	< 5	< 10	19	0.06	< 10	< 10	38	< 5	141
R 16235	203	238	0.01	19	600	8	< 5	< 10	27	0.07	< 10	< 10	39	< 5	207
R 16236	203	238	< 0.01	14	560	6	< 5	< 10	18	0.06	< 10	< 10	39	< 5	100
R 16237	203	238	0.01	14	520	18	< 5	< 10	19	0.06	< 10	< 10	45	< 5	105
R 16238	203	238	0.01	18	540	26	< 5	< 10	19	0.06	< 10	< 10	43	< 5	126
R 16239	203	238	< 0.01	14	520	20	5	< 10	15	0.05	< 10	< 10	46	< 5	79
R 16240	203	238	0.01	18	480	72	< 5	< 10	16	0.02	< 10	< 10	23	< 5	105
R 16241	203	238	0.01	26	640	26	< 5	< 10	18	0.02	< 10	< 10	29	< 5	84
R 16242	203	238	< 0.01	25	370	22	< 5	< 10	12	0.01	< 10	< 10	15	< 5	76
R 16243	203	238	0.01	23	590	14	< 5	< 10	20	0.06	< 10	< 10	39	< 5	146
R 16244	203	238	0.01	20	540	36	< 5	< 10	18	0.06	< 10	< 10	39	< 5	113
R 16245	203	238	0.01	17	460	14	< 5	< 10	22	0.06	< 10	< 10	38	< 5	68
R 16246	203	238	0.01	23	560	30	< 5	< 10	21	0.04	< 10	< 10	33	< 5	71

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T [illegible]CHER CATHRO & ASSOC. (1981) LTD.
[illegible] 4127
[illegible].25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page N[illegible] :[illegible]A
Tot. P[illegible] :[illegible]
Date : 14-JUL-87
Invoice # : I-8717251
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 16247	203	238	1.43	2.0	45	140	< 0.5	< 2	0.17	0.5	11	39	31	2.56	< 10	< 1	0.12	30	0.44	340	< 1
R 16248	203	238	1.85	0.2	785	140	0.5	< 2	0.10	2.0	16	57	44	3.98	< 10	< 1	0.24	60	0.63	692	< 1
R 16249	203	238	1.53	0.4	150	140	0.5	2	0.10	< 0.5	12	47	36	3.17	< 10	< 1	0.24	50	0.47	435	< 1
R 16250	203	238	1.69	0.2	20	120	< 0.5	< 2	0.10	< 0.5	11	47	40	2.83	< 10	< 1	0.15	40	0.53	234	< 1
R 17151	203	238	1.24	1.6	95	160	< 0.5	< 2	0.06	< 0.5	9	67	21	2.59	< 10	< 1	0.14	30	0.27	1095	1
R 17152	203	238	0.92	0.2	85	140	< 0.5	< 2	0.08	< 0.5	< 1	94	12	1.90	< 10	< 1	0.07	20	0.10	328	< 1
R 17153	203	238	1.19	0.4	20	130	< 0.5	< 2	0.11	0.5	8	51	21	2.55	< 10	< 1	0.09	30	0.34	391	< 1
R 17154	203	238	1.19	0.2	25	170	< 0.5	< 2	0.13	< 0.5	11	75	21	2.48	< 10	< 1	0.12	30	0.35	487	1
R 17155	203	238	1.26	0.2	25	180	< 0.5	< 2	0.13	< 0.5	10	60	28	2.68	< 10	< 1	0.09	30	0.34	331	< 1
R 17156	203	238	1.10	0.2	35	120	< 0.5	< 2	0.14	< 0.5	10	43	18	2.27	< 10	< 1	0.10	20	0.33	338	< 1
R 17157	203	238	1.20	0.2	40	160	< 0.5	< 2	0.17	< 0.5	10	18	21	2.18	< 10	< 1	0.08	30	0.36	421	< 1
R 17158	203	238	1.33	0.2	35	140	< 0.5	2	0.12	< 0.5	15	30	23	2.56	< 10	< 1	0.13	40	0.39	621	< 1
R 17159	203	238	1.31	0.2	10	100	< 0.5	< 2	0.15	< 0.5	9	51	16	2.19	< 10	< 1	0.10	20	0.35	226	1
R 17160	203	238	1.33	0.2	30	120	< 0.5	< 2	0.14	< 0.5	9	47	26	2.31	< 10	< 1	0.10	30	0.40	425	1
R 17161	203	238	1.20	1.8	40	120	< 0.5	< 2	0.15	< 0.5	8	53	18	2.31	< 10	< 1	0.12	30	0.33	442	< 1
R 17162	203	238	1.25	0.6	25	130	< 0.5	4	0.13	< 0.5	7	46	18	2.27	< 10	< 1	0.11	30	0.32	409	1
R 17163	203	238	1.19	0.2	35	130	< 0.5	< 2	0.12	< 0.5	9	43	18	2.33	< 10	< 1	0.10	30	0.30	518	< 1
R 17164	203	238	1.49	1.6	70	140	< 0.5	4	0.17	0.5	10	58	25	2.55	< 10	< 1	0.14	40	0.39	689	< 1
R 17165	203	238	1.42	1.4	110	110	< 0.5	2	0.07	< 0.5	17	35	34	2.77	< 10	< 1	0.13	50	0.40	591	< 1
R 17166	203	238	1.56	1.0	120	130	< 0.5	< 2	0.08	< 0.5	15	40	29	2.96	< 10	< 1	0.12	50	0.45	661	< 1
R 17167	203	238	1.20	0.2	195	130	< 0.5	< 2	0.12	0.5	13	29	27	2.58	< 10	< 1	0.10	40	0.38	540	< 1
R 17168	203	238	1.18	5.0	380	80	< 0.5	< 2	0.07	1.0	12	10	27	2.75	< 10	< 1	0.06	30	0.27	684	2
R 17169	203	238	1.06	0.2	45	90	< 0.5	< 2	0.11	< 0.5	8	13	13	2.29	< 10	< 1	0.04	20	0.25	219	< 1
R 17170	203	238	1.02	0.2	320	130	< 0.5	2	0.18	0.5	15	33	27	2.91	< 10	< 1	0.20	50	0.22	595	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T [illegible]CHER CATHRO & ASSOC. (1981) LTD.
[illegible]K 4127
[illegible].25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

CERTIFICATE OF ANALYSIS A8717251

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 16247	203	238	< 0.01	24	510	16	< 5	< 10	16	0.04	< 10	< 10	33	< 5	63
R 16248	203	238	0.01	32	420	314	5	< 10	13	< 0.01	< 10	< 10	17	< 5	188
R 16249	203	238	< 0.01	26	330	38	< 5	< 10	10	0.01	< 10	< 10	17	< 5	92
R 16250	203	238	< 0.01	26	460	20	< 5	< 10	12	0.01	< 10	< 10	24	< 5	63
R 17151	203	238	< 0.01	17	390	60	< 5	< 10	9	0.02	< 10	< 10	25	< 5	105
R 17152	203	238	< 0.01	7	390	36	< 5	< 10	11	0.03	< 10	< 10	46	< 5	66
R 17153	203	238	< 0.01	19	470	26	< 5	< 10	10	0.02	< 10	< 10	29	< 5	69
R 17154	203	238	< 0.01	23	450	22	< 5	< 10	13	0.03	< 10	< 10	29	< 5	65
R 17155	203	238	< 0.01	28	470	24	< 5	< 10	14	0.02	< 10	< 10	28	< 5	60
R 17156	203	238	< 0.01	19	430	14	< 5	< 10	14	0.04	< 10	< 10	31	< 5	55
R 17157	203	238	< 0.01	21	520	12	< 5	< 10	16	0.05	< 10	< 10	33	< 5	52
R 17158	203	238	< 0.01	26	360	30	5	< 10	14	0.01	< 10	< 10	20	< 5	52
R 17159	203	238	< 0.01	15	450	14	< 5	< 10	15	0.04	< 10	< 10	34	< 5	46
R 17160	203	238	< 0.01	19	420	14	< 5	< 10	15	0.02	< 10	< 10	23	< 5	55
R 17161	203	238	< 0.01	21	440	34	< 5	< 10	13	0.03	< 10	< 10	28	< 5	71
R 17162	203	238	< 0.01	15	430	26	< 5	< 10	11	0.03	< 10	< 10	26	< 5	80
R 17163	203	238	< 0.01	16	430	22	< 5	< 10	11	0.02	< 10	< 10	23	< 5	65
R 17164	203	238	< 0.01	20	520	24	< 5	< 10	12	0.01	< 10	< 10	22	< 5	82
R 17165	203	238	< 0.01	26	310	20	< 5	< 10	9	< 0.01	< 10	< 10	15	< 5	69
R 17166	203	238	< 0.01	25	410	30	< 5	< 10	9	< 0.01	< 10	< 10	17	< 5	72
R 17167	203	238	< 0.01	29	290	46	< 5	< 10	10	0.02	< 10	< 10	20	< 5	74
R 17168	203	238	< 0.01	21	340	192	5	< 10	7	< 0.01	< 10	< 10	16	< 5	181
R 17169	203	238	< 0.01	14	290	46	5	< 10	8	0.02	< 10	< 10	29	< 5	55
R 17170	203	238	< 0.01	28	460	78	5	< 10	25	0.01	< 10	< 10	14	< 5	117

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

TO: ...CHER CATHRO & ASSOC. (1981) LTD.
...K 4127
...25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page N... :-A
Tot. I... 6
Date :13-JUL-8...
Invoice # :I-8717250
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15516	203	238	1.61	0.2	35	160	< 0.5	< 2	0.12	< 0.5	13	55	22	2.83	< 10	< 1	0.12	30	0.44	522	< 1
R 15518	203	238	1.49	0.2	20	140	< 0.5	2	0.15	< 0.5	8	50	27	2.61	< 10	3	0.10	30	0.42	287	1
R 15519	203	238	1.67	0.8	25	150	< 0.5	< 2	0.19	0.5	14	51	32	3.09	< 10	< 1	0.14	40	0.44	554	< 1
R 15520	203	238	1.33	0.2	30	140	< 0.5	< 2	0.11	< 0.5	11	39	25	2.52	< 10	1	0.10	40	0.38	341	< 1
R 15521	203	238	1.79	0.2	20	150	< 0.5	2	0.11	< 0.5	10	50	27	2.86	< 10	< 1	0.12	40	0.46	362	< 1
R 15522	203	238	1.77	0.2	20	140	< 0.5	< 2	0.17	< 0.5	10	50	24	2.76	< 10	< 1	0.09	30	0.45	333	< 1
R 15523	203	238	1.51	0.2	20	120	< 0.5	< 2	0.11	< 0.5	8	45	20	2.50	< 10	< 1	0.07	20	0.36	279	< 1
R 15524	203	238	1.60	0.2	10	240	< 0.5	2	0.09	< 0.5	10	49	25	2.66	< 10	< 1	0.08	40	0.40	373	< 1
R 15525	203	238	1.43	0.2	25	150	< 0.5	2	0.17	< 0.5	12	54	25	2.51	< 10	1	0.09	30	0.40	535	1
R 15526	203	238	1.26	0.2	15	140	< 0.5	< 2	0.11	< 0.5	14	48	25	2.62	< 10	< 1	0.09	30	0.37	725	< 1
R 15527	203	238	1.42	0.2	5	140	< 0.5	< 2	0.18	< 0.5	10	49	27	2.70	< 10	1	0.10	30	0.45	369	< 1
R 15528	203	238	1.62	0.2	10	110	< 0.5	< 2	0.12	< 0.5	15	38	36	3.28	< 10	< 1	0.09	40	0.46	700	< 1
R 15529	203	238	1.42	0.2	15	130	< 0.5	< 2	0.17	< 0.5	14	45	24	2.52	< 10	3	0.10	30	0.42	338	1
R 15530	203	238	1.21	0.2	5	80	< 0.5	6	0.08	< 0.5	7	42	15	2.66	< 10	2	0.07	30	0.29	258	< 1
R 15531	203	238	1.51	0.2	15	120	< 0.5	2	0.14	< 0.5	12	42	24	2.49	< 10	2	0.10	30	0.40	288	< 1
R 15532	203	238	1.51	0.2	20	100	< 0.5	< 2	0.09	< 0.5	14	37	34	2.89	< 10	< 1	0.09	30	0.40	357	< 1
R 15533	203	238	1.58	1.4	45	150	< 0.5	4	0.09	< 0.5	14	50	28	2.90	< 10	2	0.16	40	0.41	630	< 1
R 15534	203	238	1.48	0.4	20	100	< 0.5	< 2	0.07	< 0.5	10	38	23	2.78	< 10	3	0.10	40	0.39	409	< 1
R 15535	203	238	1.13	0.4	20	80	< 0.5	2	0.06	< 0.5	9	49	20	2.38	< 10	1	0.10	30	0.30	472	< 1
R 15536	203	238	1.50	0.2	10	150	< 0.5	< 2	0.16	< 0.5	10	42	23	2.58	< 10	3	0.10	30	0.42	361	< 1
R 15537	203	238	1.40	0.2	25	100	< 0.5	< 2	0.06	< 0.5	9	42	17	2.52	< 10	< 1	0.14	40	0.30	539	< 1
R 15538	203	238	1.54	0.2	10	120	< 0.5	2	0.15	< 0.5	14	41	25	2.73	< 10	< 1	0.09	40	0.45	604	< 1
R 15539	203	238	1.25	0.2	20	110	< 0.5	< 2	0.09	< 0.5	7	53	15	2.10	< 10	1	0.07	20	0.29	251	< 1
R 15540	203	238	1.24	0.2	20	150	< 0.5	2	0.10	< 0.5	9	46	20	2.57	< 10	< 1	0.07	30	0.34	404	< 1
R 15541	203	238	1.11	0.2	10	90	< 0.5	< 2	0.09	< 0.5	8	48	18	2.19	< 10	< 1	0.07	30	0.33	259	< 1
R 15542	203	238	1.24	0.2	15	100	< 0.5	2	0.14	< 0.5	8	35	16	2.47	< 10	1	0.06	20	0.36	240	< 1
R 15543	203	238	1.24	0.2	20	110	< 0.5	2	0.10	< 0.5	10	46	21	2.61	< 10	2	0.06	30	0.38	316	< 1
R 15544	203	238	1.14	0.2	10	100	< 0.5	< 2	0.10	< 0.5	9	42	17	2.24	< 10	5	0.06	20	0.32	279	< 1
R 15545	203	238	1.18	0.2	10	80	< 0.5	< 2	0.09	< 0.5	8	50	17	2.44	< 10	< 1	0.07	20	0.30	262	< 1
R 15546	203	238	1.22	0.2	20	100	< 0.5	< 2	0.14	< 0.5	9	44	18	2.36	< 10	3	0.08	20	0.34	333	< 1
R 15547	203	238	1.32	0.2	20	110	< 0.5	2	0.12	< 0.5	14	51	25	2.67	< 10	< 1	0.09	30	0.35	630	< 1
R 15548	203	238	1.18	0.2	10	80	< 0.5	< 2	0.10	< 0.5	9	42	19	2.53	< 10	< 1	0.07	20	0.31	341	< 1
R 15549	203	238	1.57	0.2	35	90	< 0.5	2	0.15	< 0.5	15	39	33	3.32	< 10	2	0.15	50	0.56	387	< 1
R 15550	203	238	1.28	0.2	130	80	< 0.5	< 2	0.14	0.5	24	37	18	2.10	< 10	< 1	0.08	30	0.26	1615	< 1
R 15551	203	238	1.59	0.6	80	120	< 0.5	2	0.10	0.5	15	41	16	3.20	< 10	2	0.14	50	0.51	567	< 1
R 15552	203	238	1.41	8.2	120	140	< 0.5	< 2	0.23	0.5	11	36	29	3.08	< 10	2	0.16	50	0.38	970	< 1
R 15553	203	238	1.34	1.0	35	120	< 0.5	< 2	0.15	0.5	16	45	30	2.80	< 10	1	0.16	50	0.45	1105	< 1
R 15554	203	238	1.51	2.6	25	110	< 0.5	< 2	0.15	1.0	15	43	36	3.35	< 10	3	0.15	50	0.51	969	< 1
R 15555	203	238	1.38	2.0	40	140	< 0.5	2	0.17	< 0.5	12	42	28	3.01	< 10	< 1	0.13	50	0.45	663	< 1
R 15556	203	238	1.29	1.2	35	110	< 0.5	< 2	0.14	< 0.5	15	32	33	3.09	< 10	< 1	0.13	40	0.46	488	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T CHER CATHRO & ASSOC. (1981) LTD.
X 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page N .-B
Tot. I .6
Date :13-JUL-87
Invoice # :I-8717250
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15516	203	238	0.01	21	450	18	< 5	< 10	13	0.04	< 10	< 10	38	5	71
R 15518	203	238	0.01	25	630	18	< 5	20	15	0.05	< 10	< 10	37	5	65
R 15519	203	238	0.01	32	830	36	< 5	< 10	21	0.02	< 10	< 10	26	5	81
R 15520	203	238	< 0.01	24	490	22	< 5	< 10	13	0.03	< 10	< 10	27	5	61
R 15521	203	238	0.01	24	510	10	< 5	< 10	15	0.04	< 10	< 10	35	5	69
R 15522	203	238	0.01	22	690	4	< 5	< 10	17	0.06	< 10	< 10	45	5	70
R 15523	203	238	< 0.01	19	570	24	< 5	20	12	0.04	< 10	< 10	39	< 5	69
R 15524	203	238	< 0.01	24	360	8	< 5	< 10	13	0.04	< 10	< 10	30	5	70
R 15525	203	238	0.01	25	570	22	< 5	10	17	0.05	< 10	< 10	36	5	66
R 15526	203	238	0.01	24	470	20	< 5	< 10	12	0.03	< 10	< 10	26	5	63
R 15527	203	238	0.01	25	590	8	< 5	20	17	0.05	< 10	< 10	37	5	67
R 15528	203	238	0.01	35	640	30	< 5	10	13	0.02	< 10	< 10	28	5	76
R 15529	203	238	0.01	25	440	12	< 5	10	16	0.05	< 10	< 10	36	< 5	61
R 15530	203	238	< 0.01	15	310	18	< 5	10	10	0.03	< 10	< 10	36	5	45
R 15531	203	238	0.01	23	400	8	< 5	< 10	15	0.05	< 10	< 10	38	< 5	54
R 15532	203	238	0.01	26	280	18	< 5	10	11	0.05	< 10	< 10	36	< 5	58
R 15533	203	238	< 0.01	26	510	36	< 5	< 10	13	0.01	< 10	< 10	22	5	77
R 15534	203	238	< 0.01	24	430	20	< 5	10	10	0.02	< 10	< 10	27	5	60
R 15535	203	238	0.01	24	480	18	< 5	10	10	0.01	< 10	< 10	19	< 5	46
R 15536	203	238	0.01	24	530	18	< 5	< 10	17	0.05	< 10	< 10	39	5	60
R 15537	203	238	0.01	19	390	10	< 5	< 10	10	0.01	< 10	< 10	23	5	52
R 15538	203	238	0.01	29	460	12	< 5	10	15	0.04	< 10	< 10	31	< 5	74
R 15539	203	238	0.01	15	420	14	< 5	< 10	11	0.03	< 10	< 10	32	< 5	61
R 15540	203	238	< 0.01	18	490	16	< 5	< 10	11	0.03	< 10	< 10	32	5	54
R 15541	203	238	< 0.01	18	440	18	< 5	10	10	0.03	< 10	< 10	29	5	48
R 15542	203	238	< 0.01	16	430	8	< 5	10	13	0.05	< 10	< 10	37	5	53
R 15543	203	238	< 0.01	24	420	12	< 5	< 10	11	0.03	< 10	< 10	30	5	56
R 15544	203	238	< 0.01	20	290	6	< 5	20	10	0.04	< 10	< 10	30	5	50
R 15545	203	238	0.01	18	270	4	< 5	10	11	0.04	< 10	< 10	32	< 5	45
R 15546	203	238	0.01	22	340	8	< 5	< 10	14	0.06	< 10	< 10	39	5	51
R 15547	203	238	0.01	27	360	12	< 5	10	13	0.04	< 10	< 10	32	5	54
R 15548	203	238	< 0.01	20	360	12	< 5	10	11	0.05	< 10	< 10	35	5	48
R 15549	203	238	0.01	29	370	28	< 5	< 10	14	0.02	< 10	< 10	19	10	73
R 15550	203	238	< 0.01	17	740	42	< 5	30	22	< 0.01	< 10	< 10	12	5	67
R 15551	203	238	< 0.01	30	430	16	< 5	10	15	0.01	< 10	< 10	17	5	74
R 15552	203	238	< 0.01	24	550	52	< 5	10	17	0.01	< 10	< 10	19	10	149
R 15553	203	238	0.01	33	380	42	< 5	< 10	15	0.01	< 10	< 10	16	10	129
R 15554	203	238	< 0.01	36	420	68	< 5	10	15	0.01	< 10	< 10	16	10	206
R 15555	203	238	< 0.01	29	440	34	< 5	10	16	0.01	< 10	< 10	17	10	107
R 15556	203	238	< 0.01	31	390	30	< 5	10	14	0.01	< 10	< 10	15	10	87

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHER CATHRO & ASSOC. (1981) LTD.
(4127
..25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page No. :-A
Tot. P : 6
Date : 13-JUL-87
Invoice # : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15557	203	238	1.27	0.6	30	140	< 0.5	< 2	0.20	< 0.5	10	66	21	2.51	< 10	2	0.16	40	0.38	427	< 1
R 15558	203	238	1.50	1.2	65	180	< 0.5	< 2	0.21	1.0	14	83	28	3.03	< 10	< 1	0.22	50	0.48	1155	< 1
R 15559	203	238	1.44	< 0.2	10	130	< 0.5	2	0.12	< 0.5	11	63	21	2.84	< 10	< 1	0.11	30	0.34	418	< 1
R 15560	203	238	1.82	< 0.2	30	210	< 0.5	< 2	0.18	< 0.5	23	93	42	3.34	< 10	< 1	0.21	50	0.47	854	< 1
R 15561	203	238	1.43	< 0.2	15	130	< 0.5	< 2	0.10	< 0.5	15	59	30	2.73	< 10	2	0.20	40	0.44	474	< 1
R 15562	203	238	1.81	< 0.2	20	240	< 0.5	< 2	0.18	< 0.5	14	84	38	3.32	< 10	< 1	0.21	40	0.46	663	< 1
R 15563	203	238	1.29	< 0.2	10	140	< 0.5	< 2	0.16	< 0.5	10	59	27	2.80	< 10	< 1	0.13	40	0.39	436	< 1
R 15564	203	238	1.55	< 0.2	20	100	< 0.5	< 2	0.11	< 0.5	15	49	37	3.32	< 10	< 1	0.12	40	0.42	836	< 1
R 15565	203	238	1.54	< 0.2	65	120	< 0.5	2	0.10	0.5	11	60	28	2.98	< 10	< 1	0.15	40	0.42	478	< 1
R 15566	203	238	1.44	< 0.2	30	160	< 0.5	< 2	0.13	< 0.5	8	57	19	2.78	< 10	< 1	0.12	30	0.37	319	< 1
R 15567	203	238	1.89	< 0.2	5	230	< 0.5	< 2	0.11	< 0.5	6	52	19	2.54	< 10	1	0.13	30	0.36	213	< 1
R 15568	203	238	1.61	< 0.2	10	130	< 0.5	< 2	0.09	< 0.5	8	52	19	2.34	< 10	< 1	0.09	30	0.31	242	< 1
R 15569	203	238	1.45	< 0.2	15	160	< 0.5	< 2	0.10	< 0.5	8	73	19	2.23	< 10	1	0.11	30	0.31	270	< 1
R 15570	203	238	1.39	< 0.2	< 5	120	< 0.5	< 2	0.11	< 0.5	8	43	18	2.18	< 10	2	0.08	20	0.32	223	< 1
R 15571	203	238	1.47	< 0.2	10	170	< 0.5	< 2	0.11	< 0.5	8	46	22	2.32	< 10	< 1	0.08	30	0.34	265	< 1
R 15572	203	238	1.47	< 0.2	10	150	< 0.5	< 2	0.12	< 0.5	8	48	21	2.30	< 10	1	0.08	30	0.36	213	< 1
R 15573	203	238	1.45	< 0.2	5	140	< 0.5	< 2	0.10	< 0.5	8	51	23	2.24	< 10	< 1	0.09	40	0.32	203	< 1
R 15574	203	238	1.33	< 0.2	5	140	< 0.5	< 2	0.17	< 0.5	7	58	19	2.12	< 10	< 1	0.09	30	0.34	191	< 1
R 15575	203	238	1.50	< 0.2	5	150	< 0.5	< 2	0.16	< 0.5	8	56	20	2.38	< 10	2	0.12	30	0.39	245	< 1
R 15576	203	238	1.74	0.8	10	360	< 0.5	< 2	0.15	< 0.5	14	54	31	2.86	< 10	1	0.13	40	0.44	629	< 1
R 15577	203	238	1.39	< 0.2	10	230	< 0.5	< 2	0.23	< 0.5	8	52	26	2.53	< 10	< 1	0.10	30	0.43	287	< 1
R 15578	203	238	1.70	0.8	15	130	< 0.5	2	0.19	< 0.5	11	51	37	2.98	< 10	< 1	0.11	40	0.48	359	1
R 15579	203	238	1.79	0.4	< 5	200	< 0.5	2	0.13	1.0	14	53	37	3.36	< 10	< 1	0.16	50	0.46	699	< 1
R 15580	203	238	1.67	< 0.2	5	150	< 0.5	< 2	0.17	0.5	12	88	30	2.85	< 10	< 1	0.13	30	0.43	377	< 1
R 15581	203	238	1.55	< 0.2	45	130	< 0.5	2	0.11	< 0.5	11	51	19	3.04	< 10	1	0.13	30	0.42	530	< 1
R 15582	203	238	1.63	< 0.2	20	140	< 0.5	< 2	0.13	0.5	10	69	21	2.79	< 10	< 1	0.13	30	0.41	458	< 1
R 15583	203	238	1.13	< 0.2	< 5	130	< 0.5	< 2	0.15	< 0.5	4	42	12	1.38	< 10	< 1	0.09	20	0.28	128	< 1
R 15584	203	238	1.31	< 0.2	5	110	< 0.5	< 2	0.09	< 0.5	7	49	14	2.12	< 10	3	0.06	20	0.28	223	< 1
R 15585	203	238	1.46	< 0.2	15	120	< 0.5	< 2	0.08	< 0.5	8	52	17	2.52	< 10	1	0.06	20	0.32	331	< 1
R 15586	203	238	1.61	< 0.2	15	150	< 0.5	< 2	0.10	< 0.5	10	63	20	2.44	< 10	< 1	0.08	30	0.34	408	< 1
R 15587	203	238	1.77	< 0.2	15	150	< 0.5	< 2	0.11	< 0.5	8	70	19	2.46	< 10	< 1	0.12	30	0.35	282	< 1
R 15588	203	238	1.65	< 0.2	10	160	< 0.5	< 2	0.09	< 0.5	8	51	20	2.46	< 10	< 1	0.09	30	0.36	259	1
R 15589	203	238	1.80	< 0.2	15	180	< 0.5	4	0.10	< 0.5	7	70	20	2.56	< 10	< 1	0.12	30	0.36	240	< 1
R 15590	203	238	1.78	< 0.2	10	180	< 0.5	< 2	0.13	< 0.5	7	68	22	2.53	< 10	< 1	0.13	30	0.37	284	1
R 15591	203	238	1.65	< 0.2	20	170	< 0.5	2	0.10	< 0.5	10	61	22	2.38	< 10	< 1	0.11	30	0.35	283	< 1
R 15592	203	238	1.63	< 0.2	5	170	< 0.5	< 2	0.07	< 0.5	10	69	20	2.65	< 10	2	0.09	30	0.35	402	< 1
R 15593	203	238	1.45	< 0.2	10	180	< 0.5	< 2	0.06	< 0.5	9	61	20	2.27	< 10	2	0.08	20	0.30	266	< 1
R 15594	203	238	1.86	< 0.2	5	250	< 0.5	< 2	0.10	< 0.5	12	69	28	2.89	< 10	1	0.13	40	0.45	348	< 1
R 15595	203	238	1.63	0.2	20	350	< 0.5	< 2	0.15	< 0.5	14	67	33	2.92	< 10	< 1	0.13	40	0.39	888	< 1
R 15596	203	238	1.38	< 0.2	10	200	< 0.5	2	0.15	< 0.5	9	71	23	2.34	< 10	1	0.11	30	0.36	409	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: THER CATHRO & ASSOC. (1981) LTD.
4127
.25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page No : -B
Tot. Pa
Date : J-JUL-87
Invoice # : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15557	203	238	0.01	23	450	18	< 5	< 10	17	0.03	< 10	< 10	28	< 5	83
R 15558	203	238	0.01	29	510	52	< 5	< 10	21	0.03	< 10	< 10	24	5	126
R 15559	203	238	0.01	23	380	18	< 5	< 10	14	0.06	< 10	< 10	41	5	58
R 15560	203	238	0.02	36	750	18	< 5	10	22	0.05	< 10	< 10	38	5	79
R 15561	203	238	0.01	30	450	22	< 5	< 10	13	0.03	< 10	< 10	19	5	67
R 15562	203	238	0.01	31	640	38	< 5	< 10	21	0.04	< 10	< 10	38	10	72
R 15563	203	238	0.01	26	550	14	< 5	< 10	17	0.04	< 10	< 10	32	5	60
R 15564	203	238	0.01	32	550	14	< 5	< 10	13	0.03	< 10	< 10	29	5	73
R 15565	203	238	0.01	23	460	48	< 5	< 10	12	0.03	< 10	< 10	31	5	79
R 15566	203	238	0.01	21	500	26	< 5	< 10	15	0.04	< 10	< 10	39	5	68
R 15567	203	238	0.01	20	760	14	< 5	10	16	0.03	< 10	< 10	42	< 5	79
R 15568	203	238	< 0.01	20	400	20	< 5	< 10	12	0.05	< 10	< 10	36	< 5	65
R 15569	203	238	0.01	21	380	14	< 5	< 10	13	0.05	< 10	< 10	33	5	63
R 15570	203	238	< 0.01	20	450	20	< 5	< 10	12	0.05	< 10	< 10	34	5	59
R 15571	203	238	< 0.01	19	420	16	< 5	20	13	0.05	< 10	< 10	37	5	64
R 15572	203	238	0.01	22	470	10	< 5	10	14	0.05	< 10	< 10	37	< 5	61
R 15573	203	238	< 0.01	20	390	12	< 5	10	12	0.07	< 10	< 10	33	< 5	56
R 15574	203	238	0.01	17	530	18	< 5	10	17	0.07	< 10	< 10	38	< 5	53
R 15575	203	238	0.01	20	510	2	< 5	20	17	0.06	< 10	< 10	39	5	57
R 15576	203	238	0.01	30	530	16	< 5	20	19	0.06	< 10	< 10	37	5	90
R 15577	203	238	0.01	25	600	12	< 5	< 10	20	0.07	< 10	< 10	43	10	65
R 15578	203	238	0.01	25	630	10	< 5	< 10	19	0.06	< 10	< 10	42	5	76
R 15579	203	238	0.01	32	550	22	< 5	< 10	16	0.06	< 10	< 10	35	5	114
R 15580	203	238	0.01	25	610	24	< 5	< 10	19	0.07	< 10	< 10	44	< 5	74
R 15581	203	238	0.01	20	600	30	< 5	10	14	0.03	< 10	< 10	39	5	72
R 15582	203	238	0.01	21	630	38	< 5	< 10	15	0.04	< 10	< 10	41	5	74
R 15583	203	238	< 0.01	14	440	20	< 5	10	15	0.02	< 10	< 10	22	< 5	64
R 15584	203	238	0.01	15	530	10	< 5	10	11	0.04	< 10	< 10	40	5	51
R 15585	203	238	0.01	19	520	18	< 5	< 10	10	0.04	< 10	< 10	38	10	62
R 15586	203	238	0.01	21	400	10	< 5	< 10	12	0.06	< 10	< 10	37	5	67
R 15587	203	238	0.01	22	410	12	< 5	10	15	0.06	< 10	< 10	40	10	64
R 15588	203	238	0.01	20	400	4	< 5	< 10	12	0.05	< 10	< 10	36	5	64
R 15589	203	238	0.01	22	450	14	< 5	10	14	0.05	< 10	< 10	43	5	65
R 15590	203	238	0.01	21	470	2	< 5	20	17	0.06	< 10	< 10	43	5	68
R 15591	203	238	0.01	22	390	14	< 5	< 10	13	0.05	< 10	< 10	36	5	64
R 15592	203	238	0.01	21	430	18	< 5	< 10	11	0.05	< 10	< 10	34	5	63
R 15593	203	238	0.01	18	480	18	< 5	< 10	10	0.03	< 10	< 10	29	< 5	52
R 15594	203	238	0.01	29	400	20	< 5	10	14	0.04	< 10	< 10	30	5	74
R 15595	203	238	0.01	31	530	26	< 5	30	18	0.05	< 10	< 10	33	< 5	81
R 15596	203	238	0.01	18	550	18	< 5	30	16	0.05	< 10	< 10	35	5	65

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHER CATHRO & ASSOC. (1981) LTD.
4127
25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page No : 1-A
Tot. P: 1
Date : 13-JUL-87
Invoice # : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15605	203	238	1.16	0.6	20	170	< 0.5	< 2	0.21	< 0.5	11	119	22	2.67	< 10	< 1	0.27	40	0.32	370	< 1
R 15606	203	238	1.31	1.6	115	180	< 0.5	< 2	0.12	< 0.5	15	138	13	2.75	< 10	1	0.14	30	0.29	2880	< 1
R 15607	203	238	1.26	< 0.2	30	160	< 0.5	< 2	0.15	< 0.5	13	158	24	3.01	< 10	< 1	0.20	40	0.33	645	< 1
R 15608	203	238	1.88	1.0	100	190	< 0.5	< 2	0.10	< 0.5	11	123	34	3.30	< 10	< 1	0.24	40	0.40	608	< 1
R 15609	203	238	1.56	< 0.2	25	140	< 0.5	< 2	0.09	< 0.5	9	128	20	2.58	< 10	2	0.16	40	0.37	471	< 1
R 15610	203	238	1.81	< 0.2	10	140	< 0.5	< 2	0.07	< 0.5	9	140	20	2.54	< 10	< 1	0.16	30	0.38	265	< 1
R 15611	203	238	1.55	< 0.2	20	130	< 0.5	< 2	0.09	< 0.5	9	121	17	2.38	< 10	< 1	0.12	30	0.37	273	< 1
R 15612	203	238	1.80	< 0.2	10	160	< 0.5	< 2	0.08	< 0.5	9	157	21	2.54	< 10	< 1	0.15	40	0.44	370	< 1
R 15613	203	238	1.67	< 0.2	30	170	< 0.5	< 2	0.09	< 0.5	8	154	15	2.17	< 10	< 1	0.15	30	0.31	214	1
R 15614	203	238	1.80	< 0.2	5	200	< 0.5	< 2	0.07	< 0.5	10	173	21	2.59	< 10	< 1	0.21	40	0.38	544	1
R 15615	203	238	1.99	< 0.2	< 5	240	< 0.5	< 2	0.13	0.5	10	165	26	2.87	< 10	< 1	0.18	30	0.43	319	< 1
R 15616	203	238	1.99	0.2	10	220	< 0.5	< 2	0.06	< 0.5	10	181	27	2.72	< 10	< 1	0.22	40	0.44	371	< 1
R 15617	203	238	1.66	0.6	5	160	< 0.5	< 2	0.06	< 0.5	16	116	23	2.87	< 10	< 1	0.28	60	0.39	494	< 1
R 15618	203	238	1.28	< 0.2	10	130	< 0.5	2	0.08	< 0.5	7	181	16	2.53	< 10	< 1	0.18	30	0.27	158	< 1
R 15619	203	238	1.38	< 0.2	15	140	< 0.5	< 2	0.10	< 0.5	11	143	19	2.43	< 10	< 1	0.16	30	0.32	849	< 1
R 15620	203	238	1.65	< 0.2	20	170	< 0.5	< 2	0.14	< 0.5	15	149	42	2.92	< 10	< 1	0.19	40	0.50	680	< 1
R 15621	203	238	1.33	< 0.2	35	140	< 0.5	< 2	0.10	< 0.5	11	141	20	2.77	< 10	2	0.16	30	0.33	725	< 1
R 15622	203	238	1.57	0.2	20	160	< 0.5	2	0.11	< 0.5	8	131	18	2.41	< 10	< 1	0.16	40	0.41	255	< 1
R 15623	203	238	1.31	< 0.2	15	130	< 0.5	< 2	0.17	< 0.5	8	149	16	2.39	< 10	< 1	0.15	30	0.35	323	< 1
R 15624	203	238	1.42	< 0.2	25	140	< 0.5	< 2	0.10	< 0.5	7	166	16	2.30	< 10	< 1	0.16	30	0.35	325	< 1
R 15625	203	238	1.49	< 0.2	20	130	< 0.5	< 2	0.13	< 0.5	9	152	18	2.49	< 10	< 1	0.16	30	0.36	273	< 1
R 15626	203	238	1.60	0.2	30	190	< 0.5	< 2	0.11	0.5	10	196	22	2.68	< 10	< 1	0.19	40	0.37	639	1
R 15627	203	238	2.05	< 0.2	20	210	< 0.5	2	0.19	< 0.5	11	232	25	2.84	< 10	< 1	0.23	40	0.46	601	< 1
R 15628	203	238	1.95	< 0.2	25	160	< 0.5	< 2	0.13	< 0.5	9	148	26	2.78	< 10	< 1	0.20	40	0.46	232	< 1
R 15629	203	238	2.01	< 0.2	30	210	< 0.5	< 2	0.14	< 0.5	13	170	24	2.77	< 10	< 1	0.24	40	0.49	649	< 1
R 15630	203	238	2.02	6.2	25	190	< 0.5	< 2	0.16	1.0	14	170	25	3.14	< 10	1	0.24	50	0.51	908	1
R 15631	203	238	1.29	3.8	20	160	< 0.5	< 2	0.19	2.0	16	133	27	2.57	< 10	1	0.14	30	0.35	1430	< 1
R 15632	203	238	2.12	0.6	40	160	< 0.5	< 2	0.10	0.5	25	125	45	3.94	< 10	< 1	0.31	60	0.68	1340	< 1
R 15633	203	238	1.73	< 0.2	30	120	< 0.5	< 2	0.10	< 0.5	12	149	33	3.09	< 10	1	0.19	40	0.44	327	< 1
R 15634	203	238	1.76	< 0.2	20	120	< 0.5	2	0.10	< 0.5	9	149	27	3.27	< 10	< 1	0.15	30	0.46	440	< 1
R 15635	203	238	1.92	< 0.2	20	130	< 0.5	< 2	0.08	< 0.5	15	140	39	3.30	< 10	< 1	0.16	40	0.47	713	1
R 15636	203	238	1.14	7.4	105	100	< 0.5	2	0.11	0.5	10	115	20	2.79	< 10	< 1	0.13	40	0.28	1495	< 1
R 15651	203	238	1.47	0.2	25	150	< 0.5	< 2	0.09	< 0.5	9	156	18	2.33	< 10	< 1	0.17	40	0.38	278	< 1
R 15652	203	238	1.62	0.6	45	130	< 0.5	< 2	0.12	< 0.5	11	154	23	2.44	< 10	1	0.17	40	0.39	851	< 1
R 15653	203	238	1.54	< 0.2	55	140	< 0.5	< 2	0.08	< 0.5	7	157	22	2.53	< 10	< 1	0.19	40	0.31	178	< 1
R 15654	203	238	2.13	< 0.2	30	120	< 0.5	2	0.05	< 0.5	15	159	29	3.56	< 10	< 1	0.23	50	0.60	563	< 1
R 15655	203	238	1.95	< 0.2	10	160	< 0.5	< 2	0.11	0.5	15	143	32	3.16	< 10	< 1	0.23	40	0.49	571	< 1
R 15656	203	238	1.95	< 0.2	100	150	< 0.5	< 2	0.09	< 0.5	24	162	35	3.22	< 10	< 1	0.22	40	0.56	878	< 1
R 15657	203	238	1.51	< 0.2	10	120	< 0.5	< 2	0.12	< 0.5	9	138	19	2.49	< 10	< 1	0.14	30	0.38	325	< 1
R 15658	203	238	1.78	< 0.2	20	150	< 0.5	< 2	0.09	< 0.5	14	161	34	2.94	< 10	< 1	0.26	40	0.46	608	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: [illegible]CHER CATHRO & ASSOC. (1981) LTD.
[illegible] 4127
[illegible]25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page No. : [illegible]-B
Tot. P[illegible]
Date : 13-JUL-87
Invoice # : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15605	203 238	0.01	28	440	30	< 5	< 10	21	0.03	< 10	< 10	17	5	67
R 15606	203 238	0.01	21	550	42	< 5	10	19	0.03	< 10	< 10	32	10	69
R 15607	203 238	0.01	27	390	26	< 5	10	17	0.03	< 10	< 10	24	5	75
R 15608	203 238	0.01	28	490	30	< 5	< 10	17	0.01	< 10	< 10	27	10	106
R 15609	203 238	0.01	22	340	26	< 5	< 10	13	0.02	< 10	< 10	29	5	67
R 15610	203 238	0.01	22	380	16	< 5	< 10	13	0.02	< 10	< 10	27	5	74
R 15611	203 238	0.01	21	340	14	< 5	10	12	0.04	< 10	< 10	29	5	64
R 15612	203 238	0.02	22	290	14	< 5	< 10	13	0.02	< 10	< 10	27	10	70
R 15613	203 238	0.01	18	350	14	< 5	10	13	0.03	< 10	< 10	31	< 5	50
R 15614	203 238	0.01	23	330	14	< 5	10	12	0.02	< 10	< 10	25	10	59
R 15615	203 238	0.02	26	440	8	< 5	10	17	0.04	< 10	< 10	37	5	65
R 15616	203 238	0.02	26	290	12	< 5	20	13	0.02	< 10	< 10	25	5	61
R 15617	203 238	0.02	28	340	24	< 5	< 10	14	< 0.01	< 10	< 10	14	10	75
R 15618	203 238	0.01	20	350	10	< 5	10	11	0.02	< 10	< 10	27	5	44
R 15619	203 238	0.01	27	280	18	< 5	< 10	13	0.03	< 10	< 10	29	5	55
R 15620	203 238	0.01	29	440	24	< 5	10	17	0.02	< 10	< 10	26	10	71
R 15621	203 238	0.01	21	360	30	< 5	10	13	0.03	< 10	< 10	28	10	69
R 15622	203 238	0.01	21	370	28	< 5	10	15	0.02	< 10	< 10	26	5	74
R 15623	203 238	0.01	20	340	24	< 5	< 10	18	0.03	< 10	< 10	29	5	64
R 15624	203 238	0.01	21	270	26	< 5	< 10	14	0.02	< 10	< 10	22	10	61
R 15625	203 238	0.01	21	340	12	< 5	10	16	0.04	< 10	< 10	32	5	55
R 15626	203 238	0.02	26	290	22	< 5	< 10	16	0.03	< 10	< 10	28	5	76
R 15627	203 238	0.03	27	410	18	< 5	10	24	0.05	< 10	< 10	46	5	68
R 15628	203 238	0.02	23	280	12	< 5	< 10	17	0.04	< 10	< 10	39	5	54
R 15629	203 238	0.02	27	260	16	< 5	< 10	22	0.04	< 10	< 10	39	10	61
R 15630	203 238	0.02	33	390	124	< 5	< 10	21	0.04	< 10	< 10	38	10	226
R 15631	203 238	0.02	36	550	60	< 5	20	19	0.04	< 10	< 10	31	< 5	243
R 15632	203 238	0.01	48	390	30	< 5	< 10	14	< 0.01	< 10	< 10	15	15	98
R 15633	203 238	0.02	27	300	12	< 5	< 10	15	0.03	< 10	< 10	34	5	59
R 15634	203 238	0.02	25	550	10	< 5	10	17	0.03	< 10	< 10	41	10	69
R 15635	203 238	0.03	29	660	26	< 5	10	17	0.02	< 10	< 10	30	10	73
R 15636	203 238	0.01	18	640	114	< 5	20	13	0.02	< 10	< 10	29	10	92
R 15651	203 238	0.01	20	300	18	< 5	< 10	14	0.02	< 10	< 10	23	< 5	58
R 15652	203 238	0.01	26	330	26	< 5	10	16	0.01	< 10	< 10	17	5	73
R 15653	203 238	0.01	18	450	20	< 5	< 10	14	0.01	< 10	< 10	27	10	56
R 15654	203 238	0.01	30	250	26	< 5	20	11	0.01	< 10	< 10	21	15	80
R 15655	203 238	0.02	36	230	18	< 5	< 10	19	0.03	< 10	< 10	37	10	71
R 15656	203 238	0.03	37	220	28	< 5	10	17	0.03	< 10	< 10	30	10	88
R 15657	203 238	0.02	20	280	14	< 5	10	15	0.04	< 10	< 10	38	10	49
R 15658	203 238	0.02	26	340	10	< 5	10	17	0.02	< 10	< 10	27	5	56

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: ...CHER CATHRO & ASSOC. (1981) LTD.
4127
...5 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page No : 1-A
Tot. Pa :
Date : 3-JUL-87
Invoice ... : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15659	203	238	1.85	11.0	45	130	< 0.5	4	0.12	2.5	15	63	37	3.30	< 10	2	0.20	50	0.49	2080	< 1
R 15660	203	238	1.59	0.4	10	80	< 0.5	< 2	0.06	< 0.5	15	69	51	3.02	< 10	< 1	0.14	50	0.55	840	< 1
R 15661	203	238	1.36	0.2	40	140	< 0.5	2	0.13	< 0.5	15	75	27	2.85	< 10	< 1	0.16	40	0.42	1320	< 1
R 15662	203	238	1.35	< 0.2	20	140	< 0.5	2	0.16	< 0.5	11	71	24	2.48	< 10	< 1	0.13	30	0.41	384	< 1
R 15663	203	238	1.26	0.2	55	220	< 0.5	< 2	0.19	0.5	13	98	18	2.26	< 10	< 1	0.15	30	0.34	1010	< 1
R 15664	203	238	1.27	1.2	145	130	< 0.5	< 2	0.12	1.0	15	62	20	2.61	< 10	< 1	0.16	30	0.30	1265	< 1
R 15665	203	238	2.20	0.4	25	180	< 0.5	2	0.17	< 0.5	15	111	38	3.38	< 10	< 1	0.18	40	0.56	1150	< 1
R 15666	203	238	1.55	1.2	50	130	< 0.5	2	0.17	0.5	12	83	24	3.15	< 10	< 1	0.15	40	0.46	948	< 1
R 15683	203	238	0.97	4.2	55	90	< 0.5	4	0.11	0.5	16	31	29	3.00	< 10	< 1	0.22	70	0.21	2800	< 1
R 15684	203	238	1.16	3.4	45	130	< 0.5	< 2	0.10	0.5	10	53	22	2.17	< 10	< 1	0.15	40	0.27	415	< 1
R 15685	203	238	1.29	4.4	105	130	< 0.5	2	0.09	1.5	12	26	24	2.89	< 10	< 1	0.11	40	0.34	1390	1
R 15686	203	238	1.53	1.2	75	100	< 0.5	2	0.09	< 0.5	10	28	22	2.72	< 10	< 1	0.11	40	0.43	476	< 1
R 15687	203	238	1.49	0.4	20	80	< 0.5	< 2	0.06	< 0.5	11	33	24	2.68	< 10	1	0.11	40	0.40	504	< 1
R 15688	203	238	1.63	0.4	20	110	< 0.5	2	0.07	< 0.5	15	34	31	3.20	< 10	3	0.12	40	0.46	742	< 1
R 15689	203	238	1.47	< 0.2	10	80	< 0.5	< 2	0.08	< 0.5	10	43	21	2.83	< 10	< 1	0.10	30	0.39	283	< 1
R 15690	203	238	1.29	< 0.2	15	90	< 0.5	< 2	0.11	< 0.5	10	29	16	2.45	< 10	< 1	0.06	20	0.34	335	< 1
R 15691	203	238	1.17	2.4	30	110	< 0.5	2	0.10	0.5	7	38	14	2.30	< 10	< 1	0.06	20	0.28	383	< 1
R 15692	203	238	1.34	< 0.2	25	120	< 0.5	2	0.11	< 0.5	10	43	20	2.60	< 10	< 1	0.09	20	0.35	391	< 1
R 15693	203	238	1.64	0.4	45	110	< 0.5	< 2	0.16	< 0.5	28	41	44	3.56	< 10	< 1	0.17	60	0.62	776	< 1
R 15694	203	238	1.66	2.2	50	90	< 0.5	2	0.12	1.0	15	46	46	3.60	< 10	< 1	0.17	60	0.57	1435	< 1
R 15695	203	238	1.51	0.4	45	90	< 0.5	< 2	0.07	0.5	13	43	30	3.12	< 10	< 1	0.11	40	0.51	754	< 1
R 15696	203	238	2.14	< 0.2	20	190	< 0.5	< 2	0.11	0.5	13	43	18	3.14	< 10	< 1	0.12	20	0.45	915	1
R 15697	203	238	1.87	< 0.2	25	190	< 0.5	< 2	0.24	0.5	12	45	25	3.09	< 10	1	0.12	40	0.49	883	< 1
R 15698	203	238	1.69	< 0.2	30	130	< 0.5	< 2	0.13	< 0.5	15	48	37	3.03	< 10	1	0.11	40	0.54	701	1
R 15699	203	238	1.21	< 0.2	40	100	< 0.5	< 2	0.08	< 0.5	6	35	13	2.12	< 10	2	0.08	20	0.23	252	2
R 15700	203	238	0.73	4.8	205	110	< 0.5	4	0.07	2.0	13	34	22	2.42	< 10	1	0.20	50	0.14	3570	< 1
R 15701	203	238	1.39	0.6	55	140	< 0.5	< 2	0.14	0.5	11	42	21	2.67	< 10	< 1	0.16	40	0.33	1055	< 1
R 15702	203	238	1.65	7.4	30	90	< 0.5	< 2	0.07	< 0.5	15	37	31	3.04	< 10	< 1	0.14	40	0.44	610	1
R 15703	203	238	1.27	2.0	45	110	< 0.5	< 2	0.10	< 0.5	11	44	21	2.52	< 10	< 1	0.10	30	0.33	1025	< 1
R 15704	203	238	1.35	1.4	50	140	< 0.5	< 2	0.16	0.5	14	47	38	3.12	< 10	< 1	0.16	40	0.36	2270	< 1
R 15705	203	238	1.62	0.2	20	90	< 0.5	2	0.13	0.5	15	42	40	3.45	< 10	< 1	0.17	60	0.55	899	< 1
R 15706	203	238	1.73	1.2	30	130	< 0.5	2	0.13	< 0.5	13	42	35	3.39	< 10	< 1	0.17	50	0.51	773	< 1
R 15707	203	238	1.35	< 0.2	20	130	< 0.5	< 2	0.12	< 0.5	11	36	20	2.65	< 10	< 1	0.09	30	0.36	702	< 1
R 15708	203	238	1.19	< 0.2	30	120	< 0.5	< 2	0.13	< 0.5	15	43	19	2.58	< 10	2	0.10	30	0.35	623	< 1
R 15709	203	238	1.28	0.2	20	190	< 0.5	< 2	0.20	< 0.5	11	57	19	2.61	< 10	2	0.11	30	0.36	510	1
R 15710	203	238	1.16	< 0.2	35	90	< 0.5	< 2	0.07	< 0.5	8	40	18	2.72	< 10	1	0.15	40	0.28	368	< 1
R 15711	203	238	1.40	1.4	50	110	< 0.5	6	0.26	0.5	9	55	16	2.50	< 10	1	0.12	30	0.38	467	< 1
R 15712	203	238	1.51	4.2	165	160	< 0.5	4	0.21	1.0	9	40	20	2.41	< 10	< 1	0.09	30	0.39	704	< 1
R 15713	203	238	1.58	0.6	45	130	< 0.5	< 2	0.10	0.5	14	37	26	2.81	< 10	2	0.10	40	0.43	756	1
R 15714	203	238	0.93	< 0.2	5	100	< 0.5	< 2	0.13	< 0.5	9	44	19	2.14	< 10	< 1	0.08	20	0.29	392	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: THER CATHRO & ASSOC. (1981) LTD.
. 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page No : 1-B
Tot. Pg:
Date : 13-JUL-87
Invoice # : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15659	203	238	0.01	39	530	140	< 5	10	15	< 0.01	< 10	< 10	19	10	550
R 15660	203	238	0.01	31	380	16	< 5	< 10	12	0.02	< 10	< 10	22	< 5	92
R 15661	203	238	0.01	28	460	26	< 5	10	15	0.02	< 10	< 10	23	5	77
R 15662	203	238	0.01	24	420	10	< 5	< 10	16	0.03	< 10	< 10	27	< 5	61
R 15663	203	238	0.01	21	450	44	< 5	10	20	0.03	< 10	< 10	25	< 5	74
R 15664	203	238	< 0.01	19	500	66	< 5	10	14	< 0.01	< 10	< 10	11	< 5	100
R 15665	203	238	0.02	31	720	20	< 5	10	22	0.01	< 10	< 10	31	5	88
R 15666	203	238	0.01	27	530	32	< 5	10	16	0.02	< 10	< 10	28	5	111
R 15683	203	238	< 0.01	33	430	102	< 5	10	17	< 0.01	< 10	< 10	6	5	122
R 15684	203	238	< 0.01	19	320	40	< 5	< 10	12	0.01	< 10	< 10	18	< 5	86
R 15685	203	238	< 0.01	26	350	40	< 5	20	12	0.02	< 10	< 10	23	5	178
R 15686	203	238	< 0.01	21	340	30	< 5	< 10	11	0.02	< 10	< 10	25	< 5	85
R 15687	203	238	< 0.01	24	250	30	< 5	< 10	10	0.02	< 10	< 10	26	< 5	79
R 15688	203	238	< 0.01	34	260	18	< 5	20	11	0.02	< 10	< 10	23	10	84
R 15689	203	238	< 0.01	21	230	18	< 5	20	10	0.04	< 10	< 10	32	5	51
R 15690	203	238	< 0.01	23	320	22	< 5	< 10	11	0.05	< 10	< 10	35	< 5	48
R 15691	203	238	< 0.01	18	260	24	< 5	10	11	0.04	< 10	< 10	34	< 5	117
R 15692	203	238	< 0.01	20	280	22	< 5	10	12	0.04	< 10	< 10	34	< 5	50
R 15693	203	238	< 0.01	51	480	36	< 5	< 10	16	< 0.01	< 10	< 10	13	5	81
R 15694	203	238	0.01	39	370	90	< 5	10	14	< 0.01	< 10	< 10	15	10	164
R 15695	203	238	< 0.01	30	490	34	< 5	10	11	0.01	< 10	< 10	22	10	118
R 15696	203	238	0.01	19	830	14	< 5	10	16	0.02	< 10	< 10	47	10	66
R 15697	203	238	0.01	24	900	18	< 5	10	20	0.01	< 10	< 10	32	10	73
R 15698	203	238	0.01	33	490	22	< 5	20	14	0.02	< 10	< 10	24	5	77
R 15699	203	238	< 0.01	14	320	24	< 5	10	10	0.03	< 10	< 10	29	< 5	42
R 15700	203	238	< 0.01	24	250	88	5	10	16	< 0.01	< 10	< 10	8	5	178
R 15701	203	238	0.01	26	240	22	< 5	< 10	15	0.02	< 10	< 10	24	< 5	97
R 15702	203	238	< 0.01	30	300	102	< 5	< 10	10	0.02	< 10	< 10	28	10	162
R 15703	203	238	< 0.01	22	320	48	< 5	10	13	0.04	< 10	< 10	33	10	101
R 15704	203	238	< 0.01	33	490	58	< 5	10	19	0.02	< 10	< 10	26	< 5	131
R 15705	203	238	< 0.01	38	390	28	< 5	< 10	13	< 0.01	< 10	< 10	12	10	87
R 15706	203	238	< 0.01	31	480	24	< 5	10	14	0.01	< 10	< 10	22	10	98
R 15707	203	238	< 0.01	20	460	8	< 5	20	13	0.02	< 10	< 10	32	5	57
R 15708	203	238	< 0.01	23	450	22	< 5	10	13	0.03	< 10	< 10	29	< 5	63
R 15709	203	238	0.01	23	420	24	< 5	10	17	0.03	< 10	< 10	30	5	74
R 15710	203	238	< 0.01	20	510	32	< 5	< 10	10	0.01	< 10	< 10	25	5	62
R 15711	203	238	0.01	21	370	38	< 5	< 10	23	0.04	< 10	< 10	30	5	120
R 15712	203	238	< 0.01	18	520	100	< 5	10	18	0.03	< 10	< 10	32	5	178
R 15713	203	238	< 0.01	25	370	44	< 5	10	10	0.02	< 10	< 10	26	< 5	106
R 15714	203	238	< 0.01	17	460	12	< 5	< 10	13	0.03	< 10	< 10	33	< 5	58

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T[illegible]CHER CATHRO & ASSOC. (1981) LTD.
X 4127
[illegible]125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Date :13-JUL-87
Invoice # :I-8717250
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15714A	203	238	1.50	0.2	10	90	< 0.5	2	0.09	< 0.5	9	43	18	2.69	< 10	< 1	0.08	30	0.44	304	< 1
R 15715	203	238	1.65	< 0.2	10	110	< 0.5	2	0.13	< 0.5	8	51	20	2.63	< 10	< 1	0.12	40	0.43	286	1
R 15716	203	238	1.76	0.4	20	170	< 0.5	< 2	0.15	< 0.5	8	45	17	2.64	< 10	< 1	0.12	30	0.41	377	< 1
R 15717	203	238	1.74	0.4	20	150	< 0.5	< 2	0.16	< 0.5	10	57	21	2.83	< 10	< 1	0.14	40	0.47	442	1
R 15718	203	238	1.65	< 0.2	10	130	< 0.5	< 2	0.13	0.5	11	48	21	2.78	< 10	2	0.11	30	0.44	481	< 1
R 15719	203	238	1.45	< 0.2	20	110	< 0.5	2	0.10	< 0.5	8	50	18	2.48	< 10	< 1	0.09	30	0.39	358	< 1
R 15720	203	238	1.30	< 0.2	5	100	< 0.5	< 2	0.11	< 0.5	7	45	21	2.21	< 10	< 1	0.07	30	0.35	261	< 1
R 15721	203	238	1.40	< 0.2	5	120	< 0.5	2	0.13	< 0.5	9	52	19	2.27	< 10	< 1	0.09	20	0.36	294	< 1
R 15722	203	238	1.88	0.2	10	200	< 0.5	< 2	0.10	< 0.5	13	47	24	2.83	< 10	< 1	0.09	20	0.39	523	< 1
R 15723	203	238	1.70	< 0.2	5	200	< 0.5	< 2	0.11	< 0.5	11	54	25	2.65	< 10	< 1	0.10	30	0.42	334	< 1
R 15724	203	238	1.46	0.2	10	190	< 0.5	< 2	0.10	< 0.5	8	45	22	2.38	< 10	< 1	0.08	30	0.37	197	< 1
R 15725	203	238	1.23	0.2	< 5	180	< 0.5	< 2	0.16	< 0.5	7	50	14	1.80	< 10	< 1	0.08	20	0.35	149	2
R 15726	203	238	1.42	0.2	10	140	< 0.5	< 2	0.25	< 0.5	11	45	26	2.64	< 10	1	0.10	30	0.47	382	< 1
R 15727	203	238	1.57	< 0.2	20	120	< 0.5	2	0.11	< 0.5	14	44	30	3.02	< 10	< 1	0.09	30	0.45	552	1
R 15728	203	238	1.34	< 0.2	10	110	< 0.5	< 2	0.12	< 0.5	9	39	21	2.43	< 10	1	0.09	30	0.40	353	< 1
R 15729	203	238	1.41	< 0.2	5	110	< 0.5	< 2	0.15	< 0.5	11	47	23	2.39	< 10	< 1	0.10	30	0.41	258	< 1
R 15730	203	238	1.40	< 0.2	10	150	< 0.5	< 2	0.15	< 0.5	12	41	19	2.60	< 10	1	0.07	30	0.35	496	< 1
R 15731	203	238	1.26	< 0.2	35	120	< 0.5	2	0.12	< 0.5	10	52	18	2.41	< 10	1	0.11	30	0.34	327	< 1
R 15732	203	238	1.09	0.2	60	100	< 0.5	2	0.15	< 0.5	15	34	22	2.84	< 10	< 1	0.14	40	0.26	549	< 1
R 15733	203	238	0.96	< 0.2	110	70	< 0.5	< 2	0.11	0.5	16	32	24	2.84	< 10	4	0.18	50	0.23	829	< 1
R 15734	203	238	1.48	1.2	35	90	< 0.5	< 2	0.10	0.5	15	42	34	2.92	< 10	1	0.12	40	0.42	1165	< 1
R 15735	203	238	1.52	3.0	55	110	< 0.5	< 2	0.10	0.5	12	47	31	2.86	< 10	2	0.11	30	0.41	721	< 1
R 15736	203	238	1.42	< 0.2	15	150	< 0.5	2	0.11	< 0.5	12	40	20	2.49	< 10	1	0.07	20	0.35	436	< 1
R 15737	203	238	1.30	1.2	45	160	< 0.5	< 2	0.15	< 0.5	8	50	17	2.47	< 10	< 1	0.10	30	0.32	401	< 1
R 15738	203	238	1.36	< 0.2	15	100	< 0.5	< 2	0.12	< 0.5	24	34	43	3.26	< 10	< 1	0.15	50	0.47	494	< 1
R 15739	203	238	1.32	1.2	55	110	< 0.5	< 2	0.22	0.5	15	39	38	3.53	< 10	1	0.21	60	0.36	1610	< 1
R 15740	203	238	1.28	0.4	20	80	< 0.5	2	0.21	< 0.5	22	26	34	4.03	< 10	2	0.16	60	0.36	961	< 1
R 15741	203	238	1.62	< 0.2	65	70	< 0.5	< 2	0.16	0.5	15	30	48	3.18	< 10	< 1	0.14	60	0.60	447	< 1
R 15742	203	238	1.41	0.2	15	130	< 0.5	< 2	0.10	< 0.5	14	34	24	2.82	< 10	2	0.12	40	0.48	508	< 1
R 15743	203	238	1.47	0.2	15	160	< 0.5	< 2	0.13	< 0.5	8	47	14	2.26	< 10	< 1	0.11	30	0.34	254	< 1
R 15744	203	238	1.40	0.2	15	150	< 0.5	< 2	0.21	< 0.5	8	38	15	2.48	< 10	2	0.11	40	0.35	230	< 1
R 15745	203	238	1.34	1.4	40	130	< 0.5	< 2	0.18	0.5	8	56	10	2.21	< 10	< 1	0.12	30	0.36	374	< 1
R 15746	203	238	1.46	0.6	15	190	< 0.5	< 2	0.32	< 0.5	7	43	10	2.08	< 10	1	0.11	30	0.37	438	< 1
R 15747	203	238	1.49	1.2	40	150	< 0.5	< 2	0.14	0.5	14	48	27	2.92	< 10	3	0.16	40	0.50	1045	< 1
R 15749	203	238	1.32	< 0.2	25	170	< 0.5	< 2	0.13	0.5	10	39	16	2.42	< 10	1	0.09	30	0.30	307	< 1
R 15750	203	238	1.36	0.2	85	160	< 0.5	2	0.12	0.5	15	52	25	3.10	< 10	< 1	0.19	50	0.35	552	< 1
R 15751	203	238	1.26	< 0.2	35	140	< 0.5	2	0.18	0.5	8	42	13	2.37	< 10	< 1	0.10	30	0.29	315	< 1
R 15752	203	238	1.11	< 0.2	45	130	< 0.5	< 2	0.13	< 0.5	10	41	20	2.46	< 10	< 1	0.13	30	0.30	547	< 1
R 15753	203	238	1.20	0.6	65	130	< 0.5	< 2	0.17	< 0.5	13	40	25	2.63	< 10	< 1	0.20	40	0.38	597	< 1
R 15754	203	238	1.25	0.6	125	110	< 0.5	< 2	0.18	< 0.5	17	36	38	3.07	< 10	< 1	0.24	50	0.31	577	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T[illegible]CHER CATHRO & ASSOC. (1981) LTD.
[illegible] 4127
[illegible].25 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page No : 5-B
Tot. P. : 5
Date : 13-JUL-87
Invoice # : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15714A	203	238	< 0.01	19	380	16	< 5	10	11	0.02	< 10	< 10	30	5	57
R 15715	203	238	< 0.01	19	510	24	< 5	< 10	14	0.05	< 10	< 10	40	< 5	58
R 15716	203	238	0.01	17	640	18	< 5	10	17	0.04	< 10	< 10	46	< 5	60
R 15717	203	238	0.01	21	480	24	< 5	< 10	18	0.05	< 10	< 10	41	5	71
R 15718	203	238	0.01	21	510	32	< 5	< 10	16	0.05	< 10	< 10	42	5	78
R 15719	203	238	< 0.01	18	410	28	< 5	< 10	11	0.03	< 10	< 10	35	< 5	60
R 15720	203	238	0.01	17	420	14	< 5	20	11	0.03	< 10	< 10	32	< 5	54
R 15721	203	238	0.01	17	440	12	< 5	< 10	12	0.04	< 10	< 10	35	5	64
R 15722	203	238	0.01	24	750	22	< 5	10	13	0.04	< 10	< 10	43	< 5	73
R 15723	203	238	< 0.01	21	450	6	< 5	< 10	14	0.04	< 10	< 10	35	5	69
R 15724	203	238	< 0.01	17	410	2	< 5	< 10	11	0.04	< 10	< 10	30	< 5	58
R 15725	203	238	0.01	15	480	12	< 5	< 10	15	0.05	< 10	< 10	34	< 5	44
R 15726	203	238	0.01	26	670	8	< 5	< 10	21	0.06	< 10	< 10	41	5	67
R 15727	203	238	< 0.01	29	520	16	< 5	20	13	0.03	< 10	< 10	33	< 5	81
R 15728	203	238	< 0.01	22	410	16	< 5	< 10	12	0.04	< 10	< 10	30	5	57
R 15729	203	238	0.01	23	410	14	< 5	< 10	14	0.04	< 10	< 10	32	5	53
R 15730	203	238	< 0.01	24	480	16	< 5	< 10	14	0.05	< 10	< 10	38	5	65
R 15731	203	238	< 0.01	21	290	32	< 5	10	12	0.04	< 10	< 10	30	< 5	52
R 15732	203	238	< 0.01	24	370	28	< 5	< 10	15	0.01	< 10	< 10	20	< 5	71
R 15733	203	238	< 0.01	32	370	32	< 5	< 10	17	< 0.01	< 10	< 10	8	5	66
R 15734	203	238	0.01	24	590	56	< 5	< 10	13	0.02	< 10	< 10	25	5	132
R 15735	203	238	< 0.01	22	430	84	< 5	< 10	14	0.03	< 10	< 10	32	5	146
R 15736	203	238	< 0.01	22	420	26	< 5	< 10	12	0.04	< 10	< 10	34	< 5	59
R 15737	203	238	0.01	16	450	34	< 5	< 10	19	0.03	< 10	< 10	34	5	67
R 15738	203	238	< 0.01	40	460	28	< 5	< 10	21	0.01	< 10	< 10	16	5	91
R 15739	203	238	< 0.01	38	570	52	< 5	10	20	< 0.01	< 10	< 10	12	10	108
R 15740	203	238	< 0.01	43	690	38	< 5	10	18	< 0.01	< 10	< 10	9	15	83
R 15741	203	238	< 0.01	37	370	16	< 5	10	14	< 0.01	< 10	< 10	8	5	71
R 15742	203	238	< 0.01	28	230	14	< 5	< 10	12	0.01	< 10	< 10	18	5	59
R 15743	203	238	0.01	17	280	16	< 5	10	14	0.03	< 10	< 10	30	< 5	42
R 15744	203	238	< 0.01	20	340	4	< 5	< 10	20	0.01	< 10	< 10	21	5	45
R 15745	203	238	0.01	16	360	28	< 5	< 10	16	0.03	< 10	< 10	30	< 5	115
R 15746	203	238	0.01	15	550	26	< 5	< 10	26	0.02	< 10	< 10	30	< 5	73
R 15747	203	238	0.01	28	400	38	< 5	< 10	15	0.01	< 10	< 10	21	5	117
R 15749	203	238	< 0.01	27	270	20	< 5	< 10	14	0.04	< 10	< 10	35	< 5	69
R 15750	203	238	0.01	30	450	24	< 5	< 10	16	0.02	< 10	< 10	23	5	88
R 15751	203	238	< 0.01	16	370	22	< 5	< 10	16	0.03	< 10	< 10	30	5	63
R 15752	203	238	< 0.01	22	400	20	< 5	< 10	13	0.03	< 10	< 10	26	< 5	58
R 15753	203	238	< 0.01	27	460	16	< 5	< 10	16	0.02	< 10	< 10	18	< 5	73
R 15754	203	238	< 0.01	34	430	38	< 5	< 10	18	< 0.01	< 10	< 10	10	< 5	90

CERTIFICATION : [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page : A
Tot. : 6
Date : 13-JUL-87
Invoice # : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

FIND LATER

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15755	203	238	1.19	0.6	100	60	< 0.5	< 2	0.15	< 0.5	17	25	33	3.01	< 10	< 1	0.16	50	0.37	905	< 1
R 15756	203	238	1.18	2.8	145	60	< 0.5	< 2	0.12	0.5	17	25	34	3.30	< 10	< 1	0.19	60	0.32	1470	< 1
R 15757	203	238	1.31	28.2	185	90	< 0.5	< 2	0.13	0.5	16	25	42	3.57	< 10	< 1	0.19	50	0.39	1060	< 1
R 15758	203	238	1.93	0.2	50	90	< 0.5	< 2	0.15	< 0.5	28	30	50	3.91	< 10	< 1	0.21	60	0.72	456	< 1
R 15759	203	238	1.30	14.6	70	100	< 0.5	< 2	0.20	1.0	15	35	26	3.01	< 10	< 1	0.13	40	0.40	1070	< 1
R 15760	203	238	1.50	2.4	20	80	< 0.5	< 2	0.16	< 0.5	16	46	36	3.90	< 10	< 1	0.23	50	0.41	2420	< 1
R 15761	203	238	1.65	3.4	50	140	< 0.5	< 2	0.13	< 0.5	13	44	16	2.54	< 10	< 1	0.13	30	0.39	1180	< 1
R 15762	203	238	1.61	19.6	45	120	< 0.5	< 2	0.12	1.0	9	37	24	2.58	< 10	< 1	0.14	30	0.38	456	< 1
R 15763	203	238	1.27	0.6	80	110	< 0.5	< 2	0.27	< 0.5	17	25	26	2.93	< 10	< 1	0.22	50	0.37	753	< 1
R 15764	203	238	1.68	0.8	70	200	< 0.5	< 2	0.35	< 0.5	12	44	19	2.46	< 10	2	0.19	40	0.40	812	< 1
R 15803	203	238	1.28	0.2	15	130	< 0.5	< 2	0.18	< 0.5	9	51	16	2.42	< 10	< 1	0.14	30	0.38	519	2
R 15804	203	238	1.22	1.0	50	140	< 0.5	< 2	0.18	< 0.5	11	80	19	2.64	< 10	< 1	0.17	30	0.32	724	< 1
R 15805	203	238	1.25	0.4	30	200	< 0.5	< 2	0.26	< 0.5	10	62	16	2.47	< 10	< 1	0.19	30	0.29	611	1
R 15806	203	238	0.91	0.4	30	120	< 0.5	< 2	0.15	< 0.5	8	40	24	2.77	< 10	< 1	0.14	40	0.19	287	< 1
R 15807	203	238	0.78	< 0.2	70	120	< 0.5	< 2	0.09	< 0.5	5	56	25	3.16	< 10	< 1	0.17	50	0.11	160	< 1
R 15808	203	238	0.81	0.4	50	140	< 0.5	< 2	0.13	< 0.5	4	39	20	2.64	< 10	< 1	0.15	50	0.12	146	< 1
R 15809	203	238	0.79	0.2	35	110	< 0.5	< 2	0.12	< 0.5	7	49	21	2.73	< 10	< 1	0.15	50	0.16	164	< 1
R 15810	203	238	1.56	0.2	30	210	< 0.5	< 2	0.17	< 0.5	10	57	10	2.53	< 10	< 1	0.14	20	0.32	362	< 1
15811	203	238	1.46	< 0.2	15	180	< 0.5	< 2	0.16	< 0.5	9	50	13	2.47	< 10	< 1	0.08	20	0.47	254	< 1
R 15812	203	238	1.60	0.8	40	310	< 0.5	< 2	0.59	< 0.5	10	46	22	2.44	< 10	< 1	0.17	40	0.32	648	< 1
R 15813	203	238	1.68	< 0.2	25	300	< 0.5	< 2	0.13	0.5	14	55	23	2.66	< 10	< 1	0.24	50	0.26	1760	< 1
R 15814	203	238	1.33	0.4	170	150	< 0.5	< 2	0.38	< 0.5	16	38	34	3.31	< 10	< 1	0.26	60	0.32	761	< 1
R 15815	203	238	1.13	0.2	210	70	< 0.5	< 2	0.16	0.5	16	19	27	3.56	< 10	< 1	0.19	60	0.26	463	< 1
R 15816	203	238	1.30	0.2	45	140	< 0.5	< 2	0.10	< 0.5	12	79	24	2.95	< 10	< 1	0.28	40	0.23	334	< 1
R 15817	203	238	1.37	0.2	25	160	< 0.5	< 2	0.12	< 0.5	10	41	14	2.14	< 10	< 1	0.12	30	0.30	354	< 1
R 15821	203	238	1.61	< 0.2	25	80	< 0.5	< 2	0.05	< 0.5	9	47	27	3.37	< 10	< 1	0.11	40	0.42	199	< 1
R 15823	203	238	1.07	2.0	135	150	< 0.5	< 2	0.17	< 0.5	13	33	26	3.01	< 10	< 1	0.21	40	0.26	677	< 1
R 15824	203	238	1.05	0.8	105	170	< 0.5	< 2	0.15	< 0.5	9	56	22	2.63	< 10	< 1	0.16	40	0.19	422	< 1
R 15825	203	238	1.23	2.0	95	230	< 0.5	< 2	0.41	< 0.5	9	93	25	2.89	< 10	< 1	0.22	40	0.20	654	< 1
R 15826	203	238	1.14	1.2	65	160	< 0.5	< 2	0.19	< 0.5	8	56	16	2.35	< 10	< 1	0.14	30	0.26	334	< 1
R 15827	203	238	1.25	0.4	40	240	< 0.5	< 2	0.22	< 0.5	8	61	14	2.35	< 10	< 1	0.12	30	0.30	362	1
R 15828	203	238	1.28	0.8	35	240	< 0.5	< 2	0.22	< 0.5	9	67	12	2.21	< 10	1	0.12	30	0.27	412	< 1
R 15829	203	238	1.17	< 0.2	60	130	< 0.5	< 2	0.12	< 0.5	10	50	14	2.36	< 10	< 1	0.11	30	0.29	487	< 1
R 15830	203	238	1.14	< 0.2	10	150	< 0.5	< 2	0.15	< 0.5	9	68	14	2.10	< 10	< 1	0.11	20	0.31	393	< 1
R 15831	203	238	1.24	< 0.2	40	140	< 0.5	< 2	0.10	< 0.5	8	64	12	2.05	< 10	< 1	0.14	30	0.27	328	< 1
R 15832	203	238	1.16	0.4	50	120	< 0.5	< 2	0.13	< 0.5	10	36	19	2.25	< 10	< 1	0.15	40	0.32	394	< 1
R 15833	203	238	1.24	4.6	95	170	< 0.5	< 2	0.09	0.5	< 1	46	11	2.20	< 10	< 1	0.12	20	0.29	442	1
R 15834	203	238	1.50	1.0	35	160	0.5	< 2	0.13	< 0.5	9	55	17	2.68	< 10	< 1	0.17	30	0.32	226	< 1
R 15835	203	238	1.53	0.6	30	140	< 0.5	< 2	0.13	< 0.5	8	65	16	2.61	< 10	< 1	0.18	30	0.35	184	< 1
R 15836	203	238	1.50	0.2	30	120	0.5	< 2	0.09	< 0.5	8	49	21	2.49	< 10	< 1	0.14	30	0.32	144	< 1

CERTIFICATION : _____

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page : -B
Tot. : 6
Date : 13-JUL-87
Invoice # : I-8717250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717250

* FIND LATER.

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15755	203	238	< 0.01	32	410	22	< 5	< 10	15	< 0.01	< 10	< 10	8	< 5	86
R 15756	203	238	< 0.01	34	410	72	5	< 10	17	< 0.01	< 10	< 10	9	5	132
R 15757	203	238	< 0.01	36	480	38	5	< 10	22	< 0.01	< 10	< 10	9	10	114
R 15758	203	238	< 0.01	43	380	30	5	< 10	17	< 0.01	< 10	< 10	11	5	88
R 15759	203	238	< 0.01	34	430	198	5	< 10	19	0.02	< 10	< 10	24	5	369
R 15760	203	238	0.01	34	340	4	5	< 10	20	< 0.01	< 10	< 10	10	5	95
R 15761	203	238	0.01	16	240	118	< 5	< 10	16	0.04	< 10	< 10	38	5	98
R 15762	203	238	0.01	18	340	406	5	< 10	13	0.02	< 10	< 10	29	5	220
R 15763	203	238	< 0.01	26	460	38	5	< 10	19	< 0.01	< 10	< 10	12	5	85
R 15764	203	238	0.01	17	490	36	5	< 10	29	0.01	< 10	< 10	27	< 5	82
R 15803	203	238	0.01	20	380	16	5	< 10	18	0.04	< 10	< 10	29	< 5	65
R 15804	203	238	< 0.01	23	360	28	5	< 10	17	0.03	< 10	< 10	26	< 5	81
R 15805	203	238	< 0.01	14	420	18	< 5	< 10	21	0.02	< 10	< 10	24	5	61
R 15806	203	238	< 0.01	18	280	22	< 5	< 10	15	0.01	< 10	< 10	16	< 5	56
R 15807	203	238	< 0.01	12	290	30	5	< 10	10	< 0.01	< 10	< 10	9	< 5	50
R 15808	203	238	< 0.01	11	250	28	5	< 10	11	< 0.01	< 10	< 10	10	< 5	42
R 15809	203	238	< 0.01	14	270	10	< 5	< 10	11	< 0.01	< 10	< 10	9	< 5	46
R 15810	203	238	0.01	13	270	24	< 5	< 10	16	0.04	< 10	< 10	40	< 5	116
R 15811	203	238	< 0.01	24	260	8	< 5	< 10	15	0.04	< 10	< 10	38	< 5	54
R 15812	203	238	0.01	17	830	18	< 5	< 10	38	0.01	< 10	< 10	29	< 5	77
R 15813	203	238	0.01	17	580	38	< 5	< 10	18	< 0.01	< 10	< 10	21	< 5	83
R 15814	203	238	< 0.01	34	440	52	5	< 10	20	< 0.01	< 10	< 10	16	< 5	109
R 15815	203	238	< 0.01	30	320	32	5	< 10	16	< 0.01	< 10	< 10	12	< 5	86
R 15816	203	238	0.01	26	510	32	5	< 10	20	< 0.01	< 10	< 10	15	< 5	63
R 15817	203	238	< 0.01	15	180	24	< 5	< 10	12	0.03	< 10	< 10	24	< 5	52
R 15821	203	238	0.01	22	200	8	< 5	< 10	9	0.02	< 10	< 10	28	< 5	59
R 15823	203	238	< 0.01	22	410	34	< 5	< 10	13	0.02	< 10	< 10	18	< 5	102
R 15824	203	238	< 0.01	20	330	18	< 5	< 10	11	0.01	< 10	< 10	19	5	64
R 15825	203	238	< 0.01	24	560	26	5	< 10	19	0.01	< 10	< 10	21	< 5	77
R 15826	203	238	< 0.01	15	340	24	< 5	< 10	13	0.03	< 10	< 10	26	< 5	63
R 15827	203	238	< 0.01	14	440	14	< 5	< 10	17	0.03	< 10	< 10	34	< 5	54
R 15828	203	238	< 0.01	12	510	20	< 5	< 10	17	0.03	< 10	< 10	31	< 5	57
R 15829	203	238	< 0.01	15	410	24	< 5	< 10	14	0.03	< 10	< 10	28	< 5	65
R 15830	203	238	0.01	16	370	14	< 5	< 10	15	0.05	< 10	< 10	37	< 5	59
R 15831	203	238	< 0.01	12	370	24	< 5	< 10	12	0.02	< 10	< 10	28	< 5	43
R 15832	203	238	< 0.01	18	250	14	< 5	< 10	12	0.01	< 10	< 10	18	< 5	64
R 15833	203	238	< 0.01	12	250	104	< 5	< 10	10	0.03	< 10	< 10	31	< 5	151
R 15834	203	238	0.01	19	230	54	5	< 10	15	0.04	< 10	< 10	34	< 5	113
R 15835	203	238	0.01	20	220	66	< 5	< 10	13	0.04	< 10	< 10	35	< 5	61
R 15836	203	238	< 0.01	21	160	22	< 5	< 10	10	0.03	< 10	< 10	29	< 5	51

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page
Tot.
Date : 10-JUL-87
Invoice # : I-8717249
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717249

SAMPLE DESCRIPTION	PREP CODE		Pb %	Zn %	Ag FA oz/T	Au FA oz/T
R 15502	207	--	< 0.01	0.02	0.01	< 0.002
R 15503	207	--	0.01	0.04	1.98	0.002
R 15504	207	--	< 0.01	< 0.01	0.02	< 0.002
R 15505	207	--	< 0.01	0.01	< 0.01	< 0.002
R 15506	207	--	< 0.01	0.01	0.05	< 0.002
R 15507	207	--	0.23	1.21	27.00	< 0.002
R 15508	207	--	< 0.01	< 0.01	0.01	< 0.002
R 15509	207	--	< 0.01	0.01	< 0.01	< 0.002
R 15510	207	--	0.59	0.72	13.40	< 0.002
R 15511	207	--	0.20	0.14	2.86	0.004
R 15512	207	--	< 0.01	0.01	0.13	< 0.002
R 15513	207	--	< 0.01	0.02	0.16	< 0.022
R 15514	207	--	< 0.01	0.01	0.05	< 0.002
R 15515	207	--	< 0.01	< 0.01	0.04	< 0.002
R 15597	207	--	< 0.01	0.01	0.25	< 0.002
R 15598	207	--	0.03	0.15	0.22	< 0.002
R 15599	207	--	0.02	0.05	1.17	0.002
R 15600	207	--	0.01	0.06	0.67	0.002
R 15601	207	--	0.05	0.12	1.40	0.007
R 15602	207	--	< 0.01	0.01	0.11	< 0.002
R 15603	207	--	< 0.01	0.02	0.02	< 0.002
R 15604	207	--	0.06	0.84	4.17	0.008
R 15637	207	--	0.30	0.07	1.00	0.002
R 15638	207	--	< 0.01	1.18	7.58	< 0.002
R 15640	207	--	< 0.01	0.02	0.07	< 0.002
R 15641	207	--	< 0.01	< 0.01	< 0.01	< 0.002
R 15642	207	--	< 0.01	0.01	< 0.01	< 0.002
R 15643	207	--	< 0.01	0.01	< 0.01	< 0.002
R 15644	207	--	< 0.01	< 0.01	< 0.01	< 0.002
R 15645	207	--	< 0.01	< 0.01	< 0.01	< 0.002
R 15646	207	--	< 0.01	0.01	0.02	< 0.002
R 15647	207	--	< 0.01	0.02	< 0.01	< 0.002
R 15648	207	--	< 0.01	0.50	0.08	< 0.002
R 15649	207	--	< 0.01	0.01	0.03	< 0.002
R 15650	207	--	< 0.01	0.01	0.03	< 0.002
R 16001	207	--	< 0.01	6.05	0.11	0.002
R 16002	207	--	< 0.01	0.44	0.25	0.007
R 16003	207	--	< 0.01	0.04	0.05	0.002
R 16004	207	--	< 0.01	6.00	0.07	0.009
R 16005	207	--	< 0.01	0.22	0.19	0.002

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C CERTIFIED ASSAYERS

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: CHER CATHRO & ASSOC. (1981) LTD.
X 4127
125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9
Project : SQ QUEST
Comments:

Page N:
Tot.
Date :10-JUL-87
Invoice # :I-8717249
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717249

SAMPLE DESCRIPTION	PREP CODE	Pb %	Zn %	Ag FA oz/T	Au FA oz/T
R 16006	207 --	< 0.01	0.03	0.08	< 0.002
R 16007	207 --	< 0.01	0.02	0.04	< 0.002
R 16008	207 --	< 0.01	0.03	0.57	0.002
R 16009	207 --	< 0.01	0.01	0.01	< 0.002
R 16010	207 --	< 0.01	1.28	4.29	0.006
R 16012	207 --	0.03	0.01	0.09	0.021
R 16013	207 --	0.05	0.05	0.52	0.002
R 16014	207 --	0.02	0.02	0.12	< 0.002
R 16014 SPLIT	207 --	0.02	0.03	0.11	0.002

DO?-a

ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

A8719018

Comments :

CERTIFICATE A8719018

ARCHER CATHRO & ASSOC. (1981) LTD.
PROJECT : SQ
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 19-AUG-87.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
203	2	Dry, sieve -35 mesh and ring

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
101	2	Au ppb: Fuse 10 g sample	FA-NAA	1	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
DX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ
Comments:

Page N 1
Tot. 1 1
Date :19-AUG-87
Invoice # :I-8719018
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8719018

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb
R 17322	203	--	59
R 17323	203	--	83

CERTIFICATION : David Bichler

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R4875	203	238	1.21	9.0	245	250	< 0.5	< 2	0.19	4.0	17	82	25	2.87	< 10	1	0.20	30	0.32	7060	< 1
R4876	203	238	1.34	22.4	310	350	0.5	< 2	0.12	12.5	26	83	39	3.37	< 10	4	0.27	40	0.25	>10000	< 1
R4877	203	238	1.31	0.6	60	120	< 0.5	< 2	0.11	< 0.5	13	84	19	2.50	< 10	< 1	0.13	20	0.30	1300	< 1
R4878	203	238	0.61	32.0	750	70	0.5	< 2	0.08	7.5	4	63	29	2.86	10	< 1	0.32	70	0.04	4270	< 1
R4879	203	238	1.12	16.8	595	170	< 0.5	< 2	0.13	5.0	13	128	21	2.97	< 10	< 1	0.22	30	0.23	5860	< 1
R4880	203	238	1.67	0.6	10	250	< 0.5	< 2	0.14	0.5	18	110	39	2.85	< 10	< 1	0.25	40	0.49	852	< 1
R4881	203	238	2.33	1.0	65	90	< 0.5	< 2	0.14	< 0.5	37	78	51	3.97	10	4	0.28	90	0.84	825	< 1
R4882	203	238	2.24	1.4	15	110	< 0.5	4	0.15	1.0	23	97	44	3.49	10	< 1	0.27	60	0.80	1265	< 1
R4883	203	238	2.25	0.8	15	150	< 0.5	4	0.14	0.5	15	132	34	3.31	10	2	0.27	50	0.66	506	< 1
R4884	203	238	2.32	0.6	< 5	130	< 0.5	4	0.04	< 0.5	14	91	33	4.06	10	1	0.29	70	0.78	280	< 1
R4885	203	238	1.59	6.0	120	180	0.5	< 2	0.08	1.0	83	177	51	2.90	< 10	< 1	0.34	40	0.30	7320	< 1
R4886	203	238	2.15	24.6	230	160	0.5	< 2	0.11	5.0	29	132	62	4.12	10	1	0.43	70	0.48	3480	< 1
R4887	203	238	1.81	102.0	345	160	0.5	< 2	0.10	6.5	31	146	66	3.57	10	< 1	0.46	70	0.34	5470	< 1
R4889	203	238	1.33	>200	2630	260	< 0.5	< 2	0.13	15.5	19	97	74	4.17	< 10	2	0.40	50	0.20	6600	< 1
R4890	203	238	1.14	4.0	120	540	< 0.5	< 2	0.20	0.5	18	89	28	2.73	< 10	< 1	0.36	50	0.27	3320	< 1
R4891	203	238	1.25	4.2	40	330	< 0.5	< 2	0.28	1.0	13	87	31	2.58	< 10	< 1	0.28	40	0.36	1415	< 1
R4892	203	238	1.05	1.2	30	200	< 0.5	< 2	0.27	< 0.5	9	101	19	2.14	< 10	< 1	0.17	30	0.33	791	< 1
R4893	203	238	1.29	1.6	40	380	< 0.5	< 2	0.19	< 0.5	17	142	22	2.73	< 10	< 1	0.28	30	0.30	806	< 1
R4894	203	238	1.27	3.4	45	180	< 0.5	< 2	0.25	< 0.5	21	87	36	3.15	< 10	< 1	0.25	50	0.28	2060	< 1
R4895	203	238	1.53	4.0	70	210	< 0.5	< 2	0.18	0.5	10	123	20	2.75	< 10	< 1	0.27	40	0.45	540	< 1
R4896	203	238	1.79	2.2	75	190	< 0.5	< 2	0.19	< 0.5	10	90	20	2.43	< 10	< 1	0.21	30	0.47	599	< 1
R4897	203	238	1.47	1.4	40	170	< 0.5	4	0.13	0.5	8	122	17	2.52	< 10	1	0.23	30	0.36	309	< 1
R17071	203	238	1.42	1.8	25	150	< 0.5	< 2	0.09	< 0.5	14	95	14	2.33	< 10	< 1	0.18	20	0.26	830	< 1
R17072	203	238	1.38	0.6	25	180	< 0.5	< 2	0.31	< 0.5	8	93	14	2.33	< 10	< 1	0.19	30	0.31	422	< 1
R17073	203	238	1.38	0.4	< 5	130	< 0.5	< 2	0.13	< 0.5	6	176	12	2.16	< 10	< 1	0.15	20	0.36	210	< 1
R17074	203	238	1.40	0.4	30	140	< 0.5	4	0.13	< 0.5	6	119	12	2.21	< 10	< 1	0.15	20	0.32	191	< 1
R17075	203	238	1.74	2.8	80	210	< 0.5	2	0.18	0.5	15	121	23	3.10	10	< 1	0.22	40	0.42	1455	< 1
R17076	203	238	1.44	0.8	5	190	< 0.5	2	0.24	1.0	12	153	23	3.14	< 10	< 1	0.29	40	0.36	512	< 1
R17077	203	238	1.97	1.8	15	340	< 0.5	< 2	0.27	1.0	16	102	28	3.36	< 10	3	0.26	30	0.48	976	< 1
R17078	203	238	1.81	2.0	20	410	< 0.5	< 2	0.65	< 0.5	14	105	29	3.32	< 10	< 1	0.29	40	0.41	889	< 1
R17079	203	238	1.38	1.0	5	220	< 0.5	4	0.25	< 0.5	11	113	23	2.77	< 10	< 1	0.19	30	0.41	551	< 1
R17080	203	238	1.14	0.2	20	130	< 0.5	< 2	0.15	< 0.5	7	136	12	2.17	< 10	< 1	0.11	20	0.23	203	< 1
R17081	203	238	1.69	1.0	5	170	< 0.5	2	0.15	0.5	10	117	25	3.18	< 10	< 1	0.19	30	0.47	463	< 1
R17082	203	238	2.18	2.0	80	260	< 0.5	2	0.18	< 0.5	16	110	29	3.39	< 10	< 1	0.30	40	0.50	881	< 1
R17083	203	238	1.85	2.2	70	230	< 0.5	2	0.25	< 0.5	10	73	24	3.03	< 10	< 1	0.27	40	0.48	368	< 1
R17084	203	238	1.91	1.6	25	180	< 0.5	< 2	0.11	0.5	13	99	25	3.34	< 10	< 1	0.25	40	0.51	615	< 1
R17085	203	238	1.86	1.6	25	490	< 0.5	2	0.54	< 0.5	13	105	18	2.68	< 10	< 1	0.19	20	0.34	1260	< 1
R17086	203	238	2.05	3.8	120	310	< 0.5	< 2	0.37	0.5	11	94	27	3.27	< 10	< 1	0.30	30	0.40	955	< 1
R17087	203	238	2.61	3.2	70	350	< 0.5	< 2	0.35	< 0.5	19	72	44	3.92	< 10	< 1	0.32	30	0.51	1370	< 1
R17088	203	238	1.97	1.4	25	190	< 0.5	2	0.15	0.5	15	106	30	3.02	< 10	< 1	0.24	40	0.50	508	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	
R4875	203	238	0.01	32	550	110	< 5	20	30	0.03	< 10	< 10	24	< 5	443	
R4876	203	238	0.01	57	620	282	10	30	45	0.01	< 10	< 10	13	< 5	1155	
R4877	203	238	0.01	19	390	12	5	< 10	13	0.04	< 10	< 10	36	< 5	99	
R4878	203	238	< 0.01	8	780	2080	20	10	38	< 0.01	< 10	< 10	2	< 5	753	
R4879	203	238	0.01	23	480	276	10	10	26	0.02	< 10	< 10	22	< 5	449	
R4880	203	238	0.01	28	390	10	< 5	< 10	18	0.03	< 10	< 10	29	< 5	62	TRENCHES
R4881	203	238	0.01	53	500	< 2	< 5	10	19	< 0.01	< 10	< 10	12	< 5	93	
R4882	203	238	0.01	38	400	40	< 5	10	22	< 0.01	< 10	< 10	10	< 5	98	
R4883	203	238	0.01	25	450	10	< 5	10	20	0.01	< 10	< 10	27	< 5	70	
R4884	203	238	0.01	32	300	< 2	< 5	< 10	12	< 0.01	< 10	< 10	15	< 5	86	
R4885	203	238	0.01	67	500	100	< 5	20	19	< 0.01	< 10	< 10	5	< 5	153	
R4886	203	238	0.01	50	510	334	5	10	23	< 0.01	< 10	< 10	13	< 5	450	
R4887	203	238	0.01	46	520	926	15	10	25	< 0.01	< 10	< 10	9	5	793	
R4889	203	238	< 0.01	33	430	6210	155	10	25	< 0.01	< 10	< 10	11	15	1670	
R4890	203	238	0.01	31	500	76	5	< 10	19	0.02	< 10	< 10	22	< 5	200	
R4891	203	238	0.01	28	630	76	5	10	24	0.04	< 10	< 10	28	< 5	183	
R4892	203	238	0.02	24	670	8	< 5	< 10	23	0.06	< 10	< 10	35	< 5	88	
R4893	203	238	0.02	29	420	28	< 5	< 10	19	0.01	< 10	< 10	18	< 5	77	
R4894	203	238	0.01	41	770	38	< 5	10	23	< 0.01	< 10	< 10	10	< 5	111	
R4895	203	238	0.01	20	490	64	5	< 10	16	0.02	< 10	< 10	25	< 5	127	GRID TOP NORTH
R4896	203	238	0.01	18	420	32	5	< 10	19	< 0.01	< 10	< 10	17	< 5	123	
R4897	203	238	0.01	15	410	32	< 5	< 10	17	0.02	< 10	< 10	31	< 5	83	
R17071	203	238	0.02	14	590	28	< 5	10	13	0.01	< 10	< 10	34	< 5	43	
R17072	203	238	0.01	17	390	14	< 5	< 10	24	0.01	< 10	< 10	24	5	74	
R17073	203	238	0.01	14	430	12	5	< 10	14	0.03	< 10	< 10	38	< 5	47	
R17074	203	238	0.01	11	270	16	5	< 10	14	0.04	< 10	< 10	42	< 5	48	
R17075	203	238	0.01	21	540	114	5	< 10	19	0.02	< 10	< 10	33	< 5	144	
R17076	203	238	0.02	26	570	60	< 5	< 10	22	0.03	< 10	< 10	27	< 5	118	
R17077	203	238	0.01	22	700	42	< 5	< 10	25	0.03	< 10	< 10	43	5	112	
R17078	203	238	0.01	27	750	24	5	< 10	38	0.03	< 10	< 10	37	< 5	96	
R17079	203	238	0.01	20	590	36	< 5	< 10	22	0.04	< 10	< 10	34	< 5	89	
R17080	203	238	0.01	11	440	4	< 5	< 10	15	0.04	< 10	< 10	34	< 5	43	
R17081	203	238	0.01	21	500	14	5	10	18	0.04	< 10	< 10	38	< 5	96	
R17082	203	238	0.02	24	600	32	< 5	< 10	21	0.01	< 10	< 10	29	< 5	105	
R17083	203	238	0.01	21	660	26	< 5	< 10	23	0.02	< 10	< 10	32	< 5	91	
R17084	203	238	0.01	21	580	22	5	< 10	15	0.02	< 10	< 10	33	< 5	84	
R17085	203	238	0.01	15	1400	18	< 5	10	34	0.02	< 10	< 10	43	< 5	63	
R17086	203	238	0.01	21	910	18	< 5	10	26	0.01	< 10	< 10	37	< 5	113	
R17087	203	238	0.01	26	1090	22	< 5	< 10	28	0.01	< 10	< 10	36	5	116	
R17088	203	238	0.01	27	500	22	< 5	10	16	0.01	< 10	< 10	30	< 5	88	

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T 'RCHER CATHRO & ASSOC. (1981) LTD.
.016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R17089	203	238	2.14	1.0	20	160	< 0.5	< 2	0.19	0.5	19	136	46	4.45	10	< 1	0.29	70	0.75	613	< 1
R17090	203	238	1.34	1.2	35	160	< 0.5	4	0.23	< 0.5	12	157	19	2.78	< 10	< 1	0.16	30	0.37	352	< 1
R17091	203	238	1.46	0.4	10	230	< 0.5	< 2	0.22	0.5	14	127	21	2.79	< 10	1	0.19	30	0.36	1935	< 1
R17092	203	238	1.55	1.0	< 5	190	< 0.5	4	0.18	0.5	9	103	14	2.57	< 10	3	0.16	20	0.35	374	< 1
R17093	203	238	1.48	0.4	< 5	220	< 0.5	2	0.19	0.5	8	114	17	2.60	< 10	3	0.18	20	0.36	268	< 1
R17094	203	238	1.49	0.4	< 5	170	< 0.5	< 2	0.19	0.5	9	117	22	2.57	< 10	2	0.16	30	0.40	328	< 1
R17095	203	238	1.33	0.4	< 5	180	< 0.5	2	0.18	0.5	13	119	27	2.64	< 10	< 1	0.23	30	0.36	662	< 1
R17096	203	238	1.45	0.6	10	150	< 0.5	2	0.18	< 0.5	9	122	15	2.39	< 10	< 1	0.13	20	0.37	351	< 1
R17097	203	238	1.41	0.4	10	140	< 0.5	< 2	0.12	< 0.5	7	95	16	2.50	< 10	< 1	0.14	20	0.32	286	< 1
R17098	203	238	1.18	0.8	15	130	< 0.5	4	0.16	< 0.5	7	138	17	2.28	< 10	< 1	0.15	20	0.32	321	< 1
R17099	203	238	1.46	6.0	70	150	< 0.5	2	0.11	1.0	15	103	30	2.96	< 10	< 1	0.17	40	0.40	1220	< 1
R17100	203	238	1.28	0.6	5	130	< 0.5	< 2	0.12	< 0.5	7	138	14	2.34	< 10	2	0.16	30	0.30	201	< 1
R17302	203	238	1.93	13.0	745	210	< 0.5	2	0.23	1.0	16	114	113	3.77	< 10	< 1	0.25	50	0.50	1975	< 1
R17303	203	238	1.86	1.4	30	200	< 0.5	4	0.29	< 0.5	12	109	24	2.94	< 10	< 1	0.17	30	0.53	629	< 1
R17304	203	238	1.54	1.0	< 5	150	< 0.5	2	0.24	< 0.5	8	119	23	2.41	< 10	< 1	0.14	30	0.43	247	< 1
R17305	203	238	1.53	0.4	10	160	< 0.5	2	0.11	< 0.5	16	119	21	2.54	< 10	2	0.16	30	0.30	1070	< 1
R17306	203	238	1.48	0.2	< 5	170	< 0.5	< 2	0.22	< 0.5	10	119	22	2.96	< 10	1	0.19	40	0.44	317	< 1
R17307	203	238	1.05	< 0.2	15	100	< 0.5	4	0.10	< 0.5	5	213	12	1.98	< 10	2	0.13	30	0.18	219	< 1
R17308	203	238	1.79	0.8	5	180	< 0.5	4	0.10	< 0.5	7	101	37	3.03	< 10	1	0.17	40	0.46	190	< 1
R17309	203	238	1.19	0.6	30	80	< 0.5	2	0.09	< 0.5	7	104	18	3.00	< 10	1	0.09	20	0.28	340	< 1
R17310	203	238	1.65	2.4	65	240	0.5	< 2	0.36	0.5	12	97	27	2.93	< 10	< 1	0.17	30	0.42	794	< 1
R17311	203	238	1.56	3.0	65	190	< 0.5	2	0.21	0.5	14	120	25	3.07	< 10	< 1	0.20	40	0.45	1225	< 1
R17312	203	238	1.41	0.8	50	150	< 0.5	2	0.20	< 0.5	11	95	19	2.59	< 10	< 1	0.15	30	0.47	640	< 1
R17313	203	238	1.81	2.2	40	280	< 0.5	< 2	0.24	< 0.5	10	100	25	3.03	< 10	< 1	0.17	20	0.38	964	< 1
R17314	203	238	1.74	2.2	40	250	< 0.5	4	0.44	0.5	10	85	19	2.92	< 10	< 1	0.18	30	0.42	760	< 1
R17315	203	238	1.64	0.6	< 5	130	< 0.5	2	0.09	0.5	14	159	25	2.88	< 10	< 1	0.23	40	0.38	986	< 1
R17317	203	238	2.12	1.2	60	220	0.5	4	0.17	< 0.5	15	100	64	3.27	< 10	< 1	0.23	30	0.46	732	< 1
R17318	203	238	1.60	0.8	< 5	120	< 0.5	4	0.11	0.5	10	147	20	3.15	< 10	< 1	0.17	30	0.39	440	< 1
R17319	203	238	1.50	6.0	90	130	< 0.5	4	0.15	0.5	11	104	29	3.11	< 10	2	0.17	30	0.43	1170	< 1
R17321	203	238	1.47	13.6	480	180	< 0.5	< 2	0.11	1.0	14	207	28	3.46	< 10	< 1	0.43	50	0.30	2530	< 1
R17324	203	238	1.87	0.6	25	180	< 0.5	2	0.12	0.5	14	85	27	2.89	< 10	1	0.28	50	0.58	388	< 1
R17325	203	238	1.22	0.2	5	110	< 0.5	< 2	0.14	< 0.5	8	133	18	2.76	< 10	< 1	0.13	20	0.35	253	< 1
R17326	203	238	2.08	7.2	30	100	< 0.5	< 2	0.03	1.0	19	106	60	4.83	10	2	0.20	60	0.53	2300	< 1
R17328	203	238	1.22	0.4	20	90	< 0.5	< 2	0.08	< 0.5	7	101	16	2.56	< 10	< 1	0.12	20	0.29	347	< 1
R17329	203	238	1.63	0.4	< 5	210	< 0.5	4	0.15	< 0.5	7	147	11	2.30	< 10	2	0.15	20	0.39	219	< 1
R17330	203	238	1.32	8.6	310	190	< 0.5	2	0.17	0.5	18	129	27	3.41	< 10	1	0.33	60	0.20	8130	< 1
R17331	203	238	1.16	2.6	425	130	< 0.5	< 2	0.11	0.5	17	98	23	3.09	< 10	5	0.30	50	0.20	>10000	< 1
R17332	203	238	1.37	3.0	80	220	< 0.5	< 2	0.24	0.5	9	150	17	2.64	< 10	< 1	0.17	30	0.32	1295	2
R17333	203	238	2.07	7.8	130	150	< 0.5	< 2	0.08	1.5	21	88	35	3.76	< 10	< 1	0.28	50	0.56	1790	1
R17335	203	238	1.57	4.2	225	190	< 0.5	2	0.15	0.5	14	108	24	3.48	< 10	1	0.25	40	0.38	2480	1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R17089	203	238	0.01	34	830	20	< 5	< 10	25	0.01	< 10	< 10	16	< 5	120
R17090	203	238	0.01	20	610	34	< 5	< 10	20	0.07	< 10	< 10	43	< 5	98
R17091	203	238	0.01	26	690	26	< 5	< 10	21	0.05	< 10	< 10	35	< 5	98
R17092	203	238	0.01	16	490	12	< 5	10	17	0.05	< 10	< 10	42	< 5	66
R17093	203	238	0.01	16	580	14	< 5	< 10	19	0.04	< 10	< 10	41	< 5	66
R17094	203	238	0.01	18	530	28	< 5	< 10	18	0.05	< 10	< 10	39	< 5	73
R17095	203	238	0.01	21	670	30	< 5	< 10	19	0.04	< 10	< 10	29	< 5	99
R17096	203	238	0.01	18	440	18	< 5	< 10	17	0.06	< 10	< 10	40	< 5	85
R17097	203	238	0.01	13	580	46	5	< 10	12	0.03	< 10	< 10	36	< 5	87
R17098	203	238	0.01	15	550	34	< 5	< 10	16	0.04	< 10	< 10	35	< 5	84
R17099	203	238	0.01	28	480	144	< 5	< 10	13	0.02	< 10	< 10	25	< 5	242
R17100	203	238	0.01	13	330	8	< 5	< 10	14	0.03	< 10	< 10	35	< 5	45
R17302	203	238	0.01	26	540	166	10	10	23	0.01	< 10	< 10	24	< 5	227
R17303	203	238	0.01	20	740	20	5	< 10	24	0.03	< 10	< 10	42	< 5	85
R17304	203	238	0.02	19	800	16	< 5	< 10	21	0.04	< 10	< 10	41	< 5	60
R17305	203	238	0.01	10	570	28	< 5	< 10	16	0.01	< 10	< 10	37	< 5	45
R17306	203	238	0.01	19	520	< 2	5	< 10	22	0.05	< 10	< 10	45	< 5	63
R17307	203	238	0.01	8	400	10	5	< 10	14	0.04	< 10	< 10	45	< 5	28
R17308	203	238	0.02	19	570	16	5	< 10	15	0.02	< 10	< 10	30	< 5	62
R17309	203	238	0.01	13	360	10	< 5	< 10	11	0.05	< 10	< 10	44	< 5	45
R17310	203	238	0.01	19	630	16	< 5	< 10	25	0.02	< 10	< 10	30	< 5	120
R17311	203	238	0.01	25	410	36	5	< 10	18	0.02	< 10	< 10	26	< 5	145
R17312	203	238	0.01	23	300	6	< 5	< 10	15	0.02	< 10	< 10	22	< 5	72
R17313	203	238	0.01	17	770	24	< 5	< 10	22	0.02	< 10	< 10	41	< 5	88
R17314	203	238	0.01	17	810	32	< 5	< 10	31	0.03	< 10	< 10	38	< 5	112
R17315	203	238	0.01	22	540	22	5	< 10	12	0.01	< 10	< 10	22	< 5	70
R17317	203	238	0.02	20	710	34	< 5	< 10	22	0.03	< 10	< 10	43	< 5	82
R17318	203	238	0.01	14	420	24	5	< 10	15	0.04	< 10	< 10	41	< 5	62
R17319	203	238	0.01	20	550	234	< 5	< 10	16	0.02	< 10	< 10	31	< 5	146
R17321	203	238	0.01	24	500	82	5	< 10	19	0.02	< 10	< 10	21	< 5	269
R17324	203	238	0.01	26	350	16	< 5	< 10	12	0.01	< 10	< 10	16	< 5	83
R17325	203	238	0.01	16	450	8	5	< 10	15	0.05	< 10	< 10	43	< 5	52
R17326	203	238	0.01	28	610	304	< 5	< 10	10	0.01	< 10	< 10	24	< 5	191
R17328	203	238	0.01	11	300	16	5	< 10	10	0.03	< 10	< 10	36	< 5	55
R17329	203	238	0.01	12	380	20	< 5	< 10	18	0.05	< 10	< 10	45	< 5	52
R17330	203	238	0.01	25	500	126	5	10	26	0.01	< 10	< 10	16	< 5	225
R17331	203	238	< 0.01	20	430	74	5	10	23	< 0.01	< 10	< 10	12	< 5	193
R17332	203	238	0.02	22	410	58	< 5	< 10	23	0.04	< 10	< 10	32	< 5	128
R17333	203	238	0.01	32	380	134	< 5	< 10	15	< 0.01	< 10	< 10	20	< 5	249
R17335	203	238	0.01	25	500	50	< 5	< 10	22	0.02	< 10	< 10	27	< 5	160

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ICHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Pa 1-A
To
Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R17336	203	238	1.35	3.2	70	150	< 0.5	2	0.19	1.0	9	99	23	2.89	< 10	< 1	0.20	40	0.37	1500	< 1
R17337	203	238	2.08	1.8	45	180	< 0.5	2	0.19	< 0.5	11	142	28	3.34	< 10	2	0.26	40	0.54	726	1
R17338	203	238	2.07	9.4	235	340	< 0.5	2	0.27	1.5	19	111	39	4.29	< 10	< 1	0.35	50	0.43	3310	2
R17340	203	238	2.00	1.6	35	230	< 0.5	2	0.24	< 0.5	18	117	34	3.44	< 10	< 1	0.33	60	0.60	906	1
R17341	203	238	1.56	3.2	145	170	< 0.5	< 2	0.22	0.5	9	113	22	3.00	< 10	< 1	0.19	30	0.41	1145	1
R17342	203	238	1.54	1.6	60	160	< 0.5	< 2	0.14	0.5	9	103	19	2.84	< 10	< 1	0.18	30	0.36	689	1
R17343	203	238	2.51	11.8	200	480	< 0.5	2	0.36	0.5	21	59	67	4.45	< 10	< 1	0.34	50	0.41	4780	1
R17344	203	238	1.99	2.2	80	190	< 0.5	< 2	0.16	0.5	19	138	34	3.77	< 10	< 1	0.24	50	0.56	1780	1
R17345	203	238	1.84	1.0	5	200	< 0.5	< 2	0.16	0.5	9	123	25	2.81	< 10	< 1	0.18	40	0.40	394	1
R17346	203	238	2.22	2.0	40	310	< 0.5	2	0.20	< 0.5	15	112	41	3.88	< 10	< 1	0.25	40	0.47	680	2
R17347	203	238	1.60	0.8	20	160	< 0.5	2	0.18	< 0.5	11	157	27	2.91	< 10	< 1	0.18	40	0.49	493	1
R17348	203	238	1.30	0.6	25	120	< 0.5	< 2	0.16	0.5	9	106	16	2.66	< 10	< 1	0.10	20	0.35	581	1
R17353	203	238	1.81	1.0	25	270	< 0.5	< 2	0.26	0.5	9	106	21	2.69	< 10	< 1	0.13	30	0.44	620	1
R17354	203	238	1.38	0.8	15	150	< 0.5	< 2	0.17	< 0.5	9	151	21	2.90	< 10	< 1	0.11	20	0.42	362	1
R17355	203	238	3.49	2.6	115	280	< 0.5	< 2	0.06	0.5	27	110	93	5.57	< 10	< 1	0.21	60	0.40	1755	2
R17356	203	238	1.53	10.2	240	210	< 0.5	< 2	0.22	1.0	9	195	19	2.83	< 10	< 1	0.29	40	0.23	2270	< 1
R17357	203	238	1.36	0.8	10	200	< 0.5	< 2	0.17	< 0.5	8	167	10	2.35	< 10	< 1	0.13	20	0.31	459	1
R17358	203	238	1.30	0.4	40	110	< 0.5	2	0.11	< 0.5	8	138	21	2.97	< 10	< 1	0.13	30	0.30	313	1
R17359	203	238	1.96	0.6	25	260	< 0.5	< 2	0.10	< 0.5	9	147	25	2.94	< 10	2	0.23	40	0.34	283	1
R17360	203	238	2.19	0.6	20	210	< 0.5	< 2	0.10	< 0.5	9	107	29	3.13	< 10	< 1	0.24	40	0.49	302	1
R17361	203	238	2.31	0.6	20	160	< 0.5	< 2	0.14	< 0.5	18	126	30	3.66	< 10	< 1	0.22	40	0.72	1200	1
R17362	203	238	1.94	2.2	35	200	< 0.5	2	0.14	0.5	8	83	16	2.76	< 10	< 1	0.17	20	0.45	322	1
R17363	203	238	1.75	27.0	130	200	< 0.5	2	0.15	0.5	9	124	24	2.96	< 10	< 1	0.21	30	0.37	614	1
R17364	203	238	1.65	0.6	35	170	< 0.5	< 2	0.14	0.5	9	114	23	2.94	< 10	< 1	0.15	30	0.54	274	1
R17365	203	238	1.74	1.2	< 5	250	< 0.5	< 2	0.43	< 0.5	9	144	10	2.57	< 10	1	0.14	30	0.38	999	1
R17366	203	238	2.11	2.2	85	180	< 0.5	2	0.16	1.0	22	143	40	3.95	< 10	< 1	0.35	60	0.72	1845	1
R17367	203	238	1.87	2.4	35	190	< 0.5	< 2	0.12	< 0.5	9	85	16	2.83	< 10	< 1	0.20	30	0.40	685	1
R17368	203	238	1.41	0.2	< 5	150	< 0.5	< 2	0.14	0.5	5	123	9	3.00	< 10	1	0.13	20	0.27	189	1
R17369	203	238	1.08	1.0	5	90	< 0.5	< 2	0.03	< 0.5	< 1	159	6	0.68	< 10	1	0.17	40	0.05	80	< 1
R17373	203	238	1.94	0.6	55	180	< 0.5	2	0.11	1.0	17	122	24	3.29	< 10	< 1	0.18	40	0.59	925	1
R17376	203	238	1.37	1.4	30	140	< 0.5	< 2	0.13	< 0.5	6	127	11	2.30	< 10	< 1	0.14	20	0.34	337	1
R17377	203	238	2.16	6.4	115	180	< 0.5	2	0.23	0.5	11	143	32	3.63	< 10	< 1	0.29	50	0.67	778	1
R17378	203	238	1.62	2.0	105	210	< 0.5	< 2	0.29	3.0	17	138	24	3.36	< 10	< 1	0.34	40	0.42	2210	< 1
R17379	203	238	2.03	14.2	190	180	< 0.5	< 2	0.45	2.0	9	148	29	3.32	< 10	< 1	0.30	50	0.62	627	< 1
R17380	203	238	1.79	27.6	385	160	< 0.5	< 2	0.20	14.0	22	97	69	3.81	< 10	< 1	0.30	50	0.59	3220	1
R17381	203	238	1.61	5.2	155	190	< 0.5	< 2	0.32	1.0	11	130	18	3.10	< 10	< 1	0.23	40	0.39	2010	1
R17382	203	238	1.65	0.6	15	190	< 0.5	< 2	0.18	0.5	8	127	17	3.12	< 10	< 1	0.19	40	0.44	540	< 1
R17383	203	238	1.55	0.2	5	200	< 0.5	< 2	0.29	< 0.5	8	144	21	2.74	< 10	< 1	0.16	40	0.45	397	1
R17384	203	238	1.49	0.8	15	190	< 0.5	< 2	0.23	< 0.5	8	133	23	2.78	< 10	< 1	0.16	30	0.45	373	1
R17385	203	238	1.36	1.0	30	180	< 0.5	< 2	0.17	0.5	8	126	21	2.60	< 10	< 1	0.15	30	0.43	339	1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R17336	203	238	0.01	24	520	42	< 5	< 10	18	0.02	< 10	< 10	23	< 5	173
R17337	203	238	0.01	23	580	26	< 5	< 10	20	0.01	< 10	< 10	30	< 5	101
R17338	203	238	0.01	33	670	184	< 5	< 10	27	< 0.01	< 10	< 10	22	< 5	256
R17340	203	238	0.01	33	490	36	< 5	< 10	19	0.02	< 10	< 10	24	< 5	103
R17341	203	238	0.01	22	400	38	< 5	< 10	20	0.02	< 10	< 10	26	< 5	155
R17342	203	238	0.01	19	520	38	< 5	< 10	16	0.03	< 10	< 10	36	< 5	116
R17343	203	238	0.02	37	1120	150	< 5	< 10	33	< 0.01	< 10	< 10	25	< 5	217
R17344	203	238	0.01	35	560	100	< 5	< 10	19	0.03	< 10	< 10	34	< 5	147
R17345	203	238	0.01	19	720	18	< 5	< 10	20	0.02	< 10	< 10	40	< 5	55
R17346	203	238	0.02	25	780	28	< 5	< 10	28	0.02	< 10	< 10	43	< 5	81
R17347	203	238	0.02	26	530	16	< 5	< 10	20	0.03	< 10	< 10	28	< 5	75
R17348	203	238	0.01	16	700	10	< 5	< 10	16	0.04	< 10	< 10	43	< 5	58
R17353	203	238	0.01	21	820	16	< 5	< 10	24	0.03	< 10	< 10	39	< 5	91
R17354	203	238	0.01	19	410	26	< 5	< 10	17	0.04	< 10	< 10	37	< 5	69
R17355	203	238	0.01	37	1260	108	< 5	< 10	15	0.01	< 10	< 10	51	< 5	117
R17356	203	238	0.03	12	880	190	< 5	< 10	28	0.01	< 10	< 10	26	< 5	174
R17357	203	238	0.02	13	640	16	< 5	< 10	19	0.04	< 10	< 10	48	< 5	49
R17358	203	238	0.01	15	450	72	< 5	< 10	14	0.04	< 10	< 10	37	< 5	56
R17359	203	238	0.02	20	610	16	< 5	< 10	17	0.03	< 10	< 10	44	< 5	65
R17360	203	238	0.02	23	480	14	< 5	< 10	16	0.02	< 10	< 10	31	< 5	75
R17361	203	238	0.01	32	440	34	< 5	< 10	17	< 0.01	< 10	< 10	16	< 5	87
R17362	203	238	0.01	16	700	36	< 5	< 10	19	0.03	< 10	< 10	47	< 5	84
R17363	203	238	0.01	18	830	118	5	< 10	19	0.01	< 10	< 10	34	< 5	134
R17364	203	238	0.01	27	390	28	< 5	< 10	17	0.03	< 10	< 10	33	< 5	89
R17365	203	238	0.02	16	490	24	< 5	< 10	32	0.03	< 10	< 10	40	< 5	56
R17366	203	238	0.01	38	370	86	< 5	< 10	20	< 0.01	< 10	< 10	15	< 5	236
R17367	203	238	0.01	15	710	26	< 5	< 10	17	0.02	< 10	< 10	38	< 5	77
R17368	203	238	0.01	10	320	10	< 5	< 10	18	0.07	< 10	< 10	66	< 5	34
R17369	203	238	0.01	3	140	14	< 5	< 10	12	0.01	< 10	< 10	23	< 5	20
R17373	203	238	0.02	27	430	36	< 5	< 10	18	0.02	< 10	< 10	32	< 5	104
R17376	203	238	0.01	14	360	22	< 5	< 10	15	0.04	< 10	< 10	38	< 5	62
R17377	203	238	0.01	29	420	94	< 5	< 10	22	0.01	< 10	< 10	21	< 5	245
R17378	203	238	0.01	30	500	142	< 5	< 10	24	0.02	< 10	< 10	20	< 5	457
R17379	203	238	0.01	26	570	206	< 5	< 10	32	< 0.01	< 10	< 10	17	< 5	295
R17380	203	238	0.01	43	380	1280	5	< 10	18	< 0.01	< 10	< 10	11	< 5	1560
R17381	203	238	0.01	21	660	190	< 5	< 10	25	0.03	< 10	< 10	36	< 5	231
R17382	203	238	0.02	18	590	14	< 5	< 10	20	0.05	< 10	< 10	48	< 5	68
R17383	203	238	0.02	22	710	10	< 5	< 10	25	0.08	< 10	< 10	50	< 5	66
R17384	203	238	0.02	21	610	16	< 5	< 10	22	0.07	< 10	< 10	43	< 5	70
R17385	203	238	0.02	20	450	18	< 5	< 10	18	0.04	< 10	< 10	35	< 5	79

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R17386	203	238	1.58	0.6	15	170	< 0.5	< 2	0.16	< 0.5	15	137	29	2.92	< 10	< 1	0.17	30	0.47	554	< 1
R17387	203	238	1.65	0.6	15	100	< 0.5	< 2	0.11	< 0.5	9	123	22	3.23	< 10	< 1	0.14	40	0.50	523	1
R17388	203	238	1.08	0.4	< 5	130	< 0.5	< 2	0.13	< 0.5	7	161	11	2.35	< 10	< 1	0.09	30	0.26	163	1
R17389	203	238	1.93	0.6	15	230	< 0.5	< 2	0.09	< 0.5	14	148	26	3.11	< 10	< 1	0.18	30	0.47	551	< 1
R17390	203	238	1.48	0.8	< 5	180	< 0.5	< 2	0.21	0.5	9	154	21	2.66	< 10	< 1	0.16	30	0.42	301	1
R17391	203	238	1.67	1.4	35	240	< 0.5	< 2	0.35	< 0.5	8	130	27	3.08	< 10	< 1	0.20	40	0.50	571	1
R17392	203	238	1.93	3.8	280	160	< 0.5	2	0.57	< 0.5	9	120	24	2.90	< 10	< 1	0.23	40	0.51	649	< 1
R17393	203	238	2.70	4.6	190	110	0.5	< 2	0.20	1.5	21	162	55	4.32	< 10	< 1	0.33	60	0.96	1420	1
R17394	203	238	2.26	4.0	190	250	< 0.5	< 2	0.47	0.5	14	116	32	3.35	< 10	< 1	0.22	50	0.52	884	1
R17395	203	238	1.82	8.0	180	150	< 0.5	2	0.14	2.0	19	112	38	3.55	< 10	1	0.23	50	0.55	2030	1
R17396	203	238	1.72	4.0	65	210	< 0.5	< 2	0.17	< 0.5	9	165	16	2.70	< 10	< 1	0.23	40	0.42	554	< 1
R17397	203	238	1.33	1.4	25	180	< 0.5	< 2	0.25	< 0.5	9	140	12	2.35	< 10	< 1	0.19	30	0.38	634	1
R17398	203	238	1.62	2.4	35	150	< 0.5	2	0.14	0.5	15	136	24	2.84	< 10	< 1	0.27	40	0.46	946	1
R17399	203	238	1.50	0.8	10	210	0.5	< 2	0.18	< 0.5	15	168	20	2.69	< 10	< 1	0.25	40	0.31	608	1
R17400	203	238	1.27	0.6	10	150	< 0.5	< 2	0.13	< 0.5	7	52	10	2.23	< 10	1	0.06	20	0.28	203	1
R17429	203	238	1.38	1.6	30	140	< 0.5	< 2	0.16	< 0.5	8	53	15	2.41	< 10	< 1	0.12	20	0.36	387	1
R17430	203	238	1.57	2.4	30	120	< 0.5	< 2	0.10	0.5	7	61	15	2.44	< 10	< 1	0.11	20	0.34	394	1
R17431	203	238	1.54	1.0	15	120	< 0.5	< 2	0.11	< 0.5	8	56	16	2.49	< 10	< 1	0.11	20	0.37	364	1
R17432	203	238	1.61	0.8	5	130	< 0.5	< 2	0.11	0.5	9	74	17	2.72	< 10	< 1	0.13	30	0.40	336	< 1
R17433	203	238	1.46	0.4	15	120	< 0.5	2	0.11	< 0.5	8	61	14	2.59	< 10	< 1	0.11	20	0.37	294	< 1
R17434	203	238	1.31	0.4	5	140	< 0.5	< 2	0.14	0.5	9	48	14	2.52	< 10	1	0.10	20	0.32	285	1
R17435	203	238	1.28	0.4	10	150	< 0.5	< 2	0.15	0.5	9	54	16	2.25	< 10	1	0.10	20	0.34	296	1
R17436	203	238	1.73	1.0	5	250	< 0.5	< 2	0.13	< 0.5	8	125	19	2.40	< 10	< 1	0.18	20	0.32	234	1
R17438	203	238	1.33	25.2	260	120	< 0.5	2	0.17	2.5	9	65	24	2.85	< 10	< 1	0.15	30	0.39	862	1
R17439	203	238	1.18	12.6	290	160	< 0.5	< 2	0.11	6.0	10	59	17	2.20	< 10	< 1	0.14	30	0.34	2250	1
R17440	203	238	1.59	1.4	65	140	< 0.5	< 2	0.13	0.5	9	71	15	2.98	< 10	1	0.17	30	0.36	885	1
R17441	203	238	1.51	7.2	245	220	< 0.5	< 2	0.42	2.5	9	72	29	3.16	< 10	< 1	0.24	40	0.39	787	< 1
R17442	203	238	1.43	1.4	110	200	< 0.5	< 2	0.28	0.5	9	72	22	2.80	< 10	< 1	0.19	30	0.44	515	< 1
R17443	203	238	1.59	1.0	170	160	< 0.5	< 2	0.16	0.5	17	60	30	3.15	< 10	< 1	0.17	40	0.49	888	1
R17444	203	238	1.42	0.4	35	150	< 0.5	< 2	0.17	< 0.5	8	63	10	2.47	< 10	< 1	0.12	20	0.34	308	2
R17445	203	238	1.30	0.4	40	150	< 0.5	2	0.21	< 0.5	9	59	18	2.78	< 10	< 1	0.11	30	0.41	414	1
R17446	203	238	1.40	1.6	60	190	< 0.5	< 2	0.20	0.5	6	56	11	2.28	< 10	< 1	0.10	20	0.37	208	1
R17447	203	238	1.67	1.2	70	170	< 0.5	< 2	0.18	0.5	8	57	14	2.82	< 10	< 1	0.12	20	0.39	282	< 1
R17448	203	238	1.36	1.8	105	150	< 0.5	2	0.21	1.5	10	57	19	2.70	< 10	3	0.14	30	0.42	443	< 1
R17449	203	238	1.60	4.2	90	220	< 0.5	2	0.22	1.0	11	58	22	2.79	< 10	2	0.15	30	0.44	725	< 1
R17450	203	238	1.41	4.2	185	260	< 0.5	6	0.21	0.5	10	48	23	2.71	< 10	4	0.19	30	0.39	604	< 1
R17451	203	238	1.82	0.6	10	120	< 0.5	6	0.09	0.5	9	65	17	2.87	< 10	< 1	0.10	40	0.48	263	< 1
R17452	203	238	1.60	0.4	30	170	< 0.5	4	0.15	< 0.5	18	61	36	2.98	< 10	< 1	0.12	40	0.53	822	< 1
R17454	203	238	1.27	0.2	20	80	< 0.5	2	0.10	< 0.5	10	54	15	2.33	< 10	1	0.09	30	0.26	451	< 1
R17455	203	238	1.72	0.2	10	210	< 0.5	2	0.22	< 0.5	12	109	26	2.96	< 10	< 1	0.15	40	0.47	370	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T' 'RCHER CATHRO & ASSOC. (1981) LTD.

.016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R17386	203	238	0.01	30	510	20	< 5	< 10	16	0.03	< 10	< 10	30	< 5	76
R17387	203	238	0.01	23	520	18	< 5	< 10	12	0.02	< 10	< 10	28	< 5	68
R17388	203	238	0.01	13	440	4	< 5	< 10	13	0.05	< 10	< 10	41	< 5	39
R17389	203	238	0.01	32	480	16	< 5	< 10	13	0.01	< 10	< 10	27	< 5	86
R17390	203	238	0.02	19	570	12	< 5	< 10	21	0.07	< 10	< 10	43	< 5	62
R17391	203	238	0.02	23	640	30	< 5	10	27	0.06	< 10	< 10	40	< 5	83
R17392	203	238	0.01	23	550	46	< 5	< 10	37	0.01	< 10	< 10	25	< 5	154
R17393	203	238	0.02	39	530	310	< 5	< 10	23	< 0.01	< 10	< 10	20	< 5	277
R17394	203	238	0.01	26	820	62	< 5	< 10	39	0.01	< 10	< 10	34	< 5	147
R17395	203	238	0.01	32	440	106	< 5	< 10	21	0.02	< 10	< 10	24	< 5	272
R17396	203	238	0.02	18	520	36	< 5	< 10	19	0.02	< 10	< 10	33	< 5	108
R17397	203	238	0.01	18	490	32	< 5	< 10	23	0.05	< 10	< 10	35	< 5	91
R17398	203	238	0.01	27	440	40	< 5	< 10	17	0.01	< 10	< 10	20	< 5	86
R17399	203	238	0.01	25	510	14	< 5	< 10	21	0.02	< 10	< 10	30	< 5	57
R17400	203	238	0.01	12	360	10	< 5	< 10	15	0.04	< 10	< 10	44	< 5	48
R17429	203	238	0.01	17	520	30	< 5	< 10	15	0.03	< 10	< 10	39	< 5	82
R17430	203	238	0.01	13	600	24	< 5	< 10	12	0.02	< 10	< 10	34	< 5	93
R17431	203	238	0.01	15	530	20	< 5	< 10	13	0.03	< 10	< 10	39	< 5	67
R17432	203	238	0.01	16	640	12	< 5	< 10	14	0.02	< 10	< 10	41	< 5	61
R17433	203	238	0.01	15	510	10	< 5	< 10	13	0.03	< 10	< 10	40	< 5	62
R17434	203	238	0.01	15	530	16	< 5	< 10	15	0.04	< 10	< 10	40	< 5	62
R17435	203	238	0.01	17	580	10	< 5	< 10	15	0.04	< 10	< 10	36	< 5	61
R17436	203	238	0.03	17	880	26	< 5	< 10	18	0.03	< 10	< 10	40	< 5	55
R17438	203	238	0.01	18	670	610	5	< 10	17	0.02	< 10	< 10	28	< 5	281
R17439	203	238	< 0.01	18	390	246	< 5	< 10	13	0.01	< 10	< 10	14	< 5	473
R17440	203	238	0.01	16	660	46	< 5	< 10	15	0.03	< 10	< 10	41	< 5	99
R17441	203	238	0.01	28	670	224	< 5	< 10	25	0.01	< 10	< 10	21	< 5	402
R17442	203	238	0.01	23	620	54	< 5	< 10	22	0.02	< 10	< 10	30	< 5	147
R17443	203	238	0.01	26	600	116	< 5	< 10	17	0.02	< 10	< 10	31	< 5	202
R17444	203	238	0.01	14	550	18	< 5	< 10	16	0.04	< 10	< 10	44	< 5	61
R17445	203	238	0.01	21	690	16	< 5	< 10	18	0.05	< 10	< 10	41	< 5	85
R17446	203	238	0.01	12	520	60	< 5	< 10	18	0.04	< 10	< 10	41	< 5	100
R17447	203	238	0.01	14	650	70	< 5	< 10	19	0.04	< 10	< 10	50	< 5	114
R17448	203	238	0.01	14	600	144	< 5	< 10	19	0.03	< 10	< 10	37	< 5	177
R17449	203	238	< 0.01	18	610	118	< 5	< 10	19	0.04	< 10	< 10	37	< 5	212
R17450	203	238	< 0.01	20	510	82	< 5	< 10	17	0.01	< 10	< 10	24	< 5	159
R17451	203	238	< 0.01	16	410	18	5	< 10	11	0.01	< 10	< 10	24	< 5	58
R17452	203	238	0.01	27	520	22	5	< 10	14	0.02	< 10	< 10	25	< 5	74
R17454	203	238	< 0.01	14	520	24	5	< 10	11	0.05	< 10	< 10	35	< 5	51
R17455	203	238	0.01	25	580	8	< 5	< 10	21	0.07	< 10	< 10	44	< 5	76

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R17456	203	238	2.02	0.4	30	180	< 0.5	2	0.16	< 0.5	13	102	31	3.15	< 10	< 1	0.17	40	0.53	486	< 1
R17457	203	238	2.13	0.8	< 5	230	< 0.5	2	0.42	1.0	22	100	51	3.23	10	1	0.23	50	0.60	920	< 1
R17458	203	238	1.07	1.0	35	160	< 0.5	< 2	0.31	< 0.5	8	143	16	2.26	< 10	< 1	0.16	30	0.28	867	< 1
R17459	203	238	1.29	1.2	< 5	170	< 0.5	2	0.28	0.5	11	107	23	2.68	10	< 1	0.18	40	0.38	668	< 1
R17461	203	238	1.51	2.0	45	150	< 0.5	< 2	0.22	1.0	16	88	29	2.93	10	< 1	0.25	50	0.45	1710	< 1
R17462	203	238	1.42	7.6	450	170	< 0.5	< 2	0.12	3.5	17	119	31	3.31	10	< 1	0.26	50	0.35	4360	< 1
R17463	203	238	1.53	0.6	< 5	170	< 0.5	< 2	0.11	0.5	5	110	26	2.70	< 10	< 1	0.16	20	0.29	331	< 1
R17465	203	238	1.58	5.0	95	220	< 0.5	< 2	0.22	1.0	9	173	24	2.68	< 10	< 1	0.24	40	0.48	610	< 1
R17467	203	238	1.44	7.2	170	190	< 0.5	< 2	0.16	5.0	19	159	30	2.71	< 10	1	0.23	40	0.36	3780	< 1
R17469	203	238	1.70	1.4	65	190	< 0.5	< 2	0.15	< 0.5	9	217	19	2.64	< 10	< 1	0.25	30	0.35	742	< 1
R17470	203	238	1.75	0.6	10	170	< 0.5	4	0.18	0.5	10	176	19	2.53	< 10	< 1	0.16	30	0.44	379	< 1
R17471	203	238	1.71	0.8	35	180	< 0.5	< 2	0.10	< 0.5	8	111	23	2.50	10	1	0.26	30	0.33	379	< 1
R17473	203	238	1.71	0.4	85	190	< 0.5	< 2	0.24	< 0.5	10	107	22	2.86	< 10	< 1	0.14	30	0.49	538	< 1
R17474	203	238	1.47	0.2	5	170	< 0.5	< 2	0.23	< 0.5	9	146	22	2.43	< 10	< 1	0.16	30	0.41	359	< 1
R17475	203	238	2.07	0.4	20	140	< 0.5	< 2	0.11	< 0.5	7	122	29	3.15	< 10	< 1	0.22	30	0.42	239	< 1
R17476	203	238	1.68	3.2	100	180	< 0.5	< 2	0.16	< 0.5	11	262	17	2.64	< 10	< 1	0.19	30	0.35	1485	< 1
R17477	203	238	1.80	0.2	< 5	190	< 0.5	< 2	0.21	< 0.5	11	165	29	3.02	< 10	< 1	0.21	40	0.53	433	< 1
R17478	203	238	1.52	< 0.2	10	130	< 0.5	< 2	0.16	< 0.5	12	121	26	2.68	< 10	< 1	0.16	30	0.42	510	< 1
R17480	203	238	1.94	0.4	45	80	< 0.5	< 2	0.04	< 0.5	11	147	30	3.37	< 10	1	0.14	50	0.51	301	1
R17481	203	238	1.68	0.2	15	150	< 0.5	< 2	0.21	< 0.5	14	103	30	3.01	< 10	< 1	0.18	40	0.50	574	< 1
R17482	203	238	1.28	0.2	45	220	< 0.5	< 2	0.22	< 0.5	14	225	19	2.51	< 10	< 1	0.30	30	0.33	672	1
R17483	203	238	2.13	4.6	205	150	< 0.5	< 2	0.21	0.5	15	119	49	3.79	10	2	0.27	60	0.79	636	1
R17484	203	238	2.48	3.8	165	170	< 0.5	< 2	0.17	2.0	27	142	56	4.48	10	< 1	0.25	50	0.63	4470	1
R17485	203	238	1.59	1.0	40	220	< 0.5	< 2	0.37	0.5	9	120	28	2.50	< 10	< 1	0.16	30	0.40	619	< 1
R17486	203	238	2.66	2.4	170	120	< 0.5	< 2	0.08	0.5	21	171	57	4.43	10	1	0.30	70	0.84	953	1
R17487	203	238	2.30	8.4	285	170	< 0.5	< 2	0.18	2.5	15	207	37	3.66	10	< 1	0.39	50	0.70	1965	< 1
R17488	203	238	2.36	6.8	120	210	< 0.5	< 2	0.41	2.0	13	130	47	3.54	< 10	< 1	0.36	40	0.72	840	< 1
R17489	203	238	1.88	0.6	205	120	< 0.5	< 2	0.09	0.5	17	108	26	3.45	< 10	< 1	0.23	40	0.55	1235	< 1
R17491	203	238	1.71	0.2	15	230	< 0.5	< 2	0.15	< 0.5	9	184	26	2.75	< 10	< 1	0.17	30	0.43	327	< 1
R17492	203	238	1.78	0.2	20	130	< 0.5	< 2	0.07	< 0.5	6	142	18	3.37	10	< 1	0.25	40	0.32	320	< 1
R17495	203	238	1.50	0.4	30	220	< 0.5	< 2	0.23	< 0.5	7	192	14	2.47	< 10	< 1	0.16	20	0.34	354	1
R17496	203	238	2.05	0.4	< 5	160	< 0.5	< 2	0.13	0.5	14	91	48	3.74	< 10	< 1	0.24	50	0.64	404	1
R17497	203	238	1.95	0.8	70	310	< 0.5	< 2	0.11	< 0.5	11	242	36	3.18	< 10	1	0.31	60	0.31	1235	< 1
R17498	203	238	1.30	0.4	40	170	< 0.5	< 2	0.20	< 0.5	5	165	9	1.94	< 10	< 1	0.17	20	0.30	274	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T: RCHER CATHRO & ASSOC. (1981) LTD.

,16 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723070
P.O. # :

CERTIFICATE OF ANALYSIS A8723070

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R17456	203	238	0.01	26	520	16	< 5	< 10	19	0.05	< 10	< 10	37	< 5	86
R17457	203	238	0.02	39	710	20	< 5	< 10	39	0.02	< 10	< 10	28	< 5	91
R17458	203	238	0.01	20	360	18	< 5	< 10	22	0.02	< 10	< 10	23	5	77
R17459	203	238	0.01	26	530	24	< 5	< 10	25	0.03	< 10	< 10	27	10	87
R17461	203	238	0.01	26	500	50	5	< 10	18	0.01	< 10	< 10	19	5	130
R17462	203	238	0.01	31	480	132	5	< 10	17	0.01	< 10	< 10	16	5	437
R17463	203	238	0.01	17	680	10	< 5	< 10	14	0.02	< 10	< 10	43	< 5	56
R17465	203	238	0.02	20	480	60	< 5	< 10	20	0.03	< 10	< 10	26	5	148
R17467	203	238	0.01	40	410	178	5	< 10	19	0.01	< 10	< 10	17	< 5	481
R17469	203	238	0.02	22	520	50	5	< 10	17	0.02	< 10	< 10	36	< 5	106
R17470	203	238	0.02	21	440	26	< 5	< 10	19	0.06	< 10	< 10	41	5	69
R17471	203	238	0.02	16	780	24	< 5	< 10	18	0.02	< 10	< 10	37	5	50
R17473	203	238	0.02	23	600	12	< 5	< 10	22	0.05	< 10	< 10	37	5	77
R17474	203	238	0.02	22	590	6	< 5	< 10	21	0.08	< 10	< 10	40	< 5	64
R17475	203	238	0.02	16	640	10	< 5	< 10	17	0.02	< 10	< 10	38	< 5	56
R17476	203	238	0.02	19	510	74	< 5	< 10	17	0.03	< 10	< 10	32	< 5	133
R17477	203	238	0.03	31	560	8	< 5	< 10	22	0.07	< 10	< 10	38	< 5	76
R17478	203	238	0.02	24	470	4	< 5	< 10	17	0.04	< 10	< 10	31	5	62
R17480	203	238	0.01	25	380	14	< 5	< 10	10	< 0.01	< 10	< 10	20	< 5	77
R17481	203	238	0.02	26	620	6	< 5	< 10	20	0.04	< 10	< 10	34	< 5	75
R17482	203	238	0.02	21	570	26	< 5	< 10	21	0.04	< 10	< 10	27	< 5	72
R17483	203	238	0.02	38	520	50	5	< 10	18	0.01	< 10	< 10	14	< 5	161
R17484	203	238	0.02	37	680	118	< 5	< 10	26	< 0.01	< 10	< 10	20	5	319
R17485	203	238	0.02	20	620	28	< 5	< 10	26	0.03	< 10	< 10	32	5	98
R17486	203	238	0.02	41	460	74	5	< 10	17	< 0.01	< 10	< 10	14	5	183
R17487	203	238	0.02	27	450	228	< 5	< 10	20	< 0.01	< 10	< 10	16	< 5	402
R17488	203	238	0.02	33	520	86	< 5	< 10	33	< 0.01	< 10	< 10	20	5	274
R17489	203	238	0.01	32	400	68	5	< 10	10	< 0.01	< 10	< 10	8	< 5	219
R17491	203	238	0.03	22	480	20	< 5	< 10	18	0.05	< 10	< 10	42	< 5	65
R17492	203	238	0.02	16	410	2	< 5	< 10	15	0.02	< 10	< 10	36	< 5	44
R17495	203	238	0.02	16	570	4	< 5	< 10	25	0.06	< 10	< 10	43	< 5	51
R17496	203	238	0.02	28	550	28	< 5	< 10	22	0.02	< 10	< 10	21	< 5	80
R17497	203	238	0.02	24	480	34	< 5	< 10	17	< 0.01	< 10	< 10	18	< 5	103
R17498	203	238	0.02	9	450	< 2	< 5	< 10	21	0.03	< 10	< 10	31	< 5	39

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Page : 1-B
Total Pages: 6
Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
P26258	203	238	0.01	34	540	18	< 5	< 10	37	0.07	< 10	< 10	40	5	408
P26259	203	238	0.01	18	540	14	< 5	< 10	21	0.04	< 10	< 10	33	< 5	277
P26260	203	238	0.01	20	590	6	< 5	< 10	31	0.06	< 10	< 10	37	< 5	293
P26261	203	238	0.01	22	480	14	< 5	< 10	34	0.05	< 10	< 10	35	< 5	469
P26262	203	238	0.01	20	510	34	< 5	< 10	34	0.04	< 10	< 10	32	< 5	517
P26263	203	238	0.01	21	500	26	< 5	< 10	30	0.04	< 10	< 10	32	< 5	594
P26264	203	238	0.01	21	540	38	< 5	< 10	31	0.04	< 10	< 10	35	< 5	360
P26265	203	238	0.01	24	590	44	< 5	< 10	39	0.04	< 10	< 10	33	< 5	510
P26266	203	238	0.01	20	650	46	< 5	< 10	32	0.04	< 10	< 10	33	< 5	416
P26267	203	238	0.01	23	540	72	< 5	< 10	31	0.05	< 10	< 10	37	< 5	605
P26268	203	238	0.01	21	460	80	< 5	< 10	25	0.06	< 10	< 10	40	< 5	299
P26269	203	238	0.01	19	620	262	< 5	< 10	19	0.04	< 10	< 10	39	< 5	420
P26270	203	238	< 0.01	27	540	662	< 5	< 10	17	0.04	< 10	< 10	35	< 5	1025
P26271	203	238	0.01	21	540	156	< 5	< 10	17	0.05	< 10	< 10	40	< 5	323
P26272	203	238	0.01	21	640	344	< 5	< 10	20	0.06	< 10	< 10	44	< 5	634
P26273	203	238	0.01	27	550	488	< 5	< 10	22	0.04	< 10	< 10	35	< 5	1475
P26274	203	238	< 0.01	16	340	52	< 5	10	20	0.05	< 10	< 10	37	< 5	333
P26275	203	238	< 0.01	33	720	80	< 5	< 10	21	0.03	< 10	< 10	46	< 5	445
P26276	203	238	0.01	30	660	76	5	< 10	30	0.05	< 10	< 10	43	< 5	315
P26277	203	238	0.01	26	470	52	< 5	< 10	41	0.07	< 10	< 10	43	< 5	364
P26279	203	238	0.01	29	570	58	< 5	< 10	43	0.05	< 10	< 10	39	< 5	668
P26280	203	238	0.01	24	570	86	< 5	< 10	37	0.07	< 10	< 10	44	< 5	618
P26281	203	238	0.01	23	720	74	< 5	< 10	32	0.06	< 10	< 10	42	< 5	447
P26282	203	238	0.01	23	400	60	< 5	< 10	25	0.07	< 10	< 10	40	< 5	477
P26283	203	238	0.01	15	520	32	< 5	< 10	22	0.06	< 10	< 10	46	< 5	123
P26284	203	238	0.01	20	440	32	< 5	< 10	17	0.06	< 10	< 10	43	< 5	238
P26285	203	238	0.01	21	680	50	< 5	< 10	26	0.04	< 10	< 10	43	< 5	317
P26286	203	238	0.01	16	730	296	< 5	< 10	26	0.05	< 10	< 10	44	< 5	586
P26287	203	238	0.01	23	470	236	< 5	< 10	21	0.04	< 10	< 10	37	< 5	624
P26288	203	238	0.01	18	640	342	< 5	< 10	25	0.05	< 10	< 10	42	< 5	539
P26289	203	238	< 0.01	22	500	404	< 5	< 10	19	0.03	< 10	< 10	30	< 5	669
P26290	203	238	0.01	24	500	402	5	< 10	19	0.04	< 10	< 10	37	< 5	531
P26291	203	238	0.01	20	520	136	< 5	< 10	28	0.04	< 10	< 10	35	< 5	371
P26292	203	238	0.01	23	460	14	< 5	< 10	22	0.05	< 10	< 10	34	< 5	178
P26293	203	238	0.01	25	610	22	< 5	< 10	42	0.04	< 10	< 10	30	< 5	383
P26294	203	238	0.01	23	750	44	< 5	< 10	39	0.04	< 10	< 10	36	< 5	410
P26295	203	238	0.01	24	690	44	< 5	< 10	36	0.04	< 10	< 10	38	< 5	507
P26296	203	238	0.01	22	540	76	< 5	< 10	30	0.05	< 10	< 10	38	< 5	539
P26297	203	238	0.01	11	570	20	< 5	< 10	82	0.04	< 10	< 10	33	< 5	246
P26298	203	238	< 0.01	31	440	162	< 5	< 10	19	0.03	< 10	< 10	27	< 5	760

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

Tr RCHER CATHRO & ASSOC. (1981) LTD.

016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Page No :-A
Tot.
Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
P26258	203	238	2.52	0.2	210	240	0.5	2	0.31	2.5	20	84	98	3.53	< 10	< 1	0.40	40	0.87	559	1
P26259	203	238	1.66	< 0.2	125	160	< 0.5	< 2	0.15	1.0	14	90	60	2.47	< 10	< 1	0.17	30	0.44	850	< 1
P26260	203	238	1.65	0.2	205	170	< 0.5	2	0.32	2.5	10	103	75	2.47	< 10	< 1	0.18	20	0.45	336	< 1
P26261	203	238	1.77	< 0.2	165	160	< 0.5	< 2	0.26	2.5	8	77	43	2.80	< 10	< 1	0.17	30	0.45	389	< 1
P26262	203	238	1.85	< 0.2	225	170	< 0.5	< 2	0.27	2.5	11	110	44	3.14	< 10	< 1	0.20	30	0.50	655	< 1
P26263	203	238	1.82	0.4	215	170	< 0.5	< 2	0.21	2.0	10	95	42	3.13	< 10	< 1	0.21	30	0.50	611	< 1
P26264	203	238	1.72	0.2	100	180	< 0.5	< 2	0.22	2.5	11	72	35	2.83	< 10	< 1	0.15	20	0.48	514	< 1
P26265	203	238	1.82	0.6	160	200	< 0.5	< 2	0.29	3.5	9	92	58	3.25	< 10	< 1	0.21	30	0.53	477	< 1
P26266	203	238	1.73	0.2	125	190	< 0.5	< 2	0.26	3.5	10	95	51	2.89	< 10	< 1	0.20	30	0.50	574	< 1
P26267	203	238	1.95	0.4	100	210	< 0.5	< 2	0.22	4.5	9	94	72	2.94	< 10	< 1	0.19	30	0.51	466	< 1
P26268	203	238	1.60	0.4	30	200	< 0.5	< 2	0.21	2.0	8	168	30	2.75	< 10	< 1	0.21	30	0.46	484	< 1
P26269	203	238	1.63	4.2	95	220	< 0.5	2	0.17	2.5	7	93	50	3.15	< 10	< 1	0.16	30	0.38	739	< 1
P26270	203	238	1.61	1.8	95	130	< 0.5	2	0.17	5.0	12	48	67	3.28	< 10	< 1	0.14	30	0.42	2560	< 1
P26271	203	238	1.64	0.6	85	160	< 0.5	< 2	0.17	1.5	9	68	48	2.86	< 10	< 1	0.14	20	0.45	751	< 1
P26272	203	238	1.55	2.8	120	190	< 0.5	< 2	0.22	3.0	8	60	79	2.98	< 10	< 1	0.14	30	0.43	762	< 1
P26273	203	238	1.68	2.4	155	220	< 0.5	< 2	0.22	9.0	16	83	98	3.65	< 10	< 1	0.22	40	0.51	2980	< 1
P26274	203	238	1.52	0.4	180	140	< 0.5	< 2	0.15	1.0	8	60	33	2.80	< 10	< 1	0.13	30	0.38	902	< 1
P26275	203	238	2.89	2.0	630	240	< 0.5	< 2	0.11	1.0	25	69	110	4.71	< 10	< 1	0.19	40	0.44	2460	< 1
P26276	203	238	2.14	0.4	205	200	< 0.5	< 2	0.15	2.0	13	91	48	3.91	< 10	2	0.23	40	0.54	768	< 1
P26277	203	238	2.14	0.2	80	220	< 0.5	< 2	0.19	2.5	9	75	45	3.23	< 10	< 1	0.21	30	0.58	425	< 1
P26279	203	238	1.85	0.4	225	230	< 0.5	2	0.22	8.0	20	89	58	3.51	< 10	< 1	0.25	40	0.52	1100	< 1
P26280	203	238	1.92	0.6	105	220	< 0.5	< 2	0.22	3.5	9	70	45	3.13	< 10	< 1	0.21	30	0.54	557	< 1
P26281	203	238	1.76	0.4	100	250	< 0.5	2	0.28	3.5	9	91	42	3.02	< 10	1	0.18	30	0.46	586	< 1
P26282	203	238	1.54	0.4	115	200	< 0.5	< 2	0.24	3.0	9	76	31	2.84	< 10	< 1	0.18	30	0.44	560	< 1
P26283	203	238	1.20	< 0.2	50	150	< 0.5	< 2	0.22	1.0	5	75	19	2.67	< 10	< 1	0.11	30	0.36	379	< 1
P26284	203	238	1.57	< 0.2	105	140	< 0.5	< 2	0.16	1.0	10	62	25	2.95	< 10	< 1	0.14	30	0.38	1040	< 1
P26285	203	238	1.69	0.6	305	230	< 0.5	< 2	0.20	0.5	11	103	44	3.39	< 10	< 1	0.19	20	0.35	1495	< 1
P26286	203	238	1.54	2.2	130	280	< 0.5	< 2	0.32	5.5	7	92	65	2.94	< 10	< 1	0.18	30	0.40	848	< 1
P26287	203	238	1.52	1.2	145	220	< 0.5	< 2	0.23	4.5	13	67	63	3.09	< 10	< 1	0.18	30	0.45	1095	< 1
P26288	203	238	1.44	1.2	60	290	< 0.5	< 2	0.31	4.5	10	98	57	2.88	< 10	< 1	0.16	30	0.40	1070	< 1
P26289	203	238	1.40	1.6	90	180	< 0.5	< 2	0.21	3.5	10	64	61	2.84	< 10	1	0.17	30	0.41	1360	1
P26290	203	238	1.71	1.0	85	170	< 0.5	4	0.17	2.5	11	103	59	3.35	< 10	1	0.17	30	0.47	1010	< 1
P26291	203	238	1.62	1.0	55	210	< 0.5	< 2	0.19	2.5	9	77	40	2.98	< 10	< 1	0.15	30	0.45	586	< 1
P26292	203	238	1.70	< 0.2	50	180	< 0.5	< 2	0.13	1.0	10	67	28	2.67	< 10	< 1	0.13	20	0.48	376	< 1
P26293	203	238	1.75	< 0.2	120	190	< 0.5	< 2	0.25	3.0	13	86	36	3.29	< 10	< 1	0.20	30	0.50	571	< 1
P26294	203	238	1.86	< 0.2	115	240	< 0.5	< 2	0.31	4.5	11	84	50	2.97	< 10	1	0.16	30	0.50	710	< 1
P26295	203	238	2.09	0.2	150	230	< 0.5	2	0.24	4.5	14	80	54	3.30	< 10	< 1	0.18	30	0.54	828	< 1
P26296	203	238	2.07	0.6	115	220	< 0.5	< 2	0.20	3.0	9	83	59	3.47	< 10	< 1	0.20	30	0.57	544	< 1
P26297	203	238	1.88	0.2	465	190	< 0.5	2	0.09	0.5	6	69	114	4.88	< 10	< 1	0.32	30	0.31	417	< 1
P26298	203	238	1.85	0.6	260	130	< 0.5	2	0.11	5.0	22	59	106	3.72	< 10	< 1	0.19	40	0.59	809	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

)16 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Page No. :A
Tot. Pages: 6
Date : 7-OCT-87
Invoice : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
P26299 NL	203	238	1.90	0.2	40	190	< 0.5	< 2	0.15	1.0	5	84	26	2.56	< 10	< 1	0.17	20	0.50	187	< 1
P26300 NL	203	238	1.97	0.4	330	190	< 0.5	2	0.33	5.0	14	80	87	3.46	< 10	< 1	0.27	40	0.48	587	< 1
P26316	203	238	0.94	20.2	175	140	< 0.5	< 2	0.13	2.0	11	52	27	2.59	< 10	< 1	0.18	40	0.21	2070	< 1
P26317	203	238	0.90	24.0	235	140	< 0.5	< 2	0.14	2.0	12	48	29	2.90	< 10	< 1	0.19	50	0.20	2810	< 1
P26318	203	238	0.80	38.6	260	120	< 0.5	< 2	0.13	3.5	11	39	31	2.52	< 10	< 1	0.17	40	0.18	2890	< 1
P26319	203	238	0.71	77.2	630	110	< 0.5	< 2	0.09	8.0	13	45	37	2.73	< 10	2	0.21	40	0.13	6450	< 1
P26320	203	238	0.60	34.0	275	60	< 0.5	< 2	0.09	5.0	19	53	28	3.07	< 10	< 1	0.25	50	0.11	6530	< 1
P26321	203	238	0.79	12.0	215	80	< 0.5	< 2	0.19	0.5	18	29	28	3.27	< 10	< 1	0.18	60	0.19	2570	< 1
P26322	203	238	1.31	1.2	115	80	< 0.5	< 2	0.16	< 0.5	26	51	49	4.08	< 10	< 1	0.22	60	0.32	1430	< 1
P26323	203	238	0.61	1.8	80	70	< 0.5	< 2	0.08	0.5	15	26	53	4.46	< 10	< 1	0.20	70	0.09	719	< 1
P26324	203	238	1.55	1.0	25	170	< 0.5	< 2	0.20	0.5	9	56	17	2.57	< 10	< 1	0.13	20	0.37	614	< 1
P26329	203	238	1.07	7.2	75	180	< 0.5	< 2	0.21	0.5	10	44	21	2.75	< 10	< 1	0.16	40	0.24	1285	< 1
P26330	203	238	0.99	5.6	65	130	< 0.5	< 2	0.16	0.5	12	47	22	2.85	< 10	1	0.19	50	0.27	1170	< 1
P26331	203	238	0.81	27.2	190	150	< 0.5	< 2	0.21	2.0	11	43	25	2.77	< 10	< 1	0.18	40	0.18	2780	< 1
P26332	203	238	0.79	37.6	285	90	< 0.5	< 2	0.23	3.0	15	52	32	3.01	< 10	< 1	0.23	50	0.16	4730	< 1
P26333	203	238	0.78	80.6	240	130	< 0.5	< 2	0.20	3.5	11	52	45	2.78	< 10	< 1	0.14	40	0.19	2830	< 1
P26334	203	238	0.50	6.4	515	130	< 0.5	< 2	0.08	< 0.5	14	42	32	4.30	< 10	< 1	0.20	50	0.07	792	< 1
P26335	203	238	0.70	109.5	705	120	< 0.5	< 2	0.10	12.0	14	50	70	2.93	< 10	< 1	0.22	40	0.13	7670	< 1
P26336	203	238	0.77	3.4	35	110	< 0.5	< 2	0.10	0.5	17	41	27	2.61	< 10	< 1	0.29	50	0.11	794	< 1
P26337	203	238	0.95	2.4	10	140	< 0.5	< 2	0.17	0.5	9	53	15	2.03	< 10	< 1	0.14	20	0.28	648	< 1
P26338	203	238	0.93	2.4	15	140	< 0.5	< 2	0.18	0.5	8	45	15	2.03	< 10	< 1	0.13	30	0.28	596	< 1
P26339	203	238	1.09	1.8	20	50	< 0.5	< 2	0.33	0.5	9	36	18	1.78	< 10	< 1	0.11	40	0.23	1160	< 1
P26340	203	238	0.92	19.0	75	140	< 0.5	< 2	0.14	1.5	26	39	29	2.52	< 10	< 1	0.21	50	0.20	9580	< 1
P26341	203	238	0.72	1.2	50	160	< 0.5	< 2	0.21	< 0.5	7	45	15	1.85	< 10	< 1	0.13	30	0.24	1110	< 1
P26342	203	238	1.03	0.2	20	170	< 0.5	< 2	0.23	< 0.5	10	43	23	2.43	< 10	< 1	0.16	40	0.35	497	< 1
P26401	203	238	1.16	< 0.2	20	130	< 0.5	< 2	0.17	0.5	12	37	22	2.69	< 10	< 1	0.15	40	0.37	729	< 1
P26402	203	238	1.09	0.2	15	120	< 0.5	< 2	0.17	0.5	17	34	24	2.97	< 10	< 1	0.16	50	0.38	1015	< 1
P26403	203	238	1.35	< 0.2	30	140	< 0.5	< 2	0.13	0.5	8	58	18	2.64	< 10	< 1	0.10	30	0.34	365	< 1
P26404	203	238	1.15	< 0.2	95	150	< 0.5	< 2	0.15	< 0.5	11	43	22	2.68	< 10	< 1	0.15	40	0.31	704	< 1
P26405	203	238	1.36	< 0.2	110	90	< 0.5	< 2	0.22	< 0.5	17	52	28	3.08	< 10	< 1	0.20	60	0.44	839	< 1
P26406	203	238	1.52	< 0.2	65	40	< 0.5	< 2	0.29	< 0.5	18	42	33	3.53	< 10	< 1	0.13	50	0.50	1990	< 1
P26407	203	238	1.40	< 0.2	130	90	< 0.5	< 2	0.22	< 0.5	18	51	36	3.56	< 10	< 1	0.18	60	0.50	857	< 1
P26408	203	238	0.96	< 0.2	60	80	< 0.5	< 2	0.28	< 0.5	13	34	23	2.47	< 10	< 1	0.17	50	0.32	959	< 1
P26409	203	238	0.93	< 0.2	45	100	< 0.5	< 2	0.32	< 0.5	15	41	25	3.01	< 10	< 1	0.14	50	0.26	899	< 1
P26410	203	238	1.42	0.2	130	100	< 0.5	< 2	0.21	< 0.5	16	30	37	3.45	< 10	< 1	0.31	100	0.41	209	< 1
P26411	203	238	0.90	0.2	175	70	< 0.5	< 2	0.18	< 0.5	18	33	33	3.51	< 10	< 1	0.19	70	0.19	820	< 1
P26412	203	238	0.80	< 0.2	170	90	< 0.5	< 2	0.29	< 0.5	19	38	30	3.41	< 10	< 1	0.23	50	0.15	1150	< 1
P26413	203	238	0.99	0.6	660	100	< 0.5	< 2	0.24	< 0.5	16	40	24	3.11	< 10	< 1	0.20	50	0.20	976	< 1
P26414	203	238	1.18	< 0.2	100	160	< 0.5	< 2	0.20	< 0.5	11	49	21	2.94	< 10	< 1	0.21	50	0.26	568	< 1
P26415	203	238	1.09	0.4	280	140	< 0.5	< 2	0.23	0.5	18	39	26	3.36	< 10	< 1	0.24	60	0.27	1360	< 1

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To 'CHER CATHRO & ASSOC. (1981) LTD.

)16 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Page No -B
Tot. F
Date 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
P26299	203	238	0.01	22	470	10	< 5	< 10	25	0.05	< 10	< 10	39	< 5	165
P26300	203	238	0.01	26	580	28	< 5	< 10	41	0.04	< 10	< 10	31	< 5	789
P26316	203	238	< 0.01	23	470	208	10	< 10	16	0.01	< 10	< 10	17	< 5	281
P26317	203	238	< 0.01	27	510	214	5	< 10	18	0.01	< 10	< 10	14	< 5	364
P26318	203	238	< 0.01	24	440	376	10	< 10	17	0.01	< 10	< 10	14	< 5	446
P26319	203	238	< 0.01	23	420	572	20	10	23	< 0.01	< 10	< 10	9	5	1015
P26320	203	238	< 0.01	42	420	200	10	10	18	< 0.01	< 10	< 10	2	< 5	664
P26321	203	238	< 0.01	37	440	74	5	< 10	18	< 0.01	< 10	< 10	3	< 5	223
P26322	203	238	< 0.01	58	280	48	< 5	< 10	15	< 0.01	< 10	< 10	6	< 5	94
P26323	203	238	< 0.01	36	260	46	5	< 10	10	< 0.01	< 10	< 10	5	< 5	123
P26324	203	238	0.01	21	500	16	< 5	< 10	19	0.05	< 10	< 10	41	< 5	78
P26329	203	238	< 0.01	23	450	40	< 5	< 10	18	0.02	< 10	< 10	23	< 5	185
P26330	203	238	< 0.01	26	450	44	5	< 10	18	< 0.01	< 10	< 10	11	< 5	156
P26331	203	238	< 0.01	27	500	178	10	< 10	18	0.01	< 10	< 10	11	< 5	392
P26332	203	238	< 0.01	31	460	356	20	< 10	28	< 0.01	< 10	< 10	6	< 5	449
P26333	203	238	< 0.01	24	510	1125	30	< 10	19	0.01	< 10	< 10	17	< 5	384
P26334	203	238	< 0.01	33	310	56	10	< 10	12	< 0.01	< 10	< 10	3	< 5	146
P26335	203	238	< 0.01	29	450	1285	40	< 10	27	< 0.01	< 10	< 10	7	5	1230
P26336	203	238	< 0.01	31	440	40	5	< 10	17	< 0.01	< 10	< 10	6	< 5	85
P26337	203	238	0.01	16	480	28	< 5	< 10	17	0.03	< 10	< 10	25	< 5	69
P26338	203	238	< 0.01	15	520	22	< 5	10	18	0.03	< 10	< 10	25	< 5	67
P26339	203	238	< 0.01	13	300	32	< 5	10	31	< 0.01	< 10	< 10	< 1	< 5	52
P26340	203	238	< 0.01	79	350	92	10	10	26	< 0.01	< 10	< 10	2	< 5	215
P26341	203	238	< 0.01	17	510	30	< 5	< 10	20	0.03	< 10	< 10	20	< 5	74
P26342	203	238	< 0.01	21	500	18	< 5	< 10	20	0.03	< 10	< 10	22	< 5	63
P26401	203	238	< 0.01	26	390	20	< 5	< 10	16	0.01	< 10	< 10	14	< 5	66
P26402	203	238	< 0.01	34	450	24	< 5	< 10	20	0.01	< 10	< 10	8	< 5	74
P26403	203	238	< 0.01	18	510	26	5	< 10	11	0.02	< 10	< 10	27	< 5	54
P26404	203	238	< 0.01	25	400	20	5	< 10	11	0.01	< 10	< 10	16	< 5	64
P26405	203	238	< 0.01	34	440	58	10	< 10	10	< 0.01	< 10	< 10	5	< 5	79
P26406	203	238	< 0.01	48	560	54	15	10	11	< 0.01	< 10	< 10	3	< 5	66
P26407	203	238	< 0.01	42	440	24	10	< 10	9	< 0.01	< 10	< 10	6	< 5	76
P26408	203	238	< 0.01	30	460	22	5	< 10	10	< 0.01	< 10	< 10	3	< 5	47
P26409	203	238	< 0.01	34	310	20	< 5	< 10	15	< 0.01	< 10	< 10	8	< 5	60
P26410	203	238	< 0.01	42	430	16	5	< 10	13	< 0.01	< 10	< 10	6	< 5	79
P26411	203	238	< 0.01	39	380	26	10	< 10	12	< 0.01	< 10	< 10	3	< 5	92
P26412	203	238	0.01	37	320	24	5	< 10	13	< 0.01	< 10	< 10	3	< 5	98
P26413	203	238	< 0.01	28	330	90	15	< 10	38	< 0.01	< 10	< 10	5	< 5	103
P26414	203	238	0.01	25	350	48	5	< 10	16	0.01	< 10	< 10	18	< 5	88
P26415	203	238	< 0.01	36	440	110	10	< 10	23	0.01	< 10	< 10	12	< 5	133

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
P26416	203	238	1.89	0.2	35	140	< 0.5	< 2	0.24	0.5	34	37	40	4.32	< 10	< 1	0.18	90	0.66	1025	< 1
P26417	203	238	1.98	< 0.2	20	170	< 0.5	< 2	0.15	0.5	22	37	44	4.05	< 10	< 1	0.16	70	0.75	774	< 1
P26418	203	238	1.44	0.6	55	170	< 0.5	< 2	0.20	< 0.5	17	56	32	3.00	< 10	< 1	0.15	50	0.47	1240	< 1
P26419	203	238	1.09	0.6	340	90	< 0.5	< 2	0.22	< 0.5	31	27	32	4.29	< 10	< 1	0.23	60	0.23	2960	< 1
P26420	203	238	1.08	0.4	175	100	< 0.5	< 2	0.22	< 0.5	20	30	32	3.67	< 10	< 1	0.26	70	0.24	1655	< 1
P26421	203	238	1.20	0.4	95	130	< 0.5	< 2	0.08	< 0.5	7	51	15	2.62	< 10	< 1	0.13	30	0.23	673	< 1
P26422	203	238	0.99	3.0	495	80	< 0.5	< 2	0.21	< 0.5	14	55	34	3.28	< 10	< 1	0.24	60	0.15	1465	< 1
P26423	203	238	1.32	< 0.2	40	190	< 0.5	< 2	0.14	< 0.5	17	41	28	3.88	< 10	< 1	0.21	70	0.27	969	< 1
P26424	203	238	1.28	1.4	150	110	< 0.5	< 2	0.12	0.5	17	44	28	2.96	< 10	< 1	0.19	50	0.34	1895	< 1
P26425	203	238	1.34	< 0.2	30	110	< 0.5	< 2	0.16	0.5	12	55	21	2.66	< 10	1	0.11	40	0.43	1250	< 1
P26426	203	238	3.07	0.2	65	50	< 0.5	< 2	0.17	< 0.5	33	55	37	4.73	< 10	< 1	0.11	80	1.10	689	< 1
P26427	203	238	1.95	1.0	200	100	< 0.5	< 2	0.12	< 0.5	36	48	60	4.19	< 10	< 1	0.24	90	0.68	1905	< 1
P26428	203	238	2.43	1.2	50	130	< 0.5	< 2	0.12	1.5	23	63	59	4.54	< 10	< 1	0.25	80	0.86	1780	< 1
P26429	203	238	2.21	0.2	10	130	< 0.5	< 2	0.16	0.5	20	47	48	3.52	< 10	< 1	0.20	80	0.79	391	< 1
P26430	203	238	2.07	1.6	35	90	< 0.5	< 2	0.08	1.0	22	48	76	3.78	< 10	< 1	0.19	80	0.76	1150	< 1
P26431	203	238	0.71	8.6	170	40	< 0.5	< 2	0.06	0.5	29	25	60	3.29	< 10	< 1	0.24	90	0.13	4510	1
P26432	203	238	1.61	3.0	100	80	< 0.5	< 2	0.15	1.0	22	48	41	3.62	< 10	3	0.21	60	0.52	2800	< 1
P26463	203	238	0.99	76.8	1035	140	< 0.5	< 2	0.13	2.5	18	43	51	3.46	< 10	< 1	0.21	50	0.15	8680	< 1
P26464	203	238	0.99	10.6	450	180	< 0.5	< 2	0.07	1.0	50	50	81	4.51	< 10	< 1	0.24	80	0.10	4260	< 1
P26465	203	238	0.93	8.8	380	200	< 0.5	< 2	0.12	1.5	16	44	27	2.67	< 10	< 1	0.29	30	0.18	3820	< 1
P26466	203	238	1.07	8.6	65	230	< 0.5	< 2	0.20	2.0	16	58	20	2.21	< 10	< 1	0.19	30	0.29	1735	< 1
P26467	203	238	0.88	28.6	65	210	< 0.5	< 2	0.20	4.0	9	53	27	2.14	< 10	< 1	0.17	30	0.26	2820	< 1
P26468	203	238	0.92	4.0	135	240	< 0.5	< 2	0.17	1.0	9	38	23	2.42	< 10	2	0.19	40	0.21	1930	< 1
P26469	203	238	1.25	0.6	380	240	< 0.5	< 2	0.30	< 0.5	9	41	28	2.32	< 10	< 1	0.16	50	0.28	825	< 1
P26470	203	238	0.69	24.2	370	120	< 0.5	< 2	0.10	7.0	9	39	18	2.34	< 10	< 1	0.25	30	0.12	3000	< 1
P26471	203	238	0.76	28.8	375	140	< 0.5	< 2	0.11	8.0	9	41	18	2.38	< 10	< 1	0.28	40	0.13	3490	< 1
P26472	203	238	1.08	9.6	135	250	< 0.5	< 2	0.13	3.0	9	46	18	2.04	< 10	< 1	0.23	30	0.25	3500	< 1
P26473	203	238	1.26	0.2	25	120	< 0.5	< 2	0.14	< 0.5	7	57	16	2.30	< 10	< 1	0.13	20	0.33	493	< 1
P26481	203	238	0.99	1.2	35	250	< 0.5	< 2	0.29	0.5	8	63	22	2.36	< 10	< 1	0.15	30	0.33	593	< 1
P26482	203	238	0.96	1.0	25	180	< 0.5	< 2	0.26	0.5	7	56	20	2.14	< 10	< 1	0.14	30	0.32	557	< 1
P26483	203	238	0.94	5.4	180	260	< 0.5	< 2	0.13	2.5	19	49	24	3.04	< 10	< 1	0.22	40	0.19	5000	< 1
P26484	203	238	1.32	8.4	250	110	0.5	< 2	0.26	5.0	9	53	19	2.85	< 10	< 1	0.18	40	0.25	4920	< 1
P26485	203	238	1.09	6.2	125	90	0.5	< 2	0.15	2.0	17	52	24	3.50	< 10	1	0.22	50	0.23	4140	< 1
P26486	203	238	2.12	< 0.2	20	30	< 0.5	< 2	0.39	< 0.5	8	47	12	3.15	< 10	< 1	0.14	40	0.42	3400	< 1
P26487	203	238	1.29	2.8	110	200	0.5	< 2	0.16	0.5	8	68	21	2.70	< 10	< 1	0.18	40	0.31	1515	< 1
P26488	203	238	1.19	1.4	85	240	0.5	< 2	0.19	0.5	18	43	26	2.80	< 10	< 1	0.21	50	0.32	2170	< 1
P26489	203	238	1.05	2.0	110	240	< 0.5	< 2	0.26	0.5	9	54	20	2.34	< 10	< 1	0.18	40	0.28	2690	< 1
P26490	203	238	1.29	0.6	185	110	< 0.5	< 2	0.10	< 0.5	9	53	18	2.54	< 10	< 1	0.12	30	0.32	1060	< 1
P26491	203	238	0.47	69.2	235	70	< 0.5	< 2	0.04	16.5	6	22	53	5.03	< 10	< 1	0.22	70	0.04	7610	< 1
P26492	203	238	1.68	1.6	75	190	< 0.5	< 2	0.15	0.5	26	46	34	3.75	< 10	< 1	0.18	60	0.58	1275	< 1

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: CHER CATHRO & ASSOC. (1981) LTD.

016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Page No. : 1-B
Tot. :
Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
P26416	203	238	< 0.01	52	780	30	5	< 10	23	< 0.01	< 10	< 10	10	< 5	121
P26417	203	238	< 0.01	39	540	20	5	< 10	18	< 0.01	< 10	< 10	13	< 5	85
P26418	203	238	0.01	33	540	26	5	< 10	21	0.03	< 10	< 10	27	< 5	73
P26419	203	238	< 0.01	52	480	42	15	< 10	23	< 0.01	< 10	< 10	6	< 5	124
P26420	203	238	< 0.01	43	690	40	5	< 10	18	< 0.01	< 10	< 10	4	< 5	97
P26421	203	238	< 0.01	13	300	20	5	< 10	11	0.02	< 10	< 10	27	< 5	52
P26422	203	238	< 0.01	38	390	40	10	< 10	37	< 0.01	< 10	< 10	3	< 5	120
P26423	203	238	< 0.01	33	420	28	10	< 10	13	< 0.01	< 10	< 10	8	< 5	92
P26424	203	238	< 0.01	29	330	66	5	< 10	16	< 0.01	< 10	< 10	15	< 5	146
P26425	203	238	0.01	23	530	42	< 5	< 10	16	0.02	< 10	< 10	24	< 5	95
P26426	203	238	< 0.01	76	330	6	< 5	10	21	< 0.01	< 10	< 10	20	< 5	123
P26427	203	238	< 0.01	75	500	44	< 5	< 10	14	< 0.01	< 10	< 10	11	< 5	130
P26428	203	238	0.01	44	410	46	5	10	16	< 0.01	< 10	< 10	13	< 5	184
P26429	203	238	0.01	40	630	18	< 5	< 10	15	< 0.01	< 10	< 10	11	< 5	92
P26430	203	238	0.01	43	320	70	< 5	< 10	15	< 0.01	< 10	< 10	12	< 5	148
P26431	203	238	< 0.01	44	370	178	10	< 10	20	< 0.01	< 10	< 10	4	< 5	177
P26432	203	238	0.01	43	460	80	< 5	< 10	20	< 0.01	< 10	< 10	14	< 5	191
P26463	203	238	< 0.01	33	360	586	20	10	35	< 0.01	< 10	< 10	9	< 5	716
P26464	203	238	0.01	101	580	220	10	< 10	19	< 0.01	< 10	< 10	6	< 5	306
P26465	203	238	< 0.01	26	340	292	10	10	21	< 0.01	< 10	< 10	12	< 5	379
P26466	203	238	< 0.01	23	450	154	5	< 10	20	0.02	< 10	< 10	22	< 5	179
P26467	203	238	0.01	20	520	460	5	< 10	22	0.03	< 10	< 10	24	< 5	467
P26468	203	238	< 0.01	28	470	92	< 5	< 10	21	0.02	< 10	< 10	18	< 5	153
P26469	203	238	< 0.01	21	390	36	< 5	< 10	33	< 0.01	< 10	< 10	10	< 5	66
P26470	203	238	< 0.01	23	410	342	5	< 10	21	< 0.01	< 10	< 10	7	< 5	834
P26471	203	238	< 0.01	25	350	358	5	10	22	< 0.01	< 10	< 10	7	< 5	804
P26472	203	238	< 0.01	24	310	128	5	10	22	0.01	< 10	< 10	16	< 5	376
P26473	203	238	< 0.01	16	440	26	< 5	< 10	15	0.04	< 10	< 10	32	< 5	67
P26481	203	238	0.01	19	730	36	< 5	< 10	25	0.05	< 10	< 10	38	< 5	90
P26482	203	238	0.01	18	650	20	< 5	< 10	23	0.05	< 10	< 10	35	< 5	80
P26483	203	238	< 0.01	38	390	164	10	< 10	19	< 0.01	< 10	< 10	9	< 5	376
P26484	203	238	< 0.01	30	340	186	5	< 10	28	< 0.01	< 10	< 10	5	< 5	533
P26485	203	238	< 0.01	39	390	174	5	< 10	18	< 0.01	< 10	< 10	6	< 5	242
P26486	203	238	< 0.01	26	260	68	5	< 10	17	< 0.01	< 10	< 10	1	< 5	115
P26487	203	238	< 0.01	22	390	96	< 5	< 10	15	0.02	< 10	< 10	23	< 5	146
P26488	203	238	0.01	32	380	70	5	< 10	16	0.01	< 10	< 10	13	< 5	130
P26489	203	238	0.01	22	470	48	5	< 10	19	0.02	< 10	< 10	17	< 5	129
P26490	203	238	< 0.01	17	420	42	< 5	< 10	11	0.02	< 10	< 10	26	< 5	80
P26491	203	238	< 0.01	26	410	604	15	< 10	47	< 0.01	< 10	< 10	2	< 5	1195
P26492	203	238	< 0.01	38	570	48	< 5	10	17	0.01	< 10	< 10	14	< 5	125

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
P26493	203	238	1.23	1.0	70	170	< 0.5	< 2	0.14	0.5	18	50	22	2.77	< 10	< 1	0.16	40	0.34	1520	< 1
P26494	203	238	1.73	< 0.2	40	160	0.5	< 2	0.14	0.5	5	72	9	4.14	< 10	< 1	0.13	20	0.33	485	< 1
P26497	203	238	1.49	0.2	510	250	< 0.5	< 2	0.12	< 0.5	31	43	45	4.18	< 10	< 1	0.25	60	0.38	799	< 1
P26498	203	238	1.09	0.2	50	200	< 0.5	< 2	0.23	< 0.5	8	54	27	2.54	< 10	< 1	0.18	40	0.35	569	< 1
P26499	203	238	1.21	4.2	70	270	< 0.5	< 2	0.24	0.5	9	50	18	2.32	< 10	< 1	0.16	30	0.31	2370	< 1
P26500	203	238	0.82	2.2	80	250	< 0.5	< 2	0.09	0.5	9	60	10	1.36	< 10	< 1	0.22	30	0.17	2320	< 1
R4751	203	238	1.29	< 0.2	25	160	< 0.5	< 2	0.10	0.5	5	95	15	2.29	< 10	< 1	0.10	20	0.28	410	< 1
R4752	203	238	1.26	< 0.2	40	210	< 0.5	< 2	0.17	< 0.5	8	63	24	2.69	< 10	< 1	0.17	40	0.38	756	< 1
R4753	203	238	1.05	1.0	55	200	< 0.5	< 2	0.18	0.5	8	64	23	2.62	< 10	< 1	0.19	40	0.32	856	< 1
R4754	203	238	1.39	< 0.2	35	190	< 0.5	< 2	0.19	< 0.5	9	62	15	2.34	< 10	< 1	0.14	30	0.38	540	< 1
R4755	203	238	1.50	0.6	60	140	< 0.5	< 2	0.20	0.5	8	75	20	2.86	< 10	< 1	0.16	40	0.40	461	< 1
R4756	203	238	1.40	< 0.2	35	170	< 0.5	< 2	0.22	0.5	8	73	22	2.89	< 10	< 1	0.16	30	0.39	594	1
R4757	203	238	1.40	< 0.2	35	180	< 0.5	< 2	0.20	0.5	8	83	21	2.81	< 10	< 1	0.14	30	0.40	487	< 1
R4758	203	238	2.35	1.2	90	260	< 0.5	< 2	0.29	0.5	7	57	25	3.62	< 10	< 1	0.21	40	0.54	562	< 1
R4759	203	238	1.25	0.4	35	150	< 0.5	< 2	0.22	0.5	8	63	19	2.65	< 10	< 1	0.12	30	0.37	587	< 1
R4760	203	238	1.22	0.8	65	200	< 0.5	< 2	0.33	0.5	8	60	22	2.72	< 10	< 1	0.18	40	0.39	803	< 1
R4761	203	238	1.27	< 0.2	30	160	< 0.5	< 2	0.14	0.5	8	70	19	2.65	< 10	< 1	0.11	30	0.34	588	< 1
R4762	203	238	1.33	< 0.2	30	110	0.5	< 2	0.10	0.5	5	67	16	2.46	< 10	< 1	0.08	20	0.32	253	< 1
R4763	203	238	1.26	5.6	170	160	< 0.5	< 2	0.11	2.5	23	48	34	3.28	< 10	< 1	0.23	60	0.36	5550	1
R4764	203	238	0.67	2.2	125	80	< 0.5	< 2	0.12	0.5	2	69	21	5.52	< 10	< 1	0.31	70	0.07	739	< 1
R4765	203	238	1.22	0.6	185	100	< 0.5	< 2	0.74	1.0	19	59	27	3.75	< 10	1	0.28	60	0.39	9220	< 1
R4766	203	238	1.50	1.2	110	100	< 0.5	< 2	0.23	0.5	22	49	40	3.80	< 10	< 1	0.26	70	0.52	2440	< 1
R4767	203	238	1.51	0.4	60	90	< 0.5	< 2	0.24	0.5	22	47	37	3.82	< 10	< 1	0.20	70	0.56	1635	< 1
R4768	203	238	1.34	0.2	30	100	< 0.5	< 2	0.24	0.5	19	45	31	3.37	< 10	< 1	0.18	60	0.49	1415	< 1
R4769	203	238	1.68	< 0.2	25	110	0.5	< 2	0.41	< 0.5	7	48	37	3.79	< 10	< 1	0.21	60	0.65	876	< 1
R4770	203	238	1.63	0.4	30	110	< 0.5	< 2	0.23	0.5	19	43	34	3.50	< 10	< 1	0.22	60	0.58	1215	< 1
R4771	203	238	1.28	1.4	90	140	< 0.5	< 2	0.16	1.0	8	53	27	3.34	< 10	< 1	0.22	50	0.36	2910	< 1
R4772	203	238	1.13	1.0	110	140	< 0.5	< 2	0.09	1.0	8	45	27	3.24	< 10	< 1	0.21	50	0.29	2840	< 1
R4773	203	238	1.51	1.2	55	100	< 0.5	< 2	0.49	1.0	17	53	34	3.55	< 10	< 1	0.21	60	0.55	1130	< 1
R4774	203	238	1.86	1.0	10	100	< 0.5	< 2	0.28	1.0	28	51	39	3.86	< 10	< 1	0.20	60	0.68	963	< 1
R4775	203	238	2.15	8.2	265	50	< 0.5	< 2	0.24	1.5	34	39	68	4.03	10	< 1	0.18	70	0.89	2820	< 1
R4776	203	238	1.50	7.4	160	100	< 0.5	< 2	0.26	2.0	19	57	37	3.37	< 10	2	0.20	50	0.55	1670	< 1
R4777	203	238	1.68	13.2	430	80	< 0.5	2	0.25	3.5	27	46	57	4.05	< 10	< 1	0.20	60	0.63	3520	< 1
R4778	203	238	1.93	21.2	340	70	< 0.5	2	0.28	4.0	35	40	67	4.02	10	< 1	0.18	60	0.80	1465	< 1
R4779	203	238	1.79	14.0	240	80	< 0.5	2	0.24	8.0	29	51	60	4.09	10	< 1	0.21	60	0.67	2190	< 1
R4780	203	238	1.88	14.4	270	90	< 0.5	< 2	0.27	4.5	28	51	57	4.08	10	< 1	0.22	60	0.70	2510	< 1
R4781	203	238	1.07	3.6	120	120	< 0.5	2	0.19	1.5	20	61	26	2.43	< 10	1	0.13	40	0.35	1885	< 1
R4782	203	238	1.71	16.4	300	140	< 0.5	< 2	0.23	4.0	25	43	53	4.09	< 10	2	0.20	60	0.61	2690	< 1
R4783	203	238	1.83	2.6	245	130	< 0.5	8	0.21	0.5	34	46	67	4.34	< 10	1	0.14	50	0.53	1215	< 1
R4784	203	238	1.85	1.0	< 5	130	< 0.5	< 2	0.15	1.0	9	43	50	5.02	10	2	0.19	90	0.75	212	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
P26493	203	238	< 0.01	29	510	74	< 5	< 10	17	0.03	< 10	< 10	25	< 5	138
P26494	203	238	< 0.01	10	350	68	< 5	< 10	19	0.09	< 10	< 10	72	< 5	77
P26497	203	238	< 0.01	42	290	30	5	< 10	16	< 0.01	< 10	< 10	12	< 5	90
P26498	203	238	0.01	25	580	20	< 5	< 10	23	0.04	< 10	< 10	30	< 5	65
P26499	203	238	< 0.01	19	510	88	< 5	< 10	25	0.03	< 10	< 10	26	< 5	114
P26500	203	238	< 0.01	15	200	54	< 5	< 10	14	< 0.01	< 10	< 10	8	< 5	85
R4751	203	238	0.01	14	590	18	< 5	< 10	13	0.03	< 10	< 10	35	< 5	53
R4752	203	238	< 0.01	24	520	20	< 5	< 10	18	0.03	< 10	< 10	26	< 5	75
R4753	203	238	< 0.01	22	560	42	< 5	< 10	20	0.03	< 10	< 10	23	< 5	80
R4754	203	238	< 0.01	18	470	24	< 5	< 10	17	0.04	< 10	< 10	29	< 5	71
R4755	203	238	0.01	21	560	24	< 5	< 10	20	0.03	< 10	< 10	33	< 5	77
R4756	203	238	0.01	24	680	34	< 5	< 10	21	0.05	< 10	< 10	41	< 5	98
R4757	203	238	0.01	21	610	18	< 5	< 10	20	0.06	< 10	< 10	44	< 5	72
R4758	203	238	0.01	25	720	36	5	< 10	24	0.03	< 10	< 10	43	< 5	103
R4759	203	238	0.01	22	650	26	< 5	< 10	20	0.05	< 10	< 10	39	< 5	78
R4760	203	238	0.01	23	590	30	< 5	< 10	21	0.04	< 10	< 10	28	< 5	81
R4761	203	238	< 0.01	20	590	16	< 5	< 10	16	0.04	< 10	< 10	40	< 5	69
R4762	203	238	< 0.01	16	460	12	< 5	< 10	12	0.03	< 10	< 10	36	< 5	57
R4763	203	238	< 0.01	52	450	128	< 5	< 10	24	< 0.01	< 10	< 10	12	< 5	292
R4764	203	238	< 0.01	3	890	138	5	< 10	22	< 0.01	< 10	< 10	7	< 5	144
R4765	203	238	< 0.01	36	470	96	< 5	< 10	43	< 0.01	< 10	< 10	9	< 5	207
R4766	203	238	0.01	51	500	60	< 5	< 10	21	< 0.01	< 10	< 10	10	< 5	136
R4767	203	238	< 0.01	46	470	44	< 5	< 10	19	0.01	< 10	< 10	10	< 5	118
R4768	203	238	< 0.01	38	510	38	< 5	< 10	19	0.01	< 10	< 10	12	< 5	95
R4769	203	238	< 0.01	31	610	16	< 5	< 10	17	< 0.01	< 10	< 10	7	< 5	79
R4770	203	238	< 0.01	38	410	44	< 5	< 10	16	< 0.01	< 10	< 10	8	< 5	97
R4771	203	238	< 0.01	28	550	98	< 5	< 10	19	< 0.01	< 10	< 10	14	< 5	201
R4772	203	238	< 0.01	27	430	74	< 5	< 10	16	0.01	< 10	< 10	16	< 5	207
R4773	203	238	< 0.01	35	430	60	< 5	< 10	19	< 0.01	< 10	< 10	8	< 5	158
R4774	203	238	< 0.01	42	390	28	5	< 10	17	< 0.01	< 10	< 10	6	< 5	102
R4775	203	238	< 0.01	56	330	130	5	< 10	19	< 0.01	< 10	< 10	8	< 5	324
R4776	203	238	< 0.01	33	430	130	5	< 10	17	< 0.01	< 10	< 10	7	< 5	308
R4777	203	238	< 0.01	46	450	292	5	< 10	23	< 0.01	< 10	< 10	8	< 5	580
R4778	203	238	< 0.01	48	750	466	5	< 10	23	< 0.01	< 10	< 10	9	< 5	419
R4779	203	238	< 0.01	44	410	402	< 5	< 10	19	< 0.01	< 10	< 10	8	< 5	962
R4780	203	238	< 0.01	41	460	288	5	< 10	20	< 0.01	< 10	< 10	8	< 5	609
R4781	203	238	< 0.01	39	290	74	5	< 10	14	< 0.01	< 10	< 10	4	< 5	137
R4782	203	238	< 0.01	45	520	412	5	< 10	19	< 0.01	< 10	< 10	9	< 5	514
R4783	203	238	< 0.01	64	440	56	< 5	< 10	16	< 0.01	< 10	< 10	5	< 5	119
R4784	203	238	< 0.01	14	430	14	5	< 10	19	< 0.01	< 10	< 10	6	< 5	113

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: RCHER CATHRO & ASSOC. (1981) LTD.

516 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R4785	203	238	1.60	2.6	80	140	< 0.5	2	0.27	0.5	16	72	34	3.46	< 10	< 1	0.18	50	0.52	1535	< 1
R4786	203	238	1.82	2.8	95	130	< 0.5	2	0.21	1.0	19	52	43	3.79	< 10	1	0.19	60	0.65	621	< 1
R4787	203	238	1.56	4.8	75	120	< 0.5	4	0.23	1.0	15	54	36	3.20	< 10	< 1	0.18	50	0.55	625	< 1
R4788	203	238	2.23	4.6	65	130	< 0.5	< 2	0.26	0.5	14	57	46	4.11	< 10	< 1	0.18	60	0.81	631	< 1
R4789	203	238	1.79	19.4	160	150	< 0.5	< 2	0.27	1.0	13	61	40	3.27	< 10	< 1	0.20	50	0.62	845	< 1
R4790	203	238	1.85	3.0	100	140	< 0.5	4	0.30	0.5	11	60	32	3.34	< 10	< 1	0.20	60	0.67	447	< 1
R4791	203	238	1.76	2.4	80	160	< 0.5	< 2	0.23	0.5	11	64	42	3.26	< 10	< 1	0.20	50	0.61	379	< 1
R4801	203	238	1.71	9.0	95	160	< 0.5	2	0.26	1.5	16	76	36	3.60	< 10	< 1	0.25	60	0.59	1105	< 1
R4802	203	238	1.59	3.6	50	150	< 0.5	< 2	0.20	0.5	12	78	27	3.12	< 10	< 1	0.20	50	0.49	847	< 1
R4803	203	238	1.84	1.4	15	170	< 0.5	2	0.21	0.5	17	82	36	3.78	< 10	< 1	0.28	60	0.70	607	< 1
R4804	203	238	1.76	1.6	20	210	< 0.5	< 2	0.22	0.5	11	90	30	3.28	< 10	< 1	0.20	40	0.54	480	< 1
R4805	203	238	1.77	1.2	25	170	< 0.5	2	0.20	0.5	17	90	35	3.42	< 10	< 1	0.26	50	0.61	640	< 1
R4806	203	238	1.75	2.4	40	160	< 0.5	2	0.19	0.5	17	77	37	3.60	< 10	< 1	0.24	60	0.60	710	< 1
R4807	203	238	1.70	1.6	85	180	< 0.5	2	0.25	1.0	17	76	36	3.61	< 10	< 1	0.24	50	0.61	905	< 1
R4808	203	238	1.71	1.4	15	130	< 0.5	< 2	0.23	0.5	21	58	45	3.40	< 10	< 1	0.23	70	0.64	626	< 1
R4809	203	238	1.42	0.8	20	160	< 0.5	2	0.27	0.5	12	85	32	3.00	< 10	< 1	0.19	50	0.50	612	< 1
R4810	203	238	1.72	1.2	85	160	< 0.5	< 2	0.21	0.5	15	63	33	3.36	< 10	< 1	0.20	50	0.62	972	< 1
R4811	203	238	1.52	1.8	55	160	< 0.5	< 2	0.27	0.5	10	84	25	2.93	< 10	< 1	0.16	40	0.50	734	< 1
R4812	203	238	1.49	1.2	55	220	< 0.5	< 2	0.25	0.5	11	72	24	2.99	< 10	< 1	0.14	40	0.44	960	< 1
R4813	203	238	1.78	2.6	65	230	< 0.5	< 2	0.26	0.5	12	84	25	3.30	< 10	< 1	0.15	40	0.50	732	< 1
R4814	203	238	1.68	2.0	75	220	< 0.5	< 2	0.27	< 0.5	12	70	28	3.26	< 10	< 1	0.18	40	0.51	929	< 1
R4815	203	238	1.52	15.2	225	210	< 0.5	< 2	0.25	0.5	14	96	28	3.21	< 10	< 1	0.16	40	0.49	1085	< 1
R4816	203	238	2.14	4.6	225	240	< 0.5	2	0.18	1.0	30	70	52	4.05	< 10	< 1	0.21	70	0.73	3170	< 1
R4817	203	238	1.78	4.8	160	290	< 0.5	< 2	0.32	0.5	18	69	30	3.17	< 10	< 1	0.16	40	0.53	2230	< 1
R4818	203	238	1.85	5.0	185	270	< 0.5	< 2	0.25	1.0	18	69	34	3.42	< 10	< 1	0.19	50	0.55	2280	< 1
R4819	203	238	1.68	2.4	60	190	0.5	< 2	0.16	0.5	14	66	26	3.12	< 10	< 1	0.15	30	0.44	1330	< 1
R4820	203	238	1.09	0.6	10	130	< 0.5	< 2	0.10	< 0.5	4	84	11	2.11	< 10	< 1	0.10	20	0.21	177	< 1
R4821	203	238	1.05	0.6	10	80	< 0.5	< 2	0.15	< 0.5	3	41	17	1.61	< 10	< 1	0.07	10	0.17	127	< 1
R4822	203	238	1.34	0.4	20	110	< 0.5	< 2	0.18	0.5	8	73	13	3.17	< 10	< 1	0.10	20	0.35	446	< 1
R4823	203	238	1.33	1.2	30	140	< 0.5	< 2	0.12	< 0.5	5	85	14	2.38	< 10	< 1	0.11	20	0.27	248	< 1
R4824	203	238	1.00	0.4	25	90	< 0.5	< 2	0.10	< 0.5	5	88	13	2.17	< 10	< 1	0.13	30	0.18	338	< 1
R4825	203	238	1.28	0.8	15	140	< 0.5	< 2	0.16	< 0.5	7	121	17	2.61	< 10	< 1	0.14	30	0.32	344	< 1
R4826	203	238	1.42	0.8	55	120	< 0.5	< 2	0.11	< 0.5	7	98	10	2.80	< 10	< 1	0.13	20	0.26	429	< 1
R4827	203	238	1.61	1.2	100	200	< 0.5	< 2	0.22	< 0.5	11	85	23	3.13	< 10	< 1	0.19	30	0.43	518	< 1
R4828	203	238	1.51	0.4	50	190	< 0.5	< 2	0.18	< 0.5	9	120	19	2.98	< 10	< 1	0.18	30	0.38	374	< 1
R4829	203	238	1.45	0.8	85	210	< 0.5	< 2	0.24	0.5	12	101	27	3.48	< 10	< 1	0.25	40	0.40	566	< 1
R4830	203	238	1.52	0.8	25	180	< 0.5	2	0.17	0.5	11	84	16	3.02	< 10	< 1	0.18	30	0.38	513	< 1
R4831	203	238	1.71	0.8	45	200	< 0.5	< 2	0.15	< 0.5	15	83	25	3.21	< 10	< 1	0.21	40	0.48	883	< 1
R4832	203	238	1.76	1.4	85	190	< 0.5	2	0.13	< 0.5	16	67	33	3.38	< 10	< 1	0.22	60	0.53	508	< 1
R4833	203	238	1.48	1.4	145	190	< 0.5	2	0.16	< 0.5	17	72	27	3.09	< 10	< 1	0.22	50	0.44	776	< 1

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R4785	203	238	< 0.01	31	410	60	< 5	< 10	19	< 0.01	20	< 10	10	< 5	164
R4786	203	238	0.01	37	570	38	< 5	< 10	20	0.01	20	< 10	13	< 5	147
R4787	203	238	< 0.01	28	440	62	5	< 10	19	0.01	10	< 10	12	< 5	169
R4788	203	238	< 0.01	34	540	48	< 5	< 10	22	< 0.01	< 10	< 10	16	< 5	166
R4789	203	238	< 0.01	32	470	312	5	< 10	21	0.01	< 10	< 10	16	< 5	171
R4790	203	238	< 0.01	28	480	40	< 5	< 10	22	0.01	< 10	< 10	16	< 5	158
R4791	203	238	< 0.01	24	430	28	< 5	< 10	20	0.01	< 10	< 10	19	< 5	112
R4801	203	238	0.01	33	590	102	< 5	< 10	19	0.01	< 10	< 10	14	< 5	176
R4802	203	238	0.01	26	430	66	< 5	10	17	0.02	< 10	< 10	19	< 5	129
R4803	203	238	0.01	34	650	30	< 5	< 10	26	0.01	< 10	< 10	16	< 5	103
R4804	203	238	0.01	25	570	28	< 5	< 10	22	0.03	< 10	< 10	31	< 5	83
R4805	203	238	0.01	33	510	30	< 5	< 10	23	0.02	< 10	< 10	21	< 5	98
R4806	203	238	0.01	33	530	54	< 5	< 10	22	0.01	< 10	< 10	20	< 5	109
R4807	203	238	0.01	37	510	32	< 5	10	25	0.02	< 10	< 10	22	< 5	119
R4808	203	238	0.01	34	630	40	< 5	< 10	25	0.01	< 10	< 10	17	< 5	91
R4809	203	238	0.01	29	530	22	< 5	< 10	21	0.03	< 10	< 10	25	< 5	84
R4810	203	238	0.01	30	510	30	< 5	< 10	19	0.01	< 10	< 10	21	< 5	118
R4811	203	238	0.01	24	490	22	< 5	< 10	20	0.02	< 10	< 10	22	< 5	102
R4812	203	238	0.01	22	510	28	< 5	< 10	20	0.02	< 10	< 10	28	< 5	101
R4813	203	238	0.01	24	520	44	< 5	< 10	22	0.04	< 10	< 10	39	< 5	115
R4814	203	238	0.01	26	560	34	< 5	< 10	22	0.02	< 10	< 10	29	< 5	116
R4815	203	238	0.01	26	560	186	< 5	10	23	0.05	< 10	< 10	38	< 5	254
R4816	203	238	0.01	44	380	124	< 5	< 10	20	< 0.01	< 10	< 10	14	< 5	265
R4817	203	238	0.01	29	560	72	5	< 10	26	0.01	< 10	< 10	25	< 5	184
R4818	203	238	0.01	34	530	78	< 5	< 10	24	0.01	< 10	< 10	24	< 5	231
R4819	203	238	0.01	27	620	54	< 5	< 10	19	0.05	< 10	< 10	41	< 5	96
R4820	203	238	0.01	11	740	14	< 5	< 10	13	0.02	< 10	< 10	36	< 5	37
R4821	203	238	0.03	8	760	6	< 5	< 10	16	0.05	< 10	< 10	33	< 5	34
R4822	203	238	0.01	17	440	16	< 5	< 10	17	0.07	< 10	< 10	51	< 5	63
R4823	203	238	0.01	14	880	24	< 5	< 10	14	0.03	< 10	< 10	43	< 5	50
R4824	203	238	0.01	11	330	18	< 5	< 10	11	0.03	< 10	< 10	34	< 5	40
R4825	203	238	0.01	16	500	14	< 5	< 10	16	0.05	< 10	< 10	40	< 5	57
R4826	203	238	0.01	11	400	16	< 5	< 10	13	0.04	< 10	< 10	43	< 5	44
R4827	203	238	0.01	28	660	22	< 5	< 10	20	0.04	< 10	< 10	40	< 5	74
R4828	203	238	0.01	22	510	20	< 5	< 10	19	0.05	< 10	< 10	41	< 5	67
R4829	203	238	0.01	31	600	26	< 5	< 10	25	0.04	< 10	< 10	37	< 5	81
R4830	203	238	0.01	16	640	18	< 5	< 10	20	0.05	< 10	< 10	46	< 5	62
R4831	203	238	0.01	26	540	20	< 5	< 10	18	0.03	< 10	< 10	33	< 5	80
R4832	203	238	0.01	31	510	28	< 5	< 10	17	0.01	< 10	< 10	22	< 5	79
R4833	203	238	0.01	28	570	30	< 5	< 10	20	0.01	< 10	< 10	20	< 5	81

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

.016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R4834	203	238	1.54	1.0	85	220	< 0.5	< 2	0.21	< 0.5	11	108	21	2.96	< 10	< 1	0.19	40	0.44	543	< 1
R4835	203	238	1.86	2.4	70	310	< 0.5	2	0.25	< 0.5	9	88	23	3.22	< 10	< 1	0.24	30	0.43	434	< 1
R4836	203	238	1.45	1.0	70	210	< 0.5	< 2	0.15	0.5	9	86	25	3.01	< 10	< 1	0.28	40	0.42	708	< 1
R4837	203	238	1.90	1.2	165	270	< 0.5	< 2	0.32	< 0.5	9	97	28	3.16	< 10	< 1	0.27	40	0.43	527	1
R4838	203	238	1.64	0.8	25	410	< 0.5	< 2	0.27	< 0.5	9	119	15	2.55	< 10	2	0.14	30	0.41	733	1
R4839	203	238	1.45	2.4	155	190	< 0.5	< 2	0.24	0.5	13	97	27	2.91	< 10	< 1	0.29	50	0.44	1110	1
R4840	203	238	1.32	0.6	35	210	< 0.5	< 2	0.23	< 0.5	9	100	17	2.59	< 10	< 1	0.15	30	0.39	428	1
R4841	203	238	1.42	0.8	25	160	< 0.5	< 2	0.17	< 0.5	8	114	16	2.41	< 10	< 1	0.12	30	0.36	271	1
R4843	203	238	1.55	2.4	90	240	< 0.5	< 2	0.24	1.0	9	129	16	2.41	< 10	< 1	0.19	30	0.41	439	1
R4844	203	238	1.63	3.0	90	240	< 0.5	< 2	0.25	0.5	9	108	22	2.69	< 10	< 1	0.18	30	0.46	399	< 1
R4845	203	238	1.54	2.0	80	210	< 0.5	< 2	0.23	0.5	9	122	24	2.78	< 10	< 1	0.18	30	0.42	512	< 1
R4846	203	238	1.30	1.0	150	160	< 0.5	< 2	0.08	0.5	10	155	19	2.45	< 10	< 1	0.31	30	0.28	770	1
R4847	203	238	1.58	2.8	55	250	< 0.5	< 2	0.19	0.5	10	75	25	2.61	< 10	< 1	0.19	30	0.45	857	1
R4848	203	238	1.50	2.4	45	180	< 0.5	< 2	0.17	0.5	9	72	18	2.65	< 10	< 1	0.17	30	0.44	513	1
R4849	203	238	1.34	1.6	15	160	< 0.5	< 2	0.13	0.5	5	77	13	1.89	< 10	< 1	0.16	20	0.18	109	< 1
R4850	203	238	1.68	1.8	100	190	< 0.5	< 2	0.19	< 0.5	9	102	21	2.78	< 10	< 1	0.18	40	0.48	595	< 1
R4851	203	238	1.12	24.0	90	140	< 0.5	< 2	0.15	1.0	8	102	20	2.32	< 10	< 1	0.15	30	0.23	1010	1
R4852	203	238	1.21	7.8	30	240	< 0.5	< 2	0.27	1.0	9	111	27	2.54	< 10	< 1	0.22	40	0.36	1020	< 1
R4853	203	238	0.94	20.4	280	840	< 0.5	< 2	0.25	1.0	20	67	36	3.51	< 10	2	0.33	50	0.16	9720	1
R4854	203	238	1.10	56.0	195	360	< 0.5	2	0.21	1.0	20	89	46	3.21	< 10	< 1	0.30	50	0.25	4650	1
R4855	203	238	1.11	11.0	70	240	< 0.5	< 2	0.24	0.5	9	83	26	2.63	< 10	< 1	0.19	40	0.32	1325	< 1
R4856	203	238	1.40	1.4	25	180	< 0.5	< 2	0.16	< 0.5	9	95	17	2.57	< 10	< 1	0.20	30	0.34	546	2
R4857	203	238	1.09	2.2	60	230	< 0.5	< 2	0.18	0.5	14	86	21	2.47	< 10	< 1	0.33	40	0.19	2120	< 1
R4858	203	238	0.85	31.0	145	390	< 0.5	2	0.11	1.5	18	134	35	2.30	< 10	2	0.43	50	0.13	>10000	1
R4859	203	238	1.10	3.4	45	230	< 0.5	< 2	0.13	0.5	10	90	18	2.27	< 10	< 1	0.28	30	0.23	1625	< 1
R4860	203	238	1.20	2.8	65	300	< 0.5	< 2	0.10	< 0.5	18	71	27	2.72	< 10	< 1	0.28	60	0.32	2030	< 1
R4861	203	238	1.15	3.4	260	130	< 0.5	< 2	0.18	< 0.5	20	69	27	3.15	< 10	< 1	0.26	60	0.29	5940	< 1
R4862	203	238	1.37	3.2	70	170	< 0.5	< 2	0.19	0.5	17	136	24	2.80	< 10	< 1	0.30	50	0.34	2140	< 1
R4863	203	238	1.71	1.8	50	210	< 0.5	< 2	0.21	< 0.5	9	92	21	3.06	< 10	< 1	0.21	30	0.43	928	< 1
R4864	203	238	1.59	1.2	25	150	< 0.5	< 2	0.20	0.5	19	81	26	3.06	< 10	< 1	0.24	50	0.51	836	1
R4865	203	238	1.53	7.2	70	180	< 0.5	< 2	0.14	1.5	16	79	24	2.93	< 10	< 1	0.27	50	0.42	1430	< 1
R4866	203	238	1.63	2.0	40	200	< 0.5	2	0.17	0.5	9	107	20	2.94	< 10	< 1	0.21	40	0.43	615	1
R4867	203	238	2.14	2.0	50	180	< 0.5	< 2	0.24	0.5	18	97	39	3.74	< 10	< 1	0.33	70	0.60	1010	< 1
R4868	203	238	1.51	1.4	65	150	< 0.5	< 2	0.07	0.5	38	150	25	2.20	< 10	< 1	0.29	50	0.44	3110	1
R4869	203	238	2.43	0.8	295	170	< 0.5	2	0.09	< 0.5	30	110	62	3.96	< 10	< 1	0.33	80	0.91	578	2
R4870	203	238	2.16	1.0	160	80	< 0.5	2	0.10	< 0.5	22	70	81	4.20	< 10	< 1	0.20	70	0.80	989	1
R4871	203	238	1.34	3.4	75	160	< 0.5	< 2	0.10	< 0.5	14	63	29	3.65	< 10	< 1	0.20	40	0.37	3450	1
R4872	203	238	1.94	1.6	55	160	< 0.5	< 2	0.12	0.5	22	81	43	3.74	< 10	< 1	0.26	70	0.64	1945	1
R4873	203	238	1.27	6.6	70	220	< 0.5	< 2	0.15	2.5	9	84	18	2.48	< 10	< 1	0.14	30	0.33	3220	1
R4874	203	238	1.45	8.2	140	320	< 0.5	< 2	0.21	4.0	19	108	22	2.83	< 10	< 1	0.26	40	0.31	6920	1

TP-6C
ELT.

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8
Project : SQ (QUEST)
Comments:

Date : 7-OCT-87
Invoice # : I-8723069
P.O. # :

CERTIFICATE OF ANALYSIS A8723069

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R4834	203	238	0.01	24	550	36	< 5	< 10	20	0.04	< 10	< 10	36	< 5	90
R4835	203	238	0.01	23	810	36	< 5	< 10	22	0.02	< 10	< 10	36	< 5	81
R4836	203	238	0.01	25	530	26	< 5	< 10	16	0.02	< 10	< 10	22	< 5	97
R4837	203	238	0.01	25	680	32	< 5	< 10	21	0.02	< 10	< 10	29	< 5	95
R4838	203	238	0.01	16	630	12	< 5	< 10	23	0.04	< 10	< 10	45	< 5	62
R4839	203	238	0.01	31	470	52	< 5	< 10	17	0.01	< 10	< 10	20	< 5	132
R4840	203	238	0.01	19	550	14	< 5	< 10	19	0.04	< 10	< 10	37	< 5	69
R4841	203	238	0.01	16	570	6	< 5	< 10	17	0.05	< 10	< 10	42	< 5	52
R4843	203	238	0.01	15	520	88	< 5	< 10	21	0.04	< 10	< 10	38	< 5	149
R4844	203	238	0.01	19	680	160	< 5	< 10	22	0.03	< 10	< 10	37	< 5	170
R4845	203	238	0.01	19	690	46	< 5	< 10	21	0.03	< 10	< 10	35	< 5	106
R4846	203	238	0.01	16	410	68	< 5	< 10	12	0.01	< 10	< 10	23	< 5	135
R4847	203	238	0.01	22	600	32	< 5	< 10	19	0.01	< 10	< 10	25	< 5	104
R4848	203	238	0.01	18	490	46	< 5	< 10	15	0.02	< 10	< 10	27	< 5	104
R4849	203	238	0.01	8	600	18	< 5	< 10	14	0.01	< 10	< 10	29	< 5	40
R4850	203	238	0.01	20	510	28	< 5	< 10	19	0.01	< 10	< 10	26	< 5	79
R4851	203	238	0.01	16	510	214	< 5	< 10	14	0.01	< 10	< 10	27	< 5	159
R4852	203	238	0.01	27	570	62	< 5	< 10	22	0.03	< 10	< 10	28	< 5	124
R4853	203	238	< 0.01	38	720	132	15	10	30	< 0.01	< 10	< 10	8	< 5	395
R4854	203	238	0.01	36	480	210	10	< 10	24	0.01	< 10	< 10	16	< 5	257
R4855	203	238	0.01	27	590	62	< 5	< 10	21	0.03	< 10	< 10	28	< 5	149
R4856	203	238	0.01	21	410	18	< 5	< 10	18	0.04	< 10	< 10	34	< 5	65
R4857	203	238	0.01	28	630	40	< 5	< 10	20	< 0.01	< 10	< 10	10	< 5	109
R4858	203	238	< 0.01	31	320	354	15	10	54	< 0.01	< 10	< 10	6	< 5	454
R4859	203	238	0.01	20	370	46	< 5	< 10	17	0.01	< 10	< 10	21	< 5	83
R4860	203	238	0.01	33	350	36	5	< 10	14	< 0.01	< 10	< 10	7	< 5	84
R4861	203	238	< 0.01	37	440	64	5	< 10	30	< 0.01	< 10	< 10	5	< 5	116
R4862	203	238	0.01	29	430	48	< 5	< 10	20	< 0.01	< 10	< 10	11	< 5	112
R4863	203	238	0.01	23	580	30	< 5	< 10	18	0.02	< 10	< 10	31	< 5	106
R4864	203	238	0.01	32	500	28	< 5	< 10	18	0.03	< 10	< 10	18	< 5	108
R4865	203	238	0.01	25	370	108	< 5	< 10	16	< 0.01	< 10	< 10	14	< 5	185
R4866	203	238	0.01	23	390	44	< 5	< 10	17	0.02	< 10	< 10	27	< 5	92
R4867	203	238	0.01	37	640	66	< 5	< 10	21	< 0.01	< 10	< 10	15	< 5	124
R4868	203	238	0.01	42	290	38	< 5	< 10	16	< 0.01	< 10	< 10	8	< 5	61
R4869	203	238	0.02	52	300	70	< 5	< 10	18	< 0.01	< 10	< 10	14	< 5	107
R4870	203	238	0.01	47	340	108	< 5	< 10	15	< 0.01	< 10	< 10	11	< 5	109
R4871	203	238	0.01	32	360	12	< 5	< 10	18	0.01	< 10	< 10	21	< 5	69
R4872	203	238	0.01	42	470	20	< 5	< 10	19	< 0.01	< 10	< 10	17	< 5	94
R4873	203	238	0.01	25	480	16	< 5	< 10	19	0.04	< 10	< 10	31	< 5	204
R4874	203	238	0.01	40	880	76	< 5	< 10	36	0.01	< 10	< 10	18	< 5	472

CERTIFICATION : _____

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T \CHER CATHRO & ASSOC. (1981) LTD.
JX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ-QUEST
Comments:

Page 1 1
Tot. P... 1
Date :16-SEP-87
Invoice # :I-8721986
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8721986

SAMPLE DESCRIPTION	PREP CODE		Ag FA oz/T	Au oz/T RUSH										
26451	236	--	0.20	< 0.001							Ag	Au		
26452	236	--	L 20.40	0.008										
26453	236	--	U114.00	0.023	0.4	26.88	21.01 oz/1.4m		26.88					
26454	236	--	17.50	0.012										
26455	236	--	2.54	0.008	1.0m	2.54			2.54					
26456	236	--	0.73	0.018	1.0m				.73					
26457	236	--	0.23	0.003	1.0m				.23					
26458	236	--	1.95	0.002	1.0m				1.95					
26459	236	--	1.53	0.002	1.0m				1.53					
26460	236	--	6.71	0.005	1.0m				6.71		40.57	= 6.34 oz/6.4m		
26461	236	--	0.60	0.003										
26462	236	--	39.00	0.017										

0.0155 = K 0.0062
0.008
0.0
0.008
0.002
0.002
0.005
:0.005/64

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : B. Sterritt

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUINT)
Comments:

Date : 27-OCT-87
Invoice # : I-8723500
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8723500

SAMPLE DESCRIPTION	PREP CODE		Pb %	Ag oz/T	Au oz/T								
P 26366	207	--	0.01	0.22	0.002								
P 26367	207	--	0.01	0.38	< 0.001								
P 26368	207	--	< 0.01	0.22	< 0.001								
P 26369	207	--	< 0.01	0.43	< 0.001								
P 26370	207	--	0.07	4.93	0.001								
P 26371	207	--	0.08	1.27	0.001								
P 26372	207	--	< 0.01	0.16	0.001								
P 26373	207	--	< 0.01	0.80	< 0.001								
P 26374	207	--	0.02	0.22	< 0.001								
P 26375	207	--	0.04	0.10	0.001								
P 26376	207	--	0.04	0.90	0.002								
P 26377	207	--	0.03	0.58	< 0.001								
P 26378	207	--	0.22	3.62	0.002								
P 26379	207	--	0.06	0.76	0.001								
P 26380	207	--	0.10	3.35	0.022								
P 26382	207	--	0.09	1.44	0.004								
P 26383	207	--	< 0.01	0.27	0.001								
P 26384	207	--	0.01	0.07	0.001								
P 26385	207	--	0.01	2.79	0.011								
P 26386	207	--	0.04	0.65	0.003								
P 26387	207	--	< 0.01	0.09	0.001								
P 26388	207	--	< 0.01	0.01	< 0.001								
P 26389	207	--	< 0.01	< 0.01	< 0.001								
P 26390	207	--	< 0.01	< 0.01	< 0.001								
P 26433	207	--	0.02	1.17	0.002	1.0m	1.17						
P 26434	207	--	0.37	4.02	0.003	1.0m	4.02						
P 26435	207	--	0.30	2.54	0.003	1.0m	2.54						
P 26436	207	--	0.10	1.50	0.001	1.0m	1.50						
P 26437	207	--	0.46	4.26	0.004	.3m	1.27						
P 26438	207	--	0.15	0.63	0.002	1.0m							
P 26439	207	--	0.06	0.70	0.002	1.0m							
P 26440	207	--	0.01	0.23	0.004	1.0m							
P 26441	207	--	< 0.01	0.04	0.002	1.0m							
P 26442	207	--	< 0.01	0.09	0.008	0.2m							
P 26443	207	--	6.05	24.3	0.070	0.03m							
P 26444	207	--	0.25	26.2	0.004	0.1m							
P 26445	207	--	0.04	0.36	< 0.001								
P 26446	207	--	0.06	0.67	0.001								
P 26447	207	--	0.06	0.64	0.001								
P 26448	207	--	0.03	0.29	< 0.001								

TR-3.

Patch. Floor.

10.50/m = 2.10 oz/ton / 5.0m.

Pb 0.02

.13

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : W. Stan Ivanicin

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Page : 1
Total Pages: 3
Date : 27-OCT-87
Invoice # : I-8723500
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8723500

SAMPLE DESCRIPTION	PREP CODE		Pb %	Ag oz/T	Au oz/T								
P 26301	207	—	< 0.01	0.04	0.006								
P 26302	207	—	< 0.01	< 0.01	0.002								
P 26303	207	—	< 0.01	0.03	0.002								
P 26304	207	—	0.05	0.26	0.004								
P 26306	207	—	4.48	99.0	0.032								
P 26307	207	—	0.29	1m 4.26	0.003	0.270							
P 26308	207	—	0.45	.15 15.20	0.005	0.675	0.1500 = 0.2737%/2.15m.						
P 26309	207	—	0.23	1m 6.12	0.001	0.230							
P 26310	207	—	0.06	1.12	< 0.001								
P 26311	207	—	0.02	0.75	0.007								
P 26312	207	—	0.59	1.69	0.071								
P 26313	207	—	< 0.01	0.17	0.011								
P 26314	207	—	0.02	0.21	0.003								
P 26315	207	—	0.01	0.17	0.010								
P 26325	207	—	32.6	.1m332	0.046	3.260							
P 26326	207	—	0.37	.9m 10.80	0.002	0.198	= 3.443 = 2.170%/1.16m.						
P 26327	207	—	0.15	.1m 13.80	0.055	0.015							
P 26328	207	—	0.05	1m 3.27	0.003	0.05							
P 26343	207	—	0.01	0.36	< 0.001								
P 26344	207	—	0.03	0.79	0.001								
P 26345	207	—	0.11	0.54	0.001								
P 26346	207	—	1.74	37.8	0.022								
P 26348	207	—	0.03	0.58	0.007								
P 26349	207	—	< 0.01	1.28	0.008								
P 26350	207	—	2.44	.3111.0	0.010	7.32.							
P 26351	207	—	0.01	0.62	< 0.001								
P 26352	207	—	< 0.01	0.11	0.001								
P 26353	207	—	0.11	1.75	0.013								
P 26354	207	—	3.76	28.9	0.022								
P 26355	207	—	0.59	.2 13.70	0.016	.118							
P 26356	207	—	0.11	.65 3.21	0.003	.072							
P 26357	207	—	0.04	.6 1.75	0.003	.029	.3079/2.45m.						
P 26358	207	—	0.91	.3 13.50	0.032	.273							
P 26359	207	—	0.38	.7 4.96	0.008	.216.							
P 26360	207	—	0.16	1.92	0.004								
P 26361	207	—	0.02	0.23	0.001								
P 26362	207	—	0.11	1.63	0.001								
P 26363	207	—	< 0.01	0.06	< 0.001								
P 26364	207	—	< 0.01	0.03	< 0.001								
P 26365	207	—	0.01	0.01	< 0.001								

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : W. Stanley

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQ (QUEST)
Comments:

Page : 3
Total Pages: 3
Date : 27-OCT-87
Invoice # : I-8723500
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8723500

SAMPLE DESCRIPTION	PREP CODE		Pb %	Ag oz/T	Au oz/T							
P 26449	207	---	0.01	0.09	< 0.001							
P 26450	207	---	< 0.01	0.09	< 0.001							
P 26474	207	---	1.06	1m 23.5	0.026	1.06 · 0.005	= 0.027 %/1.3m					
P 26475	207	---	0.16	.3m 79.4	0.011							
P 26476	207	---	0.03	0.74	0.001							
P 26477	207	---	< 0.01	0.32	< 0.001							
P 26478	207	---	0.12	1.63	0.001							
P 26479	207	---	0.10	3.41	0.012							

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : W. Stewart Armanini

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ICHER CATHRO & ASSOC. (1981) LTD.
OX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

Page -A
Tot.
Date : 13-JUL-87
Invoice # : I-8717247
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717247

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
R 15765	214	238	0.39	45.0	50	220	2.0	14	1.75	>99.9	41	14	>10000	5.92	10	6	0.05	10	0.12	4130	< 1
R 15766	214	238	1.99	4.8	50	30	< 0.5	222	1.28	13.5	32	46	2220	>15.00	< 10	< 1	0.13	20	0.10	446	< 1

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ICHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
3125 THIRD AVE.
WHITEHORSE, YT
Y1A 3S9

Project : SQ QUEST
Comments:

P: o -B
To: Page: 1
Date : 13-JUL-87
Invoice # : I-8717247
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717247

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R 15765	214	238	0.01	13	< 10	16	< 5	20	91	0.02	< 10	< 10	4	< 5	>10000
R 15766	214	238	0.19	80	1310	196	5	< 10	109	0.07	< 10	< 10	8	95	1140

CERTIFICATION : JC

50'

136°45'

40'

63°45'

Fortymile Creek

Boulder Creek

Mary Creek

SILVER

AMINO

AMINO

AMINO

TEE

QUEST

QUEST

QUEST

QUEST

BOND

BOND

ORE

GOLD

GOLD

QUEST PROPERTY





Figure 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM DATA

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE - 1:20,000

500 0 500 1000 1500 Metres

To accompany report dated Jan/88

87-004





Kg — Undifferentiated medium to coarse grained granitic rocks

Kg1 — Medium to coarse grained two-mica granite

Kqm — Medium grained biotite-clinopyroxene quartz monzonite

Hqp — Interbedded quartzite and phyllite with some carbonaceous and limestone horizons

Geologic contact

Fault trace

Topographical linear

1987 Silverquest reconnaissance soil sample with values ≥1.0 ppm Ag

1979 CCH reconnaissance soil sample with values ≥1.0 ppm Ag

1979 CCH reconnaissance silt sample

Area from which soil samples returned values ≥2.0 ppm Ag

Figure 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GEOLOGY & Ag GEOCHEMISTRY

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE - 1:20,000

To accompany report dated Jan/88

87-004

136° 45'

QUEST PROPERTY

LOCATION MAP
SCALE - 1:2,000,000

QUEST PROPERTY

- Soil sample location
- Rock sample location
- Bulldozer trench complete to bedrock
- Bulldozer trench not completed to bedrock
- 1922 adit
- Bulldozer trail
- Campsite
- Claim post

Figure 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATION

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE 1:5000

To accompany report dated Jan/88





- CCH Soil sample location (1979)
- ⊕ CCH Silt sample location (1979)
- ⊙ Silverquest soil sample location (1987)

Feb 2/88

Figure 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATION

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE - 1:20,000

500 0 500 1000 1500 Metres

To accompany report dated Jan/88

136° 45'

QUEST PROPERTY

LOCATION MAP
SCALE - 1:2,000,000

LEGEND

- Soil sample location with Ag value in ppm
- Rock sample location with Ag value in oz/ton
- Bulldozer trench completed to bedrock
- Bulldozer trench not completed to bedrock
- 1922 adit
- Bulldozer trail
- Campsite
- Claim post

- ≥ 2 < 4 ppm Ag
- ≥ 4 < 8 ppm Ag
- ≥ 8 ppm Ag

- Vein trace
- Base line
- Fault trace
- Topographical linear
- A — Geochemical anomoly referred to in text

QUEST PROPERTY

Figure 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER GEOCHEMISTRY

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE 1:5000

To accompany report dated Jan/88

136° 45'

MAY CREEK FAULT

QUEST PROPERTY

A

B

C

D

E

F

G

5000

4000

3500

4500

5882

LOCATION MAP
SCALE - 1:2,000,000

QUEST PROPERTY

LEGEND

- Soil sample location with Pb value in ppm
- Rock sample location with Pb value in ppm
- Bulldozer trench completed to bedrock
- Bulldozer trench not completed to bedrock
- 1922 adit
- Bulldozer trail
- Campsite
- Claim post
- ≥ 100 - < 200 ppm Pb
- ≥ 200 - < 400 ppm Pb
- ≥ 400 ppm Pb
- Vein trace
- Base line
- Fault trace
- Topographical linear
- A — Geochemical anomoly referred to in text

Figure 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD GEOCHEMISTRY

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE 1:5000

To accompany report dated Jan./88

87-004

136° 45'

MAY CREEK FAULT

QUEST PROPERTY

QUEST PROPERTY

LOCATION MAP
SCALE - 1:2,000,000

LEGEND

- Soil sample location with As value in ppm
- Rock sample location with As value in ppm
- Bulldozer trench completed to bedrock
- Bulldozer trench not completed to bedrock
- 1922 adit
- Bulldozer trail
- Campsite
- Claim post

- ≥ 100 < 200 ppm As
- ≥ 200 < 400 ppm As
- ≥ 400 ppm As

- Vein trace
- Base line
- Fault trace
- Topographical linear
- A — Geochemical anomoly referred to in text

Figure 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ARSENIC GEOCHEMISTRY

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE 1:5000

To accompany report dated Jan/88

136° 45'

QUEST PROPERTY

LOCATION MAP
SCALE - 1:2,200,000

LEGEND

- Soil sample location with Au value in ppb
- Rock sample location with Au value in oz/ton
- Bulldozer trench completed to bedrock
- Bulldozer trench not completed to bedrock
- 1922 adit
- Bulldozer trail
- Campsite
- Claim post
- Sample below detection limit
- Sample not analyzed
- Vein trace
- Base line
- Fault trace
- Topographical linear
- A — Geochemical anomoly referred to in text

Figure 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD GEOCHEMISTRY

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE 1:5000

To accompany report dated Jan/88

136° 45'

136° 45'

QUEST PROPERTY

LOCATION MAP
SCALE - 1:2,000,000

LEGEND

- Soil sample location with Cu value in ppm
- Rock sample location with Cu value in ppm
- Bulldozer trench completed to bedrock
- Bulldozer trench not completed to bedrock
- 1922 adit
- Bulldozer trail
- Campsite
- Claim post

- ≥ 50 - 100 ppm Cu
- ≥ 100 - 200 ppm Cu
- ≥ 200 ppm Cu

- Vein trace
- Base line
- Fault trace
- Topographical linear
- A — Geochemical anomoly referred to in text

WDS R. Feb 2/88

Figure 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE 1:5000

To accompany report dated Jan./88

136° 45'



LEGEND

- Soil sample location with Zn value in ppm
- Rock sample location with Zn value in ppm
- Bulldozer trench completed to bedrock
- Bulldozer trench not completed to bedrock
- 1922 adit
- Bulldozer trail
- Campsite
- Claim post

- ≥ 100 — 200 ppm Zn
- ≥ 200 — 400 ppm Zn
- ≥ 400 ppm Zn

- Vein trace
- Base line
- Fault trace
- Topographical linear
- A — Geochemical anomoly referred to in text

QUEST PROPERTY

Figure 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC GEOCHEMISTRY

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE 1:5000

To accompany report dated Jan/87



- Quartzite and phyllitic quartzite
- Schist
- Vein fault trace
- Siderite ± sulphides or oxides after sulphides
- Sheared, highly fractured and locally brecciated vein fault with minor limonite on fractures
- Overburden
- Soil sample location with sample number and Ag value in ppm shown in brackets
- D — Geochemical anomoly referrered to in text
- 26.36/1.60 — Oz/ton Ag / width in meters

TR-87-1
TR-87-2
TR-87-3
TR-87-3a
TR-87-5
TR-87-6a
TR-87-6b
TR-87-6c
TR-87-6d
TR-87-6e
2.10/5.00
5.47/2.45
6.34/6.40 includes 67.20/0.40
36.40/1.30 includes 7.44/0.30
111.0/0.30 adjacent samples not analyzed
26.36/1.60 includes 332.0/0.10
D
E
4800
4700
4900
5000
5100

Figure 12

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENCH DATA
AMINO & WENG ZONES

QUEST PROPERTY

SILVERQUEST RESOURCES LTD.

SCALE - 1:1000

To accompany report dated Jan/88