

ARCHER, CATHRO

& ASSOCIATES (1961) LIMITED

CONSULTING GEOLOGICAL ENGINEERS

88-044

1016-510 WEST HASTINGS STREET
VANCOUVER, B.C. V6B 1L8

(604) 688-2568

Report On
**SOIL GEOCHEMICAL, GEOPHYSICAL, BULLDOZER TRENCHING
AND DIAMOND DRILLING PROGRAM**
conducted for
ADRIAN RESOURCES LTD., NDU RESOURCES LTD.
AND SILVERQUEST RESOURCES LTD.,
at
Piglet, Quiver, Sow, Boar and Ham Claims
NTS 95D/12
Latitude 60°31'; Longitude 127°52'

December, 1988

J.T. Dennett, Dipl.T., B.Sc.

W.D. Eaton, B.A., B.Sc.

Work done between June 3 and September 20, 1988

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	2
HISTORY	4
PHYSIOGRAPHY AND GEOMORPHOLOGY	6
GEOLOGY	7
Regional Setting	7
Property Geology	8
MINERALIZATION	10
SOIL GEOCHEMISTRY	13
GEOPHYSICS	15
BULLDOZER TRENCHING	17
General	17
Results	18
DIAMOND DRILLING	21
General	21
CONCLUSIONS AND RECOMMENDATIONS	24
PROPOSED 1989 BUDGET	26

TABLE 1: Significant Trench Assays Following Page 18

APPENDICES

- I Authors' Statements of Qualifications
- II List of Personnel
- III Assay Certificates
- IV Drill Logs

<u>NO.</u>	<u>FIGURES</u>	<u>LOCATION</u>
1	Location Map	Following Page 2
2	Claim and Trench Location Map	In Pocket
3	Regional Geology	In Pocket
4	Geology Summary Map	Following Page 8
5	Geology Detail Map (1:5,000)	In Pocket
6	Gold Geochemistry (1:5,000)	In Pocket
7	Arsenic Geochemistry (1:5,000)	In Pocket
8	Bismuth Geochemistry (1:5,000)	In Pocket
9	Lead Geochemistry (1:5,000)	In Pocket
10	Total Field Magnetics (1:5,000)	In Pocket
11	Conductivity (1:5,000)	In Pocket
12	Resistivity (1:5,000)	In Pocket
13	Chargeability (1:5,000)	In Pocket
14	Trench Assays & Geology - North (1:1,000)	In Pocket
15	Trench Assays & Geology - Central (1:1,000)	In Pocket
16	Trench Assays & Geology - South (1:1,000)	In Pocket
17	Vertical Section A-A' DDH 88-1	In Pocket
18	Vertical Section B-B' DDH 88-2 & 88-3	In Pocket
19	Vertical Section C-C' DDH 88-4	In Pocket

<u>NO.</u>	<u>PHOTOGRAPHS</u>	<u>LOCATION</u>
1	Aerial view of property looking south	Following Page 6
2	Specimen of limonite breccia with gold assay	Following Page 11
3	Specimen of oxidized vein with gold assay	Following Page 11
4	Trench P-25 facing west	Following Page 17
5	Chip sampling of Trench P-11	Following Page 17
6	Drill core from Hole 88-2	Following Page 22

INTRODUCTION

Hyland Gold Joint Venture (Silverquest Resources Ltd., Novamin Resources Inc. and NDU Resources Ltd.) was formed in spring 1987 to explore Silverquest's Piglet claims in southeastern Yukon (see Figure 1 on the following page). The claims cover a 3,000 by 2,300 m area of weakly to strongly anomalous gold, arsenic and bismuth soil geochemical response from which chip samples taken in 1986 returned up to 4.0 g/t Au over 10 m.

During 1987, exploration included staking five additional claims, minor soil geochemistry on the margins of the existing grid, road construction, bulldozer trenching and resurveying of baselines and crosslines cut in the early 1970's to convert the old imperial grid to metric. The work confirmed the soil geochemical anomalies are associated with a large, well mineralized hydrothermal system developed in strongly faulted sedimentary rocks. Four types of gold occurrences were recognized: limonitic breccias, graphitic shears, massive siderite +/- sulphide lenses, and sulfosalt veins. The best assay was 3.98 g/t Au over 5 m from a trench cut in a limonitic breccia zone.

In spring 1988, Novamin Resources Inc. withdrew from the joint venture and was replaced by Adrian Resources Ltd. The 1988 field program was conducted between June 4 and September 20 with Prime Explorations Ltd. acting as operator and Archer, Cathro & Associates (1981) Limited as field manager. Work was supervised by R. Cathro and the authors and consisted of: additional claim staking; continued grid soil geochemistry; magnetic, electromagnetic (EM) and induced polarization (IP) surveys; bulldozer trenching; road construction; and, 375.8 m of diamond drilling in four holes. Appendix I contains the Authors' Statements of Qualifications, while Appendix II is a list of personnel who worked on the project.

PROPERTY, LOCATION AND ACCESS

The Hyland Gold property consists of 88 contiguous, full and fractional mineral claims (see Figure 2 in the pocket) registered with the Watson Lake Mining Recorder as follows:

<u>Claim Name</u>	<u>Grant Numbers</u>	<u>Expiry Date*</u>
Piglet 1-32	YA70902-YA70933	12 March, 1999
Quiver 1-2	YA68429-YA68430	11 March, 1996
Quiver 11-12	YA68439-YA68440	11 March, 1996
Quiver 21-24	YA68449-YA68452	11 March, 1996
Quiver 25	YA68709	11 March, 1996
Quiver 30	YA68714	11 March, 1996
Quiver 32	YA68716	11 March, 1996
Quiver 34	YA68718	11 March, 1996
Sow 1-5	YB00422-YB00426	11 March, 1997
Boar 1-11	YB14252-YB14262	11 March, 1994
Boar 12-16	YB14383-YB14387	11 March, 1994
Boar 17-28	YB15352-YB15363	11 March, 1994
Ham 1-4F	YB14388-YB14391	11 March, 1994
Ham 5-9F	YB14247-YB14251	11 March, 1994
Ham 10-11F	YB14392-YB14393	11 March, 1994

*includes 1988 assessment which has been filed but not yet formally accepted.

The claims are located on NTS map sheet 95D/12 at latitude 60°31' and longitude 127°52' along the southeast side of Quartz (Hulse) Lake, some 70 km northeast of Watson Lake. A 75 km long system of bulldozer trails and winter roads extend from the property to the Alaska Highway.

Access in 1988 was by float-equipped, Beaver, Otter and Cessna 185 aircraft operated by Watson Lake Flying Services from a base at Watson Lake. The HGJV campsite is located on a sandy creek delta on the south shore of the lake in the northwest part of the claim block. Weekly food and supply trips were made to Watson Lake with each trip consisting of two flights. On the first flight, fuel was flown in and empty drums, samples and one crew member were sent to town, later that day the crew member returned to camp with supplies and more fuel and additional empty drums were sent out on the backhaul.


Figure 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LOCATION MAP

HYLAND GOLD PROPERTY

HYLAND GOLD JOINT VENTURE



In June, a Chevrolet S10 four-wheel drive truck was slung to the property by a Vancouver Island Helicopters Ltd. Bell 205 temporarily operating from Watson Lake. The truck was able to reach most parts of the property using an extensive system of roads built in 1987 and extended in 1988.

HISTORY

The Quartz Lake area of southeastern Yukon has been prospected for placer gold and base metal deposits since the late 1800's when the McMillan zinc-lead-silver showing was discovered. This occurrence, 5 km west of the Hyland Gold property, has received more or less continuous exploration, including extensive drilling, since the late 1940's and is presently held by Liard River Mining Company Ltd. (Noranda Mines Ltd., Asarco Exploration Co. of Canada Ltd. and New Jersey Zinc Exploration Co. [Canada] Ltd.).

The area now covered by the Hyland Gold property was first staked as the SN claims in August, 1954 by Liard River Mining as part of a large claim block around the McMillan deposit. Work included mapping, hand trenching, soil sampling and an EM survey in 1954 and four drill holes on the western edge of the property in 1955.

The property was restaked as the Porker 1-56 claims in July, 1973 by Hyland Joint Venture (Marietta Resources International Limited, Mitsubishi Metal Corporation and Messrs. Landon T. Clay and Harris Clay) which carried out detailed mapping, prospecting and grid soil sampling the same year. Hyland JV conducted a gravity survey over the north part of the claims in 1974 and drilled four holes totalling 303 m in the northeast part of the present property in 1975.

Kidd Creek Mines Limited staked the Cuz and Quiver claims on the northeastern, eastern and southern fringes of the Porker property in winter 1981. Geological and geochemical surveys were done in 1982, while rock sampling and hand trenching were performed in 1985.

Most of the Porker claim group expired in spring 1984 and the area was immediately restaked as the Piglet 1-32 claims by Archer, Cathro & Associates (1981) Limited which conducted a wide-spaced grid soil sampling program on the property later that year. Archer, Cathro acquired twelve Quiver claims on the north side of the Piglet block in spring 1986 before selling the entire property to Silverquest Resources Ltd. which performed prospecting, close-spaced grid soil sampling and hand trenching the following summer.

PHYSIOGRAPHY AND GEOMORPHOLOGY

The property covers moderately rugged terrane with elevations ranging from 920 m on the shore of Quartz Lake to 1320 m on ridge crests. It lies below treeline, which locally occurs at about 1465 m, and exhibits mossy black spruce and deep moss on wet northerly-facing slopes, thick tangles of alder and willow on wet slopes with a southerly aspect, and relatively open mixed pine and white spruce stands on dry hilltops and southwest-facing slopes. Outcrop is restricted to small cliffs on the upper slopes and scattered exposures in creek cuts. Photograph 1 on the following page is an aerial view of the property taken from a helicopter in 1987.

The area has been subjected to heavy Pleistocene glaciation with local ice direction apparently from the north or northwest as determined from scour marks and distribution of glacial deposits. Most north-facing slopes are bare while south and west-facing hillsides are mantled with variable thicknesses of glacial till. A prominent terrace of glaciofluvial material arcs across the northern half of the property at about 1070 m elevation. This is part of a relatively continuous deposit of similar material that rims both sides of Quartz Lake and adjoining valleys.



Photograph 1: Aerial view of property looking south.

GEOLOGY

Regional Setting

Figure 3 in the pocket illustrates the general geology of the Quartz Lake area which is predominantly underlain by sedimentary rocks that are part of the Selwyn Basin, a Late Precambrian to Early Mesozoic continental margin sequence. Locally the rocks consist of quartzite and phyllite with interbedded grit, quartz-feldspar pebble conglomerate and limestone, all of which belong to the Hadrynian Grit Unit or the partially correlative, predominantly Lower Cambrian Phyllite Unit. Both units exhibit lower greenschist regional metamorphism.

Although the property is located near the southwestern end of a northeast-trending belt of Mid-Cretaceous to Tertiary granitic plutons, there are no large intrusive bodies exposed in the immediate vicinity. Evidence for a nearby buried intrusion is seen 2 km east of Quartz Lake where sedimentary rocks in a two square kilometre area are thermally metamorphosed to garnet-staurolite schist.

The McMillan deposit, which lies 5 km west of the Hyland Gold property, contains approximately one million drill indicated tonnes grading 10% Zn, 5% Pb and 56 g/t Ag. The deposit is open-pittable and consists of both stratabound and structurally controlled massive sulphide mineralization hosted by Hadrynian to Cambrian sedimentary rocks. A case can be made for either a syngenetic origin and therefore a Hadrynian or Cambrian age of mineralization, or a later hydrothermal replacement of existing strata, perhaps related to an unroofed Tertiary intrusive body. Lead isotope and fluid inclusion data support the latter hypothesis.

Property Geology


The claims are underlain by weakly metamorphosed limestone, phyllite, metaquartzite and orthoquartzite of the Grit and Phyllite Units, as shown on Figure 4 on the following page and Figure 5 with more detail in the pocket. Bedding generally strikes north to north-northwest and dips moderately to steeply toward the west. A few broad folds are seen in the coarse units, while chevron folds occur locally in the phyllites. A number of large faults cut all units making stratigraphic relationships difficult to interpret. The major rock types are briefly described below.

Hqu consists of blocky weathering, tan, grey and pale green lithic quartzites, orthoquartzites, calcareous quartzites and minor sandstones. Occasional clay-altered interbeds are present within the quartzite sequence and petrographic examination of one of the interbeds identified it as a highly altered carbonaceous, quartz-pyrite-tourmaline replaced, dacitic tuffaceous sedimentary rock. Individual quartzite beds range from 50 cm to 50 m thick.

Hgr is dominantly comprised of dark grey to buff, poorly sorted quartz and feldspar grits. The quartz grains are typically subrounded to subangular and are bluish to milky. Feldspars are generally altered to clay. The larger grains are supported by sand size matrix.

Hph1 includes thinly laminated grey, black and green phyllites that are occasionally graphitic. These rocks commonly appear as interbeds in Hqu and Hgr, but also form relatively homogeneous sequences up to 50 m thick. They are often highly fractured and sheared.

Hph2 consists of pink, tan, maroon and green phyllitic siltstones and phyllites that may be correlative with Hph1.



HI limestone

m massive siderite or sulphide

ph phyllite

Hqu fine to medium grained quartzite

Hgr grit and coarse grained quartzite

bx breccia

~~~~~ fault

— • — topographic lineament

— - - contact

0 500 1000  
metres

**Figure 4**  
**GEOLOGY SUMMARY MAP**  
**HYLAND GOLD PROPERTY**

H1 is comprised of dark grey, fine-grained, fissile limestone with up to 5% white calcite forming thin lenses and laminations. Limestone beds range from 1 m to more than 100 m thick. Massive siderite (H1s) lenses up to 10 m thick often occur along the margins of the limestone and as distinct horizons within it. Disseminated sulphides are common in the siderite and massive sulphide bands (H1m) are occasionally present.

A 450 by 150 m breccia zone (BX) located in the southwestern part of the property was mapped as a separate unit. This rock is medium to dark brown weathering and consists of 65 to 95% wallrock fragments in a limonite matrix. Fragments are typically angular to subangular and are often only slightly rotated. Thin section examination of one specimen showed that the fragments are quartzites (Hqu); however, the breccia appears to cut across other stratigraphic units and presumably should include other types of fragments as well. The breccia is described in more detail in the Mineralization section.

The only other rock type identified on the property is a 25 cm wide, porphyritic dyke of basaltic composition that was discovered in one of the bulldozer trenches.

The majority of the faults on the property trend north or northeast and dip steeply westward. They are subparallel to bedding and often follow phyllitic horizons. Four prominent northerly-trending airphoto linears cut across the property and correspond with a series of overburden-filled depressions, cliffs and vegetation anomalies (see Photograph 1). Many of the trenches crossed these linears but only a few reached bedrock because of a thick layer (greater than 6 m) of talus and/or fluvial material that fills the depressions. Where exposed, the linears are large, steeply-dipping faults.

### MINERALIZATION


Hydrothermal alteration with accompanying sulphides or limonite are found in nearly all roadcuts and trenches that cross the main geochemical anomaly and are intermittently developed in exposures within secondary anomalies. The type and intensity of the alteration and mineralization are primarily controlled by the host lithology and proximity to large faults. In general, they are best developed in the relatively brittle quartzite beds and along the margins of chemically reactive limestone horizons. Six general types of mineralization have been identified and are summarized in the following paragraphs. Specific occurrences are described in more detail in the Bulldozer Trenching and Diamond Drilling sections of this report.

1. The most significant gold values obtained from the property to date occur within or directly adjacent to major, north-trending fault zones. These zones are up to 20 m wide, recessive weathering and consist of clay or sand gouge that is strongly limonitic or weakly graphitic. Three of these structures, which have been traced through the southern part of the main trenching area for a 1000 m strike length, appear to be part of a broad anastomosing fault system. The northerly extensions of these faults are largely untested as they follow depressions that are usually filled with a deep layer of soil, talus or fluvial material. Wallrocks are strongly clay altered and silicified quartzites and phyllites that contain weak fracture mineralization and typically assay between 0.1 and 1.0 g/t Au. The best assay from the southern portion of the vein system (6.55 g/t Au across 20 m) came from 1988 Trench P-36, while the highest assay from the northern portion of the system (12.70 g/t Au across 1.0 m) was from a graphitic shear in 1987 Trench P-11, which appears to be a bedding fault splaying off the south side of a much larger, unexposed structure.


2. A 450 by 150 m, limonitic breccia zone is developed between two of the major faults in the south-central part of the main geochemical anomaly. It is exposed in five trenches and a series of low hummocks that may be rotated blocks in a large slump. The breccia typically consists of 0.5 to 2 cm in diameter, barren white quartzite fragments surrounded by medium-brown limonite, as shown on Photograph 2 on the following page. Microscopic tourmaline is common while scorodite stains and traces of pyrite are occasionally present. Chip samples across this zone normally return values in the range of 0.2 to 1.0 g/t Au but assays up to 2.54 g/t Au over 5 m have been obtained. Multi-element analysis of gold-bearing breccia specimens show they are enriched in arsenic (5,500 to >10,000 ppm), and moderately anomalous for bismuth (35 to 800 ppm), antimony (30 to 300 ppm) and silver (8 to 35 ppm), but contain near background values for other significant metals. There is no direct correlation between the abundance of limonite and gold grade.

3. Scorodite, pyrite and arsenopyrite occur with yellow-brown limonite and, rarely, jamesonite and malachite in narrow veins with or without quartz gangue. Photograph 3 on the following page shows a typical strongly oxidized specimen. These veins are widespread and parallel the major faults but appear to lack lateral continuity. Specimens of scorodite-stained quartz return erratic gold assays ranging from near background to 18.17 g/t while massive jamesonite samples assayed up to 3.91 g/t Au and 4.65 g/t Ag. The best chip assay (6.99 g/t Au over 1.0 m) came from 1988 Trench P-23.

4. Disseminated and fracture filling pyrite and arsenopyrite are common in quartzite horizons away from the breccia zone and major faults but have not returned any significant gold assays. Quartzites containing this type of



Photograph 2: Specimen of limonite breccia with gold assay.



Photograph 3: Specimen of oxidized vein with gold assay.

mineralization often exhibit a bleached, sugary appearance when the sulphides have been leached away to leave pits and characteristically contain greenish-yellow to light brown limonite. Multi-element analyses shows these rocks are only weakly anomalous for gold but often contain more arsenic than the well mineralized limonitic breccias.

5. Siderite lenses containing heavily disseminated to massive pyrite, with lesser arsenopyrite and pyrrhotite are often developed along limestone contacts. The sulphide concentrations and siderite both contain high gold backgrounds (typically between 0.10 and 1.0 g/t) and appear to be replacement mineralization that is in part localized by large faults. Although these rocks occur in a similar geological environment to the nearby McMillan deposit, they contain no significant lead, zinc, copper or silver values.

6. A few galena veinlets were discovered in 1988 in the western portion of the property near the 1955 drill holes. The veinlets occur in small isolated quartzite outcrops and little is known about the surrounding geology.

#### SOIL GEOCHEMISTRY

In 1984, wide-spaced grid soil sampling was conducted over the core of the property and in 1986 the grid was expanded to the south and east and sample density was increased in anomalous areas. Details of these work programs are described in a 1986 report by R.C. Carne and W.H. Halloran for Silverquest Resources Ltd. In 1987, a small amount of additional sampling was done along the southern edge of the grid.

Pre-1988 work outlined three principal targets, the most significant of which is a north-trending 400 m wide, 2500 m long belt of largely coincident, strongly anomalous gold, arsenic and bismuth response. The anomalous belt lies on a relatively well drained, mostly west-facing slope in the central part of the property. It is truncated to the west and north by thick deposits of glaciofluvial till and to the south by a suspected fault. The eastern edge is highly irregular and no geological or geomorphological control has been identified. Toward its southern end, the main belt appears to swing sharply to the east and this east-trending limb merges with a second, less distinct, north-trending belt developed in the eastern third of the property.

Although the second anomaly is almost as large as the first, it is much more erratic and less intense. The lack of continuity may be due in part to the presence of thicker vegetation and more frost in the soil which makes good quality samples difficult to obtain. The east-trending limb and second north-trending belt both exhibit anomalous gold and arsenic values but lack the strong bismuth response that typifies the main belt.

A third, smaller anomaly (400 by 200 m) is located near the north end of the grid, approximately halfway between the two north-trending belts.

In 1988, additional sampling was done along the south and west sides of the grid. Samples were taken at 30 m intervals on compass and topofil controlled lines spaced 60 m apart. A total of 819 samples were collected and sent to Chemex Labs Ltd. in North Vancouver, B.C. where they were dried, screened to -35 mesh, pulverized to -140 mesh and geochemically analyzed for gold using fire assay preparation and neutron activation finish, plus 32 other elements by ICP atomic emission spectroscopy. The preparation and analytical techniques used in 1988 were consistent with those used in earlier programs.

Gold, arsenic, bismuth and lead results obtained from the 1988 sampling and earlier programs are illustrated on Figure 6, 7, 8 and 9 in the pocket. Values for the other metals are shown on the assay certificates in Appendix III. Aside from a few weak, single point anomalies, gold, arsenic and bismuth returned near background values. Lead response, on the other hand, is much stronger in the western part of the grid than elsewhere on the property and forms several clusters of moderate to strongly anomalous values, one of which was in the vicinity of the galena veinlets. Most samples containing high lead values are also weakly to moderately anomalous in silver and zinc. There is no obvious geological structure that marks the transition from the gold trend to the lead trend and no significant variation in bedrock lithology has been recognized that would account for the differing metal signatures.

GEOPHYSICS

Magnetic, EM and IP surveys were conducted by a three-man crew from Delta Geoscience Ltd. between June 22 and July 11 under supervision of geophysicist Grant Hendrickson. The work was performed with a B.R.G.M. IP-2 Receiver, Hunter LOPO 200 watt time domain I.P. Transmitter, Scintrex I.G.S. II system configured as a VLF/MAG/Gradiometer and Scintrex MP-3 Base Station Magnetometer. The IP survey was done using 240 m separations on the transmitting cables and 40 m separations on receiving cables. The Seattle station was used for all crossline readings during the EM survey. Magnetic and EM surveys covered the entire soil grid but the IP survey was only completed over the northern three-quarters of the grid. Figures 10, 11, 12 and 13 in the pocket illustrate magnetics, conductivity, resistivity and chargeability, respectively.

Magnetic contrast is generally low. The major features are a string of lows that approximately coincide with the massive siderite lenses in the northern half of the main geochemical anomaly and a 700 m long, north-trending high on the eastern edge of the grid. There is no obvious explanation for the magnetic high and it does not directly correlate to any of the geochemical anomalies.

The EM survey outlined several north-trending, bifracting or en echelon conductors, the strongest of which approximately coincides with the trace of one of the major fault systems in the northern half of the main geochemical anomaly. Most of the secondary conductors are not directly related to any known geological features and none of the faults in the southern half of the grid appear to be conductive.

Resistivity and chargeability both yielded quite different patterns from the eastern and western halves of the grid. The eastern half, which includes the massive siderite lenses in the northern part of the main trenching area, is characterized by numerous subparallel, north-trending anomalies. Most of the anomalies are unexplained and do not directly correlate to specific geochemical anomalies. However, the massive siderite shows up as an intense chargeability high, probably because of the disseminated to massive sulphides. The western half of the grid exhibits much less contrast, particularly over the glacial terrace. The most noteworthy feature in this area is a chargeability low that roughly coincides with the zone of silicification developed around the limonite breccia and mineralized faults in the southern part of the grid.

### BULLDOZER TRENCHING

#### General

Bulldozer trenching was done by E. Caron Diamond Drilling Ltd. of Whitehorse with a ripper-equipped Caterpillar D7E bulldozer that had been stored on the property over the winter. At the conclusion of the 1988 program, the bulldozer was winterized and again left on the property in preparation for a 1989 program or, if not required, demobilization in late winter or spring.

A total of 621 hours of bulldozer time were used between June 6 and September 15. During this period, 2.7 km of four-wheel drive roads were upgraded, 7.3 km of new road and bulldozer trails were constructed, 2760 linear metres of bedrock was exposed in 16 trenches, and 1515 linear metres of overburden was stripped from trenches that did not reach bedrock.

All trenches that reached bedrock were sampled using chisels and hammers to cut narrow, continuous channels along the floors or lower ribs (see Photographs 4 and 5 on the following page). Samples were taken over 5 to 10 m intervals from all potentially mineralized exposures, except in particularly interesting areas where the intervals were shortened as required. Four hundred and thirty, 5 to 10 kg samples were collected and sent to Chemex Labs where they were dried, crushed, ring pulverized, screened to -140 mesh and homogenized before a one assay ton split was taken and fire assayed for gold using a gravimetric finish. In addition to the rocks, 170 soil samples were collected along the bottom of trenches that did not reach bedrock in order to compare the geochemical response deep in the soil profile to that at surface. They were also sent to Chemex and analyzed for gold by the same geochemical technique used for soils from elsewhere on the property. All assay certificates are reproduced in Appendix III.



Photograph 4: Trench P-25 facing west.



Photograph 5: Chip sampling of Trench P-11. Interval shown assayed 0.69 g/t Au over 1.7 m.

## Results

Trench locations are illustrated at 1:5,000 scale relative to geology, gold, arsenic, bismuth and lead soil geochemical anomalies and magnetics, conductivity, resistivity and chargeability results on Figures 5 through 13, respectively, and at 1:1,000 scale with detailed geology on Figures 14 to 16. The most significant 1987 and 1988 trench assays are listed on Table 1 on the following page and are generalized on the 1:5000 scale maps. Detailed assay results are shown on Figures 14 to 16. All of the above mentioned figures are in the pockets.

Trenching results generally agreed with geological mapping, soil geochemical response and 1987 trench results but did not explain some geophysical anomalies that were tested. As was the case in 1987, all potentially ore grade assays came from either fault zones or limonite breccia. Most of the work was done in four main areas, as described in the following paragraphs.

1. The most important target and the one that received the most work is the area at the south end of the main soil geochemical anomaly that contains the limonite breccia and mineralized fault zones. A total of nine trenches have been cut in the area and have outlined a mineralized fault-breccia complex that is more than 1000 m long and averages about 200 m across. The best trench assay obtained in 1988 (6.55 g/t Au over 20 m) came from Trench P-36 which lies near the centre of the complex. The mineralized interval coincides with one of the north-trending faults and consist of moderately graphitic gouge. A 12 m wide band of deep overburden, where bedrock could not be sampled, bounds the west side of the zone and a similar 10 m wide band lies on the east side.

TABLE 1: SIGNIFICANT TRENCH ASSAYS

| <u>Trench</u> | <u>Interval (m)</u> | <u>Width (m)</u> | <u>Assay<br/>Au (g/t)</u> |
|---------------|---------------------|------------------|---------------------------|
| P-5           | 40.0- 45.0          | 5.0              | 2.23                      |
| P-6           | 430.0-435.0         | 5.0              | 2.19                      |
|               | 475.0-480.0         | 5.0              | 2.54                      |
| P-9           | 26.0- 31.0          | 5.0              | 2.85                      |
| P-11          | 126.5-142.0         | 15.5             | 2.30                      |
| includes      | 133.8-139.9         | 6.1              | 4.11                      |
| and           | 133.8-134.8         | 1.0              | 12.70                     |
| P-12          | 79.5- 88.2          | 8.7              | 1.89                      |
| includes      | 79.5- 84.0          | 4.5              | 2.78                      |
|               | 228.1-231.3         | 3.2              | 1.71                      |
| P-13          | 150.0-160.0         | 10.0             | 3.05                      |
| includes      | 155.0-160.0         | 5.0              | 3.98                      |
| P-13X         | 248.0-252.0         | 4.0              | 3.98                      |
| includes      | 248.0-250.0         | 2.0              | 7.13                      |
|               | 253.0-264.0         | 11.0             | 2.06                      |
| includes      | 260.5-264.0         | 3.5              | 3.67                      |
| P-23          | 35.0- 75.0          | 40.0             | 2.06                      |
| includes      | 35.0- 40.0          | 5.0              | 3.43                      |
| and           | 45.0- 50.0          | 5.0              | 3.50                      |
|               | 80.0- 85.0          | 5.0              | 2.26                      |
|               | 125.0-130.0         | 5.0              | 2.40                      |
|               | 132.7-145.0         | 12.3             | 2.40                      |
|               | 155.0-165.0         | 10.0             | 1.99                      |
| P-25          | 95.0-112.7          | 17.7             | 2.75                      |
| includes      | 109.0-112.7         | 3.7              | 3.77                      |
|               | 118.0-123.0         | 5.0              | 2.06                      |
| includes      | 107.5-120.0*        | 12.5             | 1.89                      |
|               | 107.5-112.0*        | 4.5              | 3.09                      |
| P-29          | 111.0-121.0         | 10.0             | 2.16                      |
| P-36          | 133.0-149.0         | 16.0             | 1.84                      |
|               | 195.0-225.0         | 30.0             | 4.87                      |
| includes      | 205.0-225.0         | 20.0             | 6.55                      |
| includes      | 215.0-220.0         | 5.0              | 7.71                      |
| P-37          | 284.5-287.5         | 3.0              | 3.09                      |

\* interval resampled after trench was deepened

Farther west in the same trench, seventeen chip samples taken over an 88 m width returned a weighted average of 0.81 g/t Au from an area cut by three large faults. To the east where overburden tended to be deeper, three chip samples average 1.84 g/t Au over 16 m, while ten soil samples taken peripheral to the chip samples average 2375 ppb Au over an aggregate length of 55 m. Trenches have been cut at approximately 100 m intervals for the length of the fault-breccia complex and all returned significant assays. Based on the trench results, the complex is estimated to have geological potential for 6,750,000 tonnes of oxidized material averaging 2.0 g/t Au. This calculation is uncut and undiluted and disregards stripping ratios and drill results. It was made using a 0.7 g/t Au cutoff and assumes that: the oxidized mineralization intersected in the trenches extends of a depth of 50 m below surface; the oxidized rock has a specific gravity of 2.35; a 3 m minimum mining width is possible; values obtained from soil samples taken near bedrock in Trench P-36 are representative of bedrock grade; and, areas of deep overburden where bedrock could not be exposed will grade the same as adjacent intervals. Dilution and stripping ratios do not appear to be a problem as most mineralized intervals are relatively close together and are surrounded by intervals grading between 0.3 and 0.7 g/t Au. Four 1988 drill holes which tested the complex confirmed that the zone of total oxidation averages about 50 m deep but produced relatively low assays, which may be due primarily to poor core recovery as discussed in the Diamond Drilling section.

2. The second cluster of trenches is located in the north-central part of the grid and tested a prominent topographic linear. All three trenches (P-22, 33 and 34) cut strongly sheared phyllite but did not produce any significant assays.

3. The third target, which was explored by Trenches P-24, 31 and 35, lies in the west-central part of the grid and includes some of the strongest EM and IP anomalies. The trenches exposed interbedded phyllite and quartzite with minor limestone. A few strong faults and barren quartz veins were cut but assays were low.

4. Trench P-30 is situated in the extreme northeast corner of the grid and was intended to test a broad geochemical anomaly. Unfortunately, the target is on a steep, north-facing slope and most of the trench did not reach bedrock because the bulldozer could not get proper traction on the frozen ground. Soil samples taken from the floor of the trench returned weakly anomalous values up to 70 ppb Au.

### DIAMOND DRILLING

#### General

Four holes totalling 375.8 m were drilled between August 17 and September 8 by E. Caron Diamond Drilling Ltd. of Whitehorse. A unitized Longyear 38 drill was used and all holes were completed with either HQ or NQ equipment. Moves were relatively short and were made with the bulldozer. The waterline was up to 1250 m long because drilling was conducted in late summer after most of the smaller creeks had dried up.

Core recovery was a severe problem, particularly in strongly oxidized breccia and gouge zones that contain extremely hard, quartzite fragments in a soft limonite or clay matrix. Recovery in the top 40 to 70 m of the holes was often as low as 1 or 2% and averaged about 20%. Most of the core that was recovered consisted of barren quartzite "marbles" without any of the mineralized matrix. Heavy mud mixtures were used in all holes in an attempt to improve core recovery and build up the walls of the holes. Unfortunately, the clays and limonite that made up the mineralized matrix were suspended in the mud and would not settle out in sludge samples.

The core was logged and mineralized intervals were split and sent to Chemex where they were prepared and assayed using the same techniques as the trench samples. Several of the most promising intervals were not sampled because recovery was less than five percent. The remaining core is stored on the property.

All holes were located within the fault-breccia complex and tested beneath some of the better trench intersections, as shown in plan view on Figures 5 through 13 at 1:5000 scale and 14 and 15 at 1:1000 scale. Assay certificates appear in Appendix III, while simplified drill logs are in Appendix IV.

Geology in the drill holes often appears to be quite different from that in the overlying trenches and assays were generally much lower. However, as mentioned previously, recovery was unusually poor and this may, to a large degree, explain the confusing and disappointing results. Individual holes are briefly summarized below.

Hole 88-1 tested downdip from a fault zone in Trench P-25 which assayed 2.25 g/t Au over 22.7 m, as shown on Figure 17 in the pocket. The hole cut a mixture of quartzites and phyllites that are well fractured and in places strongly sheared and brecciated. Recovery ranged from 0 to 100% but was generally less than 10% in sheared or brecciated intervals. The rocks are well oxidized to 45 m. The best assay was 2.19 g/t Au over 3.0 m from a highly pyritic horizon near the bottom of the hole.

Holes 88-2 and 88-3 were drilled in opposite directions from the same collar and explored beneath well mineralized intervals in Trench P-23, as shown on Figure 18 in the pocket. The upper half of Hole 88-2 cut a series of broad faults while the bottom half intersected fairly massive phyllite, siderite and limestone. The top half is totally oxidized but recovery averaged only about 10%. Most of the material recovered consists of rounded, barren quartzite fragments as shown on Photograph 6 on the following page. Comparison of the trench and drill results suggests that the faults are subparallel to bedding and exhibit 60 to 70° westerly dips. The only sample taken from the upper half of the hole was from a 3 m wide massive phyllite band which returned 0.96 g/t Au. Assays from the lower half of the hole were low. The mineralized faults in the trench above Hole 88-2 averaged 1.93 g/t Au over 45 m.



Photograph 6: Drill core from Hole 88-2; note poor recovery in top 47.6 m (156').

Hole 88-3 appears to have been drilled downdip. Recovery was generally better than that obtained in Hole 88-2 but in two, 12 m intervals no core was recovered. The rocks are a mixture of phyllites and quartzites and base of oxidation is at 64 m. None of the assays from this hole exceeded 0.70 g/t Au even though the trench directly above it averaged 1.50 g/t Au over 52.3 m.

Hole 88-4 was drilled beneath Trench P-25 at the north end of the fault-breccia complex. It showed the best correlation to trench geology and cut a mixture of brecciated and fractured phyllites and quartzites that are strongly oxidized to a depth of 45 m, as shown on Figure 19 in the pocket. The best assay (1.17 g/t Au over 3 m) came from a quartz- and pyrite-rich band located 65 m downdip from a 5 m interval in the trench that assayed 2.23 g/t Au. The apparent dip of this zone is about 80° toward the west.

CONCLUSIONS AND RECOMMENDATIONS

The 1988 program at the Hyland Gold property produced inconclusive results.

Soil geochemistry showed that the main gold targets are confined to the central and eastern parts of the property, while lead, zinc and silver are more abundant toward the west. Magnetic, EM and IP surveys produced numerous unexplained anomalies but demonstrated that the main area of interest lacks a strong characteristic response.


Bulldozer trenches within the 1000 m long, 200 m wide fault-breccia complex in the south-central part of the property returned extremely favourable results and indicate geological potential for a large tonnage of low to moderate grade, well oxidized material that could be mined by open pit methods and may be amenable to cyanidization. Four shallow holes drilled within the fault-breccia complex yielded low assays, possibly because of poor core recoveries resulting from the mixture of hard, unmineralized fragments in a soft, mineralized matrix. The presence of abundant clay and some graphite in the mineralized intervals could cause problems with milling or heap leaching but this can only be determined by metallurgical tests. Arsenic occurs with the gold and could consume significant amounts of cyanide but, fortunately, the rocks contain negligible copper and zinc which are more serious cyanide consumers.

Trenching elsewhere on the property in 1988 returned ambiguous or negative results but large areas with anomalous geochemical or geophysical response remain untested. No trenching was done along the northern projections of the fault-breccia complex where the mineralization extends into areas of deeper overburden.

The 1989 program should consist of continued bulldozer trenching to better define the limits of the fault-breccia complex and test geochemical and geophysical anomalies away from the main mineralized trend, plus approximately 1500 m of diamond drilling on a series of sections across the main trend. The drilling should be done with split tube, HQ equipment and a specialized mud program to optimize recovery. It should concentrate on defining the orientation and controls of mineralization, depth of surface weathering, and possible reserves. Upon completion of the program, metallurgical testing should be done to establish amenability of the ores to cyanidization and/or flotation. The work is budgeted at \$655,500, as calculated on the following page.

Respectfully submitted

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



J.T. Dennett, Dipl.T., B.Sc.



W.D. Eaton, B.A., B.Sc.

PROPOSED 1989 BUDGET  
HYLAND GOLD JOINT VENTURE

Drilling

1500 m of diamond drilling using split tube, HQ equipment at about \$133/m, all inclusive ..... \$200,000

Bulldozer

200 hrs of drill support and 400 hrs of trenching with a ripper-equipped D7E at \$140/hr, operator and fuel included ..... 75,000

Labour and Consulting Fees ..... 148,000

Field Expenses - 700 mandays @ \$65/day ..... 45,500

Fixed Wing and Helicopter ..... 40,000

Assaying and Metallurgical Testing ..... 25,000

Travel and Transportation ..... 20,000

Drafting, Printing and Telephone ..... 13,000

Assessment ..... 3,500

Operator's Fee - 15% payable to Prime Exploration Ltd. ..... 85,500

\$655,500

**APPENDIX I**  
**AUTHORS' STATEMENTS OF QUALIFICATIONS**

STATEMENT OF QUALIFICATIONS

I, W. Douglas Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia, and residential address in Burnaby, British Columbia, do hereby declare:

1. I graduated from the University of British Columbia in 1980 with a B.Sc.
2. From 1971 to present, I have been actively engaged in mineral exploration in British Columbia and Yukon Territory and on June 1, 1981, I became a partner in Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the field work reported herein and have interpreted all data resulting from this work.




---

W. Douglas Eaton, B.A., B.Sc.

STATEMENT OF QUALIFICATIONS

I, Jack T. Dennett, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia, and residential address in North Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 1984 with a B.Sc. majoring in Geological Sciences.
2. I am a member of the Geological Association of Canada.
3. From 1984 to present, I have been actively engaged as a geologist in mineral exploration in Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the field work reported herein and have interpreted all data resulting from this work.



Jack T. Dennett, Dipl.T., B.Sc.

**APPENDIX II**  
**LIST OF PERSONNEL**

LIST OF PERSONNEL

| <u>NAME</u>  | <u>POSITION</u> | <u>DATES AT PROPERTY</u>        |
|--------------|-----------------|---------------------------------|
| J. Dennett   | Geologist       | June 3 - September 20           |
| R. Cathro    | Geologist       | June 9, June 23 - 24, August 11 |
| D. Eaton     | Geologist       | September 4                     |
| D. McKay     | Fieldman        | June 3 - September 20           |
| L. Carne     | Cook            | June 3 - September 16           |
| S. Thorburn  | Fieldman        | June 6 - August 31              |
| J. Mannarino | Fieldman        | June 27 - July 15               |

**APPENDIX III**  
**ASSAY CERTIFICATES**



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

## CERTIFICATE A8820923

ARCHER CATHRO & ASSOC. (1981) LTD.

PROJECT : HGJV  
 P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 15-AUG-88.

o: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9

A8820923

## ANALYTICAL PROCEDURES

| CHEMEX CODE | NUMBER SAMPLES | DESCRIPTION                  | METHOD         | DETECTION LIMIT | UPPER LIMIT |
|-------------|----------------|------------------------------|----------------|-----------------|-------------|
| 471         | 16             | Au oz/T: RUSH, 1/2 assay ton | FA-GRAVIMETRIC | 0.003           | 20.000      |

## SAMPLE PREPARATION

| CHEMEX CODE | NUMBER SAMPLES | DESCRIPTION                      |
|-------------|----------------|----------------------------------|
| 236         | 16             | RUSH Assay:Crush,split,pulv -ISO |

### \* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

## CERTIFICATE A8820335

ARCHER CATHRO & ASSOC. (1981) LTD.

PROJECT : HGJV

P.O. # : NONE

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 11-AUG-88.

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

A8820335

Comments :

## ANALYTICAL PROCEDURES

| CHEMEX CODE | NUMBER SAMPLES | DESCRIPTION            | METHOD         | DETECTION LIMIT | UPPER LIMIT |
|-------------|----------------|------------------------|----------------|-----------------|-------------|
| 396         | 28             | Au oz/T: 1/2 assay ton | FA-GRAVIMETRIC | 0.003           | 20.000      |

## SAMPLE PREPARATION

| CHEMEX CODE | NUMBER SAMPLES | DESCRIPTION                  |
|-------------|----------------|------------------------------|
| 207         | 28             | Assay: Crush,split,pulv -ISO |



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-1C1  
PHONE (604) 984-0221

## CERTIFICATE A8819499

ARCHER CATHRO & ASSOC. (1981) LTD.

PROJECT : HGJV

P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 2-AUG-88.

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Comments :

A8819499

## ANALYTICAL PROCEDURES

| CHEMEX CODE | NUMBER SAMPLES | DESCRIPTION              | METHOD | DETECTION LIMIT | UPPER LIMIT |
|-------------|----------------|--------------------------|--------|-----------------|-------------|
| 101         | 14             | Au ppb: Fuse 10 g sample | FA-NAA | 1               | 10000       |

## SAMPLE PREPARATION

| CHEMEX CODE | NUMBER SAMPLES | DESCRIPTION                  |
|-------------|----------------|------------------------------|
| 203         | 14             | Dry, sieve -35 mesh and ring |

### \* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

CERTIFICATE A8822846

ARCHER CATHRO & ASSOC. (1981) LTD.

PROJECT : HQJV

P.O. # : NONE

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 13-SEP-88.

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

A8822846

Comments :

## ANALYTICAL PROCEDURES

| CHEMEX CODE | NUMBER SAMPLES | DESCRIPTION              | METHOD | DETECTION LIMIT | UPPER LIMIT |
|-------------|----------------|--------------------------|--------|-----------------|-------------|
| 100         | 90             | Au ppb: Fuse 10 g sample | FA-AAS | 5               | 10000       |

## SAMPLE PREPARATION

| CHEMEX CODE | NUMBER SAMPLES | DESCRIPTION                      |
|-------------|----------------|----------------------------------|
| 203         | 90             | Dry, sieve -35 mesh and ring     |
| 217         | 90             | Geochem:Ring only,no crush/split |



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 1-A  
 Tot. : 46  
 Date : 22-NOV-88  
 Invoice # : I-8827256  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827256**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K %  | La ppm | Mg % | Mn ppm |
|--------------------|-----------|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
| R 11280            | 203 238   | 55     | 1.20 | 0.2    | 705    | 90     | < 0.5  | 14     | 0.03 | < 0.5  | 21     | 48     | 61     | 7.67 | < 10   | < 1    | 0.17 | 50     | 0.12 | 1320   |
| R 11281            | 203 238   | 45     | 1.27 | 0.2    | 475    | 100    | < 0.5  | 10     | 0.08 | < 0.5  | 9      | 82     | 28     | 4.53 | < 10   | < 1    | 0.17 | 50     | 0.22 | 315    |
| R 11282            | 203 238   | 90     | 1.15 | 0.2    | 505    | 90     | 0.5    | 4      | 0.05 | < 0.5  | 6      | 76     | 54     | 6.07 | < 10   | < 1    | 0.18 | 40     | 0.25 | 212    |
| R 11283            | 203 238   | 55     | 1.38 | 0.2    | 600    | 150    | 0.5    | 8      | 0.10 | < 0.5  | 24     | 74     | 39     | 5.17 | < 10   | < 1    | 0.21 | 50     | 0.25 | 1170   |
| R 11284            | 203 238   | 30     | 1.58 | 0.2    | 105    | 150    | < 0.5  | 4      | 0.19 | < 0.5  | 9      | 55     | 11     | 3.07 | < 10   | < 1    | 0.08 | 30     | 0.40 | 256    |
| R 11285            | 203 238   | 20     | 1.17 | 0.2    | 85     | 80     | 1.0    | 2      | 0.14 | 0.5    | 23     | 37     | 38     | 4.59 | < 10   | < 1    | 0.18 | 50     | 0.09 | 598    |
| R 11286            | 203 238   | 60     | 1.02 | 0.2    | 705    | 130    | 0.5    | 10     | 0.15 | < 0.5  | 18     | 51     | 56     | 4.83 | < 10   | < 1    | 0.20 | 60     | 0.22 | 713    |
| R 11287            | 203 238   | 70     | 0.97 | 0.2    | 1025   | 180    | 1.0    | 16     | 0.10 | < 0.5  | 9      | 65     | 67     | 4.37 | < 10   | < 1    | 0.24 | 50     | 0.19 | 851    |
| R 11288            | 203 238   | 20     | 1.33 | 0.2    | 375    | 120    | < 0.5  | 8      | 0.37 | < 0.5  | 8      | 57     | 20     | 3.54 | < 10   | < 1    | 0.13 | 40     | 0.29 | 273    |
| R 11289            | 203 238   | < 5    | 1.44 | 0.2    | 70     | 90     | < 0.5  | < 2    | 0.06 | < 0.5  | 7      | 81     | 12     | 3.10 | 10     | < 1    | 0.14 | 40     | 0.39 | 194    |
| R 11290            | 203 238   | 15     | 1.42 | < 0.2  | 235    | 100    | 0.5    | 6      | 0.06 | < 0.5  | 10     | 75     | 25     | 3.72 | < 10   | < 1    | 0.15 | 40     | 0.37 | 382    |
| R 11291            | 203 238   | < 5    | 1.42 | 0.2    | 110    | 110    | < 0.5  | 4      | 0.06 | < 0.5  | 7      | 71     | 7      | 2.43 | < 10   | < 1    | 0.12 | 30     | 0.26 | 178    |
| R 11292            | 203 238   | < 5    | 1.28 | < 0.2  | 55     | 150    | 0.5    | < 2    | 0.11 | < 0.5  | 8      | 71     | 7      | 2.28 | < 10   | < 1    | 0.10 | 30     | 0.28 | 176    |
| R 11293            | 203 238   | < 5    | 1.46 | < 0.2  | 230    | 220    | 0.5    | 4      | 0.24 | < 0.5  | 10     | 79     | 13     | 3.41 | < 10   | < 1    | 0.14 | 30     | 0.34 | 489    |
| R 11294            | 203 238   | < 5    | 1.33 | < 0.2  | 70     | 120    | < 0.5  | < 2    | 0.08 | < 0.5  | 6      | 76     | 6      | 2.49 | < 10   | 4      | 0.12 | 30     | 0.21 | 189    |
| R 11295            | 203 238   | 25     | 1.57 | < 0.2  | 345    | 150    | < 0.5  | 6      | 0.05 | < 0.5  | 10     | 69     | 24     | 3.99 | < 10   | 1      | 0.18 | 40     | 0.36 | 386    |
| R 11296            | 203 238   | < 5    | 1.52 | < 0.2  | 145    | 130    | 0.5    | 2      | 0.07 | < 0.5  | 8      | 65     | 7      | 3.17 | < 10   | < 1    | 0.14 | 30     | 0.36 | 232    |
| R 11297            | 203 238   | < 5    | 1.52 | < 0.2  | 95     | 130    | < 0.5  | < 2    | 0.07 | < 0.5  | 8      | 66     | 9      | 3.40 | < 10   | < 1    | 0.13 | 30     | 0.31 | 306    |
| R 11298            | 203 238   | < 5    | 1.34 | 0.2    | 90     | 140    | < 0.5  | 2      | 0.07 | < 0.5  | 9      | 70     | 11     | 2.75 | < 10   | 1      | 0.13 | 30     | 0.33 | 324    |
| R 11299            | 203 238   | < 5    | 1.84 | < 0.2  | 60     | 200    | < 0.5  | < 2    | 0.16 | < 0.5  | 10     | 70     | 7      | 3.51 | < 10   | < 1    | 0.13 | 30     | 0.44 | 265    |
| R 11300            | 203 238   | < 5    | 1.55 | < 0.2  | 250    | 90     | 0.5    | 4      | 0.02 | < 0.5  | 9      | 56     | 28     | 4.61 | < 10   | < 1    | 0.16 | 40     | 0.42 | 416    |
| R 11351            | 203 238   | < 5    | 1.30 | 0.2    | 55     | 190    | 0.5    | < 2    | 0.26 | < 0.5  | 12     | 50     | 31     | 2.68 | < 10   | < 1    | 0.15 | 30     | 0.33 | 673    |
| R 11352            | 203 238   | < 5    | 1.17 | 0.2    | 10     | 120    | < 0.5  | < 2    | 0.13 | < 0.5  | 7      | 60     | 6      | 1.94 | < 10   | < 1    | 0.11 | 30     | 0.28 | 193    |
| R 11353            | 203 238   | < 5    | 1.35 | 0.4    | 80     | 160    | 0.5    | < 2    | 0.17 | < 0.5  | --     | 83     | 17     | 2.74 | < 10   | < 1    | 0.21 | 40     | 0.36 | 276    |
| R 11354            | 203 238   | < 5    | 1.50 | < 0.2  | 65     | 170    | < 0.5  | < 2    | 0.30 | < 0.5  | 16     | 88     | 32     | 3.36 | < 10   | < 1    | 0.22 | 50     | 0.43 | 418    |
| R 11355            | 203 238   | < 5    | 0.96 | 0.4    | 65     | 120    | 0.5    | < 2    | 0.16 | < 0.5  | 24     | 76     | 25     | 2.67 | < 10   | < 1    | 0.24 | 40     | 0.13 | 762    |
| R 11356            | 203 238   | < 5    | 1.95 | 0.2    | 165    | 210    | 1.0    | < 2    | 0.54 | < 0.5  | 17     | 82     | 39     | 4.04 | < 10   | < 1    | 0.30 | 60     | 0.57 | 591    |
| R 11357            | 203 238   | < 5    | 2.11 | < 0.2  | 110    | 290    | 0.5    | < 2    | 0.26 | < 0.5  | 10     | 80     | 22     | 3.51 | < 10   | < 1    | 0.27 | 50     | 0.47 | 274    |
| R 11358            | 203 238   | < 5    | 1.36 | < 0.2  | 130    | 130    | 1.0    | 2      | 0.97 | < 0.5  | 16     | 64     | 27     | 3.43 | < 10   | < 1    | 0.18 | 50     | 0.40 | 632    |
| R 11359            | 203 238   | 25     | 1.48 | < 0.2  | 165    | 130    | 1.0    | < 2    | 0.58 | < 0.5  | 18     | 87     | 29     | 3.65 | < 10   | < 1    | 0.25 | 50     | 0.45 | 585    |
| R 11360            | 203 238   | < 5    | 1.37 | < 0.2  | 210    | 80     | 1.0    | 2      | 0.28 | < 0.5  | 23     | 120    | 49     | 5.09 | < 10   | < 1    | 0.18 | 50     | 0.39 | 725    |
| R 11361            | 203 238   | < 5    | 1.22 | < 0.2  | 80     | 90     | 0.5    | < 2    | 0.72 | < 0.5  | 16     | 77     | 20     | 3.03 | < 10   | 1      | 0.18 | 50     | 0.48 | 574    |
| R 11362            | 203 238   | < 5    | 1.29 | < 0.2  | 55     | 130    | 0.5    | 2      | 0.99 | < 0.5  | 11     | 59     | 28     | 2.89 | < 10   | < 1    | 0.19 | 40     | 0.47 | 451    |
| R 11363            | 203 238   | < 5    | 1.16 | < 0.2  | 50     | 100    | 0.5    | < 2    | 0.42 | < 0.5  | 12     | 55     | 31     | 2.75 | < 10   | < 1    | 0.17 | 40     | 0.44 | 481    |
| R 11364            | 203 238   | < 5    | 1.35 | < 0.2  | 45     | 130    | < 0.5  | 2      | 0.66 | < 0.5  | 11     | 59     | 27     | 2.87 | < 10   | < 1    | 0.17 | 50     | 0.52 | 421    |
| R 11365            | 203 238   | < 5    | 1.86 | < 0.2  | 65     | 100    | 1.0    | < 2    | 0.33 | < 0.5  | 19     | 64     | 39     | 3.85 | < 10   | < 1    | 0.31 | 60     | 0.63 | 559    |
| R 11366            | 203 238   | < 5    | 1.56 | < 0.2  | 45     | 140    | 0.5    | < 2    | 0.55 | < 0.5  | 11     | 85     | 28     | 3.17 | < 10   | < 1    | 0.25 | 50     | 0.56 | 455    |
| R 11367            | 203 238   | < 5    | 1.68 | < 0.2  | 45     | 160    | 0.5    | 2      | 1.30 | < 0.5  | 11     | 51     | 30     | 2.79 | < 10   | < 1    | 0.25 | 40     | 0.58 | 529    |
| R 11368            | 203 238   | < 5    | 1.41 | < 0.2  | 30     | 170    | < 0.5  | 4      | 0.85 | < 0.5  | 11     | 58     | 18     | 2.50 | < 10   | < 1    | 0.13 | 40     | 0.46 | 474    |
| R 11369            | 203 238   | < 5    | 1.35 | 0.6    | 35     | 140    | < 0.5  | < 2    | 0.48 | < 0.5  | 18     | 90     | 9      | 2.30 | < 10   | 1      | 0.17 | 30     | 0.43 | 598    |

CERTIFICATION :

*B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 1-B  
 Tot. : 286  
 Date : 22-NOV-88  
 Invoice # : I-8827256  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827256**

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm    | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|------|--------|-------|--------|--------|--------|-----------|------|--------|-------|-------|-------|--------|
| R 11280            | 203 238   | < 1    | 0.01 | 39     | 600   | 50     | 10     | 3      | 6 < 0.01  | < 10 | < 10   | 19    | < 5   | 75    |        |
| R 11281            | 203 238   | < 1    | 0.01 | 24     | 560   | 22     | 5      | 2      | 14 0.01   | < 10 | < 10   | 30    | < 5   | 57    |        |
| R 11282            | 203 238   | < 1    | 0.01 | 20     | 800   | 22     | 5      | 2      | 11 0.01   | < 10 | < 10   | 50    | < 5   | 61    |        |
| R 11283            | 203 238   | < 1    | 0.01 | 40     | 490   | 34     | 5      | 2      | 17 < 0.01 | < 10 | < 10   | 22    | < 5   | 80    |        |
| R 11284            | 203 238   | 1      | 0.01 | 20     | 350   | 14     | < 5    | 2      | 19 0.03   | < 10 | < 10   | 43    | < 5   | 69    |        |
| R 11285            | 203 238   | < 1    | 0.01 | 47     | 480   | 38     | 5      | 4      | 15 < 0.01 | < 10 | < 10   | 10    | < 5   | 124   |        |
| R 11286            | 203 238   | < 1    | 0.01 | 31     | 270   | 46     | 10     | 4      | 24 < 0.01 | < 10 | < 10   | 12    | < 5   | 69    |        |
| R 11287            | 203 238   | < 1    | 0.01 | 27     | 330   | 62     | 5      | 4      | 18 < 0.01 | < 10 | < 10   | 17    | < 5   | 74    |        |
| R 11288            | 203 238   | < 1    | 0.01 | 16     | 360   | 22     | 5      | 4      | 31 0.02   | < 10 | < 10   | 41    | < 5   | 77    |        |
| R 11289            | 203 238   | < 1    | 0.01 | 14     | 440   | 14     | < 5    | 6      | 11 0.04   | < 10 | < 10   | 45    | < 5   | 71    |        |
| R 11290            | 203 238   | < 1    | 0.01 | 23     | 430   | 26     | 5      | 2      | 10 0.02   | < 10 | < 10   | 30    | < 5   | 78    |        |
| R 11291            | 203 238   | 1      | 0.01 | 12     | 190   | 10     | < 5    | 2      | 10 0.04   | < 10 | < 10   | 47    | < 5   | 50    |        |
| R 11292            | 203 238   | 1      | 0.01 | 12     | 280   | 6      | < 5    | 2      | 14 0.03   | < 10 | < 10   | 52    | < 5   | 52    |        |
| R 11293            | 203 238   | < 1    | 0.01 | 16     | 400   | 22     | < 5    | 2      | 17 0.02   | < 10 | < 10   | 45    | < 5   | 82    |        |
| R 11294            | 203 238   | 1      | 0.01 | 9      | 270   | 14     | < 5    | 2      | 10 0.06   | < 10 | < 10   | 58    | < 5   | 67    |        |
| R 11295            | 203 238   | < 1    | 0.01 | 25     | 370   | 34     | 5      | 2      | 9 0.01    | < 10 | < 10   | 35    | < 5   | 75    |        |
| R 11296            | 203 238   | < 1    | 0.01 | 15     | 340   | 24     | < 5    | 2      | 10 0.04   | < 10 | < 10   | 55    | < 5   | 84    |        |
| R 11297            | 203 238   | 1      | 0.01 | 11     | 740   | 18     | < 5    | 3      | 9 0.03    | < 10 | < 10   | 48    | < 5   | 77    |        |
| R 11298            | 203 238   | 1      | 0.01 | 14     | 420   | 16     | 5      | 2      | 10 0.02   | < 10 | < 10   | 50    | < 5   | 67    |        |
| R 11299            | 203 238   | 1      | 0.01 | 20     | 350   | 14     | < 5    | 3      | 16 0.04   | < 10 | < 10   | 55    | < 5   | 78    |        |
| R 11300            | 203 238   | < 1    | 0.01 | 27     | 320   | 18     | 5      | 2      | 5 < 0.01  | < 10 | < 10   | 26    | < 5   | 74    |        |
| R 11351            | 203 238   | < 1    | 0.02 | 30     | 680   | 22     | < 5    | 1      | 25 0.01   | < 10 | < 10   | 27    | < 5   | 70    |        |
| R 11352            | 203 238   | < 1    | 0.01 | 13     | 210   | 12     | < 5    | 1      | 11 0.04   | < 10 | < 10   | 45    | < 5   | 56    |        |
| R 11353            | 203 238   | < 1    | 0.01 | 25     | 590   | 16     | 5      | 1      | 18 0.01   | < 10 | < 10   | 32    | < 5   | 74    |        |
| R 11354            | 203 238   | < 1    | 0.02 | 30     | 490   | 16     | 10     | 3      | 24 0.01   | < 10 | < 10   | 27    | < 5   | 79    |        |
| R 11355            | 203 238   | < 1    | 0.04 | 26     | 520   | 20     | 5      | 1      | 18 < 0.01 | < 10 | < 10   | 27    | < 5   | 64    |        |
| R 11356            | 203 238   | < 1    | 0.02 | 39     | 550   | 36     | 15     | 4      | 42 < 0.01 | < 10 | < 10   | 31    | < 5   | 107   |        |
| R 11357            | 203 238   | < 1    | 0.01 | 29     | 220   | 18     | 5      | 3      | 24 0.01   | < 10 | < 10   | 38    | < 5   | 101   |        |
| R 11358            | 203 238   | < 1    | 0.01 | 27     | 590   | 34     | 10     | 3      | 52 < 0.01 | < 10 | < 10   | 21    | < 5   | 90    |        |
| R 11359            | 203 238   | < 1    | 0.01 | 30     | 470   | 52     | 10     | 3      | 40 < 0.01 | < 10 | < 10   | 23    | < 5   | 87    |        |
| R 11360            | 203 238   | < 1    | 0.01 | 43     | 500   | 14     | 10     | 3      | 27 < 0.01 | < 10 | < 10   | 20    | < 5   | 101   |        |
| R 11361            | 203 238   | < 1    | 0.01 | 26     | 290   | 22     | 5      | 2      | 37 < 0.01 | < 10 | < 10   | 19    | < 5   | 79    |        |
| R 11362            | 203 238   | < 1    | 0.01 | 30     | 570   | 20     | 5      | 2      | 52 < 0.01 | < 10 | < 10   | 20    | < 5   | 83    |        |
| R 11363            | 203 238   | < 1    | 0.01 | 29     | 550   | 20     | < 5    | 2      | 30 < 0.01 | < 10 | < 10   | 18    | < 5   | 76    |        |
| R 11364            | 203 238   | < 1    | 0.01 | 24     | 650   | 22     | 5      | 2      | 39 < 0.01 | < 10 | < 10   | 21    | < 5   | 86    |        |
| R 11365            | 203 238   | < 1    | 0.01 | 39     | 540   | 24     | 5      | 3      | 35 < 0.01 | < 10 | < 10   | 21    | < 5   | 97    |        |
| R 11366            | 203 238   | < 1    | 0.01 | 29     | 510   | 20     | 5      | 3      | 34 < 0.01 | < 10 | < 10   | 24    | < 5   | 97    |        |
| R 11367            | 203 238   | < 1    | 0.02 | 26     | 730   | 14     | 5      | 2      | 80 0.01   | < 10 | < 10   | 25    | < 5   | 82    |        |
| R 11368            | 203 238   | < 1    | 0.01 | 23     | 480   | 10     | < 5    | 3      | 42 0.03   | < 10 | < 10   | 35    | < 5   | 68    |        |
| R 11369            | 203 238   | < 1    | 0.01 | 21     | 320   | 14     | 5      | 3      | 30 0.03   | < 10 | < 10   | 39    | < 5   | 65    |        |

CERTIFICATION :

*B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 2-A  
 Tot. : 46  
 Date : 22-NOV-88  
 Invoice # : I-8827256  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827256**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |      |
|--------------------|-----------|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|-----|--------|------|--------|------|
|                    | FAT+AA    |        |      |        |        |        |        |        |      |        |        |        |        |      |        |        |     |        |      |        |      |
| R 11370            | 203       | 238    | 5    | 1.48   | < 0.2  | 35     | 160    | < 0.5  | 4    | 0.87   | < 0.5  | 11     | 40     | 19   | 2.69   | < 10   | < 1 | 0.18   | 30   | 0.47   | 603  |
| R 11371            | 203       | 238    | < 5  | 1.61   | < 0.2  | 30     | 170    | < 0.5  | 2    | 0.25   | < 0.5  | 16     | 63     | 28   | 3.20   | < 10   | < 1 | 0.22   | 50   | 0.51   | 684  |
| R 11372            | 203       | 238    | < 5  | 1.50   | < 0.2  | 40     | 160    | < 0.5  | 2    | 0.55   | < 0.5  | 15     | 61     | 20   | 2.98   | < 10   | < 1 | 0.17   | 40   | 0.53   | 606  |
| R 11373            | 203       | 238    | 10   | 1.50   | < 0.2  | 65     | 110    | < 0.5  | 2    | 0.09   | < 0.5  | 10     | 85     | 21   | 3.06   | < 10   | < 1 | 0.28   | 50   | 0.54   | 281  |
| R 11374            | 203       | 238    | 5    | 1.50   | < 0.2  | 50     | 130    | < 0.5  | < 2  | 0.33   | 0.5    | 15     | 81     | 35   | 3.24   | < 10   | < 1 | 0.25   | 60   | 0.54   | 453  |
| R 11375            | 203       | 238    | 10   | 1.54   | < 0.2  | 45     | 100    | < 0.5  | 2    | 0.35   | < 0.5  | 15     | 95     | 33   | 3.30   | < 10   | < 1 | 0.26   | 60   | 0.56   | 459  |
| R 11376            | 203       | 238    | 5    | 1.52   | < 0.2  | 45     | 140    | < 0.5  | 2    | 0.73   | < 0.5  | 15     | 110    | 23   | 3.04   | < 10   | < 1 | 0.24   | 60   | 0.56   | 554  |
| R 11377            | 203       | 238    | 10   | 1.52   | 0.2    | 45     | 140    | < 0.5  | 2    | 0.56   | < 0.5  | 15     | 87     | 26   | 2.98   | < 10   | < 1 | 0.27   | 60   | 0.58   | 485  |
| R 11378            | 203       | 238    | 15   | 1.70   | < 0.2  | 40     | 170    | < 0.5  | 2    | 0.75   | < 0.5  | 16     | 100    | 34   | 3.27   | < 10   | < 1 | 0.26   | 50   | 0.60   | 513  |
| R 11379            | 203       | 238    | 10   | 1.27   | 0.2    | 60     | 110    | < 0.5  | 2    | 0.57   | < 0.5  | 11     | 82     | 25   | 2.77   | < 10   | < 1 | 0.18   | 60   | 0.52   | 449  |
| R 11380            | 203       | 238    | 35   | 1.27   | < 0.2  | 45     | 120    | < 0.5  | 4    | 0.31   | 0.5    | 10     | 84     | 21   | 2.96   | < 10   | < 1 | 0.16   | 60   | 0.48   | 455  |
| R 11381            | 203       | 238    | 15   | 1.60   | < 0.2  | 50     | 140    | < 0.5  | 2    | 0.68   | < 0.5  | 16     | 93     | 26   | 3.40   | < 10   | < 1 | 0.23   | 50   | 0.55   | 543  |
| R 11382            | 203       | 238    | 15   | 1.52   | < 0.2  | 80     | 140    | < 0.5  | 2    | 0.62   | < 0.5  | 10     | 125    | 25   | 3.10   | < 10   | < 1 | 0.23   | 50   | 0.54   | 657  |
| R 11383            | 203       | 238    | 5    | 1.28   | < 0.2  | 70     | 130    | < 0.5  | 2    | 0.97   | < 0.5  | 11     | 62     | 22   | 2.84   | < 10   | < 1 | 0.16   | 40   | 0.53   | 524  |
| R 11384            | 203       | 238    | 20   | 1.38   | < 0.2  | 130    | 120    | < 0.5  | 4    | 0.60   | < 0.5  | 14     | 79     | 26   | 3.10   | < 10   | < 1 | 0.16   | 50   | 0.45   | 578  |
| R 11385            | 203       | 238    | 20   | 1.58   | < 0.2  | 135    | 150    | < 0.5  | 2    | 0.55   | < 0.5  | 10     | 71     | 24   | 3.30   | < 10   | < 1 | 0.21   | 50   | 0.41   | 419  |
| R 11386            | 203       | 238    | 20   | 1.69   | 0.2    | 45     | 180    | < 0.5  | < 2  | 0.45   | 0.5    | 10     | 90     | 21   | 3.27   | < 10   | < 1 | 0.21   | 50   | 0.46   | 489  |
| R 11387            | 203       | 238    | 15   | 2.03   | 0.2    | 50     | 260    | < 0.5  | 2    | 0.23   | < 0.5  | 10     | 67     | 15   | 3.16   | < 10   | < 1 | 0.16   | 30   | 0.46   | 256  |
| R 11388            | 203       | 238    | 15   | 1.80   | 0.2    | 90     | 190    | < 0.5  | < 2  | 0.33   | < 0.5  | 19     | 75     | 30   | 3.33   | < 10   | < 1 | 0.20   | 50   | 0.41   | 435  |
| R 11389            | 203       | 238    | < 5  | 1.11   | 0.2    | 35     | 120    | < 0.5  | 2    | 0.09   | < 0.5  | 8      | 113    | 10   | 1.93   | < 10   | 1   | 0.15   | 40   | 0.23   | 124  |
| R 11390            | 203       | 238    | 10   | 1.60   | < 0.2  | 40     | 170    | < 0.5  | < 2  | 0.20   | < 0.5  | 10     | 61     | 15   | 2.99   | < 10   | < 1 | 0.21   | 50   | 0.45   | 310  |
| R 11460            | 203       | 238    | < 5  | 1.92   | < 0.2  | 45     | 130    | < 0.5  | 2    | 0.07   | < 0.5  | 8      | 79     | 7    | 3.78   | < 10   | < 1 | 0.15   | 30   | 0.43   | 326  |
| R 11461            | 203       | 238    | 15   | 1.62   | < 0.2  | 270    | 100    | < 0.5  | 8    | 0.09   | < 0.5  | 13     | 78     | 21   | 4.78   | < 10   | < 1 | 0.16   | 40   | 0.41   | 733  |
| R 11462            | 203       | 238    | 5    | 1.84   | < 0.2  | 295    | 130    | < 0.5  | 6    | 0.11   | 0.5    | 12     | 84     | 21   | 5.15   | < 10   | < 1 | 0.21   | 40   | 0.29   | 575  |
| R 11463            | 203       | 238    | < 5  | 1.71   | < 0.2  | 60     | 120    | < 0.5  | < 2  | 0.06   | < 0.5  | 9      | 66     | 14   | 3.30   | < 10   | < 1 | 0.11   | 30   | 0.43   | 318  |
| R 11464            | 203       | 238    | 35   | 1.47   | < 0.2  | 335    | 160    | < 0.5  | 6    | 0.07   | 1.0    | 12     | 71     | 28   | 4.55   | < 10   | < 1 | 0.17   | 40   | 0.33   | 638  |
| R 11465            | 203       | 238    | 25   | 1.25   | < 0.2  | 115    | 150    | < 0.5  | < 2  | 0.17   | 0.5    | 15     | 90     | 23   | 3.89   | < 10   | < 1 | 0.18   | 40   | 0.29   | 713  |
| R 11466            | 203       | 238    | < 5  | 1.64   | < 0.2  | 125    | 110    | < 0.5  | < 2  | 0.05   | 0.5    | 8      | 87     | 15   | 4.09   | < 10   | < 1 | 0.12   | 30   | 0.30   | 338  |
| R 11467            | 203       | 238    | 15   | 1.66   | < 0.2  | 260    | 130    | < 0.5  | 2    | 0.04   | 0.5    | 13     | 70     | 30   | 4.38   | < 10   | < 1 | 0.17   | 40   | 0.35   | 550  |
| R 11468            | 203       | 238    | 15   | 1.04   | < 0.2  | 310    | 60     | < 0.5  | 2    | 0.02   | 0.5    | 7      | 62     | 19   | 5.02   | < 10   | < 1 | 0.10   | 40   | 0.16   | 420  |
| S 05001            | 203       | 238    | < 5  | 0.92   | < 0.2  | 85     | 100    | < 0.5  | < 2  | 0.09   | < 0.5  | 8      | 93     | 36   | 4.06   | < 10   | < 1 | 0.14   | 50   | 0.17   | 581  |
| S 05002            | 203       | 238    | 15   | 1.24   | 0.6    | 80     | 140    | < 0.5  | 2    | 0.73   | < 0.5  | 8      | 86     | 47   | 4.21   | < 10   | < 1 | 0.16   | 50   | 0.21   | 564  |
| S 05003            | 203       | 238    | < 5  | 1.27   | 0.4    | 25     | 160    | < 0.5  | < 2  | 1.04   | 0.5    | 10     | 48     | 29   | 3.18   | < 10   | < 1 | 0.17   | 40   | 0.30   | 347  |
| S 05004            | 203       | 238    | < 5  | 1.24   | 0.4    | 50     | 140    | < 0.5  | 2    | 1.00   | < 0.5  | 10     | 72     | 25   | 3.21   | < 10   | < 1 | 0.17   | 40   | 0.30   | 520  |
| S 05005            | 203       | 238    | 5    | 1.14   | 0.4    | 45     | 140    | < 0.5  | < 2  | 1.00   | 0.5    | 10     | 90     | 23   | 2.83   | < 10   | < 1 | 0.15   | 40   | 0.25   | 644  |
| S 05006            | 203       | 238    | 10   | 1.05   | < 0.2  | 135    | 160    | < 0.5  | < 2  | 0.09   | 0.5    | 22     | 78     | 86   | 5.66   | < 10   | < 1 | 0.15   | 40   | 0.14   | 2230 |
| S 05007            | 203       | 238    | < 5  | 0.99   | 1.0    | 20     | 150    | < 0.5  | < 2  | 0.96   | 0.5    | 10     | 42     | 21   | 2.03   | < 10   | < 1 | 0.13   | 30   | 0.13   | 467  |
| S 05008            | 203       | 238    | < 5  | 0.66   | 0.4    | 30     | 80     | < 0.5  | < 2  | 0.08   | < 0.5  | 7      | 112    | 14   | 1.88   | < 10   | < 1 | 0.13   | 40   | 0.06   | 215  |
| S 05009            | 203       | 238    | 5    | 0.58   | 0.2    | 5      | 90     | < 0.5  | < 2  | 1.28   | < 0.5  | 5      | 60     | 6    | 1.10   | < 10   | < 1 | 0.08   | 30   | 0.04   | 150  |
| S 05010            | 203       | 238    | < 5  | 1.10   | 0.4    | 30     | 170    | < 0.5  | < 2  | 1.43   | < 0.5  | 11     | 51     | 22   | 2.32   | < 10   | < 1 | 0.15   | 30   | 0.26   | 523  |

CERTIFICATION : *B. Lang*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 211 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RECHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page 1 2-B  
 Tot. 1 6  
 Date 22-NOV-88  
 Invoice # I-8827256  
 P.O. # NONE

**CERTIFICATE OF ANALYSIS A8827256**

| SAMPLE DESCRIPTION | PREP CODE | Mb ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |     |
|--------------------|-----------|--------|------|--------|-------|--------|--------|--------|--------|------|--------|-------|-------|-------|--------|-----|
| R 11370            | 203       | 238    | < 1  | 0.02   | 21    | 590    | 16     | 5      | 2      | 52   | 0.01   | < 10  | < 10  | 25    | 5      | 66  |
| R 11371            | 203       | 238    | < 1  | 0.01   | 29    | 690    | 16     | 5      | 2      | 22   | < 0.01 | < 10  | < 10  | 23    | < 5    | 77  |
| R 11372            | 203       | 238    | < 1  | 0.01   | 24    | 450    | 16     | < 5    | 2      | 38   | 0.01   | < 10  | < 10  | 26    | 5      | 87  |
| R 11373            | 203       | 238    | < 1  | 0.01   | 18    | 430    | 14     | < 5    | 2      | 13   | < 0.01 | < 10  | < 10  | 25    | 5      | 71  |
| R 11374            | 203       | 238    | < 1  | 0.01   | 29    | 530    | 30     | 5      | 3      | 26   | 0.01   | < 10  | < 10  | 25    | 5      | 82  |
| R 11375            | 203       | 238    | < 1  | 0.01   | 27    | 550    | 22     | 5      | 2      | 28   | < 0.01 | < 10  | < 10  | 21    | < 5    | 83  |
| R 11376            | 203       | 238    | < 1  | 0.01   | 25    | 580    | 8      | 5      | 2      | 42   | < 0.01 | < 10  | < 10  | 22    | < 5    | 95  |
| R 11377            | 203       | 238    | < 1  | 0.01   | 25    | 590    | 12     | < 5    | 2      | 36   | < 0.01 | < 10  | < 10  | 23    | < 5    | 80  |
| R 11378            | 203       | 238    | < 1  | 0.01   | 27    | 520    | 12     | 5      | 3      | 45   | 0.01   | < 10  | < 10  | 27    | 5      | 89  |
| R 11379            | 203       | 238    | < 1  | 0.01   | 22    | 490    | 10     | 5      | 2      | 35   | < 0.01 | < 10  | < 10  | 19    | < 5    | 77  |
| R 11380            | 203       | 238    | < 1  | 0.01   | 24    | 370    | 16     | 5      | 2      | 25   | 0.01   | < 10  | < 10  | 23    | < 5    | 79  |
| R 11381            | 203       | 238    | < 1  | 0.01   | 28    | 510    | 24     | 5      | 3      | 44   | 0.01   | < 10  | < 10  | 25    | 5      | 96  |
| R 11382            | 203       | 238    | < 1  | 0.01   | 28    | 500    | 8      | 5      | 2      | 43   | < 0.01 | < 10  | < 10  | 25    | < 5    | 101 |
| R 11383            | 203       | 238    | < 1  | 0.01   | 22    | 530    | 14     | 5      | 2      | 63   | < 0.01 | < 10  | < 10  | 20    | 5      | 88  |
| R 11384            | 203       | 238    | < 1  | 0.01   | 27    | 510    | 16     | 5      | 2      | 43   | 0.01   | < 10  | < 10  | 28    | < 5    | 95  |
| R 11385            | 203       | 238    | < 1  | 0.02   | 25    | 490    | 34     | 10     | 3      | 38   | < 0.01 | < 10  | < 10  | 22    | 5      | 84  |
| R 11386            | 203       | 238    | < 1  | 0.01   | 25    | 590    | 22     | 5      | 2      | 37   | 0.01   | < 10  | < 10  | 27    | 5      | 90  |
| R 11387            | 203       | 238    | < 1  | 0.01   | 28    | 490    | 26     | 5      | 3      | 22   | 0.02   | < 10  | < 10  | 52    | 5      | 92  |
| R 11388            | 203       | 238    | < 1  | 0.01   | 37    | 500    | 16     | 5      | 3      | 27   | 0.01   | < 10  | < 10  | 31    | 5      | 83  |
| R 11389            | 203       | 238    | < 1  | 0.01   | 12    | 480    | 12     | < 5    | 1      | 13   | 0.01   | < 10  | < 10  | 36    | 5      | 55  |
| R 11390            | 203       | 238    | < 1  | 0.01   | 20    | 480    | 16     | 5      | 3      | 20   | 0.01   | < 10  | < 10  | 30    | 5      | 77  |
| R 11460            | 203       | 238    | < 1  | 0.01   | 16    | 430    | 14     | < 5    | 3      | 10   | 0.05   | < 10  | < 10  | 60    | 10     | 81  |
| R 11461            | 203       | 238    | < 1  | 0.01   | 21    | 460    | 40     | 5      | 2      | 10   | 0.01   | < 10  | < 10  | 28    | 10     | 82  |
| R 11462            | 203       | 238    | < 1  | 0.01   | 20    | 560    | 46     | 5      | 3      | 12   | < 0.01 | < 10  | < 10  | 33    | 5      | 91  |
| R 11463            | 203       | 238    | 1    | 0.01   | 25    | 350    | 18     | < 5    | 3      | 9    | 0.03   | < 10  | < 10  | 47    | 5      | 85  |
| R 11464            | 203       | 238    | < 1  | 0.01   | 25    | 400    | 46     | 5      | 3      | 9    | < 0.01 | < 10  | < 10  | 27    | 5      | 82  |
| R 11465            | 203       | 238    | < 1  | 0.01   | 26    | 680    | 42     | < 5    | 2      | 12   | 0.01   | < 10  | < 10  | 28    | 5      | 104 |
| R 11466            | 203       | 238    | 1    | 0.01   | 17    | 550    | 16     | < 5    | 3      | 8    | 0.04   | < 10  | < 10  | 58    | < 5    | 87  |
| R 11467            | 203       | 238    | 2    | 0.01   | 30    | 480    | 32     | 5      | 2      | 8    | 0.01   | < 10  | < 10  | 29    | 5      | 86  |
| R 11468            | 203       | 238    | < 1  | 0.01   | 14    | 610    | 22     | 5      | 2      | 5    | 0.01   | < 10  | < 10  | 33    | 5      | 55  |
| S 05001            | 203       | 238    | 1    | 0.01   | 18    | 470    | 40     | 10     | 2      | 10   | 0.01   | < 10  | < 10  | 38    | 5      | 62  |
| S 05002            | 203       | 238    | < 1  | 0.01   | 22    | 540    | 74     | 10     | 4      | 51   | < 0.01 | < 10  | < 10  | 24    | 5      | 62  |
| S 05003            | 203       | 238    | < 1  | 0.01   | 24    | 820    | 94     | 5      | 3      | 59   | 0.01   | < 10  | < 10  | 28    | 5      | 97  |
| S 05004            | 203       | 238    | < 1  | 0.01   | 24    | 700    | 80     | 5      | 3      | 53   | 0.01   | < 10  | < 10  | 27    | 10     | 91  |
| S 05005            | 203       | 238    | < 1  | 0.02   | 21    | 620    | 78     | 5      | 4      | 57   | 0.01   | < 10  | < 10  | 27    | 10     | 80  |
| S 05006            | 203       | 238    | < 1  | 0.01   | 29    | 650    | 194    | 25     | 2      | 13   | < 0.01 | < 10  | < 10  | 34    | 5      | 97  |
| S 05007            | 203       | 238    | < 1  | 0.03   | 14    | 390    | 52     | 5      | 2      | 55   | 0.01   | < 10  | < 10  | 27    | 5      | 69  |
| S 05008            | 203       | 238    | 1    | 0.01   | 11    | 290    | 36     | < 5    | 1      | 11   | 0.01   | < 10  | < 10  | 35    | 5      | 38  |
| S 05009            | 203       | 238    | < 1  | 0.01   | 6     | 380    | 14     | < 5    | < 1    | 58   | 0.02   | < 10  | < 10  | 31    | 5      | 26  |
| S 05010            | 203       | 238    | < 1  | 0.01   | 21    | 770    | 70     | 10     | 2      | 74   | 0.01   | < 10  | < 10  | 26    | 5      | 84  |

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : CHER CATHRO & ASSOC. (1981) LTD.

JX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HQJV  
Comments:

Page No:  
Tot. Pgs:  
Date : 2-AUG-88  
Invoice #: I-8819499  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8819499

| SAMPLE DESCRIPTION | PREP CODE | Au NAA ppb |     |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|-----|--|--|--|--|--|--|--|--|--|
| R11451             | 203       | ---        | 3   |  |  |  |  |  |  |  |  |  |
| R11452             | 203       | ---        | 6   |  |  |  |  |  |  |  |  |  |
| R11453             | 203       | ---        | 4   |  |  |  |  |  |  |  |  |  |
| R11454             | 203       | ---        | 4   |  |  |  |  |  |  |  |  |  |
| R11455             | 203       | ---        | 11  |  |  |  |  |  |  |  |  |  |
| R11456             | 203       | ---        | 10  |  |  |  |  |  |  |  |  |  |
| R11457             | 203       | ---        | 9   |  |  |  |  |  |  |  |  |  |
| R11458             | 203       | ---        | 2   |  |  |  |  |  |  |  |  |  |
| R11476             | 203       | ---        | < 1 |  |  |  |  |  |  |  |  |  |
| R11477             | 203       | ---        | 2   |  |  |  |  |  |  |  |  |  |
| R11478             | 203       | ---        | 4   |  |  |  |  |  |  |  |  |  |
| R11479             | 203       | ---        | 2   |  |  |  |  |  |  |  |  |  |
| R11480             | 203       | ---        | < 1 |  |  |  |  |  |  |  |  |  |
| R11481             | 203       | ---        | 4   |  |  |  |  |  |  |  |  |  |

CERTIFICATION :



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-1C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127, 3125 3RD AVE.  
 WHITEHORSE, Y.T.  
 Y1A 3S9

Project : HQJV  
 Comments:

Page : 1  
 Tot. Pages: 1  
 Date : 12-JUL-88  
 Invoice #: I-8818448  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8818448**

| SAMPLE DESCRIPTION | PREP CODE | Au FA g/tonne |        |  |  |  |  |  |  |  |  |
|--------------------|-----------|---------------|--------|--|--|--|--|--|--|--|--|
| S 00152            | 208       | --            | < 0.14 |  |  |  |  |  |  |  |  |
| S 00153            | 208       | --            | < 0.14 |  |  |  |  |  |  |  |  |
| S 00154            | 208       | --            | < 0.14 |  |  |  |  |  |  |  |  |
| S 00155            | 208       | --            | < 0.14 |  |  |  |  |  |  |  |  |
| S 00156            | 208       | --            | < 0.14 |  |  |  |  |  |  |  |  |
| S 00157            | 208       | --            | < 0.14 |  |  |  |  |  |  |  |  |
| S 00158            | 208       | --            | 0.14   |  |  |  |  |  |  |  |  |
| S 00159            | 208       | --            | < 0.14 |  |  |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127, 3125 3RD AVE.  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HQJV  
Comments:

Page : 1  
Tot. : 1  
Date : 13-JUL-88  
Invoice # : I-8818449  
P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8818449**

| SAMPLE DESCRIPTION | PREP CODE | Au FA g/tonne |      |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|---------------|------|--|--|--|--|--|--|--|--|--|
| S 00160            | 207       | --            | 2.12 |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-1C1  
 PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127, 3125 3RD AVE.  
 WHITEHORSE, Y.T.  
 Y1A 3S9

Project : HOJV  
 Comments:

Page N 1  
 Tot. F 3  
 Date 25-JUL-88  
 Invoice # : I-8819118  
 P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8819118

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |   |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|---|--|--|--|--|--|--|--|--|--|
| S 161              | 207       | ---        | 0.004   |   |  |  |  |  |  |  |  |  |  |
| S 162              | 207       | ---        | 0.006   |   |  |  |  |  |  |  |  |  |  |
| S 163              | 207       | ---        | < 0.002 |   |  |  |  |  |  |  |  |  |  |
| S 164              | 207       | ---        | 0.008   |   |  |  |  |  |  |  |  |  |  |
| S 165              | 207       | ---        | 0.006   |   |  |  |  |  |  |  |  |  |  |
| S 166              | 207       | ---        | < 0.002 |   |  |  |  |  |  |  |  |  |  |
| S 167              | 207       | ---        | 0.006   |   |  |  |  |  |  |  |  |  |  |
| S 168              | 207       | ---        | 0.004   |   |  |  |  |  |  |  |  |  |  |
| S 169              | 207       | ---        | 0.006   |   |  |  |  |  |  |  |  |  |  |
| S 170              | 207       | ---        | 0.004   |   |  |  |  |  |  |  |  |  |  |
| S 171              | 207       | ---        | < 0.004 |   |  |  |  |  |  |  |  |  |  |
| S 172              | 207       | ---        | 0.002   |   |  |  |  |  |  |  |  |  |  |
| S 173              | 207       | ---        | 0.006   |   |  |  |  |  |  |  |  |  |  |
| S 174              | 207       | ---        | 0.010   |   |  |  |  |  |  |  |  |  |  |
| S 175              | 207       | ---        | 0.006   | ✓ |  |  |  |  |  |  |  |  |  |
| S 176              | 207       | ---        | 0.040   |   |  |  |  |  |  |  |  |  |  |
| S 177              | 207       | ---        | 0.046   |   |  |  |  |  |  |  |  |  |  |
| S 178              | 207       | ---        | 0.012   |   |  |  |  |  |  |  |  |  |  |
| S 179              | 207       | ---        | 0.016   |   |  |  |  |  |  |  |  |  |  |
| S 180              | 207       | ---        | 0.078   |   |  |  |  |  |  |  |  |  |  |
| S 181              | 207       | ---        | 0.052   |   |  |  |  |  |  |  |  |  |  |
| S 182              | 207       | ---        | 0.088   |   |  |  |  |  |  |  |  |  |  |
| S 183              | 207       | ---        | 0.100   |   |  |  |  |  |  |  |  |  |  |
| S 184              | 207       | ---        | 0.014   |   |  |  |  |  |  |  |  |  |  |
| S 185              | 207       | ---        | 0.060   |   |  |  |  |  |  |  |  |  |  |
| S 186              | 207       | ---        | 0.024   |   |  |  |  |  |  |  |  |  |  |
| S 187              | 207       | ---        | 0.010   |   |  |  |  |  |  |  |  |  |  |
| S 188              | 207       | ---        | 0.008   | ✓ |  |  |  |  |  |  |  |  |  |
| S 189              | 207       | ---        | 0.012   |   |  |  |  |  |  |  |  |  |  |
| S 190              | 207       | ---        | 0.010   |   |  |  |  |  |  |  |  |  |  |
| S 191              | 207       | ---        | 0.018   |   |  |  |  |  |  |  |  |  |  |
| S 192              | 207       | ---        | 0.014   |   |  |  |  |  |  |  |  |  |  |
| S 193              | 207       | ---        | 0.006   |   |  |  |  |  |  |  |  |  |  |
| S 194              | 207       | ---        | < 0.002 |   |  |  |  |  |  |  |  |  |  |
| S 195              | 207       | ---        | 0.006   |   |  |  |  |  |  |  |  |  |  |
| S 196              | 207       | ---        | 0.006   |   |  |  |  |  |  |  |  |  |  |
| S 197              | 207       | ---        | 0.012   |   |  |  |  |  |  |  |  |  |  |
| S 198              | 207       | ---        | 0.010   |   |  |  |  |  |  |  |  |  |  |
| S 199              | 207       | ---        | 0.008   |   |  |  |  |  |  |  |  |  |  |
| S 200              | 207       | ---        | < 0.002 | ✓ |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127, 3125 3RD AVE.  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HQJV

Comments:

Page 1  
Tot. 43  
Date 125-JUL-88  
Invoice # 1-8819118  
P.O. # NONE

## CERTIFICATE OF ANALYSIS A8819118

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|--|--|--|--|--|--|--|--|--|
| S 251              | 207       | --         | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 252              | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S 253              | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S 254              | 207       | --         | 0.022   |  |  |  |  |  |  |  |  |  |
| S 255              | 207       | --         | 0.012   |  |  |  |  |  |  |  |  |  |
| S 256              | 207       | --         | 0.020   |  |  |  |  |  |  |  |  |  |
| S 257              | 207       | --         | 0.032   |  |  |  |  |  |  |  |  |  |
| S 258              | 207       | --         | 0.016   |  |  |  |  |  |  |  |  |  |
| S 259              | 207       | --         | 0.014   |  |  |  |  |  |  |  |  |  |
| S 260              | 207       | --         | 0.024   |  |  |  |  |  |  |  |  |  |
| S 261              | 207       | --         | 0.014   |  |  |  |  |  |  |  |  |  |
| S 262              | 207       | --         | 0.010   |  |  |  |  |  |  |  |  |  |
| S 263              | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S 264              | 207       | --         | 0.010   |  |  |  |  |  |  |  |  |  |
| S 265              | 207       | --         | 0.014   |  |  |  |  |  |  |  |  |  |
| S 266              | 207       | --         | 0.012   |  |  |  |  |  |  |  |  |  |
| S 267              | 207       | --         | 0.010   |  |  |  |  |  |  |  |  |  |
| S 268              | 207       | --         | 0.014   |  |  |  |  |  |  |  |  |  |
| S 269              | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S 270              | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S 271              | 207       | --         | 0.024   |  |  |  |  |  |  |  |  |  |
| S 272              | 207       | --         | 0.022   |  |  |  |  |  |  |  |  |  |
| S 273              | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S 274              | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S 275              | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S 276              | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S 277              | 207       | --         | 0.022   |  |  |  |  |  |  |  |  |  |
| S 278              | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S 279              | 207       | --         | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 280              | 207       | --         | 0.010   |  |  |  |  |  |  |  |  |  |
| S 281              | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S 282              | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S 283              | 207       | --         | 0.014   |  |  |  |  |  |  |  |  |  |
| S 284              | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S 285              | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S 286              | 207       | --         | 0.014   |  |  |  |  |  |  |  |  |  |
| S 301              | 207       | --         | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 302              | 207       | --         | 0.012   |  |  |  |  |  |  |  |  |  |
| S 303              | 207       | --         | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 304              | 207       | --         | < 0.002 |  |  |  |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

CHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9  
Project : HGJV  
Comments:

Page N  
Tot. Pa. 1  
Date : 29-JUL-88  
Invoice # : I-8819498  
P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8819498**

| SAMPLE DESCRIPTION                         | PREP CODE         | Au FA oz/T               |   |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|-------------------|--------------------------|---|--|--|--|--|--|--|--|--|--|
| S 237 88-P-3<br>S 356 } 88-P-28<br>S 357 } | 207<br>207<br>207 | --<br>≤ 0.003<br>≤ 0.003 | / |  |  |  |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127, 3125 3RD AVE.  
 WHITEHORSE, Y.T.  
 Y1A 3S9

Project : HGJV  
 Comments:

Page 1  
 Tot. 41  
 Date : 25-JUL-88  
 Invoice #: I-8819282  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8819282**

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |       |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|-------|--|--|--|--|--|--|--|--|--|
| 88-25<br>S0287     | 207       | ---        | 0.006 |  |  |  |  |  |  |  |  |  |
| S0288              | 207       | ---        | 0.012 |  |  |  |  |  |  |  |  |  |
| S00351             | 207       | ---        | 0.006 |  |  |  |  |  |  |  |  |  |
| S00352             | 207       | ---        | 0.006 |  |  |  |  |  |  |  |  |  |
| S00353             | 207       | ---        | 0.004 |  |  |  |  |  |  |  |  |  |
| 88-28<br>S00354    | 207       | ---        | 0.010 |  |  |  |  |  |  |  |  |  |
| S00355             | 207       | ---        | 0.004 |  |  |  |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

SEARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127, 3125 3RD AVE.  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV  
Comments:

Page 1 3  
Tot. 1 3  
Date : 25-JUL-88  
Invoice # : I-8819118  
P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8819118**

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |       |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|-------|--|--|--|--|--|--|--|--|--|
| S 305              | 207       | --         | 0.004 |  |  |  |  |  |  |  |  |  |
| S 306              | 207       | --         | 0.008 |  |  |  |  |  |  |  |  |  |
| S 307              | 207       | --         | 0.012 |  |  |  |  |  |  |  |  |  |
| S 308              | 207       | --         | 0.008 |  |  |  |  |  |  |  |  |  |
| S 309              | 207       | --         | 0.010 |  |  |  |  |  |  |  |  |  |
| S 310              | 207       | --         | 0.006 |  |  |  |  |  |  |  |  |  |
| S 311              | 207       | --         | 0.008 |  |  |  |  |  |  |  |  |  |
| S 312              | 207       | --         | 0.008 |  |  |  |  |  |  |  |  |  |
| S 313              | 207       | --         | 0.014 |  |  |  |  |  |  |  |  |  |
| S 314              | 207       | --         | 0.012 |  |  |  |  |  |  |  |  |  |
| S 315              | 207       | --         | 0.004 |  |  |  |  |  |  |  |  |  |

B. Swartes



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGUV  
 Comments:

Page N  
 Tot. Pa. 2  
 Date : 19-AUG-88  
 Invoice # : I-8820725  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8820725**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |    |  |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|----|--|--|--|--|--|--|--|--|--|--|
| S 316              | 203       | —            | 50 |  |  |  |  |  |  |  |  |  |  |
| S 317              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| S 318              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| S 319              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| S 320              | 203       | —            | 30 |  |  |  |  |  |  |  |  |  |  |
| 88-30              |           |              |    |  |  |  |  |  |  |  |  |  |  |
| S 321              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 322              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 323              | 203       | —            | 30 |  |  |  |  |  |  |  |  |  |  |
| S 324              | 203       | —            | 55 |  |  |  |  |  |  |  |  |  |  |
| S 336              | 203       | —            | 5  |  |  |  |  |  |  |  |  |  |  |
| 88-33              |           |              |    |  |  |  |  |  |  |  |  |  |  |
| S 337              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| S 338              | 203       | —            | 15 |  |  |  |  |  |  |  |  |  |  |
| S 339              | 203       | —            | 70 |  |  |  |  |  |  |  |  |  |  |
| S 340              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| S 341              | 203       | —            | 30 |  |  |  |  |  |  |  |  |  |  |
| 88-30              |           |              |    |  |  |  |  |  |  |  |  |  |  |
| S 449              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 450              | 203       | —            | 30 |  |  |  |  |  |  |  |  |  |  |
| S 451              | 203       | —            | 30 |  |  |  |  |  |  |  |  |  |  |
| S 452              | 203       | —            | 25 |  |  |  |  |  |  |  |  |  |  |
| S 453              | 203       | —            | 45 |  |  |  |  |  |  |  |  |  |  |
| 88-30              |           |              |    |  |  |  |  |  |  |  |  |  |  |
| S 454              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 455              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 456              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 457              | 203       | —            | 50 |  |  |  |  |  |  |  |  |  |  |
| S 458              | 203       | —            | 45 |  |  |  |  |  |  |  |  |  |  |
| 88-30              |           |              |    |  |  |  |  |  |  |  |  |  |  |
| S 459              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 460              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 461              | 203       | —            | 60 |  |  |  |  |  |  |  |  |  |  |
| S 462              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 463              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| 88-30              |           |              |    |  |  |  |  |  |  |  |  |  |  |
| S 464              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 465              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 466              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| S 467              | 203       | —            | 70 |  |  |  |  |  |  |  |  |  |  |
| S 468              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| 88-30              |           |              |    |  |  |  |  |  |  |  |  |  |  |
| S 469              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| S 470              | 203       | —            | 35 |  |  |  |  |  |  |  |  |  |  |
| S 471              | 203       | —            | 30 |  |  |  |  |  |  |  |  |  |  |
| S 472              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |
| S 473              | 203       | —            | 40 |  |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Frank Vank*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

T RICHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9  
Project : HGUV  
Comments:

Page No.:  
Tot. Pa.:  
Date: 19-AUG-88  
Invoice #: I-8820725  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8820725

| SAMPLE DESCRIPTION | PREP CODE | Au ppb<br>FA+AA |  |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|-----------------|--|--|--|--|--|--|--|--|--|--|
| S 474              | 203       | 30              |  |  |  |  |  |  |  |  |  |  |
| S 475              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |
| S 476              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |
| S 477              | 203       | 45              |  |  |  |  |  |  |  |  |  |  |
| S 478              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |
| S 479              | 203       | 40              |  |  |  |  |  |  |  |  |  |  |
| S 480              | 203       | 35              |  |  |  |  |  |  |  |  |  |  |
| S 481              | 203       | 30              |  |  |  |  |  |  |  |  |  |  |
| S 482              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |
| S 483              | 203       | 20              |  |  |  |  |  |  |  |  |  |  |
| S 484              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |
| S 485              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |
| S 486              | 203       | 35              |  |  |  |  |  |  |  |  |  |  |
| S 487              | 203       | 35              |  |  |  |  |  |  |  |  |  |  |
| S 488              | 203       | 35              |  |  |  |  |  |  |  |  |  |  |
| S 489              | 203       | 40              |  |  |  |  |  |  |  |  |  |  |
| S 490              | 203       | 35              |  |  |  |  |  |  |  |  |  |  |
| S 491              | 203       | 40              |  |  |  |  |  |  |  |  |  |  |
| S 492              | 203       | 35              |  |  |  |  |  |  |  |  |  |  |
| S 493              | 203       | 30              |  |  |  |  |  |  |  |  |  |  |
| S 494              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |
| S 495              | 203       | 20              |  |  |  |  |  |  |  |  |  |  |
| S 496              | 203       | 20              |  |  |  |  |  |  |  |  |  |  |
| S 497              | 203       | 35              |  |  |  |  |  |  |  |  |  |  |
| S 498              | 203       | 20              |  |  |  |  |  |  |  |  |  |  |
| S 499              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |
| S 500              | 203       | 25              |  |  |  |  |  |  |  |  |  |  |

CERTIFICATION :



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page 1  
 Tot. Pcs 2  
 Date : 16-AUG-88  
 Invoice # : 1-8820633  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8820633**

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|--|--|--|--|--|--|--|--|--|
| Road               |           |            |         |  |  |  |  |  |  |  |  |  |
| S00325             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S00326             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00327             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00328             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00432             | 207       | --         | 0.014   |  |  |  |  |  |  |  |  |  |
| S00433             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00434             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00435             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00436             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00437             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| L-30               |           |            |         |  |  |  |  |  |  |  |  |  |
| S00438             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00439             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00440             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00441             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00442             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| 78-31              |           |            |         |  |  |  |  |  |  |  |  |  |
| S00446             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S00447             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00448             | 207       | --         | 0.010   |  |  |  |  |  |  |  |  |  |
| S00508             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S00509             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00510             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00511             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00512             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00513             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00514             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| 8-28               |           |            |         |  |  |  |  |  |  |  |  |  |
| S00515             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00516             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00517             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00518             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00519             | 207       | --         | 0.010   |  |  |  |  |  |  |  |  |  |
| S00520             | 207       | --         | 0.012   |  |  |  |  |  |  |  |  |  |
| S00521             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00522             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S00551             | 207       | --         | 0.024   |  |  |  |  |  |  |  |  |  |
| S00552             | 207       | --         | 0.016   |  |  |  |  |  |  |  |  |  |
| S00553             | 207       | --         | 0.012   |  |  |  |  |  |  |  |  |  |
| S00554             | 207       | --         | 0.010   |  |  |  |  |  |  |  |  |  |
| S00555             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00556             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00557             | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE . NORTH VANCOUVER  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

RECHER CATIRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9  
Project : HGIV  
Comments:

Page N 2  
Tot. P. 2  
Date : 16-AUG-88  
Invoice # : 1-8820633  
P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8820633**

| SAMPLE DESCRIPTION         | PREP CODE         | Au FA oz/T                   |  |  |  |  |  |  |  |  |  |  |
|----------------------------|-------------------|------------------------------|--|--|--|--|--|--|--|--|--|--|
| S00558<br>S00560<br>S00561 | 207<br>207<br>207 | --<br>< 0.003<br>--<br>0.008 |  |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T RCHER CATIRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HG.IV  
Comments:

Page No  
Tot. Pg  
Date : 19-AUG-88  
Invoice # : I-8820724  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8820724

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |   |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|---|--|--|--|--|--|--|--|--|
| S 329              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 330              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 331              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 332              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 333              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| 88-33              |           |            |         |   |  |  |  |  |  |  |  |  |
| S 334              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 335              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 429              | 207       | --         | < 0.004 |   |  |  |  |  |  |  |  |  |
| S 430              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 431              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| 88-30              |           |            |         |   |  |  |  |  |  |  |  |  |
| S 443              | 207       | --         | 0.008   |   |  |  |  |  |  |  |  |  |
| S 444              | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 445              | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 501              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 502              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| 88-31              |           |            |         |   |  |  |  |  |  |  |  |  |
| S 503              | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 504              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 505              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 506              | 207       | --         | < 0.006 |   |  |  |  |  |  |  |  |  |
| S 507              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| 88-32              |           |            |         |   |  |  |  |  |  |  |  |  |
| S 562              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 563              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 566              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 567              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 568              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| 88-33              |           |            |         |   |  |  |  |  |  |  |  |  |
| S 569              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 601              | 207       | --         | < 0.002 |   |  |  |  |  |  |  |  |  |
| S 602              | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 603              | 207       | --         | 0.006   |   |  |  |  |  |  |  |  |  |
| S 604              | 207       | --         | 0.006   |   |  |  |  |  |  |  |  |  |
| 88-34              |           |            |         |   |  |  |  |  |  |  |  |  |
| S 605              | 207       | --         | 0.008   |   |  |  |  |  |  |  |  |  |
| S 606              | 207       | --         | 0.024   | * |  |  |  |  |  |  |  |  |
| S 607              | 207       | --         | 0.100   | * |  |  |  |  |  |  |  |  |
| S 608              | 207       | --         | 0.056   | * |  |  |  |  |  |  |  |  |
| S 609              | 207       | --         | 0.102   | * |  |  |  |  |  |  |  |  |
| 88-35              |           |            |         |   |  |  |  |  |  |  |  |  |
| S 610              | 207       | --         | 0.076   | * |  |  |  |  |  |  |  |  |
| S 611              | 207       | --         | 0.046   | * |  |  |  |  |  |  |  |  |
| S 612              | 207       | --         | 0.036   | * |  |  |  |  |  |  |  |  |
| S 613              | 207       | --         | 0.028   | * |  |  |  |  |  |  |  |  |
| S 614              | 207       | --         | 0.038   | * |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV

Comments:

Page 1  
Tot. 1  
Date 11-AUG-88  
Invoice # I-8820335  
P.O. # NONE

## CERTIFICATE OF ANALYSIS A8820335

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|--|--|--|--|--|--|--|--|--|
| S00401             | 207       | --         |         |  |  |  |  |  |  |  |  |  |
| S00402             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00403             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00404             | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S00405             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00406             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S00407             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00408             | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S00409             | 207       | --         | 0.012   |  |  |  |  |  |  |  |  |  |
| S00410             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00411             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00412             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00413             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00414             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00415             | 207       | --         | 0.016   |  |  |  |  |  |  |  |  |  |
| S00416             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S00417             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00418             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00419             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00420             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S00421             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00422             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00423             | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S00424             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S00425             | 207       | --         | 0.006   |  |  |  |  |  |  |  |  |  |
| S00426             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00427             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S00428             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE . NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page N 2  
 Tot. Pa. 2  
 Date : 19-AUG-88  
 Invoice # : I-8820724  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8820724**

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |        |  |  |  |  |  |  |
|--------------------|-----------|------------|--------|--|--|--|--|--|--|
| S 615              | 207       | --         | 0.016  |  |  |  |  |  |  |
| S 616              | 207       | --         | 0.066* |  |  |  |  |  |  |
| S 617              | 207       | --         | 0.014  |  |  |  |  |  |  |
| S 618              | 207       | --         | 0.014  |  |  |  |  |  |  |
| S 619              | 207       | --         | 0.016  |  |  |  |  |  |  |
| S 639              | 207       | --         | 0.004  |  |  |  |  |  |  |
| S 640              | 207       | --         | 0.004  |  |  |  |  |  |  |
| S 641              | 207       | --         | 0.014  |  |  |  |  |  |  |
| S 644              | 207       | --         | 0.204* |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER.  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGIV  
 Comments:

Page No. 1  
 Tot. P. 2  
 Date : 25-AUG-88  
 Invoice # : I-8821093  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8821093**

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |   |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|---|--|--|--|--|--|--|--|--|
| S 00523            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00524            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00525            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00526            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00527            | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 00528            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00529            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00530            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00531            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00532            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00533            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00534            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00535            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00536            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00537            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00538            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00539            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00564            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00565            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00570            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00571            | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 00572            | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 00577            | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 00578            | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 00631            | 207       | --         | 0.062 * |   |  |  |  |  |  |  |  |  |
| S 00632            | 207       | --         | 0.054 * |   |  |  |  |  |  |  |  |  |
| S 00633            | 207       | --         | 0.012   |   |  |  |  |  |  |  |  |  |
| S 00634            | 207       | --         | 0.002   |   |  |  |  |  |  |  |  |  |
| S 00635            | 207       | --         | 0.026 * |   |  |  |  |  |  |  |  |  |
| S 00636            | 207       | --         | 0.012   |   |  |  |  |  |  |  |  |  |
| S 00637            | 207       | --         | < 0.020 | * |  |  |  |  |  |  |  |  |
| S 00638            | 207       | --         | < 0.003 | * |  |  |  |  |  |  |  |  |
| S 00642            | 207       | --         | < 0.004 |   |  |  |  |  |  |  |  |  |
| S 00643            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00651            | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 00652            | 207       | --         | < 0.006 |   |  |  |  |  |  |  |  |  |
| S 00653            | 207       | --         | < 0.003 |   |  |  |  |  |  |  |  |  |
| S 00654            | 207       | --         | 0.004   |   |  |  |  |  |  |  |  |  |
| S 00655            | 207       | --         | 0.010   |   |  |  |  |  |  |  |  |  |
| S 00656            | 207       | --         | 0.010 * |   |  |  |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9  
Project : HGJV  
Comments:

Page 1 of 2  
Tot. P. .2  
Date : 25-AUG-88  
Invoice # : I-8821093  
P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8821093**

| SAMPLE DESCRIPTION        | PREP CODE  |          | Au FA oz/T     |  |  |  |  |  |  |  |  |  |
|---------------------------|------------|----------|----------------|--|--|--|--|--|--|--|--|--|
| 13x<br>S 00657<br>S 00658 | 207<br>207 | --<br>-- | 0.008<br>0.010 |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9

Page 1  
 Tot. 2  
 Date : 30-AUG-88  
 Invoice #: I-8821679  
 P.O. #: NONE

Project : HKJV  
 Comments:

## CERTIFICATE OF ANALYSIS A8821679

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |           |  |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|-----------|--|--|--|--|--|--|--|--|--|--|
| S 540              | 207       | --         |           |  |  |  |  |  |  |  |  |  |  |
| S 541              | 207       | --         | < 0.018 ✓ |  |  |  |  |  |  |  |  |  |  |
| S 659              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 660              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 661              | 207       | --         | 0.006     |  |  |  |  |  |  |  |  |  |  |
| S 662              | 207       | --         | 0.010     |  |  |  |  |  |  |  |  |  |  |
| S 663              | 207       | --         | 0.008     |  |  |  |  |  |  |  |  |  |  |
| S 664              | 207       | --         | 0.006     |  |  |  |  |  |  |  |  |  |  |
| S 665              | 207       | --         | 0.010     |  |  |  |  |  |  |  |  |  |  |
| S 666              | 207       | --         | 0.208 ✓   |  |  |  |  |  |  |  |  |  |  |
| S 667              | 207       | --         | 0.024 ✓   |  |  |  |  |  |  |  |  |  |  |
| S 668              | 207       | --         | 0.049 *   |  |  |  |  |  |  |  |  |  |  |
| S 669              | 207       | --         | 0.026 *   |  |  |  |  |  |  |  |  |  |  |
| S 670              | 207       | --         | 0.107 *   |  |  |  |  |  |  |  |  |  |  |
| S 671              | 207       | --         | 0.016     |  |  |  |  |  |  |  |  |  |  |
| S 672              | 207       | --         | 0.016     |  |  |  |  |  |  |  |  |  |  |
| S 673              | 207       | --         | 0.008     |  |  |  |  |  |  |  |  |  |  |
| S 674              | 207       | --         | 0.026     |  |  |  |  |  |  |  |  |  |  |
| S 675              | 207       | --         | 0.006     |  |  |  |  |  |  |  |  |  |  |
| S 676              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 677              | 207       | --         | 0.003     |  |  |  |  |  |  |  |  |  |  |
| S 678              | 207       | --         | 0.010     |  |  |  |  |  |  |  |  |  |  |
| S 679              | 207       | --         | 0.006     |  |  |  |  |  |  |  |  |  |  |
| S 680              | 207       | --         | 0.048 *   |  |  |  |  |  |  |  |  |  |  |
| S 681              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 682              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 707              | 207       | --         | 0.010     |  |  |  |  |  |  |  |  |  |  |
| S 708              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 709              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 710              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 711              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 712              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 713              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 714              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 715              | 207       | --         | 0.012     |  |  |  |  |  |  |  |  |  |  |
| S 716              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 717              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 718              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 719              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |
| S 720              | 207       | --         | < 0.003   |  |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

TCHER CATHRO & ASSOC. (1981) LTD.

X 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HKJV  
Comments:

Page No \_\_\_\_\_  
Tot. Pg. \_\_\_\_\_  
Date 1-SEP-88  
Invoice #: I-8822073  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8822073

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |     |  |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|-----|--|--|--|--|--|--|--|--|--|--|
| S 0737             | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |  |
| S 0738             | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |  |
| S 0739             | 203       | --           | 25  |  |  |  |  |  |  |  |  |  |  |
| S 0740             | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |  |
| S 0741             | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |  |
| S 0742             | 203       | --           | 40  |  |  |  |  |  |  |  |  |  |  |
| S 0743             | 203       | --           | 80  |  |  |  |  |  |  |  |  |  |  |
| S 0744             | 203       | --           | 50  |  |  |  |  |  |  |  |  |  |  |
| S 0745             | 203       | --           | 35  |  |  |  |  |  |  |  |  |  |  |
| S 0746             | 203       | --           | 35  |  |  |  |  |  |  |  |  |  |  |
| S 0747             | 203       | --           | 40  |  |  |  |  |  |  |  |  |  |  |

CERTIFICATION : 



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV  
Comments:

Page : 1  
Tot. : 41  
Date : 2-SEP-88  
Invoice # : I-8822072  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8822072

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|--|--|--|--|--|--|--|--|--|
| S 0733             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S 0734             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S 0735             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S 0736             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S 0751             | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |  |
| S 0752             | 207       | --         | 0.011   |  |  |  |  |  |  |  |  |  |
| S 0753             | 207       | --         | 0.039   |  |  |  |  |  |  |  |  |  |
| S 0754             | 207       | --         | 0.033   |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV  
Comments:

Page 1  
Tot. 2  
Date : 28-AUG-88  
Invoice # : I-8821678  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8821678

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FATAA |      |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|------|--|--|--|--|--|--|--|--|--|
| S 358              | 203       | --           |      |  |  |  |  |  |  |  |  |  |
| S 359              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 360              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 361              | 203       | --           | 10   |  |  |  |  |  |  |  |  |  |
| S 362              | 203       | --           | 5    |  |  |  |  |  |  |  |  |  |
| S 363              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 364              | 203       | --           | 75   |  |  |  |  |  |  |  |  |  |
| S 365              | 203       | --           | 10   |  |  |  |  |  |  |  |  |  |
| S 366              | 203       | --           | 25   |  |  |  |  |  |  |  |  |  |
| S 367              | 203       | --           | 5    |  |  |  |  |  |  |  |  |  |
| S 368              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 369              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 370              | 203       | --           | << 5 |  |  |  |  |  |  |  |  |  |
| S 371              | 203       | --           | << 5 |  |  |  |  |  |  |  |  |  |
| S 372              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 373              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 374              | 203       | --           | << 5 |  |  |  |  |  |  |  |  |  |
| S 375              | 203       | --           | << 5 |  |  |  |  |  |  |  |  |  |
| S 683              | 203       | --           | 75   |  |  |  |  |  |  |  |  |  |
| S 684              | 203       | --           | 110  |  |  |  |  |  |  |  |  |  |
| S 685              | 203       | --           | 120  |  |  |  |  |  |  |  |  |  |
| S 686              | 203       | --           | 145  |  |  |  |  |  |  |  |  |  |
| S 687              | 203       | --           | 135  |  |  |  |  |  |  |  |  |  |
| S 688              | 203       | --           | 40   |  |  |  |  |  |  |  |  |  |
| S 689              | 203       | --           | 40   |  |  |  |  |  |  |  |  |  |
| S 690              | 203       | --           | 70   |  |  |  |  |  |  |  |  |  |
| S 691              | 203       | --           | 60   |  |  |  |  |  |  |  |  |  |
| S 692              | 203       | --           | 70   |  |  |  |  |  |  |  |  |  |
| S 693              | 203       | --           | 10   |  |  |  |  |  |  |  |  |  |
| S 694              | 203       | --           | 5    |  |  |  |  |  |  |  |  |  |
| S 695              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 696              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 697              | 203       | --           | << 5 |  |  |  |  |  |  |  |  |  |
| S 698              | 203       | --           | << 5 |  |  |  |  |  |  |  |  |  |
| S 699              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 700              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 701              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 702              | 203       | --           | < 5  |  |  |  |  |  |  |  |  |  |
| S 703              | 203       | --           | 35   |  |  |  |  |  |  |  |  |  |
| S 704              | 203       | --           | 5    |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Mark Voss*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV  
Comments:

Page No. 2  
Tot. P 2  
Date : 28-AUG-88  
Invoice # : 1-8821678  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8821678

| SAMPLE DESCRIPTION | PREP CODE | Au ppb<br>FA+AA |      |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|-----------------|------|--|--|--|--|--|--|--|--|--|
| S 705              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 706              | 203       | --              | < 10 |  |  |  |  |  |  |  |  |  |
| S 869              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 870              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 871              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 872              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 873              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 874              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 875              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 876              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 877              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 878              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 879              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 880              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 881              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 882              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 883              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 884              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 885              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 886              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 887              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 888              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 889              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 890              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 891              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 892              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 893              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 894              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |
| S 895              | 203       | --              | < S  |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Mark Voss*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page No. 1  
 Tot. Pg. 1  
 Date : 30-AUG-88  
 Invoice # : I-8821679  
 P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8821679

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|--|--|--|--|--|--|--|--|
| S 721              | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |
| S 722              | 207       | --         | < 0.003 |  |  |  |  |  |  |  |  |
| S 723              | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |
| S 724              | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |
| S 725              | 207       | --         | 0.084 * |  |  |  |  |  |  |  |  |
| S 726              | 207       | --         | 0.042 * |  |  |  |  |  |  |  |  |
| S 727              | 207       | --         | 0.014 * |  |  |  |  |  |  |  |  |
| S 728              | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |
| S 729              | 207       | --         | 0.018 * |  |  |  |  |  |  |  |  |
| S 730              | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |
| S 731              | 207       | --         | 0.010   |  |  |  |  |  |  |  |  |
| S 732              | 207       | --         | 0.012   |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochimists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,

BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CHEMEX LABS LTD. (1981) LTD

Page No  
Tot. Pa

Date 6-SEP-88

Invoice # I-8822662

P.O. # NONE

X 4127  
WHITEHORSE, Y.T.  
Y1A 0S9

Project : HGJV

Comments:

## CERTIFICATE OF ANALYSIS A8822662

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T | Ag FA oz/T | Cu %   |        |  |  |  |  |  |  |  |
|--------------------|-----------|------------|------------|--------|--------|--|--|--|--|--|--|--|
| 55501              | 207       | --         | 0.020      | 0.04   | -----  |  |  |  |  |  |  |  |
| 55502              | 207       | --         | 0.028      | 0.01   | -----  |  |  |  |  |  |  |  |
| 55503              | 207       | --         | < 0.003    | < 0.01 | -----  |  |  |  |  |  |  |  |
| 55504              | 207       | --         | < 0.003    | < 0.01 | -----  |  |  |  |  |  |  |  |
| 55505              | 207       | --         | 0.012      | 0.18   | -----  |  |  |  |  |  |  |  |
| 55506              | 207       | --         | < 0.003    | 0.04   | -----  |  |  |  |  |  |  |  |
| 55507              | 207       | --         | 0.006      | 0.10   | -----  |  |  |  |  |  |  |  |
| 55509              | 207       | --         | < 0.003    | 0.11   | -----  |  |  |  |  |  |  |  |
| 55510              | 207       | --         | < 0.003    | 0.08   | -----  |  |  |  |  |  |  |  |
| 55511              | 207       | --         | < 0.003    | 0.03   | -----  |  |  |  |  |  |  |  |
| 55512              | 207       | --         | 0.028      | 0.84   | -----  |  |  |  |  |  |  |  |
| 55514              | 207       | --         | 0.022      | 0.14   | < 0.01 |  |  |  |  |  |  |  |
| S 755              | 207       | --         | 0.004      | 0.03   | -----  |  |  |  |  |  |  |  |
| S 756              | 207       | --         | 0.004      | 0.02   | -----  |  |  |  |  |  |  |  |
| S 757              | 207       | --         | < 0.003    | 0.04   | -----  |  |  |  |  |  |  |  |
| S 758              | 207       | --         | < 0.003    | 0.07   | -----  |  |  |  |  |  |  |  |
| S 759              | 207       | --         | < 0.003    | 0.04   | -----  |  |  |  |  |  |  |  |
| S 760              | 207       | --         | < 0.003    | 0.09   | -----  |  |  |  |  |  |  |  |
| S 761              | 207       | --         | < 0.004    | 0.08   | -----  |  |  |  |  |  |  |  |
| S 762              | 207       | --         | < 0.003    | 0.03   | -----  |  |  |  |  |  |  |  |
| S 763              | 207       | --         | < 0.003    | 0.08   | -----  |  |  |  |  |  |  |  |
| S 764              | 207       | --         | < 0.003    | 0.06   | -----  |  |  |  |  |  |  |  |
| S 765              | 207       | --         | < 0.003    | 0.08   | -----  |  |  |  |  |  |  |  |
| S 766              | 207       | --         | < 0.003    | 0.06   | -----  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

CHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9

Project : HG.IV  
 Comments:

Page No.  
 Tot. Pg.  
 Date : 25-AUG-88  
 Invoice # : I-8821264  
 P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8821264

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FATAA |     |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|-----|--|--|--|--|--|--|--|--|--|
| S 801              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 802              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 803              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 804              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 805              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 806              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 807              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 808              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 809              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 810              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 811              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 812              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 813              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 814              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 815              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 816              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 821              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 822              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 823              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 824              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 825              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 826              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 827              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 828              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 829              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 830              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 831              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 832              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 833              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 834              | 203       | --           |     |  |  |  |  |  |  |  |  |  |
| S 835              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 836              | 203       | --           | 10  |  |  |  |  |  |  |  |  |  |
| S 837              | 203       | --           | 5   |  |  |  |  |  |  |  |  |  |
| S 838              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 839              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 840              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 841              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 842              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 843              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 844              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Hart Buehler*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

MER CATHRO & ASSOC. (1981) LTD.

POX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:


Page No.  
 Tot. Pag  
 Date : 25-AUG-88  
 Invoice # : I-8821264  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8821264**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |     |     |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|-----|-----|--|--|--|--|--|--|--|--|--|
| S 845              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 846              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 847              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 848              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 849              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 850              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 851              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 852              | 203       | --           |     | 10  |  |  |  |  |  |  |  |  |  |
| S 853              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 854              | 203       | --           |     | 30  |  |  |  |  |  |  |  |  |  |
| S 855              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 856              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 857              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 858              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 859              | 203       | --           |     | 20  |  |  |  |  |  |  |  |  |  |
| S 860              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 861              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 862              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 863              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 864              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 865              | 203       | --           |     | < 5 |  |  |  |  |  |  |  |  |  |
| S 866              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 867              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 868              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 901              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 902              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 903              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 904              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 905              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 906              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 907              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 908              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 909              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 910              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 911              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 912              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 913              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 914              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |
| S 915              | 203       | --           |     |     |  |  |  |  |  |  |  |  |  |
| S 916              | 203       | --           | < 5 |     |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Hart Bechler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9

Project : HGJV  
 Comments:

Page : 3  
 Tot. : 5  
 Date : 25-AUG-88  
 Invoice #: I-8821264  
 P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8821264

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |      |   |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|------|---|--|--|--|--|--|--|--|--|
| S 917              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 918              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 919              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 920              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 921              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 922              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 923              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 924              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 925              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 926              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 927              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 928              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 929              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 930              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 931              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 932              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 933              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 934              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 935              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 936              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 937              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 938              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 939              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 940              | 203       | --           | 80   | * |  |  |  |  |  |  |  |  |
| S 941              | 203       | --           | < S  | * |  |  |  |  |  |  |  |  |
| S 942              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 943              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 944              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 945              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 946              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 947              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 948              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 949              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 950              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 951              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 952              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |
| S 953              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 954              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 955              | 203       | --           | << S |   |  |  |  |  |  |  |  |  |
| S 956              | 203       | --           | < S  |   |  |  |  |  |  |  |  |  |

CERTIFICATION :

Hart Bischler



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page No. 6  
 Tot. Pcs. 5  
 Date : 25-AUG-88  
 Invoice # : I-8821264  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8821264**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |     |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|-----|--|--|--|--|--|--|--|--|--|
| S 957              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 958              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 959              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 960              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 961              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 962              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 963              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 964              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 965              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 966              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 967              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 968              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 969              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 971              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 972              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 973              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 974              | 203       | --           | 20  |  |  |  |  |  |  |  |  |  |
| S 975              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 976              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 977              | 203       | --           | 10  |  |  |  |  |  |  |  |  |  |
| S 978              | 203       | --           | 10  |  |  |  |  |  |  |  |  |  |
| S 979              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 980              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 981              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 982              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 983              | 203       | --           | 10  |  |  |  |  |  |  |  |  |  |
| S 984              | 203       | --           | 15  |  |  |  |  |  |  |  |  |  |
| S 985              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 986              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 987              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 988              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 989              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 990              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 991              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 992              | 203       | --           | 10  |  |  |  |  |  |  |  |  |  |
| S 993              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 994              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 995              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 996              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |
| S 997              | 203       | --           | < 5 |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

Hart Bichler



**Chemex Labs Ltd.**  
Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

T RICHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9  
Project : HQJV  
Comments:

Page No. 1  
Tot. Pcs. 3  
Date : 25-AUG-88  
Invoice # : I-8821264  
P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8821264**

| SAMPLE DESCRIPTION  | PREP CODE  | Au ppb FA+AA |            |  |  |  |  |  |  |  |  |  |
|---------------------|------------|--------------|------------|--|--|--|--|--|--|--|--|--|
| GRID S 998<br>S 999 | 203<br>203 | --<br>--     | < 5<br>< 5 |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

Stuart Bickler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV

Comments:

Page N  
Tot. I  
Date : 25-AUG-88  
Invoice # : I-8821266  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8821266

| SAMPLE DESCRIPTION | PREP CODE |    | Au ppb<br>FA+AA |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|----|-----------------|--|--|--|--|--|--|--|--|--|
| S 970              | 205       | -- | ✓ 5             |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Dick Voss*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : HQJV

Comments:

Page : 3-A  
Tot. : 46  
Date : 22-NOV-88  
Invoice # : I-8827256  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8827256

| SAMPLE DESCRIPTION | PREP CODE | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|--------------------|-----------|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|-----|--------|------|--------|
|                    |           | FATMA  |      |        |        |        |        |        |      |        |        |        |        |      |        |        |     |        |      |        |
| S 05011            | 203       | 238    | < 5  | 1.18   | 0.4    | 10     | 150    | < 0.5  | 6    | 0.95   | 0.5    | 11     | 102    | 15   | 2.53   | < 10   | < 1 | 0.20   | 40   | 0.27   |
| S 05012            | 203       | 238    | < 5  | 1.10   | 0.4    | 30     | 130    | < 0.5  | 2    | 0.62   | < 0.5  | 10     | 46     | 19   | 2.92   | < 10   | < 1 | 0.15   | 40   | 0.27   |
| S 05013            | 203       | 238    | < 5  | 1.06   | 0.6    | 55     | 130    | < 0.5  | < 2  | 0.40   | < 0.5  | 14     | 87     | 36   | 3.75   | < 10   | < 1 | 0.16   | 50   | 0.28   |
| S 05014            | 203       | 238    | < 5  | 1.00   | 0.4    | 45     | 120    | < 0.5  | < 2  | 0.67   | < 0.5  | 11     | 66     | 32   | 2.78   | < 10   | < 1 | 0.15   | 40   | 0.25   |
| S 05016            | 203       | 238    | 5    | 1.02   | 0.2    | 60     | 130    | < 0.5  | < 2  | 0.77   | < 0.5  | 10     | 91     | 25   | 3.12   | < 10   | < 1 | 0.16   | 40   | 0.27   |
| S 05017            | 203       | 238    | 15   | 1.21   | 0.2    | 70     | 170    | < 0.5  | 4    | 2.50   | < 0.5  | 10     | 52     | 35   | 3.49   | < 10   | < 1 | 0.24   | 40   | 0.26   |
| S 05018            | 203       | 238    | 5    | 1.57   | 0.2    | 70     | 190    | < 0.5  | < 2  | 0.09   | < 0.5  | 15     | 74     | 24   | 3.92   | < 10   | < 1 | 0.15   | 30   | 0.27   |
| S 05019            | 203       | 238    | < 5  | 1.19   | < 0.2  | 80     | 140    | < 0.5  | < 2  | 0.16   | < 0.5  | 9      | 63     | 21   | 3.80   | < 10   | < 1 | 0.12   | 30   | 0.18   |
| S 05020            | 203       | 238    | < 5  | 1.66   | < 0.2  | 40     | 160    | < 0.5  | < 2  | 0.18   | < 0.5  | 9      | 79     | 10   | 3.39   | < 10   | 2   | 0.14   | 30   | 0.26   |
| S 05021            | 203       | 238    | 45   | 1.07   | < 0.2  | 85     | 120    | < 0.5  | 6    | 0.60   | < 0.5  | 13     | 47     | 34   | 6.07   | < 10   | < 1 | 0.19   | 30   | 0.16   |
| S 05022            | 203       | 238    | 15   | 0.86   | < 0.2  | 65     | 100    | < 0.5  | < 2  | 0.71   | < 0.5  | 10     | 79     | 22   | 3.12   | < 10   | < 1 | 0.13   | 40   | 0.25   |
| S 05023            | 203       | 238    | 15   | 0.88   | 0.4    | 60     | 110    | < 0.5  | < 2  | 0.83   | < 0.5  | 10     | 41     | 26   | 3.07   | < 10   | < 1 | 0.11   | 30   | 0.27   |
| S 05024            | 203       | 238    | < 5  | 1.10   | 0.2    | 45     | 150    | < 0.5  | < 2  | 1.39   | < 0.5  | 10     | 54     | 24   | 2.96   | < 10   | 1   | 0.15   | 30   | 0.27   |
| S 05025            | 203       | 238    | < 5  | 1.05   | 0.2    | 55     | 140    | < 0.5  | < 2  | 0.82   | < 0.5  | 10     | 49     | 23   | 3.00   | < 10   | < 1 | 0.12   | 30   | 0.27   |
| S 05026            | 203       | 238    | 10   | 1.18   | 0.2    | 35     | 160    | < 0.5  | < 2  | 1.27   | < 0.5  | 10     | 43     | 25   | 2.97   | < 10   | < 1 | 0.14   | 30   | 0.28   |
| S 05027            | 203       | 238    | < 5  | 1.08   | 0.2    | 45     | 130    | < 0.5  | < 2  | 1.36   | < 0.5  | 11     | 37     | 25   | 2.78   | < 10   | < 1 | 0.11   | 30   | 0.27   |
| S 05028            | 203       | 238    | < 5  | 0.87   | 0.2    | 55     | 130    | < 0.5  | < 2  | 0.43   | < 0.5  | 11     | 58     | 20   | 2.86   | < 10   | < 1 | 0.12   | 40   | 0.23   |
| S 05029            | 203       | 238    | < 5  | 0.98   | 0.4    | 50     | 160    | < 0.5  | < 2  | 0.52   | < 0.5  | 11     | 33     | 17   | 2.76   | < 10   | < 1 | 0.13   | 30   | 0.25   |
| S 05030            | 203       | 238    | 20   | 1.23   | < 0.2  | 125    | 180    | < 0.5  | < 2  | 1.78   | < 0.5  | 15     | 99     | 30   | 3.69   | < 10   | < 1 | 0.21   | 40   | 0.24   |
| S 05031            | 203       | 238    | < 5  | 0.99   | 0.2    | 40     | 100    | < 0.5  | < 2  | 1.19   | < 0.5  | 10     | 64     | 22   | 2.88   | < 10   | < 1 | 0.15   | 40   | 0.27   |
| S 05032            | 203       | 238    | 10   | 1.22   | 0.2    | 70     | 150    | < 0.5  | < 2  | 1.26   | < 0.5  | 10     | 52     | 25   | 3.40   | < 10   | < 1 | 0.17   | 40   | 0.28   |
| S 05033            | 203       | 238    | 10   | 1.50   | 0.4    | 90     | 240    | < 0.5  | 6    | 0.55   | < 0.5  | 14     | 40     | 32   | 3.70   | < 10   | < 1 | 0.20   | 40   | 0.29   |
| S 05034            | 203       | 238    | 5    | 1.24   | < 0.2  | 130    | 170    | < 0.5  | 2    | 0.13   | < 0.5  | 10     | 60     | 14   | 2.88   | < 10   | < 1 | 0.10   | 40   | 0.27   |
| S 05035            | 203       | 238    | 15   | 1.23   | 0.6    | 60     | 190    | < 0.5  | < 2  | 0.48   | < 0.5  | 9      | 44     | 20   | 3.57   | < 10   | < 1 | 0.14   | 40   | 0.19   |
| S 05036            | 203       | 238    | < 5  | 1.61   | < 0.2  | 30     | 150    | < 0.5  | < 2  | 0.10   | < 0.5  | 8      | 60     | 9    | 3.10   | < 10   | < 1 | 0.08   | 30   | 0.37   |
| S 05037            | 203       | 238    | < 5  | 1.78   | 0.2    | 20     | 210    | < 0.5  | 2    | 0.13   | < 0.5  | 9      | 53     | 11   | 2.96   | < 10   | < 1 | 0.08   | 30   | 0.40   |
| S 05038            | 203       | 238    | < 5  | 1.19   | 0.2    | 60     | 130    | < 0.5  | < 2  | 0.07   | < 0.5  | 8      | 52     | 13   | 3.19   | < 10   | < 1 | 0.09   | 30   | 0.18   |
| S 05039            | 203       | 238    | < 5  | 1.31   | < 0.2  | 20     | 100    | < 0.5  | < 2  | 0.06   | < 0.5  | 7      | 54     | 3    | 2.47   | < 10   | < 1 | 0.07   | 20   | 0.28   |
| S 05040            | 203       | 238    | 15   | 1.35   | 0.4    | 100    | 160    | < 0.5  | 2    | 0.34   | < 0.5  | 13     | 57     | 30   | 4.13   | < 10   | < 1 | 0.16   | 40   | 0.22   |
| S 05041            | 203       | 238    | 20   | 1.20   | < 0.2  | 85     | 150    | < 0.5  | < 2  | 1.48   | < 0.5  | 14     | 47     | 34   | 3.67   | < 10   | < 1 | 0.20   | 40   | 0.33   |
| S 05042            | 203       | 238    | 10   | 1.16   | 0.8    | 80     | 140    | < 0.5  | < 2  | 0.62   | < 0.5  | 14     | 69     | 26   | 3.49   | < 10   | < 1 | 0.18   | 40   | 0.31   |
| S 05043            | 203       | 238    | 15   | 0.73   | 0.2    | 75     | 100    | < 0.5  | < 2  | 1.19   | < 0.5  | 10     | 54     | 18   | 3.16   | < 10   | < 1 | 0.09   | 30   | 0.15   |
| S 05045            | 203       | 238    | 10   | 0.99   | < 0.2  | 40     | 130    | < 0.5  | < 2  | 1.40   | < 0.5  | 10     | 45     | 17   | 2.79   | < 10   | < 1 | 0.08   | 30   | 0.22   |
| S 05046            | 203       | 238    | 25   | 0.77   | 0.8    | 55     | 110    | < 0.5  | < 2  | 2.74   | 0.5    | 14     | 35     | 20   | 3.45   | < 10   | < 1 | 0.11   | 20   | 0.12   |
| S 05047            | 203       | 238    | 5    | 1.04   | 0.2    | 45     | 170    | < 0.5  | 2    | 0.39   | 0.5    | 10     | 72     | 27   | 2.95   | < 10   | < 1 | 0.18   | 40   | 0.26   |
| S 05048            | 203       | 238    | < 5  | 1.14   | 0.4    | 75     | 150    | < 0.5  | < 2  | 0.36   | 0.5    | 14     | 42     | 32   | 3.58   | < 10   | 1   | 0.19   | 40   | 0.31   |
| S 05049            | 203       | 238    | 25   | 2.09   | < 0.2  | 105    | 230    | < 0.5  | < 2  | 0.52   | 0.5    | 19     | 53     | 25   | 4.77   | < 10   | < 1 | 0.14   | 30   | 0.21   |
| S 05050            | 203       | 238    | < 5  | 0.81   | < 0.2  | 190    | 80     | < 0.5  | < 2  | 0.02   | < 0.5  | 14     | 54     | 17   | 4.44   | < 10   | < 1 | 0.14   | 110  |        |
| S 05051            | 203       | 238    | < 5  | 1.20   | < 0.2  | 105    | 100    | < 0.5  | 2    | 0.04   | < 0.5  | 6      | 93     | 8    | 3.81   | < 10   | < 1 | 0.12   | 30   | 0.19   |
| S 05052            | 203       | 238    | < 5  | 0.74   | < 0.2  | 60     | 60     | < 0.5  | < 2  | 0.02   | < 0.5  | 7      | 53     | 9    | 2.17   | < 10   | < 1 | 0.08   | 30   | 0.13   |

CERTIFICATION :

*B. Cang*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.

VANCOUVER, BC

V6B 1L8

Project : HGJV

Comments:

Page : 3-B  
Tot. : 6  
Date : 22-NOV-88  
Invoice # : I-8827256  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8827256

| SAMPLE DESCRIPTION | PREP CODE | Mb ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |     |
|--------------------|-----------|--------|------|--------|-------|--------|--------|--------|--------|------|--------|-------|-------|-------|--------|-----|
| S 05011            | 203       | 238    | < 1  | 0.02   | 18    | 630    | 70     | < 5    | 2      | 54   | 0.01   | < 10  | < 10  | 29    | 5      | 91  |
| S 05012            | 203       | 238    | < 1  | 0.01   | 20    | 650    | 84     | 5      | 3      | 38   | 0.01   | < 10  | < 10  | 27    | 10     | 81  |
| S 05013            | 203       | 238    | < 1  | 0.01   | 27    | 560    | 84     | 10     | 3      | 27   | 0.01   | < 10  | < 10  | 24    | 10     | 86  |
| S 05014            | 203       | 238    | < 1  | 0.01   | 21    | 570    | 72     | 5      | 2      | 34   | 0.01   | < 10  | < 10  | 20    | 5      | 75  |
| S 05016            | 203       | 238    | < 1  | 0.01   | 25    | 640    | 112    | 5      | 2      | 47   | < 0.01 | < 10  | < 10  | 19    | 10     | 85  |
| S 05017            | 203       | 238    | < 1  | 0.01   | 29    | 530    | 106    | 15     | 3      | 94   | < 0.01 | < 10  | < 10  | 21    | 10     | 72  |
| S 05018            | 203       | 238    | < 1  | 0.01   | 35    | 400    | 44     | 5      | 2      | 12   | 0.01   | < 10  | < 10  | 27    | 10     | 75  |
| S 05019            | 203       | 238    | < 1  | 0.01   | 23    | 350    | 50     | 5      | 3      | 17   | < 0.01 | < 10  | < 10  | 23    | 10     | 60  |
| S 05020            | 203       | 238    | < 1  | 0.01   | 18    | 210    | 28     | < 5    | 2      | 16   | 0.02   | < 10  | < 10  | 42    | 10     | 58  |
| S 05021            | 203       | 238    | < 1  | 0.01   | 26    | 400    | 46     | 10     | 4      | 42   | < 0.01 | < 10  | < 10  | 17    | 15     | 51  |
| S 05022            | 203       | 238    | < 1  | 0.01   | 21    | 550    | 106    | < 5    | 2      | 42   | < 0.01 | < 10  | < 10  | 16    | 5      | 78  |
| S 05023            | 203       | 238    | < 1  | 0.01   | 23    | 600    | 116    | 5      | 2      | 48   | < 0.01 | < 10  | < 10  | 17    | < 5    | 77  |
| S 05024            | 203       | 238    | < 1  | 0.01   | 21    | 740    | 96     | 5      | 3      | 77   | < 0.01 | < 10  | < 10  | 20    | 10     | 98  |
| S 05025            | 203       | 238    | < 1  | 0.01   | 23    | 640    | 76     | 5      | 2      | 50   | < 0.01 | < 10  | < 10  | 18    | 5      | 93  |
| S 05026            | 203       | 238    | < 1  | 0.01   | 24    | 820    | 80     | 5      | 3      | 78   | < 0.01 | < 10  | < 10  | 21    | 5      | 91  |
| S 05027            | 203       | 238    | < 1  | 0.01   | 23    | 780    | 90     | 5      | 2      | 69   | < 0.01 | < 10  | < 10  | 19    | 10     | 92  |
| S 05028            | 203       | 238    | < 1  | 0.01   | 23    | 570    | 86     | 5      | 2      | 35   | < 0.01 | < 10  | < 10  | 16    | 5      | 64  |
| S 05029            | 203       | 238    | < 1  | 0.01   | 17    | 670    | 92     | 5      | 2      | 35   | < 0.01 | < 10  | < 10  | 19    | 10     | 65  |
| S 05030            | 203       | 238    | < 1  | 0.01   | 25    | 570    | 112    | 10     | 3      | 94   | < 0.01 | < 10  | < 10  | 28    | 10     | 86  |
| S 05031            | 203       | 238    | < 1  | 0.01   | 22    | 570    | 74     | 5      | 2      | 61   | 0.01   | < 10  | < 10  | 17    | 5      | 76  |
| S 05032            | 203       | 238    | < 1  | 0.01   | 23    | 540    | 40     | 5      | 3      | 63   | 0.01   | < 10  | < 10  | 23    | 10     | 74  |
| S 05033            | 203       | 238    | < 1  | 0.01   | 32    | 340    | 110    | 5      | 3      | 39   | < 0.01 | < 10  | < 10  | 24    | 5      | 87  |
| S 05034            | 203       | 238    | < 1  | 0.01   | 25    | 270    | 30     | < 5    | 2      | 14   | 0.01   | < 10  | < 10  | 28    | 5      | 59  |
| S 05035            | 203       | 238    | < 1  | 0.01   | 23    | 490    | 72     | 10     | 3      | 33   | < 0.01 | < 10  | < 10  | 19    | 5      | 69  |
| S 05036            | 203       | 238    | < 1  | 0.01   | 18    | 260    | 28     | < 5    | 2      | 11   | 0.02   | < 10  | < 10  | 44    | < 5    | 60  |
| S 05037            | 203       | 238    | 1    | 0.01   | 18    | 300    | 12     | < 5    | 3      | 12   | 0.05   | < 10  | < 10  | 51    | 5      | 113 |
| S 05038            | 203       | 238    | 1    | 0.01   | 18    | 250    | 26     | < 5    | 2      | 8    | 0.01   | < 10  | < 10  | 34    | 5      | 59  |
| S 05039            | 203       | 238    | 2    | 0.01   | 10    | 210    | 14     | < 5    | 2      | 8    | 0.04   | < 10  | < 10  | 48    | 5      | 54  |
| S 05040            | 203       | 238    | < 1  | 0.01   | 28    | 420    | 82     | 10     | 4      | 29   | < 0.01 | < 10  | < 10  | 20    | 10     | 70  |
| S 05041            | 203       | 238    | < 1  | 0.01   | 27    | 440    | 68     | 10     | 3      | 58   | < 0.01 | < 10  | < 10  | 20    | 10     | 79  |
| S 05042            | 203       | 238    | < 1  | 0.01   | 28    | 560    | 82     | 10     | 2      | 35   | < 0.01 | < 10  | < 10  | 17    | 5      | 76  |
| S 05043            | 203       | 238    | < 1  | 0.01   | 22    | 560    | 74     | 5      | 3      | 60   | 0.01   | < 10  | < 10  | 15    | 5      | 73  |
| S 05045            | 203       | 238    | < 1  | 0.01   | 20    | 670    | 54     | 5      | 2      | 64   | 0.01   | < 10  | < 10  | 21    | 5      | 67  |
| S 05046            | 203       | 238    | < 1  | 0.01   | 27    | 830    | 228    | 5      | 4      | 142  | < 0.01 | < 10  | < 10  | 15    | 5      | 101 |
| S 05047            | 203       | 238    | < 1  | 0.01   | 27    | 440    | 42     | 5      | 2      | 29   | < 0.01 | < 10  | < 10  | 17    | 5      | 71  |
| S 05048            | 203       | 238    | < 1  | 0.01   | 30    | 390    | 94     | 15     | 3      | 27   | < 0.01 | < 10  | < 10  | 19    | 5      | 76  |
| S 05049            | 203       | 238    | < 1  | 0.01   | 48    | 430    | 98     | 10     | 4      | 37   | < 0.01 | < 10  | < 10  | 26    | 5      | 67  |
| S 05050            | 203       | 238    | < 1  | 0.01   | 10    | 240    | 26     | < 5    | 1      | 6    | 0.01   | < 10  | < 10  | 13    | < 5    | 37  |
| S 05051            | 203       | 238    | < 1  | 0.01   | 15    | 360    | 20     | 5      | 1      | 6    | < 0.01 | < 10  | < 10  | 28    | 5      | 75  |
| S 05052            | 203       | 238    | < 1  | 0.01   | 12    | 440    | 18     | < 5    | 1      | 5    | 0.01   | < 10  | < 10  | 45    | < 5    | 45  |

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page 1 4-B  
 Tot. 1 6  
 Date : 22-NOV-88  
 Invoice # : I-8827256  
 P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8827256

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm    | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|------|--------|-------|--------|--------|--------|-----------|------|--------|-------|-------|-------|--------|
| S 05053            | 203 238   | 1      | 0.01 | 18     | 390   | 74     | < 5    | 1      | 10        | 0.01 | < 10   | < 10  | 33    | 5     | 77     |
| S 05054            | 203 238   | 1      | 0.01 | 15     | 330   | 28     | < 5    | 2      | 11        | 0.03 | < 10   | < 10  | 44    | < 5   | 67     |
| S 05055            | 203 238   | < 1    | 0.01 | 18     | 790   | 24     | < 5    | 1      | 75        | 0.01 | < 10   | < 10  | 29    | 5     | 59     |
| S 05056            | 203 238   | < 1    | 0.01 | 6      | 330   | 16     | < 5    | 1      | 62        | 0.01 | < 10   | < 10  | 24    | < 5   | 36     |
| S 05057            | 203 238   | < 1    | 0.01 | 36     | 260   | 32     | 10     | 5      | 10 < 0.01 | < 10 | < 10   | < 10  | 9     | 10    | 88     |
| S 05058            | 203 238   | 1      | 0.01 | 11     | 450   | 20     | < 5    | 1      | 8         | 0.01 | < 10   | < 10  | 42    | < 5   | 47     |
| S 05059            | 203 238   | < 1    | 0.01 | 18     | 340   | 22     | < 5    | 1      | 7 < 0.01  | < 10 | < 10   | < 10  | 29    | < 5   | 69     |
| S 05060            | 203 238   | 1      | 0.01 | 14     | 260   | 22     | 5      | 1      | 7 < 0.01  | < 10 | < 10   | < 10  | 28    | < 5   | 48     |
| S 05061            | 203 238   | 1      | 0.01 | 22     | 240   | 40     | 5      | 2      | 13 < 0.01 | < 10 | < 10   | < 10  | 20    | 5     | 61     |
| S 05062            | 203 238   | < 1    | 0.01 | 20     | 400   | 46     | 5      | 1      | 18 < 0.01 | < 10 | < 10   | < 10  | 20    | 5     | 67     |
| S 05063            | 203 238   | < 1    | 0.01 | 22     | 480   | 66     | 5      | 2      | 21 < 0.01 | < 10 | < 10   | < 10  | 17    | 10    | 77     |
| S 05064            | 203 238   | < 1    | 0.01 | 19     | 330   | 56     | 10     | 1      | 12 < 0.01 | < 10 | < 10   | < 10  | 17    | 5     | 62     |
| S 05065            | 203 238   | < 1    | 0.01 | 27     | 250   | 28     | 5      | 2      | 11 < 0.01 | < 10 | < 10   | < 10  | 16    | 5     | 57     |
| S 05066            | 203 238   | < 1    | 0.01 | 13     | 370   | 40     | 10     | 2      | 7 < 0.01  | < 10 | < 10   | < 10  | 34    | 10    | 63     |
| S 05067            | 203 238   | < 1    | 0.01 | 22     | 380   | 40     | 5      | 2      | 6 < 0.01  | < 10 | < 10   | < 10  | 26    | 5     | 72     |
| S 05068            | 203 238   | < 1    | 0.01 | 20     | 390   | 26     | 5      | 2      | 7 < 0.01  | < 10 | < 10   | < 10  | 33    | 5     | 66     |
| S 05069            | 203 238   | < 1    | 0.01 | 21     | 380   | 40     | 10     | 2      | 6 < 0.01  | < 10 | < 10   | < 10  | 21    | 10    | 78     |
| S 05070            | 203 238   | 1      | 0.01 | 19     | 510   | 30     | 5      | 2      | 7 < 0.01  | < 10 | < 10   | < 10  | 33    | 10    | 79     |
| S 05071            | 203 238   | 2      | 0.01 | 22     | 390   | 52     | < 5    | 1      | 7 < 0.01  | < 10 | < 10   | < 10  | 23    | 5     | 72     |
| S 05072            | 203 238   | 1      | 0.01 | 21     | 340   | 62     | 5      | 1      | 5 < 0.01  | < 10 | < 10   | < 10  | 27    | 5     | 68     |
| S 05073            | 203 238   | < 1    | 0.01 | 19     | 400   | 50     | 5      | 1      | 7 < 0.01  | < 10 | < 10   | < 10  | 29    | 5     | 56     |
| S 05074            | 203 238   | 1      | 0.01 | 11     | 360   | 10     | 5      | 1      | 7 < 0.02  | < 10 | < 10   | < 10  | 40    | < 5   | 30     |
| S 05075            | 203 238   | 1      | 0.01 | 13     | 640   | 20     | < 5    | 1      | 7 < 0.01  | < 10 | < 10   | < 10  | 33    | 5     | 40     |
| S 05076            | 203 238   | 2      | 0.01 | 10     | 270   | 36     | < 5    | 2      | 9 < 0.07  | < 10 | < 10   | < 10  | 48    | 5     | ~      |
| S 05077            | 203 238   | 1      | 0.01 | 22     | 460   | 52     | 5      | 2      | 7 < 0.01  | < 10 | < 10   | < 10  | 27    | 10    | 67     |
| S 05078            | 203 238   | 1      | 0.01 | 11     | 410   | 24     | < 5    | 1      | 7 < 0.02  | < 10 | < 10   | < 10  | 40    | 5     | 39     |
| S 05079            | 203 238   | 1      | 0.01 | 15     | 590   | 18     | < 5    | 2      | 6 < 0.02  | < 10 | < 10   | < 10  | 52    | < 5   | 48     |
| S 05080            | 203 238   | < 1    | 0.01 | 13     | 380   | 12     | < 5    | 2      | 8 < 0.04  | < 10 | < 10   | < 10  | 54    | 5     | 47     |
| S 05081            | 203 238   | < 1    | 0.01 | 21     | 300   | 48     | 5      | 1      | 9 < 0.01  | < 10 | < 10   | < 10  | 21    | 5     | 53     |
| S 05082            | 203 238   | 1      | 0.01 | 16     | 310   | 24     | < 5    | 2      | 8 < 0.05  | < 10 | < 10   | < 10  | 45    | 5     | 64     |
| S 05083            | 203 238   | 1      | 0.01 | 16     | 540   | 18     | 5      | 1      | 5 < 0.02  | < 10 | < 10   | < 10  | 33    | 5     | 50     |
| S 05084            | 203 238   | 2      | 0.01 | 12     | 780   | 60     | 5      | 2      | 10 < 0.02 | < 10 | < 10   | < 10  | 47    | < 5   | 51     |
| S 05085            | 203 238   | < 1    | 0.01 | 19     | 380   | 34     | 5      | 2      | 7 < 0.02  | < 10 | < 10   | < 10  | 38    | 5     | 65     |
| S 05086            | 203 238   | < 1    | 0.01 | 9      | 310   | 30     | < 5    | 2      | 7 < 0.03  | < 10 | < 10   | < 10  | 44    | 5     | 44     |
| S 05087            | 203 238   | 1      | 0.01 | 21     | 420   | 42     | 5      | 1      | 7 < 0.01  | < 10 | < 10   | < 10  | 29    | 5     | 70     |
| S 05088            | 203 238   | 1      | 0.01 | 16     | 320   | 8      | 5      | 2      | 6 < 0.03  | < 10 | < 10   | < 10  | 41    | < 5   | 56     |
| S 05089            | 203 238   | < 1    | 0.01 | 17     | 370   | 38     | < 5    | 1      | 7 < 0.01  | < 10 | < 10   | < 10  | 21    | 5     | 59     |
| S 05090            | 203 238   | < 1    | 0.01 | 15     | 360   | 42     | < 5    | 2      | 7 < 0.01  | < 10 | < 10   | < 10  | 30    | < 5   | 62     |
| S 05091            | 203 238   | < 1    | 0.01 | 27     | 570   | 190    | 10     | 2      | 13 < 0.01 | < 10 | < 10   | < 10  | 20    | 5     | 83     |
| S 05092            | 203 238   | < 1    | 0.01 | 20     | 360   | 56     | 5      | 2      | 9 < 0.01  | < 10 | < 10   | < 10  | 25    | < 5   | 68     |

CERTIFICATION : *B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 4-A  
 Tot. : 96  
 Date : 22-NOV-88  
 Invoice # : I-8827256  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827256**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb F+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K %  | La ppm | Mg % | Mn ppm |
|--------------------|-----------|-------------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
| S 05053            | 203 238   | < 5         | 1.31 | < 0.2  | 65     | 130    | < 0.5  | 4      | 0.09 | < 0.5  | 10     | 82     | 9      | 3.23 | < 10   | < 1    | 0.10 | 30     | 0.27 | 358    |
| S 05054            | 203 238   | < 5         | 1.37 | < 0.2  | 65     | 130    | < 0.5  | 2      | 0.09 | < 0.5  | 7      | 69     | 5      | 3.03 | < 10   | < 1    | 0.10 | 20     | 0.28 | 220    |
| S 05055            | 203 238   | < 5         | 1.12 | 0.2    | 40     | 190    | < 0.5  | 4      | 1.38 | 0.5    | 10     | 59     | 19     | 2.66 | < 10   | < 3    | 0.11 | 20     | 0.21 | 1805   |
| S 05056            | 203 238   | 5           | 0.85 | 0.2    | 15     | 160    | < 0.5  | < 2    | 1.12 | < 0.5  | 6      | 43     | 10     | 1.53 | < 10   | < 1    | 0.06 | 30     | 0.07 | 239    |
| S 05057            | 203 238   | 105         | 0.80 | < 0.2  | 150    | 90     | < 0.5  | 14     | 0.09 | 0.5    | 16     | 59     | 72     | 8.47 | < 10   | < 1    | 0.10 | 20     | 0.08 | 3180   |
| S 05058            | 203 238   | 5           | 1.04 | < 0.2  | 145    | 100    | < 0.5  | 4      | 0.04 | < 0.5  | 6      | 65     | 5      | 2.50 | < 10   | < 1    | 0.11 | 30     | 0.19 | 138    |
| S 05059            | 203 238   | < 5         | 1.38 | < 0.2  | 80     | 130    | < 0.5  | < 2    | 0.02 | < 0.5  | 8      | 87     | 10     | 3.57 | < 10   | < 1    | 0.16 | 40     | 0.23 | 163    |
| S 05060            | 203 238   | < 5         | 1.08 | < 0.2  | 110    | 100    | < 0.5  | < 2    | 0.06 | < 0.5  | 8      | 64     | 9      | 3.04 | < 10   | < 1    | 0.13 | 40     | 0.19 | 125    |
| S 05061            | 203 238   | < 5         | 1.15 | 0.4    | 75     | 150    | < 0.5  | < 2    | 0.16 | < 0.5  | 10     | 76     | 19     | 2.90 | < 10   | < 1    | 0.23 | 50     | 0.28 | 285    |
| S 05062            | 203 238   | < 5         | 1.02 | < 0.2  | 70     | 140    | < 0.5  | 2      | 0.31 | < 0.5  | 10     | 43     | 18     | 3.35 | < 10   | < 1    | 0.16 | 40     | 0.23 | 481    |
| S 05063            | 203 238   | < 5         | 1.10 | < 0.2  | 50     | 130    | < 0.5  | < 2    | 0.34 | < 0.5  | 11     | 59     | 17     | 2.87 | < 10   | < 3    | 0.21 | 40     | 0.29 | 452    |
| S 05064            | 203 238   | < 5         | 1.06 | 0.2    | 70     | 160    | < 0.5  | 2      | 0.16 | < 0.5  | 9      | 50     | 17     | 2.83 | < 10   | < 1    | 0.18 | 40     | 0.24 | 299    |
| S 05065            | 203 238   | < 5         | 1.28 | 0.2    | 55     | 130    | < 0.5  | 2      | 0.09 | < 0.5  | 10     | 73     | 22     | 3.23 | < 10   | < 1    | 0.24 | 40     | 0.30 | 230    |
| S 05066            | 203 238   | < 5         | 1.35 | 0.2    | 120    | 100    | < 0.5  | 2      | 0.02 | < 0.5  | 8      | 53     | 9      | 4.09 | < 10   | < 1    | 0.13 | 30     | 0.26 | 194    |
| S 05067            | 203 238   | 10          | 1.60 | 0.6    | 110    | 150    | < 0.5  | 4      | 0.02 | < 0.5  | 9      | 84     | 16     | 3.28 | < 10   | < 1    | 0.17 | 40     | 0.30 | 163    |
| S 05068            | 203 238   | < 5         | 1.81 | 1.0    | 80     | 130    | < 0.5  | < 2    | 0.02 | < 0.5  | 9      | 74     | 11     | 3.39 | < 10   | < 1    | 0.17 | 40     | 0.32 | 191    |
| S 05069            | 203 238   | < 5         | 1.39 | < 0.2  | 120    | 120    | < 0.5  | < 2    | 0.01 | < 0.5  | 10     | 76     | 19     | 3.56 | < 10   | < 1    | 0.23 | 40     | 0.26 | 202    |
| S 05070            | 203 238   | < 5         | 1.60 | 0.2    | 70     | 150    | < 0.5  | < 2    | 0.04 | < 0.5  | 8      | 67     | 12     | 2.88 | < 10   | < 1    | 0.15 | 30     | 0.31 | 177    |
| S 05071            | 203 238   | < 5         | 1.25 | 0.2    | 95     | 120    | < 0.5  | 8      | 0.03 | 0.5    | 8      | 84     | 18     | 2.83 | < 10   | < 1    | 0.16 | 40     | 0.25 | 192    |
| S 05072            | 203 238   | < 5         | 1.29 | < 0.2  | 75     | 110    | < 0.5  | 6      | 0.02 | < 0.5  | 8      | 65     | 12     | 3.55 | < 10   | < 1    | 0.13 | 30     | 0.25 | 177    |
| S 05073            | 203 238   | < 5         | 1.27 | 0.2    | 90     | 100    | < 0.5  | 2      | 0.04 | < 0.5  | 8      | 72     | 9      | 2.64 | < 10   | < 1    | 0.12 | 40     | 0.25 | 186    |
| S 05074            | 203 238   | < 5         | 1.03 | 0.4    | 35     | 90     | < 0.5  | 4      | 0.04 | < 0.5  | 5      | 75     | 4      | 1.63 | < 10   | < 1    | 0.11 | 30     | 0.15 | 97     |
| S 05075            | 203 238   | < 5         | 0.77 | 0.6    | 125    | 70     | < 0.5  | 4      | 0.02 | < 0.5  | 6      | 109    | 8      | 2.51 | < 10   | < 3    | 0.12 | 60     | 0.14 | 124    |
| S 05076            | 203 238   | < 5         | 1.39 | 0.2    | 35     | 100    | < 0.5  | 4      | 0.07 | < 0.5  | 4      | 72     | 2      | 2.34 | < 10   | < 1    | 0.11 | 30     | 0.22 | 144    |
| S 05077            | 203 238   | < 5         | 1.57 | 0.4    | 155    | 150    | < 0.5  | 6      | 0.01 | < 0.5  | 9      | 89     | 12     | 3.42 | < 10   | < 1    | 0.22 | 40     | 0.26 | 192    |
| S 05078            | 203 238   | < 5         | 0.86 | 0.4    | 60     | 90     | < 0.5  | 2      | 0.03 | < 0.5  | 6      | 84     | 6      | 1.93 | < 10   | < 1    | 0.12 | 40     | 0.16 | 122    |
| S 05079            | 203 238   | < 5         | 1.26 | 0.4    | 70     | 90     | < 0.5  | < 2    | 0.02 | < 0.5  | 7      | 110    | 5      | 3.21 | < 10   | < 1    | 0.15 | 40     | 0.24 | 221    |
| S 05080            | 203 238   | < 5         | 1.25 | 0.2    | 45     | 110    | < 0.5  | 2      | 0.05 | < 0.5  | 6      | 83     | 3      | 2.67 | < 10   | < 1    | 0.12 | 30     | 0.25 | 165    |
| S 05081            | 203 238   | < 5         | 1.26 | 0.2    | 105    | 130    | < 0.5  | 4      | 0.05 | < 0.5  | 8      | 88     | 19     | 3.25 | < 10   | < 1    | 0.20 | 50     | 0.22 | 176    |
| S 05082            | 203 238   | 5           | 1.61 | 0.2    | 25     | 110    | < 0.5  | 2      | 0.06 | < 0.5  | 7      | 60     | 3      | 3.20 | < 10   | < 1    | 0.11 | 30     | 0.36 | 166    |
| S 05083            | 203 238   | < 5         | 1.15 | 0.2    | 90     | 90     | < 0.5  | < 2    | 0.02 | < 0.5  | 7      | 74     | 9      | 3.48 | < 10   | < 3    | 0.15 | 50     | 0.18 | 165    |
| S 05084            | 203 238   | < 5         | 1.02 | 0.4    | 115    | 110    | < 0.5  | 4      | 0.03 | < 0.5  | 6      | 67     | 9      | 3.21 | < 10   | < 1    | 0.16 | 30     | 0.16 | 158    |
| S 05085            | 203 238   | < 5         | 1.43 | 0.2    | 60     | 120    | < 0.5  | 4      | 0.04 | < 0.5  | 8      | 71     | 9      | 3.23 | < 10   | < 1    | 0.14 | 30     | 0.33 | 242    |
| S 05086            | 203 238   | < 5         | 1.41 | 0.4    | 50     | 110    | < 0.5  | < 2    | 0.04 | < 0.5  | 6      | 72     | 5      | 2.69 | < 10   | < 1    | 0.12 | 30     | 0.23 | 166    |
| S 05087            | 203 238   | 5           | 1.15 | 0.4    | 135    | 120    | < 0.5  | < 2    | 0.03 | < 0.5  | 8      | 66     | 13     | 2.99 | < 10   | < 1    | 0.12 | 30     | 0.27 | 191    |
| S 05088            | 203 238   | < 5         | 1.39 | < 0.2  | 20     | 90     | < 0.5  | < 2    | 0.04 | < 0.5  | 7      | 49     | 4      | 3.06 | < 10   | < 1    | 0.06 | 20     | 0.36 | 215    |
| S 05089            | 203 238   | < 5         | 0.98 | < 0.2  | 70     | 100    | < 0.5  | < 2    | 0.04 | < 0.5  | 9      | 89     | 14     | 2.55 | < 10   | < 1    | 0.13 | 40     | 0.26 | 233    |
| S 05090            | 203 238   | < 5         | 1.21 | 0.2    | 80     | 150    | < 0.5  | < 2    | 0.02 | < 0.5  | 8      | 66     | 16     | 2.88 | < 10   | < 1    | 0.18 | 40     | 0.22 | 157    |
| S 05091            | 203 238   | 5           | 1.07 | 1.2    | 100    | 150    | < 0.5  | < 2    | 0.13 | < 0.5  | 14     | 69     | 22     | 3.15 | < 10   | < 1    | 0.20 | 50     | 0.26 | 586    |
| S 05092            | 203 238   | < 5         | 1.20 | < 0.2  | 115    | 140    | < 0.5  | 2      | 0.04 | < 0.5  | 9      | 64     | 15     | 2.83 | < 10   | < 1    | 0.17 | 50     | 0.29 | 261    |

CERTIFICATION : *B. Cagl*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : HGJV

Comments:

Page 1 5-A  
Tot. F 6  
Date : 22-NOV-88  
Invoice # : I-8827256  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8827256

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K %  | La ppm | Mg % | Mn ppm |     |
|--------------------|-----------|--------------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|-----|
| S 05093            | 203       | 238          | < 5  | 0.78   | 0.4    | 85     | 70     | < 0.5  | < 2  | 0.02   | < 0.5  | 2      | 26     | 10   | 1.91   | 10     | < 1  | 0.10   | 40   | 0.14   | 119 |
| S 05094            | 203       | 238          | < 5  | 1.03   | 1.0    | 80     | 80     | < 0.5  | < 2  | 0.02   | < 0.5  | 6      | 24     | 17   | 3.30   | 10     | < 1  | 0.13   | 40   | 0.21   | 194 |
| S 05095            | 203       | 238          | < 5  | 0.62   | 0.2    | 80     | 50     | < 0.5  | 2    | 0.01   | < 0.5  | 2      | 28     | 7    | 1.57   | 10     | < 1  | 0.10   | 40   | 0.08   | 78  |
| S 05096            | 203       | 238          | < 5  | 0.81   | 0.8    | 120    | 70     | < 0.5  | < 2  | 0.03   | < 0.5  | 4      | 31     | 16   | 2.72   | < 10   | < 1  | 0.15   | 40   | 0.19   | 160 |
| S 05097            | 203       | 238          | < 5  | 1.73   | 0.8    | 60     | 130    | 0.5    | < 2  | 0.05   | < 0.5  | 4      | 33     | 10   | 3.22   | < 10   | < 1  | 0.15   | 20   | 0.36   | 227 |
| S 05098            | 203       | 238          | 5    | 1.51   | 0.4    | 30     | 100    | < 0.5  | < 2  | 0.07   | < 0.5  | 3      | 34     | 5    | 3.05   | 10     | < 1  | 0.12   | 30   | 0.36   | 152 |
| S 05099            | 203       | 238          | < 5  | 1.52   | 0.4    | 45     | 90     | < 0.5  | 2    | 0.03   | < 0.5  | 4      | 27     | 6    | 3.34   | 10     | < 1  | 0.12   | 30   | 0.30   | 198 |
| S 05100            | 203       | 238          | < 5  | 0.69   | 0.2    | 55     | 50     | < 0.5  | < 2  | 0.01   | < 0.5  | 3      | 46     | 6    | 1.69   | 10     | < 1  | 0.12   | 40   | 0.12   | 129 |
| S 05101            | 203       | 238          | < 5  | 1.12   | 0.6    | 75     | 80     | < 0.5  | 2    | 0.01   | < 0.5  | 4      | 24     | 15   | 3.26   | < 10   | < 1  | 0.11   | 40   | 0.19   | 165 |
| S 05102            | 203       | 238          | < 5  | 0.85   | 0.2    | 75     | 90     | < 0.5  | 2    | 0.03   | < 0.5  | 5      | 32     | 11   | 2.91   | < 10   | < 1  | 0.11   | 30   | 0.16   | 244 |
| S 05103            | 203       | 238          | < 5  | 0.91   | 0.2    | 70     | 90     | < 0.5  | < 2  | 0.03   | < 0.5  | 4      | 45     | 14   | 2.59   | < 10   | < 1  | 0.12   | 30   | 0.19   | 179 |
| S 05104            | 203       | 238          | 10   | 0.74   | 0.6    | 85     | 80     | < 0.5  | < 2  | 0.05   | < 0.5  | 4      | 51     | 14   | 2.58   | < 10   | < 1  | 0.12   | 30   | 0.17   | 218 |
| S 05105            | 203       | 238          | < 5  | 1.02   | 2.0    | 105    | 130    | < 0.5  | < 2  | 0.05   | < 0.5  | 5      | 35     | 17   | 2.94   | < 10   | < 1  | 0.17   | 30   | 0.18   | 177 |
| S 05106            | 203       | 238          | < 5  | 0.81   | 0.6    | 90     | 110    | 0.5    | 2    | 0.11   | < 0.5  | 6      | 43     | 14   | 2.74   | < 10   | < 1  | 0.13   | 30   | 0.20   | 290 |
| S 05107            | 203       | 238          | < 5  | 0.87   | 1.0    | 75     | 90     | < 0.5  | < 2  | 0.09   | < 0.5  | 10     | 42     | 23   | 3.08   | < 10   | < 1  | 0.14   | 40   | 0.22   | 458 |
| S 05108            | 203       | 238          | 10   | 0.93   | 1.2    | 90     | 130    | < 0.5  | < 2  | 0.15   | < 0.5  | 10     | 49     | 20   | 2.89   | < 10   | < 1  | 0.15   | 40   | 0.23   | 556 |
| S 05111            | 203       | 238          | < 5  | 1.41   | 1.2    | 60     | 200    | < 0.5  | < 2  | 0.77   | < 0.5  | 9      | 29     | 21   | 2.89   | 10     | < 1  | 0.21   | 30   | 0.37   | 581 |
| S 05112            | 203       | 238          | 5    | 1.43   | 1.4    | 80     | 200    | < 0.5  | < 2  | 0.84   | < 0.5  | 8      | 29     | 22   | 3.06   | 10     | < 1  | 0.20   | 30   | 0.35   | 644 |
| S 05113            | 203       | 238          | 5    | 1.49   | 0.8    | 70     | 290    | < 0.5  | < 2  | 0.14   | 0.5    | 6      | 53     | 17   | 2.92   | 10     | < 1  | 0.17   | 20   | 0.19   | 397 |
| S 05114            | 203       | 238          | < 5  | 1.12   | 0.2    | 115    | 100    | < 0.5  | 2    | 0.03   | < 0.5  | 5      | 41     | 19   | 3.26   | 10     | < 1  | 0.13   | 30   | 0.27   | 197 |
| S 05115            | 203       | 238          | 10   | 0.71   | 1.2    | 120    | 90     | < 0.5  | < 2  | 0.06   | < 0.5  | 9      | 21     | 27   | 4.02   | 10     | < 1  | 0.11   | 30   | 0.12   | 487 |
| S 05116            | 203       | 238          | < 5  | 1.19   | 0.4    | 15     | 230    | < 0.5  | < 2  | 0.21   | < 0.5  | 5      | 31     | 5    | 1.91   | 10     | < 1  | 0.06   | 20   | 0.25   | 277 |
| S 05117            | 203       | 238          | < 5  | 1.34   | 0.2    | 75     | 190    | < 0.5  | < 2  | 0.09   | < 0.5  | 9      | 31     | 16   | 2.95   | 10     | < 1  | 0.17   | 40   | 0.34   | 469 |
| S 05118            | 203       | 238          | < 5  | 1.42   | 0.2    | 5      | 170    | < 0.5  | < 2  | 0.05   | 0.5    | 42     | 3      | 2.20 | 10     | < 1    | 0.06 | 20     | 0.29 | 188    |     |
| S 05119            | 203       | 238          | < 5  | 1.36   | 0.2    | 15     | 270    | < 0.5  | 2    | 0.06   | 0.5    | 3      | 64     | 8    | 2.88   | 10     | < 1  | 0.10   | 20   | 0.45   | 176 |
| S 05120            | 203       | 238          | < 5  | 1.89   | 0.2    | 5      | 570    | < 0.5  | < 2  | 0.19   | 1.0    | 7      | 63     | 15   | 3.29   | 10     | < 1  | 0.10   | 20   | 0.60   | 192 |
| S 05121            | 203       | 238          | < 5  | 1.66   | 0.4    | 10     | 840    | < 0.5  | 2    | 0.23   | 1.0    | 11     | 46     | 24   | 2.53   | 10     | < 1  | 0.09   | 20   | 0.62   | 316 |
| S 05122            | 203       | 238          | < 5  | 1.02   | 0.2    | 5      | 560    | < 0.5  | < 2  | 0.13   | 4.0    | 6      | 59     | 19   | 2.24   | < 10   | < 1  | 0.06   | 10   | 0.39   | 211 |
| S 05123            | 203       | 238          | < 5  | 0.99   | 0.4    | 5      | 890    | < 0.5  | < 2  | 0.70   | 3.0    | 5      | 38     | 27   | 1.93   | < 10   | < 1  | 0.08   | 20   | 0.40   | 303 |
| S 05201            | 203       | 238          | < 5  | 0.77   | 0.4    | 80     | 70     | < 0.5  | < 2  | 0.08   | < 0.5  | 2      | 42     | 7    | 3.36   | 10     | < 1  | 0.14   | 40   | 0.11   | 155 |
| S 05202            | 203       | 238          | < 5  | 0.41   | 2.6    | 110    | 40     | < 0.5  | < 2  | 0.15   | < 0.5  | 2      | 53     | 11   | 2.75   | < 10   | < 1  | 0.04   | 10   | 0.05   | 209 |
| S 05203            | 203       | 238          | < 5  | 1.27   | 0.2    | 15     | 110    | < 0.5  | < 2  | 0.06   | < 0.5  | 3      | 49     | 2    | 2.35   | < 10   | < 1  | 0.05   | 20   | 0.20   | 211 |
| S 05204            | 203       | 238          | < 5  | 1.07   | 0.4    | 40     | 60     | < 0.5  | < 2  | 0.04   | < 0.5  | 3      | 37     | 7    | 3.75   | < 10   | < 1  | 0.07   | 20   | 0.17   | 218 |
| S 05205            | 203       | 238          | < 5  | 1.04   | 0.6    | 25     | 100    | < 0.5  | < 2  | 0.07   | < 0.5  | 4      | 43     | 8    | 2.89   | < 10   | < 1  | 0.07   | 20   | 0.28   | 181 |
| S 05206            | 203       | 238          | < 5  | 1.03   | 0.2    | 35     | 80     | < 0.5  | < 2  | 0.06   | < 0.5  | 4      | 53     | 7    | 3.10   | < 10   | < 1  | 0.08   | 20   | 0.25   | 381 |
| S 05207            | 203       | 238          | < 5  | 1.01   | 0.2    | 685    | 110    | < 0.5  | < 2  | 0.14   | < 0.5  | 8      | 42     | 7    | 3.31   | 10     | < 1  | 0.08   | 20   | 0.18   | 657 |
| S 05208            | 203       | 238          | 5    | 1.22   | 0.2    | 50     | 110    | < 0.5  | < 2  | 0.08   | < 0.5  | 3      | 37     | 14   | 3.09   | < 10   | < 1  | 0.07   | 20   | 0.30   | 290 |
| S 05209            | 203       | 238          | 10   | 1.01   | 0.2    | 95     | 70     | < 0.5  | < 2  | 0.05   | < 0.5  | 3      | 47     | 18   | 3.79   | < 10   | < 1  | 0.08   | 30   | 0.16   | 320 |
| S 05210            | 203       | 238          | < 5  | 0.98   | 0.4    | 90     | 90     | 0.5    | < 2  | 0.13   | < 0.5  | 4      | 41     | 14   | 4.00   | < 10   | < 1  | 0.09   | 30   | 0.24   | 718 |
| S 05211            | 203       | 238          | < 5  | 1.36   | 0.2    | 25     | 160    | 0.5    | < 2  | 0.21   | < 0.5  | 5      | 43     | 5    | 2.46   | < 10   | < 1  | 0.07   | 20   | 0.37   | 309 |

CERTIFICATION : *B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page : 5-B  
 Tot. : 46  
 Date : 22-NOV-88  
 Invoice #: I-8827256  
 P.O. #: NONE

Project : HGJV  
 Comments:

## CERTIFICATE OF ANALYSIS A8827256

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na %     | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |     |
|--------------------|-----------|--------|----------|--------|-------|--------|--------|--------|--------|------|--------|-------|-------|-------|--------|-----|
| S 05093            | 203       | 238    | < 1      | < 0.01 | 8     | 270    | 28     | 5      | 1      | 4    | 0.01   | < 10  | < 10  | 24    | < 5    | 37  |
| S 05094            | 203       | 238    | < 1      | < 0.01 | 17    | 350    | 72     | 15     | 1      | 5    | < 0.01 | < 10  | < 10  | 16    | < 5    | 69  |
| S 05095            | 203       | 238    | 1        | < 0.01 | 6     | 270    | 32     | 5      | 1      | 4    | < 0.01 | < 10  | < 10  | 19    | < 5    | 25  |
| S 05096            | 203       | 238    | 1        | < 0.01 | 14    | 380    | 74     | 20     | 1      | 5    | < 0.01 | < 10  | < 10  | 15    | < 5    | 57  |
| S 05097            | 203       | 238    | 1        | 0.01   | 13    | 300    | 58     | 5      | 2      | 8    | 0.04   | < 10  | < 10  | 41    | < 5    | 67  |
| S 05098            | 203       | 238    | 2        | 0.01   | 10    | 390    | 60     | < 5    | 2      | 7    | 0.03   | < 10  | < 10  | 40    | < 5    | 54  |
| S 05099            | 203       | 238    | 1        | < 0.01 | 14    | 270    | 46     | 5      | 1      | 5    | 0.02   | < 10  | < 10  | 27    | < 5    | 62  |
| S 05100            | 203       | 238    | 2        | 0.01   | 5     | 360    | 24     | 5      | 1      | 3    | < 0.01 | 10    | < 10  | 23    | < 5    | 33  |
| S 05101            | 203       | 238    | 1        | < 0.01 | 15    | 350    | 46     | 10     | 1      | 3    | < 0.01 | < 10  | < 10  | 16    | < 5    | 55  |
| S 05102            | 203       | 238    | 1        | < 0.01 | 13    | 490    | 50     | 5      | 1      | 4    | < 0.01 | < 10  | < 10  | 85    | < 5    | 55  |
| S 05103            | 203       | 238    | < 1      | < 0.01 | 11    | 320    | 48     | 5      | 1      | 5    | < 0.01 | < 10  | < 10  | 19    | < 5    | 57  |
| S 05104            | 203       | 238    | 1        | 0.01   | 12    | 370    | 66     | 10     | 1      | 6    | < 0.01 | < 10  | < 10  | 12    | < 5    | 60  |
| S 05105            | 203       | 238    | 1        | 0.01   | 15    | 500    | 110    | 10     | 1      | 7    | < 0.01 | < 10  | < 10  | 16    | < 5    | 67  |
| S 05106            | 203       | 238    | 1        | 0.01   | 16    | 350    | 70     | 10     | 1      | 9    | < 0.01 | < 10  | < 10  | 14    | < 5    | 66  |
| S 05107            | 203       | 238    | 1        | 0.01   | 20    | 490    | 132    | 10     | 2      | 9    | < 0.01 | < 10  | < 10  | 13    | < 5    | 87  |
| S 05108            | 203       | 238    | 1        | 0.01   | 18    | 480    | 120    | 10     | 2      | 12   | < 0.01 | < 10  | < 10  | 14    | < 5    | 78  |
| S 05111            | 203       | 238    | 1        | 0.01   | 21    | 640    | 70     | 5      | 2      | 37   | < 0.01 | 10    | < 10  | 20    | < 5    | 107 |
| S 05112            | 203       | 238    | 1        | 0.01   | 23    | 730    | 70     | 5      | 2      | 41   | < 0.01 | < 10  | < 10  | 21    | < 5    | 125 |
| S 05113            | 203       | 238    | 1        | 0.01   | 14    | 540    | 98     | 5      | 2      | 14   | 0.01   | < 10  | < 10  | 35    | < 5    | 88  |
| S 05114            | 203       | 238    | 1        | 0.01   | 17    | 330    | 44     | 5      | 1      | 6    | < 0.01 | < 10  | < 10  | 20    | < 5    | 68  |
| S 05115            | 203       | 238    | < 1      | < 0.01 | 22    | 430    | 146    | 20     | 3      | 4    | < 0.01 | < 10  | < 10  | 7     | < 5    | 78  |
| S 05116            | 203       | 238    | 1        | 0.01   | 11    | 430    | 42     | < 5    | 1      | 14   | 0.02   | < 10  | < 10  | 36    | < 5    | 61  |
| S 05117            | 203       | 238    | 1        | 0.01   | 17    | 440    | 76     | 5      | 2      | 9    | 0.01   | < 10  | < 10  | 24    | < 5    | 86  |
| S 05118            | 203       | 238    | 2        | 0.01   | 10    | 280    | 10     | < 5    | 2      | 6    | 0.05   | < 10  | < 10  | 52    | < 5    | 111 |
| S 05119            | 203       | 238    | 9 < 0.01 | 21     | 550   | 12     | < 5    | 1      | 7      | 0.03 | < 10   | < 10  | 271   | < 5   | 206    |     |
| S 05120            | 203       | 238    | 6        | 0.01   | 35    | 250    | 22     | < 5    | 2      | 16   | 0.03   | < 10  | < 10  | 105   | < 5    | 301 |
| S 05121            | 203       | 238    | 9 < 0.01 | 53     | 450   | 22     | 5      | 3      | 20     | 0.01 | < 10   | < 10  | 129   | < 5   | 329    |     |
| S 05122            | 203       | 238    | 5        | 0.01   | 31    | 420    | 14     | < 5    | 1      | 13   | 0.02   | < 10  | < 10  | 141   | < 5    | 405 |
| S 05123            | 203       | 238    | 6 < 0.01 | 34     | 480   | 16     | < 5    | 1      | 40     | 0.01 | < 10   | < 10  | 115   | < 5   | 300    |     |
| S 05201            | 203       | 238    | < 1      | 0.01   | 10    | 420    | 160    | 25     | 1      | 7    | < 0.01 | < 10  | < 10  | 17    | < 5    | 85  |
| S 05202            | 203       | 238    | < 1      | < 0.01 | 7     | 280    | 342    | 15     | 1      | 7    | < 0.01 | < 10  | < 10  | 5     | < 5    | 31  |
| S 05203            | 203       | 238    | 1        | < 0.01 | 7     | 160    | 48     | < 5    | 1      | 6    | 0.03   | 10    | < 10  | 38    | < 5    | 54  |
| S 05204            | 203       | 238    | 1        | < 0.01 | 12    | 530    | 38     | 5      | 1      | 4    | 0.02   | < 10  | < 10  | 33    | < 5    | 54  |
| S 05205            | 203       | 238    | 1        | 0.01   | 18    | 250    | 32     | < 5    | 1      | 7    | 0.02   | < 10  | < 10  | 35    | < 5    | 68  |
| S 05206            | 203       | 238    | 1        | 0.01   | 12    | 300    | 24     | 5      | 1      | 6    | 0.02   | < 10  | < 10  | 35    | < 5    | 51  |
| S 05207            | 203       | 238    | 1        | 0.01   | 11    | 440    | 62     | 5      | 1      | 13   | 0.01   | < 10  | < 10  | 21    | < 5    | 95  |
| S 05208            | 203       | 238    | 1        | < 0.01 | 21    | 340    | 18     | < 5    | 1      | 8    | 0.01   | < 10  | < 10  | 35    | < 5    | 77  |
| S 05209            | 203       | 238    | 1        | 0.01   | 12    | 190    | 24     | 5      | 1      | 6    | 0.01   | < 10  | < 10  | 35    | < 5    | 51  |
| S 05210            | 203       | 238    | 2        | 0.01   | 11    | 310    | 46     | 5      | 1      | 11   | < 0.01 | 20    | < 10  | 14    | < 5    | 69  |
| S 05211            | 203       | 238    | < 1      | 0.01   | 12    | 430    | 18     | < 5    | 2      | 14   | 0.03   | 20    | < 10  | 14    | < 5    | 64  |

CERTIFICATION :

B. Coughlin



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page No.: 1  
 Tot. : 3  
 Date : 13-SEP-88  
 Invoice #: I-8822846  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8822846**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FATAA |      |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|------|--|--|--|--|--|--|--|--|--|
| S 00376            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00377            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00378            | 203       | 217          | < 20 |  |  |  |  |  |  |  |  |  |
| S 00379            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00380            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00381            | 203       | 217          | 10   |  |  |  |  |  |  |  |  |  |
| S 00382            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00383            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00384            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00385            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00386            | 203       | 217          | 70   |  |  |  |  |  |  |  |  |  |
| S 00387            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00388            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 00389            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05125            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05126            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05127            | 203       | 217          | 25   |  |  |  |  |  |  |  |  |  |
| S 05128            | 203       | 217          | 10   |  |  |  |  |  |  |  |  |  |
| S 05129            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05130            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05131            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05132            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05133            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05134            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05135            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05136            | 203       | 217          | 10   |  |  |  |  |  |  |  |  |  |
| S 05137            | 203       | 217          | 90   |  |  |  |  |  |  |  |  |  |
| S 05138            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05139            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05140            | 203       | 217          | 40   |  |  |  |  |  |  |  |  |  |
| S 05141            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05142            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05143            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05144            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05145            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05146            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05147            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05148            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05149            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05150            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Mark Vonh*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page No.: 2  
 Tot. : 3  
 Date : 13-SEP-88  
 Invoice # : I-8822846  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8822846**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |      |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|------|--|--|--|--|--|--|--|--|--|
| S 05151            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05152            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05153            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05154            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05155            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05156            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05157            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05158            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05159            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05160            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05161            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05162            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05163            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05164            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05165            | 203       | 217          | 10   |  |  |  |  |  |  |  |  |  |
| S 05166            | 203       | 217          | 15   |  |  |  |  |  |  |  |  |  |
| S 05167            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05168            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05169            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05170            | 203       | 217          | 30   |  |  |  |  |  |  |  |  |  |
| S 05171            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05172            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05173            | 203       | 217          | 25   |  |  |  |  |  |  |  |  |  |
| S 05174            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05175            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05176            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05177            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05178            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05179            | 203       | 217          | 20   |  |  |  |  |  |  |  |  |  |
| S 05180            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05181            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05182            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05183            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05184            | 203       | 217          | << 5 |  |  |  |  |  |  |  |  |  |
| S 05185            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05186            | 203       | 217          | 30   |  |  |  |  |  |  |  |  |  |
| S 05187            | 203       | 217          | 10   |  |  |  |  |  |  |  |  |  |
| S 05188            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05189            | 203       | 217          | 5    |  |  |  |  |  |  |  |  |  |
| S 05190            | 203       | 217          | 10   |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Mark Vorh*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HOJV  
Comments:

Page #: 3  
Tot.: 3  
Date: 13-SEP-88  
Invoice #: I-8822846  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8822846

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |      |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|------|--|--|--|--|--|--|--|--|--|
| S 05191            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05192            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05193            | 203       | 217          | 15   |  |  |  |  |  |  |  |  |  |
| S 05194            | 203       | 217          | < 10 |  |  |  |  |  |  |  |  |  |
| S 05195            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05196            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05197            | 203       | 217          | < 5  |  |  |  |  |  |  |  |  |  |
| S 05198            | 203       | 217          | 20   |  |  |  |  |  |  |  |  |  |
| S 05199            | 203       | 217          | 5    |  |  |  |  |  |  |  |  |  |
| S 05200            | 203       | 217          | 10   |  |  |  |  |  |  |  |  |  |

CERTIFICATION : *Dick Vick*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page 1 6-A  
 Tot. 1 6  
 Date 22-NOV-88  
 Invoice #: I-8827256  
 P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8827256

| SAMPLE DESCRIPTION | PREP CODE | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |      |
|--------------------|-----------|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|-----|--------|------|--------|------|
|                    |           | PPA+AA |      |        |        |        |        |        |      |        |        |        |        |      |        |        |     |        |      |        |      |
| S 05212            | 203       | 238    | 15   | 1.17   | 0.2    | 65     | 170    | 0.5    | < 2  | 0.36   | < 0.5  | 8      | 40     | 22   | 3.79   | < 10   | < 1 | 0.12   | 30   | 0.29   | 801  |
| S 05213            | 203       | 238    | < 5  | 1.30   | 0.2    | 25     | 160    | 0.5    | < 2  | 0.24   | < 0.5  | 4      | 61     | 5    | 2.22   | 10     | < 1 | 0.09   | 20   | 0.35   | 219  |
| S 05214            | 203       | 238    | < 5  | 0.79   | 1.0    | 25     | 100    | 0.5    | < 2  | 0.13   | < 0.5  | 2      | 46     | 5    | 1.68   | 10     | < 1 | 0.07   | 20   | 0.14   | 175  |
| S 05215            | 203       | 238    | < 5  | 0.54   | 1.0    | 10     | 70     | < 0.5  | < 2  | 0.13   | < 0.5  | < 1    | 63     | 3    | 0.61   | 10     | < 1 | 0.10   | 30   | 0.06   | 48   |
| S 05216            | 203       | 238    | < 5  | 1.05   | 0.8    | 85     | 120    | 0.5    | < 2  | 0.69   | < 0.5  | 9      | 60     | 22   | 6.01   | 10     | < 1 | 0.18   | 30   | 0.13   | 1405 |
| S 05217            | 203       | 238    | < 5  | 1.29   | 0.4    | 55     | 100    | 0.5    | < 2  | 0.08   | < 0.5  | 3      | 55     | 6    | 3.62   | 10     | < 1 | 0.07   | 20   | 0.25   | 441  |
| S 05218            | 203       | 238    | < 5  | 1.53   | 0.2    | 10     | 120    | 0.5    | 2    | 0.07   | < 0.5  | 4      | 40     | 4    | 3.01   | < 10   | < 1 | 0.06   | 10   | 0.39   | 183  |
| S 05219            | 203       | 238    | < 5  | 1.68   | 0.2    | 55     | 190    | 0.5    | 2    | 0.06   | < 0.5  | 7      | 48     | 18   | 3.95   | 10     | < 1 | 0.11   | 30   | 0.33   | 236  |
| S 05220            | 203       | 238    | < 5  | 1.51   | 0.2    | 30     | 120    | 0.5    | 2    | 0.06   | < 0.5  | 3      | 49     | 4    | 3.14   | < 10   | < 1 | 0.06   | 20   | 0.35   | 182  |
| S 05221            | 203       | 238    | < 5  | 1.40   | 0.2    | 45     | 170    | 0.5    | < 2  | 0.30   | < 0.5  | 6      | 48     | 14   | 3.32   | < 10   | < 1 | 0.09   | 20   | 0.24   | 268  |
| S 05222            | 203       | 238    | 5    | 1.49   | 0.2    | 40     | 200    | 0.5    | < 2  | 0.15   | < 0.5  | 5      | 40     | 13   | 3.76   | 10     | < 1 | 0.08   | 30   | 0.23   | 599  |
| S 05223            | 203       | 238    | < 5  | 1.04   | 0.2    | 35     | 160    | 0.5    | < 2  | 0.27   | < 0.5  | 3      | 63     | 12   | 2.63   | 10     | < 1 | 0.11   | 30   | 0.13   | 230  |
| S 05224            | 203       | 238    | < 5  | 1.64   | 0.2    | 45     | 170    | 0.5    | < 2  | 0.08   | < 0.5  | 4      | 46     | 8    | 3.38   | 10     | < 1 | 0.11   | 30   | 0.33   | 280  |
| S 05225            | 203       | 238    | 15   | 1.21   | 0.2    | 105    | 120    | 0.5    | 2    | 0.09   | < 0.5  | 5      | 46     | 46   | 6.52   | < 10   | < 1 | 0.10   | 20   | 0.11   | 1225 |
| S 05226            | 203       | 238    | < 5  | 1.00   | 0.2    | 5      | 90     | 0.5    | < 2  | 0.08   | < 0.5  | < 1    | 41     | < 1  | 1.06   | 10     | < 1 | 0.06   | 20   | 0.15   | 61   |
| S 05227            | 203       | 238    | < 5  | 1.25   | 0.2    | 40     | 90     | 0.5    | < 2  | 0.05   | < 0.5  | 3      | 70     | 7    | 3.20   | 10     | < 1 | 0.10   | 30   | 0.22   | 237  |
| S 05228            | 203       | 238    | 5    | 1.18   | 0.4    | 25     | 180    | < 0.5  | < 2  | 0.55   | < 0.5  | 7      | 42     | 14   | 3.43   | 10     | < 1 | 0.09   | 20   | 0.17   | 796  |
| S 05229            | 203       | 238    | < 5  | 1.07   | 0.2    | 50     | 110    | < 0.5  | < 2  | 0.07   | < 0.5  | 5      | 54     | 8    | 4.17   | 10     | < 1 | 0.11   | 40   | 0.19   | 690  |
| S 05230            | 203       | 238    | < 5  | 1.54   | 0.2    | 5      | 110    | < 0.5  | < 2  | 0.08   | < 0.5  | 3      | 48     | 2    | 2.31   | 10     | < 1 | 0.07   | 20   | 0.31   | 127  |
| S 05231            | 203       | 238    | < 5  | 1.29   | 0.2    | 40     | 300    | 0.5    | < 2  | 0.42   | < 0.5  | 7      | 35     | 16   | 2.56   | 10     | < 1 | 0.10   | 30   | 0.13   | 369  |
| S 05232            | 203       | 238    | < 5  | 1.44   | 0.4    | 5      | 110    | < 0.5  | < 2  | 0.09   | < 0.5  | 1      | 41     | < 1  | 2.54   | < 10   | < 1 | 0.04   | 20   | 0.18   | 91   |
| S 05233            | 203       | 238    | < 5  | 0.84   | 0.2    | 50     | 140    | < 0.5  | < 2  | 0.39   | 0.5    | 3      | 45     | 7    | 3.49   | < 10   | < 1 | 0.07   | 20   | 0.16   | 760  |
| S 05234            | 203       | 238    | < 5  | 2.18   | 0.2    | < 5    | 230    | 0.5    | < 2  | 0.12   | < 0.5  | 8      | 50     | 6    | 2.88   | < 10   | < 1 | 0.07   | 20   | 0.41   | 213  |
| S 05235            | 203       | 238    | < 5  | 1.24   | 0.4    | 15     | 140    | < 0.5  | < 2  | 0.12   | < 0.5  | 4      | 47     | 7    | 2.21   | < 10   | < 1 | 0.08   | 20   | 0.30   | 185  |
| S 05236            | 203       | 238    | 10   | 0.99   | 0.6    | 25     | 190    | 0.5    | < 2  | 0.22   | < 0.5  | 6      | 43     | 11   | 2.69   | 10     | < 1 | 0.10   | 30   | 0.20   | 420  |
| S 05237            | 203       | 238    | 15   | 1.17   | 0.4    | 60     | 190    | 1.0    | < 2  | 0.17   | < 0.5  | 7      | 46     | 17   | 3.25   | 10     | < 1 | 0.13   | 40   | 0.25   | 476  |
| S 05238            | 203       | 238    | 10   | 1.02   | 1.4    | 65     | 80     | 0.5    | < 2  | 0.04   | < 0.5  | 4      | 43     | 10   | 3.54   | 10     | < 1 | 0.09   | 30   | 0.14   | 367  |
| S 05239            | 203       | 238    | < 5  | 0.81   | 2.8    | 10     | 80     | < 0.5  | < 2  | 0.05   | < 0.5  | 1      | 37     | 2    | 1.00   | 10     | < 1 | 0.07   | 30   | 0.09   | 58   |
| S 05240            | 203       | 238    | < 5  | 1.07   | 0.2    | 100    | 80     | 0.5    | < 2  | 0.03   | < 0.5  | 3      | 41     | 3    | 2.99   | < 10   | < 1 | 0.07   | 30   | 0.20   | 164  |
| S 05241            | 203       | 238    | < 5  | 1.16   | 0.2    | 20     | 120    | 0.5    | < 2  | 0.06   | < 0.5  | 3      | 38     | 5    | 2.66   | < 10   | < 1 | 0.06   | 20   | 0.17   | 345  |
| S 05242            | 203       | 238    | < 5  | 1.27   | 0.2    | 45     | 120    | 1.5    | < 2  | 0.08   | < 0.5  | 5      | 50     | 9    | 3.12   | < 10   | < 1 | 0.08   | 20   | 0.23   | 318  |
| S 05243            | 203       | 238    | 5    | 1.06   | 0.2    | 30     | 130    | 2.5    | 2    | 0.07   | < 0.5  | 7      | 34     | 20   | 3.64   | < 10   | < 1 | 0.10   | 30   | 0.13   | 351  |
| S 05244            | 203       | 238    | < 5  | 1.29   | 0.2    | 60     | 110    | 2.5    | 2    | 0.02   | < 0.5  | 4      | 53     | 10   | 3.81   | 10     | < 1 | 0.13   | 30   | 0.21   | 296  |
| S 05245            | 203       | 238    | 10   | 0.67   | 0.4    | 50     | 50     | 2.0    | < 2  | 0.03   | < 0.5  | 2      | 35     | 9    | 2.42   | 10     | < 1 | 0.12   | 40   | 0.06   | 155  |
| S 05246            | 203       | 238    | < 5  | 0.69   | 0.4    | 25     | 50     | < 0.5  | < 2  | 0.03   | < 0.5  | 1      | 39     | 3    | 1.99   | < 10   | < 1 | 0.06   | 10   | 0.09   | 156  |
| S 05247            | 203       | 238    | 15   | 0.75   | 0.2    | 55     | 100    | < 0.5  | < 2  | 0.05   | < 0.5  | 4      | 35     | 16   | 3.46   | < 10   | < 1 | 0.08   | 20   | 0.11   | 681  |
| S 05248            | 203       | 238    | 5    | 1.01   | 0.2    | 15     | 120    | < 0.5  | < 2  | 0.06   | < 0.5  | 1      | 40     | 4    | 1.34   | < 10   | < 1 | 0.05   | 20   | 0.14   | 77   |
| S 05249            | 203       | 238    | < 5  | 0.71   | 0.2    | 10     | 90     | < 0.5  | < 2  | 0.04   | < 0.5  | 1      | 46     | 3    | 0.76   | < 10   | < 1 | 0.05   | 20   | 0.09   | 47   |
| S 05250            | 203       | 238    | 10   | 0.92   | 0.2    | 40     | 60     | < 0.5  | < 2  | 0.03   | < 0.5  | 2      | 50     | 8    | 3.51   | < 10   | < 1 | 0.09   | 30   | 0.16   | 202  |
| S 05251            | 203       | 238    | 5    | 1.20   | 0.4    | 5      | 170    | 0.5    | < 2  | 0.10   | < 0.5  | 2      | 38     | 4    | 1.75   | < 10   | < 1 | 0.06   | 20   | 0.25   | 136  |

CERTIFICATION :

*B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

CHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page No. -B  
 Tot. Pa.  
 Date : 22-NOV-88  
 Invoice #: I-8827256  
 P.O. #: NONE

Project : HQJV  
 Comments:

**CERTIFICATE OF ANALYSIS A8827256**

| SAMPLE DESCRIPTION | PREP CODE | Mb         | Na   | Ni  | P    | Pb  | Sb  | Sc  | Sr     | Ti     | Tl   | U    | V   | W   | Zn  |
|--------------------|-----------|------------|------|-----|------|-----|-----|-----|--------|--------|------|------|-----|-----|-----|
|                    |           | ppm        | %    | ppm | ppm  | ppm | ppm | ppm | ppm    | %      | ppm  | ppm  | ppm | ppm | ppm |
| S 05212            | 203 238   | 2          | 0.01 | 21  | 450  | 32  | 5   | 2   | 26     | 0.01   | < 10 | < 10 | 21  | < 5 | 75  |
| S 05213            | 203 238   | 1          | 0.01 | 12  | 440  | 20  | < 5 | 2   | 16     | 0.03   | 10   | < 10 | 34  | < 5 | 72  |
| S 05214            | 203 238   | < 1        | 0.01 | 6   | 310  | 76  | 5   | 1   | 11     | 0.01   | 10   | < 10 | 27  | < 5 | 49  |
| S 05215            | 203 238   | < 1        | 0.01 | 1   | 140  | 18  | < 5 | < 1 | 11     | 0.01   | 10   | < 10 | 17  | < 5 | 38  |
| S 05216            | 203 238   | 2          | 0.01 | 21  | 3190 | 646 | 45  | 3   | 36     | < 0.01 | < 10 | < 10 | 18  | < 5 | 166 |
| S 05217            | 203 238   | 1          | 0.01 | 11  | 220  | 94  | 5   | 1   | 7      | 0.03   | < 10 | < 10 | 42  | < 5 | 78  |
| S 05218            | 203 238   | 1          | 0.01 | 16  | 300  | 22  | < 5 | 2   | 7      | 0.03   | < 10 | < 10 | 38  | < 5 | 87  |
| S 05219            | 203 238   | < 1        | 0.01 | 24  | 380  | 86  | 10  | 2   | 8      | < 0.01 | < 10 | < 10 | 18  | < 5 | 111 |
| S 05220            | 203 238   | 1          | 0.01 | 13  | 230  | 18  | 5   | 2   | 7      | 0.02   | < 10 | < 10 | 36  | < 5 | 67  |
| S 05221            | 203 238   | 1          | 0.01 | 29  | 540  | 40  | 5   | 2   | 26     | 0.01   | < 10 | < 10 | 20  | < 5 | 95  |
| S 05222            | 203 238   | < 1        | 0.01 | 19  | 230  | 28  | 5   | 2   | 14     | 0.01   | < 10 | < 10 | 28  | < 5 | 89  |
| S 05223            | 203 238   | < 1        | 0.01 | 13  | 220  | 24  | 5   | 1   | 20     | < 0.01 | < 10 | < 10 | 20  | < 5 | 58  |
| S 05224            | 203 238   | 1          | 0.01 | 17  | 280  | 24  | 5   | 2   | 9      | 0.03   | < 10 | < 10 | 40  | < 5 | 64  |
| S 05225            | 203 238   | 1          | 0.01 | 15  | 260  | 22  | 25  | 2   | 15     | 0.01   | < 10 | < 10 | 19  | < 5 | 74  |
| S 05226            | 203 238   | < 1        | 0.01 | 3   | 160  | 14  | < 5 | 1   | 9      | 0.04   | < 10 | < 10 | 29  | < 5 | 21  |
| S 05227            | 203 238   | 1          | 0.01 | 11  | 300  | 16  | 5   | 1   | 7      | 0.02   | < 10 | < 10 | 36  | < 5 | 55  |
| S 05228            | 203 238   | 1          | 0.01 | 15  | 600  | 20  | 5   | 3   | 34     | 0.01   | < 10 | < 10 | 21  | < 5 | 87  |
| S 05229            | 203 238   | 1          | 0.01 | 13  | 570  | 56  | < 5 | 2   | 8      | 0.01   | < 10 | < 10 | 23  | < 5 | 63  |
| S 05230            | 203 238   | 1          | 0.01 | 7   | 190  | 18  | < 5 | 2   | 8      | 0.05   | < 10 | < 10 | 43  | < 5 | 39  |
| S 05231            | 203 238   | 1          | 0.01 | 9   | 590  | 78  | < 5 | 1   | 29     | 0.01   | < 10 | < 10 | 29  | < 5 | 80  |
| S 05232            | 203 238   | < 1 < 0.01 | 3    | 110 | 32   | < 5 | 1   | 8   | 0.08   | < 10   | < 10 | 46   | < 5 | 49  |     |
| S 05233            | 203 238   | < 1        | 0.01 | 4   | 410  | 12  | < 5 | 1   | 26     | 0.02   | < 10 | < 10 | 26  | < 5 | 99  |
| S 05234            | 203 238   | 1          | 0.01 | 19  | 260  | 16  | < 5 | 3   | 11     | 0.06   | < 10 | < 10 | 43  | < 5 | 138 |
| S 05235            | 203 238   | 1          | 0.01 | 13  | 440  | 22  | < 5 | 2   | 10     | 0.03   | < 10 | < 10 | 34  | < 5 | 80  |
| S 05236            | 203 238   | < 1        | 0.01 | 16  | 590  | 142 | 5   | 2   | 16     | 0.01   | < 10 | < 10 | 22  | < 5 | 176 |
| S 05237            | 203 238   | 1          | 0.01 | 17  | 460  | 110 | 5   | 2   | 16     | < 0.01 | < 10 | < 10 | 21  | < 5 | 136 |
| S 05238            | 203 238   | < 1 < 0.01 | 10   | 390 | 128  | 15  | 1   | 5   | 0.01   | < 10   | < 10 | 20   | < 5 | 119 |     |
| S 05239            | 203 238   | < 1        | 0.01 | 2   | 140  | 72  | 5   | 1   | 6      | 0.02   | < 10 | < 10 | 21  | < 5 | 29  |
| S 05240            | 203 238   | < 1 < 0.01 | 11   | 270 | 30   | 5   | 1   | 5   | 0.01   | < 10   | < 10 | 33   | < 5 | 66  |     |
| S 05241            | 203 238   | < 1        | 0.01 | 7   | 260  | 18  | < 5 | 1   | 7      | 0.01   | < 10 | < 10 | 26  | < 5 | 62  |
| S 05242            | 203 238   | 1          | 0.01 | 15  | 410  | 36  | < 5 | 2   | 8      | 0.02   | < 10 | < 10 | 33  | < 5 | 78  |
| S 05243            | 203 238   | 1          | 0.01 | 21  | 340  | 34  | 5   | 2   | 10     | < 0.01 | < 10 | < 10 | 14  | < 5 | 73  |
| S 05244            | 203 238   | < 1        | 0.01 | 13  | 280  | 24  | 5   | 2   | 6      | 0.01   | < 10 | < 10 | 26  | < 5 | 55  |
| S 05245            | 203 238   | < 1 < 0.01 | 6    | 290 | 74   | 10  | 1   | 5   | < 0.01 | < 10   | < 10 | 15   | < 5 | 47  |     |
| S 05246            | 203 238   | < 1 < 0.01 | 6    | 340 | 54   | < 5 | < 1 | 3   | 0.01   | < 10   | < 10 | 20   | < 5 | 32  |     |
| S 05247            | 203 238   | < 1 < 0.01 | 12   | 410 | 40   | 5   | 1   | 7   | < 0.01 | < 10   | < 10 | 16   | < 5 | 61  |     |
| S 05248            | 203 238   | < 1 < 0.01 | 5    | 170 | 18   | /   | /   | 7   | 0.02   | 10     | < 10 | 26   | < 5 | 46  |     |
| S 05249            | 203 238   | < 1 < 0.01 | 3    | 90  | 14   | < 5 | 1   | 5   | 0.01   | < 10   | < 10 | 20   | < 5 | 20  |     |
| S 05250            | 203 238   | < 1 < 0.01 | 12   | 610 | 32   | 10  | 1   | 4   | 0.02   | < 10   | < 10 | 33   | < 5 | 60  |     |
| S 05251            | 203 238   | < 1 < 0.01 | 9    | 220 | 14   | < 5 | 1   | 9   | 0.03   | < 10   | < 10 | 32   | < 5 | 48  |     |

CERTIFICATION :

*B. Coughlin*



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page # 1-A  
 Tot. # 7  
 Date : 22-NOV-88  
 Invoice #: I-8827257  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb  | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |      |
|--------------------|-----------|---------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|-----|--------|------|--------|------|
|                    |           | FAT-AAA |      |        |        |        |        |        |      |        |        |        |        |      |        |        |     |        |      |        |      |
| S 05252            | 203       | 238     | < 5  | 1.25   | 0.4    | 75     | 150    | < 0.5  | < 2  | 0.04   | < 0.5  | 6      | 76     | 17   | 3.00   | < 10   | < 1 | 0.16   | 40   | 0.30   | 245  |
| S 05253            | 203       | 238     | < 5  | 1.29   | 0.2    | 70     | 170    | < 0.5  | < 2  | 0.02   | < 0.5  | 5      | 99     | 13   | 3.57   | < 10   | < 1 | 0.19   | 40   | 0.22   | 170  |
| S 05254            | 203       | 238     | < 5  | 1.40   | 0.2    | 15     | 80     | < 0.5  | < 2  | 0.05   | < 0.5  | 3      | 60     | 3    | 3.00   | < 10   | < 1 | 0.09   | 20   | 0.34   | 150  |
| S 05255            | 203       | 238     | < 5  | 1.12   | 0.4    | 20     | 80     | < 0.5  | < 2  | 0.04   | < 0.5  | 3      | 96     | 2    | 2.28   | < 10   | < 1 | 0.09   | 20   | 0.24   | 149  |
| S 05256            | 203       | 238     | < 5  | 1.29   | 0.2    | 35     | 100    | < 0.5  | < 2  | 0.01   | < 0.5  | 6      | 57     | 7    | 3.42   | < 10   | < 1 | 0.10   | 30   | 0.22   | 177  |
| S 05257            | 203       | 238     | < 5  | 1.02   | 0.4    | 90     | 80     | < 0.5  | 2    | 0.03   | < 0.5  | 4      | 99     | 8    | 2.92   | < 10   | < 1 | 0.13   | 40   | 0.21   | 150  |
| S 05258            | 203       | 238     | < 5  | 1.14   | 0.4    | 10     | 70     | < 0.5  | < 2  | 0.07   | < 0.5  | 1      | 77     | 1    | 1.28   | < 10   | < 1 | 0.07   | 20   | 0.18   | 64   |
| S 05259            | 203       | 238     | 30   | 1.54   | 0.2    | 65     | 150    | 1.0    | < 2  | 0.04   | < 0.5  | 12     | 68     | 32   | 5.12   | < 10   | < 1 | 0.13   | 30   | 0.14   | 1710 |
| S 05260            | 203       | 238     | < 5  | 0.84   | 0.2    | 20     | 70     | < 0.5  | < 2  | 0.13   | < 0.5  | 2      | 71     | 5    | 1.70   | < 10   | < 1 | 0.07   | 30   | 0.12   | 115  |
| S 05261            | 203       | 238     | < 5  | 0.77   | 0.2    | 25     | 70     | < 0.5  | < 2  | 0.02   | < 0.5  | 2      | 74     | 6    | 1.57   | < 10   | < 1 | 0.06   | 30   | 0.10   | 73   |
| S 05262            | 203       | 238     | < 5  | 0.85   | 0.2    | 60     | 80     | 0.5    | 2    | 0.07   | < 0.5  | 6      | 58     | 12   | 2.52   | < 10   | < 1 | 0.09   | 30   | 0.22   | 251  |
| S 05263            | 203       | 238     | < 5  | 0.96   | 0.6    | 35     | 90     | < 0.5  | < 2  | 0.08   | < 0.5  | 3      | 74     | 4    | 2.07   | < 10   | < 1 | 0.11   | 30   | 0.17   | 111  |
| S 05264            | 203       | 238     | < 5  | 1.02   | 0.8    | 35     | 80     | < 0.5  | 2    | 0.08   | < 0.5  | 3      | 49     | 4    | 2.89   | < 10   | < 1 | 0.09   | 30   | 0.24   | 175  |
| S 05265            | 203       | 238     | < 5  | 1.03   | 0.2    | 40     | 80     | < 0.5  | 2    | 0.02   | < 0.5  | 2      | 92     | 7    | 2.67   | < 10   | < 1 | 0.19   | 40   | 0.17   | 139  |
| S 05266            | 203       | 238     | < 5  | 1.43   | 0.2    | 50     | 130    | < 0.5  | 2    | 0.02   | < 0.5  | 5      | 76     | 14   | 3.26   | < 10   | < 1 | 0.21   | 30   | 0.29   | 151  |
| S 05267            | 203       | 238     | < 5  | 1.34   | 0.2    | 50     | 150    | < 0.5  | 2    | 0.02   | < 0.5  | 4      | 86     | 11   | 2.78   | < 10   | < 1 | 0.18   | 30   | 0.26   | 134  |
| S 05268            | 203       | 238     | < 5  | 1.58   | 0.2    | 65     | 150    | < 0.5  | 2    | 0.02   | < 0.5  | 7      | 60     | 17   | 3.28   | < 10   | < 1 | 0.17   | 30   | 0.32   | 160  |
| S 05269            | 203       | 238     | < 5  | 1.24   | 0.4    | 10     | 230    | 0.5    | 2    | 0.36   | < 0.5  | 8      | 88     | 8    | 2.30   | < 10   | < 1 | 0.11   | 20   | 0.40   | 316  |
| S 05270            | 203       | 238     | < 5  | 0.57   | 0.4    | 5      | 60     | < 0.5  | < 2  | 1.42   | < 0.5  | 6      | 115    | 6    | 2.70   | < 10   | < 1 | 0.08   | 20   | 0.10   | 500  |
| S 05271            | 203       | 238     | < 5  | 1.01   | 0.2    | 20     | 50     | < 0.5  | < 2  | 0.04   | < 0.5  | 3      | 61     | 11   | 2.94   | < 10   | < 1 | 0.10   | 30   | 0.10   | 138  |
| S 05272            | 203       | 238     | < 5  | 1.12   | 0.2    | 10     | 170    | < 0.5  | < 2  | 0.08   | < 0.5  | 7      | 93     | 14   | 2.68   | < 10   | 1   | 0.13   | 30   | 0.15   | 251  |
| S 05273            | 203       | 238     | 35   | 0.74   | 1.0    | 45     | 120    | 0.5    | < 2  | 0.47   | < 0.5  | 13     | 88     | 27   | 4.13   | < 10   | < 1 | 0.16   | 40   | 0.05   | 1015 |
| S 05274            | 203       | 238     | < 5  | 0.85   | 0.2    | 45     | 130    | < 0.5  | 2    | 0.05   | < 0.5  | 6      | 116    | 16   | 2.47   | < 10   | < 1 | 0.12   | 40   | 0.23   | 239  |
| S 05275            | 203       | 238     | < 5  | 0.89   | 0.2    | 50     | 320    | < 0.5  | 2    | 0.03   | < 0.5  | 4      | 89     | 9    | 2.40   | < 10   | < 1 | 0.14   | 40   | 0.18   | 151  |
| S 05276            | 203       | 238     | < 5  | 1.33   | 0.4    | 30     | 130    | < 0.5  | < 2  | 0.08   | < 0.5  | 5      | 97     | 9    | 2.56   | < 10   | < 1 | 0.15   | 30   | 0.35   | 184  |
| S 05277            | 203       | 238     | < 5  | 1.47   | 0.4    | 30     | 150    | 0.5    | < 2  | 0.06   | < 0.5  | 4      | 70     | 5    | 2.52   | < 10   | < 1 | 0.16   | 30   | 0.27   | 138  |
| S 05278            | 203       | 238     | < 5  | 1.22   | 0.2    | 70     | 130    | < 0.5  | < 2  | 0.03   | < 0.5  | 5      | 91     | 9    | 2.89   | < 10   | < 1 | 0.14   | 40   | 0.25   | 148  |
| S 05279            | 203       | 238     | < 5  | 1.25   | 0.2    | 65     | 120    | < 0.5  | 4    | 0.04   | < 0.5  | 6      | 93     | 16   | 2.94   | < 10   | < 1 | 0.19   | 40   | 0.27   | 193  |
| S 05280            | 203       | 238     | < 5  | 1.51   | 0.2    | 60     | 160    | < 0.5  | < 2  | 0.04   | < 0.5  | 7      | 113    | 22   | 3.26   | < 10   | < 1 | 0.20   | 40   | 0.32   | 197  |
| S 05281            | 203       | 238     | < 5  | 1.38   | 0.2    | 55     | 170    | < 0.5  | < 2  | 0.04   | < 0.5  | 5      | 165    | 12   | 2.51   | < 10   | < 1 | 0.24   | 40   | 0.22   | 122  |
| S 05282            | 203       | 238     | < 5  | 1.48   | 0.8    | 45     | 230    | < 0.5  | < 2  | 0.06   | < 0.5  | 5      | 87     | 16   | 2.65   | < 10   | < 1 | 0.17   | 30   | 0.23   | 220  |
| S 05283            | 203       | 238     | < 5  | 1.96   | 0.2    | 15     | 190    | 0.5    | < 2  | 0.22   | < 0.5  | 8      | 86     | 7    | 2.74   | < 10   | < 1 | 0.08   | 20   | 0.40   | 244  |
| S 05284            | 203       | 238     | < 5  | 0.69   | 0.6    | 15     | 90     | < 0.5  | < 2  | 0.98   | < 0.5  | 4      | 113    | 9    | 2.93   | < 10   | < 1 | 0.05   | 20   | 0.08   | 586  |
| S 05285            | 203       | 238     | 10   | 1.43   | 1.6    | 20     | 290    | < 0.5  | < 2  | 1.35   | < 0.5  | 6      | 72     | 57   | 2.54   | < 10   | < 1 | 0.07   | 20   | 0.31   | 564  |
| S 05286            | 203       | 238     | < 5  | 1.36   | 0.2    | 10     | 200    | < 0.5  | < 2  | 0.16   | < 0.5  | 5      | 95     | 8    | 2.03   | < 10   | < 1 | 0.08   | 20   | 0.32   | 131  |
| S 05287            | 203       | 238     | < 5  | 0.65   | 0.2    | 5      | 80     | < 0.5  | < 2  | 0.28   | < 0.5  | 5      | 80     | 5    | 2.19   | < 10   | < 1 | 0.12   | 20   | 0.05   | 215  |
| S 05288            | 203       | 238     | < 5  | 0.84   | 0.2    | 90     | 100    | < 0.5  | < 2  | 0.03   | < 0.5  | 3      | 97     | 9    | 2.18   | < 10   | < 1 | 0.11   | 30   | 0.17   | 97   |
| S 05289            | 203       | 238     | < 5  | 0.89   | 0.2    | 75     | 80     | < 0.5  | < 2  | 0.03   | < 0.5  | 3      | 97     | 13   | 2.97   | < 10   | < 1 | 0.11   | 30   | 0.16   | 111  |
| S 05290            | 203       | 238     | < 5  | 0.84   | 0.2    | 70     | 80     | < 0.5  | < 2  | 0.01   | < 0.5  | 2      | 102    | 10   | 2.17   | < 10   | < 1 | 0.13   | 40   | 0.16   | 92   |
| S 05291            | 203       | 238     | < 5  | 0.97   | 0.8    | 60     | 210    | < 0.5  | < 2  | 0.54   | < 0.5  | 8      | 85     | 24   | 2.73   | < 10   | < 1 | 0.15   | 30   | 0.22   | 578  |

CERTIFICATION : *B. Lagan*



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 1-B  
 Tot. : 7  
 Date : 22-NOV-88  
 Invoice #: I-8827257  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm     | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm   | Sr ppm    | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|------------|------|--------|-------|--------|--------|----------|-----------|------|--------|-------|-------|-------|--------|
| S 05252            | 203 238   | 1          | 0.01 | 16     | 310   | 34     | 5      | 2        | 8 < 0.01  | < 10 | < 10   | 23    | < 5   | 70    |        |
| S 05253            | 203 238   | 1          | 0.01 | 14     | 390   | 40     | 5      | 2        | 7 < 0.01  | < 10 | < 10   | 23    | < 5   | 70    |        |
| S 05254            | 203 238   | 1          | 0.01 | 12     | 340   | 28     | < 5    | 2        | 6 0.03    | < 10 | < 10   | 36    | < 5   | 54    |        |
| S 05255            | 203 238   | 1          | 0.01 | 10     | 400   | 16     | < 5    | 2        | 6 0.03    | < 10 | < 10   | 48    | < 5   | 38    |        |
| S 05256            | 203 238   | 1          | 0.01 | 14     | 350   | 28     | 5      | 1        | 4 0.01    | < 10 | < 10   | 23    | < 5   | 60    |        |
| S 05257            | 203 238   | 1          | 0.01 | 16     | 450   | 34     | 5      | 1        | 5 0.01    | < 10 | < 10   | 23    | < 5   | 67    |        |
| S 05258            | 203 238   | < 1        | 0.01 | 6      | 140   | 18     | < 5    | 2        | 8 0.05    | < 10 | < 10   | 33    | < 5   | 25    |        |
| S 05259            | 203 238   | < 1        | 0.01 | 30     | 460   | 100    | 10     | 3        | 9 < 0.01  | < 10 | < 10   | 13    | < 5   | 67    |        |
| S 05260            | 203 238   | < 1        | 0.01 | 8      | 210   | 18     | < 5    | 1        | 11 0.02   | < 10 | < 10   | 27    | < 5   | 50    |        |
| S 05261            | 203 238   | < 1 < 0.01 | 6    | 190    | 26    | < 5    | 1      | 4 0.01   | < 10      | < 10 | 24     | < 5   | 25    |       |        |
| S 05262            | 203 238   | < 1 < 0.01 | 18   | 360    | 56    | 5      | 1      | 8 < 0.01 | < 10      | < 10 | 13     | < 5   | 64    |       |        |
| S 05263            | 203 238   | < 1        | 0.01 | 8      | 220   | 18     | 5      | 1        | 7 0.01    | < 10 | < 10   | 27    | < 5   | 42    |        |
| S 05264            | 203 238   | 1          | 0.01 | 9      | 350   | 38     | < 5    | 1        | 6 0.02    | < 10 | < 10   | 32    | < 5   | 56    |        |
| S 05265            | 203 238   | < 1        | 0.01 | 10     | 350   | 56     | 5      | 1        | 5 < 0.01  | < 10 | < 10   | 23    | < 5   | 107   |        |
| S 05266            | 203 238   | < 1        | 0.01 | 15     | 310   | 20     | < 5    | 2        | 6 < 0.01  | < 10 | < 10   | 29    | < 5   | 64    |        |
| S 05267            | 203 238   | 1          | 0.01 | 16     | 280   | 14     | < 5    | 1        | 6 < 0.01  | < 10 | < 10   | 26    | < 5   | 52    |        |
| S 05268            | 203 238   | 1          | 0.01 | 21     | 270   | 48     | < 5    | 2        | 6 < 0.01  | < 10 | < 10   | 23    | < 5   | 64    |        |
| S 05269            | 203 238   | 1          | 0.01 | 22     | 360   | 14     | < 5    | 3        | 32 0.02   | < 10 | < 10   | 40    | < 5   | 68    |        |
| S 05270            | 203 238   | 1          | 0.01 | 14     | 590   | 52     | < 5    | 4        | 71 < 0.01 | < 10 | < 10   | 11    | < 5   | 105   |        |
| S 05271            | 203 238   | < 1        | 0.01 | 10     | 150   | 8      | < 5    | 2        | 9 0.02    | < 10 | < 10   | 33    | < 5   | 32    |        |
| S 05272            | 203 238   | < 1        | 0.02 | 15     | 250   | 56     | < 5    | 2        | 18 0.01   | < 10 | < 10   | 24    | < 5   | 77    |        |
| S 05273            | 203 238   | 1          | 0.01 | 37     | 390   | 22     | 5      | 5        | 43 < 0.01 | < 10 | < 10   | 6     | < 5   | 56    |        |
| S 05274            | 203 238   | 1          | 0.01 | 16     | 310   | 36     | < 5    | 1        | 7 < 0.01  | < 10 | < 10   | 15    | < 5   | 55    |        |
| S 05275            | 203 238   | 1          | 0.01 | 11     | 290   | 36     | < 5    | 1        | 7 < 0.01  | < 10 | < 10   | 18    | < 5   | 50    |        |
| S 05276            | 203 238   | 1          | 0.01 | 18     | 420   | 40     | < 5    | 2        | 9 0.02    | < 10 | < 10   | 30    | < 5   | 74    |        |
| S 05277            | 203 238   | < 1        | 0.01 | 12     | 280   | 38     | < 5    | 2        | 9 0.03    | < 10 | < 10   | 33    | < 5   | 56    |        |
| S 05278            | 203 238   | < 1        | 0.01 | 16     | 360   | 40     | 5      | 1        | 6 0.01    | < 10 | < 10   | 21    | < 5   | 61    |        |
| S 05279            | 203 238   | 1          | 0.01 | 18     | 370   | 54     | 5      | 2        | 8 0.01    | < 10 | < 10   | 22    | < 5   | 73    |        |
| S 05280            | 203 238   | 1          | 0.01 | 24     | 320   | 86     | 5      | 2        | 8 < 0.01  | < 10 | < 10   | 23    | < 5   | 97    |        |
| S 05281            | 203 238   | < 1        | 0.02 | 14     | 220   | 30     | < 5    | 2        | 9 0.01    | < 10 | < 10   | 29    | < 5   | 55    |        |
| S 05282            | 203 238   | 1          | 0.01 | 15     | 460   | 54     | 5      | 2        | 11 0.01   | < 10 | < 10   | 26    | < 5   | 66    |        |
| S 05283            | 203 238   | < 1        | 0.01 | 26     | 200   | 12     | < 5    | 3        | 20 0.04   | < 10 | < 10   | 44    | < 5   | 76    |        |
| S 05284            | 203 238   | 2          | 0.01 | 15     | 310   | 18     | 5      | 2        | 48 0.01   | < 10 | < 10   | 14    | < 5   | 46    |        |
| S 05285            | 203 238   | 1          | 0.01 | 23     | 680   | 18     | < 5    | 3        | 85 0.04   | < 10 | < 10   | 29    | < 5   | 77    |        |
| S 05286            | 203 238   | 1          | 0.01 | 20     | 250   | 6      | < 5    | 2        | 15 0.03   | < 10 | < 10   | 32    | < 5   | 50    |        |
| S 05287            | 203 238   | < 1        | 0.01 | 11     | 250   | 6      | < 5    | 2        | 30 < 0.01 | < 10 | < 10   | 9     | < 5   | 42    |        |
| S 05288            | 203 238   | 1          | 0.01 | 11     | 210   | 14     | 5      | 1        | 6 < 0.01  | < 10 | < 10   | 25    | < 5   | 35    |        |
| S 05289            | 203 238   | 1          | 0.01 | 14     | 320   | 20     | < 5    | 1        | 6 < 0.01  | < 10 | < 10   | 21    | < 5   | 50    |        |
| S 05290            | 203 238   | 2          | 0.01 | 11     | 210   | 6      | < 5    | 1        | 5 < 0.01  | < 10 | < 10   | 24    | < 5   | 39    |        |
| S 05291            | 203 238   | 2          | 0.01 | 22     | 400   | 40     | 5      | 2        | 20 < 0.01 | < 10 | < 10   | 21    | < 5   | 85    |        |

CERTIFICATION :

*B. Cugli*



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 2-A  
 Tot. : 7  
 Date : 22-NOV-88  
 Invoice # : I-8827257  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FATAA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K %  | La ppm | Mg % | Mn ppm |
|--------------------|-----------|--------------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
| S 05292            | 203 238   | 5            | 1.42 | 0.4    | 65     | 260    | 0.5    | < 2    | 0.20 | < 0.5  | 7      | 68     | 25     | 3.37 | < 10   | < 1    | 0.18 | 40     | 0.31 | 196    |
| S 05293            | 203 238   | < 5          | 1.49 | 1.8    | 50     | 210    | 0.5    | < 2    | 0.90 | 1.0    | 8      | 124    | 27     | 2.96 | < 10   | < 1    | 0.24 | 30     | 0.33 | 1090   |
| S 05294            | 203 238   | < 5          | 1.32 | 1.4    | 55     | 210    | < 0.5  | < 2    | 0.53 | 0.5    | 9      | 67     | 21     | 2.99 | < 10   | < 1    | 0.22 | 30     | 0.32 | 475    |
| S 05295            | 203 238   | < 5          | 1.18 | 0.8    | 50     | 160    | < 0.5  | < 2    | 0.30 | 0.5    | 7      | 177    | 17     | 2.89 | < 10   | < 1    | 0.23 | 40     | 0.28 | 471    |
| S 05296            | 203 238   | < 5          | 1.10 | 0.8    | 75     | 150    | < 0.5  | < 2    | 0.15 | < 0.5  | 9      | 86     | 19     | 2.95 | < 10   | < 1    | 0.19 | 40     | 0.24 | 420    |
| S 05297            | 203 238   | < 5          | 0.91 | 1.2    | 90     | 120    | < 0.5  | < 2    | 0.17 | < 0.5  | 8      | 100    | 17     | 2.76 | < 10   | < 1    | 0.17 | 30     | 0.21 | 413    |
| S 05298            | 203 238   | 10           | 1.39 | 2.2    | 110    | 190    | < 0.5  | < 2    | 0.53 | < 0.5  | 12     | 93     | 20     | 5.04 | < 10   | < 1    | 0.21 | 30     | 0.24 | 2710   |
| S 05299            | 203 238   | < 5          | 1.72 | 0.4    | 65     | 140    | < 0.5  | < 2    | 0.02 | < 0.5  | 6      | 78     | 11     | 3.60 | < 10   | < 1    | 0.16 | 40     | 0.24 | 197    |
| S 05300            | 203 238   | < 5          | 0.88 | 0.2    | 35     | 70     | < 0.5  | < 2    | 0.02 | < 0.5  | 8      | 92     | 16     | 2.23 | < 10   | < 1    | 0.27 | 40     | 0.05 | 258    |
| S 05301            | 203 238   | < 5          | 1.20 | 0.4    | 75     | 140    | < 0.5  | < 2    | 0.05 | < 0.5  | 5      | 98     | 18     | 3.02 | < 10   | < 1    | 0.17 | 40     | 0.23 | 173    |
| S 05302            | 203 238   | < 5          | 1.51 | 0.4    | 5      | 120    | < 0.5  | < 2    | 0.06 | < 0.5  | 2      | 80     | 3      | 1.89 | < 10   | < 1    | 0.09 | 20     | 0.26 | 109    |
| S 05303            | 203 238   | < 5          | 0.93 | 0.2    | 35     | 80     | < 0.5  | < 2    | 0.04 | < 0.5  | 4      | 135    | 7      | 2.35 | < 10   | < 1    | 0.12 | 30     | 0.18 | 185    |
| S 05304            | 203 238   | < 5          | 1.59 | 0.2    | 60     | 150    | < 0.5  | < 2    | 0.04 | < 0.5  | 5      | 125    | 14     | 3.31 | < 10   | < 1    | 0.14 | 30     | 0.31 | 154    |
| S 05305            | 203 238   | < 5          | 1.03 | 0.2    | 70     | 90     | < 0.5  | < 2    | 0.03 | < 0.5  | 4      | 105    | 16     | 2.97 | < 10   | < 1    | 0.14 | 40     | 0.23 | 159    |
| S 05306            | 203 238   | < 5          | 1.86 | 0.6    | 15     | 220    | < 0.5  | < 2    | 0.08 | < 0.5  | 4      | 142    | 6      | 2.79 | < 10   | < 1    | 0.13 | 20     | 0.45 | 177    |
| S 05307            | 203 238   | < 5          | 2.13 | 0.4    | 10     | 230    | < 0.5  | < 2    | 0.07 | < 0.5  | 6      | 140    | 6      | 2.90 | < 10   | < 1    | 0.11 | 20     | 0.42 | 229    |
| S 05308            | 203 238   | < 5          | 1.69 | 0.4    | 10     | 800    | < 0.5  | < 2    | 0.67 | 1.0    | 6      | 100    | 10     | 1.95 | < 10   | < 1    | 0.07 | 20     | 0.35 | 657    |
| S 05309            | 203 238   | < 5          | 1.59 | 0.6    | 5      | 130    | < 0.5  | < 2    | 0.05 | < 0.5  | 2      | 94     | 3      | 2.72 | < 10   | < 1    | 0.09 | 20     | 0.32 | 128    |
| S 05310            | 203 238   | < 5          | 1.88 | 0.6    | 10     | 180    | < 0.5  | 4      | 0.06 | < 0.5  | 6      | 84     | 8      | 2.82 | < 10   | < 1    | 0.12 | 20     | 0.46 | 214    |
| S 05311            | 203 238   | < 5          | 1.93 | 0.8    | 30     | 250    | < 0.5  | 2      | 0.08 | < 0.5  | 5      | 122    | 7      | 3.00 | 10     | < 1    | 0.12 | 20     | 0.41 | 168    |
| S 05312            | 203 238   | < 5          | 2.02 | 0.6    | 100    | 260    | < 0.5  | < 2    | 1.38 | 3.0    | 12     | 43     | 30     | 3.44 | 10     | < 1    | 0.35 | 30     | 0.38 | 1210   |
| S 05313            | 203 238   | < 5          | 1.44 | 1.4    | 60     | 240    | 0.5    | 2      | 0.44 | < 0.5  | 10     | 131    | 20     | 3.53 | 10     | < 1    | 0.22 | 40     | 0.28 | 543    |
| S 05314            | 203 238   | < 5          | 1.33 | 2.4    | 40     | 290    | < 0.5  | < 2    | 1.53 | < 0.5  | 15     | 84     | 22     | 3.51 | 10     | < 1    | 0.15 | 30     | 0.19 | 2280   |
| S 05315            | 203 238   | 10           | 1.21 | 1.2    | 50     | 170    | < 0.5  | 2      | 0.34 | < 0.5  | 9      | 125    | 15     | 3.55 | 10     | < 1    | 0.20 | 40     | 0.16 | 863    |
| S 05316            | 203 238   | < 5          | 1.01 | 0.2    | 140    | 80     | < 0.5  | 2      | 0.04 | < 0.5  | 6      | 133    | 17     | 4.15 | 10     | < 1    | 0.18 | 40     | 0.11 | 302    |
| S 05317            | 203 238   | < 5          | 1.07 | 1.0    | 215    | 160    | < 0.5  | 4      | 0.79 | < 0.5  | 8      | 124    | 22     | 3.06 | 10     | < 1    | 0.16 | 40     | 0.19 | 600    |
| S 05318            | 203 238   | < 5          | 1.38 | 0.8    | 25     | 220    | < 0.5  | 2      | 0.47 | < 0.5  | 3      | 100    | 3      | 1.96 | 10     | < 1    | 0.12 | 20     | 0.25 | 255    |
| S 05319            | 203 238   | < 5          | 1.58 | 0.4    | 15     | 210    | < 0.5  | < 2    | 0.06 | < 0.5  | 4      | 98     | < 1    | 2.46 | 10     | < 1    | 0.09 | 30     | 0.31 | 150    |
| S 05320            | 203 238   | 5            | 1.86 | 0.4    | 25     | 290    | < 0.5  | 4      | 0.07 | < 0.5  | 8      | 88     | 12     | 2.83 | 10     | < 1    | 0.12 | 20     | 0.53 | 222    |
| S 05321            | 203 238   | < 5          | 1.77 | 1.0    | 20     | 1070   | < 0.5  | 4      | 0.58 | 0.5    | 7      | 103    | 10     | 2.44 | 10     | < 1    | 0.10 | 30     | 0.42 | 347    |
| S 05322            | 203 238   | < 5          | 1.64 | 0.2    | 15     | 380    | < 0.5  | 2      | 0.24 | < 0.5  | 6      | 112    | 4      | 2.29 | 10     | < 1    | 0.12 | 30     | 0.45 | 314    |
| S 05323            | 203 238   | < 5          | 1.80 | 0.4    | 20     | 1500   | < 0.5  | 4      | 0.16 | < 0.5  | 5      | 168    | 17     | 3.48 | 10     | < 1    | 0.18 | 20     | 0.42 | 194    |
| S 05324            | 203 238   | < 5          | 1.96 | 0.4    | 25     | 420    | < 0.5  | 2      | 0.14 | < 0.5  | 9      | 120    | 6      | 2.93 | 10     | < 1    | 0.16 | 30     | 0.47 | 244    |
| S 05325            | 203 238   | < 5          | 2.10 | 0.6    | 30     | 360    | < 0.5  | < 2    | 0.63 | 3.5    | 12     | 98     | 20     | 2.85 | 10     | < 1    | 0.19 | 30     | 0.41 | 942    |
| S 05326            | 203 238   | < 5          | 1.75 | 0.6    | 20     | 210    | < 0.5  | < 2    | 0.47 | < 0.5  | 4      | 83     | 9      | 1.90 | < 10   | < 1    | 0.12 | 10     | 0.23 | 186    |
| S 05327            | 203 238   | < 5          | 1.66 | 0.4    | 15     | 300    | < 0.5  | 2      | 0.43 | < 0.5  | 6      | 128    | 5      | 2.66 | 10     | < 1    | 0.13 | 30     | 0.39 | 250    |
| S 05328            | 203 238   | 5            | 1.89 | 0.6    | 25     | 2440   | < 0.5  | < 2    | 0.34 | < 0.5  | 7      | 126    | 6      | 2.65 | 10     | < 1    | 0.14 | 30     | 0.41 | 297    |
| S 05329            | 203 238   | < 5          | 2.09 | 0.4    | 55     | 280    | < 0.5  | < 2    | 0.42 | 0.5    | 9      | 156    | 11     | 3.09 | 10     | < 1    | 0.22 | 30     | 0.43 | 403    |
| S 05330            | 203 238   | 10           | 0.91 | 0.4    | 65     | 130    | < 0.5  | < 2    | 0.44 | < 0.5  | 9      | 134    | 14     | 4.15 | 10     | < 1    | 0.14 | 20     | 0.16 | 1260   |
| S 05331            | 203 238   | 15           | 1.36 | 2.4    | 250    | 190    | < 0.5  | 2      | 0.60 | < 0.5  | 13     | 102    | 42     | 5.21 | 10     | < 1    | 0.21 | 50     | 0.21 | 749    |

CERTIFICATION :

*B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 2-B  
 Tot. : 87  
 Date : 22-NOV-88  
 Invoice #: I-8827257  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm    | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|------|--------|-------|--------|--------|--------|-----------|------|--------|-------|-------|-------|--------|
| S 05292            | 203 238   | 2      | 0.01 | 24     | 190   | 78     | 10     | 2      | 14 < 0.01 | < 10 | < 10   | 28    | < 5   | 103   |        |
| S 05293            | 203 238   | 2      | 0.01 | 26     | 770   | 90     | 5      | 2      | 40 < 0.01 | < 10 | < 10   | 18    | < 5   | 112   |        |
| S 05294            | 203 238   | 1      | 0.01 | 24     | 460   | 96     | 5      | 2      | 28 < 0.01 | < 10 | < 10   | 18    | < 5   | 88    |        |
| S 05295            | 203 238   | 1      | 0.01 | 23     | 480   | 102    | 5      | 2      | 20 < 0.01 | < 10 | < 10   | 20    | < 5   | 79    |        |
| S 05296            | 203 238   | 1      | 0.01 | 20     | 430   | 158    | 5      | 2      | 13 < 0.01 | < 10 | < 10   | 17    | < 5   | 81    |        |
| S 05297            | 203 238   | 1      | 0.01 | 19     | 460   | 102    | 5      | 1      | 14 < 0.01 | < 10 | < 10   | 14    | < 5   | 68    |        |
| S 05298            | 203 238   | 2      | 0.01 | 23     | 810   | 90     | 10     | 3      | 25 < 0.01 | < 10 | < 10   | 17    | < 5   | 100   |        |
| S 05299            | 203 238   | 2      | 0.01 | 21     | 280   | 30     | 5      | 3      | 6 < 0.01  | < 10 | < 10   | 26    | < 5   | 66    |        |
| S 05300            | 203 238   | < 1    | 0.02 | 19     | 370   | 10     | < 5    | 1      | 6 < 0.01  | < 10 | < 10   | 17    | < 5   | 29    |        |
| S 05301            | 203 238   | 1      | 0.01 | 17     | 260   | 50     | 5      | 1      | 7 < 0.01  | < 10 | < 10   | 22    | < 5   | 71    |        |
| S 05302            | 203 238   | 1      | 0.01 | 8      | 150   | 18     | < 5    | 2      | 8 0.04    | < 10 | < 10   | 45    | < 5   | 48    |        |
| S 05303            | 203 238   | 2      | 0.01 | 9      | 510   | 16     | < 5    | 1      | 7 0.01    | < 10 | < 10   | 34    | < 5   | 57    |        |
| S 05304            | 203 238   | < 1    | 0.01 | 19     | 340   | 22     | 5      | 2      | 8 0.01    | < 10 | < 10   | 30    | < 5   | 74    |        |
| S 05305            | 203 238   | < 1    | 0.01 | 16     | 340   | 36     | 5      | 1      | 6 < 0.01  | < 10 | < 10   | 19    | < 5   | 57    |        |
| S 05306            | 203 238   | 1      | 0.01 | 17     | 430   | 12     | < 5    | 2      | 10 0.05   | < 10 | < 10   | 56    | < 5   | 110   |        |
| S 05307            | 203 238   | 2      | 0.01 | 17     | 340   | 8      | 5      | 2      | 9 0.05    | < 10 | < 10   | 52    | < 5   | 121   |        |
| S 05308            | 203 238   | 2      | 0.01 | 22     | 430   | 12     | < 5    | 2      | 46 0.03   | < 10 | < 10   | 151   | < 5   | 178   |        |
| S 05309            | 203 238   | 1      | 0.01 | 11     | 360   | 14     | < 5    | 2      | 7 0.05    | < 10 | < 10   | 48    | < 5   | 78    |        |
| S 05310            | 203 238   | 1      | 0.01 | 23     | 410   | 6      | < 5    | 3      | 9 0.04    | 10   | < 10   | 49    | < 5   | 113   |        |
| S 05311            | 203 238   | 2      | 0.01 | 21     | 500   | 8      | 5      | 3      | 10 0.04   | < 10 | < 10   | 79    | < 5   | 145   |        |
| S 05312            | 203 238   | < 1    | 0.02 | 26     | 1420  | 76     | 5      | 3      | 82 0.01   | < 10 | < 10   | 27    | < 5   | 274   |        |
| S 05313            | 203 238   | < 1    | 0.02 | 25     | 950   | 332    | 15     | 3      | 32 0.02   | 10   | < 10   | 30    | < 5   | 145   |        |
| S 05314            | 203 238   | < 1    | 0.01 | 22     | 1460  | 414    | 15     | 3      | 86 0.01   | 10   | < 10   | 22    | < 5   | 126   |        |
| S 05315            | 203 238   | < 1    | 0.01 | 18     | 590   | 482    | 20     | 2      | 24 0.01   | 10   | < 10   | 24    | < 5   | 146   |        |
| S 05316            | 203 238   | 1      | 0.02 | 16     | 360   | 48     | 10     | 2      | 10 0.01   | < 10 | < 10   | 41    | < 5   | 128   |        |
| S 05317            | 203 238   | 1      | 0.02 | 21     | 750   | 222    | 10     | 3      | 47 0.02   | 10   | < 10   | 33    | < 5   | 109   |        |
| S 05318            | 203 238   | 1      | 0.01 | 9      | 350   | 16     | < 5    | 1      | 40 0.03   | < 10 | < 10   | 61    | < 5   | 116   |        |
| S 05319            | 203 238   | 1      | 0.01 | 12     | 320   | 12     | < 5    | 2      | 9 0.06    | < 10 | < 10   | 64    | < 5   | 105   |        |
| S 05320            | 203 238   | 3      | 0.01 | 33     | 720   | 14     | < 5    | 2      | 9 0.03    | < 10 | < 10   | 66    | < 5   | 180   |        |
| S 05321            | 203 238   | 2      | 0.01 | 27     | 670   | 12     | < 5    | 2      | 41 0.03   | < 10 | < 10   | 95    | < 5   | 211   |        |
| S 05322            | 203 238   | 1      | 0.01 | 23     | 220   | 14     | < 5    | 2      | 20 0.05   | < 10 | < 10   | 70    | < 5   | 133   |        |
| S 05323            | 203 238   | 14     | 0.01 | 49     | 1500  | 26     | < 5    | 2      | 19 0.03   | < 10 | < 10   | 183   | < 5   | 188   |        |
| S 05324            | 203 238   | 2      | 0.01 | 31     | 480   | 16     | 5      | 3      | 16 0.05   | < 10 | < 10   | 70    | < 5   | 155   |        |
| S 05325            | 203 238   | < 1    | 0.01 | 24     | 720   | 26     | < 5    | 3      | 47 0.04   | 10   | < 10   | 64    | < 5   | 220   |        |
| S 05326            | 203 238   | < 1    | 0.10 | 14     | 460   | 24     | < 5    | 2      | 34 0.04   | < 10 | < 10   | 45    | < 5   | 80    |        |
| S 05327            | 203 238   | 2      | 0.01 | 18     | 470   | 16     | < 5    | 2      | 32 0.05   | < 10 | < 10   | 82    | < 5   | 124   |        |
| S 05328            | 203 238   | 3      | 0.01 | 23     | 360   | 18     | < 5    | 2      | 26 0.05   | < 10 | < 10   | 70    | < 5   | 135   |        |
| S 05329            | 203 238   | 1      | 0.02 | 21     | 310   | 40     | < 5    | 3      | 35 0.03   | < 10 | < 10   | 66    | < 5   | 137   |        |
| S 05330            | 203 238   | 1      | 0.02 | 18     | 970   | 80     | 10     | 2      | 33 0.01   | < 10 | < 10   | 25    | < 5   | 99    |        |
| S 05331            | 203 238   | 1      | 0.01 | 34     | 600   | 246    | 10     | 5      | 43 < 0.01 | < 10 | < 10   | 20    | < 5   | 119   |        |

CERTIFICATION : *B. Cagl*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 3-A  
 Tot. : 87  
 Date : 22-NOV-88  
 Invoice # : I-8827257  
 P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8827257

| SAMPLE DESCRIPTION | PREP CODE | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K %  | La ppm | Mg % | Mn ppm |
|--------------------|-----------|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
|                    |           | FATMA  |      |        |        |        |        |        |      |        |        |        |        |      |        |        |      |        |      |        |
| S 05332            | 203 238   | < 5    | 1.13 | 1.0    | 30     | 150    | < 0.5  | < 2    | 4.68 | < 0.5  | 7      | 62     | 12     | 2.58 | < 10   | < 1    | 0.11 | 10     | 0.14 | 1045   |
| S 05333            | 203 238   | < 5    | 1.98 | 0.4    | 15     | 220    | < 0.5  | < 2    | 0.31 | < 0.5  | 7      | 72     | 5      | 3.38 | < 10   | < 1    | 0.08 | 30     | 0.47 | 261    |
| S 05334            | 203 238   | < 5    | 1.38 | 0.4    | 45     | 220    | < 0.5  | < 2    | 0.64 | < 0.5  | 8      | 68     | 7      | 2.26 | < 10   | < 1    | 0.07 | 20     | 0.34 | 729    |
| S 05335            | 203 238   | 10     | 1.49 | 0.2    | 50     | 200    | < 0.5  | < 2    | 0.32 | < 0.5  | 6      | 66     | 7      | 2.77 | < 10   | < 1    | 0.06 | 20     | 0.32 | 282    |
| S 05336            | 203 238   | 10     | 1.23 | 0.4    | 175    | 160    | < 0.5  | 2      | 0.28 | < 0.5  | 9      | 71     | 17     | 3.62 | < 10   | < 1    | 0.10 | 30     | 0.29 | 607    |
| S 05337            | 203 238   | < 5    | 1.88 | 0.8    | 100    | 250    | < 0.5  | < 2    | 0.51 | 1.0    | 13     | 51     | 25     | 3.71 | 10     | < 1    | 0.21 | 20     | 0.34 | 1210   |
| S 05338            | 203 238   | 25     | 1.98 | 1.2    | 90     | 300    | < 0.5  | < 2    | 0.57 | 1.0    | 14     | 75     | 37     | 3.33 | 10     | < 1    | 0.18 | 30     | 0.40 | 918    |
| S 05339            | 203 238   | 5      | 2.18 | 0.4    | 45     | 360    | < 0.5  | 2      | 0.24 | 1.0    | 11     | 80     | 12     | 2.99 | 10     | < 1    | 0.17 | 30     | 0.43 | 1150   |
| S 05340            | 203 238   | < 5    | 1.83 | 0.6    | 5      | 190    | < 0.5  | 2      | 0.07 | < 0.5  | 8      | 62     | 9      | 2.60 | 10     | < 1    | 0.11 | 30     | 0.46 | 210    |
| S 05341            | 203 238   | < 5    | 1.67 | 0.8    | 20     | 550    | < 0.5  | 2      | 0.11 | 0.5    | 5      | 91     | 3      | 2.33 | 10     | < 1    | 0.13 | 30     | 0.33 | 238    |
| S 05342            | 203 238   | < 5    | 1.78 | 0.2    | 20     | 300    | < 0.5  | 2      | 0.09 | < 0.5  | 6      | 66     | 2      | 2.86 | 10     | < 1    | 0.11 | 30     | 0.38 | 187    |
| S 05343            | 203 238   | < 5    | 1.57 | 0.8    | 50     | 250    | < 0.5  | < 2    | 0.38 | 0.5    | 6      | 76     | 9      | 2.44 | 10     | < 1    | 0.15 | 20     | 0.31 | 579    |
| S 05344            | 203 238   | < 5    | 1.45 | 0.4    | 15     | 190    | < 0.5  | 2      | 0.05 | < 0.5  | 4      | 85     | 4      | 3.06 | 10     | < 1    | 0.10 | 20     | 0.37 | 181    |
| S 05345            | 203 238   | < 5    | 1.75 | 0.2    | 35     | 620    | < 0.5  | 4      | 0.18 | < 0.5  | 10     | 71     | 14     | 3.34 | 10     | < 1    | 0.13 | 20     | 0.57 | 252    |
| S 05346            | 203 238   | < 5    | 1.22 | 0.2    | 70     | 170    | < 0.5  | < 2    | 0.16 | < 0.5  | 5      | 82     | 1      | 2.02 | 10     | < 1    | 0.08 | 20     | 0.33 | 267    |
| S 05347            | 203 238   | < 5    | 1.64 | 0.4    | 70     | 220    | < 0.5  | < 2    | 0.99 | 0.5    | 16     | 76     | 17     | 4.73 | 10     | < 1    | 0.10 | 40     | 0.15 | 1415   |
| S 05348            | 203 238   | 10     | 1.54 | 0.2    | 1065   | 170    | < 0.5  | < 2    | 0.15 | < 0.5  | 9      | 71     | 7      | 3.25 | 10     | < 1    | 0.08 | 20     | 0.36 | 429    |
| S 05349            | 203 238   | < 5    | 1.32 | 0.6    | 45     | 130    | < 0.5  | < 2    | 0.38 | < 0.5  | 8      | 68     | 7      | 4.12 | 10     | < 1    | 0.08 | 20     | 0.15 | 784    |
| S 05350            | 203 238   | < 5    | 1.16 | 0.4    | 30     | 130    | < 0.5  | < 2    | 0.07 | < 0.5  | 5      | 121    | 3      | 2.32 | 10     | < 1    | 0.12 | 30     | 0.16 | 249    |
| S 05351            | 203 238   | < 5    | 1.68 | 1.2    | 40     | 110    | < 0.5  | < 2    | 0.10 | < 0.5  | 8      | 85     | 7      | 4.31 | 10     | < 1    | 0.14 | 30     | 0.25 | 468    |
| S 05352            | 203 238   | < 5    | 1.38 | 0.6    | 35     | 160    | < 0.5  | 4      | 0.81 | < 0.5  | 6      | 110    | 13     | 2.65 | 10     | < 1    | 0.19 | 40     | 0.28 | 425    |
| S 05353            | 203 238   | < 5    | 1.59 | 0.2    | 130    | 220    | < 0.5  | 2      | 0.12 | < 0.5  | 10     | 101    | 19     | 3.19 | 10     | < 1    | 0.15 | 50     | 0.29 | 186    |
| S 05354            | 203 238   | < 5    | 1.62 | 0.8    | 155    | 220    | < 0.5  | 6      | 0.52 | < 0.5  | 12     | 86     | 28     | 4.06 | 10     | < 1    | 0.18 | 40     | 0.25 | 492    |
| S 05355            | 203 238   | < 5    | 1.41 | 0.4    | 265    | 200    | < 0.5  | 2      | 1.28 | < 0.5  | 12     | 74     | 29     | 3.89 | 10     | < 1    | 0.14 | 30     | 0.18 | 898    |
| S 05356            | 203 238   | < 5    | 1.66 | 0.2    | 20     | 420    | < 0.5  | 4      | 0.23 | < 0.5  | 9      | 80     | 5      | 2.46 | 10     | < 1    | 0.12 | 30     | 0.41 | 312    |
| S 05357            | 203 238   | < 5    | 1.71 | 0.4    | 15     | 260    | < 0.5  | 4      | 0.10 | < 0.5  | 3      | 81     | < 1    | 2.07 | 10     | < 1    | 0.11 | 30     | 0.24 | 142    |
| S 05358            | 203 238   | < 5    | 1.46 | 0.4    | 10     | 460    | < 0.5  | 4      | 0.09 | < 0.5  | 5      | 64     | 5      | 2.12 | 10     | < 1    | 0.10 | 30     | 0.29 | 134    |
| S 05359            | 203 238   | < 5    | 1.82 | 0.6    | 10     | 190    | < 0.5  | 2      | 0.07 | < 0.5  | 4      | 77     | 1      | 2.27 | 10     | < 1    | 0.08 | 30     | 0.29 | 136    |
| S 05360            | 203 238   | < 5    | 2.18 | 0.4    | 20     | 380    | < 0.5  | 4      | 0.12 | < 0.5  | 10     | 65     | 7      | 3.12 | 10     | < 1    | 0.11 | 30     | 0.49 | 367    |
| S 05361            | 203 238   | < 5    | 1.57 | 0.8    | 80     | 290    | < 0.5  | 2      | 0.41 | < 0.5  | 13     | 73     | 14     | 3.31 | 10     | < 1    | 0.18 | 30     | 0.35 | 783    |
| S 05362            | 203 238   | < 5    | 0.91 | 0.2    | 15     | 140    | < 0.5  | 4      | 0.06 | < 0.5  | 3      | 72     | 2      | 1.29 | < 10   | < 1    | 0.09 | 20     | 0.21 | 130    |
| S 05363            | 203 238   | < 5    | 1.43 | 0.2    | 25     | 310    | < 0.5  | < 2    | 0.10 | < 0.5  | 4      | 123    | 4      | 2.57 | < 10   | < 1    | 0.08 | 20     | 0.36 | 140    |
| S 05364            | 203 238   | < 5    | 0.96 | 0.2    | 155    | 140    | < 0.5  | 2      | 0.74 | < 0.5  | 11     | 58     | 26     | 3.83 | 10     | < 1    | 0.10 | 30     | 0.21 | 820    |
| S 05365            | 203 238   | 15     | 1.16 | 0.4    | 270    | 150    | < 0.5  | 4      | 0.33 | 1.0    | 22     | 77     | 41     | 5.70 | 10     | < 1    | 0.15 | 30     | 0.14 | 1985   |
| S 05366            | 203 238   | 5      | 1.50 | 0.2    | 10     | 130    | < 0.5  | 2      | 0.11 | < 0.5  | 5      | 85     | 2      | 2.83 | 10     | < 1    | 0.11 | 20     | 0.40 | 172    |
| S 05367            | 203 238   | < 5    | 1.31 | 1.0    | 40     | 170    | < 0.5  | < 2    | 4.35 | 1.0    | 16     | 63     | 32     | 4.07 | 10     | < 1    | 0.13 | 30     | 0.13 | 1480   |
| S 05368            | 203 238   | 20     | 1.38 | 0.2    | 90     | 240    | < 0.5  | 4      | 0.52 | < 0.5  | 10     | 65     | 11     | 3.19 | 10     | < 1    | 0.10 | 30     | 0.31 | 779    |
| S 05369            | 203 238   | < 5    | 2.18 | 0.2    | < 5    | 200    | < 0.5  | 4      | 0.29 | < 0.5  | 10     | 85     | 2      | 2.72 | 10     | < 1    | 0.08 | 30     | 0.38 | 228    |
| S 05370            | 203 238   | < 5    | 1.61 | 0.2    | 10     | 150    | < 0.5  | 6      | 0.23 | < 0.5  | 6      | 97     | 2      | 2.73 | 10     | < 1    | 0.09 | 30     | 0.29 | 156    |
| S 05371            | 203 238   | < 5    | 1.91 | 0.2    | 25     | 170    | < 0.5  | < 2    | 0.07 | < 0.5  | 7      | 77     | 8      | 3.58 | 10     | < 1    | 0.10 | 20     | 0.40 | 236    |

CERTIFICATION :

*B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 3-B  
 Tot. : 47  
 Date : 22-NOV-88  
 Invoice # : I-8827257  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm     | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|------|--------|-------|--------|--------|--------|------------|------|--------|-------|-------|-------|--------|
| S 05332            | 203 238   | < 1    | 0.01 | 18     | 1250  | 24     | 5      | 3      | 192        | 0.01 | < 10   | < 10  | 20    | 5     | 84     |
| S 05333            | 203 238   | 2      | 0.01 | 27     | 310   | 18     | < 5    | 3      | 26         | 0.04 | < 10   | < 10  | 49    | < 5   | 91     |
| S 05334            | 203 238   | < 1    | 0.01 | 17     | 640   | 20     | < 5    | 2      | 40         | 0.02 | < 10   | < 10  | 36    | 5     | 90     |
| S 05335            | 203 238   | 1      | 0.01 | 23     | 580   | 56     | < 5    | 2      | 27         | 0.02 | < 10   | < 10  | 39    | 5     | 97     |
| S 05336            | 203 238   | < 1    | 0.01 | 26     | 640   | 80     | 5      | 3      | 23         | 0.01 | < 10   | < 10  | 30    | 5     | 103    |
| S 05337            | 203 238   | < 1    | 0.02 | 23     | 480   | 70     | 5      | 3      | 39         | 0.01 | < 10   | < 10  | 32    | 5     | 186    |
| S 05338            | 203 238   | 2      | 0.01 | 30     | 580   | 48     | < 5    | 3      | 44         | 0.02 | < 10   | < 10  | 58    | 10    | 178    |
| S 05339            | 203 238   | 1      | 0.01 | 20     | 350   | 32     | < 5    | 4      | 25         | 0.04 | < 10   | < 10  | 67    | 5     | 227    |
| S 05340            | 203 238   | 1      | 0.01 | 28     | 470   | 16     | < 5    | 3      | 9          | 0.04 | < 10   | < 10  | 49    | < 5   | 114    |
| S 05341            | 203 238   | 4      | 0.01 | 15     | 540   | 10     | < 5    | 2      | 11         | 0.04 | < 10   | < 10  | 156   | < 5   | 272    |
| S 05342            | 203 238   | 3      | 0.01 | 17     | 350   | 14     | < 5    | 2      | 12         | 0.06 | < 10   | < 10  | 94    | 5     | 170    |
| S 05343            | 203 238   | 1      | 0.01 | 15     | 610   | 26     | < 5    | 2      | 29         | 0.02 | < 10   | < 10  | 52    | 5     | 164    |
| S 05344            | 203 238   | 2      | 0.01 | 20     | 680   | 12     | < 5    | 2      | 7          | 0.03 | < 10   | < 10  | 75    | 5     | 115    |
| S 05345            | 203 238   | 5      | 0.01 | 41     | 770   | 20     | < 5    | 2      | 17         | 0.03 | < 10   | < 10  | 165   | 5     | 268    |
| S 05346            | 203 238   | 1      | 0.01 | 11     | 280   | 12     | < 5    | 1      | 13         | 0.03 | < 10   | < 10  | 54    | < 5   | 88     |
| S 05347            | 203 238   | < 1    | 0.01 | 34     | 1440  | 28     | 5      | 6      | 65 < 0.01  | < 10 | < 10   | 24    | 5     | 194   |        |
| S 05348            | 203 238   | < 1    | 0.01 | 22     | 510   | 48     | 5      | 2      | 14         | 0.02 | < 10   | < 10  | 38    | < 5   | 91     |
| S 05349            | 203 238   | < 1    | 0.01 | 19     | 870   | 250    | 10     | 3      | 23 < 0.01  | < 10 | < 10   | 11    | < 5   | 97    |        |
| S 05350            | 203 238   | 1      | 0.01 | 10     | 330   | 80     | 5      | 1      | 10         | 0.03 | < 10   | < 10  | 53    | < 5   | 60     |
| S 05351            | 203 238   | 2      | 0.01 | 16     | 640   | 280    | 15     | 2      | 11         | 0.03 | < 10   | < 10  | 44    | < 5   | 106    |
| S 05352            | 203 238   | < 1    | 0.02 | 17     | 500   | 238    | 10     | 2      | 56         | 0.01 | 20     | < 10  | 31    | < 5   | 67     |
| S 05353            | 203 238   | 1      | 0.01 | 21     | 170   | 58     | 5      | 2      | 15 < 0.01  | 20   | < 10   | < 10  | 36    | < 5   | 71     |
| S 05354            | 203 238   | < 1    | 0.01 | 28     | 410   | 502    | 10     | 4      | 37 < 0.01  | < 10 | < 10   | 34    | < 5   | 120   |        |
| S 05355            | 203 238   | < 1    | 0.01 | 27     | 650   | 70     | 10     | 4      | 77         | 0.01 | < 10   | < 10  | 28    | < 5   | 114    |
| S 05356            | 203 238   | 2      | 0.01 | 20     | 390   | 18     | < 5    | 2      | 20         | 0.05 | < 10   | < 10  | 97    | < 5   | 120    |
| S 05357            | 203 238   | 1      | 0.01 | 7      | 370   | 10     | < 5    | 2      | 12         | 0.07 | < 10   | < 10  | 75    | < 5   | 67     |
| S 05358            | 203 238   | 3      | 0.01 | 18     | 480   | 14     | < 5    | 1      | 11         | 0.03 | < 10   | < 10  | 95    | < 5   | 132    |
| S 05359            | 203 238   | 2      | 0.01 | 13     | 330   | 14     | < 5    | 2      | 9          | 0.06 | < 10   | < 10  | 66    | < 5   | 78     |
| S 05360            | 203 238   | 2      | 0.01 | 23     | 580   | 14     | < 5    | 3      | 13         | 0.07 | < 10   | < 10  | 83    | < 5   | 267    |
| S 05361            | 203 238   | 1      | 0.01 | 23     | 720   | 86     | 5      | 2      | 34         | 0.01 | < 10   | < 10  | 45    | < 5   | 131    |
| S 05362            | 203 238   | 1      | 0.01 | 10     | 270   | 14     | < 5    | 1      | 7          | 0.02 | < 10   | < 10  | 49    | < 5   | 73     |
| S 05363            | 203 238   | 4      | 0.01 | 19     | 310   | 14     | < 5    | 1      | 10         | 0.03 | < 10   | < 10  | 129   | < 5   | 116    |
| S 05364            | 203 238   | < 1    | 0.01 | 35     | 610   | 80     | 10     | 4      | 49         | 0.01 | < 10   | < 10  | 22    | < 5   | 143    |
| S 05365            | 203 238   | < 1    | 0.01 | 44     | 650   | 138    | 20     | 6      | 30 < 0.01  | < 10 | < 10   | 17    | < 5   | 277   |        |
| S 05366            | 203 238   | 1      | 0.01 | 16     | 340   | 24     | < 5    | 2      | 12         | 0.05 | < 10   | < 10  | 55    | < 5   | 83     |
| S 05367            | 203 238   | < 1    | 0.02 | 41     | 1860  | 64     | 15     | 7      | 254 < 0.01 | 10   | < 10   | 23    | 5     | 139   |        |
| S 05368            | 203 238   | < 1    | 0.01 | 26     | 680   | 66     | 5      | 4      | 42         | 0.03 | < 10   | < 10  | 37    | < 5   | 314    |
| S 05369            | 203 238   | 1      | 0.01 | 19     | 170   | 16     | < 5    | 3      | 25         | 0.07 | < 10   | < 10  | 63    | < 5   | 79     |
| S 05370            | 203 238   | 1      | 0.01 | 12     | 210   | 20     | < 5    | 2      | 23         | 0.05 | < 10   | < 10  | 61    | < 5   | 96     |
| S 05371            | 203 238   | 1      | 0.01 | 26     | 410   | 32     | 5      | 2      | 9          | 0.03 | < 10   | < 10  | 56    | < 5   | 120    |

CERTIFICATION :

*B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 4-A  
 Tot. : 7  
 Date : 22-NOV-88  
 Invoice #: I-8827257  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |      |
|--------------------|-----------|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|-----|--------|------|--------|------|
|                    |           | FAT+AA |      |        |        |        |        |        |      |        |        |        |        |      |        |        |     |        |      |        |      |
| S 05372            | 203       | 238    | < 5  | 1.42   | 0.4    | 95     | 70     | < 0.5  | < 2  | 0.08   | < 0.5  | 25     | 47     | 35   | 6.25   | < 10   | < 1 | 0.10   | 30   | 0.13   | 902  |
| S 05373            | 203       | 238    | < 5  | 1.27   | 0.2    | 25     | 210    | < 0.5  | < 2  | 0.68   | < 0.5  | 9      | 47     | 7    | 2.26   | < 10   | < 1 | 0.09   | 30   | 0.37   | 273  |
| S 05374            | 203       | 238    | < 5  | 1.54   | 0.4    | 45     | 200    | < 0.5  | < 2  | 0.23   | < 0.5  | 8      | 39     | 19   | 3.29   | < 10   | < 1 | 0.19   | 40   | 0.42   | 552  |
| S 05375            | 203       | 238    | < 5  | 1.54   | 0.2    | 55     | 220    | < 0.5  | < 2  | 0.07   | < 0.5  | 8      | 35     | 18   | 2.92   | < 10   | < 1 | 0.15   | 30   | 0.40   | 195  |
| S 05376            | 203       | 238    | < 5  | 1.04   | 0.2    | 20     | 150    | < 0.5  | < 2  | 0.05   | < 0.5  | 6      | 44     | 7    | 2.56   | < 10   | < 1 | 0.06   | 10   | 0.33   | 162  |
| S 05377            | 203       | 238    | < 5  | 1.13   | 0.4    | 10     | 160    | < 0.5  | < 2  | 0.06   | < 0.5  | 7      | 56     | 10   | 2.18   | < 10   | < 1 | 0.07   | 10   | 0.38   | 134  |
| S 05378            | 203       | 238    | < 5  | 1.19   | 0.4    | 5      | 730    | < 0.5  | < 2  | 0.09   | 0.5    | 7      | 70     | 7    | 1.92   | < 10   | < 1 | 0.07   | 30   | 0.27   | 145  |
| S 05379            | 203       | 238    | < 5  | 1.43   | 0.4    | 15     | 270    | < 0.5  | 2    | 0.07   | 0.5    | 7      | 54     | 6    | 2.37   | < 10   | < 1 | 0.07   | 30   | 0.28   | 168  |
| S 05380            | 203       | 238    | < 5  | 1.18   | 0.4    | 5      | 370    | < 0.5  | < 2  | 0.07   | 0.5    | 7      | 118    | 7    | 2.25   | < 10   | < 2 | 0.13   | 20   | 0.39   | 158  |
| S 05381            | 203       | 238    | < 5  | 1.70   | 0.6    | 115    | 220    | < 0.5  | < 2  | 0.47   | < 0.5  | 8      | 36     | 16   | 3.31   | < 10   | < 1 | 0.21   | 50   | 0.40   | 516  |
| S 05382            | 203       | 238    | < 5  | 1.33   | 0.2    | 40     | 160    | < 0.5  | < 2  | 1.94   | 1.0    | 9      | 44     | 36   | 2.72   | < 10   | < 1 | 0.15   | 40   | 0.26   | 572  |
| S 05383            | 203       | 238    | 15   | 1.14   | 0.6    | 55     | 120    | 0.5    | 6    | 1.03   | < 0.5  | 13     | 54     | 45   | 3.75   | < 10   | < 1 | 0.19   | 60   | 0.23   | 613  |
| S 05384            | 203       | 238    | < 5  | 1.11   | 0.4    | 65     | 50     | < 0.5  | < 2  | 1.08   | < 0.5  | 37     | 54     | 41   | 6.26   | < 10   | < 1 | 0.20   | 70   | 0.20   | 595  |
| S 05385            | 203       | 238    | < 5  | 1.78   | 0.2    | 20     | 70     | < 0.5  | 2    | 0.04   | < 0.5  | 7      | 30     | 17   | 3.44   | < 10   | < 1 | 0.27   | 80   | 0.46   | 114  |
| S 05386            | 203       | 238    | < 5  | 1.91   | 0.4    | 15     | 80     | < 0.5  | 2    | 0.04   | < 0.5  | 15     | 52     | 23   | 3.97   | < 10   | < 1 | 0.26   | 60   | 0.47   | 156  |
| S 05387            | 203       | 238    | < 5  | 1.35   | < 0.2  | 35     | 240    | 0.5    | 2    | 2.47   | < 0.5  | 8      | 41     | 12   | 2.69   | < 10   | < 1 | 0.08   | 40   | 0.30   | 748  |
| S 05388            | 203       | 238    | < 5  | 1.34   | 0.4    | 90     | 160    | 0.5    | 2    | 0.52   | < 0.5  | 7      | 55     | 20   | 3.37   | < 10   | < 1 | 0.16   | 60   | 0.27   | 786  |
| S 05389            | 203       | 238    | < 5  | 1.28   | 0.6    | 50     | 160    | < 0.5  | 4    | 0.71   | 0.5    | 7      | 41     | 22   | 3.20   | < 10   | < 1 | 0.18   | 50   | 0.33   | 357  |
| S 05390            | 203       | 238    | < 5  | 1.09   | 0.4    | 60     | 140    | < 0.5  | < 2  | 0.70   | < 0.5  | 8      | 54     | 19   | 2.86   | < 10   | < 1 | 0.15   | 40   | 0.26   | 491  |
| S 05391            | 203       | 238    | < 5  | 1.36   | 0.8    | 90     | 160    | < 0.5  | 2    | 0.59   | < 0.5  | 15     | 41     | 23   | 3.41   | < 10   | < 1 | 0.18   | 40   | 0.32   | 1010 |
| S 05392            | 203       | 238    | < 5  | 1.57   | < 0.2  | 10     | 540    | < 0.5  | < 2  | 0.12   | 1.0    | 7      | 86     | 9    | 2.67   | < 10   | < 1 | 0.13   | 30   | 0.45   | 194  |
| S 05393            | 203       | 238    | < 5  | 1.87   | 0.2    | < 5    | 370    | < 0.5  | < 2  | 0.09   | 1.5    | 6      | 87     | 9    | 3.42   | < 10   | < 1 | 0.13   | 30   | 0.45   | 182  |
| S 05394            | 203       | 238    | < 5  | 1.84   | 0.6    | 25     | 470    | < 0.5  | < 2  | 0.14   | 1.0    | 7      | 102    | 15   | 3.28   | < 10   | < 1 | 0.14   | 30   | 0.58   | 169  |
| S 05395            | 203       | 238    | < 5  | 1.73   | 0.4    | < 5    | 1090   | < 0.5  | < 2  | 0.09   | 1.0    | 5      | 78     | 8    | 3.81   | < 10   | < 1 | 0.13   | 30   | 0.45   | 227  |
| S 05396            | 203       | 238    | < 5  | 1.23   | 0.2    | < 5    | 670    | < 0.5  | < 2  | 0.08   | 1.0    | 4      | 86     | 10   | 1.40   | < 10   | < 1 | 0.14   | 30   | 0.39   | 120  |
| S 05397            | 203       | 238    | < 5  | 1.40   | < 0.2  | 25     | 360    | < 0.5  | < 2  | 0.07   | < 0.5  | 5      | 78     | 12   | 3.41   | < 10   | < 1 | 0.13   | 20   | 0.48   | 133  |
| S 05398            | 203       | 238    | < 5  | 1.49   | < 0.2  | < 5    | 670    | < 0.5  | < 2  | 0.09   | 1.0    | 7      | 92     | 13   | 2.83   | < 10   | < 2 | 0.14   | 30   | 0.51   | 228  |
| S 05399            | 203       | 238    | < 5  | 1.53   | 0.4    | 100    | 230    | 0.5    | < 2  | 1.19   | < 0.5  | 7      | 44     | 24   | 3.15   | < 10   | < 1 | 0.25   | 50   | 0.40   | 820  |
| S 05400            | 203       | 238    | < 5  | 1.50   | 0.8    | 95     | 230    | 0.5    | < 2  | 0.91   | < 0.5  | 7      | 47     | 29   | 3.37   | < 10   | < 1 | 0.23   | 50   | 0.38   | 828  |
| S 05401            | 203       | 238    | < 5  | 1.53   | 0.6    | 40     | 120    | < 0.5  | < 2  | 0.12   | < 0.5  | 7      | 57     | 8    | 3.21   | < 10   | < 4 | 0.13   | 40   | 0.30   | 183  |
| S 05402            | 203       | 238    | < 5  | 1.35   | 0.4    | 65     | 120    | < 0.5  | < 2  | 0.11   | < 0.5  | 7      | 60     | 7    | 3.05   | < 10   | < 1 | 0.13   | 40   | 0.25   | 130  |
| S 05403            | 203       | 238    | < 5  | 1.45   | 0.2    | 40     | 150    | < 0.5  | < 2  | 0.07   | < 0.5  | 7      | 54     | 6    | 2.86   | < 10   | < 1 | 0.10   | 40   | 0.27   | 122  |
| S 05404            | 203       | 238    | < 5  | 1.61   | < 0.2  | < 5    | 130    | < 0.5  | < 2  | 0.10   | < 0.5  | 7      | 51     | 3    | 2.80   | < 10   | < 1 | 0.08   | 30   | 0.34   | 156  |
| S 05405            | 203       | 238    | < 5  | 1.61   | < 0.2  | 90     | 130    | < 0.5  | < 2  | 0.06   | < 0.5  | 6      | 48     | 6    | 3.93   | < 10   | < 1 | 0.08   | 30   | 0.38   | 217  |
| S 05406            | 203       | 238    | < 5  | 1.75   | < 0.2  | 55     | 180    | < 0.5  | < 2  | 0.51   | < 0.5  | 7      | 45     | 6    | 2.75   | < 10   | < 1 | 0.07   | 30   | 0.40   | 367  |
| S 05407            | 203       | 238    | < 5  | 1.67   | 0.2    | 20     | 260    | < 0.5  | 2    | 0.39   | < 0.5  | 7      | 45     | 7    | 3.03   | < 10   | < 1 | 0.09   | 30   | 0.31   | 820  |
| S 05408            | 203       | 238    | < 5  | 1.34   | 0.2    | 20     | 150    | 0.5    | < 2  | 1.54   | < 0.5  | 7      | 55     | 23   | 3.57   | < 10   | < 1 | 0.11   | 50   | 0.31   | 456  |
| S 05409            | 203       | 238    | < 5  | 1.40   | < 0.2  | 65     | 190    | < 0.5  | < 2  | 0.15   | < 0.5  | 7      | 46     | 19   | 3.36   | < 10   | < 1 | 0.14   | 40   | 0.28   | 330  |
| S 05410            | 203       | 238    | < 5  | 1.49   | 0.8    | 35     | 140    | < 0.5  | < 2  | 0.12   | < 0.5  | 6      | 54     | 11   | 3.95   | < 10   | < 1 | 0.16   | 40   | 0.29   | 209  |
| S 05411            | 203       | 238    | < 5  | 1.58   | 0.6    | 35     | 150    | < 0.5  | < 2  | 0.15   | < 0.5  | 6      | 53     | 5    | 2.90   | < 10   | < 1 | 0.16   | 50   | 0.24   | 192  |

CERTIFICATION :

*B. Coughlin*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page 1 4-B  
 Tot. F 7  
 Date : 22-NOV-88  
 Invoice # : 1-8827257  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na %   | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti %   | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|--------|
| S 05372            | 203 238   | 2      | 0.01   | 42     | 530   | 360    | 5      | 3      | 12     | < 0.01 | < 10   | < 10  | 21    | < 5   | 132    |
| S 05373            | 203 238   | 1      | 0.01   | 19     | 360   | 24     | < 5    | 2      | 42     | 0.04   | < 10   | < 10  | 63    | < 5   | 109    |
| S 05374            | 203 238   | 1      | 0.01   | 26     | 420   | 72     | < 5    | 3      | 22     | 0.01   | < 10   | < 10  | 33    | < 5   | 99     |
| S 05375            | 203 238   | 2      | 0.01   | 27     | 350   | 58     | < 5    | 3      | 10     | 0.01   | < 10   | < 10  | 35    | < 5   | 100    |
| S 05376            | 203 238   | 3      | < 0.01 | 13     | 550   | < 2    | < 5    | 1      | 6      | 0.01   | < 10   | < 10  | 68    | < 5   | 137    |
| S 05377            | 203 238   | 2      | < 0.01 | 20     | 440   | 4      | < 5    | 1      | 7      | 0.01   | < 10   | < 10  | 52    | < 5   | 123    |
| S 05378            | 203 238   | 5      | 0.01   | 16     | 210   | < 2    | < 5    | 1      | 12     | 0.03   | < 10   | < 10  | 88    | < 5   | 145    |
| S 05379            | 203 238   | 4      | 0.01   | 11     | 290   | 10     | < 5    | 2      | 9      | 0.04   | < 10   | < 10  | 93    | < 5   | 134    |
| S 05380            | 203 238   | 8      | 0.01   | 13     | 650   | 10     | < 5    | 1      | 8      | 0.02   | < 10   | < 10  | 233   | < 5   | 151    |
| S 05381            | 203 238   | < 1    | 0.01   | 17     | 300   | 76     | 5      | 3      | 43     | 0.01   | < 10   | < 10  | 37    | < 5   | 102    |
| S 05382            | 203 238   | 1      | 0.02   | 19     | 980   | 40     | 5      | 3      | 130    | 0.01   | < 10   | < 10  | 25    | < 5   | 109    |
| S 05383            | 203 238   | 1      | 0.02   | 24     | 810   | 50     | 5      | 6      | 74     | 0.03   | < 10   | < 10  | 29    | < 5   | 297    |
| S 05384            | 203 238   | < 1    | 0.03   | 54     | 380   | 48     | 10     | 5      | 55     | < 0.01 | < 10   | < 10  | 15    | < 5   | 138    |
| S 05385            | 203 238   | < 1    | 0.03   | 28     | 260   | 36     | < 5    | 1      | 11     | < 0.01 | < 10   | < 10  | 22    | < 5   | 63     |
| S 05386            | 203 238   | < 1    | 0.02   | 20     | 430   | 32     | 5      | 2      | 10     | < 0.01 | < 10   | < 10  | 33    | < 5   | 82     |
| S 05387            | 203 238   | 1      | 0.01   | 20     | 1130  | 34     | 5      | 4      | 136    | 0.03   | < 10   | < 10  | 39    | < 5   | 118    |
| S 05388            | 203 238   | 1      | 0.01   | 18     | 720   | 84     | 5      | 3      | 38     | < 0.01 | < 10   | < 10  | 28    | < 5   | 92     |
| S 05389            | 203 238   | 3      | 0.01   | 19     | 660   | 82     | 5      | 3      | 44     | < 0.01 | < 10   | < 10  | 26    | < 5   | 99     |
| S 05390            | 203 238   | 2      | 0.01   | 19     | 710   | 78     | 5      | 2      | 49     | < 0.01 | < 10   | < 10  | 23    | < 5   | 93     |
| S 05391            | 203 238   | < 1    | 0.01   | 24     | 690   | 108    | < 5    | 3      | 46     | < 0.01 | < 10   | < 10  | 28    | < 5   | 105    |
| S 05392            | 203 238   | 8      | 0.01   | 21     | 460   | 4      | < 5    | 2      | 13     | 0.04   | < 10   | < 10  | 171   | < 5   | 311    |
| S 05393            | 203 238   | 7      | 0.01   | 30     | 750   | < 2    | < 5    | 3      | 13     | 0.04   | < 10   | < 10  | 270   | < 5   | 238    |
| S 05394            | 203 238   | 8      | 0.01   | 40     | 560   | 26     | < 5    | 3      | 16     | 0.04   | < 10   | < 10  | 152   | < 5   | 229    |
| S 05395            | 203 238   | 5      | 0.01   | 31     | 610   | 14     | < 5    | 3      | 16     | 0.07   | < 10   | < 10  | 299   | < 5   | 234    |
| S 05396            | 203 238   | 2      | 0.01   | 12     | 370   | 4      | < 5    | 1      | 11     | 0.03   | < 10   | < 10  | 149   | < 5   | 120    |
| S 05397            | 203 238   | 9      | 0.02   | 28     | 770   | 8      | < 5    | 1      | 9      | 0.03   | < 10   | < 10  | 238   | < 5   | 214    |
| S 05398            | 203 238   | 8      | 0.01   | 26     | 560   | 10     | < 5    | 2      | 9      | 0.02   | < 10   | < 10  | 217   | < 5   | 295    |
| S 05399            | 203 238   | 2      | 0.02   | 25     | 800   | 98     | 10     | 3      | 62     | < 0.01 | < 10   | < 10  | 32    | < 5   | 132    |
| S 05400            | 203 238   | 3      | 0.01   | 29     | 740   | 104    | 5      | 3      | 50     | < 0.01 | < 10   | < 10  | 29    | < 5   | 115    |
| S 05401            | 203 238   | 3      | 0.01   | 13     | 450   | 92     | < 5    | 2      | 13     | 0.03   | < 10   | < 10  | 55    | < 5   | 67     |
| S 05402            | 203 238   | 2      | 0.01   | 14     | 340   | 110    | < 5    | 1      | 13     | 0.01   | < 10   | < 10  | 36    | < 5   | 62     |
| S 05403            | 203 238   | 1      | 0.01   | 11     | 260   | 38     | < 5    | 2      | 10     | 0.03   | < 10   | < 10  | 47    | < 5   | 56     |
| S 05404            | 203 238   | 2      | 0.01   | 15     | 310   | 36     | < 5    | 2      | 10     | 0.03   | < 10   | < 10  | 48    | < 5   | 68     |
| S 05405            | 203 238   | 1      | 0.01   | 20     | 280   | 28     | < 5    | 2      | 8      | 0.03   | < 10   | < 10  | 55    | < 5   | 82     |
| S 05406            | 203 238   | 1      | 0.01   | 21     | 470   | 18     | < 5    | 2      | 42     | 0.03   | < 10   | < 10  | 49    | < 5   | 98     |
| S 05407            | 203 238   | 3      | 0.01   | 14     | 720   | 68     | < 5    | 2      | 33     | 0.02   | < 10   | < 10  | 49    | < 5   | 119    |
| S 05408            | 203 238   | 2      | 0.02   | 27     | 720   | 106    | 5      | 4      | 86     | 0.01   | < 10   | < 10  | 29    | < 5   | 91     |
| S 05409            | 203 238   | 1      | 0.01   | 23     | 320   | 82     | < 5    | 3      | 17     | 0.01   | < 10   | < 10  | 34    | < 5   | 95     |
| S 05410            | 203 238   | 2      | 0.01   | 24     | 300   | 182    | 5      | 2      | 14     | 0.01   | < 10   | < 10  | 38    | < 5   | 104    |
| S 05411            | 203 238   | < 1    | 0.01   | 12     | 300   | 112    | < 5    | 2      | 14     | 0.02   | < 10   | < 10  | 52    | < 5   | 67     |

CERTIFICATION :

*B. Coughlin*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page # 5-A  
 Tot. P. 7  
 Date : 22-NOV-88  
 Invoice #: I-8827257  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |      |
|--------------------|-----------|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|-----|--------|------|--------|------|
|                    |           | FAt+AA |      |        |        |        |        |        |      |        |        |        |        |      |        |        |     |        |      |        |      |
| S 05412            | 203       | 238    | < 5  | 1.37   | 0.6    | 90     | 120    | < 0.5  | < 2  | 0.07   | < 0.5  | 7      | 38     | 11   | 3.01   | < 10   | 2   | 0.12   | 50   | 0.25   | 124  |
| S 05413            | 203       | 238    | < 5  | 1.68   | 0.2    | 30     | 140    | < 0.5  | 4    | 0.06   | < 0.5  | 6      | 40     | 15   | 4.30   | < 10   | < 1 | 0.16   | 40   | 0.36   | 186  |
| S 05414            | 203       | 238    | 10   | 1.94   | 0.4    | 25     | 150    | < 0.5  | < 2  | 0.12   | < 0.5  | 6      | 56     | 5    | 3.66   | < 10   | < 1 | 0.12   | 30   | 0.41   | 171  |
| S 05415            | 203       | 238    | < 5  | 1.75   | 0.2    | 85     | 160    | < 0.5  | < 2  | 0.09   | < 0.5  | 7      | 48     | 12   | 3.37   | < 10   | < 1 | 0.15   | 40   | 0.32   | 166  |
| S 05416            | 203       | 238    | < 5  | 1.27   | 0.2    | 60     | 120    | < 0.5  | < 2  | 0.07   | < 0.5  | 7      | 75     | 12   | 3.08   | < 10   | < 1 | 0.18   | 50   | 0.25   | 119  |
| S 05417            | 203       | 238    | < 5  | 1.40   | 0.2    | 90     | 130    | < 0.5  | < 2  | 0.06   | < 0.5  | 7      | 49     | 16   | 3.24   | < 10   | < 1 | 0.18   | 50   | 0.31   | 150  |
| S 05418            | 203       | 238    | < 5  | 1.35   | 0.4    | 95     | 110    | < 0.5  | < 2  | 0.05   | < 0.5  | 7      | 61     | 13   | 3.21   | < 10   | < 1 | 0.15   | 50   | 0.28   | 136  |
| S 05419            | 203       | 238    | < 5  | 1.45   | 0.4    | 85     | 120    | < 0.5  | 2    | 0.07   | < 0.5  | 8      | 40     | 8    | 2.90   | < 10   | < 1 | 0.11   | 40   | 0.25   | 117  |
| S 05420            | 203       | 238    | < 5  | 1.38   | 0.4    | 115    | 110    | < 0.5  | < 2  | 0.07   | < 0.5  | 7      | 57     | 12   | 3.63   | < 10   | < 1 | 0.12   | 40   | 0.33   | 177  |
| S 05421            | 203       | 238    | < 5  | 1.65   | 0.2    | 20     | 120    | < 0.5  | < 2  | 0.05   | < 0.5  | 6      | 49     | 11   | 4.44   | < 10   | < 1 | 0.14   | 40   | 0.29   | 201  |
| S 05422            | 203       | 238    | 5    | 1.86   | 0.2    | 30     | 210    | < 0.5  | < 2  | 0.25   | < 0.5  | 7      | 57     | 7    | 2.76   | < 10   | < 1 | 0.08   | 30   | 0.43   | 154  |
| S 05423            | 203       | 238    | < 5  | 1.90   | 0.4    | 20     | 160    | < 0.5  | < 2  | 0.50   | < 0.5  | 6      | 52     | 8    | 3.39   | < 10   | 2   | 0.10   | 40   | 0.43   | 245  |
| S 05424            | 203       | 238    | < 5  | 1.91   | 0.2    | 35     | 160    | < 0.5  | < 2  | 0.09   | < 0.5  | 6      | 59     | 7    | 3.76   | < 10   | < 1 | 0.12   | 30   | 0.43   | 224  |
| S 05425            | 203       | 238    | < 5  | 1.67   | 0.2    | < 5    | 200    | < 0.5  | < 2  | 0.18   | 0.5    | 7      | 58     | 9    | 2.85   | < 10   | 3   | 0.10   | 40   | 0.40   | 201  |
| S 05426            | 203       | 238    | < 5  | 1.11   | 0.6    | 30     | 90     | < 0.5  | < 2  | 0.13   | < 0.5  | 15     | 61     | 19   | 5.25   | < 10   | < 1 | 0.14   | 30   | 0.19   | 270  |
| S 05427            | 203       | 238    | < 5  | 1.06   | < 0.2  | 20     | 150    | < 0.5  | < 2  | 0.94   | < 0.5  | 18     | 53     | 38   | 3.43   | < 10   | < 1 | 0.10   | 30   | 0.27   | 453  |
| S 05428            | 203       | 238    | < 5  | 1.32   | 0.2    | 10     | 90     | < 0.5  | < 2  | 0.12   | < 0.5  | 4      | 45     | 7    | 2.58   | < 10   | 1   | 0.08   | 30   | 0.24   | 74   |
| S 05429            | 203       | 238    | < 5  | 1.26   | 0.4    | 50     | 90     | < 0.5  | < 2  | 0.04   | < 0.5  | 6      | 47     | 18   | 4.68   | < 10   | < 1 | 0.13   | 40   | 0.22   | 245  |
| S 05430            | 203       | 238    | < 5  | 1.31   | 0.4    | 20     | 220    | < 0.5  | 4    | 0.86   | 0.5    | 29     | 59     | 34   | 4.77   | < 10   | < 1 | 0.12   | 50   | 0.22   | 1950 |
| S 05431            | 203       | 238    | 10   | 1.57   | < 0.2  | 55     | 190    | < 0.5  | < 2  | 2.19   | < 0.5  | 13     | 67     | 6    | 4.80   | < 10   | 3   | 0.09   | 40   | 0.27   | 716  |
| S 05432            | 203       | 238    | < 5  | 1.29   | < 0.2  | 25     | 200    | < 0.5  | < 2  | 0.19   | < 0.5  | 7      | 59     | 20   | 3.49   | < 10   | 6   | 0.08   | 20   | 0.18   | 465  |
| S 05433            | 203       | 238    | < 5  | 1.09   | 0.2    | 110    | 120    | < 0.5  | < 2  | 0.06   | < 0.5  | 7      | 49     | 16   | 2.86   | < 10   | 1   | 0.13   | 50   | 0.23   | 123  |
| S 05434            | 203       | 238    | < 5  | 1.04   | < 0.2  | 20     | 140    | < 0.5  | < 2  | 1.08   | 0.5    | 7      | 55     | 21   | 2.55   | < 10   | < 1 | 0.09   | 30   | 0.25   | 307  |
| S 05435            | 203       | 238    | < 5  | 1.61   | < 0.2  | < 5    | 180    | 0.5    | < 2  | 1.25   | < 0.5  | 7      | 45     | 10   | 3.22   | < 10   | 1   | 0.09   | 50   | 0.44   | 391  |
| S 05436            | 203       | 238    | < 5  | 1.40   | < 0.2  | 20     | 110    | < 0.5  | 2    | 0.37   | < 0.5  | 16     | 47     | 8    | 4.42   | < 10   | 1   | 0.11   | 40   | 0.28   | 418  |
| S 05437            | 203       | 238    | < 5  | 1.57   | < 0.2  | 40     | 200    | < 0.5  | < 2  | 0.88   | < 0.5  | 8      | 48     | 13   | 3.09   | < 10   | < 1 | 0.10   | 40   | 0.36   | 550  |
| S 05438            | 203       | 238    | < 5  | 1.51   | 0.2    | 70     | 170    | < 0.5  | < 2  | 0.13   | < 0.5  | 7      | 64     | 18   | 4.07   | < 10   | < 1 | 0.16   | 50   | 0.25   | 207  |
| S 05439            | 203       | 238    | < 5  | 0.70   | 0.2    | 10     | 90     | < 0.5  | < 2  | 0.46   | < 0.5  | 19     | 26     | 35   | 4.26   | < 10   | < 1 | 0.11   | 50   | 0.10   | 444  |
| S 05440            | 203       | 238    | < 5  | 1.19   | < 0.2  | 25     | 200    | < 0.5  | < 2  | 0.67   | < 0.5  | 8      | 56     | 12   | 2.73   | < 10   | < 1 | 0.08   | 30   | 0.20   | 1045 |
| S 05441            | 203       | 238    | < 5  | 1.52   | < 0.2  | < 5    | 150    | 0.5    | < 2  | 1.37   | < 0.5  | 7      | 52     | 9    | 3.26   | < 10   | < 1 | 0.09   | 40   | 0.39   | 428  |
| S 05442            | 203       | 238    | < 5  | 1.17   | < 0.2  | 30     | 130    | 0.5    | < 2  | 1.24   | < 0.5  | 19     | 43     | 34   | 4.03   | < 10   | < 1 | 0.13   | 60   | 0.24   | 397  |
| S 05443            | 203       | 238    | 5    | 1.40   | < 0.2  | 10     | 190    | 0.5    | 6    | 0.81   | < 0.5  | 8      | 52     | 21   | 2.60   | < 10   | < 1 | 0.10   | 50   | 0.49   | 350  |
| S 05444            | 203       | 238    | < 5  | 1.07   | < 0.2  | 75     | 120    | < 0.5  | 2    | 3.22   | < 0.5  | 15     | 46     | 39   | 3.59   | < 10   | < 1 | 0.19   | 50   | 0.28   | 384  |
| S 05445            | 203       | 238    | 10   | 1.64   | < 0.2  | 80     | 180    | < 0.5  | < 2  | 0.17   | < 0.5  | 7      | 56     | 12   | 3.71   | < 10   | < 1 | 0.16   | 50   | 0.37   | 154  |
| S 05446            | 203       | 238    | 10   | 1.65   | 0.6    | 85     | 110    | < 0.5  | < 2  | 0.04   | < 0.5  | 6      | 55     | 7    | 3.62   | < 10   | < 1 | 0.11   | 50   | 0.23   | 112  |
| S 05447            | 203       | 238    | < 5  | 1.58   | 0.4    | 65     | 100    | < 0.5  | < 2  | 0.04   | < 0.5  | 7      | 45     | 9    | 3.70   | < 10   | < 1 | 0.14   | 50   | 0.30   | 172  |
| S 05448            | 203       | 238    | < 5  | 1.30   | 0.6    | 120    | 150    | < 0.5  | < 2  | 0.14   | < 0.5  | 8      | 48     | 16   | 3.14   | < 10   | < 1 | 0.16   | 50   | 0.26   | 179  |
| S 05449            | 203       | 238    | < 5  | 1.50   | 0.4    | < 5    | 100    | < 0.5  | 6    | 0.10   | < 0.5  | 8      | 41     | 13   | 3.15   | < 10   | < 1 | 0.12   | 60   | 0.32   | 174  |
| S 05450            | 203       | 238    | < 5  | 1.19   | 0.2    | < 5    | 90     | < 0.5  | < 2  | 0.07   | 0.5    | 4      | 62     | 6    | 1.88   | < 10   | < 1 | 0.07   | 30   | 0.16   | 114  |
| S 05451            | 203       | 238    | < 5  | 1.76   | 0.2    | 5      | 150    | < 0.5  | < 2  | 0.20   | < 0.5  | 8      | 50     | 8    | 2.57   | < 10   | 1   | 0.09   | 40   | 0.40   | 128  |

CERTIFICATION : *B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

CHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page 1 -B  
 Tot. Pa.  
 Date : 22-NOV-88  
 Invoice # : I-8827257  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Mn<br>ppm | Na<br>% | Ni<br>ppm | P<br>ppm | Pb<br>ppm | Sb<br>ppm | Sc<br>ppm | Sr<br>ppm | Ti<br>% | Tl<br>ppm | U<br>ppm | V<br>ppm | W<br>ppm | Zn<br>ppm |
|--------------------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|
| S 05412            | 203 238   | 2         | 0.01    | 15        | 270      | 98        | < 5       | 1         | 10        | 0.01    | < 10      | < 10     | 29       | < 5      | 57        |
| S 05413            | 203 238   | 1         | 0.01    | 23        | 340      | 40        | < 5       | 2         | 11        | 0.01    | < 10      | < 10     | 35       | < 5      | 83        |
| S 05414            | 203 238   | 3         | 0.01    | 12        | 330      | 74        | < 5       | 3         | 13        | 0.05    | < 10      | < 10     | 55       | < 5      | 69        |
| S 05415            | 203 238   | < 1       | 0.01    | 21        | 330      | 104       | < 5       | 2         | 12        | 0.02    | < 10      | < 10     | 45       | < 5      | 74        |
| S 05416            | 203 238   | 2         | 0.01    | 18        | 470      | 122       | < 5       | 1         | 11        | 0.01    | < 10      | < 10     | 28       | < 5      | 57        |
| S 05417            | 203 238   | 1         | 0.01    | 22        | 370      | 82        | < 5       | 2         | 11        | 0.01    | < 10      | < 10     | 32       | < 5      | 74        |
| S 05418            | 203 238   | < 1       | 0.01    | 20        | 320      | 114       | < 5       | 1         | 8         | < 0.01  | < 10      | < 10     | 26       | < 5      | 60        |
| S 05419            | 203 238   | 3         | 0.01    | 12        | 240      | 92        | < 5       | 1         | 9         | 0.02    | < 10      | < 10     | 38       | < 5      | 55        |
| S 05420            | 203 238   | 2         | 0.01    | 27        | 300      | 120       | < 5       | 1         | 10        | 0.01    | < 10      | < 10     | 25       | < 5      | 71        |
| S 05421            | 203 238   | 1         | 0.01    | 21        | 250      | 88        | < 5       | 2         | 10        | 0.01    | < 10      | < 10     | 40       | < 5      | 74        |
| S 05422            | 203 238   | < 1       | 0.01    | 26        | 410      | 28        | < 5       | 3         | 21        | 0.05    | < 10      | < 10     | 50       | < 5      | 64        |
| S 05423            | 203 238   | < 1       | 0.01    | 24        | 200      | 42        | < 5       | 3         | 30        | 0.04    | < 10      | < 10     | 54       | < 5      | 77        |
| S 05424            | 203 238   | 2         | 0.01    | 19        | 250      | 70        | < 5       | 3         | 11        | 0.03    | < 10      | < 10     | 50       | < 5      | 94        |
| S 05425            | 203 238   | 1         | 0.01    | 22        | 370      | 30        | < 5       | 3         | 19        | 0.03    | < 10      | < 10     | 46       | < 5      | 84        |
| S 05426            | 203 238   | 2         | 0.01    | 31        | 430      | 62        | < 5       | 2         | 18        | < 0.01  | < 10      | < 10     | 28       | < 5      | 207       |
| S 05427            | 203 238   | 1         | 0.02    | 38        | 540      | 34        | < 5       | 6         | 74        | 0.02    | < 10      | < 10     | 28       | < 5      | 82        |
| S 05428            | 203 238   | 2         | 0.01    | 13        | 190      | 6         | < 5       | 1         | 14        | 0.02    | < 10      | < 10     | 42       | < 5      | 47        |
| S 05429            | 203 238   | 1         | 0.01    | 24        | 270      | 60        | < 5       | 2         | 13        | < 0.01  | < 10      | < 10     | 29       | < 5      | 110       |
| S 05430            | 203 238   | 2         | 0.02    | 34        | 1090     | 54        | < 5       | 5         | 74        | 0.01    | < 10      | < 10     | 27       | < 5      | 153       |
| S 05431            | 203 238   | 1         | 0.02    | 18        | 590      | 42        | < 5       | 3         | 151       | 0.02    | < 10      | < 10     | 43       | < 5      | 163       |
| S 05432            | 203 238   | 3         | 0.01    | 22        | 940      | 94        | < 5       | 3         | 21        | 0.01    | < 10      | < 10     | 33       | < 5      | 87        |
| S 05433            | 203 238   | 1         | 0.01    | 17        | 340      | 108       | < 5       | 1         | 10        | < 0.01  | < 10      | < 10     | 28       | < 5      | 64        |
| S 05434            | 203 238   | 1         | 0.01    | 21        | 1160     | < 2       | < 5       | 3         | 75        | 0.01    | < 10      | < 10     | 25       | < 5      | 110       |
| S 05435            | 203 238   | < 1       | 0.01    | 28        | 510      | 32        | < 5       | 4         | 101       | 0.04    | < 10      | < 10     | 44       | < 5      | 88        |
| S 05436            | 203 238   | 1         | 0.01    | 20        | 460      | 72        | < 5       | 2         | 35        | 0.01    | < 10      | < 10     | 31       | < 5      | 106       |
| S 05437            | 203 238   | < 1       | 0.01    | 26        | 960      | 28        | < 5       | 3         | 66        | 0.02    | < 10      | < 10     | 40       | < 5      | 134       |
| S 05438            | 203 238   | 1         | 0.01    | 23        | 220      | 72        | < 5       | 2         | 19        | < 0.01  | < 10      | < 10     | 33       | < 5      | 95        |
| S 05439            | 203 238   | 1         | 0.02    | 44        | 610      | 26        | < 5       | 5         | 46        | < 0.01  | < 10      | < 10     | 17       | < 5      | 116       |
| S 05440            | 203 238   | 1         | 0.01    | 20        | 580      | 26        | < 5       | 4         | 53        | 0.01    | < 10      | < 10     | 31       | < 5      | 90        |
| S 05441            | 203 238   | 1         | 0.01    | 26        | 480      | 24        | < 5       | 4         | 76        | 0.03    | < 10      | < 10     | 42       | < 5      | 75        |
| S 05442            | 203 238   | 1         | 0.02    | 34        | 570      | 34        | < 5       | 6         | 83        | < 0.01  | < 10      | < 10     | 28       | < 5      | 96        |
| S 05443            | 203 238   | 1         | 0.02    | 34        | 810      | 40        | < 5       | 4         | 57        | 0.03    | < 10      | < 10     | 39       | < 5      | 79        |
| S 05444            | 203 238   | 3         | 0.02    | 30        | 570      | 52        | < 5       | 4         | 166       | < 0.01  | < 10      | < 10     | 19       | < 5      | 111       |
| S 05445            | 203 238   | 1         | 0.01    | 28        | 300      | 46        | < 5       | 2         | 20        | < 0.01  | < 10      | < 10     | 37       | < 5      | 87        |
| S 05446            | 203 238   | 1         | 0.01    | 20        | 320      | 76        | < 5       | 2         | 7         | 0.01    | < 10      | < 10     | 56       | < 5      | 65        |
| S 05447            | 203 238   | 1         | 0.01    | 12        | 280      | 92        | < 5       | 1         | 8         | 0.01    | < 10      | < 10     | 34       | < 5      | 79        |
| S 05448            | 203 238   | 2         | 0.01    | 16        | 220      | 152       | < 5       | 1         | 14        | < 0.01  | < 10      | < 10     | 26       | < 5      | 75        |
| S 05449            | 203 238   | 1         | 0.02    | 24        | 450      | 56        | < 5       | 3         | 17        | < 0.01  | < 10      | < 10     | 22       | < 5      | 100       |
| S 05450            | 203 238   | < 1       | 0.01    | 6         | 240      | 52        | < 5       | 1         | 8         | 0.02    | < 10      | < 10     | 35       | < 5      | 33        |
| S 05451            | 203 238   | 1         | 0.01    | 13        | 310      | 60        | < 5       | 3         | 19        | 0.03    | < 10      | < 10     | 47       | < 5      | 67        |

CERTIFICATION :

*B. Coughlin*



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page 1 6-A  
 Tot. 1 7  
 Date 22-NOV-88  
 Invoice # I-8827257  
 P.O. # NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FATAA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K %  | La ppm | Mg % | Mn ppm |
|--------------------|-----------|--------------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
| S 05452            | 203 238   | < 5          | 1.55 | 0.4    | 25     | 100    | < 0.5  | < 2    | 0.02 | < 0.5  | 7      | 66     | 16     | 3.47 | < 10   | < 1    | 0.22 | 50     | 0.27 | 127    |
| S 05453            | 203 238   | < 5          | 1.63 | 1.0    | 55     | 210    | < 0.5  | < 2    | 0.67 | < 0.5  | 6      | 77     | 13     | 2.99 | < 10   | < 1    | 0.14 | 50     | 0.24 | 274    |
| S 05454            | 203 238   | 10           | 1.92 | 1.0    | 30     | 200    | < 0.5  | 2      | 0.89 | 0.5    | 7      | 63     | 18     | 3.56 | < 10   | < 1    | 0.11 | 40     | 0.39 | 566    |
| S 05455            | 203 238   | < 5          | 1.56 | 0.4    | 70     | 130    | < 0.5  | < 2    | 0.02 | < 0.5  | 6      | 68     | 16     | 3.96 | < 10   | < 1    | 0.12 | 50     | 0.32 | 177    |
| S 05456            | 203 238   | < 5          | 1.26 | 0.2    | 115    | 130    | < 0.5  | < 2    | 0.12 | < 0.5  | 5      | 79     | 16     | 4.46 | < 10   | < 1    | 0.13 | 50     | 0.23 | 198    |
| S 05457            | 203 238   | < 5          | 1.17 | 0.4    | 85     | 190    | < 0.5  | < 2    | 0.39 | < 0.5  | 6      | 81     | 20     | 3.53 | < 10   | < 1    | 0.14 | 50     | 0.29 | 262    |
| S 05458            | 203 238   | < 5          | 1.24 | 0.2    | 10     | 110    | < 0.5  | < 2    | 0.05 | < 0.5  | 6      | 144    | 12     | 4.06 | < 10   | < 1    | 0.21 | 50     | 0.15 | 434    |
| S 05459            | 203 238   | < 5          | 1.17 | 0.6    | 25     | 130    | < 0.5  | < 2    | 0.24 | < 0.5  | 7      | 101    | 16     | 2.58 | < 10   | < 1    | 0.15 | 40     | 0.21 | 234    |
| S 05460            | 203 238   | < 5          | 1.54 | 0.4    | 40     | 200    | < 0.5  | < 2    | 1.02 | < 0.5  | 7      | 91     | 25     | 2.75 | < 10   | < 1    | 0.15 | 40     | 0.46 | 499    |
| S 05461            | 203 238   | < 5          | 1.74 | 0.2    | 50     | 110    | < 0.5  | < 2    | 0.08 | < 0.5  | 6      | 91     | 10     | 3.26 | < 10   | < 1    | 0.12 | 40     | 0.31 | 215    |
| S 05462            | 203 238   | < 5          | 1.58 | 0.2    | < 5    | 100    | < 0.5  | 2      | 0.06 | < 0.5  | 7      | 103    | 14     | 2.86 | < 10   | < 1    | 0.18 | 40     | 0.45 | 175    |
| S 05463            | 203 238   | < 5          | 1.19 | 0.2    | 5      | 120    | < 0.5  | < 2    | 0.14 | < 0.5  | 3      | 79     | 13     | 2.75 | < 10   | < 1    | 0.11 | 40     | 0.27 | 140    |
| S 05464            | 203 238   | < 5          | 1.22 | 0.2    | 110    | 100    | < 0.5  | < 2    | 0.04 | < 0.5  | 5      | 65     | 22     | 4.71 | < 10   | < 1    | 0.16 | 50     | 0.21 | 187    |
| S 05465            | 203 238   | < 5          | 1.70 | 1.2    | 5      | 210    | < 0.5  | < 2    | 0.29 | < 0.5  | 7      | 70     | 29     | 3.03 | < 10   | < 1    | 0.11 | 40     | 0.33 | 287    |
| S 05466            | 203 238   | < 5          | 1.59 | 1.2    | 40     | 190    | < 0.5  | 4      | 0.30 | < 0.5  | 20     | 77     | 41     | 3.26 | < 10   | < 1    | 0.13 | 50     | 0.31 | 701    |
| S 05467            | 203 238   | < 5          | 1.21 | 1.0    | 20     | 170    | < 0.5  | < 2    | 0.42 | < 0.5  | 8      | 72     | 16     | 2.67 | < 10   | 2      | 0.11 | 40     | 0.28 | 382    |
| S 05468            | 203 238   | < 5          | 0.93 | 1.0    | 40     | 170    | < 0.5  | 2      | 0.91 | < 0.5  | 8      | 59     | 17     | 2.98 | < 10   | < 1    | 0.10 | 40     | 0.22 | 823    |
| S 05469            | 203 238   | < 5          | 1.43 | 0.8    | 65     | 270    | < 0.5  | 2      | 0.36 | < 0.5  | 7      | 85     | 34     | 3.39 | < 10   | < 1    | 0.15 | 40     | 0.27 | 498    |
| S 05470            | 203 238   | < 5          | 1.07 | 0.2    | 90     | 130    | < 0.5  | 2      | 0.12 | < 0.5  | 8      | 96     | 20     | 3.20 | < 10   | < 1    | 0.14 | 40     | 0.26 | 526    |
| S 05471            | 203 238   | < 5          | 1.09 | 0.6    | 30     | 190    | < 0.5  | 14     | 0.71 | < 0.5  | 6      | 51     | 15     | 2.58 | < 10   | < 1    | 0.10 | 40     | 0.24 | 307    |
| S 05472            | 203 238   | < 5          | 0.89 | 0.8    | 55     | 160    | < 0.5  | < 2    | 0.21 | < 0.5  | 8      | 67     | 25     | 3.30 | < 10   | < 1    | 0.15 | 60     | 0.22 | 356    |
| S 05473            | 203 238   | < 5          | 1.36 | 1.0    | 70     | 280    | < 0.5  | < 2    | 0.52 | < 0.5  | 7      | 61     | 28     | 3.38 | < 10   | < 1    | 0.21 | 50     | 0.27 | 461    |
| S 05474            | 203 238   | < 5          | 1.26 | 0.8    | 35     | 200    | < 0.5  | < 2    | 0.30 | < 0.5  | 7      | 80     | 24     | 3.16 | < 10   | < 1    | 0.15 | 40     | 0.26 | 437    |
| S 05475            | 203 238   | < 5          | 1.14 | 0.6    | 40     | 200    | < 0.5  | < 2    | 0.56 | < 0.5  | 8      | 31     | 24     | 3.08 | < 10   | < 1    | 0.10 | 40     | 0.23 | 728    |
| S 05476            | 203 238   | < 5          | 1.15 | 1.2    | 30     | 170    | < 0.5  | < 2    | 1.05 | < 0.5  | 8      | 48     | 28     | 2.67 | < 10   | < 1    | 0.12 | 40     | 0.26 | 622    |
| S 05477            | 203 238   | < 5          | 0.86 | 1.6    | 80     | 130    | < 0.5  | < 2    | 0.57 | < 0.5  | 8      | 32     | 31     | 2.91 | < 10   | < 1    | 0.09 | 40     | 0.23 | 511    |
| S 05478            | 203 238   | < 5          | 1.36 | 0.4    | 45     | 140    | < 0.5  | < 2    | 0.27 | < 0.5  | 7      | 51     | 25     | 3.11 | < 10   | < 1    | 0.11 | 50     | 0.42 | 236    |
| S 05479            | 203 238   | < 5          | 1.05 | 0.8    | 45     | 120    | < 0.5  | < 2    | 0.44 | < 0.5  | 7      | 38     | 28     | 3.07 | < 10   | < 1    | 0.09 | 50     | 0.33 | 472    |
| S 05480            | 203 238   | < 5          | 1.18 | 1.0    | 70     | 180    | < 0.5  | < 2    | 1.10 | < 0.5  | 8      | 27     | 27     | 2.93 | < 10   | < 1    | 0.11 | 40     | 0.26 | 555    |
| S 05481            | 203 238   | < 5          | 0.89 | 0.8    | 85     | 190    | < 0.5  | < 2    | 0.71 | < 0.5  | 8      | 38     | 25     | 2.94 | < 10   | < 1    | 0.09 | 40     | 0.24 | 620    |
| S 05482            | 203 238   | < 5          | 1.16 | 0.8    | 35     | 240    | < 0.5  | < 2    | 0.71 | 0.5    | 7      | 26     | 27     | 3.30 | < 10   | < 1    | 0.12 | 40     | 0.28 | 448    |
| S 05483            | 203 238   | < 5          | 0.92 | 0.8    | 15     | 190    | < 0.5  | < 2    | 0.58 | 1.0    | 8      | 23     | 22     | 3.00 | < 10   | < 1    | 0.08 | 40     | 0.21 | 403    |
| S 05484            | 203 238   | < 5          | 0.82 | 0.8    | 25     | 170    | < 0.5  | < 2    | 0.72 | 1.0    | 7      | 28     | 23     | 3.17 | < 10   | < 1    | 0.09 | 50     | 0.27 | 649    |
| S 05485            | 203 238   | < 5          | 0.75 | 0.8    | 10     | 100    | < 0.5  | < 2    | 0.50 | 0.5    | 7      | 23     | 22     | 3.27 | < 10   | < 1    | 0.07 | 50     | 0.20 | 346    |
| S 05486            | 203 238   | < 5          | 0.64 | 0.6    | < 5    | 110    | < 0.5  | < 2    | 0.47 | 1.0    | 8      | 27     | 18     | 2.99 | < 10   | < 1    | 0.08 | 40     | 0.16 | 479    |
| S 05487            | 203 238   | < 5          | 0.53 | 0.8    | 20     | 80     | < 0.5  | < 2    | 0.52 | 0.5    | 8      | 23     | 16     | 2.58 | < 10   | < 1    | 0.07 | 40     | 0.15 | 321    |
| S 05488            | 203 238   | < 5          | 0.54 | 0.6    | 30     | 90     | < 0.5  | < 2    | 0.52 | 0.5    | 8      | 26     | 18     | 2.63 | < 10   | < 1    | 0.07 | 40     | 0.16 | 363    |
| S 05489            | 203 238   | < 5          | 0.59 | 1.4    | 15     | 110    | < 0.5  | < 2    | 0.52 | 1.0    | 7      | 25     | 14     | 2.80 | < 10   | < 1    | 0.07 | 40     | 0.13 | 207    |
| S 05490            | 203 238   | < 5          | 0.83 | 0.6    | 15     | 190    | < 0.5  | < 2    | 1.18 | 1.0    | 8      | 35     | 20     | 2.76 | < 10   | < 1    | 0.10 | 40     | 0.32 | 425    |
| S 05491            | 203 238   | < 5          | 0.75 | 1.2    | 40     | 150    | < 0.5  | < 2    | 0.42 | 0.5    | 7      | 35     | 25     | 3.53 | < 10   | 2      | 0.10 | 40     | 0.21 | 185    |

CERTIFICATION : *B. Cough*



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page : 6-B  
 Tot. : 7  
 Date : 22-NOV-88  
 Invoice # : I-8827257  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na %   | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Tl %   | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|--------|
| S 05452            | 203 238   | 3      | 0.01   | 13     | 320   | 74     | < 5    | 2      | 8      | < 0.01 | < 10   | < 10  | 38    | < 5   | 59     |
| S 05453            | 203 238   | 2      | 0.01   | 5      | 430   | 120    | 5      | 1      | 53     | 0.01   | < 10   | < 10  | 45    | < 5   | 117    |
| S 05454            | 203 238   | < 1    | 0.01   | 21     | 640   | 96     | 5      | 3      | 62     | 0.03   | < 10   | < 10  | 48    | < 5   | 188    |
| S 05455            | 203 238   | 1      | 0.01   | 22     | 210   | 58     | 5      | 2      | 6      | < 0.01 | < 10   | < 10  | 30    | < 5   | 78     |
| S 05456            | 203 238   | 3      | 0.01   | 22     | 350   | 30     | < 5    | 1      | 14     | < 0.01 | < 10   | < 10  | 36    | < 5   | 83     |
| S 05457            | 203 238   | 3      | 0.01   | 22     | 250   | 22     | < 5    | 1      | 30     | < 0.01 | < 10   | < 10  | 35    | < 5   | 82     |
| S 05458            | 203 238   | 2      | 0.02   | 18     | 690   | 36     | < 5    | 1      | 11     | 0.01   | < 10   | < 10  | 68    | < 5   | 81     |
| S 05459            | 203 238   | < 1    | 0.02   | 14     | 300   | 50     | 5      | 1      | 34     | 0.02   | < 10   | < 10  | 47    | < 5   | 60     |
| S 05460            | 203 238   | 2      | 0.01   | 28     | 550   | 30     | < 5    | 3      | 71     | 0.02   | < 10   | < 10  | 39    | < 5   | 77     |
| S 05461            | 203 238   | 1      | 0.01   | 16     | 220   | 32     | < 5    | 3      | 12     | 0.05   | < 10   | < 10  | 58    | < 5   | 69     |
| S 05462            | 203 238   | 2      | 0.01   | 22     | 240   | 26     | < 5    | 1      | 11     | 0.01   | < 10   | < 10  | 40    | < 5   | 65     |
| S 05463            | 203 238   | 2      | 0.01   | 13     | 240   | 32     | < 5    | 1      | 12     | 0.02   | < 10   | < 10  | 38    | < 5   | 85     |
| S 05464            | 203 238   | 1      | 0.01   | 18     | 290   | 52     | < 5    | 2      | 8      | < 0.01 | < 10   | < 10  | 45    | < 5   | 132    |
| S 05465            | 203 238   | 2      | 0.01   | 20     | 330   | 148    | 5      | 3      | 24     | 0.02   | < 10   | < 10  | 47    | < 5   | 155    |
| S 05466            | 203 238   | 1      | 0.01   | 28     | 400   | 248    | < 5    | 4      | 31     | 0.02   | < 10   | < 10  | 36    | < 5   | 132    |
| S 05467            | 203 238   | 1      | 0.01   | 20     | 420   | 48     | < 5    | 3      | 29     | 0.01   | < 10   | < 10  | 31    | < 5   | 167    |
| S 05468            | 203 238   | 2      | 0.01   | 25     | 630   | 116    | 5      | 3      | 57     | < 0.01 | < 10   | < 10  | 20    | < 5   | 113    |
| S 05469            | 203 238   | < 1    | 0.01   | 30     | 460   | 50     | < 5    | 3      | 30     | < 0.01 | < 10   | < 10  | 33    | < 5   | 147    |
| S 05470            | 203 238   | 3      | 0.01   | 19     | 420   | 26     | < 5    | 1      | 12     | < 0.01 | < 10   | < 10  | 26    | < 5   | 83     |
| S 05471            | 203 238   | 1      | 0.01   | 17     | 520   | 70     | < 5    | 2      | 43     | 0.01   | < 10   | < 10  | 27    | < 5   | 137    |
| S 05472            | 203 238   | < 1    | 0.01   | 21     | 500   | 52     | < 5    | 3      | 18     | < 0.01 | < 10   | < 10  | 20    | < 5   | 169    |
| S 05473            | 203 238   | 1      | 0.01   | 27     | 650   | 70     | 5      | 3      | 36     | < 0.01 | < 10   | < 10  | 31    | < 5   | 147    |
| S 05474            | 203 238   | 2      | 0.01   | 27     | 560   | 76     | 5      | 3      | 24     | 0.01   | < 10   | < 10  | 31    | < 5   | 149    |
| S 05475            | 203 238   | 2      | 0.01   | 18     | 700   | 96     | 5      | 2      | 42     | < 0.01 | < 10   | < 10  | 25    | < 5   | 129    |
| S 05476            | 203 238   | 1      | 0.01   | 21     | 750   | 118    | 5      | 2      | 64     | < 0.01 | < 10   | < 10  | 24    | < 5   | 139    |
| S 05477            | 203 238   | < 1    | 0.01   | 22     | 580   | 252    | 5      | 2      | 40     | < 0.01 | < 10   | < 10  | 22    | < 5   | 131    |
| S 05478            | 203 238   | 2      | 0.01   | 30     | 450   | 100    | 10     | 3      | 22     | 0.03   | < 10   | < 10  | 36    | < 5   | 96     |
| S 05479            | 203 238   | 1      | 0.01   | 24     | 530   | 132    | 5      | 3      | 32     | 0.01   | < 10   | < 10  | 22    | < 5   | 154    |
| S 05480            | 203 238   | 2      | 0.01   | 23     | 720   | 146    | 5      | 3      | 68     | 0.01   | < 10   | < 10  | 28    | < 5   | 196    |
| S 05481            | 203 238   | < 1    | 0.01   | 22     | 600   | 118    | 5      | 2      | 43     | < 0.01 | < 10   | < 10  | 22    | < 5   | 173    |
| S 05482            | 203 238   | 2      | 0.01   | 27     | 760   | 84     | 10     | 3      | 48     | < 0.01 | < 10   | < 10  | 28    | < 5   | 197    |
| S 05483            | 203 238   | < 1    | 0.01   | 15     | 580   | 106    | 5      | 3      | 37     | < 0.01 | < 10   | < 10  | 22    | < 5   | 214    |
| S 05484            | 203 238   | < 1    | 0.01   | 19     | 670   | 96     | 5      | 3      | 40     | < 0.01 | < 10   | < 10  | 24    | < 5   | 217    |
| S 05485            | 203 238   | < 1    | < 0.01 | 18     | 410   | 76     | 5      | 3      | 31     | < 0.01 | < 10   | < 10  | 20    | < 5   | 208    |
| S 05486            | 203 238   | 2      | < 0.01 | 17     | 480   | 104    | 5      | 3      | 31     | < 0.01 | < 10   | < 10  | 15    | < 5   | 238    |
| S 05487            | 203 238   | 1      | < 0.01 | 15     | 480   | 128    | 5      | 2      | 29     | < 0.01 | < 10   | < 10  | 11    | < 5   | 240    |
| S 05488            | 203 238   | < 1    | < 0.01 | 12     | 490   | 104    | 5      | 1      | 30     | < 0.01 | < 10   | < 10  | 11    | < 5   | 217    |
| S 05489            | 203 238   | < 1    | < 0.01 | 12     | 520   | 186    | 5      | 2      | 29     | < 0.01 | < 10   | < 10  | 11    | < 5   | 326    |
| S 05490            | 203 238   | < 1    | 0.01   | 19     | 640   | 82     | 10     | 2      | 58     | < 0.01 | < 10   | < 10  | 22    | < 5   | 190    |
| S 05491            | 203 238   | < 1    | 0.01   | 19     | 660   | 128    | 5      | 3      | 26     | < 0.01 | < 10   | < 10  | 18    | < 5   | 237    |

CERTIFICATION :

*B. Cagl*



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HQJV  
 Comments:

Page : 7-A  
 Tot. : 7  
 Date : 22-NOV-88  
 Invoice # : I-8827257  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K %  | La ppm | Mg % | Mn ppm |
|--------------------|-----------|--------------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
| S 05492            | 203 238   | < 5          | 0.63 | 0.6    | 50     | 80     | < 0.5  | < 2    | 0.25 | < 0.5  | 8      | 43     | 16     | 3.22 | < 10   | < 1    | 0.11 | 40     | 0.17 | 315    |
| S 05493            | 203 238   | < 5          | 1.07 | 1.0    | 160    | 160    | < 0.5  | < 2    | 0.20 | < 0.5  | 6      | 51     | 26     | 3.94 | < 10   | < 1    | 0.15 | 60     | 0.22 | 223    |
| S 05494            | 203 238   | 10           | 1.04 | 0.6    | 150    | 150    | < 0.5  | 2      | 0.09 | < 0.5  | 7      | 38     | 26     | 4.08 | < 10   | < 1    | 0.11 | 50     | 0.22 | 228    |

CERTIFICATION :



**Chemex Labs Ltd.**  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : HGJV  
 Comments:

Page 1 : 7-B  
 Tot. L : 7  
 Date : 22-NOV-88  
 Invoice # : I-8827257  
 P.O. # : NONE

**CERTIFICATE OF ANALYSIS A8827257**

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti %      | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|------|--------|-------|--------|--------|--------|--------|-----------|--------|-------|-------|-------|--------|
| S 05492            | 203       | 238    | < 1  | 0.01   | 12    | 470    | 82     | < 5    | 1      | 18 < 0.01 | < 10   | < 10  | 10    | < 5   | 181    |
| S 05493            | 203       | 238    | 1    | 0.01   | 23    | 310    | 346    | 15     | 2      | 16 < 0.01 | < 10   | < 10  | 24    | < 5   | 112    |
| S 05494            | 203       | 238    | < 1  | 0.01   | 21    | 420    | 318    | 15     | 2      | 10 < 0.01 | < 10   | < 10  | 22    | < 5   | 107    |

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

CHER CATHRO & ASSOC. (1981) LTD

JX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page No  
 Tot. Pg.  
 Date 16-SEP-86  
 Invoice # : I-8822662  
 P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8822662

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T | Ag FA oz/T | Cu %   |        |  |  |  |  |  |  |
|--------------------|-----------|------------|------------|--------|--------|--|--|--|--|--|--|
| S 5501             | 207       | --         | 0.020      | 0.04   | -----  |  |  |  |  |  |  |
| S 5502             | 207       | --         | 0.028      | 0.01   | -----  |  |  |  |  |  |  |
| S 5503             | 207       | --         | < 0.003    | < 0.01 | -----  |  |  |  |  |  |  |
| S 5504             | 207       | --         | < 0.003    | 0.01   | -----  |  |  |  |  |  |  |
| S 5505             | 207       | --         | 0.012      | 0.18   | -----  |  |  |  |  |  |  |
| S 5506             | 207       | --         | < 0.003    | 0.04   | -----  |  |  |  |  |  |  |
| S 5507             | 207       | --         | 0.006      | 0.10   | -----  |  |  |  |  |  |  |
| S 5509             | 207       | --         | < 0.003    | 0.11   | -----  |  |  |  |  |  |  |
| S 5510             | 207       | --         | < 0.003    | 0.08   | -----  |  |  |  |  |  |  |
| S 5511             | 207       | --         | < 0.003    | 0.03   | -----  |  |  |  |  |  |  |
| S 5512             | 207       | --         | 0.028      | 0.84   | -----  |  |  |  |  |  |  |
| S 5514             | 207       | --         | 0.022      | 0.14   | < 0.01 |  |  |  |  |  |  |
| S 755              | 207       | --         | 0.004      | 0.03   | -----  |  |  |  |  |  |  |
| S 756              | 207       | --         | 0.004      | 0.02   | -----  |  |  |  |  |  |  |
| S 757              | 207       | --         | < 0.003    | 0.04   | -----  |  |  |  |  |  |  |
| S 758              | 207       | --         | < 0.003    | 0.07   | -----  |  |  |  |  |  |  |
| S 759              | 207       | --         | < 0.003    | 0.04   | -----  |  |  |  |  |  |  |
| S 760              | 207       | --         | < 0.003    | 0.09   | -----  |  |  |  |  |  |  |
| S 761              | 207       | --         | 0.004      | 0.08   | -----  |  |  |  |  |  |  |
| S 762              | 207       | --         | < 0.003    | 0.03   | -----  |  |  |  |  |  |  |
| S 763              | 207       | --         | < 0.003    | 0.08   | -----  |  |  |  |  |  |  |
| S 764              | 207       | --         | < 0.003    | 0.06   | -----  |  |  |  |  |  |  |
| S 765              | 207       | --         | < 0.003    | 0.08   | -----  |  |  |  |  |  |  |
| S 766              | 207       | --         | < 0.003    | 0.06   | -----  |  |  |  |  |  |  |



**Chemex Labs Ltd.**  
 Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page No.: 1  
 Tot. : 1  
 Date : 12-SEP-88  
 Invoice #: I-8822661  
 P.O. #: NONE

**CERTIFICATE OF ANALYSIS A8822661**

| SAMPLE DESCRIPTION               | PREP CODE  |          | Au oz/T RUSH FA | Ag oz/T RUSH FA | Cu %           |  |  |  |  |  |  |  |
|----------------------------------|------------|----------|-----------------|-----------------|----------------|--|--|--|--|--|--|--|
| S 5508 DH-88-1<br>S 5513 DH-88-2 | 236<br>236 | --<br>-- | 0.064<br>0.012  | 0.10<br>0.07    | < 0.04<br>0.01 |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER.

BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127

WHITEHORSE, Y.T.

Y1A 3S9

Project : HGJV

Comments:

Page No.: 1  
Toll.: 1  
Date: 13-SEP-88  
Invoice #: I-8822847  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8822847

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T |         |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|--|--|--|--|--|--|--|--|--|
| S 5515             | 207       | --         | 0.026   |  |  |  |  |  |  |  |  |  |
| S 5516             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S 5517             | 207       | --         | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 5518             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S 5519             | 207       | --         | 0.002   |  |  |  |  |  |  |  |  |  |
| S 5520             | 207       | --         | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 5521             | 207       | --         | 0.002   |  |  |  |  |  |  |  |  |  |
| S 5522             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
| S 5523             | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S 5524             | 207       | --         | 0.008   |  |  |  |  |  |  |  |  |  |
| S 5525             | 207       | --         | 0.002   |  |  |  |  |  |  |  |  |  |
| S 5526             | 207       | --         | 0.002   |  |  |  |  |  |  |  |  |  |
| S 5527             | 207       | --         | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 5528             | 207       | --         | 0.002   |  |  |  |  |  |  |  |  |  |
| S 5529             | 207       | --         | 0.004   |  |  |  |  |  |  |  |  |  |
|                    |           |            |         |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

RECHER CATIRO & ASSOC. (1981) LTD.

JX 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page No 1  
 Tot. Pg 1  
 Date 5-SEP-86  
 Invoice # : I-8823193  
 P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8823193

| SAMPLE DESCRIPTION | PREP CODE | Au oz/T |         |  |  |  |  |  |  |  |  |
|--------------------|-----------|---------|---------|--|--|--|--|--|--|--|--|
| S-05530            | 207       | --      | 0.014   |  |  |  |  |  |  |  |  |
| S-05531            | 207       | --      | 0.010   |  |  |  |  |  |  |  |  |
| S-05532            | 207       | --      | 0.005   |  |  |  |  |  |  |  |  |
| S-05533            | 207       | --      | 0.004   |  |  |  |  |  |  |  |  |
| S-05534            | 207       | --      | < 0.002 |  |  |  |  |  |  |  |  |
| S-05535            | 207       | --      | < 0.002 |  |  |  |  |  |  |  |  |
| S-05536            | 207       | --      | 0.010   |  |  |  |  |  |  |  |  |
| S-05537            | 207       | --      | 0.009   |  |  |  |  |  |  |  |  |
| S-05538            | 207       | --      | 0.005   |  |  |  |  |  |  |  |  |
| S-05539            | 207       | --      | < 0.002 |  |  |  |  |  |  |  |  |
| S-05540            | 207       | --      | 0.009   |  |  |  |  |  |  |  |  |
| S-05541            | 207       | --      | 0.011   |  |  |  |  |  |  |  |  |
| S-05542            | 207       | --      | < 0.002 |  |  |  |  |  |  |  |  |
| S-05543            | 207       | --      | < 0.002 |  |  |  |  |  |  |  |  |
| S-05544            | 207       | --      | 0.007   |  |  |  |  |  |  |  |  |
| S-05545            | 207       | --      | < 0.002 |  |  |  |  |  |  |  |  |
| S-05546            | 207       | --      | 0.008   |  |  |  |  |  |  |  |  |
| S-05547            | 207       | --      | 0.005   |  |  |  |  |  |  |  |  |
| S-05548            | 207       | --      | 0.004   |  |  |  |  |  |  |  |  |
| S-05549            | 207       | --      | < 0.002 |  |  |  |  |  |  |  |  |
| S-05550            | 207       | --      | 0.020   |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

X 4127  
 WHITEHORSE, Y.T.  
 Y1A 3S9  
 Project : HGJV  
 Comments:

Page No 1  
 Tot. P.  
 Date 9-SEP-88  
 Invoice # I-8824272  
 P.O. # NONE

## CERTIFICATE OF ANALYSIS A8824272

| SAMPLE DESCRIPTION | PREP CODE | Au PA oz/T |         |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|--|--|--|--|--|--|--|--|--|
| S 5551             | 208       | ---        | 0.004   |  |  |  |  |  |  |  |  |  |
| S 5552             | 208       | ---        | 0.002   |  |  |  |  |  |  |  |  |  |
| S 5553             | 208       | ---        | 0.005   |  |  |  |  |  |  |  |  |  |
| S 5554             | 208       | ---        | 0.003   |  |  |  |  |  |  |  |  |  |
| S 5555             | 208       | ---        | 0.005   |  |  |  |  |  |  |  |  |  |
| S 5556             | 208       | ---        | 0.004   |  |  |  |  |  |  |  |  |  |
| S 5557             | 208       | ---        | 0.004   |  |  |  |  |  |  |  |  |  |
| S 5558             | 208       | ---        | 0.008   |  |  |  |  |  |  |  |  |  |
| S 5559             | 208       | ---        | 0.006   |  |  |  |  |  |  |  |  |  |
| S 5560             | 208       | ---        | 0.003   |  |  |  |  |  |  |  |  |  |
| S 5561             | 208       | ---        | 0.034   |  |  |  |  |  |  |  |  |  |
| S 5562             | 208       | ---        | 0.020   |  |  |  |  |  |  |  |  |  |
| S 5563             | 208       | ---        | 0.004   |  |  |  |  |  |  |  |  |  |
| S 5564             | 208       | ---        | 0.007   |  |  |  |  |  |  |  |  |  |
| S 5565             | 208       | ---        | 0.004   |  |  |  |  |  |  |  |  |  |
| S 5566             | 208       | ---        | 0.008   |  |  |  |  |  |  |  |  |  |
| S 5567             | 208       | ---        | 0.003   |  |  |  |  |  |  |  |  |  |
| S 5568             | 208       | ---        | 0.019   |  |  |  |  |  |  |  |  |  |
| S 5601             | 208       | ---        | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 5602             | 208       | ---        | < 0.002 |  |  |  |  |  |  |  |  |  |
| S 5603             | 208       | ---        | 0.003   |  |  |  |  |  |  |  |  |  |
| S 5604             | 208       | ---        | 0.005   |  |  |  |  |  |  |  |  |  |
| S 5605             | 208       | ---        | 0.005   |  |  |  |  |  |  |  |  |  |
| S 5606             | 208       | ---        | 0.002   |  |  |  |  |  |  |  |  |  |
| S 5607             | 208       | ---        | 0.005   |  |  |  |  |  |  |  |  |  |
| S 5608             | 208       | ---        | 0.005   |  |  |  |  |  |  |  |  |  |
| S 5609             | 208       | ---        | 0.019   |  |  |  |  |  |  |  |  |  |
| S 5610             | 208       | ---        | 0.017   |  |  |  |  |  |  |  |  |  |
| S 5611             | 208       | ---        | 0.018   |  |  |  |  |  |  |  |  |  |
| S 5612             | 208       | ---        | 0.016   |  |  |  |  |  |  |  |  |  |
| S 5613             | 208       | ---        | 0.007   |  |  |  |  |  |  |  |  |  |
| S 5614             | 208       | ---        | 0.027   |  |  |  |  |  |  |  |  |  |
| S 5615             | 208       | ---        | 0.010   |  |  |  |  |  |  |  |  |  |
| S 5616             | 208       | ---        | 0.085   |  |  |  |  |  |  |  |  |  |
| S 5617             | 208       | ---        | 0.096   |  |  |  |  |  |  |  |  |  |
| S 5618             | 208       | ---        | 0.015   |  |  |  |  |  |  |  |  |  |
| S 5619             | 208       | ---        | 0.055   |  |  |  |  |  |  |  |  |  |
| S 5665             | 208       | ---        | 0.003   |  |  |  |  |  |  |  |  |  |
| S 5666             | 208       | ---        | 0.003   |  |  |  |  |  |  |  |  |  |
| S 5667             | 208       | ---        | 0.004   |  |  |  |  |  |  |  |  |  |

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : *B. Swarce*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

JX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV  
Comments:

Page N  
Tot. P  
Date 29-SEP-88  
Invoice # : I-8824272  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8824272

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz /T |       |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|-------------|-------|--|--|--|--|--|--|--|--|--|
| S 5668             | 208       | --          | 0.002 |  |  |  |  |  |  |  |  |  |
| S 5669             | 208       | --          | 0.002 |  |  |  |  |  |  |  |  |  |
| S 5670             | 208       | --          | 0.004 |  |  |  |  |  |  |  |  |  |
| S 5671             | 208       | --          | 0.006 |  |  |  |  |  |  |  |  |  |
| S 5672             | 208       | --          | 0.017 |  |  |  |  |  |  |  |  |  |
| S 5673             | 208       | --          | 0.021 |  |  |  |  |  |  |  |  |  |
| S 5674             | 208       | --          | 0.090 |  |  |  |  |  |  |  |  |  |
| S 5675             | 208       | --          | 0.003 |  |  |  |  |  |  |  |  |  |
| S 5676             | 208       | --          | 0.004 |  |  |  |  |  |  |  |  |  |
| S 5677             | 208       | --          | 0.004 |  |  |  |  |  |  |  |  |  |
| S 5678             | 208       | --          | 0.005 |  |  |  |  |  |  |  |  |  |
| S 5679             | 208       | --          | 0.004 |  |  |  |  |  |  |  |  |  |
| S 5680             | 208       | --          | 0.005 |  |  |  |  |  |  |  |  |  |
| S 5681             | 208       | --          | 0.010 |  |  |  |  |  |  |  |  |  |
| S 5682             | 208       | --          | 0.007 |  |  |  |  |  |  |  |  |  |
| S 5683             | 208       | --          | 0.017 |  |  |  |  |  |  |  |  |  |
| S 5684             | 208       | --          | 0.009 |  |  |  |  |  |  |  |  |  |
| S 5685             | 208       | --          | 0.020 |  |  |  |  |  |  |  |  |  |
| S 5686             | 208       | --          | 0.004 |  |  |  |  |  |  |  |  |  |
| S 5687             | 208       | --          | 0.002 |  |  |  |  |  |  |  |  |  |
| S 5688             | 208       | --          | 0.005 |  |  |  |  |  |  |  |  |  |
| S 5689             | 208       | --          | 0.005 |  |  |  |  |  |  |  |  |  |
| S 5690             | 208       | --          | 0.002 |  |  |  |  |  |  |  |  |  |
| S 5691             | 208       | --          | 0.027 |  |  |  |  |  |  |  |  |  |
| S 5692             | 208       | --          | 0.029 |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

RCHER CATHRO & ASSOC. (1981) LTD.

JX 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV  
Comments:

Page N  
Tot. Pk  
Date 29-SEP-88  
Invoice #: I-8824271  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8824271

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |        |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|--------|--|--|--|--|--|--|--|--|--|
| S 5620             | 203       | --           | < 5    |  |  |  |  |  |  |  |  |  |
| S 5621             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5622             | 203       | --           | <<< 5  |  |  |  |  |  |  |  |  |  |
| S 5623             | 203       | --           | <<<< 5 |  |  |  |  |  |  |  |  |  |
| S 5624             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5625             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5626             | 203       | --           | <<< 5  |  |  |  |  |  |  |  |  |  |
| S 5627             | 203       | --           | <<<< 5 |  |  |  |  |  |  |  |  |  |
| S 5628             | 203       | --           | <<<< 5 |  |  |  |  |  |  |  |  |  |
| S 5629             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5630             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5631             | 203       | --           | <<< 5  |  |  |  |  |  |  |  |  |  |
| S 5632             | 203       | --           | <<<< 5 |  |  |  |  |  |  |  |  |  |
| S 5633             | 203       | --           | <<<< 5 |  |  |  |  |  |  |  |  |  |
| S 5634             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5635             | 203       | --           | < 5    |  |  |  |  |  |  |  |  |  |
| S 5636             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5637             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5638             | 203       | --           | < 20   |  |  |  |  |  |  |  |  |  |
| S 5639             | 203       | --           | < 5    |  |  |  |  |  |  |  |  |  |
| S 5640             | 203       | --           | < 5    |  |  |  |  |  |  |  |  |  |
| S 5641             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5642             | 203       | --           | <<< 5  |  |  |  |  |  |  |  |  |  |
| S 5643             | 203       | --           | <<< 5  |  |  |  |  |  |  |  |  |  |
| S 5644             | 203       | --           | << 5   |  |  |  |  |  |  |  |  |  |
| S 5645             | 203       | --           | < 5    |  |  |  |  |  |  |  |  |  |
| S 5646             | 203       | --           | 15     |  |  |  |  |  |  |  |  |  |
| S 5647             | 203       | --           | 130    |  |  |  |  |  |  |  |  |  |
| S 5648             | 203       | --           | 10     |  |  |  |  |  |  |  |  |  |
| S 5649             | 203       | --           | 50     |  |  |  |  |  |  |  |  |  |
| S 5650             | 203       | --           | 140    |  |  |  |  |  |  |  |  |  |
| S 5651             | 203       | --           | 140    |  |  |  |  |  |  |  |  |  |
| S 5652             | 203       | --           | 85     |  |  |  |  |  |  |  |  |  |
| S 5653             | 203       | --           | 25     |  |  |  |  |  |  |  |  |  |
| S 5654             | 203       | --           | 50     |  |  |  |  |  |  |  |  |  |
| S 5655             | 203       | --           | 50     |  |  |  |  |  |  |  |  |  |
| S 5656             | 203       | --           | 140    |  |  |  |  |  |  |  |  |  |
| S 5657             | 203       | --           | 45     |  |  |  |  |  |  |  |  |  |
| S 5658             | 203       | --           | 50     |  |  |  |  |  |  |  |  |  |
| S 5659             | 203       | --           | 15     |  |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Mark Voris*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

REACHER CATHRO & ASSOC. (1981) LTD.

4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HKJV

Comments:

Page No. 1  
Tot. Pgs. 1  
Date 10-SEP-88  
Invoice # 1-8824271  
P.O. # :NONE

## CERTIFICATE OF ANALYSIS A8824271

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FATAA |     |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|-----|--|--|--|--|--|--|--|--|
| S 5660             | 203       | --           | < 5 |  |  |  |  |  |  |  |  |
| SS 5661            | 203       | --           | 35  |  |  |  |  |  |  |  |  |
| SS 5662            | 203       | --           | 15  |  |  |  |  |  |  |  |  |
| SS 5663            | 203       | --           | 15  |  |  |  |  |  |  |  |  |
| S 5664             | 203       | --           | < 5 |  |  |  |  |  |  |  |  |

CERTIFICATION :

*Dale Viner*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

Page N  
Tot. P.  
Date 4-OCT-88  
Invoice #: I-8824172  
P.O. #: NONE

X 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV  
Comments:

## CERTIFICATE OF ANALYSIS A8824172

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz /T | Cu %        |       |  |  |  |  |  |  |  |  |
|--------------------|-----------|-------------|-------------|-------|--|--|--|--|--|--|--|--|
| S 5730             | 207       | ---         | 0 . 0 0 4   | ----- |  |  |  |  |  |  |  |  |
| S 5731             | 207       | ---         | 0 . 0 5 9   | ----- |  |  |  |  |  |  |  |  |
| S 5732             | 207       | ---         | 0 . 0 5 7   | ----- |  |  |  |  |  |  |  |  |
| S 5733             | 207       | ---         | 0 . 0 4 7   | ----- |  |  |  |  |  |  |  |  |
| S 5734             | 207       | ---         | 0 . 0 1 2   | ----- |  |  |  |  |  |  |  |  |
| S 5735             | 207       | ---         | 0 . 0 5 9   | ----- |  |  |  |  |  |  |  |  |
| S 5736             | 207       | ---         | 0 . 0 2 9   | ----- |  |  |  |  |  |  |  |  |
| S 5737             | 207       | ---         | 0 . 2 0 5   | ----- |  |  |  |  |  |  |  |  |
| S 5738             | 207       | ---         | 0 . 1 8 4   | ----- |  |  |  |  |  |  |  |  |
| S 5739             | 207       | ---         | 0 . 2 2 5   | ----- |  |  |  |  |  |  |  |  |
| S 5740             | 207       | ---         | 0 . 1 4 8   | ----- |  |  |  |  |  |  |  |  |
| S 5741             | 207       | ---         | 0 . 0 3 4   | ----- |  |  |  |  |  |  |  |  |
| S 5742             | 207       | ---         | 0 . 0 2 9   | ----- |  |  |  |  |  |  |  |  |
| S 5743             | 207       | ---         | 0 . 0 2 9   | ----- |  |  |  |  |  |  |  |  |
| S 5744             | 207       | ---         | 0 . 0 1 8   | ----- |  |  |  |  |  |  |  |  |
| S 5745             | 207       | ---         | 0 . 0 3 7   | ----- |  |  |  |  |  |  |  |  |
| S 5746             | 207       | ---         | 0 . 0 0 3   | ----- |  |  |  |  |  |  |  |  |
| S 5747             | 207       | ---         | 0 . 0 1 9   | ----- |  |  |  |  |  |  |  |  |
| S 5748             | 207       | ---         | 0 . 0 2 6   | ----- |  |  |  |  |  |  |  |  |
| S 5749             | 207       | ---         | 0 . 0 2 4   | ----- |  |  |  |  |  |  |  |  |
| S 5750             | 207       | ---         | 0 . 0 3 2   | ----- |  |  |  |  |  |  |  |  |
| S 5751             | 207       | ---         | 0 . 0 1 9   | ----- |  |  |  |  |  |  |  |  |
| S 5752             | 207       | ---         | 0 . 0 2 0   | ----- |  |  |  |  |  |  |  |  |
| S 5753             | 207       | ---         | 0 . 0 2 6   | ----- |  |  |  |  |  |  |  |  |
| S 5754             | 207       | ---         | 0 . 0 3 8   | ----- |  |  |  |  |  |  |  |  |
| S 5755             | 207       | ---         | 0 . 0 0 4   | ----- |  |  |  |  |  |  |  |  |
| S 5756             | 207       | ---         | 0 . 0 1 4   | ----- |  |  |  |  |  |  |  |  |
| S 5757             | 207       | ---         | 0 . 0 3 3   | ----- |  |  |  |  |  |  |  |  |
| S 5758             | 207       | ---         | < 0 . 0 0 2 | ----- |  |  |  |  |  |  |  |  |
| S 5759             | 207       | ---         | < 0 . 0 0 2 | ----- |  |  |  |  |  |  |  |  |
| S 5760             | 207       | ---         | < 0 . 0 0 2 | ----- |  |  |  |  |  |  |  |  |
| S 5761             | 207       | ---         | 0 . 0 0 3   | ----- |  |  |  |  |  |  |  |  |
| S 5762             | 207       | ---         | < 0 . 0 0 2 | ----- |  |  |  |  |  |  |  |  |
| S 5693             | 207       | ---         | 0 . 0 1 8   | ----- |  |  |  |  |  |  |  |  |
| S 5694             | 207       | ---         | 0 . 0 2 7   | ----- |  |  |  |  |  |  |  |  |
| S 5695             | 207       | ---         | 0 . 0 2 1   | ----- |  |  |  |  |  |  |  |  |
| S 5696             | 207       | ---         | 0 . 0 1 7   | ----- |  |  |  |  |  |  |  |  |
| S 5697             | 207       | ---         | 0 . 0 2 0   | ----- |  |  |  |  |  |  |  |  |
| S 5698             | 207       | ---         | < 0 . 0 0 2 | ----- |  |  |  |  |  |  |  |  |
| S 5699             | 207       | ---         | 0 . 0 1 3   | ----- |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE . NORTH VANCOUVER,  
BRITISH COLUMBIA . CANADA V7J-2C1

PHONE (604) 984-0221

ANCHER CATHRO & ASSOC. (1981) LTD.

4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV  
Comments:

Page N  
Tot. P:  
Date -OCT-88  
Invoice # : I-8824172  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8824172

| SAMPLE DESCRIPTION | PREP CODE | Au FA oz/T | Cu %    |       |  |  |  |  |  |  |  |  |  |
|--------------------|-----------|------------|---------|-------|--|--|--|--|--|--|--|--|--|
| S 5700             | 207       | --         | 0.036   | ----- |  |  |  |  |  |  |  |  |  |
| S 5701             | 207       | --         | 0.007   | ----- |  |  |  |  |  |  |  |  |  |
| S 5702             | 207       | --         | < 0.002 | ----- |  |  |  |  |  |  |  |  |  |
| S 5703             | 207       | --         | 0.024   | ----- |  |  |  |  |  |  |  |  |  |
| S 5704             | 207       | --         | 0.017   | ----- |  |  |  |  |  |  |  |  |  |
| S 5705             | 207       | --         | < 0.002 | ----- |  |  |  |  |  |  |  |  |  |
| S 5706             | 207       | --         | 0.005   | ----- |  |  |  |  |  |  |  |  |  |
| S 5763+S 5706      | 207       | --         | < 0.002 | 0.41  |  |  |  |  |  |  |  |  |  |



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,

BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To ER CATHRO & ASSOC. (1981) LTD.

B.C. 4127  
WHITEHORSE, Y.T.  
Y1A 3S9

Project : HGJV

Comments:

Page No. \_\_\_\_\_  
Tot. Page. \_\_\_\_\_  
Date : 2. SEP-88  
Invoice #: I-8824194  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8824194

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA |      |  |  |  |  |  |  |  |  |
|--------------------|-----------|--------------|------|--|--|--|--|--|--|--|--|
| S-5707             | 203       | --           | 70   |  |  |  |  |  |  |  |  |
| S-5708             | 203       | --           | 20   |  |  |  |  |  |  |  |  |
| S-5709             | 203       | --           | 50   |  |  |  |  |  |  |  |  |
| S-5710             | 203       | --           | 65   |  |  |  |  |  |  |  |  |
| S-5711             | 203       | --           | 65   |  |  |  |  |  |  |  |  |
| S-5712             | 203       | --           | 270  |  |  |  |  |  |  |  |  |
| S-5713             | 203       | --           | 150  |  |  |  |  |  |  |  |  |
| S-5714             | 203       | --           | 180  |  |  |  |  |  |  |  |  |
| S-5715             | 203       | --           | 20   |  |  |  |  |  |  |  |  |
| S-5716             | 203       | --           | 25   |  |  |  |  |  |  |  |  |
| S-5717             | 203       | --           | < 5  |  |  |  |  |  |  |  |  |
| S-5718             | 203       | --           | 305  |  |  |  |  |  |  |  |  |
| S-5719             | 203       | --           | 210  |  |  |  |  |  |  |  |  |
| S-5720             | 203       | --           | 2990 |  |  |  |  |  |  |  |  |
| S-5721             | 203       | --           | 1670 |  |  |  |  |  |  |  |  |
| S-5722             | 203       | --           | 2930 |  |  |  |  |  |  |  |  |
| S-5723             | 203       | --           | 835  |  |  |  |  |  |  |  |  |
| S-5724             | 203       | --           | 7910 |  |  |  |  |  |  |  |  |
| S-5725             | 203       | --           | 905  |  |  |  |  |  |  |  |  |
| S-5726             | 203       | --           | 90   |  |  |  |  |  |  |  |  |
| S-5727             | 203       | --           | 5260 |  |  |  |  |  |  |  |  |
| S-5728             | 203       | --           | 910  |  |  |  |  |  |  |  |  |
| S-5729             | 203       | --           | 250  |  |  |  |  |  |  |  |  |

CERTIFICATION :

**APPENDIX IV**  
**DRILL LOGS**

**HOLE NO.:**

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

## DIAMOND DRILL HOLE LOG

## HYLAND GOLD PROPERTY

## **QUARTZ LAKE, YUKON**

**GRID  
LOCATION:**

DEPTM:

**CORE SIZE:**

DIP:

AZIMUTH:

---

**TARGET:**

| DEPTH<br>(feet)       | VISUAL<br>LOG | RECOVER<br>(%) | LITHOLOGY | Au<br>( $\text{oz}/\text{t}$ ) | Ag<br>( $\text{oz}/\text{t}$ ) |
|-----------------------|---------------|----------------|-----------|--------------------------------|--------------------------------|
| <u>LEGEND</u>         |               |                |           |                                |                                |
| <u>ALTERATION</u>     |               |                |           |                                |                                |
| <u>AMOUNT</u>         |               |                |           |                                |                                |
| NIL ----- N           |               |                |           |                                |                                |
| LOW ----- L           |               |                |           |                                |                                |
| FAIR ----- F          |               |                |           |                                |                                |
| MODERATE ----- M      |               |                |           |                                |                                |
| ABOVE AVERAGE ----- A |               |                |           |                                |                                |
| HIGH ----- H          |               |                |           |                                |                                |

## LEGEND

## ALTERATION

Amount

NIL ----- N

LOW - - - - - L

**FAIR** - - - - - **F**

MODERATE - - - - M

ABOVE AVERAGE - - - A

HIGH - - - - - H

HOLE NO.: DDH-88-P-1

P.1

ARCHER, CATHRO &amp; ASSOCIATES (1981) LIMITED

# DIAMOND DRILL HOLE LOG

## HYLAND GOLD PROPERTY

QUARTZ LAKE, YUKON

DEPTH: 254 FEET

CORE SIZE: NQ.....

DIP: -50°

AZIMUTH: 102°

TARGET: MINERALIZED FAULT ZONE

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOV.<br>% | LITHOLOGY                                                                            | Au<br>( $\text{oz}/\text{t}$ ) | Ag<br>( $\text{oz}/\text{t}$ ) |
|-----------------|---------------|-------------|--------------------------------------------------------------------------------------|--------------------------------|--------------------------------|
| 10              |               | 3%          | QUARTZITE ; SILICIC-ALTERATION(M); PARTLY PRECIPITATED.                              |                                |                                |
| 20              |               | 2%          | QUARTZITE ; BANDED CHERT ; SILICIC-ALTERATION(H)                                     |                                |                                |
| 30              | ???           | 1%          | INTERBEDDED PHYLLITE & QUARTZITE ; SILICIC ALTN.(A)                                  |                                |                                |
| 40              |               | Ø           |                                                                                      |                                |                                |
| 40              |               | 10%         | BANDED-CHERT ; SILICIC- ALTERATION (H).                                              |                                |                                |
| 45              |               | 30%         |                                                                                      |                                |                                |
| 50              |               | 50%         |                                                                                      |                                |                                |
| 50              |               | 100%        |                                                                                      | .020                           |                                |
| 55              |               | 11%         |                                                                                      |                                |                                |
| 60              |               | 17%         |                                                                                      |                                |                                |
| 60              |               | 100%        |                                                                                      |                                |                                |
| 65              |               | 25%         |                                                                                      |                                |                                |
| 70              |               | 17%         | PHYLLITE ; ARGILLIC ALTERATION (A)<br>SILICIC ALTERATION (L)                         | N.S.                           |                                |
| 70              |               | 60%         |                                                                                      |                                |                                |
| 75              |               | 58%         |                                                                                      |                                |                                |
| 80              |               | 80%         |                                                                                      |                                |                                |
| 85              |               | 95%         |                                                                                      |                                |                                |
| 90              |               | 98%         |                                                                                      |                                |                                |
| 100             |               | 83%         | INTERBEDDED PHYLLITE & QUARTZITE ; ARGILLIC ALTERATION (L)<br>SILICIC ALTERATION (F) | .028                           |                                |
| 110             |               |             |                                                                                      |                                | <.003                          |

HOLE NO.: DDH-88-P-1

P. 2

ARCHER, CATHRO &amp; ASSOCIATES (1981) LIMITED

# DIAMOND DRILL HOLE LOG

## HYLAND GOLD PROPERTY

QUARTZ LAKE, YUKON

GRID  
LOCATION:  
TARGET:

DEPTH:

CORE SIZE: .....

DIP:

AZIMUTH:

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOVERED<br>P/D | LITHOLOGY                                                                   | Au<br>(oz/t) | Ag<br>(oz/t) |
|-----------------|---------------|------------------|-----------------------------------------------------------------------------|--------------|--------------|
| 110             |               | 83%              | INTERBEDDED PHYLLITE & QUARTZITE; ARCILLIC ALTERATION (L)<br>SILICIC " (F)  | <.003        |              |
|                 |               |                  | ← ±30% LIMONITE AT BREAK                                                    |              |              |
| 120             |               | 98%              |                                                                             | <.003        |              |
|                 |               | 33%              |                                                                             |              |              |
| 130             |               | 16%              |                                                                             |              |              |
|                 |               | 3%               | QUARTZITE; ARCILLIC ALT'N.(M); SILICIC ALT'N.(F)                            | N.S.         |              |
|                 |               | 8%               | CHERT; SILICIC ALTERATION (H)                                               |              |              |
| 140             |               | 5%               | FAULT ZONE; CLAY GOUGE & QUARTZITE; ARCILLIC ALT'N.(H)<br>SILICIC ALT'N.(H) | .012         | .18          |
|                 |               | 12%              |                                                                             |              |              |
| 150             |               | 75%              |                                                                             | N.S.         |              |
|                 |               | 20%              |                                                                             |              |              |
|                 |               | 45%              |                                                                             |              |              |
|                 |               | 22%              |                                                                             |              |              |
|                 |               | 25%              |                                                                             |              |              |
|                 |               | 58%              |                                                                             |              |              |
|                 |               | 98%              |                                                                             |              |              |
| 160             |               | 42%              |                                                                             |              |              |
|                 |               | 7%               |                                                                             |              |              |
| 170             |               | 6%               |                                                                             |              |              |
|                 |               | 65%              |                                                                             |              |              |
|                 |               | 4%               |                                                                             |              |              |
| 180             |               | 28%              |                                                                             | N.S.         |              |
|                 |               | 8%               |                                                                             |              |              |
| 190             |               | 23%              | QUARTZITE; SILICIC ALTERATION(A); 1-3% PYRITE.                              |              |              |
|                 |               | 46%              |                                                                             |              |              |
|                 |               | 8%               |                                                                             |              |              |
|                 |               | 58%              |                                                                             |              |              |
| 200             |               | 25%              |                                                                             |              |              |
|                 |               | 75%              |                                                                             |              |              |
| 210             |               |                  |                                                                             | .006         |              |

HOLE NO.: P.3  
DDH-88-P-1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**DIAMOND DRILL HOLE LOG**  
**HYLAND GOLD PROPERTY**  
**QUARTZ LAKE, YUKON**

GRID  
LOCATION:

DEPTH:

CORE SIZE:

DIP:

AZIMUTH:

TARGET:

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOV.<br>% | LITHOLOGY                                                                                       | Au<br>( $\text{oz}/\text{t}$ ) | Ag<br>( $\text{oz}/\text{t}$ ) |
|-----------------|---------------|-------------|-------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------|
|                 |               | 29%         |                                                                                                 | .006                           | .10                            |
|                 |               | 79%         |                                                                                                 |                                |                                |
| 210             |               | 39%         | QUARTZITE; SILICIC ALTERATION (A); ARGILLIC ALTERATION (A)                                      | .064                           | .10                            |
|                 |               | 43%         | PYRITE (55%); SANDED; CLAY-ALT'D. PHYLLITE (25%); QUARTZ GRAINS (20%); ARGILLIC ALTERATION (H). |                                |                                |
|                 |               | 58%         | PYRITE (75%); SILTED.                                                                           |                                |                                |
|                 |               | 100%        | PYRITE (50%)                                                                                    |                                |                                |
| 220             |               | 67%         | INTERBEDDED QUARTZITE & PHYLLITE; ARGILLIC ALT'N (M)                                            | <.003                          | .11                            |
|                 |               | 83%         | LIMONITIC (VEINS) (M)                                                                           |                                |                                |
|                 |               | 75%         |                                                                                                 |                                |                                |
| 230             |               | 91%         | PHYLLITE; ARGILLIC ALTERATION (L); TRACE SIDEROITE (FRX).                                       | <.003                          |                                |
|                 |               | 100%        |                                                                                                 |                                |                                |
| 240             |               | 75%         |                                                                                                 |                                |                                |
|                 |               | 89%         | QUARTZITE w/ TITIN INTERBEDDED PHYLLITE                                                         | <.003                          |                                |
| 250             |               | 100%        |                                                                                                 |                                |                                |
|                 |               | END         |                                                                                                 |                                |                                |
| 260             |               |             |                                                                                                 |                                |                                |

HOLE NO.:

DDH-88-P-2

ARCHER, CATHRO &amp; ASSOCIATES (1981) LIMITED

GRID 27+35m N  
LOCATION: 27+45m E

# DIAMOND DRILL HOLE LOG

## HYLAND GOLD PROPERTY

QUARTZ LAKE, YUKON

DEPTH: 306 FEET

CORE SIZE: HQ TO 162 FEET.  
NQ TO 306 FEET

DIP: -50°

AZIMUTH: 102°

## TARGET:

MINERALIZED ZONE OF SCORODITE-VEIN-BEARING, SILICA-ENRICHED QUARTZITE &amp; PHYLLITE.

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOV.<br>(%) | LITHOLOGY                                                                           | Au<br>(oz/t) | Ag<br>(oz/t) |
|-----------------|---------------|---------------|-------------------------------------------------------------------------------------|--------------|--------------|
| 10              |               |               | QUARTZITE ; SILICIC ALTERATION (M)                                                  |              |              |
| 20              |               | 1%            |                                                                                     |              |              |
| 30              |               |               | PHYLLITE; ARGILLIC ALTERATION (L) → (M)                                             |              |              |
| 40              |               |               |                                                                                     |              |              |
| 50              |               | 18%           | FAULT ZONE; SILT & CLAY SIZED PARTICLES; LIMONITIC (A)                              |              |              |
| 50              |               | 10%           |                                                                                     |              |              |
| 60              |               | 17%           | PHYLLITE ; ARGILLIC ALTERATION (A)                                                  |              |              |
| 60              |               | 4%            | QUARTZITE; SILICIC ALTERATION (M)                                                   |              |              |
| 70              |               | 67%           |                                                                                     | .028         | .84          |
| 80              |               | 23%           | PHYLLITE; ARGILLIC ALTERATION (A)                                                   |              |              |
| 80              |               | 33%           |                                                                                     |              |              |
| 90              |               | 15%           | QUARTZITE ; SILICIC ALTERATION (M)                                                  |              |              |
| 100             |               | 4%            |                                                                                     |              |              |
| 110             |               | 10%           | SAND & CLAY SIZED PARTICLES; FAULT GOUGE;<br>ARGILLIC ALT'N.(A); SILICIC ALT'N.(M). |              |              |

HOLE NO.:

P.2

ARCHER, CATHRO &amp; ASSOCIATES (1981) LIMITED

DDH-88-P-2

**DIAMOND DRILL HOLE LOG  
HYLAND GOLD PROPERTY  
QUARTZ LAKE, YUKON**

GRID  
LOCATION:

DEPTH:

CORE SIZE: .....

DIP:

AZIMUTH:

TARGET:

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOVERED<br>% | LITHOLOGY                                                               | Au<br>(oz/T) | Ag<br>(oz/T) |
|-----------------|---------------|----------------|-------------------------------------------------------------------------|--------------|--------------|
| 110             | 22            | 10%            |                                                                         |              |              |
| 110             | 22            | 1%             |                                                                         |              |              |
| 120             | 22            | 1.5%           |                                                                         |              |              |
| 120             | 22            | 1%             |                                                                         |              |              |
| 130             | 22            | 8%             |                                                                         |              |              |
| 130             | 22            | 4%             |                                                                         |              |              |
| 130             | △             | 3%             | QUARTZITE: BRECCIATED; SILICIC ALT'N.(A); SCORODITE (5%); LIMONITE (2%) |              |              |
| 140             | △             | 13%            | QUARTZITE; CHERT; QUARTZ; BRECCIATED(m); SILICIC ALT'N.(H)              |              |              |
| 150             | 22            | 29%            | QUARTZITE (Sanded) & CLAY GOUGE; SILICIC ALT'N.                         |              |              |
| 150             |               | 100%           |                                                                         | .012         |              |
| 150             |               | 83%            |                                                                         |              |              |
| 160             |               | 39%            |                                                                         | .022         | .14          |
| 160             |               | 67%            |                                                                         |              |              |
| 160             |               | 35%            |                                                                         |              |              |
| 160             |               | 75%            |                                                                         |              |              |
| 170             |               | 38%            |                                                                         |              |              |
| 170             |               | 95%            |                                                                         |              |              |
| 170             |               | 100%           |                                                                         |              |              |
| 170             |               | 67%            |                                                                         |              |              |
| 180             |               | 100%           |                                                                         |              |              |
| 180             |               | 67%            |                                                                         |              |              |
| 180             |               | 100%           | PHYLLITE; ARCILLIC ALTERATION(L); PY/QZ VEINS (<<1%).                   |              |              |
| 190             |               | 90%            |                                                                         |              |              |
| 200             |               | 100%           |                                                                         |              |              |
| 210             |               |                |                                                                         |              |              |

HOLE NO.:

P-3

DD4-88-P-2

ARCHER, CATHRO &amp; ASSOCIATES (1981) LIMITED

DEPTH:

GRID  
LOCATION:

# DIAMOND DRILL HOLE LOG

## HYLAND GOLD PROPERTY

### QUARTZ LAKE, YUKON

CORE SIZE: .....

DIP:

AZIMUTH:

TARGET:

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOVER<br>% | LITHOLOGY                                                                  | Au<br>( $\text{oz}/\text{t}$ ) | Ag<br>( $\text{oz}/\text{t}$ ) |
|-----------------|---------------|--------------|----------------------------------------------------------------------------|--------------------------------|--------------------------------|
| 210             |               |              | PHYLLITE; ARGILLIC ALTERATION(L)                                           | <.002                          |                                |
| 220             |               |              | LIMESTONE; 6% CALCITE VEINS;                                               | .004                           |                                |
| 230             |               |              |                                                                            | .002                           |                                |
| 240             |               |              |                                                                            | <.002                          |                                |
| 250             |               | 100%         | SIDERITE; PYRITE (<1 → 4%) VEINS; PYRRHOTITE(minor); NATIVE COPPER (trace) | .002                           |                                |
| 260             |               |              |                                                                            | .004                           |                                |
| 270             |               |              | → PYRITE VEIN (8mm).                                                       | .008                           |                                |
| 280             |               |              | ← LIMESTONE<br>← PHYLLOLITE                                                | .008                           |                                |
| 290             |               |              | SIDERITE: OXIDATION 15%; PYRITIC/LIMONITIC; INTERBEDDED PHYLLOLITE (THIN). | .002                           |                                |
| 300             |               |              | INTERBEDDED LIMESTONE & PYRITIC SIDERITE w/ THIN PHYLLOLITE.               | .002                           |                                |
| 310             |               |              |                                                                            |                                |                                |

HOLE NO.: DDH-88-P-3

P.1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**DIAMOND DRILL HOLE LOG**  
**HYLAND GOLD PROPERTY**  
QUARTZ LAKE, YUKON

DEPTH: 330 FEET

CORE SIZE: HQ TO 148 FEET  
NQ TO 330 FEET

DIP: -50°

AZIMUTH: 282°

TARGET: MINERALIZED FAULT ZONE AND LIMONITIC QUARTZITE BRECCIA

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOVER<br>(%) | LITHOLOGY   | Au<br>(oz/T) | Ag<br>(oz/T) |
|-----------------|---------------|----------------|-------------|--------------|--------------|
| 10              |               |                |             |              |              |
| 20              |               |                |             |              |              |
| 30              |               | <1%            |             |              |              |
| 40              |               | 75%            |             |              |              |
| 45              |               | 100%           |             |              |              |
| 50              |               | 90%            |             |              |              |
| 55              |               | 71%            |             |              |              |
| 60              |               | 100%           |             |              |              |
| 65              |               | 63%            |             |              |              |
| 70              |               | 50%            |             |              |              |
| 75              |               | 11%            |             |              |              |
| 80              |               | 56%            |             |              |              |
| 85              |               | 90%            |             |              |              |
| 90              |               | 50%            |             |              |              |
| 95              |               | 78%            | PHYLLOLITE; |              |              |
| 100             |               | 29%            |             |              |              |
| 105             |               | 92%            |             |              |              |
| 110             |               | 53%            |             |              |              |
| 115             |               | 90%            |             |              |              |
| 120             |               | 67%            |             |              |              |
| 125             |               | 76%            |             |              |              |

HOLE NO.: DDH-88-P-3

P.2

ARCHER, CATHRO &amp; ASSOCIATES (1981) LIMITED

# DIAMOND DRILL HOLE LOG

## HYLAND GOLD PROPERTY

QUARTZ LAKE, YUKON

GRID LOCATION:

TARGET:

DEPTH:

CORE SIZE:

DIP:

AZIMUTH:

| DEPTH<br>(feet) | VISUAL<br>LOG                   | RECOVER<br>% | LITHOLOGY                                                                                                                                     | AU<br>(oz/T) | Ag<br>(oz/T) |
|-----------------|---------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|
| 110             | 67%<br>76%<br>30%               |              | PHYLLOLITE; MINOR G.E. VEINS; LIMONITE GASHES; ARGILLIC ALT'N.(L)<br><br>← LIMONITIC CLAY GOUGE.<br>← QUARTZITE ; SILICIC ALTERATION (A)→(H). | <.002        |              |
| 120             |                                 |              |                                                                                                                                               |              |              |
| 130             | n.n?~                           | Ø            |                                                                                                                                               |              |              |
| 140             |                                 |              |                                                                                                                                               |              |              |
| 150             | 25%<br>23%<br>46%<br>38%<br>29% |              | QUARTZITE; SILICIC ALTERATION (A); SCORODITE(TRACE).<br>PHYLLOLITE.                                                                           |              |              |
| 160             | 50%                             |              | QUARTZITE; SILICIC ALTERATION (M)→(H); SCORODITE(TRACE);<br>QUARTZ VEIN BRECCIA;                                                              |              |              |
| 170             | 22%<br>14%                      |              | QUARTZITE; SILICIC ALT'N.(H); SCORODITE (TR).                                                                                                 | .010         |              |
| 180             | 24%<br>28%<br>11%               |              |                                                                                                                                               |              |              |
| 190             | 53%<br>75%<br>13%               |              | QUARTZITE; SILICIC ALTERATION (H); THIN PHYLLOLITE INTERBEDS;<br>SCORODITE(minor).                                                            |              |              |
| 200             | 96%<br>58%                      |              | PHYLLOLITE; TURBIDITIC ; SILICIC ALT'N.(M)<br>PHYLLOLITE & CHERT; TURBIDITIC; SILICIC ALT'N.(H); SCORODITE (TRACE)                            | .009         |              |
| 210             | 6%                              |              | QUARTZITE; SILICIC ALTERATION (H); SCORODITE(TRACE).                                                                                          |              |              |

HOLE NO.: DDH-88-P-3

P. 3

ARCHER, CATHRO &amp; ASSOCIATES (1981) LIMITED

# DIAMOND DRILL HOLE LOG

## HYLAND GOLD PROPERTY

QUARTZ LAKE, YUKON

GRID LOCATION:

TARGET:

DEPTH:

CORE SIZE:

DIP:

AZIMUTH:

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOVER<br>%(d) | LITHOLOGY                                                                                                                 | Au<br>( $\text{oz}/\tau$ ) | Ag<br>( $\text{oz}/\tau$ ) |
|-----------------|---------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------|
| 210             |               | 58%             |                                                                                                                           | .009                       |                            |
|                 |               | 6%              |                                                                                                                           | N.S.                       |                            |
|                 |               | 61%             |                                                                                                                           |                            |                            |
|                 |               | 87%             |                                                                                                                           | .005                       |                            |
|                 |               | 83%             |                                                                                                                           |                            |                            |
|                 |               | 75%             |                                                                                                                           |                            |                            |
| 220             |               | 80%             | QUARTZITE & PHYLLOLITE; SILICIC ALTERATION (M) → (A); ARCAILIC ALT'N.(L); PYRITE (1%) (VEINS); SCORODITE (TRACE).         |                            |                            |
|                 |               | 80%             |                                                                                                                           | <.002                      |                            |
| 230             |               | 88%             |                                                                                                                           | N.S.                       |                            |
|                 |               | 83%             |                                                                                                                           |                            |                            |
|                 |               | 75%             |                                                                                                                           | .009                       |                            |
| 240             |               | 100%            | → BROWN CHERT; SILICIC ALT'N. (H); 2% PYRITE (VEINS).                                                                     | .011                       |                            |
|                 |               | 98%             |                                                                                                                           | <.002                      |                            |
|                 |               | 100%            |                                                                                                                           |                            |                            |
|                 |               | 63%             |                                                                                                                           |                            |                            |
|                 |               | 47%             |                                                                                                                           |                            |                            |
| 250             |               | 100%            | QUARTZITE & INTERBEDDED PHYLLOLITE; PARTLY TURBIDITIC; SILICIC ALTERATION (H); PYRITE (2%) (VEINLETS); SCORODITE (TRACE). | <.002                      |                            |
|                 |               | 83%             |                                                                                                                           |                            |                            |
|                 |               | 76%             |                                                                                                                           |                            |                            |
| 260             |               | 92%             | QUARTZ; CHERT; SILICIC ALT'N. (H); SCORODITE (TRACE); PYRITE (10%) VEINS.                                                 | .007                       |                            |
|                 |               | 61%             |                                                                                                                           |                            |                            |
| 270             |               | 100%            | PHYLLOLITE & PYRITE (8%) (VEINS); SILICIC ALTERATION (A); MINOR THIN INTERBEDDED QUARTZITE.                               | <.002                      |                            |
|                 |               |                 |                                                                                                                           |                            |                            |
| 280             |               | 96%             |                                                                                                                           | .008                       |                            |
|                 |               | 88%             |                                                                                                                           |                            |                            |
| 290             |               | 85%             |                                                                                                                           |                            |                            |
|                 |               | 80%             | DK.GREY QUARTZ; BROWN CHERT; PYRITE (10%) (VEINS); MINOR BRECCIAS; SILICIC ALTERATION (H).                                | .005                       |                            |
|                 |               | 85%             |                                                                                                                           |                            |                            |
| 300             |               | 100%            |                                                                                                                           |                            |                            |
|                 |               | 90%             |                                                                                                                           |                            |                            |
|                 |               | 85%             |                                                                                                                           |                            |                            |
| 310             |               | 91%             | QUARTZITE; PYRITE (5%); SILICIC ALTERATION (F); ARCAILIC ALTERATION (F); GRAPHITIC (minor).                               | .004                       |                            |

HOLE NO.: P.4  
DDH-88-P-3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**DIAMOND DRILL HOLE LOG**  
**HYLAND GOLD PROPERTY**  
**QUARTZ LAKE, YUKON**

DEPTH:  
CORE SIZE:  
DIP:  
AZIMUTH:

GRID  
LOCATION:  
TARGET:

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOVER<br>(%) | LITHOLOGY                                                                                                     | Au<br>( $\text{oz}/\text{t}$ ) | Ag<br>( $\text{oz}/\text{t}$ ) |
|-----------------|---------------|----------------|---------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------|
| 310             |               | 100%           |                                                                                                               | .004                           |                                |
|                 |               | 90%            |                                                                                                               |                                |                                |
|                 |               | 85%            |                                                                                                               |                                |                                |
|                 |               | 91%            |                                                                                                               |                                |                                |
|                 |               | 100%           | QUARTZITE; PYRITE(6%); SILICIC ALT'N.(F); ARGILLIC ALT'N.(F).                                                 |                                |                                |
| 320             |               | 89%            |                                                                                                               | <.002                          |                                |
|                 |               | 100%           | QUARTZITE; THIN INTERBUDS OF WEAKLY GRAPHITIC PHYLLITE;<br>MINOR TURBIDITY; PYRITE(<1->1%); SILICIC ALT'N(F). | .020                           |                                |
| 330             |               | 50%            |                                                                                                               |                                |                                |

HOLE NO.: DDH-88-P-4

P 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**DIAMOND DRILL HOLE LOG  
HYLAND GOLD PROPERTY  
QUARTZ LAKE, YUKON**

GRID 30+65N  
LOCATION: 27+74E

DEPTH: 315 FEET

CORE SIZE: HQ TO 208 FEET  
NQ TO 315 FEET

DIP: -50°

AZIMUTH: 080°

TARGET: A FAULT (ASSOCIATED WITH MINERALIZATION TO THE NORTH), BURIED BY DEEP TILL. FORMS THE WESTERN BOUNDARY OF MINERALIZED QUARTZITE BRECCIA.

| DEPTH<br>(feet) | VISUAL<br>LOG | RECOVER<br>(%) | LITHOLOGY                                                                                    | Au<br>(oz/t) | Ag<br>(oz/t) |
|-----------------|---------------|----------------|----------------------------------------------------------------------------------------------|--------------|--------------|
|                 |               |                | Ø                                                                                            |              |              |
| 10              |               | 17%            | QUARTZITE; SILICIC ALT'N.(M).                                                                |              |              |
|                 |               | 1%             |                                                                                              |              |              |
| 20              |               | 10%            | PHYLLITE; THIN CHERT INTERBEDS; SILICIC ALT'N.(F).                                           |              |              |
|                 |               | 90%            |                                                                                              |              |              |
|                 |               | Ø              |                                                                                              |              |              |
| 30              |               | 69%            | PHYLLITE; SILICIC ALTERATION (F); ARGILLIC ALT'N. (F).                                       |              |              |
|                 |               | 83%            |                                                                                              |              |              |
|                 |               | 20%            | CHERTY QUARTZITE; QUARTZ; WHITE QUARTZ VEINS (10%);<br>SILICIC ALT'N.(M).                    |              |              |
| 40              |               | 90%            |                                                                                              |              |              |
|                 |               | 30%            | PHYLLITE; THIN INTERBEDDED QUARTZITE; SILICIC ALT'N.(F).                                     | .004         |              |
| 50              |               | 100%           |                                                                                              |              |              |
|                 |               | 52%            |                                                                                              | .002         |              |
| 60              |               | 86%            |                                                                                              |              |              |
|                 |               | 13%            | BROWN CHERT; WHITE QUARTZ; SILICIC ALTERATION (H).                                           |              |              |
|                 |               | 39%            |                                                                                              |              |              |
| 70              |               | Ø              |                                                                                              |              |              |
|                 |               | 9%             |                                                                                              |              |              |
| 80              |               | 80%            | CHERTY QUARTZ; QUARTZITE; SILICIC ALTERATION (H); SCORODITE (TRACE);<br>MINOR BRECCIA ZONES. |              |              |
|                 |               | 83%            |                                                                                              |              |              |
|                 |               | 58%            |                                                                                              |              |              |
|                 |               | 13%            |                                                                                              | .019         |              |
| 90              |               | 17%            |                                                                                              |              |              |
|                 |               | 29%            |                                                                                              |              |              |
|                 |               | 20%            |                                                                                              |              |              |
|                 |               | Ø              |                                                                                              |              |              |
| 100             |               | 33%            |                                                                                              |              |              |
|                 |               | Ø              |                                                                                              |              |              |
| 110             |               | <1%            |                                                                                              |              |              |

HOLE NO.: P.3  
DDH-88-P-4

ARCHER, CATHRO &amp; ASSOCIATES (1981) LIMITED

DIAMOND DRILL HOLE LOG  
HYLAND GOLD PROPERTY  
QUARTZ LAKE, YUKONGRID  
LOCATION:

DEPTH:


CORE SIZE: .....



DIP:

AZIMUTH:


TARGET:


| DEPTH<br>(feet) | VISUAL<br>LOG | RECOVER<br>% | LITHOLOGY                                                                                      | Au<br>( $\text{oz}/\text{t}$ ) | Ag<br>( $\text{oz}/\text{t}$ ) |
|-----------------|---------------|--------------|------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------|
| 210             |               | 33%          | QUARTZITE; PYRITE (5%); SILICIC ALT'N. (H);                                                    |                                |                                |
|                 |               | 31%          |                                                                                                |                                |                                |
|                 |               | 75%          |                                                                                                |                                |                                |
|                 | △ △ △         | 62%          | QUARTZITE; BRECCIA; SILICIC ALTERATION (M); ARGILLIC ALT'N. (M).                               |                                |                                |
|                 |               | 83%          |                                                                                                |                                |                                |
| 220             |               | 86%          | QUARTZ; QUARTZITE; PYRITE (3%) (VEINS); SILICIC ALT'N. (H).                                    | .004                           |                                |
|                 | △ △ △         | 93%          | QUARTZITE & GRAPHITIC CLAY; PYRITE (3%); ARGILLIC ALT'N (H);<br>SILICIC ALT'N. (A).            |                                |                                |
|                 |               | 58%          |                                                                                                |                                |                                |
|                 |               | 55%          |                                                                                                |                                |                                |
| 230             |               | 33%          |                                                                                                |                                |                                |
|                 |               | 90%          | QUARTZ; QUARTZITE; PYRITE (3%) (VEINS); SILICIC ALTERATION (H).                                |                                |                                |
|                 |               | 100%         |                                                                                                |                                |                                |
| 240             |               | 83%          |                                                                                                |                                |                                |
|                 |               | 78%          |                                                                                                |                                |                                |
|                 |               | 100%         |                                                                                                |                                |                                |
| 250             |               | 82%          | QUARTZ; QUARTZITE; SILICIC ALT'N. (H); PYRITE (5%) (VEINS).                                    | .003                           |                                |
|                 |               | 98%          | PYRITE (50%); SILICIC ALTERATION (H).                                                          |                                |                                |
|                 |               | 100%         | PYRITE (5%); ARGILLIC ALT'N. (H); GRAPHITIC (A);                                               | .034                           |                                |
| 260             |               | 97%          |                                                                                                |                                |                                |
|                 |               | 87%          | QUARTZ; QUARTZITE; SILICIC ALTERATION (H); PYRITE (10%)                                        | .020                           |                                |
| 270             |               | 100%         | ← PYRITE (50%).                                                                                |                                |                                |
|                 |               | 73%          |                                                                                                |                                |                                |
|                 |               | 53%          | PHYLLOLITE; GRAPHITIC (A); SILICIC ALT'N. (L); ARGILLIC ALT'N. (F).<br>PYRITE (1%).            | .004                           |                                |
| 280             |               |              | QUARTZITE; THIN, BROKEN INTERBEDDED PHYLLOLITE; PYRITE (1%) (VEINS);<br>SILICIC ALT'N. (M).    |                                |                                |
|                 |               | 92%          | PHYLLOLITE; TURBIDITIC, INTERBEDDED QUARTZITE; PYRITE (2%) (VEINS);<br>SILICIC ALTERATION (M); | .007                           |                                |
| 290             |               |              | QUARTZ; QUARTZITE; PYRITE (3%) (VEINS); SILICIC ALT'N. (H).                                    |                                |                                |
|                 |               | 40%          | GRAPHITIC (F); PYRITIC (2%); SILICIC ALT'N. (F).                                               | .004                           |                                |
| 300             |               | 97%          | ← PYRITE (53%); SILICIC ALTERATION (H).                                                        |                                |                                |
|                 |               | 88%          | QUARTZITE;                                                                                     |                                |                                |
| 310             |               | 100%         |                                                                                                |                                |                                |
| 315             |               |              |                                                                                                |                                |                                |



































| CONVERSION TABLE: grams/tonne → ounces/ton |        |             |        |             |        |
|--------------------------------------------|--------|-------------|--------|-------------|--------|
| grams/tonne                                | oz/ton | grams/tonne | oz/ton | grams/tonne | oz/ton |
| .03                                        | .001   | 1.7         | .050   | 7.0         | .204   |
| .05                                        | .002   | 1.8         | .053   | 7.5         | .219   |
| .08                                        | .003   | 2.0         | .058   | 8.5         | .248   |
| .15                                        | .004   | 2.0         | .058   | 8.5         | .248   |
| .25                                        | .006   | 2.2         | .064   | 9.0         | .263   |
| .40                                        | .007   | 2.4         | .070   | 9.5         | .278   |
| .60                                        | .009   | 2.6         | .076   | 10.0        | .292   |
| .80                                        | .010   | 2.8         | .082   | 10.5        | .306   |
| .90                                        | .010   | 2.9         | .082   | 11.0        | .320   |
| 1.0                                        | .013   | 3.0         | .093   | 11.5        | .335   |
| 1.0                                        | .015   | 3.4         | .098   | 12.0        | .350   |
| 1.0                                        | .018   | 3.6         | .105   | 12.5        | .365   |
| 1.0                                        | .018   | 3.8         | .110   | 13.0        | .379   |
| 1.0                                        | .019   | 4.0         | .117   | 13.5        | .394   |
| 1.0                                        | .022   | 4.2         | .124   | 14.0        | .408   |
| 1.0                                        | .023   | 4.4         | .128   | 14.5        | .423   |
| 1.0                                        | .025   | 4.6         | .134   | 15.0        | .438   |
| 1.0                                        | .026   | 5.0         | .146   | 16.0        | .467   |
| 1.0                                        | .028   | 5.2         | .152   | 16.5        | .481   |
| 1.0                                        | .030   | 5.4         | .158   | 17.0        | .495   |
| 1.0                                        | .032   | 5.6         | .163   | 17.5        | .510   |
| 1.0                                        | .035   | 5.8         | .169   | 18.0        | .525   |
| 1.0                                        | .038   | 6.0         | .175   | 18.5        | .540   |
| 1.0                                        | .041   | 6.2         | .181   | 19.0        | .554   |
| 1.0                                        | .044   | 6.4         | .187   | 19.5        | .569   |
| 1.0                                        | .047   | 6.8         | .198   | 20.0        | .583   |

(34.285 grams/tonne = 1 ounce/tonne)


**LEGEND**




- contact (observed, approximate or assumed)
- fault (observed, approximate or assumed)
- limit of outcrop
- bedding attitude
- fault attitude
- joining attitude
- vein attitude
- soil sample
- diamond drill hole

Trench assays are given in grams per tonne gold

| Lithologies |                                                                                                                                                                                                                                                           |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hd (1a)     | Dark limestones, limy shales and argillaceous limestones (may be in part Lower Cambrian) 15 siltstone                                                                                                                                                     |
| Im          | massive sulphide                                                                                                                                                                                                                                          |
| Hpn 1 (1)   | Brown, black and green phyllites, in places graphitic and often interbedded with Hpn 2 and Hqu                                                                                                                                                            |
| Hpn 2 (1)   | Pink, tan, maroon and green phyllitic siltstones and phyllites often interbedded with Hpn 1                                                                                                                                                               |
| Hqu (1)     | Grey and buff coloured orthoquartzites, lithic quartzites and calcareous quartzites, in places showing evidence of hydrothermal alteration; gradational to Hgr; often includes interbedded Hphl (Hqu(a) - strong silicic alteration; Hqu(b) - brecciated) |
| Hgr (1)     | Grey to buff coloured gritty quartzites and quartz-augen grits composed of plusiv quartz-augen in a coarse sandstone matrix                                                                                                                               |
| Hx          | Quartzite breccia with tourmaline replacement and/or hematite matrix                                                                                                                                                                                      |

Numbers in brackets refer to units on geological map 11-1568 (850 - Coal River).





| CONVERSION TABLE: grams/tonne → ounces/ton |        |             |        |
|--------------------------------------------|--------|-------------|--------|
| grams/tonne                                | oz/ton | grams/tonne | oz/ton |
| .03                                        | .001   | 1.7         | .204   |
| .05                                        | .002   | 1.8         | .219   |
| .10                                        | .003   | 1.9         | .233   |
| .15                                        | .004   | 2.0         | .248   |
| .20                                        | .005   | 2.2         | .263   |
| .25                                        | .007   | 2.4         | .277   |
| .30                                        | .009   | 2.6         | .291   |
| .35                                        | .012   | 2.8         | .306   |
| .40                                        | .015   | 3.0         | .321   |
| .50                                        | .016   | 3.2         | .335   |
| .55                                        | .016   | 3.6         | .350   |
| .60                                        | .018   | 3.8         | .365   |
| .65                                        | .019   | 4.0         | .379   |
| .70                                        | .020   | 4.2         | .394   |
| .75                                        | .022   | 4.4         | .408   |
| .80                                        | .024   | 4.6         | .423   |
| .85                                        | .025   | 4.8         | .438   |
| .90                                        | .026   | 5.0         | .452   |
| .95                                        | .028   | 5.2         | .467   |
| 1.00                                       | .030   | 5.4         | .481   |
| 1.10                                       | .032   | 5.6         | .496   |
| 1.20                                       | .035   | 5.8         | .510   |
| 1.30                                       | .038   | 6.0         | .525   |
| 1.40                                       | .041   | 6.2         | .540   |
| 1.50                                       | .044   | 6.4         | .554   |
| 1.60                                       | .047   | 6.8         | .569   |

(34.285 grams/tonne = 1 ounce/ton)

**LEGEND**

- contact (observed, approximate or assumed)
- ~~~~ fault (observed, approximate or assumed)
- limit of outcrop
- bedding attitude
- fault attitude
- jointing attitude
- vein attitude
- soil sample (ppb Au)
- ③ diamond drill hole
- trench assay (grams/tonne Au)

**Lithologies**


|         |                                                                                                                                                                                                           |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| H1 (1a) | Dark limestones, thin shales and argillaceous limestones (may be in part Lower Cambrian) siderite                                                                                                         |
| H1 (1b) | Massive sulphide                                                                                                                                                                                          |
| H2 (1)  | Grey, black and green phyllites, in places graphitic and often interbedded with Hphl 2 and Hqu                                                                                                            |
| H2 (1)  | Pink, tan, maroon and green phyllitic siltstones and phyllites; often interbedded with Hphl 1                                                                                                             |
| H3 (1)  | Grey and buff coloured orthoquartzites, lithic quartzites and cherts, in places showing evidence of hydrothermal alteration, fracturing to larger, often includes interbedded Hphl 1; Hqu(a) - brecciated |
| H4 (1)  | Grey to buff coloured gritty quartzites and quartz-grits composed of bluish to milky quartz-<br>-aggregates in a coarse sandstone matrix                                                                  |
| Bx      | Quartzite breccia with tourmaline replacement and limonite-<br>-matrix                                                                                                                                    |

Numbers in brackets refer to units on geological map 1:1,000,000 (950 - Coal River).

Figure 16  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**TRENCH ASSAYS & GEOLOGY**  
HYLAND GOLD PROPERTY - SOUTH QUARTZ LAKE, YUKON  
HYLAND GOLD JOINT VENTURE

SCALE - 1:1000  
20 40 60 Metres  
20 40 60 Yards

To accompany report dated December 1981



CONVERSION TABLE: grams/tonne → ounces/ton

| <u>grams/<br/>tonne</u> | <u>oz/ton</u> | <u>grams/<br/>tonne</u> | <u>oz/ton</u> | <u>grams/<br/>tonne</u> | <u>oz/ton</u> |
|-------------------------|---------------|-------------------------|---------------|-------------------------|---------------|
| .03                     | .001          | 1.7                     | .050          | 7.0                     | .204          |
| .05                     | .002          | 1.8                     | .053          | 7.5                     | .219          |
| .10                     | .003          | 1.9                     | .055          | 8.0                     | .233          |
| .15                     | .004          | 2.0                     | .058          | 8.5                     | .248          |
| .20                     | .006          | 2.2                     | .064          | 9.0                     | .263          |
| .25                     | .007          | 2.4                     | .070          | 9.5                     | .277          |
| .30                     | .009          | 2.6                     | .076          | 10.0                    | .292          |
| .35                     | .010          | 2.8                     | .082          | 10.5                    | .306          |
| .40                     | .012          | 3.0                     | .088          | 11.0                    | .321          |
| .45                     | .013          | 3.2                     | .093          | 11.5                    | .335          |
| .50                     | .015          | 3.4                     | .099          | 12.0                    | .350          |
| .55                     | .016          | 3.6                     | .105          | 12.5                    | .365          |
| .60                     | .018          | 3.8                     | .111          | 13.0                    | .379          |
| .65                     | .019          | 4.0                     | .117          | 13.5                    | .394          |
| .70                     | .020          | 4.2                     | .123          | 14.0                    | .408          |
| .75                     | .022          | 4.4                     | .128          | 14.5                    | .423          |
| .80                     | .023          | 4.6                     | .134          | 15.0                    | .438          |
| .85                     | .025          | 4.8                     | .140          | 15.5                    | .452          |
| .90                     | .026          | 5.0                     | .146          | 16.0                    | .467          |
| .95                     | .028          | 5.2                     | .152          | 16.5                    | .481          |
| .00                     | .029          | 5.4                     | .158          | 17.0                    | .496          |
| .10                     | .032          | 5.6                     | .163          | 17.5                    | .510          |
| .20                     | .035          | 5.8                     | .169          | 18.0                    | .525          |
| .30                     | .038          | 6.0                     | .175          | 18.5                    | .540          |
| .40                     | .041          | 6.2                     | .181          | 19.0                    | .554          |
| .50                     | .044          | 6.4                     | .187          | 19.5                    | .569          |
| .60                     | .047          | 6.8                     | .198          | 20.0                    | .583          |

(34.285 grams/tonne = 1 ounce/ton)

### Lithologies

RIAN-HADRYNIAN

1a) Dark limestones, limy shales and argillaceous limestones  
(may be in part Lower Cambrian)  
ls siderite

1m massive sulphide

1 (1)  
Grey, black and green phyllites, in places graphitic and often interbedded with Hph 2 and Hqu

2 (1) Pink, tan, maroon and green phyllitic siltstones and phyllites; often interbedded with Hph 1

1) Grey and buff coloured orthoquartzites, lithic quartzites and calcareous quartzites, in places showing evidence of hydrothermal alteration; gradational to Hgr; often includes interbedded Hph1; Hqu(a) - strong silicic alteration; Hqu(bx) - brecciated

1)  
Grey to buff coloured gritty quartzites and quartz-augen grits composed of bluish to milky quartz-augen in a coarse sandstone matrix

Quartzite breccia with tourmaline replacement and limonite-hematite matrix

ers in brackets refer to units on geological map  
568 (95D - Coal River).

Figure 17

RCHER, CATHRO & ASSOCIATES (1981) LIMITED

# **VERTICAL SECTION A-A'**


## **DDH 88-1**

# HYLAND GOLD PROPERTY QUARTZ LAKE, YUKON

#### YI AND GOLD JOINT VENTURE

SCALE 1:500

A scale bar at the bottom of the figure. It features a horizontal black line with numerical markings. Above the line, 'Metres' is written in black. Below the line, 'Feet' is written in black. The markings are as follows: 5, 10, 20, 30, 40, 50 Metres (along the top) and 50, 100, 150 Feet (along the bottom). The 50 Metre mark aligns with the 50 Foot mark.



| CONVERSION TABLE: grams/tonne → ounces/ton |        |                 |        |                 |
|--------------------------------------------|--------|-----------------|--------|-----------------|
| grams/<br>tonne                            | oz/ton | grams/<br>tonne | oz/ton | grams/<br>tonne |
| .03                                        | .001   | 1.7             | .050   | 7.0             |
| .05                                        | .002   | 1.8             | .053   | 7.5             |
| .10                                        | .003   | 1.9             | .055   | 8.0             |
| .15                                        | .004   | 2.0             | .058   | 8.5             |
| .20                                        | .006   | 2.2             | .064   | 9.0             |
| .25                                        | .007   | 2.4             | .070   | 9.5             |
| .30                                        | .009   | 2.6             | .076   | 10.0            |
| .35                                        | .010   | 2.8             | .082   | 10.5            |
| .40                                        | .012   | 3.0             | .088   | 11.0            |
| .45                                        | .013   | 3.2             | .093   | 11.5            |
| .50                                        | .015   | 3.4             | .099   | 12.0            |
| .55                                        | .016   | 3.6             | .105   | 12.5            |
| .60                                        | .018   | 3.8             | .111   | 13.0            |
| .65                                        | .019   | 4.0             | .117   | 13.5            |
| .70                                        | .020   | 4.2             | .123   | 14.0            |
| .75                                        | .022   | 4.4             | .128   | 14.5            |
| .80                                        | .023   | 4.6             | .134   | 15.0            |
| .85                                        | .025   | 4.8             | .140   | 15.5            |
| .90                                        | .026   | 5.0             | .146   | 16.0            |
| .95                                        | .028   | 5.2             | .152   | 16.5            |
| 1.00                                       | .029   | 5.4             | .158   | 17.0            |
| 1.10                                       | .032   | 5.6             | .163   | 17.5            |
| 1.20                                       | .035   | 5.8             | .169   | 18.0            |
| 1.30                                       | .038   | 6.0             | .175   | 18.5            |
| 1.40                                       | .041   | 6.2             | .181   | 19.0            |
| 1.50                                       | .044   | 6.4             | .187   | 19.5            |
| 1.60                                       | .047   | 6.8             | .198   | 20.0            |

(34.285 grams/tonne = 1 ounce/ton)

#### Lithologies

##### CAMBRIAN-HADRYNIAN

H1-(1a)  
Dark limestones, limy shales and argillaceous limestones (may be in part Lower Cambrian)  
1s siderite

1m massive sulphide

Hph 1 (1)  
Grey, black and green phyllites, in places graphitic and often interbedded with Hph 2 and Hqu

Hph 2 (1)  
Pink, tan, maroon and green phyllitic siltstones and phyllites; often interbedded with Hph 1

Hqu-(1)  
Grey and buff coloured orthoquartzites, lithic quartzites and calcareous quartzites, in places showing evidence of hydrothermal alteration; gradational to Hgr; often includes interbedded Hph1; Hqu(a) - strong silicic alteration; Hqu(bx) - brecciated

Hgr (1)  
Grey to buff coloured gritty quartzites and quartz-  
augen grits composed of bluish to milky quartz-  
augen in a coarse sandstone matrix

Bx  
Quartzite breccia with tourmaline replacement and limonite-hematite matrix

Numbers in brackets refer to units on geological map 11-1568 (95D - Coal River).

Figure 18


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


## VERTICAL SECTION B-B' DDH 88-2; DDH 88-3

HYLAND GOLD PROPERTY

QUARTZ LAKE, YUKON

HYLAND GOLD JOINT VENTURE





| CONVERSION TABLE: grams/tonne → ounces/ton |        |                 |        |                 |
|--------------------------------------------|--------|-----------------|--------|-----------------|
| grams/<br>tonne                            | oz/ton | grams/<br>tonne | oz/ton | grams/<br>tonne |
| .03                                        | .001   | 1.7             | .050   | 7.0             |
| .05                                        | .002   | 1.8             | .053   | 7.5             |
| .10                                        | .003   | 1.9             | .055   | 8.0             |
| .15                                        | .004   | 2.0             | .058   | 8.5             |
| .20                                        | .006   | 2.2             | .064   | 9.0             |
| .25                                        | .007   | 2.4             | .070   | 9.5             |
| .30                                        | .009   | 2.6             | .076   | 10.0            |
| .35                                        | .010   | 2.8             | .082   | 10.5            |
| .40                                        | .012   | 3.0             | .088   | 11.0            |
| .45                                        | .013   | 3.2             | .093   | 11.5            |
| .50                                        | .015   | 3.4             | .099   | 12.0            |
| .55                                        | .016   | 3.6             | .105   | 12.5            |
| .60                                        | .018   | 3.8             | .111   | 13.0            |
| .65                                        | .019   | 4.0             | .117   | 13.5            |
| .70                                        | .020   | 4.2             | .123   | 14.0            |
| .75                                        | .022   | 4.4             | .128   | 14.5            |
| .80                                        | .023   | 4.6             | .134   | 15.0            |
| .85                                        | .025   | 4.8             | .140   | 15.5            |
| .90                                        | .026   | 5.0             | .146   | 16.0            |
| .95                                        | .028   | 5.2             | .152   | 16.5            |
| 1.00                                       | .029   | 5.4             | .158   | 17.0            |
| 1.10                                       | .032   | 5.6             | .163   | 17.5            |
| 1.20                                       | .035   | 5.8             | .169   | 18.0            |
| 1.30                                       | .038   | 6.0             | .175   | 18.5            |
| 1.40                                       | .041   | 6.2             | .181   | 19.0            |
| 1.50                                       | .044   | 6.4             | .187   | 19.5            |
| 1.60                                       | .047   | 6.8             | .198   | 20.0            |

(34.285 grams/tonne = 1 ounce/ton)

#### Lithologies

##### CAMBRIAN-HADRYNIAN

H1 (1a)  
Dark limestones, limy shales and argillaceous limestones  
(may be in part Lower Cambrian)  
is siderite

1m massive sulphide

Hph 1 (1)  
Grey, black and green phyllites, in places graphitic  
and often interbedded with Hph 2 and Hqu

Hph 2 (1)  
Pink, tan, maroon and green phyllitic siltstones and  
phyllites; often interbedded with Hph 1

Hqu (1)  
Grey and buff coloured orthoquartzites, lithic quartzites  
and calcareous quartzites, in places showing evidence of  
hydrothermal alteration; gradational to Hgr; often includes  
interbedded Hph1; Hqu(a) - strong silicic alteration;  
Hqu(bx) - brecciated

Hgr (1)  
Grey to buff coloured gritty quartzites and quartz-  
augen grits composed of bluish to milky quartz-  
augen in a coarse sandstone matrix

Bx Quartzite breccia with tourmaline replacement and limonite-  
hematite matrix

Numbers in brackets refer to units on geological map  
11-1568 (950 - Coal River).

Figure 19

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

## VERTICAL SECTION C-C' DDH 88-4

HYLAND GOLD PROPERTY

QUARTZ LAKE, YUKON

HYLAND GOLD JOINT VENTURE

