

PROSPECTING REPORT
for
1991 YUKON MINING INCENTIVES PROGRAM
by
BRIAN CARTER
16 December 1991

Areas Prospected:
Mitchie Creek (105D09)
Lone Pine Mountain (115H16)
Excelsior Creek (115J15)

Confidential till 1996

SUMMARY

During the 1991 field season, with assistance from the Yukon Mining Incentive Program three target areas were prospected. Each prospecting trip was successful to a greater or lesser extent.

Excelsior Creek

The potential for placer gold, deposits of a felsic association (porphyry and veins and skarns associated with porphyries), and deposits of an ultramafic association all exist in this area. Prospecting in 1991 located target areas for all three of these deposit types.

Lone Pine Mountain

Epithermal type mineralization was successfully located in this area. Extensive alteration in chalcedonic breccia zones did not carry gold values worthy of further investigation. However, due to the proximity to the road and the spectacular alteration minerals found, the area has promise for commercial production of cut, decorative and lapidary stone.

Michie Creek

Initial sampling results were promising enough to warrant extending this program into 1992. Anomalous values in gold and copper along with promising geology require follow-up before staking claims.

TABLE OF CONTENTS

Summary 1
Table of Contents 2
Excelsior Creek 3
Map of Excelsior Creek 5
Lone Pine Mountain 6
Map of Lone Pine Mountain 7
Michie Creek 8
Map of Michie Creek 9
Statement of Costs 10

Assay Results Appendix A

EXCELSIOR CREEK

(Target #3)

Location

Target #3 is located at Excelsior Creek, a tributary of the Yukon River, found on map area 115J15, 60° 53' N., 138° 58' W.

Access

Access from Whitehorse is by vehicle via the Klondike Highway to Minto Landing 230km, and further by boat down the Yukon River 144km to Excelsior Creek.

History

In 1898 placer mining was undertaken by J. Beavan, and 5 other New Zealand miners on Excelsior Creek. The area is fairly close to other mineral occurrences and placer mines: Patton Hill, Casino, Bomber, Helicopter, Canadian Creek, etc. .

Regional Geology

Within the Dawson Range schists and gneisses are commonly seen, including the Pelly Gneiss and Klondike Schist of this area. A prominent feature in the area is an East-West trending anticline. The headwaters of the creek are found in Triassic hornblende granodiorite. The polymetallic showings on the south side of the Casino copper-molybdenum porphyry deposit are associated with this intrusive suite.

Local Geology

The area is highly metamorphosed with quartz muscovite schist, bull quartz (assayed at 162 ppb Au) and with garnet pyroxene skarn common. Epidote, pink orthoclase, and quartzite bands were seen in the schist unit. A Tertiary rhyolite dike (T-2-4), was sampled. Metamorphosed limestone was seen, as was an amphibolite and/or actinolite skarn. Along the upper half of the creek, granodiorite with pyrite was noted. Metamorphosed basic or ultrabasic rock may explain the anomalously high values of 108ppm Ni, and 24ppm Co from sample T-2-7. Under a microscope, this sample showed traces of hornblende, with traces of bornite, actinolite and magnetite.

Prospecting Geology

Rock sampling results returned clearly anomalous levels in a wide range of elements. Some of the samples assayed showed anomalous values of Cu, Pb, Zn, Au, Ag, Ni, and Co. The wide range of elements that returned values of interest and the lack of any obvious pattern to the results is intriguing but confusing. It would appear that two suites of rocks with different geochemical signatures are responsible for the enigmatic results. The felsic intrusions have resulted in widespread skarn and porphyry mineralization.

The high metallic levels in Cu, Au, Pb, Zn, Ag and Mo are associated with this event. The notable values in Ni, Co, Au and Cu may be attributed to ultramafic lenses that may be occurring on the sole of a thrust fault that cuts across Excelsior Creek.

Shafting and Panning

No gold was observed in panning. Three shafts were attempted, none of which reached bedrock due to large boulders 3 - 5 ft. in size. Total depth reached was 7 ft. of which the first foot was moss, the next 2 ft., were frozen black muck, and the remaining 4 ft. consisted of frozen sand, gravel, and boulders.


Conclusions and Recommendations

The history of the area and anomalous assays warrant further prospecting. The area continues to hold good placer potential that requires further testing. Two different target rock suites, one felsic the other ultramafic, hold the promise of a wide range of potential deposit types for several elements and/or mineral products.

The recent announcement by Big Creek Resources that it is earning a 50% interest in the Casino property enhances the potential of this area to provide a saleable prospecting target. (N. Miner, December 9, 1991, p. 24)

Target #3, Excelsior Creek

● Rock Sample ○ Soil, Silt Sample Au/Ag/Cu/Pb/Zn/Ni/Co



LONE PINE AND BUSHY MOUNTAIN AREA

(Target #2)

Location

Target #2 is found on map area 115H16, 61° 55' N, 136° 12' W.

Access

Access to this site is via the Klondike Highway, travelling 158km north of Whitehorse, to a point about 20 km south of Carmacks.

Regional Geology

Late Cretaceous to Eocene Carmacks Volcanics are found overlaying and cutting Jurassic Tantalus Formation clastic sediments in most of the area. The Eocene intermediate volcanic and porphyry dikes are related to epithermal gold deposits in the Dawson Range. Carmacks Volcanic Basalt flows unconformably overlay the older topography.

Local Geology and History

Pine Mountain Creek was previously staked and prospected by A. Carlos.

Tertiary Volcanics were seen including a light green volcanic rock, (either andesite or rhyolite) that was vesicular, amygdaloidal, and had feldspar phenocrysts. Limonite staining and clay alteration were seen, as well as volcanic flows containing clasts of the Tantalus formation.

Bushy Mountain Creek


This area was previously prospected and staked by Don Banks.

Basalt flows examined in the area contain green-stained(ferrous), volcanic breccia as well as the Tantalus Formation and other older, sedimentary rocks. Bull quartz veins were noted, as well as green colored quartz chalcedony, in veins 1/2" to 4" wide, striking North/South, and dipping 80° W.

Conclusions and Recommendations

No anomalous values were found in five rock samples and four stream samples. Further prospecting may discover epithermal veins containing economic mineralization. The chalcedony and quartz veining may be of interest to lapidary and rock shops.

Target #2, Lone Pine And Bushy Mountain Area



MICHIE CREEK AREA

(Target #1)

Location

Target #1 is found on map area 105D09, 60° 43' N., 134° 22' W.

Access

Approximately 40km southwest of Whitehorse, an old logging road leaves the Alaska Highway, heading north. Target #1 is approximately 20 km north of the highway.

Regional Geology

The local rocks are metamorphosed, Upper Triassic Lewes River Group volcanics and clastic sediments, with intrusions of Cretaceous, granitic, Coast Mountain rocks of hornblende diorite.

Local Geology


Rhyolite dikes and quartz veining were seen, as well as metamorphosed siltstone, and chloritic hornblende. Skarns were widespread, with banded garnet, pyroxene, calcite, epidote, and massive magnetite. Pyrite and chalcopyrite was seen in calcite stringers associated with magnetite skarn. Crystal filled geodes, containing sulphides and malachite staining were found in the vicinity of quartz stringers and veining. Diorite, some showing foliation, was noted. Anomalous values of Au, Ag, Cu, Pb, Zn, Cr, are seen in a number of the rock sample results.

Conclusions and Recommendations

Samples from the skarns at lower elevations show anomalous assay values, and warrant further prospecting, and a possible E.M. survey. Rhyolite dikes and quartz veining at the higher elevations also warrant further prospecting for epithermal, vein type deposits.

Target #1, Michie Creek Area

• Rock Sample Au/Ag/Cu/Pb/Zn/*Cr



**1991 YUKON MINING INCENTIVES PROGRAM
 Brian Carter - Expense Summary**

Expense Category	Target #1	Target#2	Target#3	Overall	Total
Travel	202.92	603.06	273.98		1,079.96
Living Expenses	1,636.80	897.60	1,372.80		3,907.20
Equipment Purchases		72.20			72.20
Rentals	1,600.00		400.00		2,000.00
Miscellaneous	31.91	25.58	31.82	21.26	110.57
Assays	517.18	103.89	275.47		896.54
Freighting Cost			75.00		75.00
Prospecting Report				660.00	660.00
Total by Project	3,988.81	1,702.33	2,429.07	681.26	\$8,801.47

Notes:

Miscellaneous includes maps and sample bags

Equipment purchase is for a compass

Prospecting report included typing, drafting and technical assistance to assist me in writing my own report.

Appendix A
Assay Results

LOVE PINE, MT. + CREEK.

July 4, 1991

Work Order # 13198

Brian Carter
604A Kathleen Rd.
Whitehorse, Yukon

Assay Certificate For Samples Provided

Sample #	Au ppb
TT-1	<5
TT-3	14
TT-4 1+2	<5
TT-4 3,4,5,6	<5
TT-4 7	<5
RB-1	<5
LB-2	5
BV-3	<5
BC-4	<5

Certified by Chapelle





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Hg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
13198 TT-1	7	16	7	65	.1	6	8	375	2.27	16	5	ND	4	229	.7	5	2	85	1.20	.070	15	97	.49	597	.15	4	1.58	.20	.22	1
13198 TT-3	3	24	4	40	.1	7	16	1161	1.56	8	5	ND	2	127	.6	3	2	46	.65	.042	12	45	.47	532	.07	2	.90	.12	.29	1
13198 TT-4 (1,2)	1	5	2	26	.1	2	2	547	.68	4	5	ND	4	188	.5	2	2	24	11.49	.031	10	12	.18	3976	.08	2	.86	.35	.16	2
13198 TT-4 (3,4,5,6)	3	6	5	32	.1	3	6	769	.97	6	5	ND	3	190	.4	2	2	31	4.15	.039	9	49	.15	1880	.08	2	.78	.28	.20	1
13198 TT-4 (7)	1	11	5	31	.1	2	5	407	1.05	5	5	ND	3	161	.2	2	2	32	1.12	.055	11	17	.33	288	.04	2	1.28	.27	.38	1
13198 RB-1	3	16	11	53	.1	14	8	450	2.51	9	5	ND	3	127	.5	4	6	56	1.72	.064	10	58	.71	144	.10	3	1.29	.10	.11	1
13198 LB-2	4	16	9	54	.1	12	7	421	2.10	7	5	ND	3	135	.5	3	3	46	1.42	.058	10	56	.57	147	.09	3	1.17	.10	.10	1
13198 BV-3	4	18	7	50	.1	13	7	444	2.37	4	5	ND	4	121	.5	2	2	55	1.62	.061	11	62	.61	146	.10	3	1.22	.11	.11	1
13198 BC-4	3	20	8	54	.1	16	8	493	2.45	6	5	ND	4	139	.7	4	2	54	1.74	.059	10	56	.73	227	.10	4	1.40	.10	.11	1
STANDARD C	17	60	38	131	7.2	69	33	1039	3.92	36	21	7	39	53	18.7	16	18	57	.49	.092	40	57	.89	177	.09	33	1.90	.06	.15	11

EXCELSIOR CREEK

September 27, 1991

Work Order # 13437

Brian Carter

Assay Certificate For Samples Provided

Sample #	Au ppb
T-1-1	5
T-2a	126
T-2b	115
T-2c	7
T-4	15
T-6	5
T-7	<5
T-7a	12
T-8	5
T-9	6
T-10	9
T-1-10b	24
T-1-10c	13
T-1-12	270
T-1-13	29
T-1-14	8
T-1-15	6
T-1-16	7
T-1-17-1	9
T-1-17-2	13
T-1-17-3	12
T-1-17-4	<5
T-1-18	<5
T-1-19	30

Certified by Chyokki





ACRE ANALYTICAL



ACRE ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
✓13437 T-1-1	3	74	295	11	1.0	1	1	180	.25	8	5	ND	30	4	.2	2	3	1	.09	.011	11	33	.04	43	.01	2	.19	.09	.05	1
✓13437 T-2a	2	59	20	57	.5	40	20	294	4.12	4	5	ND	1	7	.2	2	2	115	.84	.060	3	123	1.01	79	.33	2	1.42	.10	.70	2
✓13437 T-2b	2	74	420	35	1.7	16	17	258	2.68	12	5	ND	1	16	.2	2	2	72	.94	.077	4	29	1.06	40	.26	2	1.20	.08	.07	2
✓13437 T-2c	2	112	12	40	.1	14	20	268	2.64	2	5	ND	1	23	.2	2	2	86	1.32	.066	2	37	.62	86	.43	2	1.01	.06	.43	1
13437 T-4	2	156	31	54	.5	19	19	676	4.63	2	5	ND	1	19	.2	2	6	109	1.89	.080	3	27	.78	119	.35	2	1.17	.08	.66	2
13437 T-6	1	65	7	47	.3	22	22	517	3.21	101	5	ND	1	16	.3	2	2	62	.90	.054	2	43	1.50	45	.31	2	1.74	.06	.12	3
13437 T-7	1	55	17	69	.1	24	21	383	6.42	2	7	ND	1	16	.2	2	2	123	.72	.055	2	57	1.54	65	.36	2	1.93	.04	1.17	1
✓13437 T-7a	1	32	10	69	.5	29	21	304	5.43	6	5	ND	1	24	.3	2	4	134	1.02	.056	2	124	1.05	49	.28	2	1.60	.05	.69	2
13437 T-8	1	100	14	27	.5	9	13	432	2.24	3	9	ND	1	22	.2	2	2	73	2.58	.066	2	24	.63	36	.34	2	1.11	.06	.14	2
13437 T-9	1	130	8	72	.7	17	20	518	5.14	3	5	ND	1	20	.2	2	2	106	1.11	.105	3	19	1.11	93	.45	2	1.73	.04	.80	1
✓13437 T-10	6	9376	12	113	2.2	19	29	344	8.24	2	5	ND	1	102	1.4	2	36	77	1.54	.040	2	35	.55	14	.03	2	1.63	.01	.06	1
✓13437 T-1-10b	8	289	14	142	1.2	98	70	2766	11.53	10	8	ND	1	22	1.0	2	9	217	1.67	.015	14	60	3.85	69	.19	2	4.52	.01	.14	2
✓13437 T-1-10c	2	243	9	90	.8	44	28	1663	5.43	4	5	ND	1	245	.7	2	2	118	15.47	.008	2	37	2.56	31	.04	2	3.06	.01	.06	1
✓13437 T-1-12	4	2514	2	63	2.9	19	20	844	4.00	2	5	ND	1	41	.3	2	17	76	6.00	.019	2	68	1.73	14	.19	2	1.98	.01	.09	2
✓13437 T-1-13	3	80	4	100	.6	27	33	1202	6.17	16	5	ND	2	21	.3	2	2	98	3.95	.073	2	50	3.02	27	.11	2	3.11	.02	.03	3
RE 13437 T-10	6	9326	12	116	2.0	20	31	356	8.41	4	5	ND	1	99	1.4	2	29	76	1.57	.040	2	37	.58	16	.02	2	1.62	.01	.04	1
13437 T-1-14	2	63	8	65	.1	31	12	733	3.55	2	5	ND	6	46	.2	2	2	52	1.04	.091	15	51	1.46	374	.18	2	1.90	.04	.71	2
13437 T-1-15	2	57	2	28	.1	23	14	271	2.16	2	5	ND	1	44	.2	2	2	58	1.47	.044	2	44	.94	75	.28	2	2.07	.22	.09	2
13437 T-1-16	2	60	2	47	.1	18	18	287	3.81	2	5	ND	1	12	.2	2	2	69	.60	.033	2	32	1.64	245	.29	2	1.96	.07	.76	2
13437 T-1-17-1	1	91	9	87	.3	6	23	1050	4.89	8	5	ND	17	293	.2	2	6	162	3.45	.371	77	12	.97	87	.23	2	1.76	.17	.50	1
13437 T-1-17-2	4	65	7	62	.1	5	8	605	2.86	2	5	ND	11	54	.2	2	3	40	.73	.086	24	36	.61	110	.14	2	1.15	.09	.40	1
13437 T-1-17-3	3	34	3	54	.1	15	6	579	2.15	2	5	ND	5	71	.2	2	2	30	.74	.074	17	42	.66	184	.16	2	1.30	.12	.41	1
13437 T-1-17-4	8	43	2	49	.1	12	10	469	2.23	4	5	ND	1	23	.2	2	2	29	.43	.021	3	76	.92	217	.16	2	1.36	.06	.59	3
13437 T-1-18	2	101	9	106	.3	11	28	1042	6.37	15	5	ND	8	125	.2	2	2	187	3.18	.401	39	21	2.82	778	.37	2	4.13	.03	2.50	1
13437 T-1-19	3	33	5	73	.3	10	9	950	2.55	2	5	ND	4	85	.2	2	3	38	1.49	.070	12	48	.96	502	.18	2	1.68	.09	.82	1
STANDARD C	19	62	42	132	7.4	70	32	1049	3.97	42	22	7	36	51	18.6	15	21	55	.48	.090	40	59	.88	176	.09	34	1.89	.06	.15	11

Samples beginning 'RE' are duplicate samples.

$$10,000,000 \text{ ppm} = 10 \text{ ppt} = 0.1\%$$

$$1,000,000 \text{ ppm} = 1 \text{ ppt} = 0.01\%$$

MITCHIE CREEK.

August 29, 1991

Work Order # 13319

Brian Carter

Assay Certificate For Samples Provided

Sample #	Au ppb
T-2-1	162
T-2-2	49
T-2-3	<5
T-2-4	<5
T-2-5A	116
T-2-5B	<5
T-2-7	<5
T-2-8	<5
T-2-10	71*
T-2-11	<5
T-2-12	<5
TT-2-1	<5
T2-11	<5
T2-12	<5
T2-13	<5

SO. L.S. STREAM SAMPLES

Certified by *Chyokki*





GEOCHEMICAL ANALYSIS CERTIFICATE



Northern Analytical Labs. Ltd. PROJECT WO#13319

File # 91-3925

105 Copper Road, Whitehorse YT Y1A 2Z7

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Hg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
T-2-1	18	16	1013	96	8.4	11	5	1124	.74	56	5	ND	1	7	.2	6	2	7	.20	.004	2	186	.16	106	.01	8	.30	.01	.08	1
T-2-2	11	28	219	309	4.0	12	4	261	1.07	10	5	ND	4	127	2.8	4	2	16	6.15	.021	8	124	.23	31	.10	4	.90	.02	.04	1
T-2-3	15	14	41	32	1.8	26	7	1990	.64	12	5	ND	1	12	.2	2	2	7	.25	.008	3	145	.08	47	.01	2	.12	.01	.01	1
RE T-2-7	7	31	13	45	.3	104	23	241	1.77	5	5	ND	6	55	.2	2	2	16	1.00	.028	34	102	.68	35	.16	2	1.31	.02	.09	1
T-2-4	1	1	21	7	.4	2	1	248	.32	4	5	ND	2	667	.2	2	2	3	28.57	.016	2	6	3.72	20	.01	3	.07	.01	.01	1
T-2-5A	5	9	11	52	.1	27	10	440	2.89	2	5	ND	1	32	.2	2	2	77	2.16	.053	2	99	1.31	146	.16	2	1.93	.15	.23	1
T-2-5B	17	25	5	22	.3	8	3	93	1.25	2	5	ND	3	19	.2	2	2	23	.16	.021	6	201	.23	113	.09	3	.49	.06	.22	1
T-2-7	7	31	11	49	.3	108	26	220	1.84	6	5	ND	5	57	.2	2	2	16	1.05	.030	34	103	.76	36	.16	2	1.34	.02	.09	1
T-2-8	5	25	7	25	.1	24	8	536	2.67	2	5	ND	5	134	.2	2	2	35	3.34	.068	11	75	.96	79	.11	2	1.35	.04	.04	5
T-2-10	10	72	16	67	.2	27	5	161	1.46	45	5	ND	2	30	.2	2	2	93	1.01	.363	2	101	.06	180	.01	6	.55	.01	.25	1
T-2-11	16	10	11	17	.4	21	5	150	.84	3	5	ND	9	119	.3	2	2	18	3.12	.051	26	59	.42	228	.12	18	1.39	.20	.12	1
T-2-12	3	28	6	61	.5	36	16	565	2.86	2	5	ND	9	71	.5	2	2	55	1.17	.092	8	89	2.12	394	.20	4	2.85	.08	1.57	1
T2-2-1	1	27	19	110	.4	29	13	544	3.56	41	5	ND	12	54	.3	4	2	62	.70	.080	21	39	.93	207	.11	5	1.53	.02	.21	1
T2-11	1	22	40	135	.2	30	11	247	3.17	44	5	ND	16	36	.2	2	2	26	.69	.075	20	25	.47	153	.02	3	.97	.01	.12	1
T2-12	1	19	28	98	.2	23	12	701	3.16	17	5	ND	10	64	.2	2	2	59	.76	.071	22	36	.84	182	.09	4	1.50	.02	.14	1
T2-13	1	17	7	74	.4	18	12	581	3.57	28	5	ND	8	55	.2	3	2	76	.67	.082	20	33	.92	180	.12	3	1.76	.03	.15	1
STANDARD C	18	59	36	131	7.1	70	32	1044	3.93	42	16	7	38	52	17.4	16	19	55	.47	.093	37	56	.87	178	.08	33	1.93	.06	.14	13.

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: PULP Samples beginning 'RE' are duplicate samples.

DATE RECEIVED: AUG 28 1991 DATE REPORT MAILED: *Sept 3/91* SIGNED BY: *C. Leung* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



GEOCHEMICAL ANALYSIS CERTIFICATE



Northern Analytical Labs. Ltd. PROJECT WO#13319
105 Copper Road, Whitehorse YT Y1A 2Z7

File # 91-3925

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm
T-2-1	18	16	1013	96	8.4	11	5	1124	.74	56	5	ND	1	7	.2	6	2	7	.20	.004	2	186	.16	106	.01	8	.30	.01	.08	1
T-2-2	11	28	219	309	4.0	12	4	261	1.07	10	5	ND	4	127	2.8	4	2	16	6.15	.021	8	124	.23	31	.10	4	.90	.02	.04	1
T-2-3	15	14	41	32	1.8	26	7	1990	.64	12	5	ND	1	12	.2	2	2	7	.25	.008	3	145	.08	47	.01	2	.12	.01	.01	1
RE T-2-7	7	31	13	45	.3	104	23	241	1.77	5	5	ND	6	55	.2	2	2	16	1.00	.028	34	102	.68	35	.16	2	1.31	.02	.09	1
T-2-4	1	1	21	7	.4	2	1	248	.32	4	5	ND	2	667	.2	2	2	3	28.57	.016	2	6	3.72	20	.01	3	.07	.01	.01	1
T-2-5A	5	9	11	52	.1	27	10	440	2.89	2	5	ND	1	32	.2	2	2	77	2.16	.053	2	99	1.31	146	.16	2	1.93	.15	.23	1
T-2-5B	17	25	5	22	.3	8	3	93	1.25	2	5	ND	3	19	.2	2	2	23	.16	.021	6	201	.23	113	.09	3	.49	.06	.22	1
T-2-7	7	31	11	49	.3	108	24	220	1.84	6	5	ND	5	57	.2	2	2	16	1.05	.030	34	103	.76	36	.16	2	1.34	.02	.09	1
T-2-8	5	25	7	25	.1	24	8	536	2.67	2	5	ND	5	134	.2	2	2	35	3.34	.068	11	75	.96	79	.11	2	1.35	.04	.04	5
T-2-10	10	72	16	67	.2	27	5	161	1.46	45	5	ND	2	30	.2	2	2	93	1.01	.363	2	101	.06	180	.01	6	.55	.01	.25	1
T-2-11	16	10	11	17	.4	21	5	150	.84	3	5	ND	9	119	.3	2	2	18	3.12	.051	26	59	.42	228	.12	18	1.39	.20	.12	1
T-2-12	3	28	6	61	.5	36	16	565	2.86	2	5	ND	9	71	.5	2	2	55	1.17	.092	8	89	2.12	394	.20	4	2.85	.08	1.57	1
T2-2-1	1	27	19	110	.4	29	13	544	3.56	41	5	ND	12	54	.3	4	2	62	.70	.080	21	39	.93	207	.11	5	1.53	.02	.21	1
T2-11	1	22	40	135	.2	30	11	247	3.17	44	5	ND	16	36	.2	2	2	26	.69	.075	20	25	.47	153	.02	3	.97	.01	.12	1
T2-12	1	19	28	98	.2	23	12	701	3.16	17	5	ND	10	64	.2	2	2	59	.76	.071	22	36	.84	182	.09	4	1.50	.02	.14	1
T2-13	1	17	7	74	.4	18	12	581	3.57	28	5	ND	8	55	.2	3	2	76	.67	.082	20	33	.92	180	.12	3	1.76	.03	.15	1
STANDARD C	18	59	36	131	7.1	70	32	1044	3.93	42	16	7	38	52	17.4	16	19	55	.47	.093	37	56	.87	178	.08	33	1.93	.06	.14	13

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: PULP Samples beginning 'RE' are duplicate samples.

DATE RECEIVED: AUG 28 1991 DATE REPORT MAILED: *Sept 3/91* SIGNED BY: *C. Long* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS