

EDITH CREEK

Claim sheet # 115F-9

LAT. $61^{\circ} 40'$

LONG. $140^{\circ} 10'$

Report by Thomas Suisdahl

File # 94-068

Prospecting and sample taking
from June 14 1994 to Sept 15 1994.

Location:

Edith creek is located at mile 1147 on the Alaska highway

Access:

From the highway at mile 1147 there is a bush road going up the west side of the creek for approx. one mile. From there access is by foot.

Previous Work History:

In 1969 there were two placer claims filed on Edith creek, but no work was done on them. There was a placer lease on the creek where test pits were dug with a cat. I found many old claim posts throughout the area but none that had tags on them

Pertains to next page

Marty Tompkins -
He has to say appear
cause in all the time
he spent he never bothered
to check it out!

ON BACK OF
PREVIOUS PAGE

Glaciation:

The area was glaciated (Late Wisconsinan) and left glacial till varying in depth from nil to over one hundred feet. The till consists of boulders, gravel, sand and clay sediments. The whole area is covered with white volcanic ash.

Physiology:

At here Edith creek leaves the Shakwak valley it has vertical canyon walls in places. In other spots for the first five km. it is steep broken rock. Above where the creek forks approx five miles from the highway, the valleys widen out so there are no more bedrock outcrops close to the creek. Higher on the mountains there are many outcrops, all appear to be quite fractured.

Work completed:

Samples were taken from various outcrops along with several soil samples. They were taken in to Northeln Analytical Laboratories for Assay. Sample locations were recorded on attached map and rock descriptions are recorded in report.

Geology:

The host country rock is slightly to highly metamorphosed Permian Triassic volcanics, argillites and siltstone. This has been intruded by much younger granitic rock. Faulting tends to run in a north easterly to south westerly direction.

Future activities planned:

Two anomalous gold assays warrant further investigation which is planned for spring.
Sample 5, 16, 17, 22,

Analysis of samples by:

Gold - Northern analytical laboratories.
30 elements - International plasma laboratories.

Qualifications:

Beginner + Advanced prospecting courses

- ① qtz veins in green mafic host 1-10 cm wide
- ② qtz veins between dark green host + granite intrusion
- ③ float light green host with many qtz veins
- ④ float black large evenly distributed crystals
- ⑤ wide qtz veins 6" in green host
- ⑥ many small qtz veins in dark green host
- ⑦ soft black graphitic looking rock
- ⑧ qtz veins 1-4" wide in soft black rock.
- ⑨ pink granitic looking rock
- ⑩ granite intrusion beside green host
- ⑪ green host with qtz veining
- ⑫ granite with bluish staining
- ⑬ green layer full of small qtz veins between granite
- ⑭ granite outcrop
- ⑮ bluish looking host with small qtz veins
- ⑯ green host with qtz veining

- 17) dark green host with many small qtz veins
- 18) soil sample
- 19) soil sample
- 20) soil sample
- 21) soil sample
- 22) qtz vein between granite + green host
- 23) green host rock containing small qtz veins
- 24) qtz nodules cemented together with grey rock
- 25) green host rock with many small qtz veins
- 26) greenish host with small pyrites crystals
- 27) green host with small pyrites particles
- 28) blueish host with many small qtz veins
- 29) dark granitic looking outcrop
- 30) qtz vein 2-3" wide in green host
- 31) greyish host with rusty staining with green + yellow staining

- (33) green host with several qtz veins red stain through it.
- (34) green host rock with many qtz veins.
- (35) vein of qtz 2" wide in bluish green host rock.
- (36) purplish looking rock in granite outcrop
- (37) qtz vein in blue host with green & white flecks in it
- (38) qtz vein with pyrites flecks in it.
- (39) granite pink turning to grey small flecks of pyrites
- (40) granite changing from large light crystals to small dark crystal
- (41) pink granite with silvery mineralization
- (42) green host with some black areas slightly magnetic
- (43) dark green host with silvery particles throughout
- (44) vein of qtz $\frac{1}{2}$ -2" wide in green host
- (45) vein of yellow rock in green host 1' wide
- (46) bluish host rock with qtz veins, pyrites showing stained brown
- (47) qtz vein in blue host with pyrites showing
- (48) qtz vein in green host rock with pyrites

- (49) qtz vein in greenish host rock
- (50) slate host with pyrites with green & blue staining
- (51) green host rock with streaks of brown in it.
- (52) qtz veins from 1-4" wide in green host rock
- (53) qtz vein in green host rock
- (54) light grey host rock with many qtz veins running thru.
- (55) dark green rock with small silvery pyrites weathered brown
- (56) small qtz veins in green host rock some pyrites
- (57) dark green host rock very brown on surface
- (58) qtz veins in dark green host with pyrites in it.
- (59) dark green host rock with some pyrites
- (60) blue host rock with some qtz + pyrites mixed in
- (61) blue rock stained dark brown
- (62) dark green host rock with qtz veins running through brown stain
- (63) qtz vein in green host rock
- (64) grey qtz from fold in outcrop

- 65) qtz vein in light green host rock
- 66) qtz vein in light green host rock at contact with slate
- 67) qtz vein in green host rock beside fracture
- 68) blue shale rock some pyrites rusted on exposed surfaces
- 69) large qtz vein 6"-1' wide in blue host rock
- 70) blue host rock rust stains on surface pyrites in rock
- 71) grey host rock, many fine qtz veins with some pyrites
- 72) blue host rock very rusty on surface with pyrites showing
- 73) flood blue rock very rusty with much pyrites

20/07/94

Assay Certificate

Page 1

Thomas Svisdahl

WO#25259

Sample # Au ppb

1	91
2	<5
3	<5
4	<5
5	2804
6	<5
7	32
8	<5
9	9
10	<5
11	5
12	<5
13	10
14	5
15	7

Certified by





INTERNATIONAL PLASMA LABORATORY LTD

CERTIFICATE OF ANALYSIS
iPL 94G1404

2036 Columbia Street
Vancouver, B.C
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

Client: Northern Analytical Laboratories
Project: WO 25259 15 Pulp

iPL: 94G1404

Out: Jul 20, 1994
In: Jul 14, 1994

Page 1 of 1
[031215:20:24:49072094]

Section 1 of 1
Certified BC Assayer: David Chiu

Handwritten signature/initials

Table with 30 columns (Sample Name, Ag, Cu, Pb, Zn, As, Sb, Hg, Mo, Tl, Bi, Cd, Co, Ni, Ba, W, Cr, V, Mn, La, Sr, Zr, Sc, Ti, Al, Ca, Fe, Mg, K, Na, P) and 15 rows of data.

Min Limit 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1 2 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01
Max Reported* 99.9 20000 20000 20000 9999 9999 9999 9999 999 999 99.9 999 999 9999 999 9999 999 9999 9999 9999 9999 999 99 1.00 9.99 9.99 9.99 9.99 9.99 5.00 5.00
Method ICP
---No Test ins=Insufficient Sample S=Soil R=Rock C=Core L=Silt P=Pulp U=Undefined m=Estimate/1000 %=Estimate % Max=No Estimate
International Plasma Lab Ltd. 2036 Columbia St. Vancouver BC V5Y 3E1 Ph:604/879-7878 Fax:604/879-7898

23/07/94

Assay Certificate


Page 1

Thomas Svisdahl

WO#25276

Sample #	Au ppb
16	639
17	461
18	<5
19	<5
20	<5
21	5
22	429
23	65
24	17
25	37
26	28
27	53
29	89
30	23
31	100
32	66

Certified by





CERTIFICATE OF ANALYSIS
iPL 94G2201

2036 Columbia Street
Vancouver BC
Canada V5V 3E1
Phone (604) 879-7878
Fax (604) 879-7898

INTERNATIONAL PLASMA LABORATORY LTD

Client: Northern Analytical Laboratories
Project: WD 25276 16 Pulp

iPL: 94G2201

Out: Jul 23, 1994
In: Jul 22, 1994

Page 1 of 1
[033919:53:03:49072394]

Section 1 of 1
Certified BC Assayer: David Chiu

Sample Name	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
016	P 1.1	35	44	77	82	<	<	4	<	4	0.3	12	12	23	80	65	68	357	3	59	2	5	0.14	1.17	1.58	2.04	0.72	0.03	0.08	0.06
017	P 1.0	117	19	25	53	<	<	3	<	<	0.1	11	9	15	72	65	87	672	<	195	2	3	0.22	1.13	3.19	1.83	0.39	0.02	0.06	0.04
018	P <	41	8	56	<	<	<	3	<	<	0.1	18	40	90	<	78	80	474	6	35	3	4	0.12	1.66	0.66	3.46	1.25	0.07	0.06	0.07
019	P <	56	15	92	<	<	<	2	<	<	0.3	23	59	153	<	112	93	582	9	54	4	7	0.11	2.39	1.15	3.89	1.65	0.09	0.06	0.09
020	P <	90	13	63	6	<	<	2	<	<	0.3	25	66	142	<	109	108	1231	21	44	4	13	0.12	2.40	0.90	4.19	1.91	0.06	0.05	0.07
021	P <	102	9	64	<	<	<	3	<	<	0.2	30	58	110	<	99	107	822	6	72	4	8	0.12	2.16	2.31	4.31	2.23	0.09	0.05	0.09
022	P 0.4	22	14	74	36	<	<	5	<	<	0.2	19	22	62	56	107	25	856	12	23	2	3	0.03	1.20	1.93	2.65	1.09	0.11	0.11	0.04
023	P 0.2	58	8	167	5	<	<	4	11	<	0.6	30	66	368	13	28	88	1630	7	64	1	17	0.01	1.02	4.34	6.48	2.76	0.66	0.06	0.21
024	P <	5	3	9	5	<	<	3	<	<	<	1	2	19	<	15	6	183	3	861	1	1	<	0.22	32%	0.38	0.22	0.03	0.03	0.01
025	P <	10	4	57	6	<	<	3	<	<	0.1	17	55	47	<	120	83	947	11	42	2	10	0.04	1.01	2.02	3.09	2.00	0.27	0.11	0.11
026	P <	18	6	48	<	<	<	3	<	<	0.7	16	51	30	<	99	67	647	5	180	2	7	0.13	1.39	8.23	2.44	1.85	0.24	0.07	0.07
027	P <	12	9	56	6	<	<	3	<	<	0.1	11	10	97	5	98	50	602	8	14	2	5	0.21	1.00	0.58	2.80	0.77	0.59	0.13	0.08
029	P <	44	8	45	9	<	<	3	<	<	<	19	61	74	26	156	71	501	3	39	2	6	0.13	1.65	1.75	2.46	1.67	0.72	0.14	0.02
030	P <	50	6	66	<	<	<	4	<	<	<	23	46	241	<	140	105	927	6	20	1	9	0.20	2.23	1.05	4.05	2.04	1.51	0.14	0.10
031	P <	23	6	8	15	<	<	4	<	<	<	3	6	30	10	83	11	789	<	236	<	1	0.01	0.29	16%	0.55	0.24	0.08	0.03	<
032	P 0.1	100	5	42	7	<	<	4	<	<	<	24	15	117	<	20	54	355	4	33	3	6	0.13	3.03	1.58	5.66	1.34	0.46	0.04	0.63

Min Limit 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1 2 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01
 Max Reported* 99.9 20000 20000 20000 9999 9999 9999 9999 9999 9999 9999 99.9 999 999 9999 999 9999 999 9999 9999 9999 999 99 1.00 9.99 9.99 9.99 9.99 9.99 5.00 5.00
 Method --- ICP
 ---No Test ins=Insufficient Sample S=Soil R=Rock C=Core L=Silt P=Pulp U=Undefined m=Estimate/1000 %=Estimate % Max=No Estimate
 International Plasma Lab Ltd. 2036 Columbia St. Vancouver BC V5V 3E1 Ph:604/879-7878 Fax:604/879-7898

06/08/94

Assay Certificate

Page 1

Thomas Svisdahl

WO#25309

Sample #	Au ppb
33	13
34	17
35	10
36	8
37	9
38	6
39	12
40	10
41	<5
42	6
43	5
44	.9
45	<5

Certified by 





CERTIFICATE OF ANALYSIS

iPL 94H0310

INTERNATIONAL PLASMA LABORATORY LTD

Client: Northern Analytical Laboratories
Project: W0 25309 13 Pulp

iPL: 94H0310

Out: Aug 10, 1994
In: Aug 03, 1994

Page 1 of 1
[037515:22:25:49081094]

Section 1 of 1
Certified BC Assayer: David Chiu

Sample Name	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
33	P 61.3	29	6002	56	<	13	<	2	<	<	0.9	11	8	52	<	25	47	547	6	38	4	3	0.09	0.94	7.40	4.47	0.77	0.20	0.05	0.13
34	P 14.4	29	1523	102	<	<	<	2	<	<	0.3	20	13	72	<	14	53	1280	6	103	2	6	0.01	3.11	5.92	5.39	2.39	0.09	0.05	0.19
35	P 10.0	343	1092	35	<	<	<	2	<	<	<	26	12	33	<	21	57	368	<	31	1	3	0.08	1.57	1.22	1.85	1.03	0.08	0.13	0.06
36	P 6.9	53	831	19	<	<	<	2	<	<	0.1	8	6	42	<	27	235	799	2	65	6	11	0.10	2.61	5.25	3.48	0.30	0.22	0.04	0.09
37	P 5.3	211	595	34	<	<	<	1	<	<	<	8	5	37	<	30	56	243	6	10	3	3	0.15	0.78	0.89	1.32	0.39	0.13	0.10	0.09
38	P 5.5	19	656	36	<	<	<	3	<	<	<	4	1	29	<	69	10	407	11	9	1	4	0.06	0.69	0.40	1.86	0.23	0.12	0.09	0.03
39	P 5.8	34	647	45	<	<	<	4	<	<	<	4	3	51	<	125	9	382	13	5	1	4	0.12	0.86	0.16	2.25	0.54	0.55	0.11	0.03
40	P 3.1	12	368	50	<	<	<	2	<	<	<	3	2	29	<	51	7	347	11	2	1	4	0.08	0.89	0.07	1.83	0.54	0.55	0.06	0.03
41	P 0.6	18	114	10	<	<	<	3	<	<	<	1	2	76	<	93	2	185	14	6	<	1	<	0.14	0.11	1.16	0.04	0.12	0.08	<
42	P 1.9	114	238	95	<	<	<	3	<	<	<	40	28	272	<	19	140	1128	2	27	1	5	0.14	3.81	0.78	5.50	5.02	0.37	0.07	0.17
43	P 1.3	3	141	85	<	<	<	1	<	<	<	30	22	18	<	18	103	861	<	7	1	5	0.10	2.80	0.48	4.18	3.93	0.05	0.07	0.06
44	P 1.4	9	155	7	<	<	<	2	<	<	0.4	4	7	5	<	61	19	289	<	58	1	1	0.02	1.24	9.16	0.54	0.45	0.01	0.03	0.01
45	P 0.5	103	113	10	6	<	<	2	<	<	<	9	6	12	<	60	40	185	3	102	6	3	0.22	1.10	2.06	0.99	0.17	0.02	0.04	0.12

Min Limit 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1 2 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01
 Max Reported* 99.9 20000 20000 20000 9999 9999 9999 9999 999 999 99.9 999 999 9999 999 9999 999 9999 9999 9999 9999 999 99 1.00 9.99 9.99 9.99 9.99 9.99 5.00 5.00
 Method ICP
 ---No Test ins=Insufficient Sample S=Soil R=Rock C=Core L=Silt P=Pulp U=Undefined m=Estimate/1000 %=Estimate % Max=No Estimate
 International Plasma Lab Ltd. 2036 Columbia St. Vancouver BC V5Y 3F1 Ph:604/879-7878 Fax:604/879-7898

22/08/94

Assay Certificate


Page 1

Thomas Svisdahl

WO#25351

Sample #	Au ppb
#46	7
#47	6
#48	<5
#49	6
#50	5
#51	12
#52	8
#53	<5
#54	<5
#55	13
#56	9
#57	12
#58	<5
#59	<5
#60	8
#61	<5
#62	9
#63	6
#64	<5

Certified by





INTERNATIONAL PLASMA LABORATORY LTD

CERTIFICATE OF ANALYSIS
iPL 94I0201

2036 Columbia Street
Vancouver, B.C
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

Client: Northern Analytical Laboratories
Project: WD 25351 19 Pulp

iPL: 94I0201

Out: Sep 06, 1994
In: Sep 02, 1994

Page 1 of 1
[045416:13:44:49090694]

Section 1 of 1
Certified BC Assayer: David Chiu

Handwritten signature

Table with columns: Sample Name, Ag, Cu, Pb, Zn, As, Sb, Hg, Mo, Tl, Bi, Cd, Co, Ni, Ba, W, Cr, V, Mn, La, Sr, Zr, Sc, Ti, Al, Ca, Fe, Mg, K, Na, P. Rows 46-64 showing various element concentrations in ppm and %.

Min Limit 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1 2 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01
Max Reported* 99.9 20000 20000 20000 9999
Method ICP
---No Test ins=Insufficient Sample S=Soil R=Rock C=Core L=Silt P=Pulp U=Undefined m=Estimate/1000 X=Estimate % Max=No Estimate
International Plasma Lab Ltd. 2036 Columbia St. Vancouver BC V5Y 3E1 Ph:604/879-7878 Fax:604/879-7898

09/21/94

Assay Certificate


Page 1

Thomas Svisdahl

WO#25420

Sample #	Au ppb
65	<5
66	<5
67	>6667
68	10
69	<5
70	<5
71	<5
72	5
73	10

Certified by





INTERNATIONAL PLASMA LABORATORY LTD

CERTIFICATE OF ANALYSIS
iPL 94I1912

2036 Columbia Street
Vancouver, B C
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

Client: Northern Analytical Laboratories
Project: WD 25420 10 Pulp

iPL: 94I1912

Out: Sep 23, 1994
In: Sep 19, 1994

Page 1 of 1
[049911:21:41:49092394]

Section 1 of 1
Certified BC Assayer: David Chiu

Table with columns: Sample Name, Ag, Cu, Pb, Zn, As, Sb, Hg, Mo, Tl, Bi, Cd, Co, Ni, Ba, W, Cr, V, Mn, La, Sr, Zr, Sc, Ti, Al, Ca, Fe, Mg, K, Na, P. Rows include samples 65, 66, 67, 68, 69, 70, 70 Blank, 71, 72, 73.

Min Limit 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1 2 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01
Max Reported* 99.9 20000 20000 20000 9999
Method ICP
--No Test ins=Insufficient Sample S=Soil R=Rock C=Core L=Silt P=Pulp U=Undefined e=Estimate/1000 Z=Estimate % Max=No Estimate
International Plasma Lab Ltd. 2036 Columbia St. Vancouver BC V5Y 3E1 Ph:604/879-7878 Fax:604/879-7898



INTERNATIONAL PLASMA LABORATORY LTD

CERTIFICATE OF ANALYSIS

iPL 94H0310

2036 Columbia Street
Vancouver, B C
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

THOMAS SVISDAHL
Northern Analytical Laboratories

Out: Aug 10, 1994 Project: W0 25309
In : Aug 03, 1994 Shipper: Norm Smith
PO#: 00817 Shipment: ID=C030900

13 Samples

0= Rock 0= Soil 0= Core 0=RC Ct 13= Pulp 0=Other
Raw Storage: --- -- -- -- 12Mon/D1s --
Pulp Storage: -- -- -- -- 12Mon/D1s --

[037515:22:20:49081094]
Mon=Month Dis=Discard
Rtn=Return Arc=Archive

Msg: ICP(AQR)30

Document Distribution

1 Northern Analytical Laboratories
105 Copper Road
Whitehorse
YT Y1A 2Z7
ATT: Norm Smith
Ph: 403/668-4968
Fx: 403/668-4890

Analytical Summary

##	Code	Met	Title	Limit	Limit	Units	Description	Element	##
		hod	Low High						
01	721P	ICP	Ag	0.1	100	ppm	Ag ICP	Silver	01
02	711P	ICP	Cu	1	20000	ppm	Cu ICP	Copper	02
03	714P	ICP	Pb	2	20000	ppm	Pb ICP	Lead	03
04	730P	ICP	Zn	1	20000	ppm	Zn ICP	Zinc	04
05	703P	ICP	As	5	9999	ppm	As ICP 5 ppm	Arsenic	05
06	702P	ICP	Sb	5	9999	ppm	Sb ICP	Antimony	06
07	732P	ICP	Hg	3	9999	ppm	Hg ICP	Mercury	07
08	717P	ICP	Mo	1	9999	ppm	Mo ICP	Molydenum	08
09	747P	ICP	Tl	10	999	ppm	Tl ICP 10 ppm	Thallium	09
10	705P	ICP	Bi	2	999	ppm	Bi ICP	Bismuth	10
11	707P	ICP	Cd	0.1	100	ppm	Cd ICP	Cadmium	11
12	710P	ICP	Co	1	999	ppm	Co ICP	Cobalt	12
13	718P	ICP	Ni	1	999	ppm	Ni ICP	Nickel	13
14	704P	ICP	Ba	2	9999	ppm	Ba ICP	Barium	14
15	727P	ICP	W	5	999	ppm	W ICP	Tungsten	15
16	709P	ICP	Cr	1	9999	ppm	Cr ICP	Chromium	16
17	729P	ICP	V	2	999	ppm	V ICP	Vanadium	17
18	716P	ICP	Mn	1	9999	ppm	Mn ICP	Manganese	18
19	713P	ICP	La	2	9999	ppm	La ICP	Lanthanum	19
20	723P	ICP	Sr	1	9999	ppm	Sr ICP	Strontium	20
21	731P	ICP	Zr	1	999	ppm	Zr ICP	Zirconium	21
22	736P	ICP	Sc	1	99	ppm	Sc ICP	Scandium	22
23	726P	ICP	Ti	0.01	1.00	%	Ti ICP	Titanium	23
24	701P	ICP	Al	0.01	9.99	%	Al ICP	Aluminum	24
25	708P	ICP	Ca	0.01	9.99	%	Ca ICP	Calcium	25
26	712P	ICP	Fe	0.01	9.99	%	Fe ICP	Iron	26
27	715P	ICP	Mg	0.01	9.99	%	Mg ICP	Magnesium	27
28	720P	ICP	K	0.01	9.99	%	K ICP	Potassium	28
29	722P	ICP	Na	0.01	5.00	%	Na ICP	Sodium	29
30	719P	ICP	P	0.01	5.00	%	P ICP	Phosphorus	30

EN=Envelope # RT=Report Style CC=Copies IN=Invoices
DI=Download 3D=3-1/2 Disk 5D=5-1/4 Disk BT=BBS Type

FX=Fax(1=Yes 0=No)
BL=BBS(1=Yes 0=No)

Totals: 2=Copy 2=Invoice 0=3-1/2 Disk 0=5-1/4 Disk


NOTICE

THIS MAP IS ISSUED AS A PRELIMINARY GUIDE FOR WHICH THE DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT WILL ACCEPT NO RESPONSIBILITY FOR ANY ERRORS, INACCURACIES OR OMISSIONS WHATSOEVER.

SHEET 115F-9

SAMPLE LOCATION MAP
94-068

SCALE: 1/2 MILE TO 1 INCH
FT. 1000 2 1500 3000 4500 6000 7500 9000 10000 FT.



115F-13	115F-16	115F-19
115F-10	115F-9	115F-12
115F-7	115F-6	115F-3

22 AUG 74
22 MAY 72
17 JULY 69
1 OCT 68
15 APR 67
15 APR 65
15 APR 63
15 APR 61
15 APR 59
15 APR 57
15 APR 55
15 APR 53
15 APR 51
15 APR 49
15 APR 47
15 APR 45
15 APR 43
15 APR 41
15 APR 39
15 APR 37
15 APR 35
15 APR 33
15 APR 31
15 APR 29
15 APR 27
15 APR 25
15 APR 23
15 APR 21
15 APR 19
15 APR 17
15 APR 15
15 APR 13
15 APR 11
15 APR 9
15 APR 7
15 APR 5
15 APR 3
15 APR 1

WHITEHORSE, Y.T. 6 Jan 72
18 OCT 71
7 FEB 65
3 MAY 63
25 APR 61
15 APR 59
15 APR 57
15 APR 55
15 APR 53
15 APR 51
15 APR 49
15 APR 47
15 APR 45
15 APR 43
15 APR 41
15 APR 39
15 APR 37
15 APR 35
15 APR 33
15 APR 31
15 APR 29
15 APR 27
15 APR 25
15 APR 23
15 APR 21
15 APR 19
15 APR 17
15 APR 15
15 APR 13
15 APR 11
15 APR 9
15 APR 7
15 APR 5
15 APR 3
15 APR 1

Note: Entry on certain lands is withdrawn from staking in cross-hatched areas to facilitate the settlement of Native Land Claims without prejudice to Existing Surface and Subsurface Rights.

