A REPORT ON THE 1994 YMIP 94.083 PROGRAM FOR AUTEC RESOURCES

Submitted By: Eugene Curley

Summary

Prospecting was conducted on NTS 105 G12, 105 G11, 105 G6 and 105 K3-2.

Areas prospected and locations of veins and outcrops are outlined on the accompanying maps. Locations of samples are also marked and numbered.

The 105 G12 map sheet area was partially prospected in the past by Eugene Curley. The area contains the Hoole River and its tributaries which flow to the North along the Tintina Trench from its headwaters in the Pelly Mountains, and enters the Pelly River near its intersection of the Robert Campbell Highway.

Gold occurs in lenses in shist along the Hoole River on the Eldorado claims.

Numerous other mineral occurrences have been discovered in the area.

The geology of the area is difficult to determine because of a heavy layer of glacial gravel overburden. However, outcrops of basalt occur from the mouth of the Hoole approximately seven kilometres upstream where the outcrops are metamorphic shists. An ultra mafic body outcrops on the Pelly River on the left limit approximately one kilometre downstream from its confluence with the Hoole river. the area prospected east of the Hoole river outlined in green is covered by glacial deposits and numerous sloughs and small lakes. Most of the area is moss covered and trees in the area are a mixture of poplar, spruce, pine and some willows. Huge boulders of granodiorite occur sporadically over this

area, some weighing many tons. Outcrops of bedrock were not found in this area.

Rocks were sampled around Pike Lake and nearby lakes. Most were well rounded and granitic, shist and basaltic rocks were laying in close proximity to each other and were thought not to be of local origin. No important mineralization was discovered in this area.

Pan samples were taken from the Hoole river from its mouth upstream for approximately fourteen kilometres. Several pan samples were taken from each panning station. These stations were from fifty feet to one half kilometre apart depending on terrain and the number of gravel bars and benches. This method of testing proved beneficial in locating concentrations of heavy minerals that would be missed by just taking one sample every kilometre as has been done by exploration companies in the past.

Gold was found in most pans but was not located in mineable concentrations. The gold occurred mostly as very small well flattened colours and flour.

Recovery of diamond indicator minerals varied from pan to pan. No garnets were found in some pans but another pan twenty feet away could contain one quarter cup of various kinds of garnet. Illmenite, chromite, and what is believed to be chrome diopside was found in some pans. Garnets displaying the colour and characteristics of pyrapes were found all along the river but they must be analyzed to confirm this.

Many samples were discarded because they did not contain promising indicators. Those samples which contained minerals thought to be diamond indicators were amalgamated and marked with the location zone where they were recovered. These zones are marked on the accompanying 105 G12 map.

Prospecting was also carried out near the headwaters of the Hoole river on map sheet 105 G6 and also on 105 G11. The ares prospected are outlined by green ink on the accompanying maps. The location of veins and samples are also located on the map. Assayed samples are located and numbered to correspond with the accompanying assay sheets.

This area was visited to check out possible sources for placer gold reported to be in this area. access to the area was by ATV along a corridor on the west side of Mink Creek (105 G11). Prospecting was done all along this corridor and south to Pearl Creek, which is a large headwater tributary of the Hoole entering from the east (105 G6). The distance travelled was 45 kilometres along this route.

The area from the Campbell Highway to a point approximately 14 kilometres along route is very low lying terrain with much swamps and moss. Exposed areas were covered with glacial overburden. Pan samples were taken from the creeks encountered along route and exposed boulders were examined. A two foot wide quartz vein was found on the northeast shoulder of Long Mountain. It contained small amounts of pyrite and some

chalcopyrite. The vein is cutting metasediments. Samples from the vein were assayed but were not anomalous - Assay No. 9414 on the accompanying map and assay certificate. A group of veins approximately three kilometres south of Grayling Lake were examined. The veins were from two to one inch wide and trended northwest cutting the local shists. No visible mineralization was observed and no assays were done. Vein locations are marked on the 115 G11 map. The mountains in the area are rounded and vary from 5,000 to 6,000 feet in elevation. The ridges of these mountains are not covered with vegetation above the 5,000 foot level. The lower slopes are mostly tree and moss covered with little outcrop.

Mariposite was found at location 9402 and samples were taken and assayed for gold and other elements but the samples were not anamalous. Samples from 9411 were dark green ultramofic rock with some phyrrotite. This sample was anomalous in nickel and platinum and associated ultramofic minerals. One other sample, 9416, was assayed for platinum and was also anamalous. The valley of Pearl Creek is a wide Vee shaped valley covered with a deep layer of glacial deposits. Fine placer gold was panned from a tributary creek which enters Pearl Creek on the right limit approximately four kilometres upstream from its conjunction with the Hoole River. The gold was fine but irregular and did not show signs of much travel or glacial origin. This creek shows evidence of extensive hand mining by oldtimers, an old cabin was found on the creek and continuous piles of tailings were observed, the result of many years of hand mining. Mariposite and much ultramafic rock was found in these tailing piles.

Samples No. 9403, 9404, and 9405 were taken from an exposed rockface approximately three kilometres up this creek. The back face consisted of shists that had been altered and contained pods of quartz and also cross cuttings quartz veins. These veins were considered to be a possible source for the placer gold in the creek but assays contained no gold values. Sample 9401 was taken from a small .5 metre quartz near the top of the mountain, west of the creek. It did not contain any gold values. The remaining assays were done on float from the area but the source of the gold in the area was not found.

Trevor Brenner was consulted about this area and he provided much information about gold and platinum deposits in ultramafic rock. He also noted that this was the first time platinum had been found in this area. The two anomalous platinum assays were taken approximately six kilometres apart and were on opposite sides of the mountain. Trevor suggested that high grade zones could occur in the area.

Cominco staked several blocks of claims in this area. The claim locations are outlined in red on the accompanying maps. Several attempts were made to get Trans North Helicopters out of Ross River to transport claim posts into the area. None of the appointments made with Trans North were kept as Cominco and forest fire duty had priority. Cominco staked 96 claims on my target on Pearl Creek.

Some prospecting was done in the Faro area on map sheets 105 K3 and 2. Gold has been found in shists veins and dikes in this area by myself in past years. Low gold values

can be obtained from numerous outcrops in shist from Green Creek to Faro. Although these values are generally under 100 PPB, I believe the area has potential. Bismuth and pyrite occur in most of the shists in the area.

Samples F941 an F942 were assayed for gold. These samples came from a silicified dike thirty feet wide which contained banded quartz and a high concentration of weathering pyrite, location is on the accompanying map 105 K3.

The Ketza River area was visited for one day as an exploratory trip. This was my first time in this area. It is the most highly mineralized area I have ever visited. Many of the claims in this area have been abandoned. Higher silver prices could make this area active again. A researcher has been hired to compile data on the area. A property visit was made by Teck Exploration on the Dows, Jam and Grizzly properties. I assisted them in sampling the Dows.

A total of thirty-seven day was spent on the Grubstake Program, between June 3 and August 14, 1994. Encouraging results were obtained from the Hoole River area. Further work should be done on the 105 G12 and 105 G6 map areas to try and locate gold, platinum and kimberlites or lamproites.

Zaleulley
Eugene Curley

FINDLAY SON LAKE

1056

AREA PROSPECTED

NATIONAL TOPOGRAPHIC SERIES

 $\mathbb{C}AI$



GEOLOGY

SIMPSON RANGE ALLOCHTHONOUS ASSEMBLAGE

7INDLAYSON LAKE

DEVONIAN TO TRIASSIC?

Resistant, medium grey weathering porphyritic (pink K-feldspar) biqtite quartz monzonite, generally fresh to weakly saussuritized, locally shattered and recemented, but lacking the cataclastic texture of PMgdm, includes PM gdm undifferentiated

Massive , resistant, medium-grey weathering, blocky, dark green protomylonite and mylonite derived from hornblende granodiorite to quartz diorite. In places the original texture and minerals are fairly fresh and the rock is equigranular medium-grained with subhedral hörnblende and blue quartz grains for the most part the rocks are strongly saussuritized and now appear as quartz chlorite feldspar schist. Locally euhedral white K-feldspar crystals to 5 cm across are grown across the cataclastic texture. May include Mymp undifferentiated PM gdm

Mgdml Light rusty weathering, yellow greenish mylonite and ultramylonite derived from hornblende quartz diorite. boundaries with PMgdm are arbitrary

ANVIL-CAMPBELL ALLOCHTHONOUS ASSEMBLAGE

CARBONIFEROUS AND PERMIAN (POSSIBLY OLDER) - "

Recessive, jasper-red and apple-green chert and cherty tuff, includes $\mathsf{CP}_{\mathsf{AV}}$ undifferentiated CPAt

Resistant dun brown weathering dunite, peridotite and pyroxenite and serpentinized equivalents includes CPAs and CPAc undifferentiated.

 $\begin{array}{c} \text{CP}_{AS} & \text{Yellow green weathering } \underline{\text{serpentinized periodotite and pyroxenite}}, \text{ includes} \\ \text{CP}_{AC} \text{ and CP}_{AU} \text{ undifferentiated} \\ \end{array}$

Resistant, orange weathering quartz carbonate rock with minor green chromian muscovite, includes CPAS undifferentiated

AUTOCHTHONOUS AND PARAUTOCHTHONOUS ROCKS PELLY-CASSIAR PLATFORM

CARBONIFEROUS OR PERMIAN

White weathering, resistant, massive light grey recrystallized crinoidal limestone, commonly has well developed flaser texture and grades into a marble blastomylonite includes minor PPk undifferentiated Pc

Rusty orange weathering, pale green cherty textured volcanic rocks of intermediate composition with less greenish chert, minor black slate, massive medium green intermediate lapilli tuff

UPPER DEVONIAN AND MISSISSIPPIAN

Resistant, medium grey, <u>chert pebble conglomerate</u> with minor interbedded black slate. For the most part the rocks have a well developed cataclastic texture so that they grade into graphitic siliceous phyllonite.

uDMs Black recessive weathering, with rusty streaks, thinbedded black siliceous slate with minor interbedded chert grain greywacke and chert granule grit

SILURIAN AND LOWER DEVONIAN

OSDqc Recessive, dark grey to black weathering thinbedded and platy.calcareous and dolomitic graphitic siltstone with minor black graphitic slate gradational with ,and contains lenses of SDd and SDq undifferentiated

SANDPILE GROUP

Interbedded, white weathering, resistant, medium bedded, light grey, algal laminate and sparry dolomite, orthoguartzite and sandy dolomite

Silvery white weathering, resistant, medium bedded, medium-grained mature orthoguartite commonly with dolomitic cement, minor interbedded sandy dolomite

Sd Resistant, light grey and white weathering, massive, medium grey, medium bedded, laminated to sucrose, dolomite, minor sandy dolomite

SILURIAN

Ss Tan weathering, thinbedded to platy, <u>dolomitic siltstone and silty</u> dolomite

Sshf White weathering, thinly laminated white and green hornfels, probably the thermally metamorphosed equivalent of Ss , may include thermally metamorphosed equivalents of Sdq and Sq

UPPER CAMBRIAN AND ORDOVICIAN

UEOS1 Orange brown weathering, recessive, medium grey slate and slaty phyllite with lenses of pale green tuff, minor calcareous phyllite

WINDERMERE AND LOWER CAMBRIAN

Rusty weathering, green, white and purplish banded hornfels, thermally metamorphosed equivalents of the late Windermere green silty slate (PlEsg)

? ALLOCHTHONOUS?

AGE UNKNOWN

P k5 Resistant weathering metaquartzite with minor graphitic slate

Slightly rusty weathering, white to pale green, muscovite quartz blastomylonite, includes minor fine-grained amphibolite and chlorite quartz and biotite quartz blastomylonite

Pale green muscovite chlorite quartz phyllite and medium green amphibole chlorite phyllite, includes minor black marble, generally strongly sheared with a well developed, slightly recrystallized, cataclastic texture

Black siliceous phyllite and medium green amphibole chlorite phyllite, locally includes much interbedded gritty and pebbly greywacke containing clasts of blue quartz, white K-feldspar and slate chips, locally include thin black marble lenses undifferentiated for the most part the rocks are strongly sheared phyllonite

Fairly resistant medium grey weathering, muscovite biotite quartzo-feldspathic gneiss with interfollated chlorite biotite quartzite, quartz chlorite schist, amphibole chlorite schist and minor white marble the more metamorphosed equivalent of EPk2 and EPk3 relationships between EPk2, EPk3 and EPk4are gradational in the southeast part of the area EPk4 and En are gradational with each other

?AUTOCHTHONOUS? ROCKS OMIMECA CRYSTALLINE BELT

WINDERMERE AND CAMBRIAN?

Buff weathering biotite garnet muscovite schist with interfoliated lenses of coarsely crystalline. Tight grey marble, includes minor augen gneiss structurally gradational with augen gneiss (Pn)

Blocky , medium grey weathering, biotite muscovite quartz feldspar <u>augen</u> gneiss of quartz monzonite composition with minor interfoliated biotite muscovite quartz schist, laterally gradational to boundaries arbitrary

En+ Injection migmatite consisting of sills and dykes of fine grained biotite quartz monzonite, aplite and pegmatite, in biotite muscovite augen gness and schist proportion of injected plutonic rocks to the host schist varies widely Contacts with Kqm are arbitrary, based on the proportion of plutonic rock to schist

Pn+Kqm Augen gneiss Pn i , injection migmatite Pn+ and biotite quartz monzonite Kqm , undifferentiated



CERTIFICATE OF ANALYSIS iPL 94G1406

2036 Columbia Street Vancouver, B C. Canada V5Y 3E1 Phone (604) 879-7878 Fax (604) 879-7898

					F	ax (604) 879-7898
Northern Analytical Laboratories Out: Jul 21, 1994 Project: WO 25264 In: Jul 14, 1994 Shipper: Norm Smith PO#: Shipment: ID=C030900 Msg: ICP(AqR)30	Raw Storage Pulp Storage	: -		0=RC Ct 14= Pulp 12Mon/Dis 12Mon/Dis	0=0ther 	[031415:58:18:49072194] Mon=Month Dis=Discard Rtn=Return Arc=Archive
	Analytical	Summary—	Harra Barana			
Msg: Document Distribution ————	## Code Met Title		Units Description	Element	##	
	hod	Low High				
1 Northern Analytical Laboratories EN RT CC IN FX	01 313P FAAA Au		ppb Au FA/AAS finish 30g		01	
105 Copper Road 1 2 2 2 1	02 331PFA/AAS Pt		ppb Pt FA/AAS finish 30g		02	
Whitehorse DL 3D 5D BT BL	03 341PFA/AAS Pd		ppb Pd FA/AAS finish 30g	Palladium	03	
YT Y1A 2Z7 0 0 0 1 0	04 721P ICP Ag		ppm Ag ICP	Silver	04	
A TOTAL 1	05 711P ICP Cu	1 20000	ppm Cu ICP	Copper	05	
ATT: Norm Smith Ph: 403/668-4968						
Fx: 403/668-4890	06 714P ICP Pb		ppm Pb ICP	Lead	06	
	07 730P ICP Zn		ppm Zn ICP	Zinc	07	
	08 703P ICP As		ppm As ICP 5 ppm	Arsenic	08	
	09 702P ICP Sb		ppm Sb ICP	Antimony	09	
	10 732P ICP Hg	3 9999	ppm Hg ICP	Mercury	10	
	11 717P ICP Mo		ppm Mo ICP	Molydenum .	11	
	12 747P ICP T1		ppm T1 ICP 10 ppm	Thallium	12	
	13 705P ICP B ₁		ррт Ві ІСР	Bismuth	13	
	14 707P ICP Cd	0.1 100	ppm Cd ICP	Cadmium	14	
	15 710P ICP Co	1 999	ppm Co ICP	Cobalt	15	
	16 718P ICP N1		ppm Ni ICP	Nickel	16	
	17 704P ICP Ba		ррт Ва ІСР	Barium	17	
	18 727P ICP W		ppm W ICP	Tungsten	18	
	19 709P ICP Cr	1 9999	ppm Cr ICP	Chromium	19	
	20 729P ICP V	2 999	ppm V ICP	Vanadium	20	
	21 716P ICP Mn		ppm Mn ICP	Manganese	21	
	22 713P ICP La		ppm La ICP	Lanthanum	22	
	23 723P ICP Sr		ppm Sr ICP	Strontium	23	
	24 731P ICP Zr	1 999	ppm Zr ICP	Zirconium	24	
	25 736P ICP So	: 1 99	ppm Sc ICP	Scandium	25	
	26 7260 700 7	0.01.1.00	# T. TOD			
	26 726P ICP T1		% Ti ICP	Titanium	26	
	27 701P ICP AT		% A1 ICP	Aluminum	27	
	28 708P ICP Ca		% Ca ICP	Calcium	28	
	29 712P ICP Fe		% Fe ICP	Iron	29	
	30 715P ICP Mg	0.01 9.99	% Mg ICP	Magnesium	30	
	31 720P ICP K	0.01.0.00	7 × 100	Deter	24	
			% K ICP	Potassium	31	
			% Na ICP	Sodium	32	
	33 719P ICP P	0.01 5.00	% P ICP	Phosphorus	33	
,						



CERTIFICATE OF ANALYSIS iPL 94G1406

2036 Columbia Street Vancouver, B C. Canada V5Y 3E1 Phone (604) 879-7878 Fax (604) 879-7898

Client: Northern Analytical Laboratories iPL: 94G1406 Out: Jul 21, 1994 Page 1 of 1 Section 1 of 2
Project: WO 25264 14 Pulp In: Jul 14, 1994 [031415:58:23:49072194] Certified BC Assayer: David Chiu

Sample Name		Au pb	Pt ppb	Pd ppb	Ag ppm	Си	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm (-	Bi pm	Cd ppm		Ni pm	Ва.	W pm	Cr ppm ;	V ppm	Mn ppm	La ppm	Sr ppm ;	Zr S ppm p	Sc pm	Ti Z	A1	Ca %	Fe %
9403	ğ .				0.1	101 139	3	7	<	11	<u></u>	4	<	<	0.9		89	24	<	533	14	532	<u> </u>	7	1	3	<	0.06	0.24	3.56
9404 9405	b K	_			0.1 0.1	~~~ 6 9	5 5	80 32	< <	<		5 4	<	< <	0.8 0.5	~~ 6	85 22	85 7		131	29	1197 634	<	200 105	- 「 - ~ 。 - ~ 。	3 0).22).01	2.72 0.88	6.87 6.38	6.02 1.60
9406 9407	2	_			< 0.1	78 8	11 <	100 7	6	<	<u>`</u> \	4 5	< <	< <	1.0 1.0	32 55 (76). 1 %	23 92	< <	153 775	141 22	909 878	11 <	267 58	1 <u> </u>	8 C).01 <	3.44 0.08	5.38 1.19	6.48 4.83
9408	ě				0.1	12	2	6	<	17	* ر	5	<	<	1.0			37		830	18	854	<	99	1 :	3	<	0.20	1.53	
9409 9410	P 6				<	35 12	< 51	84 11	12	< .		4 2	<	< <	1.6 0.2		121 364	56 3	<	220 41	90 16	1622 256	16 <	385 5	1	9 0	0.01	3.19 0.50	10 % 0.11	6.12 1.42
9411 9412	ř Ř	5 	74 	21	< <	15 13	< <	17 2	< <	25 7	, William	3	< <	\ < <	0.5 0.4	82 (). 1 % 133	84 45	` .	1379 314	43 12	540 421	< <	9 536	1 "	4	<	1.20 0.06	0.10 3.69	4.53
9413	Ą				0.3		72	19	45	<	<	6	<	<	1.3	îı		136	<	92	22 !	5478	2	180	< ;	7		0.06		6.09
9414 9415 9416	p p	 5	 109	 25	0.7 0.1	48 26 12	42 12 3	45 20 8	21 16	~ ,		4 7	< <	< <	0.2 0.9	3 6 33	25 21 49	94 76	< <	97 49 90	3 9 128	224 1357 412	2 7	44 379 47	1 3	1	< <	0.71 0.21 3.24	0.94 9.10	0.98 2.22 4.52



21/07/94

Assay Certificate

Page 1

Eugene Curley

WO#25264

Sample #	Au ppb	
. 9403	10	
9404	<5	
9405	<5	'
9406	<5	
9407	112	
9408	<5	1
9409	<5	
9410	8	l
9412	<5	
9413	<5	i
9414	35	
9415	< 5	
	<u>-</u>	·

Certified by

JR



11/04/94

Assay Certificate

Page 1

Eugene Curley

Sample #	Au oz/ton	
D 941	<0.001	,
F 941	<0.001	
F 942	<0.001	
LS 942	<0.001	
DS 944	<0.001	
DS 945	<0.001	

105 Copper Road, Whitehorse, YT, Y1A 227 Ph: (403) 668-4969 Fax: (403) 668-4890



Autec Resources YMIP 94-083

Period of June 20 to July 29, 1994 Submitted on August 11, 1994

1 Daily Living Allowance: June 20-24, 5 days @ \$55.15/day June 29-July 4, 6 days @ \$55.15/day July 8-12, 2 days @ \$55.15/day July 15-21, 7 days @ \$55 15/day July 24-29, 6 days @ \$55 15/day	\$ 275 75 \$ 330.90 \$ 110.30 \$ 386.05 \$ 330.90
2 Wages Eugene Curley, dates as above, 26 days @ \$150/day	\$ 3,900.00
 3 Transportation Wht-Ross River-Watson Lk-Hoole R., 976 km @ \$0.40/km Wht-Hoole River-Wht, 412 km @ \$0.40/km Wht-Nansen-Faro, 510 km @ \$0.40/km Wht-Hoole River-Wht, 480 km @ \$0.40/km 4 Equipment Rental. ATV, 1 mth @ 800/mth ATV, 1 wk @ 500/wk 	\$ 340.90 \$ 164.80 \$ 204.00 \$ 192.00 \$ 800.00 \$ 500.00
TOTAL EXPENSES	\$ 7,535 60
TOTAL EXPENSES X 75%	\$ 5,651 70
CURRENT AMOUNT IN CONTRIBUTION AGREEMENT	\$ 7,985.92
AMOUNT REIMBURSABLE	\$ 5,651.70

Received from autec Resources lts. The sum of \$200/60 For 5 days.

June 20-245 days Prospecting @ 15000 = 75000

Compaid Food @ 3000 = 15000 = 75000

A70 @ 15000 = 75000 4x4 imileage- beheleharse-Ross Rueracatean lure - Hoole R. 976 KM @ . 354 = 341 60 - Edbully. 2001-60 Received From auter Resources Ftd the Sum of 212430 for 6 days prospecting mink creek - Pearl Creekarea 165611.4 June 29 - July 4 milusine @150 Per day = \$ 90000 Camp end food @\$3000 18000 ATU @ 15000 90000 4x4 mileage Hoole K. whiteherse @35 412KM 144 20 \$ 212420 Edburley. Received from outer Resources Std. The seem of built Jeck corp. doing Property visits and sampling en the nansanarea map Sheet 115-1-3. July 8-12 mil . @ 1500 leiday 75000 (Camp + food @ 3000 " ! 15000 75000 4x4 mileage Whilehouse - noven - 7 ars. 510 Km @.35 17850 Elleurley 1828 50 pay 20st of 5

•

Received from outer Resources Eld

The sum of \$231000 for 7 days prospecting
in the Foro area may sheet 105' K-3

July 15'-21 inclusive \$15000 \$1,05000

Camp & food \$2000 \$21000

ATU \$231000

The sun of \$247800 for 7 days prospecting in the Hoole River orea. mapshet 105-6-12

July 24-29 incland and aug 1st @ 150 = \$105000 \$105000 \$21000 \$21000 \$21000 \$21000 \$21000 \$21000 \$21000 \$21000 \$21000 \$21000 \$21000 \$247.800 \$247.800

give him monthly rate + 1 week

Autec Resources YMIP 94-083

Period of June 3 to June 13, 1994 Submitted on June 22, 1994

AMOUNT REIMBURSABLE	S 2,014.08
CURRENT AMOUNT IN CONTRIBUTION AGREEMENT	\$10,000.00
TOTAL EXPENSES X 75%	\$ 2,014.08
TOTAL EXPENSES	\$ 2,685.45
3 Transportation, 1072 km @ \$0.40/km	\$ 428 80
2. Wages, Eugene Curley, 11 days @ \$150/day	\$ 1,650.00
1. Daily Living Allowance, 11 days @ \$55 15	\$ 606 65

INVOICE

Received from Autec Resources Ltd. for 11 days prospecting Hoole River Region Total cost - \$2354.20

DESCRIPTION	AMOUNT
·	
11 Days June 3 - 13, 1994 Inclusive	
Wages \$150.00 per day @ 11 days	\$1,650.00
Camp & Groceries at \$30.00 per day	.330.00
4X4 Vehicle transportation @ \$.35 per Km 1072Km (Whitehorse to Mink Creek to Whitehorse)	374.20
· · · · · · · · · · · · · · · · · · ·	
* Suzuki 4X4 ATV 11 days to be invoiced at a later date.	
* A full report on activities will be presented at a later date.	
· ·	
TOTAL	\$2,354.20

Submitted by Eugene Curley

rley School Sincer

1993 MAXIMUM REIMBURSABLE RENTAL RATES - YMIP CLAIMS

	DAILY	WEEKLY	MONTHLY	QUOTE BY
ATV 4wd ATV TRAILOR	150.00 50.00	500.00	800.00 300.00	Listers Listers
BOATS 14' 16' 16' with trailor	30.00 50.00 70.00	175.00 250.00 350.00	350.00 500.00 700.00	Listers Listers Listers
CANOES	35.00	190.00	300.00	Listers
CHAINSAWS	35.00 37.00	150.00 130.00	300.00 390.00	Listers Gen.Ent.
GENERATORS 500 Watt 600 Watt 1500 Watt 3000 Watt	25.00 25.00 30.00 35.00	125.00 120.00 175.00 250.00	300.00 360.00 350.00 500.00	Listers Gen.Ent. Listers Listers
HORSES	50.00	300.00	900.00	Various
OUTBOARD MOTORS 4 hp 9.5 and 15 hp 25 hp	30.00 35.00 45.00	150.00 175.00 225.00	350.00 400.00 500.00	Listers Listers Listers
PRESSURE WASHER	40.00	200.00	400.00	Listers
PUMP - 2" Submusa Electric(Junker) Gas(Junker) Gas		112.00 120.00 100.00	336.00 360.00 250.00	Canemet Canemet YRS
RADIOS SBX-11 Hand Held	(F 00)		150.00 125.00	Aurum Total North
Mobile Telephone	(5.00)		90.00 1 2 5.00	(Aurum), TN Total North
SNOWMOBILE	125.00	650.00	1000.00	Listers

If a rental claim is for greater than 7 days but less than 30 days a weekly rate will be reimbursed. If a rental claim is for greater than 30 days a monthly rate will be reimbursed.

WAGES - MAXIMUM REIMURSABLE FOR GRASSROOTS PROSPECTING AND GRUBSTAKE CONTRIBUTION AGREEMENTS

PROSPECTORS ASSISTANT

100.00/day

PROSPECTOR OR GEOLOGIST

150.00/day







