

REPORT FOR GRASS ROOT PROSPECTING

YMIP # 98-044

BY

SHAWN RYAN - 1998

PROSPECTING AREA

NTS - 116G/1

NTS - 116B/3

NTS - 115n/1

YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. Box 2703
Whitehorse, Yukon Y1A 2C8

TABLE of CONTENTS

1. Nick North Project
 - Willow claim nickel horizon chart.
 - Assay sheets.
 - 1 - 50,000 topo maps with claim location & sample # locations.
 - Claim map with new claim block & sample # location.
 - Pictures.

2. White Project
 - Assay sheets.
 - 1- 50,000 topo map with claim location & sample # locations.
 - Rock sample description.
 - Pictures.

3. Bradley Project
 - Assay sheets.
 - 1 - 50,000 topo map with sample # locations.
 - Rock description.

4. Cost Break Down

NICK NORTH PROJECT

Introduction

The Nick North Project is located about 160km up the Dempster Highway. The model deposit being sought after is a nickel target. The nickel mineralization is found at a specific horizon above a limestone ball unit, nickel horizon have being found by Blackstone Resource above the limestone ball unit, just 80km south of the Nick North Project.

Geology

The Nick North Project covers an area known as the Blackstone Trough. It is in this deep basin setting where we find the right environment to produce a nickel horizon. I targeted specifically the upper part of the Michelle formation and lower part of the Ogilvie formation.

Work

I started prospecting early in spring, April 5 - 15. The project began by first finding the right horizon. Within two days we had the famous Limestone Ball Marker Horizon found. At this point we began staking and taking soil and silt along traverse route or claim lines.

I spent 10 days in early spring with Scott Flemming. We staked 100 claims on the nickel horizon, we took soil, rock and silt samples along traverse route and on claim lines.

I returned in late August for 5 days looking at high grade soil areas. I dug hand trenches above limestone ball horizon looking for any massive sulphide horizon. None was found.

Work Method

We took 133 samples from the Nick North Project. All samples with S at the end of lettering in samples are soil samples. All soil was taken from 6-12 inches below surface. All samples with SS are silt samples. All silts where taken from major drainage or secondary drainage area. All samples with R in them are rock samples. All rock samples are from the upper horizon of the Michelle formation. It's a dark gray/black horizon that is very sooty. All rock samples look alike, so no rock descriptions will be given.

Interpretation

The geochem from the upper Michelle formation does have an Anomalous Nickel Horizon. I had soil sample #41 (Chey 035-100N) hit 730ppm ni and 5720ppm zn. The soil was a black decomposed bedrock. I trenched around later but did not find any limestone balls or massive sulphides. Sample #90 to #101 are rock samples taken at 15cm intervals above the limestone balls. The highest ni was 476 ppm and 1615 ppm zn. The nickel SEDEX horizon marker is definitely there, but not in economic amounts.

One sample #111 (gray RS-08) has very high Ag, 26ppm and anomalous Cu, 192 ppm. I can't explain it, other than a potential SILVER horizon running through the black shale. A silver horizon was found above the nickel SEDEX horizon in China.

Michelle Formation is THE
Lower Black Horizon. Olgivik
Formation cover THE Michelle form.




①



②



③



Limestone Ball Found →
Below THE Do-olgiuk formation


HAND TRENCH AREA.

THIS IS THE TRENCH AREA WHERE I TOOK SAMPLE EVERY 15cm. YOU CAN SEE LIMESTONE BALLS. I FOLLOW THE LONG FLAGGING TAPE TO TAKE SAMPLES.




YOU CAN VIEW THE OVERALL AREA OF THE TRENCH. IT'S THE PICTURE #1 ON PROCEEDING PAGE.

willow claims.



PPM
LIMESTONE BALL AREA.



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 213
 DAWSON CITY, YT
 V0B 1G0

A9818694

Comments: ATTN:SHAWN RYAN

CERTIFICATE **A9818694**

(PRP) - CANADIAN UNITED MINERALS INC.

Project:
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 14-MAY-98.

SAMPLE PREPARATION		
CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	79	Geochem ring to approx 150 mesh
226	79	0-3 Kg crush and split
3202	79	Rock - save entire reject
229	79	ICP - AQ Digestion charge

* NOTE 1:

ANALYTICAL PROCEDURES					
CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	32	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	79	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	79	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	79	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	79	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	79	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	79	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	79	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	79	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	79	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	79	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	79	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	79	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	79	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	79	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	79	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	79	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	79	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	79	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	79	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	79	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	79	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	79	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	79	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	79	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	79	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	79	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	79	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	79	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	79	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	79	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	79	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	79	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.


SAMPLE # 1-4

willow claim #13

Dmi REACON # 115 - # 129

ENG claim # 130 - # 131

RED ZONE # 132 - # 133



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 213
 DAWSON CITY, YT
 V0B 1G0


Project :
 Comments: ATTN:SHAWN RYAN

Page Number : 2-A
 Total Pages : 2
 Certificate Date: 13-MAY-98
 Invoice No. : 19818694
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9818694

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TA CSS-1	205 226	< 5	< 0.2	1.93	202	180	0.5	< 2	0.12	0.5	22	66	39	4.34	< 10	< 1	0.22	40	0.62	990
TA CSS-2	205 226	40	0.4	0.87	2220	160	0.5	4	0.11	1.0	10	58	18	3.53	< 10	< 1	0.20	50	0.21	875
TA CSS-3	205 226	80	< 0.2	0.74	976	190	1.0	< 2	2.15	2.0	19	42	17	5.13	< 10	< 1	0.22	30	0.19	1285
TA CSS-4	205 226	< 5	0.2	2.18	26	230	< 0.5	< 2	0.01	< 0.5	5	56	60	4.41	< 10	< 1	0.22	20	0.74	260
TAK 20 R-1	205 226	< 5	< 0.2	1.04	28	110	0.5	< 2	0.71	< 0.5	4	56	1	1.73	< 10	< 1	0.30	50	0.36	310
TAK 20 R-2	205 226	< 5	< 0.2	0.15	14	120	< 0.5	< 2	0.01	< 0.5	6	239	38	1.18	< 10	< 1	0.04	< 10	0.05	440
TAK 20 S-4	205 226	< 5	< 0.2	1.87	82	1560	0.5	< 2	1.93	0.5	21	56	100	3.29	< 10	< 1	0.46	50	0.47	1940
TO SS-1	205 226	-----	< 0.2	2.85	6	310	1.0	< 2	0.51	< 0.5	16	58	89	5.02	< 10	< 1	0.63	40	0.97	685
TO SS-2	205 226	-----	< 0.2	2.60	8	400	0.5	< 2	0.37	< 0.5	20	180	43	4.30	< 10	< 1	0.29	40	1.60	485
TO SS-3	205 226	-----	< 0.2	3.08	6	770	0.5	< 2	0.52	< 0.5	27	280	55	7.10	< 10	< 1	0.11	40	2.45	510
TO SS-4	205 226	-----	< 0.2	2.06	14	150	0.5	< 2	0.14	< 0.5	16	54	36	3.71	< 10	< 1	0.34	30	0.60	430
TO SS-5	205 226	-----	0.2	1.42	24	460	0.5	< 2	0.08	1.0	5	73	48	2.27	< 10	< 1	0.23	20	0.28	120
TO SS-6	205 226	-----	< 0.2	2.57	2	170	0.5	< 2	0.05	< 0.5	13	56	22	4.16	< 10	< 1	0.43	40	0.57	390
TOP R-2	205 226	-----	< 0.2	2.18	< 2	360	0.5	< 2	0.16	< 0.5	7	41	56	2.93	< 10	< 1	0.56	40	0.68	55
TOP R-3	205 226	-----	0.2	0.41	14	490	< 0.5	< 2	0.01	< 0.5	< 1	61	5	0.48	< 10	< 1	0.13	10	0.05	5
TOP S-1	205 226	-----	< 0.2	4.02	8	440	1.0	< 2	0.70	< 0.5	41	437	73	7.55	< 10	< 1	0.08	50	3.47	650
TOP SS-2	205 226	-----	0.2	0.89	18	250	0.5	< 2	0.11	1.5	5	104	32	1.30	< 10	< 1	0.13	10	0.18	145
TOWER R2-1	205 226	-----	1.6	0.66	50	350	0.5	< 2	0.04	2.5	1	226	136	1.01	< 10	< 1	0.17	10	0.11	20
TOWER R22-1	205 226	-----	< 0.2	0.31	8	40	< 0.5	< 2	1.52	123.5	5	260	24	0.58	< 10	< 1	0.03	< 10	0.94	490
TOWER S-44	205 226	-----	1.2	0.55	34	320	0.5	< 2	0.66	21.5	5	132	71	1.10	< 10	< 1	0.16	10	0.21	155
TOWER SR-1	205 226	-----	< 0.2	3.36	< 2	440	< 0.5	< 2	1.03	< 0.5	30	31	109	6.30	< 10	< 1	0.10	10	2.70	930
TS-1	205 226	-----	0.8	0.67	20	240	0.5	< 2	0.06	0.5	19	30	60	3.77	< 10	< 1	0.28	< 10	0.07	2120
TS-2	205 226	-----	< 0.2	0.66	18	240	0.5	< 2	0.12	< 0.5	14	51	59	3.32	< 10	< 1	0.26	< 10	0.08	3170
TS R-1C	205 226	15	< 0.2	1.06	406	200	1.0	< 2	3.04	< 0.5	11	35	12	4.16	< 10	< 1	0.38	50	0.49	935
TS R-3C	205 226	< 5	< 0.2	0.07	2	230	< 0.5	< 2	7.82	< 0.5	1	97	3	1.49	< 10	< 1	0.03	< 10	3.90	640
TS R-4C	205 226	880	2.8	0.13	744	70	< 0.5	6	0.02	< 0.5	4	299	14	2.58	< 10	< 1	0.06	< 10	0.03	100
TS R-3	205 226	< 5	1.4	0.20	12	110	< 0.5	2	0.03	< 0.5	33	144	31	4.19	< 10	< 1	0.09	< 10	0.04	>10000
TS R-4	205 226	10	< 0.2	0.46	98	290	< 0.5	< 2	0.03	< 0.5	8	66	19	1.90	< 10	< 1	0.19	< 10	0.04	490
TS R-5	205 226	< 5	< 0.2	0.18	10	100	< 0.5	< 2	< 0.01	< 0.5	1	222	11	0.91	< 10	< 1	0.08	< 10	0.02	35
TS R10-2C	205 226	< 5	0.2	0.29	12	330	< 0.5	< 2	0.04	< 0.5	3	185	10	0.79	< 10	< 1	0.13	< 10	0.03	145
TT R-1	205 226	190	3.6	0.49	1425	10	< 0.5	8	0.01	< 0.5	5	79	12	7.77	< 10	< 1	0.29	10	0.01	40
TT R-2	205 226	< 5	< 0.2	0.55	20	180	< 0.5	< 2	0.05	< 0.5	16	165	40	1.08	< 10	< 1	0.23	< 10	0.28	85
TT R-3	205 226	< 5	< 0.2	1.10	20	110	0.5	< 2	0.73	< 0.5	4	69	1	1.65	< 10	< 1	0.30	50	0.38	275
TT S-1	205 226	< 5	0.2	1.04	640	160	0.5	< 2	0.11	1.0	8	61	13	2.26	< 10	< 1	0.28	50	0.24	640
TT S-2	205 226	< 5	< 0.2	1.14	20	380	0.5	< 2	0.05	< 0.5	9	92	56	2.33	< 10	< 1	0.41	10	0.30	1035
W R-1	205 226	-----	1.6	1.17	64	50	0.5	< 2	6.66	17.5	11	101	78	1.82	< 10	< 1	0.33	< 10	0.80	75
W R-2	205 226	-----	0.4	0.41	18	950	< 0.5	< 2	10.50	9.5	2	70	21	0.47	< 10	< 1	0.12	< 10	0.24	45
W R-3	205 226	-----	1.4	1.04	30	70	0.5	< 2	8.74	8.5	10	66	46	2.36	< 10	< 1	0.25	< 10	1.18	135
W R-4	205 226	-----	0.6	0.72	10	150	< 0.5	< 2	>15.00	7.0	4	77	22	0.82	< 10	< 1	0.17	10	0.98	120

CERTIFICATION: *Shawn Rylan*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Project: CANADIAN UNITED MINERALS INC.

BOX 213
 DAWSON CITY, YT
 V0B 1G0

Project:
 Comments: ATTN:SHAWN RYAN

Page Number: 2-B
 Total Pages: 2
 Certificate Date: 13-MAY-98
 Invoice No.: 19818694
 P.O. Number:
 Account: PRP

CERTIFICATE OF ANALYSIS A9818694

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TA CSS-1	205 226	2	0.01	51	930	64	< 2	3	48	< 0.01	< 10	< 10	41	< 10	202
TA CSS-2	205 226	4	0.02	23	440	154	< 2	1	46	< 0.01	< 10	10	10	< 10	174
TA CSS-3	205 226	2	0.01	29	1240	154	< 2	5	242	< 0.01	< 10	10	16	< 10	418
TA CSS-4	205 226	3	0.02	20	1050	24	< 2	3	29	< 0.01	< 10	< 10	48	< 10	78
TAK 20 R-1	205 226	3	0.05	7	440	48	2	1	132	< 0.01	< 10	< 10	1	< 10	96
TAK 20 R-2	205 226	< 1	< 0.01	11	80	2	< 2	1	37	< 0.01	< 10	< 10	5	< 10	14
TAK 20 S-4	205 226	9	0.01	48	8430	54	< 2	4	1115	0.01	< 10	10	97	< 10	224
TO SS-1	205 226	3	0.01	48	2520	14	< 2	5	79	< 0.01	< 10	< 10	64	< 10	124
TO SS-2	205 226	4	0.01	62	1910	6	< 2	5	63	0.02	< 10	< 10	88	< 10	74
TO SS-3	205 226	3	0.02	95	2750	< 2	< 2	12	87	0.03	< 10	10	187	< 10	94
TO SS-4	205 226	2	0.01	26	850	22	< 2	3	20	0.03	< 10	< 10	45	< 10	94
TO SS-5	205 226	26	0.01	54	520	10	4	4	55	0.02	< 10	< 10	305	< 10	234
TO SS-6	205 226	1	< 0.01	24	220	12	< 2	3	9	< 0.01	< 10	< 10	19	< 10	68
TOP R-2	205 226	1	0.01	25	900	< 2	< 2	5	20	< 0.01	< 10	< 10	33	< 10	66
TOP R-3	205 226	30	< 0.01	15	270	2	2	< 1	19	< 0.01	< 10	< 10	207	< 10	24
TOP S-1	205 226	4	0.01	150	2610	2	< 2	13	96	0.10	< 10	10	203	< 10	114
TOP SS-2	205 226	28	< 0.01	59	570	6	2	2	34	0.02	< 10	< 10	587	< 10	218
TOWER R2-1	205 226	64	< 0.01	61	1300	62	8	5	96	0.01	< 10	10	2460	< 10	118
TOWER R22-1	205 226	14	< 0.01	197	180	84	< 2	1	66	< 0.01	< 10	< 10	358	< 10	2940
TOWER S-44	205 226	45	< 0.01	167	970	102	8	3	106	< 0.01	< 10	< 10	846	< 10	1910
TOWER SR-1	205 226	3	< 0.01	41	1220	< 2	< 2	6	32	0.43	< 10	< 10	139	< 10	72
TS-1	205 226	2	0.01	38	420	102	2	5	32	< 0.01	< 10	< 10	14	< 10	180
TS-2	205 226	2	0.01	35	570	28	< 2	4	43	< 0.01	< 10	< 10	15	< 10	120
TS R-1C	205 226	1	0.05	2	1370	24	< 2	5	365	0.02	< 10	10	29	< 10	82
TS R-3C	205 226	1	0.01	6	480	< 2	< 2	1	333	< 0.01	< 10	< 10	12	< 10	12
TS R-4C	205 226	< 1	< 0.01	5	70	268	< 2	< 1	3	< 0.01	< 10	< 10	4	< 10	8
TS R-3	205 226	< 1	< 0.01	75	420	316	2	2	61	< 0.01	< 10	10	13	< 10	114
TS R-4	205 226	12	0.01	20	50	16	< 2	1	13	< 0.01	< 10	< 10	6	< 10	164
TS R-5	205 226	1	< 0.01	9	80	4	< 2	< 1	6	< 0.01	< 10	< 10	6	< 10	20
TS R10-2C	205 226	1	< 0.01	11	360	62	< 2	< 1	34	< 0.01	< 10	< 10	9	< 10	20
TT R-1	205 226	1	0.01	1	170	294	< 2	< 1	7	< 0.01	< 10	10	1	< 10	16
TT R-2	205 226	< 1	< 0.01	24	160	4	< 2	1	14	< 0.01	< 10	< 10	7	< 10	48
TT R-3	205 226	2	0.04	8	440	64	4	1	121	< 0.01	< 10	< 10	1	< 10	92
TT S-1	205 226	2	0.04	25	500	116	< 2	1	27	< 0.01	< 10	10	10	< 10	204
TT S-2	205 226	1	0.01	27	290	10	< 2	3	29	< 0.01	< 10	< 10	27	< 10	72
W R-1	205 226	181	0.01	436	860	14	2	5	619	0.01	< 10	30	1835	< 10	1340
W R-2	205 226	41	< 0.01	86	690	2	< 2	1	1555	< 0.01	< 10	< 10	851	< 10	454
W R-3	205 226	50	< 0.01	174	1020	14	< 2	5	776	< 0.01	< 10	10	595	< 10	636
W R-4	205 226	16	0.01	97	830	6	< 2	3	1750	< 0.01	< 10	< 10	575	< 10	518

Rocks

CERTIFICATION: Shawn Riddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 213
 DAWSON CITY, YT
 V0B 1G0

Project :
 Comments: ATTN:SHAWN RYAN

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 13-MAY-98
 Invoice No. : 19818694
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9818694

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
115 DMI R-1	205 226	-----	1.0	0.94	50	140	0.5	< 2	11.45	10.5	7	65	61	2.95	< 10	< 1	0.22	< 10	0.85	105
116 DMI R-2	205 226	-----	1.4	0.59	52	60	< 0.5	2	>15.00	3.5	3	35	139	4.09	< 10	< 1	0.13	< 10	0.56	90
117 DMI R-3	205 226	-----	2.0	0.40	70	230	< 0.5	< 2	10.10	18.0	3	111	185	0.85	< 10	< 1	0.09	< 10	0.27	60
118 DMI R-4	205 226	-----	1.2	0.78	16	160	< 0.5	< 2	3.14	24.0	9	46	49	1.53	< 10	< 1	0.25	< 10	1.56	295
119 DMI R-10	205 226	-----	0.2	0.06	2	540	< 0.5	2	12.75	1.5	1	102	22	0.24	< 10	< 1	0.01	< 10	0.17	55
120 DMI S-2	205 226	-----	1.0	0.84	38	90	0.5	< 2	13.25	14.5	9	71	52	1.43	< 10	< 1	0.20	< 10	0.84	100
121 DMI S-4	205 226	-----	1.8	0.82	18	50	0.5	< 2	2.75	1.5	< 1	57	79	0.98	< 10	< 1	0.25	< 10	0.10	5
122 DMI S-5	205 226	-----	0.2	0.97	80	10	0.5	< 2	1.52	1.5	5	39	94	5.12	< 10	< 1	0.49	< 10	0.45	55
123 DMI S-6	205 226	-----	0.2	0.44	24	150	< 0.5	< 2	0.05	< 0.5	< 1	58	51	2.03	< 10	< 1	0.32	< 10	0.05	10
124 DMI S-7	205 226	-----	0.2	0.69	20	160	0.5	< 2	0.99	0.5	1	65	63	1.32	< 10	< 1	0.13	< 10	0.28	35
125 DMI S-8	205 226	-----	0.2	0.67	32	130	0.5	< 2	0.31	< 0.5	< 1	48	80	1.32	< 10	< 1	0.33	< 10	0.09	< 5
126 DMI S-9	205 226	-----	0.4	0.83	20	160	0.5	< 2	1.16	1.0	1	58	64	0.74	< 10	< 1	0.25	< 10	0.08	10
127 DMI S-10	205 226	-----	0.2	0.85	18	1010	< 0.5	< 2	13.70	3.0	3	47	114	0.62	< 10	< 1	0.09	< 10	2.27	265
128 DMI S-11	205 226	-----	1.6	0.87	8	40	0.5	< 2	2.16	1.5	10	25	40	3.32	< 10	< 1	0.18	< 10	0.55	165
129 DMI S-12	205 226	-----	4.6	1.00	16	160	0.5	< 2	1.45	0.5	< 1	40	59	0.74	< 10	< 1	0.29	< 10	0.09	5
EAGLE R1-43	205 226	-----	< 0.2	0.27	18	130	< 0.5	< 2	0.21	0.5	< 1	90	9	0.60	< 10	< 1	0.09	< 10	0.03	15
EAGLE R2-6	205 226	-----	< 0.2	2.37	< 2	50	1.0	< 2	0.09	< 0.5	16	92	8	5.74	10	< 1	0.01	50	1.47	495
EAGLE R3-8	205 226	-----	< 0.2	1.99	< 2	50	< 0.5	< 2	14.15	< 0.5	23	128	41	4.15	10	< 1	< 0.01	10	1.91	1745
EAGLE S-45	205 226	-----	< 0.2	2.32	18	210	1.5	< 2	0.65	< 0.5	18	71	34	4.04	< 10	< 1	0.47	60	0.69	1070
ENG R-1	205 226	-----	0.4	0.98	10	300	0.5	< 2	3.25	< 0.5	9	29	21	3.04	< 10	< 1	0.23	< 10	0.76	85
ENG S-2	205 226	-----	1.0	1.47	24	90	0.5	< 2	3.05	< 0.5	17	50	43	3.41	< 10	< 1	0.23	< 10	0.77	170
NI BE R-1	205 226	-----	0.4	0.45	18	500	0.5	< 2	5.87	7.5	4	54	50	0.79	< 10	< 1	0.13	10	0.26	60
NI CH AB R-1	205 226	-----	1.2	0.31	24	580	< 0.5	< 2	0.08	0.5	1	149	17	1.10	< 10	< 1	0.12	< 10	0.08	10
NI CO R-1	205 226	-----	4.4	1.06	294	50	1.5	< 2	0.28	0.5	6	111	21	1.52	< 10	< 1	0.34	40	0.18	5
RAE R-1	205 226	-----	0.4	0.22	14	880	< 0.5	< 2	0.01	0.5	1	228	33	0.86	< 10	< 1	0.05	< 10	0.01	15
RED R-1	205 226	-----	0.6	1.09	18	520	< 0.5	< 2	< 0.01	< 0.5	< 1	54	7	2.49	< 10	< 1	0.48	20	0.07	< 5
REDS -01	205 226	-----	1.8	0.83	32	160	< 0.5	< 2	< 0.01	< 0.5	1	46	34	5.18	< 10	< 1	0.42	< 10	0.05	40
ST R-1	205 226	< 5	< 0.2	0.23	14	220	< 0.5	< 2	0.02	< 0.5	8	119	32	2.80	< 10	< 1	0.12	< 10	0.04	1470
ST R-2	205 226	< 5	< 0.2	0.12	10	80	< 0.5	< 2	0.17	0.5	3	184	25	0.92	< 10	< 1	0.04	< 10	0.03	640
TA ASJ-1	205 226	< 5	< 0.2	2.24	8	80	1.0	< 2	0.13	< 0.5	19	47	24	4.68	< 10	< 1	0.25	< 10	0.76	930
TA ASJ-2	205 226	< 5	< 0.2	2.31	10	70	1.5	< 2	0.12	< 0.5	18	65	39	5.40	< 10	< 1	0.21	10	0.61	1070
TA BSJ-1	205 226	10	< 0.2	0.97	14	210	< 0.5	< 2	0.14	< 0.5	9	142	64	3.09	< 10	< 1	0.18	10	0.21	740
TA BSJ-2	205 226	< 5	0.2	2.13	14	140	0.5	< 2	0.06	< 0.5	6	72	36	4.13	< 10	< 1	0.22	30	0.75	300
TA BSJ-3	205 226	< 5	0.2	1.26	86	1270	0.5	< 2	0.25	1.5	26	42	79	4.40	< 10	< 1	0.39	40	0.15	1590
TA BSJ-4	205 226	15	1.2	0.89	20	490	0.5	< 2	0.06	0.5	17	79	151	5.66	< 10	< 1	0.29	30	0.13	935
TA CRJ-F	205 226	< 5	< 0.2	1.59	6	330	0.5	< 2	2.06	< 0.5	7	25	9	3.25	< 10	< 1	0.93	60	0.44	1070
TA CSJ-A	205 226	< 5	< 0.2	1.97	252	180	0.5	< 2	0.17	0.5	14	70	33	4.06	< 10	< 1	0.22	40	0.70	915
TA CSJ-B	205 226	10	0.2	1.47	634	160	0.5	< 2	0.15	1.0	12	54	26	3.54	< 10	< 1	0.19	50	0.51	720
TA CSJ-E	205 226	< 5	0.8	1.88	26	340	1.0	< 2	0.05	< 0.5	12	131	119	5.43	< 10	< 1	0.40	30	0.69	1265
TA CSJ-F	205 226	< 5	0.2	1.63	18	350	0.5	< 2	0.09	0.5	10	78	81	3.95	< 10	< 1	0.36	30	0.55	1240

ENGINEER
 REO ZONE

Dmi → REACON
 ENG → ~~ENGINEER~~ GALT Olgilvie River AREA
 DMI → REACON

CERTIFICATION: Hart Bielle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 213
 DAWSON CITY, YT
 V0B 1G0

Project :
 Comments: ATTN:SHAWN RYAN

Page Number : 1-B
 Total F : 2
 Certificate Date: 13-MAY-98
 Invoice No. : 19818694
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS

A9818694

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
DMI R-1	205 226	41 < 0.01		132	730	12	2	4	1025 < 0.01	< 10	< 10		735	< 10	648
DMI R-2	205 226	28 < 0.01		90	2430	20	36	4	1900 < 0.01	< 10	10		413	< 10	284
DMI R-3	205 226	52 < 0.01		91	930	4	14	2	1665 < 0.04	< 10	< 10		860	< 10	598
DMI R-4	205 226	35 0.04		199	460	6	6	7	134 < 0.01	< 10	< 10		315	< 10	766
DMI R-10	205 226	9 < 0.01		36	250	< 2	2	1	1520 < 0.01	< 10	< 10		127	< 10	114
DMI S-2	205 226	73 < 0.01		234	930	10	< 2	3	1455	0.01	< 10	10	930	< 10	1150
DMI S-4	205 226	30 0.02		32	5260	6	2	3	133 < 0.01	< 10	< 10	20	339	< 10	28
DMI S-5	205 226	21 0.08		34	470	< 2	< 2	6	77 < 0.01	< 10	< 10	10	43	< 10	92
DMI S-6	205 226	79 0.03		25	340	8	< 2	3	36 < 0.01	< 10	< 10	10	275	< 10	22
DMI S-7	205 226	91 0.01		81	300	2	2	3	101 < 0.01	< 10	< 10	20	178	< 10	98
DMI S-8	205 226	100 0.01		37	210	4	< 2	4	20 < 0.01	< 10	< 10	30	401	< 10	8
DMI S-9	205 226	69 0.01		62	30	< 2	2	2	84 < 0.01	< 10	< 10	10	609	< 10	74
DMI S-10	205 226	44 0.01		140	240	2	< 2	4	1300 < 0.01	< 10	< 10	< 10	788	< 10	360
DMI S-11	205 226	3 0.01		95	760	10	< 2	7	205 < 0.01	< 10	< 10	< 10	29	< 10	314
DMI S-12	205 226	11 0.02		15	2090	10	< 2	3	134 < 0.01	< 10	< 10	< 10	38	< 10	30
EAGLE R1-43	205 226	29 < 0.01		22	950	2	2	1	88	0.02	< 10	< 10	135	< 10	80
EAGLE R2-6	205 226	1 0.11		38	340	6	< 2	14	40	0.04	< 10	< 10	70	< 10	62
EAGLE R3-8	205 226	< 1 0.03		109	930	< 2	< 2	9	438 < 0.01	< 10	< 10	< 10	103	< 10	16
EAGLE S-45	205 226	2 0.01		40	1070	26	< 2	5	52 < 0.01	< 10	< 10	< 10	41	< 10	72
ENG R-1	205 226	1 0.03		62	710	12	< 2	6	165 < 0.01	< 10	< 10	< 10	29	< 10	148
ENG S-2	205 226	1 0.01		85	280	22	< 2	6	382 < 0.01	< 10	< 10	< 10	34	< 10	304
NI BE R-1	205 226	41 < 0.01		194	370	2	2	3	486 < 0.01	< 10	< 10	10	609	< 10	374
NI CH AB R-1	205 226	51 < 0.01		50	2390	2	2	2	52 < 0.01	< 10	< 10	< 10	366	< 10	46
NI CO R-1	205 226	464 < 0.01		2050	2840	32	14	6	191 < 0.01	< 10	30	30	1315	< 10	42
RAE R-1	205 226	12 < 0.01		43	160	< 2	2	1	22 < 0.01	< 10	< 10	< 10	96	< 10	168
RED R-1	205 226	4 0.03		6	700	14	< 2	5	72 < 0.01	< 10	< 10	< 10	102	< 10	2
REDS -01	205 226	5 0.08		18	900	14	< 2	5	94 < 0.01	< 10	< 10	10	102	< 10	44
ST R-1	205 226	< 1 < 0.01		9	20	26	< 2	4	11 < 0.01	< 10	< 10	< 10	12	< 10	70
ST R-2	205 226	1 < 0.01		13	510	10	< 2	1	49 < 0.01	< 10	< 10	< 10	6	< 10	52
TA ASJ-1	205 226	< 1 0.03		35	370	24	< 2	4	25 < 0.01	< 10	< 10	< 10	26	< 10	102
TA ASJ-2	205 226	1 0.03		36	420	22	< 2	6	39 < 0.01	< 10	< 10	10	23	< 10	110
TA BSJ-1	205 226	3 0.01		25	870	6	< 2	3	69 0.03	< 10	< 10	< 10	32	< 10	90
TA BSJ-2	205 226	5 0.03		20	940	16	< 2	3	31 < 0.01	< 10	< 10	< 10	34	< 10	106
TA BSJ-3	205 226	5 0.03		78	1530	46	2	5	159 < 0.01	< 10	< 10	10	43	< 10	314
TA BSJ-4	205 226	3 < 0.01		72	120	20	< 2	5	46 < 0.01	< 10	< 10	< 10	46	< 10	260
TA CRJ-F	205 226	2 0.04		8	860	22	< 2	4	425 0.09	< 10	< 10	10	28	< 10	110
TA CSJ-A	205 226	3 0.01		39	990	48	< 2	3	49 < 0.01	< 10	< 10	< 10	39	< 10	160
TA CSJ-B	205 226	4 0.02		32	650	94	< 2	3	45 < 0.01	< 10	< 10	10	22	< 10	226
TA CSJ-E	205 226	2 0.01		44	360	16	< 2	6	34 0.03	< 10	< 10	< 10	107	< 10	140
TA CSJ-F	205 226	3 0.01		39	640	12	< 2	4	35 0.01	< 10	< 10	10	49	< 10	136

CERTIFICATION: *Hart Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

A9821224

Comments: ATTN: SHAWN RYAN

CERTIFICATE

A9821224

(PRP) - CANADIAN UNITED MINERALS INC.

Project:
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 12-JUN-98.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
254	14	sieve less than 63 u
201	14	Dry, sieve to -80 mesh
202	14	save reject
229	28	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

willow claims #5 - #11
R
RED claims #12 - #18

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
2118	28	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	28	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	28	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	28	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	28	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	28	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	28	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	28	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	28	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	28	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	28	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	28	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	28	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	28	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	28	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	28	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	28	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	28	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	28	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	28	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	28	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	28	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	28	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	28	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	28	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	28	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	28	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	28	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	28	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	28	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	28	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	28	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Project :
Comments: ATTN: SHAWN RYAN

Page Number : 1-A
Total P : 2
Certificate Date: 12-JUN-98
Invoice No. : 19821224
P.O. Number :
Account : PRP


CERTIFICATE OF ANALYSIS

A9821224

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	
5 WS25-300 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5 WS25-300 -80+250	201 229	0.6	0.66	24	300	1.5	< 2	13.60	7.5	3	49	50	1.03	< 10	< 1	0.13	10	0.81	95	82	
5 WS25-300 -250	254 229	0.8	0.91	42	280	1.5	< 2	11.85	7.5	5	60	68	1.61	< 10	< 1	0.18	10	1.09	120	125	
5 WSPT +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6 WSPT -80+250	201 229	4.6	0.80	24	300	0.5	< 2	4.93	32.5	6	39	52	1.64	< 10	< 1	0.27	< 10	0.69	140	20	
7 WSPT -250	254 229	7.0	0.82	48	110	0.5	< 2	6.06	29.0	11	40	76	3.34	< 10	< 1	0.25	< 10	0.77	190	40	
7 WS23-300 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7 WS23-300 -80+250	201 229	0.8	0.73	38	1970	1.0	< 2	>15.00	16.0	1	68	70	0.87	< 10	1	0.13	10	1.23	85	61	
7 WS23-300 -250	254 229	1.6	0.88	50	2290	1.0	< 2	12.25	13.0	2	79	82	1.14	< 10	1	0.16	10	1.49	85	77	
8 WS27-100 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9 WS27-100-80+250	201 229	0.8	0.45	24	3020	0.5	< 2	14.80	13.0	< 1	54	40	0.65	< 10	< 1	0.10	10	1.43	140	25	
9 WS27-100 -250	254 229	1.2	0.60	64	3290	0.5	< 2	12.20	10.5	3	61	55	1.23	< 10	< 1	0.12	10	1.91	155	46	
9 WS20-000 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9 WS20-000 -80+250	201 229	4.0	1.78	78	230	1.0	< 2	2.55	4.5	1	102	91	4.86	< 10	< 1	0.72	< 10	0.07	25	56	
9 WS20-000 -250	254 229	4.4	1.91	92	240	1.0	< 2	2.38	4.5	1	109	78	5.23	< 10	< 1	0.73	< 10	0.08	25	60	
10 WS22-000 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
10 WS22-000 -80+250	201 229	2.2	1.72	56	560	1.0	< 2	0.96	3.5	4	71	95	2.08	< 10	< 1	0.16	< 10	0.44	85	47	
10 WS22-000 -250	254 229	2.8	2.76	66	570	1.0	< 2	1.27	3.5	9	96	106	3.39	< 10	< 1	0.20	< 10	0.80	240	61	
11 WS17-150 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
11 WS17-150 -80+250	201 229	0.2	0.30	30	320	< 0.5	< 2	0.06	0.5	< 1	7	42	2.17	< 10	< 1	0.21	< 10	0.04	45	24	
12 WS17-150 -250	254 229	0.2	0.41	48	150	< 0.5	< 2	0.06	0.5	1	10	45	3.80	< 10	< 1	0.34	< 10	0.07	35	40	
12 R2S-0500 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
12 R2S-0500 -80+250	201 229	0.6	1.46	148	80	< 0.5	< 2	0.06	1.0	1	55	164	9.40	< 10	< 1	0.45	< 10	0.17	85	74	
12 R2S-0500 -250	254 229	0.6	1.48	132	130	< 0.5	< 2	0.06	1.5	2	54	151	9.41	< 10	< 1	0.42	< 10	0.21	90	70	
12 R2S-0590 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
13 R2S-0590 -80+250	201 229	< 0.2	0.54	42	170	< 0.5	< 2	0.02	0.5	1	15	51	3.14	< 10	< 1	0.23	< 10	0.07	50	53	
13 R2S-0590 -250	254 229	0.2	0.82	72	110	< 0.5	< 2	0.03	0.5	3	23	62	5.30	< 10	< 1	0.37	< 10	0.16	110	95	
14 R2S-0900 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
14 R2S-0900 -80+250	201 229	2.6	1.68	32	520	1.5	< 2	4.04	8.5	1	90	76	3.06	< 10	< 1	0.30	40	0.09	65	18	
14 R2S-0900 -250	254 229	3.4	2.07	44	370	1.5	< 2	2.94	8.0	3	81	88	4.09	< 10	< 1	0.29	30	0.16	175	25	
15 R2S-1350 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
15 R2S-1350 -80+250	201 229	2.8	1.27	26	350	1.5	< 2	2.33	1.5	< 1	92	46	2.67	< 10	< 1	0.22	10	0.07	20	10	
15 R2S-1350 -250	254 229	4.0	1.44	32	300	1.0	< 2	1.63	1.5	1	94	45	3.91	< 10	< 1	0.27	10	0.08	35	15	
16 R2S-1850 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
16 R2S-1850 -80+250	201 229	2.0	0.43	10	520	< 0.5	< 2	0.04	0.5	< 1	14	46	1.22	< 10	< 1	0.19	< 10	0.03	15	< 1	
17 R2S-1850 -250	254 229	5.4	0.70	28	80	< 0.5	< 2	0.06	1.5	3	33	62	4.44	< 10	< 1	0.49	< 10	0.04	50	4	
17 R2S-2200 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
17 R2S-2200 -80+250	201 229	1.6	0.26	8	720	< 0.5	< 2	< 0.01	< 0.5	< 1	6	11	0.97	< 10	< 1	0.14	< 10	0.01	< 5	< 1	
17 R2S-2200 -250	254 229	5.8	0.37	8	90	< 0.5	< 2	< 0.01	< 0.5	< 1	11	17	4.17	< 10	< 1	0.57	< 10	0.02	5	2	
17 R2S-2300 +80	202 --	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1 - RED CLAIMS
KORBY
W002020

CERTIFICATION: *Shawn Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project :
 Comments: ATTN: SHAWN RYAN

Page Number :1-B
 Total F :2
 Certificate Date: 12-JUN-98
 Invoice No. :19821224
 P.O. Number :
 Account :PRP

CERTIFICATE OF ANALYSIS A9821224

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
WS25-300 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
WS25-300 -80+250	201 229	< 0.01	159	640	6	2	3	1225	0.01	10	10	530	< 10	528
WS25-300 -250	254 229	< 0.01	230	250	10	4	3	909	< 0.01	< 10	10	594	< 10	760
WSPT +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
WSPT -80+250	201 229	< 0.01	64	790	18	10	3	302	< 0.01	< 10	< 10	576	< 10	1005
WSPT -250	254 229	< 0.01	111	520	22	18	3	348	< 0.01	< 10	10	558	< 10	1720
WS23-300 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
WS23-300 -80+250	201 229	< 0.01	167	1260	6	2	3	1685	0.03	10	< 10	1120	< 10	788
WS23-300 -250	254 229	< 0.01	216	400	6	< 2	3	1155	< 0.01	10	< 10	1190	< 10	970
WS27-100 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
WS27-100-80+250	201 229	< 0.01	94	760	6	< 2	3	1815	0.04	< 10	< 10	1045	< 10	556
WS27-100 -250	254 229	< 0.01	152	840	6	< 2	3	1515	0.01	10	< 10	1160	< 10	848
WS20-000 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
WS20-000 -80+250	201 229	0.01	23	>10000	26	26	6	2120	0.01	< 10	10	652	< 10	94
WS20-000 -250	254 229	0.01	25	>10000	30	30	6	2480	0.01	< 10	10	689	< 10	100
WS22-000 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
WS22-000 -80+250	201 229	< 0.01	53	6630	18	10	6	863	0.01	< 10	10	465	< 10	162
WS22-000 -250	254 229	0.01	96	8700	22	12	6	1145	0.02	< 10	10	576	< 10	344
WS17-150 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
WS17-150 -80+250	201 229	0.01	16	330	6	2	3	50	< 0.01	< 10	< 10	57	< 10	32
WS17-150 -250	254 229	0.03	20	510	12	< 2	4	50	< 0.01	< 10	< 10	80	< 10	48
R2S-0500 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
R2S-0500 -80+250	201 229	0.18	15	3160	14	4	5	163	< 0.01	< 10	10	171	< 10	44
R2S-0500 -250	254 229	0.18	19	2900	16	< 2	4	148	0.01	< 10	10	179	< 10	54
R2S-0590 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
R2S-0590 -80+250	201 229	0.04	25	840	12	< 2	3	81	< 0.01	< 10	< 10	120	< 10	58
R2S-0590 -250	254 229	0.06	43	1400	20	2	3	95	< 0.01	< 10	10	198	< 10	112
R2S-0900 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
R2S-0900 -80+250	201 229	0.03	21	>10000	22	4	8	576	< 0.01	< 10	10	496	< 10	156
R2S-0900 -250	254 229	0.03	32	>10000	30	6	7	496	0.01	< 10	10	440	< 10	182
R2S-1350 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
R2S-1350 -80+250	201 229	0.03	13	>10000	14	2	1	303	< 0.01	< 10	< 10	400	< 10	44
R2S-1350 -250	254 229	0.04	16	>10000	30	6	2	246	< 0.01	< 10	< 10	390	< 10	56
R2S-1850 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
R2S-1850 -80+250	201 229	0.01	11	290	10	< 2	4	43	< 0.01	< 10	< 10	32	< 10	34
R2S-1850 -250	254 229	0.05	21	990	36	2	8	101	< 0.01	< 10	< 10	81	< 10	78
R2S-2200 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----
R2S-2200 -80+250	201 229	< 0.01	3	90	14	< 2	1	9	< 0.01	< 10	< 10	18	< 10	6
R2S-2200 -250	254 229	0.03	5	290	60	< 2	2	15	< 0.01	< 10	< 10	37	< 10	14
R2S-2300 +80	202 --	----	----	----	----	----	----	----	----	----	----	----	----	----

CERTIFICATION:

Shawn Ryan



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

A9821222

Comments: ATTN: SHAWN RYAN

CERTIFICATE

A9821222

(PRP) - CANADIAN UNITED MINERALS INC.

Project:
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 12-JUN-98.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	21	Dry, sieve to -80 mesh save reject ICP - AQ Digestion charge
202	21	
229	21	

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

RED claims 19-25
 Black claims 31-39
 PIT claims 26-30

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
2118	21	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	21	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	21	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	21	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	21	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	21	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	21	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	21	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	21	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	21	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	21	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	21	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	21	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	21	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	21	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	21	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	21	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	21	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	21	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	21	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	21	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	21	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	21	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	21	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	21	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	21	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	21	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	21	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	21	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	21	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	21	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	21	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 12-JUN-98
 Invoice No. : 19821222
 P.O. Number :
 Account : PRP

Project:
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A9821222

1 - Black - 1. PIT - REO claims claim

19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
RES 450	201 202	2.4	0.85	24	470	< 0.5	2	0.10	2.0	2	26	54	3.10	< 10	< 1	0.14	< 10	0.07	35	14
RES 970	201 202	2.2	1.74	28	560	0.5	< 2	1.42	2.5	2	52	41	2.82	< 10	< 1	0.24	10	0.13	50	23
RES 1500	201 202	0.4	1.02	58	1340	< 0.5	< 2	0.09	< 0.5	3	22	10	3.08	< 10	< 1	0.15	< 10	0.13	35	60
RES 1950	201 202	0.6	0.95	54	660	< 0.5	< 2	0.11	1.5	2	28	30	2.51	< 10	< 1	0.20	10	0.08	40	44
RES 2250	201 202	0.4	0.63	42	280	< 0.5	2	0.08	0.5	3	16	20	2.95	< 10	< 1	0.26	< 10	0.05	40	48
RES 2700	201 202	4.0	0.65	22	150	< 0.5	< 2	0.01	< 0.5	1	24	49	3.86	< 10	< 1	0.31	10	0.02	30	4
RES 3150	201 202	3.2	0.22	6	1170	< 0.5	< 2	0.01	< 0.5	< 1	13	61	0.46	< 10	< 1	0.10	< 10	0.01	< 5	3
PITS-01	201 202	3.2	0.70	48	70	0.5	< 2	8.97	20.5	14	24	81	2.85	< 10	< 1	0.24	< 10	0.65	185	30
PITS-02	201 202	0.2	0.10	2	10	0.5	< 2	3.80	2.0	< 1	1	7	0.37	< 10	< 1	0.09	< 10	7.83	20	12
PITS-03	201 202	3.0	0.81	40	80	0.5	< 2	7.59	14.5	9	28	50	2.43	< 10	< 1	0.27	< 10	0.69	135	27
PITS-04	201 202	5.6	0.39	44	50	< 0.5	< 2	5.41	6.0	2	11	42	3.01	< 10	< 1	0.17	< 10	0.12	35	41
PITS-05	201 202	2.0	0.99	28	150	1.0	< 2	4.54	14.5	9	41	67	2.66	< 10	< 1	0.26	10	1.34	265	27
BLS-0134	201 202	0.8	2.75	26	1020	0.5	< 2	1.06	4.5	15	83	75	5.33	< 10	< 1	0.08	< 10	0.44	260	10
BLS-0457	201 202	2.0	0.88	18	290	< 0.5	2	0.12	1.0	5	26	42	2.94	< 10	< 1	0.23	< 10	0.14	130	8
BLS-1100	201 202	1.6	0.57	30	550	< 0.5	< 2	0.05	< 0.5	< 1	19	41	2.02	< 10	< 1	0.19	< 10	0.06	30	3
BLS-1900	201 202	4.0	0.90	28	890	< 0.5	< 2	0.18	< 0.5	1	35	58	2.01	< 10	< 1	0.13	< 10	0.04	20	10
BLS-2300	201 202	3.6	0.73	56	130	0.5	< 2	0.07	0.5	7	35	72	7.12	< 10	< 1	0.25	< 10	0.02	105	9
BLS-1000MW	201 202	3.8	2.08	42	120	< 0.5	2	0.05	2.5	9	53	183	7.91	< 10	< 1	0.47	< 10	0.10	135	4
BLS-2050MW	201 202	0.8	1.38	24	570	< 0.5	2	0.03	< 0.5	4	33	22	3.34	< 10	< 1	0.09	< 10	0.18	95	11
BLS-2950MW	201 202	1.0	0.80	16	290	< 0.5	4	0.02	< 0.5	4	29	54	2.89	< 10	< 1	0.19	< 10	0.04	60	13
B2-0914	201 202	2.2	0.43	20	190	< 0.5	2	0.06	1.0	< 1	20	67	3.34	< 10	< 1	0.27	< 10	0.02	15	7

CERTIFICATION: Hart Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-B
 Total P : 1
 Certificate Date: 12-JUN-98
 Invoice No. : 19821222
 P.O. Number :
 Account : PRP


Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS

A9821222

SAMPLE	PREP		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
RES 450	201	202	0.04	34	1880	10	< 2	2	105	0.01	< 10	< 10	122	< 10	102
RES 970	201	202	0.03	28	>10000	30	4	4	268	0.01	< 10	< 10	396	< 10	114
RES 1500	201	202	0.01	20	1260	14	6	1	72	0.01	< 10	< 10	450	< 10	86
RES 1950	201	202	0.02	24	1620	18	2	1	127	< 0.01	< 10	< 10	257	< 10	80
RES 2250	201	202	0.03	25	1070	14	2	2	69	< 0.01	< 10	< 10	152	< 10	80
RES 2700	201	202	0.06	6	1200	24	< 2	6	102	< 0.01	< 10	< 10	63	< 10	38
RES 3150	201	202	< 0.01	10	170	14	< 2	1	41	< 0.01	< 10	< 10	25	< 10	8
PITS-01	201	202	< 0.01	98	1310	20	4	3	337	< 0.01	< 10	< 10	228	< 10	1275
PITS-02	201	202	0.04	12	90	< 2	< 2	< 1	447	< 0.01	< 10	< 10	37	< 10	158
PITS-03	201	202	< 0.01	89	810	18	2	3	503	< 0.01	< 10	< 10	259	< 10	1005
PITS-04	201	202	< 0.01	23	190	70	14	1	213	< 0.01	< 10	< 10	144	< 10	196
PITS-05	201	202	0.01	93	1640	16	10	4	280	0.01	< 10	< 10	268	< 10	920
BLS-0134	201	202	0.01	155	>10000	12	4	4	530	0.03	< 10	< 10	217	< 10	814
BLS-0457	201	202	0.04	19	980	16	< 2	3	91	0.01	< 10	< 10	103	< 10	90
BLS-1100	201	202	0.02	9	360	16	< 2	2	47	< 0.01	< 10	< 10	73	< 10	38
BLS-1900	201	202	0.02	17	2120	14	< 2	3	147	< 0.01	< 10	< 10	47	< 10	48
BLS-2300	201	202	0.25	54	3110	22	< 2	11	305	< 0.01	< 10	< 10	58	< 10	234
BLS-1000MW	201	202	0.11	91	2410	18	2	15	193	< 0.01	< 10	< 10	147	< 10	384
BLS-2050MW	201	202	0.03	18	390	8	< 2	3	36	0.02	< 10	< 10	133	< 10	74
BLS-2950MW	201	202	0.07	46	990	10	< 2	4	124	< 0.01	< 10	< 10	57	< 10	106
B2-0914	201	202	0.05	14	750	10	< 2	4	64	< 0.01	< 10	< 10	55	< 10	26

CERTIFICATION: Shawn Riddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Project :
Comments: ATTN: SHAWN RYAN

Page Number :2-A
Total P :2
Certificate Date: 12-JUN-98
Invoice No. : I9821224
P.O. Number :
Account : PRP

CERTIFICATE OF ANALYSIS

A9821224

18

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
R2S-2300 -80+250	201	229	0.2	0.32	22	260	< 0.5	< 2	0.12	0.5	4	7	30	2.22	< 10	< 1	0.23	< 10	0.07	105	17
R2S-2300 -250	254	229	0.2	0.45	28	160	< 0.5	< 2	0.14	0.5	3	9	34	3.32	< 10	< 1	0.34	< 10	0.10	80	24

CERTIFICATION: Shawn Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Project :
Comments: ATTN: SHAWN RYAN

Page Number :2-B
Total P: :2
Certificate Date: 12-JUN-98
Invoice No. :I9821224
P.O. Number :
Account :PRP

CERTIFICATE OF ANALYSIS

A9821224

SAMPLE	PREP CODE		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
R2S-2300 -80+250	201	229	0.01	23	190	8	< 2	2	32	< 0.01	< 10	< 10	27	< 10	48
R2S-2300 -250	254	229	0.02	30	260	10	< 2	3	35	< 0.01	< 10	< 10	38	< 10	70

CERTIFICATION: Wendy Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

A9823271

Comments: ATTN: SHAWN RYAN

CERTIFICATE

A9823271

(PRP) - CANADIAN UNITED MINERALS INC.

Project:
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 8-JUL-98.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	36	Geochem ring to approx 150 mesh
226	36	0-3 Kg crush and split
3202	36	Rock - save entire reject
229	36	ICP - AQ Digestion charge


* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

CHEY Claims #80 - #85
GRAY AREA #86 - #87
willow claims #88 - #101

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	14	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	36	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	36	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	36	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	36	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	36	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	36	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	36	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	36	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	36	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	36	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	36	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	36	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	36	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	36	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	36	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	36	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	36	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	36	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	36	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	36	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	36	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	36	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	36	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	36	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	36	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	36	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	36	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	36	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	36	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	36	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	36	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	36	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Project:
Comments: ATTN: SHAWN RYAN

Page Number : 1-B
Total Pages : 1
Certificate Date: 08-JUL-98
Invoice No. : I9823271
P.O. Number :
Account : PRP

CERTIFICATE OF ANALYSIS A9823271

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AU07R-1	205 226	< 1	< 0.01	5	60	28	< 2	< 1	2	< 0.01	< 10	< 10	1	< 10	46
AU07R-2	205 226	< 1	< 0.01	5	30	2	< 2	< 1	1	< 0.01	< 10	< 10	3	< 10	20
BRAR-3	205 226	1	0.02	3	40	16	< 2	< 1	8	< 0.01	< 10	< 10	1	< 10	10
AR-6	205 226	< 1	< 0.01	3	10	< 2	< 2	8	1245	< 0.01	< 10	< 10	11	< 10	2
AR-8	205 226	< 1	0.03	1	90	10	< 2	< 1	23	< 0.01	< 10	< 10	1	< 10	10
BRAR-9	205 226	< 1	0.02	2	30	8	< 2	1	42	0.01	< 10	< 10	1	< 10	34
AR-9B	205 226	< 1	< 0.01	3	200	196	< 2	< 1	18	< 0.01	< 10	< 10	< 1	< 10	96
AR-10	205 226	1	0.07	6	100	76	< 2	1	25	< 0.01	< 10	< 10	3	< 10	20
BRAR-12	205 226	< 1	0.19	7	2630	2	< 2	12	105	0.12	< 10	< 10	73	< 10	108
BRAR-15	205 226	< 1	< 0.01	< 1	30	20	< 2	< 1	4	< 0.01	< 10	< 10	< 1	< 10	22
CHEY03R-400	205 226	18	< 0.01	36	1220	< 2	< 2	1	1450	0.04	< 10	< 10	174	< 10	122
CHEY05R-220	205 226	36	0.16	15	2700	< 2	2	17	358	< 0.01	< 10	30	431	< 10	28
CHEY10R-400	205 226	17	< 0.01	56	40	2	< 2	1	426	< 0.01	< 10	< 10	309	< 10	720
CHEY11R-400	205 226	7	< 0.01	6	30	< 2	< 2	< 1	9	< 0.01	< 10	< 10	13	< 10	8
CHEY12R-000	205 226	1	< 0.01	13	320	6	< 2	< 1	22	< 0.01	< 10	< 10	50	< 10	6
CHEY15R-200	205 226	13	< 0.01	155	1650	2	2	4	238	< 0.01	< 10	10	147	< 10	170
DMCON-R	205 226	< 1	< 0.01	10	30	< 2	< 2	< 1	920	< 0.01	< 10	< 10	39	< 10	32
DMJLR-1	205 226	< 1	0.07	5	980	8	< 2	4	75	0.13	< 10	< 10	67	< 10	64
DMJLR-2	205 226	< 1	0.06	5	170	2	< 2	3	12	< 0.01	< 10	< 10	7	< 10	14
GRAY RR-1	205 226	< 1	0.05	1	250	4	< 2	1	28	0.06	< 10	< 10	12	< 10	36
GRAY RR-2	205 226	36	0.01	30	920	10	2	3	152	< 0.01	< 10	10	686	< 10	40
JLR-1	205 226	< 1	< 0.01	8	1040	< 2	< 2	1	92	0.07	< 10	< 10	26	< 10	8
WILLOW R-5	205 226	24	0.01	48	360	18	24	2	3390	0.01	< 10	10	468	< 10	200
WILLOW R-6	205 226	44	0.01	351	950	8	2	4	365	0.03	< 10	10	1525	< 10	1290
WILLOW R-15	205 226	117	0.01	295	450	8	< 2	6	1145	< 0.01	< 10	20	1420	< 10	914
WILLOW RR-30	205 226	93	< 0.01	223	270	< 2	2	6	1430	< 0.01	< 10	20	1285	< 10	736
WILLOW RR-45	205 226	118	< 0.01	289	1140	10	< 2	5	1225	< 0.01	< 10	20	1705	< 10	1010
WILLOW RR-60	205 226	172	< 0.01	387	780	12	2	6	929	0.01	< 10	20	2030	< 10	1280
WILLOW RR-75	205 226	158	< 0.01	390	520	12	2	6	921	0.01	< 10	30	1905	< 10	1470
WILLOW RR-90	205 226	181	< 0.01	458	550	16	8	6	632	0.01	< 10	30	2270	< 10	1495
WILLOW RR-105	205 226	248	< 0.01	320	1300	22	20	5	417	0.01	< 10	20	2380	< 10	900
WILLOW RR-120	205 226	187	< 0.01	372	510	10	< 2	6	551	0.01	< 10	30	2080	< 10	1295
WILLOW RR-135	205 226	172	< 0.01	476	560	12	6	5	443	0.01	< 10	30	1980	< 10	1615
WILLOW RR-150	205 226	126	< 0.01	97	1050	26	< 2	1	140	< 0.01	< 10	< 10	1875	< 10	140
WILLOW RR-165	205 226	205	< 0.01	303	710	12	2	7	294	0.01	< 10	30	2620	< 10	1025
WILLOW RR-210	205 226	166	< 0.01	170	1280	10	2	4	162	0.01	< 10	20	2770	< 10	390

80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
Sery CHEY Claim
WILLOW Claim

CERTIFICATION:

Shawn Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project:
 Comments: ATTN: SHAWN RYAN


Par Number : 1-A
 Tol ges : 1
 Certificate Date: 08-JUL-98
 Invoice No. : 19823271
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9823271

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
AU07R-1	205 226	5	0.2	0.13	170	10	< 0.5	< 2	0.01	0.5	3	207	15	0.70	< 10	< 1	0.05	< 10	< 0.01	65
AU07R-2	205 226	5	< 0.2	0.08	100	< 10	< 0.5	12	< 0.01	< 0.5	1	219	13	1.72	< 10	< 1	0.01	< 10	< 0.01	60
BRAR-3	205 226	< 5	< 0.2	0.27	22	190	< 0.5	< 2	0.01	< 0.5	< 1	182	1	0.65	< 10	< 1	0.27	30	< 0.01	30
AR-6	205 226	10	< 0.2	0.37	< 2	140	< 0.5	< 2	>15.00	< 0.5	4	12	1	0.96	< 10	< 1	< 0.01	< 10	0.31	3030
AR-8	205 226	< 5	< 0.2	0.38	6	210	0.5	< 2	0.51	< 0.5	< 1	158	< 1	0.50	< 10	< 1	0.49	20	0.01	130
BRAR-9	205 226	< 5	< 0.2	0.68	32	170	< 0.5	< 2	0.38	< 0.5	< 1	97	3	0.63	< 10	< 1	0.19	10	0.21	45
AR-9B	205 226	5	1.0	0.24	470	50	< 0.5	2	0.30	0.5	< 1	206	6	0.84	< 10	< 1	0.05	< 10	0.07	30
AR-10	205 226	< 5	0.2	0.35	8	340	< 0.5	< 2	0.85	< 0.5	3	201	3	0.88	< 10	< 1	0.05	10	0.60	125
BRAR-12	205 226	< 5	< 0.2	1.62	8	40	0.5	2	2.52	< 0.5	20	41	12	4.97	< 10	< 1	0.25	30	1.60	810
BRAR-15	205 226	< 5	< 0.2	0.51	8	70	< 0.5	< 2	0.02	< 0.5	< 1	77	20	0.84	< 10	< 1	0.16	< 10	< 0.01	5
CHEY03R-400	205 226	-----	< 0.2	0.91	52	>10000	< 0.5	< 2	7.06	4.0	1	82	39	0.30	< 10	< 1	0.18	< 10	0.07	175
CHEY05R-220	205 226	-----	0.2	2.55	82	90	0.5	< 2	0.16	3.0	< 1	204	22	1.26	< 10	< 1	0.55	< 10	0.01	5
CHEY10R-400	205 226	-----	0.2	0.46	8	4600	< 0.5	< 2	2.35	14.0	2	196	14	0.46	< 10	< 1	0.11	< 10	0.20	60
CHEY11R-400	205 226	-----	< 0.2	0.05	< 2	240	< 0.5	< 2	0.01	< 0.5	< 1	187	3	0.26	< 10	< 1	0.02	< 10	< 0.01	5
CHEY12R-000	205 226	-----	0.2	0.24	2	710	< 0.5	< 2	0.01	< 0.5	< 1	151	10	0.31	< 10	< 1	0.06	< 10	0.02	5
CHEY15R-200	205 226	-----	0.2	1.64	20	430	0.5	< 2	0.10	3.0	1	198	67	0.99	< 10	< 1	0.05	< 10	0.02	10
DMCON-R	205 226	< 5	< 0.2	0.02	< 2	240	< 0.5	< 2	12.25	0.5	< 1	34	12	0.07	< 10	< 1	< 0.01	< 10	2.52	25
DMJLR-1	205 226	< 5	< 0.2	1.15	< 2	310	0.5	< 2	0.92	< 0.5	6	47	13	2.66	< 10	< 1	0.20	20	0.71	215
DMJLR-2	205 226	< 5	< 0.2	0.40	< 2	90	< 0.5	< 2	0.13	< 0.5	1	115	8	0.77	< 10	< 1	0.15	30	0.08	50
GRAY RR-1	205 226	-----	< 0.2	0.84	< 2	50	< 0.5	< 2	0.33	< 0.5	< 1	7	1	1.06	< 10	< 1	0.08	< 10	0.31	90
GRAY RR-2	205 226	-----	0.4	0.71	18	930	< 0.5	< 2	0.10	2.0	< 1	119	27	0.60	< 10	< 1	0.19	< 10	0.05	5
JLR-1	205 226	< 5	< 0.2	1.31	< 2	40	< 0.5	< 2	4.39	< 0.5	7	121	14	1.05	< 10	< 1	< 0.01	< 10	0.09	460
WILLOW R-5	205 226	-----	1.6	0.18	64	40	< 0.5	< 2	>15.00	3.5	1	24	147	2.93	< 10	< 1	0.06	10	0.16	65
WILLOW R-6	205 226	-----	1.0	1.38	30	100	1.5	< 2	3.40	31.0	17	80	58	1.34	< 10	< 1	0.32	< 10	0.44	120
WILLOW R-15	205 226	-----	1.4	1.26	48	1540	1.0	< 2	9.95	13.5	12	94	58	2.00	< 10	< 1	0.34	10	1.52	185
WILLOW RR-30	205 226	-----	1.2	1.03	46	2090	0.5	< 2	10.95	12.0	9	80	48	1.40	< 10	< 1	0.27	10	0.92	110
WILLOW RR-45	205 226	-----	1.6	1.57	66	1250	0.5	< 2	8.67	13.0	12	108	84	1.93	< 10	< 1	0.40	10	1.14	95
WILLOW RR-60	205 226	-----	2.0	1.59	86	1130	1.0	< 2	7.24	15.5	12	126	83	2.38	< 10	< 1	0.45	10	1.09	85
WILLOW RR-75	205 226	-----	1.8	1.45	60	590	1.0	< 2	8.22	18.5	14	120	90	2.07	< 10	< 1	0.38	10	1.02	105
WILLOW RR-90	205 226	-----	2.0	1.43	88	470	1.0	< 2	5.43	17.0	10	123	140	2.22	< 10	< 1	0.39	10	0.91	75
WILLOW RR-105	205 226	-----	2.8	1.34	96	510	1.0	< 2	2.02	9.0	7	128	143	2.79	< 10	< 1	0.38	10	0.72	35
WILLOW RR-120	205 226	-----	1.6	1.07	66	560	0.5	< 2	4.63	19.0	8	103	94	1.60	< 10	< 1	0.29	10	0.61	75
WILLOW RR-135	205 226	-----	1.6	1.02	66	560	0.5	< 2	4.02	25.5	14	99	108	1.63	< 10	< 1	0.29	< 10	0.52	85
WILLOW RR-150	205 226	-----	1.8	0.88	52	250	0.5	< 2	0.35	1.5	1	84	15	1.38	< 10	< 1	0.32	< 10	0.19	5
WILLOW RR-165	205 226	-----	1.6	1.26	62	510	1.0	< 2	1.64	12.0	8	112	74	1.84	< 10	< 1	0.36	< 10	0.56	45
WILLOW RR-210	205 226	-----	1.6	1.29	60	140	1.0	< 2	1.03	4.5	3	112	70	1.67	< 10	< 1	0.35	< 10	0.40	5

CERTIFICATION:

Shawn Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

A9823390

Comments: ATTN: SHAWN RYAN

CERTIFICATE

A9823390

(PRP) - CANADIAN UNITED MINERALS INC.

Project:
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 10-JUL-98.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	53	Dry, sieve to -80 mesh
202	53	save reject
229	53	ICP - Aq Digestion charge

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

CHEY claims # 40 → # 68

GRAY AREA # 69 → # 79

102 → # 111

willow claim # 112 → # 114

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
2118	53	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	53	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	53	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	53	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	53	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	53	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	53	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	53	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	53	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	53	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	53	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	53	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	53	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	53	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	53	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	53	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	53	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	53	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	53	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	53	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	53	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	53	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	53	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	53	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	53	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	53	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	53	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	53	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	53	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	53	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	53	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	53	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 09-JUL-98
 Invoice No. : 19823390
 P.O. Number :
 Account : PRP


Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A9823390

1
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 1
 CHEY CLAIMS
 1
 GRAY AREA

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
CHEY 01-200	201 202	0.8	0.99	10	1110	0.5	< 2	0.87	6.5	7	25	99	1.27	< 10	< 1	0.11	10	0.19	315	32
CHEY 035-100N	201 202	6.8	1.18	142	1500	1.5	< 2	9.31	32.0	14	132	213	2.31	< 10	< 1	0.29	10	0.72	100	220
CHEY 03200S-120S	201 202	0.4	0.20	18	1010	< 0.5	< 2	0.06	0.5	< 1	8	52	0.86	< 10	< 1	0.14	10	0.01	15	61
CHEY RSS-01	201 202	< 0.2	0.43	< 2	630	0.5	< 2	>15.00	5.0	3	23	23	0.97	< 10	< 1	0.10	20	0.57	145	19
CHEY RSS-02	201 202	1.4	0.88	32	190	0.5	< 2	0.55	3.0	7	28	41	4.00	< 10	< 1	0.28	< 10	0.10	90	33
CHEY RSS-02B	201 202	0.6	0.45	30	60	< 0.5	< 2	0.08	< 0.5	< 1	36	6	>15.00	< 10	< 1	0.11	< 10	0.02	15	7
CHEY RSS-02C	201 202	1.2	0.61	26	90	< 0.5	< 2	0.16	< 0.5	3	24	21	9.24	< 10	< 1	0.19	< 10	0.07	30	19
CHEY RSS-03	201 202	0.2	2.88	8	520	1.0	< 2	0.40	1.5	9	31	50	6.87	< 10	< 1	0.13	10	0.09	40	17
CHEY RSS-04	201 202	0.6	1.68	8	590	0.5	< 2	1.41	4.0	12	25	35	6.53	< 10	< 1	0.15	10	0.25	125	18
CHEY RSS-05	201 202	0.2	0.60	< 2	790	< 0.5	< 2	11.45	3.5	4	26	18	1.01	< 10	< 1	0.10	20	0.34	130	7
CHEY RS-01	201 202	0.6	0.52	18	1210	0.5	< 2	13.00	5.5	6	28	27	1.42	< 10	< 1	0.08	20	0.22	85	23
CHEY RS-06	201 202	0.4	0.35	6	800	< 0.5	< 2	>15.00	5.5	7	21	21	1.66	< 10	< 1	0.11	10	1.03	150	20
CHEY RS-07	201 202	0.4	0.30	10	470	< 0.5	< 2	>15.00	5.5	7	18	24	2.37	< 10	< 1	0.11	20	0.57	195	17
CHEY RS-1	201 202	0.8	1.00	16	700	1.0	< 2	2.32	4.5	8	30	39	2.21	< 10	< 1	0.18	10	0.39	230	12
CHEY S-2	201 202	0.6	1.07	8	590	0.5	< 2	1.66	3.5	8	29	30	1.88	< 10	< 1	0.15	10	0.31	210	5
CHEY S-4	201 202	< 0.2	0.19	< 2	360	< 0.5	< 2	5.23	4.0	1	8	24	0.26	< 10	< 1	0.03	< 10	0.11	100	3
CHEY S-05-00	201 202	0.6	0.62	8	350	< 0.5	< 2	< 0.01	< 0.5	< 1	13	36	1.30	< 10	< 1	0.14	< 10	0.03	35	41
CHEY S-05-0300	201 202	6.6	0.75	110	170	0.5	< 2	0.01	6.0	1	52	89	3.62	< 10	< 1	0.32	10	0.05	20	198
CHEY S-6	201 202	0.4	1.06	6	1000	0.5	< 2	3.82	2.0	6	33	27	1.70	< 10	< 1	0.13	20	0.57	200	7
CHEYS-07-00-75N	201 202	0.6	0.25	30	790	< 0.5	< 2	0.05	0.5	< 1	10	68	0.46	< 10	< 1	0.07	< 10	0.01	10	72
CHEY S-07-300	201 202	1.2	0.43	34	570	< 0.5	< 2	0.01	< 0.5	< 1	21	109	1.51	< 10	< 1	0.25	< 10	0.01	5	80
CHEY S-8	201 202	1.4	2.36	54	670	1.0	< 2	0.57	4.5	16	37	43	3.55	< 10	< 1	0.20	10	0.32	590	30
CHEY SS-9	201 202	0.2	1.09	8	1240	< 0.5	< 2	1.13	1.0	7	27	21	1.72	< 10	< 1	0.09	10	0.34	475	8
CHEY S-09-220	201 202	1.0	0.55	36	810	< 0.5	< 2	0.01	0.5	< 1	16	43	1.56	< 10	< 1	0.19	10	0.04	25	95
CHEY S-11-000	201 202	1.4	0.68	42	310	< 0.5	< 2	< 0.01	1.0	< 1	18	32	2.44	< 10	< 1	0.29	< 10	0.04	50	180
CHEY S-13-000	201 202	0.2	1.70	46	680	0.5	< 2	0.08	3.5	15	50	48	2.99	< 10	< 1	0.17	20	0.25	165	77
CHEY S-15-000	201 202	0.8	0.83	2	550	< 0.5	< 2	0.01	< 0.5	2	14	21	1.25	< 10	< 1	0.13	20	0.06	60	83
CHEY S-17-000	201 202	< 0.2	1.11	< 2	750	< 0.5	< 2	2.56	1.0	4	17	15	1.21	< 10	< 1	0.05	10	0.11	275	13
CHEY S-19-000	201 202	< 0.2	2.22	10	1380	0.5	< 2	0.97	2.0	11	53	18	2.67	< 10	< 1	0.07	30	0.38	265	27
GRAY FS-1	201 202	1.4	1.01	24	510	0.5	< 2	0.08	0.5	3	29	49	2.83	< 10	< 1	0.20	< 10	0.07	40	12
GRAY FS-2	201 202	1.4	0.83	28	390	< 0.5	< 2	0.16	< 0.5	2	23	43	2.62	< 10	< 1	0.23	10	0.08	35	31
GRAY FS-3	201 202	4.6	1.76	58	220	1.0	< 2	3.35	15.0	7	98	102	4.27	< 10	< 1	0.36	20	0.25	220	35
GRAY FSS-4	201 202	1.2	0.94	4	1820	< 0.5	< 2	0.54	2.0	3	33	27	1.35	< 10	< 1	0.08	10	0.21	75	7
GRAY FSS-5	201 202	1.0	1.69	58	520	< 0.5	< 2	0.35	< 0.5	3	28	62	3.90	< 10	< 1	0.27	< 10	0.15	65	75
GRAY FSS-6	201 202	0.4	1.19	24	1250	0.5	< 2	2.34	2.5	10	27	26	7.09	< 10	< 1	0.07	< 10	0.19	2920	37
GRAY FSS-7	201 202	0.6	1.04	38	4400	1.0	< 2	2.76	5.5	6	62	45	1.25	< 10	< 1	0.19	20	0.59	230	41
GRAY FSS-8	201 202	0.8	1.37	42	2030	0.5	< 2	1.55	9.5	13	47	36	3.10	< 10	< 1	0.15	20	0.42	460	14
GRAY RSS-1	201 202	0.8	1.02	22	1190	< 0.5	< 2	0.64	2.0	8	29	29	2.34	< 10	< 1	0.17	10	0.26	265	16
GRAY RSS-2	201 202	0.2	0.97	14	620	< 0.5	< 2	0.35	< 0.5	3	24	15	1.64	< 10	< 1	0.08	10	0.26	65	3
GRAY RSS-3	201 202	0.2	0.97	54	830	0.5	< 2	2.27	4.5	14	26	26	7.13	< 10	< 1	0.08	< 10	0.28	2140	16

CERTIFICATION: *Shawn Ryan*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-B
 Total : 2
 Certificate Date: 09-JUL-98
 Invoice No. : 19823390
 P.O. Number :
 Account : PRP

Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A9823390

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
CHEY 01-200	201 202	< 0.01	98	580	12	10	5	139	0.01	< 10	< 10	244	< 10	250
CHEY 035-100N	201 202	< 0.01	730	2070	14	24	5	903	0.03	20	10	2960	< 10	5720
CHEY 03200S-120S	201 202	< 0.01	16	220	8	4	2	68	< 0.01	< 10	< 10	61	< 10	52
CHEY RSS-01	201 202	0.01	75	1350	6	2	3	1825	< 0.01	< 10	< 10	244	< 10	300
CHEY RSS-02	201 202	0.04	96	2340	12	6	4	177	< 0.01	< 10	< 10	238	< 10	360
CHEY RSS-02B	201 202	0.01	14	7030	< 2	4	2	28	< 0.01	< 10	< 10	168	< 10	38
CHEY RSS-02C	201 202	0.02	40	2140	8	4	3	96	< 0.01	< 10	< 10	149	< 10	136
CHEY RSS-03	201 202	< 0.01	199	2210	6	8	5	110	< 0.01	< 10	< 10	177	< 10	832
CHEY RSS-04	201 202	0.01	170	1910	6	2	4	179	< 0.01	< 10	< 10	166	< 10	954
CHEY RSS-05	201 202	< 0.01	77	1330	< 2	2	3	993	0.01	< 10	< 10	282	< 10	380
CHEY RS-01	201 202	< 0.01	136	470	4	8	2	1315	< 0.01	< 10	< 10	257	< 10	650
CHEY RS-06	201 202	< 0.01	100	1210	6	10	4	1245	< 0.01	< 10	< 10	171	< 10	522
CHEY RS-07	201 202	< 0.01	97	620	12	4	4	1190	< 0.01	< 10	< 10	139	< 10	516
CHEY SS-1	201 202	< 0.01	91	1280	12	6	4	94	< 0.01	< 10	< 10	246	< 10	532
CHEY S-2	201 202	< 0.01	54	1160	10	6	4	82	0.01	< 10	< 10	195	< 10	380
CHEY S-4	201 202	< 0.01	35	840	< 2	4	< 1	438	< 0.01	< 10	< 10	64	< 10	114
CHEY S-05-00	201 202	0.01	10	180	16	8	3	30	< 0.01	< 10	< 10	205	< 10	8
CHEY S-05-0300	201 202	0.03	31	740	30	94	3	198	< 0.01	10	< 10	912	< 10	192
CHEY SS-6	201 202	0.01	59	1430	8	4	4	334	0.03	< 10	< 10	232	< 10	264
CHEYS-07-00-75N	201 202	< 0.01	12	270	10	10	2	104	< 0.01	< 10	< 10	111	< 10	32
CHEY S-07-300	201 202	< 0.01	8	700	26	16	4	174	< 0.01	< 10	< 10	137	< 10	8
CHEY S-8	201 202	0.03	86	1760	10	8	6	192	0.03	< 10	< 10	273	< 10	318
CHEY SS-9	201 202	< 0.01	54	820	10	2	3	126	0.03	< 10	< 10	161	< 10	250
CHEY S-09-220	201 202	0.01	11	590	18	10	3	74	< 0.01	< 10	< 10	247	< 10	22
CHEY S-11-000	201 202	0.01	8	630	18	22	4	94	< 0.01	10	< 10	374	< 10	32
CHEY S-13-000	201 202	< 0.01	245	700	10	6	3	20	0.01	< 10	< 10	577	< 10	578
CHEY S-15-000	201 202	< 0.01	8	340	14	16	1	31	0.01	< 10	< 10	211	< 10	28
CHEY S-17-000	201 202	0.01	44	810	6	< 2	1	287	0.02	< 10	< 10	148	< 10	146
CHEY S-19-000	201 202	< 0.01	88	470	12	4	6	136	0.04	< 10	< 10	353	< 10	396
GRAY FS-1	201 202	0.04	28	900	16	6	4	119	< 0.01	< 10	< 10	139	< 10	96
GRAY FS-2	201 202	0.02	22	1790	18	6	4	121	< 0.01	< 10	< 10	186	< 10	74
GRAY FS-3	201 202	0.05	165	>10000	30	20	8	438	< 0.01	< 10	10	795	< 10	552
GRAY FSS-4	201 202	< 0.01	30	1370	10	2	3	93	0.01	< 10	< 10	109	< 10	114
GRAY FSS-5	201 202	0.04	30	1400	26	8	5	160	0.01	< 10	< 10	235	< 10	58
GRAY FSS-6	201 202	< 0.01	75	850	< 2	6	3	236	0.01	< 10	10	309	< 10	468
GRAY FSS-7	201 202	< 0.01	227	720	6	6	5	294	0.03	< 10	< 10	855	< 10	662
GRAY FSS-8	201 202	< 0.01	130	1480	8	6	4	263	0.04	< 10	< 10	514	< 10	790
GRAY RSS-1	201 202	0.01	37	1670	12	2	3	104	0.01	< 10	< 10	174	< 10	148
GRAY RSS-2	201 202	< 0.01	18	1260	6	2	1	52	0.02	< 10	< 10	80	< 10	54
GRAY RSS-3	201 202	< 0.01	68	1570	2	8	3	265	0.01	< 10	< 10	230	< 10	382

CERTIFICATION: *Shawn Rylan*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Project :
Comments: ATTN: SHAWN RYAN

Page number :2-A
Total Pages :2
Certificate Date:09-JUL-98
Invoice No. :I9823390
P.O. Number :
Account :PRP

CERTIFICATE OF ANALYSIS A9823390

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
GRAY RSS-4	201	202	0.8	1.36	34	1450	0.5	< 2	1.78	17.5	27	44	38	3.41	< 10	< 1	0.13	10	0.48	1700	16
GRAY RSS-5	201	202	0.2	0.86	10	900	< 0.5	< 2	0.21	0.5	1	15	23	1.27	< 10	< 1	0.11	10	0.15	35	17
GRAY RS-01	201	202	6.0	1.22	80	50	< 0.5	< 2	0.04	< 0.5	2	56	103	11.40	< 10	< 1	0.67	< 10	0.13	40	6
GRAY RS-02	201	202	3.8	2.11	72	170	1.5	< 2	3.72	9.0	4	75	102	3.41	< 10	1	0.38	20	0.15	70	42
GRAY RS-03	201	202	3.8	1.51	56	340	1.0	< 2	2.08	4.0	1	93	102	2.31	< 10	< 1	0.34	10	0.11	20	25
GRAY RS-04	201	202	0.2	0.46	34	620	< 0.5	< 2	0.03	< 0.5	< 1	11	61	1.23	< 10	< 1	0.13	10	0.02	< 5	80
GRAY RS-05	201	202	1.8	2.11	270	100	0.5	< 2	0.13	< 0.5	2	94	132	8.95	< 10	< 1	0.70	< 10	0.08	40	118
GRAY RS-06	201	202	1.8	2.47	28	1630	0.5	< 2	0.64	< 0.5	1	51	38	2.18	< 10	< 1	0.13	10	0.10	75	14
GRAY RS-07	201	202	5.8	0.53	12	200	< 0.5	< 2	0.02	< 0.5	1	18	42	3.15	< 10	< 1	0.29	< 10	0.03	5	6
GRAY RS-08	201	202	26.6	1.15	70	130	0.5	< 2	0.10	2.0	< 1	123	192	3.32	< 10	< 1	0.29	10	0.03	5	72
WILLOW FS-1	201	202	1.8	1.20	102	8760	1.5	< 2	9.06	9.5	6	101	80	1.53	< 10	< 1	0.29	10	0.79	120	137
WILLOW FS-3	201	202	5.0	1.63	114	5870	2.0	< 2	9.37	32.5	12	157	181	2.16	< 10	< 1	0.38	10	0.79	130	197
WILLOW RS-01	201	202	1.6	1.34	62	660	1.5	< 2	11.05	20.5	18	96	128	2.30	< 10	< 1	0.28	10	0.85	155	140

102
103
104
105
106
107
108
109
110
111
112
113
114
WILLOW
claim

CERTIFICATION: Shawn Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0


Project :
 Comments: ATTN: SHAWN RYAN

Page Number :2-B
 Total :2
 Certificate Date: 09-JUL-98
 Invoice No. : 19823390
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9823390

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
GRAY RSS-4	201 202	< 0.01	188	1210	6	2	4	244	0.03	< 10	< 10	502	< 10	1340
GRAY RSS-5	201 202	< 0.01	21	620	14	2	2	72	0.01	< 10	< 10	129	< 10	36
GRAY RS-01	201 202	0.30	14	2850	24	2	12	289	< 0.01	< 10	< 10	165	< 10	68
GRAY RS-02	201 202	0.05	94	>10000	32	26	8	543	< 0.01	< 10	20	906	< 10	376
GRAY RS-03	201 202	0.03	60	>10000	30	14	5	344	< 0.01	< 10	< 10	676	< 10	132
GRAY RS-04	201 202	0.01	12	490	22	12	10	128	< 0.01	< 10	< 10	136	< 10	< 2
GRAY RS-05	201 202	0.18	18	4990	28	32	14	500	< 0.01	< 10	30	995	< 10	36
GRAY RS-06	201 202	0.01	18	>10000	28	8	3	190	< 0.01	< 10	< 10	182	< 10	30
GRAY RS-07	201 202	0.08	8	590	28	2	5	71	< 0.01	< 10	< 10	53	< 10	32
GRAY RS-08	201 202	0.03	57	2230	14	6	6	408	< 0.01	< 10	< 10	168	< 10	86
WILLOW FS-1	201 202	< 0.01	370	1660	8	10	5	944	0.16	< 10	< 10	1850	< 10	1200
WILLOW FS-3	201 202	< 0.01	532	3120	12	24	7	1205	0.12	10	20	3450	< 10	3990
WILLOW RS-01	201 202	< 0.01	593	2350	14	6	5	1380	0.13	< 10	20	2140	< 10	2100

CERTIFICATION: Harry Biddle



BLACK CLAIMS

GRAY AREA

RED CLAIMS

ENGINEER

HIGHWAY


DAMPSTER

AIRFIELD




Number are
HARD TO READ
you CAN CROSS
CHECK WITH CLAIM
MAPS. All samples
ARE ON CLAIM MAPS.

Willow
Claims

M O



DEMPSTER
HIGHWAY



Claim map
116 G-1
North ↑

3000

	24	22	20	18	16
	RED				
	YC07221	YC07219	YC07217	YC07215	YC07213
18	17	23	16	21	19
				13	12
				RED	
	YC07220	YC07218	YC07216	YC07214	YC07212
16	12	10	8	6	4
	RED				
	YC07211	YC07209	YC07207	YC07205	YC07203
25	13	21	11	23	9
				22	7
				21	5
				20	3
				RED	
	YC07210	YC07208	YC07206	YC07204	YC07202
				YC07200	YC07198

	8	6	4	2
	YC07177	YC07175	YC07173	YC07171
	7	5	3	1
	WILLOW			
	YC07176	YC07174	YC07172	YC07170
	9	11	13	15
			14	12
	YC07178	YC07180	YC07182	YC07184
	10	12	14	16
	WILLOW			
	YC07179	YC07181	YC07183	YC07185

	28	26	24	22	20
	WILLOW				
	YC07197	YC07195	YC07193	YC07191	YC07189
	27	25	23	21	19
				10	9
				YC07188	YC07186
	YC07196	YC07194	YC07192	YC07190	YC07187

3000




#88 → 101

Claim map
116 G 11

↑
North

YC07156
6
YC07155
8


MPSTER
HIGHWAY




3000

claim map
116611


North ↑






116G-8

North ↑



Claim map 116 G/1

North ↑



25'

20'

44
45
43

53

55

58
61
562

3000

EASY
YC07123
YC07125
YC07124
YC07122

PIT
YC07127
YC07126
YC07129
YC07128


MONSTER
YC04079
YC04080
YC04081
YC04082
YC04083
YC04084
YC04086
YC04097

KZ
YAS5717
YAS5718
YAS5719
YAS5720
YAS5721
YAS5722
YAS5723
YAS5724
YAS5725
YAS5726
YAS5727
YAS5728
YAS5729
YAS5730
YAS5731
YAS5732
YAS5733
YAS5734
YAS5735

CHEY
YC06974
YC06975
YC06976
YC06977
YC06978
YC06979
YC06980
YC06981
YC06982
YC06972
YC06973
YC06974
YC06975
YC06976
YC06977
YC06978
YC06979
YC06980
YC06981
YC06982
YC06969
YC06970
YC06967
YC06968
YC06965
YC06966
YC06963
YC06964

CHEY
YC04070
YC04071
YC04072
YC04073
YC04074
YC04075
YC04076
YC04077
YC04078
YC04079
YC04080
YC04081
YC04082
YC04083
YC04084
YC04085
YC04086
YC04087
YC04088
YC04089
YC04090
YC04091
YC04092
YC04093
YC04094
YC04095
YC04096
YC04097
YC04098
YC04099
YC04100

CHEY
YC06962
YC06960
YC06958
YC06956
YC06954
YC06959
YC06957
YC06955
YC06953
YC04061
YC04059
YC04057
YC04055
YC04053
YC04052
YC04062
YC04063
YC04064
YC04065
YC04066
YC04067
YC04068
YC04069
YC04070
YC04071
YC04072
YC04073
YC04074
YC04075
YC04076
YC04077
YC04078
YC04079
YC04080
YC04081
YC04082
YC04083
YC04084
YC04085
YC04086
YC04087
YC04088
YC04089
YC04090
YC04091
YC04092
YC04093
YC04094
YC04095
YC04096
YC04097
YC04098
YC04099
YC04100



WHITE PROJECT

Introduction

The White Project was targeted for its high geochem signature in As, Au, Cu, Pb, Sb. I brought an assistant, Scott Flemming, to help with sampling and staking. We flew in with Trans North Helicopter out of Dawson City on June 15, 1998. We set up camp in the center of our work area. It was located next to an old copper moly showing, Aries. Our model target is a copper porphyry or potential Au porphyry system.

Geology

The target area is the contact between Klotassin Batholith and Carmack or Mt Nansen volcanics. I also found volcanic breccia south of the mountain top.

Work

Scott and I each took different traverse for the first two days. Day 3 saw lots of rain and fog, so we stayed close to camp and dried samples. Day 4, we both finished our traverse. Day 5, Scott started staking and finished on day 6. I worked the trench area for both days finding copper and moly in small veins.

Results

The geochem of rocks, soil and silts point to copper anomaly on the old Aries trench area. There is a slight Au anomaly 57ppb that coincides with higher Cu area. I found disseminated moly (#24) in a 2 inch vein running through the biotite granite along trench area.

Two new interesting results are sample #3 (CuBR-09). A volcanic breccia that has anomalous Ag, Pb, Sb, Bi. The second sample that show an interesting anomaly is #25 and #26. Both are from the trench area, the geochem show enrichment in Ag, Cu, Mo and W.

Action

We staked 8 claims across the showing, planning to return to continue prospecting.

Rock Description

CAu-10 - quartz vein.

CuBR-09 - dark volcanic breccia with 1cm x 2cm light coloured clasp.

CuBRR-07 - green shist.

CuCR-03 - green shist with magnetite.

CuCR-04 - quartz vein.

CuMDLY - quartz vein with disseminated moly.

CuTR-03 - rusty granite.

CuTR-04B - quartz vein with chalcopryrite.

CuTR-05 - rusty granite.

Cu5c - quartz with chalcopryrite.



Looking WEST TOWARDS THE WHITE RIVER
TRENCH ARE FROM ARICS RESOURCE, DUG IN EARLY
1970. TRENCH PROVE TO ANOMALOUS IN Au, Cu, AS



Looking EAST AT ARI.
RESOURCE CAT TRENCHES.
TRENCH WHERE ANOMALOUS IN
Cu, AS, Au

MAGNETITE SHOWING
FOUND NORTH OF TRENCH
AREA.



Canadian United Minerals

WO#05574

Certified by _____

Sample #	Au ppb	Au grav oz/ton	Cu %	Bi %	
r Cu Moly	7				
r CuTR-04B	33				
r Cu5c	30				
r CuTR-03	8				
r CuTR-05	22				
r CuBRR-7	<5				
r CuCR-03	15				
r CuBR-9	5				
r CuCR-04	6				
r 120356	14				
r HO98TR-01		0.010	0.134	0.006	.0291 =
r HO98TR-02		7.084	3.470	0.312	
r HO98TR-03		0.010	0.257	<0.001	1000 ppb
r HO98TR-04	837	0.027	0.096	0.118	1 gram
r HO98TR-05		0.017	0.363	0.480	
r HO98TR-06		800 + 0.024	0.623	<0.001	
r HO98TR-08		900 + 0.028	0.015	0.037	
r HO98TR-09		<0.010	0.244	<0.001	
r HO98TR-10		<0.010	0.014	<0.001	
s CuARSS-01					N.S.
s CuARSS-02					N.S.
s CuARSS-03					N.S.
s CuARSS-04					N.S.
s CuARSS-05					N.S.
s CuARSS-06					N.S.
s CuARSS-07					N.S.
s CuARSS-08					N.S.
s CuARSS-1B					N.S.
s CuBST-01	5				
s CuBST-02	9				

.010 x 30 = 310 ppb

*.0291 =
1000 ppb
1 gram*

27/08/98

Certificate of Analysis

Page 2

Canadian United Minerals

WO#05574

Certified by _____

Sample #	Au ppb	Au grav oz/ton	Cu %	Bi %
s CuBST-03	7			
s CuBST-04	6			
s CAU-10	5			
s CuCST-01	10			
s CuCST-02	9			
s CuCST-03	5			
s CuCST-04	8			
s CuTRSS-04	63			
s CuTRSS-05	58			
s CuCu-01	31			
s CuARP-05	<5			
s CuTRS-01	24			
s CuTRSS-01	22			
s CuTRSS-02	43			
s CuTRS-02	53			
s CuTRSS-03	56			
s CuBR-S-01	N.S.			
s CuBRS-02	N.S.			
s CuBRS-09	N.S.			
s CuBRS-11	N.S.			
s CuBRS-12	N.S.			
s CuBRSS-14	N.S.			
s CuBRSS-15	N.S.			
s CuBRSS-16	N.S.			
s CuBRSS-16B	N.S.			
s CuBRSS-17	N.S.			
s CuBRSS-18	N.S.			
s CuDS-01	17			
s CuDSS-02	16			
s CuDS-03	57			

27/08/98

Certificate of Analysis


Page 3

Canadian United Minerals

WO#05574

Certified by _____

Sample #	Au ppb	Au grav oz/ton	Cu %	Bi %
s CuDS-04	7			
s CuDS-05	16			
s CuCRSS-01	27			
s CuCRSS-01B	35			
s CuCRSS-02	35			



15' 115 K/16 39 40 41 42 10' 43 44 45 46 15' 47 48 49 550 000 m. E. 140° 00'

93
92
91
90
89
88
6987000 m. N.
86
63° 00'

CREEK TERRITORY

0 1000 2000 3000 4000 Mètres

0 1 2 3 Miles

0 2000 3000 4000 Verges

⊙ - CAMP
 --- TRAVERSE
 □ claim Block
 Cu 1-8

SAMPLE # LOCATIONS

This Provisional Map is equivalent to a standard map in accuracy of content.
 Some names on this map are not yet official. Corrections or additions are invited by the Surveys and Mapping Branch.

CONTOUR INTERVAL 100 FEET
 Elevations in Feet above Mean Sea Level
 North American Datum 1927
 Transverse Mercator Projection

Cette carte provisoire équivaut une carte régulière au point de vue précision de l'information.
 Certains noms inscrits sur cette carte ne sont pas encore officiels. La Direction des levés et de la cartographie saurait gré au public de lui signaler corrections et additions.
 ÉQUIDISTANCE DES COURBES 100 PIEDS
 Élévations en pieds au-dessus du niveau moyen de la mer
 Système de référence géodésique nord-américain, 1927
 Projection transverse de Mercator

Établie en 1968, par la DIRECTION DES LEVÉS ET DU MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES des photographies aériennes prises en 1961 et 1965. Levé 1966. Imprimée en 1970.
 Ces cartes sont en vente au Bureau de distribution des carte ministère de l'Énergie, des Mines et des Ressources, Ottawa.

BRADLEY CLAIMS PROJECT

Introduction

The Bradley Claims cover high silt geochem in As, Pb, Cu, Sb, Hg and Au. I staked the claim in November 1997. I worked on claim block for 8 days. I took 3 days to walk around and take silts, soil and rock samples in early June. I continued prospecting in early September.

Geology

The property covers two different types of rock unit. One is the Nasina series which covers most of the claim block. The second unit is an ultramafic intrusive.

Work

I spent 3 days (early June) taking soil, silts and rock samples. I used another 5 days in early September to verify anomalous area and to dig a small hand trench on ridge top.

Results

Geochem from the rock sample give only one rock sample (AR-9B) that is anomalous in Ag, As, Bi and Pb.

The geochem from soil and silts points out anomalous value in two areas. One is silt sample BRAS-12 which was taken from Bradley Creek. It shows anomalous value in Au, Ag, As, Cd, Fe, Mo, Pb, Sb and Zn. The second geochem anomaly area is at Bras-16. Here we have anomalous Au, As found in a soil sample.

Interpretation

The silt Bras-12 points out that the drainage is anomalous in Au, but also in base metal. Which could mean a stratiform Zn-Pb deposit model. I see this type of deposit has been found in small showing in Nasing-Assemblage in east-central Alaska. The second model is Au potential in shear zones along thrust contact of ultramafic intrusion.

Rock Description

BRAR-3 - quartz vein 2 inch wide with pyrite.

AR-6

AR-8 - felsic shist with quartz.


BRAR-9 - quartz with pyrite.

AR-9B - rusty quartz.

AR-10 - quartz breccia.

BRAR-12 - black pike.

BRAR-15 - quartz float.



2500

ROAD

W.P.

CREEK

2500

BRADLEY

CREEK

SHAWN RYAN

BRADLEY CLAIMS
NTS 116 B-3

ANTOINA
PUCHENET

2000

SHOVEL

116-B-3b

GULCH

ROAD

ROCK

BOUNDARY P.C. 1996 #12

L526

L183

S-122B

GROUSE
.831
MOUNTAIN


Lepine


TRENCH

WEEK
AREA

HILL

BLANK AREA





600

Creek

13

600

H
HILL

○ SAMPLE LOCATION

--- HONDA TRAIL

--- TRAVERSE ROUTE

H HAND TRANCHE

600

Creek

750


TRUCK

Shovel

08

HONDA
4x4
TRAIL

K
A
T
A
A



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

INVOICE NUMBER

I 9 8 2 3 3 8 7

BILLING INFORMATION

Date: 9-JUL-98
Project:
P.O. No.:
Account: PRP

Comments:

Billing: For analysis performed on
Certificate A9823387

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1


# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
7	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	983 - Au ppb FA+AA	9.75		
	866 - fusion wt. gm	0.00	11.85	82.95
22	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	EX-1 Package	16.75		
	866 - fusion wt. gm	0.00	18.85	414.70
				<u>376.7</u>

Total Cost \$ 497.65
(Reg# R100938885) GST \$ 34.84

TOTAL PAYABLE (CDN) \$ 532.49

*CANADIAN UNITED MINERALS INC.
INVOICE SHAWN RYAN For \$390.00
BRADLEY GREEK AREA.*

COPY



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project :
 Comments: ATTN: SHAWN RYAN

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 09-JUL-98
 Invoice No. : 19823387
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9823387

SAMPLE	PREP		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Aus01-000	201	202	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au075-01	201	202	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-450	201	202	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-900	201	202	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-1350	201	202	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-1800	201	202	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-2250	201	202	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
BRAS-01	201	202	295	< 1	0.01	51	620	6	2	3	28	0.05	< 10	< 10	39	< 10	54
BRAS-02	201	202	320	< 1	< 0.01	44	530	8	< 2	4	31	0.05	< 10	< 10	43	< 10	58
BRAS-03	201	202	400	< 1	< 0.01	70	590	8	< 2	4	33	0.05	< 10	< 10	42	< 10	64
BRAS-03B	201	202	315	< 1	< 0.01	40	600	8	< 2	3	34	0.05	< 10	< 10	37	< 10	56
BRAS-04	201	202	315	< 1	< 0.01	32	600	8	2	3	24	0.04	< 10	< 10	35	< 10	52
BRAS-05	201	202	2310	1	< 0.01	40	680	22	4	4	53	0.03	< 10	< 10	32	< 10	86
BRAS-06	201	202	940	1	< 0.01	55	330	6	2	15	36	0.05	< 10	10	113	< 10	82
BRAS-07	201	202	225	< 1	< 0.01	15	720	6	< 2	2	25	0.03	< 10	< 10	30	< 10	50
BRAS-08	201	202	155	< 1	< 0.01	4	170	42	< 2	1	12	< 0.01	< 10	< 10	9	< 10	40
BRAS-10	201	202	240	1	0.01	6	230	52	< 2	3	66	< 0.01	< 10	< 10	10	< 10	48
BRAS-11	201	202	370	< 1	0.01	12	610	10	< 2	3	35	0.05	< 10	< 10	34	< 10	60
BRAS-12	201	202	280	6	< 0.01	55	720	156	4	2	48	0.02	< 10	< 10	26	< 10	498
BRAS-13	201	202	70	1	< 0.01	1	360	36	< 2	< 1	66	< 0.01	< 10	< 10	9	< 10	40
BRAS-14	201	202	160	< 1	< 0.01	13	390	28	2	3	17	0.04	< 10	< 10	32	< 10	62
BRAS-15	201	202	180	< 1	< 0.01	6	120	46	< 2	1	9	0.03	< 10	< 10	26	< 10	46
BRAS-16	201	202	95	< 1	< 0.01	8	130	16	< 2	1	10	0.02	< 10	< 10	23	< 10	40
BRAS-17	201	202	505	< 1	< 0.01	846	130	4	< 2	5	10	0.05	< 10	< 10	50	< 10	52
BRAS-18	201	202	320	< 1	< 0.01	49	40	2	6	10	11	0.07	< 10	< 10	100	< 10	28
BRAS-19	201	202	510	< 1	< 0.01	636	140	4	< 2	9	12	0.06	< 10	< 10	64	< 10	50
JUS-01	201	202	345	< 1	< 0.01	20	580	10	< 2	3	16	0.05	< 10	< 10	40	< 10	84
JUNS-02	201	202	990	< 1	< 0.01	23	600	24	2	4	21	0.06	< 10	< 10	44	< 10	190
TALK-01	201	202	50	< 1	< 0.01	< 1	40	44	6	< 1	20	< 0.01	< 10	< 10	< 1	< 10	34

CERTIFICATION: *Shawn Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-A
 Total P : 1
 Certificate Date: 09-JUL-98
 Invoice No. : I9823387
 P.O. Number :
 Account : PRP

Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A9823387

SAMPLE	PREP CODE	Au ppb fusion FA+AA wt. gm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
Aus01-000	201 202	< 5 15.00	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au075-01	201 202	10 15.00	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-450	201 202	10 15.00	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-900	201 202	< 5 10.00	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-1350	201 202	< 5 15.00	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-1800	201 202	< 5 10.00	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Au-2250	201 202	20 15.00	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
BRAS-01	201 202	10 15.00	< 0.2	1.00	8	250	< 0.5	< 2	0.47	< 0.5	10	41	12	1.83	< 10	< 1	0.05	10	0.58
BRAS-02	201 202	< 5 15.00	< 0.2	1.45	12	370	< 0.5	< 2	0.45	< 0.5	8	50	14	2.11	< 10	< 1	0.05	10	0.62
BRAS-03	201 202	5 15.00	< 0.2	1.18	8	300	< 0.5	< 2	0.51	< 0.5	11	108	15	2.45	< 10	< 1	0.06	10	0.73
BRAS-04	201 202	10 15.00	< 0.2	1.11	8	320	< 0.5	< 2	0.52	< 0.5	8	39	13	1.92	< 10	< 1	0.05	10	0.54
BRAS-05	201 202	5 15.00	< 0.2	1.02	8	220	< 0.5	< 2	0.38	< 0.5	8	41	10	1.86	< 10	< 1	0.04	10	0.55
BRAS-06	201 202	10 15.00	0.2	1.26	28	360	< 0.5	< 2	0.74	< 0.5	11	45	19	2.49	< 10	< 1	0.06	10	0.64
BRAS-07	201 202	< 5 15.00	0.2	3.41	30	430	< 0.5	< 2	2.42	< 0.5	41	129	126	6.11	< 10	< 1	0.03	10	2.01
BRAS-08	201 202	10 15.00	< 0.2	0.78	4	210	< 0.5	< 2	0.43	< 0.5	6	21	9	1.58	< 10	< 1	0.04	10	0.39
BRAS-09	201 202	< 5 15.00	< 0.2	0.70	44	210	< 0.5	< 2	0.12	< 0.5	2	5	4	1.17	< 10	< 1	0.10	30	0.20
BRAS-10	201 202	< 5 15.00	< 0.2	0.61	24	310	0.5	< 2	0.54	< 0.5	4	6	6	2.28	< 10	< 1	0.20	20	0.21
BRAS-11	201 202	15 15.00	< 0.2	0.94	8	270	< 0.5	< 2	0.46	< 0.5	7	18	9	1.80	< 10	< 1	0.06	10	0.38
BRAS-12	201 202	20 15.00	4.8	0.76	102	60	< 0.5	< 2	0.83	3.5	15	24	35	4.07	< 10	< 1	0.05	10	0.65
BRAS-13	201 202	5 15.00	< 0.2	0.43	36	160	< 0.5	< 2	0.03	< 0.5	< 1	2	2	1.53	< 10	< 1	0.16	10	0.01
BRAS-14	201 202	< 5 15.00	< 0.2	1.17	6	210	< 0.5	< 2	0.20	< 0.5	5	19	19	1.81	< 10	< 1	0.05	10	0.34
BRAS-15	201 202	< 5 15.00	< 0.2	1.17	10	180	< 0.5	< 2	0.07	< 0.5	4	11	11	1.57	< 10	< 1	0.06	10	0.20
BRAS-16	201 202	25 15.00	< 0.2	1.11	60	70	< 0.5	< 2	0.05	< 0.5	4	13	12	1.47	< 10	< 1	0.08	40	0.17
BRAS-17	201 202	< 5 15.00	< 0.2	1.68	< 2	140	< 0.5	< 2	0.13	< 0.5	47	456	13	3.48	< 10	< 1	0.04	< 10	4.30
BRAS-18	201 202	< 5 15.00	< 0.2	2.94	< 2	80	< 0.5	< 2	0.24	< 0.5	14	86	8	3.53	< 10	< 1	0.01	< 10	1.63
BRAS-19	201 202	< 5 15.00	< 0.2	1.88	< 2	160	< 0.5	< 2	0.44	< 0.5	37	540	12	3.35	< 10	< 1	0.03	10	2.79
JUS-01	201 202	15 15.00	< 0.2	1.50	148	110	0.5	< 2	0.21	< 0.5	8	27	21	2.37	< 10	< 1	0.08	20	0.48
JUNS-02	201 202	15 15.00	1.2	1.27	114	130	0.5	< 2	0.26	1.5	11	27	46	2.73	< 10	< 1	0.07	20	0.51
TALK-01	201 202	< 5 15.00	1.6	0.67	< 2	150	< 0.5	< 2	0.32	< 0.5	< 1	< 1	7	0.42	< 10	< 1	0.05	30	0.74

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

BRADLEY claim

CERTIFICATION: Shawn Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0


Project :
 Comments: ATTN: SHAWN RYAN

Page Number : 1-A
 Total : 1
 Certificate Date: 09-JUL-98
 Invoice No. : I9823387
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9823387

SAMPLE	PREP CODE		Au ppb fusion	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	
	FA+AA	wt. gm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	
<i>OTHER</i> AuS01-000 Au075-01 Au-450 Au-900 Au-1350	201	202	< 5	15.00	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	201	202	10	15.00	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	201	202	10	15.00	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	201	202	< 5	10.00	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	201	202	< 5	15.00	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
<i>BRADLEY</i> Au-1800 Au-2250 BRAS-01 BRAS-02 BRAS-03	201	202	< 5	10.00	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	201	202	20	15.00	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	201	202	10	15.00	< 0.2	1.00	8	250	< 0.5	< 2	0.47	< 0.5	10	41	12	1.83	< 10	< 1	0.05	10	0.58
	201	202	< 5	15.00	< 0.2	1.45	12	370	< 0.5	< 2	0.45	< 0.5	8	50	14	2.11	< 10	< 1	0.05	10	0.62
<i>BRADLEY</i> <i>SILT/soil</i> BRAS-03B BRAS-04 BRAS-05 BRAS-06 BRAS-07 BRAS-08 BRAS-10 BRAS-11 BRAS-12 BRAS-13 BRAS-14 BRAS-15 BRAS-16 BRAS-17 BRAS-18	201	202	5	15.00	< 0.2	1.18	8	300	< 0.5	< 2	0.51	< 0.5	11	108	15	2.45	< 10	< 1	0.06	10	0.73
	201	202	10	15.00	< 0.2	1.11	2	310	< 0.5	< 2	0.53	< 0.5	8	39	13	1.92	< 10	< 1	0.05	10	0.54
	201	202	5	15.00	< 0.2	1.02	8	220	< 0.5	< 2	0.38	< 0.5	9	41	10	1.86	< 10	< 1	0.04	10	0.55
	201	202	10	15.00	0.2	1.26	28	360	< 0.5	< 2	0.74	< 0.5	11	45	19	2.49	< 10	< 1	0.06	10	0.64
	201	202	< 5	15.00	0.2	3.41	30	430	< 0.5	< 2	2.42	< 0.5	41	129	128	6.11	< 10	< 1	0.03	10	2.01
	201	202	10	15.00	< 0.2	0.78	4	210	< 0.5	< 2	0.43	< 0.5	6	21	9	1.58	< 10	< 1	0.04	10	0.39
	201	202	< 5	15.00	< 0.2	0.70	44	210	< 0.5	< 2	0.12	< 0.5	2	5	4	1.17	< 10	< 1	0.10	30	0.20
201	202	< 5	15.00	< 0.2	0.61	24	310	0.5	< 2	0.54	< 0.5	4	6	6	2.28	< 10	< 1	0.20	20	0.21	
201	202	15	15.00	< 0.2	0.94	8	270	< 0.5	< 2	0.46	< 0.5	7	18	9	1.80	< 10	< 1	0.06	10	0.38	
201	202	20	15.00	4.8	0.76	102	60	< 0.5	< 2	0.83	3.5	15	24	35	4.07	< 10	< 1	0.05	10	0.65	
201	202	5	15.00	< 0.2	0.43	36	180	< 0.5	< 2	0.03	< 0.5	< 1	2	2	1.53	< 10	< 1	0.16	10	0.01	
201	202	< 5	15.00	< 0.2	1.17	6	210	< 0.5	< 2	0.20	< 0.5	5	19	19	1.81	< 10	< 1	0.05	10	0.34	
201	202	< 5	15.00	< 0.2	1.17	10	180	< 0.5	< 2	0.07	< 0.5	4	11	11	1.57	< 10	< 1	0.06	10	0.20	
201	202	25	15.00	< 0.2	1.11	60	70	< 0.5	< 2	0.05	< 0.5	4	13	12	1.47	< 10	< 1	0.08	40	0.17	
201	202	< 5	15.00	< 0.2	1.68	< 2	140	< 0.5	< 2	0.13	< 0.5	47	456	13	3.48	< 10	< 1	0.04	< 10	4.30	
201	202	< 5	15.00	< 0.2	2.94	< 2	80	< 0.5	< 2	0.24	< 0.5	14	86	8	3.53	< 10	< 1	0.01	< 10	1.63	
<i>OTHER</i> <i>BRADLEY</i> BRAS-19 JUS-01 JUNS-02 TALK-01	201	202	< 5	15.00	< 0.2	1.88	< 2	160	< 0.5	< 2	0.44	< 0.5	37	540	12	3.35	< 10	< 1	0.03	10	2.79
	201	202	15	15.00	< 0.2	1.50	148	110	0.5	< 2	0.21	< 0.5	8	27	21	2.37	< 10	< 1	0.08	20	0.48
	201	202	15	15.00	1.2	1.27	114	130	0.5	< 2	0.26	1.5	11	27	46	2.73	< 10	< 1	0.07	20	0.51
	201	202	< 5	15.00	1.6	0.67	< 2	150	< 0.5	< 2	0.32	< 0.5	< 1	< 1	7	0.42	< 10	< 1	0.05	30	0.74

CERTIFICATION: *Shawn Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

INVOICE NUMBER

I 9 8 2 3 2 7 1

BILLING INFORMATION

Date: 9-JUL-98
Project:
P.O. No.:
Account: PRP

Comments:

Billing: For analysis performed on
Certificate A9823271

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
14	205 - Geochem ring to approx 150 mesh EX-1 Package 0-3 Kg crush and split	2.50 16.75 2.60	21.85	305.90
22	205 - Geochem ring to approx 150 mesh ICP-32 0-3 Kg crush and split	2.50 7.00 2.60	12.10	266.20

Total Cost \$ 572.10
(Reg# R100938885) GST \$ 40.05

TOTAL PAYABLE (CDN) \$ 612.15

CANADIAN UNITED MINERALS INC.
INVOICE SHAWN RYAN For \$ 472.00
BRADLEY ~~ARRA~~ ^{ARRA}, CHEY ~~CLIM~~, GRAY,
WILLOW. THE last 3 our for THE
NICK NORTH PROJECT.

COPY



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project:
 Comments: ATTN: SHAWN RYAN

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 08-JUL-98
 Invoice No. : 19823271
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A9823271

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
OTHER AU07R-1	205 226	5	0.2	0.13	170	10	< 0.5	< 2	0.01	0.5	3	207	15	0.70	< 10	< 1	0.05	< 10	< 0.01	65
20 AU07R-2	205 226	5	< 0.2	0.08	100	< 10	< 0.5	12	< 0.01	< 0.5	1	219	13	1.72	< 10	< 1	0.01	< 10	< 0.01	60
21 BRAR-3	205 226	< 5	< 0.2	0.27	22	190	< 0.5	< 2	0.01	< 0.5	< 1	182	1	0.65	< 10	< 1	0.27	30	< 0.01	30
21 AR-6	205 226	10	< 0.2	0.37	< 2	140	< 0.5	< 2	>15.00	< 0.5	4	12	1	0.96	< 10	< 1	< 0.01	< 10	0.31	3030
21 AR-8	205 226	< 5	< 0.2	0.38	6	210	0.5	< 2	0.51	< 0.5	< 1	158	< 1	0.50	< 10	< 1	0.49	20	0.01	130
23 BRAR-9	205 226	< 5	< 0.2	0.68	32	170	< 0.5	< 2	0.38	< 0.5	< 1	97	3	0.63	< 10	< 1	0.19	10	0.21	45
24 AR-9B	205 226	5	1.0	0.24	470	50	< 0.5	2	0.30	0.5	< 1	206	6	0.84	< 10	< 1	0.05	< 10	0.07	30
25 AR-10	205 226	< 5	0.2	0.35	8	340	< 0.5	< 2	0.85	< 0.5	3	201	3	0.88	< 10	< 1	0.05	10	0.60	125
26 BRAR-12	205 226	< 5	< 0.2	1.62	8	40	0.5	2	2.52	< 0.5	20	41	12	4.97	< 10	< 1	0.25	30	1.60	810
27 BRAR-15	205 226	< 5	< 0.2	0.51	8	70	< 0.5	< 2	0.02	< 0.5	< 1	77	20	0.84	< 10	< 1	0.16	< 10	< 0.01	5
CHEY CHEY03R-400	205 226	-----	< 0.2	0.91	52	>10000	< 0.5	< 2	7.06	4.0	1	82	39	0.30	< 10	< 1	0.18	< 10	0.07	175
CHEY05R-220	205 226	-----	0.2	2.55	82	90	0.5	< 2	0.16	3.0	< 1	204	22	1.26	< 10	< 1	0.55	< 10	0.01	5
CHEY10R-400	205 226	-----	0.2	0.46	8	4600	< 0.5	< 2	2.35	14.0	2	196	14	0.46	< 10	< 1	0.11	< 10	0.20	60
CHEY11R-400	205 226	-----	< 0.2	0.05	< 2	240	< 0.5	< 2	0.01	< 0.5	< 1	187	3	0.26	< 10	< 1	0.02	< 10	< 0.01	5
CHEY12R-000	205 226	-----	0.2	0.24	2	710	< 0.5	< 2	0.01	< 0.5	< 1	151	10	0.31	< 10	< 1	0.06	< 10	0.02	5
CHEY15R-200	205 226	-----	0.2	1.64	20	430	0.5	< 2	0.10	3.0	1	198	67	0.99	< 10	< 1	0.05	< 10	0.02	10
OTHER DMCON-R	205 226	< 5	< 0.2	0.02	< 2	240	< 0.5	< 2	12.25	0.5	< 1	34	12	0.07	< 10	< 1	< 0.01	< 10	2.52	25
DMJLR-1	205 226	< 5	< 0.2	1.15	< 2	310	0.5	< 2	0.92	< 0.5	6	47	13	2.66	< 10	< 1	0.20	20	0.71	215
DMJLR-2	205 226	< 5	< 0.2	0.40	< 2	90	< 0.5	< 2	0.13	< 0.5	1	115	8	0.77	< 10	< 1	0.15	30	0.08	50
GRAY RR-1	205 226	-----	< 0.2	0.84	< 2	50	< 0.5	< 2	0.33	< 0.5	< 1	7	1	1.06	< 10	< 1	0.08	< 10	0.31	90
OTHER GRAY RR-2	205 226	-----	0.4	0.71	18	930	< 0.5	< 2	0.10	2.0	< 1	119	27	0.60	< 10	< 1	0.19	< 10	0.05	5
JLR-1	205 226	< 5	< 0.2	1.31	< 2	40	< 0.5	< 2	4.39	< 0.5	7	121	14	1.05	< 10	< 1	< 0.01	< 10	0.09	460
WILLOW R-5	205 226	-----	1.6	0.18	64	40	< 0.5	< 2	>15.00	3.5	1	24	147	2.93	< 10	< 1	0.06	10	0.16	65
WILLOW R-6	205 226	-----	1.0	1.38	30	100	1.5	< 2	3.40	31.0	17	80	58	1.34	< 10	< 1	0.32	< 10	0.44	120
WILLOW R-15	205 226	-----	1.4	1.26	48	1540	1.0	< 2	9.95	13.5	12	94	58	2.00	< 10	< 1	0.34	10	1.52	185
WILLOW RR-30	205 226	-----	1.2	1.03	46	2090	0.5	< 2	10.95	12.0	9	80	48	1.40	< 10	< 1	0.27	10	0.92	110
WILLOW RR-45	205 226	-----	1.6	1.57	66	1250	0.5	< 2	8.67	13.0	12	108	84	1.93	< 10	< 1	0.40	10	1.14	95
WILLOW RR-60	205 226	-----	2.0	1.59	86	1130	1.0	< 2	7.24	15.5	12	126	83	2.38	< 10	< 1	0.45	10	1.09	85
WILLOW RR-75	205 226	-----	1.8	1.45	60	590	1.0	< 2	8.22	18.5	14	120	90	2.07	< 10	< 1	0.38	10	1.02	105
WILLOW RR-90	205 226	-----	2.0	1.43	88	470	1.0	< 2	5.43	17.0	10	123	140	2.22	< 10	< 1	0.39	10	0.91	75
WILLOW RR-105	205 226	-----	2.8	1.34	96	510	1.0	< 2	2.02	9.0	7	128	143	2.79	< 10	< 1	0.38	10	0.72	35
WILLOW RR-120	205 226	-----	1.6	1.07	66	560	0.5	< 2	4.63	19.0	8	103	94	1.60	< 10	< 1	0.29	10	0.61	75
WILLOW RR-135	205 226	-----	1.6	1.02	66	560	0.5	< 2	4.02	25.5	14	99	108	1.63	< 10	< 1	0.29	< 10	0.52	85
WILLOW RR-150	205 226	-----	1.8	0.88	52	250	0.5	< 2	0.35	1.5	1	84	15	1.38	< 10	< 1	0.32	< 10	0.19	5
WILLOW RR-165	205 226	-----	1.6	1.26	62	510	1.0	< 2	1.64	12.0	8	112	74	1.84	< 10	< 1	0.36	< 10	0.56	45
WILLOW RR-210	205 226	-----	1.6	1.29	60	140	1.0	< 2	1.03	4.5	3	112	70	1.67	< 10	< 1	0.35	< 10	0.40	5

CERTIFICATION:

Mark Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 08-JUL-98
 Invoice No. : 19823271
 P.O. Number :
 Account : PRP

Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A9823271

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AU07R-1	205 226	< 1	< 0.01	5	60	28	< 2	< 1	2	< 0.01	< 10	< 10	1	< 10	46
AU07R-2	205 226	< 1	< 0.01	5	30	2	< 2	< 1	1	< 0.01	< 10	< 10	3	< 10	20
BRAR-3	205 226	1	0.02	3	40	16	< 2	< 1	8	< 0.01	< 10	< 10	1	< 10	10
AR-6	205 226	< 1	< 0.01	3	10	< 2	< 2	8	1245	< 0.01	< 10	< 10	11	< 10	2
AR-8	205 226	< 1	0.03	1	90	10	< 2	< 1	23	< 0.01	< 10	< 10	1	< 10	10
BRAR-9	205 226	< 1	0.02	2	30	8	< 2	1	42	0.01	< 10	< 10	1	< 10	34
AR-9B	205 226	< 1	< 0.01	3	200	196	< 2	< 1	18	< 0.01	< 10	< 10	< 1	< 10	96
AR-10	205 226	1	0.07	6	100	76	< 2	1	25	< 0.01	< 10	< 10	3	< 10	20
BRAR-12	205 226	< 1	0.19	7	2630	2	< 2	12	105	0.12	< 10	< 10	73	< 10	108
BRAR-15	205 226	< 1	< 0.01	< 1	30	20	< 2	< 1	4	< 0.01	< 10	< 10	< 1	< 10	22
CHEY03R-400	205 226	18	< 0.01	36	1220	< 2	< 2	1	1450	0.04	< 10	< 10	174	< 10	122
CHEY05R-220	205 226	36	0.16	15	2700	< 2	< 2	17	358	< 0.01	< 10	30	431	< 10	28
CHEY10R-400	205 226	17	< 0.01	56	40	2	< 2	1	426	< 0.01	< 10	< 10	309	< 10	720
CHEY11R-400	205 226	7	< 0.01	6	30	< 2	< 2	< 1	9	< 0.01	< 10	< 10	13	< 10	8
CHEY12R-000	205 226	1	< 0.01	13	320	6	< 2	< 1	22	< 0.01	< 10	< 10	50	< 10	6
CHEY15R-200	205 226	13	< 0.01	155	1650	2	2	4	238	< 0.01	< 10	10	147	< 10	170
DMCON-R	205 226	< 1	< 0.01	10	30	< 2	< 2	< 1	920	< 0.01	< 10	< 10	39	< 10	32
DMJLR-1	205 226	< 1	0.07	5	980	8	< 2	4	75	0.13	< 10	< 10	67	< 10	64
DMJLR-2	205 226	< 1	0.06	5	170	2	< 2	3	12	< 0.01	< 10	< 10	7	< 10	14
GRAY RR-1	205 226	< 1	0.05	1	250	4	< 2	1	28	0.06	< 10	< 10	12	< 10	36
GRAY RR-2	205 226	36	0.01	30	920	10	2	3	152	< 0.01	< 10	10	686	< 10	40
JLR-1	205 226	< 1	< 0.01	8	1040	< 2	< 2	1	92	0.07	< 10	< 10	26	< 10	8
WILLOW R-5	205 226	24	0.01	48	360	18	24	2	3390	0.01	< 10	10	468	< 10	200
WILLOW R-6	205 226	44	0.01	351	950	8	2	4	365	0.03	< 10	10	1525	< 10	1290
WILLOW R-15	205 226	117	0.01	295	450	8	< 2	6	1145	< 0.01	< 10	20	1420	< 10	914
WILLOW RR-30	205 226	93	< 0.01	223	270	< 2	2	6	1430	< 0.01	< 10	20	1285	< 10	736
WILLOW RR-45	205 226	118	< 0.01	289	1140	10	< 2	5	1225	< 0.01	< 10	20	1705	< 10	1010
WILLOW RR-60	205 226	172	0.01	387	780	12	2	6	929	0.01	< 10	20	2030	< 10	1280
WILLOW RR-75	205 226	158	< 0.01	390	520	12	2	6	921	0.01	< 10	30	1905	< 10	1470
WILLOW RR-90	205 226	181	< 0.01	458	550	16	8	6	632	0.01	< 10	30	2270	< 10	1495
WILLOW RR-105	205 226	248	< 0.01	320	1300	22	20	5	417	0.01	< 10	20	2380	< 10	900
WILLOW RR-120	205 226	187	< 0.01	372	510	10	< 2	6	551	0.01	< 10	30	2080	< 10	1295
WILLOW RR-135	205 226	172	< 0.01	476	560	12	6	5	443	0.01	< 10	30	1980	< 10	1615
WILLOW RR-150	205 226	126	< 0.01	97	1050	26	< 2	1	140	< 0.01	< 10	< 10	1875	< 10	140
WILLOW RR-165	205 226	205	< 0.01	303	710	12	2	7	294	0.01	< 10	30	2620	< 10	1025
WILLOW RR-210	205 226	166	< 0.01	170	1280	10	2	4	162	0.01	< 10	20	2770	< 10	390

CERTIFICATION:

Shawn Riddle

COST BREAK DOWN

YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. Box 2703
Whitehorse, Yukon Y1A 2C6

NICK NORTH PROJECT

15 Days Total

10 Days in April

Food for 10 x 2 people x \$35.00 = \$700.00

5 Days in Late August

Food for 5 x 1 person x \$35.00 = \$175.00

Travel 2 Trips = \$336.00

Soil / Silt / Rock Assay = \$1489.00

Helper = \$1425.00

WHITE PROJECT

7 Days Total

Helicopter = \$2587.05

Food 6 x 2 \$35.00 = \$420.00

1 x 1 \$35.00 = \$35.00

Assay (36) x 18 = \$648.00

Helper = \$900.00

BRADLEY PROJECT

8 Days

Honda 4 x 4 Spring 2 Days = \$300.00

Assay Rock/Soil/Silts = \$390.00

Food Spring 3 Days x \$35.00 = \$105.00

Fall 5 Days x \$35.00 = \$175.00

Honda 4 x 4 Fall 5 x \$100.00 = \$500.00

Total	\$10,185.00
Received	\$ 8,618.00
Owed	\$ 1,567.00