

YEMP

99 064

1999

IM

Ken

If you have any question  
or suggestions you can call me  
at 1-902-658-2895

Thank

Eugene Smiley

# **YMIP REPORT**

**1999**

**by**

**EUGENE CURLEY**

## **Summary**

The 1999 prospecting season began on June 27 and ended on October 6<sup>th</sup>. Three areas were prospected:

**Area 1** – East of Victoria Mountain around the Grizzly  
Claims on map sheet 115-I-3.

**Area 2** – Little Salmon Lake and surrounding area on map  
sheet 105-L-2.

**Area 3** – Lokken Creek and surrounding areas on map  
sheet 105-L-1.

### **Area No. 1**

Prospecting was carried out in the 115-I-3-area beginning on June 27<sup>th</sup>. Seven days were spent in the area. Sample locations, rock outcrops and rock types are noted on the accompanying map. The area is heavily covered by moss and Buckbrush, and is permanently frozen in most locations. The area south of the Grizzly Showing was examined for an extension of the Grizzly vein. The vein is believed to be offset by a NW trending fault that passes through the Showing.

The extension of the vein was not located. The only outcrop occurred along the ridge, which separates the Grizzly from the next valley to the west. Outcrops are mostly andesite. A small rounded outcrop of quartz porphyry occurs just east of this ridge at a lower level (as marked on the accompanying map.)

Northeast of the Grizzly Showing, on the hill over looking Granite Creek, large boulders of quartz were found partially covered by moss. These quartz boulders are located on strike with the Grizzly Showing and are just upstream from a 200-foot concentration of quartz boulders that were previously found on Granite Creek. Previous assays of these boulders returned low gold values. Trenching needs to be done in this area to uncover the quartz in place. Good gold values may be concentrated in some areas of the vein as is the case on the Grizzly vein.

North of the Grizzly Showing several outcrops of syenite were examined. Locations are noted on the map. Granodiorite and diorite boulders occur in the moss along the southern edges of the syenite. This area is cut by quartz porphyry and is geologically similar to the Vic property, which is located on the Northeast flanks of Victoria Mountain to the West of the Grizzly Showing.

Samples were taken from quartz porphyry, quartz floats and boulders. A planned geo-chem program was postponed until later in the season because of three days of bad weather, i.e., heavy rain and high winds. The area was not re-visited in 1999. The samples collected were not assayed.



## **Area No. 2**

Area No. 2 includes the Little Salmon Lake and surrounding areas of map sheet 105L2 and 105L1.

Twenty-eight (28) days were spent prospecting in Little Salmon plus two (2) days east and one (1) day west for a total of thirty-one (31).

Prospecting was carried out all along the north side of the lake and along the south side of the lake at each end. An ATV was used to access the mountainside along the north side of the lake while a canoe with motor was used around the lake ends. An ATV accessed the mountaintop along a NW Tel trail. Prospecting was carried out from west to east with traverses along the mountainside from the Campbell Highway and along the top of the mountain from east to west. A total distance in excess of thirty (30) miles.

Geology of the area is mostly metamorphic, shists, etc. A Granodiorite unit is located approximately four (4) miles from the west-end of the lake. A different metamorphic unit occurs at the east-end of the lake and extends six (6) miles west where it is cut off by a NW trending fault. This unit contains minerals related to ultra-mafic deposits and could host copper, nickel, chromium, cobalt, and maybe platinum group mineralization. Ultra- mafic rocks were found in the creek that flows along the unit.

Sampling was done over the whole area and locations of samples that were selected for assay were marked with ribbon and numbered. These locations and numbers are marked on the accompanying 105L1 and 105L2 maps.

Samples LSC-1 through to LSC-6 were taken along the easterly contact between Granodiorite and metamorphic shists four (4) miles east of the west-end of Little Salmon Lake. The area was altered and the rocks contained sulphides and traces of copper stain. Assays returned very low values in AG-CU-PB-ZN-AS, as well as 4% iron and 3% aluminum. This area did not warrant further work.

Sample No. LST-1 through to LST-8 was taken along the top of the mountain east and west of the VMS and Nina claims. All rocks assayed were highly silified and contained sulphides and were associated with the metamorphic rocks in the area.

Sample No. LSE -1 and LSE -2 were taken at the east-end of Little Salmon Lake near Truit Lake.

LSE-1 was taken from a swarm of quartz veins from one (1) to thirteen (13) inches in width that cut metamorphic shists. These veins were milky quartz with occasional specks of sulphides.

Sample LSE-2 was taken from a 6 inch vein 100 meters west of LSE-1 that belonged to the same system. The quartz was dark gray in color and contained a lot of sulphides. Note: Results for LSE-2 were for gold only and were not anomalous.

Sample SSP1 was taken from the south side of the lake near the east-end. It is probably a piece of float from that old showing as it was found just south of it. It contained massive sulphides (pyrite and chalcopyrite.) The surrounding rock is identical to rock directly across the lake which is metamorphic and maybe volcanic. Dark green ultra-mafics adjoin these rocks to the east along a bench above the Magundy River.

Samples M-1 through M-6 were taken from an outcrop of intrusive located approximately 18 kilometers east of Little Salmon Lake and one (1) kilometer west of the airstrip on the north side of the road. The outcrop was cut by numerous quartz veins and an eleven (11) foot wide alteration zone passes through it. The quartz veins were small under one (1) inch in most areas.

The samples were given the initial M for the name Melissa, (spray painted on the outcrop). The sampling was done from the east to west and included the small quartz veins and across the alteration zone sample locations are marked on the extreme eastern side of sheet 105L1 along the Campbell Highway.

### **Area No. 3**

Fifteen (15) days were spent prospecting in area No. 3 the Lokken Creek area, which is located on map sheet 105L-2 between the Campbell Highway and Lokken Creek.

Assistant Rick Charlobois accompanied me for five (5) days. Access to the area was by ATV's on a cat trail from the Campbell Highway. Area 3 encompassed over thirty (30) square miles. Sampling was done over the whole area for rock study. Rocks selected for assay were numbered and sample locations were marked by ribbon and numbered. These locations are noted on the accompanying map.

Geology in this area is generally mixed with very distinct differences over a small area. Rocks around sample LK9911 and LK9925 are metamorphic and similar to rocks at the east-end of Little Salmon Lake. LK9910 and LKCP are ultra-mafic and rocks around LK9922 through LK9924 are mica shists with quartz veining. Rocks LK 9913 through to 15 are located in Granodiorite. Rocks LK9915 through to 18 are metamorphic volcanic. All of the samples assayed contained sulphides but these sulphides did not carry precious metal values.

## **Conclusion**

**Area 1** More work is needed, possibly trenching and geo-chem to expand the area of gold mineralization.

**Area 2** No more work is planned for the area prospected. However, areas to the north and south of Little Salmon Lake hold good possibilities for economic mineralization.

**Area 3** This area has good potential for mineral deposits. The rocks in this area are all mineralized with sulphides, mostly pyrite. Gold mineralization associated with sulphides is likely in this area. AG-PB-ZN-CU-AU had been found on the Jack claims in this area.

The ultra-mafics in the area were anomalous in nickel with traces of copper and also asbestos. The area is glaciated and is covered by till and moss with many outcrops. Prospecting is slow as all outcrops have to be carefully examined, as they are all mineralized. Placer gold occurs in creeks in the area. Possibilities of finding precious stones and jade in this area are good.

Signed

Eugene Curley

# 115I-3 PLACER

LATITUDE 62° 00' TO 62° 15'  
LONGITUDE 137° 00' TO 137° 30'

VICTORIA  
MOUNTAIN

VICTORIA 3

VICTORIA

VICTORIA CREEK  
BASELINE

VICTORIA

5 MILE

Creek

Montgomery

115I-3

4500

4000

SYENITE  
OUTCROPS

QUARTZ  
PORPHYRY

GRANODIORITE

ANDESITE

Q.P.  
DYKES

QUARTZ  
BOULDERS  
IN MOSS

18	P 26764
19	P 26763
19	P 26762
18	P 26761
17	P 26760
16	P 26759
15	P 26758
14	P 26757
13	P 26756
12	P 26755
11	P 26754
10	P 26753
9	P 26752
8	P 26751
7	P 26750
6	P 26749
5	P 26748
4	P 26747
3	P 26746
2	P 26745
1	P 26744

18	P 26743
17	P 26742
16	P 26741
15	P 26740
14	P 26739
13	P 26738
12	P 26737
11	P 26736
10	P 26735
9	P 26734
8	P 26733
7	P 26732
6	P 26731
5	P 26730
4	P 26729
3	P 26728
2	P 26727
1	P 26726

18	P 27438
17	P 27437
16	P 27436
15	P 27435
14	P 27434
13	P 27433
12	P 27432
11	P 27431
10	P 27430
9	P 27429
8	P 27428
7	P 27427
6	P 27426
5	P 27425
4	P 27424
3	P 27423
2	P 27422
1	P 27421

WIND  
DISC



# SHEET 105L-2

PAGE 1



R-14B  
C/LS  
0003

00014


105K03-001

R-42B  
C/LS

L3  
L42

## LEGEND

- SAMPLE LOCATION
- INTRUSIVES
- METAMORPHIC (SHISTS, ETC)
- METAMORPHIC METAVOLCANIC SHISTS, LIMESTONE
- ULTRAMAFIC RELATED?
- ULTRAMAFICS
- AREA TRAVERSED











4°3


62°











B  
LS

I.G.

LOT  
33

S-15B  
LOT 15  
0051

S-306B

LSE 2  
LSE 1

020

ROBERT

CAMPBELL

HIGHWAY

021

R-56B  
C/LS


019

SHEET 105L-1  
PAGE 2



MAGUNDY





SHEET 105L-1  
PAGE 3


AIR  
STRIP




		YB54696	YB54695
		14	13
		YB54698	YB54697
		16	15
		YB54699	
2	SUN	16	15
3	1	18	17
YB50000	YB57999	YB54700	
	ACE	TAGO	
YB50001	YB54751	YB54702	YB54701
4	2	20	19
YB50002	YB54752	YB54704	YB54703
5	3	22	21
SUN	ACE	YB54706	
YB50003	YB54753		YB54705
6	4	24	23
	ACE		
YB50004	YB54754	YB54708	YB54707
8	7	26	25
SUN	TAGO		
YB50006	YB50005	YB54710	YB54709
10	9	28	27
YB50008	YB50007	YB54712	YB54711
12	11	30	29
	TAGO		
YB50010	YB50009	YB54714	YB54713
14	13	32	31
SUN	BEN		
YB50012	YB50011	YB66243	YB66242
16	15	34	33
YB50014	YB50013	YB66245	YB66244
18	17	36	35
SUN			
YB50016	YB50015	YB66247	YB66246
		38	37
	BEN		
		YB66249	YB66248
		40	39

**SHEET 105L-1** **PAGE 4**

LK\* 9917  
LK\* 9918  
LK\* 9919  
LK\* 9920








YB66249	YB66248
YB66251	YB66250
YB66253	YB66252
YB66255	YB66254
YB66257	YB66256
YB66259	YB66258
YB66261	YB66260
YB66263	YB66262
YB66265	YB66264
YB66267	YB66266
YB66269	YB66268
YB66271	YB66270
YB66273	YB66272
YB66275	YB66274

SHEET 105L-1  
PAGE 5

75	76	122	87	88	89	100
YB27803	YB27804	YB27805	YB27806	YB27807	YB27808	YB27809
73	74	121	85	86	97	98
YB27801	YB27802	YB27803	YB27804	YB27805	YB27806	YB27807
71	72	120	83	84	95	96
YB27809	YB27810	YB27811	YB27812	YB27813	YB27814	YB27815
69	70	119	81	82	93	94
YB27817	YB27818	YB27819	YB27820	YB27821	YB27822	YB27823
67	68	118	79	80	91	92
YB27825	YB27826	YB27827	YB27828	YB27829	YB27830	YB27831
65	66	117	77	78	89	90
YB27833	YB27834	YB27835	YB27836	YB27837	YB27838	YB27839
2	1	18	17	34	33	
YB26513	YB26512	YB26519	YB26518	YB26515	YB26514	
4	3	20	19	36	35	
YB26515	YB26514	YB26531	YB26530	YB26547	YB26546	
6	5	22	21	38	37	
YB26517	YB26516	YB26533	YB26532	YB26549	YB26548	
8	7	24	23	40	39	
YB26519	YB26518	YB26535	YB26534	YB26551	YB26550	
10	9	26	25	42	41	
YB26521	YB26520	YB26537	YB26536	YB26559	YB26552	
12	11	28	27	44	43	
YB26523	YB26522	YB26539	YB26538	YB26555	YB26554	
14	13	30	29	46	45	
YB26525	YB26524	YB26541	YB26540	YB26557	YB26556	



The mag1 sample was taken from an outcrop 8 Km east of the Frenchman lake Road 1500' west of the large alteration zone on the highway. The sample was taken from a black <sup>vulcanic</sup> rock outcrop that was highly silicified and contained mineralization. assays returned traces of copper and 4% iron.

18/10/99

Certificate of Analysis

Page 1

Eugene Curley

WO# 00019

Certified by



Sample #	Au ppb
LST-1	6
LST-2	7
LST-3	5
LST-4	7
LST-5	10
LST-6	7
LST-8	9
LST-9	7
M-1	<5
M-2	6
M-3	5
M-4	5
M-5	7
M-6	6
MAG-1	7
SSP-1	9
LSE-1	8
LSE-2	5
LKCP-1	12
LSW-1	7



**NAL** Northern  
Analytical  
Laboratories Ltd.

105 Copper Road  
Whitehorse, Yukon

YTA 2Z7

Ph: (867) 668-4890

Fax: (867) 668-4891

E-mail: NAL@hypertech.yk.ca

13/10/99

Certificate of Analysis

Page 1

Eugene Curley

WO# 00017

Certified by



Sample #	Au ppb
LK9910	8
LK9911	6
LK9912	63
LK9913R	6
LK9914BH	6
LK99114R	54
LK9915	6
LK9916	7
LK9917	8
LK9918	7
LK9918CR	17
LK9919	11
LK9920	6
LK9921	10
LK9922	7
LK9923	9
LK9924	7
LK9925	5
LK9926WR	4
LK9901S	13

03/08/99


Certificate of Analysis

Page 1

Eugene Curley

WO# 05692

Certified by



Sample #	Au ppb
r LSC-9901	11
r LSC-9902	13
r LSC-9903	18
r LSC-9904	<5
r LSC-9905	<5
r LSC-9906	<5





INTERNATIONAL PLASMA LABORATORY LTD

# CERTIFICATE OF ANALYSIS

## iPL 99G0683

2036 Columbia Street  
Vancouver, B C  
Canada V5Y 3E1  
Phone (604) 879-7878  
Fax (604) 879-7898

Client : Northern Analytical Laboratories  
Project: W.O. 05692

6 Samples  
6=Pulp

[068316:32:55:99080699] Out: Aug 06, 1999 Page 1 of 1  
In : Jul 30, 1999 Section 1 of 1

Sample Name	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
LSC - 1	P 0.3	46	11	100	98	<	<	3	<	<	<	13	26	168	<	104	72	349	9	12	2	10	0.23	3.04	0.10	4.30	0.86	1.41	0.04	0.03
LSC - 2	P 0.6	45	8	27	36	<	<	4	<	<	4.6	3	10	109	<	170	116	315	4	29	3	4	0.05	0.74	0.11	2.16	0.28	0.31	0.03	0.04
LSC - 3	P 0.7	113	10	56	71	<	<	3	<	<	6.1	9	73	65	<	185	108	761	4	14	1	5	0.06	1.60	0.60	2.92	0.48	0.32	0.06	0.03
LSC - 4	P <	11	9	12	26	<	<	1	<	<	<	1	5	18	<	121	4	66	8	4	7	<	<	0.26	0.05	0.56	0.03	0.10	0.04	<
LSC - 5	P <	67	14	43	26	<	<	3	<	<	6.0	12	11	32	<	82	22	323	3	16	2	1	0.09	1.41	0.53	2.73	1.05	0.08	0.03	0.06
LSC - 6	P <	29	5	8	6	<	<	3	<	<	<	8	4	39	<	154	8	81	2	24	1	1	0.03	0.27	0.41	1.21	0.05	0.01	0.02	0.03

Min Limit 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1 2 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01  
Max Reported\* 99.9 20000 20000 20000 9999 999 9999 999 999 9999 99.9 9999 9999 9999 999 9999 9999 9999 9999 9999 9999 9999 9999 1.00 9.99 9.99 9.99 9.99 9.99 5.00 5.00  
Method ICP  
—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=1000 %=Estimate % NS=No Sample P=Pulp

Page 1 of 1  
Section 1 of 1

[illegible]

IPL 99J0996

2500-4111 Street  
Vancouver, B.C.  
Canada V5Y 3E1  
Phone (604) 679-7878  
Fax (604) 679-7898

Client: Northern Analytical Laboratories  
Project: 0017

20 Samples  
20-11-16

[099026 59:13:99102589]

Out: Oct 25, 1999  
In: Oct 18, 1999

Page 1 of 1  
Section 1 of 1

Sample Name	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Br ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
LK9910	P 0.1	9	7	14	<	13	<	5	<	<	<	81	1912	3	<	1239	30	929	<	1	1	8	<	0.37	0.02	3.97	21%	<	0.02	<
LK9911	P 0.5	127	212	23	24	<	<	2	<	<	<	8	17	41	<	26	61	208	<	12	3	2	0.15	1.78	2.57	1.12	0.53	0.81	0.03	0.05
LK9912	P <	5	12	17	47	<	<	2	<	<	<	1	17	97	<	99	7	327	<	169	1	2	<	0.07	11%	0.94	0.45	0.02	0.02	0.05
LK9913 R	P 0.2	11	50	12	<	<	<	2	<	<	<	5	20	21	<	101	5	504	6	59	2	2	0.01	0.41	3.91	1.21	0.22	0.03	0.02	0.03
LK9914 BH	P <	5	<	3	9	<	<	1	<	<	<	3	11	15	<	161	<	68	?	2	1	<	<	0.05	0.11	0.51	0.02	0.02	0.02	0.01
LK9914 R	P 0.3	37	22	6	<	<	<	2	<	56	<	2	4	19	<	99	<	52	<	3	1	<	<	0.17	0.03	1.30	0.02	0.08	0.04	0.01
LK9915	P 0.1	4	13	8	13	<	<	5	<	<	<	1	4	341	<	146	2	70	5	9	1	<	<	0.17	0.05	0.81	0.01	0.12	0.02	0.02
LK9916	P 0.3	3	27	8	16	<	<	7	<	<	<	1	3	236	<	94	2	34	11	9	1	<	<	0.26	0.12	0.72	0.02	0.16	0.02	0.05
LK9917	P 0.4	6	93	37	10	<	<	8	<	<	<	2	4	108	<	41	7	250	14	7	1	<	<	0.63	0.19	1.69	0.13	0.11	0.02	0.07
LK9918	P 0.2	3	19	11	14	<	<	5	<	<	<	24	400	335	<	251	6	323	13	17	1	2	<	0.18	0.24	1.68	3.55	0.10	0.02	0.02
LK9918 CR	P 0.2	19	9	61	43	<	<	3	<	<	<	21	56	2.6%	<	94	7	643	6	56	4	2	<	3.39	0.06	2.31	0.11	0.06	0.02	0.01
LK9919	P 0.2	44	8	63	27	<	<	3	<	<	<	5	36	771	<	87	5	3822	5	469	5	3	<	1.89	1.79	2.02	0.53	0.07	0.03	0.09
LK9920	P <	20	7	90	<	<	<	1	<	<	<	12	35	632	<	114	16	4057	11	193	3	3	<	0.45	0.97	4.70	0.56	0.09	0.03	0.34
LK9921	P 0.2	.	13	61	22	<	<	21	<	<	<	4	37	560	<	62	<	1.5%	3	47	3	1	<	0.18	0.05	1.41	0.02	0.03	0.02	0.02
LK9922	P <	.	<	27	17	<	<	2	<	<	<	3	14	301	<	156	11	1646	3	13	3	1	<	0.46	0.05	1.38	0.22	0.03	0.02	0.01
LK9923	P <	7	2	11	19	<	<	3	<	<	<	4	22	1837	<	109	2	4324	3	35	4	<	<	0.35	0.09	1.40	0.04	0.04	0.02	0.03
LK9924	P <	4	<	3	<	<	<	1	<	<	<	1	3	60	<	188	<	250	<	1	1	<	<	0.02	<	0.29	0.01	<	0.02	<
LK9925	P 0.1	432	7	65	12	<	<	2	<	<	<	37	93	11	<	211	38	829	<	23	1	1	0.10	2.97	0.36	5.07	2.80	<	0.02	0.03
LK9926 WR	P <	5	13	64	<	<	<	<	<	<	<	4	5	47	<	92	28	255	21	8	2	1	0.01	1.21	0.21	2.28	0.44	0.12	0.04	0.08
LK9901 S	P <	18	23	68	25	<	<	2	<	<	<	11	24	99	<	23	35	310	18	7	2	2	0.03	2.36	0.10	2.97	0.40	0.10	0.02	0.06

Min 11 1 2 1 5 5 3 1 10 2.01 1 1 2 5 1 2 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01

P.10

1-867-668-4890

9 '99 15:31 0000 MAIL WHITEHORSE

NOV

9 '99 15:28 0000 NAL WHITEHORSE 1-867-668-1880



# CERTIFICATE OF ANALYSIS

IPL 99J0997

2036 Columbia Street  
Vancouver, B.C.  
Canada V6C 3E1  
Phone: 604-679-7878  
Fax: 604-679-7898

Client: Northern Analytical Laboratories  
Project: 4000018

4 Samples  
4-Pulp

[099716:59:36 99102599]

Out: Oct 25, 1999 Page 1 of 1  
In: Oct 18, 1999 Section 1 of 1

Sample Name	Pt	Pd	Ag	Cu	Pb	Zn	As	Sb	Hg	Mo	Tl	Bi	Cd	Co	Ni	Ba	M	Cr
	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LKCP-1	<15	<5	0.2	7	57	15	<5	14	<3	4	<10	<2	<0.1	76	1989	37	<5	1500

Minimum Detection

15 5 0.1 1 2 1 5 5 3 1 10 2 0.1 1 1 2 5 1

**NAL**  
Northern  
Analytical  
Laboratories Ltd.

YUKON ENERGY, MINES  
& RESOURCES LIBRARY  
PO Box 2703  
Whitehorse, Yukon Y1A 2C6

105 Copper Road  
Whitehorse, Yukon  
Y1A 2Z7

Ph: (867) 668-4868

Fax: (867) 668-4890

E-mail: NAL@hypertech.yk.ca

# Invoice for Analytical Services

To:

Eugene Curley

Invoice Date: 12/10/99

WO# 00017

QTY	DESCRIPTION	UNIT PRICE	AMOUNT
19	Sample Preparation: Rock/A.C. Sample Preparation	5.00	95.00
1	Soil/Sediment Sample Preparation	2.00	2.00
20	Analyses: Au + 30	16.00	320.00
Subtotal			417.00
GST @7% (R 121285662)			29.19
Total due on receipt of invoice			\$446.19

\$ 446.19

2% per month charged on overdue accounts



105 Copper Road  
Whitehorse, Yukon  
Y1A 2Z7

Ph: (867) 668-4866

Fax: (867) 668-4880

E-mail: NAL@hypertech.yk.ca

Invoice for Analytical Services

To:

Invoice Date: 18/10/99

Eugene Curley

WO# 00019

QTY	DESCRIPTION	UNIT PRICE	AMOUNT
19	Sample Preparation: Rock/A.C. Sample Preparation	5.00	95.00
17	Analyses: Au + 30	16.00	272.00
1	Au 15 gm FAAAS	8.75	8.75
1	Pt + 30	26.00	26.00
	office long distance fax 8 pages		10.00

DO NOT WRITE ABOVE THIS LINE NE PAS ÉCRIRE AU-DESSUS DE CETTE LIGNE

26 0173 4856 7010

09/02

EXPIRY  
DATE  
CHECKED

DATE  
D'EXPIRATION  
VÉRIFIÉE

AUTHORIZATION/PERMISSION		AMOUNT/MONTANT	
DATE	Y/A	TOKEN	SIGNATURE
11 9 99			
COPY	DATE	INFLUENCE	NAME
00000			

5 807

DESCRIPTION	AMOUNT-MONTANT
ASSAYS	729.76

SALES DRAFT CHARGEX FACTURE

CAN 8 729.76

CUSTOMER COPY  
COPIE DU CLIENT

SIGNATURE SIGNATURE DU YUKON  
THIS COPY AS A  
FOUR TRANSACTION  
CETTE COPIE COMME  
LA TRANSACTION



CARDHOLDER WILL PAY TO THE ISSUER OF THE CHARGE CARD PRESENTED HEREWITH THE  
AMOUNT STATED HEREON IN ACCORDANCE WITH THE ISSUER'S AGREEMENT WITH THE  
CARDHOLDER.  
LE DÉBITEUR DE LA CARTE CHARGEX MENTIONNÉE PRÉSENTA À L'ÉMETTEUR DE LA CARTE LE  
MONTANT ÉNONCÉ CONFORMÉMENT AUX CONDITIONS DE LA CONVENTION ENTRE  
L'ÉMETTEUR ET LE DÉBITEUR DE LA CARTE.

Yukon Olympic Association  
Association olympique du Yukon

285662)

Total due on receipt of invoice  
2% per month charged on overdue accounts

411.75  
28.82  
(157.00)  
\$283.57

Invoice for Analytical Services

To:

Eugene Curley

Invoice Date: 03/08/99

WO# 05692

QTY	DESCRIPTION	UNIT PRICE	AMOUNT
6	Sample Preparation: Rock/D.C. Sample Preparation	5.00	30.00
6	Analyses: Au + 30	16.00	96.00
<div style="border: 1px solid black; border-radius: 50%; width: 200px; height: 100px; display: flex; align-items: center; justify-content: center; margin: 20px auto;"> <p style="font-size: 2em; font-family: cursive;">\$134.82</p> </div>			
Subtotal			126.00
GST @7% (R 121285662)			8.82
Total due on receipt of invoice			<b>\$134.82</b>

2% per month charged on overdue accounts





Sept. 1999

Paid to Eric Charlobois \$62500  
@ \$12500 for 5 days  
assistant prospector.

Eugene Smiley