

**YEIP
2000-
037
2000**

PROSPECTING
ymip# 00-037

**YEIP
2000-
037
2000**

YUKON MINING INCENTIVES PROGRAM

YMIP # 00-037

DAWSON / MAYO MINING DISTRICT

NTS#115 P/15 FORTY MILE CREEK

NTS#1150/15 KING SOLOMON DOME

NTS#116 G/1 BLACKSTONE RIVER

NTS#116 G/7 OLGILVIE RIVER

NTS# 116 C/1 TOP OF WORLD HWY

NTS# 115 O/3 WHITE RIVER AREA

WORK PERFORMED BY SHAWN RYAN

**YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. Box 2703
Whitehorse, Yukon Y1A 2C6**

TABLE OF CONTENT

Summary	page01
Project# 1 Olgilvie River Area	page02
Project# 2 Blackstone River Area	page 03
Project# 3 Forty Mile Creek	page04
Project# 4 King Solomon Dome Area	page05
Project# 5 Top of World Hwy	page06
Project# 6 White River Area	page07
Project# 6 White River Area	page 08
Rock Description	appendix

SUMMARY

I prospected 6 different area this spring, summer and fall. I began in mid April with the Bou 1-4 claims. I then stake the King 1-32, above Gold Bottom creek in the King Solomom Dome area on April 23-25. I then proceed up the Dempster hwy to stake the Hem 1-6 claims on April 30 and may 01. On may 28, I staked and prospected the Queen 1-8 on a ridge top over Bonanza creek. I went from the Dawson district to the Mayo area and prospected and staked the Callum 5-8 claim area. from August 08-12. The snow flew early in the mountains of clear creek and made prospecting difficult. I when't from the Clear creek area back to the Dawson area to the Top of the world project. I had Scott Fleming stake the VMS 1-12 claims. I prospected the area for 3 days from August 29-31. We when't back to the King claim area on September the 11-17 and put in a grid over two anomalous zone. I when't back to the VMS claims area September 20 and we put a day on the Swede creek side taking silts for a day. The prospecting season was finished on the Yukon River with a week of prospecting around the Cathy claims by the mouth of the White river. I found a nice new showing of a quartz breccia and returned to Dawson City in a snow storm.

PROJECT #1 BOU 1-4 CLAIMS, OLGILVIE RIVER AREA

LOCATION

The Bou 1-4 claims are located 90 air miles north, north-east of Dawson City. The claim block cover the old Ralph 1-4 claims. It is situated on NTS map # 116 G / 7 at longitude 138°40 W and latitude 65°18.5 N.

ACCESS

Access is by helicopter from Dawson City.

GEOLOGY

The Bou 1-4 claims cover a gray, blocky fracturing massive siliceous dolomites. This unit is believed to be Lower to Middle Ordovician in age.

WORK PERFORMED

I worked for three days on the Bou claims. I flew into the Mount Bouvette area April 12-15, 2001 with Transnorth Helicopter. I stake claims and dug test soil pit 12-18 inch deep on old showing area. I ran 8 soils which ran anomalous in Zn, Ag and Pb.


I have also included 1-50,000 topo map with sample location and Assay results for reference on the work site.

EVALUATION

The soil sample confirm earlier results in that the ridge top has anomalous Zn, Pb and Ag. I was trying to understand the nature of the mineralization and still haven't really figured it out. It falls within the Mississippi Valley type deposit but more work is still required.

RECOMMENDATION

I am recommending a small trenching program on the ridge top covering the anomalous zone. Trenching should attempt to dig down 6-8 feet to see if mineralization extends to depth.



NTS # 116 G/7

NORTH ↑

O/Gilvie River project



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 29-JUN-2000
 Invoice No. : 10021330
 P.O. Number :
 Account : PRP

Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0021330

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
1 BO 20501	201 202	< 5	3.4	0.13	4	< 10	640	< 0.5	< 2	13.45	11.0	< 1	9	13	2.30	< 10	2	< 0.01	< 10	8.61
2 BO 20502	201 202	10	6.2	0.37	30	< 10	120	< 0.5	< 2	10.30	25.0	3	12	37	6.27	< 10	2	0.01	< 10	6.42
3 BO 20503	201 202	< 5	0.6	1.22	12	< 10	240	< 0.5	< 2	5.27	20.5	7	25	27	2.94	< 10	< 1	0.04	< 10	3.42
4 BO 20504	201 202	< 5	0.2	0.75	10	< 10	180	< 0.5	< 2	10.70	2.5	3	14	12	1.28	< 10	2	0.03	< 10	6.93
5 BO 20505	201 202	< 5	< 0.2	0.64	14	< 10	220	< 0.5	< 2	12.00	5.0	3	13	14	1.31	< 10	< 1	0.03	< 10	7.76
6 BO 20506	201 202	< 5	2.8	1.16	24	< 10	200	< 0.5	< 2	5.75	14.5	5	24	39	4.13	< 10	3	0.03	< 10	3.74
7 BO 20507	201 202	< 5	0.4	0.85	4	< 10	290	< 0.5	< 2	10.35	9.0	4	15	20	1.99	< 10	1	0.03	< 10	6.70
8 BO 20508	201 202	< 5	2.2	1.21	12	< 10	170	< 0.5	< 2	4.60	3.0	7	22	17	2.23	< 10	2	0.04	< 10	2.63
9 BO 501	201 202	< 5	< 0.2	2.21	4	< 10	180	< 0.5	2	0.51	< 0.5	13	50	58	2.86	< 10	< 1	0.09	< 10	0.67
10 BO 502	201 202	< 5	< 0.2	3.01	4	< 10	380	< 0.5	2	0.37	< 0.5	21	214	62	3.85	< 10	< 1	0.82	< 10	2.23
11 BO 501	201 202	< 5	< 0.2	2.46	4	< 10	370	< 0.5	< 2	0.38	0.5	12	39	24	3.90	< 10	< 1	0.87	< 10	1.02
12 BO 502	201 202	< 5	< 0.2	3.29	10	< 10	300	< 0.5	< 2	0.38	0.5	13	43	43	4.84	< 10	1	1.14	10	1.42
13 BO 503	201 202	< 5	< 0.2	3.08	20	< 10	570	< 0.5	< 2	0.25	0.5	13	55	39	3.90	< 10	< 1	0.20	< 10	0.79
14 BO 504	201 202	< 5	< 0.2	0.63	6	< 10	80	< 0.5	< 2	0.14	< 0.5	3	19	12	1.15	< 10	< 1	0.06	< 10	0.21
15 BO 505	201 202	< 5	0.6	2.82	24	< 10	200	< 0.5	< 2	0.21	2.5	11	45	45	3.70	< 10	1	0.08	< 10	0.74
16 BO 501	201 202	< 5	< 0.2	1.44	10	< 10	130	< 0.5	< 2	0.71	< 0.5	9	32	18	2.67	< 10	< 1	0.07	< 10	0.63
17 BO 502	201 202	< 5	< 0.2	1.74	22	< 10	200	< 0.5	< 2	0.73	0.5	8	30	26	2.42	< 10	< 1	0.07	< 10	0.56
18 BO 503	201 202	< 5	< 0.2	1.79	8	< 10	250	< 0.5	< 2	0.49	0.5	11	41	26	3.05	< 10	1	0.15	20	0.56
19 BO 20501	201 202	5	< 0.2	3.28	20	< 10	110	5.0	< 2	0.71	0.5	19	43	58	2.96	< 10	< 1	0.19	100	0.53
20 BO 20502	201 202	< 5	< 0.2	4.43	18	< 10	60	7.5	< 2	0.68	4.0	9	8	26	3.14	10	1	0.15	60	0.30
21 BO 20503	201 202	< 5	< 0.2	2.97	10	< 10	90	6.5	< 2	0.42	0.5	13	11	28	2.41	< 10	< 1	0.15	110	0.29
22 BO 20504	201 202	< 5	< 0.2	3.85	12	< 10	50	10.0	2	0.30	1.5	7	6	23	4.61	10	< 1	0.17	140	0.15
23 QUEEN 501	201 202	< 5	< 0.2	1.21	2	< 10	280	< 0.5	< 2	0.08	< 0.5	4	18	8	1.61	< 10	< 1	0.05	30	0.32
24 QUEEN 502	201 202	< 5	< 0.2	1.96	8	< 10	200	< 0.5	< 2	0.06	< 0.5	6	25	10	3.22	< 10	< 1	0.10	10	0.54
25 QUEEN 503	201 202	< 5	< 0.2	0.71	2	< 10	230	< 0.5	< 2	0.04	< 0.5	1	9	3	0.98	< 10	1	0.05	40	0.16
26 QUEEN 504	201 202	5	< 0.2	2.45	16	< 10	270	< 0.5	< 2	0.06	< 0.5	9	40	18	3.78	< 10	< 1	0.06	20	0.51
27 BO 20501	201 202	< 5	< 0.2	1.73	4	< 10	150	0.5	< 2	0.49	< 0.5	9	33	15	3.19	< 10	< 1	0.24	70	0.61
28 BO 20502	201 202	< 5	< 0.2	2.08	6	< 10	140	< 0.5	< 2	0.48	< 0.5	9	38	17	3.28	< 10	< 1	0.12	10	0.87
29 BO 20503	201 202	< 5	< 0.2	1.62	4	< 10	110	< 0.5	< 2	0.57	< 0.5	8	37	12	2.82	< 10	1	0.11	20	0.62
30 BO 20504	201 202	< 5	< 0.2	1.52	6	< 10	110	< 0.5	2	0.61	< 0.5	8	36	12	2.74	< 10	< 1	0.10	30	0.58
31 BO 20505	201 202	< 5	< 0.2	3.58	12	< 10	150	0.5	< 2	0.21	0.5	12	50	26	4.34	< 10	< 1	0.05	10	0.70
32 BO 20506	201 202	< 5	< 0.2	1.43	6	< 10	80	< 0.5	< 2	0.20	< 0.5	4	23	13	2.31	< 10	1	0.05	< 10	0.36

QUEEN SOIL SERIES NTS 1150/14 upper Bonanza Bileek AREA
 Bo SOIL SERIES NTS 116 G/7 Mount Bouvette AREA

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 29-JUN-2000
 Invoice No. : 10021330
 P.O. Number :
 Account : PRP

Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0021330

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BO 20501	201	202	980	7	< 0.01	4	160	528	0.01	6	< 1	59	< 0.01	< 10	< 10	10	< 10	>10000
BO 20502	201	202	1755	18	< 0.01	11	230	528	0.02	2	< 1	40	< 0.01	< 10	< 10	11	< 10	9900
BO 20503	201	202	1005	5	0.01	21	530	94	0.06	6	1	28	0.01	< 10	< 10	42	< 10	7000
BO 20504	201	202	600	5	0.01	10	410	60	0.03	< 2	< 1	45	0.01	< 10	< 10	24	10	532
BO 20505	201	202	740	5	0.01	14	280	60	0.02	< 2	< 1	55	< 0.01	< 10	< 10	27	20	576
BO 20506	201	202	885	8	0.01	18	470	362	0.05	< 2	1	27	0.01	< 10	< 10	39	< 10	7160
BO 20507	201	202	875	3	0.01	14	360	56	0.03	6	1	44	0.01	< 10	< 10	27	< 10	1850
BO 20508	201	202	1155	7	0.01	15	910	60	0.12	< 2	1	22	0.01	< 10	< 10	36	< 10	1595
LADC 501	201	202	620	< 1	0.03	24	160	2	0.01	< 2	5	36	0.11	< 10	< 10	76	< 10	50
LADC 502	201	202	350	1	0.01	120	340	< 2	< 0.01	< 2	4	24	0.22	< 10	< 10	98	< 10	74
LADN 501	201	202	455	1	0.02	16	570	< 2	< 0.01	2	7	25	0.18	< 10	< 10	89	< 10	92
LADN 502	201	202	570	2	0.01	18	710	34	< 0.01	< 2	9	24	0.23	< 10	< 10	100	< 10	150
LADN 503	201	202	540	1	0.01	33	290	2	< 0.01	< 2	5	25	0.13	< 10	< 10	96	< 10	82
LADN 504	201	202	165	< 1	0.01	7	250	< 2	0.01	< 2	1	13	0.08	< 10	< 10	44	< 10	26
LADN 505	201	202	340	< 1	0.01	30	550	12	< 0.01	< 2	4	18	0.08	< 10	< 10	82	< 10	188
LADS 501	201	202	355	1	0.03	17	890	< 2	0.01	< 2	4	38	0.10	< 10	< 10	74	< 10	52
LADS 502	201	202	300	1	0.03	17	450	< 2	0.01	2	4	44	0.10	< 10	< 10	57	< 10	42
LADS 503	201	202	780	1	0.01	27	250	6	< 0.01	6	6	29	0.07	< 10	< 10	59	< 10	66
PEA-20501	201	202	635	2	0.05	56	1220	60	0.10	< 2	1	84	0.07	< 10	< 10	37	< 10	148
PEA-20502	201	202	1000	3	0.03	5	490	64	0.08	< 2	1	69	0.08	< 10	< 10	35	10	328
PEA-20503	201	202	730	4	0.03	11	620	36	0.05	< 2	1	69	0.05	< 10	< 10	29	10	146
PEA-20504	201	202	815	11	0.07	4	420	48	0.10	2	< 1	40	0.05	< 10	< 10	19	30	276
QUEEN 501	201	202	105	< 1	< 0.01	9	120	8	< 0.01	< 2	1	18	0.03	< 10	< 10	29	< 10	30
QUEEN 502	201	202	265	2	< 0.01	11	230	8	< 0.01	6	3	12	0.06	< 10	< 10	48	< 10	60
QUEEN 503	201	202	75	< 1	< 0.01	4	60	26	< 0.01	< 2	1	7	0.02	< 10	< 10	18	< 10	20
QUEEN 504	201	202	240	3	0.01	17	240	6	0.06	2	6	31	0.06	< 10	< 10	60	< 10	54
SEVSR 20501	201	202	400	3	0.03	16	530	2	< 0.01	2	7	37	0.13	< 10	< 10	67	< 10	74
SEVSR 20502	201	202	320	2	0.02	15	580	2	< 0.01	< 2	5	35	0.15	< 10	< 10	81	10	62
SEVSR 20503	201	202	345	1	0.01	15	1260	< 2	0.01	2	4	30	0.10	< 10	< 10	69	< 10	64
SEVSR 20504	201	202	380	2	0.01	14	1220	< 2	0.01	< 2	4	38	0.09	< 10	< 10	68	< 10	60
SEVSR 20505	201	202	370	1	0.01	23	310	4	< 0.01	4	5	24	0.13	< 10	< 10	109	< 10	76
SEVSR 20506	201	202	205	1	0.01	10	160	2	< 0.01	2	3	20	0.12	< 10	< 10	69	< 10	40

CERTIFICATION: 

MOUNTAINS

NTS 11/5 G/7

RIVER

MOUNT
BOUVETTE

TRASSUS RIVER



PROJECT#2 BLACKSTONE RIVER AREA

HEM CLAIMS

LOCATION

The Hem claims are located 160 kilometers up the Dempster hwy. I stake the west side of the hwy along the Blackstone river. The claims are located on NTS # 116G /1 at latitude 65'03' north and longitude 138'08' west.

ACCESS

Access is by vehicle up the Dempster hwy. The property is located 160 kilometer up the Dempster hwy on the west side.

GEOLOGY

The Hem claims cover a protorozoic rock unit called the Quartet Group shale and siltstone intruded by gabbro and hematite breccia bodies. I targeted the hematite breccia with my sampling program.

WORK PERFORMED

I worked for three days on the Hem claim block. I started by staking 6 claims along the Dempster hwy. The claims cover a hematite breccia that is carrying copper values. I concentrated my prospecting along the west side of the hwy above a small burrow pit. I found numerous piece of float carrying copper.

EVALUATION


I assayed 7 rock sample with the highest assay at 9310ppm Cu. The rocks sample found where all float sample. I feel the area merits more work and more prospecting of the surrounding area.

RECOMMENDATIONS

I recommended more prospecting of surrounding area. I would recommended a silt survey of over creeks draining the Protorozoic rock unit. There should be more breccia zone to be found in this large rock unit.

NORTH ↑
NTS # 116 G/1

S-34B
(DFN)



S-118B
(DFN)



C
K
S
T
O

4500

S-34B

S-118B


Traverse
Route

BLACKSTONE

HEM claims
1-6

NORTH

1 km
Scale
NTS 116 6/1



1133

875

W

929

5

848

km 145

088

0901

W

862

W

W

W

887

915

940

W

g

PROJECT#3 FORTY MILE CREEK AREA

ALPINE / CALLUM CLAIMS

LOCATION

The Alpine / Callum claim area is located in the Mayo Mining District. The claim cover the old Jabberwock and Sterling claim group. The Callum claims cover a new showing found south of the Alpine claims. This claim block is situated at the headwaters of Vancouver creek. The area is on NTS# 115 P/15 map at a latitude 63' 46.5 north and longitude 136' 58.0 west.

ACCESS

Access is by foot from the Left Clear creek road, which is 5 miles north of the Alpine claims or by helicopter from Mayo which is located 35 miles to the south east.

GEOLOGY

The area that I prospected was mapped by Don Murphy, YTG geologist. According to Don Murphy , Sprague creek geology map the area lies in the Tombstone Strain zone. Specificaly a upper proterozoic group of rocks called the Hyland Group.

WORK PERFORMED

I prospected the area for 5 days. I took soil sample off a old Cominco grid. The soil where from a I.P. anomaly found in 1982. The second area I worked was around the Callum 1-4 claims. I ended up finding three new massive sulfide showing. I staked new Callum 5-8 over one of the showings. I took rock sample from all three showing and have provide a map location with assay results.

EVALUATION



The soil line over the I.P. anomaly did give positive Zn value with three out of five having greater value than 100ppm Zn. The rock sample from Forty mile creek showed one rock sample having anomalous value in As 7390ppm, Bi 2ppm and minor Au 15ppb. The rock sample from the massive pyrrhotite did give positive Cu 513-1815ppm, W 10-80ppm and minor Bi 8ppm. The gold value where less than 10ppb.

RECOMMENDATION

I would recommend more prospecting on surrounding ridge top around the limy horizon. I would also recommended follow up on the two showing outside of claim block. The copper and tungsten value are there so there must be gold somewhere around.

ALPINE claims 1-38

NTs #
115 P/15



↑
NORTH

ALPINE
Claims
1-38

SILT SAMPLE

SOIL LINE

New
Callum
Claims

Callum
Claims


63°45' 137°00' 402000m. E. 03 04 05 55' 06 07 08 09 50' 10'

Produced and printed by the SURVEYS AND MAPPING
BRANCH, DEPARTMENT OF MINES AND TECHNICAL
SURVEYS, 1961, from air photographs taken in 1949 and 1953.

TRAVERSE
ROUTE

NTS 115 P/15

1-50,000
Scale



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 12-JAN-01
 Invoice No. : 10110305
 P.O. Number :
 Account : PRP

Project :
 Comments: ATTN: SHAWN RYAN


CERTIFICATE OF ANALYSIS

A0110305

34 -
 35 -

SAMPLE	PREP CODE		An ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
	FA+AA																				
ALP 20 R 34	205	226	15	1.6	0.21	7390	10	40	< 0.5	2	< 0.01	< 0.5	15	213	39	1.91	< 10	< 1	0.13	< 10	0.01
ALP 20 R 35	205	226	< 5	0.2	0.34	142	< 10	90	< 0.5	< 2	< 0.01	< 0.5	8	185	123	1.89	< 10	< 1	0.18	< 10	0.01
<p>ALPINE CLAIM AREA ROCK SAMPLE LOCATION ON NTS 115 P/15</p>																					

01/12/00 11:33AM CHEMEX LABS Alpha-FAX PAGE 002



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 12-JAN-01
 Invoice No. : 10110305
 P.O. Number :
 Account : PRP

Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0110305

SAMPLE	PREP		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
ALP 20 R 34	205	226	35	< 1	< 0.01	54	110	8	0.54	2	< 1	3	< 0.01	< 10	< 10	1	< 10	26
ALP 20 R 35	205	226	60	< 1	< 0.01	20	120	< 2	0.58	< 2	< 1	5	< 0.01	< 10	< 10	3	< 10	18

01/12/00 11:34AM CHEMEX LABS ALpha-FAX PAGE 003



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 07-DEC-2000
 Invoice No. : 10034975
 P.O. Number :
 Account : PRP

Project :
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0034975

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
SC PHY R01	205 226	< 5	0.2	0.61	< 2	< 10	50	< 0.5	< 2	0.89	< 0.5	30	38	104	2.81	< 10	< 1	0.11	< 10	0.35
SC 20 R05	205 226	< 5	< 0.2	0.25	2	< 10	90	< 0.5	< 2	0.20	< 0.5	1	55	4	0.22	< 10	< 1	0.14	< 10	0.03
SC 20 BEODRA	205 226	< 5	< 0.2	1.49	< 2	< 10	10	< 0.5	< 2	1.39	< 0.5	24	38	85	3.11	< 10	< 1	0.11	< 10	1.16
SC 20 R03	205 226	< 5	< 0.2	0.59	< 2	< 10	150	< 0.5	< 2	0.65	< 0.5	55	54	62	1.41	< 10	< 1	0.06	< 10	0.09
SC 20 R04	205 226	< 5	< 0.2	0.49	< 2	< 10	120	< 0.5	< 2	0.13	< 0.5	11	78	21	0.74	< 10	< 1	0.19	< 10	0.13
SC 20 R07	205 226	< 5	< 0.2	0.74	< 2	< 10	10	< 0.5	< 2	0.20	< 0.5	6	29	1	2.08	< 10	< 1	0.07	< 10	0.57
SC 20 R09	205 226	< 5	< 0.2	1.96	< 2	< 10	390	2.5	< 2	1.10	0.5	22	24	31	5.62	10	< 1	0.50	20	2.44
SC BLACK DRA	205 226	< 5	< 0.2	1.58	52	< 10	100	1.0	< 2	2.16	0.5	14	20	43	4.28	< 10	< 1	0.14	< 10	1.59
VMS 20 R03	205 226	-----	< 0.2	1.88	2	< 10	170	0.5	< 2	0.22	0.5	8	107	48	3.60	< 10	< 1	0.85	20	0.73
CAL SK 11	205 226	10	0.6	5.85	< 2	< 10	< 10	1.5	< 2	3.91	< 0.5	29	54	513	3.46	10	< 1	0.03	10	0.08
CAL SK-03	205 226	< 5	1.0	2.82	< 2	< 10	< 10	0.5	< 2	2.12	< 0.5	26	26	518	4.33	< 10	< 1	0.01	< 10	0.05
375 100W R03	205 226	10	< 0.2	3.75	< 2	< 10	10	0.5	4	2.85	< 0.5	3	59	38	0.90	< 10	< 1	0.08	10	0.07
400 50W R04	205 226	5	< 0.2	3.83	6	< 10	130	0.5	< 2	1.23	< 0.5	16	130	41	3.02	10	< 1	1.27	10	1.34
400 50W R06	205 226	30	0.2	0.93	< 2	< 10	10	< 0.5	< 2	1.01	< 0.5	6	103	162	1.82	< 10	< 1	0.04	< 10	0.07
L375 75W R08	205 226	15	0.2	2.11	< 2	< 10	< 10	0.5	2	2.98	< 0.5	6	31	149	2.24	< 10	< 1	0.08	< 10	0.07
L375 75W R09	205 226	60	0.6	3.61	4	< 10	< 10	1.5	22	2.47	< 0.5	13	43	330	4.10	< 10	< 1	0.09	10	0.09
L350 25E R10	205 226	60	0.2	4.60	< 2	< 10	< 10	0.5	46	4.69	< 0.5	6	23	142	2.87	10	< 1	0.01	10	0.05
375 175E R11	205 226	45	0.6	3.00	< 2	< 10	< 10	0.5	26	2.35	< 0.5	9	21	385	3.70	< 10	< 1	0.05	10	0.04
375 175E R12	205 226	525	1.6	1.45	8	< 10	< 10	0.5	324	1.18	< 0.5	17	55	594	5.67	< 10	< 1	0.02	10	0.11
L50s 50E R13	205 226	5	< 0.2	0.94	6	< 10	20	< 0.5	< 2	0.30	< 0.5	7	98	50	2.20	< 10	< 1	0.09	< 10	0.13
L25s 75E R16	205 226	< 5	0.2	2.71	< 2	< 10	60	0.5	< 2	0.89	< 0.5	10	74	37	3.00	10	< 1	0.64	10	0.57
3- GAL P.T 2 BTR	205 226	< 5	0.6	5.00	< 2	< 10	30	2.0	6	3.63	< 0.5	8	59	116	1.83	10	< 1	0.04	10	0.73
1- L100N-50ER	205 226	< 5	2.6	3.86	26	< 10	< 10	1.5	8	2.32	2.5	21	40	1815	13.30	10	< 1	0.01	< 10	0.09
2- HEM HWY R01	205 226	5	< 0.2	2.62	< 2	< 10	2230	0.5	< 2	1.58	0.5	33	54	716	5.16	10	< 1	0.16	30	3.57
4- HEM 20 R02	205 226	5	1.8	5.16	20	< 10	40	0.5	< 2	0.07	2.5	48	153	61	13.60	20	< 1	0.10	< 10	4.12
5- HEM 20 R03	205 226	< 5	2.0	0.58	< 2	< 10	40	< 0.5	< 2	4.12	< 0.5	10	140	9310	3.31	< 10	< 1	0.02	< 10	2.53
6- HEM 20 R04	205 226	5	0.6	2.92	2	< 10	680	0.5	< 2	0.19	1.5	75	45	824	8.80	10	< 1	0.14	< 10	3.00
7- HEM 20 R0111	205 226	10	0.6	0.40	96	< 10	310	0.5	< 2	3.22	1.5	96	33	2860	6.88	< 10	< 1	0.10	< 10	2.04
HEM 20 R022	205 226	< 5	0.2	0.28	8	< 10	300	< 0.5	2	9.44	< 0.5	23	11	144	1.98	< 10	< 1	0.19	10	5.59
HEM 20 R0333	205 226	5	0.8	0.98	6	< 10	1560	0.5	< 2	0.04	1.0	12	24	1445	11.00	< 10	< 1	0.01	< 10	1.10
JL 20 R01	205 226	< 5	< 0.2	1.23	< 2	< 10	330	< 0.5	< 2	0.10	< 0.5	10	130	34	2.37	< 10	< 1	0.72	< 10	0.54
JL 20 R02	205 226	50	1.8	1.37	10	< 10	10	0.5	< 2	0.53	3.0	102	85	277	>15.00	10	< 1	0.37	< 10	0.73

HEM-Series Rock sample From HEM 1-6 claims 116 G/1
 Cal SK 11, Cal SK-03, L100N-50ER : Rock samples From callum
 Claim AREA NTS 115 P/15

VMS 20 R03 : Rock sample from vms claims
 NTS 116 C/1

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project :
 Comments: ATTN: SHAWN RYAN

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 07-DEC-2000
 Invoice No. : I0034975
 P.O. Number :
 Account : PRP


CERTIFICATE OF ANALYSIS

A0034975

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SC PHY R01	205 226	255	1	0.09	16	780	6	1.25	< 2	3	31	0.12	< 10	< 10	20	< 10	30
SC 20 R05	205 226	40	1	0.06	1	10	8	0.03	< 2	< 1	19	< 0.01	< 10	< 10	1	< 10	6
SC 20 BEODRA	205 226	470	1	0.17	49	1170	2	0.88	< 2	8	17	0.14	< 10	< 10	62	< 10	50
SC 20 R03	205 226	100	14	0.01	46	150	4	0.52	< 2	1	32	0.06	< 10	< 10	11	< 10	28
SC 20 R04	205 226	35	10	0.08	28	150	6	0.21	< 2	< 1	29	0.05	< 10	< 10	9	< 10	24
SC 20 R07	205 226	220	< 1	0.14	1	570	< 2	< 0.01	< 2	5	7	0.06	< 10	< 10	65	< 10	38
SC 20 R09	205 226	1240	< 1	0.10	14	2470	8	< 0.01	< 2	13	76	0.25	< 10	< 10	168	< 10	106
SC BLACK DRA	205 226	615	6	0.01	12	960	14	0.79	< 2	7	120	< 0.01	< 10	< 10	63	< 10	62
VMS 20 R03	205 226	280	< 1	0.01	34	820	10	0.02	< 2	4	18	0.11	< 10	< 10	54	< 10	226
CAL SK 11	205 226	90	< 1	0.25	46	190	8	2.16	< 2	< 1	209	0.06	< 10	< 10	8	10	30
CAL SK-03	205 226	220	< 1	0.09	30	150	2	2.08	< 2	< 1	79	0.04	< 10	< 10	3	80	50
375 100W R03	205 226	105	< 1	0.49	11	180	4	0.24	< 2	1	152	0.06	< 10	< 10	11	< 10	26
400 50W R04	205 226	165	< 1	0.21	40	90	6	0.35	< 2	8	87	0.17	< 10	< 10	56	< 10	46
400 50W R06	205 226	95	< 1	0.11	16	60	2	0.70	< 2	< 1	51	0.03	< 10	< 10	3	< 10	22
L375 75W R08	205 226	235	< 1	0.57	18	500	2	1.01	< 2	< 1	63	0.04	< 10	< 10	3	< 10	42
L375 75W R09	205 226	225	< 1	0.54	27	200	8	2.31	< 2	1	115	0.06	< 10	< 10	9	< 10	56
L350 25E R10	205 226	325	< 1	0.19	7	860	4	1.08	< 2	< 1	209	0.05	< 10	< 10	6	< 10	32
375 175E R11	205 226	230	< 1	0.35	13	880	6	2.09	< 2	< 1	96	0.03	< 10	< 10	3	< 10	64
375 175E R12	205 226	345	< 1	0.12	34	120	4	3.39	< 2	< 1	48	0.04	< 10	< 10	6	< 10	52
L50S 50E R13	205 226	75	< 1	0.08	8	70	2	0.40	< 2	1	38	0.03	< 10	< 10	10	< 10	16
L25S 75E R16	205 226	105	< 1	0.19	19	200	8	0.49	< 2	4	85	0.11	< 10	< 10	31	< 10	40
QAL P.T 2 BTR	205 226	130	7	0.47	27	340	14	0.77	< 2	1	188	0.05	< 10	< 10	33	< 10	30
L100N-50ER	205 226	40	1	0.30	9	410	10	>5.00	< 2	< 1	184	0.02	< 10	< 10	5	< 10	16
HEM HWY R01	205 226	1175	1	0.01	39	580	< 2	0.08	< 2	4	92	0.01	< 10	< 10	54	< 10	44
HEM 20 R02	205 226	350	< 1	< 0.01	94	320	56	3.51	< 2	9	6	0.01	< 10	< 10	155	< 10	140
HEM 20 R03	205 226	2690	4	0.01	12	60	4	0.52	< 2	7	31	< 0.01	< 10	< 10	20	< 10	16
HEM 20 R04	205 226	365	1	< 0.01	45	580	2	0.11	< 2	6	11	0.03	< 10	< 10	164	< 10	44
HEM 20 R0111	205 226	1775	4	< 0.01	24	570	6	0.23	2	2	117	0.01	< 10	< 10	17	< 10	12
HEM 20 R022	205 226	3620	< 1	0.01	6	380	< 2	0.05	< 2	3	33	< 0.01	< 10	< 10	5	< 10	6
HEM 20 R0333	205 226	310	< 1	< 0.01	18	80	2	0.09	< 2	6	35	< 0.01	< 10	< 10	78	20	12
JL 20 R01	205 226	85	< 1	0.04	39	160	6	0.51	< 2	6	9	0.15	< 10	< 10	57	< 10	80
JL 20 R02	205 226	145	3	0.08	33	440	14	>5.00	< 2	3	10	0.08	< 10	< 10	25	10	118

1
2
3
4
5
6
7

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project: ALP AA SERIES
 Comments: ATTN: SHAWN RYAN

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 12-JAN-01
 Invoice No. : I0110304
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A0110304

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
6- ALP AA99 S 06	201 202	< 0.2	0.84	58	< 10	40	< 0.5	< 2	0.03	< 0.5	3	16	9	1.88	< 10	< 1	0.03	< 10	0.16	110
ALP AA99 S 07	201 202	< 0.2	1.10	50	< 10	50	< 0.5	< 2	0.03	0.5	3	18	11	2.23	< 10	< 1	0.03	< 10	0.21	135
ALP AA99 S 08	201 202	1.4	1.29	82	< 10	90	< 0.5	< 2	0.04	< 0.5	10	20	33	3.09	< 10	< 1	0.03	10	0.32	480
10- ALP AA99 S 09	201 202	0.6	1.20	82	< 10	70	< 0.5	< 2	0.05	< 0.5	6	21	22	2.97	< 10	< 1	0.03	10	0.30	245
ALP AA99 S 10	201 202	< 0.2	1.26	254	< 10	100	< 0.5	< 2	0.19	< 0.5	6	20	14	2.38	< 10	< 1	0.03	< 10	0.41	255
11- ALP 20 SS 01	201 202	0.4	0.67	164	< 10	70	< 0.5	< 2	0.21	2.5	10	15	35	1.96	< 10	< 1	0.04	10	0.26	670

ALP AA99 S - SERIES Soil Taken From ALPINE
 Claim Block on old Cominco grid of Line
 L-10, 200 N. Sample S-10 STARTS AT 4950 E - (Creek)
 S-9 ——— AT 5000 E
 S-8 ——— AT 5050 E
 S-7 ——— AT 5100 E
 S-6 ——— AT 5150 E

ALP 20 SS 01 - silt sample From North
 End of Alpine claim Block.


NTS - 115 P 115

01/12/00

2:30PM

CHEMEX LABS Alpha-FAX2

PAGE 002



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project : ALP AA SERIES
 Comments: ATTN: SHAWN RYAN

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 12-JAN-01
 Invoice No. : 10110304
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A0110304

SAMPLE	PREP		Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
ALP AA99 S 06	201	202	1	0.01	8	440	14	0.03	< 2	< 1	5	0.02	< 10	< 10	28	< 10	44
ALP AA99 S 07	201	202	1	0.01	9	540	14	0.02	< 2	< 1	6	0.02	< 10	< 10	32	< 10	54
ALP AA99 S 08	201	202	1	< 0.01	22	560	24	0.01	2	2	8	0.03	< 10	< 10	29	< 10	148
ALP AA99 S 09	201	202	< 1	< 0.01	17	540	16	0.02	2	1	8	0.03	< 10	< 10	30	< 10	100
ALP AA99 S 10	201	202	< 1	0.01	15	720	8	0.04	< 2	< 1	15	0.02	< 10	< 10	29	< 10	108
ALP 20 SS 01	201	202	< 1	< 0.01	20	520	34	0.02	2	< 1	16	0.01	< 10	< 10	14	< 10	176

01/12/00 2:31PM CHEMEX LABS Alpha-FAX2

PAGE 003

PROJECT #4 KING SOLOMON DOME AREA

KING 1-32 CLAIMS

QUEEN 1-8 CLAIMS

LOCATION

The King Solomon Dome area is located 15 miles south of Dawson City at the headwater Gold Bottom creek. It is situated on NTS # 115 O /15 and part of 115 O / 14. The latitude is 63°52 north and longitude 139°00 west.

ACCESS

Access is via road from Dawson City. You can take the Bonanza road or the Hunker creek road. They both join together. King Solomon Dome is about 25 kilometer up the Hunker creek from Klondike hwy.

GEOLOGY

The King Solomon Dome area lie in what Bostock (GSC geologist) calls the Klondike Schist: a group of sericite schist and minor chlorite schist. This group of rocks may be Middle to Late Permian according to J. Mortensen geology map open-file 1996-1.

WORK PERFORMED


I began my work on this project in late April by staking the King 1-32 claims on April 24-26. I return to the area on May 28 to stake the Queen 1-8. I took soil from the Queen claims while staking. I returned to the King claims in September of 11-17 and proceed to put two grid in over anomalous soils from Cominco and Kennecot old workings. I put in a couple days on prospecting on Gold Bottom creek taking silts from various side tributaries running into Gold Bottom creek.

EVALUATION

The soils over the KB grid show a nice soil anomaly in Zn, Pb, Cu and As. All these elements are indicative of Gold potential according to Gleeson Klondike report. I should also note that the Sheba showing is situated on the next claim block to the east and it hold a massive sulfide showing carrying nice Gold value. So picking anomalous base metal value is a positive step in potential gold target.


RECOMMENDATION

I would recommend grid work with geophysique survey such as a Magnetic and VLF survey. I would also place small hand pits over the known geochem anomalies.



NTS # 115 0/15

↑
North



YCI6C

YCI5971 YCI5972

105 104 65 66

YCI6009 YCI6008

YCI5969 YCI5970

103 102 63 64

YCI6007 YCI5959 YCI5960

YCI5967 YCI5968

YCI5957 YCI5958

YCI5965 YCI5966

8 6 4 2

QUEEN

YC200010 YC20008 YC20006 YC20004

7 5 3 1

YC20009 YC20007 YC20005 YC20003

YCI9964 YCI9965

29 30

KING

YCI9962 YCI9963

27 28

YCI9960 YCI9961

25 26

YCI9958 YCI9959

23 24

KING

YCI9956 YCI9957

21 22

YCI9954 YCI9955

NTS # 1150/14

NORTH ↑

3500

3000



KA Soil SERIES

IN NG
 1 34
 or ou
 28 Mils
 3 15
 or ou
 413 Mils
 Grid north - N.C. du quadrillage
 Magnetic north - Nord magnétique
 Station
 300w
 200w
 100w
 000
 -100E
 200E
 500N
 400N
 300N
 200N
 100N
 000
 ONE THOUSAND METRE
 UNIVERSAL TRANSVERSE MERCATOR GRID
 ZONE 7
 QUADRILLAGE UNIVERSEL TRANSVERSE DE MERCATOR
 DE MILLE MÈTRES

METRIC/MÉTRIQUE

only to obtain numerical values
 APPROXIMATE MEAN DECLINATION 1962
 FOR CENTRE OF MAP
 Annuel change de déclinaison : 10"
 pour obtenir les valeurs numériques
 DÉCLINAISON MOYENNE APPROXIMATIVE
 DU CENTRE DE LA CARTE EN 1962
 Variation annuelle de déclinaison : 10"

GRID ZONE DESIGNATION: DÉSIGNATION DE LA ZONE DU QUADRILLAGE:	100 000 m SQUARE IDENTIFICATION IDENTIFICATION DU CARRÉ DE 100 000 m
7V	EA

NTS 1150/14

EXAMPLE OF METHOD USED
 TO GIVE A REFERENCE TO NEAREST 100 METRES
 EXEMPLE DE LA METHODE EMPLOYEE
 POUR FIXER DES REPÈRES A 100 METRES PRES



99
 98
 97
 95 96 97
1-50,000
SCALE

TRAVERSE ROUTE

REFERENCE POINT
 POINT DE REPÈRE

Estimate lengths of a square from this line eastward to point
 Estimer le nombre de dixèmes du carré

King claims



KA-GRID

NTS #115 0/14

ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

A0110287

Comments: ATTN: SHAWN RYAN

CERTIFICATE

A0110287

(PRP) - CANADIAN UNITED MINERALS INC.

Project: KA SERIES
 P.O.#:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 16-JAN-2001.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	32	Dry, sieve to -80 mesh
202	32	save reject
229	32	ICP - AQ Digestion charge

* NOTE 1:
 The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
2118	32	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	32	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	32	As ppm: 32 element, soil & rock	ICP-AES	2	10000
557	32	B ppm: 32 element, rock & soil	ICP-AES	10	10000
2121	32	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	32	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	32	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	32	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	32	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	32	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	32	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	32	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	32	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	32	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	32	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	32	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	32	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	32	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	32	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	32	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	32	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	32	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	32	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	32	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
551	32	S %: 32 element, rock & soil	ICP-AES	0.01	5.00
2141	32	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	32	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	32	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	32	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	32	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	32	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	32	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	32	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	32	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

01001

ALS CHEMEX

01/17/01 WED 10:51 FAX 604 984 0218



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project: KA SERIES
 Comments: ATTN: SHAWN RYAN

Page Number :
 Total Pages : 1
 Certificate Date: 16-JAN-2001
 Invoice No. : 10110287
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A0110287

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
KA 000 100E	201 202	< 0.2	2.33	12	< 10	180	< 0.5	2	0.05	< 0.5	4	25	22	4.22	10	< 1	0.05	< 10	0.86	345
KA 000 200E	201 202	< 0.2	1.16	4	< 10	160	< 0.5	< 2	0.03	< 0.5	1	12	8	1.62	< 10	< 1	0.05	10	0.32	65
KA 000 000W	201 202	0.2	2.99	16	< 10	50	< 0.5	< 2	0.04	4.5	81	169	397	3.97	10	< 1	0.01	< 10	3.32	2290
KA 000 100W	201 202	1.8	0.71	10	< 10	400	< 0.5	2	0.03	< 0.5	3	11	14	3.39	< 10	< 1	0.38	20	0.24	175
KA 000 200W	201 202	< 0.2	0.45	6	< 10	180	< 0.5	< 2	0.04	< 0.5	1	4	9	0.46	< 10	< 1	0.05	60	0.18	165
KA 100N 100E	201 202	< 0.2	1.50	6	< 10	130	< 0.5	2	0.04	< 0.5	1	15	29	2.09	< 10	< 1	0.05	< 10	0.54	140
KA 100N 200E	201 202	< 0.2	1.38	16	< 10	180	< 0.5	2	0.05	0.5	4	17	17	2.18	< 10	< 1	0.06	10	0.55	225
KA 100N 000	201 202	< 0.2	2.17	6	< 10	120	< 0.5	< 2	0.04	< 0.5	4	51	33	3.14	10	< 1	0.05	< 10	1.93	495
KA 100N 100W	201 202	< 0.2	0.78	4	< 10	100	< 0.5	< 2	0.01	< 0.5	1	8	11	1.40	< 10	< 1	0.04	< 10	0.20	65
KA 100N 200W	201 202	< 0.2	2.50	12	< 10	470	0.5	< 2	0.06	< 0.5	7	30	13	3.10	< 10	< 1	0.04	10	0.45	210
KA 100N 300W	201 202	0.2	2.12	12	< 10	350	< 0.5	< 2	0.09	< 0.5	9	30	24	2.91	< 10	< 1	0.05	10	0.47	325
KA 200N 100E	201 202	0.4	1.32	12	< 10	150	< 0.5	6	0.06	< 0.5	3	18	39	2.22	< 10	< 1	0.09	< 10	0.74	210
KA 200N 200E	201 202	< 0.2	1.02	6	< 10	100	< 0.5	2	0.09	< 0.5	6	11	17	1.94	< 10	< 1	0.10	10	0.81	295
KA 200N 000	201 202	0.2	1.01	4	< 10	200	< 0.5	2	0.07	< 0.5	3	17	23	1.55	< 10	< 1	0.04	10	0.44	115
KA 200N 100W	201 202	< 0.2	0.99	4	< 10	170	< 0.5	< 2	0.04	< 0.5	3	14	14	1.50	< 10	< 1	0.03	10	0.34	145
KA 200N 200W	201 202	< 0.2	0.76	4	< 10	100	< 0.5	< 2	0.02	< 0.5	2	11	11	1.29	< 10	< 1	0.04	10	0.21	130
KA 200N 300W	201 202	0.4	1.42	12	< 10	240	< 0.5	4	0.05	0.5	5	19	29	1.91	< 10	< 1	0.04	40	0.32	235
KA 300N 100E	201 202	0.4	1.10	18	< 10	290	< 0.5	4	0.11	0.5	4	19	26	1.89	< 10	< 1	0.03	< 10	0.55	145
KA 300N 200E	201 202	0.6	1.13	64	< 10	160	< 0.5	2	0.10	< 0.5	8	18	32	2.40	< 10	< 1	0.05	10	0.76	550
KA 300N 000	201 202	0.2	1.66	10	< 10	310	< 0.5	2	0.10	0.5	4	25	48	2.88	< 10	< 1	0.25	< 10	1.56	380
KA 300N 100W	201 202	< 0.2	0.74	2	< 10	190	< 0.5	< 2	0.05	< 0.5	3	12	16	1.31	< 10	< 1	0.04	10	0.30	130
KA 300N 200W	201 202	< 0.2	1.13	6	< 10	340	< 0.5	< 2	0.06	< 0.5	4	16	22	1.72	< 10	< 1	0.04	30	0.28	170
KA 300N 300W	201 202	< 0.2	1.12	8	< 10	240	< 0.5	4	0.08	< 0.5	4	19	19	1.95	< 10	< 1	0.04	20	0.29	175
KA 400N 100E	201 202	0.2	1.39	10	< 10	380	< 0.5	< 2	0.15	< 0.5	3	17	39	2.22	< 10	< 1	0.03	10	1.10	260
KA 400N 200E	201 202	0.2	0.82	14	< 10	250	< 0.5	2	0.11	< 0.5	1	12	22	1.46	< 10	< 1	0.04	< 10	0.56	135
KA 400N 000	201 202	0.2	1.27	6	< 10	420	< 0.5	< 2	0.13	< 0.5	5	34	28	1.97	< 10	< 1	0.05	10	0.75	250
KA 400N 100W	201 202	0.2	1.98	8	< 10	260	< 0.5	< 2	0.08	< 0.5	11	114	61	2.57	< 10	< 1	0.13	10	2.14	615
KA 400N 200W	201 202	0.4	0.87	6	< 10	220	< 0.5	2	0.06	< 0.5	4	17	18	1.68	< 10	< 1	0.03	10	0.36	150
KA 400N 300W	201 202	< 0.2	0.63	10	< 10	150	< 0.5	2	0.08	< 0.5	4	20	17	1.29	< 10	< 1	0.04	10	0.23	175
KA 500N 000	201 202	0.4	1.87	8	< 10	240	< 0.5	2	0.17	0.5	13	70	71	2.71	< 10	< 1	0.03	10	1.76	575
KA 500N 100E	201 202	0.2	1.17	10	< 10	180	< 0.5	2	0.37	< 0.5	7	48	30	1.60	< 10	< 1	0.04	< 10	1.00	335
KA 500N 200E	201 202	0.2	1.08	150	< 10	110	< 0.5	< 2	0.46	1.5	11	22	38	1.88	< 10	< 1	0.03	< 10	0.78	615

KA - SERIES , Soil , B - HORIZON
 King claims

NTS # 115 0/14

CERTIFICATION:

002

ALS CHEMEX

004 984 0218



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

NO. CANADIAN UNITED MINERALS INC

BOX 1280

DAWSON CITY, YT

Y0B 1G0

Project: KA SERIES

Comments: ATTN: SHAWN RYAN

Page Number : 1-b

Total Pages : 1

Certificate Date: 16-JAN-2001

Invoice No. : 10110287

P.O. Number :

Account : PRP

CERTIFICATE OF ANALYSIS

A0110287

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
KA 000 100E	201	202	1 < 0.01		9	520	48	0.06	< 2	3	13	0.04	< 10	< 10	48	< 10	94
KA 000 200E	201	202	1 < 0.01		7	120	26	< 0.01	< 2	1	6	0.03	< 10	< 10	23	< 10	32
KA 000 000W	201	202	< 1 < 0.01		66	300	564	< 0.01	< 2	19	5	0.01	< 10	< 10	106	< 10	424
KA 000 100W	201	202	3 < 0.01		6	690	1760	0.61	6	< 1	27	0.02	< 10	< 10	16	< 10	60
KA 000 200W	201	202	< 1 < 0.01		3	200	68	< 0.01	< 2	1	5	< 0.01	10	< 10	4	< 10	100
KA 100N 100E	201	202	< 1 < 0.01		4	900	46	0.03	< 2	< 1	12	0.01	< 10	< 10	27	< 10	70
KA 100N 200E	201	202	< 1 < 0.01		11	420	30	0.01	< 2	< 1	9	0.02	< 10	< 10	26	< 10	72
KA 100N 000	201	202	< 1 < 0.01		14	330	312	0.06	< 2	4	12	0.04	< 10	< 10	38	< 10	186
KA 100N 100W	201	202	1 < 0.01		4	150	30	0.01	< 2	< 1	3	0.02	< 10	< 10	22	< 10	80
KA 100N 200W	201	202	1 < 0.01		16	260	32	0.01	< 2	3	11	0.05	< 10	< 10	56	< 10	64
KA 100N 300W	201	202	1 < 0.01		21	300	66	0.01	< 2	3	12	0.06	< 10	< 10	55	< 10	72
KA 200N 100E	201	202	1 < 0.01		10	460	132	0.05	< 2	1	16	0.03	< 10	< 10	23	< 10	108
KA 200N 200E	201	202	< 1 < 0.01		10	470	32	0.02	< 2	1	10	0.04	< 10	< 10	13	< 10	144
KA 200N 000	201	202	< 1 < 0.01		11	310	76	0.02	< 2	1	12	0.03	< 10	< 10	24	< 10	82
KA 200N 100W	201	202	1 < 0.01		10	160	38	< 0.01	< 2	< 1	7	0.03	< 10	< 10	25	< 10	48
KA 200N 200W	201	202	< 1 < 0.01		6	140	38	< 0.01	< 2	< 1	4	0.03	< 10	< 10	24	< 10	54
KA 200N 300W	201	202	1 < 0.01		14	270	132	0.01	2	1	8	0.03	< 10	< 10	28	< 10	110
KA 300N 100E	201	202	1 < 0.01		11	430	68	0.03	< 2	1	15	0.02	< 10	< 10	26	< 10	90
KA 300N 200E	201	202	1 < 0.01		11	540	30	0.02	< 2	1	12	0.02	< 10	< 10	20	< 10	136
KA 300N 000	201	202	1 < 0.01		13	610	56	0.21	< 2	3	31	0.06	< 10	< 10	28	< 10	222
KA 300N 100W	201	202	1 < 0.01		8	230	74	0.03	< 2	< 1	8	0.02	< 10	< 10	16	< 10	56
KA 300N 200W	201	202	1 < 0.01		10	260	66	0.01	< 2	1	9	0.03	< 10	< 10	28	< 10	58
KA 300N 300W	201	202	1 < 0.01		11	380	58	0.01	< 2	1	11	0.03	< 10	< 10	35	< 10	56
KA 400N 100E	201	202	1 < 0.01		10	430	50	0.04	< 2	1	20	0.03	< 10	< 10	24	< 10	170
KA 400N 200E	201	202	< 1 < 0.01		7	470	34	0.04	< 2	1	13	0.01	< 10	< 10	14	< 10	88
KA 400N 000	201	202	< 1 < 0.01		14	470	102	0.04	< 2	2	14	0.02	< 10	< 10	30	< 10	112
KA 400N 100W	201	202	1 < 0.01		36	240	192	0.03	< 2	6	10	0.06	< 10	< 10	52	< 10	224
KA 400N 200W	201	202	< 1 < 0.01		12	200	62	0.01	< 2	1	9	0.03	< 10	< 10	24	< 10	66
KA 400N 300W	201	202	< 1 < 0.01		11	360	52	0.01	< 2	< 1	8	0.02	< 10	< 10	19	< 10	54
KA 500N 000	201	202	< 1 < 0.01		27	350	114	0.02	< 2	6	14	0.03	< 10	< 10	44	< 10	210
KA 500N 100E	201	202	< 1 < 0.01		17	320	76	0.04	< 2	3	22	0.02	< 10	< 10	28	< 10	130
KA 500N 200E	201	202	1 < 0.01		17	510	50	0.03	< 2	1	25	0.01	< 10	< 10	23	< 10	140

CERTIFICATION:

KB Grid / Do Sample

NTs 115 0/15

Sample Location

1-50,000

SCALE

NORTH ↑

TRAVERSE ROUTES


KBG Soil/SILT SERIES

KB Grid

STATION
200N
100N
000
100S
200S

LINES
100W
000
100E
200E
300E
400E

METRIC/MÉTRIQUE



L100W L000 L100E L200E L300E L400E

16.10 10.8 14.17 18.22 14.20 18.22
 18.48 18.54 22.56 20.70 14.72 20.88

- ST 200N

22.9 10.11 10.27 14.22 14.25 84.44
 12.48 36.48 16.50 28.78 28.76 26.130

- ST 100N

6.10 14.7 12.28 8.31 42.33 54.33
 10.58 10.52 74.84 38.96 24.86 20.124

- ST 000

12.31 12.13 8.23 4.17 24.42 32.29
 24.82 32.54 32.116 20.70 38.106 18.124

- ST 100S

12.25 14.32 8.25 42.48 98.45 78.37
 14.94 8.82 16.104 74.172 32.158 52.112

- ST 200S

King claims
 NTS 115 0/15

KB GRID
 King Solomon
 DOME AREA.

1-100m-1
 Scale

30ppm - AS - 30 PPM
 30ppm - Pb - 100 PPM
 Cu - 30 PPM
 Zn - 100 PPM

↑
 NORTH
 |



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Project: KB SERIES
Comments: ATTN: SHAWN RYAN

Page Number: 1-A
Total Pages: 1
Certificate Date: 12/11/2001
Invoice No.: 10110301
P.O. Number:
Account: PRP

CERTIFICATE OF ANALYSIS

A0110301

SAMPLE	PREP CODE		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
KB 000 100S	201	202	< 0.2	1.63	12	< 10	230	< 0.5	< 2	0.07	< 0.5	5	27	13	2.62	< 10	< 1	0.04	10	0.37	160
KB 000 200S	201	202	< 0.2	1.45	14	< 10	290	< 0.5	< 2	0.22	< 0.5	10	36	32	2.81	< 10	< 1	0.05	10	0.84	410
KB 000 000	201	202	< 0.2	1.55	14	< 10	280	< 0.5	< 2	0.05	< 0.5	3	15	7	1.68	< 10	< 1	0.07	30	0.33	160
KB 000 100N	201	202	< 0.2	1.37	10	< 10	190	< 0.5	< 2	0.07	< 0.5	4	19	8	2.18	< 10	< 1	0.06	10	0.29	185
KB 000 200N	201	202	< 0.2	1.13	10	< 10	180	0.5	< 2	0.10	< 0.5	6	19	11	2.01	< 10	< 1	0.06	20	0.53	310
KB 100E 100S	201	202	< 0.2	1.11	8	< 10	130	< 0.5	< 2	0.07	< 0.5	3	12	23	2.17	< 10	< 1	0.09	20	0.54	205
KB 100E 200S	201	202	< 0.2	2.47	8	< 10	140	< 0.5	< 2	0.05	< 0.5	9	68	25	4.44	10	< 1	0.05	< 10	2.02	300
KB 100E 000	201	202	< 0.2	1.41	12	< 10	190	0.5	< 2	0.10	< 0.5	6	22	28	2.08	< 10	< 1	0.07	40	0.43	315
KB 100E 100N	201	202	< 0.2	1.22	10	< 10	150	< 0.5	< 2	0.07	< 0.5	5	17	27	1.95	< 10	< 1	0.08	10	0.40	205
KB 100E 200N	201	202	< 0.2	1.57	14	< 10	230	< 0.5	< 2	0.12	< 0.5	4	25	17	2.26	< 10	< 1	0.08	10	0.48	200
KB 100W 100S	201	202	< 0.2	1.31	12	< 10	210	< 0.5	< 2	0.05	< 0.5	5	19	31	1.89	< 10	< 1	0.07	30	0.46	190
KB 100W 200S	201	202	< 0.2	1.99	12	< 10	150	< 0.5	< 2	0.09	< 0.5	11	45	25	3.13	10	< 1	0.05	10	1.27	355
KB 100W 000	201	202	< 0.2	1.71	6	< 10	230	< 0.5	< 2	0.05	< 0.5	4	21	10	2.48	< 10	< 1	0.06	10	0.52	240
KB 100W 100N	201	202	< 0.2	1.27	22	< 10	140	< 0.5	< 2	0.06	< 0.5	4	22	9	2.96	10	< 1	0.06	10	0.30	240
KB 100W 200N	201	202	< 0.2	1.28	16	< 10	230	< 0.5	< 2	0.07	< 0.5	4	20	10	2.33	< 10	< 1	0.06	10	0.30	185
KB 200E 100S	201	202	< 0.2	1.19	4	< 10	120	< 0.5	< 2	0.10	< 0.5	5	21	17	2.34	10	< 1	0.12	10	0.81	310
KB 200E 200S	201	202	0.2	1.82	142	< 10	130	< 0.5	< 2	0.07	< 0.5	9	26	48	4.11	10	< 1	0.06	10	1.13	435
KB 200E 000	201	202	< 0.2	1.34	8	< 10	160	< 0.5	< 2	0.10	< 0.5	5	20	31	2.11	< 10	< 1	0.09	20	0.57	275
KB 200E 100N	201	202	< 0.2	1.66	14	< 10	190	< 0.5	< 2	0.16	< 0.5	7	27	22	2.65	10	< 1	0.09	20	0.92	410
KB 200E 200N	201	202	< 0.2	1.47	18	< 10	180	< 0.5	< 2	0.13	< 0.5	7	25	22	2.39	< 10	< 1	0.07	20	0.79	305
KB 300E 100S	201	202	0.4	1.98	24	< 10	230	< 0.5	< 2	0.15	< 0.5	8	43	42	3.38	10	< 1	0.07	10	1.41	410
KB 300E 200S	201	202	0.4	2.34	98	< 10	140	< 0.5	< 2	0.08	< 0.5	13	70	45	4.27	10	< 1	0.11	< 10	1.88	450
KB 300E 000	201	202	0.2	1.40	42	< 10	160	< 0.5	< 2	0.09	< 0.5	8	24	33	2.52	< 10	< 1	0.07	10	0.84	405
KB 300E 100N	201	202	0.6	1.53	14	< 10	160	< 0.5	< 2	0.12	< 0.5	6	26	25	2.31	10	< 1	0.06	10	0.91	285
KB 300E 200N	201	202	< 0.2	1.60	14	< 10	150	< 0.5	< 2	0.12	< 0.5	8	28	20	2.50	10	< 1	0.06	10	1.10	365
KB 400E 100S	201	202	0.8	1.83	32	< 10	180	< 0.5	< 2	0.14	< 0.5	10	41	29	2.77	10	< 1	0.06	< 10	1.28	355
KB 400E 200S	201	202	0.6	1.77	78	< 10	120	< 0.5	< 2	0.06	< 0.5	5	29	37	3.52	10	< 1	0.05	< 10	1.20	215
KB 400E 000	201	202	0.2	1.49	54	< 10	140	< 0.5	< 2	0.10	< 0.5	9	24	33	2.40	< 10	< 1	0.07	10	0.87	335
KB 400E 100N	201	202	0.8	1.80	84	< 10	160	< 0.5	< 2	0.13	< 0.5	11	30	44	3.16	10	< 1	0.05	10	1.16	410
KB 400E 200N	201	202	0.2	1.87	18	< 10	130	< 0.5	< 2	0.13	< 0.5	9	32	22	2.91	10	< 1	0.06	10	1.35	360

KB - SERIES Soil Sample
From Grid on NTs # 115 0/15
ON King Claims

CERTIFICATION

YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. Box 2703
Whitehorse, Yukon Y1A 2C6

0002
ALS CHEMEX
001
002
003
004
005
006
007
008
009
010
011
012
013
014
015
016
017
018
019
020
021
022
023
024
025
026
027
028
029
030
031
032
033
034
035
036
037
038
039
040
041
042
043
044
045
046
047
048
049
050
051
052
053
054
055
056
057
058
059
060
061
062
063
064
065
066
067
068
069
070
071
072
073
074
075
076
077
078
079
080
081
082
083
084
085
086
087
088
089
090
091
092
093
094
095
096
097
098
099
100



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project: KB SERIES
 Comments: ATTN: SHAWN RYAN

Page Number : 1
 Total Pages : 1
 Certificate Date: 12-JAN-2001
 Invoice No. : 10110301
 P.O. Number :
 Account : PRP


CERTIFICATE OF ANALYSIS

A0110301

SAMPLE	PREP		Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
KB 000 100S	201	202	1	0.01	12	250	32	< 0.01	< 2	3	10	0.05	< 10	< 10	50	< 10	54
KB 000 200S	201	202	< 1	0.01	24	450	8	< 0.01	< 2	5	20	0.06	< 10	< 10	52	< 10	82
KB 000 000	201	202	< 1	< 0.01	6	130	10	< 0.01	< 2	2	7	0.01	< 10	< 10	23	< 10	52
KB 000 100N	201	202	1	0.01	9	220	36	< 0.01	< 2	1	8	0.04	< 10	< 10	42	< 10	48
KB 000 200N	201	202	< 1	0.01	9	280	18	< 0.01	< 2	2	11	0.05	< 10	< 10	29	< 10	54
KB 100E 100S	201	202	< 1	< 0.01	5	270	32	0.01	< 2	1	10	0.04	< 10	< 10	24	< 10	116
KB 100E 200S	201	202	4	< 0.01	25	440	16	0.04	< 2	7	12	0.11	< 10	< 10	108	< 10	104
KB 100E 000	201	202	< 1	0.01	13	330	74	0.01	< 2	3	12	0.04	< 10	< 10	33	< 10	84
KB 100E 100N	201	202	< 1	0.01	9	310	16	< 0.01	< 2	1	10	0.03	< 10	< 10	27	< 10	50
KB 100E 200N	201	202	1	0.01	13	440	22	0.01	< 2	1	14	0.04	< 10	< 10	40	< 10	56
KB 100W 100S	201	202	< 1	0.01	11	180	24	< 0.01	< 2	2	8	0.03	< 10	< 10	25	< 10	82
KB 100W 200S	201	202	1	0.01	21	660	14	0.01	< 2	2	16	0.03	< 10	< 10	63	< 10	94
KB 100W 000	201	202	2	< 0.01	7	300	10	0.01	< 2	1	8	0.03	< 10	< 10	41	< 10	58
KB 100W 100N	201	202	< 1	0.01	8	360	12	0.01	< 2	1	11	0.06	< 10	< 10	61	< 10	48
KB 100W 200N	201	202	1	0.01	10	280	18	0.01	< 2	1	10	0.04	< 10	< 10	45	< 10	48
KB 200E 100S	201	202	< 1	0.01	10	360	20	0.01	< 2	3	14	0.09	< 10	< 10	29	< 10	70
KB 200E 200S	201	202	3	0.01	19	730	74	0.07	< 2	1	27	0.03	< 10	< 10	48	< 10	172
KB 200E 000	201	202	< 1	0.01	10	400	38	< 0.01	< 2	2	11	0.04	< 10	< 10	27	< 10	96
KB 200E 100N	201	202	1	0.01	13	470	28	< 0.01	< 2	3	16	0.05	< 10	< 10	32	< 10	78
KB 200E 200N	201	202	1	0.01	14	380	20	< 0.01	< 2	3	14	0.05	< 10	< 10	31	< 10	70
KB 300E 100S	201	202	3	0.01	20	600	38	0.04	< 2	3	25	0.04	< 10	< 10	56	< 10	106
KB 300E 200S	201	202	3	0.01	28	590	32	0.05	< 2	9	17	0.08	< 10	< 10	92	< 10	158
KB 300E 000	201	202	1	0.01	13	450	24	0.04	< 2	2	16	0.03	< 10	< 10	32	< 10	86
KB 300E 100N	201	202	2	0.01	14	470	28	0.03	< 2	1	15	0.03	< 10	< 10	35	< 10	76
KB 300E 200N	201	202	< 1	< 0.01	12	500	14	0.01	< 2	3	14	0.04	< 10	< 10	37	< 10	72
KB 400E 100S	201	202	1	0.01	20	650	18	0.04	< 2	3	19	0.03	< 10	< 10	52	< 10	124
KB 400E 200S	201	202	3	0.01	16	680	52	0.07	< 2	1	23	0.03	< 10	< 10	42	< 10	112
KB 400E 000	201	202	1	0.01	16	550	20	0.01	< 2	1	14	0.03	< 10	< 10	31	< 10	124
KB 400E 100N	201	202	1	0.01	19	720	26	0.03	< 2	2	16	0.03	< 10	< 10	41	< 10	130
KB 400E 200N	201	202	2	< 0.01	15	650	20	0.01	< 2	3	15	0.03	< 10	< 10	43	< 10	88

CERTIFICATION:

0110301 FAX 10:42 FAX 004 204 0210
 0110301 FAX 10:42 FAX 004 204 0210



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project: KGB SERIES
 Comments: ATTN: SHAWN RYAN

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 16-JAN-01
 Invoice No : 10110303
 P.O. Number :
 Account : PRP


CERTIFICATE OF ANALYSIS

A0110303

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg
	FA+AA		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
1 KGB 20 SS 01A	201	202	5	0.6	1.67	24	10	150	0.5	2	0.19	0.5	9	28	29	2.50	10	1	0.03	10	0.97
2 KGB 20 SS 01B	201	202	5	0.4	1.55	32	10	130	0.5	2	0.18	0.5	9	25	30	2.33	10	1	0.02	10	0.93
3 KGB 20 SS 02	201	202	10	0.2	1.27	14	10	190	0.5	2	0.38	0.5	10	23	40	2.25	10	1	0.03	10	0.73
4 KGB 20 SS 03	201	202	5	0.2	1.43	14	10	130	0.5	2	0.30	0.5	10	22	31	2.36	10	1	0.02	10	1.02
5 KGB 20 SS 04	201	202	5	0.2	1.22	32	10	210	0.5	2	0.46	1.5	9	20	35	1.97	10	1	0.04	10	0.76
6 KGB 20 SS 05	201	202	5	0.2	1.13	14	10	170	0.5	2	0.42	1.0	11	20	31	1.86	10	1	0.04	10	0.73
7 KGB 20 S 06	201	202	5	0.4	2.16	20	10	100	0.5	2	0.28	0.5	19	26	67	3.39	10	1	0.03	10	1.85
8 KGB 20 S 07	201	202	5	0.2	2.11	34	10	100	0.5	2	0.16	0.5	10	33	49	3.14	10	1	0.02	10	1.39
9 KGB 20 SS 08A	201	202	5	0.2	1.51	16	10	190	0.5	2	0.42	0.5	10	29	20	2.12	10	1	0.04	10	1.04
10 KGB 20 SS 08B	201	202	5	0.2	0.98	40	10	180	0.5	2	0.21	0.5	6	29	18	1.51	10	1	0.04	10	0.75
11 KGB 20 SS 09	201	202	5	0.2	0.86	38	10	180	0.5	2	0.27	0.5	6	18	14	1.54	10	1	0.04	10	0.57
12 KGB 20 SS 10	201	202	5	0.2	1.07	54	10	90	0.5	2	0.29	0.5	5	18	17	1.72	10	1	0.04	10	0.81

01/16/00 12:41PM CHEMEX LABS Alpha-FAX

PAGE 002



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project: KGB SERIES
 Comments: ATTN: SHAWN RYAN

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 16-JAN-01
 Invoice No. : 10110303
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS

A0110303

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
1 < KGB 20 SS 01A	201	202	395	1	0.01	18	580	34	0.02	< 2	2	15	0.02	< 10	< 10	43	< 10	134
2 < KGB 20 SS 01B	201	202	400	1	0.01	17	640	30	0.02	< 2	2	14	0.02	< 10	< 10	40	< 10	122
3 < KGB 20 SS 02	201	202	430	< 1	0.01	18	820	14	0.02	< 2	3	27	0.03	< 10	< 10	37	< 10	116
4 < KGB 20 SS 03	201	202	420	1	0.01	19	650	14	0.01	< 2	3	22	0.02	< 10	< 10	34	< 10	126
5 < KGB 20 SS 04	201	202	445	< 1	0.01	15	610	30	0.04	< 2	2	27	0.03	< 10	< 10	27	< 10	144
6 < KGB 20 SS 05	201	202	545	< 1	0.01	15	670	28	0.03	< 2	2	26	0.03	< 10	< 10	26	< 10	144
7 < KGB 20 S 06	201	202	780	< 1	0.01	18	690	22	0.01	< 2	7	17	0.04	< 10	< 10	62	< 10	154
8 < KGB 20 S 07	201	202	490	< 1	0.01	19	610	10	0.01	< 2	3	12	0.03	< 10	< 10	48	< 10	136
9 < KGB 20 SS 08A	201	202	235	< 1	0.01	19	600	19	0.03	< 2	4	26	0.04	< 10	< 10	52	< 10	74
10 < KGB 20 SS 08B	201	202	250	< 1	0.01	15	460	32	0.01	< 2	1	18	0.03	< 10	< 10	23	< 10	84
KGB 20 SS 09	201	202	215	< 1	0.01	13	620	22	0.01	< 2	1	20	0.03	< 10	< 10	25	< 10	66
KGB 20 SS 10	201	202	220	1	0.01	12	660	24	0.01	< 2	1	19	0.03	< 10	< 10	20	< 10	68

01/16/00 12:42PM

CHEMEX LABS Alpha-FAX

PAGE 003

PROJECT # 5 TOP OF WORLD HWY

VMS 1-12 CLAIMS

LOCATION

The VMS 1-12 claims and prospect area are located 50 kilometer west of Dawson City. It situated on NTS # 116 C/1 at a latitude of 64'14' north and at longitude 140'25' west.

ACCESS

The prospecting area is accessible from the Top of World Hwy. You can drive from Dawson City up the Hwy 50-60 kilometer and gain access to prospecting area by foot.

GEOLOGY

According to the geology map Open File 1927, Southwestern Dawson Map Area. The area of prospect lies in middle and upper Paleozoic rock unit called the Nasina Series which comprise of gray to black graphitic quartzite and quartz-muscovite.

WORK PERFORMED


I worked for four days on project area. I started by sending Scott Fleming to stake the VMS 1-12 claims to cover anomalous Zn and Pb soils. We return to the VMS claim area on September 19-21. We took soil and silts around the property and dug a 6 foot hole to test Atna geochem soil anomaly. We spent a day on the south side of the hwy taking silts off the Swede creek drainage.

EVALUATION

The work on the VMS claims show that the surface soil anomaly does increase with depth. The 6 foot hole dug showed VMSB-S01 a soil from surface giving values in Cu 36ppm, Pb 18ppm and Zn 194ppm. The second soil sample 3 feet below S01 gave a value of Cu 89ppm, Pb 26ppm and Zn 526ppm. The third soil was from the 6 foot mark and it gave a Cu 130ppm, Pb 36ppm and Zn 626ppm. This test showed that the difference in soil anomaly from surface to 6 feet is Cu and Zn had triple and Pb double its value. I feel this is important information in future evaluation of soil data. A low level soil anomaly can mean a much anomaly at depth. There was a nice silt SW20 SS06 found on the Swede creek that gave a Zn 608ppm. This silt should followed up next season.

RECOMMENDATION

I would recommend follow up on the Swede Creek Zn anomaly. I would also pursue the VMS claims with more soil pits on Atna known geochem soil anomaly.



3000

2500

3500

3000

3000

NTS # 116 C/11

NORTH ↑

TOP of world Hwy

BOI

VMS

VMS

VMS

YC20450

YC20451

YC20446

YC20444

YC20442

YC20440

YC20448

YC20446

YC20444

YC20442

YC20440

YC20449

YC20447

YC20445

YC20443

YC20441

12

11

9

10

7

6

5

3

2

1

8

4

NTS 116 C/1

NORTH ↑

1-50,000

VMS / SW SAMPLE

140°30'

25'

20'

15'

64°15'

5 60 km

10'





ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number: 2-A
 Total Samples: 2
 Certificate Date: 08-DEC-2000
 Invoice No.: 10034983
 P.O. Number:
 Account: PRP

Project:
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS

A0034983

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
SC 200-275E	201 202	< 5	< 0.2	1.64	6	< 10	240	< 0.5	< 2	0.21	< 0.5	12	14	27	2.74	< 10	< 1	0.13	< 10	0.58
SC 200-300E	201 202	< 5	< 0.2	1.91	< 2	< 10	260	0.5	< 2	0.30	< 0.5	12	31	26	2.99	< 10	< 1	0.33	10	0.91
SC 200-325E	201 202	< 5	< 0.2	2.43	< 2	< 10	240	0.5	< 2	0.17	< 0.5	8	21	18	3.43	10	< 1	0.46	10	1.23
SC 200-350E	201 202	< 5	< 0.2	1.51	< 2	< 10	240	< 0.5	< 2	0.26	< 0.5	8	19	14	2.79	< 10	< 1	0.38	< 10	0.61
SC 300-150E	201 202	< 5	< 0.2	1.73	4	< 10	690	0.5	< 2	0.58	< 0.5	12	28	19	3.64	< 10	< 1	0.20	< 10	0.59
SC 300-175E	201 202	< 5	< 0.2	1.96	< 2	< 10	690	0.5	< 2	0.45	< 0.5	13	30	23	3.72	< 10	< 1	0.25	10	0.84
SC 300-200E	201 202	< 5	< 0.2	1.92	< 2	< 10	510	0.5	< 2	0.53	< 0.5	17	100	25	3.53	< 10	< 1	0.31	10	1.11
SC 300-225E	201 202	< 5	< 0.2	2.27	6	< 10	570	0.5	< 2	0.25	< 0.5	12	29	17	4.02	< 10	< 1	0.29	< 10	0.64
SC 300-250E	201 202	< 5	< 0.2	3.20	< 2	< 10	870	0.5	< 2	1.09	< 0.5	30	135	72	4.90	10	< 1	0.60	10	3.04
SC 300-275E	201 202	< 5	< 0.2	2.12	8	< 10	530	0.5	< 2	0.88	< 0.5	20	108	38	3.59	< 10	< 1	0.14	10	1.57
SC 300-300E	201 202	< 5	< 0.2	2.28	6	< 10	620	0.5	< 2	0.66	< 0.5	17	34	48	3.92	< 10	< 1	0.32	20	0.96
SC 300-325E	201 202	< 5	< 0.2	2.12	6	< 10	320	0.5	< 2	0.48	< 0.5	14	23	39	3.61	< 10	< 1	0.24	10	0.98
SC 300-350E	201 202	< 5	< 0.2	2.02	8	< 10	390	0.5	< 2	0.44	< 0.5	15	32	26	3.64	< 10	< 1	0.18	< 10	0.76
SC 300-375E	201 202	< 5	< 0.2	1.84	< 2	< 10	330	0.5	< 2	0.29	< 0.5	13	37	19	3.31	< 10	< 1	0.49	< 10	0.88
SW20 S03	201 202	5	< 0.2	1.77	18	< 10	140	0.5	< 2	0.13	< 0.5	11	36	26	3.12	< 10	< 1	0.15	10	0.56
SW20 S04	201 202	< 5	< 0.2	1.44	10	< 10	130	< 0.5	< 2	0.23	< 0.5	9	39	23	2.41	< 10	< 1	0.08	10	0.59
SW20 S07	201 202	< 5	< 0.2	1.61	10	< 10	160	< 0.5	< 2	0.08	< 0.5	8	26	21	2.65	< 10	< 1	0.08	10	0.35
SW20 SS01	201 202	< 5	0.2	1.39	2	< 10	190	< 0.5	< 2	0.27	1.0	8	28	19	2.08	< 10	< 1	0.08	10	0.44
SW20 SS02	201 202	< 5	< 0.2	1.34	2	< 10	170	< 0.5	< 2	0.35	< 0.5	11	28	16	2.11	< 10	< 1	0.07	< 10	0.55
SW20 SS05	201 202	< 5	< 0.2	1.11	< 2	< 10	140	< 0.5	< 2	0.24	< 0.5	11	22	16	1.94	< 10	< 1	0.09	10	0.39
SW20 SS06	201 202	< 5	< 0.2	1.44	6	< 10	350	< 0.5	< 2	0.48	3.5	18	26	23	2.11	< 10	< 1	0.09	10	0.47
SW20 SS08	201 202	< 5	0.2	1.11	6	< 10	170	< 0.5	< 2	0.25	< 0.5	9	18	15	1.81	< 10	< 1	0.07	10	0.30
SW20 SS09	201 202	5	0.8	1.62	12	< 10	180	< 0.5	< 2	0.23	< 0.5	14	41	27	2.47	< 10	< 1	0.09	10	0.48
SW20 SS10	201 202	< 5	0.2	1.30	4	< 10	190	< 0.5	< 2	0.20	< 0.5	11	28	15	2.08	< 10	< 1	0.05	< 10	0.43
VMS20 S01	201 202	-----	< 0.2	1.54	8	< 10	210	0.5	< 2	0.12	< 0.5	15	30	35	3.07	< 10	< 1	0.12	20	0.43
VMS-SS01	201 202	-----	0.2	1.48	2	< 10	130	< 0.5	< 2	0.09	< 0.5	5	27	12	1.75	< 10	< 1	0.07	10	0.33
VMS20 SS02	201 202	-----	< 0.2	1.02	4	< 10	160	< 0.5	< 2	0.29	< 0.5	7	19	16	1.87	< 10	< 1	0.07	10	0.34
VMS20 SS03	201 202	-----	< 0.2	1.05	2	< 10	180	< 0.5	< 2	0.24	< 0.5	12	20	12	1.65	< 10	< 1	0.07	10	0.33
VMSB-S01	201 202	-----	< 0.2	2.02	10	< 10	100	0.5	< 2	0.07	< 0.5	10	32	36	3.65	< 10	< 1	0.20	10	0.43
VMS3-S02	201 202	-----	< 0.2	1.82	10	< 10	120	0.5	< 2	0.22	0.5	14	33	89	4.44	< 10	< 1	0.55	40	0.69
VMS6-S03	201 202	-----	< 0.2	2.19	16	< 10	150	1.0	< 2	0.24	1.5	32	39	130	6.22	< 10	< 1	0.71	70	0.79

SW20 S # Soil > SW20R CREEK DRAINAGE
 SW20 SS # SILTS/mud
 VMS S # Soil
 VMS SS # SILTS/mud > VMS Claim AREA
 Location ON NTS # 116 C/1

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number: 2-B
 Total Pages: 2
 Certificate Date: 08-DEC-2000
 Invoice No.: 10034983
 P.O. Number:
 Account: PRP

Project:
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS	A0034983
-------------------------	----------

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
SC 200-275E	201	202	190	1	0.01	10	400	10	< 0.01	< 2	3	15	0.04	< 10	< 10	52	< 10	60
SC 200-300E	201	202	190	1	0.01	15	450	8	0.01	< 2	4	20	0.15	< 10	< 10	70	< 10	64
SC 200-325E	201	202	375	< 1	0.01	12	250	12	0.06	< 2	3	22	0.14	< 10	< 10	45	< 10	82
SC 200-350E	201	202	355	< 1	0.01	12	520	10	0.01	< 2	3	19	0.15	< 10	< 10	51	< 10	62
SC 300-150E	201	202	535	< 1	0.01	20	540	12	0.02	< 2	5	39	0.06	< 10	< 10	52	< 10	64
SC 300-175E	201	202	665	< 1	0.01	20	330	8	0.01	< 2	9	31	0.11	< 10	< 10	85	< 10	84
SC 300-200E	201	202	655	< 1	0.02	66	470	10	0.01	< 2	6	39	0.14	< 10	< 10	68	< 10	64
SC 300-225E	201	202	440	1	0.01	17	330	10	< 0.01	< 2	4	20	0.10	< 10	< 10	61	< 10	82
SC 300-250E	201	202	785	< 1	0.03	82	1720	8	0.01	< 2	11	47	0.21	< 10	< 10	113	< 10	98
SC 300-275E	201	202	570	< 1	0.02	73	1310	10	0.01	< 2	8	69	0.13	< 10	< 10	71	< 10	80
SC 300-300E	201	202	1245	1	0.01	22	830	10	0.01	< 2	7	36	0.09	< 10	< 10	73	< 10	90
SC 300-325E	201	202	395	1	0.01	13	580	12	0.01	< 2	5	21	0.06	< 10	< 10	67	< 10	88
SC 300-350E	201	202	610	1	0.01	18	370	8	< 0.01	< 2	6	24	0.07	< 10	< 10	80	< 10	66
SC 300-375E	201	202	450	< 1	0.01	16	210	8	< 0.01	< 2	4	18	0.17	< 10	< 10	66	< 10	72
SW20 S03	201	202	400	< 1	0.01	35	500	20	0.02	< 2	3	15	0.05	< 10	< 10	46	< 10	78
SW20 S04	201	202	275	< 1	0.01	35	410	22	0.02	< 2	2	19	0.04	< 10	< 10	41	< 10	106
SW20 S07	201	202	300	1	0.01	21	430	14	< 0.01	< 2	2	11	0.03	< 10	< 10	43	< 10	68
SW20 SS01	201	202	260	< 1	0.01	27	610	16	0.03	< 2	2	17	0.03	< 10	< 10	32	< 10	208
SW20 SS02	201	202	595	< 1	0.01	33	710	20	0.03	< 2	3	28	0.04	< 10	< 10	44	< 10	98
SW20 SS05	201	202	635	1	0.01	23	530	14	0.03	< 2	1	17	0.03	< 10	< 10	34	< 10	68
SW20 SS06	201	202	6390	1	0.01	52	610	20	0.04	< 2	3	28	0.03	< 10	< 10	32	< 10	608
SW20 SS08	201	202	360	< 1	< 0.01	17	460	16	0.02	< 2	1	16	0.03	< 10	< 10	29	< 10	90
SW20 SS09	201	202	575	< 1	0.01	35	850	14	0.05	< 2	1	19	0.03	< 10	< 10	40	< 10	68
SW20 SS10	201	202	410	< 1	0.01	23	610	10	0.02	< 2	1	17	0.03	< 10	< 10	35	< 10	64
VMS20 S01	201	202	565	< 1	0.01	28	660	18	0.01	< 2	4	15	0.05	< 10	< 10	47	< 10	140
VMS-SS01	201	202	95	< 1	0.01	15	670	24	0.04	< 2	< 1	12	0.02	< 10	< 10	27	< 10	102
VMS20 SS02	201	202	185	1	0.01	17	590	14	0.01	< 2	2	18	0.03	< 10	< 10	31	< 10	70
VMS20 SS03	201	202	430	< 1	0.01	18	440	12	0.02	< 2	1	17	0.03	< 10	< 10	30	< 10	86
VMSB-S01	201	202	320	< 1	0.01	29	400	18	0.03	< 2	3	12	0.06	< 10	< 10	62	< 10	194
VMS3-S02	201	202	375	1	0.01	52	990	26	0.06	< 2	4	25	0.10	10	< 10	54	< 10	526
VMS6-S03	201	202	685	4	0.01	69	1140	36	0.07	< 2	5	30	0.12	30	< 10	64	< 10	626

CERTIFICATION: _____

PROJECT # 6 WHITE RIVER AREA

CATHY 1-28 CLAIMS

LOCATION

The project location about 100 miles up the Yukon River from Dawson City. I prospected around Frisco creek and about a mile below Frisco.

ACCESS

The project area is accessible by river boat from the community of Dawson City. It takes about 7 hour for me to travel up river by 30 hp outboard and 20 foot freighter canoe. I use the canoe along the river and traverse by foot the ridge top along the river.

GEOLOGY

The area has just being mapped by Jim Ryan and Steve Gordey of the GSC. They have called the geology as a quartz-mica shist of potential Cambiam age. The new map will be called Thistle Creek Area. The open file number is still not release.

WORK PERFORMED

I concentrated my prospecting on two areas. One is on last year new showing on the edge of the river about 1200 meter below Frisco creek. I found anomalous rock sample of quartz breccia in As, Zn and Cu. I went back the sample area and proceed to prospected for other sample. I found the more float sample and dug a small trench 8' by 2' by 4' feet deep. What I uncovered was a quartz breccia in outcrop. I had to abandon the trench because of rising creek. The water for the month of September was extremely high due to 420% more rainfall that month. I work 2 kilometer downstream from the trench area on a little side creek. I had anomalous Au value coming from this creek and we tried to track it down. Scott Fleming and I work on the little creek taking pan concentrate and soil sample 100 meter up hill of the creek. In total we spent 6 days in the area.

EVALUATION

It was surprising to see that no anomalous gold was detected except for the same location that the past Au anomaly appeared. I felt that the silt and pan con may give some trouble because of all the water but the soil have also prove to be barren. The soil did show a Cu anomaly appearing in CAT20-SO7-9 with value from 64ppm-74ppm. Silt sample CAT20SS01 gave a anomalous Cu value of 98ppm. I still have not received assay results from the new Quartz Breccia outcrop so It still uncertain as to what it may hold. I do think it's interesting to see that last year program found chalcopyrite in the quartz breccia and now I'm getting Cu anomalies in the area. Maybe I should focus on base metal in the area. This would complement Jim Ryan observation that there may be base metal potential in these various rock units(pers. comm.)

RECOMMENDATION


I would recommend follow up on the copper anomalies. This can be done with deeper soil pits over anomalous soil sample sites. I would also recommend more hand trenching of the trench already started.

WHITEHORSE/DAWSON MINING DISTRICT


139°30'

63°15'

NORTH ↑



NTS # 115 013



North ↑


NTS # 115 0/4

SAMPLE LOCATION MAP

DIVISIONAL MAP

1:50,000

NTS # 1150/3




NTS # 115 0/4
1:50,000.

CARTE PROVISOIRE

EDITION 1

115 0/4





ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number: 1-A
 Total Pages: 1
 Certificate Date: 01-DEC-2000
 Invoice No.: 10034972
 P.O. Number:
 Account: PRP

Project:
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0034972

22 -
 23 -
 24 -

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
CAT 20 P01	235 229	30	< 0.2	1.04	< 2	< 10	100	< 0.5	< 2	0.69	< 0.5	13	74	18	4.29	< 10	< 1	0.10	< 10	0.69
CAT 20 P02	235 229	10	< 0.2	1.16	< 2	< 10	100	< 0.5	< 2	0.75	< 0.5	12	77	20	3.48	< 10	< 1	0.12	< 10	0.79
CAT 20 P03	235 229	5	< 0.2	1.01	< 2	< 10	100	< 0.5	< 2	0.64	< 0.5	17	66	19	4.47	< 10	< 1	0.11	< 10	0.66

CAT 20 P - SERIES PAN CONCENTRATES
 From NTS # 115 P0/3

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page: 1-A
 Total Pages: 2
 Certificate Date: 08-DEC-2000
 Invoice No.: I0034983
 P.O. Number:
 Account: PRP

Project:
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0034983

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg
	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
DOSS -01	201	202	< 5	< 0.2	1.07	2	< 10	390	< 0.5	< 2	0.24	< 0.5	8	19	9	1.73	< 10	< 1	0.04	10	0.39
DOSS -02	201	202	< 5	< 0.2	0.67	2	< 10	560	< 0.5	< 2	0.29	2.5	9	9	12	2.55	< 10	< 1	0.04	20	0.25
DOSS -03	201	202	20	< 0.2	0.65	2	< 10	750	< 0.5	< 2	0.33	< 0.5	7	11	11	2.04	< 10	< 1	0.04	20	0.23
DOSS -04	201	202	< 5	< 0.2	0.58	2	< 10	620	< 0.5	< 2	0.19	< 0.5	4	6	8	1.18	< 10	< 1	0.05	20	0.16
DOSS -05	201	202	< 5	< 0.2	0.74	2	< 10	470	< 0.5	< 2	0.25	< 0.5	5	9	11	1.90	< 10	< 1	0.06	30	0.19
CAT20 SO 5	201	202	< 5	< 0.2	1.13	8	< 10	120	< 0.5	< 2	0.25	< 0.5	10	27	26	2.27	< 10	< 1	0.08	< 10	0.51
CAT20 SO 6	201	202	< 5	< 0.2	1.18	10	< 10	260	0.5	< 2	0.41	< 0.5	13	25	36	2.44	< 10	< 1	0.14	10	0.57
CAT20 SO 7	201	202	< 5	< 0.2	2.36	< 2	< 10	300	< 0.5	< 2	0.38	< 0.5	17	45	72	3.40	10	< 1	0.66	< 10	1.68
CAT20 SO 8	201	202	< 5	< 0.2	2.30	< 2	< 10	320	< 0.5	< 2	0.50	< 0.5	16	57	64	2.81	10	< 1	0.84	< 10	1.91
CAT20 SO 9	201	202	< 5	< 0.2	2.95	< 2	< 10	430	0.5	< 2	0.57	< 0.5	21	57	74	4.38	10	< 1	0.89	< 10	2.33
CAT20 SO 10	201	202	< 5	< 0.2	1.26	8	< 10	320	< 0.5	< 2	0.87	< 0.5	10	29	35	2.30	< 10	< 1	0.11	10	0.60
CAT20 SO 11	201	202	< 5	< 0.2	2.05	< 2	< 10	240	0.5	< 2	0.68	< 0.5	16	83	42	3.23	< 10	< 1	0.46	< 10	1.82
CAT20 SO 12	201	202	< 5	< 0.2	1.25	2	< 10	150	< 0.5	< 2	0.33	< 0.5	9	31	21	1.96	< 10	< 1	0.06	< 10	0.65
CAT20 SO 13	201	202	< 5	< 0.2	1.62	2	< 10	160	< 0.5	< 2	0.43	< 0.5	12	51	28	2.69	< 10	< 1	0.12	< 10	0.91
CAT20 SO 14	201	202	< 5	< 0.2	1.78	< 2	< 10	290	0.5	< 2	0.55	< 0.5	10	42	31	2.45	< 10	< 1	0.20	< 10	0.70
CAT20 SO 15	201	202	< 5	< 0.2	1.10	6	< 10	380	0.5	< 2	0.59	< 0.5	10	26	32	2.33	< 10	< 1	0.06	< 10	0.55
CAT20 SO 16	201	202	< 5	< 0.2	1.45	6	< 10	320	0.5	< 2	0.45	< 0.5	11	31	22	2.62	< 10	< 1	0.06	10	0.57
CAT20 SO 17	201	202	25	< 0.2	0.91	38	< 10	340	< 0.5	< 2	0.37	< 0.5	13	53	33	2.21	< 10	< 1	0.13	< 10	0.71
CAT 20SS 01	201	202	< 5	< 0.2	1.75	4	< 10	520	0.5	< 2	0.59	< 0.5	21	71	98	2.33	< 10	< 1	0.14	30	0.74
CAT 20SS 02	201	202	< 5	< 0.2	1.16	18	< 10	370	0.5	< 2	0.54	< 0.5	12	38	35	2.26	< 10	< 1	0.22	10	0.59
CAT 20SS 03	201	202	135	< 0.2	0.99	< 2	< 10	180	< 0.5	< 2	0.43	< 0.5	8	26	22	1.74	< 10	< 1	0.09	< 10	0.60
CAT 20SS 04	201	202	10	< 0.2	0.54	< 2	< 10	80	< 0.5	< 2	0.40	< 0.5	5	16	13	1.50	< 10	< 1	0.05	< 10	0.33
CAT 20SS 05	201	202	< 5	< 0.2	1.16	< 2	< 10	260	< 0.5	< 2	0.49	< 0.5	8	27	22	1.90	< 10	< 1	0.13	< 10	0.70
CAT 20SS 06	201	202	< 5	< 0.2	0.98	10	< 10	190	< 0.5	< 2	0.60	< 0.5	10	37	25	2.01	< 10	< 1	0.11	< 10	0.68
CAT 20SS 07	201	202	< 5	< 0.2	0.89	< 2	< 10	170	< 0.5	< 2	0.58	< 0.5	9	25	26	1.83	< 10	< 1	0.08	< 10	0.57
CAT 20SS 08	201	202	< 5	< 0.2	0.84	< 2	< 10	160	< 0.5	< 2	0.58	< 0.5	10	26	28	2.06	< 10	< 1	0.09	< 10	0.59
GA1-TS-01	201	202	65	1.4	5.48	46	< 10	90	1.5	136	0.06	< 0.5	8	38	406	10.65	10	< 1	0.37	20	0.51
GA1-TS-02	201	202	50	1.2	4.18	34	< 10	60	2.0	108	0.10	0.5	10	28	418	12.60	10	< 1	0.15	< 10	0.36
GA1-TS-03	201	202	< 5	< 0.2	1.12	18	< 10	70	< 0.5	2	0.06	< 0.5	5	17	33	2.18	< 10	< 1	0.03	< 10	0.16
SC SS20-01	201	202	< 5	< 0.2	1.59	2	< 10	380	0.5	< 2	0.78	< 0.5	13	29	25	2.81	< 10	< 1	0.25	10	0.92
SC 375 SS 180	201	202	< 5	< 0.2	1.31	< 2	< 10	220	< 0.5	< 2	0.68	< 0.5	12	25	16	2.49	< 10	< 1	0.16	< 10	0.78
SC 400 SS 385	201	202	< 5	< 0.2	1.57	< 2	< 10	300	0.5	< 2	0.74	< 0.5	13	27	22	2.89	< 10	< 1	0.25	10	0.93
SC 750 650 ET	201	202	< 5	< 0.2	1.99	4	< 10	310	1.0	< 2	0.41	< 0.5	14	30	23	4.11	< 10	< 1	0.08	10	0.75
SC 750 650 EB	201	202	< 10	< 0.2	3.28	< 2	< 10	390	2.5	< 2	1.08	< 0.5	29	48	34	6.03	< 10	< 1	0.23	10	2.32
SC RED ROAD	201	202	< 5	< 0.2	0.95	382	< 10	490	2.0	< 2	0.85	0.5	21	29	46	8.17	< 10	< 1	0.18	20	0.61
SC 200-150E	201	202	< 5	< 0.2	2.02	2	< 10	350	< 0.5	< 2	0.49	< 0.5	17	54	31	3.37	10	< 1	0.22	< 10	1.39
SC 200-175E	201	202	< 5	< 0.2	1.95	2	< 10	270	0.5	< 2	0.36	< 0.5	16	27	33	3.13	< 10	< 1	0.15	< 10	1.18
SC 200-200E	201	202	< 5	< 0.2	2.50	< 2	< 10	470	0.5	< 2	0.45	< 0.5	23	17	35	3.66	10	< 1	0.33	10	1.94
SC 200-225E	201	202	< 5	< 0.2	2.51	< 2	< 10	420	0.5	< 2	0.63	< 0.5	23	19	27	3.56	10	< 1	0.43	< 10	1.99
SC 200-250E	201	202	< 5	< 0.2	1.71	2	< 10	360	< 0.5	< 2	0.26	< 0.5	12	22	23	2.68	< 10	< 1	0.11	< 10	0.73

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

CAT 20 SO - SERIES Soil From NTS map # 115 0/3 0/4
 CAT 20 SS - SERIES Silts/mud From NTS # 115 0/3 0/4
 CERTIFICATION: Shawn Ryan



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Project :

Comments: ATTN: SHAWN RYAN

Page Number: 1-B
Total Pages: 2
Certificate Date: 08-DEC-2000
Invoice No.: 10034983
P.O. Number:
Account: PRP

CERTIFICATE OF ANALYSIS A0034983

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
DOSS -01	201 202	260	< 1	0.01	13	540	14	0.01	< 2	2	19	0.03	< 10	< 10	30	< 10	62
DOSS -02	201 202	925	< 1	< 0.01	8	380	38	0.03	< 2	1	26	0.01	< 10	< 10	16	< 10	134
DOSS -03	201 202	545	< 1	< 0.01	8	450	86	0.05	< 2	1	23	0.01	< 10	< 10	16	< 10	82
DOSS -04	201 202	170	1	< 0.01	4	240	30	0.03	< 2	1	22	0.01	< 10	< 10	10	< 10	44
DOSS -05	201 202	210	2	< 0.01	7	340	30	0.06	< 2	1	33	0.01	< 10	< 10	14	< 10	48
CAT20 S0 5	201 202	160	< 1	0.01	23	490	8	< 0.01	< 2	3	18	0.07	< 10	< 10	48	< 10	64
CAT20 S0 6	201 202	220	< 1	0.01	29	780	10	< 0.01	< 2	3	29	0.06	< 10	< 10	47	< 10	90
CAT20 S0 7	201 202	305	< 1	0.02	21	820	6	< 0.01	< 2	6	18	0.19	< 10	< 10	104	< 10	68
CAT20 S0 8	201 202	240	< 1	0.02	14	740	2	< 0.01	< 2	4	20	0.17	< 10	< 10	78	< 10	58
CAT20 S0 9	201 202	500	< 1	0.03	17	430	6	< 0.01	< 2	9	35	0.20	< 10	< 10	120	< 10	82
CAT20 S0 10	201 202	280	< 1	0.03	20	610	8	0.02	< 2	4	40	0.07	< 10	< 10	48	< 10	58
CAT20 S0 11	201 202	510	< 1	0.02	18	640	6	0.01	< 2	8	31	0.12	< 10	< 10	77	< 10	82
CAT20 S0 12	201 202	185	< 1	0.01	14	410	6	< 0.01	< 2	3	18	0.06	< 10	< 10	46	< 10	40
CAT20 S0 13	201 202	190	< 1	0.01	23	480	6	< 0.01	< 2	4	23	0.10	< 10	< 10	65	< 10	50
CAT20 S0 14	201 202	485	< 1	0.02	23	430	6	0.01	< 2	4	28	0.10	< 10	< 10	51	< 10	66
CAT20 S0 15	201 202	305	< 1	0.03	27	710	8	0.01	< 2	4	38	0.06	< 10	< 10	45	< 10	60
CAT20 S0 16	201 202	340	< 1	0.02	25	470	8	< 0.01	< 2	5	28	0.08	< 10	< 10	56	< 10	56
CAT20 S0 17	201 202	310	< 1	0.01	46	680	8	0.03	< 2	3	25	0.06	< 10	< 10	44	< 10	60
CAT 20SS 01	201 202	745	< 1	0.01	49	480	6	0.03	< 2	6	48	0.07	< 10	< 10	48	< 10	46
CAT 20SS 02	201 202	580	1	0.01	33	660	6	0.02	< 2	4	41	0.07	< 10	< 10	47	< 10	72
CAT 20SS 03	201 202	210	< 1	0.01	11	620	6	0.01	< 2	3	21	0.08	< 10	< 10	44	< 10	40
CAT 20SS 04	201 202	125	< 1	0.01	6	930	2	< 0.01	< 2	1	15	0.06	< 10	< 10	41	< 10	26
CAT 20SS 05	201 202	255	< 1	0.01	12	670	2	0.01	< 2	3	23	0.09	< 10	< 10	45	< 10	54
CAT 20SS 06	201 202	300	< 1	0.02	32	670	6	0.01	< 2	3	39	0.06	< 10	< 10	43	< 10	54
CAT 20SS 07	201 202	220	< 1	0.02	15	680	2	< 0.01	< 2	3	25	0.06	< 10	< 10	42	< 10	42
CAT 20SS 08	201 202	295	< 1	0.02	13	930	2	< 0.01	< 2	4	22	0.06	< 10	< 10	50	< 10	44
GAL-TS-01	201 202	140	< 1	0.17	24	600	30	1.00	< 2	6	156	0.12	< 10	< 10	31	< 10	30
GAL-TS-02	201 202	225	< 1	0.09	24	680	22	0.79	< 2	4	71	0.07	< 10	< 10	29	< 10	40
GAL-TS-03	201 202	95	< 1	0.01	12	490	6	0.07	< 2	< 1	11	0.03	< 10	< 10	31	< 10	28
SC SS20-01	201 202	690	< 1	0.02	21	990	8	0.04	< 2	5	42	0.11	< 10	< 10	55	< 10	82
SC 375 SS 180	201 202	435	< 1	0.01	19	1090	6	0.01	< 2	4	47	0.08	< 10	< 10	49	< 10	64
SC 400 SS 385	201 202	555	< 1	0.01	19	1010	4	0.03	< 2	5	61	0.11	< 10	< 10	55	< 10	78
SC 750 650 ET	201 202	580	< 1	0.01	17	540	8	< 0.01	< 2	7	30	0.11	< 10	< 10	99	< 10	68
SC 750 650 EB	201 202	2140	< 1	0.03	19	2080	14	0.01	< 2	15	67	0.14	< 10	< 10	155	< 10	88
SC RED ROAD	201 202	1310	5	0.01	27	1430	22	0.18	< 2	27	64	< 0.01	< 10	< 10	74	< 10	102
SC 200-150E	201 202	280	4	0.01	35	880	10	0.01	< 2	6	23	0.16	< 10	< 10	111	< 10	76
SC 200-175E	201 202	325	< 1	0.01	20	550	8	< 0.01	< 2	5	25	0.13	< 10	< 10	57	< 10	76
SC 200-200E	201 202	570	< 1	0.01	16	620	8	< 0.01	< 2	9	31	0.15	< 10	< 10	54	< 10	116
SC 200-225E	201 202	850	< 1	0.01	17	1150	16	0.01	< 2	8	40	0.15	< 10	< 10	55	< 10	112
SC 200-250E	201 202	245	< 1	0.01	14	390	12	< 0.01	< 2	4	22	0.08	< 10	< 10	52	< 10	60

CERTIFICATION: _____ +

ROCK DESCRIPTION

HEM CLAIMS

HEM HWY R01	Rock, float, hematite breccia some Chalcopyrite
HEM20R02	Rock, float, felsic, limy
HEM20R03	Rock, float, green lots of visible chalcopyrite, hematite breccia
HEM20R04	Rock, float, green, hematite breccia, chalcopyrite.
HEM20R0111	Rock, float, purple/green, hematite breccia,
HEM20R022	Rock, float, purple, hematite breccia.
HEM20R0333	Rock, float, massive hematite, breccia

CALLUM CLAIMS

CALSK-11	Rock, float, pyrrhotite with chalcopyrite
CALSK-03	Rock, float, pyrrhotite with chalcopyrite
L100N-50ER	Rock, float, pyrrhotite with chalcopyrite

VMS 1-12 CLAIMS

VMS20R03	Rock, outcrop, shaly, black/gray
----------	----------------------------------