

GEOPHYSICAL REPORT

KING 1-41 CLAIMS

GRANT # YC19934-YC19965

GRANT # YC20693-YC20701

NTS # 115 0 / 15

LAT : 63' 53 N

LONG: 139' 00 W

DAWSON MINING DIVISION

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED OCTOBER 2001

DATE OF REPORT JANUARY 2002

**YUKON ENERGY, MINES
& RESOURCES LIBRARY
PO Box 2703
Whitehorse, Yukon Y1A 2C6**

TABLE OF CONTENT

SUMMARY	01
INTRODUCTIONS	01
LOCATION	01
ACCESS	01
PROPERTY GEOLOGY	02
WORK PERFORMED/ METHODS	02
GRID WORK	02
GEOPHYSICAL SURVEY	02
MAGNETIC SURVEY	02
GRADIENT SURVEY	03
VLF-EM SURVEY	03
INTERPRETATION	04
RECOMMENDATIONS	05
PROJECT COST	06
GRID LOCATION MAP	07
MAGNETIC SURVEY MAP (figure 1)	08
VLF EM SURVEY MAP	9-10
LARGE MAGNETIC MAP (back folder)	
LARGE GRADIENT MAP (back folder)	

SUMMARY

The King 1-42 claims grant # YC19934- YC19965 and YC20694 - YC20701 will be renewed for a period of five years. The claims are held by the author Shawn Ryan.

The King 1-42 claims were explored with grid work and geophysical work. A magnetic survey was run over the entire grid with gradient survey run over 2 / 3 of it. A VLF survey was run over 8.1 KL of the south end of the grid. A subtle magnetic anomaly was found associated with the 2000 geochem anomaly of Zn, Pb, and Cu.

INTRODUCTION

The King 1 - 42 claims were staked to cover a regional high geochem signature of base metal associated with a Permian felsic schist unit. A flagged grid was placed in two areas in the fall of 2000. Both grids gave anomalous values in base metal and a larger grid was established in the fall of 2001.

LOCATION

The King 1-42 claims are located 15 miles south east of Dawson City. The claim block covers the headwaters of Gold Bottom Creek. The claim block also covers the west side of the highest regional hill in the area King Solomon Dome.

ACCESS

The claim block can be accessed via the Hunker Creek road or the Bonanza Creek road. The claims are situated 35 kilometers up either road. The Hunker Creek road is in much better shape with much more traffic.

PROPERTY GEOLOGY

According to Mortensen geology map # 115 0 / 14 Open - File 1996-1(G) the King claim block covers three various rock types of Permian Klondike Schist. Unit Psc is located in the north part of the claim block and is a medium to dark green chlorite-quartz-muscovite schist. Unit Psq located in the central part of the claim block is a tan weathering muscovite and / or chloritic quartzite and quartz-muscovite-chlorite schist. Unit Psqm is located on the ridge top at the southern end of claim block. This unit is a rusty-weathering quartz-muscovite schist that is giving anomalous base metal values in the soil geochem.

WORK PERFORMED / METHODS

GRID WORK

The king claims where covered with a large grid. I started by cutting a base line BL 000 E from station ST-000 S to line ST-1800 S. I then offset the grid with another tie line at TL-375 E and ran the tie line from L-1800 S to L-2700 S. The next tie line cut out was at TL-1500 E. I ran this tie line from line L-2700 S to line L-000 S. I also ran a flagged tie line at station TL-700 E from line L-1800 S to line L-000 S.

In total there was 5.4 kilometers of cut base line and tie lines and 38 kilometers of flagged line. All flagged lines where place in by running compass line in-between base line and tie lines. The lines where flagged using orange flagging and mark with permanent black maker the line number and station.

GEOPHYSICAL SURVEY

MAGNETIC SURVEY

The magnetic survey was run using two Scintrex Proton Magnetometers. I used one magnetometer as a base station taking reading every 30 second as it sit in one location all day during the survey. The base station recorded the daily earth magnetic drift. At the end of the day the base station and the field magnetometer are plug in and the daily drift is corrected. All data from base mag and the field mag are down loaded every night in a laptop computer. All data is then transfer to a disk for back up copies.

The magnetic survey was run taking reading every 25 meters at the station flags located on the line. I ran the base lines also to help tie the whole grid in . In all there was 41.9 kilometers of magnetic ran with 1676 station reading taken.

GRADIENT SURVEY

A gradient survey was conducted using a Scintrex gradient system. The gradient survey highlights any magnetic anomalies found and defines the exact contact location of the mineralization. I took reading every 25 meter at flagged station located on the lines. All data was downloaded every night on a laptop computer and files were saved on disk for extra backup. In all there was 39 kilometers of survey lines run for a total of 1560 station reading taken.

VLF SURVEY

A VLF survey was conducted on the southern part of the grid. The VLF survey is used to define any near surface conductive type ore such as massive sulphides. The VLF uses transmitters located in various parts of the world that transmit a certain frequency. Each VLF station has a unique signal and to be useful for the operator the station has to be at right angles to the potential massive sulfide structure. The ore body also should be steeply dipping for if it's a flat lying lens there will be coupling problems. The first part of the survey was run using a Phoenix VLF. The Phoenix VLF takes only the inphase component. There was 5 kilometers survey using this instrument. I brought in another instrument in the later part of the season which was a Scintrex VLF system. The Scintrex VLF system can take 2 to 3 VLF stations at once to give a higher probability of better coupling. I also brought in and tried a portable VLF station that one set up and run on its own. This station is used for trying to get a better station coupling. A good idea if the known VLF stations are not at right angle to the potential conductor. You can set up the portable station at any angles you wish. I tried using the portable unit for one day with little success. The Scintrex VLF unit was water damage from a previous survey and eventually froze up during the cold weather in early October. I quit running the VLF survey and continued with a gradient survey.

In all there was 8.1 kilometer of VLF survey run for a total of 324 station reading taken.

INTERPRETATION

MAGNETIC SURVEY

The magnetic survey gave a good overall view of the area. It help define three different type of geological units.

Area #1 is located on the east side of the grid. It is a large magnetic high area . I'm am uncertain to what this geological unit is. It can potentially be a schist unit that hold a higher iron content.

Area # 2 is a magnetic low situated on the south end of the grid. This area has a zinc and arsenic anomaly that was found in the soil survey Grid B of 2000 field season. Arbor Resource and Cominco assessment report show anomalous arsenic values in this area found on there soil surveys.

Area # 3 is a subtle magnetic anomaly that appears on the western edge of the magnetic high of Area # 1. This subtle magnetic high anomaly is found under the Grid A soil survey of 2000 field season. The Grid A soil survey gave anomalous values in Pb, Zn, and Cu. I feel this magnetic anomaly is related to the anomalous soil and that it shows a different geochem pattern to Area # 2. There no arsenic values found in this area, just base metal values.

GRADIENT SURVEY

The gradient survey was relatively flat and gave only a subtle response. The color contour map give a color difference but the values are actually of small difference.

The difference across the whole grid was from 2.9 nT to a negative of 7.1 nT. This subtle gradient in the area reflects the absence of any ultra-mafic units or magnetite horizon.

VLF EM SURVEY

The VLF survey was only passed on 8.1 kilometers. The survey was run with a Pheonix VLF instrument. The instrument only records dip angles. I used Cutler Maine as the VLF station at frequency 21.4 Khz. The survey revealed two cross over anomalies. One on line L-2600S at 1200 E . This anomaly is coincident with the magnetic anomaly high. I'm assuming this anomaly is related to a geological change in rock units. Anomaly number two is found on L-2700 S at station ST-700 E. This anomaly is again found at the contact of a magnetic high.

RECOMMENDATIONS

I would recommend follow up on the magnetic anomaly Area # 3. This anomaly is associated with the 2000 soil Grid A. The base metal soil geochem of Grid A is consider high for the overall region. I would recommend a deep soil survey, with sampling at 3-5 feet down over the Area # 3 magnetic anomaly. The soil value will probably rise with deeper soil samples, because the highest soil sample found in 2000 survey was in a grader trench along a road cut. I would also follow up Area # 2 to see if this area is definitely related to arsenic high area.

PROJECT COST

Grid work

37 kilometers of flagged lines at \$350.00 per KL	\$12,950.00
5.4 kL of cut Base line plus Tie lines at \$450.00 kL	\$2,430.00

Magnetic survey

41.9 kilometers at \$250.00 KL	\$10,475.00
--------------------------------	-------------

Gradient survey

39 kilometers at \$250.00 KL	\$9,750.00
------------------------------	------------

VLF survey


8.1 kilometers at \$250.00 KL	\$2,025.00
Remote VLF station expense wage plus truck rental cost	\$700.00

Transportation cost


Truck and gas expense	\$1,470.00
-----------------------	------------

Report writing plus maps	\$1,500.00
---------------------------------	-------------------

Total \$41,300.00




KING Claims Location MAP




KING claims


Figure # 8




NTS # 115 0/14 0/15



KING CLAIMS
VLF Survey
CUTLER MINE
21.4 kHz



DIP
ANGLE



PHOENIX VLF
INSTRUMENT

L-2200 S

L-2300 S

L-2400 S

L-2500 S


L-2600 S

L-2700 S

POTENTIAL
CONDUCTOR
OR

Geology Contacts

400 E 600 E 800 E 1000 E 1200 E 1400 E



inte graphics ltd.

YUKON'S
COMPLETE
QUALITY
PRINTING
CENTRE

411D Strickland Street,
Whitehorse, Yukon
Y1A 2K3
Phone : (403) 667-4635
Fax . (403) 668-2734

inte graphics ltd.

YUKON'S
COMPLETE
QUALITY
PRINTING
CENTRE

YUKON ENERGY, MINES
& RESOURCES LIBRARY
PO Box 2/03
Whitehorse, Yukon Y1A 2C8

411D Strickland Street,
Whitehorse, Yukon
Y1A 2K3
Phone : (403) 667-4639
Fax . (403) 668-2734

Date OCTOBER 2001

Project KING CLAIMS

Date

Job No. By SHAWN RYAN

VLF EM Survey

Job No.

Project

DIP
ANGLE

+ 20%

O

- 20%

- IN PHASE

X - QUADRATURE

SCINTREX VLF SYSTEM

CUTLER MAINE

21.4 kHz

L-1000S

L-1100S

0

100E

200E

300E

400E

500E

600E

700E

800E

900E

1000E

1100E

1200E

1300E

NORTH

100 m

SCALE


NTS # 115 0/14 0/15

YUKON ENERGY, MINES
& RESOURCES LIBRARY
PO Box 2/03
Whitehorse, Yukon Y1A 2C8

KING CLAIMS
VLF EM Survey
CUTLER MAINE


21.4 kHz

5mm x 5mm



SHAWN RYAN
KING PROJECT
TOTAL MAGNETIC FIELD CONTOURS

DAWSON MINING DISTRICT, YUKON
 NTS : 115 O/14,15
 DATE SURVEYED : AUGUST, 2001
 CLAIM(S) : KING CLAIMS
 MAP NAME (DATE / DRAWN BY) : KINGMAG.MAP (02-01-11/JR)
AURORA GEOSCIENCES LTD.



SHAWN RYAN
KING PROJECT
CONTOURED MAGNETIC VERTICAL GRADIENT

DAWSON MINING DISTRICT, YUKON
NTS : 115 0/14, 15
DATE SURVEYED: AUGUST, 2001
CLAIM(S): KING CLAIMS
MAP NAME (DATE / DRAWN BY): KINGGRAD.MAP (02-01-11/JR)

AURORA GEOSCIENCES LTD.

TARGET EVALUATION KING CLAIMS

A) PROJECT LOCATION

- 1) King Claims 1-32**
- 2) Dawson Mining Division, NTS claim map #115 O / 15**
Latitude 63° 52' North, Longitude 139°00' West
- 3) Location Map include in appendix of this proposal.**
- 4) Work is to be done on the King 1-32 claims. Specifically on King claims 1,2,3,4,5,7,9,11,21-32.**

B) ACCESS

The King claims can be accessed by vehicle along a summer road. The Hunker Creek road or the Bonanza creek Road both leads to the property which is situated 1 kilometer west of King Solomon Dome.

C) 1) MINERALS

The main minerals sought after are Pb, Zn, Cu and Gold.

2) DEPOSIT TYPE AND GEOLOGY

After careful research of the geochem signature from the King claims I can use two different type of model. One is the Sheba showing lying 400 meters east of the claim block. The Sheba showing consist of massive sulphides associated with gold and quartz. Specimens from the Sheba trench assayed 0.102 oz. Au and 372 oz. Ag, 1.43% Cu, 28.85% Pb and 0.65% Zn. This fits the geochem signature but so does my second model which is Cominco, Kudz Ze Kayah (AMB) deposit. The AMB deposit is a massive sulphide deposit that lies in the same geological setting. It lies in the Yukon Tanana Terrain of the Finlayson District. The deposit is associated with **felsic metavolcanic**. The deposit host 11.3 Mt grading 5.9% Zn, 1.5% Pb, 0.9% Cu, 133g/t Ag and 1.3 g/t Au.

When reviewing Mortensen geology map Open File 1996-1(G) of the Klondike, Mortensen points out that the King claims geochem anomaly lie in **Psqm (felsic schist)**, most are thought to have been derived from **felsic tuffs, cherty tuffs and tuffaceous cherts**. Interlayered with these felsic units are non-carbonaceous, fine-grained micaceous quartzite and quartz-feldspar-muscovite-biotite(+or-chlorite) schist (unit Psq) that were derived mainly from siliciclastic protoliths. Layers of chlorite schist (unit Psc; mafic metavolcanic rock) and metagabbro (unit Pg) occur locally within the felsic schist units, together with rare bands of marble (unit Pc) and carbonaceous quartz-muscovite schist (unit Psqc).

D) REASON

The main reason for applying for a target evaluation program is because I have found a two very anomalous base metal area on the King claims during my summer prospecting program of 2000.

Now the Klondike area is well known for it's placer gold, so much exploration has taken place directly looking for gold with little success so far. I feel a new approach is required. I have review all the literature and assessment report I could find for the area. The first thing I have notice from the assessment file is the lack of geochemical signature in the Klondike region. Kennecott ran a regional soil survey across the upper Hunker creek ridge top and the divide ridge top, north of Bonanza creek. The data pointed out very few anomalous area. The one's that did stick out are the anomalies on the King claims. That how I target my first work in the region.

The work was directed towards base metal not gold. The reason I'm looking for base metal is because it's a key indicator for gold according to the GSC Bulletin 173, Heavy Mineral Studies in the Klondike Area, Yukon Territory, by C.F. Gleeson. On page 56 of Gleeson report he points out that Zinc, lead and possibly copper are pathfinder elements for gold.

I have also noted from Yukon Geology, Volume 3 on page 264. Preliminary Observations on the Geology and Geochemistry of Quartz veins in the Klondike District, West-Central Yukon, by Mortensen, Nesbitt and Rushton. The data points that Galena also commonly occurs in trace amounts, typically as disseminated grains and grain aggregates associated with pyrite in vein interiors. In relatively sulphide-rich portions of the discordant veins, other sulphides and sulphosalts including sphalerite, chalcopyrite, tetrahedrite, and rare pyrrhotite, arsenopyrite and pyargyrite have also been noted.

I have noted from research reading that the Klondike area has not being glaciated. The soil has then being leached for as much as the top 50-80 meters. This would led to poor soil geochem anomaly and may have a bearing on most of the low geochem value found during my regional research. Taken this into account any elevated geochem signature should be look at more carefully.

I have read a Technical Paper of the CIM Bulletin called Recent discoveries of volcanic-associated massive sulphide deposits in the Yukon by J.A.Hunt. On page 60, Julie suggest that restoration of the postulated 450 Km of right-lateral, post-mid-cretaceous movement on the Tintina Fault brings the massive sulphide-rich Finlayson Lake area of the Yukon Tanana Terrane adjacent to the main body of the Yukon Tanana Terrane west of Dawson City. This suggest that west-central Yukon also has significant VMS potential. This potential is further indicated by the presence of several "exhalite" showing hosted by Nasina Assemblage and Klondike Schist.

On page 57 of J. Hunt paper describe the AMB deposit as a thick complex of felsic metatuffs and sills or flows interlayered with minor mafic sills or flows and

metasediments. This description sounds allot like Mortensen description of the Psqm which are thought to be derived from felsic tuffs, cherty tuffs and tuffaceous cherts.

With the research data present above the King claims have a good probability of a massive sulphide showing carrying gold. I feel all the right geological environment are present and with the highly anomalous geochem coming from the King A and B grid, makes the King target evaluation a good target. I will also note that I have taken silts from upper Gold Bottom Creek and small tributaries creek coming from the west side of Gold Bottom creek. Most of the silt showed anomalous value in Zn (>100ppm).

I have presented the two geochem maps of the King A and B grid with the location of silts taken below the grid areas. Grid A has the largest base metal anomaly with Pb anomaly running off the grid on almost three sides. At the moment the anomaly is 500 meters by 500 meters. The Zn anomaly is 250 meters by 500 meters center on the east side of the grid. Cu anomaly follows the Zn anomaly very closely. With this size anomaly so close to the known Sheba showing and the potential of a VMS deposits such as Finlayson District make the King claims a great target with future potential either in gold or base metal.

I have also presented Cominco soil geochem data which covers the King A Grid area. It also has a large Pb soil anomaly(>50ppm). Cominco Zn anomaly also follows the King soil anomaly for Zn. Both Zn anomalies follow the eastern haft of the grid.

I include Arbor Resource soil geochem data that cover part of proposed grid. I could not get the exact location of their soil lines because it was not plotted on a topo such as Cominco grid. I do feel where I plotted their soil lines should be relatively close. As we could see from there soil work Arbor has pick up a large Arsenic anomaly covering the southern portion of the proposed grid. I don't see any real Pb anomaly in the As area. I don't see any Pb anomaly on Arbor soil line that cross the King A grid and Cominco grid, but I do see one north so Arbor line may be out or it's a assay discrepancy between two different Assay companies.

There seem to be two type of geochem signature one is base metal containing Pb, Zn, Ag and Cu with no As. This pattern seem to sitting in the northern portion of the proposed grid. Anomaly number two is a Zn, Cu and As signature with minor Pb. What this difference of lack of As from one anomaly to the next means I'm uncertain. It may be a contact or alteration zone.

E) PROPOSED WORK

The proposed work would consist of a exploration program that includes grid work, geophysical surveys and followed up with soil sampling and hand pits. **The environmental concern will be dealt with by refilling all hand pits once project is complete. All garbage will be packed out of the bush.**

GRID WORK

The grid work will consist of establishing 5.4 KL of cut lines for base line and tie line purpose. I will cut one line at TL-700 E from line 900 N to line 2700 N. I will also cut another tie line at TL-1100 E from line 000 to line 900 N. Another line will be cut at tie line 450 E from 000 to 900 N. The next cut line will be tie line 000 from 900 N to 2700 N.

I will then flag grid lines going east-west. I will flag 34.7 kilometers of line. Station will be flagged every 25 meters with orange flagging. Line and station number will be recorded with permanent black markers on flagging tape.

All lines will be 100 meters apart.

GEOPHYSICAL SURVEY

I will perform two different type of geophysical surveys. One will be a Magnetic survey. The magnetic survey should help define rock units and potential contact areas. There is some mention of pyrrhotite being part of the sulphides with gold in the Klondike district. A magnetic survey should pick this up. The AMB deposit did show a very positive magnetic signature up to 600 gammas. So I feel a magnetic survey will help in interpreting the soil anomalies found on the proposed grid. All reading will be taken every 25 meters accept in the anomalous zone where we take reading every 12.5 meters for better resolution.

The second geophysical survey proposed is a VLF-EM survey. A VLF-EM survey should help in defining geological contacts and any sulphide mineralization. There should be a good VLF station coupling with Seattle, Washington. I'm proposing the mineralized structure are running north-south such as the Sheba Vein situated 2 kilometers to the east. All VLF reading will be taken every 25 meters.

SOIL WORK

I will spend three days of follow up work with soil sampling over geophysical anomalous zones found with the geophysical surveys. I will also spend a day digging a couple soil pit on the King Grids to see how different assay depth change the geochem values.

CONCLUSION

I feel this proposed exploration program will help to define the soil anomalies and help in interpretation of what is actually going on. I will note that the AMB deposit was outline on the first pass with a magnetic and EM survey. I am very hopeful that this program will help in attracting new exploration company to the Klondike District and should led to a option deal.

F) TECHNICAL REPORT


The technical report will include a section for geophysical surveys that will include a description of the methods of survey and equipment used; dates of survey; number of stations establish; kilometers of line surveyed; copies of geophysical reading or profiles; pertinent calculations; an interpretation of the data collected which would include references to the available geology; and conclusions and recommendations shall be submitted.

The geochemical survey report will include type and amounts of samples collected; survey dates; particular soil horizon sample; a description of the methods and equipment used; the method of analyzing the samples, copies of all analyses; reference to the sample location with a brief description of the topography; an interpretation of the data collected which would include references to the available geology; and conclusions and recommendations shall be submitted.

The soil pit survey will include soil pit site located on a topo map. A description of soil horizon encountered. A description on where assay took place such as what depth. All assay will be clearly mark and include with report.

G) WORKING DAYS

I feel this exploration program should take two of us about one month to complete. I will work on the project from Dawson City.




King claim


Claim MAP


↑
NORTH

NTS # 115 0/14

NTS # 115 0/15







Klondike Schist Assemblage

Middle to Late Permian

Psqm rusty-weathering quartz-muscovite schist/

Psa quartz and/or feldspar augen-bearing quartz-muscovite (\pm chlorite) schist

Psq tan weathering muscovitic and/or chloritic quartzite and quartz-muscovite-chlorite schist/

Psc medium to dark green chlorite-quartz-muscovite schist /

Pc crystalline marble

Pks Klondike Schist undifferentiated (includes Psqm, Psa, Psc, Psq and minor graphitic quartz-muscovite schist)

; commonly coal-bearing
glomerate

Nasina Assemblage

Late(?) Devonian to Early Mississippian

DMc marble

DMsqm locally rusty-weathering, non-graphitic quartz-muscovite schist

DMsa quartz and/or feldspar augen-bearing quartz-muscovite(\pm chlorite) schist

DMasc medium to dark green weathering chlorite (\pm biotite) schist, amphibolite and garnet amphibolite

DMsq non-graphitic Nasina Assemblage undifferentiated (pale green, tan and medium brown weathering, micaeous quartzite and quartz-muscovite (\pm chlorite) schist); includes minor DMqsc

DMsqc graphitic Nasina Assemblage undifferentiated (mainly pale to dark grey weathering, fine grained quartzite, quartz-muscovite (\pm chlorite) schist; locally garniferous)

DMsqgc graphitic stretched-pebble metaconglomerate and metagrit

DMs medium to coarse grained mica schist, commonly garniferous, amphibolite, minor quartzite

Metaplutonic Rocks

Middle Permian

Pqme moderately to strongly foliated biotite quartz monzonitic gneiss (Sulphur Creek area)

Late Devonian to Early Mississippian

DMgdg massive to strongly foliated dioritic to granodioritic gneiss (N. Fiftymile Batholith, Moose Creek orthogneiss)

DMgg moderately to strongly foliated K-feldspar augen-bearing quartz monzonitic to granitic gneiss (S. Fiftymile Batholith, Mt. Burnham orthogneiss)

des abundant pegmatite

u altered ultramafic rock occurrence (unit lPu)

c stretched pebble conglomerate occurrence (unit DMsqgc)

q quartz-feldspar porphyry dyke (unit eTqfp)

m mafic dyke (unit eTdi)

p granitic pegmatite (unit eJqm)

G gossan

● 31 mineral occurrence (numbers correspond to revised Yukon Minfile listing)

▲ isotopic age (age $\pm 2\sigma$ error; method used; mineral analysed)



outcrop



felsenmeer or local float



depositional layering (bedding)



F1 foliation (compositional layering in metamorphic rocks)



F1 lineation (mineral stretching lineation)



F2 foliation (crenulation cleavage)



F2 lineation (crenulation lineation)



— ? — lithological contact (definite, approximate, assumed)




▲ ▲ ? ▲ thrust contact (definite, approximate, assumed)




△ △ ? △ low-angle normal(?) fault (definite, approximate, assumed)



— — ? — steep fault (definite, approximate, assumed)



King Claims



KA GRID

NTS #115 O/14



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1
 Total Pages : 1
 Certificate Date: 16-JAN-2001
 Invoice No. : I0110287
 P.O. Number :
 Account : PRP

Project : KA SERIES
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0110287

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
KA 000 100E	201 202	< 0.2	2.33	12	< 10	180	< 0.5	2	0.05	< 0.5	4	25	22	4.22	10	< 1	0.05	< 10	0.86	345
KA 000 200E	201 202	< 0.2	1.16	4	< 10	160	< 0.5	< 2	0.03	< 0.5	1	12	8	1.62	< 10	< 1	0.05	10	0.32	65
KA 000 000W	201 202	0.2	2.99	16	< 10	50	< 0.5	< 2	0.04	< 0.5	81	169	397	3.97	10	< 1	0.01	< 10	3.32	2290
KA 000 100W	201 202	1.8	0.71	10	< 10	400	< 0.5	2	0.03	< 0.5	3	11	14	3.39	< 10	< 1	0.38	20	0.24	175
KA 000 200W	201 202	< 0.2	0.45	6	< 10	180	< 0.5	< 2	0.04	< 0.5	1	4	9	0.46	< 10	< 1	0.05	60	0.18	165
KA 100N 100E	201 202	< 0.2	1.50	6	< 10	130	< 0.5	2	0.04	< 0.5	1	15	29	2.09	< 10	< 1	0.05	< 10	0.54	140
KA 100N 200E	201 202	< 0.2	1.38	16	< 10	180	< 0.5	< 2	0.05	0.5	4	17	17	2.18	< 10	< 1	0.06	10	0.55	225
KA 100N 000	201 202	< 0.2	2.17	6	< 10	120	< 0.5	< 2	0.04	< 0.5	4	51	33	3.14	10	< 1	0.05	< 10	1.93	495
KA 100N 100W	201 202	< 0.2	0.78	4	< 10	100	< 0.5	< 2	0.01	< 0.5	1	8	11	1.40	< 10	< 1	0.04	< 10	0.20	65
KA 100N 200W	201 202	< 0.2	2.50	12	< 10	470	0.5	< 2	0.06	< 0.5	7	30	13	3.10	< 10	< 1	0.04	10	0.45	210
KA 200N 300W	201 202	0.2	2.12	12	< 10	350	< 0.5	< 2	0.09	< 0.5	9	30	24	2.91	< 10	< 1	0.05	10	0.47	325
KA 200N 100E	201 202	0.4	1.32	12	< 10	150	< 0.5	6	0.06	< 0.5	3	18	39	2.22	< 10	< 1	0.09	< 10	0.74	210
KA 200N 200E	201 202	< 0.2	1.02	6	< 10	100	< 0.5	< 2	0.09	< 0.5	6	11	17	1.94	< 10	< 1	0.10	10	0.81	295
KA 200N 000	201 202	0.2	1.01	4	< 10	200	< 0.5	12	0.07	< 0.5	3	17	23	1.55	< 10	< 1	0.04	10	0.44	115
KA 200N 100W	201 202	< 0.2	0.99	4	< 10	170	< 0.5	< 2	0.04	< 0.5	3	14	14	1.50	< 10	< 1	0.03	10	0.34	145
KA 200N 200W	201 202	< 0.2	0.76	4	< 10	100	< 0.5	< 2	0.02	< 0.5	2	11	11	1.29	< 10	< 1	0.04	10	0.21	130
KA 200N 300W	201 202	0.4	1.42	12	< 10	240	< 0.5	6	0.05	0.5	5	19	29	1.91	< 10	< 1	0.04	40	0.32	235
KA 300N 100E	201 202	0.4	1.10	18	< 10	290	< 0.5	4	0.11	0.5	4	19	26	1.89	< 10	< 1	0.03	< 10	0.55	145
KA 300N 200E	201 202	0.6	1.13	64	< 10	160	< 0.5	2	0.10	< 0.5	8	18	32	2.40	< 10	< 1	0.05	10	0.76	550
KA 300N 000	201 202	0.2	1.66	10	< 10	310	< 0.5	2	0.10	0.5	4	25	48	2.88	< 10	< 1	0.25	< 10	1.56	380
KA 300N 100W	201 202	< 0.2	0.74	2	< 10	190	< 0.5	< 2	0.05	< 0.5	3	12	16	1.31	< 10	< 1	0.04	10	0.30	130
KA 300N 200W	201 202	< 0.2	1.13	6	< 10	340	< 0.5	< 2	0.06	< 0.5	4	16	22	1.72	< 10	< 1	0.04	30	0.28	170
KA 300N 300W	201 202	< 0.2	1.12	8	< 10	240	< 0.5	4	0.08	< 0.5	4	19	19	1.95	< 10	< 1	0.04	20	0.29	175
KA 400N 100E	201 202	0.2	1.39	10	< 10	380	< 0.5	2	0.15	< 0.5	3	17	39	2.22	< 10	< 1	0.03	10	1.10	260
KA 400N 200E	201 202	0.2	0.82	14	< 10	250	< 0.5	2	0.11	< 0.5	1	12	22	1.46	< 10	< 1	0.04	< 10	0.56	135
KA 400N 000	201 202	0.2	1.27	6	< 10	420	< 0.5	< 2	0.13	< 0.5	5	34	28	1.97	< 10	< 1	0.05	10	0.75	250
KA 400N 100W	201 202	0.2	1.98	8	< 10	260	< 0.5	< 2	0.08	< 0.5	11	114	61	2.57	< 10	< 1	0.13	10	2.14	615
KA 400N 200W	201 202	0.4	0.87	6	< 10	220	< 0.5	2	0.06	< 0.5	4	17	18	1.68	< 10	< 1	0.03	10	0.36	150
KA 400N 300W	201 202	< 0.2	0.63	10	< 10	150	< 0.5	2	0.08	< 0.5	4	20	17	1.29	< 10	< 1	0.04	10	0.23	175
KA 500N 000	201 202	0.4	1.87	8	< 10	240	< 0.5	2	0.17	0.5	13	70	71	2.71	< 10	< 1	0.03	10	1.76	575
KA 500N 100E	201 202	0.2	1.17	10	< 10	180	< 0.5	2	0.37	< 0.5	7	48	30	1.60	< 10	< 1	0.04	< 10	1.00	335
KA 500N 200E	201 202	0.2	1.08	150	< 10	110	< 0.5	2	0.46	1.5	11	22	38	1.88	< 10	< 1	0.03	< 10	0.78	615

KA - Grid
 Soil Survey

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1
 Total Pages : 1
 Certificate Date: 16-JAN-2001
 Invoice No. : 10110287
 P.O. Number :
 Account : PRP

Project: KA SERIES
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS

A0110287

SAMPLE	PREP CODE	Mo ppm	Na %	Mg ppm	P ppm	<u>Pb</u> ppm	S %	<u>Se</u> ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
KA 000 100E	201 202	1 < 0.01	9	520	48	0.06	< 2	3	13	0.04	< 10	< 10	48	< 10	94	
KA 000 200E	201 202	1 < 0.01	7	120	26	< 0.01	< 2	1	6	0.03	< 10	< 10	23	< 10	32	
KA 000 000W	201 202	< 1 < 0.01	66	300	564	< 0.01	< 2	19	5	0.01	< 10	< 10	106	< 10	424	
KA 000 100W	201 202	3 < 0.01	6	690	1760	0.61	6	< 1	27	0.02	< 10	< 10	16	< 10	60	
KA 000 200W	201 202	< 1 < 0.01	3	200	68	< 0.01	< 2	1	5 < 0.01	10	< 10	4	< 10	100		
KA 100N 100E	201 202	< 1 < 0.01	4	800	46	0.03	< 2	< 1	12	0.01	< 10	< 10	27	< 10	70	
KA 100N 200E	201 202	< 1 < 0.01	11	420	30	0.01	< 2	< 1	9	0.02	< 10	< 10	26	< 10	72	
KA 100N 000	201 202	< 1 < 0.01	14	330	312	0.06	< 2	4	12	0.04	< 10	< 10	38	< 10	186	
KA 100N 100W	201 202	1 < 0.01	4	150	30	0.01	< 2	< 1	3	0.02	< 10	< 10	22	< 10	80	
KA 100N 200W	201 202	1 < 0.01	16	260	32	0.01	< 2	3	11	0.05	< 10	< 10	56	< 10	64	
KA 100W 300W	201 202	1 < 0.01	21	300	66	0.01	< 2	3	12	0.06	< 10	< 10	55	< 10	72	
KA 200N 100E	201 202	1 < 0.01	10	460	132	0.05	< 2	1	16	0.03	< 10	< 10	23	< 10	108	
KA 200N 200E	201 202	< 1 < 0.01	10	470	32	0.02	< 2	1	10	0.04	< 10	< 10	13	< 10	144	
KA 200N 000	201 202	< 1 < 0.01	11	310	76	0.02	< 2	1	12	0.03	< 10	< 10	24	< 10	82	
KA 200W 100W	201 202	1 < 0.01	10	160	38	< 0.01	< 2	< 1	7	0.03	< 10	< 10	25	< 10	48	
KA 200N 200W	201 202	< 1 < 0.01	6	140	38	< 0.01	< 2	< 1	4	0.03	< 10	< 10	24	< 10	54	
KA 200N 300W	201 202	1 < 0.01	14	270	132	0.01	2	1	8	0.03	< 10	< 10	28	< 10	116	
KA 300W 100E	201 202	1 < 0.01	11	430	68	0.03	< 2	1	15	0.02	< 10	< 10	26	< 10	90	
KA 300W 200E	201 202	1 < 0.01	11	540	30	0.02	< 2	1	12	0.02	< 10	< 10	20	< 10	136	
KA 300N 000	201 202	1 < 0.01	13	610	56	0.21	< 2	3	31	0.06	< 10	< 10	28	< 10	222	
KA 300W 100W	201 202	1 < 0.01	8	230	74	0.03	< 2	< 1	8	0.02	< 10	< 10	16	< 10	56	
KA 300N 200W	201 202	1 < 0.01	10	260	66	0.01	< 2	1	9	0.03	< 10	< 10	28	< 10	58	
KA 300N 300W	201 202	1 < 0.01	11	380	58	0.01	< 2	1	11	0.03	< 10	< 10	35	< 10	56	
KA 400N 100E	201 202	1 < 0.01	10	430	59	0.04	< 2	1	20	0.03	< 10	< 10	24	< 10	170	
KA 400N 200E	201 202	< 1 < 0.01	7	470	34	0.04	< 2	1	13	0.01	< 10	< 10	14	< 10	88	
KA 400N 000	201 202	< 1 < 0.01	14	470	102	0.04	< 2	2	14	0.02	< 10	< 10	30	< 10	112	
KA 400N 100W	201 202	1 < 0.01	36	240	192	0.03	< 2	6	10	0.06	< 10	< 10	52	< 10	224	
KA 400N 200W	201 202	< 1 < 0.01	12	200	62	0.01	< 2	1	9	0.03	< 10	< 10	24	< 10	66	
KA 400N 300W	201 202	< 1 < 0.01	11	360	52	0.01	< 2	< 1	8	0.02	< 10	< 10	19	< 10	54	
KA 500N 000	201 202	< 1 < 0.01	27	350	114	0.02	< 2	6	14	0.03	< 10	< 10	44	< 10	218	
KA 500N 100E	201 202	< 1 < 0.01	17	320	76	0.04	< 2	3	22	0.02	< 10	< 10	28	< 10	130	
KA 500N 200E	201 202	1 < 0.01	17	510	50	0.03	< 2	1	25	0.01	< 10	< 10	23	< 10	140	


CERTIFICATION:

King Claims

A-GRID LOCATION MAP

KAI Soil Series

METRIC/MÉTRIQUE



Approximate mean declination 1992
FOR CENTRE OF MAP
Annual change declination 10'

500 N comme pour donner les valeurs numériques:
DECLINAISON MOYENNE APPROXIMATIVE
400 N CENTRE DE LA CARTE EN 1992
Variation annuelle déclinante 10'.

300 N N
200 N ONE THOUSAND METRE
100 N UNIVERSAL TRANSVERSE MERCATOR GRID.
000 7 QUADRILLAGE UNIVERSEL TRANSVERSE DE MERCATOR
DE MILLE MÈTRES

GRID ZONE DESIGNATION: DÉSIGNATION DE LA ZONE DU QUADRILLAGE.	100 000 m SQUARE IDENTIFICATION IDENTIFICATION DU CARRE DE 100 000 m
7 V	E A

NTS 115 O / 14

EXAMPLE OF METHOD USED TO GIVE A REFERENCE TO NEAREST 100 METRES EXEMPLE DE LA MÉTHODE EMPLOYÉE POUR FIXER DES REPÈRES À 100 MÈTRES PRÈS	99 98 97 96 95	1 - 50,000 50,000 50,000 50,000 50,000
REFERENCE POINT POINT DE REPÈRE	CEMETERY	ROUTE
EX-100: Read number on route immediately to left of point AUS-100: Note le chiffre de la route du quadrillage immédiatement à gauche du repère		
Estimate length of a square from this line eastward to point Estimer le nombre de distances de case		

100W 000 100E 200E 300E 400E

200N

16.10
18.48

10.8
18.54

14.17
22.56

18.22
20.70

14.20
14.72

18.22
20.88

200N

100N

22.9
12.48

10.11
36.48

10.27
16.50

14.22
28.78

14.25
28.76

18.44
26.130

000

6.10
10.58

14.7
10.52

12.28
74.84

8.31
38.96

42.33
24.86

54.33
20.124

- 000 -

100S

12.14
24.86

12.13
32.54

8.23
32.116

4.17
20.70

24.112
38.104

32.25
18.124

ZN
ANOMALY

200S

12.25
14.94

17.32
8.82

8.25
16.104

12.48
24.172

18.48
32.131

18.37
15.112

200S

↑
North

30 ppm - Pb (1)
30 ppm - Pb (2)
30 ppm - Pb (3) - 100 ppm

KB GRID
KING Solomon
Island AREA

100m

scale

KING Claims
NE 1/4 SE 1/4



ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

CANADIAN UNITED MINERALS INC.

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Page Number : 1
Total Pages : 1
Certificate Date: 12-JAN-2001
Invoice No. : 10110301
P.O. Number :
Account : PRP

Project : KB SERIES
Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS

A0110301

SAMPLE	PREP CODE	Ag ppm	Al %	<u>As</u> ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	<u>Cu</u> ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
KB 000 100S	201 202	< 0.2	1.63	12	< 10	130	< 0.5	< 2	0.07	< 0.5	5	27	13	2.62	< 10	< 1	0.04	10	0.37	160
KB 000 200S	201 202	< 0.2	1.45	14	< 10	290	< 0.5	< 2	0.22	< 0.5	10	36	32	2.81	< 10	< 1	0.05	10	0.84	410
KB 000 000	201 202	< 0.2	1.55	14	< 10	280	< 0.5	< 2	0.05	< 0.5	3	15	7	1.68	< 10	< 1	0.07	30	0.33	160
KB 000 100N	201 202	< 0.2	1.37	10	< 10	190	< 0.5	< 2	0.07	< 0.5	4	19	8	2.18	< 10	< 1	0.06	10	0.29	185
KB 000 200N	201 202	< 0.2	1.13	10	< 10	180	0.5	< 2	0.10	< 0.5	6	19	11	2.01	< 10	< 1	0.06	20	0.53	310
KB 100E 100S	201 202	< 0.2	1.11	8	< 10	130	< 0.5	< 2	0.07	< 0.5	3	12	23	2.17	< 10	< 1	0.09	20	0.54	205
KB 100E 200S	201 202	< 0.2	2.47	8	< 10	140	< 0.5	< 2	0.05	< 0.5	9	68	25	4.44	10	< 1	0.05	< 10	2.02	300
KB 100E 000	201 202	< 0.2	1.41	12	< 10	190	0.5	< 2	0.10	< 0.5	6	22	28	1.08	< 10	< 1	0.07	40	0.43	315
KB 100E 100N	201 202	< 0.2	1.22	10	< 10	150	< 0.5	< 2	0.07	< 0.5	5	17	27	1.95	< 10	< 1	0.08	10	0.40	205
KB 100E 200N	201 202	< 0.2	1.57	14	< 10	230	< 0.5	< 2	0.12	< 0.5	4	25	17	2.26	< 10	< 1	0.08	10	0.48	200
KB 100W 100S	201 202	< 0.2	1.31	12	< 10	210	< 0.5	< 2	0.05	< 0.5	5	19	31	1.89	< 10	< 1	0.07	30	0.46	190
KB 100W 200S	201 202	< 0.2	1.99	12	< 10	150	< 0.5	< 2	0.09	< 0.5	11	45	25	3.13	10	< 1	0.05	10	1.27	355
KB 100W 000	201 202	< 0.2	1.71	6	< 10	230	< 0.5	< 2	0.05	< 0.5	4	21	10	2.48	< 10	< 1	0.06	10	0.52	240
KB 100W 100N	201 202	< 0.2	1.27	22	< 10	140	< 0.5	< 2	0.06	< 0.5	4	22	9	2.96	10	< 1	0.06	10	0.30	240
KB 100W 200N	201 202	< 0.2	1.28	16	< 10	230	< 0.5	< 2	0.07	< 0.5	4	20	10	2.33	< 10	< 1	0.06	10	0.30	185
KB 200E 100S	201 202	< 0.2	1.19	4	< 10	120	< 0.5	< 2	0.10	< 0.5	5	21	17	2.34	10	< 1	0.12	10	0.81	310
KB 200E 200S	201 202	0.2	1.82	142	< 10	130	< 0.5	< 2	0.07	< 0.5	9	26	48	4.11	10	< 1	0.06	10	1.13	435
KB 200E 000	201 202	< 0.2	1.34	8	< 10	160	< 0.5	< 2	0.10	< 0.5	5	20	31	2.11	< 10	< 1	0.09	20	0.57	275
KB 200E 100N	201 202	< 0.2	1.66	14	< 10	190	< 0.5	< 2	0.16	< 0.5	7	27	22	2.65	10	< 1	0.09	20	0.92	410
KB 200E 200N	201 202	< 0.2	1.47	18	< 10	180	< 0.5	< 2	0.13	< 0.5	7	25	22	2.39	< 10	< 1	0.07	20	0.79	305
KB 300E 100S	201 202	0.4	1.98	24	< 10	230	< 0.5	< 2	0.15	< 0.5	8	43	42	3.38	10	< 1	0.07	10	1.41	410
KB 300E 200S	201 202	0.4	2.34	98	< 10	140	< 0.5	< 2	0.08	< 0.5	13	70	45	4.27	10	< 1	0.11	< 10	1.88	450
KB 300E 000	201 202	0.2	1.40	42	< 10	160	< 0.5	< 2	0.09	< 0.5	8	24	33	2.52	< 10	< 1	0.07	10	0.84	405
KB 300E 100N	201 202	0.6	1.53	14	< 10	160	< 0.5	< 2	0.12	< 0.5	6	26	25	2.31	10	< 1	0.06	10	0.91	285
KB 300E 200N	201 202	< 0.2	1.60	14	< 10	150	< 0.5	< 2	0.12	< 0.5	8	28	20	2.50	10	< 1	0.06	10	1.10	365
KB 400E 100S	201 202	0.8	1.83	32	< 10	180	< 0.5	< 2	0.14	< 0.5	10	41	29	2.77	10	< 1	0.06	< 10	1.28	355
KB 400E 200S	201 202	0.6	1.77	78	< 10	120	< 0.5	< 2	0.06	< 0.5	5	29	37	3.52	10	< 1	0.05	< 10	1.20	215
KB 400E 000	201 202	0.2	1.49	54	< 10	140	< 0.5	< 2	0.10	< 0.5	9	24	33	2.40	< 10	< 1	0.07	10	0.87	335
KB 400E 100N	201 202	0.8	1.80	84	< 10	160	< 0.5	< 2	0.13	< 0.5	11	30	44	3.16	10	< 1	0.05	10	1.16	410
KB 400E 200N	201 202	0.2	1.87	18	< 10	130	< 0.5	< 2	0.13	< 0.5	9	32	22	2.91	10	< 1	0.06	10	1.35	360

KB - SERIES Soil Sample

From Grid on NTS # 115 O / 15
ON King Claims

CERTIFICATION:

Shawn Ryan
1/11/01



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Page Number : 1-
 Total Pages : 1
 Certificate Date: 12-JAN-2001
 Invoice No.: 10110301
 P.O. Number :
 Account : PRP

Project: KB SERIES
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0110301

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Ph	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
KB 000 100S	201 202	1	0.01	12	250	32	< 0.01	< 2	3	10	0.05	< 10	< 10	50	< 10	54
KB 000 200S	201 202	< 1	0.01	24	450	8	< 0.01	< 2	5	20	0.06	< 10	< 10	52	< 10	82
KB 000 000	201 202	< 1	< 0.01	6	130	10	< 0.01	< 2	2	7	0.01	< 10	< 10	23	< 10	52
KB 000 100N	201 202	1	0.01	9	220	36	< 0.01	< 2	1	8	0.04	< 10	< 10	42	< 10	48
KB 000 200N	201 202	< 1	0.01	9	280	18	< 0.01	< 2	2	11	0.05	< 10	< 10	29	< 10	54
KB 100E 100S	201 202	< 1	< 0.01	5	270	32	0.01	< 2	1	10	0.04	< 10	< 10	24	< 10	116
KB 100E 200S	201 202	4	< 0.01	25	440	16	0.04	< 2	7	12	0.11	< 10	< 10	108	< 10	104
KB 100E 000	201 202	< 1	0.01	13	330	74	0.01	< 2	3	12	0.04	10	< 10	33	< 10	84
KB 100E 100N	201 202	< 1	0.01	9	310	16	< 0.01	< 2	1	10	0.03	< 10	< 10	27	< 10	50
KB 100E 200N	201 202	1	0.01	13	440	22	0.01	< 2	1	14	0.04	< 10	< 10	40	< 10	56
KB 100M 100S	201 202	< 1	0.01	11	180	24	< 0.01	< 2	2	8	0.03	< 10	< 10	25	< 10	82
KB 100M 200S	201 202	1	0.01	21	660	14	0.01	< 2	2	16	0.03	< 10	< 10	63	< 10	94
KB 100M 000	201 202	2	< 0.01	7	300	10	0.01	< 2	1	8	0.03	< 10	< 10	41	< 10	58
KB 100M 100N	201 202	< 1	0.01	8	360	12	0.01	< 2	1	11	0.06	< 10	< 10	61	< 10	48
KB 100M 200N	201 202	1	0.01	10	280	18	0.01	< 2	1	10	0.04	< 10	< 10	45	< 10	48
KB 200E 100S	201 202	< 1	0.01	10	360	20	0.01	< 2	3	14	0.09	< 10	< 10	29	< 10	70
KB 200E 200S	201 202	3	0.01	19	730	74	0.07	< 2	1	27	0.03	< 10	< 10	48	< 10	172
KB 200E 000	201 202	< 1	0.01	10	400	38	< 0.01	< 2	2	11	0.04	< 10	< 10	27	< 10	96
KB 200E 100N	201 202	1	0.01	13	470	28	0.01	< 2	3	16	0.05	< 10	< 10	32	< 10	78
KB 200E 200N	201 202	1	0.01	14	380	20	0.01	< 2	3	14	0.05	< 10	< 10	31	< 10	70
KB 300E 100S	201 202	3	0.01	20	600	38	0.04	< 2	3	25	0.04	< 10	< 10	56	< 10	106
KB 300E 200S	201 202	3	0.01	28	590	32	0.05	< 2	9	17	0.08	< 10	< 10	92	< 10	158
KB 300E 000	201 202	1	0.01	13	450	24	0.04	< 2	2	16	0.03	< 10	< 10	32	< 10	86
KB 300E 100N	201 202	2	0.01	14	470	28	0.03	< 2	1	15	0.03	< 10	< 10	35	< 10	76
KB 300E 200N	201 202	< 1	< 0.01	12	500	14	0.01	< 2	3	14	0.04	< 10	< 10	37	< 10	72
KB 400E 100S	201 202	1	0.01	20	650	18	0.04	< 2	3	19	0.03	< 10	< 10	52	< 10	124
KB 400E 200S	201 202	3	0.01	16	680	52	0.07	< 2	1	23	0.03	< 10	< 10	42	< 10	112
KB 400E 000	201 202	1	0.01	16	550	20	0.01	< 2	1	14	0.03	< 10	< 10	31	< 10	124
KB 400E 100N	201 202	1	0.01	19	720	26	0.03	< 2	2	16	0.03	< 10	< 10	41	< 10	130
KB 400E 200N	201 202	2	< 0.01	15	650	20	0.01	< 2	3	15	0.03	< 10	< 10	43	< 10	88

CERTIFICATION:

KB Grid / Do Samples

NTS 115 O/15

SAMPLE Location

1 - 50,000

SCALE

NORTH ↑

TRAVERSE ROUTES


KGB Soil/Silt
SERIES


KB GRID

S 200N
T 100N
A 000
T 100S
N 200S

L 100W
I 000
N 100E
E 200E
S 300E
W 400E

METRIC/MÉTRIQUE





ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brookbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0


Page Number : 1-A
 Total Pages : 1
 Certificate Date: 16-JAN-01
 Invoice No. : 10110303
 P.O. Number :
 Account : PRP

Project : KGB SERIES
 Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS

A0110303

SAMPLE	PREP CODE	Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	<u>Cu</u> ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
		FAT+AA																		
KGB 20 SS 01A	201 202	< 5	0.6	1.67	24	< 10	150	< 0.5	< 2	0.19	< 0.5	9	28	29	2.50	< 10	< 1	0.03	< 10	0.97
KGB 20 SS 01B	201 202	< 5	0.4	1.55	32	< 10	130	< 0.5	< 2	0.18	< 0.5	9	25	30	2.33	< 10	< 1	0.02	< 10	0.93
KGB 20 SS 02	201 202	10	0.2	1.27	14	< 10	190	< 0.5	< 2	0.38	0.5	10	23	40	2.25	< 10	< 1	0.03	< 10	0.73
KGB 20 SS 03	201 202	< 5	0.2	1.43	34	< 10	130	< 0.5	< 2	0.30	0.5	10	22	31	2.36	< 10	< 1	0.02	< 10	1.02
KGB 20 SS 04	201 202	< 5	0.2	1.22	32	< 10	210	< 0.5	< 2	0.46	< 0.5	9	20	35	1.97	< 10	< 1	0.04	< 10	0.76
KGB 20 SS 05	201 202	35	0.2	1.13	34	< 10	170	< 0.5	< 2	0.42	1.0	11	20	31	1.86	< 10	< 1	0.04	< 10	0.73
KGB 20 S 06	201 202	< 5	0.4	2.16	20	< 10	100	< 0.5	< 2	0.28	0.5	19	26	67	3.39	< 10	< 1	0.03	< 10	1.85
KGB 20 S 07	201 202	< 5	0.2	2.11	34	< 10	100	< 0.5	< 2	0.16	< 0.5	10	33	49	3.14	< 10	< 1	0.02	< 10	1.39
KGB 20 SS 08A	201 202	< 5	0.2	1.51	16	< 10	190	< 0.5	< 2	0.42	< 0.5	10	29	20	2.12	< 10	< 1	0.04	< 10	1.04
KGB 20 SS 08B	201 202	< 5	0.2	0.98	40	< 10	180	< 0.5	< 2	0.21	< 0.5	6	29	18	1.51	< 10	< 1	0.04	< 10	0.75
KGB 20 SS 09	201 202	< 5	0.2	0.86	38	< 10	180	< 0.5	< 2	0.27	< 0.5	6	18	14	1.54	< 10	< 1	0.04	< 10	0.57
KGB 20 SS 10	201 202	< 5	0.2	1.07	54	< 10	90	< 0.5	< 2	0.29	< 0.5	5	18	17	1.72	< 10	< 1	0.04	< 10	0.81



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: CANADIAN UNITED MINERALS INC.

BOX 1260
 DAWSON CITY, YT
 Y0B 1G0

Project: KGB SERIES
 Comments: ATTN: SHAWN RYAN

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 16-JAN-01
 Invoice No. : 10110303
 P.O. Number :
 Account : PRP

CERTIFICATE OF ANALYSIS A0110303


SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
KGB 20 SS 01A	201 202	395	1	0.01	18	580	34	0.02	< 2	2	15	0.02	< 10	< 10	43	< 10	134
KGB 20 SS 01B	201 202	400	1	0.01	17	640	30	0.02	< 2	2	14	0.02	< 10	< 10	40	< 10	122
KGB 20 SS 02	201 202	430	< 1	0.01	18	820	14	0.02	< 2	3	27	0.03	< 10	< 10	37	< 10	116
KGB 20 SS 03	201 202	420	1	0.01	19	650	14	0.01	< 2	3	22	0.02	< 10	< 10	34	< 10	126
KGB 20 SS 04	201 202	445	< 1	0.01	15	610	30	0.04	< 2	2	27	0.03	< 10	< 10	27	< 10	144
KGB 20 SS 05	201 202	545	< 1	0.01	15	670	28	0.03	< 2	2	26	0.03	< 10	< 10	26	< 10	144
KGB 20 S 06	201 202	780	< 1	< 0.01	18	690	22	0.01	< 2	7	17	0.04	< 10	< 10	62	< 10	154
KGB 20 S 07	201 202	490	< 1	< 0.01	19	610	10	< 0.01	< 2	3	12	0.03	< 10	< 10	48	< 10	136
KGB 20 SS 08A	201 202	235	< 1	0.01	19	600	10	0.03	< 2	4	26	0.04	< 10	< 10	52	< 10	74
KGB 20 SS 08B	201 202	250	< 1	0.01	15	460	32	0.01	< 2	1	18	0.03	< 10	< 10	23	< 10	84
KGB 20 SS 09	201 202	215	< 1	0.01	13	620	22	0.01	< 2	1	20	0.03	< 10	< 10	25	< 10	66
KGB 20 SS 10	201 202	220	1	< 0.01	12	660	24	0.01	< 2	1	19	0.03	< 10	< 10	20	< 10	68

KGB SS - SILTS From King Claims


KGB S - Soil From King claims

Sample Location Found ON


NTS # 115 O/15




(K) Kennecott Canada Inc.
 Vancouver
 TOP, WIN, and CAB CLAIMS
 SOIL GEOCHEMISTRY/ZINC PPM
 YUKON, CANADA
 Date: 07/05/83 Author:
 File: KLSZN-F Pg: _____
Figure 11




- 0 - 30 ppm Cu
- 31 - 100 ppm Cu
- 101 - 150 ppm Cu
- ◎ > 151 ppm Cu



	Kennecott Canada Inc. Vancouver
+	TOP, WIN, and CAB CLAIMS
SOIL GEOCHEMISTRY COPPER PPM	
YUKON, CANADA	
Date: 07/05/83	Author:
File: KLSU-F	PS:
Figure 9	




- 0 - 30 ppm As
- 31 - 100 ppm As
- 101 - 150 ppm As
- ◎ > 151 ppm Pb




Kennecott Canada Inc.
Vancouver
TOP, WIN, and CAB CLAIMS
SOIL GEOCHEMISTRY ARSENIC PPM
YUKON, CANADA

Date: 07/09/83	Author:
File: KLSAS-F	PS:

Figure 7



 Kennecott Canada Inc.
 Vancouver
TOP, WIN, and CAB CLAIMS
SOIL GEOCHEMISTRY SILVER PPM
YUKON, CANADA
 Date: 07/09/83 Author:
 File: KLSAG-F PS:
Figure 6





Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

O: KENNECOTT CANADA, INC.

354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Project: KLONDIKE GOLD-TOP
 Comments:

Page Number: 1-A
 Total Pages: 5
 Certificate Date: 08-AUG-9
 Invoice No.: 19317941
 P.O. Number: 05-428
 Account: KAVA

CERTIFICATE OF ANALYSIS A9317941

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
VR 6001 A	201 229	< 5	0.6	2.18	38	210	< 0.5	< 2	0.09	< 0.5	5	29	36	4.64	< 10	< 1	0.06	10	0.73	205
VR 6002 A	201 229	< 5	0.2	2.12	66	80	< 0.5	< 2	0.06	< 0.5	12	25	42	4.47	< 10	< 1	0.02	10	1.60	385
VR 6003 A	201 229	< 5	0.2	1.60	34	80	< 0.5	< 2	0.04	< 0.5	4	20	15	3.27	< 10	< 1	0.02	10	1.33	175
VR 6004 A	201 229	< 5	0.2	1.84	68	120	< 0.5	< 2	0.04	< 0.5	8	24	26	3.80	< 10	< 1	0.02	10	1.16	225
VR 6005 A	201 229	< 5	0.4	1.97	140	120	< 0.5	< 2	0.04	< 0.5	12	22	69	4.20	< 10	< 1	0.04	10	1.55	350
VR 6006 A	201 229	< 5	0.4	1.65	184	100	< 0.5	< 2	0.06	< 0.5	8	23	55	4.06	< 10	< 1	0.03	10	1.18	395
VR 6007 A	201 229	< 5	< 0.2	1.63	12	90	< 0.5	< 2	0.07	< 0.5	7	45	18	3.02	< 10	< 1	0.07	< 10	1.58	300
VR 6008 A	201 229	< 5	< 0.2	1.16	14	100	< 0.5	< 2	0.05	< 0.5	3	21	6	2.97	< 10	< 1	0.03	10	0.26	140
VR 6009 A	201 229	< 5	< 0.2	0.85	14	260	< 0.5	< 2	0.03	< 0.5	2	12	5	2.53	< 10	< 1	0.10	20	0.27	150
VR 6010 A	201 229	< 5	0.4	1.15	14	200	< 0.5	< 2	0.07	< 0.5	2	15	9	2.82	< 10	< 1	0.04	10	0.17	110
VR 6011 A	201 229	< 5	< 0.2	1.47	2	130	< 0.5	< 2	0.13	< 0.5	4	11	3	2.26	< 10	< 1	0.09	< 10	1.48	300
VR 6012 A	201 229	< 5	< 0.2	1.65	6	390	< 0.5	< 2	0.07	< 0.5	4	17	6	2.34	< 10	< 1	0.04	10	0.28	245
VR 6013 A	201 229	< 5	< 0.2	1.14	8	500	< 0.5	< 2	0.06	< 0.5	2	7	4	1.35	< 10	< 1	0.04	20	0.34	120
VR 6014 A	201 229	< 5	< 0.2	0.52	24	140	< 0.5	2	< 0.01	< 0.5	1	4	10	1.01	< 10	< 1	0.08	40	0.14	125
VR 6015 A	201 229	< 5	< 0.2	1.40	18	160	< 0.5	< 2	0.07	< 0.5	4	23	7	2.65	< 10	< 1	0.06	10	0.34	205
VR 6016 A	201 229	< 5	0.2	1.03	4	200	< 0.5	< 2	0.10	< 0.5	3	17	7	2.13	< 10	< 1	0.02	10	0.18	225
VR 6017 A	201 229	< 5	0.4	2.24	22	290	0.5	< 2	0.06	< 0.5	7	27	7	3.02	< 10	< 1	0.02	10	0.31	225
VR 6018 A	201 229	< 5	< 0.2	0.62	10	150	< 0.5	< 2	0.01	< 0.5	2	4	3	0.94	< 10	< 1	0.08	20	0.17	95
VR 6019 A	201 229	< 5	< 0.2	0.55	< 2	60	< 0.5	< 2	0.02	< 0.5	1	4	1	0.93	< 10	< 1	0.06	20	0.14	70
VR 6020 A	201 229	< 5	< 0.2	1.27	10	150	< 0.5	< 2	0.18	< 0.5	4	21	8	3.15	< 10	< 1	0.06	10	0.34	215
VR 6021 A	201 229	< 5	< 0.2	1.55	8	220	< 0.5	< 2	0.08	< 0.5	6	24	9	2.51	< 10	< 1	0.05	10	0.34	205
VR 6022 A	201 229	< 5	0.2	0.53	2	210	< 0.5	< 2	0.10	< 0.5	1	9	10	0.65	< 10	< 1	0.02	10	0.03	35
VR 6023 A	201 229	< 5	< 0.2	0.80	8	200	< 0.5	< 2	0.03	< 0.5	2	8	6	1.20	< 10	< 1	0.06	20	0.14	55
VR 6024 A	201 229	20	< 0.2	1.63	18	120	< 0.5	< 2	0.01	< 0.5	10	16	16	2.90	< 10	< 1	0.08	20	0.92	325
VR 6025 A	201 229	< 5	< 0.2	1.55	14	190	< 0.5	< 2	0.04	< 0.5	4	24	15	3.03	< 10	< 1	0.02	10	0.43	185
VR 6026 A	201 229	< 5	< 0.2	1.68	8	200	< 0.5	< 2	0.09	< 0.5	7	24	16	2.45	< 10	< 1	0.06	20	0.61	205
VR 6027 A	201 229	< 5	< 0.2	0.56	8	120	< 0.5	< 2	0.01	< 0.5	1	7	4	1.18	< 10	< 1	0.07	20	0.08	60
VR 6028 A	201 229	< 5	< 0.2	1.36	52	130	< 0.5	< 2	0.07	< 0.5	3	23	7	3.06	< 10	< 1	0.06	10	0.37	120
VR 6029 A	201 229	< 5	< 0.2	1.68	14	170	< 0.5	< 2	0.07	< 0.5	3	20	19	2.58	< 10	< 1	0.03	10	0.62	215
VR 6030 A	201 229	< 5	< 0.2	1.93	6	190	< 0.5	< 2	0.04	< 0.5	4	24	15	3.03	< 10	< 1	0.02	10	0.43	185
VR 6031 A	201 229	< 5	< 0.2	3.57	14	90	< 0.5	< 2	0.05	< 0.5	9	210	72	4.347	< 10	< 1	0.02	< 10	3.71	820
VR 6032 A	201 229	< 5	0.4	1.87	8	300	< 0.5	< 2	0.07	< 0.5	7	30	15	3.01	< 10	< 1	0.07	10	0.39	170
VR 6033 A	201 229	< 5	< 0.2	0.65	< 2	200	< 0.5	< 2	< 0.01	< 0.5	1	4	5	1.54	< 10	< 1	0.13	40	0.29	50
VR 6034 A	201 229	< 5	< 0.2	1.47	12	200	< 0.5	< 2	0.08	< 0.5	4	27	6	3.21	< 10	< 1	0.04	10	0.32	145
VR 6035 A	201 229	< 5	< 0.2	1.59	2	380	< 0.5	< 2	0.09	< 0.5	4	25	7	2.63	< 10	< 1	0.03	10	0.29	170
VR 6036 A	201 229	< 5	0.4	1.35	4	310	< 0.5	< 2	0.07	< 0.5	10	18	7	2.20	< 10	< 1	0.02	10	0.16	1390
VR 6037 A	201 229	< 5	< 0.2	0.43	< 2	70	< 0.5	< 2	0.01	< 0.5	1	2	11	0.91	< 10	< 1	0.06	10	0.08	155
VR 6038 A	201 229	< 5	0.2	1.74	12	380	< 0.5	< 2	0.07	< 0.5	4	26	8	2.99	< 10	< 1	0.02	10	0.26	225
VR 6039 A	201 229	< 5	< 0.2	2.09	16	280	< 0.5	< 2	0.07	< 0.5	7	33	11	3.05	< 10	< 1	0.03	10	0.38	255
VR 6040 A	201 229	< 5	< 0.2	1.88	6	180	< 0.5	< 2	0.09	< 0.5	5	33	9	3.98	< 10	< 1	0.02	10	0.38	170

CERTIFICATION: *Janice Bickler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

3: KENNECOTT CANADA, INC.

354 - 200 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1S4

Page Number : 1-B
 Total Pages : 5
 Certificate Date: 08-AUG-93
 Invoice No. : 19317941
 P.O. Number : 05-428
 Account : KAVA


Project: KLONDIKE GOLD-TOP
 Comments:

CERTIFICATE OF ANALYSIS


A9317941

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
VR 6001 A	201 229	2 < 0.01	14	420	80	38	3	14	0.04	< 10	< 10	70	< 10	96	
VR 6002 A	201 229	3 < 0.01	20	720	24	42	2	18	0.01	< 10	< 10	48	< 10	106	
VR 6003 A	201 229	2 < 0.01	11	550	48	< 2	1	12	0.01	< 10	< 10	34	< 10	98	
VR 6004 A	201 229	3 < 0.01	18	670	34	< 2	1	13	0.01	< 10	< 10	46	< 10	86	
VR 6005 A	201 229	2 < 0.01	28	720	66	< 2	3	58 < 0.01	< 10	< 10	< 10	34	< 10	210	
VR 6006 A	201 229	3 < 0.01	18	760	124	< 2	1	25	0.01	< 10	< 10	56	< 10	176	
VR 6007 A	201 229	< 1 < 0.01	27	440	16	< 2	3	9	0.07	< 10	< 10	66	< 10	90	
VR 6008 A	201 229	1 < 0.01	9	300	14	< 2	1	6	0.04	< 10	< 10	56	< 10	34	
VR 6009 A	201 229	< 1 < 0.01	3	390	30	6	1	13	0.03	< 10	< 10	30	< 10	36	
VR 6010 A	201 229	1 < 0.01	5	290	24	< 2	1	8	0.04	< 10	< 10	63	< 10	32	
VR 6011 A	201 229	< 1 < 0.01	7	370	22	< 2	2	10	0.08	< 10	< 10	11	< 10	72	
VR 6012 A	201 229	< 1 < 0.01	9	200	12	2	2	6	0.03	< 10	< 10	42	< 10	90	
VR 6013 A	201 229	< 1 < 0.01	2	110	16	6	1	9	0.02	< 10	< 10	23	< 10	56	
VR 6014 A	201 229	1 < 0.01	< 1	180	36	< 2	< 1	6 < 0.01	10	< 10	< 10	4	< 10	40	
VR 6015 A	201 229	1 < 0.01	11	300	12	< 2	2	9	0.04	< 10	< 10	48	< 10	46	
VR 6016 A	201 229	< 1 < 0.01	6	500	12	< 2	< 1	9	0.02	< 10	< 10	50	< 10	34	
VR 6017 A	201 229	1 < 0.01	13	350	18	< 2	2	5	0.03	< 10	< 10	52	< 10	68	
VR 6018 A	201 229	< 1 < 0.01	2	240	24	< 2	< 1	2 < 0.01	< 10	< 10	< 10	8	< 10	18	
VR 6019 A	201 229	< 1 < 0.01	2	140	4	< 2	< 1	2	0.01	< 10	< 10	16	< 10	14	
VR 6020 A	201 229	1 < 0.01	10	370	12	< 2	2	14	0.06	< 10	< 10	63	< 10	50	
VR 6021 A	201 229	1 < 0.01	13	260	20	2	2	8	0.04	< 10	< 10	47	< 10	48	
VR 6022 A	201 229	< 1 < 0.01	4	590	12	< 2	< 1	15 < 0.01	< 10	< 10	< 10	22	< 10	12	
VR 6023 A	201 229	1 < 0.01	2	230	16	< 2	< 1	6	0.02	< 10	< 10	27	< 10	16	
VR 6024 A	201 229	2 < 0.01	10	280	12	< 2	4	2	0.02	< 10	< 10	18	< 10	80	
VR 6025 A	201 229	< 1 < 0.01	11	220	20	< 2	3	7	0.04	< 10	< 10	54	< 10	54	
VR 6026 A	201 229	< 1 < 0.01	15	150	20	< 2	3	9	0.04	< 10	< 10	41	< 10	60	
VR 6027 A	201 229	3 < 0.01	4	110	76	< 2	1	4	0.01	< 10	< 10	11	< 10	12	
VR 6028 A	201 229	< 1 < 0.01	7	410	24	< 2	1	9	0.05	< 10	< 10	60	< 10	36	
VR 6029 A	201 229	< 1 < 0.01	8	360	36	< 2	2	11	0.04	< 10	< 10	47	< 10	70	
VR 6030 A	201 229	1 < 0.01	12	220	20	< 2	3	7	0.04	< 10	< 10	54	< 10	54	
VR 6031 A	201 229	< 1 < 0.01	51	200	376	< 2	12	4	0.03	< 10	< 10	108	< 10	418	
VR 6032 A	201 229	1 < 0.01	17	210	96	< 2	3	14	0.06	< 10	< 10	52	< 10	62	
VR 6033 A	201 229	< 1 < 0.01	3	270	56	< 2	< 1	21 < 0.01	10	< 10	< 10	8	< 10	76	
VR 6034 A	201 229	1 < 0.01	10	200	20	< 2	2	9	0.07	< 10	< 10	65	< 10	46	
VR 6035 A	201 229	< 1 < 0.01	10	230	22	< 2	2	8	0.05	< 10	< 10	52	< 10	42	
VR 6036 A	201 229	1 < 0.01	9	290	22	< 2	1	6	0.04	< 10	< 10	52	< 10	82	
VR 6037 A	201 229	1 < 0.01	1	200	32	< 2	< 1	2	0.01	< 10	< 10	16	< 10	58	
VR 6038 A	201 229	2 < 0.01	9	250	26	< 2	2	7	0.06	< 10	< 10	63	< 10	72	
VR 6039 A	201 229	1 < 0.01	13	250	48	< 2	3	7	0.04	< 10	< 10	55	< 10	118	
VR 6040 A	201 229	1 < 0.01	13	230	34	< 2	2	9	0.07	< 10	< 10	72	< 10	50	

CERTIFICATION: Hart Bickler



Kennecott Canada Inc.
 Vancouver
TOP, WIN, and CAB CLAIMS
SOIL GEOCHEMISTRY / LEAD PPM
YUKON, CANADA
 Date: 07/05/83 Author:
 File: KLSPB-F PS: **Figure 10**



DATA & COMPANY LTD.
1010 - 11th Street
Vancouver, B.C.
V7P 2R5
(604) 985-0681
J-152067



Geochemical
Lab Report

REPORT: V88-05644.0


PROJECT: HL-DE-JU

PAGE 16

SAMPLE NUMBER	ELEMENT UNITS	Au 30g PPB	Au/wt G	Au/wt G	Ag PPM	Pb PPM	<u>As</u> PPM	Ba PPM
S1 HL4 24+00	8	30.0		0.1	26	8	2500	
S1 HL4 25+00	5	30.0		0.1	6	3	1500	
S1 HL4 EMPTY BAG 26+00	IS	IS		IS	IS	IS	IS	
S1 HL4 EMPTY BAG 27+00	IS	IS		IS	IS	IS	IS	
S1 HL4 28+00	13	30.0		<0.1	5	4	1100	
S1 HLS 28+00	12	20.0		0.1	7	3	790	
S1 HLS 29+00	15	30.0		0.1	4	3	950	
S1 HLS 30+00	6	30.0		0.2	9	5	1900	
S1 HLS 31+00	45	20.0		0.2	9	11	1600	
S1 HLS 32+00	42	30.0		1.2	154	30	2000	
S1 HLS 33+00	8	30.0		0.5	25	6	1800	
S1 HLS EMPTY BAG 34+00	IS	IS		IS	IS	IS	IS	
S1 HLS 35+00	11	30.0		<0.3	14	6	1800	
S1 HLS 36+00	8	30.0		0.1	6	4	920	
S1 HLS 37+00	6	30.0		0.2	8	8	1300	
S1 HLS 38+00	21	30.0		0.4	16	10	1900	
S1 HLS 39+00	154	30.0		0.3	14	14	1700	
S1 HLS 40+00	10	28.0		0.3	8	5	1600	
S1 HLS 41+00	19	30.0		0.3	15	13	1900	
S1 HLS 42+00	9	30.0		0.3	13	7	1500	
S1 HLS 43+00	13	30.0		0.4	11	9	1300	
S1 HLS 44+00	14	30.0		0.4	12	10	2800	
S1 HLS 45+00	15	30.0		0.5	15	5	1500	
S1 HLS 46+00	9	30.0		0.5	8	2	1000	
S1 HLS 47+00	6	30.0		1.2	21	0	2100	
S1 HLS 48+00	6	30.0		2.1	16	36	1500	
S1 HLS 49+00	8	30.0		0.9	26	(100)	1900	
S1 HLS 50+00	7	30.0		1.2	71	75	3800	
S1 HLS 51+00	23	30.0		0.4	83	400	2800	
S1 HL6 0+00	8	30.0		0.3	27	70	2400	
S1 HL6 1+00	7	30.0		0.1	28	35	1900	
S1 HL6 2+00	6	30.0		0.2	15	70	1300	
S1 HL6 3+00	8	30.0		0.4	17	39	920	
S1 HL6 4+00	6	30.0		0.3	20	50	1900	
S1 HL6 5+00	13	30.0		0.3	10	29	1100	
S1 HL6 6+00	10	30.0		0.6	13	23	1500	
S1 HL6 7+00	29	30.0		0.6	24	68	1500	
S1 HL6 8+00	43	30.0		0.2	13	28	1600	
S1 HL6 9+00	12	30.0		0.2	11	16	1300	
S1 HL6 10+00	19	25.0		0.4	13	24	1200	

Cominco Assessment REPORT
King Solomon Dome AREA.

OREKON
M.L.



E GRID

King Solomon Dome

△ 2018

AS Soil /
Anomaly

LINE 150W
LINE 450W
LINE 150E
LINE 450E
LINE 750E

C GRID


D GRID

AG E gnis



9

200



CW

E GRID

9 13 12 19 21 20 18 14 3 34 23 44 40 34


14

14

11

17

8 9 12 17 32 7 12 38 23 5 93 25 18 22 25



21

47

14

14

12 19 13 20 20 8 12 3 1 13 21 16 20 18

34

8

10

6

6

11 16 7 5 6 10 11 3 1 6 6 13 13 16

3W

2W

1W

BL

1E

2E


3E

Cominco

Zn ppm


FE Grid

Zn



KING SOLOMON DOME







KIN

KING Data Compilation

PROPOSED GRID





1:50,000 SCALE

NORTH

NTS 1150/14

King Claim Block
Proposed Grid location

NTS 1150/15