REPORT OF FINDINGS
YMIP 04-001

By

JANES S. DODGE, P.ENG.
P.O. BOX 31013

WHITEHORSE, YUKON TERRITORY
Y1A 5P7

10 OCTOBER, 2004

TABLE OF CONTENTS

LIST OF FIGURES



0 100 200 300

KILOMETRES

Lambert Conformal Conic Projection
with Standard Parallels at 49°N and 77°N

LOCATION MAP
FLO Claims

SCALE: 1 : 6 000 000		DATE:
N.T.S.: 105	DRAWN:	FIGURE 1

SUMMARY

YMIP contributions were made to prospector James S. Dodge for grassroots and geochemical soil sampling in the 2004 field season in the Hoole River watershed of southeastern Yukon. Work was carried out in three areas which had been chosen as comprising geologic rationales for undertaking initial exploration for stratiform zinc (A), for pneumatolitic mineralization beyond the fluorite-bearing greissen deposits of the FLO claims (YMIP 2002) at (B); and for emeralds (C).

In Area 'A' prospecting was carried out initially in the vicinity of muscovite-feldspar-quartz calcareous schist Tanana outcrops. No evidence of zinc mineralization was seen. Rock samples from pyritic sulfide boulders from the glacial kame-terrace deposits yielded 10ppm and 12ppm Gold by ICP along with low level REE signatures. Curiously, subsequent fire assaying of the (above) samples gave only 0.01gm/mt in Gold.

In Area 'B' prospecting of patchy bedrock outcrops for one-kilometer west of the FLO fluorspar-bearing greissen did not turnup new fluorspar occurr-ences or other pneumatolitic minerals. Nevertheless, a 32-sample auger soil sample grid was undertaken, but no geochemically anomalous values were obtained. Contiguous with the FLO Claim #2 a swarm of large weakly rounded ultramafic boulders was excavated and samples were anomalously high in Nickel (370ppm0, Chromium (482ppm), Cobalt (60ppm). The presence of pervasive cubic crystals ('eyes) of magnetite in the ultramatic host would call for a magnetometer reconnaissance survey in the search up-ice for the bedrock source of the ultramafic host.

Area 'C' adjoins the northeastern end of the MAUI claims where outcrops of Devonian biotite-muscovite-feldspar-quartz of the Fire Lake Df are found'This is similar to the host schists of the emerald-bearing True North Gem emerald deposits. Unfortunately, no pneumatolitic mineralization, such as tourmaline, was seen.

Recommendations are made only for a magnetometer reconnaissance to locate the up-ice source of the bedrock and its anomalously high Ni,Cr,Co assays.


YMIP
2004
'A'
TRAVERSES
SOIL LINES
'B'
SOIL LINES
FLO
TRAVERSES
HOOLE
RIVER
N
1056-1
0 1000m


105G-6
105G 066A
105G 016
MGag
1400
1300
1600
N
VMIP 2004 TRAVERSES
DF
BIV Camps
105G 020A
DMcg
105G 061
Dq
Dqm
MAUI
HOOLE
105G 017
MGag

LOCATION AND ACCESS

The three-part work area for the YMIP is in the Hoole River drainage with "A" centred at UTM 0359464E/6839301N on the southwest bank of the river; Area "B" is centered at UTM 0364521E/6834522N contiguous to the FLO claims near a moose pond; Area "C" is centred at UTM 0376310/6713500 contiguous with the northeastern corner of the MAUI claims.

Access for all areas is by Trans North Helicopters from its base at the village of Ross River. All areas lie southeast of Ross River at 52km, 67km, and 88km for "A", "B", and "C" respectively. Area "A" and "B" lie 7km and 12km respectively south of the Robert Campbrell Highway. Area "C" covers an area above timberline at 1500m altitude some 3km northeast of the Tintina Trench and 20km south of the highway.

Three 2-week base camps were set in by Trans North Helicopters from which two bivouac camps and daily traverses on foot were made. A hand held Gorman GPS was used to locate outcrops and sample sites on the UTM coordinates.

The three prospecting areas are lettered "A","B","C" as shown on the accompanying topographic maps. Outcrops are plentiful near or above timberline ("B" and "C"), but poor or non-existent below the 1450m altitude.

GEOLOGY
FIELD RESULTS

Two geologic terranes are recognized in southeastern Yukon; namely, the Yukon-Tanana (YTT) and the Slide-Mountain (SMT). The schist package underlying Area (1)"A", as exposed in one cliff outcrop along the Hoole River, comprises a calcareous muscovite feldspar quartz (YTT) within which are several mela-lenses of garnetiferous biotite feldspar quartz. Among the boulders exposed in a glacial kame-terrace two samples of pyritic biotite muscovite quartz schist assayed (4-acid ICP) 12ppm and 14ppm gold! However, subsequent fire assaying of both samples reported only 0.01gm/mt.

Area (2)"B" covers the southwesterly projection of the distinct fluorspar-bearing greissen characterized by hydro-muscovite within a pervasive chalcedonic replacement of augen gneiss. Aside from fluorspar, no pneumatolitic mineral have been found within the FLO claims or in Area (2)"B". Nevertheless, while hand grubbing to expose the greissen bedrock a few meters southwest of FLO Claim #2 post No. 1, a 50m long scattering of large (60cm) semi-rounded ultramafic boulders of magnetite cubic crystal "eyes" was unearthed. One sample assayed Ni(370ppm), Co(62ppm), and Cr(482). Prospecting with a magnetometer up-ice to locate the bedrock source is recommended.

Area (3)"C) was chosen as a target for emeralds as the favourable upper Devonian "Dq" formation reportedly occurred just off the northeast corner of the MAUI claim group. However, no tourmalin-ization was found in the biotite muscovite feldspar quartz schist, and the emerald potential was therefore, considered to be very low. No further work in the area can be recommended.

CONCLUSIONS

Detailed grassroots prospecting of sparsely distributed bedrock outcrops in all three of the Areas of the 2004 YMIP was followed up by soil sampling in Areas I and II.

A total of ten rock samples and 10 soil samples from Area I were assayed. Two samples of boulder float yielded by 4-acid ICP geochemical highs of 12 and 14 ppm gold. Subsequent fire assaying of these samples returned only 0.01 gm/mt. The disparity of values in the samples has not been determined. Soil samples in Area I did not reveal any anomalously high geochemical values.

In Area II none of the 32 soil samples identified geochemical anomalies. However, one rock sample in a 30m cluster of cubic magnetite crystal 'eyes' boulders carried high geochemical values in Ni, Cr, Co. The area is near the southwestern corner of FLO #2 claim.

In Area III no outcrops of muscovite-biotite-quartz schist displayed any evidence of oxidized sulfide minerals nor of tourmaline which could indicate the possibility of beryllium (emerald) concentrations.

RECOMMENDATIONS

1) **No further prospecting or soil sampling in Area I, unless additional assaying of two specific samples were to confirm the presence of gold.**

2) **The Area II assay returns of anomalously high values for Ni, Co, Cr in one of a cluster of boulders of an ultramafic with cubic crystal magnetite as 'eyes' points to a target for an up-ice source of their bedrock source. A magnetometer reconnaissance is recommended.**

3) **No further work can be recommended for Area III.**

REFERENCES

Templeman-Kluit,.D.J 1979a: Transported cataclasite, ophiolite, and granodiorite in Yukon: evidence for arc-continent collision; Geological Survey of Canada, Paper 79-14, 27p.

Mortensen,J.K. and Jilson,G.A. 1985 Evolution of the Yukon-Tanana terrane: Evidence from southeastern Yukon Territory: Geology, v. 13, no.11, p.806-810.

Jackson,L.E.jr. 1993 Surficial Geology, Hoole River, Yukon Territory; Geological Survey of Canada, Map 1794A.

Yukon Exploration and Geology 1999; Indian and Northern Affairs Canada: Emerald Exploration, p.26.

Bond,J.D., Surficial Geology and Till Geochemistry of Weasel Lake Map Area, (105G-13), East-Central Yukon in Yukon Exploration and Geology 2000, Yukon, Indian and Northern Affairs Canada, p. 73-96.

Murphy,D.C. et al, 2001: Preliminary Bedrock Geological Map of Northern Finlayson Lake Area (NTS 105G) Yukon Territory, Yukon Geological Survey, Energy Mines and Resources, Yukon Government: Open File 2001-33.

ABRIDGED RESUME
JAMES S. DODGE, P.ENG.

Education:

B.S. Mining Engineering, 1941, Missouri School of Mines, Rolla, Missouri, U.S.A..
M.S. Economic Geology, 1951, Leland Stanford University, Palo Alto, California, U.S.A.
Field Geology Mapping, 1940 , Princeton University , Red Lodge, Montana, U.S.A.
African Ore Deposits, 1952, Albert Ludwigs Universitaet, Freiburg im Breisgau, Germany

Experience:

Miner - 1939 South London, Colorado; 1941 Hirst Chichagof, Alaska
Mine Geologist – 1941-1943, under Reno Sales, Anaconda Copper, Butte, Montana
Mine Operator – 1945 U.S.Army Engineer Lieutenant, air field construction, Kyushu, Japan
Deputy Chief, Mining/Geology – 1946-1949 SCAP Occupation, Tokyo, Japan
Senior Exploration Geologist – 1954-1955 U.S.Atomic Energy Commission, Washington, D.C.
Prospector/Mine Operator – 1956-1959 Fryingpan Uranium Co., Aspen, Colorado
Prospector – 1958-1959 - Southern Rhodesia/Northern Rhodesia – emeralds
Geologist – 1959 – Guest Gov't. France, Uranium deposits, Massif Central, France
Consultant – 1960-1964 – Mitsui Mining/Smelting – Porphyry Coppers Peru, Chile, U.S.A.
Consultant – 1963-1966 - Mitsui Mining/Smelting – Pb/Zn Massive Sulfides, Vangordà, Yukon
Consultant - 1967 ' ' ' ' ' ' '

Thayer Lindsey (B.C.); ESSO staked Eaglehead (B.C.); Eisenman Chemical Nevada discovered largest No.Am. barite deposit; Glidden Co. barite New Mexico; DIAND Whitehorse copper; unconformity uranium, Sask.; magnetite Southern California; beach sand gold, Yagataga, Alask Atlas Exploration, copper Chile; bedding sands, Manitoba; expa nded shale, Japan; TEA barite Yukon; minette pipes, Dawson, Yukon; Tarvisio, Italy Pb/Zn; Morocco/Algeria 1952 Pb/Zn.

Affiliation:

Senior Fellow, Society of Economic Geologists
Member, Association of Professional Engineers, Yukon Territory

ASSAY RESULTS (1)

DESCRIPTION:

Area "A" Rock Samples

Acme File #A 403193
Ten samples #B183101 - B183110

SIGNIFICANT RESULTS:

Samples #B183102 and #B183103 each approximately weighing 1500 gm from same 45cm glacial boulder.
Assayed by 1E Group:
1) 12 and 10 ppm with minor Sb
2) REE signatures in Th,La,Nb,Zr

SUBSEQUENT ASSAYS:

1) Assayed Group 6 Fire Assay
a) #B183102 = .01 gm/mt Au
b) #B183103 = .01 gm/mt Au

INTERPRETATION:

a) Fire assays are judged to be accurate.
b) REE signatures are similar to those of the REE deposits in the syenite belt south of the Ketza River area with low Au.
c) Consequently it is concluded that somehow a 'nugget effect' may be held responsible to account for the Au values reported from 4-acid ICP
d) Rejects and pulps are requested to be returned to Dodge.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Dodge, Jim File # A403193

P.O. Box 31013 RPO, Whitehorse YT Y1A 2P7 Submitted by: Jim Dodge

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
B 183101	9	18	23	38	.6	8	<2	58	1.26	17	12	<4	9	44	.7	<5	<5	98	.41	.101	69	31	.39	669	.16	4.94	.36	2.91	<4	75	3	16	80	2	4
B 183102	11	10	20	9	1.4	2	<2	33	1.00	21	<10	12	32	51	1.2	23	<5	60	.59	.053	141	10	.48	1724	.31	9.87	.93	6.35	<4	204	8	33	193	4	3
B 183103	10	7	20	5	2.1	2	<2	33	1.24	16	<10	10	36	54	.4	23	<5	54	.62	.055	142	12	.41	2058	.29	9.27	1.01	4.77	<4	220	7	32	199	3	3
B 183104	5	11	<5	33	1.1	9	5	66	.89	7	<10	<4	3	10	<.4	8	<5	109	.04	.009	11	45	.33	5190	.10	2.24	.02	1.06	6	26	<2	3	2	1	5
B 183105	6	6	<5	37	1.4	10	5	38	.82	<5	11	<4	<2	16	<.4	7	<5	181	.04	.032	11	33	.32	5113	.10	2.18	.01	1.06	<4	27	<2	3	<2	1	5
B 183106	11	14	7	41	.8	12	4	69	.92	<5	<10	<4	4	13	<.4	6	<5	183	.04	.022	11	39	.29	4624	.10	1.95	.01	.94	5	26	<2	3	<2	1	4
B 183107	2	9	9	5	2.0	5	2	43	.90	12	<10	<4	13	61	<.4	24	<5	107	.42	.118	29	25	.23	670	.11	4.08	1.20	1.38	<4	50	2	21	48	1	2
B 183108	2	25	5	25	.7	11	2	58	1.33	<5	<10	<4	5	33	.7	10	<5	82	.17	.073	19	44	.31	738	.10	3.13	.48	1.29	7	37	<2	11	19	1	4
RE B 183108	3	21	6	21	<.5	10	<2	55	1.30	<5	<10	<4	<2	32	<.4	<5	<5	77	.16	.071	18	39	.30	724	.11	3.06	.46	1.27	<4	34	2	10	18	1	4
B 183109	<2	117	<5	78	<.5	15	38	1757	9.92	5	<10	<4	5	833	<.4	<5	6	330	6.56	.224	46	7	2.51	152	2.43	7.25	1.72	.75	5	9	<2	50	56	5	36
B 183110	<2	102	5	79	<.5	10	31	1845	9.66	<5	<10	<4	<2	820	<.4	<5	<5	305	7.17	.228	41	8	2.61	133	2.30	7.07	1.46	.56	<4	5	<2	46	59	5	34
STANDARD DST5	13	147	29	163	1.3	31	14	1133	4.35	23	<10	<4	7	331	5.5	10	5	120	2.10	.104	27	226	1.20	678	.42	6.70	1.84	1.30	9	42	4	15	8	2	13

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: JUL 5 2004 DATE REPORT MAILED: July 22/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

why Au + REE signature

St

Th
La
Nb
Zr
} REE

Mark loc on topo map -
where did the bar come from
where are soils returns.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

ASSAY CERTIFICATE

Dodge, Jim File # A403193R

P.O. Box 31013 RPO, Whitehorse YT Y1A 2P7 Submitted by: Jim Dodge

SAMPLE#	Au** gm/mt
B 183102	.01
B 183103	.01
STANDARD AU-1	3.40

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK PULP

Data 1 FA ____ DATE RECEIVED: SEP 14 2004 DATE REPORT MAILED: Sept 18/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

ASSAY RESULTS (2)

DESCRIPTION:

Area "A" Soil Samples

Acme File #A403192

Ten samples #G-l - #G-10 inclusive with GPS for UTM grid, zone 9 each sample site as entered in the accompanying field notebook.

Samples were taken with metal soil auger sampler through the turf and humus to collect sample in the B-horizon. Samples comprising up to 250gm each were placed in kraft bags for labelling and air drying.

SIGNIFICANT RESULTS:

Only sample #G-4 displayed prominently high (308ppm) zinc , yet only modest Cd Ba values.

INTERPRETATION:

Re-sampling of the area of sample G-4 is the only site worthy of more work. It may be of interest that the course of a seasonal creek flow from a pond lies 10 metres north of sample site G-4. There is thus a rationale for sampling up-slope toward the pond basin.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Dodge, Jim File # A403192

P.O. Box 31013 RPO, Whitehorse YT Y1A 2P7 Submitted by: Jim Dodge

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	3	25	17	168	<.5	34	17	704	4.16	19	10	<4	6	292	<.4	<5	<5	125	1.40	.068	33	87	.99	1119	.37	6.62	1.32	2.02	<4	51	4	9	12	2	8
G-2	2	19	10	96	<.5	13	8	542	2.26	14	<10	<4	6	340	.7	<5	<5	68	1.54	.053	20	32	.53	928	.25	6.31	2.07	2.06	<4	66	2	6	8	1	5
G-3	4	17	24	172	<.5	31	12	399	3.84	27	<10	<4	2	165	.7	<5	<5	139	.77	.041	37	74	.64	1174	.31	5.84	1.15	1.85	<4	46	2	8	13	1	7
G-4	3	16	16	308	<.5	23	14	1028	3.52	20	15	<4	6	191	2.0	<5	5	151	1.16	.043	39	74	.67	1147	.34	6.29	1.12	1.92	<4	42	4	7	12	1	8
G-5	2	60	14	178	<.5	50	11	511	2.85	16	33	<4	9	197	1.4	<5	5	159	2.08	.125	34	74	.96	1431	.27	5.74	.75	2.11	<4	46	3	15	8	2	9
G-6	3	44	18	161	<.5	49	12	478	3.13	21	27	<4	8	151	1.5	<5	6	193	2.40	.124	37	83	1.04	1802	.32	5.84	.57	2.24	<4	47	3	17	11	2	10
G-7	2	44	11	123	.5	45	14	581	3.10	17	<10	<4	10	130	1.2	<5	<5	179	1.09	.073	40	81	.92	1602	.27	5.73	.64	2.03	<4	33	3	15	11	2	10
G-8	4	29	48	98	<.5	42	15	285	4.66	45	10	<4	10	118	<.4	<5	8	151	.79	.035	48	101	1.24	1220	.34	8.39	.74	2.83	4	27	5	17	15	3	11
RE G-8	3	26	42	95	<.5	42	15	280	4.51	44	<10	<4	14	118	<.4	<5	<5	147	.76	.037	45	100	1.19	1214	.33	8.21	.71	2.80	<4	30	3	16	15	2	11
G-9	3	15	17	82	<.5	29	9	284	2.92	18	28	<4	9	125	<.4	<5	<5	142	.72	.025	44	66	.62	1098	.30	5.33	.95	1.88	<4	42	3	11	13	2	7
G-10	4	21	17	98	<.5	37	11	470	3.28	22	31	<4	9	99	<.4	<5	<5	151	2.03	.052	46	73	1.43	1152	.28	4.65	.67	1.38	<4	36	3	21	13	1	9
STANDARD DST5	14	150	27	169	<.5	30	15	1089	4.35	28	<10	<4	8	351	5.8	6	6	132	2.34	.109	28	249	1.28	703	.44	7.29	1.83	1.41	9	47	10	15	9	2	14

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: JUL 5 2004 DATE REPORT MAILED: July 24/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

ASSAY RESULTS (3)

DESCRIPTION:

Area "B" (near FLO Claims) rock samples

Acme File #A403915
Eight samples with splits at Mary Lake
Samples #B 183111 - 183118, inclusive

SIGNIFICANT RESULT:

Sample #B 183115 mafic andesite with scattered 2mm-4mm magnetite crystals from site 30 metres south of FLO #2 as boulder (50cm) float. Of interest are: Ni (370ppm), Cr (482ppm), Co (62ppm), Mg (5.21%). Also, a weak but notable REE signature -

INTERPRETATION:

This sample from one of a cluster of boulders in a 30 metre spread lies down-ice from the large ultramafic serpentinitized dunite some 15km to the south.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Dodge, Jim File # A403915

P.O. Box 31013 RPO, Whitehorse YT Y1A 2P7 Submitted by: Jim Dodge

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
SI	<2	5	11	29	<.5	2	<2	31	.21	11	<10	<4	<2	160	<.4	<5	<5	3	8.04	.013	<2	4	.12	187	.05	1.08	>10	.24	<4	71	4	3	<2	<1	<1
B 183111	<2	29	9	63	<.5	5	2	234	1.54	17	<10	<4	14	5	<.4	<5	<5	10	.16	.066	11	8	.22	84	.04	3.86	.01	1.97	<4	4	6	9	7	3	3
B 183112	8	12	11	22	<.5	8	<2	79	1.15	28	<10	<4	4	17	<.4	<5	<5	6	.07	.019	10	14	.11	237	.02	2.04	.02	.86	<4	6	5	5	<2	2	<1
B 183113	<2	6	<5	63	<.5	54	15	3174	5.37	7	<10	<4	12	1025	.5	<5	<5	74	11.07	.045	95	76	1.25	812	.34	8.77	1.48	2.31	<4	46	4	27	16	5	14
B 183114	<2	87	9	125	<.5	41	37	1918	10.71	<5	13	<4	<2	168	<.4	<5	<5	403	6.11	.182	32	34	2.96	214	1.99	7.74	2.02	.56	<4	12	<2	30	91	5	36
B 183115	<2	125	<5	145	1.9	370	62	1458	9.16	11	<10	<4	21	425	<.4	5	<5	323	4.93	.262	126	482	5.21	52	1.48	6.95	3.26	.04	4	153	<2	21	173	6	31
B 183116	3	7	14	5	<.5	2	<2	57	1.40	77	<10	<4	2	17	<.4	<5	<5	5	.18	.017	9	14	.07	109	.02	1.70	.03	.93	<4	3	4	3	2	2	1
B 183117	<2	39	<5	166	<.5	69	37	2100	9.74	<5	<10	<4	3	511	.4	<5	<5	359	4.82	.204	47	132	3.38	691	1.76	6.91	2.33	.20	<4	43	<2	36	66	3	40
B 183118	<2	26	<5	160	<.5	55	38	2338	11.61	<5	<10	<4	2	509	<.4	<5	<5	409	4.53	.194	31	132	3.33	651	1.88	6.83	2.31	.19	4	38	<2	38	40	3	44
STANDARD	12	143	29	167	.6	32	14	1074	4.22	23	10	<4	6	336	4.9	7	6	122	2.22	.112	24	227	1.27	654	.41	7.27	1.85	1.41	9	46	7	13	10	3	13

Standard is STANDARD DST5.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK R150 60C

Data f FA ____ **DATE RECEIVED:** JUL 27 2004 **DATE REPORT MAILED:** Aug 12/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C. L
Clarence Leong

ASSAY RESULTS (4)

DESCRIPTION:

Area "B" soil samples (notebook UTMs) west of FLO Claims.

Acme File #A403916
33 soil auger samples with sample batches numbered discontinuously.

INTERPRETATION

No anomalously high geochemical values are found among the 35-element ICP-ES assays shown on the Analysis Certificate

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Dodge, Jim File # A403916

P.O. Box 31013 RPO, Whitehorse YT Y1A 2P7 Submitted by: Jim Dodge

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm
G-1	<2	3	10	58	<.5	6	5	831	2.78	<5	<10	<4	4	687	<.4	<5	<5	56	2.57	.084	16	17	.71	979	.26	7.89	2.73	3.22	6	8	<2	12	20	3	5
9-1	2	19	15	106	1.3	35	12	404	3.55	20	<10	<4	9	140	.5	10	<5	161	.57	.064	39	78	.91	1172	.42	6.26	.93	1.63	<4	64	2	9	15	2	9
9-2	2	39	26	96	.9	33	12	671	3.78	16	<10	<4	14	167	.4	<5	<5	131	.98	.181	56	90	.87	1151	.34	6.50	1.07	1.58	<4	63	3	26	12	2	13
9-3	2	28	10	110	.8	47	17	574	4.19	20	<10	<4	10	167	<.4	8	<5	152	.71	.082	41	102	1.16	1024	.47	6.86	1.10	1.72	<4	48	5	9	18	2	11
13-1	3	14	14	64	2.2	36	11	285	3.59	20	<10	<4	9	129	<.4	16	<5	176	.60	.073	42	99	1.08	1004	.55	6.16	.96	1.60	4	52	3	9	21	2	11
13-2	<2	19	18	101	.6	39	14	516	3.84	13	<10	<4	9	160	<.4	8	<5	151	.72	.082	38	82	1.06	1021	.47	6.65	1.10	1.75	<4	51	5	8	16	2	10
13-3	2	16	12	65	.7	15	6	266	2.44	12	<10	<4	10	202	<.4	9	<5	89	.76	.064	28	43	.55	838	.31	6.71	1.27	2.50	<4	51	5	9	15	2	7
13-4	2	25	19	108	.5	64	19	525	4.78	16	<10	<4	8	188	.6	<5	10	154	.69	.119	42	109	1.33	922	.48	6.69	.92	1.50	<4	55	3	12	17	2	12
13-5	2	22	6	58	1.6	4	4	389	1.69	13	<10	<4	8	468	<.4	7	<5	33	1.51	.041	17	6	.43	884	.17	7.23	2.80	2.60	<4	113	<2	6	8	1	3
13-6	3	13	13	86	.7	21	7	301	2.53	20	<10	<4	7	128	.5	5	<5	160	.52	.057	38	61	.49	918	.45	5.54	.97	1.63	<4	60	4	7	16	2	8
13-7	<2	12	<5	38	<.5	7	3	238	1.34	5	<10	<4	8	236	<.4	<5	<5	79	.79	.055	27	26	.38	793	.36	5.77	1.48	2.20	<4	63	4	7	12	1	6
13-8	3	13	33	46	<.5	6	3	204	1.92	17	<10	<4	12	169	<.4	<5	<5	67	.56	.064	35	23	.36	642	.25	6.66	1.04	2.85	<4	49	9	6	13	2	5
RE 13-8	2	14	28	49	1.0	8	3	222	1.97	28	<10	<4	14	171	<.4	6	<5	69	.59	.069	33	24	.38	641	.25	6.79	1.04	2.87	4	48	9	6	15	2	6
14-1	2	17	19	74	<.5	27	7	313	3.08	12	<10	<4	10	135	<.4	<5	<5	97	.64	.155	32	53	.64	718	.33	5.70	1.11	2.20	<4	47	5	11	14	2	7
14-2	2	31	13	101	<.5	61	19	597	4.49	17	<10	<4	8	158	<.4	<5	<5	164	.78	.108	45	111	1.35	1051	.53	6.46	1.08	1.43	<4	64	4	11	18	2	12
14-3	2	35	12	115	.5	50	16	566	4.18	14	<10	<4	8	207	<.4	<5	<5	154	.99	.089	49	101	1.13	1159	.45	6.52	1.12	1.40	<4	65	3	18	16	2	12
14-4	2	39	13	113	<.5	58	17	802	4.09	8	<10	<4	6	218	.5	<5	<5	150	1.52	.190	42	97	1.32	1153	.46	6.30	1.33	1.58	<4	61	<2	16	16	2	13
16-1	3	16	5	67	.6	14	6	315	2.38	15	<10	<4	9	278	.5	<5	<5	89	.93	.057	28	31	.52	800	.32	6.96	1.62	2.62	<4	63	5	8	13	2	6
16-2	3	13	14	76	<.5	15	6	347	2.19	14	<10	<4	8	249	.5	<5	<5	115	.90	.044	32	46	.46	936	.34	6.28	1.59	2.27	<4	69	3	7	13	2	6
16-3	2	15	9	54	.8	8	5	323	1.68	10	<10	<4	10	319	.4	7	<5	90	1.09	.023	30	25	.42	980	.31	6.70	1.96	2.51	<4	81	3	7	12	2	6
16-4	3	10	16	71	.6	16	5	290	2.83	17	<10	<4	9	143	<.4	<5	<5	140	.59	.041	40	61	.56	919	.39	5.69	1.12	1.81	<4	64	5	8	16	1	7
16-5	3	13	13	86	.5	25	7	332	2.86	10	<10	<4	9	158	<.4	<5	<5	137	.58	.058	37	68	.51	915	.39	5.93	1.17	2.09	<4	63	3	7	15	1	8
16-6	2	9	6	49	.6	8	4	227	1.43	13	<10	<4	10	169	<.4	<5	<5	150	.59	.030	43	50	.39	1076	.40	6.04	1.20	2.08	<4	53	5	7	14	1	7
16-7	2	12	7	48	.7	10	4	236	1.49	5	<10	<4	8	232	<.4	<5	<5	98	.82	.132	27	38	.43	915	.25	5.75	1.41	1.86	<4	66	2	6	10	1	6
16-8	2	16	32	89	<.5	21	8	483	3.05	20	<10	<4	10	176	<.4	<5	<5	102	.62	.057	31	54	.62	777	.35	6.16	1.22	2.03	<4	54	4	9	14	2	7
16-9	3	13	7	66	.6	17	5	300	2.39	17	<10	<4	11	185	<.4	<5	<5	152	.66	.048	36	51	.46	1026	.37	6.00	1.28	2.07	<4	77	4	7	14	1	7
16-10	2	9	20	55	<.5	10	3	297	2.41	20	<10	<4	15	86	<.4	<5	<5	59	.37	.130	26	23	.37	542	.20	7.10	1.41	2.90	<4	34	11	11	15	2	6
18-1	3	11	21	78	<.5	14	5	341	2.60	16	<10	<4	7	149	.6	<5	<5	145	.57	.067	36	55	.47	968	.35	5.66	1.11	2.15	<4	60	3	7	14	1	7
18-2	2	12	15	67	.6	10	5	297	1.84	20	<10	<4	10	256	.5	7	<5	125	.95	.048	33	34	.48	1011	.35	6.42	1.61	2.42	<4	67	5	7	15	1	7
18-3	2	14	18	143	<.5	34	10	742	3.79	19	<10	<4	10	226	<.4	<5	<5	122	.72	.129	38	79	.76	843	.38	6.56	1.06	2.40	<4	56	7	11	15	2	9
18-4	4	28	24	104	<.5	24	12	1198	3.06	20	<10	<4	12	152	<.4	<5	<5	164	.57	.069	51	71	.63	1217	.35	6.86	1.02	2.34	<4	47	6	20	13	3	10
18-5	2	14	16	104	<.5	29	9	363	3.27	21	<10	<4	9	119	.5	<5	<5	122	.50	.068	34	66	.77	869	.37	5.98	.94	1.87	<4	51	6	10	14	2	8
18-6	2	24	18	92	1.1	30	11	484	3.14	22	<10	<4	12	232	.7	<5	<5	130	.97	.070	32	71	.90	1151	.33	6.91	1.34	2.34	<4	62	4	12	13	2	9
18-7	3	25	10	79	1.5	17	8	415	2.41	17	<10	<4	10	381	<.4	5	<5	71	1.79	.055	19	29	.61	1057	.22	6.87	2.09	2.22	<4	81	4	13	8	2	6
STANDARD DST5	13	144	27	167	<.5	33	14	1102	4.34	26	<10	<4	7	338	5.5	6	6	122	2.22	.110	23	224	1.29	662	.40	7.19	1.85	1.37	9	48	7	14	10	2	13

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ **DATE RECEIVED:** JUL 27 2004 **DATE REPORT MAILED:** Aug. 11/04

BRITISH COLUMBIA CERTIFIED ASSAYER — Clarence Leong

Fig. 1 Area "A" looking downstream Hoole River to cliff forming calcareous muscovite schist

Fig. 2 Area "A" close up of cliff with mela-garnet amphibolite lenses in near-horizontal layering of schist

Fig. 3. Area "B" scattered semi-rounded ultramafic boulders with "eyes" of cubic magnetite

"Rite in the Rain®"

ALL-WEATHER WRITING PAPER

LEVEL

All-Weather Notebook

No. 311

J S. DODGE,
YMIP
June 13 → June 25
July 06 →

4 5/8" x 7" - 48 Numbered Pages

13 June Sun.

Drove - Mary Lk → Ross River
5 hrs 30 min -
Bryant Parsons - TNH airlift to camp-
site w. side Hoole River @

03U 0359464
UTM 6839304

very high Hoole R.
Soggy tent site: has
advantage in that has best
possible grounding of elec
fences.

14 Jun +22

Sample # 6-1 soil top of lowest beach
@ 6m above river level
035.9522 Rusty brown
6839351 (Bat. low)

Steep bank down to river
Fines up to 30cm boulders
Entire limonite colour - some secondary gossan; several boulders of layered bio-qtz rusty with minor sp?

One rusty banded garnet amphibolite - pyrh.
[8m from soil sample.]

15 Sun Tues +6 am

Hoole still in high level - only up 5cm over 14th

(fresh GPS batteries — UTM

Camp = 0359464 E Zone 9

6839301 N

Sample # 6-2

-59616 rusty brown

39448

Sample # 6-3

-59636

59646 Rusty brown

6-4

59414 Med brown

39764

+8 am

16 Jun

0359458 E Base Camp
6839311 N (3m)

River rising 10cm since 14th pm

@ 0359201
68 38916 outcrops 5m hi 15m long

A"

Bedrock 60° 20 N
Thin layered, buff weathering
carb ?

20m from Hoole R. w bank

b) 50 m N of A"
0359164
6838877

1 mm pink garnets

16 June

c) Prominent cliffs

Qtzite members - lenses of pink garnet-bleb amphibolite - succession of thin qtzite-minor muscovite schist

0359-089 E

6838-901 N

Recommend returning to photograph

Base of exposed cliffs - could be the metaqtzite package - as of the 'boulder host

Wonder if the meta-set (especially the base ↑) may occur east side of Hoole - directly across ? No outcrops visible from here.

Sample - base of cliff.

6-5 (permafrost)

17 June +8 am / 22 afternoon

Climbed ~30m up above river @ tricky deepwater-based cliffs.

muse-qtz++ lesser muse-bio-qtz schist

Pause to crossing cliffy slope. - took photos

0359 002 E
6838 789 N

Soil Sample 58815
#6-6 38502 8m above river level
dark grey

812 } 0616 check
512 }

58781
38450

Cliff outcrops - schists horiz
Qtz - muse dominant
Lenses 3-4m long
(4 ne samples) white qtzite with lineation weathering
pyrite schist

2 photos - 1 w hammer

Soil	58750	25m above river
# 6-7	38373	
		Partial permafrost
Recheck ?	8710	
018 June	8387	
more reliable		

18 June 10 am 11
25 afternoon

Re-check #6-7. (see previous page)

Only 30₂ ~~north~~ south of #6-7

Outcrops of dk grey weathering, blocky, fine to med syenite - poor outcrops toward #6-7 - one sample banded alk gtz with much muscovite on fracture surface (perhaps from contact zone of syenite/metagtzite pkg

0358702 E
6838337 N

mafic-augite 1-2 mm groundmass - Tong of salmon feldspar ortho
Plug, dike?

Examined promontories - cliffs - avg. 6-10 m high with base 1 m from river. End traverse where 10 m hi cliffs in river.

(Qtzite interbed w musc-gtz schist

0355486
6838069
6838069

Very hot - kept dousing hat in river almost too much getting back to camp.

19 June

Heat Wave - 36° shade !!
Heat haze.

Stayed in shade of trailer near camp
@ +50 sun (taped thermometer on top bucket)

20 June Sun 28° 11 am

Sample #6-8 0359264 E 6839069 N — camp = 94164 — camp = 68 39301

300m W of river

15m vert above floodplain — slope = 15° E

Sample = S. brown

#6-9 Flat @ top of cliffs

59282

6839049 6839049

Dark brown

#6-10 Steep — perhaps glacial tub/ridge

03 59 170

68 39 036

380' alt. ✓ BC.

+30 clear
Heat haze

21 June Mon Smoke heat

0359630
6839704 at across river which has cliffs (all buff coloured) horizontal - just N of NW-flowing creek — at the 'Bend'

Tues.
22 June Summer Solstice +32° Clear heat haze

@ 2.15 am - a wild 'screech' of animal contacting elec. fence - behind (i.e. out of view) of tent doorway. It didn't cross through fence. P.S. time was darkest of the night - easy book reading. 5m a.m saw where mid-strand was tweaked & pole bent.

Gave up on heat - lurked in timber shade Clouded over 5 - 9pm - then clear.

23 June Wed. +30° Clear

River down 6" over past 2 days
Revisited Felix-boulder 'terminal' with much Asp (?) - chlorite schist collected. 10kg.

24 June Thurs. +33°

More closer smoke

10:30 pm - TNH - (Barry) arrives @ camp to move me out of deteriorating smoke to Strata Gold's Fenlayson Lake camp where o'night. — could see big raging fires to SW.

Fire threat increasing.

25 June Fri +32° smoke

26 June Sat

After reorganizing all of gumbo (hurry up @ Hoole Camp) was dropped off @ TNH Ross River noontime

One flat tire - speedy 12 v (cigar fire) inflation hope all good to wheelhorse.

Roundtrip re Ross River - Manylake 520 mi

27 Tire repair

06 July 04 Tues.
Lv. Mary Lake 11 am
Drove to Ross River - unable to fly out during to heavy smoke.
O'nite @ Lapie Cyn campground

07 Wed.
Zone 9 — TNH - John Whitham pilot - late afternoon
SE to (5m accuracy) - Set elec fence.
UTM Coordinates (Creator unknown)
0364 521 E
6834 522 N (accurate on scale of similarity)

08 Thu
Zone 9 — Upper Cafe trench.
0364962
6834664

Claim Posts #1 3/4 FLO
0364972
6834684

09 July (Fri)

0364593
6834468 claim posts
FLO #1 Post 1/2

70° Az cl. line



Soil Sample 9-1 (2 m N of posts) 100m 328'
50m 164'
25m 82'

Soil Sample 9-2 game trail - sizable
25m South of 9-1

4m 0364629
6834451 sapphire? blue in cm float
5% sulfides by Pyr

5m Soil 9-3 @ 53m S of posts
@ 0364646 showers
6834443

10 July Sat Smoke 15C

Returned to 'Blue' swale to recover the small (20cm) boulder (with blue xtals protruding from weathered surface - suggesting hardness of +6), but only 5m farther up the swale found (15cm exposure) another blue boulder - this by pick & hand is over 70cm broad.

The same swale revealed 2 more very large blue boulders and next to ~~it~~ a partially serpentinized garnet-light green (eclogite?) schistose rx.

1933 15

Max size of blue xals is 5mm with that representing 'broken' near-square base ... of a pyramid ◇ — xls making up 5% of boulder. Well developed 1 to 2mm pyramids.

Why didn't I bring field mineral handbook. The host boulder is a dark green, massive, fine to med grained, pyroxenite? Strongly magnetic where fine sulfides clusters of blue - some carbonate fizz.

Why this cluster of rounded boulders of similar composition. Are these from the proximant Mserp bodies — km to south or evidence of less glacial dispersion from closer source? Perhaps some grubbing will turn up more evidence in the swale.

July 11 Sunday Smoke 15C

Returned to 'Blue' swale - and began excavating #4 site. Adjacent (north) were two large (30cm each) boulders - weakly rounded and one of which displayed on one flat surface @ 5cm deep multiple glacial grooves (@ 8 parallel). As with the 'mother' boulder - which now was 50cm × 50cm × 40cm - generally magnetic but specifically at sites where blue crystals and qtz blebs occur. ~~Generally~~ Noticeably more very fine yellow sulfides occur in magnetic areas.

Photo - The #4 boulder once excavated displayed much less rounding by glaciation than would anticipate from small surface (15cm × 15cm) exposure.

Also adjacent to boulders are cobble sized garnet UM schist; qtz monzonite; augen gneiss in descending amounts.

Smoke 5c (a.m.)

July 12. Monday

Now apparent that 'blue' xls - being Tetrag pyrox and quite magnetic - are lustrous magnetite - an ideal targeting for magnetometer.

#12-1 RX Sample of garnet UM - for Be/Cr

Smoke

13 July Tues

Soil 13-1 (25m N of cl posts)

6m

0364612
6834505

Soil 13-2 (50m N of cl posts)

7m

0364599
6834532

Soil 13-3 (75m N of cl posts)

6m

0364595
6834551

Soil 13-4 (100m N of cl posts

6m

0364584
6834575

Soil 13-5 (130m N of cl posts

4m

0364574
6834608

Soil 13-6 (159m N of Clepoats

H/ 0364569
6834632

Soil 13-7 (glac. boulders)
4 0364560 (201 N. ")
6834663

(225 N
Rocky

5m/ 0364562
6834686

14 July Smoke

Outcrop - augen gneiss - layering 10° NE

0364511
6834644 game trail - muck gully.

Soil 14-1 (250 N of ck posts)
⑤

0364557
6834722

Soil 14-2 25m S of 9-3 sample
0364649
6834430

⑤ 14-3 50m S of 9-3
0364659
6834408 very thick - tall brush

16 July

-1 6am ice in bucket

See - 2001 pit JSD01-13

Rocky - some greisen - qtz, Fe ox frac, muscovite

0364242
6834519 = 16-1 soils.

Soil 16-2 @ 25m N of pit #13?

0364238
6834543

Soil 16-3 @ 50m " " "

0364234
6834570

Soil 16-4 @ 75m

0364226
6834593

Soil 16-6 @ 100m N " " "

0364205
6834631

16-7 @ 150m N

0364196
6834659

7m S of Grenson outcrop

16-8 @ 175 N

RX specimens

0364180
6834685

16-9 (4) 200m " "

0364170
6834704

5m N of Grenson

(5) 16-10 225m N

0364157
6834718

Sun 18 July

Soil 18-1 25m S of #13 pit
0364254
6834490
(15cm ash + veg - 8cm soil

Soil 18-2 50m S
0364265
6834467

75m S
Box @ 15cm

Soil 18-3
⑥ 0364267
6834446

Soil 18-4
⑥ 0364257 100m S
6834435
Game trail - down to E

⑦ Soil 18-5
0364279 125
6834407
135

Soil 18-6 1505 of #13 pit
0364288
6834357 dark grey soil

(17)

(18) Soil 18-7 1755 of #13 pit
0364291 25" turf
6834360 dark grey clay

19 July - prospected main ridge to west - patchy outcrops of greissen (no fluorspar) and c. 2 km augen gneiss at highest point.

20 July
Barry of TransNorth - back to Ross and drove to Mary Lake arriving 7:30 pm

RHM
5.75

"Rite in the Rain®"
ALL-WEATHER WRITING PAPER

LEVEL

All-Weather Notebook
No. 311

J. S. DODGE
YMIP 04-0001
31 July - 13 AUG. 2004

4 5/8" x 7" - 48 Numbered Pages

31 July

universal transverse mercator
UTM Zone 9

0379398 E
6809620 N

Drace Mary Lake – Ross River

TN Helicopters @ 3pm to campsite
UTM 0379396 E
6809620 N
Zone 9

Grizzly with 2 cubs about 1 km to west

01 August

Cliff

Inter-layered

/ mafic schist 1.5m /

gt-bi schist / 1.5m

90° / 20°S

0379 251

6809 359

5 Aug 04 Thurs

Clear up to noon
then shower clouds

Gully with 5% float qtz vein – some
tourmaline veinlets

0379 163
6809 706

6 Aug – Fri

100m east of talus where qtz with tourmaline grees. – 70% metafelsic vol. 30% chlorite + bio schist

trench stop @

0378814

6809634

Monday
08-8-04

Called TWH re advance pickup from 17 08 to 16.08.

Takes site of tourmaline frac-fills - very fine gr. qtz. Surrounding dominant mafic to UM layered bio schists, chlorite schists w some white vein qtz #1 and #younger.

(6) 0379193
6809514
} Above camp.

(9) Same tourmaline breccia - more
0379165
6809459

Much like the tourmaline on "Ridge" - MAUI schistosities prominent.

DODGE non-YMIP ?

14-Aug 04

5pm X = 6 kg float

vein-type arsenopyrite veins, masses - in qtz.

0379019
6809703

MAUI

1234 posts

0377885
@4m 6809332

@ #1 Canyon - proj to SE re spring water sources - much ~~augen~~ augen w/ qtz and some - tourmaline + Arsen-

0377620
6810012

Soil Sample 4! 5100 1795E

AREA (3C) 16° wwwind -

09 Aug 04

From Base Camp @ 0379396E/6809620N @ 1180m altitude - near east boundary of MAUI #76.

Traversed along moose trails close to true right of main Maui Creeks - approx 9 km - some in thick patches of willows. Made Fly Camp #1 near SW corner of MAUI #23 at mouth of trib creek, @ 0376000E/6812500N. Some scree slopes dominant - musc-bio-feldspar-Qft_3 (Dq - probably).

10 Aug 04

17° pty cloudy
wee smoke.

Starting up from Fly Camp #1, traversed thick buckbrush zigzagging up south-facing slopes — generally parallel to the staking line for MAUI 25, 26, 27, 28

Few outcrops were Dq - muscovite - biotite - feldspar, qtz — apparently inclined 25° - to NW. Made Fly Camp #2 along South bank of creek - north of the boundary of MAUI #29/31 at altitude ca. 1500m. @ 0376000E / 6813300 N.

15°am
Clear am/cloudy ev
Evening.

11 August

Recce from Fly Camp #2 - and return late afternoon. - Dominant poorly exposed outcrops below timberline - but more sites above ~~clearly~~ evidence of DF - of biotite-muscovite - feldspar, qtz. Inclination of layering appears med 40°-50° to NW.

No tourmaline frac filling of the style found on MAUI '76.

12 August

18C Smoke — from Alaska ?

Continued traverses from Fly Camp #2 NE (east of Maui #3) 132 — and mid-day dropped down along true left of creek. Again some float of DF, but mostly Dq. Spent night at Camp #2

13 Aug. —

Returned eastward to the Base Camp approx 9 km — mostly along true left moose trails with coarse float of silicified Dq — but only rare qtz & tourmaline frac filling.

Concluded that area (3C) holds very little opportunity for discovery of emeralds.

2

Watson Lake Recorder 1-867-536-7366

Patty Office Renewal

MAUI 105G-6