REPORT OF 2005 FIELD ACTIVITIES

Funded under YMITP Grant

Prepared by Gloria Kerwin
Apt. 208-502 Wheeler St.
Whitehorse, Yukon
Y1A 2P2

PROJECT SUMMARY

Project activities took place between June, 2005 and September, 2005, in Whitehorse Mining district areas 115 f- 9, and 115 F 16. Access from Alaska Highway at mile 1147 from Whitehorse by truck, drive in aprox. 4 km. then hike in on game trails. The Koidern River canyon begins 5km from the highway. Bolder # 17 post # 1 is above the canyon wall. This is the only claim located on 115 F 16. The remaining Bolder claims and areas of work are located on claim sheet # 115 F 9. # see maps A & B in folder. Helicopter access to the convergence of Edith Cr. Was required as the trail previously used has been washed out underneath, creating hazardous footing. * One helper was injured and was not able to work for the rest of the program.

Previous work has been done in this area in 1994 and 1998 on Edith Creek. A Geochem program was conducted on Bolder claims 1-16, located at the head waters of Edith Cr. On the north side. Archer Cathro's Narnia claims are directly across from the Bolder claims, with Au, Cu values recorded in the minfile. * It is important to note that WRFN land selections now surround both Bolder and Narnia properties. No land selections have been made on the south side of Edith Cr. Or on the Koidern Canyon.
There have also been placer claims now lapsed below current Bolder property on Edith Cr. Two placer leases (1994) on Koidern River and Edith Cr.) are now lapsed.

Regional and general geology Wrangellia Terrain, Mafic to Ultra Mafic Rocks. A fault zone trending between the Wellgreen property and Canalask property at White River have yielded Ni and Pt,Pd values of economic quality. Au and Cu values have been recorded as well.
*The area is within island arc derived vocanic and oceanic sedimentary rocks making up a distintive pre-Jurassic terrane referred to as Wraqngellia. Lolcanic dominated station Creek formation and overlying predominantly clastic sedimentary Hansen Creek Formation. The Station Creek formation consists of Permian basic lavas, pryrolcastics and minor intercalated cherty sediments. A complex of mafic to ultramafic intrusive rocks consisting of gabbro to peridotite and dunite are preferentially intruded along this gradational contact. The intrusive rocks take the form of small plugs and discontinuous dikes. The base of the intrusive complex is gabbroic. The thin gabbroic basal zone is overlain by mela-gabbro, clinoproxene, olivine , peridotote amd dunite. * D. Yulette, geologist, 2003 proposal to YMITP

Claims stakes during prospecting activity: YC39412-YC39415 were staked during this program. These claims were grouped with Bolder 17, with application for assessment work submitted to the Whitehorse Mining Recorder.

***Falconbridge** was working in the Whiteriver area and expressed interest in signing a confidentiality agreement.

Type of mineral exploration undertaken: Rock and chip samples as well as soil and stream sediment samples were taken and sent for analysis. 53 element IF-MS assays for

all samples was conducted * see assay results attached. Location of samples taken is included as appendix C.

Goods and services purchased : $12,224.21 # see final submission form for details

*Note: The high water conditions resulted in former blazed trails being completely washed out above the Bolder claims 21. As a result we had to return to base camp and call in a helicopter in order to complete phase two area prospecting.

Gloria Kerwin, prospector

Yukon
Energy, Mines and Resources

Claim Status Report

13 September 2005

	Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s
R	BOLDER 4	YC08190	2010/09/12	Gloria Jean Kerwin	100.00	115F09
R	BOLDER 6	YC08192	2010/09/12	Gloria Jean Kerwin	100.00	115F09
	BOLDER 14	YC08948	2006/07/29	Gloria Jean Kerwin	100.00	115F09
R	BOLDER 16	YC08950	2006/07/29	Gloria Jean Kerwin	100.00	115F09
R	BOLDER 17	YC09085	2010/09/09	Gloria Jean Kerwin	100.00	115F16
R	BOLDER 18 - 21	YC39412 - YC39415	2010/06/14	Gloria Jean Kerwin	100.00	115F16

Criteria(s) used for search:

CLAIM STATUS: ACTIVE & PENDING OWNER(S): KERWIN GLORIA JEAN REGULATION TYPE: QUARTZ

FEED FAX THIS END

FAX

To: Falconbridge
Dept.: Nic Fenner
Fax No.: 1-450-668-2929
No. of Pages: 3
From: Gloria Kerwin
Date: Sept 14/05
Company: Bolder Ventures
Fax No.: 1-867-667-4295
Comments: - info as requested.

Post-it BRAND fax pad 7903E

Total claims selected : 9

Left column indicator legend:
R - Indicates the claim is on one or more pending renewal(s).
P - Indicates the claim is pending.

Right column indicator legend:
L - Indicates the Quartz Lease.
F - Indicates Full Quartz fraction (25+ acres)
P - Indicates Partial Quartz fraction (<25 acres)
D - Indicates Placer Discovery
C - Indicates Placer Codiscovery
B - Indicates Placer Fraction

YMIP report July 18, 2005 Gloria Kerwin

Sample submission to Amex Analytical Laboratories Ltd.

20 samples, 6 soil/stream sediment and 14 rock samples submitted for assay, Group 1F-MS (53 element) @ $19.25 per sample.

Silt sample 1-05 from #1 pup, Koidern , Bolder claim # 20.
Silt sample 2-05 left side of Willow Creek, west side of Koidern.
Silt 3-05 2nd pup left side of Willow Creek coming in to Koidern.
Silt 4-05 3rd pup LT Willow Creek.
Silt 05 Rt branch Willow Creek.
Silt -06 convergence willow creek and Koidern.

Rock sample (r) 5-07 west side of canyon wall, Bolder #17.
R-5-08 East side, canyon wall, Koidern.
R-12 East side of canyon wall #17.
R-011 east side of canyon wall.
R-5-014 East side of canyon wall #18 claim.

R5-15 east side of canyon #18 claim. (see map).
R-5-13 East side canyon wall #18.
R-5-19 East side canyon wall #18.
Chip R 5 018 West canyon #17
Chip R0-17 West " " #17.
R-016 West-qtz vein canyon wall #17
Chip sample 5-21 West qtz vien #17

R5 009 East side canyon wall #17.
R-5-010 East " " " #18 claim.



...ions obtained from staking sketches except for ... System (GPS) located claims.
...al topography obtained from Natural Resources ... Topographic System data.
...ed from Natural Resources Canada Legal Surveys ... information, please contact: ... Canada Legal Surveys Division, Whitehorse ... St ... Y1A 2B5 ... Fax: (867) 393-6707

Other Resources:
For access to airphotos, Mining Assessment Reports, and geology publications:
Yukon Energy, Mines and Resources Library
Rm 335 - 300 Main St
Whitehorse, YT Y1A 2B5
Ph: (867) 667-3111 Fax: (867) 456-3888
email: emrlibrary@gov.yk.ca
Yukon Geological Survey
Rm 102 - 300 Main St
Whitehorse, YT Y1A 2B5

115F/16

MINING CLAIMS

115K02	115K01	115J04

Mining
Staking Direction
Placer Baselines
Mining District Boundaries

Claim Status
Active Quartz Claim

First Nation Settlement Land
Category
A
B
FS

First Nations Surveyed Lands

EMR Lands
Land Disposition
Land Application
Agricultural Disposition
Agricultural Application
Privy Council Orders

B


140°10'0"W
140°5'0"W
543000
544000
545000
546000
547000
548000
549000
550000
BOLDER 21
BOLDER 20
BOLDER 19
BOLDER 18
BOLDER 17
YC39415
YC39414
YC39413
YC39412
YC09085

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(SO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Kerwin, Gloria File # A503717 (a)

Apt. 208-502 Wheeler St., Whitehorse YT Y1A 2P2 Submitted by: Gloria Kerwin

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %	Hg ppb	Se ppm	Te ppm	Ga ppm
G-1	.67	4.33	2.68	50.2	10	7.1	5.0	615	1.98	.3	2.4	.9	5.3	68.1	.01	.02	.08	40	.50	.078	7.6	73.8	.65	236.7	.150	1	1.28	.063	.57	<.1	2.3	.38	<.01	<5	<.1	<.02	4.9
#2-05 WILLOW CK	2.44	52.19	5.12	69.9	72	51.7	22.7	688	3.67	11.4	.5	1.1	.9	59.0	.15	.54	.08	73	2.39	.067	6.8	104.9	1.45	103.4	.067	2	1.69	.024	.05	.1	5.2	.03	.18	37	.8	.03	5.1
#3-05 WILLOW CK	.80	53.62	4.18	56.2	56	40.2	16.7	578	2.71	7.2	.4	2.1	1.7	60.1	.18	.39	.08	71	2.20	.086	9.6	67.9	1.24	73.0	.130	3	1.49	.034	.09	<.1	4.9	.07	<.01	12	.2	.03	4.5
#4-05 WILLOW CK	1.36	48.04	4.36	61.1	25	29.6	16.4	652	3.24	7.2	.2	1.6	.5	35.5	.17	.42	.05	71	.63	.059	4.8	46.2	.99	38.9	.061	1	1.35	.027	.05	<.1	4.2	<.02	.08	13	.3	.03	4.0
#5-05 WILLOW CK	1.38	48.72	5.43	64.8	47	35.4	17.9	693	3.75	7.3	.3	1.3	.9	29.7	.12	.43	.06	77	.63	.061	5.6	60.3	1.38	49.2	.097	2	1.78	.022	.07	<.1	4.2	.02	.02	15	.3	.03	4.7
NO NUMBER	1.84	33.92	3.20	60.0	37	43.9	14.5	588	3.27	3.2	.2	1.5	.6	38.7	.14	.24	.04	100	.75	.066	5.4	75.1	.92	59.9	.107	1	1.20	.034	.06	.1	3.3	.03	.03	9	.2	.03	4.5
STANDARD DS6	10.98	126.63	27.83	135.5	264	23.7	10.4	732	2.81	20.1	6.2	43.9	2.9	38.4	5.74	3.19	4.77	58	.86	.078	13.4	182.0	.58	153.4	.075	17	1.95	.074	.15	3.2	3.2	1.63	.04	217	4.1	2.28	5.8

GROUP 1F1 - 1.00 GM SAMPLE LEACHED WITH 6 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 20 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SILT SS80 60C

Data 85 FA ____ **DATE RECEIVED:** JUL 22 2005 **DATE REPORT MAILED:** Aug. 4/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Kerwin, Gloria File # A503717 (b)

Apt. 208-502 Wheeler St., Whitehorse YT Y1A 2P2 Submitted by: Gloria Kerwin

SAMPLE#	Cs ppm	Ge ppm	Hf ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	Zr ppm	Y ppm	Ce ppm	In ppm	Re ppb	Be ppm	Li ppm	Pd ppb	Pt ppb
G-1	3.85	.1	.10	.61	51.3	.5	<.05	1.3	5.07	13.9	<.02	<1	.3	43.4	<10	<2
#2-05 WILLOW CK	.34	.1	.05	.14	2.6	.3	<.05	2.4	9.27	13.9	.02	1	.2	11.1	<10	<2
#3-05 WILLOW CK	.59	.1	.12	.51	6.5	.3	<.05	5.1	8.86	18.2	.02	2	.3	10.7	<10	2
#4-05 WILLOW CK	.22	<.1	.03	.12	2.2	.3	<.05	1.2	5.09	10.1	.02	1	.2	5.7	<10	<2
#5-05 WILLOW CK	.26	.1	.09	.18	3.2	.3	<.05	2.7	6.60	10.6	.02	<1	.3	9.0	<10	<2
NO NUMBER	.34	<.1	.04	.47	4.2	.3	<.05	1.4	4.45	11.0	<.02	<1	.2	7.2	<10	<2
STANDARD DS6	5.25	<.1	.07	1.74	13.7	5.6	<.05	3.7	7.17	27.7	1.90	1	2.2	15.7	172	37

GROUP 1F1 - 1.00 GM SAMPLE LEACHED WITH 6 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 20 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SILT SS80 60C

Data ~~FA~~ FA ____ DATE RECEIVED: JUL 22 2005 DATE REPORT MAILED: Aug 4/05

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results considered the confidential property of the client. Acme assumes liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Kerwin, Gloria File # A503717 (a)

Apt. 208-502 Wheeler St., Whitehorse YT Y1A 2P2 Submitted by: Gloria Kerwin

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %	Hg ppb	Se ppm	Te ppm	Ga ppm
G-1	.67	4.33	2.68	50.2	10	7.1	5.0	615	1.98	.3	2.4	.9	5.3	68.1	.01	.02	.08	40	.50	.078	7.6	73.8	.65	236.7	.150	1	1.28	.063	.57	<.1	2.3	.38	<.01	<5	<.1	<.02	4.9
#2-05 WILLOW CK	2.44	52.19	5.12	69.9	72	51.7	22.7	688	3.67	11.4	.5	1.1	.9	59.0	.15	.54	.08	73	2.39	.067	6.8	104.9	1.45	103.4	.067	2	1.69	.024	.05	.1	5.2	.03	.18	37	.8	.03	5.1
#3-05 WILLOW CK	.80	53.62	4.18	56.2	56	40.2	16.7	578	2.71	7.2	.4	2.1	1.7	60.1	.18	.39	.08	71	2.20	.086	9.6	67.9	1.24	73.0	.130	3	1.49	.034	.09	<.1	4.9	.07	<.01	12	.2	.03	4.5
#4-05 WILLOW CK	1.36	48.04	4.36	61.1	25	29.6	16.4	652	3.24	7.2	.2	1.6	.5	35.5	.17	.42	.05	71	.63	.059	4.8	46.2	.99	38.9	.061	1	1.35	.027	.05	<.1	4.2	<.02	.08	13	.3	.03	4.0
#5-05 WILLOW CK	1.38	48.72	5.43	64.8	47	35.4	17.9	693	3.75	7.3	.3	1.3	.9	29.7	.12	.43	.06	77	.63	.061	5.6	60.3	1.38	49.2	.097	2	1.78	.022	.07	<.1	4.2	.02	.02	15	.3	.03	4.7
NO NUMBER	1.84	33.92	3.20	60.0	37	43.9	14.5	588	3.27	3.2	.2	1.5	.6	38.7	.14	.24	.04	100	.75	.066	5.4	75.1	.92	59.9	.107	1	1.20	.034	.06	.1	3.3	.03	.03	9	.2	.03	4.5
STANDARD DS6	10.98	126.63	27.83	135.5	264	23.7	10.4	732	2.81	20.1	6.2	43.9	2.9	38.4	5.74	3.19	4.77	58	.86	.078	13.4	182.0	.58	153.4	.075	17	1.95	.074	.15	3.2	3.2	1.63	.04	217	4.1	2.28	5.8

GROUP 1F1 - 1.00 GM SAMPLE LEACHED WITH 6 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 20 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SILT SS80 60C

Data FA _____ **DATE RECEIVED:** JUL 22 2005 **DATE REPORT MAILED:** Aug. 4/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Kerwin, Gloria File # A503717 (b)

Apt. 208-502 Wheeler St., Whitehorse YT Y1A 2P2 Submitted by: Gloria Kerwin

SAMPLE#	Cs ppm	Ge ppm	Hf ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	Zr ppm	Y ppm	Ce ppm	In ppm	Re ppb	Be ppm	Li ppm	Pd ppb	Pt ppb
G-1	3.85	.1	.10	.61	51.3	.5	<.05	1.3	5.07	13.9	<.02	<1	.3	43.4	<10	<2
#2-05 WILLOW CK	.34	.1	.05	.14	2.6	.3	<.05	2.4	9.27	13.9	.02	1	.2	11.1	<10	<2
#3-05 WILLOW CK	.59	.1	.12	.51	6.5	.3	<.05	5.1	8.86	18.2	.02	2	.3	10.7	<10	2
#4-05 WILLOW CK	.22	<.1	.03	.12	2.2	.3	<.05	1.2	5.09	10.1	.02	1	.2	5.7	<10	<2
#5-05 WILLOW CK	.26	.1	.09	.18	3.2	.3	<.05	2.7	6.60	10.6	.02	<1	.3	9.0	<10	<2
NO NUMBER	.34	<.1	.04	.47	4.2	.3	<.05	1.4	4.45	11.0	<.02	<1	.2	7.2	<10	<2
STANDARD DS6	5.25	<.1	.07	1.74	13.7	5.6	<.05	3.7	7.17	27.7	1.90	1	2.2	15.7	172	37

GROUP 1F1 - 1.00 GM SAMPLE LEACHED WITH 6 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 20 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SILT SS80 60C

Data B FA ____ DATE RECEIVED: JUL 22 2005 DATE REPORT MAILED: Aug. 4/05

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes liabilities for actual cost of the analysis only.



115F/09

MINING CLAIMS

C

S-50
S-49
R-27
R-29
R-32
R-33
S-48
R-34
R-35
R-36
S-45
S-46
S-47
R-42
R-41
R-38
WREN R-20A

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Kerwin, Gloria File # A505837 (a)

Apt. 208-502 Wheeler St., Whitehorse YT Y1A 2P2 Submitted by: Gloria Kerwin

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %	Hg ppb	Se ppm	Te ppm	Ga ppm
R-05-022	.10	2.42	.46	1.6	5	.6	.3	125	.28	.1	<.1	4.8	.1	35.8	<.01	.02	<.02	2	.59	.001	.5	3.9	.02	8.4	.001	<1	.04	.003	.01	<.1	.2	<.02	<.01	<5	.1	<.02	.2
R-05-023	.09	4.47	14.25	3.6	3877	.6	1.2	430	.33	.5	<.1	44849.8	.1	171.8	.01	.03	.26	4	4.41	.004	.9	6.2	.06	10.5	.003	<1	.09	.005	.01	<.1	.7	<.02	.01	103	.1	.05	.4
Chip-05-024	.08	2.69	2.01	1.3	10	.2	.5	280	.23	.2	<.1	15.3	<.1	110.9	.01	.02	.04	<2	2.52	.001	<.5	3.8	.02	10.6	.001	<1	.03	.002	.01	<.1	.3	<.02	.01	<5	.1	.02	.1
Chip-05-025	.12	8.01	5.56	5.9	75	1.5	1.5	299	.52	.6	<.1	271.9	.2	91.9	.01	.04	.11	5	1.84	.005	1.0	5.6	.10	12.3	.003	<1	.14	.004	.01	<.1	.6	<.02	.01	<5	.1	.02	.7
RE Chip-05-025	.12	8.01	5.55	6.0	666	1.5	1.6	295	.52	.5	<.1	3803.6	.2	90.6	.01	.04	.11	5	1.83	.005	1.0	5.9	.10	12.9	.003	<1	.14	.004	.01	<.1	.7	<.02	.01	5	.1	.02	.6
R-05-026	.08	.92	.35	.3	4	.2	.2	174	.19	.1	<.1	14.1	<.1	82.1	<.01	<.02	<.02	<2	1.39	<.001	<.5	3.9	.01	6.5	<.001	<1	.01	.001	<.01	<.1	.1	<.02	<.01	<5	<.1	<.02	<.1
R-05-027	.38	44.30	6.07	87.8	66	24.2	16.7	1568	5.35	3.5	.7	<.2	4.1	18.9	.05	.12	.22	91	.47	.078	11.5	27.1	1.77	131.9	.219	1	2.65	.019	.23	.3	8.6	.04	<.01	<5	<.1	.05	10.2
R-05-029	.63	57.45	7.69	87.0	114	6.3	8.9	642	3.02	2.1	.5	2.2	1.4	20.5	.22	.35	.15	49	.36	.033	4.5	10.2	.54	70.6	.137	1	.98	.020	.09	.3	5.1	.03	.05	6	1.1	.02	4.4
R-05-032	.53	1135.36	.88	24.7	1475	8.4	6.2	225	2.02	1.1	.3	6.4	.8	11.0	.33	.14	<.02	37	.23	.025	3.2	23.4	.36	24.1	.090	<1	.65	.056	.04	<.1	3.7	<.02	.14	5	1.1	.03	2.4
R-05-033	.31	21.27	17.80	118.7	73	6.2	3.5	1004	3.11	2.3	1.8	.9	5.4	72.1	.15	.20	.15	12	1.01	.366	20.5	6.8	.78	107.9	.069	1	1.54	.028	.16	.9	1.2	.04	<.01	<5	<.1	.03	6.4
R-05-034	.07	33.41	8.00	28.2	29	27.9	11.2	423	1.34	1.0	.2	2.0	.5	38.2	.02	.13	.02	37	1.51	.153	3.9	58.1	.85	10.7	.132	1	.82	.045	.02	.2	2.0	<.02	.01	<5	.2	<.02	2.7
R-05-035	.27	64.11	1.08	122.0	50	36.0	38.6	1650	6.11	1.3	.1	3.8	.2	33.6	.02	.21	.02	190	2.03	.041	1.6	32.9	2.60	42.9	.155	<1	2.53	.028	.02	.1	8.3	<.02	.03	10	.1	<.02	10.6
C-05-036	.01	3.19	.45	49.6	6	23.2	24.2	827	4.85	1.2	.1	.5	.6	64.0	<.01	.19	<.02	109	.94	.086	3.3	66.6	2.34	16.8	.237	2	2.15	.046	.02	.3	6.5	<.02	.01	<5	<.1	<.02	8.9
C-05-037	.15	18.57	1.14	89.0	20	9.0	10.1	1083	3.58	3.5	.6	.7	1.8	15.7	.06	.12	.05	71	.39	.032	10.5	14.0	1.20	52.4	.138	<1	1.71	.036	.10	.2	7.4	.03	<.01	<5	.1	<.02	8.5
C-05-038	.10	57.77	.88	86.2	16	3.4	25.9	1221	4.51	1.2	.2	<.2	.5	102.8	.05	.06	<.02	88	1.11	.166	5.2	1.4	2.40	8.9	.153	3	2.68	.022	.02	<.1	2.7	<.02	.01	<5	.1	<.02	7.5
C-05-039	.51	8.40	.48	6.8	72	1.6	1.8	213	.87	1.3	.5	1.8	5.5	5.6	.02	.07	.05	3	.05	.005	20.9	3.7	.03	81.7	.004	1	.13	.029	.08	<.1	1.4	<.02	.01	<5	<.1	.03	.6
R-05-040	.08	4.85	.43	27.0	4	55.7	15.3	373	2.39	2.7	<.1	.5	.1	138.7	.01	.24	<.02	58	1.86	.151	2.0	286.0	.99	8.7	.149	1	1.25	.031	.01	.2	4.8	<.02	<.01	<5	.2	<.02	4.5
E-05-041	.59	57.88	.83	63.1	28	26.4	12.1	1323	4.94	1.2	.5	<.2	2.6	20.2	.03	.10	.16	73	.34	.053	7.0	30.5	1.57	95.3	.176	<1	2.33	.015	.19	.2	6.6	.03	<.01	<5	<.1	.03	9.4
PS-05-042	.62	55.92	.64	40.9	19	9.2	28.2	334	3.87	.5	.3	.2	1.0	49.8	.05	.02	<.02	222	1.64	.146	8.7	17.0	1.10	148.3	.266	1	1.40	.152	.51	<.1	6.7	.07	.20	<5	.2	<.02	6.0
RS-05-043	.64	57.59	.63	44.6	23	10.8	29.4	338	4.06	.6	.3	<.2	.9	52.9	.07	.02	<.02	236	1.72	.157	9.0	20.2	1.14	152.5	.277	1	1.44	.156	.53	<.1	7.1	.08	.22	<5	.2	<.02	6.1
C-05-044	.35	86.69	1.55	85.9	62	40.3	18.0	1465	5.78	3.5	.6	<.2	3.4	14.7	.02	.13	.13	112	.43	.065	10.7	63.4	2.01	77.3	.268	<1	2.71	.022	.18	.3	9.6	.04	<.01	<5	.1	.03	10.8
STANDARD DS6	11.64	124.35	29.88	142.7	275	25.3	10.9	708	2.83	19.0	6.6	48.5	3.1	40.2	6.01	3.34	5.03	56	.86	.076	14.3	185.8	.58	164.4	.079	15	1.92	.070	.14	3.2	3.3	1.73	.02	230	4.2	2.08	6.2

GROUP 1F1 - 1.00 GM SAMPLE LEACHED WITH 6 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 20 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: SEP 19 2005 DATE REPORT MAILED: Oct. 11/05

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Kerwin, Gloria File # A505837 (b)

Apt. 208-502 Wheeler St., Whitehorse YT Y1A 2P2 Submitted by: Gloria Kerwin

SAMPLE#	Cs ppm	Ge ppm	Hf ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	Zr ppm	Y ppm	Ce ppm	In ppm	Re ppb	Be ppm	Li ppm	Pd ppb	Pt ppb
R-05-022	.02	<.1	<.02	.03	.4	.1	<.05	.5	1.01	1.0	<.02	1	<.1	.2	<10	<2
R-05-023	.02	<.1	<.02	.04	.3	.1	<.05	.5	2.90	1.6	<.02	<1	.1	.5	<10	<2
Chip-05-024	.02	<.1	<.02	.04	.3	.1	<.05	.5	1.42	.6	<.02	<1	<.1	.2	<10	<2
Chip-05-025	.03	<.1	<.02	.02	.4	.1	<.05	.6	2.02	1.8	<.02	<1	.1	.8	<10	<2
RE Chip-05-025	.03	<.1	<.02	.03	.4	.1	<.05	.5	2.11	1.8	<.02	<1	<.1	.7	<10	<2
R-05-026	<.01	<.1	<.02	.03	.1	.1	<.05	.4	1.75	.3	<.02	<1	<.1	<.1	<10	<2
R-05-027	.15	<.1	.23	.41	6.2	.6	<.05	4.5	12.48	22.7	.04	<1	.3	8.7	<10	<2
R-05-029	.05	<.1	.37	.48	2.3	.6	<.05	8.5	8.00	8.7	.02	<1	.2	2.5	<10	<2
R-05-032	.03	<.1	.14	.38	1.1	.4	<.05	1.9	8.17	6.3	.04	<1	.1	1.9	<10	<2
R-05-033	.17	<.1	.13	1.48	4.7	.9	<.05	2.4	14.88	39.0	.02	<1	.4	4.7	<10	<2
R-05-034	.04	<.1	.06	.27	.6	.1	<.05	.9	2.75	8.9	<.02	<1	.1	3.3	<10	<2
R-05-035	.07	.1	.07	.04	.8	1.6	<.05	1.4	6.04	3.2	.03	<1	.3	7.8	16	5
C-05-036	.14	<.1	.07	.21	.6	.3	<.05	1.1	7.79	6.7	<.02	<1	.2	10.5	<10	<2
C-05-037	.13	<.1	.16	.15	3.5	.5	<.05	3.4	12.37	18.9	.06	<1	.2	5.6	<10	<2
C-05-038	.03	<.1	.19	.07	.5	.2	<.05	4.0	5.76	10.6	<.02	10	.4	6.6	<10	<2
C-05-039	.03	<.1	.02	.11	2.2	.1	<.05	.6	3.33	35.8	<.02	<1	.2	.2	<10	<2
R-05-040	.04	.1	.07	.18	.2	.2	<.05	1.3	8.04	3.0	<.02	<1	.3	4.7	<10	2
E-05-041	.09	<.1	.10	.20	5.1	.6	<.05	1.3	8.44	13.4	.04	<1	.5	6.8	<10	2
PS-05-042	.49	<.1	.28	.21	18.9	.4	<.05	9.1	8.77	17.3	.02	<1	.3	7.6	<10	<2
RS-05-043	.50	.1	.31	.20	19.4	.5	<.05	9.6	9.10	17.9	.02	1	.1	8.5	<10	2
C-05-044	.13	<.1	.24	.38	5.0	1.0	<.05	4.8	11.47	20.8	.05	<1	.3	8.6	<10	2
STANDARD DS6	5.41	<.1	.06	1.54	14.1	5.8	<.05	3.5	6.88	28.4	1.84	<1	2.3	15.9	176	42

GROUP 1F1 - 1.00 GM SAMPLE LEACHED WITH 6 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 20 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ **DATE RECEIVED:** SEP 19 2005 **DATE REPORT MAILED:** Oct 11/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Kerwin, Gloria File # A505838 (a)

Apt. 208-502 Wheeler St., Whitehorse YT Y1A 2P2 Submitted by: Gloria Kerwin

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %	Hg ppb	Se ppm	Te ppm	Ga ppm
G-1	.64	2.12	2.39	46.0	10	6.2	4.4	563	1.77	.1	2.1	.2	3.4	60.5	.01	.02	.06	37	.44	.078	7.1	75.9	.58	237.8	.127	1	.97	.052	.49	.3	2.0	.37	<.01	<5	<.1	<.02	4.6
S-05-045	.67	50.21	4.32	55.3	56	33.2	14.1	614	2.59	6.8	1.0	2.2	1.1	48.7	.15	.34	.07	66	.90	.077	8.2	66.5	1.03	94.1	.090	5	1.39	.028	.08	<.1	4.2	.05	.02	30	.6	<.02	4.2
S-05-046	1.37	77.63	6.60	56.3	104	36.2	14.5	639	2.73	5.7	.8	19.1	1.3	56.6	.30	.40	.08	71	1.24	.069	9.2	69.1	.88	99.0	.082	4	1.37	.045	.09	.1	4.5	.07	.04	42	.7	.02	3.8
S-05-047	.75	40.32	3.58	40.8	36	27.0	11.7	404	3.36	3.6	.5	1.9	1.3	40.8	.10	.21	.03	127	.77	.081	6.8	85.2	.69	66.8	.097	2	1.11	.031	.07	.1	2.8	.03	.01	18	.4	<.02	4.2
S-05-048	.72	45.78	3.58	52.0	44	36.6	17.2	566	2.84	5.4	.3	3.2	1.1	62.5	.13	.34	.05	84	2.42	.087	7.2	68.7	1.30	65.0	.114	6	1.40	.022	.06	<.1	4.7	.04	.04	21	.2	<.02	4.3
SS-05-049	.69	51.92	3.44	57.7	39	34.4	18.1	646	3.49	5.5	.2	1.7	.8	46.6	.15	.34	.05	105	1.55	.082	5.8	64.8	1.46	87.9	.115	6	1.59	.021	.06	<.1	4.6	.03	.04	31	.2	.02	4.7
SS-05-050	.78	44.97	2.88	40.0	33	24.6	14.7	405	5.41	3.7	.4	4.2	1.3	37.5	.10	.18	.08	220	.81	.096	7.1	107.8	.64	73.9	.091	2	.96	.029	.07	<.1	3.4	.03	.03	16	.3	<.02	5.0
STANDARD DS6	11.64	124.35	29.88	142.7	275	25.3	10.9	708	2.83	20.9	6.6	42.4	3.1	40.2	6.01	3.34	5.03	56	.86	.076	14.3	185.8	.58	164.4	.079	15	1.92	.070	.14	3.2	3.3	1.73	.02	230	4.2	2.08	5.9

GROUP 1F1 - 1.00 GM SAMPLE LEACHED WITH 6 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 20 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SILT SS80 60C

Data FA ____ DATE RECEIVED: SEP 19 2005 DATE REPORT MAILED: Oct. 11/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Kerwin, Gloria File # A505838 (b)

Apt. 208-502 Wheeler St., Whitehorse YT Y1A 2P2 Submitted by: Gloria Kerwin

SAMPLE#	Cs ppm	Ge ppm	Hf ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	Zr ppm	Y ppm	Ce ppm	In ppm	Re ppb	Be ppm	Li ppm	Pd ppb	Pt ppb
G-1	3.98	<.1	.08	.92	44.7	.5	<.05	.9	4.46	12.6	.02	<1	.1	37.0	<10	<2
S-05-045	.54	<.1	.08	.84	6.4	.3	<.05	3.2	7.06	14.6	.02	<1	.3	10.5	<10	<2
S-05-046	.61	<.1	.08	1.05	6.8	.4	<.05	4.3	8.16	15.8	.02	<1	.3	8.3	<10	<2
S-05-047	.39	<.1	.04	.43	4.6	.3	<.05	2.0	4.74	11.7	<.02	<1	.2	6.9	<10	2
S-05-048	.41	<.1	.11	.24	3.7	.3	<.05	3.9	7.32	13.5	.02	<1	.2	9.4	<10	<2
SS-05-049	.44	.1	.11	.16	3.1	.3	<.05	3.5	6.12	11.2	.03	<1	.2	9.8	<10	2
SS-05-050	.47	<.1	.05	.20	4.2	.2	<.05	1.9	5.02	12.8	<.02	<1	<.1	5.7	<10	2
STANDARD DS6	5.41	<.1	.06	1.54	14.1	5.8	<.05	3.5	6.88	28.4	1.84	<1	2.3	15.9	176	42

GROUP 1F1 - 1.00 GM SAMPLE LEACHED WITH 6 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 20 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SILT SS80 60C

Data Lj FA ____ **DATE RECEIVED:** SEP 19 2005 **DATE REPORT MAILED:** Oct 11/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.